CN 119

This document is made available electronically by the Minnesota Legislative Reference Library as part of an ongoing digital archiving project. http://www.leg.state.mn.us/lrl/lrl.asp

## METALLURGY PROGRESS REPORT 2

Regional Copper-Nickel Study Minnesota Environmental Quality Board

## METALLURGY PROGRESS REPORT 2

Michael Pojar, Asst. to Leader Technical Assessment

March 3, 1977

Regional Cu-Ni Study Minnesota Environmental Quality Counsel

Ŷ

, :

## METALLURGY PROGRESS REPORT 2

Tall stacks or chimneys are used as an ultimate disposal method for wastes which would be difficult to treat. The primary effluent which is emitted from tall stacks or chimneys is sulfur dioxide. Sulfur dioxide originates as a gas from two principal sources:

- smelting operations

- electric power generation plants using a fossil fuel

The objective of the stack is to disperse  $SO_2$  at elevated heights so as to prohibit contammination at ground level. Stacks may be as low as 46 meters, however, many and most are between 152 and 183 meters. For the first order approximations, it will be assumed that a Minnesota based, copper-nickel smelter, will have exit stacks 152-183 meters high, and will specifically vary with the height of typical inversion levels present in Minnesota.

When considering the stack as a form of disposal one must consider the following:

- acceptable ground level concentration of toxic materials and/or particulate matter
- topography of the area

1

1 -

- meteorological conditions
- constituents of the waste gas

Ross (1972) points out several rules which may be used by the average engineer in designing stack systems. These rules will be applied here in our first order approximation of the copper-nickel smelter. They are as follows.

- the stack (which in our case is 152-183 meters high) should be 2½ times the highest surrounding buildings or surrounding topography in order to avoid significant turbulence created by such objects. (This, of course, defines our highest possible building as being 11-30.5 meters). Metallurgy Progress Report 2 Page 2

1

- gas injection velocities from the stack to the atmosphere should be greater than 18.3 meters/sec. so that gases will be able to escape the turbulent wake of the stack. (If possible, gas velocities as high as 30.48 meters/sec. are desirable.)
- gases from stack with diameters less than 1.52 meters and heights less than 60.96 meters hit the ground part of the time causing high ground concentrations.
- maximum ground concentration of stack gases subjected to atmospheric diffusion occurs approximately 5 to 10 stack heights from the stack in a horizontal direction under windless conditions.
- stack gases subjected to atmospheric diffusion where building turbulence is not a factor, can have ground level concentrations on the order of 0.001-1.0 percent of the stack concentration.
- ground concentrations can be reduced through the use of higher stacks. The ground concentration varies inversely as the square of the effective stack height.

First order approximations to exit gas emissions are based on the material balances found in the second metallurgical preliminary report dated February 15, 1977. The following information is assumed (first order approximations for a hypothetical smelter model):

Basis or premise:	100,000 metric tons of metal type product
Particulate emissions: (based on a 90% efficiency factor)	Cu 522 metric tons/year Ni 122 metric tons/year Fe 1008 metric tons/year S 392 metric tons/year Co 17.6 metric tons/year As 1.43 metric tons/year Pb .365 metric tons/year Zn 28.5 metric tons/year Cd 1.82 metric tons/year
Gaseous emissions: (with no gas treatment)	Total Gas Flow 49,581 m <sup>3</sup> /hr SO <sub>2</sub> 7,437 m <sup>3</sup> /hr N <sub>2</sub> 34,210 m <sup>3</sup> /hr H <sub>2</sub> O ? CO <sub>2</sub> ? O <sub>2</sub> ? Others ?
Stack heights:	152 m - 183 m
Stack diamters:	11 m - 30.5 m
Building heights: (maximum)	61 m - 73 m