

Overview of 2002 - Table 1
 PERCENT CHANGES BETWEEN 2001 AND 2002, SELECTED MINNESOTA HEALTH STATISTICS

<u>Category</u>	<u>Percent Change</u>	<u>2001</u>	<u>2002</u>
Population	0.7	4,984,535	5,019,720
Live Births	2.1	66,617	68,037
Birth Rate	1.5	13.4	13.6
Out of Wedlock Percent	6.6	25.8%	27.5%
Fertility	1.8	60.9	62.0
Population of Women 15-44	0.3	1,093,734	1,096,832
White Births*	1.6	56,656	57,572
Black Births*	5.4	4,555	4,799
American Indian Births*	6.9	1,260	1,347
Asian & Pacific Islander Births*	5.2	3,569	3,754
Latino/Hispanic Births*	3.5	4,482	4,639
Prenatal Care - Third Trimester or None	-11.5	2.6%	2.3%
Infants of Less Than 2,500 Grams	0.0	6.3%	6.3%
Infants of Less Than 37 Weeks Gestation	1.1	9.4%	9.5%
Deaths	2.5	37,505	38,437
Fetal Deaths	0.9	342	345
Infant Deaths	1.1	358	362
Neonatal Deaths	3.0	233	240
Infant Mortality Rate	-1.9	5.4	5.3
Neonatal Mortality Rate	0.0	3.5	3.5
Violent Deaths	7.1	2,471	2,646
Homicide	4.0	124	129
Unintentional Injury	7.8	1,772	1,910
Suicide	4.4	475	496
Injury Undetermined	-28.3	53	38
Marriages	-1.3	32,484	32,061
Divorces	-1.2	15,980	15,785

*Race/Ethnicity of Mother - Race categories include persons of both Hispanic and non-Hispanic origin, Latino/Hispanic births include persons of any race.

Overview of 2002 - Table 2

Resident Live Births, Crude Birth Rates*, Fertility Rates**, Minnesota and United States
1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980-2002

Year	Live Births		Crude Birth Rate*		Fertility Rate**	
	Minnesota	U.S.	Minnesota	U.S.	Minnesota	U.S.
1940	52,915	2,559,000	19.0	19.4	81.0	79.9
1945	54,656	2,858,000	20.9	20.4	85.1	85.9
1950	75,078	3,632,000	25.2	24.1	119.1	106.2
1955	81,532	4,097,000	25.7	25.0	130.1	118.3
1960	87,523	4,257,850	25.6	23.7	136.0	118.0
1965	70,810	3,760,358	19.7	19.4	105.9	96.3
1970	68,449	3,731,386	18.0	18.4	88.4	87.9
1975	56,463	3,144,198	14.4	14.6	65.4	66.0
1980	67,843	3,612,258	16.6	15.9	70.8	68.4

1981	68,652	3,629,238	16.7	15.8	71.0	67.4
1982	68,512	3,680,537	16.6	15.9	70.1	67.3
1983	65,559	3,638,933	15.8	15.5	66.8	65.8
1984	66,715	3,669,141	16.0	15.5	67.9	65.4
1985	67,412	3,760,561	16.1	15.8	68.0	66.2

1986	65,766	3,756,547	15.7	15.6	65.9	65.4
1987	65,168	3,809,394	15.3	15.7	64.9	65.7
1988	66,745	3,909,510	15.5	15.9	65.4	67.2
1989	67,490	4,040,958	15.5	16.4	65.9	69.2
1990	67,985	4,158,212	15.5	16.7	66.3	70.9

1991	67,037	4,110,907	15.2	16.3	64.7	69.6
1992	65,591	4,065,014	14.7	15.9	62.5	68.9
1993	64,646	4,000,240	14.3	15.5	61.0	67.6
1994	64,277	3,952,767	14.1	15.2	59.9	66.7
1995	63,259	3,899,589	13.7	14.7	60.1	65.6

1996	63,681	3,891,494	13.6	14.7	59.7	65.3
1997	64,491	3,880,894	13.8	14.5	61.4	65.0
1998	65,207	3,941,553	13.8	14.6	61.8	65.6
1999	65,953	3,959,417	13.8	14.5	62.5	65.9
2000	67,451	4,058,814	13.7	14.7	62.3	67.5

2001	66,617	4,025,933	13.4	14.5	60.9	66.9
2002	68,037	4,021,726	13.6	13.9	62.0	64.8

* Live Births per 1,000 Population

** Live Births per 1,000 Female Population Age 15-44

Overview of 2002 - Table 3
Numbers and Rates of Resident Live Births, Deaths, and Maternal Deaths
1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980-2002

Year	Live Births				Deaths				Maternal Deaths			
	Minnesota		United States		Minnesota		United States		Minnesota		United States	
	Number	Rate*	Number	Rate*	Number	Rate#	Number	Rate#	Number	Rate@	Number	Rate@
1940	52,915	19.0	2,559,000	19.4	26,354	9.4	1,417,269	10.8	115	217.3	8,876	376.0
1945	54,656	20.9	2,858,000	20.4	26,763	10.2	1,401,719	10.6	75	137.2	5,668	207.2
1950	75,078	25.2	3,632,000	24.1	27,897	9.4	1,452,454	9.6	43	57.3	2,960	83.3
1955	81,532	25.7	4,097,000	25.0	28,574	9.0	1,528,717	9.3	27	33.1	1,901	47.0
1960	87,523	25.6	4,257,850	23.7	31,596	9.3	1,711,982	9.5	13	14.9	1,579	37.1
1965	70,810	19.7	3,760,358	19.4	32,477	9.0	1,828,136	9.4	12	16.8	1,189	31.6
1970	68,449	18.0	3,731,386	18.4	33,919	8.9	1,921,031	9.5	9	13.1	803	21.5
1975	56,463	14.4	3,144,198	14.6	32,686	8.3	1,892,879	8.8	3	5.3	403	12.8
1980	67,843	16.6	3,612,258	15.9	33,415	8.2	1,989,841	8.8	4	5.9	334	9.2

1981	68,652	16.7	3,629,238	15.8	32,815	8.0	1,977,981	8.6	2	2.9	309	8.5
1982	68,512	16.6	3,680,537	15.9	32,976	8.0	1,974,797	8.5	3	4.4	292	7.9
1983	65,715	15.8	3,638,933	15.5	33,902	8.2	2,019,201	8.6	2	3.1	290	8.0
1984	66,715	16.0	3,669,141	15.5	33,746	8.1	2,039,369	8.6	5	7.5	285	7.8
1985	67,412	16.1	3,760,561	15.8	34,793	8.3	2,086,440	8.7	3	4.5	295	7.8

1986	65,766	15.6	3,756,547	15.6	35,070	8.3	2,105,361	8.7	1	1.5	272	7.2
1987	65,168	15.3	3,809,394	15.7	34,512	8.1	2,123,323	8.7	1	1.5	251	6.6
1988	66,745	15.5	3,909,510	15.9	35,436	8.2	2,167,999	8.8	4	6.0	330	8.4
1989	67,490	15.5	4,040,958	16.4	34,263	7.9	2,150,466	8.7	1	1.5	320	7.9
1990	67,259	15.5	4,158,212	16.7	34,739	7.9	2,148,463	8.6	3	4.4	343	8.2

1991	67,037	15.2	4,110,907	16.3	35,241	8.0	2,169,518	8.6	5	7.5	323	7.9
1992	65,591	14.7	4,065,014	15.9	34,978	7.8	2,175,613	8.5	3	4.6	318	7.8
1993	64,646	14.3	4,000,240	15.5	36,407	8.1	2,268,553	8.8	3	4.6	302	7.5
1994	64,277	14.1	3,952,767	15.2	36,343	8.0	2,278,994	8.8	3	4.7	328	8.3
1995	63,259	13.7	3,899,589	14.8	37,427	8.1	2,312,132	8.8	0	0.0	277	7.1

1996	63,681	13.6	3,914,953	14.7	37,166	8.0	2,314,690	8.7	3	4.7	294	7.6
1997	64,491	13.8	3,880,894	14.5	36,878	7.9	2,314,245	8.6	4	6.2	327	8.4
1998	65,207	13.8	3,941,553	14.6	37,152	7.9	2,337,256	8.6	3	4.6	281	7.1
1999	65,953	13.8	3,959,417	14.5	38,473	8.1	2,391,399	8.8	3	4.5	391	9.6
2000	67,451	13.7	4,058,814	14.7	37,595	7.6	2,403,351	8.7	4	5.9	396	9.8

2001	66,617	13.4	4,025,933	14.5	37,505	7.5	2,416,425	8.5	2	3.0	399	9.9
2002	68,037	13.6	4,021,726	13.9	38,437	7.7	2,436,000+	8.4+	4	5.9	N.A.	N.A.

* Live Births per 1,000 Population # Deaths per 1,000 Population
@ Maternal Deaths per 100,000 Live Births + Provisional Data

Overview of 2002 - Table 4
 Numbers and Rates of Resident Infant Deaths, Neonatal Deaths, and Fetal Deaths
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980-2002

Year	Infant Deaths				Neonatal Deaths				Fetal Deaths			
	Minnesota		United States		Minnesota		United States		Minnesota		United States	
	Number	Rate*	Number	Rate*	Number	Rate#	Number	Rate#	Number	Rate@	Number	Rate@
1940	1,772	33.3	110,984	47.0	1,246+	23.4	67,866	28.8	1,144+	21.5	73,802	31.3
1945	1,698	31.1	104,684	38.3	1,226+	22.6	66,593	24.3	1,141+	20.9	65,513	23.9
1950	1,876	25.0	103,825	29.2	1,430	19.0	72,855	20.5	1,208	16.1	68,262	19.2
1955	1,779	21.8	106,903	26.4	1,386	17.0	77,351	19.1	1,173	14.4	69,153	17.1
1960	1,881	21.5	110,873	26.0	1,397	16.0	79,733	18.7	1,058	12.1	68,480	16.1
1965	1,432	20.2	92,866	24.7	1,075	15.2	66,419	17.7	921	13.0	60,859	16.2
1970	1,203	17.6	74,667	20.0	944	13.8	56,279	15.1	705	10.3	52,961	14.2
1975	771	13.7	50,525	16.1	582	10.3	36,416	11.6	479	8.5	33,796	10.7
1980	679	10.0	45,526	12.6	421	6.2	30,618	8.5	449	6.6	33,353	9.2

1981	701	10.2	43,305	11.9	448	6.5	29,121	8.0	461	6.7	32,596	9.0
1982	645	9.4	42,401	11.5	402	5.9	28,335	7.7	429	6.3	N.A.	N.A.
1983	645	9.8	40,627	11.2	410	6.3	26,507	7.3	457	7.0	N.A.	N.A.
1984	590	8.8	39,580	10.8	362	5.4	25,691	7.0	465	7.0	N.A.	N.A.
1985	591	8.8	40,030	10.6	364	5.4	26,179	7.0	439	6.5	N.A.	N.A.

1986	606	9.2	38,891	10.4	365	5.5	25,212	6.7	400	6.1	N.A.	N.A.
1987	564	8.7	38,408	10.1	335	5.1	24,627	6.5	404	6.2	N.A.	N.A.
1988	521	7.8	38,910	10.0	316	4.7	24,690	6.3	466	7.0	N.A.	N.A.
1989	479	7.1	39,655	9.8	279	4.1	25,168	6.3	430	6.4	N.A.	N.A.
1990	496	7.3	38,100	9.2	285	4.3	24,309	5.8	449	6.6	N.A.	N.A.

1991	502	7.5	36,766	8.9	298	4.4	22,978	5.6	426	6.4	N.A.	N.A.
1992	464	7.1	34,628	8.5	294	4.5	21,849	5.4	407	6.2	N.A.	N.A.
1993	486	7.5	33,466	8.4	296	4.6	21,174	5.3	338	5.2	N.A.	N.A.
1994	451	7.0	31,710	8.0	295	4.6	20,250	5.1	365	5.7	N.A.	N.A.
1995	427	6.8	29,583	7.6	255	4.0	19,155	4.9	364	5.8	N.A.	N.A.

1996	377	5.9	28,487	7.3	232	3.6	18,572	4.8	352	5.5	N.A.	N.A.
1997	382	5.9	28,045	7.2	241	3.7	18,524	4.7	362	5.6	N.A.	N.A.
1998	386	5.9	28,371	7.2	265	4.1	18,918	4.8	389	6.0	N.A.	N.A.
1999	409	6.2	27,937	7.1	262	4.0	18,728	4.7	384	5.8	N.A.	N.A.
2000	377	5.6	28,035	6.9	252	3.7	18,776	4.6	388	5.7	N.A.	N.A.

2001	358	5.4	27,568	6.8	233	3.5	18,265	4.5	342	5.1	N.A.	N.A.
2002	362	5.3	27,600**	6.9**	240	3.5	N.A.	N.A.	345	5.0	N.A.	N.A.

* Infant Deaths per 1,000 Live Births # Neonatal Deaths per 1,000 Live Births
 @ Fetal Deaths per 1,000 Live Births plus number of fetal deaths
 + Place of Occurrence ** Provisional Data

Overview of 2002 - Table 5
 Marriages and Divorces/Annulments, Numbers and Rates
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980-2002

Year	Marriages				Divorces/Annulments			
	Minnesota		U.S.		Minnesota		U.S.	
	Number	Rate*	Number	Rate*	Number	Rate**	Number	Rate**
1940	27,419	9.8	1,595,879	12.1	2,957	1.1	264,000	2.0
1945	26,195	10.0	1,612,992	12.2	5,326	2.0	485,000	3.5
1950	30,991	10.4	1,667,231	11.1	4,049	1.4	385,000	2.6
1955	24,854	7.8	1,531,000	9.3	3,757	1.2	377,000	2.3
1960	23,596	6.9	1,523,000	8.5	4,175	1.2	393,000	2.2
1965	26,472	7.4	1,800,000	9.3	4,848	1.3	479,000	2.5
1970	31,280	8.2	2,158,802	10.6	8,221	2.2	708,000	3.5
1975	32,237	8.2	2,152,662	10.0	13,147	3.3	1,036,000	4.8
1980	37,625	9.2	2,390,252	10.6	15,092	3.7	1,189,000	5.2

1981	37,638	9.2	2,422,145	10.6	16,329	4.0	1,213,000	5.3
1982	37,409	9.1	2,456,278	10.6	15,177	3.7	1,170,000	5.1
1983	36,259	8.7	2,445,604	10.5	14,789	3.6	1,158,000	5.0
1984	36,223	8.7	2,477,192	10.5	14,758	3.5	1,169,000	5.0
1985	35,059	8.4	2,412,625	10.1	14,795	3.5	1,190,000	5.0

1986	34,199	8.1	2,407,099	10.0	14,426	3.4	1,178,000	4.9
1987	33,683	7.9	2,403,378	9.9	14,931	3.5	1,166,000	4.8
1988	33,654	7.8	2,395,926	9.7	15,245	3.5	1,167,000	4.8
1989	34,326	7.9	2,403,268	9.7	15,675	3.6	1,157,000	4.7
1990	33,688	7.7	2,443,489	9.8	15,595	3.6	1,182,000	4.7

1991	32,841	7.4	2,371,000	9.4	16,075	3.6	1,187,000	4.7
1992	32,237	7.2	2,362,000	9.3	16,575	3.7	1,215,000	4.8
1993	32,691	7.2	2,334,000	9.0	16,025	3.5	1,187,000	4.6
1994	32,919	7.2	2,362,000	9.1	15,746	3.4	1,191,000	4.6
1995	32,878	7.1	2,336,000	8.9	15,486	3.3	973,000	4.1

1996	33,046	7.0	2,344,000	8.8	15,254	3.2	1,150,000	4.3
1997	32,598	7.0	2,384,000	8.9	15,568	3.3	1,163,000	4.3
1998	32,218	6.8	2,244,000	8.3	15,165	3.2	1,135,000	4.2
1999	33,054	6.9	2,251,000^	8.3^	15,497	3.2	N.A.	4.1
2000	33,432	6.8	2,329,000^	8.5^	15,888	3.2	N.A.	4.1

2001	32,484	6.5	2,327,000^	8.4^	15,980	3.2	N.A.	3.9
2002	32,061	6.4	2,254,000^	7.8^	15,785	3.1	N.A.	4.0

* Marriages per 1,000 Population

^ Provisional Data

** Divorces and Annulments per 1,000 Population

Overview of 2002 - Table 6
 BIRTHS, DEATHS, INFANT DEATHS, FETAL DEATHS, MARRIAGES,
 DIVORCES AND ANNULMENTS BY MONTH
 MINNESOTA OCCURRENCES, 2002

	BIRTHS	DEATHS	INFANT DEATHS	FETAL DEATHS	MARRIAGES	DIVORCES AND ANNULMENTS
TOTAL*	68,089	38,648	373	355	32,061	15,785
JANUARY	5,448	3,476	33	35	1,119	1,097
FEBRUARY	5,098	3,259	20	23	1,461	1,215
MARCH	5,657	3,615	35	23	1,268	1,349
APRIL	5,597	3,169	33	28	2,062	1,425
MAY	5,990	3,154	33	25	2,946	1,475
JUNE	5,727	2,934	32	33	4,647	1,249
JULY	6,073	3,017	23	38	3,242	1,354
AUGUST	6,066	3,007	32	24	4,717	1,323
SEPTEMBER	5,827	3,020	32	18	4,001	1,117
OCTOBER	5,732	3,342	23	34	3,339	1,393
NOVEMBER	5,396	3,236	43	42	1,675	1,190
DECEMBER	5,478	3,419	34	32	1,577	1,598

*NOTE: TOTAL INCLUDES ANY UNKNOWN OCCURRENCE MONTHS.

Overview of 2002 - Table 7
LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, AND NEONATAL DEATHS
BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2002

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
AFTON	18	14	-	1	1
ALBERT LEA	251	288	2	4	3
ALEXANDRIA	129	192	1	2	1
ANDOVER	394	72	1	-	-
ANOKA	284	169	1	-	-
APPLE VALLEY	621	211	4	4	3
ARDEN HILLS	62	111	-	-	-
AUSTIN	383	285	2	1	1
BAXTER	83	27	1	-	-
BAYPORT	21	24	-	-	-
BELLE PLAINE	96	64	-	-	-
BEMIDJI	195	159	2	1	-
BENSON	52	58	-	-	-
BIG LAKE	232	28	-	-	-
BLAINE	719	179	4	5	3
BLOOMINGTON	915	764	3	2	1
BLUE EARTH	34	80	-	-	-
BRAINERD	265	190	2	1	1
BRECKENRIDGE	37	61	-	-	-
BROOKLYN CENTER	428	232	4	1	1
BROOKLYN PARK	1,241	232	10	7	4
BUFFALO	265	132	1	-	-
BURNSVILLE	905	232	9	1	1
BYRON	65	10	-	-	-
CALEDONIA	43	48	-	1	1
CAMBRIDGE	124	111	1	1	1
CANNON FALLS	53	56	-	-	-
CHAMPLIN	297	58	2	-	-
CHANHASSEN	297	42	1	-	-
CHASKA	309	73	1	1	1
CHISHOLM	54	75	-	1	-
CIRCLE PINES	111	36	-	-	-
CLOQUET	169	134	1	1	1
COLD SPRING	44	55	-	-	-
COLUMBIA HEIGHTS	279	202	-	2	2
COON RAPIDS	810	326	3	2	1
CORCORAN	43	19	-	1	1
COTTAGE GROVE	453	91	4	-	-
CROOKSTON	106	113	-	-	-
CRYSTAL	299	170	2	5	4
DAYTON	46	11	-	-	-
DEEPHAVEN	29	15	-	-	-
DELANO	70	28	-	-	-
DETROIT LAKES	99	146	1	1	-
DILWORTH	42	28	-	-	-
DULUTH	1,022	1,026	8	6	5
EAGAN	908	202	-	7	5
EAST BETHEL	108	23	2	-	-
EAST GRAND FORKS	107	58	-	-	-
EDEN PRAIRIE	777	153	5	4	1

Overview of 2002 - Table 7
LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, AND NEONATAL DEATHS
BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2002

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
EDINA	429	494	4	1	1
ELK RIVER	348	125	-	2	1
ELY	31	54	-	-	-
EVELETH	40	72	1	-	-
FAIRMONT	113	152	1	-	-
FALCON HEIGHTS	49	21	-	-	-
FARIBAULT	335	222	-	3	2
FARMINGTON	542	54	2	-	-
FERGUS FALLS	169	205	-	1	1
FOREST LAKE	228	113	-	2	1
FRIDLEY	392	177	2	2	1
GLENCOE	101	73	-	1	-
GLENWOOD	31	80	-	-	-
GOLDEN VALLEY	247	198	2	2	2
GOODVIEW	-	14	-	-	-
GRAND RAPIDS	132	160	-	-	-
GRANITE FALLS	35	45	-	-	-
HAM LAKE	175	50	-	-	-
HASTINGS	288	178	-	-	-
HERMANTOWN	46	56	-	-	-
HIBBING	162	226	2	3	3
HOPKINS	261	194	2	2	1
HUGO	154	18	-	-	-
HUTCHINSON	203	110	1	-	-
INDEPENDENCE	23	6	-	-	-
INTERNATIONAL FALLS	74	91	-	1	-
INVER GROVE HEIGHTS	412	178	1	3	1
JACKSON	38	57	-	-	-
JORDAN	110	25	1	-	-
KASSON	92	18	-	-	-
LA CRESCENT	73	42	-	-	-
LAKE CITY	50	69	-	-	-
LAKE ELMO	103	38	1	1	1
LAKEVILLE	566	83	2	4	4
LAUDERDALE	21	4	-	-	-
LE SUEUR	64	43	-	1	1
LINDSTROM	57	28	-	-	-
LINO LAKES	245	35	-	-	-
LITCHFIELD	78	102	1	-	-
LITTLE CANADA	74	54	-	1	-
LITTLE FALLS	111	136	1	2	1
LONG PRAIRIE	69	63	1	-	-
LUVERNE	65	81	1	-	-
MAHTOMEDI	60	53	-	-	-
MANKATO	402	274	2	-	-
MAPLE GROVE	800	131	3	5	3
MAPLEWOOD	406	318	3	1	1
MARSHALL	186	96	1	2	2
MEDINA	27	6	-	-	-
MELROSE	49	44	-	-	-

Overview of 2002 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, AND NEONATAL DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2002

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
MENDOTA HEIGHTS	79	52	-	-	-
MINNEAPOLIS	6,374	2,818	49	41	29
MINNETONKA	429	319	5	5	5
MINNETRISTA	55	11	-	-	-
MONTEVIDEO	64	83	1	-	-
MONTICELLO	205	73	-	-	-
MOORHEAD	361	261	-	2	-
MORA	56	64	-	-	-
MORRIS	43	46	-	-	-
MOUND	134	58	1	-	-
MOUNDS VIEW	150	80	1	2	1
MOUNTAIN IRON	23	19	-	-	-
NEW BRIGHTON	256	194	-	1	1
NEW HOPE	262	343	-	-	-
NEWPORT	39	20	1	-	-
NEW PRAGUE	103	39	-	-	-
NEW ULM	137	108	2	-	-
NORTHFIELD	201	125	-	1	1
NORTH BRANCH	173	80	1	1	1
NORTH MANKATO	154	75	1	-	-
NORTH OAKS	21	21	-	-	-
NORTH ST PAUL	130	67	-	-	-
OAKDALE	362	130	3	2	1
OAK GROVE	49	13	-	-	-
OAK PARK HEIGHTS	18	44	-	-	-
OLIVIA	41	48	-	1	-
ORONO	54	5	-	-	-
OSSEO	55	30	1	-	-
OTSEGO	113	16	1	-	-
OWATONNA	333	189	5	2	1
PARK RAPIDS	56	86	1	-	-
PINE CITY	50	53	-	-	-
PIPESTONE	43	84	-	-	-
PLAINVIEW	52	47	-	1	1
PLYMOUTH	765	238	3	5	2
PRINCETON	92	65	-	2	2
PRIOR LAKE	397	61	3	-	-
PROCTOR	29	22	-	-	-
RAMSEY	244	44	-	-	-
RED WING	207	180	-	1	1
REDWOOD FALLS	73	78	-	1	-
RICHFIELD	568	322	4	8	8
ROBBINSDALE	190	177	-	1	1
ROCHESTER	1,644	675	12	17	15
ROCKFORD	82	17	1	3	3
ROSEAU	30	52	-	-	-
ROSEMOUNT	319	56	4	-	-
ROSEVILLE	313	360	-	1	1
SAINT ANTHONY	61	119	-	-	-
SAINT CHARLES	59	31	-	-	-

Overview of 2002 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS, AND NEONATAL DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2002

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
SAINT CLOUD	774	389	-	5	2
SAINT FRANCIS	105	21	-	-	-
SAINT JAMES	58	53	1	1	-
SAINT JOSEPH	58	25	-	-	-
SAINT LOUIS PARK	592	444	4	3	2
SAINT MICHAEL	259	23	-	-	-
SAINT PAUL	5,036	2,237	25	32	15
SAINT PAUL PARK	68	31	-	1	1
SAINT PETER	117	85	-	-	-
SARTELL	190	91	2	3	1
SAUK CENTRE	48	51	1	-	-
SAUK RAPIDS	203	116	1	1	1
SAVAGE	477	48	1	2	1
SHAKOPEE	598	122	3	2	1
SHOREVIEW	257	137	-	-	-
SHOREWOOD	57	23	-	-	-
SLEEPY EYE	54	70	-	-	-
SOUTH ST PAUL	270	179	-	-	-
SPRING LAKE PARK	80	46	-	-	-
STAPLES	42	59	-	-	-
STEWARTVILLE	87	50	-	2	-
STILLWATER	292	175	1	1	-
THIEF RIVER FALLS	109	104	1	-	-
TWO HARBORS	60	59	-	-	-
VADNAIS HEIGHTS	142	51	-	1	1
VICTORIA	70	9	-	-	-
VIRGINIA	95	180	-	-	-
WACONIA	168	75	-	-	-
WADENA	42	65	1	-	-
WAITE PARK	105	65	-	-	-
WASECA	120	71	-	-	-
WATERTOWN	66	25	-	-	-
WAYZATA	72	70	-	-	-
WEST ST PAUL	238	252	3	1	1
WHITE BEAR LAKE	383	253	1	1	1
WILLMAR	280	216	1	2	2
WINDOM	47	65	-	-	-
WINONA	272	265	-	3	3
WOODBURY	872	197	2	6	2
WORTHINGTON	211	106	-	1	-
WYOMING	106	26	-	-	-

*Municipalities with a population of 2,500 or more as of the 2000 Census.

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH,
MINNESOTA, 2002

County	Births Occurring in County				Resident Births		
	Total	County Residents	Other	Out of	Outside County		Total
			Minnesota Residents	State Residents	Within Minnesota	Outside Minnesota	
State Total	68,089	44,087	22,024	1,978	22,024	1,926	68,037
Aitkin	52	50	2	-	95	-	145
Anoka	4,226	2,605	1,613	8	1,651	5	4,261
Becker	391	252	139	-	44	89	385
Beltrami	901	576	323	2	15	8	599
Benton	2	2	-	-	582	1	585
Big Stone	84	41	14	29	15	7	63
Blue Earth	1,246	639	607	-	34	1	674
Brown	420	248	172	-	44	1	293
Carlton	248	134	112	2	258	-	392
Carver	1,124	505	617	2	659	1	1,165
Cass	2	2	-	-	330	5	337
Chippewa	86	53	33	-	75	-	128
Chisago	753	386	358	9	314	57	757
Clay	10	7	-	3	7	573	587
Clearwater	32	26	6	-	67	1	94
Cook	12	12	-	-	28	-	40
Cottonwood	164	97	64	3	29	10	136
Crow Wing	927	665	260	2	56	-	721
Dakota	3,364	2,402	911	51	2,913	13	5,328
Dodge	2	2	-	-	284	1	287
Douglas	550	331	218	1	23	1	355
Faribault	40	30	5	5	130	-	160
Fillmore	26	26	-	-	195	47	268
Freeborn	487	338	109	40	34	3	375
Goodhue	450	268	95	87	257	3	528
Grant	-	-	-	-	64	2	66
Hennepin	19,828	14,381	5,354	93	1,703	28	16,112
Minneapolis	9,903	4,433	5,401	69	1,927	14	6,374
Houston	-	-	-	-	11	181	192
Hubbard	144	86	58	-	92	6	184
Isanti	475	245	230	-	190	-	435
Itasca	416	380	36	-	85	-	465
Jackson	-	-	-	-	90	15	105
Kanabec	175	88	84	3	88	-	176
Kandiyohi	748	499	249	-	48	2	549
Kittson	12	10	1	1	15	16	41
Koochiching	92	91	1	-	34	2	127
Lac Qui Parle	32	28	4	-	38	3	69
Lake	13	12	1	-	93	-	105
Lake of the Woods	35	21	14	-	5	5	31
Le Sueur	1	1	-	-	314	1	316
Lincoln	14	7	3	4	38	19	64
Lyon	420	280	138	2	18	34	332
McLeod	534	330	203	1	176	-	506
Mahnomen	-	-	-	-	65	14	79
Marshall	-	-	-	-	45	66	111
Martin	275	189	43	43	16	4	209
Meeker	179	129	50	-	149	-	278
Mille Lacs	58	45	13	-	287	-	332
Morrison	227	193	34	-	202	-	395
Mower	450	401	40	9	133	5	539

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH,
MINNESOTA, 2002 (CONT.)

County	Births Occurring in County				Resident Births		
	Total	County Residents	Other	Out of	Outside County		Total
			Minnesota Residents	State Residents	Within Minnesota	Outside Minnesota	
Murray	-	-	-	-	93	10	103
Nicollet	59	29	30	-	358	1	388
Nobles	345	228	103	14	27	43	298
Norman	-	-	-	-	2	76	78
Olmsted	3,102	1,974	1,038	90	18	10	2,002
Otter Tail	430	363	63	4	161	63	587
Pennington	225	141	83	1	1	12	154
Pine	3	3	-	-	297	4	304
Pipestone	67	45	19	3	30	33	108
Polk	179	144	34	1	42	188	374
Pope	41	26	13	2	89	-	115
Ramsey	10,329	5,586	4,477	266	1,758	15	7,359
St. Paul	7,631	3,274	4,150	207	1,751	11	5,036
Red Lake	-	-	-	-	32	5	37
Redwood	140	119	21	-	102	4	225
Renville	81	65	14	2	128	-	193
Rice	827	580	246	1	136	-	716
Rock	124	68	53	3	1	64	133
Roseau	192	174	7	11	25	8	207
St. Louis	3,039	1,973	517	549	29	2	2,004
Duluth	2,388	1,011	830	547	11	-	1,022
Scott	1,058	686	366	6	1,259	3	1,948
Sherburne	523	264	258	1	979	1	1,244
Sibley	1	1	-	-	193	-	194
Stearns	2,834	1,655	1,175	4	104	-	1,759
Steele	468	361	106	1	110	-	471
Stevens	90	63	27	-	33	1	97
Swift	23	22	1	-	102	-	124
Todd	136	111	24	1	180	-	291
Traverse	6	2	2	2	15	17	34
Wabasha	78	40	17	21	207	2	249
Wadena	303	106	197	-	45	5	156
Waseca	50	41	9	-	182	1	224
Washington	1,803	926	494	383	1,935	21	2,882
Watonwan	41	32	9	-	96	-	128
Wilkin	238	41	24	173	8	14	63
Winona	368	300	30	38	123	81	504
Wright	1,076	753	323	-	925	1	1,679
Yellow Medicine	83	52	30	1	61	5	118
Unknown	-	-	-	-	-	6	6

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002

	State Total	Aitkin	Anoka	Becker	Beltrami	Benton	Big Stone	Blue Earth
Live Births	68,037	145	4,261	385	599	585	63	674
Fertility Rate	62.0	58.1	60.2	66.7	63.8	66.5	67.1	47.0
Crude Birth Rate	13.6	9.4	13.8	12.5	14.6	16.1	11.1	11.9
Sex: Male	34,842	84	2,166	205	302	301	32	345
Female	33,195	61	2,095	180	297	284	31	329
Births to Unmarried Mothers, %	27.5	34.5	24.6	33.5	47.8	27.5	30.2	27.0
Race of Mother:								
White	57,572	138	3,877	324	369	562	62	631
African American	4,799	3	161	1	3	11	-	22
American Indian	1,347	3	39	53	214	3	1	3
Asian/Pacific Islander	3,754	1	168	5	7	9	-	16
Other/Unknown	565	-	16	2	6	-	-	2
*Hispanic	4,639	1	125	6	5	10	-	18
Live Birth Order, Percent								
1st Birth	39.8	43.5	38.8	35.8	36.2	41.5	28.6	41.7
5th or Over	4.5	6.2	4.3	6.0	9.2	2.1	7.9	4.3
Prematurity, Percent:								
Less than 37 weeks	9.5	10.2	10.2	9.8	10.8	9.0	14.3	10.3
Less than 2500 grams	6.3	5.5	5.8	7.0	5.4	5.8	6.4	7.0
Plurality:								
Single	65,661	145	4,081	365	585	572	61	645
Twin	2,242	-	168	20	14	10	2	26
Triplet	120	-	12	-	-	3	-	3
Mother's Age, Percent:								
Under 18	2.4	1.4	1.9	3.6	6.2	1.5	1.6	1.8
18-19	5.2	10.3	4.3	6.5	8.0	6.8	9.5	6.4
40 and over	2.6	1.4	2.7	2.3	2.2	1.4	3.2	1.9
Mother's Education, Percent								
Less than 12 years	11.2	10.3	7.9	13.4	19.4	7.7	6.5	8.4
Over 3 years college	36.0	24.1	33.1	23.0	24.4	29.1	11.3	35.7
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	3.6	1.8	2.1	5.4	1.0	4.8	1.7
Congenital Anomalies, Percent	1.1	2.8	0.5	1.8	0.5	1.5	1.6	1.0
Abnormal Conditions of Child, Percent	3.8	6.2	2.1	7.8	5.2	8.9	3.2	0.9

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay
Live Births	68,037	293	392	1,165	337	128	757	587
Fertility Rate	62.0	55.7	61.6	66.1	67.4	55.5	75.3	46.0
Crude Birth Rate	13.6	11.0	12.0	15.4	12.1	9.9	17.0	11.3
Sex: Male	34,842	157	195	609	180	67	390	297
Female	33,195	136	197	556	157	61	367	290
Births to Unmarried Mothers, %	27.5	27.7	37.5	14.2	45.7	35.9	19.7	27.1
Race of Mother:								
White	57,572	291	340	1,099	234	121	728	553
African American	4,799	1	-	16	-	-	1	5
American Indian	1,347	-	48	4	97	4	4	16
Asian/Pacific Islander	3,754	-	2	36	2	2	6	10
Other/Unknown	565	1	2	10	4	1	18	3
*Hispanic	4,639	20	4	68	2	15	4	42
Live Birth Order, Percent								
1st Birth	39.8	39.9	36.2	36.7	32.1	33.6	37.3	38.5
5th or Over	4.5	3.1	4.1	3.0	7.7	5.5	4.4	4.3
Prematurity, Percent:								
Less than 37 weeks	9.5	8.7	9.6	9.4	9.8	9.9	9.7	11.3
Less than 2500 grams	6.3	4.8	4.6	4.9	7.4	5.5	6.1	7.3
Plurality:								
Single	65,661	285	376	1,113	327	121	728	572
Twin	2,242	8	16	49	10	4	26	14
Triplet	120	-	-	3	-	3	3	-
Mother's Age, Percent:								
Under 18	2.4	2.4	2.3	1.9	3.3	-	2.3	1.9
18-19	5.2	7.5	6.1	1.6	8.6	13.3	4.6	5.3
40 and over	2.6	2.4	2.6	2.8	1.8	1.6	2.4	2.7
Mother's Education, Percent								
Less than 12 years	11.2	10.6	10.5	6.6	15.3	12.7	6.2	9.5
Over 3 years college	36.0	28.0	26.7	51.0	16.5	17.5	31.0	35.7
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	0.7	2.0	1.4	4.8	2.3	1.5	0.9
Congenital Anomalies, Percent	1.1	1.7	1.5	0.7	1.5	5.5	1.2	0.9
Abnormal Conditions of Child, Percent	3.8	5.8	4.3	1.9	5.9	10.2	3.2	7.5

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Clear- water	Cook	Cotton- wood	Crow Wing	Dakota	Dodge	Douglas
Live Births	68,037	94	40	136	721	5,328	287	355
Fertility Rate	62.0	59.7	44.1	67.7	64.4	62.3	70.9	55.2
Crude Birth Rate	13.6	11.2	7.7	11.3	12.7	14.4	15.5	10.6
Sex: Male	34,842	50	20	82	366	2,672	149	177
Female	33,195	44	20	54	355	2,656	138	178
Births to Unmarried Mothers, %	27.5	41.5	30.0	24.3	28.9	20.2	24.4	24.2
Race of Mother:								
White	57,572	77	37	127	693	4,731	283	352
African American	4,799	-	-	-	7	248	-	1
American Indian	1,347	14	3	1	13	20	-	2
Asian/Pacific Islander	3,754	1	-	5	5	289	4	-
Other/Unknown	565	2	-	3	3	40	-	-
*Hispanic	4,639	-	1	7	8	288	17	3
Live Birth Order, Percent								
1st Birth	39.8	31.9	42.5	34.6	39.0	40.0	39.0	36.1
5th or Over	4.5	4.3	7.5	11.0	3.6	2.4	4.2	1.7
Prematurity, Percent:								
Less than 37 weeks	9.5	7.0	10.0	6.9	10.6	8.9	12.2	9.6
Less than 2500 grams	6.3	4.3	10.0	3.7	6.9	5.9	7.0	6.5
Plurality:								
Single	65,661	93	40	134	703	5,137	273	349
Twin	2,242	1	-	2	18	180	14	6
Triplet	120	-	-	-	-	10	-	-
Mother's Age, Percent:								
Under 18	2.4	1.1	2.5	2.2	2.2	1.3	1.7	0.6
18-19	5.2	7.5	10.0	5.2	6.2	3.3	6.6	5.9
40 and over	2.6	1.1	7.5	6.6	1.8	2.8	1.1	0.6
Mother's Education, Percent								
Less than 12 years	11.2	14.1	20.0	11.8	8.2	5.7	10.6	3.9
Over 3 years college	36.0	18.5	32.5	21.3	26.4	46.5	25.4	27.3
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	3.3	-	0.8	2.1	1.0	1.4	0.6
Congenital Anomalies, Percent	1.1	1.1	5.0	2.9	1.5	0.6	0.4	1.4
Abnormal Conditions of Child, Percent	3.8	4.3	2.5	8.1	3.9	2.0	5.9	3.7

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minnea- polis
Live Births	68,037	160	268	375	528	66	16,112	6,374
Fertility Rate	62.0	59.5	68.3	63.6	58.3	59.8	63.8	64.0
Crude Birth Rate	13.6	10.1	12.5	11.7	11.8	10.6	14.4	16.7
Sex: Male	34,842	83	144	192	263	35	8,236	3,231
Female	33,195	77	124	183	265	31	7,876	3,143
Births to Unmarried Mothers, %	27.5	32.5	20.9	38.1	27.5	21.2	29.5	44.2
Race of Mother:								
White	57,572	157	264	370	500	65	11,627	3,824
African American	4,799	-	-	2	6	-	2,707	1,719
American Indian	1,347	1	2	-	13	-	297	239
Asian/Pacific Islander	3,754	1	1	2	5	1	1,261	474
Other/Unknown	565	1	1	1	4	-	220	118
*Hispanic	4,639	11	3	61	23	-	1,752	1,182
Live Birth Order, Percent								
1st Birth	39.8	40.0	33.6	42.9	41.5	36.4	44.2	46.0
5th or Over	4.5	3.1	8.6	2.7	4.9	-	4.8	7.1
Prematurity, Percent:								
Less than 37 weeks	9.5	8.1	15.0	8.6	10.9	4.6	9.5	9.5
Less than 2500 grams	6.3	9.4	9.4	6.9	7.0	3.0	6.8	8.0
Plurality:								
Single	65,661	148	248	363	504	66	15,524	6,149
Twin	2,242	10	20	12	24	-	564	217
Triplet	120	2	-	-	-	-	20	8
Mother's Age, Percent:								
Under 18	2.4	4.4	1.1	5.1	1.5	-	2.6	4.6
18-19	5.2	4.4	3.7	8.3	6.6	6.1	4.8	7.3
40 and over	2.6	1.3	3.0	2.9	1.3	1.5	3.4	3.0
Mother's Education, Percent								
Less than 12 years	11.2	9.4	14.6	19.3	8.5	3.0	14.2	26.1
Over 3 years college	36.0	25.6	24.4	19.0	27.1	39.4	42.6	31.1
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	1.9	7.1	2.2	2.1	4.6	3.0	4.8
Congenital Anomalies, Percent	1.1	.6	1.5	1.6	1.5	-	0.8	0.9
Abnormal Conditions of Child, Percent	3.8	3.1	9.7	2.9	4.2	4.6	3.1	5.0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
Live Births	68,037	192	184	435	465	105	176	549
Fertility Rate	62.0	48.7	54.7	56.8	57.1	52.1	55.9	67.5
Crude Birth Rate	13.6	9.7	10.0	12.9	10.5	9.3	11.4	13.5
Sex: Male	34,842	101	103	204	251	59	85	262
Female	33,195	91	81	231	214	46	91	287
Births to Unmarried Mothers, %	27.5	23.4	37.5	28.7	37.4	22.9	31.3	33.0
Race of Mother:								
White	57,572	191	176	420	435	101	172	534
African American	4,799	1	-	3	1	-	-	7
American Indian	1,347	-	3	6	21	-	2	5
Asian/Pacific Islander	3,754	-	3	4	4	4	-	3
Other/Unknown	565	-	2	2	4	-	2	-
*Hispanic	4,639	1	2	9	3	9	1	100
Live Birth Order, Percent								
1st Birth	39.8	39.1	35.3	40.2	39.8	38.1	38.6	36.1
5th or Over	4.5	3.7	3.8	4.4	4.1	4.8	3.4	5.8
Prematurity, Percent:								
Less than 37 weeks	9.5	8.3	7.4	9.9	8.3	9.9	13.3	11.9
Less than 2500 grams	6.3	7.3	5.5	4.8	5.8	6.7	6.3	6.6
Plurality:								
Single	65,661	177	180	429	442	105	168	533
Twin	2,242	12	4	6	22	-	8	16
Triplet	120	3	-	-	-	-	-	-
Mother's Age, Percent:								
Under 18	2.4	1.0	4.4	3.7	4.7	1.9	2.3	3.3
18-19	5.2	4.2	9.8	5.3	6.9	2.9	6.3	10.0
40 and over	2.6	2.6	1.1	1.6	0.4	2.9	0.6	1.8
Mother's Education, Percent								
Less than 12 years	11.2	3.7	18.9	8.5	10.9	11.4	10.9	16.8
Over 3 years college	36.0	32.1	22.8	20.7	22.6	27.6	15.4	23.7
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	1.6	5.0	1.4	0.9	2.9	1.2	3.7
Congenital Anomalies, Percent	1.1	1.0	1.1	0.9	0.9	1.0	0.6	2.6
Abnormal Conditions of Child, Percent	3.8	6.8	9.2	3.2	2.6	2.9	4.0	6.2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Kittson	Kooch- iching	Lac Qui Parle	Lake of Lake	the Woods	Le Sueur	Lincoln
Live Births	68,037	41	127	69	105	31	316	64
Fertility Rate	62.0	52.0	51.3	54.0	53.0	40.8	59.9	63.7
Crude Birth Rate	13.6	8.1	9.1	8.7	9.5	7.1	12.2	10.3
Sex: Male	34,842	23	68	32	61	14	173	33
Female	33,195	18	59	37	44	17	143	31
Births to Unmarried Mothers, %	27.5	26.8	43.3	21.7	27.6	41.9	26.0	14.1
Race of Mother:								
White	57,572	40	119	69	104	30	309	64
African American	4,799	-	2	-	-	-	2	-
American Indian	1,347	-	3	-	-	1	-	-
Asian/Pacific Islander	3,754	-	2	-	-	-	3	-
Other/Unknown	565	1	1	-	1	-	2	-
*Hispanic	4,639	-	1	-	2	-	43	1
Live Birth Order, Percent								
1st Birth	39.8	36.6	38.6	33.3	39.1	45.2	36.4	34.4
5th or Over	4.5	2.4	9.5	8.7	3.8	3.2	6.0	4.7
Prematurity, Percent:								
Less than 37 weeks	9.5	5.0	8.8	9.0	8.1	15.4	7.9	7.0
Less than 2500 grams	6.3	2.5	7.9	1.5	8.6	9.7	5.7	6.3
Plurality:								
Single	65,661	38	123	68	101	29	300	62
Twin	2,242	2	4	-	4	2	16	2
Triplet	120	-	-	-	-	-	-	-
Mother's Age, Percent:								
Under 18	2.4	-	5.5	-	2.9	3.2	1.6	-
18-19	5.2	9.8	8.7	8.7	-	6.5	6.3	3.1
40 and over	2.6	-	3.2	1.5	4.8	3.2	1.9	-
Mother's Education, Percent								
Less than 12 years	11.2	7.5	7.3	4.4	11.4	12.9	14.6	3.1
Over 3 years college	36.0	32.5	23.6	23.2	24.8	19.4	25.7	45.3
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	-	-	2.9	3.9	-	1.6	-
Congenital Anomalies, Percent	1.1	-	1.6	-	1.0	3.2	1.6	-
Abnormal Conditions of Child, Percent	3.8	4.9	10.2	11.6	5.7	12.9	3.8	4.7

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker	Mille Lacs
Live Births	68,037	332	506	79	111	209	278	332
Fertility Rate	62.0	60.2	68.8	88.8	64.8	56.6	63.5	68.7
Crude Birth Rate	13.6	13.2	14.3	15.3	11.2	9.8	12.2	14.1
Sex: Male	34,842	177	261	41	53	118	126	182
Female	33,195	155	245	38	58	91	152	150
Births to Unmarried Mothers, %	27.5	28.0	25.5	67.1	20.7	36.4	23.7	30.4
Race of Mother:								
White	57,572	287	494	31	106	201	270	299
African American	4,799	25	5	-	-	1	1	1
American Indian	1,347	-	-	48	1	1	1	31
Asian/Pacific Islander	3,754	13	5	-	3	5	1	1
Other/Unknown	565	7	2	-	1	1	5	-
*Hispanic	4,639	39	56	1	14	14	25	3
Live Birth Order, Percent								
1st Birth	39.8	35.2	35.4	32.9	37.8	40.7	39.2	37.7
5th or Over	4.5	8.4	4.4	8.9	7.2	5.3	7.6	5.1
Prematurity, Percent:								
Less than 37 weeks	9.5	14.0	9.2	10.3	10.4	10.6	11.3	9.8
Less than 2500 grams	6.3	7.5	4.9	5.1	5.4	5.7	4.0	6.3
Plurality:								
Single	65,661	322	496	76	107	201	272	326
Twin	2,242	4	10	3	4	8	6	6
Triplet	120	6	-	-	-	-	-	-
Mother's Age, Percent:								
Under 18	2.4	2.4	2.6	11.4	2.7	3.4	2.5	3.0
18-19	5.2	5.1	5.5	12.7	9.0	10.5	5.8	6.6
40 and over	2.6	2.1	2.2	1.3	3.6	1.4	1.4	0.9
Mother's Education, Percent								
Less than 12 years	11.2	16.4	10.7	26.6	11.0	14.0	12.3	15.6
Over 3 years college	36.0	36.1	22.5	13.9	22.0	28.5	20.9	17.1
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	3.4	1.8	10.3	2.8	1.4	2.2	2.2
Congenital Anomalies, Percent	1.1	0.6	2.6	2.5	0.9	1.4	1.4	2.1
Abnormal Conditions of Child, Percent	3.8	7.8	6.5	8.9	8.1	4.3	10.1	6.9

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted
Live Births	68,037	395	539	103	388	298	78	2,002
Fertility Rate	62.0	61.7	74.7	68.8	53.5	78.3	61.4	69.3
Crude Birth Rate	13.6	12.2	13.9	11.4	12.8	14.6	10.7	15.5
Sex: Male	34,842	218	294	60	210	156	46	995
Female	33,195	177	245	43	178	142	32	1,007
Births to Unmarried Mothers, %	27.5	31.9	39.0	22.3	25.0	38.3	28.2	23.3
Race of Mother:								
White	57,572	388	493	100	373	230	73	1,704
African American	4,799	4	17	1	6	10	-	139
American Indian	1,347	-	3	1	3	1	3	9
Asian/Pacific Islander	3,754	3	17	1	5	21	-	146
Other/Unknown	565	-	9	-	1	36	2	4
*Hispanic	4,639	1	89	3	14	102	5	96
Live Birth Order, Percent								
1st Birth	39.8	37.5	34.7	35.9	37.9	33.6	30.8	40.2
5th or Over	4.5	6.6	5.4	2.9	2.6	6.7	11.5	4.3
Prematurity, Percent:								
Less than 37 weeks	9.5	10.0	10.5	14.9	9.2	12.0	6.1	10.3
Less than 2500 grams	6.3	6.8	7.2	8.7	8.8	6.4	7.7	7.0
Plurality:								
Single	65,661	389	525	99	366	288	74	1,926
Twin	2,242	6	14	4	22	10	4	67
Triplet	120	-	-	-	-	-	-	9
Mother's Age, Percent:								
Under 18	2.4	3.0	4.5	1.9	1.6	4.0	1.3	1.4
18-19	5.2	5.8	6.5	2.9	4.9	8.1	7.7	4.8
40 and over	2.6	2.0	2.4	2.9	1.3	2.6	3.9	2.5
Mother's Education, Percent								
Less than 12 years	11.2	8.6	21.9	7.8	6.2	36.9	7.9	8.7
Over 3 years college	36.0	20.5	19.8	28.2	37.5	16.1	31.6	42.2
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	0.8	5.6	2.9	0.8	2.0	3.9	2.5
Congenital Anomalies, Percent	1.1	1.5	1.5	2.9	2.1	3.4	-	0.8
Abnormal Conditions of Child, Percent	3.8	10.4	4.5	5.8	4.6	5.0	7.7	5.8

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
Live Births	68,037	587	154	304	108	374	115
Fertility Rate	62.0	55.7	55.7	57.7	60.7	62.7	57.0
Crude Birth Rate	13.6	10.1	11.4	11.1	11.1	12.0	10.3
Sex: Male	34,842	292	66	151	56	182	58
Female	33,195	285	88	153	52	192	57
Births to Unmarried Mothers, %	27.5	29.1	37.7	37.2	23.2	33.4	19.1
Race of Mother:							
White	57,572	572	149	287	104	345	114
African American	4,799	6	-	1	2	3	-
American Indian	1,347	4	5	13	1	16	1
Asian/Pacific Islander	3,754	4	-	1	1	3	-
Other/Unknown	565	1	-	2	-	7	-
*Hispanic	4,639	20	6	4	-	45	1
Live Birth Order, Percent							
1st Birth	39.8	37.8	36.4	30.3	33.3	38.0	37.4
5th or Over	4.5	7.0	2.0	3.6	6.5	4.0	4.4
Prematurity, Percent:							
Less than 37 weeks	9.5	6.3	4.6	13.1	7.6	11.0	10.6
Less than 2500 grams	6.3	5.3	2.6	8.3	5.6	5.9	4.4
Plurality:							
Single	65,661	575	152	294	104	367	109
Twin	2,242	10	2	10	4	4	6
Triplet	120	2	-	-	-	3	-
Mother's Age, Percent:							
Under 18	2.4	2.0	3.3	4.0	2.8	4.0	0.9
18-19	5.2	6.6	9.7	9.5	7.4	10.4	4.4
40 and over	2.6	0.5	0.7	2.3	0.9	1.3	0.9
Mother's Education, Percent							
Less than 12 years	11.2	14.9	10.4	20.6	11.1	11.6	4.4
Over 3 years college	36.0	24.7	20.1	14.3	26.9	26.5	33.0
Prenatal Care Began, Percent							
3rd Trimester or none	2.3	3.3	2.0	4.4	0.9	2.2	1.7
Congenital Anomalies, Percent	1.1	1.2	3.9	1.3	4.6	0.8	1.7
Abnormal Conditions of Child, Percent	3.8	3.9	5.8	7.2	5.6	6.7	2.6

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock
Live Births	68,037	7,359	5,036	37	225	193	716	133
Fertility Rate	62.0	63.4	70.6	47.3	78.4	63.2	52.9	75.4
Crude Birth Rate	13.6	14.4	17.5	8.6	13.8	11.3	12.2	13.6
Sex: Male	34,842	3,746	2,569	22	113	93	363	67
Female	33,195	3,613	2,467	15	112	100	353	66
Births to Unmarried Mothers, %	27.5	36.2	41.6	29.7	28.0	31.6	30.3	20.3
Race of Mother:								
White	57,572	4,833	2,909	37	205	188	689	130
African American	4,799	1,124	992	-	-	-	8	-
American Indian	1,347	112	95	-	16	4	4	2
Asian/Pacific Islander	3,754	1,222	989	-	4	1	12	1
Other/Unknown	565	68	51	-	-	-	3	-
*Hispanic	4,639	750	679	1	6	32	123	2
Live Birth Order, Percent								
1st Birth	39.8	39.8	38.9	43.2	39.6	34.2	39.3	33.8
5th or Over	4.5	6.5	8.0	5.4	2.2	3.6	3.5	2.3
Prematurity, Percent:								
Less than 37 weeks	9.5	9.3	9.7	13.9	11.7	7.7	10.2	7.8
Less than 2500 grams	6.3	7.0	7.3	5.4	4.4	4.2	6.3	2.3
Plurality:								
Single	65,661	7,151	4,902	36	218	189	688	133
Twin	2,242	197	127	1	7	4	24	-
Triplet	120	6	6	-	-	-	4	-
Mother's Age, Percent:								
Under 18	2.4	3.9	5.2	5.4	2.2	1.0	2.8	1.5
18-19	5.2	6.5	7.6	8.1	7.1	6.2	6.2	5.3
40 and over	2.6	3.1	3.0	-	0.4	1.6	1.5	-
Mother's Education, Percent								
Less than 12 years	11.2	15.9	21.1	13.5	8.4	21.2	18.1	5.3
Over 3 years college	36.0	35.6	30.6	18.9	28.0	22.8	29.3	29.3
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	3.5	4.2	5.4	1.3	5.7	2.7	3.0
Congenital Anomalies, Percent	1.1	0.8	0.9	2.7	2.7	3.1	1.4	1.5
Abnormal Conditions of Child, Percent	3.8	1.9	2.0	10.8	7.1	3.1	2.0	3.8

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
Live Births	68,037	207	2,004	1,022	1,948	1,244	194	1,759
Fertility Rate	62.0	63.8	48.5	51.7	75.8	71.7	65.1	54.2
Crude Birth Rate	13.6	12.8	10.0	11.9	18.8	17.4	12.6	13.0
Sex: Male	34,842	97	1,023	529	970	658	100	893
Female	33,195	110	981	493	978	586	94	866
Births to Unmarried Mothers, %	27.5	26.1	36.5	39.7	13.3	17.6	28.4	24.6
Race of Mother:								
White	57,572	194	1,851	930	1,773	1,206	192	1,658
African American	4,799	1	32	23	32	8	-	50
American Indian	1,347	3	85	51	19	7	2	8
Asian/Pacific Islander	3,754	9	27	18	113	18	-	39
Other/Unknown	565	-	9	-	11	5	-	4
*Hispanic	4,639	2	21	14	101	18	27	65
Live Birth Order, Percent								
1st Birth	39.8	32.9	40.0	42.6	41.0	36.1	32.5	39.0
5th or Over	4.5	4.4	4.4	4.1	2.6	3.5	5.7	4.3
Prematurity, Percent:								
Less than 37 weeks	9.5	9.4	10.6	9.8	8.7	8.7	9.0	10.4
Less than 2500 grams	6.3	5.8	5.9	6.4	4.7	5.3	6.2	6.9
Plurality:								
Single	65,661	199	1,947	991	1,871	1,190	192	1,710
Twin	2,242	8	57	31	74	51	2	45
Triplet	120	-	-	-	3	3	-	4
Mother's Age, Percent:								
Under 18	2.4	1.9	2.9	3.0	.8	1.6	2.1	2.1
18-19	5.2	5.8	5.3	5.6	2.4	3.2	6.2	4.6
40 and over	2.6	3.4	2.6	2.6	2.8	1.8	2.6	2.2
Mother's Education, Percent								
Less than 12 years	11.2	10.6	10.8	12.1	5.0	6.0	13.0	7.7
Over 3 years college	36.0	26.1	30.8	33.0	52.6	30.7	18.8	30.6
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	1.9	2.3	2.7	1.7	0.8	2.7	1.8
Congenital Anomalies, Percent	1.1	5.3	1.4	1.1	0.5	0.7	1.6	1.2
Abnormal Conditions of Child, Percent	3.8	10.1	3.6	3.4	1.3	4.2	6.2	10.0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
Live Births	68,037	471	97	124	291	34	249	156
Fertility Rate	62.0	65.6	40.6	71.7	62.8	55.2	56.8	64.4
Crude Birth Rate	13.6	13.7	9.8	10.7	11.9	8.6	11.4	11.5
Sex: Male	34,842	241	49	70	157	16	124	78
Female	33,195	230	48	54	134	18	125	78
Births to Unmarried Mothers, %	27.5	28.7	22.7	27.4	33.3	29.4	20.1	28.9
Race of Mother:								
White	57,572	452	87	124	287	26	247	155
African American	4,799	11	2	-	-	-	-	1
American Indian	1,347	-	6	-	1	6	-	-
Asian/Pacific Islander	3,754	6	1	-	2	2	2	-
Other/Unknown	565	2	1	-	1	-	-	-
*Hispanic	4,639	43	1	6	40	-	7	1
Live Birth Order, Percent								
1st Birth	39.8	39.5	32.0	35.5	38.1	26.5	37.4	34.6
5th or Over	4.5	3.4	3.1	3.2	7.9	2.9	4.0	7.7
Prematurity, Percent:								
Less than 37 weeks	9.5	6.1	7.5	8.3	7.5	12.9	10.5	7.3
Less than 2500 grams	6.3	4.7	7.2	4.0	6.9	11.8	9.6	5.1
Plurality:								
Single	65,661	459	97	118	285	32	234	146
Twin	2,242	12	-	6	6	2	12	10
Triplet	120	-	-	-	-	-	3	-
Mother's Age, Percent:								
Under 18	2.4	4.3	1.0	4.0	3.4	2.9	2.4	1.9
18-19	5.2	7.0	4.1	8.9	10.0	5.9	3.2	7.1
40 and over	2.6	1.1	2.1	-	2.1	-	2.0	3.9
Mother's Education, Percent								
Less than 12 years	11.2	14.7	4.2	10.7	25.0	2.9	7.4	9.6
Over 3 years college	36.0	27.1	38.5	31.2	9.4	23.5	28.2	18.0
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	2.6	-	2.4	3.9	5.9	2.0	5.2
Congenital Anomalies, Percent	1.1	1.7	2.1	0.8	1.4	2.9	1.2	1.9
Abnormal Conditions of Child, Percent	3.8	7.4	3.1	9.7	5.5	20.6	12.1	5.8

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002 (CONT.)

	State Total	Waseca	Wash- ington	Watowan	Wilkin	Winona	Wright	Yellow Medicine
Live Births	68,037	224	2,882	128	63	504	1,679	118
Fertility Rate	62.0	60.9	61.7	60.5	46.7	41.8	74.0	61.1
Crude Birth Rate	13.6	11.5	13.7	11.0	9.0	10.2	17.1	10.9
Sex: Male	34,842	109	1,566	73	43	267	822	68
Female	33,195	115	1,316	55	20	237	857	50
Births to Unmarried Mothers, %	27.5	28.6	16.8	32.8	20.6	27.4	17.6	24.6
Race of Mother:								
White	57,572	207	2,615	123	62	484	1,635	112
African American	4,799	12	77	-	-	2	5	-
American Indian	1,347	1	18	1	1	2	5	6
Asian/Pacific Islander	3,754	4	160	1	-	14	23	-
Other/Unknown	565	-	12	3	-	2	11	-
*Hispanic	4,639	12	75	53	2	11	26	9
Live Birth Order, Percent								
1st Birth	39.8	35.3	37.2	29.7	31.8	40.9	35.9	35.6
5th or Over	4.5	5.4	2.2	5.5	4.8	3.0	5.8	5.1
Prematurity, Percent:								
Less than 37 weeks	9.5	8.9	8.4	11.1	11.7	7.5	9.0	7.4
Less than 2500 grams	6.3	8.0	5.8	7.0	7.9	4.4	5.8	3.4
Plurality:								
Single	65,661	217	2,747	126	61	494	1,620	114
Twin	2,242	4	129	2	2	10	53	4
Triplet	120	3	6	-	-	-	6	-
Mother's Age, Percent:								
Under 18	2.4	0.9	1.2	6.3	3.2	1.8	1.3	3.4
18-19	5.2	8.5	2.8	10.9	4.8	5.2	3.5	5.9
40 and over	2.6	2.7	3.2	1.6	-	2.4	1.8	0.9
Mother's Education, Percent								
Less than 12 years	11.2	11.3	3.7	38.9	12.7	5.1	5.6	9.3
Over 3 years college	36.0	25.8	51.5	10.3	33.3	22.0	33.0	21.2
Prenatal Care Began, Percent								
3rd Trimester or none	2.3	1.4	0.7	3.2	-	2.7	0.9	2.5
Congenital Anomalies, Percent	1.1	1.8	1.2	-	4.8	2.0	1.0	1.7
Abnormal Conditions of Child, Percent	3.8	4.5	3.3	0.8	9.5	4.6	3.1	5.9

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 3
LIVE BIRTHS BY COUNTY OF RESIDENCE AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2002

County	Total	Age of Mother									Unknown Age
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	
Total	68,037	68	1,572	3,510	14,552	19,185	18,869	8,480	1,689	109	3
Aitkin	145	-	2	15	38	42	32	14	2	-	-
Anoka	4,261	1	78	183	783	1,292	1,250	558	112	4	-
Becker	385	-	14	25	115	111	80	31	9	-	-
Beltrami	599	1	36	48	183	169	102	47	11	2	-
Benton	585	-	9	40	165	185	131	47	8	-	-
Big Stone	63	-	1	6	15	22	12	5	2	-	-
Blue Earth	674	1	11	43	189	196	162	59	12	1	-
Brown	293	-	7	22	82	75	74	26	6	1	-
Carlton	392	-	9	24	108	116	87	38	10	-	-
Carver	1,165	-	22	18	152	276	428	237	30	2	-
Cass	337	1	10	29	109	95	56	31	6	-	-
Chippewa	128	-	-	17	37	40	24	8	2	-	-
Chisago	757	-	17	35	143	238	232	74	15	3	-
Clay	587	1	10	31	137	188	143	61	16	-	-
Clearwater	94	-	1	7	36	30	15	4	1	-	-
Cook	40	-	1	4	7	12	5	8	3	-	-
Cottonwood	136	-	3	7	40	34	32	11	8	1	-
Crow Wing	721	-	16	45	216	220	142	69	13	-	-
Dakota	5,328	3	65	178	908	1,463	1,739	821	141	8	2
Dodge	287	-	5	19	79	103	58	20	3	-	-
Douglas	355	-	2	21	99	111	90	30	2	-	-
Faribault	160	1	6	7	53	49	29	13	2	-	-
Fillmore	268	-	3	10	67	97	51	32	7	1	-
Freeborn	375	-	19	31	112	109	64	29	11	-	-
Goodhue	528	-	8	35	137	147	129	65	6	1	-
Grant	66	-	-	4	15	23	19	4	1	-	-
Hennepin	16,112	25	389	780	2,928	4,017	4,906	2,512	518	37	-
Houston	192	-	2	8	46	69	54	8	5	-	-
Hubbard	184	-	8	18	54	52	34	16	2	-	-
Isanti	435	-	16	23	111	145	94	39	6	1	-
Itasca	465	-	22	32	138	145	93	33	2	-	-
Jackson	105	-	2	3	31	31	26	9	3	-	-
Kanabec	176	-	4	11	59	63	28	10	1	-	-
Kandiyohi	549	1	17	55	148	143	142	33	9	1	-
Kittson	41	-	-	4	10	14	10	2	-	-	1
Koochiching	127	-	7	11	35	37	24	9	3	1	-
Lac Qui Parle	69	-	-	6	22	18	18	4	1	-	-
Lake	105	-	3	-	25	32	30	10	5	-	-
Lake of the Woods	31	-	1	2	15	5	6	1	1	-	-
Le Sueur	316	-	5	20	82	90	67	46	6	-	-
Lincoln	64	-	-	2	15	28	12	7	-	-	-
Lyon	332	1	7	17	72	115	81	32	7	-	-
McLeod	506	-	13	28	132	150	126	46	10	1	-
Mahnomen	79	1	8	10	23	24	8	4	1	-	-
Marshall	111	-	3	10	26	31	31	6	3	1	-

Live Births - Table 3
LIVE BIRTHS BY COUNTY OF RESIDENCE AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2002 (CONT.)

County	Total	Age of Mother									Unknown Age
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	
Martin	209	-	7	22	55	62	39	21	3	-	-
Meeker	278	1	6	16	75	95	58	23	4	-	-
Mille Lacs	332	-	10	22	108	97	66	26	2	1	-
Morrison	395	-	12	23	112	113	97	30	8	-	-
Mower	539	1	23	35	149	158	112	48	11	2	-
Murray	103	-	2	3	27	39	19	10	3	-	-
Nicollet	388	-	6	19	109	111	102	36	4	1	-
Nobles	298	1	11	24	88	100	46	20	6	2	-
Norman	78	-	1	6	18	25	16	9	3	-	-
Olmsted	2,002	3	25	95	381	652	557	239	48	2	-
Otter Tail	587	1	11	39	166	177	133	57	3	-	-
Pennington	154	-	5	15	44	54	28	7	1	-	-
Pine	304	-	12	29	106	77	49	24	6	1	-
Pipestone	108	-	3	8	29	35	24	8	1	-	-
Polk	374	-	15	39	91	114	71	39	5	-	-
Pope	115	-	1	5	31	36	33	8	1	-	-
Ramsey	7,359	15	273	480	1,656	1,886	1,915	904	215	15	-
Red Lake	37	-	2	3	14	11	7	-	-	-	-
Redwood	225	-	5	16	72	55	59	17	1	-	-
Renville	193	-	2	12	62	63	40	11	3	-	-
Rice	716	1	19	44	170	214	177	80	11	-	-
Rock	133	-	2	7	31	45	39	9	-	-	-
Roseau	207	-	4	12	58	66	49	11	7	-	-
St. Louis	2,004	2	56	106	546	583	458	200	50	3	-
Scott	1,948	-	15	47	219	593	742	277	53	2	-
Sherburne	1,244	-	20	40	263	409	370	120	21	1	-
Sibley	194	-	4	12	48	64	45	16	5	-	-
Stearns	1,759	4	33	81	448	538	443	174	35	3	-
Steele	471	-	20	33	102	155	113	43	5	-	-
Stevens	97	-	1	4	26	38	19	7	1	1	-
Swift	124	-	5	11	30	41	25	12	-	-	-
Todd	291	1	9	29	102	75	54	15	6	-	-
Traverse	34	-	1	2	6	7	10	8	-	-	-
Wabasha	249	-	6	8	56	82	64	28	5	-	-
Wadena	156	-	3	11	58	41	25	12	6	-	-
Waseca	224	-	2	19	59	64	55	19	5	1	-
Washington	2,882	1	32	80	392	752	1,052	481	87	5	-
Watonwan	128	-	8	14	30	42	23	9	2	-	-
Wilkin	63	-	2	3	13	20	18	7	-	-	-
Winona	504	-	9	26	127	154	128	48	11	1	-
Wright	1,679	-	21	59	353	543	486	187	28	-	-
Yellow Medicine	118	-	4	7	23	47	25	11	1	-	-
Unknown	6	-	2	-	2	-	2	-	-	-	-

Live Births - Table 4
LIVE BIRTHS BY BIRTH WEIGHT GROUP
BY LIVE BIRTH ORDER AND BY SEX
MINNESOTA RESIDENTS, 2002

Live Birth Order	Weight in Grams										Weight Not Stated
	Total Live Births	999 or Less	1000 to 1499	1500 to 1999	2000 to 2499	2500 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 and Over	
First	27,056	210	169	350	1,157	4,125	10,042	8,220	2,362	412	9
Second	22,011	111	103	233	726	2,724	7,723	7,424	2,480	483	4
Third	11,170	56	55	141	419	1,410	3,778	3,781	1,285	242	3
Fourth	4,355	23	29	59	179	547	1,521	1,363	503	129	2
Fifth	1,573	15	15	19	74	243	499	464	191	52	1
Sixth	653	8	4	12	18	95	210	223	66	17	-
Seventh	372	3	2	6	20	68	106	107	48	12	-
Eighth or Over	485	5	11	8	17	62	128	151	80	22	1
Not Stated	362	6	3	3	13	59	125	99	40	7	7
TOTAL	68,037	437	391	831	2,623	9,333	24,132	21,832	7,055	1,376	27
Male	34,842	237	213	396	1,230	4,130	11,397	11,840	4,419	966	14
Female	33,195	200	178	435	1,393	5,203	12,735	9,992	2,636	410	13

Live Births - Table 5
LIVE BIRTHS BY LIVE BIRTH ORDER AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2002

Live Birth Order	Total Births	Age of Mother								Age Not Stated
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45 & Over Years	
First	27,056	66	4,122	7,485	7,784	5,501	1,758	318	22	-
Second	22,011	1	773	4,646	6,473	6,927	2,718	457	16	-
Third	11,170	-	123	1,673	3,049	3,930	2,023	355	17	-
Fourth	4,355	-	21	492	1,122	1,435	1,064	204	17	-
Fifth	1,573	-	6	117	424	519	387	111	8	1
Sixth	653	-	-	30	131	227	190	70	5	-
Seventh	372	-	-	7	68	132	113	47	5	-
Eighth or Over	485	-	-	1	40	125	187	114	18	-
Not Stated	362	1	37	101	94	73	40	13	1	2
TOTAL	68,037	68	5,082	14,552	19,185	18,869	8,480	1,689	109	3

Live Births Table 6
 PRENATAL CARE AND RACE BY AGE OF MOTHER AND BY MARITAL STATUS
 MINNESOTA RESIDENTS, 2002

	Total	Age of Mother							45 & Over	Unk
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44		
Births to Married Mothers										
	49,314	-	655	6,834	15,588	17,033	7,619	1,487	97	1
Prenatal Care Began										
1st Trimester	43,032	-	429	5,579	13,773	15,228	6,707	1,241	75	-
2nd Trimester	4,190	-	140	880	1,251	1,153	588	167	11	-
3rd Trimester	533	-	39	129	143	125	69	25	2	1
No Care	46	-	1	9	19	5	7	4	1	-
Unknown	1,513	-	46	237	402	522	248	50	8	-
Race of Mother										
White	43,994	-	479	5,832	13,861	15,476	6,936	1,333	77	-
African American	1,981	-	36	381	622	600	275	57	10	-
American Indian	272	-	16	76	83	55	37	5	-	-
Asian/Pac.Islander	2,782	-	116	488	935	829	327	78	9	-
Other/Unknown	285	-	8	57	87	73	44	14	1	1
*Hispanic	2,284	-	168	659	711	494	211	39	1	1
Births to Unmarried Mothers										
	18,723	68	4,427	7,718	3,597	1,836	861	202	12	2
Prenatal Care Began										
1st Trimester	12,955	28	2,823	5,525	2,575	1,263	586	144	11	-
2nd Trimester	3,814	23	1,087	1,459	666	368	171	39	1	-
3rd Trimester	751	5	219	285	126	75	36	5	-	-
No Care	184	2	54	66	32	18	9	3	-	-
Unknown	1,019	10	244	383	198	112	59	11	-	2
Race of Mother										
White	13,578	26	3,062	5,832	2,573	1,292	634	153	6	-
African American	2,818	26	695	1,049	588	308	121	29	2	-
American Indian	1,075	7	296	394	213	99	55	10	1	-
Asian/Pac.Islander	972	8	300	344	164	105	40	9	2	-
Other/Unknown	280	1	74	99	59	32	11	1	1	2
*Hispanic	2,353	15	561	866	550	240	99	22	-	-
Fetal Deaths to Married Mothers										
	228	-	5	32	73	64	47	6	1	-
Race/Ethnicity of Mother										
White	195	-	4	25	62	54	43	6	1	-
African American	14	-	-	4	6	3	1	-	-	-
American Indian	1	-	-	-	-	1	-	-	-	-
Asian/Pac.Islander	15	-	1	2	3	6	3	-	-	-
Other/Unknown	3	-	-	1	2	-	-	-	-	-
*Hispanic	14	-	2	3	3	4	2	-	-	-
Fetal Deaths to Unmarried Mothers										
	117	3	28	42	26	8	6	4	-	-
Race/Ethnicity of Mother										
White	68	-	17	25	14	5	4	3	-	-
African American	32	-	11	11	7	2	1	-	-	-
American Indian	8	1	-	3	3	-	1	-	-	-
Asian/Pac.Islander	6	1	-	2	2	1	-	-	-	-
Other/Unknown	3	1	-	1	-	-	-	1	-	-
*Hispanic		-	2	6	1	1	1	1	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Fertility Table 1

Total Reported Pregnancies by Outcome Type and Rate
Minnesota Residents, 1980 - 2002

Year	Total Reported Pregnancies*	Live Births	Induced Abortions	Fetal Deaths	Female Population Ages 15-44	Pregnancy Rate**
1980	84,782	67,843	16,490	449	958,773	88.4
1981	84,834	68,652	15,821	461	967,087	87.8
1982	84,500	68,512	15,559	429	977,905	86.4
1983	80,530	65,559	14,514	457	981,287	82.1
1984	82,736	66,715	15,556	465	985,608	83.9
1985	83,853	67,412	16,002	439	994,249	84.3
1986	81,882	65,766	15,716	400	997,501	82.1
1987	81,318	65,168	15,746	404	1,004,801	80.9
1988	83,335	66,745	16,124	466	1,020,209	81.7
1989	83,426	67,490	15,506	430	1,024,576	81.4
1990	83,714	67,985	15,280	449	1,025,919	81.6
1991	81,904	67,037	14,441	426	1,036,146	79.0
1992	79,844	65,591	13,846	407	1,049,175	76.1
1993	77,939	64,646	12,955	338	1,060,396	73.5
1994	77,344	64,277	13,702	365	1,073,649	72.0
1995	76,338	63,259	12,715	364	1,053,136	72.5
1996	76,909	63,681	12,876	352	1,066,220	72.1
1997	77,850	64,491	12,997	362	1,050,544	74.1
1998	78,532	65,093	13,050	389	1,054,458	74.5
1999	79,374	65,953	13,037	384	1,054,543	75.3
2000	81,039	67,451	13,200	388	1,082,642	74.9
2001	80,407	66,617	13,448	342	1,093,734	73.5
2002	81,284	68,037	12,902	345	1,096,832	74.1

* Includes Live Births, Fetal Deaths of 20 weeks or more gestation, and Induced Abortion. Fetal Deaths of less than 20 weeks are not reported to the Minnesota Department of Health.

** Number of pregnancies per 1,000 women in the population of ages 15 through 44 years.

Fertility Table 2
Pregnancy Outcomes and Pregnancy Rates by Age of Woman
Minnesota Residents, 1990, 1995, 2000, and 2002

Year/ Event	Total	Age of Woman							
		<15	15-19	20-24	25-29	30-34	35-39	40+	Unknown
1990									
Live Births	67,985	94	5,336	14,622	24,243	17,270	5,587	829	4
Fetal Deaths	449	1	40	96	117	104	51	12	28
Induced Abortions	15,280	64	3,260	5,210	3,409	1,931	1,020	260	126
Reported Pregnancies*	83,714	159	8,636	19,928	27,769	19,305	6,658	1,101	158
Age Specific Pregnancy Rate**	81.6	***	59.0	125.5	145.2	97.2	37.2	7.2	-
1995									
Live Births	63,259	84	5,212	12,409	19,164	18,046	7,109	1,222	13
Fetal Deaths	364	1	30	74	106	83	38	17	15
Induced Abortions	12,715	69	2,204	4,015	3,003	1,864	1,128	326	106
Reported Pregnancies*	76,338	154	7,446	16,498	22,273	19,993	8,275	1,565	134
Age Specific Pregnancy Rate**	72.5	***	47.3	109.6	137.7	98.2	41.3	8.7	-
2000									
Live Births	67,451	87	5,396	13,667	19,154	18,925	8,531	1,686	5
Fetal Deaths	388	1	36	72	110	86	62	18	3
Induced Abortions	13,200	62	2,143	4,346	2,997	1,983	1,171	476	22
Reported Pregnancies*	81,039	150	7,575	18,085	22,261	20,994	9,764	2,180	10
Age Specific Pregnancy Rate**	74.9	***	41.4	114.1	141.2	120.1	47.7	10.7	-
2002									
Live Births	68,037	68	5,082	14,552	19,185	18,869	8,480	1,798	3
Fetal Deaths	345	3	33	74	99	72	53	11	-
Induced Abortions	12,902	56	1,975	4,428	2,847	2,045	1,116	435	-
Reported Pregnancies*	81,284	127	7,090	19,054	22,131	20,986	9,649	2,244	3
Age Specific Pregnancy Rate**	74.1	***	38.4	109.1	142.7	119.1	49.8	10.6	-

* Includes live births, fetal deaths of 20 weeks or more gestation, and induced abortions.

** Pregnancies within a specified age group per 1000 female population within the same age group. Total rate is calculated per 1000 female population age 15 through 44.

*** Appropriate age-specific female population is not available for use in rate calculations.

Infant Mortality and Fetal Deaths - Table 1
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY CAUSE
 MINNESOTA RESIDENTS, 2002

Cause of Death	Infant Deaths	-----Neonatal Deaths-----				Post- Neonatal
		Total	Under 1 Day	1-6 Days	7-27 Days	
Total - All Causes	362	240	148	50	40	122
Infective and Parasitic Diseases	6	-	-	-	-	6
Septicemia	3	-	-	-	-	3
Neoplasms	1	-	-	-	-	1
Malignant Neoplasms	-	-	-	-	-	-
Diseases of the Blood and Blood- Forming Organs and Immune Mechanisms	4	1	1	-	-	3
Endocrine, Nutritional and Metabolic Diseases	3	1	1	-	-	2
Diseases of the Nervous System	5	2	-	-	2	3
Diseases of the Ear and Mastoid Process	-	-	-	-	-	-
Diseases of the Circulatory System	10	6	2	4	-	4
Diseases of the Respiratory System	8	2	-	-	2	6
Pneumonia and Influenza	4	1	-	-	1	3
Diseases of the Digestive System	6	2	1	1	-	4
Diseases of the Genitourinary System	-	-	-	-	-	-
Certain Conditions Originating in the Perinatal Period	155	148	105	25	18	7
Maternal Conditions and Complications	60	59	47	9	3	1
Short Gestation and Low Birthweight	44	43	42	1	-	1
Birth Trauma	6	6	-	4	2	-
Intrauterine Hypoxia & Birth Asphyxia	7	5	4	-	1	2
Respiratory Distress of Newborn	5	4	1	3	-	1
Bacterial Sepsis of Newborn	8	8	3	2	3	-
Omphalitis of Newborn	-	-	-	-	-	-
Fetal & Neonatal Hemorrhage	5	5	-	3	2	-
Congenital Anomalies	98	70	37	19	14	28
Hydrocephalus & Spina Bifida	1	-	-	-	-	1
Of Heart	26	14	4	6	4	12
Chromosomal Anomalies	22	16	10	4	2	6
Symptoms, Signs, and Abnormal Clinical Findings	36	3	-	-	3	33
Sudden Infant Death Syndrome	28	3	-	-	3	25
All Other Diseases	1	1	-	1	-	-
External Causes	27	2	1	-	1	25
Transport Accidents	3	-	-	-	-	3
Accidental Drowning & Submersion	-	-	-	-	-	-
Other Accidental Threats to Breathing	15	1	-	-	1	14
Assault	6	1	1	-	-	5

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State Total	Aitkin	Anoka	Becker	Beltrami	Benton	Big Stone	Blue Earth
Infant Deaths (Race of Child)								
Total	362	1	12	2	6	4	-	-
White	268	1	9	-	1	4	-	-
African American	47	-	1	-	-	-	-	-
American Indian	13	-	-	1	5	-	-	-
Asian/Pacific Islander	11	-	1	-	-	-	-	-
Other/Unknown	23	-	1	1	-	-	-	-
*Hispanic	32	-	1	-	-	-	-	-
Neonatal Deaths (Race of Child)								
Total	240	1	8	-	3	3	-	-
White	189	1	6	-	1	3	-	-
African American	23	-	-	-	-	-	-	-
American Indian	4	-	-	-	2	-	-	-
Asian/Pacific Islander	6	-	1	-	-	-	-	-
Other/Unknown	18	-	1	-	-	-	-	-
*Hispanic	23	-	1	-	-	-	-	-
First Day Deaths (Race of Child)								
Total	150	-	3	-	3	1	-	-
White	116	-	3	-	1	1	-	-
African American	14	-	-	-	-	-	-	-
American Indian	3	-	-	-	2	-	-	-
Asian/Pacific Islander	4	-	-	-	-	-	-	-
Other/Unknown	13	-	-	-	-	-	-	-
*Hispanic	9	-	1	-	-	-	-	-
1-6 Day Deaths (Race of Child)								
Total	50	-	4	-	-	1	-	-
White	36	-	2	-	-	1	-	-
African American	8	-	-	-	-	-	-	-
American Indian	1	-	-	-	-	-	-	-
Asian/Pacific Islander	2	-	1	-	-	-	-	-
Other/Unknown	3	-	1	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	-	-
7-27 Day Deaths (Race of Child)								
Total	40	1	1	-	-	1	-	-
White	37	1	1	-	-	1	-	-
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	-	-
Fetal Deaths (Race of Mother)								
Total	345	2	16	1	7	4	-	4
White	263	2	12	1	3	4	-	4
African American	46	-	1	-	-	-	-	-
American Indian	9	-	-	-	3	-	-	-
Asian/Pacific Islander	21	-	3	-	-	-	-	-
Other/Unknown	6	-	-	-	1	-	-	-
*Hispanic	26	-	1	-	-	-	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State								
	Total	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay	
Infant Deaths (Race of Child)									
Total	362	1	2	2	2	-	1	2	
White	268	1	2	2	1	-	1	2	
African American	47	-	-	-	-	-	-	-	
American Indian	13	-	-	-	1	-	-	-	
Asian/Pacific Islander	11	-	-	-	-	-	-	-	
Other/Unknown	23	-	-	-	-	-	-	-	
*Hispanic	32	-	-	1	-	-	-	-	
Neonatal Deaths (Race of Child)									
Total	240	-	1	2	1	-	1	-	
White	189	-	1	2	1	-	1	-	
African American	23	-	-	-	-	-	-	-	
American Indian	4	-	-	-	-	-	-	-	
Asian/Pacific Islander	6	-	-	-	-	-	-	-	
Other/Unknown	18	-	-	-	-	-	-	-	
*Hispanic	23	-	-	1	-	-	-	-	
First Day Deaths (Race of Child)									
Total	150	-	1	1	-	-	1	-	
White	116	-	1	1	-	-	1	-	
African American	14	-	-	-	-	-	-	-	
American Indian	3	-	-	-	-	-	-	-	
Asian/Pacific Islander	4	-	-	-	-	-	-	-	
Other/Unknown	13	-	-	-	-	-	-	-	
*Hispanic	9	-	-	-	-	-	-	-	
1-6 Day Deaths (Race of Child)									
Total	50	-	-	1	1	-	-	-	
White	36	-	-	1	1	-	-	-	
African American	8	-	-	-	-	-	-	-	
American Indian	1	-	-	-	-	-	-	-	
Asian/Pacific Islander	2	-	-	-	-	-	-	-	
Other/Unknown	3	-	-	-	-	-	-	-	
*Hispanic	8	-	-	1	-	-	-	-	
7-27 Day Deaths (Race of Child)									
Total	40	-	-	-	-	-	-	-	
White	37	-	-	-	-	-	-	-	
African American	1	-	-	-	-	-	-	-	
American Indian	-	-	-	-	-	-	-	-	
Asian/Pacific Islander	-	-	-	-	-	-	-	-	
Other/Unknown	2	-	-	-	-	-	-	-	
*Hispanic	6	-	-	-	-	-	-	-	
Fetal Deaths (Race of Mother)									
Total	345	2	2	2	-	1	1	-	
White	263	2	2	1	-	1	1	-	
African American	46	-	-	-	-	-	-	-	
American Indian	9	-	-	-	-	-	-	-	
Asian/Pacific Islander	21	-	-	1	-	-	-	-	
Other/Unknown	6	-	-	-	-	-	-	-	
*Hispanic	26	-	-	-	-	1	-	-	

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State Total	Clear- water	Cook	Cotton- wood	Crow Wing	Dakota	Dodge	Douglas
Infant Deaths (Race of Child)								
Total	362	1	-	-	4	20	-	4
White	268	1	-	-	4	12	-	4
African American	47	-	-	-	-	4	-	-
American Indian	13	-	-	-	-	-	-	-
Asian/Pacific Islander	11	-	-	-	-	1	-	-
Other/Unknown	23	-	-	-	-	3	-	-
*Hispanic	32	-	-	-	-	-	-	-
Neonatal Deaths (Race of Child)								
Total	240	1	-	-	3	15	-	2
White	189	1	-	-	3	9	-	2
African American	23	-	-	-	-	3	-	-
American Indian	4	-	-	-	-	-	-	-
Asian/Pacific Islander	6	-	-	-	-	1	-	-
Other/Unknown	18	-	-	-	-	2	-	-
*Hispanic	23	-	-	-	-	-	-	-
First Day Deaths (Race of Child)								
Total	150	1	-	-	2	9	-	-
White	116	1	-	-	2	4	-	-
African American	14	-	-	-	-	2	-	-
American Indian	3	-	-	-	-	-	-	-
Asian/Pacific Islander	4	-	-	-	-	1	-	-
Other/Unknown	13	-	-	-	-	2	-	-
*Hispanic	9	-	-	-	-	-	-	-
1-6 Day Deaths (Race of Child)								
Total	50	-	-	-	1	2	-	1
White	36	-	-	-	1	1	-	1
African American	8	-	-	-	-	1	-	-
American Indian	1	-	-	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	-	-
Other/Unknown	3	-	-	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	-	-
7-27 Day Deaths (Race of Child)								
Total	40	-	-	-	-	4	-	1
White	37	-	-	-	-	4	-	1
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	-	-
Fetal Deaths (Race of Mother)								
Total	345	1	-	-	3	25	2	5
White	263	1	-	-	3	18	2	5
African American	46	-	-	-	-	5	-	-
American Indian	9	-	-	-	-	-	-	-
Asian/Pacific Islander	21	-	-	-	-	1	-	-
Other/Unknown	6	-	-	-	-	1	-	-
*Hispanic	26	-	-	-	-	3	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minn- apolis
Infant Deaths (Race of Child)								
Total	362	-	3	4	3	-	93	41
White	268	-	3	4	3	-	52	21
African American	47	-	-	-	-	-	26	13
American Indian	13	-	-	-	-	-	-	-
Asian/Pacific Islander	11	-	-	-	-	-	6	3
Other/Unknown	23	-	-	-	-	-	9	4
*Hispanic	32	-	-	1	-	-	16	11
Neonatal Deaths (Race of Child)								
Total	240	-	2	3	3	-	66	29
White	189	-	2	3	3	-	39	16
African American	23	-	-	-	-	-	15	8
American Indian	4	-	-	-	-	-	-	-
Asian/Pacific Islander	6	-	-	-	-	-	4	2
Other/Unknown	18	-	-	-	-	-	8	3
*Hispanic	23	-	-	1	-	-	13	9
First Day Deaths (Race of Child)								
Total	150	-	1	-	3	-	41	17
White	116	-	1	-	3	-	24	9
African American	14	-	-	-	-	-	9	5
American Indian	3	-	-	-	-	-	-	-
Asian/Pacific Islander	4	-	-	-	-	-	3	1
Other/Unknown	13	-	-	-	-	-	5	2
*Hispanic	9	-	-	-	-	-	4	3
1-6 Day Deaths (Race of Child)								
Total	50	-	-	1	-	-	18	9
White	36	-	-	1	-	-	9	4
African American	8	-	-	-	-	-	6	3
American Indian	1	-	-	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	1	1
Other/Unknown	3	-	-	-	-	-	2	1
*Hispanic	8	-	-	-	-	-	5	3
7-27 Day Deaths (Race of Child)								
Total	40	-	1	2	-	-	7	3
White	37	-	1	2	-	-	6	3
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	1	-
*Hispanic	6	-	-	1	-	-	4	3
Fetal Deaths (Race of Mother)								
Total	345	1	-	3	5	1	105	49
White	263	1	-	3	5	1	62	24
African American	46	-	-	-	-	-	29	15
American Indian	9	-	-	-	-	-	3	2
Asian/Pacific Islander	21	-	-	-	-	-	9	6
Other/Unknown	6	-	-	-	-	-	2	2
*Hispanic	26	-	-	1	1	-	10	8

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State							
	Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
Infant Deaths (Race of Child)								
Total	362	3	3	3	3	-	-	2
White	268	3	3	3	3	-	-	-
American Indian	13	-	-	-	-	-	-	-
Asian/Pacific Islander	11	-	-	-	-	-	-	-
Other/Unknown	23	-	-	-	-	-	-	-
*Hispanic	32	-	-	-	-	-	-	2
Neonatal Deaths (Race of Child)								
Total	240	2	3	3	2	-	-	2
White	189	2	3	3	2	-	-	2
African American	23	-	-	-	-	-	-	-
American Indian	4	-	-	-	-	-	-	-
Asian/Pacific Islander	6	-	-	-	-	-	-	-
Other/Unknown	18	-	-	-	-	-	-	-
*Hispanic	23	-	-	-	-	-	-	2
First Day Deaths (Race of Child)								
Total	150	1	3	1	1	-	-	2
White	116	1	3	1	1	-	-	2
African American	14	-	-	-	-	-	-	-
American Indian	3	-	-	-	-	-	-	-
Asian/Pacific Islander	4	-	-	-	-	-	-	-
Other/Unknown	13	-	-	-	-	-	-	-
*Hispanic	9	-	-	-	-	-	-	2
1-6 Day Deaths (Race of Child)								
Total	50	1	-	1	-	-	-	-
White	36	1	-	1	-	-	-	-
African American	8	-	-	-	-	-	-	-
American Indian	1	-	-	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	-	-
Other/Unknown	3	-	-	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	-	-
7-27 Day Deaths (Race of Child)								
Total	40	-	-	1	1	-	-	-
White	37	-	-	1	1	-	-	-
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	-	-
Fetal Deaths (Race of Mother)								
Total	345	-	1	3	2	-	1	2
White	263	-	1	3	2	-	1	1
African American	46	-	-	-	-	-	-	-
American Indian	9	-	-	-	-	-	-	1
Asian/Pacific Islander	21	-	-	-	-	-	-	-
Other/Unknown	6	-	-	-	-	-	-	-
*Hispanic	26	-	-	-	-	-	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State Total	Kooch- Kittson	Lac Qui- iching	Parle	Lake of Lake	the Woods	Le Sueur	Lincoln
Infant Deaths (Race of Child)								
Total	362	-	1	-	-	-	3	-
White	268	-	1	-	-	-	3	-
African American	47	-	-	-	-	-	-	-
American Indian	13	-	-	-	-	-	-	-
Asian/Pacific Islander	11	-	-	-	-	-	-	-
Other/Unknown	23	-	-	-	-	-	-	-
*Hispanic	32	-	-	-	-	-	2	-
Neonatal Deaths (Race of Child)								
Total	240	-	-	-	-	-	3	-
White	189	-	-	-	-	-	3	-
African American	23	-	-	-	-	-	-	-
American Indian	4	-	-	-	-	-	-	-
Asian/Pacific Islander	6	-	-	-	-	-	-	-
Other/Unknown	18	-	-	-	-	-	-	-
*Hispanic	23	-	-	-	-	-	2	-
First Day Deaths (Race of Child)								
Total	150	-	-	-	-	-	1	-
White	116	-	-	-	-	-	1	-
African American	14	-	-	-	-	-	-	-
American Indian	3	-	-	-	-	-	-	-
Asian/Pacific Islander	4	-	-	-	-	-	-	-
Other/Unknown	13	-	-	-	-	-	-	-
*Hispanic	9	-	-	-	-	-	-	-
1-6 Day Deaths (Race of Child)								
Total	50	-	-	-	-	-	1	-
White	36	-	-	-	-	-	1	-
African American	8	-	-	-	-	-	-	-
American Indian	1	-	-	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	-	-
Other/Unknown	3	-	-	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	1	-
7-27 Day Deaths (Race of Child)								
Total	40	-	-	-	-	-	1	-
White	37	-	-	-	-	-	1	-
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	1	-
Fetal Deaths (Race of Mother)								
Total	345	-	-	-	-	-	1	1
White	263	-	-	-	-	-	1	1
African American	46	-	-	-	-	-	-	-
American Indian	9	-	-	-	-	-	-	-
Asian/Pacific Islander	21	-	-	-	-	-	-	-
Other/Unknown	6	-	-	-	-	-	-	-
*Hispanic	26	-	-	-	-	-	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker	Mille Lacs
Infant Deaths (Race of Child)								
Total	362	4	2	3	2	1	-	4
White	268	4	1	-	2	1	-	4
African American	47	-	-	-	-	-	-	-
American Indian	13	-	-	3	-	-	-	-
Asian/Pacific Islander	11	-	-	-	-	-	-	-
Other/Unknown	23	-	1	-	-	-	-	-
*Hispanic	32	-	-	-	-	-	-	-
Neonatal Deaths (Race of Child)								
Total	240	3	1	-	2	-	-	2
White	189	3	-	-	2	-	-	2
African American	23	-	-	-	-	-	-	-
American Indian	4	-	-	-	-	-	-	-
Asian/Pacific Islander	6	-	-	-	-	-	-	-
Other/Unknown	18	-	1	-	-	-	-	-
*Hispanic	23	-	-	-	-	-	-	-
First Day Deaths (Race of Child)								
Total	150	3	1	-	2	-	-	1
White	116	3	-	-	2	-	-	1
African American	14	-	-	-	-	-	-	-
American Indian	3	-	-	-	-	-	-	-
Asian/Pacific Islander	4	-	-	-	-	-	-	-
Other/Unknown	13	-	1	-	-	-	-	-
*Hispanic	9	-	-	-	-	-	-	-
1-6 Day Deaths (Race of Child)								
Total	50	-	-	-	-	-	-	-
White	36	-	-	-	-	-	-	-
African American	8	-	-	-	-	-	-	-
American Indian	1	-	-	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	-	-
Other/Unknown	3	-	-	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	-	-
7-27 Day Deaths (Race of Child)								
Total	40	-	-	-	-	-	-	1
White	37	-	-	-	-	-	-	1
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	-	-
Fetal Deaths (Race of Mother)								
Total	345	1	1	1	1	1	3	5
White	263	1	1	1	1	1	3	4
African American	46	-	-	-	-	-	-	-
American Indian	9	-	-	-	-	-	-	1
Asian/Pacific Islander	21	-	-	-	-	-	-	-
Other/Unknown	6	-	-	-	-	-	-	-
*Hispanic	26	1	-	-	-	-	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State								
	Total	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted	
Infant Deaths (Race of Child)									
Total	362	5	1	-	-	2	1	20	
White	268	5	-	-	-	-	1	20	
African American	47	-	-	-	-	-	-	-	
American Indian	13	-	-	-	-	-	-	-	
Asian/Pacific Islander	11	-	-	-	-	-	-	-	
Other/Unknown	23	-	1	-	-	2	-	-	
*Hispanic	32	-	-	-	-	1	-	1	
Neonatal Deaths (Race of Child)									
Total	240	2	1	-	-	1	1	16	
White	189	2	-	-	-	-	1	16	
African American	23	-	-	-	-	-	-	-	
American Indian	4	-	-	-	-	-	-	-	
Asian/Pacific Islander	6	-	-	-	-	-	-	-	
Other/Unknown	18	-	1	-	-	1	-	-	
*Hispanic	23	-	-	-	-	-	-	-	
First Day Deaths (Race of Child)									
Total	150	-	-	-	-	1	-	10	
White	116	-	-	-	-	-	-	10	
African American	14	-	-	-	-	-	-	-	
American Indian	3	-	-	-	-	-	-	-	
Asian/Pacific Islander	4	-	-	-	-	-	-	-	
Other/Unknown	13	-	-	-	-	1	-	-	
*Hispanic	9	-	-	-	-	-	-	-	
1-6 Day Deaths (Race of Child)									
Total	50	-	-	-	-	-	-	3	
White	36	-	-	-	-	-	-	3	
African American	8	-	-	-	-	-	-	-	
American Indian	1	-	-	-	-	-	-	-	
Asian/Pacific Islander	2	-	-	-	-	-	-	-	
Other/Unknown	3	-	-	-	-	-	-	-	
*Hispanic	8	-	-	-	-	-	-	-	
7-27 Day Deaths (Race of Child)									
Total	40	2	1	-	-	-	1	3	
White	37	2	-	-	-	-	1	3	
African American	1	-	-	-	-	-	-	-	
American Indian	-	-	-	-	-	-	-	-	
Asian/Pacific Islander	-	-	-	-	-	-	-	-	
Other/Unknown	2	-	1	-	-	-	-	-	
*Hispanic	6	-	-	-	-	-	-	-	
Fetal Deaths (Race of Mother)									
Total	345	1	4	-	1	-	1	13	
White	263	1	4	-	1	-	1	9	
African American	46	-	-	-	-	-	-	4	
American Indian	9	-	-	-	-	-	-	-	
Asian/Pacific Islander	21	-	-	-	-	-	-	-	
Other/Unknown	6	-	-	-	-	-	-	-	
*Hispanic	26	-	-	-	-	-	-	1	

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
Infant Deaths (Race of Child)							
Total	362	2	-	2	1	-	-
White	268	2	-	2	1	-	-
African American	47	-	-	-	-	-	-
American Indian	13	-	-	-	-	-	-
Asian/Pacific Islander	11	-	-	-	-	-	-
Other/Unknown	23	-	-	-	-	-	-
*Hispanic	32	-	-	-	-	-	-
Neonatal Deaths (Race of Child)							
Total	240	2	-	1	1	-	-
White	189	2	-	1	1	-	-
African American	23	-	-	-	-	-	-
American Indian	4	-	-	-	-	-	-
Asian/Pacific Islander	6	-	-	-	-	-	-
Other/Unknown	18	-	-	-	-	-	-
*Hispanic	23	-	-	-	-	-	-
First Day Deaths (Race of Child)							
Total	150	1	-	1	-	-	-
White	116	1	-	1	-	-	-
African American	14	-	-	-	-	-	-
American Indian	3	-	-	-	-	-	-
Asian/Pacific Islander	4	-	-	-	-	-	-
Other/Unknown	13	-	-	-	-	-	-
*Hispanic	9	-	-	-	-	-	-
1-6 Day Deaths (Race of Child)							
Total	50	-	-	-	1	-	-
White	36	-	-	-	1	-	-
African American	8	-	-	-	-	-	-
American Indian	1	-	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	-
Other/Unknown	3	-	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	-
7-27 Day Deaths (Race of Child)							
Total	40	1	-	-	-	-	-
White	37	1	-	-	-	-	-
African American	1	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	-
Fetal Deaths (Race of Mother)							
Total	345	-	2	2	1	-	1
White	263	-	2	2	1	-	1
African American	46	-	-	-	-	-	-
American Indian	9	-	-	-	-	-	-
Asian/Pacific Islander	21	-	-	-	-	-	-
Other/Unknown	6	-	-	-	-	-	-
*Hispanic	26	-	-	-	-	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State								
	Total	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock	
Infant Deaths (Race of Child)									
Total	362	41	32	2	3	2	5	1	
White	268	25	19	2	2	2	4	1	
African American	47	12	10	-	-	-	-	-	
American Indian	13	-	-	-	1	-	-	-	
Asian/Pacific Islander	11	2	2	-	-	-	-	-	
Other/Unknown	23	2	1	-	-	-	1	-	
*Hispanic	32	3	2	-	1	1	1	-	
Neonatal Deaths (Race of Child)									
Total	240	21	15	1	2	1	4	-	
White	189	16	12	1	2	1	4	-	
African American	23	3	2	-	-	-	-	-	
American Indian	4	-	-	-	-	-	-	-	
Asian/Pacific Islander	6	-	-	-	-	-	-	-	
Other/Unknown	18	2	1	-	-	-	-	-	
*Hispanic	23	2	1	-	-	-	1	-	
First Day Deaths (Race of Child)									
Total	150	15	12	1	2	-	2	-	
White	116	12	10	1	2	-	2	-	
African American	14	1	1	-	-	-	-	-	
American Indian	3	-	-	-	-	-	-	-	
Asian/Pacific Islander	4	-	-	-	-	-	-	-	
Other/Unknown	13	2	1	-	-	-	-	-	
*Hispanic	9	2	1	-	-	-	-	-	
1-6 Day Deaths (Race of Child)									
Total	50	2	1	-	-	1	1	-	
White	36	1	-	-	-	1	1	-	
African American	8	1	1	-	-	-	-	-	
American Indian	1	-	-	-	-	-	-	-	
Asian/Pacific Islander	2	-	-	-	-	-	-	-	
Other/Unknown	3	-	-	-	-	-	-	-	
*Hispanic	8	-	-	-	-	-	1	-	
7-27 Day Deaths (Race of Child)									
Total	40	4	2	-	-	-	1	-	
White	37	3	2	-	-	-	1	-	
African American	1	1	-	-	-	-	-	-	
American Indian	-	-	-	-	-	-	-	-	
Asian/Pacific Islander	-	-	-	-	-	-	-	-	
Other/Unknown	2	-	-	-	-	-	-	-	
*Hispanic	6	-	-	-	-	-	-	-	
Fetal Deaths (Race of Mother)									
Total	345	30	25	-	-	2	-	1	
White	263	19	16	-	-	2	-	-	
African American	46	6	5	-	-	-	-	-	
American Indian	9	1	1	-	-	-	-	-	
Asian/Pacific Islander	21	2	1	-	-	-	-	1	
Other/Unknown	6	2	2	-	-	-	-	-	
*Hispanic	26	4	4	-	-	-	-	-	

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State							
	Total	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
Infant Deaths (Race of Child)								
Total	362	1	12	6	4	6	2	8
White	268	1	10	5	3	5	2	7
African American	47	-	1	1	1	1	-	-
American Indian	13	-	1	-	-	-	-	1
Asian/Pacific Islander	11	-	-	-	-	-	-	-
Other/Unknown	23	-	-	-	-	-	-	-
*Hispanic	32	-	-	-	-	-	-	-
Neonatal Deaths (Race of Child)								
Total	240	1	10	5	2	4	1	4
White	189	1	8	4	2	4	1	3
African American	23	-	1	1	-	-	-	-
American Indian	4	-	1	-	-	-	-	1
Asian/Pacific Islander	6	-	-	-	-	-	-	-
Other/Unknown	18	-	-	-	-	-	-	-
*Hispanic	23	-	-	-	-	-	-	-
First Day Deaths (Race of Child)								
Total	150	-	8	5	-	4	1	3
White	116	-	7	4	-	4	1	2
African American	14	-	1	1	-	-	-	-
American Indian	3	-	-	-	-	-	-	1
Asian/Pacific Islander	4	-	-	-	-	-	-	-
Other/Unknown	13	-	-	-	-	-	-	-
*Hispanic	9	-	-	-	-	-	-	-
1-6 Day Deaths (Race of Child)								
Total	50	1	2	-	1	-	-	1
White	36	1	1	-	1	-	-	1
African American	8	-	-	-	-	-	-	-
American Indian	1	-	1	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	-	-
Other/Unknown	3	-	-	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	-	-
7-27 Day Deaths (Race of Child)								
Total	40	-	-	-	1	-	-	-
White	37	-	-	-	1	-	-	-
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	-	-
Fetal Deaths (Race of Mother)								
Total	345	-	14	8	11	6	1	6
White	263	-	14	8	9	6	1	6
African American	46	-	-	-	-	-	-	-
American Indian	9	-	-	-	-	-	-	-
Asian/Pacific Islander	21	-	-	-	2	-	-	-
Other/Unknown	6	-	-	-	-	-	-	-
*Hispanic	26	-	-	-	-	-	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State							
	Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
Infant Deaths (Race of Child)								
Total	362	3	3	-	2	-	2	-
White	268	3	3	-	2	-	2	-
African American	47	-	-	-	-	-	-	-
American Indian	13	-	-	-	-	-	-	-
Asian/Pacific Islander	11	-	-	-	-	-	-	-
Other/Unknown	23	-	-	-	-	-	-	-
*Hispanic	32	-	-	-	-	-	-	-
Neonatal Deaths (Race of Child)								
Total	240	1	3	-	1	-	2	-
White	189	1	3	-	1	-	2	-
African American	23	-	-	-	-	-	-	-
American Indian	4	-	-	-	-	-	-	-
Asian/Pacific Islander	6	-	-	-	-	-	-	-
Other/Unknown	18	-	-	-	-	-	-	-
*Hispanic	23	-	-	-	-	-	-	-
First Day Deaths (Race of Child)								
Total	150	1	2	-	-	-	2	-
White	116	1	2	-	-	-	2	-
African American	14	-	-	-	-	-	-	-
American Indian	3	-	-	-	-	-	-	-
Asian/Pacific Islander	4	-	-	-	-	-	-	-
Other/Unknown	13	-	-	-	-	-	-	-
*Hispanic	9	-	-	-	-	-	-	-
1-6 Day Deaths (Race of Child)								
Total	50	-	-	-	-	-	-	-
White	36	-	-	-	-	-	-	-
African American	8	-	-	-	-	-	-	-
American Indian	1	-	-	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	-	-
Other/Unknown	3	-	-	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	-	-
7-27 Day Deaths (Race of Child)								
Total	40	-	1	-	1	-	-	-
White	37	-	1	-	1	-	-	-
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	-	-
Fetal Deaths (Race of Mother)								
Total	345	5	-	1	3	-	1	1
White	263	4	-	1	3	-	1	1
African American	46	-	-	-	-	-	-	-
American Indian	9	-	-	-	-	-	-	-
Asian/Pacific Islander	21	1	-	-	-	-	-	-
Other/Unknown	6	-	-	-	-	-	-	-
*Hispanic	26	-	-	-	1	-	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant and Neonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2002

	State Total	Waseca	Wash- ington	Watowan	Wilkin	Winona	Wright	Yellow Medicine
Infant Deaths (Race of Child)								
Total	362	1	16	1	1	3	7	1
White	268	1	14	1	1	3	5	1
African American	47	-	1	-	-	-	-	-
American Indian	13	-	-	-	-	-	-	-
Asian/Pacific Islander	11	-	1	-	-	-	-	-
Other/Unknown	23	-	-	-	-	-	2	-
*Hispanic	32	-	-	-	-	-	-	1
Neonatal Deaths (Race of Child)								
Total	240	1	7	-	1	3	7	-
White	189	1	6	-	1	3	5	-
African American	23	-	1	-	-	-	-	-
American Indian	4	-	-	-	-	-	-	-
Asian/Pacific Islander	6	-	-	-	-	-	-	-
Other/Unknown	18	-	-	-	-	-	2	-
*Hispanic	23	-	-	-	-	-	-	-
First Day Deaths (Race of Child)								
Total	150	-	6	-	1	1	5	-
White	116	-	5	-	1	1	3	-
African American	14	-	1	-	-	-	-	-
American Indian	3	-	-	-	-	-	-	-
Asian/Pacific Islander	4	-	-	-	-	-	-	-
Other/Unknown	13	-	-	-	-	-	2	-
*Hispanic	9	-	-	-	-	-	-	-
1-6 Day Deaths (Race of Child)								
Total	50	-	1	-	-	2	1	-
White	36	-	1	-	-	2	1	-
African American	8	-	-	-	-	-	-	-
American Indian	1	-	-	-	-	-	-	-
Asian/Pacific Islander	2	-	-	-	-	-	-	-
Other/Unknown	3	-	-	-	-	-	-	-
*Hispanic	8	-	-	-	-	-	-	-
7-27 Day Deaths (Race of Child)								
Total	40	1	-	-	-	-	1	-
White	37	1	-	-	-	-	1	-
African American	1	-	-	-	-	-	-	-
American Indian	-	-	-	-	-	-	-	-
Asian/Pacific Islander	-	-	-	-	-	-	-	-
Other/Unknown	2	-	-	-	-	-	-	-
*Hispanic	6	-	-	-	-	-	-	-
Fetal Deaths (Race of Mother)								
Total	345	-	14	1	-	-	5	-
White	263	-	12	1	-	-	5	-
African American	46	-	1	-	-	-	-	-
American Indian	9	-	-	-	-	-	-	-
Asian/Pacific Islander	21	-	1	-	-	-	-	-
Other/Unknown	6	-	-	-	-	-	-	-
*Hispanic	26	-	1	1	-	-	-	-

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE,
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH,
MINNESOTA, 2002

County	Deaths Occurring in County				Resident Deaths		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County Within Minnesota	Outside Minnesota	Total
State Total	38,648	30,608	6,497	1,543	6,497	1,332	38,437
Aitkin	124	114	10	-	66	5	185
Anoka	1,340	1,021	303	16	414	27	1,462
Becker	300	262	26	12	17	47	326
Beltrami	327	273	43	11	29	26	328
Benton	273	218	55	-	104	4	326
Big Stone	79	66	3	10	15	7	88
Blue Earth	572	404	163	5	52	3	459
Brown	243	216	26	1	46	3	265
Carlton	277	234	41	2	89	2	325
Carver	317	200	115	2	98	6	304
Cass	185	150	25	10	100	13	263
Chippewa	145	131	14	-	37	3	171
Chisago	291	224	64	3	85	11	320
Clay	261	239	9	13	15	167	421
Clearwater	98	94	4	-	13	8	115
Cook	38	33	4	1	12	1	46
Cottonwood	134	119	13	2	19	24	162
Crow Wing	493	414	74	5	77	22	513
Dakota	1,268	1,078	157	33	657	23	1,758
Dodge	79	71	8	-	45	1	117
Douglas	357	302	47	8	57	6	365
Faribault	176	158	9	9	71	4	233
Fillmore	200	175	17	8	75	12	262
Freeborn	371	334	33	4	55	3	392
Goodhue	437	360	54	23	89	4	453
Grant	63	56	7	-	27	3	86
Hennepin	9,101	7,267	1,546	288	575	85	7,927
Minneapolis	3,597	2,106	1,335	156	688	23	2,817
Houston	133	118	7	8	12	53	183
Hubbard	168	140	25	3	33	12	185
Isanti	224	177	46	1	64	6	247
Itasca	423	393	24	6	88	10	491
Jackson	103	95	7	1	24	21	140
Kanabec	132	94	36	2	34	2	130
Kandiyohi	363	313	50	-	41	7	361
Kittson	59	53	3	3	7	11	71
Koochiching	129	127	1	1	36	2	165
Lac Qui Parle	109	106	2	1	14	7	127
Lake	111	96	13	2	29	3	128
Lake of the Woods	36	31	4	1	1	6	38
Le Sueur	138	117	21	-	112	1	230
Lincoln	103	88	5	10	9	10	107
Lyon	190	177	12	1	21	26	224
McLeod	271	232	36	3	47	5	284
Mahnomen	36	32	3	1	8	15	55
Marshall	49	44	5	-	22	22	88
Martin	230	216	10	4	31	11	258
Meeker	215	184	30	1	44	2	230
Mille Lacs	209	159	48	2	76	3	238
Morrison	266	253	13	-	71	2	326
Mower	305	285	17	3	108	11	404

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE,
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH,
MINNESOTA, 2002 (CONT.)

County	Deaths Occurring in County				Resident Deaths		Total
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County Within Minnesota	Outside County Outside Minnesota	
Murray	73	64	9	-	15	14	93
Nicollet	128	105	22	1	91	3	199
Nobles	163	137	22	4	28	24	189
Norman	79	73	4	2	4	34	111
Olmsted	1,711	788	518	405	33	7	828
Otter Tail	587	544	36	7	68	67	679
Pennington	143	114	29	-	8	17	139
Pine	147	132	12	3	124	3	259
Pipestone	93	85	8	-	13	47	145
Polk	328	306	15	7	15	73	394
Pope	139	125	14	-	33	1	159
Ramsey	4,551	3,396	986	169	560	50	4,006
St. Paul	2,877	1,736	989	152	474	27	2,237
Red Lake	33	26	6	1	11	11	48
Redwood	180	162	18	-	41	8	211
Renville	175	151	24	-	48	2	201
Rice	398	348	47	3	81	9	438
Rock	148	113	29	6	5	14	132
Roseau	119	109	5	5	8	18	135
St. Louis	2,638	2,111	268	259	83	31	2,225
Duluth	1,686	982	451	253	26	18	1,026
Scott	446	295	145	6	117	4	416
Sherburne	329	243	85	1	133	7	383
Sibley	111	99	12	-	61	-	160
Stearns	1,071	667	389	15	115	6	788
Steele	264	232	29	3	58	4	294
Stevens	74	64	10	-	18	4	86
Swift	120	114	6	-	14	3	131
Todd	147	137	9	1	98	5	240
Traverse	52	43	6	3	5	8	56
Wabasha	149	121	11	17	72	5	198
Wadena	235	154	80	1	26	6	186
Waseca	125	118	7	-	37	-	155
Washington	967	703	223	41	345	24	1,072
Watonwan	105	85	20	-	25	2	112
Wilkin	92	57	2	33	3	9	69
Winona	375	328	25	22	33	27	388
Wright	472	408	56	8	177	6	591
Yellow Medicine	130	108	22	-	17	11	136
Unknown	-	-	-	-	3	-	3

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437*	362*	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
A00- B99	I. INFECTIOUS AND PARASITIC DISEASES	T 535	6	2	0	2	0	1	8	11	10	23	31	40	26	22	34	41	70	73	135
		M 270	3	1	0	2	0	0	4	9	9	15	23	28	14	11	18	20	41	33	39
		F 265	3	1	0	0	0	1	4	2	1	8	8	12	12	11	16	21	29	40	96
A01- A02	Salmonella Infections	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03, A06	Shigellosis and Amebiasis	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04, A07- A09	Other Intestinal Infections	T 28	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	6	5	14
		M 12	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	4	1	6
		F 16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	4	8
A16- A19	Tuberculosis	T 9	1	0	0	0	0	0	1	0	0	0	0	0	0	1	1	0	1	1	3
		M 3	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1
		F 6	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	2
A16	Respiratory Tuberculosis	T 6	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	1	0	3
		M 3	0	0	0	0	0	0	1	0	0	0	0	0	0	1	0	0	0	0	1
		F 3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
A17- A19	Other Tuberculosis	T 3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
A37	Whooping Cough	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A38, A46	Scarlet Fever and Erysipelas	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A39	Meningococcal Infection	T 4	1	1	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0
		M 1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 3	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0

*Total includes one infant death of unknown gender.

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
A40- A41	Septicemia	T 274	3	0	0	1	0	0	1	1	0	6	7	4	14	11	18	20	46	51	91
		M 114	3	0	0	1	0	0	1	0	0	3	3	0	6	5	11	11	27	21	22
		F 160	0	0	0	0	0	0	0	1	0	3	4	4	8	6	7	9	19	30	69
A50- A53	Syphilis	T 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
A80	Acute Poliomyelitis	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A83- A84, A85.2	Arthropod-Borne Viral Encephalitis	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B05	Measles	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B15- B19	Viral Hepatitis	T 70	0	0	0	0	0	0	3	2	1	3	13	21	6	2	6	3	6	3	1
		M 48	0	0	0	0	0	0	1	2	1	2	9	17	5	0	4	2	3	2	0
		F 22	0	0	0	0	0	0	2	0	0	1	4	4	1	2	2	1	3	1	1
B20- B24	Human Immunodeficiency Virus (HIV) Disease	T 53	0	0	0	0	0	0	3	7	8	9	8	12	3	3	0	0	0	0	0
		M 46	0	0	0	0	0	0	1	6	8	8	8	9	3	3	0	0	0	0	0
		F 7	0	0	0	0	0	0	2	1	0	1	0	3	0	0	0	0	0	0	0
B50- B54	Malaria	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Re- sid- ual	Other Infectious and Parasitic Diseases and Sequelae	T 96	1	1	0	1	0	0	1	0	1	5	3	3	3	4	8	16	11	13	25
		M 46	0	0	0	1	0	0	1	0	0	2	3	2	0	1	3	7	7	9	10
		F 50	1	1	0	0	0	0	0	0	1	3	0	1	3	3	5	9	4	4	15
C00- D48	II. NEOPLASMS	T 9,486	1	6	13	7	17	18	27	39	70	165	290	446	621	765	956	1,331	1,521	1,421	1,772
		M 4,872	0	3	7	4	9	11	10	18	39	77	147	227	318	435	528	742	825	706	766
		F 4,614	1	3	6	3	8	7	17	21	31	88	143	219	303	330	428	589	696	715	1,006

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
C00- C97	Malignant Neoplasms	T 9,205	0	4	13	7	17	16	25	39	68	156	285	439	605	754	943	1,303	1,474	1,377	1,680
		M 4,749	0	2	7	4	9	10	10	18	37	72	144	223	309	430	521	729	801	689	734
		F 4,456	0	2	6	3	8	6	15	21	31	84	141	216	296	324	422	574	673	688	946
C00- C14	Of Lip, Oral Cavity and Pharynx	T 126	0	0	0	1	0	0	1	0	3	0	6	7	10	8	15	24	14	12	25
		M 81	0	0	0	1	0	0	1	0	1	0	5	7	8	4	10	18	10	5	11
		F 45	0	0	0	0	0	0	0	0	2	0	1	0	2	4	5	6	4	7	14
C15	Of Esophagus	T 229	0	0	0	0	0	0	0	0	3	2	7	12	23	24	32	36	35	27	28
		M 173	0	0	0	0	0	0	0	0	3	1	6	10	17	21	27	33	24	17	14
		F 56	0	0	0	0	0	0	0	0	0	1	1	2	6	3	5	3	11	10	14
C16	Of Stomach	T 170	0	0	0	0	1	0	0	1	2	5	5	7	9	13	14	14	35	24	40
		M 95	0	0	0	0	0	0	0	1	2	1	2	5	9	8	9	8	21	13	16
		F 75	0	0	0	0	1	0	0	0	0	4	3	2	0	5	5	6	14	11	24
C18- C21	Of Colon, Rectum, and Anus	T 934	0	0	0	0	0	1	4	2	3	14	27	51	55	74	86	106	155	138	218
		M 451	0	0	0	0	0	1	3	1	3	10	16	29	28	51	53	48	76	64	68
		F 483	0	0	0	0	0	0	1	1	0	4	11	22	27	23	33	58	79	74	150
C22	Of Liver and Intrahepatic Bile Ducts	T 197	0	1	1	1	1	1	0	1	2	6	11	15	15	14	18	27	33	25	25
		M 136	0	1	0	1	1	1	0	1	2	4	11	12	13	10	12	19	21	15	12
		F 61	0	0	1	0	0	0	0	0	0	2	0	3	2	4	6	8	12	10	13
C25	Of Pancreas	T 526	0	0	0	0	0	0	0	0	0	10	19	33	40	45	64	74	85	73	83
		M 257	0	0	0	0	0	0	0	0	0	7	10	27	24	26	29	41	40	25	28
		F 269	0	0	0	0	0	0	0	0	0	3	9	6	16	19	35	33	45	48	55
C32	Of Larynx	T 39	0	0	0	0	0	0	0	0	0	0	0	0	4	5	9	4	9	4	4
		M 30	0	0	0	0	0	0	0	0	0	0	0	0	3	5	7	1	8	4	2
		F 9	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	1	0	2
C33- C34	Of Trachea, Bronchus, and Lung	T 2,328	0	0	0	0	0	0	1	2	11	27	58	100	167	264	276	427	418	341	236
		M 1,262	0	0	0	0	0	0	1	0	6	11	36	47	92	156	161	235	235	174	108
		F 1,066	0	0	0	0	0	0	0	2	5	16	22	53	75	108	115	192	183	167	128
C43	Of Skin	T 113	0	0	0	0	0	1	1	4	5	4	6	9	8	8	12	17	17	6	15
		M 79	0	0	0	0	0	0	0	2	2	3	6	5	6	7	8	12	13	6	9
		F 34	0	0	0	0	0	1	1	2	3	1	0	4	2	1	4	5	4	0	6

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
C50	Of Breast	T 642	0	0	0	0	0	0	2	9	10	32	35	62	58	47	48	59	77	76	127
		M 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
		F 640	0	0	0	0	0	0	2	9	10	32	35	62	58	47	47	59	77	75	127
C53	Of Cervix Uteri	T 34	0	0	0	0	0	0	2	1	1	1	3	2	2	3	3	6	3	1	6
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 34	0	0	0	0	0	0	2	1	1	1	3	2	2	3	3	6	3	1	6
C54- C55	Of Corpus Uteri and Uterus	T 114	0	0	0	0	0	0	0	0	1	1	3	10	6	8	9	16	15	15	30
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 114	0	0	0	0	0	0	0	0	1	1	3	10	6	8	9	16	15	15	30
C56	Of Ovary	T 237	0	0	0	0	0	1	1	1	2	3	12	15	22	19	26	43	29	35	28
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 237	0	0	0	0	0	1	1	1	2	3	12	15	22	19	26	43	29	35	28
C61	Of Prostate	T 601	0	0	0	0	0	0	0	0	0	0	2	8	7	24	44	81	97	126	212
		M 601	0	0	0	0	0	0	0	0	0	0	2	8	7	24	44	81	97	126	212
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C64- C65	Of Kidney and Renal Pelvis	T 221	0	0	2	0	0	0	1	0	0	4	10	10	17	18	28	30	32	33	36
		M 147	0	0	2	0	0	0	0	0	0	1	9	8	14	16	18	23	24	19	13
		F 74	0	0	0	0	0	0	1	0	0	3	1	2	3	2	10	7	8	14	23
C67	Of Bladder	T 241	0	0	0	0	0	0	0	0	0	1	4	5	14	6	20	36	43	37	75
		M 164	0	0	0	0	0	0	0	0	0	1	1	1	10	4	14	23	33	26	51
		F 77	0	0	0	0	0	0	0	0	0	0	3	4	4	2	6	13	10	11	24
C70- C72	Of Meninges, Brain and Other Parts of Central Nervous System	T 234	0	1	6	1	6	2	0	4	7	11	18	21	28	25	26	23	28	19	8
		M 126	0	1	2	0	2	2	0	1	5	11	7	15	16	11	16	16	12	8	1
		F 108	0	0	4	1	4	0	0	3	2	0	11	6	12	14	10	7	16	11	7
C81- C96	Of Lymphoid, Hematopoietic, and Related Tissue	T 1,082	0	1	2	2	6	6	8	8	13	20	27	31	54	79	98	129	174	202	222
		M 589	0	0	2	1	4	4	2	7	9	14	15	19	28	47	62	90	98	102	85
		F 493	0	1	0	1	2	2	6	1	4	6	12	12	26	32	36	39	76	100	137
C81	Hodgkin's Disease	T 21	0	0	0	0	0	1	3	1	1	0	2	2	2	1	0	2	4	1	1
		M 12	0	0	0	0	0	1	1	1	1	0	2	0	2	1	0	1	1	1	0
		F 9	0	0	0	0	0	0	2	0	0	0	0	2	0	0	0	1	3	0	1

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
C82- C85	Non-Hodgkin's Lymphoma	T 429	0	1	0	1	1	1	2	5	5	6	11	11	27	31	42	43	63	81	98
		M 231	0	0	0	1	1	1	0	5	4	6	4	5	13	21	29	30	33	41	37
		F 198	0	1	0	0	0	0	2	0	1	0	7	6	14	10	13	13	30	40	61
C91- C95	Leukemia	T 422	0	0	2	1	5	4	3	2	6	13	9	13	15	28	34	55	67	80	85
		M 227	0	0	2	0	3	2	1	1	4	7	5	10	8	16	20	38	40	38	32
		F 195	0	0	0	1	2	2	2	1	2	6	4	3	7	12	14	17	27	42	53
C88, C90	Multiple Myeloma and Immunoprolifer- ative Neoplasms	T 209	0	0	0	0	0	0	0	0	1	1	5	5	10	19	22	29	40	40	37
		M 119	0	0	0	0	0	0	0	0	0	1	4	4	5	9	13	21	24	22	16
		F 90	0	0	0	0	0	0	0	0	1	0	1	1	5	10	9	8	16	18	21
C96	Other Lymphoid, Hematopouetic, and Related Tissue	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Re- sid- ual	Other Malignant Neoplasms	T 1,137	0	1	2	2	3	4	4	6	5	15	32	41	66	70	115	151	175	183	262
		M 556	0	0	1	1	2	2	3	5	4	8	18	30	34	40	50	81	89	84	104
		F 581	0	1	1	1	1	2	1	1	1	7	14	11	32	30	65	70	86	99	158
D00- D48	In Situ and Benign Neoplasms and Neoplasms of Uncertain Behavior	T 281	1	2	0	0	0	2	2	0	2	9	5	7	16	11	13	28	47	44	92
		M 123	0	1	0	0	0	1	0	0	2	5	3	4	9	5	7	13	24	17	32
		F 158	1	1	0	0	0	1	2	0	0	4	2	3	7	6	6	15	23	27	60
D50- D89	III. DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS	T 174	4	2	2	0	2	0	3	0	2	4	7	5	7	5	6	9	23	19	74
		M 57	2	0	1	0	1	0	2	0	1	2	3	3	3	3	2	3	5	5	21
		F 117	2	2	1	0	1	0	1	0	1	2	4	2	4	2	4	6	18	14	53
D50- D64	Anemias	T 94	1	2	1	0	1	0	2	0	1	0	1	0	1	1	4	3	12	11	53
		M 29	1	0	1	0	0	0	2	0	0	0	1	0	0	0	2	1	3	4	14
		F 65	0	2	0	0	1	0	0	0	1	0	0	0	1	1	2	2	9	7	39
D65- D89	Other Diseases of the Blood and Blood-Forming Organs	T 80	3	0	1	0	1	0	1	0	1	4	6	5	6	4	2	6	11	8	21
		M 28	1	0	0	0	1	0	0	0	1	2	2	3	3	3	0	2	2	1	7
		F 52	2	0	1	0	0	0	1	0	0	2	4	2	3	1	2	4	9	7	14

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
E00- E90	IV. ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES AND IMMUNITY DISORDERS	T 1,724	3	3	1	2	2	8	4	8	10	31	46	57	63	99	122	160	254	297	554
		M 795	1	2	1	2	0	2	3	3	6	23	33	34	30	70	75	88	112	121	189
		F 929	2	1	0	0	2	6	1	5	4	8	13	23	33	29	47	72	142	176	365
E10- E14	Diabetes Mellitus	T 1,316	0	0	0	1	0	2	1	4	6	23	31	38	45	83	100	132	208	248	394
		M 617	0	0	0	1	0	1	1	1	3	18	22	20	22	59	60	72	91	100	146
		F 699	0	0	0	0	0	1	0	3	3	5	9	18	23	24	40	60	117	148	248
E40- E64	Nutritional Deficiencies	T 44	0	0	0	0	0	1	0	1	1	0	0	0	0	1	2	1	5	5	27
		M 15	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	0	3	3	7
		F 29	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	1	2	2	20
E40- E46	Malnutrition	T 40	0	0	0	0	0	1	0	0	1	0	0	0	0	1	2	1	5	5	24
		M 12	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3	3	5
		F 28	0	0	0	0	0	1	0	0	1	0	0	0	0	0	2	1	2	2	19
E50- E64	Other Nutritional Deficiencies	T 4	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	3
		M 3	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	2
		F 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Re- sid- ual	Other Endocrine, Nutritional, Metabolic, and Immunity Disorders	T 364	3	3	1	1	2	5	3	3	3	8	15	19	18	15	20	27	41	44	133
		M 163	1	2	1	1	0	1	2	1	3	5	11	14	8	10	15	16	18	18	36
		F 201	2	1	0	0	2	4	1	2	0	3	4	5	10	5	5	11	23	26	97
F00- F99	V. MENTAL AND BEHAVIORAL DISORDERS	T 1,604	1	0	0	0	4	3	2	7	11	20	34	32	32	22	32	59	116	232	997
		M 559	0	0	0	0	2	1	2	5	10	14	26	24	22	16	24	32	53	90	238
		F 1,045	1	0	0	0	2	2	0	2	1	6	8	8	10	6	8	27	63	142	759
G00- G99	VI. DISEASES OF THE NERVOUS SYSTEM	T 2,251	5	10	3	5	6	9	9	13	12	20	36	35	57	52	81	168	286	441	1,003
		M 919	4	4	1	3	3	4	7	6	10	13	20	26	31	30	39	88	149	193	288
		F 1,332	1	6	2	2	3	5	2	7	2	7	16	9	26	22	42	80	137	248	715

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
G00, G03	Meningitis	T 9	1	0	0	0	0	0	0	0	0	1	1	0	0	2	1	0	0	2	1
		M 3	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	1	0
		F 6	1	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	1	1
G20- G21	Parkinson's Disease	T 438	0	0	0	0	0	0	0	0	0	0	1	0	1	3	9	42	69	131	182
		M 253	0	0	0	0	0	0	0	0	0	0	1	0	1	3	6	30	46	68	98
		F 185	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	12	23	63	84
G30	Alzheimer's Disease	T 1,191	0	0	0	0	0	0	0	0	0	0	1	1	2	6	23	56	135	227	740
		M 353	0	0	0	0	0	0	0	0	0	0	1	1	0	3	8	21	64	88	167
		F 838	0	0	0	0	0	0	0	0	0	0	0	0	2	3	15	35	71	139	573
Re- sid- ual	Other Diseases of the Nervous System	T 613	4	10	3	5	6	9	9	13	12	19	33	34	54	41	48	70	82	81	80
		M 310	4	4	1	3	3	4	7	6	10	13	17	25	30	23	25	37	39	36	23
		F 303	0	6	2	2	3	5	2	7	2	6	16	9	24	18	23	33	43	45	57
H00- H59	VII. DISEASES OF THE AND ADNEXA	T 1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 1	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
H60- H95	VIII. DISEASES OF THE EAR AND MASTOID PROCESS	T 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		M 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
I00- I99	IX. DISEASES OF THE CIRCULATORY SYSTEM	T 12,473	10	4	3	3	5	16	21	23	59	130	224	298	368	438	621	1,003	1,529	2,248	5,470
		M 5,920	7	2	1	2	3	8	14	19	35	89	169	220	265	301	422	618	842	1,099	1,804
		F 6,553	3	2	2	1	2	8	7	4	24	41	55	78	103	137	199	385	687	1,149	3,666
I00- I78	Major Cardiovascular Diseases	T 12,423	10	4	3	3	5	16	21	23	59	127	224	296	366	435	616	1,001	1,521	2,237	5,456
		M 5,900	7	2	1	2	3	8	14	19	35	87	169	218	264	299	421	616	839	1,095	1,801
		F 6,523	3	2	2	1	2	8	7	4	24	40	55	78	102	136	195	385	682	1,142	3,655

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,554	2,285	3,253	8,895
I00-I09, I11,I13, I20-I51	Diseases of the Heart	T 8,584	9	2	2	3	5	13	17	22	49	106	190	238	299	325	460	699	1,018	1,489	3,638
		M 4,354	7	1	1	2	3	6	10	18	33	76	145	186	227	229	331	444	597	765	1,273
		F 4,230	2	1	1	1	2	7	7	4	16	30	45	52	72	96	129	255	421	724	2,365
I00- I09	Acute Rheumatic Fever and Chronic Rheumatic Heart Diseases	T 71	0	0	0	0	0	0	1	0	0	0	2	2	7	4	2	6	10	14	23
		M 20	0	0	0	0	0	0	0	0	0	0	1	1	6	1	0	1	0	5	5
		F 51	0	0	0	0	0	0	1	0	0	0	1	1	1	3	2	5	10	9	18
I11	Hypertensive Heart Disease	T 164	0	0	0	0	0	0	0	1	2	2	3	6	3	8	11	6	11	29	82
		M 62	0	0	0	0	0	0	0	1	2	2	3	4	3	7	5	5	7	10	13
		F 102	0	0	0	0	0	0	0	0	0	0	0	2	0	1	6	1	4	19	69
I13	Hypertensive Heart and Renal Disease	T 25	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	1	5	15
		M 8	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	1	4
		F 17	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	4	11
I20- I25	Ischemic Heart Diseases	T 5,567	2	0	0	0	0	3	3	8	24	68	133	179	214	225	331	480	729	994	2,174
		M 3,061	2	0	0	0	0	2	3	7	19	50	105	148	173	167	252	327	446	549	811
		F 2,506	0	0	0	0	0	1	0	1	5	18	28	31	41	58	79	153	283	445	1,363
I21- I22	Acute Myocardial Infarction	T 1,867	0	0	0	0	0	1	0	3	4	16	48	67	69	89	138	188	248	363	633
		M 1,028	0	0	0	0	0	1	0	2	3	11	39	56	55	60	104	129	150	185	233
		F 839	0	0	0	0	0	0	0	1	1	5	9	11	14	29	34	59	98	178	400
I24	Other Acute Ischemic Heart Diseases	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
I20, I25	Other Chronic Ischemic HeartC Disease	T 3,690	2	0	0	0	0	2	3	5	20	52	85	112	144	133	192	292	481	628	1,539
		M 2,027	2	0	0	0	0	1	3	5	16	39	66	92	117	105	147	198	296	362	578
		F 1,663	0	0	0	0	0	1	0	0	4	13	19	20	27	28	45	94	185	266	961
I25.0	Atherosclerotic Cardiovascular Disease	T 365	0	0	0	0	0	0	0	0	0	2	4	8	10	14	19	23	48	57	180
		M 177	0	0	0	0	0	0	0	0	0	2	4	8	9	11	14	13	28	28	60
		F 188	0	0	0	0	0	0	0	0	0	0	0	0	1	3	5	10	20	29	120
I20, I25.1-I25.9	Other Chronic Ischemic Heart Disease	T 3,325	2	0	0	0	0	2	3	5	20	50	81	104	134	119	173	269	433	571	1,359
		M 1,850	2	0	0	0	0	1	3	5	16	37	62	84	108	94	133	185	268	334	518
		F 1,475	0	0	0	0	0	1	0	0	4	13	19	20	26	25	40	84	165	237	841

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
I26- I51	Other Heart Diseases	T 2,757	7	2	2	3	5	10	13	13	23	36	52	51	74	88	115	205	267	447	1,344
		M 1,203	5	1	1	2	3	4	7	10	12	24	36	33	44	54	74	110	143	200	440
		F 1,554	2	1	1	1	2	6	6	3	11	12	16	18	30	34	41	95	124	247	904
I33	Acute and Subacute Endocarditis	T 22	0	0	0	0	0	0	0	1	0	0	0	1	1	1	2	4	3	4	5
		M 15	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	4	2	2	3
		F 7	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	1	2	2
I30-I31, I40	Diseases of Pericardium and Acute Myocarditis	T 12	1	0	0	0	0	0	0	1	1	0	2	0	2	0	1	1	2	0	1
		M 8	0	0	0	0	0	0	0	1	1	0	2	0	1	0	1	1	1	0	0
		F 4	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1
I50	Heart Failure	T 1,027	0	0	0	0	0	0	0	0	1	2	4	3	9	8	24	43	90	182	661
		M 390	0	0	0	0	0	0	0	0	0	1	3	2	7	4	19	22	44	80	208
		F 637	0	0	0	0	0	0	0	1	1	1	1	1	2	4	5	21	46	102	453
I26-I28, I34-I38, I42-I49,I51	All Other Forms of Heart Disease	T 1,696	6	2	2	3	5	10	13	11	21	34	46	47	62	79	88	157	172	261	677
		M 790	5	1	1	2	3	4	7	8	11	23	31	31	36	49	52	83	96	118	229
		F 906	1	1	1	1	2	6	6	3	10	11	15	16	26	30	36	74	76	143	448
I10, I12	Essential Hypertension and Hypertensive Renal Disease	T 434	0	0	0	0	0	0	0	0	1	2	3	6	8	20	26	44	51	68	205
		M 172	0	0	0	0	0	0	0	0	0	2	3	5	5	11	17	23	25	28	53
		F 262	0	0	0	0	0	0	0	1	0	0	0	1	3	9	9	21	26	40	152
I60- I69	Cerebrovascular Diseases	T 2,698	1	2	1	0	0	3	3	1	7	17	28	41	42	62	98	191	345	548	1,308
		M 1,035	0	1	0	0	0	2	3	1	2	7	19	21	22	40	53	105	156	225	378
		F 1,663	1	1	1	0	0	1	0	0	5	10	9	20	20	22	45	86	189	323	930
I70	Atherosclerosis	T 191	0	0	0	0	0	0	0	0	0	0	0	1	2	5	3	4	23	31	122
		M 73	0	0	0	0	0	0	0	0	0	0	0	1	1	3	2	0	13	20	33
		F 118	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	4	10	11	89
I71- I78	Other Diseases of the Circulatory System	T 516	0	0	0	0	0	0	1	0	2	2	3	10	15	23	29	63	84	101	183
		M 266	0	0	0	0	0	0	1	0	0	2	2	5	9	16	18	44	48	57	64
		F 250	0	0	0	0	0	0	0	0	2	0	1	5	6	7	11	19	36	44	119
I71	Aortic Aneurysm and Dissection	T 330	0	0	0	0	0	0	0	0	2	1	2	8	12	16	22	44	54	70	99
		M 190	0	0	0	0	0	0	0	0	0	1	2	4	8	13	16	35	32	40	39
		F 140	0	0	0	0	0	0	0	0	2	0	0	4	4	3	6	9	22	30	60

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
J40- J47	Chronic Lower Respiratory Diseases	T 1,970	1	0	2	1	3	2	2	3	2	9	11	23	50	97	143	283	358	395	585
		M 981	1	0	0	0	3	1	1	3	1	6	5	11	26	53	59	131	191	202	287
		F 989	0	0	2	1	0	1	1	0	1	3	6	12	24	44	84	152	167	193	298
J40- J42	Bronchitis, Chronic and Unspecified	T 7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5
		M 2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
		F 5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	3
J43	Emphysema	T 147	0	0	0	0	0	0	0	0	0	0	1	2	6	9	12	23	33	30	31
		M 69	0	0	0	0	0	0	0	0	0	0	0	1	4	3	3	8	17	16	17
		F 78	0	0	0	0	0	0	0	0	0	0	1	1	2	6	9	15	16	14	14
J45- J46	Asthma	T 91	0	0	2	1	2	2	2	3	2	6	3	2	2	4	1	12	6	14	27
		M 42	0	0	0	0	2	1	1	3	1	3	2	1	1	2	0	9	2	6	8
		F 49	0	0	2	1	0	1	1	0	1	3	1	1	1	2	1	3	4	8	19
J44, J47	Other Chronic Lower Respiratory Diseases	T 1,725	1	0	0	0	1	0	0	0	0	3	7	19	42	84	130	248	319	349	522
		M 868	1	0	0	0	1	0	0	0	0	3	3	9	21	48	56	114	172	180	260
		F 857	0	0	0	0	0	0	0	0	0	0	4	10	21	36	74	134	147	169	262
J60- J66, J68	Pneumoconioses and Chemical Effects	T 8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	2
		M 8	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	3	2
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
J69	Pneumonitis Due to Solids and Liquids	T 249	0	0	0	1	0	1	1	2	2	1	0	0	3	10	7	16	29	59	117
		M 147	0	0	0	1	0	0	0	2	2	1	0	0	1	7	5	11	14	42	61
		F 102	0	0	0	0	0	1	1	0	0	0	0	0	2	3	2	5	15	17	56
Re- sid- ual	Other Disease of the Respiratory System	T 383	3	0	0	0	2	0	1	0	1	4	5	12	10	18	26	38	63	80	120
		M 191	2	0	0	0	2	0	1	0	1	2	3	8	3	10	18	21	36	39	45
		F 192	1	0	0	0	0	0	0	0	0	2	2	4	7	8	8	17	27	41	75
K00- K93	XI. DISEASES OF THE DIGESTIVE SYSTEM	T 1,277	6	7	4	0	0	2	1	8	21	36	46	62	81	56	86	126	145	189	401
		M 562	1	2	2	0	0	2	0	4	16	19	33	41	49	31	50	68	65	73	106
		F 715	5	5	2	0	0	0	1	4	5	17	13	21	32	25	36	58	80	116	295

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436	
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541	
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895	
K25- K28	Peptic Ulcer	T 66	0	0	0	0	0	0	0	0	0	0	0	0	1	0	5	4	5	5	14	32
		M 31	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	4	3	2	7	12
		F 35	0	0	0	0	0	0	0	0	0	0	0	1	0	2	0	2	3	7	20	
K35- K38	Diseases of the Appendix	T 8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	4
		M 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		F 7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4
K40- K46	Hernia	T 32	1	0	1	0	0	1	0	0	0	0	0	0	1	1	0	2	2	5	5	13
		M 16	0	0	1	0	0	1	0	0	0	0	0	1	1	0	1	1	3	2	2	5
		F 16	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	3	8
K70, K73- K74	Chronic Liver Disease and Cirrhosis	T 315	0	0	0	0	0	0	0	2	12	19	32	32	52	25	34	44	33	19	11	
		M 189	0	0	0	0	0	0	0	0	8	8	23	25	31	16	22	30	15	7	4	
		F 126	0	0	0	0	0	0	0	2	4	11	9	7	21	9	12	14	18	12	7	
K70	Alcoholic Liver Disease	T 151	0	0	0	0	0	0	0	2	9	14	16	21	32	15	14	19	5	4	0	
		M 106	0	0	0	0	0	0	0	0	6	6	12	18	23	11	11	13	3	3	0	
		F 45	0	0	0	0	0	0	0	2	3	8	4	3	9	4	3	6	2	1	0	
K73- K74	Other Chronic Liver Disease and Cirrhosis	T 164	0	0	0	0	0	0	0	0	3	5	16	11	20	10	20	25	28	15	11	
		M 83	0	0	0	0	0	0	0	0	2	2	11	7	8	5	11	17	12	4	4	
		F 81	0	0	0	0	0	0	0	0	1	3	5	4	12	5	9	8	16	11	7	
K80- K82	Cholelithiasis and Other Disorders of Gallbladder and Biliary Tract	T 63	0	0	0	0	0	0	0	0	0	1	0	1	0	3	4	3	8	13	30	
		M 29	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	1	6	8	9	
		F 34	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	2	2	5	21	
Re- sid- ual	Other Disease of the Digestive System	T 793	5	7	3	0	0	1	1	6	9	16	14	27	28	22	42	72	93	136	311	
		M 296	1	2	1	0	0	1	0	4	8	11	10	14	17	9	21	33	39	49	76	
		F 497	4	5	2	0	0	0	1	2	1	5	4	13	11	13	21	39	54	87	235	
L00- L99	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	T 52	0	0	0	0	0	0	0	0	1	0	0	2	0	1	1	4	4	12	27	
		M 19	0	0	0	0	0	0	0	0	1	0	0	2	0	1	0	3	1	5	6	
		F 33	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	7	21	

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
N70- N76	Inflammatory Diseases of Female Pelvic Organs	T	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
Re- sid- ual	Other Diseases of the Genitourinary System	T	183	0	0	0	0	0	0	0	1	1	1	1	2	2	5	8	24	37	101
		M	68	0	0	0	0	0	0	0	0	1	1	1	1	0	1	4	11	20	28
		F	115	0	0	0	0	0	0	0	1	0	0	0	1	2	4	4	13	17	73
O00- O99	XV. PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	T	6	2	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0
		M	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	4	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0
O00- O07	Pregnancy with Abortive Outcome	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
O10- O99	Other Complications of Pregnancy	T	6	2	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0
		M	2	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	4	0	0	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0
O08	Other Complications of Pregnancy, Childbirth, and the Puerperium	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
P00- P96	XVI. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	T	158	155	2	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	90	89	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	67	65	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Q00- Q99	XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES	T	216	98	14	4	4	3	5	5	4	5	12	6	11	8	11	4	4	2	6
		M	118	55	11	0	1	3	3	4	2	2	7	4	8	5	7	3	0	0	2
		F	98	43	3	4	3	0	2	1	2	3	5	2	3	3	4	1	4	2	4

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895
R00-XVIII. R99	SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS	T 1,114	36	5	0	1	2	0	5	5	3	10	17	11	18	27	44	56	83	142	649
		M 425	25	4	0	1	1	0	4	4	1	9	15	4	12	21	26	37	42	63	156
		F 689	11	1	0	0	1	0	1	1	2	1	2	7	6	6	18	19	41	79	493
V01- Y98	XX. EXTERNAL CAUSES	T 2,646	27	36	21	42	169	198	141	141	148	205	192	171	95	82	69	102	153	211	443
		M 1,700	13	21	12	17	130	166	107	107	112	153	147	117	72	62	44	61	92	106	161
		F 946	14	15	9	25	39	32	34	34	36	52	45	54	23	20	25	41	61	105	282
V01- X59, Y85-Y86	Accidents	T 1,910	19	28	20	34	122	112	87	76	90	133	114	112	64	48	49	78	121	189	414
		M 1,134	8	17	11	14	87	94	65	54	69	96	86	78	48	36	28	43	67	91	142
		F 776	11	11	9	20	35	18	22	22	21	37	28	34	16	12	21	35	54	98	272
V01- V99, Y85	Transport Accidents	T 787	3	14	13	24	103	89	53	53	46	75	58	55	36	31	15	24	29	33	33
		M 535	1	8	6	10	71	75	39	38	36	49	42	38	28	23	7	15	15	16	18
		F 252	2	6	7	14	32	14	14	15	10	26	16	17	8	8	8	9	14	17	15
*	Motor Vehicle Accidents	T 723	3	14	13	23	99	83	50	50	42	70	45	47	29	29	13	23	28	32	30
		M 481	1	8	6	10	67	69	36	36	32	44	31	33	22	22	5	14	14	15	16
		F 242	2	6	7	13	32	14	14	14	10	26	14	14	7	7	8	9	14	17	14
**	Other Land Transport Accidents	T 21	0	0	0	1	2	2	0	0	2	3	3	1	2	1	0	0	0	1	3
		M 18	0	0	0	0	2	2	0	0	2	3	3	1	2	0	0	0	0	1	2
		F 3	0	0	0	1	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1
V90- V99, Y85	Water, Air, Space, and Other Unspecified Transport Accidents	T 43	0	0	0	0	2	4	3	3	2	2	10	7	5	1	2	1	1	0	0
		M 36	0	0	0	0	2	4	3	2	2	2	8	4	4	1	2	1	1	0	0
		F 7	0	0	0	0	0	0	0	1	0	0	2	3	1	0	0	0	0	0	0
W00- X59, Y86	Non-Transport Accidents	T 1,123	16	14	7	10	19	23	34	23	44	58	56	57	28	17	34	54	92	156	381
		M 599	7	9	5	4	16	19	26	16	33	47	44	40	20	13	21	28	52	75	124
		F 524	9	5	2	6	3	4	8	7	11	11	12	17	8	4	13	26	40	81	257
W00- W19	Falls	T 527	0	3	3	2	1	4	5	2	5	7	16	9	8	7	19	34	49	106	247
		M 232	0	2	2	1	1	4	4	1	5	6	13	3	6	4	13	17	29	46	75
		F 295	0	1	1	1	0	0	1	1	0	1	3	6	2	3	6	17	20	60	172

* V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2

** V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436	
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541	
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895	
W32- W34	Accidental Discharge of Firearms	T	5	0	0	0	0	1	0	0	0	1	0	0	1	1	0	0	1	0	0	
		M	5	0	0	0	0	1	0	0	0	1	0	0	1	1	0	0	1	0	0	
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
W65- W74	Accidental Drowning and Submersion	T	45	0	3	3	2	6	2	9	0	1	4	2	0	3	1	2	0	1	1	5
		M	31	0	2	3	0	5	1	7	0	1	4	2	0	2	0	2	0	0	1	1
		F	14	0	1	0	2	1	1	2	0	0	0	0	1	1	0	0	1	0	0	4
X00- X09	Accidental Exposure to Smoke, Fire, and Flames	T	52	1	2	1	2	4	1	1	0	4	1	4	11	2	2	0	3	4	5	4
		M	35	1	1	0	1	4	1	1	0	3	1	3	4	2	2	0	2	2	4	3
		F	17	0	1	1	1	0	0	0	1	0	1	7	0	0	0	1	2	1	1	
X40- X49	Accidental Poisoning and Exposure to Noxious Substances	T	164	0	1	0	1	4	10	8	17	26	32	26	22	7	1	0	1	4	2	2
		M	119	0	1	0	0	2	7	6	11	19	25	19	18	6	1	0	1	0	2	1
		F	45	0	0	0	1	2	3	2	6	7	7	7	4	1	0	0	4	0	0	
Re- sid- ual	Other Non-Transport Accidents and Their Sequelae	T	330	15	5	0	3	4	5	11	4	8	13	8	15	7	5	13	16	33	42	123
		M	177	6	3	0	2	4	5	8	4	5	10	7	15	3	5	6	8	20	22	44
		F	153	9	2	0	1	0	0	3	0	3	3	1	0	4	0	7	8	13	20	79
X60- X84, Y87.0	Intentional Self-Harm (Suicide)	T	496	0	0	0	4	36	53	35	46	43	55	61	41	26	23	9	19	18	15	12
		M	407	0	0	0	2	36	44	28	43	33	45	47	30	22	18	8	15	15	12	12
		F	89	0	0	0	2	3	9	7	3	10	10	14	11	4	5	1	4	3	3	0
X72- X74	By Discharge of Firearms	T	239	0	0	0	2	17	21	16	28	23	14	31	17	14	12	6	14	8	9	7
		M	223	0	0	0	2	17	20	14	25	21	14	28	14	13	12	6	14	7	9	7
		F	16	0	0	0	0	1	2	3	2	0	3	3	1	0	0	0	0	1	0	0
X60-X71, X75-X84, Y87.0	By Other and Unspecified Means and Their Sequelae	T	257	0	0	0	2	19	32	19	18	20	41	30	24	12	11	3	5	10	6	5
		M	184	0	0	0	0	16	24	14	18	12	31	19	16	9	6	2	1	8	3	5
		F	73	0	0	0	2	3	8	5	0	8	10	11	8	3	5	1	4	2	3	0
X85- Y09, Y87.1	Assault (Homicide)	T	129	6	6	1	4	9	30	18	14	8	7	11	6	0	2	1	0	3	1	2
		M	94	4	4	1	1	9	25	13	8	6	6	9	3	0	1	1	0	2	0	1
		F	35	2	2	0	3	0	5	5	6	2	1	2	3	0	1	0	0	1	1	1
X93- X95	By Discharge of Firearms	T	55	0	0	0	1	8	21	9	6	3	2	1	3	0	1	0	0	0	0	0
		M	42	0	0	0	0	8	18	9	3	2	2	0	0	0	0	0	0	0	0	0
		F	13	0	0	0	1	0	3	0	3	1	0	1	3	0	1	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2002

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T 38,437	362	94	55	68	216	268	234	274	364	680	968	1,239	1,468	1,745	2,314	3,551	4,879	6,222	13,436	
		M 18,516	207	53	27	33	157	200	161	186	250	434	638	768	867	1,083	1,352	1,996	2,594	2,969	4,541	
		F 19,920	154	41	28	35	59	68	73	88	114	246	330	471	601	662	962	1,555	2,285	3,253	8,895	
X85-X92, X96-Y09, Y87.1	By Other and Unspecified Means and Their Sequelae	T	74	6	6	1	3	1	9	9	8	5	5	10	3	0	1	1	0	3	1	2
		M	52	4	4	1	1	1	7	4	5	4	4	9	3	0	1	1	0	2	0	1
		F	22	2	2	0	2	0	2	5	3	1	1	1	0	0	0	0	0	1	1	1
Y35, Y89.0	Legal Intervention	T	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
		M	2	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y10- Y34, Y87.2,Y89.9	Events of Undetermined Intent	T	38	2	2	0	0	2	3	1	3	3	7	2	5	2	2	2	0	0	0	2
		M	24	1	0	0	0	1	3	1	1	2	4	1	5	1	1	2	0	0	0	1
		F	14	1	2	0	0	1	0	0	2	1	3	1	0	1	1	0	0	0	0	1
Y22- Y24	By Discharge of Firearms	T	4	0	0	0	0	1	1	0	0	1	0	0	1	0	0	0	0	0	0	0
		M	4	0	0	0	0	1	1	0	0	1	0	0	1	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y10-Y21, Y25-Y34, Y87.2,Y89.9	By Other and Unspecified Means and Their Sequelae	T	34	2	2	0	0	1	2	1	3	2	7	2	4	2	2	2	0	0	0	2
		M	20	1	0	0	0	0	2	1	1	1	4	1	4	1	1	2	0	0	0	1
		F	14	1	2	0	0	1	0	0	2	1	3	1	0	1	1	0	0	0	0	1
Y36, Y89.1	Operations of War and Their Sequelae	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y40- Y84, Y88	Complications of Medical and Surgical Care	T	71	0	0	0	0	0	0	2	3	3	3	7	3	7	8	5	11	6	13	
		M	39	0	0	0	0	0	0	1	1	2	3	1	1	6	5	3	8	3	5	
		F	32	0	0	0	0	0	0	1	2	1	0	6	2	1	3	2	3	3	8	

Mortality Table 3
DEATHS DUE TO SELECTED CAUSES BY RACE
MINNESOTA RESIDENTS, 2002

	Total	White	African American	American Indian	Asian and Pacific Islander	Other/Unknown	*Hispanic
Total - All Causes	38,437	36,876	757	358	299	147	269
Tuberculosis	9	5	-	-	4	-	-
Syphilis	1	1	-	-	-	-	-
HIV Disease	53	36	13	2	1	1	6
Malignant Neoplasms	9,205	8,897	154	56	75	23	49
Stomach	170	152	5	1	12	-	1
Colon, Rectum and Anus	934	898	16	11	7	2	3
Pancreas	526	507	12	5	1	1	2
Trachea, Bronchus, Lung	2,328	2,273	30	13	8	4	9
Breast	642	624	13	1	3	1	8
Cervix, Uterus, Ovary	385	372	4	2	5	2	2
Prostate	601	590	7	2	2	-	-
Urinary Tract	473	463	5	4	1	-	3
Non-Hodgkins Lymphoma	429	421	5	1	2	-	3
Leukemia	422	410	3	3	6	-	2
Other Malignancies	2,294	2,186	54	13	28	13	13
Diabetes Mellitus	1,316	1,238	36	24	14	4	9
Alzheimer's Disease	1,191	1,179	6	1	1	4	5
Major Cardiovascular	12,423	12,029	185	93	76	40	61
Diseases of Heart	8,584	8,333	109	66	45	31	36
Hypertensive	189	185	2	1	1	-	2
Ischemic	5,567	5,412	65	43	22	25	19
Other	2,828	2,736	42	22	22	6	15
Essential Hypertension & Hypertensive Renal Cerebrovascular	434	416	13	1	3	1	1
Atherosclerosis	191	189	1	-	-	1	2
Other Circulatory	516	500	6	5	4	1	1
Influenza & Pneumonia	895	871	12	5	6	1	2
Chronic Lower Respiratory Diseases	1,970	1,921	28	10	6	5	5
Peptic Ulcer	66	64	2	-	-	-	-
Chronic Liver Disease and Cirrhosis	315	285	8	15	6	1	8
Nephritis, Nephrotic Syndrome and Nephrosis	647	619	16	6	6	-	1
Pregnancy/Childbirth	6	2	4	-	-	-	1
Perinatal Conditions	158	121	20	2	5	10	17
Congenital Anomalies	216	185	14	5	3	9	6
Sudden Infant Death	28	19	4	3	1	1	1
Ill-Defined Conditions	1,086	1,058	11	9	6	2	5
All Other Diseases	6,206	5,975	120	51	47	13	37
Motor Vehicle Accidents	723	650	21	23	15	14	23
All Other Accidents	1,187	1,103	36	27	15	6	16
Intentional Self-Harm (Suicide)	496	456	17	11	8	4	9
Assault (Homicide)	129	65	42	13	3	6	7
Other External Causes	111	97	8	2	1	3	1

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Mortality Table 4.1

U.S. Fifteen Leading Causes of Death*, Death Rates Per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2002

Cause of Death	Number of Deaths	Death Rates	Percent of Total
Diseases of the Heart (I00-I09,I11,I13,I20-I51)	8,584	171.0	22.3
Malignant Neoplasms (C00-C97)	9,205	183.4	23.9
Cerebrovascular Diseases (I60-I69)	2,698	53.7	7.0
Chronic Lower Respiratory Diseases (J40-J47)	1,970	39.2	5.1
Accidents (V01-X59,Y85-Y86)	1,910	38.0	5.0
Motor Vehicle (***)	723	14.4	1.9
Falls (W00-W19)	527	10.5	1.4
Diabetes Mellitus (E10-E14)	1,316	26.2	3.4
Influenza and Pneumonia (J10-J18)	895	17.8	2.3
Influenza (J10-J11)	56	1.1	0.1
Pneumonia (J12-J18)	839	16.7	2.2
Alzheimer's Disease (G30)	1,191	23.7	3.1
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27)	647	12.9	1.7
Septicemia (A40-A41)	274	5.5	0.7
Intentional Self-harm (suicide) (X60-X84,Y87.0)	496	9.9	1.3
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	315	6.3	0.8
Assault (homicide) (X85-Y09,Y87.1)	129	2.6	0.3
Essential (primary) Hypertension and Hypertensive Renal Disease (I10,I12)	434	8.6	1.1
Pneumonitis due to Solids and Liquids (J69)	249	5.0	0.6
All Other Causes	8,124	161.8	21.1
Total - All Causes	38,437	765.7	100.0

*These are the 15 leading causes of death in the U.S., per 2001 final data, with causes listed in descending order as they occur nation-wide. Counts are for Minnesota resident deaths.

***Motor Vehicle cause codes: V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,
V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-88.8,V89.0,V89.2

Mortality Table 4.2

MN Fifteen Leading Causes of Death*, Death Rates Per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2002

Cause of Death	Number of Deaths	Death Rates	Percent of Total
Malignant Neoplasms (C00-C97)	9,205	183.4	23.9
Diseases of the Heart (I00-I09,I11,I13,I20-I51)	8,584	171.0	22.3
Cerebrovascular Diseases (I60-I69)	2,698	53.7	7.0
Chronic Lower Respiratory Diseases (J40-J47)	1,970	39.2	5.1
Accidents (V01-X59,Y85-Y86)	1,910	38.0	5.0
Motor Vehicle (***)	723	14.4	1.9
Falls (W00-W19)	527	10.5	1.4
Diabetes Mellitus (E10-E14)	1,316	26.2	3.4
Alzheimer's Disease (G30)	1,191	23.7	3.1
Influenza and Pneumonia (J10-J18)	895	17.8	2.3
Influenza (J10-J11)	56	1.1	0.1
Pneumonia (J12-J18)	839	16.7	2.2
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27)	647	12.9	1.7
Intentional Self-harm (suicide) (X60-X84,Y87.0)	496	9.9	1.3
Parkinson's Disease (G20-G21)	438	8.7	1.1
Essential Hypertension & Hypertensive Renal Disease (I10,I12)	434	8.6	1.1
Aortic Aneurysm and Dissection (I71)	330	6.6	0.9
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	315	6.3	0.8
In Situ and Benign Neoplasms & Neoplasms of Uncertain Behavior (D00-D48)	281	5.6	0.7
All Other Causes	7,727	153.9	20.1
Total - All Causes	38,437	765.7	100.0

*These are the 15 leading causes of death for residents of Minnesota listed in descending order of prevalence.

***Motor Vehicle cause codes: V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,
V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-88.8,V89.0,V89.2

Mortality Table 5
LEADING CAUSES OF DEATH BY SELECTED AGE GROUPS
MINNESOTA RESIDENTS, 2002

	No. of Deaths	Per- cent	Age/Cause Specific Death Rate Per 100,000 Population		No. of Deaths	Per- cent	Age/Cause Specific Death Rate Per 100,000 Population
<u>1-4 Years</u>				<u>35-49 Years</u>			
Total - all causes	94	100.0	37.4	Total - all causes	2,012	100.0	167.0
Accidents	28	29.8	11.1	Malignant neoplasms	509	25.3	42.2
Motor vehicle	14	14.9	5.6	Diseases of the heart	345	17.2	28.6
Congenital anomalies	14	14.9	5.6	Accidents	337	16.8	28.0
Assault (homicide)	6	6.4	2.4	Motor vehicle	157	7.8	13.0
Malignant neoplasms	4	4.3	1.6	Intentional self-harm	159	7.9	13.2
Pneumonia & Influenza	3	3.2	1.2	Liver disease, cirrhosis	63	3.1	5.2
				Diabetes mellitus	60	3.0	5.0
<u>5-9 Years</u>				<u>50-64 Years</u>			
Total - all causes	55	100.0	16.3	Total - all causes	4,452	100.0	569.9
Accidents	20	36.4	5.9	Malignant neoplasms	1,798	40.4	230.2
Motor vehicle	13	23.6	3.9	Diseases of the heart	862	19.4	110.3
Malignant neoplasms	13	23.6	3.9	Accidents	224	5.0	28.7
Congenital anomalies	4	7.3	1.2	Motor vehicle	105	2.4	13.4
				Chronic lower respiratory diseases	170	3.8	21.8
				Diabetes mellitus	166	3.7	21.2
				Cerebrovascular diseases	145	3.3	18.6
<u>10-14 Years</u>				<u>65-74 Years</u>			
Total - all causes	68	100.0	18.4	Total - all causes	5,865	100.0	1995.0
Accidents	34	50.0	9.2	Malignant neoplasms	2,246	38.3	764.0
Motor vehicle	23	33.8	6.2	Diseases of the heart	1,159	19.8	394.2
Malignant neoplasms	7	10.3	1.9	Chronic lower respiratory diseases	426	7.3	144.6
Congenital anomalies	4	5.9	1.1	Cerebrovascular diseases	289	4.9	98.3
Intentional self-harm	4	5.9	1.1	Diabetes mellitus	232	4.0	78.9
Assault (homicide)	4	5.9	1.1				
<u>15-19 Years</u>				<u>75 Years and Over</u>			
Total - all causes	216	100.0	57.1	Total - all causes	24,537	100.0	7972.7
Accidents	122	56.5	32.3	Diseases of the heart	6,145	25.0	1996.7
Motor vehicle	99	45.8	26.2	Malignant neoplasms	4,531	18.5	1472.2
Intentional self-harm	36	16.7	9.5	Cerebrovascular diseases	2,201	9.0	715.2
Malignant neoplasms	17	7.9	4.5	Chronic lower respiratory diseases	1,338	5.5	434.8
Assault (homicide)	9	4.2	2.4	Alzheimer's disease	1,102	4.5	358.1
				Diabetes mellitus	850	3.5	286.0
				Pneumonia & Influenza	766	3.1	248.9
<u>20-34 Years</u>							
Total - all causes	776	100.0	75.5				
Accidents	275	35.4	26.7				
Motor vehicle	183	23.6	17.8				
Intentional self-harm	134	17.3	13.0				
Malignant neoplasms	80	10.3	7.8				
Assault (homicide)	62	8.0	6.0				
Diseases of the heart	52	6.7	5.1				

Mortality Table 6
DEATHS DUE TO HIV INFECTION*
MINNESOTA RESIDENTS, 2002

Deaths Due to HIV Infection as Underlying Cause

Cause of Death	Age Group											
	Total	<20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
HIV Infection With Specified Secondary Infections	21	-	-	1	3	3	3	3	5	2	1	-
HIV Infection With Specified Secondary Malignant Neoplasms	9	-	-	2	2	1	1	-	2	-	1	-
HIV Infection With Other Specified Diseases	7	-	-	-	1	2	-	2	2	-	-	-
HIV Infection With Other Specified Conditions	5	-	-	-	-	-	1	2	2	-	-	-
Unspecified HIV Disease	11	-	-	-	1	2	4	1	1	1	1	-
Total ALL HIV Infection as Underlying Cause	53	-	-	3	7	8	9	8	12	3	3	-

HIV Infection Mentioned as Contributing Factor for Deaths Due to Other Underlying Causes

Cause of Death	Total	<20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
Malignant Neoplasms	2	-	-	-	-	-	1	-	-	1	-	-
Diabetes Mellitus	3	-	-	-	-	-	-	1	1	-	1	-
Mental/Behavioral Disorder	1	-	-	-	-	-	1	-	-	-	-	-
Diseases of the Heart	1	-	-	-	-	1	-	-	-	-	-	-
Chronic Lower Respiratory Diseases	1	-	-	-	-	-	1	-	-	-	-	-
Accidental Drug Poisoning	2	-	-	-	-	1	1	-	-	-	-	-
Total Other Underlying Causes of Death With HIV indicated as a Contributing Factor	10	-	-	-	-	2	4	1	1	1	1	-
Total Deaths With Any Mention of HIV Infection	63	-	-	3	7	10	13	9	13	4	4	-

Mortality Table 7
DEATHS OCCURRING IN MINNESOTA BY CAUSE AND AUTOPSY STATUS
2002

Cause of Death	Total Deaths	Autopsy Status					
		Number			Percent		
		Performed	Not Performed	Not Stated	Performed	Not Performed	Not Stated
Total - All Causes	38,648	3,407	34,927	314	8.8	90.4	0.8
I. Infectious and parasitic diseases	539	70	463	6	13.0	85.9	1.1
II. Neoplasms	9,618	229	9,308	81	2.4	96.8	0.8
III. Diseases of the blood and blood- forming organs and immunity disorders	181	29	150	2	16.0	82.9	1.1
IV. Endocrine, nutritional, and metabolic diseases	1,758	96	1,653	9	5.5	94.0	0.5
V. Mental and behavioral disorders	1,609	96	1,495	18	6.0	92.9	1.1
VI. Diseases of the nervous system	2,260	95	2,142	23	4.2	94.8	1.0
VII. Diseases of the eye and adnexa	1	1	-	-	100.0	-	-
VIII. Diseases of the ear and mastoid process	1	-	1	-	-	100.0	-
IX. Diseases of the circulatory system	12,389	984	11,294	111	7.9	91.2	0.9
X. Diseases of the respiratory system	3,509	148	3,331	30	4.2	94.9	0.9
XI. Diseases of the digestive system	1,308	132	1,169	7	10.1	89.4	0.5
XII. Diseases of the skin and subcutaneous tissue	52	1	50	1	1.9	96.2	1.9
XIII. Diseases of the musculoskeletal system and connective tissue	376	22	353	1	5.9	93.9	0.3
XIV. Diseases of the genitourinary system	844	26	812	6	3.1	96.2	0.7
XV. Pregnancy, childbirth, and the puerperium	6	3	3	-	50.0	50.0	-
XVI. Certain conditions originating in the perinatal period	155	35	117	3	22.6	75.5	1.9
XVII. Congenital malformations, deformations, and chromosomal abnormalities	238	66	169	3	27.7	71.0	1.3
XVIII. Symptoms, signs, and abnormal laboratory findings	1,126	76	1,045	5	6.7	92.8	0.4
XX. External causes of mortality	2,678	1,298	1,372	8	48.5	51.2	0.3

Chapter XIX: Injury, Poisoning, and other consequences of external causes, is not used for Underlying Cause of Death

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2002

	State*						Big Stone	Blue Earth
	Total	Aitkin	Anoka	Becker	Beltrami	Benton		
DEATHS - Total	38,437	185	1,462	326	328	326	88	459
Crude Death Rate	7.7	11.9	4.7	10.6	8.0	9.0	15.5	8.1
SEX: Male	18,516	108	707	156	169	157	38	215
Female	19,920	77	755	170	159	169	50	244
Race: White	36,876	179	1,412	301	261	319	88	456
African American	757	-	16	-	1	-	-	1
American Indian	358	6	2	23	65	3	-	-
Asian/Pacific Islander	299	-	19	-	-	3	-	2
Other/Unknown	147	-	13	2	1	1	-	-
Hispanic Ethnicity	269	-	7	1	5	1	-	-
CAUSE OF DEATH								
Tuberculosis	9	-	-	-	-	-	-	-
Syphilis	1	-	-	-	-	-	-	-
HIV Disease	53	-	3	-	-	-	1	-
Malignant Neoplasms	9,205	46	443	60	63	64	25	114
Stomach	170	1	8	1	-	1	1	2
Colon,Rectum,Anus	934	4	50	7	6	6	-	12
Pancreas	526	4	23	6	1	1	-	3
Trachea,Bronchus,Lung	2,328	13	135	16	17	10	7	20
Breast	642	2	38	1	2	5	2	13
Cervix,Uterus,Ovary	385	1	23	-	4	3	1	3
Prostate	601	2	20	4	3	8	-	5
Urinary Tract	473	3	14	-	4	3	1	8
Non-Hodgkins Lymphoma	429	1	10	5	1	1	-	9
Leukemia	422	4	16	4	2	5	1	8
Other Malignancies	2,294	11	106	16	23	21	12	31
Diabetes mellitus	1,316	6	58	14	17	8	5	14
Alzheimer's Disease	1,191	2	23	2	20	15	3	14
Major Cardiovascular	12,423	62	422	141	94	115	39	160
Diseases of Heart	8,584	49	299	104	70	76	30	103
Hypertensive	189	-	4	4	2	4	-	2
Ischemic	5,567	36	195	70	47	51	25	69
Other	2,828	13	100	30	21	21	5	32
Essential Hypertension & Hypertensive Renal	434	1	17	3	4	2	-	7
Cerebrovascular	2,698	9	80	28	14	28	6	38
Atherosclerosis	191	-	3	1	1	3	1	6
Other Circulatory	516	3	23	5	5	6	2	6
Influenza & Pneumonia	895	4	22	8	10	7	-	3
Chronic Lower Respiratory	1,970	13	79	9	26	22	4	27
Peptic Ulcer	66	-	-	1	-	1	-	1
Chronic Liver Disease and Cirrhosis	315	-	17	3	2	-	2	5
Nephritis, Nephrotic Syndrome, and Nephrosis	647	1	20	5	6	3	1	8
Pregnancy,Childbirth,Puerperium	6	-	1	-	-	-	-	-
Perinatal Conditions	158	-	4	-	3	3	-	-
Congenital Anomalies	216	1	2	2	-	1	-	1
Sudden Infant Death	28	-	3	1	2	-	-	-
Ill-Defined Conditions	1,086	9	34	5	18	1	1	15
All Other Diseases	6,206	20	199	47	41	59	6	83
Motor Vehicle Accidents	723	5	38	9	8	11	1	5
Falls	527	2	29	2	2	3	-	1
All Other Accidents	660	10	34	10	6	7	-	3
Intentional Self-Harm (Suicide)	496	3	24	5	6	4	-	5
Assault (Homicide)	129	-	6	1	4	1	-	-
All Other External Causes	111	1	1	1	-	1	-	-

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay
	Total							
DEATHS - Total	38,437	265	325	304	263	171	320	421
Crude Death Rate	7.7	9.9	10.0	4.0	9.4	13.2	7.2	8.1
SEX: Male	18,516	131	167	141	146	80	163	209
Female	19,920	134	158	163	117	91	157	212
Race: White	36,876	264	313	298	236	170	316	414
African American	757	-	1	-	1	-	2	-
American Indian	358	-	9	1	24	-	1	4
Asian/Pacific Islander	299	-	2	5	-	1	1	1
Other/Unknown	147	1	-	-	2	-	-	2
Hispanic Ethnicity	269	-	-	3	2	-	1	6
CAUSE OF DEATH								
Tuberculosis	9	-	-	-	-	-	-	-
Syphilis	1	-	-	-	-	-	-	-
HIV Disease	53	-	-	-	-	-	1	-
Malignant Neoplasms	9,205	76	71	64	70	32	85	100
Stomach	170	1	-	-	4	-	4	5
Colon,Rectum,Anus	934	8	2	11	12	4	11	10
Pancreas	526	5	4	5	5	1	3	3
Trachea,Bronchus,Lung	2,328	10	17	14	16	8	21	23
Breast	642	5	5	4	4	-	6	5
Cervix,Uterus,Ovary	385	1	4	3	1	3	7	8
Prostate	601	7	3	4	4	3	5	7
Urinary Tract	473	4	4	4	6	2	2	4
Non-Hodgkins Lymphoma	429	7	6	2	2	1	5	6
Leukemia	422	8	1	-	1	2	3	2
Other Malignancies	2,294	20	25	17	15	8	18	27
Diabetes mellitus	1,316	5	12	11	5	7	11	8
Alzheimer's Disease	1,191	4	6	7	2	3	17	14
Major Cardiovascular	12,423	97	118	100	82	62	95	148
Diseases of Heart	8,584	73	78	67	66	42	63	113
Hypertensive	189	-	2	1	-	1	1	3
Ischemic	5,567	52	47	44	52	19	36	76
Other	2,828	21	29	22	14	22	26	34
Essential Hypertension & Hypertensive Renal	434	7	2	4	2	2	6	1
Cerebrovascular	2,698	15	19	16	14	16	24	25
Atherosclerosis	191	-	11	8	-	-	-	4
Other Circulatory	516	2	8	5	-	2	2	5
Influenza & Pneumonia	895	5	12	11	1	5	14	12
Chronic Lower Respiratory	1,970	15	19	17	15	4	11	19
Peptic Ulcer	66	-	1	1	-	-	-	1
Chronic Liver Disease and Cirrhosis	315	-	2	2	4	4	4	-
Nephritis, Nephrotic Syndrome, and Nephrosis	647	4	2	4	5	2	3	10
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-	-
Perinatal Conditions	158	-	1	1	-	-	1	-
Congenital Anomalies	216	-	1	1	1	-	1	2
Sudden Infant Death	28	1	1	-	-	-	-	-
Ill-Defined Conditions	1,086	12	3	3	25	2	7	2
All Other Diseases	6,206	37	49	57	28	39	51	77
Motor Vehicle Accidents	723	2	8	13	8	5	9	12
Falls	527	2	2	3	2	2	3	2
All Other Accidents	660	3	7	4	3	2	3	7
Intentional Self-Harm (Suicide)	496	1	9	4	8	1	4	6
Assault (Homicide)	129	1	-	1	2	1	-	-
All Other External Causes	111	-	1	-	2	-	-	1

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*	Clear-	Cook	Cotton-	Crow	Dakota	Dodge	Douglas
	Total	water		wood	Wing			
DEATHS - Total	38,437	115	46	162	513	1,758	117	365
Crude Death Rate	7.7	13.7	8.9	13.5	9.0	4.8	6.3	10.9
SEX: Male	18,516	54	26	63	264	851	46	188
Female	19,920	61	20	99	249	907	71	177
Race: White	36,876	113	45	160	506	1,708	116	364
African American	757	-	-	-	-	24	-	-
American Indian	358	2	1	-	2	3	-	-
Asian/Pacific Islander	299	-	-	-	3	12	-	1
Other/Unknown	147	-	-	2	2	11	1	-
Hispanic Ethnicity	269	-	-	3	1	16	1	1
CAUSE OF DEATH								
Tuberculosis	9	-	-	-	-	-	-	-
Syphilis	1	-	-	-	-	-	-	-
HIV Disease	53	-	1	-	-	2	-	-
Malignant Neoplasms	9,205	28	11	34	135	456	24	84
Stomach	170	-	-	1	1	4	-	1
Colon,Rectum,Anus	934	3	1	5	12	39	1	8
Pancreas	526	-	-	-	12	28	2	7
Trachea,Bronchus,Lung	2,328	9	4	9	33	127	8	24
Breast	642	1	-	3	9	40	3	5
Cervix,Uterus,Ovary	385	1	1	1	11	12	1	2
Prostate	601	6	1	2	10	25	-	3
Urinary Tract	473	-	-	2	6	22	-	3
Non-Hodgkins Lymphoma	429	-	-	2	5	25	1	2
Leukemia	422	-	1	2	5	17	3	6
Other Malignancies	2,294	8	3	7	31	117	5	23
Diabetes mellitus	1,316	2	-	5	15	65	1	10
Alzheimer's Disease	1,191	4	-	2	12	37	3	10
Major Cardiovascular	12,423	40	15	64	175	526	49	140
Diseases of Heart	8,584	28	11	55	131	353	40	111
Hypertensive	189	1	1	3	1	5	2	-
Ischemic	5,567	20	7	30	91	228	26	76
Other	2,828	7	3	22	39	120	12	35
Essential Hypertension & Hypertensive Renal	434	2	3	-	10	25	-	3
Cerebrovascular	2,698	10	-	7	30	125	8	24
Atherosclerosis	191	-	1	1	-	4	1	1
Other Circulatory	516	-	-	1	4	19	-	1
Influenza & Pneumonia	895	1	1	12	6	38	5	13
Chronic Lower Respiratory	1,970	3	1	2	24	93	4	26
Peptic Ulcer	66	-	-	-	-	-	-	3
Chronic Liver Disease and Cirrhosis	315	1	-	1	4	17	1	2
Nephritis, Nephrotic Syndrome, and Nephrosis	647	5	1	6	5	28	1	6
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-	-
Perinatal Conditions	158	1	-	-	2	12	-	1
Congenital Anomalies	216	-	-	-	5	12	1	1
Sudden Infant Death	28	-	-	-	-	-	-	1
Ill-Defined Conditions	1,086	1	-	2	13	59	-	3
All Other Diseases	6,206	21	10	32	72	284	20	48
Motor Vehicle Accidents	723	5	2	-	14	27	3	4
Falls	527	1	1	-	12	26	2	3
All Other Accidents	660	2	3	2	9	25	2	4
Intentional Self-Harm (Suicide)	496	-	-	-	9	38	1	4
Assault (Homicide)	129	-	-	-	1	6	-	1
All Other External Causes	111	-	-	-	-	7	-	1

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*								
	Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minn- neapolis	
DEATHS - Total	38,437	233	262	392	453	86	7,927	2,817	
Crude Death Rate	7.7	14.6	12.2	12.2	10.1	13.7	7.1	7.4	
SEX: Male	18,516	110	124	191	199	41	3,662	1,347	
Female	19,920	123	138	201	254	45	4,264	1,470	
Race: White	36,876	232	261	390	446	86	7,283	2,382	
African American	757	-	-	-	1	-	436	324	
American Indian	358	-	1	-	5	-	61	47	
Asian/Pacific Islander	299	-	-	1	-	-	112	47	
Other/Unknown	147	1	-	1	1	-	35	17	
Hispanic Ethnicity	269	3	-	6	-	1	63	36	
CAUSE OF DEATH									
Tuberculosis	9	-	-	-	-	-	3	2	
Syphilis	1	-	-	-	-	-	-	-	
HIV Disease	53	-	1	-	-	-	27	23	
Malignant Neoplasms	9,205	44	48	77	85	18	1,894	585	
Stomach	170	-	1	3	2	2	37	14	
Colon,Rectum,Anus	934	10	5	5	8	3	175	47	
Pancreas	526	2	1	9	6	-	108	36	
Trachea,Bronchus,Lung	2,328	9	14	18	14	5	482	152	
Breast	642	4	2	7	4	-	135	35	
Cervix,Uterus,Ovary	385	2	4	4	5	2	77	19	
Prostate	601	3	5	2	11	2	118	32	
Urinary Tract	473	3	5	4	4	1	100	32	
Non-Hodgkins Lymphoma	429	3	2	1	4	1	80	25	
Leukemia	422	-	2	2	4	-	97	31	
Other Malignancies	2,294	8	7	22	23	2	485	162	
Diabetes mellitus	1,316	5	10	13	19	4	242	101	
Alzheimer's Disease	1,191	9	10	27	12	1	212	79	
Major Cardiovascular	12,423	104	96	157	157	30	2,311	805	
Diseases of Heart	8,584	80	67	108	103	22	1,462	516	
Hypertensive	189	5	-	2	7	-	26	10	
Ischemic	5,567	46	43	76	69	11	866	298	
Other	2,828	29	24	30	27	11	570	208	
Essential Hypertension & Hypertensive Renal	434	2	7	7	12	-	133	47	
Cerebrovascular	2,698	18	18	28	35	5	569	200	
Atherosclerosis	191	1	1	10	-	2	34	6	
Other Circulatory	516	3	3	4	7	1	113	36	
Influenza & Pneumonia	895	7	10	5	10	5	165	63	
Chronic Lower Respiratory	1,970	14	10	13	32	4	413	152	
Peptic Ulcer	66	1	-	-	-	-	17	10	
Chronic Liver Disease and Cirrhosis	315	-	1	4	2	-	69	30	
Nephritis, Nephrotic Syndrome, and Nephrosis	647	2	7	3	8	-	125	49	
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	4	1	
Perinatal Conditions	158	-	2	3	3	-	43	25	
Congenital Anomalies	216	-	-	4	1	-	56	12	
Sudden Infant Death	28	-	-	-	-	-	4	2	
Ill-Defined Conditions	1,086	-	-	2	7	1	319	96	
All Other Diseases	6,206	32	42	62	80	16	1,449	530	
Motor Vehicle Accidents	723	6	6	5	8	2	93	31	
Falls	527	2	8	6	17	2	169	65	
All Other Accidents	660	5	9	7	7	3	122	63	
Intentional Self-Harm (Suicide)	496	1	1	3	5	-	101	40	
Assault (Homicide)	129	-	1	-	-	-	61	41	
All Other External Causes	111	1	-	1	-	-	28	12	

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*							
	Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
DEATHS - Total	38,437	183	185	247	491	140	130	361
Crude Death Rate	7.7	9.2	10.0	7.3	11.1	12.4	8.4	8.8
SEX: Male	18,516	95	84	119	242	74	71	188
Female	19,920	88	101	128	249	66	59	173
Race: White	36,876	183	180	245	470	139	128	360
African American	757	-	-	1	-	-	-	-
American Indian	358	-	5	-	18	-	-	-
Asian/Pacific Islander	299	-	-	-	1	1	1	-
Other/Unknown	147	-	-	1	2	-	1	1
Hispanic Ethnicity	269	-	1	2	-	-	1	7
CAUSE OF DEATH								
Tuberculosis	9	-	-	-	-	-	-	-
Syphilis	1	-	-	-	-	-	-	-
HIV Disease	53	-	-	1	-	-	1	-
Malignant Neoplasms	9,205	37	48	55	126	31	32	86
Stomach	170	1	1	-	3	-	1	1
Colon,Rectum,Anus	934	5	6	6	9	5	6	10
Pancreas	526	1	1	3	8	1	2	8
Trachea,Bronchus,Lung	2,328	8	11	11	38	6	8	16
Breast	642	1	5	2	7	1	3	7
Cervix,Uterus,Ovary	385	2	1	2	2	1	2	2
Prostate	601	6	3	3	18	4	1	8
Urinary Tract	473	1	3	2	3	2	1	5
Non-Hodgkins Lymphoma	429	1	4	2	2	1	1	1
Leukemia	422	-	4	3	4	1	1	8
Other Malignancies	2,294	11	9	21	32	9	6	20
Diabetes mellitus	1,316	7	9	5	18	4	5	13
Alzheimer's Disease	1,191	4	3	16	11	2	-	11
Major Cardiovascular	12,423	70	57	69	170	48	36	122
Diseases of Heart	8,584	53	45	49	122	39	32	78
Hypertensive	189	-	-	-	3	1	-	1
Ischemic	5,567	28	34	29	72	26	18	58
Other	2,828	25	11	20	47	12	14	19
Essential Hypertension & Hypertensive Renal	434	3	3	-	6	-	-	1
Cerebrovascular	2,698	11	8	17	29	7	3	33
Atherosclerosis	191	-	-	2	6	-	1	1
Other Circulatory	516	3	1	1	7	2	-	9
Influenza & Pneumonia	895	4	5	6	9	4	4	7
Chronic Lower Respiratory	1,970	7	12	11	21	6	7	13
Peptic Ulcer	66	1	-	1	2	-	1	1
Chronic Liver Disease and Cirrhosis	315	2	2	-	4	-	1	2
Nephritis, Nephrotic Syndrome, and Nephrosis	647	4	3	7	5	4	4	2
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-	-
Perinatal Conditions	158	1	2	1	1	-	-	2
Congenital Anomalies	216	2	1	1	3	-	-	1
Sudden Infant Death	28	-	-	-	-	-	-	-
Ill-Defined Conditions	1,086	-	2	6	4	2	5	9
All Other Diseases	6,206	30	26	42	76	34	16	65
Motor Vehicle Accidents	723	7	9	8	12	2	6	12
Falls	527	4	2	1	5	1	4	5
All Other Accidents	660	1	3	8	9	1	6	5
Intentional Self-Harm (Suicide)	496	1	1	7	10	1	2	2
Assault (Homicide)	129	-	-	-	2	-	-	2
All Other External Causes	111	1	-	2	3	-	-	1

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*		Kooch-	Lac Qui	Lake of			
	Total	Kittson	iching	Parle	Lake	the Woods	Le Sueur	Lincoln
DEATHS - Total	38,437	71	165	127	128	38	230	107
Crude Death Rate	7.7	14.0	11.8	16.0	11.5	8.7	8.8	17.2
SEX: Male	18,516	31	84	56	78	20	126	59
Female	19,920	40	81	71	50	18	104	48
Race: White	36,876	71	164	127	127	37	230	107
African American	757	-	-	-	-	-	-	-
American Indian	358	-	1	-	1	-	-	-
Asian/Pacific Islander	299	-	-	-	-	-	-	-
Other/Unknown	147	-	-	-	-	1	-	-
Hispanic Ethnicity	269	-	-	-	1	1	4	-
CAUSE OF DEATH								
Tuberculosis	9	-	-	-	-	-	-	-
Syphilis	1	-	-	-	-	-	-	-
HIV Disease	53	-	-	-	-	-	-	-
Malignant Neoplasms	9,205	15	33	26	26	10	57	23
Stomach	170	-	-	1	1	-	1	1
Colon,Rectum,Anus	934	4	4	3	3	-	8	2
Pancreas	526	-	-	-	-	-	1	1
Trachea,Bronchus,Lung	2,328	6	8	4	9	6	12	8
Breast	642	-	2	1	1	-	3	1
Cervix,Uterus,Ovary	385	-	3	-	2	1	3	-
Prostate	601	1	4	1	2	1	1	3
Urinary Tract	473	-	2	4	1	1	6	-
Non-Hodgkins Lymphoma	429	-	1	-	-	-	1	1
Leukemia	422	-	1	2	-	-	2	2
Other Malignancies	2,294	4	8	10	7	1	19	4
Diabetes mellitus	1,316	6	7	9	1	-	6	6
Alzheimer's Disease	1,191	1	5	4	4	-	8	6
Major Cardiovascular	12,423	27	70	52	43	17	66	39
Diseases of Heart	8,584	20	39	38	34	10	48	24
Hypertensive	189	-	-	-	2	-	-	-
Ischemic	5,567	13	27	33	30	6	31	20
Other	2,828	7	12	5	2	4	17	4
Essential Hypertension	434	-	1	2	-	1	1	-
& Hypertensive Renal								
Cerebrovascular	2,698	7	24	6	7	6	12	10
Atherosclerosis	191	-	1	-	-	-	2	4
Other Circulatory	516	-	5	6	2	-	3	1
Influenza & Pneumonia	895	4	7	2	8	1	11	2
Chronic Lower Respiratory	1,970	1	8	4	6	2	4	9
Peptic Ulcer	66	-	-	-	-	-	-	-
Chronic Liver Disease	315	-	-	-	3	-	3	-
and Cirrhosis								
Nephritis, Nephrotic Syndrome,	647	-	5	1	3	2	5	-
and Nephrosis								
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-	-
Perinatal Conditions	158	-	-	-	-	-	1	-
Congenital Anomalies	216	-	-	-	-	-	3	-
Sudden Infant Death	28	-	-	-	-	-	-	-
Ill-Defined Conditions	1,086	4	2	2	5	-	2	-
All Other Diseases	6,206	8	19	18	19	2	48	20
Motor Vehicle Accidents	723	4	2	3	3	2	4	2
Falls	527	-	1	-	-	-	4	-
All Other Accidents	660	-	5	5	2	2	5	-
Intentional Self-Harm (Suicide)	496	1	1	-	4	-	3	-
Assault (Homicide)	129	-	-	-	-	-	-	-
All Other External Causes	111	-	-	1	1	-	-	-

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*								Mille
	Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker		Lacs
DEATHS - Total	38,437	224	284	55	88	258	230		238
Crude Death Rate	7.7	8.9	8.0	10.7	8.9	12.1	10.1		10.1
SEX: Male	18,516	120	147	31	45	104	108		118
Female	19,920	104	137	24	43	154	122		120
Race: White	36,876	222	282	36	88	258	229		232
African American	757	1	-	-	-	-	-		-
American Indian	358	-	-	19	-	-	-		5
Asian/Pacific Islander	299	-	-	-	-	-	-		-
Other/Unknown	147	1	2	-	-	-	1		1
Hispanic Ethnicity	269	2	1	1	-	-	1		-
CAUSE OF DEATH									
Tuberculosis	9	-	-	-	-	-	-		-
Syphilis	1	-	-	-	-	-	-		-
HIV Disease	53	-	-	-	-	-	-		-
Malignant Neoplasms	9,205	50	67	15	25	70	56		40
Stomach	170	1	3	1	1	3	1		-
Colon,Rectum,Anus	934	6	9	-	3	4	4		7
Pancreas	526	4	4	1	1	1	2		1
Trachea,Bronchus,Lung	2,328	11	14	3	5	18	15		13
Breast	642	1	1	-	2	7	2		-
Cervix,Uterus,Ovary	385	1	1	-	1	1	4		3
Prostate	601	8	4	1	-	4	5		4
Urinary Tract	473	2	2	2	2	7	2		3
Non-Hodgkins Lymphoma	429	4	7	1	-	4	5		-
Leukemia	422	4	8	1	3	3	3		-
Other Malignancies	2,294	7	14	5	7	18	13		9
Diabetes mellitus	1,316	10	9	4	3	16	7		10
Alzheimer's Disease	1,191	1	8	-	2	6	4		8
Major Cardiovascular	12,423	103	116	18	34	98	83		90
Diseases of Heart	8,584	70	80	14	25	79	55		60
Hypertensive	189	3	2	-	1	3	1		-
Ischemic	5,567	49	47	9	13	66	39		43
Other	2,828	18	31	5	11	10	15		17
Essential Hypertension & Hypertensive Renal	434	5	3	1	-	-	3		4
Cerebrovascular	2,698	23	28	3	8	13	23		21
Atherosclerosis	191	-	3	-	-	2	1		2
Other Circulatory	516	5	2	-	1	4	1		3
Influenza & Pneumonia	895	3	2	-	-	5	8		7
Chronic Lower Respiratory	1,970	14	8	2	3	10	9		14
Peptic Ulcer	66	-	-	-	-	-	-		-
Chronic Liver Disease and Cirrhosis	315	-	4	1	-	1	-		1
Nephritis, Nephrotic Syndrome, and Nephrosis	647	6	2	1	1	8	4		5
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-		-
Perinatal Conditions	158	2	-	-	1	-	-		2
Congenital Anomalies	216	2	4	2	1	-	-		3
Sudden Infant Death	28	-	-	-	-	1	-		-
Ill-Defined Conditions	1,086	2	3	3	3	-	6		4
All Other Diseases	6,206	22	47	5	10	35	38		40
Motor Vehicle Accidents	723	1	7	1	4	4	7		2
Falls	527	1	1	-	1	1	4		5
All Other Accidents	660	5	2	1	-	1	2		3
Intentional Self-Harm (Suicide)	496	2	3	1	-	1	1		2
Assault (Homicide)	129	-	-	1	-	-	-		1
All Other External Causes	111	-	1	-	-	1	1		1

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*								
	Total	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted	
DEATHS - Total	38,437	326	404	93	199	189	111	828	
Crude Death Rate	7.7	10.1	10.4	10.3	6.6	9.2	15.2	6.4	
SEX: Male	18,516	168	192	51	101	94	51	393	
Female	19,920	158	212	42	98	95	60	435	
Race: White	36,876	322	400	93	198	185	111	800	
African American	757	1	1	-	1	1	-	15	
American Indian	358	1	-	-	-	-	-	1	
Asian/Pacific Islander	299	-	-	-	-	-	-	10	
Other/Unknown	147	2	3	-	-	3	-	2	
Hispanic Ethnicity	269	1	3	-	-	6	-	12	
CAUSE OF DEATH									
Tuberculosis	9	-	-	-	-	-	-	-	
Syphilis	1	-	-	-	-	-	-	-	
HIV Disease	53	-	-	-	-	-	-	5	
Malignant Neoplasms	9,205	84	88	32	58	52	22	204	
Stomach	170	2	1	1	-	-	-	5	
Colon,Rectum,Anus	934	10	5	6	7	7	3	27	
Pancreas	526	4	5	-	1	1	1	15	
Trachea,Bronchus,Lung	2,328	15	21	3	15	10	2	47	
Breast	642	2	5	6	4	8	3	13	
Cervix,Uterus,Ovary	385	5	7	1	3	1	-	5	
Prostate	601	5	6	3	-	5	3	14	
Urinary Tract	473	5	3	1	5	1	1	11	
Non-Hodgkins Lymphoma	429	8	9	2	8	1	-	6	
Leukemia	422	5	4	2	2	3	1	12	
Other Malignancies	2,294	23	22	7	13	15	8	49	
Diabetes mellitus	1,316	8	21	2	8	6	6	12	
Alzheimer's Disease	1,191	11	11	2	10	9	3	34	
Major Cardiovascular	12,423	111	134	33	71	63	33	242	
Diseases of Heart	8,584	81	89	27	49	44	21	185	
Hypertensive	189	1	5	-	1	-	4	1	
Ischemic	5,567	50	55	20	20	26	12	142	
Other	2,828	30	29	7	28	18	5	42	
Essential Hypertension & Hypertensive Renal	434	1	6	-	1	2	1	2	
Cerebrovascular	2,698	23	31	6	14	11	8	49	
Atherosclerosis	191	1	1	-	1	1	2	-	
Other Circulatory	516	5	7	-	6	5	1	6	
Influenza & Pneumonia	895	7	8	6	4	5	10	17	
Chronic Lower Respiratory	1,970	16	21	7	9	12	3	50	
Peptic Ulcer	66	-	-	-	-	2	-	4	
Chronic Liver Disease and Cirrhosis	315	6	2	-	1	1	-	9	
Nephritis, Nephrotic Syndrome, and Nephrosis	647	8	5	-	1	1	4	10	
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-	-	
Perinatal Conditions	158	1	-	-	-	1	1	10	
Congenital Anomalies	216	2	3	1	-	-	-	8	
Sudden Infant Death	28	2	-	-	-	-	-	1	
Ill-Defined Conditions	1,086	3	11	-	2	1	1	1	
All Other Diseases	6,206	41	70	4	28	27	23	169	
Motor Vehicle Accidents	723	14	11	2	2	3	3	19	
Falls	527	1	8	2	1	1	1	14	
All Other Accidents	660	7	6	1	-	3	-	7	
Intentional Self-Harm (Suicide)	496	3	4	1	4	1	1	10	
Assault (Homicide)	129	-	-	-	-	-	-	1	
All Other External Causes	111	1	1	-	-	1	-	1	

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State* Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
DEATHS - Total	38,437	679	139	259	145	394	159
Crude Death Rate	7.7	11.7	10.3	9.5	14.9	12.7	14.2
SEX: Male	18,516	358	75	142	78	205	79
Female	19,920	321	64	117	67	189	80
Race: White	36,876	677	135	254	144	386	159
African American	757	1	-	-	-	2	-
American Indian	358	-	4	3	-	4	-
Asian/Pacific Islander	299	1	-	1	-	-	-
Other/Unknown	147	-	-	1	1	2	-
Hispanic Ethnicity	269	3	-	1	-	5	-
CAUSE OF DEATH							
Tuberculosis	9	-	-	-	-	-	-
Syphilis	1	-	-	-	-	-	-
HIV Disease	53	-	-	-	-	-	-
Malignant Neoplasms	9,205	165	28	63	28	84	34
Stomach	170	3	-	1	-	1	1
Colon,Rectum,Anus	934	27	3	6	3	9	3
Pancreas	526	13	1	7	4	5	3
Trachea,Bronchus,Lung	2,328	33	5	18	4	17	1
Breast	642	7	3	4	-	11	2
Cervix,Uterus,Ovary	385	5	-	1	1	4	3
Prostate	601	11	2	3	4	4	2
Urinary Tract	473	13	3	5	4	1	1
Non-Hodgkins Lymphoma	429	12	2	1	1	7	3
Leukemia	422	4	-	4	2	3	3
Other Malignancies	2,294	37	9	13	5	22	12
Diabetes mellitus	1,316	23	2	10	5	17	3
Alzheimer's Disease	1,191	25	5	2	4	19	5
Major Cardiovascular	12,423	234	47	91	45	124	64
Diseases of Heart	8,584	158	33	78	25	86	49
Hypertensive	189	4	1	3	-	-	1
Ischemic	5,567	99	19	46	21	65	36
Other	2,828	55	13	29	4	21	12
Essential Hypertension & Hypertensive Renal	434	4	2	2	1	4	1
Cerebrovascular	2,698	55	10	10	16	29	11
Atherosclerosis	191	9	-	-	-	2	2
Other Circulatory	516	8	2	1	3	3	1
Influenza & Pneumonia	895	26	2	3	3	10	8
Chronic Lower Respiratory	1,970	45	8	18	5	20	8
Peptic Ulcer	66	2	-	-	-	-	-
Chronic Liver Disease and Cirrhosis	315	5	-	2	4	4	2
Nephritis, Nephrotic Syndrome, and Nephrosis	647	11	4	6	6	5	1
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-
Perinatal Conditions	158	1	-	1	1	-	-
Congenital Anomalies	216	1	1	2	1	3	1
Sudden Infant Death	28	-	-	-	-	-	-
Ill-Defined Conditions	1,086	-	7	5	12	23	5
All Other Diseases	6,206	99	24	36	22	62	22
Motor Vehicle Accidents	723	9	5	8	3	8	3
Falls	527	7	-	2	2	1	2
All Other Accidents	660	14	4	5	2	5	1
Intentional Self-Harm (Suicide)	496	8	2	2	-	7	-
Assault (Homicide)	129	1	-	1	-	2	-
All Other External Causes	111	3	-	2	2	-	-

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*								
	Total	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock	
DEATHS - Total	38,437	4,006	2,237	48	211	201	438	132	
Crude Death Rate	7.7	7.8	7.8	11.1	13.0	11.8	7.5	13.5	
SEX: Male	18,516	1,819	1,014	25	121	95	204	76	
Female	19,920	2,187	1,223	23	90	106	234	56	
Race: White	36,876	3,652	1,941	47	205	200	437	132	
African American	757	206	183	-	-	-	-	-	
American Indian	358	28	24	-	4	1	-	-	
Asian/Pacific Islander	299	100	76	-	1	-	-	-	
Other/Unknown	147	20	13	1	1	-	1	-	
Hispanic Ethnicity	269	59	53	-	1	3	4	-	
CAUSE OF DEATH									
Tuberculosis	9	5	4	-	-	-	1	-	
Syphilis	1	-	-	-	-	-	-	-	
HIV Disease	53	5	5	-	-	-	-	-	
Malignant Neoplasms	9,205	950	520	10	49	43	115	30	
Stomach	170	15	7	-	-	-	5	-	
Colon,Rectum,Anus	934	84	49	2	10	4	18	1	
Pancreas	526	53	24	-	4	2	8	3	
Trachea,Bronchus,Lung	2,328	279	162	4	12	7	30	10	
Breast	642	67	37	-	2	2	4	3	
Cervix,Uterus,Ovary	385	46	21	-	1	2	3	-	
Prostate	601	49	23	-	4	4	12	-	
Urinary Tract	473	59	31	2	5	2	2	-	
Non-Hodgkins Lymphoma	429	42	24	-	2	2	5	3	
Leukemia	422	44	15	-	1	2	8	2	
Other Malignancies	2,294	212	127	2	8	16	20	8	
Diabetes mellitus	1,316	140	81	-	11	11	15	3	
Alzheimer's Disease	1,191	119	60	1	11	11	10	6	
Major Cardiovascular	12,423	1,185	669	21	79	73	148	46	
Diseases of Heart	8,584	793	438	15	59	48	99	31	
Hypertensive	189	13	8	-	2	-	4	-	
Ischemic	5,567	496	264	11	29	34	59	26	
Other	2,828	284	166	4	28	14	36	5	
Essential Hypertension & Hypertensive Renal	434	44	29	1	-	-	2	1	
Cerebrovascular	2,698	283	163	4	17	19	30	11	
Atherosclerosis	191	7	3	-	1	1	8	-	
Other Circulatory	516	58	36	1	2	5	9	3	
Influenza & Pneumonia	895	100	49	-	2	3	14	3	
Chronic Lower Respiratory	1,970	204	121	2	13	7	20	6	
Peptic Ulcer	66	10	4	-	-	1	-	-	
Chronic Liver Disease and Cirrhosis	315	34	24	-	-	1	2	-	
Nephritis, Nephrotic Syndrome, and Nephrosis	647	80	50	1	5	5	13	2	
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-	-	
Perinatal Conditions	158	16	11	2	2	1	3	-	
Congenital Anomalies	216	24	16	-	-	2	3	-	
Sudden Infant Death	28	4	2	-	-	-	1	1	
Ill-Defined Conditions	1,086	205	124	2	5	6	2	1	
All Other Diseases	6,206	688	359	4	22	30	61	27	
Motor Vehicle Accidents	723	40	21	2	2	2	9	1	
Falls	527	41	27	1	-	1	6	-	
All Other Accidents	660	87	49	1	6	3	5	3	
Intentional Self-Harm (Suicide)	496	39	18	-	3	1	7	2	
Assault (Homicide)	129	17	13	-	-	-	-	-	
All Other External Causes	111	13	10	1	1	-	3	1	

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
	Total							
DEATHS - Total	38,437	135	2,225	1,026	416	383	160	788
Crude Death Rate	7.7	8.3	11.1	11.9	4.0	5.4	10.4	5.8
SEX: Male	18,516	75	1,068	452	220	168	82	423
Female	19,920	60	1,157	574	196	215	78	365
Race: White	36,876	132	2,171	990	402	376	160	776
African American	757	-	14	12	5	3	-	4
American Indian	358	3	31	20	3	-	-	4
Asian/Pacific Islander	299	-	2	1	5	1	-	2
Other/Unknown	147	-	7	3	1	3	-	2
Hispanic Ethnicity	269	-	-	-	2	-	2	3
CAUSE OF DEATH								
Tuberculosis	9	-	-	-	-	-	-	-
Syphilis	1	-	-	-	-	-	-	-
HIV Disease	53	-	-	-	-	1	-	-
Malignant Neoplasms	9,205	30	467	189	111	101	40	205
Stomach	170	1	12	5	2	2	2	3
Colon, Rectum, Anus	934	3	45	21	5	8	6	19
Pancreas	526	1	38	15	5	7	3	14
Trachea, Bronchus, Lung	2,328	5	118	48	28	29	6	51
Breast	642	3	42	18	10	8	4	15
Cervix, Uterus, Ovary	385	3	18	8	6	4	1	5
Prostate	601	4	32	9	10	4	1	14
Urinary Tract	473	3	21	6	4	3	-	11
Non-Hodgkins Lymphoma	429	1	25	12	3	4	2	10
Leukemia	422	1	16	7	5	3	2	5
Other Malignancies	2,294	5	100	40	33	29	13	58
Diabetes mellitus	1,316	8	85	36	14	7	6	24
Alzheimer's Disease	1,191	7	119	75	14	9	-	23
Major Cardiovascular	12,423	58	758	332	111	116	62	267
Diseases of Heart	8,584	45	541	212	71	80	47	204
Hypertensive	189	1	33	10	-	-	1	4
Ischemic	5,567	38	331	127	51	59	33	127
Other	2,828	6	177	75	20	21	13	73
Essential Hypertension & Hypertensive Renal	434	-	10	8	1	4	1	7
Cerebrovascular	2,698	9	160	87	35	29	7	46
Atherosclerosis	191	1	16	9	1	1	-	-
Other Circulatory	516	3	31	16	3	2	7	10
Influenza & Pneumonia	895	3	57	31	13	5	1	19
Chronic Lower Respiratory	1,970	7	116	65	20	17	6	42
Peptic Ulcer	66	-	4	2	-	5	-	2
Chronic Liver Disease and Cirrhosis	315	-	20	9	1	5	1	7
Nephritis, Nephrotic Syndrome, and Nephrosis	647	3	45	17	4	2	2	16
Pregnancy, Childbirth, Puerperium	6	-	-	-	-	-	-	-
Perinatal Conditions	158	-	6	4	-	2	-	2
Congenital Anomalies	216	-	9	3	4	2	1	5
Sudden Infant Death	28	-	1	1	-	2	-	-
Ill-Defined Conditions	1,086	1	48	22	13	6	5	7
All Other Diseases	6,206	12	354	183	63	63	24	111
Motor Vehicle Accidents	723	-	35	6	22	14	3	12
Falls	527	2	30	16	8	3	2	3
All Other Accidents	660	2	36	16	6	11	3	17
Intentional Self-Harm (Suicide)	496	1	25	15	10	11	4	18
Assault (Homicide)	129	1	5	4	2	-	-	3
All Other External Causes	111	-	5	-	-	1	-	5

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*							
	Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
DEATHS - Total	38,437	294	86	131	240	56	198	186
Crude Death Rate	7.7	8.5	8.7	11.3	9.8	14.2	9.0	13.7
SEX: Male	18,516	128	38	62	126	27	100	76
Female	19,920	166	48	69	114	29	98	110
Race: White	36,876	290	86	130	240	55	197	184
African American	757	3	-	-	-	-	1	-
American Indian	358	-	-	-	-	1	-	-
Asian/Pacific Islander	299	-	-	-	-	-	-	1
Other/Unknown	147	1	-	1	-	-	-	1
Hispanic Ethnicity	269	4	-	-	-	-	-	1
CAUSE OF DEATH								
Tuberculosis	9	-	-	-	-	-	-	-
Syphilis	1	-	-	-	-	-	-	-
HIV Disease	53	-	-	-	-	-	-	-
Malignant Neoplasms	9,205	70	21	35	59	12	60	38
Stomach	170	1	2	1	2	-	-	1
Colon,Rectum,Anus	934	7	2	3	2	2	5	6
Pancreas	526	2	-	1	4	-	5	1
Trachea,Bronchus,Lung	2,328	22	4	12	16	2	15	6
Breast	642	7	-	2	5	3	1	2
Cervix,Uterus,Ovary	385	1	2	4	4	-	1	1
Prostate	601	5	1	1	3	1	4	5
Urinary Tract	473	4	-	-	1	1	4	1
Non-Hodgkins Lymphoma	429	6	1	-	4	-	7	3
Leukemia	422	4	2	3	2	-	1	3
Other Malignancies	2,294	11	7	8	16	3	17	9
Diabetes mellitus	1,316	12	4	7	10	-	12	5
Alzheimer's Disease	1,191	11	4	4	4	1	12	15
Major Cardiovascular	12,423	94	28	45	67	25	60	76
Diseases of Heart	8,584	66	17	29	42	22	41	59
Hypertensive	189	1	1	-	2	-	2	-
Ischemic	5,567	40	9	25	27	22	25	49
Other	2,828	25	7	4	13	-	14	10
Essential Hypertension & Hypertensive Renal	434	2	2	4	1	-	1	2
Cerebrovascular	2,698	25	9	9	18	2	16	12
Atherosclerosis	191	-	-	1	1	-	-	-
Other Circulatory	516	1	-	2	5	1	2	3
Influenza & Pneumonia	895	6	3	-	4	3	2	5
Chronic Lower Respiratory	1,970	21	2	13	9	2	6	12
Peptic Ulcer	66	-	-	-	-	-	-	-
Chronic Liver Disease and Cirrhosis	315	2	-	-	2	1	1	1
Nephritis, Nephrotic Syndrome, and Nephrosis	647	2	3	2	6	2	1	2
Pregnancy,Childbirth,Puerperium	6	-	-	-	-	-	-	-
Perinatal Conditions	158	-	1	-	1	-	1	-
Congenital Anomalies	216	2	2	2	-	1	1	-
Sudden Infant Death	28	-	-	-	-	-	-	-
Ill-Defined Conditions	1,086	-	6	3	31	-	1	4
All Other Diseases	6,206	53	8	16	35	3	24	21
Motor Vehicle Accidents	723	7	3	2	3	3	5	1
Falls	527	5	-	2	-	1	5	1
All Other Accidents	660	4	-	-	3	1	6	3
Intentional Self-Harm (Suicide)	496	4	1	-	5	-	-	2
Assault (Homicide)	129	1	-	-	1	-	1	-
All Other External Causes	111	-	-	-	-	1	-	-

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY (CONT).
 MINNESOTA, 2002

	State*	Waseca	Wash- ington	Watonwan	Wilkin	Winona	Wright	Yellow Medicine
	Total							
DEATHS - Total	38,437	155	1,072	112	69	388	591	136
Crude Death Rate	7.7	8.0	5.1	9.6	9.9	7.9	6.0	12.6
SEX: Male	18,516	71	534	43	16	175	282	66
Female	19,920	84	538	69	53	213	309	70
Race: White	36,876	154	1,045	112	69	385	585	135
African American	757	1	10	-	-	2	1	-
American Indian	358	-	4	-	-	1	2	1
Asian/Pacific Islander	299	-	9	-	-	-	-	-
Other/Unknown	147	-	4	-	-	-	3	-
Hispanic Ethnicity	269	1	10	1	-	-	1	3
CAUSE OF DEATH								
Tuberculosis	9	-	-	-	-	-	-	-
Syphilis	1	-	-	-	-	1	-	-
HIV Disease	53	-	1	-	-	1	2	-
Malignant Neoplasms	9,205	36	300	21	18	102	134	25
Stomach	170	1	1	-	-	2	1	-
Colon,Rectum,Anus	934	1	30	2	2	10	16	3
Pancreas	526	3	18	-	2	4	7	2
Trachea,Bronchus,Lung	2,328	4	82	5	9	28	36	4
Breast	642	4	16	1	-	13	8	-
Cervix,Uterus,Ovary	385	1	12	1	-	2	12	2
Prostate	601	3	22	1	-	6	4	4
Urinary Tract	473	3	15	-	-	4	11	3
Non-Hodgkins Lymphoma	429	1	17	2	-	7	4	-
Leukemia	422	1	6	-	1	7	9	3
Other Malignancies	2,294	14	81	9	4	19	26	4
Diabetes mellitus	1,316	8	52	5	-	9	15	3
Alzheimer's Disease	1,191	4	47	1	1	22	17	3
Major Cardiovascular	12,423	68	264	44	30	143	185	51
Diseases of Heart	8,584	45	172	32	19	107	118	39
Hypertensive	189	-	5	-	-	3	2	-
Ischemic	5,567	35	109	25	13	77	79	28
Other	2,828	10	58	7	6	27	37	11
Essential Hypertension & Hypertensive Renal	434	3	9	-	-	2	14	-
Cerebrovascular	2,698	15	65	6	8	27	48	7
Atherosclerosis	191	2	6	2	1	2	2	-
Other Circulatory	516	3	12	4	2	5	3	5
Influenza & Pneumonia	895	1	24	1	-	4	9	13
Chronic Lower Respiratory	1,970	6	60	6	6	20	32	3
Peptic Ulcer	66	-	2	-	-	-	1	-
Chronic Liver Disease and Cirrhosis	315	-	17	1	-	2	8	2
Nephritis, Nephrotic Syndrome, and Nephrosis	647	-	27	3	-	3	10	3
Pregnancy,Childbirth,Puerperium	6	-	1	-	-	-	-	-
Perinatal Conditions	158	1	4	-	-	3	4	-
Congenital Anomalies	216	1	9	-	1	-	8	-
Sudden Infant Death	28	-	1	1	-	-	-	-
Ill-Defined Conditions	1,086	-	34	1	2	9	14	1
All Other Diseases	6,206	21	160	17	5	56	101	19
Motor Vehicle Accidents	723	4	18	3	1	10	17	3
Falls	527	2	8	3	2	1	13	1
All Other Accidents	660	1	16	4	2	1	12	6
Intentional Self-Harm (Suicide)	496	1	22	1	1	1	7	1
Assault (Homicide)	129	-	-	-	-	-	-	-
All Other External Causes	111	1	5	-	-	-	2	2

* State Totals Include Unknown County of Residence

Marriage Table 1

MARRIAGES REPORTED IN MINNESOTA BY STATE OF RESIDENCE
2002

State of Residence	Marriages Reported		Percent of Marriages Reported	
	Residence of Bride	Residence of Groom	Residence of Bride	Residence of Groom
Total	32,061	32,061	100.0	100.0
Minnesota*	29,608	29,096	92.3	90.8
Other Areas and Unknown	2,453	2,965	7.7	9.2
Iowa	135	171	0.4	0.5
North Dakota	319	342	1.0	1.1
South Dakota	125	142	0.4	0.4
Wisconsin	547	639	1.7	2.0
Other States	1,191	1,564	3.7	4.9
U.S. Territories	2	1	0.0	0.0
Other Nations	133	105	0.4	0.3
Unknown	1	1	0.0	0.0

* The resident totals are not true resident totals for Minnesota.
Information is not available at the present time on the number of
Minnesotans who marry in other states.

Marriage Table 2
MARRIAGES BY COUNTY OF OCCURRENCE*
MINNESOTA, 2002

County	Marriages	County	Marriages
State Total	32,061		
Aitkin	106	Martin	120
Anoka	2,033	Meeker	133
Becker	209	Mille Lacs	166
Beltrami	252	Morrison	236
Benton	165	Mower	250
Big Stone	45	Murray	47
Blue Earth	450	Nicollet	152
Brown	194	Nobles	116
Carlton	225	Norman	20
Carver	367	Olmsted	768
Cass	143	Otter Tail	323
Chippewa	75	Pennington	94
Chisago	248	Pine	160
Clay	370	Pipestone	58
Clearwater	60	Polk	173
Cook	107	Pope	64
Cottonwood	90	Ramsey	3,571
Crow Wing	478	Red Lake	30
Dakota	1,569	Redwood	76
Dodge	99	Renville	78
Douglas	233	Rice	370
Faribault	82	Rock	63
Fillmore	161	Roseau	85
Freeborn	165	St. Louis	1,397
Goodhue	324	Scott	526
Grant	33	Sherburne	268
Hennepin	7,604	Sibley	83
Houston	101	Stearns	1,069
Hubbard	120	Steele	205
Isanti	172	Stevens	54
Itasca	263	Swift	66
Jackson	58	Todd	146
Kanabec	101	Traverse	13
Kandiyohi	279	Wabasha	133
Kittson	21	Wadena	103
Koochiching	82	Waseca	119
Lac Qui Parle	30	Washington	1,432
Lake	106	Watonwan	55
Lake of the Woods	28	Wilkin	49
Le Sueur	125	Winona	324
Lincoln	51	Wright	556
Lyon	159	Yellow Medicine	49
McLeod	248	Unknown	353
Mahnomen	34		
Marshall	43		

*Numbers are not directly comparable to previous years. Data is now reported by county where marriage occurred instead of county where license was issued.

Marriage Table 3

MARRIAGES OCCURRING IN MINNESOTA
BY RACE OF BRIDE AND GROOM, 2002

BRIDE	GROOM								
	Total	White	African American	American Indian	Chinese	Japanese	Other Asian & Pacific Islander	Other	Unknown
Total	32,061	23,106	1,292	175	56	2	521	157	6,752
White	23,187	22,187	414	105	11	2	153	71	244
African American	927	83	802	3	1	-	7	5	26
American Indian	208	126	7	59	-	-	6	3	7
Chinese	60	20	-	-	38	-	-	1	1
Japanese	20	15	3	-	-	-	1	-	1
Other Asian & Pacific Islander	683	309	12	3	5	-	325	10	19
Other	154	68	9	2	1	-	8	55	11
Unknown	6,822	298	45	3	-	-	21	12	6,443

Marriage Table 4

MARRIAGES OCCURRING IN MINNESOTA
BY AGE OF BRIDE AND GROOM, 2002

Bride's Age	Groom's Age														
	TOTAL	Under 18	18-19	20	21-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & Over	Un- known
TOTAL	32,061	15	417	606	6,718	8,743	5,501	3,327	2,463	1,687	1,072	632	341	471	68
Under 18	123	6	41	15	44	15	1	-	-	-	-	-	-	-	1
18-19	1,241	6	227	232	526	165	54	17	4	3	-	3	-	-	4
20	1,140	1	66	156	655	175	55	14	10	4	-	-	1	-	3
21-24	8,851	1	66	168	4,478	3,123	700	209	59	21	7	1	1	2	15
25-29	8,036	-	15	27	829	4,185	2,023	639	210	55	16	9	5	5	18
30-34	4,537	1	1	4	117	816	1,831	1,071	476	156	41	11	3	1	8
35-39	2,796	-	1	-	33	182	601	870	646	299	106	37	9	7	5
40-44	2,046	-	-	1	8	44	158	351	662	486	214	89	18	10	5
45-49	1,461	-	-	1	7	5	45	112	281	470	330	132	54	21	3
50-54	853	-	-	-	2	6	17	24	86	146	272	181	81	38	-
55-59	378	-	-	-	1	1	1	8	13	36	55	121	77	62	3
60-64	223	-	-	-	-	-	1	-	4	4	18	34	71	90	1
65 & Over	275	-	-	-	-	-	-	1	-	2	8	11	20	233	-
Unknown	101	-	-	2	18	26	14	11	12	5	5	3	1	2	2

Divorce Table 1

DISSOLUTIONS AND ANNULMENTS BY COUNTY OF OCCURRENCE
MINNESOTA, 2002

County	Total	Dissolutions	Annulments
State Total	15,785	11,489*	8*
Aitkin	43	43	-
Anoka	1,046	1,045	1
Becker	108	108	-
Beltrami	142	142	-
Benton	29	29	-
Big Stone	7	7	-
Blue Earth	153	153	-
Brown	59	59	-
Carlton	129	129	-
Carver	177	177	-
Cass	75	75	-
Chippewa	26	26	-
Chisago	170	170	-
Clay	166	166	-
Clearwater	25	25	-
Cook	23	23	-
Cottonwood	25	25	-
Crow Wing	222	222	-
Dakota	1,329	1,326	3
Dodge	102	101	1
Douglas	101	101	-
Faribault	45	45	-
Fillmore	49	49	-
Freeborn	98	98	-
Goodhue	153	153	-
Grant	6	6	-
Hennepin	3,867	*	*
Houston	54	54	-
Hubbard	59	59	-
Isanti	114	114	-
Itasca	192	192	-
Jackson	39	39	-
Kanabec	6	6	-
Kandiyohi	108	108	-
Kittson	5	5	-
Koochiching	29	29	-
Lac Qui Parle	21	21	-
Lake	33	33	-
Lake of the Woods	-	-	-
Le Sueur	79	79	-
Lincoln	21	21	-
Lyon	60	60	-
McLeod	98	98	-
Mahnomen	12	12	-
Marshall	18	18	-

*Counties not reporting through the MN Supreme Court system reported totals only.

Divorce Table 1

DISSOLUTIONS AND ANNULMENTS BY COUNTY OF OCCURRENCE
MINNESOTA, 2002 (CONT.)

County	Total	Dissolutions	Annulments
Martin	72	72	-
Meeker	74	74	-
Mille Lacs	90	90	-
Morrison	86	86	-
Mower	130	130	-
Murray	29	29	-
Nicollet	84	84	-
Nobles	69	69	-
Norman	16	16	-
Olmsted	406	405	1
Otter Tail	142	142	-
Pennington	47	47	-
Pine	107	107	-
Pipestone	31	31	-
Polk	105	105	-
Pope	42	42	-
Ramsey	1,499	1,497	2
Red Lake	9	9	-
Redwood	45	45	-
Renville	39	39	-
Rice	164	164	-
Rock	22	22	-
Roseau	64	64	-
St. Louis	541	541	-
Scott	413	*	*
Sherburne	193	193	-
Sibley	20	20	-
Stearns	348	348	-
Steele	83	83	-
Stevens	18	18	-
Swift	26	26	-
Todd	32	32	-
Traverse	12	*	*
Wabasha	60	60	-
Wadena	47	47	-
Waseca	59	59	-
Washington	671	671	-
Watonwan	36	36	-
Wilkin	27	27	-
Winona	148	148	-
Wright	335	335	-
Yellow Medicine	20	20	-
Unknown	1	1	-

*Counties not reporting through the MN Supreme Court system reported totals only.

Divorce Table 2

DISSOLUTIONS AND ANNULMENTS BY AGE OF PETITIONER VERSUS AGE OF RESPONDENT*
MINNESOTA OCCURRENCE, 2002

Petitioner's Age	Respondent's Age												
	TOTAL	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65 & Over	Unknown
TOTAL	11,497	17	594	1,477	1,816	1,966	2,017	1,438	905	400	181	170	516
15-19	25	3	15	6	1	-	-	-	-	-	-	-	-
20-24	666	7	345	232	45	15	3	-	-	-	-	1	18
25-29	1,567	3	167	779	412	129	33	9	3	1	-	-	31
30-34	1,959	1	40	315	863	489	155	45	15	4	-	-	32
35-39	2,086	-	10	87	330	833	559	162	52	14	5	-	34
40-44	1,958	1	11	36	116	360	832	406	117	34	10	3	32
45-49	1,417	2	3	16	27	97	303	564	284	60	20	5	36
50-54	849	-	1	3	14	29	97	190	332	120	25	18	20
55-59	353	-	-	-	2	7	16	38	84	126	54	20	6
60-64	181	-	-	1	2	2	12	14	12	30	48	49	11
65 & Over	121	-	-	-	-	2	3	4	5	11	19	72	5
Unknown	315	-	2	2	4	3	4	6	1	-	-	2	291

*Table includes only those counties which report through the MN Supreme Court System. Counties not included are Hennepin, Scott, & the first five months of Traverse.

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
State Total	5,019,720	318,995	337,306	369,433	377,996	355,466	672,793	817,438	720,785	447,767	601,741
Male	2,487,372	163,466	173,152	189,517	193,270	180,782	341,487	411,322	362,333	220,356	251,687
Female	2,532,348	155,529	164,154	179,916	184,726	174,684	331,306	406,116	358,452	227,411	350,054
Aitkin	15,494	581	797	942	1,021	807	1,295	2,040	2,184	2,208	3,619
Male	7,833	320	398	516	533	429	664	1,042	1,097	1,084	1,750
Female	7,661	261	399	426	488	378	631	998	1,087	1,124	1,869
Anoka	309,790	21,235	23,952	25,316	22,720	20,549	43,754	57,755	44,323	26,909	23,277
Male	155,704	10,844	12,381	12,841	11,818	10,771	22,104	29,311	22,235	13,366	10,033
Female	154,086	10,391	11,571	12,475	10,902	9,778	21,650	28,444	22,088	13,543	13,244
Becker	30,787	1,739	1,852	2,372	2,463	1,943	3,172	4,317	4,547	3,336	5,046
Male	15,305	890	951	1,185	1,267	1,042	1,631	2,181	2,311	1,658	2,189
Female	15,482	849	901	1,187	1,196	901	1,541	2,136	2,236	1,678	2,857
Beltrami	41,026	2,871	2,753	3,329	3,834	4,394	4,932	5,438	5,371	3,388	4,716
Male	20,221	1,478	1,440	1,690	1,960	2,147	2,468	2,636	2,670	1,690	2,042
Female	20,805	1,393	1,313	1,639	1,874	2,247	2,464	2,802	2,701	1,698	2,674
Benton	36,316	2,571	2,428	2,650	2,609	3,580	6,027	5,602	4,503	2,571	3,775
Male	18,196	1,364	1,269	1,356	1,398	1,671	3,093	2,860	2,319	1,309	1,557
Female	18,120	1,207	1,159	1,294	1,211	1,909	2,934	2,742	2,184	1,262	2,218
Big Stone	5,677	208	320	434	487	242	397	784	814	638	1,353
Male	2,728	91	172	244	233	138	203	397	400	306	544
Female	2,949	117	148	190	254	104	194	387	414	332	809
Blue Earth	56,704	3,073	2,905	3,234	5,334	8,987	7,991	7,148	7,058	4,246	6,728
Male	28,258	1,576	1,488	1,714	2,542	4,594	4,349	3,623	3,591	2,107	2,674
Female	28,446	1,497	1,417	1,520	2,792	4,393	3,642	3,525	3,467	2,139	4,054

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Brown	26,673	1,386	1,512	1,989	2,492	1,844	2,562	3,948	3,791	2,535	4,614
Male	13,249	714	792	1,022	1,249	990	1,369	1,980	1,929	1,250	1,954
Female	13,424	672	720	967	1,243	854	1,193	1,968	1,862	1,285	2,660
Carlton	32,577	1,797	1,927	2,402	2,475	2,157	3,749	5,125	4,950	3,087	4,908
Male	16,524	950	971	1,280	1,253	1,187	2,026	2,677	2,578	1,547	2,055
Female	16,053	847	956	1,122	1,222	970	1,723	2,448	2,372	1,540	2,853
Carver	75,620	5,495	6,565	6,449	5,713	4,548	9,848	15,331	10,755	5,391	5,525
Male	37,884	2,824	3,318	3,308	2,988	2,294	4,872	7,666	5,543	2,700	2,371
Female	37,736	2,671	3,247	3,141	2,725	2,254	4,976	7,665	5,212	2,691	3,154
Cass	27,833	1,426	1,561	2,149	2,103	1,586	2,677	3,766	3,929	3,679	4,957
Male	13,957	713	773	1,107	1,106	805	1,343	1,874	2,028	1,833	2,375
Female	13,876	713	788	1,042	997	781	1,334	1,892	1,901	1,846	2,582
Chippewa	12,930	683	813	976	979	690	1,226	1,787	1,980	1,262	2,534
Male	6,323	351	443	501	493	388	617	879	1,029	604	1,018
Female	6,607	332	370	475	486	302	609	908	951	658	1,516
Chisago	44,580	3,008	3,373	3,815	3,408	2,992	6,225	7,999	5,873	3,625	4,262
Male	22,756	1,642	1,729	1,996	1,829	1,539	3,125	4,071	3,045	1,873	1,907
Female	21,824	1,366	1,644	1,819	1,579	1,453	3,100	3,928	2,828	1,752	2,355
Clay	51,947	2,787	3,267	3,749	5,320	6,264	5,629	7,269	6,839	4,125	6,698
Male	25,153	1,494	1,701	1,943	2,491	2,829	2,858	3,537	3,510	2,032	2,758
Female	26,794	1,293	1,566	1,806	2,829	3,435	2,771	3,732	3,329	2,093	3,940
Clearwater	8,400	462	520	640	671	531	855	1,161	1,198	903	1,459
Male	4,190	222	273	322	336	274	453	580	616	452	662
Female	4,210	240	247	318	335	257	402	581	582	451	797

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Cook	5,194	209	246	338	309	245	493	802	967	713	872
Male	2,634	134	126	174	160	135	250	397	473	369	416
Female	2,560	75	120	164	149	110	243	405	494	344	456
Cottonwood	12,043	658	742	884	889	608	1,048	1,586	1,694	1,279	2,655
Male	5,872	355	387	444	451	341	537	794	870	628	1,065
Female	6,171	303	355	440	438	267	511	792	824	651	1,590
Crow Wing	56,903	3,075	3,468	4,111	3,976	4,067	6,265	8,191	8,037	6,100	9,613
Male	28,043	1,596	1,771	2,108	2,030	2,023	3,150	4,096	3,989	2,967	4,313
Female	28,860	1,479	1,697	2,003	1,946	2,044	3,115	4,095	4,048	3,133	5,300
Dakota	368,972	26,523	28,809	30,349	27,009	21,965	53,001	68,457	54,331	30,620	27,908
Male	182,310	13,519	14,724	15,521	13,904	11,047	26,073	33,811	26,686	15,075	11,950
Female	186,662	13,004	14,085	14,828	13,105	10,918	26,928	34,646	27,645	15,545	15,958
Dodge	18,551	1,220	1,415	1,524	1,549	1,222	2,299	3,145	2,495	1,526	2,156
Male	9,207	583	720	761	791	619	1,149	1,607	1,280	776	921
Female	9,344	637	695	763	758	603	1,150	1,538	1,215	750	1,235
Douglas	33,520	1,713	1,914	2,276	2,394	2,789	3,655	4,622	4,685	3,522	5,950
Male	16,746	862	947	1,179	1,262	1,531	1,883	2,355	2,350	1,753	2,624
Female	16,774	851	967	1,097	1,132	1,258	1,772	2,267	2,335	1,769	3,326
Faribault	15,925	748	905	1,134	1,289	823	1,303	2,194	2,306	1,698	3,525
Male	7,852	392	476	592	698	427	709	1,084	1,210	829	1,435
Female	8,073	356	429	542	591	396	594	1,110	1,096	869	2,090
Fillmore	21,418	1,205	1,305	1,650	1,689	1,225	2,139	3,041	3,006	2,104	4,054
Male	10,532	628	656	838	852	655	1,106	1,558	1,534	1,035	1,670
Female	10,886	577	649	812	837	570	1,033	1,483	1,472	1,069	2,384

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Freeborn	32,092	1,751	1,831	2,247	2,266	1,864	3,166	4,724	4,592	3,571	6,080
Male	15,836	912	935	1,136	1,133	974	1,640	2,372	2,395	1,753	2,586
Female	16,256	839	896	1,111	1,133	890	1,526	2,352	2,197	1,818	3,494
Goodhue	44,769	2,450	2,832	3,360	3,701	2,734	4,921	7,189	6,713	4,338	6,531
Male	22,230	1,264	1,469	1,706	1,980	1,411	2,486	3,616	3,395	2,179	2,724
Female	22,539	1,186	1,363	1,654	1,721	1,323	2,435	3,573	3,318	2,159	3,807
Grant	6,256	264	367	437	469	354	558	863	862	640	1,442
Male	3,064	141	178	212	225	197	289	430	444	326	622
Female	3,192	123	189	225	244	157	269	433	418	314	820
Hennepin	1,122,259	75,382	71,887	74,756	71,885	70,866	180,198	190,396	167,335	97,668	121,886
Male	552,960	38,230	36,808	38,281	36,901	35,876	91,792	96,289	82,643	47,209	48,931
Female	569,299	37,152	35,079	36,475	34,984	34,990	88,406	94,107	84,692	50,459	72,955
Houston	19,846	1,018	1,324	1,593	1,640	1,102	1,986	3,108	3,068	1,831	3,176
Male	9,852	569	669	819	827	592	976	1,498	1,584	930	1,388
Female	9,994	449	655	774	813	510	1,010	1,610	1,484	901	1,788
Hubbard	18,425	880	1,058	1,330	1,394	1,023	1,713	2,616	2,724	2,326	3,361
Male	9,181	438	559	679	712	518	849	1,302	1,380	1,155	1,589
Female	9,244	442	499	651	682	505	864	1,314	1,344	1,171	1,772
Isanti	33,799	1,846	2,300	2,711	2,856	2,516	4,398	5,815	4,788	3,001	3,568
Male	16,915	943	1,184	1,390	1,461	1,293	2,219	2,947	2,460	1,487	1,531
Female	16,884	903	1,116	1,321	1,395	1,223	2,179	2,868	2,328	1,514	2,037
Itasca	44,144	2,225	2,450	3,106	3,443	2,885	4,073	6,128	7,256	5,094	7,484
Male	22,065	1,168	1,215	1,622	1,785	1,567	2,069	2,968	3,689	2,589	3,393
Female	22,079	1,057	1,235	1,484	1,658	1,318	2,004	3,160	3,567	2,505	4,091

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Jackson	11,281	560	629	831	848	700	1,116	1,610	1,662	1,089	2,236
Male	5,667	291	329	429	429	398	590	842	869	536	954
Female	5,614	269	300	402	419	302	526	768	793	553	1,282
Kanabec	15,455	732	1,071	1,189	1,291	951	1,782	2,340	2,262	1,576	2,261
Male	7,788	391	563	605	663	475	890	1,188	1,176	779	1,058
Female	7,667	341	508	584	628	476	892	1,152	1,086	797	1,203
Kandiyohi	40,832	2,430	2,600	3,118	3,195	3,088	4,425	5,798	6,145	3,827	6,206
Male	20,172	1,257	1,344	1,572	1,707	1,567	2,259	2,835	3,117	1,862	2,652
Female	20,660	1,173	1,256	1,546	1,488	1,521	2,166	2,963	3,028	1,965	3,554
Kittson	5,059	278	326	378	353	194	410	697	784	529	1,110
Male	2,500	128	154	202	165	118	217	365	399	279	473
Female	2,559	150	172	176	188	76	193	332	385	250	637
Koochiching	13,978	696	811	990	995	678	1,243	2,102	2,259	1,615	2,589
Male	6,950	349	422	507	532	361	609	1,041	1,190	810	1,129
Female	7,028	347	389	483	463	317	634	1,061	1,069	805	1,460
Lac Qui Parle	7,932	368	468	559	646	378	586	1,087	1,213	835	1,792
Male	3,950	193	228	295	348	211	309	550	639	409	768
Female	3,982	175	240	264	298	167	277	537	574	426	1,024
Lake	11,094	496	567	737	766	621	997	1,630	1,787	1,271	2,222
Male	5,518	237	280	359	394	332	492	815	948	637	1,024
Female	5,576	259	287	378	372	289	505	815	839	634	1,198
Lake of the Woods	4,385	187	247	348	346	181	337	687	752	516	784
Male	2,189	95	120	167	167	95	161	368	412	260	344
Female	2,196	92	127	181	179	86	176	319	340	256	440

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Le Sueur	26,005	1,386	1,723	2,071	2,091	1,651	2,898	4,171	3,762	2,605	3,647
Male	12,980	678	855	1,068	1,065	847	1,493	2,134	1,968	1,312	1,560
Female	13,025	708	868	1,003	1,026	804	1,405	2,037	1,794	1,293	2,087
Lincoln	6,232	295	382	434	443	305	548	826	802	672	1,525
Male	3,113	148	195	231	235	173	264	445	429	328	665
Female	3,119	147	187	203	208	132	284	381	373	344	860
Lyon	25,118	1,586	1,626	1,815	2,228	2,363	2,885	3,523	3,361	2,060	3,671
Male	12,290	819	867	896	1,068	1,165	1,498	1,749	1,722	1,015	1,491
Female	12,828	767	759	919	1,160	1,198	1,387	1,774	1,639	1,045	2,180
McLeod	35,403	2,154	2,459	2,755	2,790	2,117	4,656	5,579	4,782	3,221	4,890
Male	17,609	1,098	1,243	1,452	1,429	1,099	2,434	2,824	2,416	1,575	2,039
Female	17,794	1,056	1,216	1,303	1,361	1,018	2,222	2,755	2,366	1,646	2,851
Mahnomen	5,150	322	388	432	401	296	477	669	713	573	879
Male	2,607	171	218	214	219	147	239	348	367	283	401
Female	2,543	151	170	218	182	149	238	321	346	290	478
Marshall	9,909	508	590	706	823	521	885	1,451	1,544	1,059	1,822
Male	5,055	266	317	351	432	305	473	756	813	522	820
Female	4,854	242	273	355	391	216	412	695	731	537	1,002
Martin	21,237	1,079	1,223	1,543	1,665	1,093	1,874	2,960	3,418	2,168	4,214
Male	10,375	566	632	801	893	593	959	1,451	1,759	1,062	1,659
Female	10,862	513	591	742	772	500	915	1,509	1,659	1,106	2,555
Meeker	22,878	1,335	1,521	1,677	1,873	1,371	2,502	3,404	3,331	2,203	3,661
Male	11,559	684	810	879	985	734	1,317	1,734	1,725	1,123	1,568
Female	11,319	651	711	798	888	637	1,185	1,670	1,606	1,080	2,093

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Mille Lacs	23,628	1,354	1,460	1,821	1,942	1,602	2,764	3,587	3,157	2,292	3,649
Male	11,630	652	724	904	1,036	812	1,385	1,829	1,629	1,086	1,573
Female	11,998	702	736	917	906	790	1,379	1,758	1,528	1,206	2,076
Morrison	32,360	1,904	2,164	2,572	2,706	2,200	3,603	4,827	4,459	2,974	4,951
Male	16,282	978	1,100	1,339	1,407	1,203	1,847	2,475	2,344	1,487	2,102
Female	16,078	926	1,064	1,233	1,299	997	1,756	2,352	2,115	1,487	2,849
Mower	38,785	2,342	2,409	2,810	2,758	2,548	4,215	5,494	5,200	3,616	7,393
Male	19,222	1,226	1,242	1,426	1,469	1,376	2,181	2,772	2,699	1,785	3,046
Female	19,563	1,116	1,167	1,384	1,289	1,172	2,034	2,722	2,501	1,831	4,347
Murray	9,008	414	543	650	714	412	784	1,221	1,371	1,008	1,891
Male	4,462	215	270	343	371	224	411	628	710	506	784
Female	4,546	199	273	307	343	188	373	593	661	502	1,107
Nicollet	30,267	1,698	1,799	2,069	3,083	3,466	3,617	4,370	4,342	2,587	3,236
Male	15,015	832	926	1,086	1,500	1,710	1,885	2,188	2,225	1,309	1,354
Female	15,252	866	873	983	1,583	1,756	1,732	2,182	2,117	1,278	1,882
Nobles	20,449	1,242	1,374	1,491	1,533	1,229	2,262	2,983	2,818	2,004	3,513
Male	10,222	641	711	774	755	689	1,215	1,541	1,470	1,014	1,412
Female	10,227	601	663	717	778	540	1,047	1,442	1,348	990	2,101
Norman	7,315	379	478	548	564	340	639	1,066	1,001	773	1,527
Male	3,627	204	246	282	294	185	329	530	536	381	640
Female	3,688	175	232	266	270	155	310	536	465	392	887
Olmsted	128,961	8,896	8,815	9,593	9,175	7,971	18,659	22,040	18,080	11,596	14,136
Male	63,380	4,487	4,612	4,881	4,749	3,967	9,293	10,945	8,885	5,608	5,953
Female	65,581	4,409	4,203	4,712	4,426	4,004	9,366	11,095	9,195	5,988	8,183

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Otter Tail	58,039	2,788	3,387	4,181	4,584	3,660	5,312	8,297	8,450	6,417	10,963
Male	28,990	1,411	1,761	2,190	2,397	1,977	2,679	4,259	4,351	3,157	4,808
Female	29,049	1,377	1,626	1,991	2,187	1,683	2,633	4,038	4,099	3,260	6,155
Pennington	13,514	772	790	883	1,042	1,174	1,589	1,911	1,944	1,311	2,098
Male	6,688	404	427	448	545	609	842	957	980	632	844
Female	6,826	368	363	435	497	565	747	954	964	679	1,254
Pine	27,340	1,395	1,596	2,051	2,157	1,862	3,205	4,309	3,870	2,825	4,070
Male	14,160	695	832	1,058	1,167	1,025	1,772	2,299	2,073	1,384	1,855
Female	13,180	700	764	993	990	837	1,433	2,010	1,797	1,441	2,215
Pipestone	9,761	533	607	713	785	509	902	1,377	1,311	932	2,092
Male	4,729	291	296	383	396	252	463	683	673	445	847
Female	5,032	242	311	330	389	257	439	694	638	487	1,245
Polk	31,115	1,655	1,930	2,290	2,618	2,395	2,914	4,377	4,488	3,016	5,432
Male	15,453	841	1,018	1,158	1,379	1,303	1,477	2,184	2,322	1,493	2,278
Female	15,662	814	912	1,132	1,239	1,092	1,437	2,193	2,166	1,523	3,154
Pope	11,190	514	595	836	933	624	1,010	1,523	1,659	1,132	2,364
Male	5,526	273	315	446	478	334	510	749	877	560	984
Female	5,664	241	280	390	455	290	500	774	782	572	1,380
Ramsey	510,568	35,078	34,696	36,803	37,420	37,722	75,235	78,500	71,693	43,325	60,096
Male	246,320	18,179	17,881	18,988	18,434	18,133	37,262	38,942	34,659	20,622	23,220
Female	264,248	16,899	16,815	17,815	18,986	19,589	37,973	39,558	37,034	22,703	36,876
Red Lake	4,313	254	228	297	352	276	402	613	640	448	803
Male	2,185	131	109	152	186	154	206	314	344	232	357
Female	2,128	123	119	145	166	122	196	299	296	216	446

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Redwood	16,275	890	1,033	1,235	1,379	780	1,596	2,275	2,266	1,699	3,122
Male	8,124	455	516	646	730	438	837	1,156	1,162	854	1,330
Female	8,151	435	517	589	649	342	759	1,119	1,104	845	1,792
Renville	17,052	933	1,056	1,335	1,399	872	1,626	2,452	2,437	1,632	3,310
Male	8,507	472	552	677	702	489	871	1,232	1,307	805	1,400
Female	8,545	461	504	658	697	383	755	1,220	1,130	827	1,910
Rice	58,581	3,226	3,643	4,221	5,991	6,458	6,918	8,912	7,641	4,924	6,647
Male	29,618	1,696	1,824	2,172	2,990	3,323	3,743	4,695	3,933	2,453	2,789
Female	28,963	1,530	1,819	2,049	3,001	3,135	3,175	4,217	3,708	2,471	3,858
Rock	9,794	581	609	693	775	566	953	1,337	1,360	943	1,977
Male	4,848	313	316	354	434	287	482	665	699	469	829
Female	4,946	268	293	339	341	279	471	672	661	474	1,148
Roseau	16,229	1,002	1,237	1,385	1,365	788	1,897	2,756	2,254	1,446	2,099
Male	8,322	540	625	722	704	426	958	1,472	1,182	736	957
Female	7,907	462	612	663	661	362	939	1,284	1,072	710	1,142
St. Louis	199,983	9,691	10,858	12,611	16,485	17,578	21,413	28,064	31,779	19,828	31,676
Male	98,401	4,911	5,622	6,505	8,469	8,949	10,998	13,820	16,225	9,866	13,036
Female	101,582	4,780	5,236	6,106	8,016	8,629	10,415	14,244	15,554	9,962	18,640
Scott	103,681	8,566	8,821	8,451	7,095	6,738	17,190	20,647	12,790	7,263	6,120
Male	52,229	4,366	4,546	4,341	3,683	3,404	8,379	10,507	6,628	3,677	2,698
Female	51,452	4,200	4,275	4,110	3,412	3,334	8,811	10,140	6,162	3,586	3,422
Sherburne	71,471	5,142	5,672	5,874	5,613	6,224	11,201	12,905	8,957	4,936	4,947
Male	36,404	2,626	2,891	3,040	3,007	3,257	5,738	6,583	4,576	2,544	2,142
Female	35,067	2,516	2,781	2,834	2,606	2,967	5,463	6,322	4,381	2,392	2,805

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Sibley	15,384	972	1,033	1,274	1,193	869	1,705	2,385	2,026	1,430	2,497
Male	7,821	533	567	664	614	461	878	1,217	1,080	707	1,100
Female	7,563	439	466	610	579	408	827	1,168	946	723	1,397
Stearns	135,867	8,241	8,602	9,655	12,713	15,934	17,698	20,119	17,469	10,373	15,063
Male	68,290	4,219	4,429	4,951	6,357	8,021	9,444	10,212	8,954	5,094	6,609
Female	67,577	4,022	4,173	4,704	6,356	7,913	8,254	9,907	8,515	5,279	8,454
Steele	34,391	2,202	2,414	2,675	2,783	2,099	4,252	5,451	4,953	3,005	4,557
Male	17,023	1,132	1,251	1,340	1,435	1,083	2,157	2,728	2,560	1,463	1,874
Female	17,368	1,070	1,163	1,335	1,348	1,016	2,095	2,723	2,393	1,542	2,683
Stevens	9,886	538	479	532	1,208	1,471	805	1,192	1,254	770	1,637
Male	4,805	273	255	269	558	692	435	600	651	401	671
Female	5,081	265	224	263	650	779	370	592	603	369	966
Swift	11,602	585	652	737	799	654	1,412	1,935	1,635	1,058	2,135
Male	6,460	331	322	377	452	414	950	1,255	935	573	851
Female	5,142	254	330	360	347	240	462	680	700	485	1,284
Todd	24,463	1,344	1,568	1,944	2,139	1,642	2,379	3,534	3,460	2,568	3,885
Male	12,420	707	807	974	1,079	930	1,267	1,786	1,826	1,308	1,736
Female	12,043	637	761	970	1,060	712	1,112	1,748	1,634	1,260	2,149
Traverse	3,952	203	237	287	316	168	295	500	492	376	1,078
Male	1,950	106	114	155	161	101	157	244	256	175	481
Female	2,002	97	123	132	155	67	138	256	236	201	597
Wabasha	21,903	1,142	1,446	1,737	1,814	1,328	2,341	3,447	3,200	2,215	3,233
Male	10,978	603	746	898	946	719	1,161	1,720	1,646	1,091	1,448
Female	10,925	539	700	839	868	609	1,180	1,727	1,554	1,124	1,785

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Wadena	13,584	778	849	1,047	977	925	1,295	1,846	1,823	1,364	2,680
Male	6,744	394	437	551	513	513	658	935	930	677	1,136
Female	6,840	384	412	496	464	412	637	911	893	687	1,544
Waseca	19,436	1,172	1,245	1,396	1,419	1,339	2,535	3,131	2,877	1,611	2,711
Male	10,196	617	625	736	715	758	1,525	1,746	1,525	820	1,129
Female	9,240	555	620	660	704	581	1,010	1,385	1,352	791	1,582
Washington	210,270	14,200	16,563	17,231	15,972	11,988	26,563	39,074	32,677	19,461	16,541
Male	104,610	7,191	8,405	8,809	8,265	6,203	13,121	19,329	16,273	9,789	7,225
Female	105,660	7,009	8,158	8,422	7,707	5,785	13,442	19,745	16,404	9,672	9,316
Watonwan	11,665	730	847	889	899	690	1,165	1,543	1,612	1,124	2,166
Male	5,704	375	419	441	451	340	603	786	835	562	892
Female	5,961	355	428	448	448	350	562	757	777	562	1,274
Wilkin	6,969	390	464	555	583	388	636	1,143	988	653	1,169
Male	3,415	202	227	268	280	219	325	578	533	291	1,374
Female	3,554	188	237	287	303	169	311	565	455	362	677
Winona	49,362	2,591	2,678	3,135	4,974	6,604	5,524	6,530	6,691	4,202	6,433
Male	24,024	1,322	1,367	1,640	2,313	3,100	2,910	3,251	3,378	2,131	2,612
Female	25,338	1,269	1,311	1,495	2,661	3,504	2,614	3,279	3,313	2,071	3,821
Wright	98,083	7,126	7,773	8,294	7,702	6,822	14,183	17,355	12,611	7,807	8,410
Male	49,298	3,683	4,002	4,209	3,971	3,420	7,097	8,886	6,420	3,978	3,632
Female	48,785	3,443	3,771	4,085	3,731	3,402	7,086	8,469	6,191	3,829	4,778
Yellow Medicine	10,806	631	627	797	896	641	923	1,529	1,499	1,070	2,193
Male	5,388	361	317	405	479	358	480	741	810	528	909
Female	5,418	270	310	392	417	283	443	788	689	542	1,284

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY, BY AGE GROUP AND SEX
 MINNESOTA, 2002

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Minneapolis	382,700	25,193	23,965	22,295	26,871	40,962	78,995	60,917	45,971	22,645	34,886
Male	192,273	12,710	12,320	11,438	13,440	20,729	41,421	32,563	23,368	10,998	13,286
Female	190,427	12,483	11,645	10,857	13,431	20,233	37,574	28,354	22,603	11,647	21,600
St. Paul	288,000	21,811	22,339	21,636	22,299	26,023	48,353	43,921	34,136	17,747	29,735
Male	139,274	11,300	11,540	11,092	10,872	12,319	24,067	22,002	16,788	8,414	10,890
Female	148,726	10,511	10,799	10,544	11,427	13,704	24,286	21,919	17,358	9,333	18,845
Duluth	86,044	4,648	4,875	5,449	7,806	9,453	10,379	12,099	11,499	6,822	13,014
Male	41,551	2,412	2,580	2,822	3,810	4,825	5,318	6,001	5,671	3,278	4,834
Female	44,493	2,236	2,295	2,627	3,996	4,628	5,061	6,098	5,828	3,544	8,180

*Population values provided by the U.S. Bureau of the Census