

Pregnancy Outcomes: Live Births, Fetal Deaths, Abortions

Live births to Minnesota residents increased by only 0.4 percent from 70,614 in 2004 to 70,920 in 2005. The crude birth rate remained constant at 13.8 per thousand population. The fertility rate (births per thousand female population age 15 – 44) increased by 0.6 percent from 64.5 in 2004 to 64.9 in 2005.

Births to mothers under the age of 20 and to those age 35 and over have been of special interest to public health professionals because these births tend to have more complications during pregnancy and childbirth, more infants of low birth weight and with congenital anomalies, and more infant deaths. Number of births to mothers under 20 years of age has continued to decrease. There were 4,839 births to mothers under 20 years of age in 2005, a drop of 3.0 percent from the 4,989 births to this age group in 2004. The age-specific birth rate per 1,000 female population age 15-19 dropped to 26.1 in 2005, a decrease of 2.2% from 2004's rate of 26.7 per 1,000. The number of live births to mothers age 35 and over continues to rise. The number increased 2.4 percent from 10,806 in 2004 to 11,069 in 2005. The age-specific birth rate increased by 4.4 percent from 27.2 births per 1,000 female population age 35-44 in 2004 to 28.4 per 1,000 in 2005.

As shown in Overview Table 1, the number of births increased for black, Asian & Pacific Islander, and Latino/Hispanic mothers, but decreased for white and American Indian women. Continuing as begun with 2004 data, an individual may report more than one race, as well as Hispanic origin, which is still collected as a separate item. Thus 2005 race/Hispanic origin data is directly comparable with that for 2004. (See the Technical Notes section, part A, Changes in Format and Coding for more information.)

The number of reported induced abortions to Minnesota residents in 2005 declined from that reported in 2004. 12,303 induced abortions were reported in 2005 compared to 12,755 in 2004, a decrease of 3.5%. The rate also decreased slightly from 11.6 induced abortions per 1,000 female population age 15-44 in 2004 to 11.3 in 2005. While total numbers of induced abortions are reported in the Fertility section of this report, more detailed induced abortion data is reported in a separate publication entitled *Report to the Legislature: Induced Abortions in Minnesota*. These reports, beginning with October 1998 data, may be viewed on our website at <http://www.health.state.mn.us/divs/chs/abrpt/abrpt.htm>.

The total number of pregnancies reported by Minnesota residents in 2005 was 83,552, a decrease of 0.2 percent from the 2004 figure of 83,719.

Deaths

The total number of deaths to Minnesota residents increased from 37,012 in 2004 to 37,498 in 2005, an increase of 1.3 percent. The crude death rate remained constant at 7.3 per 1,000 population. Malignant neoplasms, heart disease, and cerebrovascular diseases continue to be the three leading causes of death in Minnesota.

Minnesota's infant mortality rate of 5.1 per 1,000 live births is an increase from the rate of 4.7 in 2004. The number of infant deaths, 332 in 2004 compared to 363 in 2005, is an increase of 9.3 percent. Care must be exercised in interpreting these changes as the number of infant deaths is very small. Thus a change in number or rate, though appearing to be rather large, may not be statistically significant.

As with births, 2005 represents the second year of data in which more than one race may be reported for an individual as well as Hispanic origin, which is still collected as a separate item. Race data is thus directly comparable for 2004 and 2005. See the Technical Notes section, part A, Changes in Format and Coding for more information.

Marriage, Dissolutions, and Annulments

The number of marriages occurring in Minnesota increased 1.4 percent from 30,359 in 2004 to 30,778 in 2005.

The number of dissolutions and annulments occurring in Minnesota decreased slightly from 16,962 in 2004 to 16,895 in 2005, a 0.4 percent drop. Divorce data for this publication was provided by the Minnesota State Court Administrator's Office as was the 2004 data. (See the Technical Notes section, part B, Sources of Data for more information.)

A. Changes in Format and Coding

Beginning in January of 2004 and continuing throughout 2005, more than one race may be selected when reporting race of decedent on a death certificate and race of mother and of father on a birth certificate or fetal death report. In 2005 approximately 1.7% of Minnesota resident birth mothers chose more than one race, while less than 0.5% of resident death records indicated multiple races.

For those who report more than one race, a bridged-race code is generated, assigning that individual to one of the four race categories of white, black, American Indian, and Asian/Pacific Islander, allowing for statistical comparisons to previous years' data. Due to the small number of multi-race persons in Minnesota, this generated code has little or no effect on the percents and rates by race found in this publication.

For 2005 data, the race coding was again done by the National Center for Health Statistics (NCHS) rather than in-house. As with 2004 data, when coding a record where a Hispanic ethnicity was entered in the race field (in addition to the separate Hispanic ethnicity field) that record was coded by NCHS as 'Other', whereas in previous years that person would have been coded to 'White'. Numbers for 2004 and 2005 are thus comparable, but compared with earlier years of data the count for 'Other Race' mothers is increased and the count of 'White' mothers is decreased. This artifact does not appear in the death data because older Minnesotans, to whom most of the deaths occur, are overwhelmingly non-Hispanic whites.

B. Sources of Data

Vital Events

Birth and death certificates and fetal death reports filed with the Office of the Registrar, Minnesota Department of Health for calendar year 2005 are the source documents for data on vital events of Minnesota residents. Sample copies of each of these documents are included in the Appendix, Figures 1, 2, and 3. All vital events are now reported electronically via the Vital Records Vision 2000 System.

Marriage data are compiled from monthly counts submitted to the Office of the State Registrar by each County Court Administrator or Registrar.

Minnesota divorce data for 2005 were obtained from a report compiled for the Minnesota Center for Health Statistics by the Research and Evaluation Unit, Court Services Division of the Minnesota Supreme Court Administrator's Office, using data from the MN Total Court Information System (TCIS) and the MN Court Information System (MNCIS). As with marriage data, the only information currently available for this report is counts by county.

Late 2005 vital event certificates may have been filed after preparation of the annual report. It is therefore possible that future data obtained from MDH may differ slightly from that which appears in this report due to updates to the data year made after the cutoff date.

Live births and deaths to Minnesota residents that occurred in another state are included in this report insofar as they are reported to the Office of the State Registrar. The inclusion of this data is made possible by an agreement for exchange of copies of resident certificates among all registration areas in the United States. Not all of the states participate in the exchange of fetal death reports, thus this report includes only fetal deaths that occurred in Minnesota. Since marriage and dissolution reports are not part of the interstate exchange program for vital events, the marriage and dissolution data in this report are Minnesota occurrences only.

Population

Census counts for 2005 by county, gender, and age group were provided by the U.S. Bureau of the Census. Estimates of the total populations for Minneapolis, St. Paul, and Duluth were also obtained from the U.S. Census Bureau. Counts by age group and gender were calculated by multiplying these estimated totals by age/gender proportions for these cities derived from the 2000 Census.

C. Data Quality

The quality of data presented in this report is directly related to the completeness and accuracy of the information contained in the source documents.

Births, Deaths, Fetal Deaths

The success of all source documents requires the cooperation and assistance of medical care providers, medical records and other hospital staff, funeral directors, and county and city vital records registrars. Working together they can assure quality vital statistics databases.

The Minnesota Department of Health maintains two major program operations related to improving the quality of information received on certificates in order to ensure that the information is as complete and accurate as possible:

1. The query program is a system used to contact hospital personnel, funeral directors, and/or physicians concerning incomplete or conflicting information. The follow-up contact is usually done by telephone and is based on both manual and computer editing procedures.
2. The field program is focused on educating participants in the vital registration system, i.e. hospital personnel, funeral directors, physicians, coroners, and medical examiners, of the uses and importance of vital statistics data. The field program conducts seminars with various professional associations and makes site visits when problems with registration related to a particular event or institution are discovered.

The National Center for Health Statistics (NCHS) also provides an independent quality control check on Minnesota's coding of statistical data. NCHS has established a two percent upper limit for coding differences involving any one data item, with the exception of cause of death. A five percent limit is established for this item due to the complexity of the coding process.

Marriages and Dissolutions & Annulments

The only data available for 2005 on marriages and dissolutions is counts by county. Thus the burden of data completeness and accuracy resides with those collecting and reporting the data to the Minnesota Department of Health.

D. Geographic Allocation

Vital events can be classified geographically in two ways. The first is by place of occurrence, i.e. the actual state, county, and city in which the birth or death took place. The second and more customary way is by place of residence, i.e. the state, county, and city that is the usual residence of the decedent in the case of a death or of the mother in the case of a newborn. Fetal deaths and infant deaths in cases where the child was never discharged from the hospital are classified to the residence of the mother.

While occurrence statistics are accurate and have both administrative value and some statistical importance, resident statistics are the more useful tool when constructing health indices for planning and evaluation purposes. The statistics provided in this report are residence data unless otherwise stated.

Allocation of vital events by place of residence is sometimes difficult because classification depends entirely upon the statement of the usual place of residence furnished by the informant at the time the original certificate is completed. For various reasons, the statement may be incomplete or incorrect. For example, the informant may not be aware that the mailing address differs from the actual geographic residence location.

E. Rates

Absolute counts of health-related events do not readily lend themselves to analysis and comparison between years and between various geographic areas because of population differences and, in some cases, the small number of reported events. These demographic differences include total number, age and sex distributions, and ethnic and/or racial composition. In order to assess the health status of a particular population at a specified time, the absolute number of events is converted to a relative number such as a probability of living or dying, a rate, a ratio, or an index. This conversion is made by relating the crude number of events to the living population at risk in a particular area at a particular time. Refer to the Appendix for definitions of rates used in *2005 Minnesota Health Statistics*.

ABORTION, INDUCED:

An act, procedure, or use of any instrument, medicine, or drug which is supplied or prescribed for or administered to a pregnant woman which results in the termination of pregnancy.

AGE/CAUSE-SPECIFIC DEATH RATE:

Number of deaths due to a particular cause for a specified age group per 100,000 population comprising the same specified age group.

AGE-SPECIFIC PREGNANCY RATE:

Number of live births plus fetal deaths plus induced abortions to women in a specified age group per 1,000 females in the population comprising the same specified age group.

CAUSE OF DEATH:

Deaths by cause are classified according to the International Classification of Diseases of the World Health Organization. In this report, the underlying cause of death is used to classify the cause. The underlying cause of death is either the disease or injury which initiated the train of events leading directly to death or the accident or violence which produced the fatal injury.

CRUDE BIRTH RATE:

Number of births per 1,000 population

CRUDE DEATH RATE:

Number of deaths per 1,000 population

FERTILITY RATE:

Total number of live births per 1,000 females in the population of age 15 through 44 years.

FETAL DEATH:

Death prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of the pregnancy. The death is indicated by the fact that, after expulsion or extraction, the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles. In the summary, only fetal deaths of 20 weeks or more are reported.

GESTATION:

The period of intrauterine development of the fetus, expressed in completed weeks, calculated from the first day of the last menstrual period.

INFANT DEATH:

A death of a live-born infant under one year of age.

LIVE BIRTH:

The complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy which, after such separation, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles whether or not the umbilical cord has been cut or the placenta is attached. Each product of such a birth is considered a live born.

LIVE BIRTH ORDER:

The number of live births to a particular woman, including the current birth.

NEONATAL DEATH:

A death of a live-born infant under 28 days of age.

RESIDENCE:

The geographic area of the usual place of abode of the deceased at the time of death or of the mother in the case of a live birth or fetal death. This means, in general, the place where one lives and sleeps most of the time. However, when the usual residence is in a nursing home or other institution where the patient resided for the purpose of receiving care, residence is coded to the place, if known, where the patient lived prior to admission to the institution.

TRIMESTER:

One third of the total gestational period necessary for a full-term pregnancy. Thirteen weeks are allotted to each trimester. The count of weeks begins with the first day of the last menstrual period.

Overview of 2005 - Table 1

PERCENT CHANGES BETWEEN 2004 AND 2005, SELECTED MINNESOTA HEALTH STATISTICS

Category	Percent Change	2004	2005
Population	0.6	5,100,958	5,132,799
Live Births	0.4	70,614	70,920
Birth Rate	0.0	13.8	13.8
Out of Wedlock Percent	2.4	29.0%	29.7%
Fertility	0.6	64.5	64.9
Population of Women 15-44	-0.2	1,095,018	1,092,604
White Births*	-0.3	54,600	54,449
Black Births*	4.5	5,616	5,870
American Indian Births*	-1.3	1,352	1,335
Asian & Pacific Islander Births*	7.7	4,086	4,402
Latino/Hispanic Births*	3.1	5,318	5,483
Prenatal Care - Third Trimester or None	0.0	2.3%	2.3%
Infants of Less Than 2,500 Grams	0.0	6.6%	6.6%
Infants of Less Than 37 Weeks Gestation	2.0	10.2%	10.4%
Deaths	1.3	37,012	37,498
Fetal Deaths	-6.0	350	329
Infant Deaths	9.3	332	363
Neonatal Deaths	1.3	229	232
Death Rate	0.0	7.3	7.3
Infant Mortality Rate	8.5	4.7	5.1
Neonatal Mortality Rate	3.1	3.2	3.3
Violent Deaths	4.1	2,630	2,739
Homicide	5.3	131	138
Unintentional Injury	3.3	1,859	1,920
Suicide	3.8	522	542
Injury Undetermined	58.3	48	76
Marriages	1.4	30,359	30,778
Divorces**	-0.4	16,962	16,895

*Race/Ethnicity of Mother – Race categories include persons of both Hispanic and non-Hispanic origin; Latino/Hispanic births include persons of any race.

** Data provided by the Minnesota State Court Administrator's Office

Overview of 2005 – Table 2
 Resident Live Births, Crude Birth Rates*, Fertility Rates**, Minnesota and United States
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985-2005

Year	Live Births		Crude Birth Rate*		Fertility Rate**	
	Minnesota	U.S.	Minnesota	U.S.	Minnesota	U.S.
1940	52,915	2,559,000	19.0	19.4	81.0	79.9
1945	54,656	2,858,000	20.9	20.4	85.1	85.9
1950	75,078	3,632,000	25.2	24.1	119.1	106.2
1955	81,532	4,097,000	25.7	25.0	130.1	118.3
1960	87,523	4,257,850	25.6	23.7	136.0	118.0
1965	70,810	3,760,358	19.7	19.4	105.9	96.3
1970	68,449	3,731,386	18.0	18.4	88.4	89.7
1975	56,463	3,144,198	14.4	14.6	65.4	66.0
1980	67,843	3,612,258	16.6	15.9	70.8	68.4
1985	67,412	3,760,561	16.1	15.8	68.0	66.2
1986	65,766	3,756,547	15.7	15.6	65.9	65.4
1987	65,168	3,809,394	15.3	15.7	64.9	65.7
1988	66,745	3,909,510	15.5	15.9	65.4	67.2
1989	67,490	4,040,958	15.5	16.4	65.9	69.2
1990	67,985	4,158,212	15.5	16.7	66.3	70.9
1991	67,037	4,110,907	15.2	16.3	64.7	69.6
1992	65,591	4,065,014	14.7	15.9	62.5	68.9
1993	64,646	4,000,240	14.3	15.5	61.0	67.6
1994	64,277	3,952,767	14.1	15.2	59.9	66.7
1995	63,259	3,899,589	13.7	14.7	60.1	65.6
1996	63,681	3,891,494	13.6	14.7	59.7	65.3
1997	64,491	3,880,894	13.8	14.5	61.4	65.0
1998	65,207	3,941,553	13.8	14.6	61.8	65.6
1999	65,953	3,959,417	13.8	14.5	62.5	65.9
2000	67,451	4,058,814	13.7	14.7	62.3	67.5
2001	66,617	4,025,933	13.4	14.5	60.9	66.9
2002	68,037	4,021,726	13.6	13.9	62.0	64.8
2003	70,053	4,089,950	13.9	14.1	64.1	66.1
2004	70,614	4,112,052	13.8	14.0	64.5	66.3
2005	70,920	4,143,000	13.8	14.0	64.9	66.7

* Live Births per 1,000 Population

**Live Births per 1,000 Female Population Age 15-44

Overview of 2005 - Table 3
Numbers and Rates of Resident Live Births, Deaths, and Maternal Deaths
1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985-2005

Year	Live Births				Deaths				Maternal Deaths			
	Minnesota Number	Rate*	United States Number	Rate*	Minnesota Number	Rate#	United States Number	Rate#	Minnesota Number	Rate^	United States Number	Rate^
1940	52,915	19.0	2,559,000	19.4	26,354	9.4	1,417,269	10.8	115	217.3	8,876	376.0
1945	54,656	20.9	2,858,000	20.4	26,763	10.2	1,401,719	10.6	75	137.2	5,668	207.2
1950	75,078	25.2	3,632,000	24.1	27,897	9.4	1,452,454	9.6	43	57.3	2,960	83.3
1955	81,532	25.7	4,097,000	25.0	28,574	9.0	1,528,717	9.3	27	33.1	1,901	47.0
1960	87,523	25.6	4,257,850	23.7	31,596	9.3	1,711,982	9.5	13	14.9	1,579	37.1
1965	70,810	19.7	3,760,358	19.4	32,477	9.0	1,828,136	9.4	12	16.8	1,189	31.6
1970	68,449	18.0	3,731,386	18.4	33,919	8.9	1,921,031	9.5	9	13.1	803	21.5
1975	56,463	14.4	3,144,198	14.6	32,686	8.3	1,892,879	8.8	3	5.3	403	12.8
1980	67,843	16.6	3,612,258	15.9	33,415	8.2	1,989,841	8.8	4	5.9	334	9.2
1985	67,412	16.1	3,760,561	15.8	34,793	8.3	2,086,440	8.7	3	4.5	295	7.8
1986	65,766	15.6	3,756,547	15.6	35,070	8.3	2,105,361	8.7	1	1.5	272	7.2
1987	65,168	15.3	3,809,394	15.7	34,512	8.1	2,123,323	8.7	1	1.5	251	6.6
1988	66,745	15.5	3,909,510	15.9	35,436	8.2	2,167,999	8.8	4	6.0	330	8.4
1989	67,490	15.5	4,040,958	16.4	34,263	7.9	2,150,466	8.7	1	1.5	320	7.9
1990	67,259	15.5	4,158,212	16.7	34,739	7.9	2,148,463	8.6	3	4.4	343	8.2
1991	67,037	15.2	4,110,907	16.3	35,241	8.0	2,169,518	8.6	5	7.5	323	7.9
1992	65,591	14.7	4,065,014	15.9	34,978	7.8	2,175,613	8.5	3	4.6	318	7.8
1993	64,646	14.3	4,000,240	15.5	36,407	8.1	2,268,553	8.8	3	4.6	302	7.5
1994	64,277	14.1	3,952,767	15.2	36,343	8.0	2,278,994	8.8	3	4.7	328	8.3
1995	63,259	13.7	3,899,589	14.8	37,427	8.1	2,312,132	8.8	0	0.0	277	7.1
1996	63,681	13.6	3,914,953	14.7	37,166	8.0	2,314,690	8.7	3	4.7	294	7.6
1997	64,491	13.8	3,880,894	14.5	36,878	7.9	2,314,245	8.6	4	6.2	327	8.4
1998	65,207	13.8	3,941,553	14.6	37,152	7.9	2,337,256	8.6	3	4.6	281	7.1
1999	65,953	13.8	3,868,417	14.5	38,473	8.1	2,391,399	8.8	3	4.5	391	9.6
2000	67,451	13.7	4,058,814	14.7	37,595	7.6	2,403,351	8.7	4	5.9	396	9.8
2001	66,617	13.4	4,025,933	14.5	37,505	7.5	2,416,425	8.5	2	3.0	399	9.9
2002	68,037	13.6	4,021,726	13.9	38,437	7.7	2,443,387	8.5	4	5.9	357	8.9
2003	70,053	13.9	4,089,950	14.1	37,603	7.4	2,448,288	8.4	3	4.3	495	12.1
2004	70,614	13.8	4,112,052	14.0	37,012	7.3	2,398,343	8.2	0	0.0	N.A.	N.A.
2005	70,920	13.8	4,143,000	14.0	37,498	7.3	2,432,000	8.2	5	7.1	N.A.	N.A.

*Live Births per 1,000 Population

#Deaths per 1,000 Population

^Maternal Deaths per 100,000 Live Births

Overview of 2005 - Table 4
Numbers and Rates of Resident Infant Deaths, Neonatal Deaths, and Fetal Deaths
1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985-2005

Year	Infant Deaths				Neonatal Deaths				Fetal Deaths			
	Minnesota Number	Rate*	United States Number	Rate*	Minnesota Number	Rate#	United States Number	Rate#	Minnesota Number	Rate^	United States Number	Rate^
1940	1,772	33.3	110,984	47.0	1,246	23.4	67,866	28.8	1,144	21.5	73,802	31.3
1945	1,698	31.1	104,684	38.3	1,226	22.6	66,593	24.3	1,141	20.9	65,513	23.9
1950	1,876	25.0	103,825	29.2	1,430	19.0	72,855	20.5	1,208	16.1	68,262	19.2
1955	1,779	21.8	106,903	26.4	1,386	17.0	77,351	19.1	1,173	14.4	69,153	17.1
1960	1,881	21.5	110,873	26.0	1,397	16.0	79,733	18.7	1,058	12.1	68,480	16.1
1965	1,432	20.2	92,866	24.7	1,075	15.2	66,419	17.7	921	13.0	60,859	16.2
1970	1,203	17.6	74,667	20.0	944	13.8	56,279	15.1	705	10.3	52,961	14.2
1975	771	13.7	50,525	16.1	582	10.3	36,416	11.6	479	8.5	33,796	10.7
1980	679	10.0	45,526	12.6	421	6.2	30,618	8.5	449	6.6	33,353	9.2
1985	591	8.8	40,030	10.6	364	5.4	26,179	7.0	439	6.5	N.A.	7.8
1986	606	9.2	38,891	10.4	365	5.5	25,212	6.7	400	6.1	N.A.	N.A.
1987	564	8.7	38,408	10.1	335	5.1	24,627	6.5	404	6.2	N.A.	N.A.
1988	521	7.8	38,910	10.0	316	4.7	24,690	6.3	466	7.0	N.A.	N.A.
1989	479	7.1	39,655	9.8	279	4.1	25,168	6.3	430	6.4	N.A.	N.A.
1990	796	7.3	38,100	9.2	285	4.3	24,309	5.8	449	6.6	N.A.	7.5
1991	502	7.5	36,766	8.9	298	4.4	22,978	5.6	426	6.4	N.A.	N.A.
1992	464	7.1	34,628	8.5	294	4.5	21,849	5.4	407	6.2	N.A.	N.A.
1993	486	7.5	33,466	8.4	296	4.6	21,174	5.3	338	5.2	N.A.	N.A.
1994	451	7.0	31,710	8.0	295	4.6	20,250	5.1	365	5.7	N.A.	N.A.
1995	427	6.8	29,583	7.6	255	4.0	19,155	4.9	364	5.8	N.A.	7.0
1996	377	5.9	28,487	7.3	232	3.6	18,572	4.8	352	5.5	N.A.	6.9
1997	382	5.9	28,045	7.2	241	3.7	18,524	4.7	362	5.6	N.A.	6.8
1998	386	5.9	28,371	7.2	265	4.1	18,918	4.8	389	6.0	N.A.	6.7
1999	409	6.2	27,937	7.1	262	4.0	18,728	4.7	384	5.8	N.A.	6.7
2000	377	5.6	28,035	6.9	252	3.7	18,776	4.6	388	5.7	N.A.	6.6
2001	358	5.4	27,568	6.8	233	3.5	18,265	4.5	342	5.1	N.A.	6.5
2002	362	5.3	28,034	7.0	240	3.5	18,747	4.7	345	5.0	N.A.	6.4
2003	327	4.7	28,025	6.9	218	3.1	18,893	4.6	329	4.7	N.A.	N.A.
2004	332	4.7	27,838	6.8	229	3.2	18,532	4.5	350	4.9	N.A.	N.A.
2005	363	5.1	28,000	6.8	232	3.3	N.A.	N.A.	329	4.6	N.A.	N.A.

*Infant Deaths per 1,000 Live Births

^Fetal Deaths per 1,000 Live Births plus Fetal Deaths

Neonatal Deaths per 1,000 Live Births

Overview of 2005 - Table 5
Numbers and Rates of Marriages and Divorces/Annulments
1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985-2005

Year	Marriages				Divorces/Annulments			
	Minnesota	Rate*	United States	Rate*	Minnesota	Rate*	United States	Rate*
	Number		Number		Number		Number	
1940	27,419	9.8	4,595,879	12.1	2,957	1.1	264,000	2.0
1945	26,195	10.0	1,612,992	12.2	5,326	2.0	485,000	3.5
1950	30,991	10.4	1,667,231	11.1	4,049	1.4	385,000	2.6
1955	24,854	7.8	1,531,000	9.3	3,757	1.2	377,000	2.3
1960	23,596	6.9	1,523,000	8.5	4,175	1.2	393,000	2.2
1965	26,472	7.4	1,800,000	9.3	4,848	1.3	479,000	2.5
1970	31,280	8.2	2,158,802	10.6	8,221	2.2	708,000	3.5
1975	32,237	8.2	2,152,662	10.0	13,147	3.3	1,036,000	4.8
1980	37,625	9.2	2,390,252	10.6	15,092	3.7	1,189,000	5.2
1985	35,059	8.4	2,412,625	10.1	14,795	3.5	1,190,000	5.0
1986	34,199	8.1	2,407,099	10.0	14,426	3.4	1,178,000	4.9
1987	33,683	7.9	2,403,378	9.9	14,931	3.5	1,166,000	4.8
1988	33,654	7.8	2,395,926	9.7	15,245	3.5	1,167,000	4.8
1989	34,326	7.9	2,403,268	9.7	15,675	3.6	1,157,000	4.7
1990	33,688	7.7	2,443,489	9.8	15,595	3.6	1,182,000	4.7
1991	32,841	7.4	2,371,000	9.4	16,075	3.6	1,187,000	4.7
1992	32,237	7.2	2,362,000	9.3	16,575	3.7	1,215,000	4.8
1993	32,691	7.2	2,334,000	9.0	16,024	3.5	1,187,000	4.6
1994	32,919	7.2	2,362,000	9.1	15,746	3.4	1,191,000	4.6
1995	32,878	7.1	2,336,000	8.9	15,486	3.3	973,000	4.1
1996	33,046	7.0	2,344,000	8.8	15,254	3.2	1,150,000	4.3
1997	32,598	7.0	2,384,000	8.9	15,568	3.3	1,163,000	4.3
1998	32,218	6.8	2,244,000	8.3	15,165	3.2	1,135,000	4.2
1999	33,054	6.9	2,251,000	8.3	15,497	3.2	N.A.	4.1
2000	33,432	6.8	2,329,000	8.5	15,888	3.2	N.A.	4.1
2001	32,484	6.5	2,327,000	8.2	15,980	3.2	N.A.	4.0
2002	32,061	6.4	2,254,000	7.8	15,785	3.1	N.A.	4.0
2003	31,638	6.3	2,187,000	7.5	14,982	3.0	N.A.	3.8
2004	30,359	6.0	2,279,000	7.8	16,962	3.3	N.A.	3.7
2005	30,778	6.0	2,230,000	7.5	16,895	3.3	N.A.	3.6

*All rates are per 1,000 Population

Overview of 2005 - Table 6
 BIRTHS, DEATHS, INFANT DEATHS, FETAL DEATHS, MARRIAGES,
 DIVORCES AND ANNULMENTS BY MONTH
 MINNESOTA OCCURRENCES, 2005

	BIRTHS	DEATHS	INFANT DEATHS	FETAL DEATHS	MARRIAGES	DIVORCES AND ANNULMENTS
TOTAL	70,950	37,510	388	341	30,778	16,895
JANUARY	5,676	3,793	27	36	1,303	*
FEBRUARY	5,457	3,311	27	24	1,292	*
MARCH	6,119	3,541	34	21	1,206	*
APRIL	5,843	3,120	37	30	1,822	*
MAY	6,286	2,845	28	30	2,672	*
JUNE	6,129	2,773	35	33	4,102	*
JULY	6,186	2,912	33	33	3,615	*
AUGUST	6,136	2,787	40	25	4,338	*
SEPTEMBER	6,025	2,846	30	22	3,536	*
OCTOBER	5,737	3,107	30	27	3,436	*
NOVEMBER	5,542	3,126	39	34	1,706	*
DECEMBER	5,814	3,349	28	26	1,487	*
UNKNOWN	0	0	0	0	263	*

*Divorce and Annulment data by month is not available.

Overview of 2005 - Table 7
LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2005

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
AFTON	16	11	0	0	0
ALBERT LEA	244	240	1	1	0
ALEXANDRIA	163	181	1	1	1
ANDOVER	351	77	1	0	0
ANOKA	311	163	2	2	1
APPLE VALLEY	618	241	0	3	3
ARDEN HILLS	57	119	0	0	0
AUSTIN	385	300	3	0	0
BAXTER	96	36	1	1	1
BAYPORT	21	24	0	0	0
BELLE PLAINE	142	58	0	1	1
BEMIDJI	202	151	0	4	2
BENSON	46	54	0	2	2
BIG LAKE	258	41	1	1	0
BLAINE	797	196	4	2	2
BLOOMINGTON	929	729	8	1	0
BLUE EARTH	44	75	0	0	0
BRAINERD	269	193	0	3	1
BRECKENRIDGE	37	59	0	0	0
BROOKLYN CENTER	529	224	6	2	2
BROOKLYN PARK	1,383	291	8	15	13
BUFFALO	327	136	0	2	2
BURNSVILLE	923	313	7	4	1
BYRON	56	12	0	1	0
CALEDONIA	66	37	0	0	0
CAMBRIDGE	161	123	1	0	0
CANNON FALLS	58	42	0	1	1
CHAMPLIN	312	62	1	1	0
CHANHASSEN	212	44	1	1	0
CHASKA	384	88	4	2	1
CHISHOLM	50	78	0	0	0
CIRCLE PINES	107	31	1	3	1
CLOQUET	186	122	1	1	0
COLD SPRING	68	52	1	0	0
COLUMBIA HEIGHTS	293	234	0	2	2
COON RAPIDS	873	310	2	5	3
CORCORAN	43	9	1	0	0
COTTAGE GROVE	455	111	1	0	0
CROOKSTON	105	100	0	1	0
CRYSTAL	336	171	2	0	0
DAYTON	33	9	0	0	0
DEEPHAVEN	37	13	0	0	0
DELANO	82	39	0	2	1
DETROIT LAKES	126	144	0	3	2
DILWORTH	55	22	0	0	0

Overview of 2005 - Table 7
LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2005

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
DULUTH	993	943	5	4	2
EAGAN	825	194	4	7	7
EAST BETHEL	113	30	0	0	0
EAST GRAND FORKS	120	57	0	2	0
EDEN PRAIRIE	853	194	5	3	2
EDINA	442	412	1	0	0
ELK RIVER	372	103	1	4	1
ELY	25	53	0	0	0
EVELETH	52	63	0	0	0
FAIRMONT	136	162	0	1	1
FALCON HEIGHTS	36	25	0	0	0
FARIBAULT	325	208	1	1	1
FARMINGTON	588	96	1	2	2
FERGUS FALLS	186	204	2	1	1
FOREST LAKE	250	139	1	2	1
FRIDLEY	348	156	2	4	3
GLENCOE	99	68	0	0	0
GLENWOOD	38	75	1	0	0
GOLDEN VALLEY	208	204	0	1	1
GOODVIEW	1	17	0	1	0
GRAND RAPIDS	138	146	0	1	1
GRANITE FALLS	46	54	0	0	0
HAM LAKE	167	52	2	2	1
HASTINGS	306	189	1	2	1
HERMANTOWN	84	55	0	0	0
HIBBING	194	209	0	1	0
HOPKINS	263	198	1	2	1
HUGO	163	31	1	2	1
HUTCHINSON	192	129	2	1	0
INDEPENDENCE	8	7	0	0	0
INTERNATIONAL FALLS	70	110	0	1	1
INVER GROVE HEIGHTS	413	195	3	2	1
JACKSON	45	45	0	1	1
JORDAN	133	20	1	0	0
KASSON	96	26	0	3	2
LA CRESCENT	73	65	0	0	0
LAKE CITY	55	72	0	0	0
LAKE ELMO	94	37	0	1	1
LAKEVILLE	577	93	2	3	2
LAUDERDALE	23	14	0	1	1
LE SUEUR	73	44	0	0	0
LINDSTROM	72	26	0	0	0
LINO LAKES	198	49	0	2	1
LITCHFIELD	102	89	1	0	0
LITTLE CANADA	98	61	0	1	0

Overview of 2005 - Table 7
LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2005

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
LITTLE FALLS	126	144	1	2	2
LONG PRAIRIE	69	63	1	2	2
LUVERNE	74	77	0	0	0
MAHTOMEDI	55	51	0	1	0
MANKATO	420	266	4	0	0
MAPLE GROVE	798	178	3	2	2
MAPLEWOOD	363	336	1	2	2
MARSHALL	176	96	0	1	0
MEDINA	25	5	1	0	0
MELROSE	52	42	0	0	0
MENDOTA HEIGHTS	93	64	0	0	0
MINNEAPOLIS	6,247	2,539	34	36	24
MINNETONKA	461	340	1	1	1
MINNETRISTA	79	9	0	0	0
MONTEVIDEO	63	77	0	0	0
MONTICELLO	279	84	1	3	2
MOORHEAD	417	253	0	5	2
MORA	62	64	1	1	0
MORRIS	52	40	0	0	0
MOUND	134	43	1	0	0
MOUNDS VIEW	142	65	0	1	0
MOUNTAIN IRON	21	19	0	0	0
NEW BRIGHTON	225	174	2	2	1
NEW HOPE	269	373	5	2	1
NEWPORT	54	16	0	1	0
NEW PRAGUE	120	45	0	0	0
NEW ULM	141	111	1	0	0
NORTHFIELD	231	135	2	0	0
NORTH BRANCH	170	70	3	0	0
NORTH MANKATO	166	70	0	2	1
NORTH OAKS	26	21	0	0	0
NORTH ST PAUL	130	81	1	1	0
OAKDALE	312	132	0	3	2
OAK GROVE	51	9	1	0	0
OAK PARK HEIGHTS	11	53	0	0	0
OLIVIA	34	36	0	0	0
ORONO	41	12	1	0	0
OSSEO	50	48	1	0	0
OTSEGO	154	23	3	0	0
OWATONNA	384	168	0	0	0
PARK RAPIDS	71	64	0	1	0
PINE CITY	66	53	0	0	0
PIPESTONE	68	73	0	0	0
PLAINVIEW	44	32	0	1	1
PLYMOUTH	799	273	1	6	4

Overview of 2005 - Table 7
LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2005

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
PRINCETON	110	78	1	0	0
PRIOR LAKE	404	76	3	1	1
PROCTOR	37	30	0	1	1
RAMSEY	278	45	0	0	0
RED WING	197	203	0	2	1
REDWOOD FALLS	75	73	0	0	0
RICHFIELD	585	297	4	3	3
ROBBINSDALE	206	142	2	0	0
ROCHESTER	1,826	665	5	6	4
ROCKFORD	78	11	1	1	0
ROSEAU	35	40	0	0	0
ROSEMOUNT	372	68	3	2	1
ROSEVILLE	315	373	3	3	1
SAINT ANTHONY	62	113	0	1	1
SAINT CHARLES	71	36	0	0	0
SAINT CLOUD	851	421	3	8	7
SAINT FRANCIS	130	18	0	1	0
SAINT JAMES	81	48	0	1	1
SAINT JOSEPH	66	30	0	1	1
SAINT LOUIS PARK	601	448	4	3	0
SAINT MICHAEL	317	29	1	0	0
SAINT PAUL	5,165	2,088	20	31	21
SAINT PAUL PARK	68	25	0	0	0
SAINT PETER	125	100	0	0	0
SARTELL	235	94	1	0	0
SAUK CENTRE	44	40	1	0	0
SAUK RAPIDS	230	117	0	1	0
SAVAGE	458	53	4	0	0
SHAKOPEE	775	141	1	3	3
SHOREVIEW	220	139	0	2	0
SHOREWOOD	56	21	0	0	0
SLEEPY EYE	52	54	0	0	0
SOUTH ST PAUL	296	159	2	1	1
SPRING LAKE PARK	76	49	0	0	0
STAPLES	54	63	0	0	0
STEWARTVILLE	86	43	2	1	0
STILLWATER	298	175	0	0	0
THIEF RIVER FALLS	121	103	1	0	0
TWO HARBORS	61	71	1	0	0
VADNAIS HEIGHTS	110	45	0	1	1
VICTORIA	90	8	0	0	0
VIRGINIA	94	149	1	1	0
WACONIA	176	64	0	1	0
WADENA	62	59	1	0	0
WAITE PARK	89	57	1	3	1

Overview of 2005 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2005

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
WASECA	140	81	1	0	0
WATERTOWN	82	41	0	0	0
WAYZATA	78	87	0	1	1
WEST ST PAUL	255	224	3	3	2
WHITE BEAR LAKE	352	256	2	2	1
WILLMAR	321	231	2	0	0
WINDOM	55	63	0	1	1
WINONA	306	239	2	0	0
WOODBURY	848	206	1	4	3
WORTHINGTON	213	107	2	2	2
WYOMING	90	29	1	0	0

*Municipalities with a population of 2,500 or more as of the 2000 Census

Live Births

Every day in 2005, residents of Minnesota
experienced an average of:

194 Births

76 First Births

**13 Births Weighing
<2500 Grams**

**30 Births to Women
Age 35 and Older**

**13 Births to Women
Age 19 and Under**

**4 Births in which Prenatal
Care was Initiated Late or
Not at All**

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH
MINNESOTA, 2005

County	Births Occurring in County				Resident Births		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		Total
					Within Minnesota	Outside Minnesota	
State Total	70,950	45,215	23,590	2,145	23,590	2,115	70,920
Aitkin	64	56	8	0	89	0	145
Anoka	4,328	2,603	1,717	8	1,756	4	4,363
Becker	504	302	200	2	43	61	406
Beltrami	988	625	361	2	25	6	656
Benton	2	2	0	0	596	1	599
Big Stone	64	43	7	14	12	4	59
Blue Earth	1,505	695	808	2	50	0	745
Brown	398	247	149	2	38	1	286
Carlton	269	145	121	3	276	0	421
Carver	1,211	576	630	5	658	3	1,237
Cass	2	1	1	0	399	5	405
Chippewa	113	69	43	1	75	0	144
Chisago	852	397	438	17	279	42	718
Clay	5	5	0	0	10	700	715
Clearwater	8	8	0	0	102	6	116
Cook	18	18	0	0	31	0	49
Cottonwood	118	76	40	2	40	15	131
Crow Wing	987	707	278	2	67	0	774
Dakota	3,749	2,501	1,184	64	2,910	13	5,424
Dodge	2	2	0	0	267	1	270
Douglas	642	390	252	0	41	1	432
Faribault	47	41	0	6	127	0	168
Fillmore	32	32	0	0	215	42	289
Freeborn	463	311	97	55	61	0	372
Goodhue	472	286	95	91	260	6	552
Grant	0	0	0	0	63	1	64
Hennepin	20,250	14,428	5,715	107	1,883	37	16,348
Minneapolis	9,835	4,200	5,552	83	2,029	18	6,247
Houston	0	0	0	0	10	215	225
Hubbard	144	92	52	0	126	8	226
Isanti	509	277	230	2	195	1	473
Itasca	423	361	62	0	88	1	450
Jackson	0	0	0	0	89	23	112
Kanabec	178	95	83	0	72	1	168
Kandiyohi	802	532	270	0	41	1	574
Kittson	12	9	2	1	10	19	38
Koochiching	85	81	3	1	38	3	122
Lac Qui Parle	25	20	5	0	47	2	69
Lake	4	4	0	0	107	1	112
Lake of the Woods	31	24	6	1	14	5	43
Le Sueur	3	2	1	0	363	0	365
Lincoln	10	4	1	5	42	28	74
Lyon	392	268	123	1	26	26	320
McLeod	606	349	254	3	160	0	509
Mahnomen	1	1	0	0	85	11	97

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH
MINNESOTA, 2005

County	Births Occurring in County				Resident Births		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		Total
					Within Minnesota	Outside Minnesota	
Marshall	0	0	0	0	42	50	92
Martin	338	206	66	66	34	4	244
Meeker	178	142	36	0	193	1	336
Mille Lacs	79	65	14	0	340	0	405
Morrison	231	193	37	1	250	0	443
Mower	459	401	50	8	136	1	538
Murray	0	0	0	0	78	17	95
Nicollet	16	10	6	0	361	1	372
Nobles	365	242	113	10	25	47	314
Norman	1	1	0	0	11	79	91
Olmsted	3,263	2,137	1,036	90	33	9	2,179
Otter Tail	455	366	85	4	196	40	602
Pennington	263	156	104	3	4	16	176
Pine	1	1	0	0	318	9	328
Pipestone	95	64	21	10	25	49	138
Polk	191	142	44	5	36	200	378
Pope	44	27	17	0	97	0	124
Ramsey	10,324	5,562	4,433	329	1,727	20	7,309
St. Paul	7,642	3,360	4,011	271	1,794	11	5,165
Red Lake	0	0	0	0	35	7	42
Redwood	110	88	22	0	113	1	202
Renville	36	32	4	0	149	1	182
Rice	450	340	108	2	454	0	794
Rock	125	71	43	11	6	59	136
Roseau	208	182	12	14	25	16	223
St. Louis	3,169	2,064	563	542	41	1	2,106
Duluth	2,453	975	937	541	18	0	993
Scott	1,321	893	422	6	1,271	5	2,169
Sherburne	526	223	302	1	1,105	1	1,329
Sibley	0	0	0	0	204	2	206
Stearns	3,031	1,755	1,271	5	127	3	1,885
Steele	566	413	152	1	106	1	520
Stevens	88	64	23	1	44	0	108
Swift	19	18	1	0	98	1	117
Todd	147	120	27	0	205	0	325
Traverse	10	5	2	3	19	11	35
Wabasha	109	48	23	38	222	2	272
Wadena	353	142	211	0	47	7	196
Waseca	1	1	0	0	258	1	260
Washington	2,084	1,045	630	409	1,801	24	2,870
Watonwan	50	43	7	0	102	1	146
Wilkin	197	36	15	146	4	24	64
Winona	412	324	50	38	132	96	552
Wright	1,219	861	358	0	1,161	1	2,023
Yellow Medicine	98	47	46	5	68	13	128
Unknown	0	0	0	0	1	0	1

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Aitkin	Anoka	Becker	Beltrami	Benton	Big Stone	Blue Earth
Live Births	70,920	145	4,363	406	656	599	59	745
Fertility Rate	64.9	56.6	60.9	66.6	66.2	63.9	70.4	51.4
Crude Birth Rate	13.8	9.0	13.5	12.7	15.3	15.6	10.8	12.8
Sex: Male	36,339	80	2,266	219	321	289	31	380
Female	34,581	65	2,097	187	335	310	28	365
Births to Unmarried Mothers, %	29.7	44.8	24.5	40.9	54.6	34.2	27.1	28.5
Race of Mother:								
White	54,449	136	3,619	335	397	571	58	661
African American	5,870	1	234	6	3	14	1	39
American Indian	1,335	6	26	59	240	3	0	3
Asian/Pacific Islander	4,402	0	276	1	5	8	0	17
Other/Unknown	4,864	2	208	5	11	3	0	25
*Hispanic	5,483	3	215	7	5	3	0	21
Live Birth Order, %								
1st Birth	39.2	33.8	39.1	34.0	40.1	45.4	52.5	40.8
5th or Over	4.7	6.2	3.9	5.2	5.2	4.5	6.8	5.6
Prematurity, %								
Less than 37 weeks	10.4	6.4	10.3	9.0	11.1	11.9	5.3	11.2
Less than 2500 grams	6.6	8.3	6.7	5.7	4.7	8.0	3.4	8.1
Plurality:								
Single	68,422	139	4,182	391	632	575	57	711
Twin	2,384	6	175	12	24	24	2	30
Triplet	102	0	6	3	0	0	0	0
Mother's Age, %								
Under 18	2.0	0.7	1.3	3.2	5.5	1.7	5.1	1.6
18-19	4.8	6.2	3.9	5.2	11.9	5.8	6.8	4.8
40 and over	2.8	2.8	2.4	2.5	1.5	1.7	3.4	2.7
Mother's Education, %								
Less than 12 years	10.9	12.4	7.3	11.7	18.5	6.8	10.2	8.2
Over 3 years college	37.2	15.9	36.7	17.9	20.8	29.4	28.8	40.8
Prenatal Care Began, %								
3rd Trimester or none	2.3	1.4	1.8	2.0	5.1	1.7	0.0	1.3
Congenital Anomalies, %	1.1	0.7	0.6	1.0	1.5	2.3	1.7	1.1
Abnormal Conditions of Child, %	3.7	5.5	2.2	4.7	4.3	12.2	5.1	2.4

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay
Live Births	70,920	286	421	1,237	405	144	718	715
Fertility Rate	64.9	56.1	62.2	61.9	73.5	63.7	63.9	52.2
Crude Birth Rate	13.8	10.8	12.4	14.6	14.0	11.3	14.5	13.3
Sex: Male	36,339	158	234	612	204	75	376	378
Female	34,581	128	187	625	201	69	342	337
Births to Unmarried Mothers, %	29.7	25.9	28.5	12.9	51.9	29.2	21.5	26.2
Race of Mother:								
White	54,449	274	380	1,105	277	125	684	643
African American	5,870	0	0	12	0	0	5	5
American Indian	1,335	0	37	3	120	6	1	20
Asian/Pacific Islander	4,402	3	3	40	1	1	8	7
Other/Unknown	4,864	9	1	77	7	12	20	40
*Hispanic	5,483	21	4	79	2	14	12	33
Live Birth Order, %								
1st Birth	39.2	35.0	34.7	35.1	37.0	32.6	36.5	38.7
5th or Over	4.7	6.6	2.4	3.6	7.9	4.2	3.8	3.9
Prematurity, %								
Less than 37 weeks	10.4	12.0	9.4	9.9	14.2	10.7	9.8	12.0
Less than 2500 grams	6.6	7.7	4.5	5.2	7.4	8.3	5.2	7.3
Plurality:								
Single	68,422	272	405	1,173	383	142	703	686
Twin	2,384	14	16	61	22	2	15	26
Triplet	102	0	0	3	0	0	0	3
Mother's Age, %								
Under 18	2.0	0.7	2.4	1.0	6.7	1.4	2.2	2.4
18-19	4.8	8.0	5.9	2.3	8.9	5.6	3.1	4.2
40 and over	2.8	3.2	1.4	3.2	2.5	1.4	2.1	2.0
Mother's Education, %								
Less than 12 years	10.9	6.3	6.9	4.7	20.3	13.3	6.0	9.3
Over 3 years college	37.2	29.0	31.4	55.4	16.3	21.7	34.6	43.7
Prenatal Care Began, %								
3rd Trimester or none	2.3	0.7	2.4	1.7	5.0	2.9	0.9	4.9
Congenital Anomalies, %	1.1	2.5	1.4	1.1	2.5	4.9	2.0	1.3
Abnormal Conditions of Child, %	3.7	8.0	5.2	1.9	6.7	4.9	3.9	9.1

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Clear- water	Cook	Cotton- wood	Crow Wing	Dakota	Dodge	Douglas
Live Births	70,920	116	49	131	774	5,424	270	432
Fertility Rate	64.9	74.3	54.6	66.8	64.8	62.8	65.2	67.0
Crude Birth Rate	13.8	13.7	9.1	11.1	12.9	14.1	13.8	12.3
Sex: Male	36,339	66	29	73	396	2,811	143	228
Female	34,581	50	20	58	378	2,613	127	204
Births to Unmarried Mothers, %	29.7	32.8	20.4	25.2	36.4	23.6	23.7	29.2
Race of Mother:								
White	54,449	103	45	115	735	4,301	258	419
African American	5,870	0	0	1	6	370	0	3
American Indian	1,335	8	3	2	20	25	1	1
Asian/Pacific Islander	4,402	1	0	3	5	381	1	4
Other/Unknown	4,864	4	1	10	8	347	10	5
*Hispanic	5,483	1	1	13	6	447	15	7
Live Birth Order, %								
1st Birth	39.2	29.3	40.8	30.5	39.0	40.7	31.5	44.2
5th or Over	4.7	8.6	2.0	9.2	4.1	2.6	5.9	3.0
Prematurity, %								
Less than 37 weeks	10.4	13.7	10.2	16.8	10.4	9.4	9.8	10.1
Less than 2500 grams	6.6	6.0	0.0	7.6	5.6	6.3	7.0	5.3
Plurality:								
Single	68,422	110	49	125	758	5,247	263	422
Twin	2,384	6	0	6	16	167	4	10
Triplet	102	0	0	0	0	6	3	0
Mother's Age, %								
Under 18	2.0	1.7	2.0	3.1	2.5	1.3	2.2	1.4
18-19	4.8	6.0	2.0	4.6	7.5	3.6	4.8	5.3
40 and over	2.8	4.3	6.1	5.3	2.8	3.0	3.3	1.6
Mother's Education, %								
Less than 12 years	10.9	14.7	6.1	15.3	11.2	7.0	8.9	6.3
Over 3 years college	37.2	16.4	36.7	22.9	27.3	46.2	31.1	27.9
Prenatal Care Began, %								
3rd Trimester or none	2.3	1.7	0.0	3.1	2.0	1.6	1.1	0.9
Congenital Anomalies, %	1.1	0.0	0.0	3.1	1.0	1.0	1.9	0.9
Abnormal Conditions of Child, %	3.7	6.0	6.1	7.6	4.4	1.8	4.4	5.3

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minn- neapolis
Live Births	70,920	168	289	372	552	64	16,348	6,247
Fertility Rate	64.9	67.2	75.4	65.6	62.4	61.0	68.4	64.4
Crude Birth Rate	13.8	10.8	13.5	11.6	12.1	10.5	14.6	16.8
Sex: Male	36,339	92	145	182	275	39	8,311	3,139
Female	34,581	76	144	190	277	25	8,037	3,108
Births to Unmarried Mothers, %	29.7	31.0	23.2	40.9	29.9	21.9	32.2	43.6
Race of Mother:								
White	54,449	152	288	316	503	60	9,491	2,716
African American	5,870	0	0	2	7	0	3,224	1,787
American Indian	1,335	0	0	0	5	0	253	192
Asian/Pacific Islander	4,402	2	1	4	8	1	1,429	430
Other/Unknown	4,864	14	0	50	29	3	1,951	1,122
*Hispanic	5,483	17	0	57	31	4	1,953	1,135
Live Birth Order, %								
1st Birth	39.2	36.9	35.6	36.0	39.1	35.9	43.6	45.2
5th or Over	4.7	4.8	10.0	2.2	5.6	3.1	5.2	7.4
Prematurity, %								
Less than 37 weeks	10.4	8.2	7.3	9.2	13.4	1.6	10.7	11.1
Less than 2500 grams	6.6	7.2	5.2	6.2	7.4	3.1	7.5	8.3
Plurality:								
Single	68,422	164	281	357	532	64	15,683	6,037
Twin	2,384	4	8	12	20	0	631	207
Triplet	102	0	0	3	0	0	30	3
Mother's Age, %								
Under 18	2.0	2.4	1.4	4.6	1.5	1.6	2.2	3.4
18-19	4.8	6.6	4.2	8.6	5.8	6.3	4.3	6.1
40 and over	2.8	2.4	2.8	1.3	2.7	1.6	3.9	3.7
Mother's Education, %								
Less than 12 years	10.9	12.1	16.0	15.9	10.4	7.8	13.6	23.1
Over 3 years college	37.2	22.4	28.1	21.6	28.2	28.1	42.6	34.1
Prenatal Care Began, %								
3rd Trimester or none	2.3	1.8	7.6	1.9	3.7	3.1	3.0	4.5
Congenital Anomalies, %	1.1	0.6	1.4	0.3	1.3	1.6	0.7	0.9
Abnormal Conditions of Child, %	3.7	3.0	7.3	1.9	4.9	3.1	2.0	2.9

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
Live Births	70,920	225	226	473	450	112	168	574
Fertility Rate	64.9	59.5	66.3	54.0	56.0	56.9	49.8	74.2
Crude Birth Rate	13.8	11.3	12.0	12.6	10.1	10.0	10.4	13.9
Sex: Male	36,339	109	128	242	214	57	93	303
Female	34,581	116	98	231	236	55	75	271
Births to Unmarried Mothers, %	29.7	25.8	35.0	29.6	38.7	25.9	34.5	35.9
Race of Mother:								
White	54,449	223	215	456	399	104	165	548
African American	5,870	1	0	1	1	0	0	15
American Indian	1,335	1	9	1	44	1	1	2
Asian/Pacific Islander	4,402	0	1	11	2	5	2	4
Other/Unknown	4,864	0	1	4	4	2	0	5
*Hispanic	5,483	0	2	7	4	2	1	136
Live Birth Order, %								
1st Birth	39.2	36.4	37.2	37.2	33.3	34.8	39.9	34.2
5th or Over	4.7	3.6	5.8	5.1	4.9	6.3	1.8	4.5
Prematurity, %								
Less than 37 weeks	10.4	8.8	11.8	9.1	8.4	20.6	16.7	7.6
Less than 2500 grams	6.6	6.7	8.0	5.1	6.4	11.6	5.4	4.4
Plurality:								
Single	68,422	217	218	462	434	108	156	570
Twin	2,384	8	8	11	16	4	12	4
Triplet	102	0	0	0	0	0	0	0
Mother's Age, %								
Under 18	2.0	1.8	3.5	2.3	1.8	0.0	1.8	2.1
18-19	4.8	5.3	6.6	5.9	4.9	4.5	11.3	7.5
40 and over	2.8	2.2	3.1	3.4	1.3	1.8	2.4	1.9
Mother's Education, %								
Less than 12 years	10.9	4.9	13.8	8.5	11.3	7.1	13.2	21.8
Over 3 years college	37.2	33.0	27.1	22.1	25.5	33.0	21.0	23.0
Prenatal Care Began, %								
3rd Trimester or none	2.3	3.6	2.8	3.8	3.1	0.0	0.6	2.1
Congenital Anomalies, %	1.1	0.9	2.2	0.2	2.0	2.7	4.2	1.6
Abnormal Conditions of Child, %	3.7	7.1	6.2	2.1	5.3	8.9	5.4	5.2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Kittson	Kooch- iching	Lac Qui Parle	Lake	Lake of the Woods	Le Sueur	Lincoln
Live Births	70,920	38	122	69	112	43	365	74
Fertility Rate	64.9	52.8	51.8	59.1	56.0	56.2	64.9	74.4
Crude Birth Rate	13.8	7.9	8.8	9.1	10.0	9.7	13.3	12.2
Sex: Male	36,339	22	72	42	62	20	179	34
Female	34,581	16	50	27	50	23	186	40
Births to Unmarried Mothers, %	29.7	13.2	40.2	30.4	25.0	25.6	29.6	10.8
Race of Mother:								
White	54,449	38	120	65	111	41	313	71
African American	5,870	0	0	1	0	0	1	1
American Indian	1,335	0	1	1	1	0	2	1
Asian/Pacific Islander	4,402	0	0	1	0	0	1	1
Other/Unknown	4,864	0	1	1	0	2	48	0
*Hispanic	5,483	0	1	2	0	0	48	0
Live Birth Order, %								
1st Birth	39.2	36.8	31.2	40.6	36.6	32.6	34.5	18.9
5th or Over	4.7	2.6	7.4	5.8	5.4	2.3	6.3	6.8
Prematurity, %								
Less than 37 weeks	10.4	14.3	12.5	17.7	13.9	13.2	8.7	11.8
Less than 2500 grams	6.6	10.5	5.0	7.3	8.0	11.6	3.6	8.1
Plurality:								
Single	68,422	37	116	65	106	43	361	74
Twin	2,384	0	6	4	6	0	4	0
Triplet	102	1	0	0	0	0	0	0
Mother's Age, %								
Under 18	2.0	0.0	2.5	2.9	0.9	0.0	2.2	1.4
18-19	4.8	0.0	7.4	7.3	8.9	4.7	4.4	0.0
40 and over	2.8	2.6	1.6	2.9	1.8	2.3	2.7	0.0
Mother's Education, %								
Less than 12 years	10.9	5.3	8.4	15.9	8.0	14.0	13.2	5.4
Over 3 years college	37.2	39.5	26.9	26.1	24.1	27.9	28.6	48.7
Prenatal Care Began, %								
3rd Trimester or none	2.3	2.6	1.7	3.1	5.5	7.3	2.2	0.0
Congenital Anomalies, %	1.1	0.0	0.0	2.9	2.7	2.3	2.2	1.4
Abnormal Conditions of Child, %	3.7	2.6	6.6	11.6	7.1	16.3	3.0	2.7

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker	Mille Lacs
Live Births	70,920	320	509	97	92	244	336	405
Fertility Rate	64.9	61.5	68.2	109.5	54.3	70.6	77.0	74.5
Crude Birth Rate	13.8	13.1	13.9	19.0	9.2	11.6	14.4	15.8
Sex: Male	36,339	160	262	53	38	124	175	207
Female	34,581	160	247	44	54	120	161	198
Births to Unmarried Mothers, %	29.7	25.0	27.3	72.2	25.0	39.8	23.5	35.1
Race of Mother:								
White	54,449	265	451	36	78	229	310	367
African American	5,870	14	4	0	0	1	4	3
American Indian	1,335	0	0	58	1	0	2	32
Asian/Pacific Islander	4,402	15	9	1	0	2	1	0
Other/Unknown	4,864	26	45	2	13	12	19	3
*Hispanic	5,483	24	50	2	11	17	23	9
Live Birth Order, %								
1st Birth	39.2	35.9	36.5	34.0	23.9	39.3	29.2	38.8
5th or Over	4.7	4.7	3.7	5.2	6.5	3.7	8.6	3.7
Prematurity, %								
Less than 37 weeks	10.4	8.2	10.7	15.1	15.7	12.9	9.6	10.8
Less than 2500 grams	6.6	3.1	5.9	5.2	9.8	7.8	6.3	6.4
Plurality:								
Single	68,422	314	488	89	87	229	330	392
Twin	2,384	6	21	8	5	12	6	10
Triplet	102	0	0	0	0	3	0	3
Mother's Age, %								
Under 18	2.0	2.2	3.3	9.3	0.0	1.6	1.5	2.0
18-19	4.8	4.1	4.9	9.3	6.5	7.4	6.6	7.9
40 and over	2.8	3.1	1.6	0.0	3.3	2.5	3.9	0.5
Mother's Education, %								
Less than 12 years	10.9	10.6	12.5	24.7	13.0	13.1	9.6	13.8
Over 3 years college	37.2	41.8	22.0	12.4	21.7	23.0	24.8	16.5
Prenatal Care Began, %								
3rd Trimester or none	2.3	1.9	2.0	1.0	1.1	2.1	2.1	2.0
Congenital Anomalies, %	1.1	0.9	1.6	2.1	0.0	0.4	2.1	1.7
Abnormal Conditions of Child, %	3.7	6.3	3.7	6.2	4.4	4.1	4.8	5.7

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted
Live Births	70,920	443	538	95	372	314	91	2,179
Fertility Rate	64.9	69.1	77.4	67.2	52.0	89.1	78.4	74.8
Crude Birth Rate	13.8	13.5	13.9	10.7	12.1	15.3	13.0	16.1
Sex: Male	36,339	229	261	43	199	166	54	1,144
Female	34,581	214	277	52	173	148	37	1,035
Births to Unmarried Mothers, %	29.7	28.7	37.6	21.1	27.2	46.5	33.0	24.6
Race of Mother:								
White	54,449	432	408	90	329	160	81	1,849
African American	5,870	6	13	0	14	3	0	154
American Indian	1,335	0	3	0	0	0	5	2
Asian/Pacific Islander	4,402	4	15	1	8	16	0	130
Other/Unknown	4,864	1	99	4	21	135	5	44
*Hispanic	5,483	2	106	4	20	139	4	141
Live Birth Order, %								
1st Birth	39.2	33.0	33.8	45.3	40.3	30.9	35.2	40.5
5th or Over	4.7	5.6	4.3	2.1	4.0	5.7	5.5	4.4
Prematurity, %								
Less than 37 weeks	10.4	11.1	10.5	14.3	9.6	14.6	15.3	9.5
Less than 2500 grams	6.6	8.4	6.0	7.4	7.6	8.0	4.4	5.3
Plurality:								
Single	68,422	435	519	90	357	306	89	2,109
Twin	2,384	8	19	5	12	8	2	64
Triplet	102	0	0	0	3	0	0	6
Mother's Age, %								
Under 18	2.0	1.1	2.2	2.1	2.7	1.9	1.1	1.9
18-19	4.8	7.0	7.1	5.3	4.3	10.5	5.5	3.5
40 and over	2.8	2.3	0.9	1.1	1.9	0.6	2.2	2.0
Mother's Education, %								
Less than 12 years	10.9	8.2	23.5	5.3	9.2	39.6	10.0	8.8
Over 3 years college	37.2	22.2	22.9	35.8	37.9	13.1	27.8	44.9
Prenatal Care Began, %								
3rd Trimester or none	2.3	0.7	3.8	2.1	1.3	5.0	2.2	1.2
Congenital Anomalies, %	1.1	2.0	1.7	2.1	0.8	0.6	1.1	0.7
Abnormal Conditions of Child, %	3.7	8.8	5.4	3.2	3.5	4.5	6.6	5.9

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
Live Births	70,920	602	176	328	138	378	124
Fertility Rate	64.9	59.0	67.0	59.1	84.4	62.9	63.3
Crude Birth Rate	13.8	10.4	12.9	11.5	14.7	12.1	11.0
Sex: Male	36,339	297	84	191	68	210	62
Female	34,581	305	92	137	70	168	62
Births to Unmarried Mothers, %	29.7	30.1	28.4	39.6	31.9	37.3	21.8
Race of Mother:							
White	54,449	549	162	300	126	331	122
African American	5,870	15	1	3	0	1	1
American Indian	1,335	7	8	21	0	11	0
Asian/Pacific Islander	4,402	6	1	2	2	0	1
Other/Unknown	4,864	25	4	2	10	35	0
*Hispanic	5,483	24	5	2	7	36	0
Live Birth Order, %							
1st Birth	39.2	38.7	37.5	38.1	38.4	36.2	44.4
5th or Over	4.7	6.3	5.1	6.1	4.4	4.8	0.8
Prematurity, %							
Less than 37 weeks	10.4	8.9	10.2	13.0	10.3	13.9	10.7
Less than 2500 grams	6.6	6.0	8.5	7.0	9.4	6.4	2.4
Plurality:							
Single	68,422	588	170	318	130	378	120
Twin	2,384	14	6	10	8	0	4
Triplet	102	0	0	0	0	0	0
Mother's Age, %							
Under 18	2.0	1.0	0.6	2.4	4.4	3.7	0.0
18-19	4.8	7.3	4.0	6.7	5.8	6.4	3.2
40 and over	2.8	2.8	0.6	2.1	0.0	1.9	1.6
Mother's Education, %							
Less than 12 years	10.9	13.3	5.1	14.6	14.6	13.3	3.2
Over 3 years college	37.2	21.7	24.4	16.1	21.9	27.1	31.5
Prenatal Care Began, %							
3rd Trimester or none	2.3	2.8	0.6	3.8	3.6	2.9	0.8
Congenital Anomalies, %	1.1	0.8	1.7	0.6	3.6	1.6	1.6
Abnormal Conditions of Child, %	3.7	6.0	14.8	6.1	7.3	7.1	5.7

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock
Live Births	70,920	7,309	5,165	42	202	182	794	136
Fertility Rate	64.9	68.4	75.8	54.1	75.5	62.6	56.1	78.9
Crude Birth Rate	13.8	14.8	18.8	9.7	12.6	10.9	13.0	14.3
Sex: Male	36,339	3,714	2,650	19	110	96	420	72
Female	34,581	3,595	2,515	23	92	86	374	64
Births to Unmarried Mothers, %	29.7	39.7	44.8	23.8	28.7	33.0	30.7	16.2
Race of Mother:								
White	54,449	3,856	2,286	40	175	159	645	128
African American	5,870	1,307	1,127	0	0	1	21	0
American Indian	1,335	85	65	1	17	2	0	0
Asian/Pacific Islander	4,402	1,332	1,077	0	7	1	13	2
Other/Unknown	4,864	729	610	1	3	19	115	6
*Hispanic	5,483	829	706	1	3	34	120	7
Live Birth Order, %								
1st Birth	39.2	39.5	39.0	31.0	33.2	33.0	38.7	28.7
5th or Over	4.7	6.6	7.8	7.1	7.4	7.1	3.8	1.5
Prematurity, %								
Less than 37 weeks	10.4	10.3	9.9	4.9	10.3	9.5	10.8	14.2
Less than 2500 grams	6.6	7.6	7.6	2.4	5.0	6.0	6.2	8.1
Plurality:								
Single	68,422	7,076	5,024	42	194	182	768	132
Twin	2,384	223	140	0	7	0	26	4
Triplet	102	10	1	0	1	0	0	0
Mother's Age, %								
Under 18	2.0	3.2	3.9	0.0	3.0	1.7	1.5	0.7
18-19	4.8	6.1	7.1	2.4	4.0	7.1	5.9	1.5
40 and over	2.8	3.2	3.0	2.4	4.0	1.1	2.4	4.4
Mother's Education, %								
Less than 12 years	10.9	16.0	20.1	7.1	12.4	19.3	15.4	8.8
Over 3 years college	37.2	36.1	31.0	11.9	27.2	19.3	29.4	37.5
Prenatal Care Began, %								
3rd Trimester or none	2.3	3.0	3.7	7.1	2.0	1.7	2.7	0.0
Congenital Anomalies, %	1.1	1.1	1.1	2.4	1.5	2.2	1.1	1.5
Abnormal Conditions of Child, %	3.7	2.4	2.3	9.5	5.0	7.7	5.5	5.2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
Live Births	70,920	223	2,106	993	2,169	1,329	206	1,885
Fertility Rate	64.9	67.7	53.0	50.9	72.8	66.7	72.0	56.4
Crude Birth Rate	13.8	13.5	10.7	11.7	18.1	16.3	13.5	13.2
Sex: Male	36,339	114	1,057	486	1,062	688	118	925
Female	34,581	109	1,049	507	1,107	641	88	960
Births to Unmarried Mothers, %	29.7	26.5	41.5	42.0	16.1	20.2	24.8	26.2
Race of Mother:								
White	54,449	206	1,937	881	1,794	1,265	173	1,705
African American	5,870	0	35	29	49	18	1	69
American Indian	1,335	4	99	62	22	2	0	4
Asian/Pacific Islander	4,402	11	17	13	178	24	1	42
Other/Unknown	4,864	2	18	8	126	20	31	65
*Hispanic	5,483	2	24	14	114	28	37	99
Live Birth Order, %								
1st Birth	39.2	29.2	40.8	43.6	36.9	35.9	33.5	37.0
5th or Over	4.7	6.7	4.4	3.8	3.0	4.1	5.3	5.5
Prematurity, %								
Less than 37 weeks	10.4	7.7	11.7	11.6	10.4	10.7	11.4	10.3
Less than 2500 grams	6.6	7.6	5.7	5.7	6.8	6.9	7.8	6.4
Plurality:								
Single	68,422	211	2,060	979	2,067	1,276	196	1,846
Twin	2,384	12	46	14	96	53	10	39
Triplet	102	0	0	0	6	0	0	0
Mother's Age, %								
Under 18	2.0	0.9	2.5	2.6	0.7	0.9	3.4	1.8
18-19	4.8	5.4	6.1	5.9	2.4	3.5	6.3	3.8
40 and over	2.8	0.9	2.0	2.2	2.9	2.3	2.4	2.4
Mother's Education, %								
Less than 12 years	10.9	5.4	9.8	11.4	5.0	4.5	14.8	9.1
Over 3 years college	37.2	29.2	30.1	35.8	52.3	35.6	20.7	32.8
Prenatal Care Began, %								
3rd Trimester or none	2.3	0.9	2.3	1.9	1.4	0.6	0.0	1.3
Congenital Anomalies, %	1.1	2.2	1.4	0.9	0.6	1.1	0.5	1.5
Abnormal Conditions of Child, %	3.7	17.9	5.6	6.7	1.2	4.0	1.5	9.2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
Live Births	70,920	520	108	117	325	35	272	196
Fertility Rate	64.9	69.9	46.9	72.9	70.9	58.3	62.8	82.5
Crude Birth Rate	13.8	14.5	11.0	10.3	13.2	9.2	12.3	14.4
Sex: Male	36,339	262	55	66	184	20	131	93
Female	34,581	258	53	51	141	15	141	103
Births to Unmarried Mothers, %	29.7	31.2	19.4	35.9	29.5	28.6	28.3	32.1
Race of Mother:								
White	54,449	428	98	113	318	31	267	193
African American	5,870	26	5	0	0	0	1	2
American Indian	1,335	1	2	0	3	3	0	0
Asian/Pacific Islander	4,402	10	2	1	2	0	0	0
Other/Unknown	4,864	55	1	3	2	1	4	1
*Hispanic	5,483	54	3	8	33	1	12	1
Live Birth Order, %								
1st Birth	39.2	38.9	41.7	33.3	34.2	34.3	38.6	31.6
5th or Over	4.7	3.7	6.5	1.7	9.5	2.9	2.2	10.2
Prematurity, %								
Less than 37 weeks	10.4	8.7	9.5	9.8	11.6	23.5	13.5	9.7
Less than 2500 grams	6.6	4.4	5.6	6.8	5.9	5.7	11.0	5.6
Plurality:								
Single	68,422	504	108	111	310	33	251	184
Twin	2,384	16	0	6	15	2	18	12
Triplet	102	0	0	0	0	0	3	0
Mother's Age, %								
Under 18	2.0	2.1	1.9	2.6	1.9	0.0	0.7	3.1
18-19	4.8	6.5	1.9	6.0	9.5	2.9	5.2	6.6
40 and over	2.8	0.8	1.9	3.4	3.4	2.9	2.2	3.1
Mother's Education, %								
Less than 12 years	10.9	11.6	5.6	6.0	19.5	2.9	6.3	9.2
Over 3 years college	37.2	27.0	43.5	23.3	16.7	34.3	30.3	16.4
Prenatal Care Began, %								
3rd Trimester or none	2.3	2.8	0.9	1.7	4.5	5.9	1.9	4.2
Congenital Anomalies, %	1.1	2.3	2.8	3.4	1.2	0.0	1.1	1.5
Abnormal Conditions of Child, %	3.7	6.9	1.9	11.1	6.5	5.7	7.4	5.6

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State Total	Waseca	Wash- ington	Watonswan	Wilkin	Winona	Wright	Yellow Medicine
Live Births	70,920	260	2,870	146	64	552	2,023	128
Fertility Rate	64.9	74.4	60.5	76.2	51.2	45.9	77.7	74.0
Crude Birth Rate	13.8	13.5	13.0	13.0	9.4	11.2	18.3	12.3
Sex: Male	36,339	125	1,448	72	39	275	1,091	65
Female	34,581	135	1,422	74	25	277	932	63
Births to Unmarried Mothers, %	29.7	35.4	19.6	40.4	21.9	27.5	17.1	25.0
Race of Mother:								
White	54,449	237	2,383	96	59	517	1,920	110
African American	5,870	5	125	0	0	1	12	1
American Indian	1,335	0	16	1	3	1	6	6
Asian/Pacific Islander	4,402	0	251	2	0	13	39	2
Other/Unknown	4,864	18	95	47	2	20	46	9
*Hispanic	5,483	17	103	57	4	27	55	10
Live Birth Order, %								
1st Birth	39.2	39.2	37.1	38.4	31.3	37.7	33.7	27.3
5th or Over	4.7	3.5	3.1	5.5	1.6	3.1	5.1	7.0
Prematurity, %								
Less than 37 weeks	10.4	6.9	9.7	13.9	10.2	8.2	9.0	12.8
Less than 2500 grams	6.6	3.9	5.6	4.1	1.6	4.0	5.2	5.5
Plurality:								
Single	68,422	254	2,766	144	64	548	1,959	124
Twin	2,384	6	101	2	0	4	58	4
Triplet	102	0	3	0	0	0	6	0
Mother's Age, %								
Under 18	2.0	1.9	0.9	3.4	0.0	2.5	0.7	1.6
18-19	4.8	6.5	3.5	11.0	3.1	4.2	3.3	4.7
40 and over	2.8	0.8	3.3	2.1	1.6	1.5	2.2	0.8
Mother's Education, %								
Less than 12 years	10.9	9.7	4.7	26.0	7.8	7.1	4.8	9.5
Over 3 years college	37.2	29.3	52.7	14.4	29.7	46.3	40.0	21.3
Prenatal Care Began, %								
3rd Trimester or none	2.3	1.2	0.8	2.1	0.0	2.4	0.7	2.4
Congenital Anomalies, %	1.1	1.9	1.5	1.4	3.1	0.7	1.2	2.3
Abnormal Conditions of Child, %	3.7	4.6	3.9	3.4	4.7	5.1	3.8	9.4

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 3
LIVE BIRTHS BY COUNTY OF RESIDENCE AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2005

County	Total	Age of Mother									Unknown Age
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	
Total	70,920	59	1,365	3,415	15,025	21,642	18,342	9,078	1,883	108	3
Aitkin	145	0	1	9	55	35	25	16	4	0	0
Anoka	4,363	1	57	168	805	1,439	1,254	534	103	2	0
Becker	406	1	12	21	132	127	76	27	10	0	0
Beltrami	656	2	34	78	191	208	94	39	10	0	0
Benton	599	0	10	35	172	210	119	43	9	1	0
Big Stone	59	0	3	4	18	16	10	6	2	0	0
Blue Earth	745	0	12	36	162	262	193	60	18	2	0
Brown	286	0	2	23	67	94	61	30	9	0	0
Carlton	421	1	9	25	101	126	114	39	6	0	0
Carver	1,237	0	12	28	152	367	411	228	38	1	0
Cass	405	1	26	36	117	116	71	28	10	0	0
Chippewa	144	0	2	8	36	57	28	11	2	0	0
Chisago	718	0	16	22	130	242	214	79	15	0	0
Clay	715	0	17	30	150	254	180	70	12	2	0
Clearwater	116	0	2	7	41	36	20	5	4	1	0
Cook	49	0	1	1	9	13	16	6	3	0	0
Cottonwood	131	0	4	6	41	26	25	22	7	0	0
Crow Wing	774	1	18	58	235	234	139	67	21	1	0
Dakota	5,424	5	67	195	909	1,724	1,607	757	153	7	0
Dodge	270	0	6	13	54	103	63	22	8	1	0
Douglas	432	1	5	23	119	138	103	36	6	1	0
Faribault	168	0	4	11	50	53	37	9	2	2	0
Fillmore	289	1	3	12	75	101	56	33	7	1	0
Freeborn	372	1	16	32	104	117	65	32	5	0	0
Goodhue	552	1	7	32	141	179	118	59	14	1	0
Grant	64	0	1	4	13	24	18	3	0	1	0
Hennepin	16,348	17	342	704	3,046	4,363	4,588	2,656	591	40	1
Houston	225	0	4	12	50	62	66	26	5	0	0
Hubbard	226	0	8	15	60	75	41	20	6	1	0
Isanti	473	0	11	28	130	155	91	42	15	1	0
Itasca	450	1	7	22	149	139	103	23	5	1	0
Jackson	112	0	0	5	31	33	28	13	2	0	0
Kanabec	168	0	3	19	59	39	36	8	4	0	0
Kandiyohi	574	0	12	43	160	192	119	37	10	1	0
Kittson	38	0	0	0	18	12	6	1	1	0	0
Koochiching	122	0	3	9	31	41	23	13	2	0	0
Lac Qui Parle	69	0	2	5	23	22	12	3	2	0	0
Lake	112	0	1	10	30	29	28	12	2	0	0
Lake of the Woods	43	0	0	2	13	17	6	4	1	0	0
Le Sueur	365	0	8	16	82	114	93	42	10	0	0
Lincoln	74	0	1	0	10	27	26	10	0	0	0
Lyon	320	1	6	13	76	118	64	32	10	0	0
McLeod	509	2	15	25	136	160	128	35	8	0	0
Mahnomen	97	1	8	9	40	24	12	3	0	0	0
Marshall	92	0	0	6	18	31	25	9	3	0	0

Live Births - Table 3
LIVE BIRTHS BY COUNTY OF RESIDENCE AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2005

County	Total	Age of Mother									Unknown Age
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	
Martin	244	0	4	18	73	75	51	16	5	1	1
Meeker	336	0	5	22	85	119	68	24	12	1	0
Mille Lacs	405	0	8	32	132	117	84	30	2	0	0
Morrison	443	0	5	31	122	152	92	31	10	0	0
Mower	538	0	12	38	136	171	109	67	4	1	0
Murray	95	0	2	5	21	31	24	11	1	0	0
Nicollet	372	0	10	16	94	119	85	41	6	1	0
Nobles	314	1	5	33	101	96	53	23	2	0	0
Norman	91	0	1	5	26	22	22	12	2	0	1
Olmsted	2,179	0	41	76	397	742	610	269	40	4	0
Otter Tail	602	0	6	44	185	183	118	49	17	0	0
Pennington	176	0	1	7	54	61	32	20	1	0	0
Pine	328	0	8	22	117	94	43	37	7	0	0
Pipestone	138	0	6	8	44	32	40	8	0	0	0
Polk	378	1	13	24	121	116	71	25	7	0	0
Pope	124	0	0	4	30	52	26	10	2	0	0
Ramsey	7,309	8	229	443	1,741	1,948	1,709	999	219	13	0
Red Lake	42	0	0	1	11	18	9	2	1	0	0
Redwood	202	0	6	8	53	57	53	17	7	1	0
Renville	182	0	3	13	42	68	37	17	2	0	0
Rice	794	1	11	47	176	268	187	85	18	1	0
Rock	136	0	1	2	29	50	36	12	6	0	0
Roseau	223	0	2	12	60	81	44	22	2	0	0
St. Louis	2,106	1	51	129	531	647	492	214	38	3	0
Scott	2,169	3	13	52	257	692	722	368	57	5	0
Sherburne	1,329	0	12	46	226	493	358	164	28	2	0
Sibley	206	1	6	13	51	59	46	25	5	0	0
Stearns	1,885	1	33	71	435	670	438	192	44	1	0
Steele	520	0	11	34	125	166	137	43	4	0	0
Stevens	108	0	2	2	33	41	19	9	2	0	0
Swift	117	1	2	7	30	40	23	10	4	0	0
Todd	325	0	6	31	89	106	57	25	10	1	0
Traverse	35	0	0	1	7	12	9	5	1	0	0
Wabasha	272	0	2	14	64	87	67	32	6	0	0
Wadena	196	0	6	13	63	53	41	14	6	0	0
Waseca	260	0	5	17	64	102	46	24	2	0	0
Washington	2,870	3	24	101	366	829	924	528	92	3	0
Watonwan	146	0	5	16	50	38	25	9	3	0	0
Wilkin	64	0	0	2	22	20	11	8	1	0	0
Winona	552	0	14	23	129	194	124	60	8	0	0
Wright	2,023	0	14	66	361	724	554	259	43	2	0
Yellow Medicine	128	0	2	6	30	43	34	12	1	0	0
Unknown	1	0	0	0	1	0	0	0	0	0	0

Live Births - Table 4
LIVE BIRTHS BY BIRTH WEIGHT GROUP
BY LIVE BIRTH ORDER AND BY SEX
MINNESOTA RESIDENTS, 2005

Live Birth Order	Total Live Births	Weight in Grams									Weight Not Stated
		999 or Less	1000 to 1499	1500 to 1999	2000 to 2499	2500 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 and Over	
First	27,780	210	180	397	1,177	4,381	10,666	8,219	2,202	342	6
Second	23,123	121	152	270	841	3,057	8,462	7,455	2,314	445	6
Third	11,719	62	56	151	454	1,565	4,186	3,818	1,209	217	1
Fourth	4,669	24	26	77	191	668	1,643	1,439	488	110	3
Fifth	1,730	12	13	38	78	270	599	500	169	50	1
Sixth	741	2	6	10	52	94	239	233	90	14	1
Seventh	364	2	3	6	13	65	106	128	31	10	0
Eighth or Over	516	4	5	10	20	54	149	185	69	19	1
Not Stated	278	6	1	4	12	51	95	75	28	4	2
TOTAL*	70,920	443	442	963	2,838	10,205	26,145	22,052	6,600	1,211	21
Male	36,339	224	220	465	1,330	4,476	12,460	12,171	4,142	838	13
Female	34,581	219	222	498	1,508	5,729	13,685	9,881	2,458	373	8

*Total may include infants of unknown sex.

Live Births - Table 5
LIVE BIRTHS BY LIVE BIRTH ORDER AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2005

Live Birth Order	Total Births	Age of Mother								Age Not Stated
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45 and Over Years	
First	27,780	59	3,927	7,770	8,567	5,126	1,943	367	20	1
Second	23,123	0	698	4,791	7,349	6,803	2,996	472	13	1
Third	11,719	0	115	1,773	3,528	3,770	2,137	378	18	0
Fourth	4,669	0	21	502	1,367	1,475	1,061	235	8	0
Fifth	1,730	0	2	105	478	597	401	136	10	1
Sixth	741	0	0	27	171	243	212	82	6	0
Seventh	364	0	0	6	67	122	111	52	6	0
Eighth or Over	516	0	0	3	28	135	181	146	23	0
Not Stated	278	0	17	48	87	71	36	15	4	0
TOTAL	70,920	59	4,780	15,025	21,642	18,342	9,078	1,883	108	3

Live Births - Table 6
 PRENATAL CARE AND RACE BY AGE OF MOTHER AND BY MARITAL STATUS
 MINNESOTA RESIDENTS, 2005

	Total	Age of Mother							45 and Over	Unknown
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44		
Births to Married Mothers										
	49,850	0	572	6,478	16,752	16,215	8,124	1,624	83	2
Prenatal Care Began										
1st Trimester	43,396	0	366	5,287	14,726	14,442	7,172	1,336	65	2
2nd Trimester	3,947	0	135	788	1,249	1,026	549	190	10	0
3rd Trimester	548	0	26	116	173	141	67	24	1	0
No Care	48	0	2	10	14	10	5	7	0	0
Unknown	1,924	0	43	280	596	599	332	67	7	0
Race of Mother										
White	41,606	0	291	4,890	14,233	13,800	6,946	1,390	55	1
African American	2,383	0	37	386	724	726	398	93	18	1
American Indian	232	0	16	55	83	40	33	5	0	0
Asian/Pacific Islander	3,190	0	104	538	925	1,066	463	89	5	0
Other/Unknown	2,426	0	124	606	781	580	283	47	5	0
*Hispanic	2,696	0	143	671	877	649	306	49	1	0
Births to Unmarried Mothers										
	21,070	59	4,208	8,547	4,890	2,127	954	259	25	1
Prenatal Care Began										
1st Trimester	14,748	19	2,726	6,136	3,506	1,519	647	182	12	1
2nd Trimester	3,820	21	926	1,479	834	335	174	43	8	0
3rd Trimester	791	9	216	280	148	84	42	12	0	0
No Care	145	1	27	64	26	16	9	2	0	0
Unknown	1,582	9	317	592	383	174	82	20	5	0
Race of Mother										
White	12,843	12	2,480	5,461	2,909	1,193	603	172	12	1
African American	3,487	18	692	1,305	832	425	160	47	8	0
American Indian	1,103	9	305	403	247	90	42	7	0	0
Asian/Pacific Islander	1,212	3	276	513	238	113	49	16	4	0
Other/Unknown	2,409	17	451	861	657	305	100	17	1	0
*Hispanic	2,787	17	554	1,026	746	312	113	18	1	0
Fetal Deaths to Married Mothers										
	202	0	3	20	66	71	30	9	3	0
Race of Mother										
White	157	0	1	15	53	56	25	6	1	0
African American	4	0	0	0	1	3	0	0	0	0
American Indian	2	0	0	1	1	0	0	0	0	0
Asian/Pacific Islander	12	0	2	1	3	2	2	1	1	0
Other/Unknown	27	0	0	3	8	10	3	2	1	0
*Hispanic	12	0	1	3	3	4	1	0	0	0
Fetal Deaths to Unmarried Mothers										
	127	3	32	43	23	10	12	4	0	0
Race of Mother										
White	67	2	14	29	10	6	5	1	0	0
African American	2	0	1	0	1	0	0	0	0	0
American Indian	10	0	6	1	1	0	1	1	0	0
Asian/Pacific Islander	4	0	2	1	1	0	0	0	0	0
Other/Unknown	44	1	9	12	10	4	6	2	0	0
*Hispanic	16	0	0	7	3	2	3	1	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Fertility Table 1
Total Reported Pregnancies by Outcome and Rate
Minnesota Residents, 1980 - 2005

Year	Total Reported Pregnancies*	Live Births	Induced Abortions	Fetal Deaths	Female Population Ages 15-44	Pregnancy Rate**
1980	84,782	67,843	16,490	449	958,773	88.4
1981	84,934	68,652	15,821	461	967,087	87.8
1982	84,500	68,512	15,559	429	977,905	86.4
1983	80,530	65,559	14,514	457	981,287	82.1
1984	82,736	66,715	15,556	465	985,608	83.9
1985	83,853	67,412	16,002	439	994,249	84.3
1986	81,882	65,766	15,716	400	997,501	82.1
1987	81,318	65,168	15,746	404	1,004,801	80.9
1988	83,335	66,745	16,124	466	1,020,209	81.7
1989	83,426	67,490	15,506	430	1,024,576	81.4
1990	83,714	67,985	15,280	449	1,025,919	81.6
1991	81,904	67,037	14,441	426	1,036,146	79.0
1992	79,844	65,591	13,846	407	1,049,175	76.1
1993	77,939	64,646	12,955	338	1,060,396	73.5
1994	78,344	64,277	13,702	365	1,073,649	73.0
1995	76,338	63,259	12,715	364	1,053,136	72.5
1996	76,909	63,681	12,876	352	1,066,220	72.1
1997	77,850	64,491	12,997	362	1,050,544	74.1
1998	78,646	65,207	13,050	389	1,054,458	74.6
1999	79,374	65,953	13,037	384	1,054,543	75.3
2000	81,039	67,451	13,200	388	1,082,642	74.9
2001	80,407	66,617	13,448	342	1,093,734	73.5
2002	81,284	68,037	12,902	345	1,096,832	74.1
2003	83,300	70,053	12,918	329	1,093,415	76.2
2004	83,719	70,614	12,755	350	1,095,018	76.5
2005	83,552	70,920	12,303	329	1,092,604	76.5

*Includes Live Births, Fetal Deaths of 20 weeks or more gestation, and Induced Abortions.
Fetal Deaths of less than 20 weeks are not reported to the Minnesota Department of Health.

**Number of pregnancies per 1,000 women ages 15 - 44 years.

Fertility Table 2
Pregnancy Outcomes and Pregnancy Rates by Age of Woman
Minnesota Residents, 1990, 1995, 2000, and 2005

Year/ Event	Minnesota Residents, 1990, 1995, 2000, and 2005										
	Total	<15	15-19	20-24	Age of Woman		25-29	30-34	35-39	40+	Unkwn
1990											
Live Births	67,985	94	5,336	14,622	24,243	17,270	5,587	829	4		
Fetal Deaths	449	1	40	96	117	104	51	12	28		
Induced Abortions	15,280	64	3,260	5,210	3,409	1,931	1,020	260	126		
Reported Pregnancies ¹	83,714	159	8,636	19,928	27,769	19,305	6,658	1,101	158		
Age Specific Pregnancy Rate ²	81.6	***	59.0	125.5	145.2	97.2	37.2	7.2	***		
1995											
Live Births	63,259	84	5,212	12,409	19,164	18,046	7,109	1,222	13		
Fetal Deaths	364	1	30	74	106	83	38	17	15		
Induced Abortions	12,715	69	2,204	4,015	3,003	1,864	1,128	326	106		
Reported Pregnancies ¹	76,338	154	7,446	16,498	22,273	19,993	8,275	1,565	134		
Age Specific Pregnancy Rate ²	72.5	***	47.3	109.6	137.7	98.2	41.3	8.7	***		
2000											
Live Births	67,451	87	5,396	13,667	19,154	18,925	8,531	1,686	5		
Fetal Deaths	388	1	36	72	110	86	62	18	3		
Induced Abortions	13,200	62	2,143	4,346	2,997	1,983	1,171	476	22		
Reported Pregnancies ¹	81,039	150	7,575	18,085	22,261	20,994	9,764	2,180	30		
Age Specific Pregnancy Rate ²	74.9	***	41.4	114.4	141.2	120.1	47.7	10.7	***		
2005											
Live Births	70,920	59	4,780	15,025	21,642	18,342	9,078	1,991	3		
Fetal Deaths	329	3	35	63	89	81	42	16	0		
Induced Abortions	12,303	47	1,807	4,216	2,937	1,765	1,144	387	0		
Reported Pregnancies ¹	83,552	109	6,622	19,304	24,668	20,188	10,264	2,394	3		
Age Specific Pregnancy Rate ²	76.5	***	36.1	103.0	146.8	120.7	56.7	11.7	***		

¹ Includes live births, fetal deaths of 20 week or more gestation, and induced abortions

² Pregnancies within a specific age group per 1,000 female population of that same age group. Total rate is calculated per 1,000 female population age 15-44.

***Appropriate age-specific female population is not available for use in rate calculations.

Infant Mortality and Fetal Deaths - Table 1
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY CAUSE
 MINNESOTA RESIDENTS, 2005

Cause of Death	Infant Deaths	Neonatal Deaths				Post-Neonatal
		Total	Under 1 Day	1-6 Days	7-27 Days	
Total - All Causes	363	232	134	54	44	131
Infective and Parasitic Diseases	5	1	0	0	1	4
Septicemia	3	0	0	0	0	3
Neoplasms	2	0	0	0	0	2
Malignant Neoplasms	2	0	0	0	0	2
Diseases of the Blood and Blood-Forming Organs and Immune Mechanisms	3	3	0	2	1	0
Endocrine, Nutritional and Metabolic Diseases	1	0	0	0	0	1
Diseases of the Nervous System	4	0	0	0	0	4
Diseases of the Ear and Mastoid Process	0	0	0	0	0	0
Diseases of the Circulatory System	4	0	0	0	0	4
Diseases of the Respiratory System	5	1	0	1	0	4
Pneumonia and Influenza	1	0	0	0	0	1
Diseases of the Digestive System	8	0	0	0	0	8
Diseases of the Genitourinary System	0	0	0	0	0	0
Certain Conditions Originating in the Perinatal Period	158	149	94	29	26	9
Maternal Conditions and Complications	41	40	36	1	3	1
Short Gestation and Low Birthweight	52	51	43	6	2	1
Birth Trauma	0	0	0	0	0	0
Intrauterine Hypoxia & Birth Asphyxia	10	10	1	5	4	0
Respiratory Distress of Newborn	10	8	4	4	0	2
Bacterial Sepsis of Newborn	6	6	2	1	3	0
Omphalitis of Newborn	0	0	0	0	0	0
Fetal & Neonatal Hemorrhage	14	14	2	6	6	0
Congenital Anomalies	105	74	40	22	12	31
Hydrocephalus & Spina Bifida	0	0	0	0	0	0
Of Heart	29	10	3	3	4	19
Chromosomal Anomalies	21	16	6	8	2	5
Symptoms, Signs, and Abnormal Clinical Findings	45	4	0	0	4	41
Sudden Infant Death Syndrome	44	4	0	0	4	40
All Other Diseases	0	0	0	0	0	0
External Causes	23	0	0	0	0	23
Transport Accidents	1	0	0	0	0	1
Accidental Drowning & Submersion	1	0	0	0	0	1
Other Accidental Threats to Breathing	16	0	0	0	0	16
Assault	2	0	0	0	0	2

Infant Mortality and Fetal Deaths - Table 2
FETAL DEATHS OF 20 WEEKS AND OVER BY CAUSE AND WEIGHT
MINNESOTA RESIDENTS, 2005

Cause of Death	Total Fetal Deaths	Weight In Grams									Weight Not Stated
		999 or Less	1,000 to 1,499	1,500 to 1,999	2,000 to 2,499	2,500 to 2,999	3,000 to 3,499	3,500 to 3,999	4,000 to 4,499	4,500 and Over	
Total - All Causes	329	168	30	17	32	28	27	9	7	2	9
Congenital Anomalies	39	28	4	3	4	0	0	0	0	0	0
Anencephalus and Similar Anomalies	8	5	2	0	1	0	0	0	0	0	0
Congenital Hydrocephalus	0	0	0	0	0	0	0	0	0	0	0
Maternal Conditions Unrelated to Pregnancy	15	7	1	1	1	1	2	0	0	0	2
Maternal Conditions Related to Pregnancy	21	19	0	1	0	0	0	0	0	0	1
Complications of Placenta, Cord, or Membranes	74	36	7	5	8	6	5	3	2	0	2
Complications of Labor and Delivery	2	1	0	0	0	0	0	0	1	0	0
Slow Fetal Growth and Fetal Malnutrition	2	2	0	0	0	0	0	0	0	0	0
Short Gestation and Low Birthweight	11	11	0	0	0	0	0	0	0	0	0
Intrauterine Hypoxia and Birth Asphyxia	3	0	0	0	0	1	0	2	0	0	0
Infections Specific to the Perinatal Period	0	0	0	0	0	0	0	0	0	0	0
Hemolytic Disease of Fetus & Fetal Hemorrhage	2	0	0	0	0	0	2	0	0	0	0
Syndrome of Infant of a Diabetic Mother	1	0	0	0	0	0	1	0	0	0	0
Other Diseases or Conditions Specific to the Perinatal Period	7	5	2	0	0	0	0	0	0	0	0
Fetal Death of Unspecified Cause	145	52	16	7	19	20	17	4	4	2	4
Other Diseases Not Specific to Perinatal Period	7	7	0	0	0	0	0	0	0	0	0
External Causes of Mortality	0	0	0	0	0	0	0	0	0	0	0

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State Total	Aitkin	Anoka	Becker	Beltrami	Benton	Big Stone	Blue Earth
Infant Deaths (Race of Child)								
Total	363	1	25	3	5	9	0	0
White	253	1	19	3	2	8	0	0
African American	72	0	4	0	0	1	0	0
American Indian	9	0	0	0	3	0	0	0
Asian/Pacific Islander	19	0	2	0	0	0	0	0
Other/Unknown	10	0	0	0	0	0	0	0
*Hispanic	32	0	2	0	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	232	1	16	2	2	7	0	0
White	159	1	12	2	2	7	0	0
African American	51	0	4	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	20	0	1	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	134	0	10	0	1	5	0	0
White	86	0	8	0	1	5	0	0
African American	35	0	2	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	0	1	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	1	4	1	1	2	0	0
White	41	1	3	1	1	2	0	0
African American	7	0	1	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	0	2	1	0	0	0	0
White	32	0	1	1	0	0	0	0
African American	9	0	1	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	0	16	5	0	4	1	4
White	224	0	14	4	0	3	1	3
African American	44	0	0	0	0	0	0	0
American Indian	12	0	0	1	0	0	0	0
Asian/Pacific Islander	16	0	1	0	0	0	0	1
Other/Unknown	33	0	1	0	0	1	0	0
*Hispanic	28	0	1	0	0	1	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2005

	State Total	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay
Infant Deaths (Race of Child)								
Total	363	2	2	4	2	0	0	8
White	253	2	2	2	1	0	0	7
African American	72	0	0	1	0	0	0	0
American Indian	9	0	0	0	1	0	0	1
Asian/Pacific Islander	19	0	0	0	0	0	0	0
Other/Unknown	10	0	0	1	0	0	0	0
*Hispanic	32	0	0	1	0	0	0	1
Neonatal Deaths (Race of Child)								
Total	232	2	0	1	1	0	0	4
White	159	2	0	0	1	0	0	4
African American	51	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0	0
Other/Unknown	0	0	1	0	0	0	0	0
*Hispanic	20	0	0	1	0	0	0	0
First Day Deaths (Race of Child)								
Total	134	1	0	0	1	0	0	4
White	86	1	0	0	1	0	0	4
African American	35	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	1	0	1	0	0	0	0
White	41	1	0	0	0	0	0	0
African American	7	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	1	0	0	0	0
*Hispanic	6	0	0	1	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	0	0	0	0	0	0	0
White	32	0	0	0	0	0	0	0
African American	9	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	3	3	11	2	0	4	0
White	224	3	2	9	0	0	4	0
African American	44	0	0	1	0	0	0	0
American Indian	12	0	1	0	2	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	33	0	0	1	0	0	0	0
*Hispanic	28	0	0	0	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State Total	Clear- water	Cook	Cotton- wood	Crow Wing	Dakota	Dodge	Douglas
Infant Deaths (Race of Child)								
Total	363	0	0	2	6	30	6	2
White	253	0	0	2	6	16	6	1
African American	72	0	0	0	0	12	0	0
American Indian	9	0	0	0	0	0	0	0
Asian/Pacific Islander	19	0	0	0	0	1	0	1
Other/Unknown	10	0	0	0	0	1	0	0
*Hispanic	32	0	0	0	0	4	0	0
Neonatal Deaths (Race of Child)								
Total	232	0	0	2	3	22	5	2
White	159	0	0	2	3	11	5	1
African American	51	0	0	0	0	9	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	1	0	1
Other/Unknown	0	0	0	0	1	0	0	
*Hispanic	20	0	0	0	0	3	0	0
First Day Deaths (Race of Child)								
Total	134	0	0	2	3	13	2	2
White	86	0	0	2	3	4	2	1
African American	35	0	0	0	0	8	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	1
Other/Unknown	6	0	0	0	0	1	0	0
*Hispanic	13	0	0	0	0	2	0	0
1-6 Day Deaths (Race of Child)								
Total	54	0	0	0	0	8	0	0
White	41	0	0	0	0	6	0	0
African American	7	0	0	0	0	1	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	1	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	1	0	0
7-27 Day Deaths (Race of Child)								
Total	44	0	0	0	0	1	3	0
White	32	0	0	0	0	1	3	0
African American	9	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	2	0	0	2	28	0	2
White	224	1	0	0	2	20	0	2
African American	44	0	0	0	0	1	0	0
American Indian	12	1	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	2	0	0
Other/Unknown	33	0	0	0	0	5	0	0
*Hispanic	28	0	0	0	0	4	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minn- neapolis
Infant Deaths (Race of Child)								
Total	363	0	3	1	3	0	82	36
White	253	0	3	1	3	0	45	12
African American	72	0	0	0	0	0	24	16
American Indian	9	0	0	0	0	0	2	2
Asian/Pacific Islander	19	0	0	0	0	0	6	3
Other/Unknown	10	0	0	0	0	0	5	3
*Hispanic	32	0	0	1	0	0	9	3
Neonatal Deaths (Race of Child)								
Total	232	0	2	0	2	0	57	24
White	159	0	2	0	2	0	27	5
African American	51	0	0	0	0	0	19	13
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	6	3
Other/Unknown	0	0	0	0	0	5	3	
*Hispanic	20	0	0	0	0	0	7	3
First Day Deaths (Race of Child)								
Total	134	0	1	0	2	0	32	15
White	86	0	1	0	2	0	11	2
African American	35	0	0	0	0	0	15	10
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	2	1
Other/Unknown	6	0	0	0	0	0	4	2
*Hispanic	13	0	0	0	0	0	4	2
1-6 Day Deaths (Race of Child)								
Total	54	0	1	0	0	0	10	3
White	41	0	1	0	0	0	6	1
African American	7	0	0	0	0	0	2	1
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	2	1
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	2	0
7-27 Day Deaths (Race of Child)								
Total	44	0	0	0	0	0	15	6
White	32	0	0	0	0	0	10	2
African American	9	0	0	0	0	0	2	2
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	2	1
Other/Unknown	1	0	0	0	0	0	1	1
*Hispanic	1	0	0	0	0	0	1	1
Fetal Deaths (Race of Mother)								
Total	329	0	2	2	1	0	92	34
White	224	0	2	2	1	0	40	10
African American	44	0	0	0	0	0	31	12
American Indian	12	0	0	0	0	0	1	1
Asian/Pacific Islander	16	0	0	0	0	0	6	4
Other/Unknown	33	0	0	0	0	0	14	7
*Hispanic	28	0	0	0	0	0	10	6

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State							
	Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
Infant Deaths (Race of Child)								
Total	363	0	1	0	1	1	3	1
White	253	0	1	0	1	1	3	1
African American	72	0	0	0	0	0	0	0
American Indian	9	0	0	0	0	0	0	0
Asian/Pacific Islander	19	0	0	0	0	0	0	0
Other/Unknown	10	0	0	0	0	0	0	0
*Hispanic	32	0	0	0	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	232	0	0	0	1	1	1	0
White	159	0	0	0	1	1	1	0
African American	51	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	20	0	0	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	134	0	0	0	0	1	0	0
White	86	0	0	0	0	1	0	0
African American	35	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	0	0	0	1	0	1	0
White	41	0	0	0	1	0	1	0
African American	7	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	0	0	0	0	0	0	0
White	32	0	0	0	0	0	0	0
African American	9	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	0	0	1	1	0	3	2
White	224	0	0	1	0	0	3	2
African American	44	0	0	0	0	0	0	0
American Indian	12	0	0	0	1	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	33	0	0	0	0	0	0	0
*Hispanic	28	0	0	0	0	0	0	2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2005

	State Total	Kittson	Kooch iching	Lac Qui Parle	Lake of the Lake	Woods	Le Sueur	Lincoln
Infant Deaths (Race of Child)								
Total	363	0	1	0	1	0	0	1
White	253	0	1	0	1	0	0	1
African American	72	0	0	0	0	0	0	0
American Indian	9	0	0	0	0	0	0	0
Asian/Pacific Islander	19	0	0	0	0	0	0	0
Other/Unknown	10	0	0	0	0	0	0	0
*Hispanic	32	0	0	0	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	232	0	1	0	1	0	0	1
White	159	0	1	0	1	0	0	1
African American	51	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	20	0	0	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	134	0	1	0	1	0	0	1
White	86	0	1	0	1	0	0	1
African American	35	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	0	0	0	0	0	0	0
White	41	0	0	0	0	0	0	0
African American	7	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	0	0	0	0	0	0	0
White	32	0	0	0	0	0	0	0
African American	9	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	0	1	0	2	0	1	0
White	224	0	1	0	2	0	1	0
African American	44	0	0	0	0	0	0	0
American Indian	12	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	33	0	0	0	0	0	0	0
*Hispanic	28	0	0	0	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker	Mille Lacs
Infant Deaths (Race of Child)								
Total	363	1	1	0	1	2	0	2
White	253	1	1	0	0	1	0	2
African American	72	0	0	0	0	0	0	0
American Indian	9	0	0	0	0	0	0	0
Asian/Pacific Islander	19	0	0	0	0	0	0	0
Other/Unknown	10	0	0	0	1	1	0	0
*Hispanic	32	0	0	0	1	1	0	0
Neonatal Deaths (Race of Child)								
Total	232	0	0	0	0	2	0	2
White	159	0	0	0	0	1	0	2
African American	51	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	1	0	0	0
*Hispanic	20	0	0	0	0	1	0	0
First Day Deaths (Race of Child)								
Total	134	0	0	0	0	1	0	2
White	86	0	0	0	0	0	0	2
African American	35	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	1	0	0
*Hispanic	13	0	0	0	0	1	0	0
1-6 Day Deaths (Race of Child)								
Total	54	0	0	0	0	1	0	0
White	41	0	0	0	0	1	0	0
African American	7	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	0	0	0	0	0	0	0
White	32	0	0	0	0	0	0	0
African American	9	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	0	2	1	2	2	2	2
White	224	0	2	0	2	2	1	2
African American	44	0	0	0	0	0	0	0
American Indian	12	0	0	1	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	33	0	0	0	0	0	1	0
*Hispanic	28	0	0	0	0	0	1	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State							
	Total	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted
Infant Deaths (Race of Child)								
Total	363	3	0	0	4	3	0	9
White	253	3	0	0	3	3	0	6
African American	72	0	0	0	1	0	0	2
American Indian	9	0	0	0	0	0	0	1
Asian/Pacific Islander	19	0	0	0	0	0	0	0
Other/Unknown	10	0	0	0	0	0	0	0
*Hispanic	32	0	0	0	0	0	0	2
Neonatal Deaths (Race of Child)								
Total	232	2	0	0	3	3	0	4
White	159	2	0	0	2	3	0	2
African American	51	0	0	0	1	0	0	2
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	20	0	0	0	0	0	0	1
First Day Deaths (Race of Child)								
Total	134	2	0	0	1	1	0	1
White	86	2	0	0	0	1	0	0
African American	35	0	0	0	1	0	0	1
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	0	0	0	1	1	0	3
White	41	0	0	0	1	1	0	2
African American	7	0	0	0	0	0	0	1
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0	1
7-27 Day Deaths (Race of Child)								
Total	44	0	0	0	1	1	0	0
White	32	0	0	0	1	1	0	0
African American	9	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	3	3	0	0	2	0	8
White	224	3	2	0	0	1	0	7
African American	44	0	0	0	0	0	0	1
American Indian	12	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	1	0	0	0	0	0
Other/Unknown	33	0	0	0	0	1	0	0
*Hispanic	28	0	0	0	0	1	0	2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2005

	State Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
Infant Deaths (Race of Child)							
Total	363	1	0	1	0	5	0
White	253	1	0	1	0	5	0
African American	72	0	0	0	0	0	0
American Indian	9	0	0	0	0	0	0
Asian/Pacific Islander	19	0	0	0	0	0	0
Other/Unknown	10	0	0	0	0	0	0
*Hispanic	32	0	0	0	0	1	0
Neonatal Deaths (Race of Child)							
Total	232	1	0	0	0	1	0
White	159	1	0	0	0	1	0
African American	51	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0
*Hispanic	20	0	0	0	0	0	0
First Day Deaths (Race of Child)							
Total	134	0	0	0	0	0	0
White	86	0	0	0	0	0	0
African American	35	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0
*Hispanic	13	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)							
Total	54	0	0	0	0	1	0
White	41	0	0	0	0	1	0
African American	7	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)							
Total	44	1	0	0	0	0	0
White	32	1	0	0	0	0	0
African American	9	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0
Fetal Deaths (Race of Mother)							
Total	329	5	2	4	0	0	1
White	224	4	2	4	0	0	1
African American	44	0	0	0	0	0	0
American Indian	12	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0
Other/Unknown	33	1	0	0	0	0	0
*Hispanic	28	1	0	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State Total	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock
Infant Deaths (Race of Child)								
Total	363	47	31	0	0	0	1	0
White	253	26	15	0	0	0	0	0
African American	72	15	12	0	0	0	1	0
American Indian	9	0	0	0	0	0	0	0
Asian/Pacific Islander	19	6	4	0	0	0	0	0
Other/Unknown	10	0	0	0	0	0	0	0
*Hispanic	32	4	3	0	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	232	28	21	0	0	0	1	0
White	159	18	13	0	0	0	0	0
African American	51	7	6	0	0	0	1	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	3	2	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	20	2	2	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	134	13	12	0	0	0	1	0
White	86	9	9	0	0	0	0	0
African American	35	3	2	0	0	0	1	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	1	1	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	2	2	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	8	5	0	0	0	0	0
White	41	4	2	0	0	0	0	0
African American	7	2	2	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	2	1	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	7	4	0	0	0	0	0
White	32	5	2	0	0	0	0	0
African American	9	2	2	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	29	20	0	1	0	4	0
White	224	11	4	0	0	0	3	0
African American	44	9	8	0	0	0	0	0
American Indian	12	2	1	0	0	0	0	0
Asian/Pacific Islander	16	4	4	0	0	0	0	0
Other/Unknown	33	3	3	0	1	0	1	0
*Hispanic	28	1	1	0	0	0	1	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State Total	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
Infant Deaths (Race of Child)								
Total	363	1	9	4	5	8	1	13
White	253	1	9	4	3	6	1	8
African American	72	0	0	0	2	2	0	5
American Indian	9	0	0	0	0	0	0	0
Asian/Pacific Islander	19	0	0	0	0	0	0	0
Other/Unknown	10	0	0	0	0	0	0	0
*Hispanic	32	0	0	0	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	232	1	4	2	5	4	1	10
White	159	1	4	2	3	3	1	6
African American	51	0	0	0	2	1	0	4
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	20	0	0	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	134	1	3	2	3	3	1	6
White	86	1	3	2	2	2	1	4
African American	35	0	0	0	1	1	0	2
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	0	0	0	1	0	0	1
White	41	0	0	0	1	0	0	1
African American	7	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	0	1	0	1	1	0	3
White	32	0	1	0	0	1	0	1
African American	9	0	0	0	1	0	0	2
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	0	9	5	11	3	2	9
White	224	0	7	4	10	2	1	9
African American	44	0	0	0	0	0	0	0
American Indian	12	0	2	1	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	1	0	0
Other/Unknown	33	0	0	0	1	0	1	0
*Hispanic	28	0	0	0	1	0	1	1

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
Infant Deaths (Race of Child)								
Total	363	3	0	2	3	0	1	1
White	253	3	0	2	3	0	1	1
African American	72	0	0	0	0	0	0	0
American Indian	9	0	0	0	0	0	0	0
Asian/Pacific Islander	19	0	0	0	0	0	0	0
Other/Unknown	10	0	0	0	0	0	0	0
*Hispanic	32	0	0	0	2	0	0	0
Neonatal Deaths (Race of Child)								
Total	232	1	0	2	3	0	1	0
White	159	1	0	2	3	0	1	0
African American	51	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	13	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	20	0	0	0	2	0	0	0
First Day Deaths (Race of Child)								
Total	134	0	0	2	2	0	0	0
White	86	0	0	2	2	0	0	0
African American	35	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	6	0	0	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	0	0	0	2	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	0	0	0	1	0	1	0
White	41	0	0	0	1	0	1	0
African American	7	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	1	0	0	0	0	0	0
White	32	1	0	0	0	0	0	0
African American	9	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	0	2	0	3	0	0	1
White	224	0	2	0	3	0	0	1
African American	44	0	0	0	0	0	0	0
American Indian	12	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	33	0	0	0	0	0	0	0
*Hispanic	28	0	0	0	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
Infant, Neonatal, and Postneonatal Deaths by Race of Child
and Fetal Deaths by Race of Mother
by County and Selected City of Residence
Minnesota, 2005

	State Total	Waseca	Wash- ington	Watsonwan	Wilkin	Winona	Wright	Yellow Medicine
Infant Deaths (Race of Child)								
Total	363	0	14	2	0	3	10	0
White	253	0	9	2	0	3	8	0
African American	72	0	2	0	0	0	0	0
American Indian	9	0	1	0	0	0	0	0
Asian/Pacific Islander	19	0	2	0	0	0	1	0
Other/Unknown	10	0	0	0	0	0	1	0
*Hispanic	32	0	1	1	0	0	1	0
Neonatal Deaths (Race of Child)								
Total	232	0	8	2	0	1	5	0
White	159	0	4	2	0	1	5	0
African American	51	0	1	0	0	0	0	0
American Indian	1	0	1	0	0	0	0	0
Asian/Pacific Islander	13	0	2	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	20	0	1	1	0	0	0	0
First Day Deaths (Race of Child)								
Total	134	0	5	0	0	1	2	0
White	86	0	2	0	0	1	2	0
African American	35	0	0	0	0	0	0	0
American Indian	1	0	1	0	0	0	0	0
Asian/Pacific Islander	6	0	2	0	0	0	0	0
Other/Unknown	6	0	0	0	0	0	0	0
*Hispanic	13	0	1	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	54	0	1	1	0	0	1	0
White	41	0	1	1	0	0	1	0
African American	7	0	0	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	5	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	6	0	0	1	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	44	0	2	1	0	0	2	0
White	32	0	1	1	0	0	2	0
African American	9	0	1	0	0	0	0	0
American Indian	0	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	1	0	0	0	0	0	0	0
*Hispanic	1	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	329	1	4	0	0	2	14	0
White	224	1	2	0	0	2	14	0
African American	44	0	1	0	0	0	0	0
American Indian	12	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	33	0	1	0	0	0	0	0
*Hispanic	28	0	0	0	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Mortality

Every day in 2005, residents of Minnesota experienced an average of:

103 Deaths

24 Cancer Deaths

22 Heart Disease Deaths

9 Respiratory Deaths

6 Stroke Deaths

3 Diabetic Deaths

4 Alzheimer's Deaths

**28 Deaths From Other
Natural Causes**

1 Infant Death*

7 Violent Deaths

**5 Unintentional
Injury Deaths**

2 Motor Vehicle

1 Falls

2 Other Injury

2 Other

Violent Deaths

*Infant deaths are included in the numbers for the cause of death categories

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE;
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH
MINNESOTA, 2005

County	Deaths Occurring in County				Resident Deaths		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		Total
					Within Minnesota	Outside Minnesota	
State Total	37,601	29,944	6,223	1,434	6,223	1,331	37,498
Aitkin	137	123	13	1	48	5	176
Anoka	1,290	1,037	245	8	426	28	1,491
Becker	282	258	18	6	19	46	323
Beltrami	322	279	38	5	30	31	340
Benton	264	216	46	2	118	1	335
Big Stone	82	70	7	5	8	7	85
Blue Earth	524	376	143	5	48	5	429
Brown	226	194	31	1	53	3	250
Carlton	291	240	51	0	81	5	326
Carver	306	230	73	3	108	4	342
Cass	172	144	25	3	132	16	292
Chippewa	121	111	10	0	36	2	149
Chisago	291	219	70	2	93	14	326
Clay	220	202	12	6	20	175	397
Clearwater	85	80	5	0	8	12	100
Cook	37	30	5	2	5	1	36
Cottonwood	134	123	9	2	17	14	154
Crow Wing	507	433	66	8	79	10	522
Dakota	1,393	1,183	187	23	694	30	1,907
Dodge	78	72	6	0	56	1	129
Douglas	340	283	51	6	42	6	331
Faribault	181	167	9	5	42	8	217
Fillmore	180	167	10	3	54	26	247
Freeborn	341	314	21	6	46	8	368
Goodhue	434	366	55	13	70	8	444
Grant	70	64	6	0	19	1	84
Hennepin	8,676	7,009	1,413	254	529	91	7,629
Minneapolis	3,084	1,856	1,095	133	657	26	2,539
Houston	131	125	3	3	7	54	186
Hubbard	158	120	35	3	21	17	158
Isanti	233	193	40	0	45	5	243
Itasca	431	391	33	7	59	7	457
Jackson	86	78	7	1	24	23	125
Kanabec	108	93	14	1	44	0	137
Kandiyohi	378	311	66	1	41	6	358
Kittson	63	55	7	1	8	10	73
Koochiching	136	132	3	1	35	2	169
Lac Qui Parle	92	91	1	0	16	3	110
Lake	126	108	18	0	37	6	151
Lake of the Woods	50	2	1	5	5	60	0
Le Sueur	136	117	17	2	79	2	198
Lincoln	104	91	8	5	1	15	107
Lyon	191	176	15	0	18	32	226
McLeod	302	249	53	0	39	2	290
Mahnomen	40	31	6	3	8	11	50

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE;
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH
MINNESOTA, 2005

County	Deaths Occurring in County				Resident Deaths		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		Total
					Within Minnesota	Outside Minnesota	
Marshall	48	43	5	0	19	21	83
Martin	217	205	4	8	48	14	267
Meeker	200	183	16	1	39	0	222
Mille Lacs	204	177	26	1	62	3	242
Morrison	243	229	14	0	60	6	295
Mower	330	315	12	3	90	12	417
Murray	72	67	4	1	15	11	93
Nicollet	135	122	13	0	82	3	207
Nobles	142	116	23	3	18	35	169
Norman	85	72	9	4	8	25	105
Olmsted	1,639	778	498	363	32	8	818
Otter Tail	571	527	36	8	60	60	647
Pennington	128	108	19	1	12	14	134
Pine	163	136	23	4	108	2	246
Pipestone	117	105	8	4	9	17	131
Polk	290	258	21	11	23	64	345
Pope	135	115	19	1	28	2	145
Ramsey	4,549	3,340	1,028	181	467	60	3,867
St. Paul	2,917	1,686	1,064	167	370	32	2,088
Red Lake	30	26	3	1	12	6	44
Redwood	160	150	10	0	51	6	207
Renville	132	124	7	1	56	1	181
Rice	346	307	36	3	121	7	435
Rock	122	91	22	9	1	21	113
Roseau	123	111	8	4	7	12	130
St. Louis	2,396	1,914	231	251	65	23	2,002
Duluth	1,542	907	391	244	29	7	943
Scott	536	345	176	15	98	4	447
Sherburne	341	243	95	3	152	10	405
Sibley	115	105	10	0	42	2	149
Stearns	1,122	658	446	18	123	11	792
Steele	219	187	30	2	50	3	240
Stevens	60	50	8	2	15	2	67
Swift	100	95	4	1	26	3	124
Todd	150	143	6	1	85	0	228
Traverse	33	25	4	4	4	13	42
Wabasha	118	95	8	15	66	4	165
Wadena	222	159	63	0	31	8	198
Waseca	134	121	13	0	29	3	153
Washington	981	738	200	43	358	25	1,121
Watsonwan	102	82	20	0	23	3	108
Wilkin	107	58	1	48	6	12	76
Winona	328	296	16	16	39	28	363
Wright	473	412	57	4	193	4	609
Yellow Medicine	130	112	18	0	17	4	133
Unknown	1	0	0	1	5	1	6

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.				Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
Cause of Death and Sex			Total	Year																			
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563	
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605	
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958	
A00- B99	I.	INFECTIOUS AND PARASITIC DISEASES	T	539	5	1	1	1	3	0	4	11	14	21	25	36	35	28	25	44	50	90	145
			M	274	1	1	0	1	0	0	2	4	5	17	21	27	20	17	14	18	22	47	57
			F	265	4	0	1	0	3	0	2	7	9	4	4	9	15	11	11	26	28	43	88
A01- A02		Salmonella Infections	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03, A06		Shigellosis and Amebiasis	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04, A07- A09		Other Intestinal Infections	T	59	0	1	0	0	0	0	1	0	0	0	0	0	2	4	1	4	3	15	28
			M	31	0	1	0	0	0	0	1	0	0	0	0	0	1	3	1	3	1	7	13
			F	28	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	8	15
A16- A19		Tuberculosis	T	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	0
			M	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
			F	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
A16		Respiratory Tuberculosis	T	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
			M	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A17- A19		Other Tuberculosis	T	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
			M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			F	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0
A37		Whooping Cough	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A38, A46		Scarlet Fever and Erysipelas	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
			F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex		Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
A39	Meningococcal Infection	T	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
F		1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
A40- A41	Septicemia	T	262	3	0	0	1	0	0	0	2	6	7	9	5	9	13	13	31	28	48	87
M		121	1	0	0	1	0	0	0	1	1	6	7	2	4	8	7	12	13	26	32	
F		141	2	0	0	0	0	0	0	0	1	5	1	2	3	5	5	6	19	15	22	55
A50- A53	Syphilis	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
A80	Acute Poliomyelitis	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
A83- A84, A85.2	Arthropod-Borne Viral Encephalitis	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B05	Measles	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
B15- B19	Viral Hepatitis	T	45	0	0	0	0	0	0	1	0	1	0	9	12	7	3	3	3	2	3	1
M		29	0	0	0	0	0	0	0	1	0	1	0	8	10	4	1	0	1	1	1	1
F		16	0	0	0	0	0	0	0	0	0	0	0	1	2	3	2	3	2	1	2	0
B20- B24	Human Immunodeficiency Virus (HIV) Disease	T	51	0	0	0	0	1	0	2	6	6	12	4	10	7	1	2	0	0	0	0
M		34	0	0	0	0	0	0	0	1	2	3	10	3	8	5	1	1	0	0	0	0
F		17	0	0	0	0	1	0	1	4	3	2	1	2	2	2	0	1	0	0	0	0
B50- B54	Malaria	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
M		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
F		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.				Under 1 to Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
Cause of Death and Sex				Total																			
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563	
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605	
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958	
Re- sid- ual	Other Infectious and Parasitic Diseases and Sequelae	T	118	1	0	1	0	2	0	1	2	1	2	3	9	9	7	5	6	17	23	29	
		M	58	0	0	0	0	0	0	0	0	0	0	1	3	7	5	4	5	2	7	13	11
		F	60	1	0	1	0	2	0	1	2	1	1	0	2	4	3	0	4	10	10	18	
C00- D48	II. NEOPLASMS	T	9,110	2	2	7	9	11	11	20	27	66	141	278	461	683	781	907	1,175	1,390	1,388	1,751	
		M	4,601	2	2	4	4	8	6	12	10	37	65	125	211	359	414	490	634	769	704	745	
		F	4,509	0	0	3	5	3	5	8	17	29	76	153	250	324	367	417	541	621	684	1,006	
C00- C97	Malignant Neoplasms	T	8,823	2	2	6	8	11	11	20	23	63	137	275	454	671	775	890	1,147	1,346	1,333	1,649	
		M	4,464	2	2	4	3	8	6	12	9	36	63	124	207	354	409	478	616	739	679	713	
		F	4,359	0	0	2	5	3	5	8	14	27	74	151	247	317	366	412	531	607	654	936	
C00- C14	Of Lip, Oral Cavity and Pharynx	T	112	0	0	0	0	0	1	1	0	0	1	9	5	17	16	15	11	10	9	17	
		M	77	0	0	0	0	0	1	1	0	0	1	7	5	14	13	11	7	5	6	6	
		F	35	0	0	0	0	0	0	0	0	0	0	0	2	0	3	3	4	4	5	3	11
C15	Of Esophagus	T	235	0	0	0	0	0	0	0	1	1	5	10	11	28	23	27	26	41	29	33	
		M	189	0	0	0	0	0	0	0	0	1	1	5	9	11	24	20	24	20	31	27	16
		F	46	0	0	0	0	0	0	0	0	0	0	0	1	0	4	3	3	6	10	2	17
C16	Of Stomach	T	142	0	0	0	0	0	0	0	1	1	3	11	5	7	10	13	20	22	22	27	
		M	78	0	0	0	0	0	0	0	0	1	0	3	4	3	5	6	9	13	11	10	13
		F	64	0	0	0	0	0	0	0	0	0	1	0	7	2	2	4	4	7	11	12	14
C18- C21	Of Colon, Rectum, and Anus	T	796	0	0	0	0	0	0	1	2	5	12	22	35	49	53	69	102	102	128	216	
		M	381	0	0	0	0	0	0	0	0	1	4	5	9	13	33	30	39	62	61	60	64
		F	415	0	0	0	0	0	0	0	1	1	1	7	13	22	16	23	30	40	41	68	152
C22	Of Liver and Intrahepatic Bile Ducts	T	244	0	0	1	0	0	1	1	0	1	2	4	19	31	22	21	32	38	32	39	
		M	156	0	0	1	0	0	0	1	0	1	2	2	14	26	16	16	21	22	12	22	
		F	88	0	0	0	0	0	1	0	0	0	0	0	2	5	5	6	5	11	16	20	17
C25	Of Pancreas	T	562	0	0	0	0	0	0	1	0	5	3	15	20	53	52	49	74	93	87	110	
		M	265	0	0	0	0	0	0	1	0	5	1	9	12	26	35	24	40	40	42	30	
		F	297	0	0	0	0	0	0	0	0	0	2	6	8	27	17	25	34	53	45	80	

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex		Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
C32	Of Larynx	T	50	0	0	0	0	0	0	0	0	0	0	3	1	6	7	9	5	9	6	4
		M	39	0	0	0	0	0	0	0	0	0	0	2	1	6	6	6	4	6	4	4
		F	11	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	1	3	2	0
C33- C34	Of Trachea, Bronchus, and Lung	T	2,281	0	0	0	0	0	0	0	1	4	23	55	108	182	255	269	395	395	354	240
		M	1,272	0	0	0	0	0	0	0	0	3	12	27	59	105	143	146	222	227	203	125
		F	1,009	0	0	0	0	0	0	0	1	1	11	28	49	77	112	123	173	168	151	115
C43	Of Skin	T	106	0	1	0	0	1	0	2	1	4	1	10	8	8	13	8	14	12	8	15
		M	62	0	1	0	0	1	0	2	0	1	1	7	6	3	8	5	10	5	3	9
		F	44	0	0	0	0	0	0	0	1	3	0	3	2	5	5	3	4	7	5	6
C50	Of Breast	T	662	0	0	0	0	0	0	2	4	10	23	41	70	65	60	68	64	61	78	116
		M	6	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2	0	1
		F	656	0	0	0	0	0	0	2	4	10	23	41	70	64	60	68	62	59	78	115
C53	Of Cervix Uteri	T	48	0	0	0	0	0	0	0	1	1	6	2	9	7	4	6	2	3	3	4
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	48	0	0	0	0	0	0	0	1	1	6	2	9	7	4	6	2	3	3	4
C54- C55	Of Corpus Uteri and Uterus	T	120	0	0	0	0	0	0	0	1	2	1	2	7	15	17	12	15	18	13	17
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	120	0	0	0	0	0	0	0	1	2	1	2	7	15	17	12	15	18	13	17
C56	Of Ovary	T	261	0	0	0	0	0	0	0	0	0	2	13	18	28	28	31	32	35	28	46
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	261	0	0	0	0	0	0	0	0	0	2	13	18	28	28	31	32	35	28	46
C61	Of Prostate	T	491	0	0	0	0	0	0	0	0	0	1	0	3	9	15	40	48	95	98	182
		M	491	0	0	0	0	0	0	0	0	0	1	0	3	9	15	40	48	95	98	182
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
C64- C65	Of Kidney and Renal Pelvis	T	216	1	0	0	0	0	0	0	0	0	5	9	11	23	21	30	27	25	26	38
		M	135	1	0	0	0	0	0	0	0	0	3	8	10	17	13	23	17	14	14	15
		F	81	0	0	0	0	0	0	0	0	0	2	1	1	6	8	7	10	11	12	23

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex		Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
C67	Of Bladder	T	196	0	0	0	0	0	0	0	0	1	1	2	3	5	13	19	23	27	37	65
		M	137	0	0	0	0	0	0	0	0	0	0	1	1	4	10	17	16	20	27	41
		F	59	0	0	0	0	0	0	0	0	1	1	1	2	1	3	2	7	7	10	24
C70- C72	Of Meninges, Brain and Other Parts of Central Nervous System	T	202	0	1	1	1	2	1	2	3	10	16	8	21	14	20	18	26	22	25	11
		M	112	0	1	0	1	1	1	1	2	8	10	4	11	9	14	9	15	13	8	4
		F	90	0	0	1	0	1	0	1	1	2	6	4	10	5	6	9	11	9	17	7
C81- C96	Of Lymphoid, Hematopoietic, and Related Tissue	T	980	1	0	2	5	4	5	3	4	10	14	27	44	54	61	80	114	169	170	213
		M	518	1	0	2	2	2	2	2	2	6	8	15	28	37	35	51	57	93	88	87
		F	462	0	0	0	3	2	3	1	2	4	6	12	16	17	26	29	57	76	82	126
C81	Hodgkin's Disease	T	19	0	0	0	0	0	3	0	0	0	0	2	1	0	2	3	2	3	2	1
		M	8	0	0	0	0	0	1	0	0	0	0	1	0	0	1	2	1	1	0	1
		F	11	0	0	0	0	0	2	0	0	0	0	1	1	0	1	1	1	2	2	0
C82- C85	Non-Hodgkin's Lymphoma	T	366	0	0	0	1	0	0	0	1	4	6	12	17	25	22	32	35	57	72	82
		M	193	0	0	0	1	0	0	0	0	2	5	5	16	19	12	21	17	31	34	30
		F	173	0	0	0	0	0	0	0	1	2	1	7	1	6	10	11	18	26	38	52
C91- C95	Leukemia	T	387	1	0	2	4	4	2	3	3	6	7	6	17	13	22	29	51	63	59	95
		M	202	1	0	2	1	2	1	2	2	4	2	4	8	7	13	17	28	32	35	41
		F	185	0	0	0	3	2	1	1	1	2	5	2	9	6	9	12	23	31	24	54
C88 C90	Multiple Myeloma and Immunoprolifer- ative Neoplasms	T	206	0	0	0	0	0	0	0	0	0	1	7	9	16	15	16	26	46	37	33
		M	114	0	0	0	0	0	0	0	0	0	1	5	4	11	9	11	11	29	19	14
		F	92	0	0	0	0	0	0	0	0	0	0	2	5	5	6	5	15	17	18	19
C96	Other Lymphoid, Hematopouetic, and Related Tissue	T	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
Re- sid- ual	Other Malignant Neoplasms	T	1,119	0	0	2	2	4	3	7	4	8	18	32	56	70	85	106	117	169	180	256
		M	546	0	0	1	0	4	2	4	2	7	11	20	30	35	45	58	62	94	77	94
		F	573	0	0	1	2	0	1	3	2	1	7	12	26	35	40	48	55	75	103	162

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex			Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563	
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605	
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958	
D00- D48	In Situ and Benign Neoplasms and Neoplasms of Uncertain Behavior	T	287	0	0	1	1	0	0	0	4	3	4	3	7	12	6	17	28	44	55	102	
		M	137	0	0	0	1	0	0	0	1	1	2	1	4	5	5	12	18	30	25	32	
		F	150	0	0	1	0	0	0	0	3	2	2	2	3	7	1	5	10	14	30	70	
D50- D89	III. DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS	T	144	3	1	1	1	0	1	1	1	1	0	3	3	3	6	5	9	16	20	69	
		M	63	3	0	0	0	0	0	0	1	0	0	2	2	2	4	4	7	9	13	16	
		F	81	0	1	1	1	0	1	1	0	1	0	1	1	1	2	1	2	7	7	53	
D50- D64	Anemias	T	82	0	1	0	1	0	0	1	0	0	0	1	1	0	0	0	4	10	9	54	
		M	30	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	3	5	6	15	
		F	52	0	1	0	1	0	0	1	0	0	0	0	0	1	0	0	1	5	3	39	
D65- D89	Other Diseases of the Blood and Blood-Forming Organs	T	62	3	0	1	0	0	1	0	1	1	0	2	2	3	6	5	5	6	11	15	
		M	33	3	0	0	0	0	0	0	1	0	0	1	2	2	4	4	4	4	7	1	
		F	29	0	0	1	0	0	1	0	0	1	0	1	0	1	2	1	1	2	4	14	
E00- E90	IV. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	T	1,655	1	1	1	3	3	3	8	12	14	22	34	61	94	95	86	161	218	311	527	
		M	781	0	1	0	2	1	3	5	7	5	17	20	40	58	59	49	82	107	154	171	
		F	874	1	0	1	1	2	0	3	5	9	5	14	21	36	36	37	79	111	157	356	
E10- E14	Diabetes Mellitus	T	1,259	0	0	0	1	2	2	6	5	10	16	19	38	77	80	60	126	165	257	395	
		M	608	0	0	0	1	1	2	5	3	3	11	11	24	46	49	37	63	82	135	135	
		F	651	0	0	0	0	1	0	1	2	7	5	8	14	31	31	23	63	83	122	260	
E40- E64	Nutritional Deficiencies	T	40	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	6	10	18	
		M	18	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2	4	9	
		F	22	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	4	6	9	
E40- E46	Malnutrition	T	32	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	5	9	12	
		M	14	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	2	4	5	
		F	18	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	3	5	7	
E50- E64	Other Nutritional Deficiencies	T	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	6	
		M	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	
		F	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex			Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
Re- sid- ual	Other Endocrine, Nutritional, Metabolic, and Immunity Disorders	T	356	1	1	1	2	1	1	2	7	4	6	15	23	16	14	24	33	47	44	114
		M	155	0	1	0	1	0	1	0	4	2	6	9	16	11	9	11	19	23	15	27
		F	201	1	0	1	1	1	0	2	3	2	0	6	7	5	5	13	14	24	29	87
F00- F99	V. MENTAL AND BEHAVIORAL DISORDERS	T	1,769	0	0	0	0	0	3	6	9	14	26	36	28	30	46	26	46	117	293	1,089
		M	647	0	0	0	0	0	2	4	7	9	22	28	26	21	31	18	32	57	128	262
		F	1,122	0	0	0	0	0	1	2	2	5	4	8	2	9	15	8	14	60	165	827
G00- G99	VI. DISEASES OF THE NERVOUS SYSTEM	T	2,381	4	8	4	6	3	8	10	8	15	20	36	39	60	50	88	145	296	482	1,099
		M	945	3	5	1	5	3	7	4	6	12	12	11	24	32	26	51	65	152	224	302
		F	1,436	1	3	3	1	0	1	6	2	3	8	25	15	28	24	37	80	144	258	797
G00, G03	Meningitis	T	9	0	1	1	0	0	0	0	0	0	0	2	1	1	0	0	1	0	1	1
		M	4	0	1	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0
		F	5	0	0	1	0	0	0	0	0	0	0	1	0	1	0	0	1	0	0	1
G20- G21	Parkinson's Disease	T	444	0	0	0	0	0	0	0	0	0	0	0	1	3	4	11	37	90	125	173
		M	252	0	0	0	0	0	0	0	0	0	0	0	1	3	3	8	23	60	74	80
		F	192	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	14	30	51	93
G30	Alzheimer's Disease	T	1,320	0	0	0	0	0	0	0	1	0	0	0	0	4	8	22	38	119	268	860
		M	386	0	0	0	0	0	0	0	1	0	0	0	0	2	4	13	11	43	114	198
		F	934	0	0	0	0	0	0	0	0	0	0	0	0	2	4	9	27	76	154	662
Re- sid- ual	Other Diseases of the Nervous System	T	608	4	7	3	6	3	8	10	7	15	20	34	37	52	38	55	69	87	88	65
		M	303	3	4	1	5	3	7	4	5	12	12	10	22	27	19	30	31	49	35	24
		F	305	1	3	2	1	0	1	6	2	3	8	24	15	25	19	25	38	38	53	41
H00- H59	VII. DISEASES OF THE EYE AND ADNEXA	T	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex			Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563	
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605	
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958	
H60- H95	VIII.	DISEASES OF THE EAR AND MASTOID PROCESS	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
I00- I99	IX.	DISEASES OF THE CIRCULATORY SYSTEM	T	11,482	4	1	1	3	3	14	18	25	51	130	226	308	416	427	583	813	1,292	1,944	5,223
		M	5,528	0	1	0	2	2	9	12	16	36	87	154	222	296	300	392	487	759	951	1,802	
		F	5,954	4	0	1	1	1	5	6	9	15	43	72	86	120	127	191	326	533	993	3,421	
I00- I78		Major Cardiovascular Diseases	T	11,424	2	1	1	3	3	14	18	24	51	129	220	307	412	422	578	809	1,288	1,935	5,207
			M	5,508	0	1	0	2	2	9	12	16	36	86	153	222	295	297	392	484	757	947	1,797
			F	5,916	2	0	1	1	1	5	6	8	15	43	67	85	117	125	186	325	531	988	3,410
I00-I09, I11,I13, I20-I51		Diseases of the Heart	T	7,913	1	1	1	1	3	11	13	18	40	92	187	235	330	322	410	569	881	1,301	3,497
			M	4,111	0	1	0	0	2	8	9	13	29	67	138	183	238	239	293	358	541	675	1,317
			F	3,802	1	0	1	1	1	3	4	5	11	25	49	52	92	83	117	211	340	626	2,180
I00- I09		Acute Rheumatic Fever and Chronic Rheumatic Heart Diseases	T	59	0	0	0	0	0	0	0	0	0	1	1	2	3	3	0	4	13	16	16
			M	19	0	0	0	0	0	0	0	0	0	1	0	1	2	2	0	1	2	3	7
			F	40	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	3	11	13	9
I11		Hypertensive Heart Disease	T	170	0	0	0	0	0	0	0	1	0	3	6	9	11	4	6	10	13	24	83
			M	64	0	0	0	0	0	0	0	1	0	3	3	7	5	2	5	5	9	8	16
			F	106	0	0	0	0	0	0	0	0	0	0	3	2	6	2	1	5	4	16	67
I13		Hypertensive Heart and Renal Disease	T	36	0	0	0	0	0	0	0	1	0	0	0	1	0	1	0	3	3	6	21
			M	18	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	2	3	10
			F	18	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	1	3	11
I20- I25		Ischemic Heart Diseases	T	4,809	0	0	0	0	0	5	5	10	29	60	134	170	232	234	297	382	570	815	1,866
			M	2,768	0	0	0	0	0	3	4	7	22	51	106	140	189	188	210	249	360	453	786
			F	2,041	0	0	0	0	0	2	1	3	7	9	28	30	43	46	87	133	210	362	1,080

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex		Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
I21- I22	Acute Myocardial Infarction	T	1,532	0	0	0	0	0	1	2	3	11	14	54	65	81	89	122	146	183	264	497
		M	870	0	0	0	0	0	1	2	2	8	10	46	54	63	74	86	89	105	140	190
		F	662	0	0	0	0	0	0	0	1	3	4	8	11	18	15	36	57	78	124	307
I24	Other Acute Ischemic Heart Diseases	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
I20, I25	Other Chronic Ischemic Heart Disease	T	3,252	0	0	0	0	0	4	3	7	18	46	80	105	149	143	174	232	383	547	1,361
		M	1,886	0	0	0	0	0	2	2	5	14	41	60	86	125	112	123	158	253	312	593
		F	1,366	0	0	0	0	0	2	1	2	4	5	20	19	24	31	51	74	130	235	768
I25.0	Atherosclerotic Cardiovascular Disease	T	318	0	0	0	0	0	0	1	0	1	2	5	9	15	13	17	23	34	47	151
		M	174	0	0	0	0	0	0	0	0	1	1	3	8	10	11	15	19	22	24	60
		F	144	0	0	0	0	0	0	1	0	0	1	2	1	5	2	2	4	12	23	91
I20, I25.1-I25.9	Other Chronic Ischemic Heart	T	2,934	0	0	0	0	0	4	2	7	17	44	75	96	134	130	157	209	349	500	1,210
		M	1,712	0	0	0	0	0	2	2	5	13	40	57	78	115	101	108	139	231	288	533
		F	1,222	0	0	0	0	0	2	0	2	4	4	18	18	19	29	49	70	118	212	677
I26- I51	Other Heart Diseases	T	2,839	1	1	1	1	3	6	8	6	11	28	46	53	84	80	107	170	282	440	1,511
		M	1,242	0	1	0	0	2	5	5	5	7	12	29	34	42	47	78	101	168	208	498
		F	1,597	1	0	1	1	1	1	3	1	4	16	17	19	42	33	29	69	114	232	1,013
I33	Acute and Subacute Endocarditis	T	11	0	0	0	0	0	0	0	0	0	1	1	0	2	0	0	2	1	1	3
		M	6	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	2	1	0	1
		F	5	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	1	2
I30-I31, I40	Diseases of Pericardium and Acute Myocarditis	T	7	0	0	0	1	0	0	0	0	0	1	0	1	0	0	1	1	0	1	1
		M	3	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	1	0	0	0
		F	4	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
I50	Heart Failure	T	1,143	0	0	0	0	1	0	0	0	0	1	3	8	9	17	30	52	112	178	732
		M	460	0	0	0	0	1	0	0	0	0	1	1	7	5	13	22	30	69	77	234
		F	683	0	0	0	0	0	0	0	0	0	0	2	1	4	4	8	22	43	101	498

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex			Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total			T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
				M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
				F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
I26-I28, I34-I38, I42-I49,I51	All Other Forms of Heart Disease	T	1,678	1	1	1	0	2	6	8	6	11	25	42	44	73	63	76	115	169	260	775		
		M	773	0	1	0	0	1	5	5	5	7	9	28	27	36	34	55	68	98	131	263		
		F	905	1	0	1	0	1	1	3	1	4	16	14	17	37	29	21	47	71	129	512		
I10, I12	Essential Hypertension and Hypertensive Renal Disease	T	540	0	0	0	0	0	0	0	0	1	2	5	9	12	28	31	34	62	71	285		
		M	184	0	0	0	0	0	0	0	0	0	1	2	6	6	16	13	20	29	34	57		
		F	356	0	0	0	0	0	0	0	0	0	1	1	3	3	6	12	18	14	33	37	228	
I60- I69	Cerebrovascular Diseases	T	2,372	1	0	0	2	0	2	4	6	8	28	27	54	49	57	96	160	263	440	1,175		
		M	900	0	0	0	2	0	0	2	3	5	13	13	28	37	32	56	76	133	172	328		
		F	1,472	1	0	0	0	0	2	2	3	3	15	14	26	12	25	40	84	130	268	847		
I70	Atherosclerosis	T	136	0	0	0	0	0	0	0	0	0	0	0	0	2	0	5	4	17	21	87		
		M	59	0	0	0	0	0	0	0	0	0	0	0	0	2	0	3	3	13	12	26		
		F	77	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	4	9	61		
I71- I78	Other Diseases of the Circulatory System	T	463	0	0	0	0	0	1	1	0	2	7	1	9	19	15	36	42	65	102	163		
		M	254	0	0	0	0	0	1	1	0	2	5	0	5	12	10	27	27	41	54	69		
		F	209	0	0	0	0	0	0	0	0	0	2	1	4	7	5	9	15	24	48	94		
I71	Aortic Aneurysm and Dissection	T	283	0	0	0	0	0	1	1	0	1	7	0	6	14	12	30	27	45	64	75		
		M	171	0	0	0	0	0	1	1	0	1	5	0	4	10	8	22	19	26	39	35		
		F	112	0	0	0	0	0	0	0	0	0	2	0	2	4	4	8	8	19	25	40		
I72- I78	Diseases of the Arteries, Arterioles, and Capillaries	T	180	0	0	0	0	0	0	0	0	1	0	1	3	5	3	6	15	20	38	88		
		M	83	0	0	0	0	0	0	0	0	1	0	0	1	2	2	5	8	15	15	34		
		F	97	0	0	0	0	0	0	0	0	0	0	1	2	3	1	1	7	5	23	54		
I80- I99	Other Disorders of the Circulatory System	T	58	2	0	0	0	0	0	0	1	0	1	6	1	4	5	5	4	4	9	16		
		M	20	0	0	0	0	0	0	0	0	0	1	1	0	1	3	0	3	2	4	5		
		F	38	2	0	0	0	0	0	0	0	1	0	0	5	1	3	2	5	1	2	5	11	
J00- J99	X. DISEASES OF THE RESPIRATORY SYSTEM	T	3,447	5	1	2	0	3	2	4	4	6	14	43	58	73	150	197	324	517	683	1,361		
		M	1,643	2	1	0	0	2	2	3	2	2	7	28	25	46	68	102	176	287	342	548		
		F	1,804	3	0	2	0	1	0	1	2	4	7	15	33	27	82	95	148	230	341	813		

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
J10- J18	Influenza and Pneumonia	T	845	1	0	0	0	1	1	2	1	1	5	10	10	11	18	17	28	86	145	508
		M	357	1	0	0	0	1	1	1	1	1	3	8	5	6	7	12	13	56	72	169
		F	488	0	0	0	0	0	0	1	0	0	2	2	5	5	11	5	15	30	73	339
J10- J11	Influenza	T	120	0	0	0	0	0	0	0	0	0	1	0	1	2	1	1	6	16	18	74
		M	43	0	0	0	0	0	0	0	0	0	1	0	0	2	0	1	3	10	8	18
		F	77	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	3	6	10	56
J12- J18	Pneumonia	T	725	1	0	0	0	1	1	2	1	1	4	10	9	9	17	16	22	70	127	434
		M	314	1	0	0	0	1	1	1	1	1	2	8	5	4	7	11	10	46	64	151
		F	411	0	0	0	0	0	0	1	0	0	2	2	4	5	10	5	12	24	63	283
J20- J22	Other Acute Lower Respiratory Infections	T	10	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	7
		M	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
		F	7	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5
J20- J21	Acute Bronchitis and Bronchiolitis	T	4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		F	3	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
J22	Unspecified Acute Lower Respiratory Infection	T	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5
		M	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
		F	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
J40- J47	Chronic Lower Respiratory Diseases	T	1,962	0	0	1	0	2	0	1	2	2	6	20	34	49	108	153	244	349	393	598
		M	947	0	0	0	0	1	0	1	1	0	3	10	18	30	48	73	128	172	190	272
		F	1,015	0	0	1	0	1	0	0	1	2	3	10	16	19	60	80	116	177	203	326
J40- J42	Bronchitis, Chronic and Unspecified	T	13	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2	2	0	0	7
		M	5	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	1	0	0	1
		F	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	6
J43	Emphysema	T	144	0	0	0	0	0	0	0	0	0	1	0	1	7	6	13	18	33	26	39
		M	74	0	0	0	0	0	0	0	0	0	1	0	0	4	2	6	10	18	12	21
		F	70	0	0	0	0	0	0	0	0	0	0	0	1	3	4	7	8	15	14	18

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex		Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total		T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
			M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
			F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
J45- J46	Asthma		T	67	0	0	1	0	2	0	1	1	2	2	2	3	5	4	3	2	3	9	27
			M	14	0	0	0	0	1	0	1	0	0	1	0	1	3	1	1	0	1	2	2
			F	53	0	0	1	0	1	0	0	1	2	1	2	2	2	3	2	2	2	7	25
J44, J47	Other Chronic Lower Respiratory Diseases		T	1,738	0	0	0	0	0	0	0	1	0	3	18	29	37	97	135	222	313	358	525
			M	854	0	0	0	0	0	0	0	1	0	1	10	16	23	44	65	117	153	176	248
			F	884	0	0	0	0	0	0	0	0	0	2	8	13	14	53	70	105	160	182	277
J60- J66, J68	Pneumoconioses and Chemical Effects		T	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2	6
			M	12	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3	1	2	6
			F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
J69	Pneumonitis Due to Solids and Liquids		T	215	0	0	0	0	0	0	0	0	3	0	4	3	3	3	7	11	27	40	114
			M	116	0	0	0	0	0	0	0	0	1	0	2	1	1	2	5	7	23	21	53
			F	99	0	0	0	0	0	0	0	0	2	0	2	2	2	1	2	4	4	19	61
Re- sid- ual	Other Disease of the Respiratory System		T	403	3	1	1	0	0	1	1	1	0	3	9	11	10	21	20	38	54	101	128
			M	208	1	1	0	0	0	1	1	0	0	1	8	1	9	11	12	25	35	56	46
			F	195	2	0	1	0	0	0	0	1	0	2	1	10	1	10	8	13	19	45	82
K00- K93	XI.	DISEASES OF THE DIGESTIVE SYSTEM	T	1,292	8	0	0	1	2	3	1	11	15	42	66	83	81	83	103	101	111	180	401
			M	643	4	0	0	0	1	2	1	6	8	25	44	62	54	53	49	58	57	90	129
			F	649	4	0	0	1	1	1	0	5	7	17	22	21	27	30	54	43	54	90	272
K25- K28	Peptic Ulcer		T	49	0	0	0	0	0	0	0	1	0	0	2	1	1	2	5	5	7	7	18
			M	22	0	0	0	0	0	0	0	0	0	0	2	1	1	1	1	3	4	3	6
			F	27	0	0	0	0	0	0	0	1	0	0	0	0	0	1	4	2	3	4	12
K35- K38	Diseases of the Appendix		T	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	3
			M	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	2
			F	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1
K40- K46	Hernia		T	29	0	0	0	0	0	0	0	0	0	0	2	1	0	2	2	1	1	4	16
			M	11	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	0	1	5
			F	18	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	0	1	3	11

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex			Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563	
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605	
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958	
K70, K73- K74	Chronic Liver Disease and Cirrhosis	T	320	0	0	0	0	0	1	0	5	8	25	39	42	40	35	44	29	17	22	13	
		M	196	0	0	0	0	0	0	0	2	4	16	28	32	27	25	21	17	9	10	5	
		F	124	0	0	0	0	0	1	0	3	4	9	11	10	13	10	23	12	8	12	8	
K70	Alcoholic Liver Disease	T	173	0	0	0	0	0	0	0	1	7	17	24	26	32	26	18	10	6	6	0	
		M	121	0	0	0	0	0	0	0	1	3	12	17	21	23	20	11	8	3	2	0	
		F	52	0	0	0	0	0	0	0	0	4	5	7	5	9	6	7	2	3	4	0	
K73- K74	Other Chronic Liver Disease and Cirrhosis	T	147	0	0	0	0	0	1	0	4	1	8	15	16	8	9	26	19	11	16	13	
		M	75	0	0	0	0	0	0	0	1	1	4	11	11	4	5	10	9	6	8	5	
		F	72	0	0	0	0	0	1	0	3	0	4	4	5	4	4	16	10	5	8	8	
K80- K82	Cholelithiasis and Other Disorders of Gallbladder and Biliary Tract	T	55	0	0	0	1	0	0	0	0	0	0	1	2	2	1	4	5	6	8	25	
		M	30	0	0	0	0	0	0	0	0	0	0	1	1	1	1	4	4	4	4	10	
		F	25	0	0	0	1	0	0	0	0	0	0	0	1	1	0	0	1	2	4	15	
Re- sid- ual	Other Disease of the Digestive System	T	833	8	0	0	0	2	2	1	5	7	17	22	37	38	43	47	60	80	138	326	
		M	380	4	0	0	0	1	2	1	4	4	9	12	28	25	25	21	32	40	71	101	
		F	453	4	0	0	0	1	0	0	1	3	8	10	9	13	18	26	28	40	67	225	
L00- L99	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	T	44	0	0	0	0	0	0	0	0	1	0	2	1	0	1	2	6	6	8	17	
		M	16	0	0	0	0	0	0	0	0	0	0	2	1	0	0	0	2	3	3	5	
		F	28	0	0	0	0	0	0	0	0	1	0	0	0	0	1	2	4	3	5	12	
M00- M99	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	T	337	0	1	0	2	1	0	2	2	1	5	5	4	12	11	17	25	44	55	150	
		M	95	0	0	0	1	0	0	1	1	1	3	2	2	5	3	7	9	16	18	26	
		F	242	0	1	0	1	1	0	1	1	0	2	3	2	7	8	10	16	28	37	124	
N00- N99	XIV. DISEASES OF THE GENITOURINARY SYSTEM	T	882	0	0	0	0	0	1	0	1	0	9	6	11	18	20	34	61	103	177	441	
		M	409	0	0	0	0	0	1	0	1	0	4	3	8	9	13	19	33	59	85	174	
		F	473	0	0	0	0	0	0	0	0	0	5	3	3	9	7	15	28	44	92	267	
N00-N07, N17-N19, N25-N27	Nephritis, Nephrotic Syndrome and Nephrosis	T	659	0	0	0	0	0	1	0	1	0	8	5	7	13	15	28	53	79	137	312	
		M	327	0	0	0	0	0	1	0	1	0	4	3	5	8	9	16	29	47	69	135	
		F	332	0	0	0	0	0	0	0	0	0	4	2	2	5	6	12	24	32	68	177	

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex		Total	Under	1	5	10	15	20	25	30	35	40	45	50	55	60	65	70	75	80	85
				1 Year	to 4	to 9	to 14	to 19	to 24	to 29	to 34	to 39	to 44	to 49	to 54	to 59	to 64	to 69	to 74	to 79	to 84	and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
N00- N01, N04	Acute and Rapidly Progressive Nephritic & Nephrotic Syndrome	T	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		F	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0
N02-N03, N05-N07, N26	Chronic Glomerulo- Nephritis, Nephritis, and Renal Sclerosis	T	14	0	0	0	0	0	0	0	0	0	0	0	0	3	2	1	0	3	3	2
		M	6	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	0	2	1	0
		F	8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	2	2
N17- N19	Renal Failure	T	641	0	0	0	0	0	1	0	1	0	8	5	7	10	13	27	51	75	133	310
		M	319	0	0	0	0	0	1	0	1	0	4	3	5	6	8	16	28	44	68	135
		F	322	0	0	0	0	0	0	0	0	0	4	2	2	4	5	11	23	31	65	175
N25, N27	Other Disorders of Kidney	T	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N10- N12, N13.6,N15.1	Infections of the Kidney	T	9	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	1	4
		M	3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
		F	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	3
N40	Hyperplasia of the Prostate	T	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	6
		M	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	6
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N70- N76	Inflammatory Diseases of Female Pelvic Organs	T	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1
Re- sid- ual	Other Diseases of the Genitourinary System	T	203	0	0	0	0	0	0	0	0	0	1	1	3	5	5	4	6	23	37	118
		M	72	0	0	0	0	0	0	0	0	0	0	0	2	1	4	2	4	12	15	32
		F	131	0	0	0	0	0	0	0	0	0	1	1	1	4	1	2	2	11	22	86
O00- O99	XV. PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	T	5	0	0	0	0	0	0	2	1	0	1	1	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	5	0	0	0	0	0	0	2	1	0	1	1	0	0	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.				Under 1 to Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
Cause of Death and Sex			Total																			
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
O00- O07	Pregnancy with Abortive Outcome	T	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0
O10- O99	Other Complications of Pregnancy	T	4	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	4	0	0	0	0	0	0	1	1	0	1	1	0	0	0	0	0	0	0	0
O08	Other Complications of Pregnancy, Childbirth, and the Puerperium	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
P00- P96	XVI. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	T	160	158	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		M	80	79	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
		F	80	79	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Q00- Q99	XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES	T	202	105	5	3	7	2	2	3	4	8	7	10	9	9	7	2	5	1	3	10
		M	108	57	3	1	5	2	1	2	3	5	5	5	4	6	1	1	4	1	1	1
		F	94	48	2	2	2	0	1	1	1	3	2	5	5	3	6	1	1	0	2	9
R00- R99	XVIII. SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS	T	1,309	45	2	1	0	0	1	1	3	6	3	7	24	24	39	47	63	100	153	790
		M	473	28	2	1	0	0	1	1	2	0	2	6	18	16	30	29	34	48	69	186
		F	836	17	0	0	0	0	0	0	1	6	1	1	6	8	9	18	29	52	84	604
V01- Y98	XX. EXTERNAL CAUSES	T	2,739	23	19	15	32	150	201	144	142	152	215	228	181	142	97	75	105	135	193	490
		M	1,782	10	14	5	21	109	168	112	108	114	150	170	138	106	69	57	68	77	105	181
		F	957	13	5	10	11	41	33	32	34	38	65	58	43	36	28	18	37	58	88	309
V01- X59, Y85-Y86	Accidents	T	1,920	18	16	14	18	86	122	85	73	102	129	134	108	87	67	56	73	110	168	454
		M	1,159	7	12	5	11	58	97	65	56	81	83	96	83	63	45	44	47	62	88	156
		F	761	11	4	9	7	28	25	20	17	21	46	38	25	24	22	12	26	48	80	298

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
V01- V99, Y85	Transport Accidents	T	680	1	6	8	13	72	87	42	48	49	68	58	41	41	35	25	17	26	16	27
		M	470	1	4	3	8	45	66	33	36	37	46	40	31	29	24	20	10	13	13	11
		F	210	0	2	5	5	27	21	9	12	12	22	18	10	12	11	5	7	13	3	16
*	Motor Vehicle Accidents	T	638	1	6	8	12	69	83	39	44	47	62	56	39	38	32	21	16	24	14	27
		M	439	1	4	3	7	44	62	32	32	35	43	38	29	26	22	17	9	12	12	11
		F	199	0	2	5	5	25	21	7	12	12	19	18	10	12	10	4	7	12	2	16
**	Other Land Transport Accidents	T	12	0	0	0	0	2	1	0	0	1	2	1	0	1	1	1	1	0	1	0
		M	8	0	0	0	0	1	1	0	0	1	1	1	0	1	0	1	1	0	0	0
		F	4	0	0	0	0	1	0	0	0	0	1	0	0	0	1	0	0	0	1	0
V90- V99, Y85	Water, Air, Space, and Other Unspecified Transport Accidents	T	30	0	0	0	1	1	3	3	4	1	4	1	2	2	2	3	0	2	1	0
		M	23	0	0	0	1	0	3	1	4	1	2	1	2	2	2	2	0	1	1	0
		F	7	0	0	0	0	1	0	2	0	0	2	0	0	0	0	1	0	1	0	0
W00- X59, Y86	Non-Transport Accidents	T	1,240	17	10	6	5	14	35	43	25	53	61	76	67	46	32	31	56	84	152	427
		M	689	6	8	2	3	13	31	32	20	44	37	56	52	34	21	24	37	49	75	145
		F	551	11	2	4	2	1	4	11	5	9	24	20	15	12	11	7	19	35	77	282
W00- W19	Falls	T	588	0	1	0	1	1	5	2	0	5	9	12	20	11	7	16	30	61	119	288
		M	287	0	1	0	0	1	5	2	0	4	7	9	16	7	3	13	18	38	55	108
		F	301	0	0	0	1	0	0	0	0	1	2	3	4	4	4	3	12	23	64	180
W32- W34	Accidental Discharge of Firearms	T	9	0	1	0	0	0	0	0	0	3	0	2	0	0	1	0	2	0	0	0
		M	8	0	1	0	0	0	0	0	0	3	0	1	0	0	1	0	2	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0
W65- W74	Accidental Drowning and Submersion	T	56	1	6	2	1	4	6	5	3	4	9	2	4	4	0	0	3	0	0	2
		M	43	0	5	0	1	4	6	3	3	2	7	2	3	4	0	0	1	0	0	2
		F	13	1	1	2	0	0	0	2	0	2	2	0	1	0	0	0	2	0	0	0

* V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2

** V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex		Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
X00- X09	Accidental Exposure to Smoke, Fire, and Flames	T	28	0	0	2	0	0	0	1	1	1	2	5	3	0	4	2	0	1	2	4
		M	15	0	0	1	0	0	0	1	1	1	0	1	3	0	1	1	0	1	2	2
		F	13	0	0	1	0	0	0	0	0	0	2	4	0	0	3	1	0	0	0	2
X40- X49	Accidental Poisoning and Exposure to Noxious Substances	T	205	0	0	0	2	3	15	25	13	26	28	39	29	14	3	0	2	2	0	4
		M	147	0	0	0	1	2	13	19	8	20	15	31	22	10	3	0	1	1	0	1
		F	58	0	0	0	1	1	2	6	5	6	13	8	7	4	0	0	1	1	0	3
Re- sid- ual	Other Non-Transport Accidents and Their Sequelae	T	354	16	2	2	1	6	9	10	8	14	13	16	11	17	17	13	19	20	31	129
		M	189	6	1	1	1	6	7	7	8	14	8	12	8	13	13	10	15	9	18	32
		F	165	10	1	1	0	0	2	3	0	0	5	4	3	4	4	3	4	11	13	97
X60- X84, Y87.0	Intentional Self-Harm (Suicide)	T	542	0	0	0	11	44	50	34	51	37	59	71	52	45	21	13	16	16	11	11
		M	438	0	0	0	10	34	47	28	40	25	49	58	39	37	16	11	12	12	9	11
		F	104	0	0	0	1	10	3	6	11	12	10	13	13	8	5	2	4	4	2	0
X72- X74	By Discharge of Firearms	T	255	0	0	0	5	18	21	17	21	12	35	29	25	19	13	8	10	10	6	6
		M	229	0	0	0	5	16	21	15	18	8	30	26	21	18	12	8	10	9	6	6
		F	26	0	0	0	0	2	0	2	3	4	5	3	4	1	1	0	0	1	0	0
X60-X71, X75-X84, Y87.0	By Other and Unspecified Means and Their Sequelae	T	287	0	0	0	6	26	29	17	30	25	24	42	27	26	8	5	6	6	5	5
		M	209	0	0	0	5	18	26	13	22	17	19	32	18	19	4	3	2	3	3	5
		F	78	0	0	0	1	8	3	4	8	8	5	10	9	7	4	2	4	3	2	0
X85- Y09, Y87.1	Assault (Homicide)	T	138	2	2	1	2	18	22	19	15	3	11	12	10	5	4	3	4	1	2	2
		M	97	1	1	0	0	15	17	17	9	2	8	9	7	3	3	1	2	0	2	0
		F	41	1	1	1	2	3	5	2	6	1	3	3	3	2	1	2	2	1	0	2
X93- X95	By Discharge of Firearms	T	88	0	0	0	2	14	16	16	9	2	7	7	3	4	2	2	2	1	1	0
		M	67	0	0	0	0	12	13	15	6	1	6	5	2	3	1	1	1	0	1	0
		F	21	0	0	0	2	2	3	1	3	1	1	2	1	1	1	1	1	1	0	0
X85-X92, X96-Y09, Y87.1	By Other and Unspecified Means and Their Sequelae	T	50	2	2	1	0	4	6	3	6	1	4	5	7	1	2	1	2	0	1	2
		M	30	1	1	0	0	3	4	2	3	1	2	4	5	0	2	0	1	0	1	0
		F	20	1	1	1	0	1	2	1	3	0	2	1	2	1	0	1	1	0	0	2

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2005

10th Revi- sion No.	Cause of Death and Sex		Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	37,498	363	42	36	65	182	250	224	261	364	656	1,006	1,307	1,680	1,841	2,197	3,083	4,397	5,981	13,563
		M	18,088	189	30	12	41	128	202	159	174	234	416	621	810	1,030	1,088	1,282	1,709	2,424	2,934	4,605
		F	19,410	174	12	24	24	54	48	65	87	130	240	385	497	650	753	915	1,374	1,973	3,047	8,958
Y35, Y89.0	Legal Intervention	T	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
		M	2	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y10- Y34, Y87.2,Y89.9	Events of Undetermined Intent	T	76	3	1	0	1	2	6	5	3	10	13	9	7	2	0	1	3	4	3	3
		M	50	2	1	0	0	2	6	2	3	6	9	6	6	0	0	0	2	1	1	3
		F	26	1	0	0	1	0	0	3	0	4	4	3	1	2	0	1	1	3	2	0
Y22- Y24	By Discharge of Firearms	T	7	0	0	0	0	2	2	0	0	0	1	1	0	1	0	0	0	0	0	0
		M	6	0	0	0	0	2	2	0	0	0	1	1	0	0	0	0	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
Y10-Y21, Y25-Y34, Y87.2,Y89.9	By Other and Unspecified Means and Their Sequelae	T	69	3	1	0	1	0	4	5	3	10	12	8	7	1	0	1	3	4	3	3
		M	44	2	1	0	0	0	4	2	3	6	8	5	6	0	0	0	2	1	1	3
		F	25	1	0	0	1	0	0	3	0	4	4	3	1	1	0	1	1	3	2	0
Y36, Y89.1	Operations of War and Their Sequelae	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y40- Y84, Y88	Complications of Medical and Surgical Care	T	61	0	0	0	0	0	1	1	0	0	2	2	4	2	5	2	9	4	9	20
		M	36	0	0	0	0	0	1	0	0	0	0	1	3	2	5	1	5	2	5	11
		F	25	0	0	0	0	0	0	1	0	0	2	1	1	0	0	1	4	2	4	9

Mortality Table 3
DEATHS DUE TO SELECTED CAUSES BY RACE
MINNESOTA RESIDENTS, 2005

	Total	White	African American	American Indian	Asian and Pacific Islander	Other/ Unknown	*Hispanic
Total - All Causes	37,498	35,753	843	397	374	131	279
Tuberculosis	3	1	0	0	2	0	0
Syphilis	0	0	0	0	0	0	0
HIV Disease	51	32	16	2	0	1	2
Malignant Neoplasms	8,823	8,443	207	66	85	22	50
Stomach	142	127	5	4	5	1	2
Colon, Rectum and Anus	796	769	10	9	6	2	6
Pancreas	562	546	11	4	1	0	3
Trachea, Bronchus, Lung	2,281	2,175	64	21	18	3	7
Breast	662	633	22	2	4	1	5
Cervix, Uterus, Ovary	429	414	7	1	5	2	2
Prostate	491	477	12	2	0	0	0
Urinary Tract	429	420	5	4	0	0	0
Non-Hodgkins Lymphoma	366	357	4	2	1	2	3
Leukemia	387	377	6	1	2	1	2
Other Malignancies	2,278	2,148	61	16	43	10	18
Diabetes Mellitus	1,259	1,162	44	29	11	13	18
Alzheimer's Disease	1,320	1,301	9	3	5	2	4
Major Cardiovascular	11,424	11,051	182	73	92	26	58
Diseases of Heart	7,913	7,685	115	52	41	20	39
Hypertensive	206	197	7	1	1	0	0
Ischemic	4,809	4,675	64	29	28	13	23
Other	2,898	2,813	44	22	12	7	16
Essential Hypertension & Hypertensive Renal	540	511	22	1	5	1	5
Cerebrovascular	2,372	2,271	37	15	44	5	14
Atherosclerosis	136	132	1	3	0	0	0
Other Circulatory	463	452	7	2	2	0	0
Influenza & Pneumonia	845	829	4	10	2	0	2
Chronic Lower Respiratory Diseases	1,962	1,921	20	11	9	1	5
Peptic Ulcer	49	46	1	0	2	0	0
Chronic Liver Disease and Cirrhosis	320	294	11	11	4	0	3
Nephritis, Nephrotic Syndrome and Nephrosis	659	625	21	6	7	0	3
Pregnancy/Childbirth	5	2	1	0	2	0	0
Perinatal Conditions	160	103	41	1	10	5	15
Congenital Anomalies	202	169	20	3	7	3	7
Sudden Infant Death	44	33	7	2	1	1	4
Ill-Defined Conditions	1,265	1,219	14	13	18	1	4
All Other Diseases	6,368	6,095	120	57	74	22	48
Motor Vehicle Accidents	638	564	20	26	10	18	21
All Other Accidents	1,282	1,192	40	34	7	9	15
Intentional Self-Harm (Suicide)	542	498	7	21	13	3	12
Assault (Homicide)	138	51	51	24	9	3	6
Other External Causes	139	122	7	5	4	1	2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Mortality Table 4.1

U.S. Fifteen Leading Causes of Death*, Death Rates per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2005

Cause of Death	Number of Deaths	Death Rates	Percent of Total
Diseases of the Heart (I00-I09,I11,I13,I20-I51)	7,913	154.2	21.1
Malignant Neoplasms (C00-C97)	8,823	171.9	23.5
Cerebrovascular Diseases (I60-I69)	2,372	46.2	6.3
Chronic Lower Respiratory Diseases (J40-J47)	1,962	38.2	5.2
Accidents (V01-X59,Y85-Y86)	1,920	37.4	5.1
Motor Vehicle (***)	638	12.4	1.7
Falls (W00-W19)	588	11.5	1.6
Diabetes Mellitus (E10-E14)	1,259	24.5	3.4
Alzheimer's Disease (G30)	1,320	25.7	3.5
Influenza and Pneumonia (J10-J18)	845	16.5	2.3
Influenza (J10-J11)	120	2.3	0.3
Pneumonia (J12-J18)	725	14.1	1.9
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27)	659	12.8	1.8
Septicemia (A40-A41)	262	5.1	0.7
Intentional Self-harm (suicide) (X60-X84,Y87.0)	542	10.6	1.4
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	320	6.2	0.9
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	540	10.5	1.4
Parkinson's Disease (G20-G21)	444	8.7	1.2
Pneumonitis due to Solids and Liquids (J69)	215	4.2	0.6
All Other Causes	8,102	157.8	21.6
Total - All Causes	37,498	730.0	100.0

*These are the 15 leading causes of death in the U.S., per 2004 provisional data, with causes listed in descending order as they occur nation-wide. Counts are for Minnesota residents.

***Motor Vehicle cause codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2

Mortality Table 4.2

MN Fifteen Leading Causes of Death*, Death Rates per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2005

Cause of Death	Number of Deaths	Death Rates	Percent of Total
Malignant Neoplasms (C00-C97)	8,823	171.9	23.5
Diseases of the Heart (I00-I09,I11,I13,I20-I51)	7,913	154.2	21.1
Cerebrovascular Diseases (I60-I69)	2,372	46.2	6.3
Chronic Lower Respiratory Diseases (J40-J47)	1,962	38.2	5.2
Accidents (V01-X59,Y85-Y86)	1,920	37.4	5.1
Motor Vehicle (***)	638	12.4	1.7
Falls (W00-W19)	588	11.5	1.6
Alzheimer's Disease (G30)	1,320	25.7	3.5
Diabetes Mellitus (E10-E14)	1,259	24.5	3.4
Influenza and Pneumonia (J10-J18)	845	16.5	2.3
Influenza (J10-J11)	120	2.3	0.3
Pneumonia (J12-J18)	725	14.1	1.9
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27)	659	12.8	1.8
Intentional Self-harm (suicide) (X60-X84,Y87.0)	542	10.6	1.4
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	540	10.5	1.4
Parkinson's Disease (G20-G21)	444	8.7	1.2
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	320	6.2	0.9
Aortic Aneurysm and Dissection (I71)	283	5.5	0.8
Septicemia (A40-A41)	262	5.1	0.7
All Other Causes	8,034	156.5	21.4
Total - All Causes	37,498	730	100.0

*These are the 15 leading causes of death for residents of Minnesota listed in descending order of prevalence.

***Motor Vehicle cause codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2

Mortality Table 5
LEADING CAUSES OF DEATH BY SELECTED AGE GROUPS
MINNESOTA RESIDENTS, 2005

			Age/Cause Specific Death Rate Per 100,000 Population				Age/Cause Specific Death Rate Per 100,000 Population
No. of Deaths	Percent			No. of Deaths	Percent		
1-4 Years				35-49 Years			
Total - all causes	42	100.0	15.9	Total - all causes	2,026	100.0	169.8
Accidents	16	38.1	6.0	Malignant Neoplasms	475	23.4	39.8
Motor Vehicle	6	14.3	2.3	Accidents	365	18.0	30.6
Congenital Anomalies	5	11.9	1.9	Motor Vehicle	165	8.1	13.8
Malignant Neoplasms	2	4.8	0.8	Diseases of the Heart	319	15.7	26.7
Assault (homicide)	2	4.8	0.8	Intentional Self-Harm	167	8.2	14.0
				Liver Disease, Cirrhosis	72	3.6	6.0
5-9 Years				50-64 Years			
Total - all causes	36	100.0	11.2	Total - all causes	4,828	100.0	555.1
Accidents	14	56.0	4.3	Malignant Neoplasms	1,900	39.4	218.5
Motor Vehicle	8	22.2	2.5	Diseases of the Heart	887	18.4	102.0
Malignant Neoplasms	6	16.7	1.9	Accidents	262	5.4	30.1
Congenital Anomalies	3	8.3	0.9	Motor Vehicle	109	2.3	12.5
				Diabetes Mellitus	195	4.0	22.4
10-14 Years				Chronic Lower			
Total - all causes	65	100.0	18.7	Respiratory Diseases	191	4.0	22.0
Accidents	18	27.7	5.2	Cerebrovascular Diseases	160	3.3	18.4
Motor Vehicle	12	18.5	3.5				
Intentional Self-Harm	11	16.9	3.2	65-74 Years			
Malignant Neoplasms	8	12.3	2.3	Total - all causes	5,280	100.0	1,742.6
Congenital Anomalies	7	10.8	2.0	Malignant Neoplasms	2,037	38.6	672.3
				Diseases of the Heart	979	18.5	323.1
15-19 Years				Chronic Lower			
Total - all causes	182	100.0	48.5	Respiratory Diseases	397	7.5	131.0
Accidents	86	47.3	22.9	Cerebrovascular Diseases	256	4.8	84.5
Motor Vehicle	69	37.9	18.4	Diabetes Mellitus	186	3.5	61.4
Intentional Self-Harm	44	24.2	11.7	Accidents	129	2.4	42.6
Assault (Homicide)	18	9.9	4.8	Motor Vehicle	37	0.7	12.2
Malignant Neoplasms	11	6.0	2.9				
20-34 Years				75 Years and Over			
Total - all causes	735	100.0	68.9	Total - all causes	23,941	100.0	7,475.6
Accidents	280	38.1	26.3	Diseases of the Heart	5,679	23.7	1,773.3
Motor Vehicle	166	22.6	15.6	Malignant Neoplasms	4,328	18.1	1,351.4
Intentional Self-Harm	135	18.4	12.7	Cerebrovascular Diseases	1,878	7.8	586.4
Assault (Homicide)	56	7.6	5.3	Chronic Lower			
Malignant Neoplasms	54	7.3	5.1	Respiratory Diseases	1,340	5.6	418.4
Diseases of the Heart	42	5.7	3.9	Alzheimer's Disease	1,247	5.2	389.4
				Diabetes Mellitus	817	3.4	255.1
				Accidents	732	3.1	228.6
				Falls	468	2.0	146.1

Mortality Table 6
DEATHS DUE TO HIV INFECTION
MINNESOTA RESIDENTS, 2005

	Age Group											
	Total	<20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
Deaths Due to HIV Infection as Underlying Cause												
Cause of Death												
HIV Infection With Specified Secondary Infections	18	0	0	0	2	3	5	0	6	2	0	0
HIV Infection With Specified Secondary Malignant Neoplasms	6	0	0	0	3	1	0	1	0	1	0	0
HIV Infection With Other Specified Diseases	9	0	0	0	0	2	3	0	1	1	1	1
HIV Infection With Other Specified Conditions	8	0	0	2	0	0	1	1	1	3	0	0
Unspecified HIV Disease	10	1	0	0	1	0	3	2	2	0	0	1
Total ALL HIV Infection as Underlying Cause	51	1	0	2	6	6	12	4	10	7	1	2
HIV Infection Mentioned as Contributing Factor for Deaths Due to Other Underlying Causes												
Cause of Death												
Coagulation Defects	1	0	0	0	0	0	0	0	0	0	1	0
Diseases of the Heart	2	0	1	0	0	1	0	0	0	0	0	0
Diseases of the Arteries, Arterioles, and Capillaries	1	0	0	0	0	0	0	0	1	0	0	0
Diseases of the Liver	2	0	0	0	0	0	2	0	0	0	0	0
Intentional Self-Harm	1	0	0	0	1	0	0	0	0	0	0	0
Total Other Underlying Causes of Death With HIV indicated as a Contributing Factor	7	0	1	0	1	1	2	0	1	0	1	0
Total Deaths With Any Mention of HIV Infection	58	1	1	2	7	7	14	4	11	7	2	2

Mortality Table 7
DEATHS OCCURRING IN MINNESOTA BY CAUSE AND AUTOPSY STATUS
2005

Cause of Death	Total Deaths	Autopsy Status					
		Number			Percent		
		Performed	Not Performed	Not Stated	Performed	Not Performed	Not Stated
Total - All Causes	37,601	3,525	34,005	71	9.4	90.4	0.2
I. Infectious and parasitic diseases	532	61	471	0	11.5	88.5	0.0
II. Neoplasms	9,226	190	9,012	24	2.1	97.7	0.3
III. Diseases of the blood and blood-forming organs and immunity disorders	148	11	137	0	7.4	92.6	0.0
IV. Endocrine, nutritional, and metabolic diseases	1,661	82	1,578	1	4.9	95.0	0.1
V. Mental and behavioral disorders	1,778	125	1,649	4	7.0	92.7	0.2
VI. Diseases of the nervous system	2,383	80	2,298	5	3.4	96.4	0.2
VII. Diseases of the eye and adnexa	1	0	1	0	0.0	100.0	0.0
VIII. Diseases of the ear and mastoid process	0	0	0	0	0.0	0.0	0.0
IX. Diseases of the circulatory system	11,411	998	10,391	22	8.7	91.1	0.2
X. Diseases of the respiratory system	3,402	139	3,261	2	4.1	95.9	0.1
XI. Diseases of the digestive system	1,318	156	1,161	1	11.8	88.1	0.1
XII. Diseases of the skin and subcutaneous tissue	45	0	45	0	0.0	100.0	0.0
XIII. Diseases of the musculoskeletal system and connective tissue	354	14	336	4	4.0	94.9	1.1
XIV. Diseases of the genitourinary system	887	26	860	1	2.9	97.0	0.1
XV. Pregnancy, childbirth, and the puerperium	5	2	3	0	40.0	60.0	0.0
XVI. Certain conditions originating in the perinatal period	162	34	127	1	21.0	78.4	0.6
XVII. Congenital malformations, deformations, and chromosomal abnormalities	221	82	139	0	37.1	62.9	0.0
XVIII. Symptoms, signs, and abnormal laboratory findings	1,314	88	1,222	4	6.7	93.0	0.3
XX. External causes of mortality	2,753	1,437	1,314	2	52.2	47.7	0.1

Chapter XIX: Injury, Poisoning, and other consequences of external causes; is not used for Underlying Cause of Death.

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Aitkin	Anoka	Becker	Beltrami	Benton	Big Stone	Blue Earth
DEATHS - Total	37,498	176	1,491	323	340	335	85	429
Crude Death Rate	7.3	10.9	4.6	10.1	7.9	8.7	15.5	7.4
SEX: Male	18,088	95	736	168	177	146	40	200
Female	19,410	81	755	155	163	189	45	229
Race: White	35,753	171	1,427	299	272	332	84	422
African American	843	0	29	0	0	3	0	4
American Indian	397	4	6	23	68	0	1	0
Asian/Pacific Islander	374	1	25	1	0	0	0	0
Other/Unknown	131	0	4	0	0	0	0	3
Hispanic Ethnicity	279	0	11	0	1	0	0	5
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	1	0	0	0	0	0
Malignant Neoplasms	8,823	50	398	63	77	62	27	103
Stomach	142	1	11	0	3	1	1	2
Colon, Rectum, Anus	796	3	36	7	12	6	3	14
Pancreas	562	5	27	2	6	5	5	5
Trachea, Bronchus, Lung	2,281	15	120	23	23	14	4	29
Breast	662	3	31	4	4	4	3	9
Cervix, Uterus, Ovary	429	2	16	5	2	2	0	4
Prostate	491	3	10	4	5	3	1	5
Urinary Tract	429	3	14	4	4	3	1	3
Non-Hodgkins Lymphoma	366	0	20	3	1	2	1	4
Leukemia	387	4	19	1	3	1	2	6
Other Malignancies	2,278	11	94	10	14	21	6	22
Diabetes mellitus	1,259	5	40	7	11	13	1	10
Alzheimer's Disease	1,320	5	24	9	13	14	0	19
Major Cardiovascular	11,424	55	384	109	88	128	37	133
Diseases of Heart	7,913	36	254	82	67	99	26	89
Hypertensive	206	0	9	4	0	1	0	2
Ischemic	4,809	26	148	53	38	72	17	47
Other	2,898	10	97	25	29	26	9	40
Essential Hypertension	540	1	28	4	3	3	0	10
& Hypertensive Renal								
Cerebrovascular	2,372	15	76	19	16	20	11	22
Atherosclerosis	136	0	3	0	0	0	0	7
Other Circulatory	463	3	23	4	2	6	0	5
Influenza & Pneumonia	845	8	22	3	6	9	2	6
Chronic Lower Respiratory	1,962	8	86	19	17	20	5	23
Peptic Ulcer	49	0	1	0	0	0	0	1
Chronic Liver Disease	320	1	15	2	2	3	0	7
and Cirrhosis								
Nephritis, Nephrotic Syndrome,	659	1	25	5	5	6	3	3
and Nephrosis								
Pregnancy, Childbirth, Puerperium	5	0	1	0	0	0	0	0
Perinatal Conditions	160	1	8	2	2	5	0	0
Congenital Anomalies	202	0	15	0	2	2	1	3
Sudden Infant Death	44	0	3	1	0	2	0	0
Ill-Defined Conditions	1,265	11	68	14	28	4	1	21
All Other Diseases	6,368	18	247	64	39	44	6	68
Motor Vehicle Accidents	638	1	31	8	11	6	2	9
Falls	588	2	48	1	2	2	0	5
All Other Accidents	694	4	31	10	11	10	0	8
Intentional Self-Harm (Suicide)	542	5	30	5	13	2	0	9
Assault (Homicide)	138	0	7	1	13	3	0	0
All Other External Causes	139	1	6	0	0	0	0	1

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay
DEATHS - Total	37,498	250	326	342	292	149	326	397
Crude Death Rate	7.3	9.4	9.6	4.0	10.1	11.6	6.6	7.4
SEX: Male	18,088	105	157	176	166	71	172	204
Female	19,410	145	169	166	126	78	154	193
Race: White	35,753	250	308	338	250	148	324	387
African American	843	0	0	2	2	0	0	0
American Indian	397	0	16	0	40	1	0	6
Asian/Pacific Islander	374	0	0	1	0	0	2	1
Other/Unknown	131	0	2	1	0	0	0	3
Hispanic Ethnicity	279	1	1	1	1	0	1	6
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	0	0	0	0
Malignant Neoplasms	8,823	65	67	88	69	34	77	97
Stomach	142	5	1	2	3	1	1	1
Colon, Rectum, Anus	796	6	3	10	7	3	4	15
Pancreas	562	3	6	5	2	1	6	3
Trachea, Bronchus, Lung	2,281	14	22	23	17	9	24	28
Breast	662	7	3	7	4	2	5	7
Cervix, Uterus, Ovary	429	6	1	1	2	2	1	4
Prostate	491	6	4	4	2	2	3	9
Urinary Tract	429	4	5	8	7	3	3	5
Non-Hodgkins Lymphoma	366	2	3	4	1	5	6	4
Leukemia	387	3	2	2	3	3	4	4
Other Malignancies	2,278	9	17	22	21	3	20	17
Diabetes mellitus	1,259	16	13	10	6	3	17	14
Alzheimer's Disease	1,320	3	8	10	5	5	6	8
Major Cardiovascular	11,424	85	110	103	93	45	92	130
Diseases of Heart	7,913	56	79	69	65	35	63	96
Hypertensive	206	2	3	1	2	1	2	0
Ischemic	4,809	38	46	37	43	21	39	64
Other	2,898	16	30	31	20	13	22	32
Essential Hypertension	540	4	3	4	1	1	3	3
& Hypertensive Renal								
Cerebrovascular	2,372	20	14	21	21	5	22	23
Atherosclerosis	136	0	10	4	0	0	0	1
Other Circulatory	463	5	4	5	6	4	4	7
Influenza & Pneumonia	845	5	9	5	5	5	12	19
Chronic Lower Respiratory	1,962	11	23	22	11	12	17	18
Peptic Ulcer	49	0	2	0	0	1	1	2
Chronic Liver Disease	320	3	4	3	4	1	3	4
and Cirrhosis								
Nephritis, Nephrotic Syndrome,	659	5	3	8	7	3	5	4
and Nephrosis								
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0	0
Perinatal Conditions	160	1	0	0	0	0	0	3
Congenital Anomalies	202	1	0	4	1	0	2	1
Sudden Infant Death	44	0	0	0	1	0	0	2
Ill-Defined Conditions	1,265	11	3	10	31	1	5	9
All Other Diseases	6,368	31	62	57	36	38	57	52
Motor Vehicle Accidents	638	5	5	5	8	0	11	4
Falls	588	2	4	5	0	0	10	6
All Other Accidents	694	3	6	8	7	1	7	13
Intentional Self-Harm (Suicide)	542	2	5	4	4	0	4	8
Assault (Homicide)	138	0	0	0	3	0	0	0
All Other External Causes	139	1	2	0	1	0	0	3

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State* Total	Clear- water	Cook	Cotton- wood	Crow Wing	Dakota	Dodge	Douglas
DEATHS - Total	37,498	100	36	154	522	1,907	129	331
Crude Death Rate	7.3	11.8	6.7	13.0	8.7	5.0	6.6	9.4
SEX: Male	18,088	57	21	69	251	927	73	163
Female	19,410	43	15	85	271	980	56	168
Race: White	35,753	89	32	149	517	1,816	129	329
African American	843	0	0	0	1	48	0	0
American Indian	397	11	4	4	2	4	0	1
Asian/Pacific Islander	374	0	0	1	1	31	0	1
Other/Unknown	131	0	0	0	1	8	0	0
Hispanic Ethnicity	279	0	0	0	0	24	2	0
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	1	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	0	5	0	0
Malignant Neoplasms	8,823	20	10	30	123	532	29	86
Stomach	142	1	0	0	3	8	0	1
Colon, Rectum, Anus	796	1	0	3	10	38	1	8
Pancreas	562	1	1	1	14	38	0	8
Trachea, Bronchus, Lung	2,281	5	3	5	37	137	7	15
Breast	662	1	2	3	7	50	3	9
Cervix, Uterus, Ovary	429	2	0	1	3	31	1	6
Prostate	491	2	1	1	5	25	2	3
Urinary Tract	429	2	2	1	7	21	2	6
Non-Hodgkins Lymphoma	366	0	0	0	6	22	1	3
Leukemia	387	0	1	5	2	23	1	7
Other Malignancies	2,278	5	0	10	29	139	11	20
Diabetes mellitus	1,259	8	0	8	17	73	2	5
Alzheimer's Disease	1,320	2	0	8	15	65	2	18
Major Cardiovascular	11,424	32	11	53	167	512	40	132
Diseases of Heart	7,913	26	8	42	112	353	29	98
Hypertensive	206	0	0	4	1	16	2	1
Ischemic	4,809	23	6	32	69	213	9	57
Other	2,898	3	2	6	42	124	18	40
Essential Hypertension	540	3	1	2	11	20	2	3
& Hypertensive Renal								
Cerebrovascular	2,372	3	1	8	38	109	7	27
Atherosclerosis	136	0	0	0	1	3	0	0
Other Circulatory	463	0	1	1	5	27	2	4
Influenza & Pneumonia	845	1	2	7	10	34	1	9
Chronic Lower Respiratory	1,962	4	2	3	35	90	13	20
Peptic Ulcer	49	0	0	0	0	2	0	1
Chronic Liver Disease	320	0	0	1	2	11	0	1
and Cirrhosis								
Nephritis, Nephrotic Syndrome, and Nephrosis	659	2	0	2	14	29	1	2
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0	0
Perinatal Conditions	160	0	0	1	2	16	4	1
Congenital Anomalies	202	0	0	1	3	14	3	2
Sudden Infant Death	44	0	0	0	1	3	0	0
Ill-Defined Conditions	1,265	2	0	1	12	59	0	3
All Other Diseases	6,368	19	9	26	75	311	21	38
Motor Vehicle Accidents	638	2	0	8	17	36	7	5
Falls	588	0	0	1	12	33	1	2
All Other Accidents	694	3	2	1	10	30	1	3
Intentional Self-Harm (Suicide)	542	1	0	2	5	36	3	1
Assault (Homicide)	138	2	0	0	2	7	1	1
All Other External Causes	139	2	0	1	0	8	0	1

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minn- eapolis
DEATHS - Total	37,498	217	247	368	444	84	7,629	2,539
Crude Death Rate	7.3	14.0	11.6	11.5	9.7	13.7	6.8	6.8
SEX: Male	18,088	95	116	176	212	37	3,577	1,256
Female	19,410	122	131	192	232	47	4,052	1,283
Race: White	35,753	213	246	364	443	84	6,896	2,062
African American	843	0	0	1	0	0	484	336
American Indian	397	0	0	1	1	0	67	53
Asian/Pacific Islander	374	1	1	0	0	0	131	63
Other/Unknown	131	3	0	2	0	0	51	25
Hispanic Ethnicity	279	4	0	10	0	0	83	39
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	1	0	25	18
Malignant Neoplasms	8,823	49	46	74	109	17	1,769	554
Stomach	142	0	1	1	2	0	29	10
Colon, Rectum, Anus	796	3	8	9	11	2	148	40
Pancreas	562	1	2	2	6	1	110	29
Trachea, Bronchus, Lung	2,281	11	10	15	25	4	467	162
Breast	662	3	3	6	12	2	140	36
Cervix, Uterus, Ovary	429	4	3	6	4	2	94	29
Prostate	491	5	3	4	10	0	89	36
Urinary Tract	429	3	0	2	6	0	78	18
Non-Hodgkins Lymphoma	366	2	2	1	6	0	77	18
Leukemia	387	1	2	3	2	0	69	15
Other Malignancies	2,278	16	12	25	25	6	468	161
Diabetes mellitus	1,259	9	4	11	18	5	254	87
Alzheimer's Disease	1,320	13	21	17	10	0	227	64
Major Cardiovascular	11,424	80	89	149	135	33	2,009	641
Diseases of Heart	7,913	64	54	106	99	22	1,319	437
Hypertensive	206	0	1	1	3	1	31	10
Ischemic	4,809	38	35	60	52	16	758	248
Other	2,898	26	18	45	44	5	530	179
Essential Hypertension & Hypertensive Renal	540	1	6	6	6	3	136	42
Cerebrovascular	2,372	13	23	26	25	4	436	133
Atherosclerosis	136	1	1	6	2	2	27	7
Other Circulatory	463	1	5	5	3	2	91	22
Influenza & Pneumonia	845	9	7	8	9	1	160	56
Chronic Lower Respiratory	1,962	7	19	21	29	4	372	103
Peptic Ulcer	49	0	0	1	3	0	8	4
Chronic Liver Disease and Cirrhosis	320	2	1	3	4	1	77	34
Nephritis, Nephrotic Syndrome, and Nephrosis	659	4	3	2	10	4	161	54
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	1	0
Perinatal Conditions	160	0	1	0	3	0	42	19
Congenital Anomalies	202	3	3	0	1	0	45	18
Sudden Infant Death	44	0	0	0	0	0	5	3
Ill-Defined Conditions	1,265	2	2	12	7	1	327	116
All Other Diseases	6,368	29	38	56	74	18	1,522	527
Motor Vehicle Accidents	638	2	3	3	8	0	72	34
Falls	588	5	6	4	13	0	203	50
All Other Accidents	694	2	3	4	7	0	147	69
Intentional Self-Harm (Suicide)	542	0	1	1	2	0	117	38
Assault (Homicide)	138	0	0	1	0	0	56	35
All Other External Causes	139	1	0	1	1	0	30	15

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
DEATHS - Total	37,498	186	158	243	457	125	137	358
Crude Death Rate	7.3	9.3	8.4	6.5	10.3	11.2	8.4	8.7
SEX: Male	18,088	96	79	125	232	48	79	157
Female	19,410	90	79	118	225	77	58	201
Race: White	35,753	184	152	242	445	123	135	355
African American	843	0	0	1	0	1	0	1
American Indian	397	0	5	0	9	1	1	0
Asian/Pacific Islander	374	0	1	0	2	0	1	0
Other/Unknown	131	2	0	0	1	0	0	2
Hispanic Ethnicity	279	1	0	1	0	0	0	7
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	0	0	0	0
Malignant Neoplasms	8,823	34	41	52	105	32	41	85
Stomach	142	0	0	0	0	0	0	3
Colon, Rectum, Anus	796	1	2	3	11	4	3	3
Pancreas	562	3	5	3	5	3	3	4
Trachea, Bronchus, Lung	2,281	7	13	14	24	6	16	21
Breast	662	6	2	7	6	2	3	10
Cervix, Uterus, Ovary	429	2	2	2	6	3	3	5
Prostate	491	1	1	3	8	4	2	7
Urinary Tract	429	3	1	3	9	0	2	2
Non-Hodgkins Lymphoma	366	0	2	1	4	3	1	1
Leukemia	387	0	3	2	5	1	0	4
Other Malignancies	2,278	11	10	14	27	6	8	25
Diabetes mellitus	1,259	6	5	5	15	3	2	13
Alzheimer's Disease	1,320	8	4	9	20	3	1	20
Major Cardiovascular	11,424	61	55	85	152	47	39	113
Diseases of Heart	7,913	37	42	60	109	33	35	72
Hypertensive	206	0	0	0	2	0	0	0
Ischemic	4,809	20	30	31	61	17	12	46
Other	2,898	17	12	29	46	16	23	26
Essential Hypertension	540	6	0	2	8	2	0	3
& Hypertensive Renal								
Cerebrovascular	2,372	14	8	22	29	11	4	29
Atherosclerosis	136	1	0	1	1	0	0	2
Other Circulatory	463	3	5	0	5	1	0	7
Influenza & Pneumonia	845	5	1	8	15	4	4	9
Chronic Lower Respiratory	1,962	15	6	13	32	6	5	13
Peptic Ulcer	49	0	0	0	0	0	1	1
Chronic Liver Disease	320	0	1	3	6	0	0	1
and Cirrhosis								
Nephritis, Nephrotic Syndrome,	659	4	3	6	7	1	4	4
and Nephrosis								
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0	0
Perinatal Conditions	160	0	0	0	0	0	0	0
Congenital Anomalies	202	2	0	1	4	1	1	0
Sudden Infant Death	44	0	1	0	0	0	1	0
Ill-Defined Conditions	1,265	3	1	3	4	9	5	7
All Other Diseases	6,368	40	27	40	66	13	16	68
Motor Vehicle Accidents	638	4	6	9	9	2	11	7
Falls	588	1	1	2	6	2	1	6
All Other Accidents	694	1	4	3	10	2	3	7
Intentional Self-Harm (Suicide)	542	2	2	3	6	0	1	3
Assault (Homicide)	138	0	0	0	0	0	0	0
All Other External Causes	139	0	0	1	0	0	1	1

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State* Total	Kittson	Kooch- iching	Lac Qui Parle	Lake	Lake of the Woods	Le Sueur	Lincoln
DEATHS - Total	37,498	73	169	110	151	60	198	107
Crude Death Rate	7.3	15.2	12.2	14.5	13.5	13.6	7.2	17.7
SEX: Male	18,088	39	94	55	67	37	86	52
Female	19,410	34	75	55	84	23	112	55
Race: White	35,753	73	169	108	151	60	196	106
African American	843	0	0	0	0	0	0	0
American Indian	397	0	0	1	0	0	1	1
Asian/Pacific Islander	374	0	0	0	0	0	1	0
Other/Unknown	131	0	0	1	0	0	0	0
Hispanic Ethnicity	279	0	0	1	0	0	0	0
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	0	0	0	0
Malignant Neoplasms	8,823	9	42	24	36	18	43	21
Stomach	142	0	3	0	2	0	0	0
Colon, Rectum, Anus	796	0	4	3	3	4	2	7
Pancreas	562	1	2	2	4	0	5	2
Trachea, Bronchus, Lung	2,281	2	14	4	9	6	6	2
Breast	662	0	5	4	0	1	3	1
Cervix, Uterus, Ovary	429	0	2	1	1	0	3	0
Prostate	491	3	2	1	2	1	1	2
Urinary Tract	429	0	1	1	0	0	1	1
Non-Hodgkins Lymphoma	366	1	1	1	2	1	2	1
Leukemia	387	1	2	0	1	1	2	2
Other Malignancies	2,278	1	6	7	12	4	18	3
Diabetes mellitus	1,259	2	8	8	3	0	7	3
Alzheimer's Disease	1,320	0	4	1	18	0	6	6
Major Cardiovascular	11,424	37	69	29	44	22	79	36
Diseases of Heart	7,913	29	51	26	33	16	67	23
Hypertensive	206	0	1	0	3	0	0	0
Ischemic	4,809	21	27	18	22	8	40	22
Other	2,898	8	23	8	8	8	27	1
Essential Hypertension	540	0	0	0	1	2	2	1
& Hypertensive Renal								
Cerebrovascular	2,372	8	12	3	6	4	8	10
Atherosclerosis	136	0	1	0	1	0	0	0
Other Circulatory	463	0	5	0	3	0	2	2
Influenza & Pneumonia	845	8	2	7	0	3	8	1
Chronic Lower Respiratory	1,962	3	10	5	10	4	11	6
Peptic Ulcer	49	0	0	0	0	0	0	1
Chronic Liver Disease	320	0	0	1	2	0	2	1
and Cirrhosis								
Nephritis, Nephrotic Syndrome, and Nephrosis	659	0	2	2	1	3	2	2
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0	0
Perinatal Conditions	160	0	1	0	1	0	0	1
Congenital Anomalies	202	0	1	0	0	0	1	0
Sudden Infant Death	44	0	0	0	0	0	0	0
Ill-Defined Conditions	1,265	0	1	0	11	1	1	0
All Other Diseases	6,368	10	21	25	22	4	22	21
Motor Vehicle Accidents	638	3	1	4	1	2	5	3
Falls	588	0	1	1	0	1	1	2
All Other Accidents	694	0	4	2	2	1	3	2
Intentional Self-Harm (Suicide)	542	1	2	1	0	1	5	0
Assault (Homicide)	138	0	0	0	0	0	1	0
All Other External Causes	139	0	0	0	0	0	1	1

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker	Mille Lacs
DEATHS - Total	37,498	226	290	50	83	267	222	242
Crude Death Rate	7.3	9.2	7.9	9.8	8.3	12.7	9.5	9.4
SEX: Male	18,088	107	163	23	44	138	109	120
Female	19,410	119	127	27	39	129	113	122
Race: White	35,753	221	284	36	80	265	221	231
African American	843	0	0	0	1	0	1	0
American Indian	397	2	0	14	0	0	0	11
Asian/Pacific Islander	374	1	1	0	0	1	0	0
Other/Unknown	131	2	5	0	2	1	0	0
Hispanic Ethnicity	279	2	3	0	1	1	0	0
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	0	0	0	0
Malignant Neoplasms	8,823	58	64	15	13	55	51	58
Stomach	142	0	1	0	0	1	0	0
Colon, Rectum, Anus	796	9	6	2	1	4	4	4
Pancreas	562	4	1	0	1	3	3	4
Trachea, Bronchus, Lung	2,281	13	20	4	2	16	11	21
Breast	662	4	3	0	2	2	1	3
Cervix, Uterus, Ovary	429	1	1	2	0	6	3	1
Prostate	491	3	6	1	1	3	3	5
Urinary Tract	429	2	4	1	2	3	2	2
Non-Hodgkins Lymphoma	366	5	0	0	0	2	3	1
Leukemia	387	3	3	1	2	4	2	5
Other Malignancies	2,278	14	19	4	2	11	19	12
Diabetes mellitus	1,259	7	22	1	1	17	9	12
Alzheimer's Disease	1,320	8	7	5	6	17	10	3
Major Cardiovascular	11,424	82	91	15	33	90	79	79
Diseases of Heart	7,913	52	59	13	27	72	47	51
Hypertensive	206	3	3	1	1	4	0	3
Ischemic	4,809	38	30	6	17	53	24	27
Other	2,898	11	26	6	9	15	23	21
Essential Hypertension & Hypertensive Renal	540	3	7	1	0	3	6	5
Cerebrovascular	2,372	23	20	1	4	12	21	18
Atherosclerosis	136	1	2	0	0	0	2	1
Other Circulatory	463	3	3	0	2	3	3	4
Influenza & Pneumonia	845	4	10	1	3	8	4	6
Chronic Lower Respiratory	1,962	11	19	5	2	13	13	12
Peptic Ulcer	49	1	0	0	0	1	0	0
Chronic Liver Disease and Cirrhosis	320	3	2	0	1	0	0	3
Nephritis, Nephrotic Syndrome, and Nephrosis	659	2	6	0	4	4	4	3
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0	0
Perinatal Conditions	160	0	0	0	0	3	0	1
Congenital Anomalies	202	1	1	0	1	0	1	1
Sudden Infant Death	44	0	1	0	1	0	0	0
Ill-Defined Conditions	1,265	1	6	1	1	2	3	5
All Other Diseases	6,368	35	40	5	14	39	39	43
Motor Vehicle Accidents	638	3	5	1	1	4	4	7
Falls	588	3	6	0	0	4	3	3
All Other Accidents	694	3	6	1	2	4	2	3
Intentional Self-Harm (Suicide)	542	3	3	0	0	3	0	1
Assault (Homicide)	138	0	0	0	0	0	0	1
All Other External Causes	139	1	1	0	0	3	0	1

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted
DEATHS - Total	37,498	295	417	93	207	169	105	818
Crude Death Rate	7.3	9.0	10.7	10.5	6.7	8.2	15.0	6.1
SEX: Male	18,088	148	187	36	90	91	56	411
Female	19,410	147	230	57	117	78	49	407
Race: White	35,753	291	417	92	206	167	102	794
African American	843	1	0	0	1	0	0	14
American Indian	397	2	0	1	0	2	3	2
Asian/Pacific Islander	374	0	0	0	0	0	0	7
Other/Unknown	131	1	0	0	0	0	0	1
Hispanic Ethnicity	279	1	1	0	1	1	0	8
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	1	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	0	0	0	2
Malignant Neoplasms	8,823	69	95	22	40	37	22	202
Stomach	142	0	3	0	0	0	1	2
Colon, Rectum, Anus	796	11	7	3	3	5	1	14
Pancreas	562	1	1	4	2	1	2	18
Trachea, Bronchus, Lung	2,281	21	20	7	8	10	8	41
Breast	662	1	10	1	1	2	1	16
Cervix, Uterus, Ovary	429	2	3	0	1	2	0	11
Prostate	491	3	5	1	2	3	3	13
Urinary Tract	429	9	5	2	3	2	1	8
Non-Hodgkins Lymphoma	366	3	2	1	6	2	0	11
Leukemia	387	6	9	0	2	1	2	15
Other Malignancies	2,278	12	30	3	12	9	3	53
Diabetes mellitus	1,259	14	6	2	7	2	4	13
Alzheimer's Disease	1,320	15	10	4	7	8	9	30
Major Cardiovascular	11,424	96	144	34	74	51	34	251
Diseases of Heart	7,913	66	104	28	55	33	26	177
Hypertensive	206	5	1	0	2	4	1	0
Ischemic	4,809	39	68	15	29	18	16	129
Other	2,898	22	35	13	24	11	9	48
Essential Hypertension	540	3	7	0	1	2	1	11
& Hypertensive Renal								
Cerebrovascular	2,372	24	24	5	11	14	4	46
Atherosclerosis	136	1	2	0	2	1	0	2
Other Circulatory	463	2	7	1	5	1	3	15
Influenza & Pneumonia	845	8	22	1	2	6	5	11
Chronic Lower Respiratory	1,962	24	27	6	11	8	5	59
Peptic Ulcer	49	0	0	0	1	0	0	1
Chronic Liver Disease	320	4	4	2	1	0	1	6
and Cirrhosis								
Nephritis, Nephrotic Syndrome,	659	4	15	1	3	4	4	10
and Nephrosis								
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0	0
Perinatal Conditions	160	2	0	0	1	3	0	2
Congenital Anomalies	202	2	0	0	3	0	0	7
Sudden Infant Death	44	0	0	0	1	0	0	1
Ill-Defined Conditions	1,265	6	9	4	2	21	1	1
All Other Diseases	6,368	31	60	8	43	21	15	172
Motor Vehicle Accidents	638	10	2	4	2	0	1	10
Falls	588	2	6	1	3	3	1	12
All Other Accidents	694	6	5	0	4	2	1	12
Intentional Self-Harm (Suicide)	542	2	11	4	2	0	1	14
Assault (Homicide)	138	0	0	0	0	0	0	0
All Other External Causes	139	0	1	0	0	2	1	2

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State* Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
DEATHS - Total	37,498	647	134	246	131	345	145
Crude Death Rate	7.3	11.2	9.8	8.6	13.9	11.1	12.9
SEX: Male	18,088	330	68	135	56	163	70
Female	19,410	317	66	111	75	182	75
Race: White	35,753	639	133	244	130	337	145
African American	843	2	0	0	0	0	0
American Indian	397	3	0	2	1	2	0
Asian/Pacific Islander	374	2	0	0	0	0	0
Other/Unknown	131	1	1	0	0	6	0
Hispanic Ethnicity	279	3	0	0	0	7	0
CAUSE OF DEATH							
Tuberculosis	3	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	0	0	1
Malignant Neoplasms	8,823	148	26	69	27	66	27
Stomach	142	5	0	0	3	0	0
Colon, Rectum, Anus	796	12	0	5	3	7	4
Pancreas	562	6	3	2	1	5	0
Trachea, Bronchus, Lung	2,281	36	6	25	4	16	3
Breast	662	9	1	4	1	4	2
Cervix, Uterus, Ovary	429	8	1	2	0	0	0
Prostate	491	11	5	3	1	2	4
Urinary Tract	429	7	3	4	3	6	1
Non-Hodgkins Lymphoma	366	6	2	1	1	2	2
Leukemia	387	4	0	2	2	2	1
Other Malignancies	2,278	44	5	21	8	22	10
Diabetes mellitus	1,259	22	6	9	7	16	3
Alzheimer's Disease	1,320	34	1	5	8	27	8
Major Cardiovascular	11,424	221	44	84	37	110	53
Diseases of Heart	7,913	147	32	63	26	77	38
Hypertensive	206	1	2	0	1	1	0
Ischemic	4,809	107	17	42	9	60	22
Other	2,898	39	13	21	16	16	16
Essential Hypertension & Hypertensive Renal	540	5	2	1	0	2	1
Cerebrovascular	2,372	50	8	16	11	20	11
Atherosclerosis	136	10	0	0	0	1	1
Other Circulatory	463	9	2	4	0	10	2
Influenza & Pneumonia	845	24	2	6	4	3	4
Chronic Lower Respiratory	1,962	31	6	9	10	14	11
Peptic Ulcer	49	0	1	0	0	0	0
Chronic Liver Disease and Cirrhosis	320	4	1	2	2	1	0
Nephritis, Nephrotic Syndrome, and Nephrosis	659	10	1	5	4	8	2
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0
Perinatal Conditions	160	1	0	0	0	0	0
Congenital Anomalies	202	1	0	0	0	4	0
Sudden Infant Death	44	0	0	1	0	1	0
Ill-Defined Conditions	1,265	3	11	4	8	10	2
All Other Diseases	6,368	117	21	36	16	65	30
Motor Vehicle Accidents	638	7	5	7	3	3	1
Falls	588	4	0	2	2	2	0
All Other Accidents	694	12	3	5	2	6	2
Intentional Self-Harm (Suicide)	542	6	4	1	1	6	0
Assault (Homicide)	138	1	0	0	0	2	1
All Other External Causes	139	1	2	1	0	1	0

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock
DEATHS - Total	37,498	3,867	2,088	44	207	181	435	113
Crude Death Rate	7.3	7.8	7.6	10.2	12.9	10.8	7.1	11.9
SEX: Male	18,088	1,756	950	23	104	80	211	64
Female	19,410	2,111	1,138	21	103	101	224	49
Race: White	35,753	3,512	1,787	43	200	177	434	111
African American	843	195	170	0	1	0	1	0
American Indian	397	24	19	1	6	3	0	2
Asian/Pacific Islander	374	120	97	0	0	0	0	0
Other/Unknown	131	16	15	0	0	1	0	0
Hispanic Ethnicity	279	55	51	0	0	2	4	0
CAUSE OF DEATH								
Tuberculosis	3	1	1	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	6	5	1	0	0	0	0
Malignant Neoplasms	8,823	906	488	8	42	42	105	25
Stomach	142	8	3	0	1	0	2	0
Colon, Rectum, Anus	796	71	45	1	3	7	11	4
Pancreas	562	60	25	0	5	5	6	0
Trachea, Bronchus, Lung	2,281	262	139	3	12	4	33	3
Breast	662	58	35	1	4	5	4	3
Cervix, Uterus, Ovary	429	40	21	0	1	1	6	3
Prostate	491	42	27	0	2	4	5	2
Urinary Tract	429	38	20	0	3	0	2	1
Non-Hodgkins Lymphoma	366	30	15	0	2	3	8	1
Leukemia	387	34	19	0	3	3	7	0
Other Malignancies	2,278	263	139	3	6	10	21	8
Diabetes mellitus	1,259	118	60	2	11	12	11	1
Alzheimer's Disease	1,320	133	57	1	7	3	16	9
Major Cardiovascular	11,424	1,085	587	14	69	63	124	34
Diseases of Heart	7,913	668	367	10	53	47	97	19
Hypertensive	206	19	14	1	2	0	4	0
Ischemic	4,809	367	211	8	30	32	68	12
Other	2,898	282	142	1	21	15	25	7
Essential Hypertension & Hypertensive Renal	540	72	37	0	0	2	1	2
Cerebrovascular	2,372	294	158	4	15	9	23	13
Atherosclerosis	136	5	2	0	1	1	3	0
Other Circulatory	463	46	23	0	0	4	0	0
Influenza & Pneumonia	845	83	39	1	8	8	12	3
Chronic Lower Respiratory	1,962	192	96	0	11	9	14	5
Peptic Ulcer	49	4	3	0	0	0	1	0
Chronic Liver Disease and Cirrhosis	320	36	23	0	3	1	1	1
Nephritis, Nephrotic Syndrome, and Nephrosis	659	74	43	0	7	3	10	4
Pregnancy, Childbirth, Puerperium	5	2	2	0	0	0	0	0
Perinatal Conditions	160	21	13	0	0	0	1	0
Congenital Anomalies	202	17	11	0	0	1	2	0
Sudden Infant Death	44	7	3	0	0	0	0	0
Ill-Defined Conditions	1,265	271	158	4	7	5	17	0
All Other Diseases	6,368	659	339	10	24	25	80	23
Motor Vehicle Accidents	638	40	26	1	9	4	14	3
Falls	588	43	20	0	2	2	9	1
All Other Accidents	694	80	56	1	4	2	5	4
Intentional Self-Harm (Suicide)	542	47	25	1	3	0	11	0
Assault (Homicide)	138	22	19	0	0	1	0	0
All Other External Causes	139	20	14	0	0	0	2	0

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
DEATHS - Total	37,498	130	2,002	943	447	405	149	792
Crude Death Rate	7.3	7.9	10.2	11.1	3.7	5.0	9.8	5.6
SEX: Male	18,088	71	924	404	228	197	73	419
Female	19,410	59	1,078	539	219	208	76	373
Race: White	35,753	129	1,961	911	434	398	148	776
African American	843	0	11	11	5	4	0	10
American Indian	397	0	24	17	2	1	0	1
Asian/Pacific Islander	374	1	6	4	6	2	1	3
Other/Unknown	131	0	0	0	0	0	0	2
Hispanic Ethnicity	279	0	2	2	0	1	0	5
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	1	2	0	1
Malignant Neoplasms	8,823	33	431	202	132	82	41	187
Stomach	142	3	10	7	1	1	0	0
Colon, Rectum, Anus	796	2	38	22	15	6	3	18
Pancreas	562	2	30	13	7	6	3	14
Trachea, Bronchus, Lung	2,281	3	104	53	30	23	6	44
Breast	662	5	34	16	10	6	3	18
Cervix, Uterus, Ovary	429	1	20	8	10	6	2	12
Prostate	491	5	28	12	9	2	2	14
Urinary Tract	429	1	28	14	7	4	4	10
Non-Hodgkins Lymphoma	366	0	17	11	4	5	1	6
Leukemia	387	1	13	4	8	1	2	9
Other Malignancies	2,278	10	109	42	31	22	15	42
Diabetes mellitus	1,259	6	76	25	13	7	2	24
Alzheimer's Disease	1,320	2	95	63	18	10	3	22
Major Cardiovascular	11,424	44	673	282	126	114	60	256
Diseases of Heart	7,913	31	492	205	91	76	45	190
Hypertensive	206	0	27	5	1	2	1	5
Ischemic	4,809	23	280	128	62	49	29	122
Other	2,898	8	185	72	28	25	15	63
Essential Hypertension & Hypertensive Renal	540	3	20	7	6	10	1	12
Cerebrovascular	2,372	8	122	54	21	27	12	49
Atherosclerosis	136	0	8	2	5	0	1	1
Other Circulatory	463	2	31	14	3	1	1	4
Influenza & Pneumonia	845	2	45	28	7	4	2	13
Chronic Lower Respiratory	1,962	9	104	56	20	26	4	55
Peptic Ulcer	49	0	4	2	0	0	0	2
Chronic Liver Disease and Cirrhosis	320	2	21	15	2	4	1	7
Nephritis, Nephrotic Syndrome, and Nephrosis	659	1	28	6	5	5	2	11
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0	0
Perinatal Conditions	160	0	1	0	3	2	1	10
Congenital Anomalies	202	1	10	6	3	4	0	5
Sudden Infant Death	44	0	2	0	0	2	0	0
Ill-Defined Conditions	1,265	1	33	20	13	21	2	13
All Other Diseases	6,368	19	360	193	64	77	26	117
Motor Vehicle Accidents	638	1	25	4	8	18	0	20
Falls	588	0	18	7	8	11	1	10
All Other Accidents	694	6	40	18	4	2	2	16
Intentional Self-Harm (Suicide)	542	1	23	6	15	10	2	16
Assault (Homicide)	138	1	4	4	1	0	0	3
All Other External Causes	139	1	9	6	4	4	0	4

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State*							
	Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
DEATHS - Total	37,498	240	67	124	228	42	165	198
Crude Death Rate	7.3	6.7	6.8	11.0	9.3	11.0	7.4	14.5
SEX: Male	18,088	115	25	59	113	18	86	103
Female	19,410	125	42	65	115	24	79	95
Race: White	35,753	240	67	123	227	42	165	198
African American	843	0	0	0	1	0	0	0
American Indian	397	0	0	0	0	0	0	0
Asian/Pacific Islander	374	0	0	0	0	0	0	0
Other/Unknown	131	0	0	1	0	0	0	0
Hispanic Ethnicity	279	0	0	1	3	0	0	0
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	0	0	0	0	0	0
Malignant Neoplasms	8,823	61	16	33	63	10	34	34
Stomach	142	1	0	0	3	0	0	0
Colon, Rectum, Anus	796	4	0	7	9	0	6	2
Pancreas	562	3	2	2	3	0	1	2
Trachea, Bronchus, Lung	2,281	15	5	2	20	3	9	8
Breast	662	5	1	2	1	0	3	4
Cervix, Uterus, Ovary	429	1	3	1	0	1	2	1
Prostate	491	2	1	5	3	0	0	7
Urinary Tract	429	5	0	3	2	1	2	0
Non-Hodgkins Lymphoma	366	2	0	2	2	2	2	2
Leukemia	387	5	1	2	2	0	1	3
Other Malignancies	2,278	18	3	7	18	3	8	5
Diabetes mellitus	1,259	6	1	4	8	1	7	6
Alzheimer's Disease	1,320	4	4	5	5	4	7	12
Major Cardiovascular	11,424	74	18	41	74	17	61	75
Diseases of Heart	7,913	59	13	25	54	16	46	55
Hypertensive	206	0	0	0	2	0	0	0
Ischemic	4,809	36	10	20	28	15	27	45
Other	2,898	23	3	5	24	1	19	10
Essential Hypertension	540	2	0	2	5	0	3	3
& Hypertensive Renal								
Cerebrovascular	2,372	12	5	13	14	0	11	17
Atherosclerosis	136	0	0	0	0	0	0	0
Other Circulatory	463	1	0	1	1	1	1	0
Influenza & Pneumonia	845	12	4	5	3	0	1	3
Chronic Lower Respiratory	1,962	13	5	5	17	1	5	5
Peptic Ulcer	49	1	0	0	0	0	0	0
Chronic Liver Disease	320	1	0	0	1	0	0	2
and Cirrhosis								
Nephritis, Nephrotic Syndrome,	659	3	2	3	3	0	1	3
and Nephrosis								
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	0	0
Perinatal Conditions	160	0	0	2	2	0	0	0
Congenital Anomalies	202	2	0	1	1	0	0	1
Sudden Infant Death	44	1	0	0	0	0	0	1
Ill-Defined Conditions	1,265	0	3	0	6	0	1	7
All Other Diseases	6,368	42	11	17	32	5	34	39
Motor Vehicle Accidents	638	4	1	1	5	3	6	3
Falls	588	5	1	1	0	0	1	1
All Other Accidents	694	8	1	2	5	0	1	5
Intentional Self-Harm (Suicide)	542	3	0	3	3	1	5	1
Assault (Homicide)	138	0	0	0	0	0	0	0
All Other External Causes	139	0	0	1	0	0	1	0

* State Totals Include Unknown County of Residence

Mortality Table 8
SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
MINNESOTA, 2005

	State* Total	Waseca	Wash- ington	Watonwan	Wilkin	Winona	Wright	Yellow Medicine
DEATHS - Total	37,498	153	1,121	108	76	363	609	133
Crude Death Rate	7.3	7.9	5.1	9.6	11.2	7.4	5.5	12.7
SEX: Male	18,088	63	542	48	35	159	320	69
Female	19,410	90	579	60	41	204	289	64
Race: White	35,753	150	1,084	108	76	360	603	128
African American	843	0	14	0	0	2	2	0
American Indian	397	1	3	0	0	1	0	4
Asian/Pacific Islander	374	1	17	0	0	0	2	0
Other/Unknown	131	1	3	0	0	0	2	1
Hispanic Ethnicity	279	2	8	2	0	0	3	1
CAUSE OF DEATH								
Tuberculosis	3	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	51	0	4	0	0	0	1	0
Malignant Neoplasms	8,823	30	298	21	12	94	140	24
Stomach	142	0	6	1	0	0	2	0
Colon, Rectum, Anus	796	3	30	0	3	12	12	3
Pancreas	562	2	12	2	2	10	10	3
Trachea, Bronchus, Lung	2,281	7	77	7	0	22	32	4
Breast	662	2	20	5	0	5	8	3
Cervix, Uterus, Ovary	429	1	18	2	0	6	10	2
Prostate	491	2	17	1	0	5	6	0
Urinary Tract	429	3	9	0	0	3	10	2
Non-Hodgkins Lymphoma	366	1	11	1	5	2	8	2
Leukemia	387	1	14	0	0	3	10	1
Other Malignancies	2,278	8	84	2	2	26	32	4
Diabetes mellitus	1,259	9	50	5	4	8	18	9
Alzheimer's Disease	1,320	3	40	7	4	14	38	5
Major Cardiovascular	11,424	52	315	41	31	126	183	49
Diseases of Heart	7,913	41	211	30	21	95	119	34
Hypertensive	206	1	9	1	0	2	1	0
Ischemic	4,809	29	122	21	16	67	73	20
Other	2,898	11	80	8	5	26	45	14
Essential Hypertension & Hypertensive Renal	540	2	20	2	1	4	11	0
Cerebrovascular	2,372	7	68	7	5	23	42	15
Atherosclerosis	136	0	4	1	2	0	3	0
Other Circulatory	463	2	12	1	2	4	8	0
Influenza & Pneumonia	845	2	16	2	3	6	15	2
Chronic Lower Respiratory	1,962	13	54	1	4	10	28	6
Peptic Ulcer	49	0	2	0	1	1	2	0
Chronic Liver Disease and Cirrhosis	320	1	18	1	3	1	2	1
Nephritis, Nephrotic Syndrome, and Nephrosis	659	1	19	3	1	5	8	5
Pregnancy, Childbirth, Puerperium	5	0	0	0	0	0	1	0
Perinatal Conditions	160	0	5	0	0	1	3	0
Congenital Anomalies	202	2	5	1	0	2	3	1
Sudden Infant Death	44	0	2	1	0	1	1	0
Ill-Defined Conditions	1,265	0	40	1	2	2	17	7
All Other Diseases	6,368	33	174	15	10	70	85	17
Motor Vehicle Accidents	638	5	19	4	0	5	19	4
Falls	588	0	11	1	0	4	8	1
All Other Accidents	694	0	20	1	1	4	19	1
Intentional Self-Harm (Suicide)	542	2	21	3	0	4	17	1
Assault (Homicide)	138	0	2	0	0	1	0	0
All Other External Causes	139	0	6	0	0	4	1	0

* State Totals Include Unknown County of Residence

Marriage/Divorce Table 1
MARRIAGES BY COUNTY OF OCCURRENCE*
MINNESOTA, 2005

County	Marriages	County	Marriages
State Total	30,778		
Aitkin	75	Martin	125
Anoka	1,816	Meeker	129
Becker	232	Mille Lacs	161
Beltrami	307	Morrison	208
Benton	66	Mower	208
Big Stone	23	Murray	28
Blue Earth	529	Nicollet	120
Brown	200	Nobles	103
Carlton	224	Norman	27
Carver	443	Olmsted	1,001
Cass	84	Otter Tail	315
Chippewa	57	Pennington	104
Chisago	261	Pine	154
Clay	176	Pipestone	53
Clearwater	57	Polk	182
Cook	38	Pope	71
Cottonwood	46	Ramsey	2,737
Crow Wing	403	Red Lake	22
Dakota	2,405	Redwood	77
Dodge	90	Renville	74
Douglas	271	Rice	331
Faribault	75	Rock	107
Fillmore	92	Roseau	101
Freeborn	175	St. Louis	1,201
Goodhue	280	Scott	609
Grant	18	Sherburne	469
Hennepin	6,954	Sibley	54
Houston	95	Stearns	1,171
Hubbard	115	Steele	205
Isanti	256	Stevens	55
Itasca	281	Swift	51
Jackson	43	Todd	114
Kanabec	96	Traverse	21
Kandiyohi	268	Wabasha	71
Kittson	20	Wadena	146
Koochiching	59	Waseca	106
Lac Qui Parle	31	Washington	1,609
Lake	59	Watonwan	62
Lake of the Woods	31	Wilkin	35
Le Sueur	99	Winona	288
Lincoln	45	Wright	567
Lyon	171	Yellow Medicine	41
McLeod	213	Unknown	132
Mahnomen	24		
Marshall	30		

*County where marriage ceremony was performed.

Prior to 2002, data was reported by county where license was issued.

Marriage/Divorce Table 2
DISSOLUTIONS OF MARRIAGE BY COUNTY OF OCCURRENCE*
MINNESOTA, 2005

County	Divorces	County	Divorces
State Total	16,895		
Aitkin	59	Martin	92
Anoka	1,082	Meeker	70
Becker	108	Mille Lacs	101
Beltrami	136	Morrison	109
Benton	121	Mower	117
Big Stone	16	Murray	30
Blue Earth	168	Nicollet	110
Brown	82	Nobles	48
Carlton	134	Norman	18
Carver	282	Olmsted	468
Cass	91	Otter Tail	179
Chippewa	39	Pennington	52
Chisago	221	Pine	105
Clay	170	Pipestone	33
Clearwater	37	Polk	87
Cook	12	Pope	26
Cottonwood	36	Ramsey	1,481
Crow Wing	242	Red Lake	16
Dakota	1,316	Redwood	43
Dodge	93	Renville	46
Douglas	117	Rice	184
Faribault	46	Rock	20
Fillmore	67	Roseau	60
Freeborn	103	St. Louis	719
Goodhue	139	Scott	435
Grant	18	Sherburne	286
Hennepin	3,606	Sibley	43
Houston	46	Stearns	409
Hubbard	70	Steele	144
Isanti	138	Stevens	23
Itasca	167	Swift	26
Jackson	37	Todd	84
Kanabec	76	Traverse	8
Kandiyohi	129	Wabasha	59
Kittson	10	Wadena	70
Koochiching	47	Waseca	63
Lac Qui Parle	24	Washington	753
Lake	29	Watonwan	42
Lake of the Woods	13	Wilkin	28
Le Sueur	65	Winona	134
Lincoln	19	Wright	401
Lyon	78	Yellow Medicine	24
McLeod	117	Unknown	0
Mahnomen	15		
Marshall	28		

*Data was provided by the Minnesota State Court Administrator's Office and includes all dissolution filings in Minnesota in 2005.

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
State Total	5,132,799	335,577	322,236	347,759	375,222	382,106	683,956	781,040	771,971	509,691	623,241
Male	2,548,392	172,261	165,009	178,741	191,943	194,603	348,699	394,475	387,838	248,236	263,587
Female	2,584,407	163,316	157,227	169,018	183,279	187,503	335,257	386,565	384,133	261,455	359,654
Aitkin	16,174	725	717	922	920	985	1,611	1,869	2,276	2,234	3,915
Male	8,170	399	374	458	497	553	809	962	1,166	1,086	1,866
Female	8,004	326	343	464	423	432	802	907	1,110	1,148	2,049
Anoka	323,996	21,729	23,115	24,977	23,602	21,681	45,844	55,858	49,162	31,668	26,360
Male	163,383	11,218	11,879	12,805	12,125	11,479	23,444	28,248	24,967	15,653	11,565
Female	160,613	10,511	11,236	12,172	11,477	10,202	22,400	27,610	24,195	16,015	14,795
Becker	31,868	1,909	1,886	2,007	2,651	2,183	3,900	4,115	4,709	3,633	5,175
Male	15,920	981	985	1,014	1,195	1,174	1,988	2,091	2,385	1,817	2,290
Female	15,948	928	901	993	1,156	1,009	1,912	2,024	2,324	1,816	2,885
Beltrami	42,871	2,962	2,724	2,988	3,907	4,940	5,790	5,054	5,647	3,745	5,114
Male	21,164	1,566	1,439	1,530	1,984	2,596	2,771	2,424	2,751	1,879	2,224
Female	21,707	1,396	1,285	1,458	1,923	2,344	3,019	2,630	2,896	1,866	2,890
Benton	38,505	2,728	2,464	2,477	2,490	3,605	7,148	5,697	4,866	3,039	3,991
Male	19,170	1,378	1,276	1,279	1,266	1,843	3,527	2,922	2,511	1,531	1,637
Female	19,335	1,350	1,188	1,198	1,224	1,762	3,621	2,775	2,355	1,508	2,354
Big Stone	5,481	242	266	351	417	312	415	646	867	651	1,314
Male	2,703	140	131	186	231	176	215	330	427	303	564
Female	2,778	102	135	165	186	136	200	316	440	348	750
Blue Earth	58,030	3,260	2,913	2,830	5,542	8,810	9,212	6,646	7,138	4,734	6,945
Male	29,209	1,731	1,500	1,476	2,641	4,517	5,117	3,437	3,561	2,379	2,850
Female	28,821	1,529	1,413	1,354	2,901	4,293	4,095	3,209	3,577	2,355	4,095

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Brown	26,534	1,332	1,366	1,683	2,255	2,242	2,589	3,420	4,109	2,855	4,683
Male	13,127	668	707	873	1,124	1,136	1,442	1,703	2,085	1,406	1,983
Female	13,407	664	659	810	1,131	1,106	1,147	1,717	2,024	1,449	2,700
Carlton	34,026	1,861	1,886	2,133	2,383	2,861	4,243	4,951	5,194	3,534	4,980
Male	17,263	941	967	1,100	1,261	1,452	2,342	2,612	2,661	1,830	2,097
Female	16,763	920	919	1,033	1,122	1,409	1,901	2,339	2,533	1,704	2,883
Carver	84,864	5,914	6,488	6,849	6,153	6,148	12,007	15,482	12,799	6,768	6,256
Male	42,346	3,051	3,278	3,487	3,197	2,970	6,006	7,633	6,562	3,418	2,744
Female	42,518	2,863	3,210	3,362	2,956	3,178	6,001	7,849	6,237	3,350	3,512
Cass	28,910	1,562	1,399	1,854	2,012	2,013	3,446	3,593	4,012	3,705	5,314
Male	14,401	797	710	923	1,049	1,005	1,703	1,794	2,040	1,824	2,556
Female	14,509	765	689	931	963	1,008	1,743	1,799	1,972	1,881	2,758
Chippewa	12,802	707	742	876	864	842	1,190	1,677	2,049	1,431	2,424
Male	6,294	385	397	468	432	419	639	821	1,039	719	975
Female	6,508	322	345	408	432	423	551	856	1,010	712	1,449
Chisago	49,400	3,451	3,242	3,661	3,620	3,671	7,799	8,320	6,849	4,176	4,611
Male	25,295	1,791	1,651	1,933	1,941	1,899	4,000	4,340	3,522	2,125	2,093
Female	24,105	1,660	1,591	1,728	1,679	1,772	3,799	3,980	3,327	2,051	2,518
Clay	53,838	2,909	3,055	3,374	5,518	7,329	6,543	6,674	7,375	4,382	6,679
Male	25,853	1,473	1,546	1,803	2,533	3,186	3,333	3,321	3,674	2,203	2,781
Female	27,985	1,436	1,509	1,571	2,985	4,143	3,210	3,353	3,701	2,179	3,898
Clearwater	8,476	560	472	550	601	597	995	1,047	1,270	938	1,446
Male	4,260	299	247	269	320	294	522	543	625	486	655
Female	4,216	261	225	281	281	303	473	504	645	452	791

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Cook	5,367	212	228	299	283	283	585	673	1,009	820	975
Male	2,697	121	115	159	145	143	303	335	484	429	463
Female	2,670	91	113	140	138	140	282	338	525	391	512
Cottonwood	11,834	669	679	805	834	666	1,106	1,432	1,729	1,362	2,552
Male	5,790	353	366	390	428	342	579	727	869	669	1,067
Female	6,044	316	313	415	406	324	527	705	860	693	1,485
Crow Wing	59,917	3,543	3,436	3,818	3,952	4,139	7,920	7,957	8,448	6,501	10,203
Male	29,472	1,842	1,750	1,930	2,017	2,067	3,988	3,951	4,198	3,156	4,573
Female	30,445	1,701	1,686	1,888	1,935	2,072	3,932	4,006	4,250	3,345	5,630
Dakota	383,592	26,482	27,917	29,656	28,053	24,580	53,274	66,326	60,130	36,319	30,855
Male	189,964	13,639	14,215	15,245	14,471	12,316	26,345	32,691	29,849	17,776	13,417
Female	193,628	12,843	13,702	14,411	13,582	12,264	26,929	33,635	30,281	18,543	17,438
Dodge	19,595	1,417	1,363	1,513	1,461	1,371	2,644	3,019	2,897	1,716	2,194
Male	9,790	692	665	761	735	751	1,343	1,522	1,474	884	963
Female	9,805	725	698	752	726	620	1,301	1,497	1,423	832	1,231
Douglas	35,138	1,797	1,846	2,091	1,572	2,654	4,709	4,470	5,010	3,790	6,407
Male	17,504	937	937	1,078	837	1,455	2,405	2,287	2,509	1,881	2,778
Female	17,634	860	909	1,013	767	1,199	2,304	2,183	2,501	1,909	3,629
Faribault	15,506	773	798	989	1,119	1,056	1,221	1,841	2,494	1,806	3,409
Male	7,708	423	425	528	609	528	665	936	1,304	891	1,399
Female	7,798	350	373	461	510	528	556	905	1,190	915	2,010
Fillmore	21,368	1,290	1,189	1,458	1,544	1,284	2,379	2,714	3,212	2,324	3,974
Male	10,590	691	605	732	777	664	1,248	1,397	1,617	1,176	1,683
Female	10,778	599	584	726	767	620	1,131	1,317	1,595	1,148	2,291

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Freeborn	31,946	1,781	1,751	1,922	2,111	1,954	3,340	4,210	4,859	3,796	6,222
Male	15,781	926	891	971	1,086	1,002	1,744	2,110	2,515	1,903	2,633
Female	16,165	855	860	951	1,025	952	1,596	2,100	2,344	1,893	3,589
Goodhue	45,585	2,648	2,640	3,023	3,350	2,989	5,285	6,546	7,320	4,883	6,901
Male	22,674	1,344	1,345	1,553	1,777	1,524	2,752	3,267	3,706	2,450	2,956
Female	22,911	1,304	1,295	1,470	1,573	1,465	2,533	3,279	3,614	2,433	3,945
Grant	6,114	328	297	367	439	395	560	761	892	684	1,391
Male	2,996	161	155	176	205	222	297	382	447	343	608
Female	3,118	167	142	191	234	173	263	379	445	341	783
Hennepin	1,119,364	79,418	68,371	70,492	72,990	71,952	161,774	183,371	174,683	113,334	122,979
Male	553,925	40,566	34,838	36,192	37,676	36,604	82,877	93,774	86,652	54,625	50,121
Female	565,439	38,852	33,533	34,300	35,314	35,348	78,897	89,597	88,031	58,709	72,858
Houston	19,941	1,007	1,131	1,441	1,561	1,162	2,164	2,772	3,326	2,120	3,257
Male	9,870	503	602	701	813	646	1,072	1,344	1,715	1,082	1,392
Female	10,071	504	529	740	748	516	1,092	1,428	1,611	1,038	1,865
Hubbard	18,861	960	986	1,167	1,280	1,303	1,924	2,297	2,862	2,409	3,673
Male	9,369	491	502	633	643	685	926	1,140	1,424	1,184	1,741
Female	9,492	469	484	534	637	618	998	1,157	1,438	1,225	1,932
Isanti	37,664	2,190	2,235	2,578	2,788	3,052	5,978	5,951	5,446	3,578	3,868
Male	18,873	1,099	1,160	1,315	1,457	1,511	3,010	3,027	2,804	1,763	1,727
Female	18,791	1,091	1,075	1,263	1,331	1,541	2,968	2,924	2,642	1,815	2,141
Itasca	44,384	2,270	2,326	2,761	3,241	3,084	4,438	5,559	7,399	5,712	7,594
Male	22,148	1,193	1,188	1,393	1,736	1,658	2,199	2,694	3,708	2,868	3,511
Female	22,236	1,077	1,138	1,368	1,505	1,426	2,239	2,865	3,691	2,844	4,083

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Jackson	11,182	525	567	701	829	734	1,204	1,422	1,850	1,175	2,175
Male	5,633	294	293	350	443	389	626	761	960	600	917
Female	5,549	231	274	351	386	345	578	661	890	575	1,258
Kanabec	16,215	851	928	1,132	1,165	1,167	2,200	2,202	2,468	1,728	2,374
Male	8,148	420	508	589	587	568	1,088	1,114	1,279	887	1,108
Female	8,067	431	420	543	578	599	1,112	1,088	1,189	841	1,266
Kandiyohi	41,199	2,658	2,397	2,830	3,170	2,770	4,704	5,360	6,608	4,418	6,284
Male	20,433	1,310	1,241	1,443	1,636	1,457	2,482	2,695	3,277	2,184	2,708
Female	20,766	1,348	1,156	1,387	1,534	1,313	2,222	2,665	3,331	2,234	3,576
Kittson	4,792	190	310	313	349	275	303	584	824	558	1,086
Male	2,361	86	151	161	179	159	155	298	434	289	449
Female	2,431	104	159	152	170	116	148	286	390	269	637
Koochiching	13,907	611	737	915	926	792	1,253	1,809	2,393	1,734	2,737
Male	6,875	316	385	479	496	390	616	922	1,204	892	1,175
Female	7,032	295	352	436	430	402	637	887	1,189	842	1,562
Lac Qui Parle	7,604	303	383	492	555	465	546	888	1,353	894	1,725
Male	3,787	142	189	256	301	232	313	441	709	441	763
Female	3,817	161	194	236	254	233	233	447	644	453	962
Lake	11,156	472	547	604	726	717	1,155	1,409	1,869	1,332	2,325
Male	5,519	243	282	276	386	365	585	672	984	676	1,050
Female	5,637	229	265	328	340	352	570	737	885	656	1,275
Lake of the Woods	4,421	205	184	311	313	256	389	575	779	538	871
Male	2,213	101	93	154	156	117	197	298	399	284	414
Female	2,208	104	91	157	157	139	192	277	380	254	457

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Le Sueur	27,490	1,581	1,601	1,896	2,035	1,867	3,534	4,066	4,106	2,989	3,815
Male	13,755	818	801	952	1,026	1,029	1,773	2,052	2,177	1,495	1,632
Female	13,735	763	800	944	1,009	838	1,761	2,014	1,929	1,494	2,183
Lincoln	6,050	319	330	379	394	340	565	765	843	641	1,474
Male	2,977	165	161	197	209	158	301	401	450	333	602
Female	3,073	154	169	182	185	182	264	364	393	308	872
Lyon	24,472	1,438	1,491	1,642	1,982	2,547	2,898	3,158	3,557	2,235	3,524
Male	12,059	743	783	838	974	1,298	1,511	1,601	1,743	1,114	1,454
Female	12,413	695	708	804	1,008	1,249	1,387	1,557	1,814	1,121	2,070
McLeod	36,636	2,485	2,373	2,528	2,731	2,136	5,035	5,433	5,129	3,709	5,077
Male	18,194	1,261	1,204	1,301	1,468	1,039	2,577	2,786	2,584	1,837	2,137
Female	18,442	1,224	1,169	1,227	1,263	1,097	2,458	2,647	2,545	1,872	2,940
Mahnomen	5,113	400	343	408	358	363	475	616	672	574	904
Male	2,540	197	175	227	188	184	237	317	360	276	379
Female	2,573	203	168	181	170	179	238	299	312	298	525
Marshall	9,965	513	554	625	716	621	931	1,332	1,605	1,168	1,900
Male	5,052	257	287	335	355	330	513	706	824	612	833
Female	4,913	256	267	290	361	291	418	626	781	556	1,067
Martin	21,002	1,123	1,129	1,361	1,494	1,233	1,825	2,589	3,517	2,495	4,236
Male	10,265	538	563	720	782	634	970	1,297	1,778	1,267	1,716
Female	10,737	585	566	641	712	599	855	1,292	1,739	1,228	2,520
Meeker	23,371	1,459	1,424	1,559	1,666	1,534	2,705	3,191	3,571	2,466	3,796
Male	11,825	752	736	831	881	793	1,430	1,630	1,870	1,237	1,665
Female	11,546	707	688	728	785	741	1,275	1,561	1,701	1,229	2,131

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Mille Lacs	25,680	1,553	1,481	1,662	1,889	1,842	3,717	3,626	3,560	2,480	3,870
Male	12,624	738	741	837	983	934	1,860	1,859	1,802	1,218	1,652
Female	13,056	815	740	825	906	908	1,857	1,767	1,758	1,262	2,218
Morrison	32,788	1,991	2,068	2,249	2,518	2,303	4,027	4,590	4,845	3,216	4,981
Male	16,472	1,032	1,055	1,150	1,316	1,235	2,104	2,371	2,499	1,618	2,092
Female	16,316	959	1,013	1,099	1,202	1,068	1,923	2,219	2,346	1,598	2,889
Mower	38,799	2,617	2,340	2,625	2,688	2,365	4,338	5,182	5,463	3,987	7,194
Male	19,336	1,395	1,237	1,337	1,406	1,401	2,195	2,618	2,824	2,000	2,923
Female	19,463	1,222	1,103	1,288	1,282	964	2,143	2,564	2,639	1,987	4,271
Murray	8,852	415	465	582	620	551	755	1,094	1,371	1,091	1,908
Male	4,405	210	219	295	339	297	415	556	714	557	803
Female	4,447	205	246	287	281	254	340	538	657	534	1,105
Nicollet	30,848	1,826	1,712	1,867	2,948	3,588	3,840	4,149	4,413	2,989	3,516
Male	15,451	965	895	965	1,467	1,760	2,028	2,113	2,210	1,545	1,503
Female	15,397	861	817	902	1,481	1,828	1,812	2,036	2,203	1,444	2,013
Nobles	20,508	1,514	1,352	1,401	1,408	1,266	2,166	2,729	3,118	2,141	3,413
Male	10,353	767	698	736	707	723	1,176	1,437	1,621	1,079	1,409
Female	10,155	747	654	665	701	543	990	1,292	1,497	1,062	2,004
Norman	7,003	334	419	471	511	445	570	930	1,081	805	1,437
Male	3,498	179	201	247	267	235	315	478	555	405	616
Female	3,505	155	218	224	244	210	255	452	526	400	821
Olmsted	135,189	9,805	8,936	9,006	9,332	8,457	19,493	21,588	20,265	12,745	15,562
Male	66,788	4,975	4,598	4,722	4,726	4,436	9,728	10,835	9,973	6,146	6,649
Female	68,401	4,830	4,338	4,284	4,606	4,021	9,765	10,753	10,292	6,599	8,913

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Otter Tail	57,658	2,903	3,103	3,693	4,331	3,540	5,869	7,430	8,974	6,782	11,033
Male	28,810	1,473	1,626	1,920	2,327	1,743	3,140	3,753	4,613	3,319	4,896
Female	28,848	1,430	1,477	1,773	2,004	1,797	2,729	3,677	4,361	3,463	6,137
Pennington	13,608	876	807	819	1,014	834	1,830	1,758	2,074	1,503	2,093
Male	6,741	427	420	439	532	468	935	875	1,072	721	852
Female	6,867	449	387	380	482	366	895	883	1,002	782	1,241
Pine	28,485	1,528	1,473	1,816	2,037	2,080	3,864	4,121	4,183	2,954	4,429
Male	14,726	707	769	951	1,085	1,115	2,144	2,206	2,195	1,502	2,052
Female	13,759	821	704	865	952	965	1,720	1,915	1,988	1,452	2,377
Pipestone	9,421	533	534	618	670	626	832	1,207	1,393	943	2,065
Male	4,528	274	265	308	374	251	464	611	697	468	816
Female	4,893	259	269	310	296	375	368	596	696	475	1,249
Polk	31,133	1,718	1,787	2,089	2,448	2,654	3,289	4,037	4,725	3,205	5,181
Male	15,409	852	916	1,084	1,247	1,375	1,748	2,045	2,393	1,637	2,112
Female	15,724	866	871	1,005	1,201	1,279	1,541	1,992	2,332	1,568	3,069
Pope	11,252	593	545	692	821	740	1,124	1,370	1,748	1,315	2,304
Male	5,651	335	296	367	431	408	582	675	915	657	985
Female	5,601	258	249	325	390	332	542	695	833	658	1,319
Ramsey	494,920	35,385	31,893	33,676	36,354	36,709	65,483	72,178	73,088	48,697	61,457
Male	238,943	18,399	16,464	17,358	18,194	17,402	32,542	35,786	35,669	23,013	24,116
Female	255,977	16,986	15,429	16,318	18,160	19,307	32,941	36,392	37,419	25,684	37,341
Red Lake	4,317	241	225	248	320	297	485	519	705	481	796
Male	2,156	116	120	121	160	166	253	266	365	246	343
Female	2,161	125	105	127	160	131	232	253	340	235	453

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Redwood	16,022	1,003	956	1,062	1,176	931	1,455	2,097	2,369	1,812	3,161
Male	7,989	534	501	544	617	495	769	1,101	1,207	907	1,314
Female	8,033	469	455	518	559	436	686	996	1,162	905	1,847
Renville	16,764	993	997	1,163	1,278	1,006	1,592	2,182	2,675	1,764	3,114
Male	8,438	537	501	608	639	563	865	1,085	1,415	882	1,343
Female	8,326	456	496	555	639	443	727	1,097	1,260	882	1,771
Rice	60,949	3,401	3,437	3,900	5,743	7,359	7,923	8,302	8,436	5,484	6,964
Male	30,684	1,757	1,764	1,978	2,836	3,668	4,274	4,386	4,314	2,734	2,973
Female	30,265	1,644	1,673	1,922	2,907	3,691	3,649	3,916	4,122	2,750	3,991
Rock	9,520	597	541	647	670	680	988	1,186	1,383	1,035	1,793
Male	4,664	311	265	341	363	347	508	583	702	530	714
Female	4,856	286	276	306	307	333	480	603	681	505	1,079
Roseau	16,495	1,075	1,141	1,240	1,319	1,007	1,927	2,634	2,497	1,637	2,018
Male	8,429	554	599	647	697	492	992	1,411	1,315	826	896
Female	8,066	521	542	593	622	515	935	1,223	1,182	811	1,122
St. Louis	197,179	9,874	9,850	11,279	16,024	18,280	21,666	24,910	31,830	22,390	31,076
Male	97,218	5,052	5,126	5,838	8,099	9,526	11,152	12,351	15,915	11,367	12,792
Female	99,961	4,822	4,724	5,441	7,925	8,754	10,514	12,559	15,915	11,023	18,284
Scott	119,825	9,782	9,367	9,385	8,008	8,443	20,557	22,444	15,733	8,912	7,194
Male	60,095	4,944	4,767	4,842	4,178	4,195	9,978	11,300	8,199	4,480	3,212
Female	59,730	4,838	4,600	4,543	3,830	4,248	10,579	11,144	7,534	4,432	3,982
Sherburne	81,752	5,969	5,864	6,112	5,925	7,485	13,874	13,782	10,712	6,229	5,800
Male	41,606	3,054	3,021	3,122	3,136	3,939	7,015	7,037	5,489	3,152	2,641
Female	40,146	2,915	2,843	2,990	2,789	3,546	6,859	6,745	5,223	3,077	3,159

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Sibley	15,237	959	967	1,111	1,135	928	1,673	2,197	2,257	1,526	2,484
Male	7,671	451	516	608	575	520	851	1,126	1,193	776	1,055
Female	7,566	508	451	503	560	408	822	1,071	1,064	750	1,429
Stearns	142,654	8,760	8,376	9,015	12,530	17,420	19,383	19,576	19,111	12,005	16,478
Male	71,676	4,493	4,256	4,623	6,246	8,985	10,163	10,079	9,657	6,014	7,160
Female	70,978	4,267	4,120	4,392	6,284	8,435	9,220	9,497	9,454	5,991	9,318
Steele	35,755	2,465	2,306	2,516	2,633	2,625	4,462	5,360	5,430	3,322	4,636
Male	17,747	1,334	1,185	1,289	1,336	1,386	2,209	2,712	2,742	1,656	1,898
Female	18,008	1,131	1,121	1,227	1,297	1,239	2,253	2,648	2,688	1,666	2,738
Stevens	9,826	480	477	465	1,110	1,559	914	989	1,332	861	1,639
Male	4,768	239	245	244	472	800	490	507	676	430	665
Female	5,058	241	232	221	638	759	424	482	656	431	974
Swift	11,324	582	576	683	692	723	1,326	1,789	1,712	1,135	2,106
Male	6,314	319	316	329	381	437	914	1,193	1,001	598	826
Female	5,010	263	260	354	311	286	412	596	711	537	1,280
Todd	24,603	1,414	1,433	1,722	1,922	1,706	2,675	3,189	3,801	2,787	3,954
Male	12,412	730	718	915	947	899	1,438	1,625	1,982	1,407	1,751
Female	12,191	684	715	807	975	807	1,237	1,564	1,819	1,380	2,203
Traverse	3,810	154	204	250	293	247	278	421	528	393	1,042
Male	1,852	72	103	127	159	133	149	198	275	193	443
Female	1,958	82	101	123	134	114	129	223	253	200	599
Wabasha	22,200	1,260	1,208	1,577	1,694	1,451	2,459	3,239	3,440	2,502	3,370
Male	11,089	635	605	808	890	696	1,292	1,631	1,770	1,229	1,533
Female	11,111	625	603	769	804	755	1,167	1,608	1,670	1,273	1,837

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Wadena	13,650	859	818	898	1,012	897	1,423	1,626	1,920	1,395	2,802
Male	6,753	438	414	466	557	483	729	812	970	697	1,187
Female	6,897	421	404	432	455	414	694	814	950	698	1,615
Waseca	19,330	1,180	1,222	1,222	1,328	1,315	2,587	2,860	3,026	1,925	2,665
Male	10,107	604	621	620	720	697	1,535	1,643	1,567	992	1,108
Female	9,223	576	601	602	608	618	1,052	1,217	1,459	933	1,557
Washington	220,426	14,341	15,805	17,265	16,238	14,571	27,470	37,623	35,630	23,073	18,410
Male	110,034	7,365	7,968	8,797	8,363	7,846	13,801	18,420	17,686	11,629	8,159
Female	110,392	6,976	7,837	8,468	7,875	6,725	13,669	19,203	17,944	11,444	10,251
Watsonwan	11,234	763	796	829	789	644	1,076	1,339	1,744	1,157	2,097
Male	5,493	412	395	391	413	306	544	670	900	584	878
Female	5,741	351	401	438	376	338	532	669	844	573	1,219
Wilkin	6,802	380	414	496	553	413	632	978	1,135	688	1,113
Male	3,377	210	203	235	277	204	344	501	604	318	481
Female	3,425	170	211	261	276	209	288	477	531	370	632
Winona	49,276	2,367	2,513	2,714	4,979	7,165	5,792	5,744	6,681	4,630	6,691
Male	24,062	1,222	1,291	1,400	2,251	3,613	2,894	2,884	3,341	2,352	2,814
Female	25,214	1,145	1,222	1,314	2,728	3,552	2,898	2,860	3,340	2,278	3,877
Wright	110,730	8,690	7,994	8,395	7,999	8,491	17,457	18,383	14,737	9,253	9,331
Male	55,453	4,361	4,082	4,321	4,101	4,199	8,659	9,334	7,619	4,619	4,158
Female	55,277	4,329	3,912	4,074	3,898	4,292	8,798	9,049	7,118	4,634	5,173
Yellow Medicine	10,449	628	608	691	849	503	930	1,335	1,664	1,141	2,100
Male	5,225	347	329	341	454	266	520	646	899	570	853
Female	5,224	281	279	350	395	237	410	689	765	571	1,247

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2005

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Minneapolis	372,811	24,541	23,346	21,720	26,178	39,903	76,953	59,342	44,783	22,060	33,985
Male	187,305	12,381	12,001	11,143	13,094	20,193	40,351	31,722	22,764	10,713	12,943
Female	185,506	12,160	11,345	10,577	13,084	19,710	36,602	27,620	22,019	11,347	21,042
St. Paul	275,150	20,838	21,342	20,670	21,304	24,863	46,196	41,962	32,613	16,955	28,407
Male	133,059	10,796	11,025	10,597	10,387	11,770	22,993	21,022	16,029	8,037	10,403
Female	142,091	10,042	10,317	10,073	10,917	13,093	23,203	20,940	16,584	8,918	18,004
Duluth	84,896	4,586	4,809	5,377	7,703	9,327	10,240	11,938	11,345	6,731	12,840
Male	40,997	2,380	2,545	2,785	3,759	4,761	5,247	5,921	5,595	3,234	4,770
Female	43,899	2,206	2,264	2,592	3,944	4,566	4,993	6,017	5,750	3,497	8,070

*Population values provided by the U.S. Bureau of the Census