

Overview of 2010 - Table 1

PERCENT CHANGES BETWEEN 2009 AND 2010, SELECTED MINNESOTA HEALTH STATISTICS

Category	Percent Change	2009	2010
Population	0.7	5,266,214	5,303,925
Live Births	-3.1	70,617	68,407
Birth Rate	-3.7	13.4	12.9
Out of Wedlock Percent	-1.2	33.5%	33.1%
Fertility	-3.1	67.5	65.4
Population of Women 15-44	-0.1	1,046,457	1,045,681
White Births*	-2.7	52,588	51,186
African American Births*	-0.3	6,613	6,590
American Indian Births*	-5.9	1,482	1,395
Asian & Pacific Islander Births*	1.7	4,868	4,952
Latino/Hispanic Births*	-8.8	5,600	5,107
Prenatal Care - Third Trimester or None	-4.5	2.2%	2.1%
Infants of Less Than 2,500 Grams	-1.5	6.6%	6.5%
Infants of Less Than 37 Weeks Gestation	-8.3	9.6%	8.8%
Deaths	2.8	37,801	38,857
Fetal Deaths	2.0	345	352
Infant Deaths	-4.6	324	309
Neonatal Deaths	11.7	188	210
Death Rate	1.4	7.2	7.3
Infant Mortality Rate	0.0	4.5	4.5
Neonatal Mortality Rate	14.8	2.7	3.1
Violent Deaths	1.9	2,871	2,925
Homicide	19.4	93	111
Unintentional Injury	2.6	2,034	2,087
Suicide	3.1	581	599
Injury Undetermined	-32.7	101	68
Marriages	-----	27,895	n.a.
Divorces**	-----	17,113	n.a.

*Race/Ethnicity of Mother – Race categories include persons of both Hispanic and non-Hispanic origin; Latino/Hispanic births include persons of any race.

** Data provided by the Minnesota State Court Administrator's Office

Overview of 2010 – Table 2
 Resident Live Births, Crude Birth Rates*, Fertility Rates**, Minnesota and United States
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985, 1990, 1995-2010

Year	Live Births		Crude Birth Rate*		Fertility Rate**	
	Minnesota	U.S.	Minnesota	U.S.	Minnesota	U.S.
1940	52,915	2,559,000	19.0	19.4	81.0	79.9
1945	54,656	2,858,000	20.9	20.4	85.1	85.9
1950	75,078	3,632,000	25.2	24.1	119.1	106.2
1955	81,532	4,097,000	25.7	25.0	130.1	118.3
1960	87,523	4,257,850	25.6	23.7	136.0	118.0
1965	70,810	3,760,358	19.7	19.4	105.9	96.3
1970	68,449	3,731,386	18.0	18.4	88.4	89.7
1975	56,463	3,144,198	14.4	14.6	65.4	66.0
1980	67,843	3,612,258	16.6	15.9	70.8	68.4
1985	67,412	3,760,561	16.1	15.8	68.0	66.2
1990	67,985	4,158,212	15.5	16.7	66.3	70.9
1995	63,259	3,899,589	13.7	14.7	60.1	65.6
1996	63,681	3,891,494	13.6	14.7	59.7	65.3
1997	64,491	3,880,894	13.8	14.5	61.4	65.0
1998	65,207	3,941,553	13.8	14.6	61.8	65.6
1999	65,953	3,959,417	13.8	14.5	62.5	65.9
2000	67,451	4,058,814	13.7	14.7	62.3	67.5
2001	66,617	4,025,933	13.4	14.5	60.9	66.9
2002	68,037	4,021,726	13.6	13.9	62.0	64.8
2003	70,053	4,089,950	13.9	14.1	64.1	66.1
2004	70,614	4,112,052	13.8	14.0	64.5	66.3
2005	70,920	4,140,419	13.8	14.0	64.9	66.7
2006	73,515	4,265,555	14.2	14.2	68.6	68.5
2007	73,675	4,316,233	14.2	14.3	69.6	69.5
2008	72,382	4,251,095	13.9	13.9	69.0	68.4
2009	70,617	4,130,665	13.4	13.5	67.5	66.7
2010	68,407	4,000,279	12.9	13.0	65.4	64.1

* Live Births per 1,000 Population

**Live Births per 1,000 Female Population Age 15-44

Overview of 2010 - Table 3
 Numbers and Rates of Resident Live Births, Deaths, and Maternal Deaths
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985, 1990, 1995-2010

Year	Live Births				Deaths				Maternal Deaths			
	Minnesota		United States		Minnesota		United States		Minnesota		United States	
	Number	Rate*	Number	Rate*	Number	Rate#	Number	Rate#	Number	Rate^	Number	Rate^
1940	52,915	19.0	2,559,000	19.4	26,354	9.4	1,417,269	10.8	115	217.3	8,876	376.0
1945	54,656	20.9	2,858,000	20.4	26,763	10.2	1,401,719	10.6	75	137.2	5,668	207.2
1950	75,078	25.2	3,632,000	24.1	27,897	9.4	1,452,454	9.6	43	57.3	2,960	83.3
1955	81,532	25.7	4,097,000	25.0	28,574	9.0	1,528,717	9.3	27	33.1	1,901	47.0
1960	87,523	25.6	4,257,850	23.7	31,596	9.3	1,711,982	9.5	13	14.9	1,579	37.1
1965	70,810	19.7	3,760,358	19.4	32,477	9.0	1,828,136	9.4	12	16.8	1,189	31.6
1970	68,449	18.0	3,731,386	18.4	33,919	8.9	1,921,031	9.5	9	13.1	803	21.5
1975	56,463	14.4	3,144,198	14.6	32,686	8.3	1,892,879	8.8	3	5.3	403	12.8
1980	67,843	16.6	3,612,258	15.9	33,415	8.2	1,989,841	8.8	4	5.9	334	9.2
1985	67,412	16.1	3,760,561	15.8	34,793	8.3	2,086,440	8.7	3	4.5	295	7.8
1990	67,259	15.5	4,158,212	16.7	34,739	7.9	2,148,463	8.6	3	4.4	343	8.2
1995	63,259	13.7	3,899,589	14.8	37,427	8.1	2,312,132	8.8	0	0.0	277	7.1
1996	63,681	13.6	3,914,953	14.7	37,166	8.0	2,314,690	8.7	3	4.7	294	7.6
1997	64,491	13.8	3,880,894	14.5	36,878	7.9	2,314,245	8.6	4	6.2	327	8.4
1998	65,207	13.8	3,941,553	14.6	37,152	7.9	2,337,256	8.6	3	4.6	281	7.1
1999	65,953	13.8	3,868,417	14.5	38,473	8.1	2,391,399	8.8	3	4.5	391	9.6
2000	67,451	13.7	4,058,814	14.7	37,595	7.6	2,403,351	8.7	4	5.9	396	9.8
2001	66,617	13.4	4,025,933	14.5	37,505	7.5	2,416,425	8.5	2	3.0	399	9.9
2002	68,037	13.6	4,021,726	13.9	38,437	7.7	2,443,387	8.5	4	5.9	357	8.9
2003	70,053	13.9	4,089,950	14.1	37,603	7.4	2,448,288	8.4	3	4.3	495	12.1
2004	70,614	13.8	4,112,052	14.0	37,012	7.3	2,397,615	8.2	0	0.0	540	13.1
2005	70,920	13.8	4,140,419	14.0	37,498	7.3	2,447,903	8.0	5	7.1	623	15.1
2006	73,515	14.2	4,265,555	14.2	36,963	7.2	2,426,264	8.1	5	6.8	569	13.3
2007	73,675	14.2	4,316,233	14.3	37,086	7.1	2,423,712	8.0	6	8.1	548	12.7
2008	72,382	13.9	4,251,095	13.9	38,431	7.4	2,471,984	8.1	6	8.3	795	18.7
2009	70,617	13.4	4,130,665	13.5	37,801	7.2	2,437,163	7.9	11	15.6	960	23.2
2010	68,407	12.9	4,000,279	13.0	38,857	7.3	2,465,936	8.0	9	13.2	824	20.6

*Live Births per 1,000 Population

#Deaths per 1,000 Population

^Maternal Deaths per 100,000 Live Births

Overview of 2010 - Table 4
 Numbers and Rates of Resident Infant Deaths, Neonatal Deaths, and Fetal Deaths
 1940, 1945, 1950, 1955, 1960, 1965, 1970, 1975, 1980, 1985, 1990, 1995-2010

Year	Infant Deaths				Neonatal Deaths				Fetal Deaths			
	Minnesota		United States		Minnesota		United States		Minnesota		United States	
	Number	Rate*	Number	Rate*	Number	Rate#	Number	Rate#	Number	Rate^	Number	Rate^
1940	1,772	33.3	110,984	47.0	1,246	23.4	67,866	28.8	1,144	21.5	73,802	31.3
1945	1,698	31.1	104,684	38.3	1,226	22.6	66,593	24.3	1,141	20.9	65,513	23.9
1950	1,876	25.0	103,825	29.2	1,430	19.0	72,855	20.5	1,208	16.1	68,262	19.2
1955	1,779	21.8	106,903	26.4	1,386	17.0	77,351	19.1	1,173	14.4	69,153	17.1
1960	1,881	21.5	110,873	26.0	1,397	16.0	79,733	18.7	1,058	12.1	68,480	16.1
1965	1,432	20.2	92,866	24.7	1,075	15.2	66,419	17.7	921	13.0	60,859	16.2
1970	1,203	17.6	74,667	20.0	944	13.8	56,279	15.1	705	10.3	52,961	14.2
1975	771	13.7	50,525	16.1	582	10.3	36,416	11.6	479	8.5	33,796	10.7
1980	679	10.0	45,526	12.6	421	6.2	30,618	8.5	449	6.6	33,353	9.2
1985	591	8.8	40,030	10.6	364	5.4	26,179	7.0	439	6.5	29,661	7.8
1990	796	7.3	38,100	9.2	295	4.3	24,309	5.8	449	6.6	31,386	7.5
1995	427	6.8	29,583	7.6	255	4.0	19,155	4.9	364	5.8	27,294	7.0
1996	377	5.9	28,487	7.3	232	3.6	18,572	4.8	352	5.5	27,069	6.9
1997	382	5.9	28,045	7.2	241	3.7	18,524	4.7	362	5.6	26,486	6.8
1998	386	5.9	28,371	7.2	265	4.1	18,918	4.8	389	6.0	26,702	6.7
1999	409	6.2	27,937	7.1	262	4.0	18,728	4.7	384	5.8	26,884	6.7
2000	377	5.6	28,035	6.9	252	3.7	18,776	4.6	388	5.7	27,003	6.6
2001	358	5.4	27,568	6.8	233	3.5	18,265	4.5	342	5.1	26,373	6.5
2002	362	5.3	28,034	7.0	240	3.5	18,747	4.7	345	5.0	25,943	6.4
2003	327	4.7	28,025	6.9	218	3.1	18,893	4.6	329	4.7	25,653	6.2
2004	332	4.7	27,936	6.8	229	3.2	18,593	4.5	350	4.9	25,655	6.2
2005	363	5.1	28,534	6.9	232	3.3	18,834	4.6	329	4.6	25,894	6.2
2006	381	5.2	28,527	6.7	243	3.3	18,989	4.5	351	4.8	N.A.	N.A.
2007	407	5.5	29,138	6.8	278	3.8	19,058	4.4	387	5.2	N.A.	N.A.
2008	433	6.0	28,059	6.6	275	3.8	18,211	4.3	375	5.2	N.A.	N.A.
2009	324	4.5	26,412	6.4	188	2.7	17,255	4.2	345	4.9	N.A.	N.A.
2010	309	4.5	24,548	6.1	210	3.1	16,167	4.0	352	5.1	N.A.	N.A.

*Infant Deaths per 1,000 Live Births
 # Neonatal Deaths per 1,000 Live Births

^Fetal Deaths per 1,000 Live Births plus Fetal Deaths

Overview of 2010 - Table 6
 BIRTHS, DEATHS, INFANT DEATHS, FETAL DEATHS, MARRIAGES,
 DIVORCES AND ANNULMENTS BY MONTH
 MINNESOTA OCCURRENCES, 2010

	BIRTHS	DEATHS	INFANT DEATHS	FETAL DEATHS	MARRIAGES	DISSOLUTIONS
TOTAL	68,260	39,013	329	365	n.a.	n.a.
JANUARY	5,389	3,417	32	30	n.a.	n.a.
FEBRUARY	5,272	3,069	31	26	n.a.	n.a.
MARCH	5,927	3,377	27	40	n.a.	n.a.
APRIL	5,646	3,256	38	28	n.a.	n.a.
MAY	6,007	3,170	23	34	n.a.	n.a.
JUNE	5,812	2,925	22	24	n.a.	n.a.
JULY	5,874	3,130	27	33	n.a.	n.a.
AUGUST	5,862	3,103	15	34	n.a.	n.a.
SEPTEMBER	5,863	3,114	26	26	n.a.	n.a.
OCTOBER	5,550	3,435	30	31	n.a.	n.a.
NOVEMBER	5,400	3,444	30	25	n.a.	n.a.
DECEMBER	5,658	3,573	28	34	n.a.	n.a.
UNKNOWN	0	0	0	0	n.a.	n.a.

Overview of 2010 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2010

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
AFTON	11	23	1	0	0
ALBERT LEA	245	273	3	2	1
ALEXANDRIA	191	210	1	2	2
ANDOVER	280	105	1	1	0
ANOKA	253	158	0	2	2
APPLE VALLEY	608	258	0	7	3
ARDEN HILLS	62	134	0	0	0
AUSTIN	407	258	2	4	2
BAXTER	82	36	0	0	0
BAYPORT	25	19	0	0	0
BELLE PLAINE	125	51	0	0	0
BEMIDJI	229	195	2	3	1
BENSON	35	58	0	0	0
BIG LAKE	210	48	0	2	1
BLAINE	811	224	5	2	1
BLOOMINGTON	903	725	6	2	1
BLUE EARTH	35	69	0	0	0
BRAINERD	287	225	2	2	2
BRECKENRIDGE	35	55	0	0	0
BROOKLYN CENTER	546	226	2	2	2
BROOKLYN PARK	1,331	329	5	9	7
BUFFALO	241	155	3	0	0
BURNSVILLE	810	331	3	2	1
BYRON	93	14	1	0	0
CALEDONIA	29	43	0	1	1
CAMBRIDGE	150	125	0	0	0
CANNON FALLS	51	71	0	0	0
CHAMPLIN	251	93	0	2	2
CHANHASSEN	194	71	0	2	2
CHASKA	399	93	1	4	3
CHISHOLM	60	78	0	0	0
CIRCLE PINES	108	45	0	0	0
CLOQUET	174	135	2	1	0
COLD SPRING	52	67	0	0	0
COLUMBIA HEIGHTS	305	194	4	2	0
COON RAPIDS	837	370	6	3	2
CORCORAN	44	13	0	2	2
COTTAGE GROVE	485	130	2	4	4
CROOKSTON	98	105	0	0	0
CRYSTAL	329	188	3	1	1
DAYTON	36	12	0	0	0
DEEPHAVEN	23	15	0	0	0
DELANO	93	30	1	0	0
DETROIT LAKES	142	182	1	0	0
DILWORTH	83	14	0	0	0

Overview of 2010 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2010

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
DULUTH	1,000	934	4	7	5
EAGAN	786	252	0	2	1
EAST BETHEL	92	17	1	0	0
EAST GRAND FORKS	130	86	0	2	0
EDEN PRAIRIE	769	235	3	4	3
EDINA	425	455	3	1	1
ELK RIVER	326	132	2	2	2
ELY	27	54	0	0	0
EVELETH	53	66	0	0	0
FAIRMONT	135	150	1	1	1
FALCON HEIGHTS	56	26	0	0	0
FARIBAULT	325	198	3	0	0
FARMINGTON	475	87	3	0	0
FERGUS FALLS	153	254	1	0	0
FOREST LAKE	260	102	2	0	0
FRIDLEY	400	196	2	2	0
GLENCOE	83	64	0	1	0
GLENWOOD	39	54	0	0	0
GOLDEN VALLEY	212	205	2	1	1
GOODVIEW	6	12	0	0	0
GRAND RAPIDS	135	195	2	1	0
GRANITE FALLS	29	38	0	0	0
HAM LAKE	131	51	0	1	0
HASTINGS	314	201	0	1	0
HERMANTOWN	86	87	0	1	0
HIBBING	128	203	0	0	0
HOPKINS	315	202	1	0	0
HUGO	251	47	2	1	1
HUTCHINSON	195	139	1	0	0
INDEPENDENCE	14	10	0	1	1
INTERNATIONAL FALLS	82	78	0	0	0
INVER GROVE HEIGHTS	418	234	0	1	1
JACKSON	30	62	0	0	0
JORDAN	112	21	0	0	0
KASSON	100	21	1	0	0
LA CRESCENT	43	40	0	1	1
LAKE CITY	57	80	0	0	0
LAKE ELMO	47	39	1	0	0
LAKEVILLE	488	138	3	1	1
LAUDERDALE	28	9	0	0	0
LE SUEUR	63	52	1	1	1
LINDSTROM	67	45	0	0	0
LINO LAKES	165	51	2	0	0
LITCHFIELD	82	94	1	1	0
LITTLE CANADA	112	64	5	0	0

Overview of 2010 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2010

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
LITTLE FALLS	121	129	0	0	0
LONG PRAIRIE	72	54	0	0	0
LUVERNE	58	101	0	0	0
MAHTOMEDI	60	51	0	0	0
MANKATO	516	350	4	3	2
MAPLE GROVE	799	208	8	2	1
MAPLEWOOD	429	355	0	0	0
MARSHALL	186	95	1	1	0
MEDINA	21	13	0	0	0
MELROSE	62	45	0	0	0
MENDOTA HEIGHTS	71	80	0	0	0
MINNEAPOLIS	6,101	2,353	40	41	28
MINNETONKA	467	336	2	1	1
MINNETRISTA	66	14	0	0	0
MONTEVIDEO	78	84	0	1	1
MONTICELLO	253	79	2	0	0
MOORHEAD	543	270	0	3	2
MORA	65	69	1	0	0
MORRIS	58	80	0	0	0
MOUND	104	68	0	1	1
MOUNDS VIEW	169	53	0	1	1
MOUNTAIN IRON	30	17	0	0	0
NEW BRIGHTON	265	205	3	1	0
NEW HOPE	298	335	4	0	0
NEWPORT	60	19	0	0	0
NEW PRAGUE	136	62	0	0	0
NEW ULM	135	121	0	0	0
NORTHFIELD	178	149	2	1	1
NORTH BRANCH	134	64	2	0	0
NORTH MANKATO	167	85	1	3	2
NORTH OAKS	26	79	0	0	0
NORTH ST PAUL	156	71	0	0	0
OAKDALE	329	151	0	1	1
OAK GROVE	51	23	0	0	0
OAK PARK HEIGHTS	15	68	0	0	0
OLIVIA	38	39	0	0	0
ORONO	36	6	0	0	0
OSSEO	37	60	1	0	0
OTSEGO	220	26	0	1	1
OWATONNA	366	183	1	1	0
PARK RAPIDS	59	75	1	1	1
PINE CITY	47	59	0	0	0
PIPESTONE	66	55	0	0	0
PLAINVIEW	65	40	2	0	0
PLYMOUTH	860	331	4	3	3

Overview of 2010 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2010

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
PRINCETON	92	77	1	2	1
PRIOR LAKE	289	103	0	2	2
PROCTOR	42	37	0	0	0
RAMSEY	306	69	2	2	2
RED WING	198	202	1	1	1
REDWOOD FALLS	56	58	1	1	1
RICHFIELD	546	291	4	2	1
ROBBINSDALE	247	142	0	1	1
ROCHESTER	1,754	751	8	10	7
ROCKFORD	76	20	0	0	0
ROSEAU	39	36	0	0	0
ROSEMOUNT	352	90	3	0	0
ROSEVILLE	331	389	3	0	0
SAINT ANTHONY	64	68	0	0	0
SAINT CHARLES	51	36	0	0	0
SAINT CLOUD	890	407	8	3	2
SAINT FRANCIS	116	28	0	0	0
SAINT JAMES	72	57	0	0	0
SAINT JOSEPH	100	18	0	1	1
SAINT LOUIS PARK	630	377	4	1	1
SAINT MICHAEL	221	45	0	1	1
SAINT PAUL	4,936	1,816	24	23	15
SAINT PAUL PARK	83	33	0	0	0
SAINT PETER	123	91	1	0	0
SARTELL	235	121	0	1	1
SAUK CENTRE	74	57	0	0	0
SAUK RAPIDS	240	127	2	0	0
SAVAGE	371	53	1	1	1
SHAKOPEE	772	139	2	2	1
SHOREVIEW	194	142	2	0	0
SHOREWOOD	44	32	0	1	1
SLEEPY EYE	40	50	0	0	0
SOUTH ST PAUL	292	163	3	0	0
SPRING LAKE PARK	80	48	0	0	0
STAPLES	55	56	0	0	0
STEWARTVILLE	96	50	0	0	0
STILLWATER	248	202	0	1	1
THIEF RIVER FALLS	124	106	1	0	0
TWO HARBORS	65	80	0	2	1
VADNAIS HEIGHTS	129	68	1	2	2
VICTORIA	66	22	1	1	0
VIRGINIA	107	177	0	2	2
WACONIA	164	101	1	1	1
WADENA	40	61	2	0	0
WAITE PARK	104	58	3	0	0

Overview of 2010 - Table 7
 LIVE BIRTHS, DEATHS, FETAL DEATHS, INFANT DEATHS
 BY URBAN AREA* OF RESIDENCE, MINNESOTA, 2010

URBAN AREA	LIVE BIRTHS	DEATHS	FETAL DEATHS	INFANT DEATHS	NEONATAL DEATHS
WASECA	126	87	3	1	1
WATERTOWN	69	30	0	0	0
WAYZATA	77	82	0	0	0
WEST ST PAUL	278	209	1	3	1
WHITE BEAR LAKE	323	264	1	3	2
WILLMAR	343	243	1	1	1
WINDOM	59	68	0	0	0
WINONA	218	254	2	0	0
WOODBURY	861	261	2	1	1
WORTHINGTON	280	105	1	1	0
WYOMING	63	44	1	0	0

*Municipalities with a population of 2,500 or more as of the 2000 Census

Live Births

Every day in 2010, residents of Minnesota
experienced an average of:

187 Births

73 First Births

12 Births Weighing
<2500 Grams

27 Births to Women
Age 35 and Older

11 Births to Women
Age 19 and Under

4 Births in which Prenatal
Care was Initiated Late or
Not at All

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH
MINNESOTA, 2010

County	Births Occurring in County				Resident Births		Total
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		
					Within Minnesota	Outside Minnesota	
State Total	68,260	43,653	22,661	1,946	22,661	2,093	68,407
Aitkin	74	68	6	0	54	0	122
Anoka	3,606	2,282	1,315	9	1,899	10	4,191
Becker	545	332	211	2	42	53	427
Beltrami	1,014	684	326	4	33	12	729
Benton	4	4	0	0	591	1	596
Big Stone	61	33	14	14	13	12	58
Blue Earth	1,485	718	760	7	51	2	771
Brown	333	209	124	0	47	0	256
Carlton	231	122	107	2	257	0	379
Carver	1,298	623	673	2	558	5	1,186
Cass	4	3	1	0	304	4	311
Chippewa	106	74	31	1	78	1	153
Chisago	849	333	499	17	204	30	567
Clay	5	4	0	1	11	802	817
Clearwater	2	2	0	0	104	4	110
Cook	6	6	0	0	28	3	37
Cottonwood	129	90	39	0	44	9	143
Crow Wing	743	565	178	0	199	0	764
Dakota	3,493	2,373	1,076	44	2,789	11	5,173
Dodge	1	1	0	0	275	0	276
Douglas	628	369	254	5	30	1	400
Faribault	69	44	16	9	110	0	154
Fillmore	37	37	0	0	165	45	247
Freeborn	503	306	113	84	59	0	365
Goodhue	416	270	76	70	261	0	531
Grant	0	0	0	0	61	2	63
Hennepin	19,566	14,056	5,411	99	1,860	39	15,955
Minneapolis	8,933	3,913	4,949	71	2,169	19	6,101
Houston	2	2	0	0	12	136	150
Hubbard	162	108	51	3	106	6	220
Isanti	501	279	222	0	220	2	501
Itasca	384	349	35	0	71	2	422
Jackson	0	0	0	0	81	15	96
Kanabec	138	68	70	0	95	0	163
Kandiyohi	817	510	305	2	44	1	555
Kittson	1	1	0	0	17	27	45
Koochiching	78	76	2	0	36	1	113
Lac Qui Parle	16	13	3	0	44	12	69
Lake	3	3	0	0	125	1	129
Lake of the Woods	1	1	0	0	24	1	26
Le Sueur	2	2	0	0	340	0	342
Lincoln	0	0	0	0	22	29	51
Lyon	446	301	142	3	21	40	362
McLeod	496	307	189	0	144	0	451
Mahnomen	0	0	0	0	100	18	118

Live Births - Table 1
LIVE BIRTHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE:
RESIDENT LIVE BIRTHS DISTRIBUTED ACCORDING TO PLACE OF BIRTH
MINNESOTA, 2010

County	Births Occurring in County				Resident Births		Total
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		
					Within Minnesota	Outside Minnesota	
Marshall	1	1	0	0	55	49	105
Martin	283	183	52	48	40	0	223
Meeker	153	123	29	1	158	0	281
Mille Lacs	60	41	19	0	275	0	316
Morrison	211	174	37	0	234	0	408
Mower	442	391	40	11	142	3	536
Murray	0	0	0	0	75	10	85
Nicollet	3	3	0	0	362	4	369
Nobles	426	303	110	13	26	58	387
Norman	1	1	0	0	13	54	68
Olmsted	3,157	2,104	934	119	24	10	2,138
Otter Tail	400	322	74	4	203	42	567
Pennington	291	154	136	1	2	21	177
Pine	5	4	1	0	288	1	293
Pipestone	65	53	8	4	24	44	121
Polk	206	146	56	4	22	218	386
Pope	51	35	16	0	84	0	119
Ramsey	9,851	5,471	4,162	218	1,781	14	7,266
St. Paul	6,991	3,049	3,755	187	1,879	8	4,936
Red Lake	1	1	0	0	46	6	53
Redwood	92	68	24	0	117	4	189
Renville	24	22	1	1	172	1	195
Rice	403	316	87	0	402	2	720
Rock	130	62	48	20	1	53	116
Roseau	187	162	17	8	31	17	210
St. Louis	3,094	1,998	523	573	43	1	2,042
Duluth	2,465	975	918	572	24	1	1,000
Scott	1,423	914	503	6	1,009	0	1,923
Sherburne	522	243	277	2	961	3	1,207
Sibley	5	5	0	0	169	1	175
Stearns	3,049	1,760	1,285	4	160	3	1,923
Steele	543	384	158	1	94	2	480
Stevens	101	73	28	0	45	1	119
Swift	3	3	0	0	119	1	123
Todd	536	194	342	0	124	2	320
Traverse	0	0	0	0	19	8	27
Wabasha	77	42	19	16	195	2	239
Wadena	153	54	99	0	105	2	161
Waseca	1	1	0	0	230	0	231
Washington	2,372	1,057	953	362	1,787	24	2,868
Watonwan	27	24	3	0	131	3	158
Wilkin	164	40	11	113	8	19	67
Winona	348	285	28	35	80	56	421
Wright	1,075	774	299	2	1,125	1	1,900
Yellow Medicine	69	34	33	2	51	16	101
Unknown	0	0	0	0	0	0	0

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Aitkin	Anoka	Becker	Beltrami	Benton	Big Stone	Blue Earth
Live Births	68,407	122	4,191	427	729	596	58	771
Fertility Rate	65.4	60.9	63.5	83.5	81.9	74.2	79.8	50.3
Crude Birth Rate	12.9	7.5	12.7	13.1	16.4	15.5	11.0	12.0
Sex: Male	34,950	61	2,206	214	340	277	26	404
Female	33,456	61	1,985	213	389	319	32	367
Births to Unmarried Mothers, %	33.1	48.4	30.9	45.0	56.9	29.4	20.7	29.8
Race of Mother:								
White	51,186	110	3,332	357	438	559	57	689
African American	6,590	0	360	3	5	23	0	40
American Indian	1,395	11	25	63	275	2	0	1
Asian/Pacific Islander	4,952	1	288	0	7	11	1	24
Other/Unknown	4,284	0	186	4	4	1	0	17
*Hispanic	5,107	2	208	9	4	6	0	19
Live Birth Order, %								
1st Birth	38.8	31.2	39.8	33.5	37.9	35.9	34.5	39.3
5th or Over	5.0	3.3	4.0	7.5	7.0	4.2	3.5	4.9
Prematurity, %								
Less than 37 weeks	9.8	13.0	10.4	7.8	11.6	15.9	8.8	7.6
Less than 2500 grams	6.5	8.2	6.3	2.8	6.3	8.1	6.9	6.5
Plurality:								
Single	65,979	118	4,027	417	707	579	54	746
Twin	2,334	4	153	10	22	14	4	22
Triplet	82	0	11	0	0	3	0	3
Mother's Age, %								
Under 18	1.6	4.1	1.3	1.6	4.4	1.3	0.0	1.6
18-19	4.3	4.9	3.3	5.4	10.3	4.0	5.2	3.6
40 and over	2.8	2.5	2.3	1.9	1.7	2.4	0.0	2.5
Mother's Education, %								
Less than 12 years	10.2	12.3	7.2	11.2	17.8	8.4	16.7	8.0
Over 3 years college	39.9	20.5	41.1	22.3	25.5	36.6	27.1	45.3
Prenatal Care Began, %								
3rd Trimester or none	2.2	2.6	2.2	1.9	5.6	1.0	3.5	0.8
Congenital Anomalies, %	2.0	1.6	1.2	0.7	1.7	1.3	0.0	1.2
Abnormal Conditions of Child, %	6.8	6.6	4.6	5.2	7.5	11.2	5.2	3.8

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay
Live Births	68,407	256	379	1,186	311	153	567	817
Fertility Rate	65.4	59.3	64.9	65.9	76.1	75.0	57.7	60.6
Crude Birth Rate	12.9	9.9	10.7	13.0	10.9	12.3	10.5	13.9
Sex: Male	34,950	128	185	602	169	75	310	427
Female	33,456	128	194	584	142	78	257	390
Births to Unmarried Mothers, %	33.1	38.3	37.2	15.0	52.1	50.3	24.9	27.8
Race of Mother:								
White	51,186	240	325	1,054	210	136	535	703
African American	6,590	1	4	17	0	0	2	18
American Indian	1,395	0	39	3	100	1	0	39
Asian/Pacific Islander	4,952	2	4	55	0	6	10	9
Other/Unknown	4,284	13	7	57	1	10	20	48
*Hispanic	5,107	23	6	74	5	24	13	51
Live Birth Order, %								
1st Birth	38.8	35.9	33.5	38.4	32.5	36.6	36.2	37.3
5th or Over	5.0	4.3	5.5	4.5	9.7	1.3	3.7	4.9
Prematurity, %								
Less than 37 weeks	9.8	8.0	7.8	8.7	15.9	8.9	11.2	9.7
Less than 2500 grams	6.5	3.5	6.3	6.8	9.3	2.6	7.8	7.1
Plurality:								
Single	65,979	248	367	1,134	303	149	540	780
Twin	2,334	8	12	52	8	4	23	34
Triplet	82	0	0	0	0	0	0	3
Mother's Age, %								
Under 18	1.6	0.8	2.1	0.8	3.2	3.9	1.8	1.5
18-19	4.3	5.9	8.4	1.9	7.1	7.8	3.0	3.6
40 and over	2.8	1.2	1.6	3.4	1.9	1.3	2.7	2.0
Mother's Education, %								
Less than 12 years	10.2	9.0	9.0	3.8	18.1	10.1	4.5	5.0
Over 3 years college	39.9	30.9	32.6	56.5	20.7	18.9	37.6	38.8
Prenatal Care Began, %								
3rd Trimester or none	2.2	1.2	1.3	0.7	5.8	2.2	1.8	1.3
Congenital Anomalies, %	2.0	0.4	1.9	2.0	4.8	0.0	2.3	1.5
Abnormal Conditions of Child, %	6.8	5.1	4.5	2.8	10.6	7.2	6.5	15.5

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Clear- water	Cook	Cotton- wood	Crow Wing	Dakota	Dodge	Douglas
Live Births	68,407	110	37	143	764	5,173	276	400
Fertility Rate	65.4	81.4	48.2	78.3	73.3	64.3	74.0	68.4
Crude Birth Rate	12.9	12.7	7.2	12.2	12.2	13.0	13.7	11.1
Sex: Male	34,950	64	20	73	363	2,633	131	200
Female	33,456	46	17	70	401	2,540	145	200
Births to Unmarried Mothers, %	33.1	38.2	37.8	43.4	41.2	28.0	26.5	31.0
Race of Mother:								
White	51,186	91	26	113	728	3,875	266	393
African American	6,590	0	2	2	11	470	1	1
American Indian	1,395	16	6	1	14	23	0	2
Asian/Pacific Islander	4,952	1	0	6	5	365	2	2
Other/Unknown	4,284	2	3	21	6	440	7	2
*Hispanic	5,107	2	1	25	9	488	16	3
Live Birth Order, %								
1st Birth	38.8	25.5	29.7	25.9	39.5	39.3	35.9	43.0
5th or Over	5.0	10.0	2.7	9.8	4.3	3.6	6.9	2.8
Prematurity, %								
Less than 37 weeks	9.8	7.9	12.1	11.5	9.0	8.9	4.9	11.6
Less than 2500 grams	6.5	6.4	5.7	5.6	5.6	6.3	4.4	8.3
Plurality:								
Single	65,979	104	31	137	744	4,965	268	380
Twin	2,334	6	6	6	20	202	8	20
Triplet	82	0	0	0	0	6	0	0
Mother's Age, %								
Under 18	1.6	0.9	0.0	4.2	1.3	0.8	1.1	0.8
18-19	4.3	10.0	5.4	8.4	6.5	2.9	2.9	4.3
40 and over	2.8	0.9	2.7	2.8	0.5	3.0	2.2	1.8
Mother's Education, %								
Less than 12 years	10.2	11.8	12.1	20.7	8.3	6.8	6.6	1.5
Over 3 years college	39.9	23.6	27.3	18.5	30.0	47.1	35.0	31.8
Prenatal Care Began, %								
3rd Trimester or none	2.2	7.3	0.0	4.3	1.2	2.1	1.8	0.5
Congenital Anomalies, %	2.0	0.9	0.0	2.1	2.4	3.4	0.7	1.8
Abnormal Conditions of Child, %	6.8	5.5	5.4	12.6	6.2	7.7	1.5	3.3

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minn- neapolis
Live Births	68,407	154	247	365	531	63	15,955	6,101
Fertility Rate	65.4	71.1	74.1	73.6	68.3	70.5	64.3	61.7
Crude Birth Rate	12.9	10.6	11.8	11.7	11.5	10.5	13.8	16.0
Sex: Male	34,950	90	132	194	279	37	8,159	3,057
Female	33,456	64	115	171	252	26	7,796	3,044
Births to Unmarried Mothers, %	33.1	42.2	18.6	42.2	34.7	27.0	33.7	44.2
Race of Mother:								
White	51,186	134	244	306	484	60	9,212	2,869
African American	6,590	0	0	4	11	1	3,314	1,733
American Indian	1,395	3	0	1	9	0	244	190
Asian/Pacific Islander	4,952	0	1	3	5	0	1,632	443
Other/Unknown	4,284	17	2	51	22	2	1,553	866
*Hispanic	5,107	18	1	58	25	2	1,676	928
Live Birth Order, %								
1st Birth	38.8	33.1	28.3	31.5	38.6	47.6	42.9	42.9
5th or Over	5.0	6.5	8.5	3.6	4.7	3.2	4.9	7.0
Prematurity, %								
Less than 37 weeks	9.8	6.2	8.1	8.6	6.9	4.8	10.3	10.7
Less than 2500 grams	6.5	4.6	6.1	8.0	5.8	1.6	7.4	8.2
Plurality:								
Single	65,979	154	237	355	515	63	15,305	5,844
Twin	2,334	0	10	6	16	0	635	254
Triplet	82	0	0	0	0	0	15	3
Mother's Age, %								
Under 18	1.6	2.6	1.2	3.8	1.3	3.2	1.7	2.5
18-19	4.3	7.1	2.8	4.9	4.3	1.6	3.6	4.8
40 and over	2.8	1.3	3.6	0.8	2.1	3.2	3.8	4.1
Mother's Education, %								
Less than 12 years	10.2	15.6	19.7	16.4	6.2	4.8	12.5	20.7
Over 3 years college	39.9	22.1	34.0	19.5	32.6	25.8	46.7	39.1
Prenatal Care Began, %								
3rd Trimester or none	2.2	0.7	6.7	3.3	1.9	1.6	2.2	3.1
Congenital Anomalies, %	2.0	1.3	0.8	0.3	1.7	0.0	1.5	2.0
Abnormal Conditions of Child, %	6.8	7.1	6.1	3.0	4.5	3.2	5.9	8.6

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
Live Births	68,407	150	220	501	422	96	163	555
Fertility Rate	65.4	48.1	73.1	70.2	61.0	60.1	60.7	74.9
Crude Birth Rate	12.9	7.9	10.8	13.3	9.4	9.4	10.0	13.1
Sex: Male	34,950	76	119	260	216	45	93	309
Female	33,456	74	101	241	206	51	70	246
Births to Unmarried Mothers, %	33.1	26.0	40.5	35.3	47.9	36.5	41.7	38.7
Race of Mother:								
White	51,186	145	196	486	378	86	160	500
African American	6,590	1	3	5	0	2	1	35
American Indian	1,395	1	14	2	40	0	0	1
Asian/Pacific Islander	4,952	3	4	6	1	4	1	7
Other/Unknown	4,284	0	3	2	3	4	1	12
*Hispanic	5,107	0	5	3	6	3	4	119
Live Birth Order, %								
1st Birth	38.8	35.3	35.0	42.3	38.4	37.5	32.5	33.3
5th or Over	5.0	3.3	6.8	3.2	6.2	2.1	2.5	6.0
Prematurity, %								
Less than 37 weeks	9.8	10.1	10.1	9.6	9.4	11.3	9.5	7.9
Less than 2500 grams	6.5	9.3	4.6	6.2	5.7	5.2	4.9	3.6
Plurality:								
Single	65,979	146	216	483	416	94	155	543
Twin	2,334	4	4	18	6	2	8	8
Triplet	82	0	0	0	0	0	0	0
Mother's Age, %								
Under 18	1.6	0.0	3.2	1.8	1.9	2.1	1.8	3.6
18-19	4.3	5.3	5.0	5.0	7.6	1.0	8.0	7.2
40 and over	2.8	2.7	2.3	1.8	1.7	1.0	0.0	2.5
Mother's Education, %								
Less than 12 years	10.2	1.4	15.6	5.6	7.7	5.7	11.1	22.7
Over 3 years college	39.9	40.1	20.6	24.5	23.7	34.1	14.8	26.7
Prenatal Care Began, %								
3rd Trimester or none	2.2	0.7	5.0	1.0	1.2	1.1	1.8	2.0
Congenital Anomalies, %	2.0	3.3	4.6	2.0	1.9	1.0	3.7	1.6
Abnormal Conditions of Child, %	6.8	20.0	9.6	3.6	7.4	10.4	9.8	8.1

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Kittson	Kooch- iching	Lac Qui Parle	Lake	Lake of the Woods	Le Sueur	Lincoln
Live Births	68,407	45	113	69	129	26	342	51
Fertility Rate	65.4	75.6	55.6	72.6	80.1	46.4	69.9	61.2
Crude Birth Rate	12.9	9.9	8.5	9.5	11.9	6.4	12.4	8.7
Sex: Male	34,950	25	49	43	70	13	161	25
Female	33,456	20	64	26	59	13	181	26
Births to Unmarried Mothers, %	33.1	8.9	52.2	37.7	23.3	38.5	29.2	17.7
Race of Mother:								
White	51,186	44	105	65	125	24	307	51
African American	6,590	0	0	0	0	0	2	0
American Indian	1,395	0	6	0	1	0	0	0
Asian/Pacific Islander	4,952	1	0	2	0	1	6	0
Other/Unknown	4,284	0	2	2	3	1	27	0
*Hispanic	5,107	0	0	4	1	0	27	0
Live Birth Order, %								
1st Birth	38.8	37.8	46.9	33.3	34.9	30.8	40.1	29.4
5th or Over	5.0	0.0	4.4	8.7	3.9	3.9	4.1	2.0
Prematurity, %								
Less than 37 weeks	9.8	17.5	5.7	15.6	14.4	4.4	9.4	16.3
Less than 2500 grams	6.5	9.3	5.3	4.4	9.3	3.9	5.6	7.8
Plurality:								
Single	65,979	43	109	67	122	26	334	44
Twin	2,334	2	4	2	6	0	8	7
Triplet	82	0	0	0	1	0	0	0
Mother's Age, %								
Under 18	1.6	0.0	1.8	0.0	1.6	0.0	1.2	2.0
18-19	4.3	4.4	14.2	4.4	7.8	11.5	4.1	0.0
40 and over	2.8	2.2	0.9	2.9	2.3	0.0	2.6	0.0
Mother's Education, %								
Less than 12 years	10.2	0.0	15.7	1.8	3.1	7.7	7.7	0.0
Over 3 years college	39.9	35.7	16.7	34.6	29.7	19.2	37.8	31.8
Prenatal Care Began, %								
3rd Trimester or none	2.2	4.8	1.8	2.9	1.6	3.9	2.1	2.0
Congenital Anomalies, %	2.0	0.0	0.9	1.5	0.8	0.0	0.6	2.0
Abnormal Conditions of Child, %	6.8	15.6	1.8	8.7	7.0	7.7	1.8	9.8

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker	Mille Lacs
Live Births	68,407	362	451	118	105	223	281	316
Fertility Rate	65.4	68.6	68.8	134.2	74.2	70.1	75.5	68.6
Crude Birth Rate	12.9	14.0	12.3	21.8	11.1	10.7	12.1	12.1
Sex: Male	34,950	197	234	56	60	120	149	160
Female	33,456	165	217	62	45	103	132	156
Births to Unmarried Mothers, %	33.1	31.5	30.2	78.8	27.6	39.9	22.8	43.7
Race of Mother:								
White	51,186	287	412	27	100	204	274	272
African American	6,590	17	1	0	0	2	0	2
American Indian	1,395	1	2	90	0	0	1	39
Asian/Pacific Islander	4,952	17	3	1	0	3	0	2
Other/Unknown	4,284	40	33	0	5	14	6	1
*Hispanic	5,107	48	38	2	4	18	11	1
Live Birth Order, %								
1st Birth	38.8	33.7	41.0	25.4	27.6	28.3	27.4	33.5
5th or Over	5.0	5.3	5.5	13.6	1.9	4.5	6.8	7.0
Prematurity, %								
Less than 37 weeks	9.8	7.7	10.4	20.2	10.1	8.1	10.3	14.1
Less than 2500 grams	6.5	5.8	6.0	6.8	6.8	5.4	6.1	8.5
Plurality:								
Single	65,979	354	434	114	96	217	277	303
Twin	2,334	8	14	4	6	6	4	13
Triplet	82	0	3	0	3	0	0	0
Mother's Age, %								
Under 18	1.6	1.4	1.3	4.2	0.0	1.8	1.4	3.5
18-19	4.3	3.6	5.8	14.4	5.7	8.5	3.6	7.3
40 and over	2.8	2.2	2.9	0.0	0.0	1.8	1.1	1.9
Mother's Education, %								
Less than 12 years	10.2	11.7	8.7	27.6	0.0	14.0	5.4	14.2
Over 3 years college	39.9	36.3	29.5	5.2	25.0	21.3	22.6	19.6
Prenatal Care Began, %								
3rd Trimester or none	2.2	1.1	1.4	8.9	1.0	2.2	1.8	3.2
Congenital Anomalies, %	2.0	0.8	1.8	2.5	0.0	1.8	2.9	1.9
Abnormal Conditions of Child, %	6.8	6.4	4.2	7.6	12.4	4.5	6.8	6.0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted
Live Births	68,407	408	536	85	369	387	68	2,138
Fertility Rate	65.4	72.1	79.2	67.6	53.0	104.9	67.7	74.1
Crude Birth Rate	12.9	12.3	13.7	9.7	11.3	18.1	9.9	14.8
Sex: Male	34,950	206	270	44	182	195	38	1,075
Female	33,456	202	266	41	187	192	30	1,063
Births to Unmarried Mothers, %	33.1	29.9	43.5	40.0	30.9	47.6	30.9	27.5
Race of Mother:								
White	51,186	400	397	78	325	183	61	1,699
African American	6,590	1	17	0	23	17	0	172
American Indian	1,395	2	1	0	0	3	1	5
Asian/Pacific Islander	4,952	4	14	1	5	34	1	175
Other/Unknown	4,284	1	107	6	16	150	5	87
*Hispanic	5,107	8	118	6	18	160	7	115
Live Birth Order, %								
1st Birth	38.8	34.1	35.3	41.2	33.6	34.1	26.5	38.4
5th or Over	5.0	5.9	6.0	7.1	3.0	5.7	11.8	5.1
Prematurity, %								
Less than 37 weeks	9.8	12.4	6.9	21.1	10.1	11.8	5.4	9.0
Less than 2500 grams	6.5	5.6	5.2	10.6	7.1	5.4	0.0	6.1
Plurality:								
Single	65,979	387	520	81	348	377	68	2,070
Twin	2,334	18	16	4	21	10	0	65
Triplet	82	3	0	0	0	0	0	3
Mother's Age, %								
Under 18	1.6	1.2	1.3	2.4	1.4	3.4	1.5	1.3
18-19	4.3	4.4	7.7	8.2	3.0	8.3	2.9	2.5
40 and over	2.8	3.7	1.5	1.2	0.8	1.0	1.5	2.0
Mother's Education, %								
Less than 12 years	10.2	3.7	23.8	12.0	5.4	44.1	11.5	8.0
Over 3 years college	39.9	24.8	24.5	28.0	48.8	12.1	18.0	49.2
Prenatal Care Began, %								
3rd Trimester or none	2.2	1.2	3.4	3.8	0.5	3.0	4.9	2.1
Congenital Anomalies, %	2.0	1.5	1.9	1.2	0.8	0.3	0.0	0.8
Abnormal Conditions of Child, %	6.8	8.1	5.6	9.4	4.1	5.7	13.2	3.4

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
Live Births	68,407	567	177	293	121	386	119
Fertility Rate	65.4	67.2	71.4	63.9	78.6	69.9	72.4
Crude Birth Rate	12.9	9.9	12.7	9.9	12.6	12.2	10.8
Sex: Male	34,950	271	97	150	63	210	61
Female	33,456	296	80	143	58	176	58
Births to Unmarried Mothers, %	33.1	27.0	49.2	49.2	30.6	34.5	27.7
Race of Mother:							
White	51,186	520	160	269	103	345	116
African American	6,590	13	3	2	2	5	1
American Indian	1,395	3	7	14	4	11	1
Asian/Pacific Islander	4,952	3	1	2	5	6	1
Other/Unknown	4,284	28	6	6	7	19	0
*Hispanic	5,107	32	8	7	12	29	1
Live Birth Order, %							
1st Birth	38.8	36.3	40.7	35.5	27.3	33.2	37.8
5th or Over	5.0	5.1	3.4	6.1	5.8	7.0	1.7
Prematurity, %							
Less than 37 weeks	9.8	4.9	7.7	10.0	11.2	12.9	11.8
Less than 2500 grams	6.5	5.7	4.6	6.8	8.3	5.9	7.6
Plurality:							
Single	65,979	549	173	285	121	377	115
Twin	2,334	18	4	8	0	9	4
Triplet	82	0	0	0	0	0	0
Mother's Age, %							
Under 18	1.6	1.2	1.7	1.4	0.8	4.2	0.0
18-19	4.3	5.3	6.8	9.2	2.5	7.3	3.4
40 and over	2.8	2.3	0.6	2.1	2.5	2.1	0.8
Mother's Education, %							
Less than 12 years	10.2	12.1	1.8	9.7	20.0	10.1	0.8
Over 3 years college	39.9	27.2	16.5	20.5	32.0	25.2	33.6
Prenatal Care Began, %							
3rd Trimester or none	2.2	2.2	0.6	2.8	0.0	2.3	0.0
Congenital Anomalies, %	2.0	0.9	2.8	1.7	2.5	1.3	3.4
Abnormal Conditions of Child, %	6.8	5.1	18.1	6.5	13.2	8.8	5.0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock
Live Births	68,407	7,266	4,936	53	189	195	720	116
Fertility Rate	65.4	65.5	72.5	83.7	75.0	81.1	55.2	75.3
Crude Birth Rate	12.9	14.3	17.3	13.0	11.8	12.4	11.2	12.0
Sex: Male	34,950	3,668	2,479	24	94	106	387	63
Female	33,456	3,598	2,457	29	95	89	333	53
Births to Unmarried Mothers, %	33.1	44.4	48.7	30.2	38.1	38.5	38.1	26.7
Race of Mother:								
White	51,186	3,670	2,068	49	156	176	583	111
African American	6,590	1,351	1,108	0	0	1	49	1
American Indian	1,395	84	70	3	12	4	3	0
Asian/Pacific Islander	4,952	1,577	1,240	0	18	2	13	3
Other/Unknown	4,284	584	450	1	3	12	72	1
*Hispanic	5,107	745	570	2	5	32	85	4
Live Birth Order, %								
1st Birth	38.8	39.9	39.2	26.4	30.7	34.4	34.2	21.6
5th or Over	5.0	6.8	8.5	1.9	5.8	2.1	5.1	6.9
Prematurity, %								
Less than 37 weeks	9.8	10.2	10.3	0.0	8.7	6.5	11.4	11.4
Less than 2500 grams	6.5	7.1	7.4	5.7	4.8	4.6	6.3	3.5
Plurality:								
Single	65,979	7,049	4,794	51	180	193	696	116
Twin	2,334	214	139	2	6	2	24	0
Triplet	82	3	3	0	3	0	0	0
Mother's Age, %								
Under 18	1.6	2.5	3.0	1.9	1.1	3.1	2.2	0.0
18-19	4.3	5.8	6.7	0.0	7.9	5.6	6.3	4.3
40 and over	2.8	3.1	3.4	3.8	2.7	1.5	3.9	1.7
Mother's Education, %								
Less than 12 years	10.2	15.8	19.8	5.7	8.7	12.4	17.1	7.9
Over 3 years college	39.9	37.0	32.3	15.1	29.5	28.4	32.2	34.9
Prenatal Care Began, %								
3rd Trimester or none	2.2	3.6	4.4	3.9	1.6	1.0	0.8	1.8
Congenital Anomalies, %	2.0	3.7	4.0	5.7	2.7	1.0	1.3	1.7
Abnormal Conditions of Child, %	6.8	10.1	10.8	5.7	8.5	6.2	4.7	14.7

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
Live Births	68,407	210	2,042	1,000	1,923	1,207	175	1,923
Fertility Rate	65.4	80.3	55.1	51.5	70.1	66.3	68.8	59.4
Crude Birth Rate	12.9	13.4	10.2	11.6	14.8	13.6	11.5	12.8
Sex: Male	34,950	102	1,027	511	977	605	86	944
Female	33,456	108	1,015	489	946	602	89	979
Births to Unmarried Mothers, %	33.1	34.3	40.6	43.4	19.6	25.4	31.4	27.7
Race of Mother:								
White	51,186	199	1,824	856	1,559	1,153	157	1,668
African American	6,590	0	56	45	85	16	1	139
American Indian	1,395	1	93	54	23	7	1	9
Asian/Pacific Islander	4,952	9	26	19	147	22	1	36
Other/Unknown	4,284	1	43	26	109	9	15	71
*Hispanic	5,107	1	31	20	109	16	20	104
Live Birth Order, %								
1st Birth	38.8	35.7	40.5	42.7	38.7	35.9	33.7	36.5
5th or Over	5.0	5.7	4.9	3.9	3.5	5.1	8.6	5.1
Prematurity, %								
Less than 37 weeks	9.8	8.0	10.6	11.0	9.3	10.6	8.6	10.2
Less than 2500 grams	6.5	5.2	6.5	7.0	5.9	6.2	6.3	5.6
Plurality:								
Single	65,979	205	1,978	963	1,849	1,166	171	1,873
Twin	2,334	5	58	34	68	41	4	43
Triplet	82	0	6	3	6	0	0	7
Mother's Age, %								
Under 18	1.6	1.4	2.1	1.9	1.2	0.6	1.1	1.2
18-19	4.3	7.6	5.5	6.0	1.9	4.3	3.4	4.0
40 and over	2.8	1.9	2.4	2.4	2.6	1.7	4.0	2.3
Mother's Education, %								
Less than 12 years	10.2	2.9	10.4	12.1	4.2	2.6	14.3	10.2
Over 3 years college	39.9	21.0	34.8	38.7	53.3	38.2	24.6	37.3
Prenatal Care Began, %								
3rd Trimester or none	2.2	3.4	2.1	2.6	1.5	0.9	0.0	1.2
Congenital Anomalies, %	2.0	5.2	1.8	2.3	1.4	1.4	2.9	2.1
Abnormal Conditions of Child, %	6.8	13.8	5.6	6.2	2.2	4.7	3.4	7.2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
Live Births	68,407	480	119	123	320	27	239	161
Fertility Rate	65.4	72.2	57.4	81.2	81.9	56.0	66.1	76.3
Crude Birth Rate	12.9	13.1	12.2	12.6	12.9	7.6	11.0	11.6
Sex: Male	34,950	254	65	54	165	14	125	84
Female	33,456	226	54	69	155	13	114	77
Births to Unmarried Mothers, %	33.1	34.8	20.2	33.3	27.5	22.2	28.0	29.8
Race of Mother:								
White	51,186	397	106	114	308	22	224	158
African American	6,590	41	2	0	0	1	1	1
American Indian	1,395	1	2	3	1	4	1	0
Asian/Pacific Islander	4,952	8	1	1	0	0	2	1
Other/Unknown	4,284	33	8	5	11	0	11	1
*Hispanic	5,107	36	9	13	49	0	14	1
Live Birth Order, %								
1st Birth	38.8	36.7	38.7	26.0	29.7	33.3	38.9	33.5
5th or Over	5.0	6.3	8.4	2.4	9.7	0.0	2.9	10.6
Prematurity, %								
Less than 37 weeks	9.8	11.0	8.4	11.3	8.1	13.0	6.1	11.5
Less than 2500 grams	6.5	6.7	5.0	4.9	4.1	11.1	4.2	6.9
Plurality:								
Single	65,979	460	117	117	314	25	229	153
Twin	2,334	20	2	6	6	2	10	8
Triplet	82	0	0	0	0	0	0	0
Mother's Age, %								
Under 18	1.6	1.5	0.8	0.8	1.6	0.0	1.3	1.9
18-19	4.3	5.2	4.2	8.9	6.9	3.7	3.8	6.2
40 and over	2.8	1.9	0.0	0.8	4.4	3.7	0.8	3.1
Mother's Education, %								
Less than 12 years	10.2	15.6	4.2	9.8	22.4	0.0	8.8	6.9
Over 3 years college	39.9	33.0	37.8	28.7	13.3	27.3	36.1	23.8
Prenatal Care Began, %								
3rd Trimester or none	2.2	2.5	0.8	1.7	6.6	4.2	3.8	3.1
Congenital Anomalies, %	2.0	1.3	3.4	1.6	2.2	0.0	0.8	1.9
Abnormal Conditions of Child, %	6.8	2.9	5.0	6.5	5.6	18.5	2.9	7.5

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 2
 SELECTED RESIDENT NATALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State Total	Waseca	Wash- ington	Watowan	Wilkin	Winona	Wright	Yellow Medicine
Live Births	68,407	231	2,868	158	67	421	1,900	101
Fertility Rate	65.4	58.6	62.8	86.7	63.5	35.2	75.7	62.1
Crude Birth Rate	12.9	12.1	12.0	14.1	10.2	8.2	15.2	9.7
Sex: Male	34,950	120	1,483	81	37	223	967	54
Female	33,456	111	1,384	77	30	198	933	47
Births to Unmarried Mothers, %	33.1	33.8	24.0	41.8	23.9	34.0	20.9	27.7
Race of Mother:								
White	51,186	204	2,318	112	64	385	1,795	93
African American	6,590	5	193	1	0	10	19	0
American Indian	1,395	1	3	1	2	0	5	3
Asian/Pacific Islander	4,952	3	274	1	0	11	41	1
Other/Unknown	4,284	18	80	43	1	15	40	4
*Hispanic	5,107	20	105	52	1	19	46	5
Live Birth Order, %								
1st Birth	38.8	33.8	39.2	29.1	32.8	39.4	34.9	31.7
5th or Over	5.0	3.9	3.0	7.0	4.5	6.7	6.5	8.9
Prematurity, %								
Less than 37 weeks	9.8	8.4	9.5	9.6	9.4	6.1	8.8	16.5
Less than 2500 grams	6.5	5.2	6.0	3.8	1.5	3.3	5.9	5.9
Plurality:								
Single	65,979	222	2,767	152	67	408	1,837	93
Twin	2,334	6	101	6	0	13	63	8
Triplet	82	3	0	0	0	0	0	0
Mother's Age, %								
Under 18	1.6	1.3	0.9	1.9	1.5	1.2	1.0	3.0
18-19	4.3	6.5	2.6	8.2	1.5	4.3	2.6	5.0
40 and over	2.8	2.2	3.3	1.3	1.5	2.4	2.7	3.0
Mother's Education, %								
Less than 12 years	10.2	10.5	3.5	13.6	4.6	9.3	4.0	7.1
Over 3 years college	39.9	25.3	53.7	23.2	42.4	40.0	42.9	24.7
Prenatal Care Began, %								
3rd Trimester or none	2.2	0.9	1.1	0.6	1.5	3.6	0.8	3.0
Congenital Anomalies, %	2.0	0.4	4.5	3.8	0.0	0.7	1.2	2.0
Abnormal Conditions of Child, %	6.8	6.5	15.1	5.1	4.5	5.0	4.6	11.9

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Live Births - Table 3
LIVE BIRTHS BY COUNTY OF RESIDENCE AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2010

County	Total	Age of Mother									Unknown Age
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	
Total	68,407	47	1,072	2,951	12,798	22,324	19,284	8,043	1,772	113	3
Aitkin	122	0	5	6	29	47	25	7	3	0	0
Anoka	4,191	0	53	139	734	1,386	1,239	544	92	3	1
Becker	427	0	7	23	129	133	93	34	8	0	0
Beltrami	729	1	31	75	231	201	122	56	12	0	0
Benton	596	1	7	24	140	224	125	61	14	0	0
Big Stone	58	0	0	3	10	25	18	2	0	0	0
Blue Earth	771	0	12	28	156	295	186	75	19	0	0
Brown	256	0	2	15	68	92	66	10	3	0	0
Carlton	379	0	8	32	86	118	89	40	6	0	0
Carver	1,186	0	10	22	119	370	431	194	35	5	0
Cass	311	0	10	22	80	110	62	21	6	0	0
Chippewa	153	0	6	12	49	52	22	10	2	0	0
Chisago	567	0	10	17	85	215	166	59	15	0	0
Clay	817	2	10	29	168	283	235	74	16	0	0
Clearwater	110	0	1	11	28	36	18	15	1	0	0
Cook	37	0	0	2	9	16	5	4	1	0	0
Cottonwood	143	0	6	12	35	43	28	15	3	1	0
Crow Wing	764	0	10	50	192	270	179	59	4	0	0
Dakota	5,173	3	39	148	759	1,733	1,629	707	148	7	0
Dodge	276	0	3	8	62	100	75	22	6	0	0
Douglas	400	0	3	17	95	142	96	40	6	1	0
Faribault	154	0	4	11	41	51	38	7	1	1	0
Fillmore	247	0	3	7	46	92	68	21	8	1	1
Freeborn	365	0	14	18	115	115	65	35	3	0	0
Goodhue	531	0	7	23	132	171	131	56	10	1	0
Grant	63	0	2	1	15	26	15	2	2	0	0
Hennepin	15,955	18	259	580	2,402	4,628	5,058	2,405	568	37	0
Houston	150	0	0	8	23	59	37	19	3	1	0
Hubbard	220	0	7	11	57	76	48	16	3	2	0
Isanti	501	0	9	25	121	204	96	37	8	1	0
Itasca	422	0	8	32	111	160	79	25	6	1	0
Jackson	96	0	2	1	23	42	16	11	1	0	0
Kanabec	163	0	3	13	35	63	34	15	0	0	0
Kandiyohi	555	0	20	40	130	183	128	40	14	0	0
Kittson	45	0	0	2	9	22	7	4	1	0	0
Koochiching	113	0	2	16	31	34	21	8	1	0	0
Lac Qui Parle	69	0	0	3	22	20	18	4	1	1	0
Lake	129	0	2	10	32	40	30	12	3	0	0
Lake of the Woods	26	0	0	3	6	11	5	1	0	0	0
Le Sueur	342	0	4	14	60	126	94	35	9	0	0
Lincoln	51	0	1	0	9	23	15	3	0	0	0
Lyon	362	0	5	13	84	119	100	33	8	0	0
McLeod	451	1	5	26	85	165	114	42	13	0	0
Mahnomen	118	1	4	17	46	29	19	2	0	0	0
Marshall	105	0	0	6	23	36	28	12	0	0	0

Live Births - Table 3
LIVE BIRTHS BY COUNTY OF RESIDENCE AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2010

County	Total	Age of Mother									Unknown Age
		<15	15-17	18-19	20-24	25-29	30-34	35-39	40-44	45+	
Martin	223	0	4	19	56	77	48	15	4	0	0
Meeker	281	0	4	10	71	95	75	23	2	1	0
Mille Lacs	316	0	11	23	81	104	67	24	6	0	0
Morrison	408	0	5	18	99	160	91	20	15	0	0
Mower	536	0	7	41	137	182	111	50	8	0	0
Murray	85	0	2	7	22	31	15	7	1	0	0
Nicollet	369	0	5	11	75	138	115	22	3	0	0
Nobles	387	0	13	32	107	108	94	29	3	1	0
Norman	68	0	1	2	15	24	17	8	1	0	0
Olmsted	2,138	0	28	53	354	783	651	226	38	5	0
Otter Tail	567	0	7	30	123	216	123	55	13	0	0
Pennington	177	0	3	12	51	60	39	11	1	0	0
Pine	293	0	4	27	75	99	60	22	6	0	0
Pipestone	121	0	1	3	27	46	26	15	2	1	0
Polk	386	0	16	28	87	146	67	34	8	0	0
Pope	119	0	0	4	28	49	32	5	1	0	0
Ramsey	7,266	12	169	423	1,517	2,197	1,918	803	203	24	0
Red Lake	53	0	1	0	13	19	14	4	2	0	0
Redwood	189	0	2	15	50	68	38	11	5	0	0
Renville	195	0	6	11	49	87	30	9	3	0	0
Rice	720	2	14	45	154	207	183	87	27	1	0
Rock	116	0	0	5	29	36	38	6	1	1	0
Roseau	210	1	2	16	51	68	47	21	4	0	0
St. Louis	2,042	2	41	112	473	667	489	210	47	1	0
Scott	1,923	0	23	36	220	622	709	264	45	4	0
Sherburne	1,207	0	7	52	204	427	366	130	21	0	0
Sibley	175	0	2	6	38	56	54	12	7	0	0
Stearns	1,923	1	22	77	389	704	521	164	42	3	0
Steele	480	0	7	25	104	169	119	46	8	1	1
Stevens	119	0	1	5	24	48	34	7	0	0	0
Swift	123	0	1	11	27	46	24	13	1	0	0
Todd	320	0	5	22	80	105	60	34	12	2	0
Traverse	27	0	0	1	8	11	3	3	1	0	0
Wabasha	239	0	3	9	55	92	51	27	2	0	0
Wadena	161	0	3	10	45	58	27	13	5	0	0
Waseca	231	0	3	15	49	88	52	19	5	0	0
Washington	2,868	1	26	73	405	929	941	399	92	2	0
Watonwan	158	1	2	13	38	55	34	13	2	0	0
Wilkin	67	0	1	1	17	20	21	6	1	0	0
Winona	421	0	5	18	102	134	113	39	10	0	0
Wright	1,900	0	18	50	303	672	574	232	48	3	0
Yellow Medicine	101	0	3	5	24	35	20	11	3	0	0
Unknown	0	0	0	0	0	0	0	0	0	0	0

Live Births - Table 4
LIVE BIRTHS BY BIRTH WEIGHT GROUP
BY LIVE BIRTH ORDER AND BY SEX
MINNESOTA RESIDENTS, 2010

Live Birth Order	Total Live Births	Weight in Grams									Weight Not Stated
		999 or Less	1000 to 1499	1500 to 1999	2000 to 2499	2500 to 2999	3000 to 3499	3500 to 3999	4000 to 4499	4500 and Over	
First	26,515	154	153	367	1,130	4,319	10,413	7,638	2,036	299	6
Second	22,236	103	117	291	781	3,103	8,010	7,262	2,198	363	8
Third	11,331	55	55	127	456	1,594	4,021	3,680	1,135	201	7
Fourth	4,640	29	29	75	230	664	1,621	1,417	480	94	1
Fifth	1,841	13	15	29	77	301	628	554	173	50	1
Sixth	802	5	11	5	40	131	278	233	84	15	0
Seventh	402	2	2	9	25	53	134	118	47	12	0
Eighth or Over	405	1	2	2	13	60	134	128	51	13	1
Not Stated	235	2	2	7	15	18	73	46	23	2	47
TOTAL*	68,407	364	386	912	2,767	10,243	25,312	21,076	6,227	1,049	71
Male	34,950	172	181	452	1,236	4,525	12,182	11,604	3,848	711	39
Female	33,456	191	205	460	1,531	5,718	13,130	9,472	2,379	338	32

*Total may include infants of unknown sex.

Live Births - Table 5
LIVE BIRTHS BY LIVE BIRTH ORDER AND AGE OF MOTHER
MINNESOTA RESIDENTS, 2010

Live Birth Order	Total Births	Age of Mother								Age Not Stated
		Under 15 Years	15-19 Years	20-24 Years	25-29 Years	30-34 Years	35-39 Years	40-44 Years	45 and Over Years	
First	26,515	46	3,328	6,707	8,999	5,426	1,646	341	21	1
Second	22,236	1	591	4,097	7,497	6,909	2,609	503	28	1
Third	11,331	0	73	1,429	3,572	4,064	1,858	322	13	0
Fourth	4,640	0	9	405	1,415	1,625	948	218	19	1
Fifth	1,841	0	2	93	488	666	451	134	7	0
Sixth	802	0	1	21	201	274	232	66	7	0
Seventh	402	0	0	8	57	133	142	57	5	0
Eighth or Over	405	0	0	1	29	110	133	119	13	0
Not Stated	235	0	19	37	66	77	24	12	0	0
TOTAL	68,407	47	4,023	12,798	22,324	19,284	8,043	1,772	113	3

Live Births - Table 6
 PRENATAL CARE AND RACE BY AGE OF MOTHER AND BY MARITAL STATUS
 MINNESOTA RESIDENTS, 2010

	Age of Mother									
	Total	Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45 and Over	Unknown
Births to Married Mothers										
	45,744	0	271	4,492	16,306	16,363	6,761	1,459	90	2
Prenatal Care Began										
1st Trimester	40,637	0	198	3,654	14,614	14,834	6,030	1,234	72	1
2nd Trimester	3,768	0	49	639	1,247	1,113	534	174	12	0
3rd Trimester	532	0	9	109	181	137	70	23	3	0
No Care	53	0	0	8	18	9	13	5	0	0
Unknown	754	0	15	82	246	270	114	23	3	1
Race of Mother										
White	37,818	0	159	3,378	13,760	13,893	5,417	1,149	61	1
African American	2,547	0	22	323	802	759	484	141	15	1
American Indian	216	0	10	51	67	50	28	10	0	0
Asian/Pacific Islander	3,273	0	29	395	1,090	1,114	527	105	13	0
Other/Unknown	1,890	0	51	345	587	547	305	54	1	0
*Hispanic	2,135	0	74	401	667	598	338	56	1	0
Births to Unmarried Mothers										
	22,663	47	3,752	8,306	6,018	2,921	1,282	313	23	1
Prenatal Care Began										
1st Trimester	17,338	17	2,604	6,376	4,759	2,333	996	234	18	1
2nd Trimester	4,027	23	877	1,444	946	455	223	55	4	0
3rd Trimester	719	6	154	269	168	68	38	15	1	0
No Care	139	0	27	57	28	15	10	2	0	0
Unknown	440	1	90	160	117	50	15	7	0	0
Race of Mother										
White	13,368	15	2,092	5,107	3,539	1,700	716	190	8	1
African American	4,043	11	670	1,409	1,128	523	239	52	11	0
American Indian	1,179	5	234	472	283	127	44	13	1	0
Asian/Pacific Islander	1,679	3	300	594	459	195	99	28	1	0
Other/Unknown	2,394	13	456	724	609	376	184	30	2	0
*Hispanic	2,972	17	600	912	747	450	206	39	1	0
Fetal Deaths to Married Mothers										
	190	0	4	12	66	52	46	8	2	0
Race of Mother										
White	135	0	1	8	47	43	29	6	1	0
African American	29	0	2	3	10	5	7	1	1	0
American Indian	0	0	0	0	0	0	0	0	0	0
Asian/Pacific Islander	11	0	0	0	5	1	4	1	0	0
Other/Unknown	15	0	1	1	4	3	6	0	0	0
*Hispanic	13	0	1	2	4	2	4	0	0	0
Fetal Deaths to Unmarried Mothers										
	162	0	24	57	43	26	10	1	1	0
Race of Mother										
White	88	0	11	32	28	11	4	1	1	0
African American	39	0	7	15	6	9	2	0	0	0
American Indian	13	0	4	3	4	0	2	0	0	0
Asian/Pacific Islander	6	0	1	3	0	0	2	0	0	0
Other/Unknown	16	0	1	4	5	6	0	0	0	0
*Hispanic	15	0	2	4	4	5	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Fertility Table 1
Total Reported Pregnancies by Outcome and Rate
Minnesota Residents, 1981 - 2010

Year	Total Reported Pregnancies*	Live Births	Induced Abortions	Fetal Deaths	Female Population Ages 15-44	Pregnancy Rate**
1981	84,934	68,652	15,821	461	967,087	87.8
1982	84,500	68,512	15,559	429	977,905	86.4
1983	80,530	65,559	14,514	457	981,287	82.1
1984	82,736	66,715	15,556	465	985,608	83.9
1985	83,853	67,412	16,002	439	994,249	84.3
1986	81,882	65,766	15,716	400	997,501	82.1
1987	81,318	65,168	15,746	404	1,004,801	80.9
1988	83,335	66,745	16,124	466	1,020,209	81.7
1989	83,426	67,490	15,506	430	1,024,576	81.4
1990	83,714	67,985	15,280	449	1,025,919	81.6
1991	81,904	67,037	14,441	426	1,036,146	79.0
1992	79,844	65,591	13,846	407	1,049,175	76.1
1993	77,939	64,646	12,955	338	1,060,396	73.5
1994	78,344	64,277	13,702	365	1,073,649	73.0
1995	76,338	63,259	12,715	364	1,053,136	72.5
1996	76,909	63,681	12,876	352	1,066,220	72.1
1997	77,850	64,491	12,997	362	1,050,544	74.1
1998	78,646	65,207	13,050	389	1,054,458	74.6
1999	79,374	65,953	13,037	384	1,054,543	75.3
2000	81,039	67,451	13,200	388	1,082,642	74.9
2001	80,407	66,617	13,448	342	1,093,734	73.5
2002	81,284	68,037	12,902	345	1,096,832	74.1
2003	83,300	70,053	12,918	329	1,093,415	76.2
2004	83,719	70,614	12,755	350	1,095,018	76.5
2005	83,555	70,920	12,306	329	1,092,604	76.5
2006	86,814	73,515	12,948	351	1,070,877	81.1
2007	86,832	73,675	12,770	387	1,058,541	82.0
2008	84,653	72,382	11,896	375	1,048,477	80.7
2009	82,353	70,617	11,391	345	1,046,457	78.7
2010	79,329	68,407	10,570	352	1,045,681	75.9

*Includes Live Births, Fetal Deaths of 20 weeks or more gestation, and Induced Abortions.
Fetal Deaths of less than 20 weeks are not reported to the Minnesota Department of Health.

**Number of pregnancies per 1,000 women ages 15 - 44 years.

Fertility Table 2
Pregnancy Outcomes and Pregnancy Rates by Age of Woman
Minnesota Residents, 1995, 2000, 2005 and 2010

Year/ Event	Age of Woman								
	Total	<15	15-19	20-24	25-29	30-34	35-39	40+	Unkwn
1995									
Live Births	63,259	84	5,212	12,409	19,164	18,046	7,109	1,222	13
Fetal Deaths	364	1	30	74	106	83	38	17	15
Induced Abortions	12,715	69	2,204	4,015	3,003	1,864	1,128	326	106
Reported Pregnancies ¹	76,338	154	7,446	16,498	22,273	19,993	8,275	1,565	134
Age Specific Pregnancy Rate ²	72.5	***	47.3	109.6	137.7	98.2	41.3	8.7	***
2000									
Live Births	67,451	87	5,396	13,667	19,154	18,925	8,531	1,686	5
Fetal Deaths	388	1	36	72	110	86	62	18	3
Induced Abortions	13,200	62	2,143	4,346	2,997	1,983	1,171	476	22
Reported Pregnancies ¹	81,039	150	7,575	18,085	22,261	20,994	9,764	2,180	30
Age Specific Pregnancy Rate ²	74.9	***	41.4	114.4	141.2	120.1	47.7	10.7	***
2005									
Live Births	70,920	59	4,780	15,025	21,642	18,342	9,078	1,991	3
Fetal Deaths	329	3	35	63	89	81	42	16	0
Induced Abortions	12,303	47	1,807	4,216	2,937	1,765	1,144	387	0
Reported Pregnancies ¹	83,552	109	6,622	19,304	24,668	20,188	10,264	2,394	3
Age Specific Pregnancy Rate ²	76.5	***	36.1	103.0	146.8	120.7	56.7	11.7	***
2010									
Live Births	68,407	47	4,023	12,798	22,324	19,284	8,043	1,885	3
Fetal Deaths	352	0	28	69	109	78	56	12	0
Induced Abortions	10,570	42	1,300	3,588	2,669	1,669	924	378	0
Reported Pregnancies ¹	79,329	89	5,351	16,455	25,102	21,031	9,023	2,275	3
Age Specific Pregnancy Rate ²	75.9	***	29.9	94.1	135.6	124.9	55.6	13.0	***

¹ Includes live births, fetal deaths of 20 week or more gestation, and induced abortions

² Pregnancies within a specific age group per 1,000 female population of that same age group. Total rate is calculated per 1,000 female population age 15-44.

***Appropriate age-specific female population is not available for use in rate calculations.

Infant Mortality and Fetal Deaths - Table 1
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS BY CAUSE
 MINNESOTA RESIDENTS, 2010

Cause of Death	Infant Deaths	Neonatal Deaths				Post-Neonatal
		Total	Under 1 Day	1-6 Days	7-27 Days	
Total - All Causes	309	210	119	49	42	99
Infective and Parasitic Diseases	8	0	0	0	0	8
Septicemia	2	0	0	0	0	2
Neoplasms	2	1	0	1	0	1
Malignant Neoplasms	1	0	0	0	0	1
Diseases of the Blood and Blood-Forming Organs and Immune Mechanisms	2	0	0	0	0	2
Endocrine, Nutritional and Metabolic Diseases	3	0	0	0	0	3
Diseases of the Nervous System	3	1	0	0	1	2
Diseases of the Ear and Mastoid Process	0	0	0	0	0	0
Diseases of the Circulatory System	2	1	1	0	0	1
Diseases of the Respiratory System	12	0	0	0	0	12
Pneumonia and Influenza	6	0	0	0	0	6
Diseases of the Digestive System	3	1	0	0	1	2
Diseases of the Genitourinary System	1	1	0	1	0	0
Certain Conditions Originating in the Perinatal Period	133	128	82	28	18	5
Maternal Conditions and Complications	35	35	31	4	0	0
Short Gestation and Low Birthweight	49	47	40	6	1	2
Birth Trauma	1	1	0	0	1	0
Intrauterine Hypoxia & Birth Asphyxia	1	1	0	0	1	0
Respiratory Distress of Newborn	8	7	1	4	2	1
Bacterial Sepsis of Newborn	6	5	0	2	3	1
Omphalitis of Newborn	0	0	0	0	0	0
Fetal & Neonatal Hemorrhage	5	5	1	1	3	0
Congenital Anomalies	87	67	35	17	15	20
Hydrocephalus & Spina Bifida	3	3	3	0	0	0
Of Heart	22	13	2	4	7	9
Chromosomal Anomalies	18	14	11	3	0	4
Symptoms, Signs, and Abnormal Clinical Findings	31	6	0	2	4	25
Sudden Infant Death Syndrome	28	4	0	0	4	24
All Other Diseases	2	1	0	0	1	1
External Causes	20	3	1	0	2	17
Transport Accidents	3	1	1	0	0	2
Accidental Drowning & Submersion	0	0	0	0	0	0
Other Accidental Threats to Breathing	9	1	0	0	1	8
Assault	4	0	0	0	0	4

Infant Mortality and Fetal Deaths - Table 2
 FETAL DEATHS OF 20 WEEKS AND OVER BY CAUSE AND WEIGHT
 MINNESOTA RESIDENTS, 2010

Cause of Death	Total Fetal Deaths	Weight In Grams									Weight Not Stated
		999 or Less	1,000 to 1,499	1,500 to 1,999	2,000 to 2,499	2,500 to 2,999	3,000 to 3,499	3,500 to 3,999	4,000 to 4,499	4,500 and Over	
Total - All Causes	352	172	29	35	32	26	17	21	4	3	13
Congenital Anomalies	34	17	8	4	2	2	0	0	0	1	0
Anencephalus and Similar Anomalies	4	3	0	1	0	0	0	0	0	0	0
Congenital Hydrocephalus	0	0	0	0	0	0	0	0	0	0	0
Maternal Conditions Unrelated to Pregnancy	13	8	0	1	1	1	1	0	0	0	1
Maternal Conditions Related to Pregnancy	29	23	3	0	0	0	0	0	0	0	3
Complications of Placenta, Cord, or Membranes	81	29	4	10	12	6	7	8	1	0	2
Complications of Labor and Delivery	5	1	3	0	0	0	0	0	0	0	1
Slow Fetal Growth and Fetal Malnutrition	2	0	0	1	0	0	0	1	0	0	0
Short Gestation and Low Birthweight	11	9	0	0	0	1	0	0	0	0	1
Intrauterine Hypoxia and Birth Asphyxia	3	1	0	0	0	1	1	0	0	0	0
Infections Specific to the Perinatal Period	1	1	0	0	0	0	0	0	0	0	0
Hemolytic Disease of Fetus & Fetal Hemorrhage	3	2	1	0	0	0	0	0	0	0	0
Syndrome of Infant of a Diabetic Mother	2	0	0	0	0	1	0	0	0	1	0
Other Diseases or Conditions Specific to the Perinatal Period	6	1	0	1	2	0	1	1	0	0	0
Fetal Death of Unspecified Cause	158	77	10	17	15	14	7	11	3	0	4
Other Diseases Not Specific to Perinatal Period	4	3	0	1	0	0	0	0	0	0	0
External Causes of Mortality	0	0	0	0	0	0	0	0	0	0	0

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Aitkin	Anoka	Becker	Beltrami	Benton	Big Stone	Blue Earth
Infant Deaths (Race of Child)								
Total	309	0	16	1	6	2	1	4
White	207	0	10	1	3	2	1	3
African American	44	0	3	0	0	0	0	0
American Indian	13	0	0	0	3	0	0	1
Asian/Pacific Islander	21	0	2	0	0	0	0	0
Other/Unknown	24	0	1	0	0	0	0	0
*Hispanic	30	0	1	0	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	210	0	7	0	2	2	1	3
White	139	0	4	0	1	2	1	2
African American	29	0	2	0	0	0	0	0
American Indian	7	0	0	0	1	0	0	1
Asian/Pacific Islander	16	0	1	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	
*Hispanic	22	0	0	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	119	0	3	0	1	1	0	2
White	75	0	1	0	1	1	0	1
African American	16	0	1	0	0	0	0	0
American Indian	4	0	0	0	0	0	0	1
Asian/Pacific Islander	10	0	1	0	0	0	0	0
Other/Unknown	14	0	0	0	0	0	0	0
*Hispanic	17	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	49	0	0	0	1	1	0	0
White	34	0	0	0	0	1	0	0
African American	7	0	0	0	0	0	0	0
American Indian	2	0	0	0	1	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	4	0	0	0	1	1
White	30	0	3	0	0	0	1	1
African American	6	0	1	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	0	24	3	5	5	0	5
White	223	0	13	1	2	5	0	4
African American	68	0	7	0	0	0	0	1
American Indian	13	0	0	1	3	0	0	0
Asian/Pacific Islander	17	0	2	0	0	0	0	0
Other/Unknown	31	0	2	1	0	0	0	0
*Hispanic	28	0	0	1	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay
Infant Deaths (Race of Child)								
Total	309	0	1	9	3	1	1	5
White	207	0	0	9	2	0	1	4
African American	44	0	0	0	0	0	0	1
American Indian	13	0	1	0	1	0	0	0
Asian/Pacific Islander	21	0	0	0	0	0	0	0
Other/Unknown	24	0	0	0	0	1	0	0
*Hispanic	30	0	0	0	0	1	0	0
Neonatal Deaths (Race of Child)								
Total	210	0	0	7	3	1	1	4
White	139	0	0	7	2	0	1	4
African American	29	0	0	0	0	0	0	0
American Indian	7	0	0	0	1	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	1	0	0	0
*Hispanic	22	0	0	0	0	1	0	0
First Day Deaths (Race of Child)								
Total	119	0	0	5	2	0	1	3
White	75	0	0	5	1	0	1	3
African American	16	0	0	0	0	0	0	0
American Indian	4	0	0	0	1	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	0	0
Other/Unknown	14	0	0	0	0	0	0	0
*Hispanic	17	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	49	0	0	1	0	0	0	0
White	34	0	0	1	0	0	0	0
African American	7	0	0	0	0	0	0	0
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	0	1	1	1	0	1
White	30	0	0	1	1	0	0	1
African American	6	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	1	0	0
*Hispanic	3	0	0	0	0	1	0	0
Fetal Deaths (Race of Mother)								
Total	352	0	3	3	2	1	6	0
White	223	0	1	2	0	1	6	0
African American	68	0	0	1	0	0	0	0
American Indian	13	0	1	0	2	0	0	0
Asian/Pacific Islander	17	0	0	0	0	0	0	0
Other/Unknown	31	0	1	0	0	0	0	0
*Hispanic	28	0	1	0	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Clear- water	Cook	Cotton- wood	Crow Wing	Dakota	Dodge	Douglas
Infant Deaths (Race of Child)								
Total	309	1	0	0	3	18	1	5
White	207	1	0	0	2	11	1	5
African American	44	0	0	0	0	3	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	21	0	0	0	0	2	0	0
Other/Unknown	24	0	0	0	1	2	0	0
*Hispanic	30	0	0	0	0	2	0	0
Neonatal Deaths (Race of Child)								
Total	210	0	0	0	2	9	1	5
White	139	0	0	0	1	5	1	5
African American	29	0	0	0	0	1	0	0
American Indian	7	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	1	0	0
Other/Unknown	0	0	0	1	2	0	0	
*Hispanic	22	0	0	0	0	1	0	0
First Day Deaths (Race of Child)								
Total	119	0	0	0	2	5	0	3
White	75	0	0	0	1	3	0	3
African American	16	0	0	0	0	0	0	0
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	0	0
Other/Unknown	14	0	0	0	1	2	0	0
*Hispanic	17	0	0	0	0	1	0	0
1-6 Day Deaths (Race of Child)								
Total	49	0	0	0	0	3	1	2
White	34	0	0	0	0	1	1	2
African American	7	0	0	0	0	1	0	0
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	1	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	0	0	0	1	0	0
White	30	0	0	0	0	1	0	0
African American	6	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	1	0	0	3	16	2	2
White	223	0	0	0	3	9	2	2
African American	68	0	0	0	0	2	0	0
American Indian	13	1	0	0	0	0	0	0
Asian/Pacific Islander	17	0	0	0	0	2	0	0
Other/Unknown	31	0	0	0	0	3	0	0
*Hispanic	28	0	0	0	0	3	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minn- neapolis
Infant Deaths (Race of Child)								
Total	309	0	1	3	3	1	79	41
White	207	0	1	3	3	1	35	11
African American	44	0	0	0	0	0	24	17
American Indian	13	0	0	0	0	0	1	1
Asian/Pacific Islander	21	0	0	0	0	0	7	1
Other/Unknown	24	0	0	0	0	0	12	11
*Hispanic	30	0	0	2	0	0	12	10
Neonatal Deaths (Race of Child)								
Total	210	0	1	1	2	0	59	28
White	139	0	1	1	2	0	25	6
African American	29	0	0	0	0	0	17	11
American Indian	7	0	0	0	0	0	1	1
Asian/Pacific Islander	16	0	0	0	0	0	7	1
Other/Unknown	0	0	0	0	0	9	9	
*Hispanic	22	0	0	1	0	0	11	9
First Day Deaths (Race of Child)								
Total	119	0	0	1	2	0	34	18
White	75	0	0	1	2	0	12	4
African American	16	0	0	0	0	0	10	7
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	5	0
Other/Unknown	14	0	0	0	0	0	7	7
*Hispanic	17	0	0	1	0	0	8	6
1-6 Day Deaths (Race of Child)								
Total	49	0	0	0	0	0	14	6
White	34	0	0	0	0	0	6	0
African American	7	0	0	0	0	0	5	3
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	1	1
Other/Unknown	2	0	0	0	0	0	2	2
*Hispanic	2	0	0	0	0	0	2	2
7-27 Day Deaths (Race of Child)								
Total	42	0	1	0	0	0	11	4
White	30	0	1	0	0	0	7	2
African American	6	0	0	0	0	0	2	1
American Indian	1	0	0	0	0	0	1	1
Asian/Pacific Islander	2	0	0	0	0	0	1	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	1	1
Fetal Deaths (Race of Mother)								
Total	352	2	0	3	3	0	93	40
White	223	2	0	1	3	0	42	14
African American	68	0	0	1	0	0	34	18
American Indian	13	0	0	0	0	0	2	2
Asian/Pacific Islander	17	0	0	0	0	0	4	1
Other/Unknown	31	0	0	1	0	0	11	5
*Hispanic	28	0	0	1	0	0	8	5

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State							
	Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
Infant Deaths (Race of Child)								
Total	309	2	1	0	1	0	0	2
White	207	2	1	0	1	0	0	2
African American	44	0	0	0	0	0	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	21	0	0	0	0	0	0	0
Other/Unknown	24	0	0	0	0	0	0	0
*Hispanic	30	0	0	0	0	0	0	1
Neonatal Deaths (Race of Child)								
Total	210	2	1	0	0	0	0	2
White	139	2	1	0	0	0	0	2
African American	29	0	0	0	0	0	0	0
American Indian	7	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	22	0	0	0	0	0	0	1
First Day Deaths (Race of Child)								
Total	119	1	0	0	0	0	0	1
White	75	1	0	0	0	0	0	1
African American	16	0	0	0	0	0	0	0
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	0	0
Other/Unknown	14	0	0	0	0	0	0	0
*Hispanic	17	0	0	0	0	0	0	1
1-6 Day Deaths (Race of Child)								
Total	49	1	1	0	0	0	0	0
White	34	1	1	0	0	0	0	0
African American	7	0	0	0	0	0	0	0
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	0	0	0	0	0	1
White	30	0	0	0	0	0	0	1
African American	6	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	0	1	1	4	0	1	2
White	223	0	1	1	4	0	1	2
African American	68	0	0	0	0	0	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	17	0	0	0	0	0	0	0
Other/Unknown	31	0	0	0	0	0	0	0
*Hispanic	28	0	0	0	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Kittson	Kooch iching	Lac Qui Parle	Lake	Lake of the Woods	Le Sueur	Lincoln
Infant Deaths (Race of Child)								
Total	309	0	0	1	2	0	1	0
White	207	0	0	1	2	0	1	0
African American	44	0	0	0	0	0	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	21	0	0	0	0	0	0	0
Other/Unknown	24	0	0	0	0	0	0	0
*Hispanic	30	0	0	0	0	0	1	0
Neonatal Deaths (Race of Child)								
Total	210	0	0	1	1	0	1	0
White	139	0	0	1	1	0	1	0
African American	29	0	0	0	0	0	0	0
American Indian	7	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	22	0	0	0	0	0	1	0
First Day Deaths (Race of Child)								
Total	119	0	0	1	0	0	1	0
White	75	0	0	1	0	0	1	0
African American	16	0	0	0	0	0	0	0
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	0	0
Other/Unknown	14	0	0	0	0	0	0	0
*Hispanic	17	0	0	0	0	0	1	0
1-6 Day Deaths (Race of Child)								
Total	49	0	0	0	1	0	0	0
White	34	0	0	0	1	0	0	0
African American	7	0	0	0	0	0	0	0
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	0	0	0	0	0	0
White	30	0	0	0	0	0	0	0
African American	6	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	0	0	1	0	1	2	1
White	223	0	0	1	0	1	2	1
African American	68	0	0	0	0	0	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	17	0	0	0	0	0	0	0
Other/Unknown	31	0	0	0	0	0	0	0
*Hispanic	28	0	0	0	0	0	1	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker	Mille Lacs
Infant Deaths (Race of Child)								
Total	309	2	1	1	0	2	1	5
White	207	2	1	0	0	2	0	3
African American	44	0	0	0	0	0	0	1
American Indian	13	0	0	1	0	0	0	1
Asian/Pacific Islander	21	0	0	0	0	0	0	0
Other/Unknown	24	0	0	0	0	0	1	0
*Hispanic	30	0	0	0	0	0	1	0
Neonatal Deaths (Race of Child)								
Total	210	0	0	1	0	1	0	3
White	139	0	0	0	0	1	0	1
African American	29	0	0	0	0	0	0	1
American Indian	7	0	0	1	0	0	0	1
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	
*Hispanic	22	0	0	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	119	0	0	1	0	0	0	1
White	75	0	0	0	0	0	0	0
African American	16	0	0	0	0	0	0	0
American Indian	4	0	0	1	0	0	0	1
Asian/Pacific Islander	10	0	0	0	0	0	0	0
Other/Unknown	14	0	0	0	0	0	0	0
*Hispanic	17	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	49	0	0	0	0	0	0	1
White	34	0	0	0	0	0	0	0
African American	7	0	0	0	0	0	0	1
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	0	0	0	1	0	1
White	30	0	0	0	0	1	0	1
African American	6	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	1	2	2	1	4	1	4
White	223	0	1	0	1	3	1	4
African American	68	0	0	0	0	0	0	0
American Indian	13	0	0	2	0	0	0	0
Asian/Pacific Islander	17	0	0	0	0	0	0	0
Other/Unknown	31	1	1	0	0	1	0	0
*Hispanic	28	1	0	0	0	1	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State							
	Total	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted
Infant Deaths (Race of Child)								
Total	309	1	4	0	3	1	0	11
White	207	1	3	0	3	0	0	10
African American	44	0	0	0	0	0	0	1
American Indian	13	0	0	0	0	1	0	0
Asian/Pacific Islander	21	0	0	0	0	0	0	0
Other/Unknown	24	0	1	0	0	0	0	0
*Hispanic	30	0	1	0	0	1	0	0
Neonatal Deaths (Race of Child)								
Total	210	1	2	0	2	0	0	7
White	139	1	1	0	2	0	0	6
African American	29	0	0	0	0	0	0	1
American Indian	7	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	0	1	0	0	0	0	0	
*Hispanic	22	0	1	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	119	0	2	0	0	0	0	5
White	75	0	1	0	0	0	0	5
African American	16	0	0	0	0	0	0	0
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	0	0
Other/Unknown	14	0	1	0	0	0	0	0
*Hispanic	17	0	1	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	49	0	0	0	1	0	0	1
White	34	0	0	0	1	0	0	1
African American	7	0	0	0	0	0	0	0
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	1	0	0	1	0	0	1
White	30	1	0	0	1	0	0	0
African American	6	0	0	0	0	0	0	1
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	1	3	1	2	1	0	10
White	223	1	2	1	2	0	0	4
African American	68	0	0	0	0	0	0	5
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	17	0	0	0	0	0	0	1
Other/Unknown	31	0	1	0	0	1	0	0
*Hispanic	28	0	1	0	0	1	0	2

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
Infant Deaths (Race of Child)							
Total	309	2	0	1	0	2	0
White	207	2	0	1	0	1	0
African American	44	0	0	0	0	1	0
American Indian	13	0	0	0	0	0	0
Asian/Pacific Islander	21	0	0	0	0	0	0
Other/Unknown	24	0	0	0	0	0	0
*Hispanic	30	0	0	0	0	0	0
Neonatal Deaths (Race of Child)							
Total	210	2	0	1	0	0	0
White	139	2	0	1	0	0	0
African American	29	0	0	0	0	0	0
American Indian	7	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0
*Hispanic	22	0	0	0	0	0	0
First Day Deaths (Race of Child)							
Total	119	1	0	0	0	0	0
White	75	1	0	0	0	0	0
African American	16	0	0	0	0	0	0
American Indian	4	0	0	0	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	0
Other/Unknown	14	0	0	0	0	0	0
*Hispanic	17	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)							
Total	49	1	0	0	0	0	0
White	34	1	0	0	0	0	0
African American	7	0	0	0	0	0	0
American Indian	2	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)							
Total	42	0	0	1	0	0	0
White	30	0	0	1	0	0	0
African American	6	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0
Fetal Deaths (Race of Mother)							
Total	352	3	1	1	0	2	0
White	223	3	1	1	0	2	0
African American	68	0	0	0	0	0	0
American Indian	13	0	0	0	0	0	0
Asian/Pacific Islander	17	0	0	0	0	0	0
Other/Unknown	31	0	0	0	0	0	0
*Hispanic	28	0	0	0	0	1	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock
Infant Deaths (Race of Child)								
Total	309	30	23	0	1	2	1	0
White	207	13	7	0	1	1	1	0
African American	44	7	6	0	0	0	0	0
American Indian	13	0	0	0	0	1	0	0
Asian/Pacific Islander	21	9	9	0	0	0	0	0
Other/Unknown	24	1	1	0	0	0	0	0
*Hispanic	30	2	2	0	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	210	20	15	0	1	1	1	0
White	139	8	4	0	1	1	1	0
African American	29	5	4	0	0	0	0	0
American Indian	7	0	0	0	0	0	0	0
Asian/Pacific Islander	16	6	6	0	0	0	0	0
Other/Unknown	1	1	0	0	0	0	0	0
*Hispanic	22	1	1	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	119	12	7	0	1	1	0	0
White	75	6	2	0	1	1	0	0
African American	16	3	2	0	0	0	0	0
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	3	3	0	0	0	0	0
Other/Unknown	14	0	0	0	0	0	0	0
*Hispanic	17	1	1	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	49	2	2	0	0	0	1	0
White	34	0	0	0	0	0	1	0
African American	7	0	0	0	0	0	0	0
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	2	2	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	6	6	0	0	0	0	0
White	30	2	2	0	0	0	0	0
African American	6	2	2	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	1	1	0	0	0	0	0
Other/Unknown	3	1	1	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	39	24	0	2	1	6	0
White	223	21	9	0	2	0	3	0
African American	68	13	11	0	0	0	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	17	4	3	0	0	0	0	0
Other/Unknown	31	1	1	0	0	1	3	0
*Hispanic	28	1	1	0	0	1	2	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
Infant Deaths (Race of Child)								
Total	309	2	11	7	5	9	1	9
White	207	2	9	6	4	9	1	9
African American	44	0	1	1	0	0	0	0
American Indian	13	0	1	0	0	0	0	0
Asian/Pacific Islander	21	0	0	0	0	0	0	0
Other/Unknown	24	0	0	0	1	0	0	0
*Hispanic	30	0	1	0	1	0	0	0
Neonatal Deaths (Race of Child)								
Total	210	1	8	5	4	7	1	5
White	139	1	6	4	3	7	1	5
African American	29	0	1	1	0	0	0	0
American Indian	7	0	1	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	0	0	0	1	0	0	0	0
*Hispanic	22	0	0	0	1	0	0	0
First Day Deaths (Race of Child)								
Total	119	0	4	2	4	4	1	1
White	75	0	3	1	3	4	1	1
African American	16	0	1	1	0	0	0	0
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	0	0
Other/Unknown	14	0	0	0	1	0	0	0
*Hispanic	17	0	0	0	1	0	0	0
1-6 Day Deaths (Race of Child)								
Total	49	1	3	2	0	2	0	2
White	34	1	2	2	0	2	0	2
African American	7	0	0	0	0	0	0	0
American Indian	2	0	1	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	1	1	0	1	0	2
White	30	0	1	1	0	1	0	2
African American	6	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	1	7	4	3	9	0	11
White	223	1	5	3	3	9	0	9
African American	68	0	1	0	0	0	0	1
American Indian	13	0	0	0	0	0	0	1
Asian/Pacific Islander	17	0	1	1	0	0	0	0
Other/Unknown	31	0	0	0	0	0	0	0
*Hispanic	28	0	0	0	0	0	0	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
Infant Deaths (Race of Child)								
Total	309	2	0	0	1	1	1	1
White	207	0	0	0	1	1	1	1
African American	44	1	0	0	0	0	0	0
American Indian	13	1	0	0	0	0	0	0
Asian/Pacific Islander	21	0	0	0	0	0	0	0
Other/Unknown	24	0	0	0	0	0	0	0
*Hispanic	30	0	0	0	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	210	0	0	0	0	1	1	1
White	139	0	0	0	0	1	1	1
African American	29	0	0	0	0	0	0	0
American Indian	7	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	0	0	0	0	0	0
Other/Unknown	0	0	0	0	0	0	0	0
*Hispanic	22	0	0	0	0	0	0	0
First Day Deaths (Race of Child)								
Total	119	0	0	0	0	1	0	1
White	75	0	0	0	0	1	0	1
African American	16	0	0	0	0	0	0	0
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	0	0	0	0	0	0	0
Other/Unknown	14	0	0	0	0	0	0	0
*Hispanic	17	0	0	0	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	49	0	0	0	0	0	1	0
White	34	0	0	0	0	0	1	0
African American	7	0	0	0	0	0	0	0
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	0	0	0	0	0	0
White	30	0	0	0	0	0	0	0
African American	6	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	0	0	0	0	0	0
*Hispanic	3	0	0	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	4	0	0	1	0	2	5
White	223	4	0	0	1	0	1	5
African American	68	0	0	0	0	0	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	17	0	0	0	0	0	0	0
Other/Unknown	31	0	0	0	0	0	1	0
*Hispanic	28	0	0	0	0	0	1	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Infant Mortality and Fetal Deaths - Table 3
 Infant, Neonatal, and Postneonatal Deaths by Race of Child
 and Fetal Deaths by Race of Mother
 by County and Selected City of Residence
 Minnesota, 2010

	State Total	Waseca	Wash- ington	Watowan	Wilkin	Winona	Wright	Yellow Medicine
Infant Deaths (Race of Child)								
Total	309	1	9	2	0	0	8	0
White	207	1	5	1	0	0	8	0
African American	44	0	1	0	0	0	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	21	0	1	0	0	0	0	0
Other/Unknown	24	0	2	1	0	0	0	0
*Hispanic	30	0	2	1	0	0	0	0
Neonatal Deaths (Race of Child)								
Total	210	1	9	1	0	0	8	0
White	139	1	5	0	0	0	8	0
African American	29	0	1	0	0	0	0	0
American Indian	7	0	0	0	0	0	0	0
Asian/Pacific Islander	16	0	1	0	0	0	0	0
Other/Unknown	0	2	1	0	0	0	0	0
*Hispanic	22	0	2	1	0	0	0	0
First Day Deaths (Race of Child)								
Total	119	1	4	1	0	0	4	0
White	75	1	1	0	0	0	4	0
African American	16	0	1	0	0	0	0	0
American Indian	4	0	0	0	0	0	0	0
Asian/Pacific Islander	10	0	1	0	0	0	0	0
Other/Unknown	14	0	1	1	0	0	0	0
*Hispanic	17	0	1	1	0	0	0	0
1-6 Day Deaths (Race of Child)								
Total	49	0	3	0	0	0	4	0
White	34	0	3	0	0	0	4	0
African American	7	0	0	0	0	0	0	0
American Indian	2	0	0	0	0	0	0	0
Asian/Pacific Islander	4	0	0	0	0	0	0	0
Other/Unknown	2	0	0	0	0	0	0	0
*Hispanic	2	0	0	0	0	0	0	0
7-27 Day Deaths (Race of Child)								
Total	42	0	2	0	0	0	0	0
White	30	0	1	0	0	0	0	0
African American	6	0	0	0	0	0	0	0
American Indian	1	0	0	0	0	0	0	0
Asian/Pacific Islander	2	0	0	0	0	0	0	0
Other/Unknown	3	0	1	0	0	0	0	0
*Hispanic	3	0	1	0	0	0	0	0
Fetal Deaths (Race of Mother)								
Total	352	4	10	1	0	3	7	0
White	223	4	6	1	0	3	5	0
African American	68	0	2	0	0	0	0	0
American Indian	13	0	0	0	0	0	0	0
Asian/Pacific Islander	17	0	2	0	0	0	1	0
Other/Unknown	31	0	0	0	0	0	1	0
*Hispanic	28	0	0	0	0	0	1	0

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Mortality

Every day in 2010, residents of Minnesota experienced an average of:

106 Deaths

26 Cancer Deaths

20 Heart Disease Deaths

6 Stroke Deaths

6 Respiratory Deaths

4 Alzheimer's Deaths

3 Diabetic Deaths

33 Deaths From Other
Natural Causes

1 Infant Death*

8 Violent Deaths

6 Unintentional
Injury Deaths

1 Motor Vehicle

2 Falls

3 Other Injury

2 Other

Violent Deaths

*Infant deaths are included in the numbers for the cause of death categories

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE;
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH
MINNESOTA, 2010

County	Deaths Occurring in County				Resident Deaths		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		Total
					Within Minnesota	Outside Minnesota	
State Total	39,013	31,242	6,341	1,430	6,341	1,274	38,857
Aitkin	156	142	14	0	53	8	203
Anoka	1,505	1,245	247	13	430	21	1,696
Becker	294	270	18	6	26	51	347
Beltrami	368	310	56	2	14	42	366
Benton	245	198	46	1	108	5	311
Big Stone	66	62	1	3	6	9	77
Blue Earth	572	423	145	4	43	7	473
Brown	252	221	30	1	33	2	256
Carlton	315	281	33	1	89	3	373
Carver	396	284	109	3	118	3	405
Cass	176	152	17	7	101	16	269
Chippewa	119	107	12	0	29	4	140
Chisago	340	267	69	4	88	9	364
Clay	227	210	6	11	14	158	382
Clearwater	79	72	6	1	12	10	94
Cook	37	28	6	3	10	1	39
Cottonwood	142	124	18	0	8	15	147
Crow Wing	532	472	58	2	102	4	578
Dakota	1,595	1,380	183	32	732	28	2,140
Dodge	91	77	12	2	43	3	123
Douglas	356	311	44	1	47	5	363
Faribault	154	145	5	4	40	4	189
Fillmore	160	153	6	1	43	19	215
Freeborn	334	303	18	13	37	7	347
Goodhue	464	399	54	11	80	7	486
Grant	63	59	4	0	23	4	86
Hennepin	8,844	7,085	1,497	262	556	103	7,744
Minneapolis	3,096	1,751	1,205	140	570	32	2,353
Houston	119	112	4	3	7	41	160
Hubbard	166	137	29	0	30	24	191
Isanti	239	206	31	2	54	1	261
Itasca	423	386	27	10	86	9	481
Jackson	93	86	6	1	24	23	133
Kanabec	124	109	15	0	33	1	143
Kandiyohi	372	346	24	2	44	1	391
Kittson	53	50	2	1	7	9	66
Koochiching	129	124	4	1	36	5	165
Lac Qui Parle	83	80	3	0	13	9	102
Lake	125	113	10	2	43	2	158
Lake of the Woods	35	31	4	0	5	5	41
Le Sueur	145	127	17	1	75	0	202
Lincoln	82	72	6	4	6	11	89
Lyon	175	162	11	2	20	23	205
McLeod	310	266	44	0	49	2	317
Mahnomen	39	34	4	1	9	20	63

Mortality Table 1
DEATHS BY COUNTY OF OCCURRENCE DISTRIBUTED ACCORDING TO RESIDENCE;
RESIDENT DEATHS DISTRIBUTED ACCORDING TO PLACE OF DEATH
MINNESOTA, 2010

County	Deaths Occurring in County				Resident Deaths		
	Total	County Residents	Other Minnesota Residents	Out of State Residents	Outside County		Total
					Within Minnesota	Outside Minnesota	
Marshall	49	43	5	1	10	33	86
Martin	225	204	11	10	31	9	244
Meeker	181	161	20	0	55	0	216
Mille Lacs	223	190	30	3	88	5	283
Morrison	220	204	14	2	59	1	264
Mower	268	250	15	3	95	8	353
Murray	76	72	4	0	10	6	88
Nicollet	148	130	16	2	63	3	196
Nobles	146	133	8	5	20	18	171
Norman	85	82	3	0	6	23	111
Olmsted	1,687	859	512	316	34	8	901
Otter Tail	560	517	37	6	59	60	636
Pennington	115	93	22	0	11	21	125
Pine	165	149	16	0	100	3	252
Pipestone	97	84	11	2	10	15	109
Polk	259	241	17	1	18	90	349
Pope	122	104	16	2	32	1	137
Ramsey	4,571	3,289	1,079	203	481	35	3,805
St. Paul	2,772	1,458	1,135	179	343	15	1,816
Red Lake	25	20	3	2	10	4	34
Redwood	136	123	13	0	45	7	175
Renville	183	170	13	0	52	0	222
Rice	367	327	39	1	100	5	432
Rock	157	129	21	7	2	21	152
Roseau	104	101	1	2	12	17	130
St. Louis	2,547	1,977	296	274	72	22	2,071
Duluth	1,656	890	500	266	35	9	934
Scott	512	373	134	5	118	5	496
Sherburne	405	284	121	0	175	4	463
Sibley	98	94	4	0	50	1	145
Stearns	1,190	736	442	12	112	9	857
Steele	263	222	37	4	54	3	279
Stevens	104	91	13	0	17	3	111
Swift	96	91	5	0	24	3	118
Todd	192	155	36	1	60	3	218
Traverse	46	41	2	3	6	21	68
Wabasha	137	121	4	12	60	2	183
Wadena	178	136	41	1	52	6	194
Waseca	114	103	10	1	55	2	160
Washington	1,136	878	213	45	372	15	1,265
Watonwan	99	90	8	1	29	5	124
Wilkin	114	68	2	44	1	5	74
Winona	369	331	9	29	39	22	392
Wright	551	471	71	9	196	6	673
Yellow Medicine	97	84	11	2	18	10	112
Unknown	2	0	1	1	2	0	2

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
A00- B99	I. INFECTIOUS AND PARASITIC DISEASES	T 676	8	4	2	1	0	1	2	5	9	13	28	36	42	58	50	40	82	85	210
		M 339	4	2	1	0	0	0	1	4	4	10	18	25	31	37	29	15	38	43	77
		F 337	4	2	1	1	0	1	1	1	5	3	10	11	11	21	21	25	44	42	133
A01- A02	Salmonella Infections	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A03, A06	Shigellosis and Amebiasis	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A04, A07- A09	Other Intestinal Infections	T 118	2	0	0	0	0	0	1	0	0	0	0	1	3	5	5	4	17	14	66
		M 46	1	0	0	0	0	0	1	0	0	0	0	1	3	4	2	0	7	6	21
		F 72	1	0	0	0	0	0	0	0	0	0	0	0	0	1	3	4	10	8	45
A16- A19	Tuberculosis	T 5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	0	2
		M 1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		F 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
A16	Respiratory Tuberculosis	T 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
A17- A19	Other Tuberculosis	T 1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		M 1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A37	Whooping Cough	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A38, A46	Scarlet Fever and Erysipelas	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
A39	Meningococcal Infection	T 1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A40- A41	Septicemia	T 337	2	1	0	0	0	0	1	1	1	6	9	13	17	26	26	22	49	54	109
		M 153	0	0	0	0	0	0	0	1	0	4	2	8	10	11	15	8	23	29	42
		F 184	2	1	0	0	0	0	1	0	1	2	7	5	7	15	11	14	26	25	67
A50- A53	Syphilis	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A80	Acute Poliomyelitis	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
A83- A84, A85.2	Arthropod-Borne Viral Encephalitis	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B05	Measles	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
B15- B19	Viral Hepatitis	T 61	0	0	0	0	0	0	0	2	3	6	12	14	9	4	3	2	1	5	5
		M 48	0	0	0	0	0	0	0	2	3	4	10	12	9	3	2	1	0	2	2
		F 13	0	0	0	0	0	0	0	0	0	2	2	2	0	1	1	1	1	3	3
B20- B24	Human Immunodeficiency Virus (HIV) Disease	T 47	0	1	0	0	0	0	4	4	3	12	6	6	5	4	2	0	0	0	0
		M 38	0	1	0	0	0	0	3	2	2	11	4	5	5	4	1	0	0	0	0
		F 9	0	0	0	0	0	0	1	2	1	1	2	1	0	0	1	0	0	0	0
B50- B54	Malaria	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
Re- sid- ual	Other Infectious and Parasitic Diseases and Sequelae	T 107	3	2	2	1	0	1	0	0	2	1	1	4	2	12	10	9	13	16	28
		M 52	2	1	1	0	0	0	0	0	0	1	1	2	1	7	5	4	7	8	12
		F 55	1	1	1	1	0	1	0	0	2	0	0	2	1	5	5	5	6	8	16
C00- D48	II. NEOPLASMS	T 9,902	2	2	11	5	14	17	21	36	59	110	257	458	752	955	1,158	1,199	1,340	1,489	2,017
		M 5,173	1	0	6	3	10	11	11	16	23	56	130	241	398	524	648	670	716	788	921
		F 4,729	1	2	5	2	4	6	10	20	36	54	127	217	354	431	510	529	624	701	1,096
C00- C97	Malignant Neoplasms	T 9,599	1	2	10	3	13	16	20	34	58	108	255	450	739	942	1,138	1,169	1,307	1,439	1,895
		M 5,017	1	0	5	2	9	10	10	15	22	56	129	238	394	515	635	652	695	753	876
		F 4,582	0	2	5	1	4	6	10	19	36	52	126	212	345	427	503	517	612	686	1,019
C00- C14	Of Lip, Oral Cavity and Pharynx	T 115	0	0	0	0	0	0	0	1	2	1	3	12	11	22	12	10	8	16	17
		M 66	0	0	0	0	0	0	0	1	0	1	2	9	6	12	10	6	5	10	4
		F 49	0	0	0	0	0	0	0	0	2	0	1	3	5	10	2	4	3	6	13
C15	Of Esophagus	T 271	0	0	0	0	0	0	0	0	3	2	5	16	25	32	43	39	43	29	34
		M 203	0	0	0	0	0	0	0	0	1	2	5	14	15	24	34	28	34	25	21
		F 68	0	0	0	0	0	0	0	2	0	0	0	2	10	8	9	11	9	4	13
C16	Of Stomach	T 154	0	0	0	0	0	0	2	3	3	5	3	8	7	12	21	14	20	22	34
		M 94	0	0	0	0	0	0	1	2	1	3	1	6	6	10	13	8	11	13	19
		F 60	0	0	0	0	0	0	1	1	2	2	2	2	1	2	8	6	9	9	15
C18- C21	Of Colon, Rectum, and Anus	T 834	0	0	0	0	0	2	2	4	5	8	23	44	63	88	77	84	95	125	214
		M 422	0	0	0	0	0	0	2	2	3	5	12	29	34	51	47	39	52	61	85
		F 412	0	0	0	0	0	2	0	2	2	3	11	15	29	37	30	45	43	64	129
C22	Of Liver and Intrahepatic Bile Ducts	T 306	0	0	1	0	0	1	1	0	0	2	5	25	47	38	40	42	29	41	34
		M 208	0	0	1	0	0	1	0	0	0	2	2	20	38	27	29	27	24	23	14
		F 98	0	0	0	0	0	0	1	0	0	0	3	5	9	11	11	15	5	18	20
C25	Of Pancreas	T 626	0	0	0	0	0	0	0	2	6	19	20	45	80	75	78	100	79	122	
		M 333	0	0	0	0	0	0	0	1	5	13	12	28	55	47	39	50	39	44	
		F 293	0	0	0	0	0	0	0	1	1	6	8	17	25	28	39	50	40	78	

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916	
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346	
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570	
C32	Of Larynx	T 50	0	0	0	0	0	0	0	0	0	0	0	1	6	2	7	7	6	8	9	4
		M 42	0	0	0	0	0	0	0	0	0	0	0	1	5	1	7	5	5	7	9	2
		F 8	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	1	1	0	2
C33- C34	Of Trachea, Bronchus, and Lung	T 2,373	0	0	0	0	0	0	0	0	2	20	55	100	198	238	374	355	362	347	322	
		M 1,273	0	0	0	0	0	0	0	0	1	9	30	50	109	133	200	212	188	172	169	
		F 1,100	0	0	0	0	0	0	0	0	1	11	25	50	89	105	174	143	174	175	153	
C43	Of Skin	T 149	0	0	0	0	1	1	0	2	1	7	6	12	14	26	11	20	13	17	18	
		M 104	0	0	0	0	1	1	0	1	0	6	5	6	9	18	10	13	11	13	10	
		F 45	0	0	0	0	0	0	0	1	1	1	1	6	5	8	1	7	2	4	8	
C50	Of Breast	T 652	0	0	0	0	0	0	1	3	11	15	32	42	65	77	65	57	76	73	135	
		M 4	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	1	0	
		F 648	0	0	0	0	0	0	1	3	11	15	32	42	65	76	64	57	75	72	135	
C53	Of Cervix Uteri	T 47	0	0	0	0	0	0	1	3	4	2	5	3	7	7	2	6	1	2	4	
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		F 47	0	0	0	0	0	0	1	3	4	2	5	3	7	7	2	6	1	2	4	
C54- C55	Of Corpus Uteri and Uterus	T 133	0	0	0	0	0	0	0	0	2	2	2	4	11	12	15	20	18	23	24	
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		F 133	0	0	0	0	0	0	0	2	2	2	4	11	12	15	20	18	23	24		
C56	Of Ovary	T 247	0	0	0	0	0	0	1	0	2	0	11	17	30	23	38	28	30	40	27	
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
		F 247	0	0	0	0	0	0	1	0	2	0	11	17	30	23	38	28	30	40	27	
C61	Of Prostate	T 562	0	0	0	0	0	0	0	0	0	0	4	10	12	28	39	64	82	125	198	
		M 562	0	0	0	0	0	0	0	0	0	0	4	10	12	28	39	64	82	125	198	
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
C64- C65	Of Kidney and Renal Pelvis	T 268	0	0	2	0	0	0	1	0	1	5	12	10	28	32	29	34	34	37	43	
		M 167	0	0	1	0	0	0	0	0	1	4	8	7	23	20	22	21	18	22	20	
		F 101	0	0	1	0	0	0	1	0	0	1	4	3	5	12	7	13	16	15	23	

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916	
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346	
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570	
C67	Of Bladder	T 236	0	0	0	0	0	0	0	0	0	0	1	1	1	8	12	17	32	38	48	78
		M 166	0	0	0	0	0	0	0	0	0	0	1	1	6	10	12	23	30	36	47	
		F 70	0	0	0	0	0	0	0	0	0	0	1	0	0	2	2	5	9	8	12	31
C70- C72	Of Meninges, Brain and Other Parts of Central Nervous System	T 268	0	1	2	1	4	2	3	4	8	11	14	23	37	41	32	24	23	20	18	
		M 154	0	0	1	1	2	1	3	3	7	7	11	14	20	22	20	11	11	10	10	
		F 114	0	1	1	0	2	1	0	1	1	4	3	9	17	19	12	13	12	10	8	
C81- C96	Of Lymphoid, Hematopoietic, and Related Tissue	T 1,057	1	0	5	1	2	4	1	5	4	6	18	40	58	71	113	119	154	193	262	
		M 593	1	0	2	1	2	2	0	2	3	4	11	19	40	44	77	79	92	99	115	
		F 464	0	0	3	0	0	2	1	3	1	2	7	21	18	27	36	40	62	94	147	
C81	Hodgkin's Disease	T 19	0	0	0	0	0	0	0	2	1	0	0	1	0	1	4	0	2	6	2	
		M 14	0	0	0	0	0	0	0	1	1	0	0	1	0	0	3	0	1	6	1	
		F 5	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1	0	1	0	1	
C82- C85	Non-Hodgkin's Lymphoma	T 387	0	0	1	0	1	1	1	1	0	3	10	16	22	26	41	45	64	70	85	
		M 207	0	0	1	0	1	0	0	0	3	5	8	16	18	27	26	37	34	31		
		F 180	0	0	0	0	0	1	1	1	0	0	5	8	6	8	14	19	27	36	54	
C91- C95	Leukemia	T 454	1	0	4	1	1	3	0	2	2	2	4	20	21	32	42	49	56	90	124	
		M 248	1	0	1	1	1	2	0	1	1	1	3	8	15	18	28	35	31	45	56	
		F 206	0	0	3	0	0	1	0	1	1	1	1	12	6	14	14	14	25	45	68	
C88 C90	Multiple Myeloma and Immunoprolifer- ative Neoplasms	T 194	0	0	0	0	0	0	0	0	1	1	4	3	14	12	25	25	32	27	50	
		M 121	0	0	0	0	0	0	0	0	1	0	3	2	8	8	18	18	23	14	26	
		F 73	0	0	0	0	0	0	0	0	0	1	1	1	6	4	7	7	9	13	24	
C96	Other Lymphoid, Hematopouetic, and Related Tissue	T 3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	
		M 3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0	0	1	
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
Re- sid- ual	Other Malignant Neoplasms	T 1,251	0	1	0	1	6	6	7	9	8	15	36	57	71	96	128	137	173	193	307	
		M 626	0	0	0	0	4	5	4	4	4	8	23	36	47	53	69	77	79	95	118	
		F 625	0	1	0	1	2	1	3	5	4	7	13	21	24	43	59	60	94	98	189	

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revision No.	Cause of Death and Sex		Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T	38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M	18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F	19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
D00- D48	In Situ and Benign Neoplasms and Neoplasms of Uncertain Behavior	T	303	1	0	1	2	1	1	1	2	1	2	2	8	13	13	20	30	33	50	122
		M	156	0	0	1	1	1	1	1	1	1	0	1	3	4	9	13	18	21	35	45
		F	147	1	0	0	1	0	0	0	1	0	2	1	5	9	4	7	12	12	15	77
D50- D89	III. DISEASES OF THE BLOOD AND BLOOD- FORMING ORGANS	T	138	2	2	0	2	0	0	1	1	1	1	5	3	3	5	8	6	13	13	72
		M	64	0	1	0	2	0	0	0	1	1	0	3	2	2	3	4	2	6	7	30
		F	74	2	1	0	0	0	0	1	0	0	1	2	1	1	2	4	4	7	6	42
D50- D64	Anemias	T	83	0	0	0	0	0	0	0	0	1	0	2	1	0	2	5	1	7	10	54
		M	38	0	0	0	0	0	0	0	0	1	0	1	1	0	1	3	0	4	5	22
		F	45	0	0	0	0	0	0	0	0	0	0	1	0	0	1	2	1	3	5	32
D65- D89	Other Diseases of the Blood and Blood-Forming Organs	T	55	2	2	0	2	0	0	1	1	0	1	3	2	3	3	3	5	6	3	18
		M	26	0	1	0	2	0	0	0	1	0	0	2	1	2	2	1	2	2	2	8
		F	29	2	1	0	0	0	0	1	0	0	1	1	1	1	1	2	3	4	1	10
E00- E90	IV. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	T	1,420	3	3	2	1	0	4	5	10	11	19	44	68	78	106	129	124	152	213	448
		M	745	2	1	2	0	0	0	1	4	8	13	32	45	55	72	83	71	78	109	169
		F	675	1	2	0	1	0	4	4	6	3	6	12	23	23	34	46	53	74	104	279
E10- E14	Diabetes Mellitus	T	1,036	0	0	0	0	0	1	2	4	5	12	36	47	58	77	95	99	116	164	320
		M	558	0	0	0	0	0	0	0	2	4	8	27	37	40	50	57	55	59	90	129
		F	478	0	0	0	0	0	1	2	2	1	4	9	10	18	27	38	44	57	74	191
E40- E64	Nutritional Deficiencies	T	31	0	0	0	0	0	0	0	0	0	0	0	1	3	0	3	0	4	4	16
		M	11	0	0	0	0	0	0	0	0	0	0	0	0	2	0	3	0	1	0	5
		F	20	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	3	4	11
E40- E46	Malnutrition	T	24	0	0	0	0	0	0	0	0	0	0	0	1	3	0	2	0	4	3	11
		M	10	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	0	1	0	5
		F	14	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	3	3	6
E50- E64	Other Nutritional Deficiencies	T	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	5
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
		F	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	5

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex		Under 1 to Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M	18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F	19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
Re- sid- ual	Other Endocrine, Nutritional, Metabolic, and Immunity Disorders	T	353	3	3	2	1	0	3	3	6	6	7	8	20	17	29	31	25	32	45	112
		M	176	2	1	2	0	0	0	1	2	4	5	5	8	13	22	23	16	18	19	35
		F	177	1	2	0	1	0	3	2	4	2	2	3	12	4	7	8	9	14	26	77
F00- F99	V. MENTAL AND BEHAVIORAL DISORDERS	T	2,945	0	0	0	0	1	0	4	8	8	11	22	27	34	44	41	84	185	480	1,996
		M	984	0	0	0	0	0	0	0	6	7	5	15	20	26	29	21	44	90	201	520
		F	1,961	0	0	0	0	1	0	4	2	1	6	7	7	8	15	20	40	95	279	1,476
G00- G99	VI. DISEASES OF THE NERVOUS SYSTEM	T	2,717	3	5	6	4	8	7	3	6	8	15	37	35	71	98	121	149	325	462	1,354
		M	1,160	1	3	2	3	6	6	1	4	6	12	22	18	38	56	62	72	168	232	448
		F	1,557	2	2	4	1	2	1	2	2	2	3	15	17	33	42	59	77	157	230	906
G00, G03	Meningitis	T	9	1	0	1	0	1	0	0	0	0	0	0	0	3	1	0	1	1	0	0
		M	3	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0	1	0	0
		F	6	1	0	1	0	0	0	0	0	0	0	0	0	2	1	0	1	0	0	0
G20- G21	Parkinson's Disease	T	512	0	0	0	0	0	0	0	0	0	0	1	2	0	6	12	37	91	124	239
		M	281	0	0	0	0	0	0	0	0	0	0	1	0	0	5	7	22	49	81	116
		F	231	0	0	0	0	0	0	0	0	0	0	0	2	0	1	5	15	42	43	123
G30	Alzheimer's Disease	T	1,450	0	0	0	0	0	0	0	0	0	0	1	4	8	10	23	31	120	252	1,001
		M	451	0	0	0	0	0	0	0	0	0	0	1	0	3	4	8	8	49	102	276
		F	999	0	0	0	0	0	0	0	0	0	0	0	4	5	6	15	23	71	150	725
Re- sid- ual	Other Diseases of the Nervous System	T	746	2	5	5	4	7	7	3	6	8	15	35	29	60	81	86	80	113	86	114
		M	425	1	3	2	3	5	6	1	4	6	12	20	18	34	47	47	42	69	49	56
		F	321	1	2	3	1	2	1	2	2	2	3	15	11	26	34	39	38	44	37	58
H00- H59	VII. DISEASES OF THE EYE AND ADNEXA	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
H60- H95	VIII. DISEASES OF THE EAR AND MASTOID PROCESS	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
I00- I99	IX. DISEASES OF THE CIRCULATORY SYSTEM	T 10,227	2	5	1	1	4	11	22	21	58	78	195	328	385	421	522	708	981	1,538	4,946
		M 4,984	2	4	0	1	2	10	16	16	40	59	151	241	291	293	344	436	565	778	1,735
		F 5,243	0	1	1	0	2	1	6	5	18	19	44	87	94	128	178	272	416	760	3,211
I00- I78	Major Cardiovascular Diseases	T 10,169	1	4	1	1	4	11	22	20	58	77	194	322	381	417	518	704	977	1,524	4,933
		M 4,948	1	3	0	1	2	10	16	15	40	59	150	236	287	291	341	432	563	773	1,728
		F 5,221	0	1	1	0	2	1	6	5	18	18	44	86	94	126	177	272	414	751	3,205
I00-I09, I11,I13, I20-I51	Diseases of the Heart	T 7,144	1	2	0	0	3	6	17	16	46	59	148	248	302	302	380	483	676	1,036	3,419
		M 3,707	1	2	0	0	2	6	12	11	31	47	119	186	232	220	262	317	405	581	1,273
		F 3,437	0	0	0	0	1	0	5	5	15	12	29	62	70	82	118	166	271	455	2,146
I00- I09	Acute Rheumatic Fever and Chronic Rheumatic Heart Diseases	T 76	0	0	0	0	0	0	0	0	0	0	0	2	2	5	3	8	8	8	40
		M 28	0	0	0	0	0	0	0	0	0	0	0	0	2	4	1	2	3	4	12
		F 48	0	0	0	0	0	0	0	0	0	0	0	2	0	1	2	6	5	4	28
I11	Hypertensive Heart Disease	T 143	0	0	0	0	0	0	0	0	2	5	3	9	8	4	10	5	7	19	71
		M 59	0	0	0	0	0	0	0	0	2	5	3	7	6	3	5	1	5	9	13
		F 84	0	0	0	0	0	0	0	0	0	0	0	2	2	1	5	4	2	10	58
I13	Hypertensive Heart and Renal Disease	T 33	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	2	6	3	19
		M 16	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3	2	7
		F 17	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	3	1	12
I20- I25	Ischemic Heart Diseases	T 4,020	1	0	0	0	0	1	4	6	26	32	107	177	215	209	258	286	421	592	1,685
		M 2,391	1	0	0	0	0	1	4	4	22	29	93	141	177	161	185	205	280	366	722
		F 1,629	0	0	0	0	0	0	0	2	4	3	14	36	38	48	73	81	141	226	963

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revision No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
I21- I22	Acute Myocardial Infarction	T 1,099	1	0	0	0	0	0	1	1	7	11	20	52	56	79	85	96	105	151	434
		M 629	1	0	0	0	0	0	1	0	6	9	17	43	44	59	67	61	73	92	156
		F 470	0	0	0	0	0	0	0	1	1	2	3	9	12	20	18	35	32	59	278
I24	Other Acute Ischemic Heart Diseases	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
I20, I25	Other Chronic Ischemic Heart Disease	T 2,881	0	0	0	0	0	1	3	5	19	20	86	122	156	127	171	188	312	434	1,237
		M 1,739	0	0	0	0	0	1	3	4	16	19	75	95	131	100	117	143	205	269	561
		F 1,142	0	0	0	0	0	0	0	1	3	1	11	27	25	27	54	45	107	165	676
I25.0	Atherosclerotic Cardiovascular Disease	T 350	0	0	0	0	0	0	1	0	1	1	20	23	26	13	18	12	32	49	154
		M 212	0	0	0	0	0	0	1	0	1	0	18	15	23	11	13	7	20	31	72
		F 138	0	0	0	0	0	0	0	0	0	1	2	8	3	2	5	5	12	18	82
I20, I25.1-I25.9	Other Chronic Ischemic Heart	T 2,531	0	0	0	0	0	1	2	5	18	19	66	99	130	114	153	176	280	385	1,083
		M 1,527	0	0	0	0	0	1	2	4	15	19	57	80	108	89	104	136	185	238	489
		F 1,004	0	0	0	0	0	0	0	1	3	0	9	19	22	25	49	40	95	147	594
I26- I51	Other Heart Diseases	T 2,872	0	2	0	0	3	5	13	10	18	22	37	60	76	83	109	182	234	414	1,604
		M 1,213	0	2	0	0	2	5	8	7	7	13	23	38	46	51	71	107	114	200	519
		F 1,659	0	0	0	0	1	0	5	3	11	9	14	22	30	32	38	75	120	214	1,085
I33	Acute and Subacute Endocarditis	T 16	0	0	0	0	0	0	0	1	0	0	0	0	0	1	2	3	3	3	3
		M 10	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	1	2	3
		F 6	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	2	2	1	0
I30-I31, I40	Diseases of Pericardium and Acute Myocarditis	T 14	0	1	0	0	0	0	0	0	2	1	0	1	0	0	1	1	4	1	2
		M 6	0	1	0	0	0	0	0	0	1	0	0	1	0	0	1	0	1	0	1
		F 8	0	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	3	1	1
I50	Heart Failure	T 1,007	0	0	0	0	0	0	1	0	0	0	1	5	6	11	25	44	79	144	691
		M 400	0	0	0	0	0	0	1	0	0	0	1	2	3	7	17	27	35	71	236
		F 607	0	0	0	0	0	0	0	0	0	0	0	3	3	4	8	17	44	73	455

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex		Under 1 to Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M	18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F	19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
I26-I28, I34-I38, I42-I49,I51	All Other Forms of Heart Disease	T	1,835	0	1	0	0	3	5	12	9	16	21	36	54	70	71	81	134	148	266	908
		M	797	0	1	0	0	2	5	7	7	6	13	22	35	43	43	51	79	77	127	279
		F	1,038	0	0	0	0	1	0	5	2	10	8	14	19	27	28	30	55	71	139	629
I10, I12	Essential Hypertension and Hypertensive Renal Disease	T	439	0	0	0	0	0	0	1	1	4	2	6	7	16	33	30	43	43	50	203
		M	187	0	0	0	0	0	0	1	1	2	2	4	5	9	23	20	22	22	18	58
		F	252	0	0	0	0	0	0	0	0	2	0	2	2	7	10	10	21	21	32	145
I60- I69	Cerebrovascular Diseases	T	2,154	0	2	1	1	1	2	4	2	4	13	29	54	44	66	76	147	207	372	1,129
		M	841	0	1	0	1	0	1	3	2	4	8	19	35	29	36	36	73	106	153	334
		F	1,313	0	1	1	0	1	1	1	0	0	5	10	19	15	30	40	74	101	219	795
I70	Atherosclerosis	T	38	0	0	0	0	0	0	0	0	0	0	0	0	2	0	2	3	3	6	22
		M	15	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	1	1	8
		F	23	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	5	14
I71- I78	Other Diseases of the Circulatory System	T	394	0	0	0	0	0	3	0	1	4	3	11	13	17	16	30	28	48	60	160
		M	198	0	0	0	0	0	3	0	1	3	2	8	10	16	12	22	17	29	20	55
		F	196	0	0	0	0	0	0	0	0	1	1	3	3	1	4	8	11	19	40	105
I71	Aortic Aneurysm and Dissection	T	223	0	0	0	0	0	3	0	1	3	2	6	11	11	12	19	15	32	34	74
		M	123	0	0	0	0	0	3	0	1	3	1	6	9	10	9	16	9	20	11	25
		F	100	0	0	0	0	0	0	0	0	0	1	0	2	1	3	3	6	12	23	49
I72- I78	Diseases of the Arteries, Arterioles, and Capillaries	T	171	0	0	0	0	0	0	0	0	1	1	5	2	6	4	11	13	16	26	86
		M	75	0	0	0	0	0	0	0	0	0	1	2	1	6	3	6	8	9	9	30
		F	96	0	0	0	0	0	0	0	0	1	0	3	1	0	1	5	5	7	17	56
I80- I99	Other Disorders of the Circulatory System	T	58	1	1	0	0	0	0	0	1	0	1	1	6	4	4	4	4	4	14	13
		M	36	1	1	0	0	0	0	0	1	0	0	1	5	4	2	3	4	2	5	7
		F	22	0	0	0	0	0	0	0	0	0	1	0	1	0	2	1	0	2	9	6
J00- J99	X. DISEASES OF THE RESPIRATORY SYSTEM	T	3,382	12	5	3	4	4	2	4	6	9	16	28	71	96	139	216	336	463	616	1,352
		M	1,686	10	3	3	2	2	1	3	4	7	7	15	33	49	82	109	170	251	316	619
		F	1,696	2	2	0	2	2	1	1	2	2	9	13	38	47	57	107	166	212	300	733

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revision No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
J10- J18	Influenza and Pneumonia	T 591	6	3	0	1	1	0	2	0	4	8	8	10	12	15	13	34	37	82	355
		M 277	5	2	0	1	0	0	2	0	2	2	3	3	6	10	5	21	20	44	151
		F 314	1	1	0	0	1	0	0	0	2	6	5	7	6	5	8	13	17	38	204
J10- J11	Influenza	T 3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3
J12- J18	Pneumonia	T 588	6	3	0	1	1	0	2	0	4	8	8	10	12	15	13	34	37	82	352
		M 277	5	2	0	1	0	0	2	0	2	2	3	3	6	10	5	21	20	44	151
		F 311	1	1	0	0	1	0	0	0	2	6	5	7	6	5	8	13	17	38	201
J20- J22	Other Acute Lower Respiratory Infections	T 3	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		M 3	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
J20- J21	Acute Bronchitis and Bronchiolitis	T 3	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		M 3	1	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
J22	Unspecified Acute Lower Respiratory Infection	T 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F 0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
J40- J47	Chronic Lower Respiratory Diseases	T 2,012	1	1	2	3	1	1	1	5	4	4	13	38	64	102	155	240	322	393	662
		M 986	1	0	2	1	0	0	0	4	4	1	8	17	34	58	73	112	167	195	309
		F 1,026	0	1	0	2	1	1	1	1	0	3	5	21	30	44	82	128	155	198	353
J40- J42	Bronchitis, Chronic and Unspecified	T 10	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	6
		M 4	1	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1
		F 6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	5
J43	Emphysema	T 91	0	0	0	0	0	0	0	0	0	0	1	3	3	8	5	14	11	22	24
		M 51	0	0	0	0	0	0	0	0	0	0	0	1	2	6	2	7	6	14	13
		F 40	0	0	0	0	0	0	0	0	0	0	1	2	1	2	3	7	5	8	11

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
J45- J46	Asthma	T 73	0	1	2	3	0	1	1	5	3	3	2	3	2	5	1	3	4	6	28
		M 37	0	0	2	1	0	0	0	4	3	1	2	2	1	2	1	1	3	1	13
		F 36	0	1	0	2	0	1	1	1	0	2	0	1	1	3	0	2	1	5	15
J44, J47	Other Chronic Lower Respiratory Diseases	T 1,838	0	0	0	0	1	0	0	0	1	1	10	32	59	89	148	222	307	364	604
		M 894	0	0	0	0	0	0	0	0	1	0	6	14	31	50	69	104	158	179	282
		F 944	0	0	0	0	1	0	0	0	0	1	4	18	28	39	79	118	149	185	322
J60- J66, J68	Pneumoconioses and Chemical Effects	T 15	0	0	0	0	0	0	0	0	0	1	0	0	0	0	1	0	3	7	3
		M 14	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	3	7	3
		F 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
J69	Pneumonitis Due to Solids and Liquids	T 274	0	0	0	0	0	0	1	0	1	1	1	6	4	4	4	15	33	42	162
		M 157	0	0	0	0	0	0	1	0	1	1	0	4	2	4	2	10	21	26	85
		F 117	0	0	0	0	0	0	0	0	0	0	1	2	2	0	2	5	12	16	77
Re- sid- ual	Other Disease of the Respiratory System	T 487	4	1	0	0	2	1	0	1	0	2	6	17	16	18	43	47	68	92	169
		M 249	3	1	0	0	2	1	0	0	0	2	4	9	7	10	29	27	40	44	70
		F 238	1	0	0	0	0	0	0	1	0	0	2	8	9	8	14	20	28	48	99
K00- K93	XI. DISEASES OF THE DIGESTIVE SYSTEM	T 1,419	3	4	0	0	1	4	5	10	27	27	81	106	139	115	110	83	149	161	394
		M 727	3	2	0	0	0	3	2	5	17	21	44	74	103	69	66	45	69	72	132
		F 692	0	2	0	0	1	1	3	5	10	6	37	32	36	46	44	38	80	89	262
K25- K28	Peptic Ulcer	T 43	0	0	0	0	0	0	0	0	0	0	0	2	3	6	2	1	6	8	15
		M 23	0	0	0	0	0	0	0	0	0	0	0	2	2	4	0	0	3	5	7
		F 20	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	1	3	3	8
K35- K38	Diseases of the Appendix	T 6	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	0	0	1	3
		M 3	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	1	1
		F 3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	2
K40- K46	Hernia	T 40	0	0	0	0	0	0	0	0	0	0	0	0	3	2	2	1	4	9	19
		M 16	0	0	0	0	0	0	0	0	0	0	0	0	3	0	1	1	1	1	9
		F 24	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	0	3	8	10

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
K70, K73- K74	Chronic Liver Disease and Cirrhosis	T 412	0	0	0	0	0	1	2	4	16	16	50	59	73	62	40	26	25	14	24
		M 255	0	0	0	0	0	1	0	3	9	13	28	41	54	39	25	14	11	7	10
		F 157	0	0	0	0	0	0	2	1	7	3	22	18	19	23	15	12	14	7	14
K70	Alcoholic Liver Disease	T 242	0	0	0	0	0	1	1	4	13	13	41	46	48	31	19	12	7	3	3
		M 165	0	0	0	0	0	1	0	3	8	10	23	33	38	20	13	8	5	1	2
		F 77	0	0	0	0	0	0	1	1	5	3	18	13	10	11	6	4	2	2	1
K73- K74	Other Chronic Liver Disease and Cirrhosis	T 170	0	0	0	0	0	0	1	0	3	3	9	13	25	31	21	14	18	11	21
		M 90	0	0	0	0	0	0	0	0	1	3	5	8	16	19	12	6	6	6	8
		F 80	0	0	0	0	0	0	1	0	2	0	4	5	9	12	9	8	12	5	13
K80- K82	Cholelithiasis and Other Disorders of Gallbladder and Biliary Tract	T 53	0	0	0	0	1	0	1	0	0	1	0	0	2	2	2	2	7	12	23
		M 26	0	0	0	0	0	0	1	0	0	0	0	0	2	0	1	2	5	6	9
		F 27	0	0	0	0	1	0	0	0	0	1	0	0	0	2	1	0	2	6	14
Re- sid- ual	Other Disease of the Digestive System	T 865	3	4	0	0	0	3	2	6	11	10	31	44	57	43	64	53	107	117	310
		M 404	3	2	0	0	0	2	1	2	8	8	16	30	42	26	39	28	49	52	96
		F 461	0	2	0	0	0	1	1	4	3	2	15	14	15	17	25	25	58	65	214
L00- L99	XII. DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	T 59	0	0	0	0	0	0	1	0	1	0	0	3	4	4	3	3	6	11	23
		M 27	0	0	0	0	0	0	0	0	1	0	0	2	2	2	2	2	2	7	7
		F 32	0	0	0	0	0	0	1	0	0	0	0	1	2	2	1	1	4	4	16
M00- M99	XIII. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	T 300	2	0	0	2	2	3	2	2	2	0	6	6	11	17	23	18	34	42	128
		M 92	1	0	0	1	0	2	0	2	0	0	1	2	3	9	8	4	12	16	31
		F 208	1	0	0	1	2	1	2	0	2	0	5	4	8	8	15	14	22	26	97
N00- N99	XIV. DISEASES OF THE GENITOURINARY SYSTEM	T 1,083	1	0	0	3	0	0	1	0	2	3	7	25	24	39	61	79	109	186	543
		M 499	0	0	0	1	0	0	1	0	0	0	4	12	18	20	30	48	61	97	207
		F 584	1	0	0	2	0	0	0	0	2	3	3	13	6	19	31	31	48	89	336
N00-N07, N17-N19, N25-N27	Nephritis, Nephrotic Syndrome and Nephrosis	T 895	1	0	0	3	0	0	1	0	1	3	7	20	22	32	50	65	98	158	434
		M 417	0	0	0	1	0	0	1	0	0	0	4	10	17	15	25	41	56	81	166
		F 478	1	0	0	2	0	0	0	0	1	3	3	10	5	17	25	24	42	77	268

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex		Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M	18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F	19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
N00- N01, N04	Acute and Rapidly Progressive Nephritic & Nephrotic Syndrome	T	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	0
		M	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0
		F	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0
N02-N03, N05-N07, N26	Chronic Glomerulo- Nephritis, Nephritis, and Renal Sclerosis	T	145	0	0	0	1	0	0	0	0	0	0	3	2	1	0	2	9	10	17	100
		M	64	0	0	0	1	0	0	0	0	0	0	3	1	1	0	1	5	6	5	41
		F	81	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	4	4	12	59
N17- N19	Renal Failure	T	748	1	0	0	2	0	0	1	0	1	3	4	18	21	32	47	56	87	141	334
		M	352	0	0	0	0	0	0	1	0	0	0	1	9	16	15	23	36	50	76	125
		F	396	1	0	0	2	0	0	0	1	3	3	9	5	17	24	20	37	65	209	
N25, N27	Other Disorders of Kidney	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N10- N12, N13.6,N15.1	Infections of the Kidney	T	9	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	5
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	9	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	1	1	0	5
N40	Hyperplasia of the Prostate	T	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	6
		M	8	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	6
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
N70- N76	Inflammatory Diseases of Female Pelvic Organs	T	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2
Re- sid- ual	Other Diseases of the Genitourinary System	T	168	0	0	0	0	0	0	0	0	1	0	0	3	2	7	11	11	9	28	96
		M	74	0	0	0	0	0	0	0	0	0	0	0	2	1	5	5	5	5	16	35
		F	94	0	0	0	0	0	0	0	0	1	0	0	1	1	2	6	6	4	12	61
O00- O99	XV. PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	T	9	0	0	0	0	2	1	1	2	0	0	2	1	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	9	0	0	0	0	2	1	1	2	0	0	2	1	0	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex		Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M	18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F	19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
O00- O07	Pregnancy with Abortive Outcome	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
O10- O99	Other Complications of Pregnancy	T	9	0	0	0	0	2	1	1	2	0	0	2	1	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	9	0	0	0	0	2	1	1	2	0	0	2	1	0	0	0	0	0	0	0
O08	Other Complications of Pregnancy, Childbirth, and the Puerperium	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
P00- P96	XVI. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	T	140	133	0	3	0	0	2	0	0	0	1	0	0	0	0	0	0	0	0	1
		M	78	73	0	3	0	0	1	0	0	0	1	0	0	0	0	0	0	0	0	0
		F	61	59	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	1
Q00- Q99	XVII. CONGENITAL MALFORMATIONS, DEFORMATIONS, AND CHROMOSOMAL ABNORMALITIES	T	190	87	9	3	2	5	3	4	5	10	4	4	10	10	11	4	2	5	5	7
		M	91	42	3	0	1	4	1	3	3	6	2	1	5	8	4	2	1	2	1	2
		F	99	45	6	3	1	1	2	1	2	4	2	3	5	2	7	2	1	3	4	5
R00- R99	XVIII. SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS	T	1,324	31	1	0	0	7	3	5	3	7	10	10	18	26	43	48	69	74	154	815
		M	494	18	1	0	0	4	1	4	2	4	6	7	9	20	22	30	37	37	74	218
		F	830	13	0	0	0	3	2	1	1	3	4	3	9	6	21	18	32	37	80	597
V01- Y98	XX. EXTERNAL CAUSES	T	2,926	20	27	15	25	126	166	177	140	135	159	230	212	180	159	100	100	149	196	610
		M	1,840	13	15	10	19	97	125	133	100	93	118	157	140	127	122	67	72	94	108	230
		F	1,086	7	12	5	6	29	41	44	40	42	41	73	72	53	37	33	28	55	88	380
V01- X59, Y85-Y86	Accidents	T	2,087	14	20	12	18	68	96	93	75	74	89	132	130	113	111	79	72	132	170	589
		M	1,223	8	10	9	13	53	69	68	52	50	64	89	86	79	87	48	48	81	89	220
		F	864	6	10	3	5	15	27	25	23	24	25	43	44	34	24	31	24	51	81	369

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revision No.	Cause of Death and Sex	Total	Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over
	ALL CAUSES, Total	T 38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M 18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F 19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
V01- V99, Y85	Transport Accidents	T 550	3	3	6	13	47	64	45	36	35	33	43	35	39	38	22	18	23	19	28
		M 382	1	2	5	9	36	46	28	27	24	22	32	25	27	31	14	11	16	13	13
		F 168	2	1	1	4	11	18	17	9	11	11	11	10	12	7	8	7	7	6	15
*	Motor Vehicle Accidents	T 508	3	3	6	10	46	61	45	32	32	31	36	32	37	34	18	17	22	17	26
		M 346	1	2	5	6	35	43	28	23	22	21	26	22	25	29	11	10	15	11	11
		F 162	2	1	1	4	11	18	17	9	10	10	10	10	12	5	7	7	7	6	15
**	Other Land Transport Accidents	T 13	0	0	0	0	0	1	0	0	1	0	3	1	0	2	2	0	0	1	2
		M 9	0	0	0	0	0	1	0	0	0	0	2	1	0	1	1	0	0	1	2
		F 4	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	0	0	0	0
V90- V99, Y85	Water, Air, Space, and Other Unspecified Transport Accidents	T 29	0	0	0	3	1	2	0	4	2	2	4	2	2	2	2	1	1	1	0
		M 27	0	0	0	3	1	2	0	4	2	1	4	2	2	1	2	1	1	1	0
		F 2	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0
W00- X59, Y86	Non-Transport Accidents	T 1,537	11	17	6	5	21	32	48	39	39	56	89	95	74	73	57	54	109	151	561
		M 841	7	8	4	4	17	23	40	25	26	42	57	61	52	56	34	37	65	76	207
		F 696	4	9	2	1	4	9	8	14	13	14	32	34	22	17	23	17	44	75	354
W00- W19	Falls	T 784	0	0	0	1	1	1	3	2	2	6	13	15	17	34	25	31	80	117	436
		M 378	0	0	0	1	1	1	3	2	2	4	9	10	14	27	14	23	48	57	162
		F 406	0	0	0	0	0	0	0	0	0	2	4	5	3	7	11	8	32	60	274
W32- W34	Accidental Discharge of Firearms	T 4	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	1	0	0	0
		M 3	0	0	0	0	0	0	0	1	1	0	0	0	0	0	1	0	0	0	0
		F 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0
W65- W74	Accidental Drowning and Submersion	T 43	0	2	3	0	5	3	3	2	4	1	2	2	7	3	1	1	1	2	1
		M 34	0	1	1	0	5	2	3	2	3	1	2	2	6	2	0	1	1	2	0
		F 9	0	1	2	0	0	1	0	0	1	0	0	0	1	1	1	0	0	0	1

* V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2

** V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revision No.	Cause of Death and Sex		Under 1	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M	18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F	19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
X00- X09	Accidental Exposure to Smoke, Fire, and Flames	T	33	0	3	0	0	2	1	3	0	0	2	4	2	3	3	1	2	2	1	4
		M	22	0	2	0	0	1	1	3	0	0	1	3	1	2	2	1	1	1	0	3
		F	11	0	1	0	0	1	0	0	0	0	1	1	1	1	1	0	1	1	1	1
X40- X49	Accidental Poisoning and Exposure to Noxious Substances	T	351	1	1	0	0	10	24	36	28	29	42	57	59	31	13	14	3	1	0	2
		M	223	1	1	0	0	7	16	28	17	17	31	30	37	17	10	9	1	0	0	1
		F	128	0	0	0	0	3	8	8	11	12	11	27	22	14	3	5	2	1	0	1
Re- sid- ual	Other Non-Transport Accidents and Their Sequelae	T	322	10	11	3	4	3	3	3	6	3	5	13	17	16	20	15	16	25	31	118
		M	181	6	4	3	3	3	3	3	3	3	5	13	11	13	15	9	11	15	17	41
		F	141	4	7	0	1	0	0	0	3	0	0	0	6	3	5	6	5	10	14	77
X60- X84, Y87.0	Intentional Self-Harm (Suicide)	T	599	0	0	0	6	39	48	56	44	46	56	78	70	47	40	15	18	13	13	10
		M	461	0	0	0	5	28	38	44	35	36	45	56	47	36	32	13	17	11	10	8
		F	138	0	0	0	1	11	10	12	9	10	11	22	23	11	8	2	1	2	3	2
X72- X74	By Discharge of Firearms	T	279	0	0	0	2	12	25	23	17	20	27	38	27	22	23	8	11	7	9	8
		M	254	0	0	0	2	10	22	21	15	19	24	31	25	21	23	8	11	6	8	8
		F	25	0	0	0	0	2	3	2	2	1	3	7	2	1	0	0	0	1	1	0
X60-X71, X75-X84, Y87.0	By Other and Unspecified Means and Their Sequelae	T	320	0	0	0	4	27	23	33	27	26	29	40	43	25	17	7	7	6	4	2
		M	207	0	0	0	3	18	16	23	20	17	21	25	22	15	9	5	6	5	2	0
		F	113	0	0	0	1	9	7	10	7	9	8	15	21	10	8	2	1	1	2	2
X85- Y09, Y87.1	Assault (Homicide)	T	111	4	4	3	1	17	15	21	15	4	6	6	4	6	0	1	3	0	1	0
		M	85	4	3	1	1	15	14	15	9	4	5	5	3	2	0	1	2	0	1	0
		F	26	0	1	2	0	2	1	6	6	0	1	1	1	4	0	0	1	0	0	0
X93- X95	By Discharge of Firearms	T	64	0	0	0	0	12	11	14	11	1	3	5	2	3	0	0	2	0	0	0
		M	49	0	0	0	0	10	11	9	8	1	3	4	1	1	0	0	1	0	0	0
		F	15	0	0	0	0	2	0	5	3	0	0	1	1	2	0	0	1	0	0	0
X85-X92, X96-Y09, Y87.1	By Other and Unspecified Means and Their Sequelae	T	47	4	4	3	1	5	4	7	4	3	3	1	2	3	0	1	1	0	1	0
		M	36	4	3	1	1	5	3	6	1	3	2	1	2	1	0	1	1	0	1	0
		F	11	0	1	2	0	0	1	1	3	0	1	0	0	2	0	0	0	0	0	0

Mortality Table 2
DEATHS FROM SELECTED CAUSES BY AGE GROUP AND SEX
MINNESOTA RESIDENTS, 2010

10th Revi- sion No.	Cause of Death and Sex		Under 1 Year	1 to 4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 and Over	
	ALL CAUSES, Total	T	38,857	309	67	46	50	174	224	258	255	347	467	956	1,407	1,855	2,214	2,594	3,000	4,067	5,651	14,916
		M	18,983	170	35	27	33	125	161	176	167	217	310	600	869	1,171	1,344	1,505	1,689	2,189	2,849	5,346
		F	19,873	138	32	19	17	49	63	82	88	130	157	356	538	684	870	1,089	1,311	1,878	2,802	9,570
Y35, Y89.0	Legal Intervention	T	11	0	0	0	0	1	1	2	2	2	0	1	0	1	0	1	0	0	0	0
		M	11	0	0	0	0	1	1	2	2	2	0	1	0	1	0	1	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y10- Y34, Y87.2,Y89.9	Events of Undetermined Intent	T	68	1	1	0	0	1	4	4	4	9	7	11	7	9	3	1	1	0	4	1
		M	35	0	1	0	0	0	3	4	2	1	4	5	4	5	2	1	0	0	3	0
		F	33	1	0	0	0	1	1	0	2	8	3	6	3	4	1	0	1	0	1	1
Y22- Y24	By Discharge of Firearms	T	6	0	0	0	0	1	1	1	0	0	0	0	1	0	0	0	0	0	2	0
		M	5	0	0	0	0	0	1	1	0	0	0	0	1	0	0	0	0	0	2	0
		F	1	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y10-Y21, Y25-Y34, Y87.2,Y89.9	By Other and Unspecified Means and Their Sequelae	T	62	1	1	0	0	0	3	3	4	9	7	11	6	9	3	1	1	0	2	1
		M	30	0	1	0	0	0	2	3	2	1	4	5	3	5	2	1	0	0	1	0
		F	32	1	0	0	0	0	1	0	2	8	3	6	3	4	1	0	1	0	1	1
Y36, Y89.1	Operations of War and Their Sequelae	T	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		M	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
		F	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Y40- Y84, Y88	Complications of Medical and Surgical Care	T	50	1	2	0	0	0	2	1	0	0	1	2	1	4	5	3	6	4	8	10
		M	25	1	1	0	0	0	0	0	0	0	0	1	0	4	1	3	5	2	5	2
		F	25	0	1	0	0	0	2	1	0	0	1	1	1	0	4	0	1	2	3	8

Mortality Table 3
DEATHS DUE TO SELECTED CAUSES BY RACE
MINNESOTA RESIDENTS, 2010

	Total	White	African American	American Indian	Asian and Pacific Islander	Other/Unknown	*Hispanic
Total - All Causes	38,857	36,793	921	439	532	172	313
Tuberculosis	5	3	0	0	2	0	0
Syphilis	0	0	0	0	0	0	0
HIV Disease	47	31	12	0	2	2	3
Malignant Neoplasms	9,599	9,109	212	95	154	29	56
Stomach	154	135	4	2	11	2	3
Colon, Rectum and Anus	834	787	22	8	15	2	3
Pancreas	626	591	19	5	9	2	3
Trachea, Bronchus, Lung	2,373	2,275	48	28	19	3	11
Breast	652	627	14	5	6	0	0
Cervix, Uterus, Ovary	427	400	11	5	9	2	3
Prostate	562	549	8	2	2	1	0
Urinary Tract	517	501	8	4	3	1	4
Non-Hodgkins Lymphoma	387	379	3	1	4	0	1
Leukemia	454	432	10	1	9	2	3
Other Malignancies	2,613	2,433	65	34	67	14	22
Diabetes Mellitus	1,036	955	33	26	20	2	9
Alzheimer's Disease	1,450	1,426	10	2	9	3	3
Major Cardiovascular	10,169	9,748	204	81	102	34	64
Diseases of Heart	7,144	6,885	121	62	54	22	41
Hypertensive	176	163	6	4	2	1	1
Ischemic	4,020	3,874	63	41	30	12	22
Other	2,948	2,848	52	17	22	9	18
Essential Hypertension & Hypertensive Renal	439	400	22	2	13	2	3
Cerebrovascular	2,154	2,047	50	15	32	10	20
Atherosclerosis	38	36	2	0	0	0	0
Other Circulatory	394	380	9	2	3	0	0
Influenza & Pneumonia	591	566	6	10	9	0	3
Chronic Lower Respiratory Diseases	2,012	1,932	39	22	15	4	3
Peptic Ulcer	43	40	1	1	1	0	0
Chronic Liver Disease and Cirrhosis	412	366	11	26	4	5	4
Nephritis, Nephrotic Syndrome and Nephrosis	895	825	33	12	24	1	3
Pregnancy/Childbirth	9	4	2	2	0	1	1
Perinatal Conditions	140	93	24	6	9	8	13
Congenital Anomalies	190	150	14	4	10	12	9
Sudden Infant Death	29	22	3	2	2	0	3
Ill-Defined Conditions	1,295	1,239	21	10	20	5	7
All Other Diseases	8,006	7,669	154	56	94	33	62
Motor Vehicle Accidents	508	451	16	18	9	14	25
All Other Accidents	1,579	1,453	54	41	18	13	21
Intentional Self-Harm (Suicide)	599	547	17	10	22	3	14
Assault (Homicide)	111	53	43	9	4	2	7
Other External Causes	129	109	11	6	2	1	3

*Hispanic ethnicity is reported separately from race. Persons of Hispanic origin may be from any racial group.

Mortality Table 4.1

U.S. Fifteen Leading Causes of Death*, Death Rates per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2010

Cause of Death	Number of Deaths	Death Rates	Percent of Total
Diseases of the Heart (I00-I09,I11,I13,I20-I51)	7,144	134.7	18.4
Malignant Neoplasms (C00-C97)	9,599	181.0	24.7
Chronic Lower Respiratory Diseases (J40-J47)	2,012	37.9	5.2
Cerebrovascular Diseases (I60-I69)	2,154	40.6	5.5
Accidents (V01-X59,Y85-Y86)	2,087	39.3	5.4
Motor Vehicle (***)	508	9.6	1.3
Falls (W00-W19)	784	14.8	2.0
Alzheimer's Disease (G30)	1,450	27.3	3.7
Diabetes Mellitus (E10-E14)	1,036	19.5	2.7
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27)	895	16.9	2.3
Influenza and Pneumonia (J10-J18)	591	11.1	1.5
Influenza (J10-J11)	3	0.1	0.0
Pneumonia (J12-J18)	588	11.1	1.5
Intentional Self-harm (suicide) (X60-X84,Y87.0)	599	11.3	1.5
Septicemia (A40-A41)	337	6.4	0.9
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	412	7.8	1.1
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	439	8.3	1.1
Parkinson's Disease (G20-G21)	512	9.7	1.3
Pneumonitis due to solids and liquids (J69)	274	5.2	0.7
All Other Causes	9,316	175.6	24.0
Total - All Causes	38,857	732.6	100.0

*These are the 15 leading causes of death in the U.S., per 2010 preliminary data, with causes listed in descending order as they occur nation-wide. Counts are for Minnesota residents.

***Motor Vehicle cause codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2

Mortality Table 4.2

MN Fifteen Leading Causes of Death*, Death Rates per 100,000 Population,
and Percent of Total Deaths, Minnesota Residents, 2010

Cause of Death	Number of Deaths	Death Rates	Percent of Total
Malignant Neoplasms (C00-C97)	9,599	181.0	24.7
Diseases of the Heart (I00-I09,I11,I13,I20-I51)	7,144	134.7	18.4
Cerebrovascular Diseases (I60-I69)	2,154	40.6	5.5
Accidents (V01-X59,Y85-Y86)	2,087	39.3	5.4
Motor Vehicle (***)	508	9.6	1.3
Falls (W00-W19)	784	14.8	2.0
Chronic Lower Respiratory Diseases (J40-J47)	2,012	37.9	5.2
Alzheimer's Disease (G30)	1,450	27.3	3.7
Diabetes Mellitus (E10-E14)	1,036	19.5	2.7
Nephritis, Nephrotic Syndrome, and Nephrosis (N00-N07,N17-N19,N25-N27)	895	16.9	2.3
Intentional Self-harm (suicide) (X60-X84,Y87.0)	599	11.3	1.5
Influenza and Pneumonia (J10-J18)	591	11.1	1.5
Influenza (J10-J11)	3	0.1	0.0
Pneumonia (J12-J18)	588	11.1	1.5
Parkinson's Disease (G20-G21)	512	9.7	1.3
Essential Hypertension and Hypertensive Renal Disease (I10,I12)	439	8.3	1.1
Chronic Liver Disease and Cirrhosis (K70,K73-K74)	412	7.8	1.1
Septicemia (A40-A41)	337	6.4	0.9
In Situ and Benign Neoplasms (D00-D48)	303	5.7	0.8
All Other Causes	9,287	175.1	23.9
Total - All Causes	38,857	732.6	100.0

*These are the 15 leading causes of death for residents of Minnesota listed in descending order of prevalence.

***Motor Vehicle cause codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0,V89.2

Mortality Table 5
LEADING CAUSES OF DEATH BY SELECTED AGE GROUPS
MINNESOTA RESIDENTS, 2010

	Age/Cause Specific			Age/Cause Specific			
	No. of Deaths	Percent	Death Rate Per 100,000 Population	No. of Deaths	Percent	Death Rate Per 100,000 Population	
<u>1-4 Years</u>				<u>35-49 Years</u>			
Total - all causes	67	100.0	23.3	Total - all causes	1,770	100.0	172.9
Accidents	20	29.9	7.0	Malignant Neoplasms	421	23.8	41.1
Motor Vehicle	3	4.5	1.0	Accidents	295	16.7	28.8
Congenital Anomalies	9	13.4	3.1	Motor Vehicle	99	5.6	9.7
Assault (Homicide)	4	6.0	1.4	Diseases of the Heart	253	14.3	24.7
Influenza & Pneumonia	3	4.5	1.0	Intentional Self-Harm	180	10.2	17.6
				Liver Disease, Cirrhosis	82	4.6	8.0
<u>5-9 Years</u>				<u>50-64 Years</u>			
Total - all causes	46	100.0	12.9	Total - all causes	5,476	100.0	473.1
Accidents	12	48.0	3.4	Malignant Neoplasms	2,131	38.9	184.1
Motor Vehicle	6	13.0	1.7	Diseases of the Heart	852	15.6	73.6
Malignant Neoplasms	10	21.7	2.8	Accidents	354	6.5	30.6
Congenital Anomalies	3	6.5	0.8	Motor Vehicle	103	1.9	8.9
Assault (Homicide)	3	6.5	0.8	Chronic Lower			
				Respiratory Diseases	204	3.7	17.6
<u>10-14 Years</u>				Liver Disease, Cirrhosis	194	3.5	16.8
Total - all causes	50	100.0	14.2	Diabetes Mellitus	182	3.3	15.7
Accidents	18	36.0	5.1	<u>65-74 Years</u>			
Motor Vehicle	10	20.0	2.8	Total - all causes	5,594	100.0	1,159.8
Intentional Self-Harm	6	12.0	1.7	Malignant Neoplasms	2,307	41.2	478.3
Malignant Neoplasms	3	6.0	0.9	Diseases of the Heart	863	15.4	178.9
Asthma	3	6.0	0.9	Chronic Lower			
				Respiratory Diseases	395	7.1	81.9
<u>15-19 Years</u>				Cerebrovascular Diseases	223	4.0	46.2
Total - all causes	174	100.0	47.3	Diabetes Mellitus	194	3.5	40.2
Accidents	68	39.1	18.5	Accidents	151	2.7	31.3
Motor Vehicle	46	26.4	12.5	Motor Vehicle	35	0.6	7.3
Intentional Self-Harm	39	22.4	10.6	Falls	56	1.0	11.6
Assault (Homicide)	17	9.8	4.6	<u>75 Years and Over</u>			
Malignant Neoplasms	13	7.5	3.5	Total - all causes	24,634	100.0	5,126.2
				Diseases of the Heart	5,131	20.8	1,067.7
<u>20-34 Years</u>				Malignant Neoplasms	4,641	18.8	965.8
Total - all causes	737	100.0	67.2	Cerebrovascular Diseases	1,708	6.9	355.4
Accidents	264	35.8	24.1	Chronic Lower			
Motor Vehicle	138	18.7	12.6	Respiratory Diseases	1,377	5.6	286.5
Intentional Self-Harm	148	20.1	13.5	Alzheimer's Disease	1,373	5.6	285.7
Malignant Neoplasms	70	9.5	6.4	Accidents	891	3.6	185.4
Assault (Homicide)	51	6.9	4.7	Falls	633	2.6	131.7
Diseases of the Heart	39	5.3	3.6				

Mortality Table 6
DEATHS DUE TO HIV INFECTION
MINNESOTA RESIDENTS, 2010

Cause of Death	Age Group											
	Total	<20	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65+
Deaths Due to HIV Infection as Underlying Cause												
HIV Infection With Specified Secondary Infections	15	1	0	0	1	3	1	3	3	1	2	0
HIV Infection With Specified Secondary Malignant Neoplasms	8	0	0	0	0	0	0	4	0	2	1	1
HIV Infection With Other Specified Diseases	11	0	0	0	1	1	1	1	2	1	1	3
HIV Infection With Other Specified Conditions	6	0	0	0	2	0	1	1	0	1	0	1
Unspecified HIV Disease	7	0	0	0	0	0	0	3	1	1	1	1
Total ALL HIV Infection as Underlying Cause	47	1	0	0	4	4	3	12	6	6	5	6
HIV Infection Mentioned as Contributing Factor for Deaths Due to Other Underlying Causes												
Malignant Neoplasms	2	0	0	0	0	0	0	0	2	0	0	0
Diseases of the Heart	1	0	0	0	0	0	0	1	0	0	0	0
Cerebrovascular Diseases	1	0	0	0	0	0	0	0	0	0	1	0
COPD and Emphysema	2	0	0	0	0	0	0	0	2	0	0	0
Accidental Deaths	1	0	0	0	0	0	0	1	0	0	0	0
Total Other Underlying Causes of Death With HIV indicated as a Contributing Factor	7	0	0	0	0	0	0	2	4	0	1	0
Total Deaths With Any Mention of HIV Infection	54	1	0	0	4	4	3	14	10	6	6	6

Mortality Table 7
DEATHS OCCURRING IN MINNESOTA BY CAUSE AND AUTOPSY STATUS
2010

Cause of Death	Total Deaths	Autopsy Status					
		Number			Percent		
		Performed	Not Performed	Not Stated	Performed	Not Performed	Not Stated
Total - All Causes	39,013	3,569	35,077	367	9.1	89.9	0.9
I. Infectious and parasitic diseases	675	39	630	6	5.8	93.3	0.9
II. Neoplasms	10,017	162	9,757	98	1.6	97.4	1.0
III. Diseases of the blood and blood-forming organs and immunity disorders	140	10	128	2	7.1	91.4	1.4
IV. Endocrine, nutritional, and metabolic diseases	1,439	88	1,341	10	6.1	93.2	0.7
V. Mental and behavioral disorders	2,948	108	2,804	36	3.7	95.1	1.2
VI. Diseases of the nervous system	2,724	56	2,643	25	2.1	97.0	0.9
VII. Diseases of the eye and adnexa	0	0	0	0	0.0	0.0	0.0
VIII. Diseases of the ear and mastoid process	0	0	0	0	0.0	0.0	0.0
IX. Diseases of the circulatory system	10,220	1,002	9,116	102	9.8	89.2	1.0
X. Diseases of the respiratory system	3,369	143	3,180	46	4.2	94.4	1.4
XI. Diseases of the digestive system	1,437	138	1,287	12	9.6	89.6	0.8
XII. Diseases of the skin and subcutaneous tissue	61	4	57	0	6.6	93.4	0.0
XIII. Diseases of the musculoskeletal system and connective tissue	307	14	289	4	4.6	94.1	1.3
XIV. Diseases of the genitourinary system	1,074	20	1,049	5	1.9	97.7	0.5
XV. Pregnancy, childbirth, and the puerperium	6	6	0	0	100.0	0.0	0.0
XVI. Certain conditions originating in the perinatal period	148	26	120	2	17.6	81.1	1.4
XVII. Congenital malformations, deformations, and chromosomal abnormalities	207	64	142	1	30.9	68.6	0.5
XVIII. Symptoms, signs, and abnormal laboratory findings	1,328	82	1,236	10	6.2	93.1	0.8
XX. External causes of mortality	2,913	1,607	1,298	8	55.2	44.6	0.3

Chapter XIX: Injury, Poisoning, and other consequences of external causes; is not used for Underlying Cause of Death.

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*							
	Total	Aitkin	Anoka	Becker	Beltrami	Benton	Big Stone	Blue Earth
DEATHS - Total	38,857	203	1,696	347	366	311	77	473
Crude Death Rate	7.3	12.5	5.1	10.7	8.2	8.1	14.6	7.4
SEX: Male	18,983	105	925	178	186	142	36	224
Female	19,873	98	771	169	180	169	41	249
Race: White	36,793	198	1,631	321	291	309	77	462
African American	921	2	28	0	0	0	0	6
American Indian	439	3	8	26	74	1	0	2
Asian/Pacific Islander	532	0	22	0	0	1	0	3
Other/Unknown	172	0	7	0	1	0	0	0
Hispanic Ethnicity	313	0	16	0	0	2	0	3
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	1
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	1	1	0	0	0	0
Malignant Neoplasms	9,599	50	500	88	79	51	21	89
Stomach	154	1	9	1	1	0	0	1
Colon, Rectum, Anus	834	4	40	14	5	3	2	4
Pancreas	626	5	30	7	5	4	0	8
Trachea, Bronchus, Lung	2,373	13	154	15	17	16	6	23
Breast	652	4	25	7	0	1	1	3
Cervix, Uterus, Ovary	427	2	19	2	5	2	1	5
Prostate	562	1	21	10	7	1	0	8
Urinary Tract	517	3	30	2	6	2	1	4
Non-Hodgkins Lymphoma	387	0	18	5	2	4	5	5
Leukemia	454	6	21	2	5	1	2	4
Other Malignancies	2,613	11	133	23	26	17	3	24
Diabetes mellitus	1,036	7	41	10	12	13	2	14
Alzheimer's Disease	1,450	21	33	9	21	21	2	17
Major Cardiovascular	10,169	54	360	81	95	97	28	126
Diseases of Heart	7,144	42	258	59	72	66	20	89
Hypertensive	176	2	5	2	0	0	0	3
Ischemic	4,020	31	134	39	38	41	13	51
Other	2,948	9	119	18	34	25	7	35
Essential Hypertension & Hypertensive Renal Disease	439	2	26	1	1	3	0	8
Cerebrovascular	2,154	8	57	20	17	23	8	24
Atherosclerosis	38	0	1	0	0	1	0	0
Other Circulatory	394	2	18	1	5	4	0	5
Influenza & Pneumonia	591	2	15	11	3	7	1	11
Chronic Lower Respiratory	2,012	13	98	27	25	8	3	26
Peptic Ulcer	43	0	2	0	2	0	0	0
Chronic Liver Disease and Cirrhosis	412	5	17	3	4	6	0	2
Nephritis, Nephrotic Syndrome, and Nephrosis	895	3	41	6	10	4	3	16
Pregnancy, Childbirth, Puerperium	9	0	0	1	0	0	0	0
Perinatal Conditions	140	0	7	0	0	1	0	3
Congenital Anomalies	190	0	9	1	4	1	2	0
Sudden Infant Death	29	0	3	1	2	0	0	1
Ill-Defined Conditions	1,295	5	64	20	27	4	2	11
All Other Diseases	8,006	31	334	74	52	77	10	124
Motor Vehicle Accidents	508	4	30	5	7	4	0	10
Falls	784	1	37	0	2	5	0	3
All Other Accidents	795	6	49	6	11	7	3	5
Intentional Self-Harm (Suicide)	599	1	49	3	5	3	0	7
Assault (Homicide)	111	0	3	0	2	1	0	4
All Other External Causes	129	0	3	0	3	1	0	3

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*							
	Total	Brown	Carlton	Carver	Cass	Chippewa	Chisago	Clay
DEATHS - Total	38,857	256	373	405	269	140	364	382
Crude Death Rate	7.3	9.9	10.5	4.4	9.4	11.3	6.8	6.5
SEX: Male	18,983	129	169	195	142	54	188	191
Female	19,873	127	204	210	127	86	176	191
Race: White	36,793	255	357	400	241	138	359	372
African American	921	1	0	4	0	0	3	3
American Indian	439	0	16	0	28	0	0	5
Asian/Pacific Islander	532	0	0	0	0	1	2	0
Other/Unknown	172	0	0	1	0	1	0	2
Hispanic Ethnicity	313	3	0	1	0	1	2	3
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	1	0	1	1	1	0	0
Malignant Neoplasms	9,599	64	94	96	77	24	90	79
Stomach	154	0	0	1	0	0	2	2
Colon, Rectum, Anus	834	7	7	4	5	5	7	12
Pancreas	626	3	2	7	8	1	9	10
Trachea, Bronchus, Lung	2,373	12	31	21	22	4	29	13
Breast	652	2	5	5	6	3	4	4
Cervix, Uterus, Ovary	427	4	2	6	5	1	2	5
Prostate	562	7	3	6	6	1	2	3
Urinary Tract	517	3	3	8	4	2	3	3
Non-Hodgkins Lymphoma	387	2	2	5	2	0	4	0
Leukemia	454	2	6	6	3	0	6	7
Other Malignancies	2,613	22	33	27	16	7	22	20
Diabetes mellitus	1,036	12	9	11	5	3	8	5
Alzheimer's Disease	1,450	5	8	5	8	8	17	10
Major Cardiovascular	10,169	71	110	109	64	34	87	109
Diseases of Heart	7,144	52	82	79	42	25	61	71
Hypertensive	176	0	4	2	1	1	2	1
Ischemic	4,020	25	53	37	23	11	29	48
Other	2,948	27	25	40	18	13	30	22
Essential Hypertension & Hypertensive Renal Disease	439	5	2	7	1	1	4	2
Cerebrovascular	2,154	14	19	18	19	8	18	29
Atherosclerosis	38	0	3	1	0	0	0	0
Other Circulatory	394	0	4	4	2	0	4	7
Influenza & Pneumonia	591	1	9	6	4	3	5	8
Chronic Lower Respiratory	2,012	16	14	24	13	5	17	16
Peptic Ulcer	43	1	0	1	0	0	4	0
Chronic Liver Disease and Cirrhosis	412	1	4	3	4	2	6	8
Nephritis, Nephrotic Syndrome, and Nephrosis	895	5	7	6	4	4	11	18
Pregnancy, Childbirth, Puerperium	9	0	0	0	0	0	0	0
Perinatal Conditions	140	0	0	1	1	0	0	4
Congenital Anomalies	190	0	1	5	2	1	2	1
Sudden Infant Death	29	0	0	1	0	0	0	0
Ill-Defined Conditions	1,295	17	7	6	29	0	21	13
All Other Diseases	8,006	51	81	88	40	49	65	82
Motor Vehicle Accidents	508	3	4	7	7	1	4	5
Falls	784	1	8	18	4	3	12	4
All Other Accidents	795	3	7	7	6	2	10	13
Intentional Self-Harm (Suicide)	599	2	9	7	0	0	4	5
Assault (Homicide)	111	0	0	0	0	0	0	1
All Other External Causes	129	2	1	3	0	0	1	1

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*	Clear-	Cook	Cotton-	Crow	Dakota	Dodge	Douglas
	Total	water		wood	Wing			
DEATHS - Total	38,857	94	39	147	578	2,140	123	363
Crude Death Rate	7.3	10.8	7.5	12.6	9.2	5.4	6.1	10.1
SEX: Male	18,983	45	26	75	274	1,018	60	186
Female	19,873	49	13	72	304	1,122	63	177
Race: White	36,793	86	35	145	575	2,034	122	362
African American	921	0	1	0	1	49	0	1
American Indian	439	8	3	0	0	6	0	0
Asian/Pacific Islander	532	0	0	0	0	38	0	0
Other/Unknown	172	0	0	2	2	13	1	0
Hispanic Ethnicity	313	0	0	1	1	30	2	0
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	0	2	0	0
Malignant Neoplasms	9,599	27	10	33	154	580	41	101
Stomach	154	0	0	1	5	9	0	1
Colon, Rectum, Anus	834	1	0	3	7	47	4	14
Pancreas	626	1	1	4	7	41	3	5
Trachea, Bronchus, Lung	2,373	10	1	7	44	146	9	20
Breast	652	5	0	2	6	37	2	7
Cervix, Uterus, Ovary	427	0	0	2	5	34	0	6
Prostate	562	4	1	3	9	28	2	6
Urinary Tract	517	1	0	0	10	34	1	3
Non-Hodgkins Lymphoma	387	0	0	1	10	22	2	8
Leukemia	454	0	3	3	12	34	1	5
Other Malignancies	2,613	5	4	7	39	148	17	26
Diabetes mellitus	1,036	5	2	1	18	69	4	7
Alzheimer's Disease	1,450	4	0	6	12	62	4	11
Major Cardiovascular	10,169	21	13	46	171	476	38	115
Diseases of Heart	7,144	16	11	32	125	314	33	82
Hypertensive	176	0	0	3	5	3	1	1
Ischemic	4,020	12	7	18	64	169	14	43
Other	2,948	4	4	11	56	142	18	38
Essential Hypertension & Hypertensive Renal Disease	439	0	0	4	3	32	0	4
Cerebrovascular	2,154	2	2	10	34	112	3	25
Atherosclerosis	38	0	0	0	0	2	0	0
Other Circulatory	394	3	0	0	9	16	2	4
Influenza & Pneumonia	591	2	0	4	7	19	0	7
Chronic Lower Respiratory	2,012	7	2	5	28	113	6	22
Peptic Ulcer	43	1	0	1	0	4	0	0
Chronic Liver Disease and Cirrhosis	412	2	0	4	3	24	0	2
Nephritis, Nephrotic Syndrome, and Nephrosis	895	1	0	4	9	51	3	8
Pregnancy, Childbirth, Puerperium	9	0	0	1	0	0	0	0
Perinatal Conditions	140	0	0	0	1	1	1	4
Congenital Anomalies	190	0	0	1	2	19	0	1
Sudden Infant Death	29	0	0	0	1	0	0	0
Ill-Defined Conditions	1,295	2	1	5	25	57	2	5
All Other Diseases	8,006	16	7	29	113	466	18	63
Motor Vehicle Accidents	508	1	1	0	8	24	2	6
Falls	784	0	1	0	8	65	1	4
All Other Accidents	795	3	1	2	11	50	0	3
Intentional Self-Harm (Suicide)	599	1	1	2	6	41	3	2
Assault (Homicide)	111	1	0	0	0	6	0	0
All Other External Causes	129	0	0	3	1	11	0	2

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*							
	Total	Faribault	Fillmore	Freeborn	Goodhue	Grant	Hennepin	Minn- eapolis
DEATHS - Total	38,857	189	215	347	486	86	7,744	2,353
Crude Death Rate	7.3	13.0	10.3	11.1	10.5	14.3	6.7	6.2
SEX: Male	18,983	96	102	161	235	42	3,657	1,186
Female	19,873	93	113	186	251	44	4,087	1,167
Race: White	36,793	187	215	343	479	86	6,861	1,821
African American	921	0	0	0	0	0	524	358
American Indian	439	0	0	0	7	0	81	66
Asian/Pacific Islander	532	0	0	0	0	0	218	73
Other/Unknown	172	2	0	4	0	0	60	35
Hispanic Ethnicity	313	3	0	10	1	0	80	49
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	1	1
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	1	0	25	18
Malignant Neoplasms	9,599	32	39	94	119	17	1,933	557
Stomach	154	0	0	1	2	0	34	11
Colon, Rectum, Anus	834	1	5	11	18	4	160	51
Pancreas	626	4	2	10	4	1	115	27
Trachea, Bronchus, Lung	2,373	10	6	23	27	3	452	140
Breast	652	5	1	9	6	1	167	42
Cervix, Uterus, Ovary	427	0	3	4	5	0	102	20
Prostate	562	1	4	3	13	0	104	32
Urinary Tract	517	1	1	5	9	1	95	21
Non-Hodgkins Lymphoma	387	0	2	7	5	1	74	22
Leukemia	454	1	2	2	5	1	92	23
Other Malignancies	2,613	9	13	19	25	5	538	168
Diabetes mellitus	1,036	5	5	4	13	2	205	62
Alzheimer's Disease	1,450	4	9	3	16	1	252	61
Major Cardiovascular	10,169	69	72	107	127	28	1,760	501
Diseases of Heart	7,144	51	56	82	88	19	1,142	320
Hypertensive	176	0	0	1	2	2	25	4
Ischemic	4,020	37	38	55	50	9	600	165
Other	2,948	14	18	26	36	8	517	151
Essential Hypertension & Hypertensive Renal Disease	439	1	4	4	6	4	113	34
Cerebrovascular	2,154	14	10	15	28	3	440	130
Atherosclerosis	38	0	0	3	0	1	3	2
Other Circulatory	394	3	2	3	5	1	62	15
Influenza & Pneumonia	591	2	4	7	6	3	95	30
Chronic Lower Respiratory	2,012	13	11	13	32	5	401	119
Peptic Ulcer	43	0	0	1	1	0	4	0
Chronic Liver Disease and Cirrhosis	412	0	1	2	5	0	105	54
Nephritis, Nephrotic Syndrome, and Nephrosis	895	8	6	9	13	1	191	52
Pregnancy, Childbirth, Puerperium	9	0	0	0	0	0	2	1
Perinatal Conditions	140	0	1	1	0	0	39	18
Congenital Anomalies	190	0	0	1	5	0	40	19
Sudden Infant Death	29	0	0	0	0	1	6	3
Ill-Defined Conditions	1,295	0	2	8	15	3	296	97
All Other Diseases	8,006	42	45	77	96	21	1,722	500
Motor Vehicle Accidents	508	1	2	2	4	2	55	23
Falls	784	4	12	7	24	1	228	58
All Other Accidents	795	6	5	4	4	0	186	100
Intentional Self-Harm (Suicide)	599	2	1	4	5	1	122	30
Assault (Homicide)	111	0	0	0	0	0	42	28
All Other External Causes	129	1	0	3	0	0	32	19

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*							
	Total	Houston	Hubbard	Isanti	Itasca	Jackson	Kanabec	Kandiyohi
DEATHS - Total	38,857	160	191	261	481	133	143	391
Crude Death Rate	7.3	8.4	9.3	6.9	10.7	13.0	8.8	9.3
SEX: Male	18,983	68	113	128	251	79	78	191
Female	19,873	92	78	133	230	54	65	200
Race: White	36,793	159	181	256	466	130	141	387
African American	921	1	0	1	1	1	0	0
American Indian	439	0	9	2	12	0	2	2
Asian/Pacific Islander	532	0	0	2	1	0	0	0
Other/Unknown	172	0	1	0	1	2	0	2
Hispanic Ethnicity	313	1	0	0	1	2	0	5
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	1	0	0	0
Malignant Neoplasms	9,599	36	49	62	126	26	25	88
Stomach	154	1	0	4	1	0	2	0
Colon, Rectum, Anus	834	4	2	1	14	4	2	10
Pancreas	626	0	4	5	2	2	3	6
Trachea, Bronchus, Lung	2,373	10	18	17	32	7	7	15
Breast	652	7	0	6	7	0	1	6
Cervix, Uterus, Ovary	427	1	3	4	3	0	3	5
Prostate	562	1	2	4	17	0	0	10
Urinary Tract	517	2	1	1	11	3	1	4
Non-Hodgkins Lymphoma	387	0	0	1	4	2	0	6
Leukemia	454	0	2	2	5	2	1	2
Other Malignancies	2,613	10	17	17	30	6	5	24
Diabetes mellitus	1,036	5	3	3	9	3	2	12
Alzheimer's Disease	1,450	4	3	7	23	3	5	15
Major Cardiovascular	10,169	42	51	57	128	43	48	128
Diseases of Heart	7,144	25	30	37	90	33	33	100
Hypertensive	176	1	1	2	1	0	0	1
Ischemic	4,020	15	23	14	50	18	15	67
Other	2,948	9	6	21	39	15	18	32
Essential Hypertension & Hypertensive Renal Disease	439	1	2	0	3	2	0	1
Cerebrovascular	2,154	13	16	17	29	8	15	22
Atherosclerosis	38	0	0	0	0	0	0	3
Other Circulatory	394	3	3	3	6	0	0	2
Influenza & Pneumonia	591	9	2	7	7	2	6	11
Chronic Lower Respiratory	2,012	8	17	21	24	5	8	17
Peptic Ulcer	43	0	0	0	0	0	0	0
Chronic Liver Disease and Cirrhosis	412	2	1	1	2	0	1	4
Nephritis, Nephrotic Syndrome, and Nephrosis	895	1	4	10	12	2	6	12
Pregnancy, Childbirth, Puerperium	9	0	1	0	0	0	0	0
Perinatal Conditions	140	2	0	0	0	0	0	2
Congenital Anomalies	190	1	1	0	1	1	1	3
Sudden Infant Death	29	0	0	0	0	0	0	0
Ill-Defined Conditions	1,295	1	7	22	5	6	2	4
All Other Diseases	8,006	33	38	50	105	34	28	74
Motor Vehicle Accidents	508	6	4	11	6	3	3	7
Falls	784	5	3	3	4	1	1	4
All Other Accidents	795	3	2	4	17	1	2	9
Intentional Self-Harm (Suicide)	599	2	3	2	10	3	4	0
Assault (Homicide)	111	0	2	1	0	0	0	0
All Other External Causes	129	0	0	0	1	0	1	1

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*	Kittson	Kooch- iching	Lac Qui Parle	Lake	Lake of the Woods	Le Sueur	Lincoln
	Total							
DEATHS - Total	38,857	66	165	102	158	41	202	89
Crude Death Rate	7.3	14.5	12.4	14.1	14.5	10.1	7.3	15.1
SEX: Male	18,983	32	88	51	88	19	101	48
Female	19,873	34	77	51	70	22	101	41
Race: White	36,793	66	164	102	157	39	197	89
African American	921	0	0	0	0	0	0	0
American Indian	439	0	1	0	1	2	0	0
Asian/Pacific Islander	532	0	0	0	0	0	1	0
Other/Unknown	172	0	0	0	0	0	4	0
Hispanic Ethnicity	313	0	0	0	0	0	6	0
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	0	0	0	0
Malignant Neoplasms	9,599	19	36	19	41	11	63	14
Stomach	154	0	0	0	1	0	2	0
Colon, Rectum, Anus	834	3	2	2	3	1	6	1
Pancreas	626	1	1	1	2	1	6	0
Trachea, Bronchus, Lung	2,373	3	9	5	12	3	15	3
Breast	652	1	2	1	2	0	1	1
Cervix, Uterus, Ovary	427	2	2	1	2	1	2	0
Prostate	562	1	3	2	5	2	3	0
Urinary Tract	517	0	2	1	3	0	3	3
Non-Hodgkins Lymphoma	387	1	2	0	2	1	2	0
Leukemia	454	2	3	1	0	0	3	0
Other Malignancies	2,613	5	10	5	9	2	20	6
Diabetes mellitus	1,036	1	3	3	4	1	8	1
Alzheimer's Disease	1,450	1	8	1	10	0	5	6
Major Cardiovascular	10,169	12	50	26	38	15	51	38
Diseases of Heart	7,144	10	31	20	26	9	41	28
Hypertensive	176	0	1	0	0	0	1	1
Ischemic	4,020	7	18	18	16	7	24	15
Other	2,948	3	12	2	10	2	16	12
Essential Hypertension & Hypertensive Renal Disease	439	0	2	1	3	1	2	2
Cerebrovascular	2,154	2	14	5	8	5	5	6
Atherosclerosis	38	0	0	0	0	0	0	0
Other Circulatory	394	0	3	0	1	0	3	2
Influenza & Pneumonia	591	0	8	6	1	2	4	0
Chronic Lower Respiratory	2,012	5	13	2	10	2	10	7
Peptic Ulcer	43	0	0	0	0	0	1	0
Chronic Liver Disease and Cirrhosis	412	0	2	1	3	0	3	0
Nephritis, Nephrotic Syndrome, and Nephrosis	895	2	5	5	4	0	1	2
Pregnancy, Childbirth, Puerperium	9	0	0	0	0	0	0	0
Perinatal Conditions	140	0	0	1	1	0	1	0
Congenital Anomalies	190	0	0	0	0	0	0	0
Sudden Infant Death	29	0	0	0	1	0	0	0
Ill-Defined Conditions	1,295	7	3	0	9	0	3	1
All Other Diseases	8,006	16	28	30	32	7	41	18
Motor Vehicle Accidents	508	2	0	2	1	0	2	0
Falls	784	0	3	2	1	1	4	1
All Other Accidents	795	0	4	4	1	2	2	1
Intentional Self-Harm (Suicide)	599	1	2	0	1	0	1	0
Assault (Homicide)	111	0	0	0	0	0	1	0
All Other External Causes	129	0	0	0	0	0	1	0

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*							Mille
	Total	Lyon	McLeod	Mahnomen	Marshall	Martin	Meeker	Lacs
DEATHS - Total	38,857	205	317	63	86	244	216	283
Crude Death Rate	7.3	7.9	8.6	11.6	9.1	11.7	9.3	10.8
SEX: Male	18,983	92	157	39	41	103	101	137
Female	19,873	113	160	24	45	141	115	146
Race: White	36,793	205	312	42	84	243	212	268
African American	921	0	1	0	1	0	0	1
American Indian	439	0	0	21	0	0	0	13
Asian/Pacific Islander	532	0	2	0	1	1	1	0
Other/Unknown	172	0	2	0	0	0	3	1
Hispanic Ethnicity	313	0	2	0	0	1	3	2
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	0	0	0	0
Malignant Neoplasms	9,599	50	80	20	26	66	48	73
Stomach	154	1	2	2	0	0	0	1
Colon, Rectum, Anus	834	3	10	1	2	6	3	6
Pancreas	626	1	7	2	4	6	4	2
Trachea, Bronchus, Lung	2,373	9	16	6	11	7	11	22
Breast	652	5	7	1	2	7	4	2
Cervix, Uterus, Ovary	427	0	2	0	0	3	2	5
Prostate	562	4	5	0	1	2	2	6
Urinary Tract	517	2	6	0	0	8	2	3
Non-Hodgkins Lymphoma	387	2	3	1	0	3	2	3
Leukemia	454	3	2	1	1	2	6	4
Other Malignancies	2,613	20	20	6	5	22	12	19
Diabetes mellitus	1,036	6	13	2	2	2	14	5
Alzheimer's Disease	1,450	8	13	3	1	5	6	5
Major Cardiovascular	10,169	62	90	15	29	85	54	73
Diseases of Heart	7,144	47	65	11	21	67	41	49
Hypertensive	176	0	2	1	1	1	3	2
Ischemic	4,020	31	38	7	12	48	19	28
Other	2,948	16	25	3	8	18	19	19
Essential Hypertension & Hypertensive Renal Disease	439	1	6	1	1	2	2	8
Cerebrovascular	2,154	12	16	3	5	11	9	13
Atherosclerosis	38	0	0	0	0	0	0	0
Other Circulatory	394	2	3	0	2	5	2	3
Influenza & Pneumonia	591	0	2	1	0	11	2	3
Chronic Lower Respiratory	2,012	9	17	1	4	8	9	15
Peptic Ulcer	43	0	0	1	0	0	0	0
Chronic Liver Disease and Cirrhosis	412	2	4	1	1	2	1	3
Nephritis, Nephrotic Syndrome, and Nephrosis	895	4	12	3	1	6	5	6
Pregnancy, Childbirth, Puerperium	9	0	0	0	0	0	0	0
Perinatal Conditions	140	0	1	1	0	0	0	2
Congenital Anomalies	190	0	3	0	0	0	0	1
Sudden Infant Death	29	0	0	0	0	0	0	0
Ill-Defined Conditions	1,295	3	3	0	1	4	3	6
All Other Diseases	8,006	53	54	10	15	38	53	66
Motor Vehicle Accidents	508	3	6	1	3	8	2	7
Falls	784	3	10	0	1	3	6	6
All Other Accidents	795	2	3	1	1	3	8	6
Intentional Self-Harm (Suicide)	599	0	6	0	1	3	4	4
Assault (Homicide)	111	0	0	3	0	0	0	1
All Other External Causes	129	0	0	0	0	0	1	1

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*	Morrison	Mower	Murray	Nicollet	Nobles	Norman	Olmsted
	Total							
DEATHS - Total	38,857	264	353	88	196	171	111	901
Crude Death Rate	7.3	8.0	9.0	10.1	6.0	8.0	16.2	6.2
SEX: Male	18,983	146	192	47	92	69	54	416
Female	19,873	118	161	41	104	102	57	485
Race: White	36,793	262	348	87	193	167	110	869
African American	921	0	1	1	1	0	0	14
American Indian	439	2	0	0	1	1	1	1
Asian/Pacific Islander	532	0	2	0	1	0	0	14
Other/Unknown	172	0	2	0	0	3	0	3
Hispanic Ethnicity	313	0	4	0	0	3	0	11
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	1
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	1	0	1	2
Malignant Neoplasms	9,599	59	91	20	42	27	26	234
Stomach	154	0	2	0	0	0	1	4
Colon, Rectum, Anus	834	6	4	4	5	1	3	17
Pancreas	626	5	6	1	0	3	0	15
Trachea, Bronchus, Lung	2,373	15	26	2	11	7	7	53
Breast	652	3	6	1	4	2	0	17
Cervix, Uterus, Ovary	427	1	4	0	1	2	1	10
Prostate	562	4	4	1	3	2	4	16
Urinary Tract	517	2	5	0	2	0	0	8
Non-Hodgkins Lymphoma	387	2	3	2	2	1	2	13
Leukemia	454	1	4	2	1	2	1	8
Other Malignancies	2,613	20	27	7	13	7	7	73
Diabetes mellitus	1,036	11	11	1	3	5	9	9
Alzheimer's Disease	1,450	19	6	3	5	2	4	32
Major Cardiovascular	10,169	75	95	23	58	43	29	226
Diseases of Heart	7,144	58	72	12	40	29	19	163
Hypertensive	176	1	1	1	1	1	1	6
Ischemic	4,020	32	40	7	17	20	8	97
Other	2,948	25	31	4	22	8	10	60
Essential Hypertension & Hypertensive Renal Disease	439	1	2	2	1	1	1	8
Cerebrovascular	2,154	12	17	6	16	12	8	46
Atherosclerosis	38	1	1	0	0	0	0	0
Other Circulatory	394	3	3	3	1	1	1	9
Influenza & Pneumonia	591	2	11	0	2	4	4	13
Chronic Lower Respiratory	2,012	7	17	7	8	5	10	57
Peptic Ulcer	43	1	0	0	0	0	0	3
Chronic Liver Disease and Cirrhosis	412	1	4	1	1	3	2	12
Nephritis, Nephrotic Syndrome, and Nephrosis	895	1	8	1	3	2	4	8
Pregnancy, Childbirth, Puerperium	9	0	0	0	1	0	0	1
Perinatal Conditions	140	0	4	0	0	0	0	5
Congenital Anomalies	190	2	0	2	7	1	0	8
Sudden Infant Death	29	0	0	0	0	1	0	0
Ill-Defined Conditions	1,295	13	6	4	7	33	3	5
All Other Diseases	8,006	49	80	20	48	35	19	218
Motor Vehicle Accidents	508	2	5	1	2	5	0	11
Falls	784	3	4	1	2	2	0	14
All Other Accidents	795	8	6	1	2	1	0	16
Intentional Self-Harm (Suicide)	599	8	4	2	4	2	0	17
Assault (Homicide)	111	0	0	1	0	0	0	2
All Other External Causes	129	3	1	0	0	0	0	7

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State* Total	Otter Tail	Penn- ington	Pine	Pipe- stone	Polk	Pope
DEATHS - Total	38,857	636	125	252	109	349	137
Crude Death Rate	7.3	11.1	9.0	8.5	11.4	11.0	12.5
SEX: Male	18,983	311	54	150	48	167	63
Female	19,873	325	71	102	61	182	74
Race: White	36,793	626	119	243	108	340	137
African American	921	2	0	2	0	1	0
American Indian	439	6	2	3	1	3	0
Asian/Pacific Islander	532	1	1	1	0	0	0
Other/Unknown	172	1	3	3	0	5	0
Hispanic Ethnicity	313	1	1	3	1	4	1
CAUSE OF DEATH							
Tuberculosis	5	0	0	0	1	0	0
Syphilis	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	0	0	0
Malignant Neoplasms	9,599	152	25	52	24	82	23
Stomach	154	1	0	1	0	0	1
Colon, Rectum, Anus	834	13	2	3	5	8	1
Pancreas	626	7	2	1	3	5	1
Trachea, Bronchus, Lung	2,373	42	7	13	6	16	5
Breast	652	8	2	7	0	7	0
Cervix, Uterus, Ovary	427	6	1	4	2	2	1
Prostate	562	5	0	4	2	7	2
Urinary Tract	517	6	3	4	0	3	1
Non-Hodgkins Lymphoma	387	5	1	2	2	4	1
Leukemia	454	9	2	0	3	4	3
Other Malignancies	2,613	50	5	13	1	26	7
Diabetes mellitus	1,036	19	4	8	3	13	4
Alzheimer's Disease	1,450	34	8	8	9	21	11
Major Cardiovascular	10,169	223	39	75	29	94	40
Diseases of Heart	7,144	168	28	49	18	72	33
Hypertensive	176	2	1	0	1	3	0
Ischemic	4,020	100	18	28	10	46	23
Other	2,948	66	9	21	7	23	10
Essential Hypertension & Hypertensive Renal Disease	439	5	1	7	0	3	0
Cerebrovascular	2,154	44	8	13	11	17	5
Atherosclerosis	38	3	0	0	0	0	0
Other Circulatory	394	3	2	6	0	2	2
Influenza & Pneumonia	591	13	4	2	3	9	6
Chronic Lower Respiratory	2,012	30	5	12	7	14	11
Peptic Ulcer	43	1	0	0	0	0	0
Chronic Liver Disease and Cirrhosis	412	5	0	4	0	1	0
Nephritis, Nephrotic Syndrome, and Nephrosis	895	10	4	4	1	7	2
Pregnancy, Childbirth, Puerperium	9	0	0	0	0	0	0
Perinatal Conditions	140	0	0	1	0	0	0
Congenital Anomalies	190	2	0	0	0	1	0
Sudden Infant Death	29	0	0	0	0	0	0
Ill-Defined Conditions	1,295	15	3	6	7	12	7
All Other Diseases	8,006	91	21	51	15	65	28
Motor Vehicle Accidents	508	8	5	9	4	13	1
Falls	784	14	3	4	2	3	1
All Other Accidents	795	10	3	8	1	8	1
Intentional Self-Harm (Suicide)	599	8	1	7	2	4	2
Assault (Homicide)	111	1	0	0	0	0	0
All Other External Causes	129	0	0	1	1	2	0

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*	Ramsey	St. Paul	Red Lake	Redwood	Renville	Rice	Rock
	Total							
DEATHS - Total	38,857	3,805	1,816	34	175	222	432	152
Crude Death Rate	7.3	7.5	6.4	8.3	10.9	14.1	6.7	15.7
SEX: Male	18,983	1,780	855	15	96	101	202	79
Female	19,873	2,025	961	19	79	121	230	73
Race: White	36,793	3,390	1,477	32	168	213	427	151
African American	921	206	181	0	1	1	1	0
American Indian	439	22	16	2	4	7	0	0
Asian/Pacific Islander	532	168	129	0	2	0	4	1
Other/Unknown	172	19	13	0	0	1	0	0
Hispanic Ethnicity	313	54	42	0	1	0	2	1
CAUSE OF DEATH								
Tuberculosis	5	1	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	5	5	0	0	0	0	0
Malignant Neoplasms	9,599	917	443	6	51	49	109	29
Stomach	154	22	10	0	0	2	1	1
Colon, Rectum, Anus	834	76	29	0	5	3	16	0
Pancreas	626	60	31	0	4	0	7	3
Trachea, Bronchus, Lung	2,373	228	105	2	12	7	30	9
Breast	652	53	26	0	2	5	6	3
Cervix, Uterus, Ovary	427	44	23	1	3	3	8	2
Prostate	562	48	15	0	3	6	6	4
Urinary Tract	517	48	30	0	1	4	5	3
Non-Hodgkins Lymphoma	387	38	20	0	3	2	3	0
Leukemia	454	39	22	1	1	2	2	1
Other Malignancies	2,613	261	132	2	17	15	25	3
Diabetes mellitus	1,036	82	45	1	4	8	13	8
Alzheimer's Disease	1,450	182	56	3	4	8	15	13
Major Cardiovascular	10,169	908	429	17	54	61	116	43
Diseases of Heart	7,144	604	283	14	36	36	83	30
Hypertensive	176	15	11	0	2	0	1	2
Ischemic	4,020	298	140	9	22	23	39	19
Other	2,948	291	132	5	12	13	43	9
Essential Hypertension & Hypertensive Renal Disease	439	42	21	0	1	1	2	0
Cerebrovascular	2,154	219	103	3	14	20	25	10
Atherosclerosis	38	3	1	0	0	1	3	0
Other Circulatory	394	40	21	0	3	3	3	3
Influenza & Pneumonia	591	67	43	1	3	2	7	3
Chronic Lower Respiratory	2,012	194	100	0	10	10	28	7
Peptic Ulcer	43	4	1	0	0	0	0	0
Chronic Liver Disease and Cirrhosis	412	40	22	0	3	0	7	1
Nephritis, Nephrotic Syndrome, and Nephrosis	895	101	40	1	3	7	7	2
Pregnancy, Childbirth, Puerperium	9	1	1	1	0	0	0	0
Perinatal Conditions	140	17	11	0	0	0	1	0
Congenital Anomalies	190	21	14	0	1	1	1	0
Sudden Infant Death	29	5	4	0	0	0	0	0
Ill-Defined Conditions	1,295	219	100	0	6	10	15	0
All Other Diseases	8,006	795	377	2	26	53	85	32
Motor Vehicle Accidents	508	25	13	0	3	1	7	4
Falls	784	65	26	0	1	3	6	2
All Other Accidents	795	78	39	1	5	4	7	6
Intentional Self-Harm (Suicide)	599	53	32	1	1	3	5	1
Assault (Homicide)	111	17	10	0	0	1	0	0
All Other External Causes	129	8	5	0	0	1	2	1

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*							
	Total	Roseau	St. Louis	Duluth	Scott	Sherburne	Sibley	Stearns
DEATHS - Total	38,857	130	2,071	934	496	463	145	857
Crude Death Rate	7.3	8.3	10.3	10.8	3.8	5.2	9.5	5.7
SEX: Male	18,983	65	996	424	251	224	78	473
Female	19,873	65	1,075	510	245	239	67	384
Race: White	36,793	126	2,015	900	483	458	145	843
African American	921	0	15	13	5	1	0	8
American Indian	439	2	33	15	2	3	0	1
Asian/Pacific Islander	532	2	7	5	5	1	0	2
Other/Unknown	172	0	1	1	1	0	0	3
Hispanic Ethnicity	313	0	8	4	3	1	0	0
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	1	1	1	0	0	0
Malignant Neoplasms	9,599	28	473	207	137	111	37	241
Stomach	154	0	10	1	2	1	1	4
Colon, Rectum, Anus	834	4	47	22	10	8	0	26
Pancreas	626	4	25	12	6	14	3	19
Trachea, Bronchus, Lung	2,373	6	107	46	35	22	9	53
Breast	652	1	37	20	14	11	1	20
Cervix, Uterus, Ovary	427	0	15	5	7	7	0	7
Prostate	562	2	26	12	5	5	4	10
Urinary Tract	517	1	31	17	9	6	4	21
Non-Hodgkins Lymphoma	387	1	22	13	3	1	3	14
Leukemia	454	3	25	12	13	2	2	5
Other Malignancies	2,613	6	128	47	33	34	10	62
Diabetes mellitus	1,036	6	68	28	11	9	5	21
Alzheimer's Disease	1,450	4	84	42	14	18	6	33
Major Cardiovascular	10,169	41	609	263	131	109	53	240
Diseases of Heart	7,144	35	449	182	97	79	37	174
Hypertensive	176	0	22	4	1	0	1	7
Ischemic	4,020	30	245	106	60	48	16	92
Other	2,948	5	182	72	36	31	20	75
Essential Hypertension & Hypertensive Renal Disease	439	2	18	9	8	4	4	7
Cerebrovascular	2,154	4	111	58	21	17	9	49
Atherosclerosis	38	0	2	0	0	1	0	1
Other Circulatory	394	0	29	14	5	8	3	9
Influenza & Pneumonia	591	5	28	14	7	10	1	4
Chronic Lower Respiratory	2,012	4	125	58	19	20	2	46
Peptic Ulcer	43	0	3	1	1	0	0	0
Chronic Liver Disease and Cirrhosis	412	2	29	15	3	2	2	6
Nephritis, Nephrotic Syndrome, and Nephrosis	895	2	61	23	10	9	2	15
Pregnancy, Childbirth, Puerperium	9	0	0	0	0	0	0	0
Perinatal Conditions	140	1	6	3	3	6	1	3
Congenital Anomalies	190	1	5	5	2	3	0	6
Sudden Infant Death	29	0	2	1	0	0	0	3
Ill-Defined Conditions	1,295	0	31	14	12	24	0	10
All Other Diseases	8,006	24	404	190	98	89	21	160
Motor Vehicle Accidents	508	3	15	4	14	12	5	14
Falls	784	1	50	22	8	10	4	13
All Other Accidents	795	4	40	25	11	12	2	15
Intentional Self-Harm (Suicide)	599	2	22	12	11	16	4	23
Assault (Homicide)	111	1	3	2	2	1	0	2
All Other External Causes	129	1	12	4	1	2	0	2

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*							
	Total	Steele	Stevens	Swift	Todd	Traverse	Wabasha	Wadena
DEATHS - Total	38,857	279	111	118	218	68	183	194
Crude Death Rate	7.3	7.6	11.4	12.1	8.8	19.1	8.4	14.0
SEX: Male	18,983	135	47	52	108	33	89	82
Female	19,873	144	64	66	110	35	94	112
Race: White	36,793	272	111	117	217	66	181	192
African American	921	3	0	0	0	0	1	0
American Indian	439	1	0	1	0	1	1	0
Asian/Pacific Islander	532	1	0	0	0	1	0	1
Other/Unknown	172	2	0	0	1	0	0	1
Hispanic Ethnicity	313	4	0	0	2	0	1	1
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	0	0	0	0
Malignant Neoplasms	9,599	70	22	30	46	12	43	32
Stomach	154	1	0	0	0	0	1	2
Colon, Rectum, Anus	834	5	4	1	3	1	5	3
Pancreas	626	7	4	2	4	2	5	3
Trachea, Bronchus, Lung	2,373	15	5	8	15	3	8	12
Breast	652	4	3	2	1	0	3	2
Cervix, Uterus, Ovary	427	5	0	2	1	1	2	1
Prostate	562	5	0	6	4	2	1	1
Urinary Tract	517	9	3	2	2	0	2	0
Non-Hodgkins Lymphoma	387	0	0	2	1	0	0	2
Leukemia	454	3	2	2	2	0	4	3
Other Malignancies	2,613	16	1	3	13	3	12	3
Diabetes mellitus	1,036	7	2	4	8	3	3	10
Alzheimer's Disease	1,450	15	4	6	6	5	7	14
Major Cardiovascular	10,169	88	37	39	51	28	58	61
Diseases of Heart	7,144	61	32	34	41	22	44	45
Hypertensive	176	1	1	3	1	1	3	1
Ischemic	4,020	30	14	30	18	18	27	30
Other	2,948	30	17	1	22	3	14	14
Essential Hypertension & Hypertensive Renal Disease	439	4	1	1	1	1	0	1
Cerebrovascular	2,154	21	3	2	7	3	9	13
Atherosclerosis	38	1	0	0	1	0	0	0
Other Circulatory	394	1	1	2	1	2	5	2
Influenza & Pneumonia	591	4	3	3	5	0	3	2
Chronic Lower Respiratory	2,012	13	8	7	11	2	8	8
Peptic Ulcer	43	1	0	0	1	1	0	0
Chronic Liver Disease and Cirrhosis	412	3	0	3	1	0	0	1
Nephritis, Nephrotic Syndrome, and Nephrosis	895	8	2	0	6	2	0	5
Pregnancy, Childbirth, Puerperium	9	0	0	0	0	0	0	0
Perinatal Conditions	140	0	0	0	0	1	0	1
Congenital Anomalies	190	0	1	0	0	0	1	1
Sudden Infant Death	29	1	0	0	0	0	0	0
Ill-Defined Conditions	1,295	1	5	0	18	2	2	2
All Other Diseases	8,006	51	19	19	50	12	41	48
Motor Vehicle Accidents	508	6	3	4	5	0	4	0
Falls	784	1	2	2	2	0	7	3
All Other Accidents	795	4	1	0	3	0	4	4
Intentional Self-Harm (Suicide)	599	5	1	1	4	0	2	2
Assault (Homicide)	111	0	0	0	0	0	0	0
All Other External Causes	129	1	1	0	1	0	0	0

* State Totals Include Unknown County of Residence

Mortality Table 8
 SELECTED RESIDENT MORTALITY STATISTICS BY COUNTY AND SELECTED CITY
 MINNESOTA, 2010

	State*	Waseca	Wash- ington	Watonwan	Wilkin	Winona	Wright	Yellow Medicine
	Total							
DEATHS - Total	38,857	160	1,265	124	74	392	673	112
Crude Death Rate	7.3	8.4	5.3	11.1	11.3	7.6	5.4	10.7
SEX: Male	18,983	82	640	70	36	185	350	58
Female	19,873	78	624	54	38	207	323	54
Race: White	36,793	159	1,212	122	72	392	668	110
African American	921	0	25	0	0	0	2	0
American Indian	439	0	0	0	1	0	1	2
Asian/Pacific Islander	532	0	23	0	0	0	0	0
Other/Unknown	172	1	5	2	1	0	2	0
Hispanic Ethnicity	313	1	13	6	1	1	2	0
CAUSE OF DEATH								
Tuberculosis	5	0	0	0	0	0	0	0
Syphilis	0	0	0	0	0	0	0	0
HIV Disease	47	0	0	0	0	0	1	0
Malignant Neoplasms	9,599	50	345	34	14	94	178	24
Stomach	154	0	3	0	0	1	4	0
Colon, Rectum, Anus	834	5	30	3	0	10	15	2
Pancreas	626	2	21	1	1	7	16	0
Trachea, Bronchus, Lung	2,373	15	99	7	4	23	52	5
Breast	652	1	27	2	2	4	9	1
Cervix, Uterus, Ovary	427	1	11	0	1	0	5	2
Prostate	562	4	21	4	2	6	8	1
Urinary Tract	517	2	24	1	1	4	7	2
Non-Hodgkins Lymphoma	387	0	15	3	1	3	6	3
Leukemia	454	3	11	1	0	3	10	0
Other Malignancies	2,613	17	83	12	2	33	46	8
Diabetes mellitus	1,036	0	31	1	2	7	22	6
Alzheimer's Disease	1,450	3	83	3	2	17	34	4
Major Cardiovascular	10,169	50	292	41	41	133	176	39
Diseases of Heart	7,144	36	203	27	31	97	123	29
Hypertensive	176	0	4	2	0	1	3	0
Ischemic	4,020	24	120	15	26	65	58	18
Other	2,948	12	79	10	5	31	62	11
Essential Hypertension & Hypertensive Renal Disease	439	3	13	2	0	3	9	0
Cerebrovascular	2,154	9	62	10	7	27	41	9
Atherosclerosis	38	0	0	0	0	1	1	0
Other Circulatory	394	2	14	2	3	5	2	1
Influenza & Pneumonia	591	3	17	3	1	2	7	1
Chronic Lower Respiratory	2,012	7	52	5	5	20	31	5
Peptic Ulcer	43	0	3	0	0	0	0	0
Chronic Liver Disease and Cirrhosis	412	1	16	0	1	3	4	3
Nephritis, Nephrotic Syndrome, and Nephrosis	895	2	29	3	1	5	11	1
Pregnancy, Childbirth, Puerperium	9	0	0	0	0	0	0	0
Perinatal Conditions	140	1	6	0	0	0	7	0
Congenital Anomalies	190	0	8	2	0	0	3	0
Sudden Infant Death	29	0	0	0	0	0	0	0
Ill-Defined Conditions	1,295	2	34	2	1	9	32	0
All Other Diseases	8,006	30	267	16	5	79	118	26
Motor Vehicle Accidents	508	4	10	8	0	7	11	1
Falls	784	1	18	1	1	4	10	1
All Other Accidents	795	3	21	2	0	4	12	1
Intentional Self-Harm (Suicide)	599	3	22	1	0	7	15	0
Assault (Homicide)	111	0	8	2	0	1	0	0
All Other External Causes	129	0	3	0	0	0	1	0

* State Totals Include Unknown County of Residence

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
 MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
State Total	5,303,925	355,504	355,536	352,342	367,829	355,651	715,586	681,094	807,898	629,364	683,121
Male	2,632,132	181,342	181,614	180,356	188,594	180,725	362,111	343,049	404,251	312,081	298,009
Female	2,671,793	174,162	173,922	171,986	179,235	174,926	353,475	338,045	403,647	317,283	385,112
Aitkin	16,202	778	797	812	822	540	1,234	1,499	2,478	2,829	4,413
Male	8,205	420	413	404	423	285	627	756	1,285	1,398	2,194
Female	7,997	358	384	408	399	255	607	743	1,193	1,431	2,219
Anoka	330,844	22,339	23,789	24,359	23,735	18,480	43,632	48,295	55,929	38,054	32,232
Male	165,327	11,330	12,079	12,529	12,277	9,548	22,064	24,200	28,257	18,605	14,438
Female	165,517	11,009	11,710	11,830	11,458	8,932	21,568	24,095	27,672	19,449	17,794
Becker	32,504	2,183	2,297	2,271	1,936	1,518	3,523	3,545	4,857	4,737	5,637
Male	16,314	1,104	1,177	1,153	981	775	1,796	1,854	2,472	2,381	2,621
Female	16,190	1,079	1,120	1,118	955	743	1,727	1,691	2,385	2,356	3,016
Beltrami	44,442	3,357	3,090	2,885	3,733	4,541	5,458	4,448	5,904	5,272	5,754
Male	22,184	1,750	1,580	1,469	1,921	2,374	2,777	2,211	2,899	2,601	2,602
Female	22,258	1,607	1,510	1,416	1,812	2,167	2,681	2,237	3,005	2,671	3,152
Benton	38,451	2,845	2,726	2,459	2,475	3,114	6,027	4,950	5,324	3,973	4,558
Male	19,277	1,451	1,365	1,283	1,282	1,524	3,157	2,570	2,742	1,996	1,907
Female	19,174	1,394	1,361	1,176	1,193	1,590	2,870	2,380	2,582	1,977	2,651
Big Stone	5,269	289	287	316	319	191	487	485	821	750	1,324
Male	2,575	135	148	163	165	103	245	242	427	383	564
Female	2,694	154	139	153	154	88	242	243	394	367	760
Blue Earth	64,013	3,814	3,437	3,232	5,918	10,664	8,944	6,403	7,501	6,538	7,562
Male	32,209	1,937	1,784	1,642	2,873	5,622	4,808	3,284	3,747	3,308	3,204
Female	31,804	1,877	1,653	1,590	3,045	5,042	4,136	3,119	3,754	3,230	4,358

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Brown	25,893	1,573	1,541	1,548	1,778	1,615	2,748	2,715	4,117	3,359	4,899
Male	12,856	852	805	821	912	822	1,410	1,392	2,045	1,710	2,087
Female	13,037	721	736	727	866	793	1,338	1,323	2,072	1,649	2,812
Carlton	35,386	2,240	2,361	2,308	2,317	1,774	4,238	4,604	5,698	4,529	5,317
Male	18,413	1,161	1,220	1,206	1,250	997	2,360	2,489	2,989	2,383	2,358
Female	16,973	1,079	1,141	1,102	1,067	777	1,878	2,115	2,709	2,146	2,959
Carver	91,042	6,725	7,902	7,988	6,552	3,931	10,830	14,440	15,857	9,110	7,707
Male	45,236	3,433	4,070	4,091	3,373	1,989	5,349	7,043	7,966	4,565	3,357
Female	45,806	3,292	3,832	3,897	3,179	1,942	5,481	7,397	7,891	4,545	4,350
Cass	28,567	1,740	1,695	1,677	1,723	1,166	2,653	2,933	4,360	4,591	6,029
Male	14,603	890	886	871	902	619	1,373	1,494	2,244	2,306	3,018
Female	13,964	850	809	806	821	547	1,280	1,439	2,116	2,285	3,011
Chippewa	12,441	828	728	824	814	605	1,385	1,332	1,835	1,690	2,400
Male	6,102	424	369	428	412	311	720	653	915	866	1,004
Female	6,339	404	359	396	402	294	665	679	920	824	1,396
Chisago	53,887	3,310	3,855	4,131	3,852	2,631	6,330	8,124	9,325	6,082	6,247
Male	27,740	1,706	1,999	2,069	1,996	1,533	3,379	4,199	4,820	3,139	2,900
Female	26,147	1,604	1,856	2,062	1,856	1,098	2,951	3,925	4,505	2,943	3,347
Clay	58,999	4,056	3,772	3,686	5,445	7,147	7,792	6,522	7,561	5,940	7,078
Male	29,137	2,120	1,911	1,904	2,610	3,535	3,977	3,302	3,718	3,002	3,058
Female	29,862	1,936	1,861	1,782	2,835	3,612	3,815	3,220	3,843	2,938	4,020
Clearwater	8,695	606	605	589	569	399	900	960	1,298	1,148	1,621
Male	4,374	304	306	318	295	215	468	499	642	585	742
Female	4,321	302	299	271	274	184	432	461	656	563	879

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Cook	5,176	218	222	251	259	200	489	580	884	1,022	1,051
Male	2,584	116	117	132	130	99	250	281	436	512	511
Female	2,592	102	105	119	129	101	239	299	448	510	540
Cottonwood	11,687	703	801	770	782	515	1,130	1,268	1,672	1,564	2,482
Male	5,763	355	414	422	385	275	590	618	856	782	1,066
Female	5,924	348	387	348	397	240	540	650	816	782	1,416
Crow Wing	62,500	4,025	4,062	3,865	3,944	3,187	7,151	6,972	9,177	8,553	11,564
Male	31,133	2,030	2,101	1,979	2,026	1,600	3,664	3,543	4,568	4,269	5,353
Female	31,367	1,995	1,961	1,886	1,918	1,587	3,487	3,429	4,609	4,284	6,211
Dakota	398,552	27,871	28,947	29,793	27,301	21,839	54,279	56,912	66,334	45,460	39,816
Male	195,661	14,175	14,738	15,285	14,226	11,006	26,715	27,932	32,373	21,991	17,220
Female	202,891	13,696	14,209	14,508	13,075	10,833	27,564	28,980	33,961	23,469	22,596
Dodge	20,087	1,483	1,664	1,669	1,472	909	2,471	2,776	3,063	2,120	2,460
Male	10,039	751	833	823	762	482	1,260	1,393	1,548	1,073	1,114
Female	10,048	732	831	846	710	427	1,211	1,383	1,515	1,047	1,346
Douglas	36,009	2,171	2,236	2,094	2,332	1,965	4,125	3,855	5,330	4,832	7,069
Male	18,057	1,132	1,138	1,082	1,280	1,075	2,120	1,954	2,645	2,422	3,209
Female	17,952	1,039	1,098	1,012	1,052	890	2,005	1,901	2,685	2,410	3,860
Faribault	14,553	831	809	932	932	638	1,485	1,458	2,259	2,030	3,179
Male	7,231	436	413	492	495	331	777	743	1,122	1,076	1,346
Female	7,322	395	396	440	437	307	708	715	1,137	954	1,833
Fillmore	20,866	1,446	1,359	1,368	1,345	899	2,266	2,306	3,141	2,736	4,000
Male	10,370	779	706	687	691	458	1,143	1,190	1,559	1,382	1,775
Female	10,496	667	653	681	654	441	1,123	1,116	1,582	1,354	2,225

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
 MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Freeborn	31,255	1,921	1,897	1,862	1,910	1,536	3,329	3,495	4,779	4,217	6,309
Male	15,462	949	983	927	985	807	1,728	1,793	2,432	2,130	2,728
Female	15,793	972	914	935	925	729	1,601	1,702	2,347	2,087	3,581
Goodhue	46,183	2,914	2,966	3,127	2,929	2,231	5,288	5,463	7,485	6,186	7,594
Male	22,927	1,478	1,547	1,579	1,588	1,134	2,716	2,702	3,763	3,128	3,292
Female	23,256	1,436	1,419	1,548	1,341	1,097	2,572	2,761	3,722	3,058	4,302
Grant	6,018	372	349	328	354	246	647	596	936	856	1,334
Male	2,974	177	181	156	175	134	330	310	460	433	618
Female	3,044	195	168	172	179	112	317	286	476	423	716
Hennepin	1,152,425	76,236	72,409	69,348	72,672	84,231	187,523	154,304	171,130	133,758	130,814
Male	566,184	38,789	36,731	35,396	36,987	41,694	93,950	77,940	85,084	64,673	54,940
Female	586,241	37,447	35,678	33,952	35,685	42,537	93,573	76,364	86,046	69,085	75,874
Houston	19,027	1,126	1,214	1,187	1,301	860	1,968	2,163	3,195	2,706	3,307
Male	9,437	598	621	614	645	466	1,015	1,049	1,580	1,385	1,464
Female	9,590	528	593	573	656	394	953	1,114	1,615	1,321	1,843
Hubbard	20,428	1,260	1,179	1,215	1,230	814	1,903	2,173	3,229	3,180	4,245
Male	10,288	660	597	633	634	422	981	1,074	1,638	1,606	2,043
Female	10,140	600	582	582	596	392	922	1,099	1,591	1,574	2,202
Isanti	37,816	2,707	2,648	2,782	2,582	2,104	4,916	4,985	6,183	4,229	4,680
Male	19,065	1,385	1,379	1,414	1,287	1,110	2,510	2,539	3,233	2,143	2,065
Female	18,751	1,322	1,269	1,368	1,295	994	2,406	2,446	2,950	2,086	2,615
Itasca	45,058	2,459	2,711	2,836	2,950	1,969	4,531	4,853	6,986	7,189	8,574
Male	22,747	1,314	1,398	1,492	1,593	1,074	2,309	2,410	3,498	3,657	4,002
Female	22,311	1,145	1,313	1,344	1,357	895	2,222	2,443	3,488	3,532	4,572

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Jackson	10,266	610	629	654	670	474	1,056	1,162	1,609	1,358	2,044
Male	5,190	304	334	343	357	263	553	591	852	700	893
Female	5,076	306	295	311	313	211	503	571	757	658	1,151
Kanabec	16,239	974	1,113	1,067	1,103	709	1,764	1,955	2,670	2,225	2,659
Male	8,221	468	573	574	587	374	909	977	1,377	1,141	1,241
Female	8,018	506	540	493	516	335	855	978	1,293	1,084	1,418
Kandiyohi	42,239	2,919	2,776	2,623	3,137	2,729	4,910	4,643	6,248	5,422	6,832
Male	21,078	1,506	1,405	1,370	1,689	1,432	2,549	2,339	3,084	2,702	3,002
Female	21,161	1,413	1,371	1,253	1,448	1,297	2,361	2,304	3,164	2,720	3,830
Kittson	4,552	222	255	323	260	165	356	476	730	736	1,029
Male	2,286	106	135	170	138	99	189	236	370	394	449
Female	2,266	116	120	153	122	66	167	240	360	342	580
Koochiching	13,311	633	761	831	885	577	1,180	1,522	2,195	2,123	2,604
Male	6,608	308	382	415	469	313	591	757	1,103	1,106	1,164
Female	6,703	325	379	416	416	264	589	765	1,092	1,017	1,440
Lac Qui Parle	7,259	377	412	446	423	246	639	694	1,186	1,110	1,726
Male	3,629	200	215	224	215	139	327	371	602	568	768
Female	3,630	177	197	222	208	107	312	323	584	542	958
Lake	10,866	584	516	588	591	489	1,064	1,091	1,807	1,708	2,428
Male	5,479	282	275	303	281	245	554	544	916	893	1,186
Female	5,387	302	241	285	310	244	510	547	891	815	1,242
Lake of the Woods	4,045	209	224	206	248	137	349	413	747	691	821
Male	2,068	98	117	106	133	73	179	201	395	375	391
Female	1,977	111	107	100	115	64	170	212	352	316	430

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
 MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Le Sueur	27,703	1,869	1,980	1,999	1,753	1,301	3,341	3,637	4,344	3,503	3,976
Male	13,988	958	1,041	986	857	653	1,762	1,870	2,246	1,794	1,821
Female	13,715	911	939	1,013	896	648	1,579	1,767	2,098	1,709	2,155
Lincoln	5,896	384	367	349	310	240	601	611	831	759	1,444
Male	2,960	200	197	171	169	127	311	321	459	372	633
Female	2,936	184	170	178	141	113	290	290	372	387	811
Lyon	25,857	1,872	1,686	1,667	2,045	2,465	3,415	2,840	3,591	2,757	3,519
Male	12,845	985	843	851	993	1,230	1,816	1,447	1,762	1,426	1,492
Female	13,012	887	843	816	1,052	1,235	1,599	1,393	1,829	1,331	2,027
McLeod	36,651	2,444	2,642	2,599	2,401	1,887	4,471	4,804	5,506	4,294	5,603
Male	18,277	1,293	1,349	1,327	1,240	1,006	2,337	2,425	2,776	2,133	2,391
Female	18,374	1,151	1,293	1,272	1,161	881	2,134	2,379	2,730	2,161	3,212
Mahnomen	5,413	481	449	431	368	252	591	554	747	685	855
Male	2,752	250	249	227	184	120	293	289	396	352	392
Female	2,661	231	200	204	184	132	298	265	351	333	463
Marshall	9,439	550	606	653	607	346	1,002	1,073	1,479	1,307	1,816
Male	4,781	254	294	348	342	171	544	556	773	680	819
Female	4,658	296	312	305	265	175	458	517	706	627	997
Martin	20,840	1,217	1,245	1,285	1,297	953	2,128	2,167	3,275	2,956	4,317
Male	10,229	626	605	661	671	503	1,091	1,099	1,621	1,532	1,820
Female	10,611	591	640	624	626	450	1,037	1,068	1,654	1,424	2,497
Meeker	23,300	1,624	1,638	1,648	1,496	1,067	2,543	2,709	3,645	3,095	3,835
Male	11,833	838	813	854	798	573	1,320	1,404	1,886	1,578	1,769
Female	11,467	786	825	794	698	494	1,223	1,305	1,759	1,517	2,066

100

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Mille Lacs	26,097	1,857	1,784	1,819	1,822	1,344	3,078	3,233	3,968	2,986	4,206
Male	13,102	959	919	940	983	673	1,568	1,648	2,043	1,527	1,842
Female	12,995	898	865	879	839	671	1,510	1,585	1,925	1,459	2,364
Morrison	33,198	2,273	2,172	2,298	2,209	1,733	3,916	3,881	5,222	4,169	5,325
Male	16,746	1,161	1,142	1,185	1,123	905	2,039	2,015	2,642	2,196	2,338
Female	16,452	1,112	1,030	1,113	1,086	828	1,877	1,866	2,580	1,973	2,987
Mower	39,163	2,839	2,770	2,584	2,667	2,184	4,710	4,479	5,522	4,590	6,818
Male	19,497	1,400	1,466	1,332	1,397	1,169	2,401	2,305	2,786	2,377	2,864
Female	19,666	1,439	1,304	1,252	1,270	1,015	2,309	2,174	2,736	2,213	3,954
Murray	8,725	524	509	542	531	345	829	879	1,321	1,294	1,951
Male	4,327	257	259	271	274	181	431	441	669	661	883
Female	4,398	267	250	271	257	164	398	438	652	633	1,068
Nicollet	32,727	2,140	2,075	1,941	2,716	3,433	4,398	3,606	4,628	3,873	3,917
Male	16,364	1,106	1,045	1,014	1,322	1,719	2,288	1,855	2,341	1,964	1,710
Female	16,363	1,034	1,030	927	1,394	1,714	2,110	1,751	2,287	1,909	2,207
Nobles	21,378	1,697	1,458	1,413	1,491	1,358	2,668	2,504	2,948	2,421	3,420
Male	10,917	846	744	736	771	791	1,437	1,333	1,539	1,248	1,472
Female	10,461	851	714	677	720	567	1,231	1,171	1,409	1,173	1,948
Norman	6,852	411	479	471	444	230	655	720	1,085	892	1,465
Male	3,417	213	266	234	241	115	329	360	534	477	648
Female	3,435	198	213	237	203	115	326	360	551	415	817
Olmsted	144,248	10,783	10,337	9,562	8,826	8,239	22,018	18,182	22,166	16,002	18,133
Male	70,485	5,554	5,237	4,865	4,531	3,898	10,874	9,098	10,787	7,726	7,915
Female	73,763	5,229	5,100	4,697	4,295	4,341	11,144	9,084	11,379	8,276	10,218

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
 MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Otter Tail	57,303	3,315	3,232	3,589	3,565	2,520	5,646	5,801	9,093	8,510	12,032
Male	28,724	1,718	1,658	1,860	1,902	1,339	2,957	2,893	4,607	4,337	5,453
Female	28,579	1,597	1,574	1,729	1,663	1,181	2,689	2,908	4,486	4,173	6,579
Pennington	13,930	946	899	926	927	861	1,737	1,650	2,053	1,719	2,212
Male	6,870	484	438	472	501	447	872	876	1,000	854	926
Female	7,060	462	461	454	426	414	865	774	1,053	865	1,286
Pine	29,750	1,729	1,842	1,841	1,813	1,474	3,763	3,778	4,868	3,786	4,856
Male	15,934	902	937	965	979	867	2,233	2,160	2,630	1,959	2,302
Female	13,816	827	905	876	834	607	1,530	1,618	2,238	1,827	2,554
Pipestone	9,596	660	663	640	639	438	994	1,058	1,444	1,159	1,901
Male	4,669	339	335	336	316	225	527	521	731	579	760
Female	4,927	321	328	304	323	213	467	537	713	580	1,141
Polk	31,600	2,095	2,004	2,080	2,361	2,220	3,481	3,483	4,679	3,977	5,220
Male	15,823	1,080	999	1,070	1,237	1,228	1,807	1,754	2,381	2,096	2,171
Female	15,777	1,015	1,005	1,010	1,124	992	1,674	1,729	2,298	1,881	3,049
Pope	10,995	650	628	654	609	480	1,197	1,151	1,643	1,645	2,338
Male	5,557	348	337	342	311	260	633	590	833	859	1,044
Female	5,438	302	291	312	298	220	564	561	810	786	1,294
Ramsey	508,640	35,137	31,948	31,067	37,576	44,194	77,119	60,933	70,570	58,915	61,181
Male	246,642	17,985	16,346	15,950	19,040	21,295	38,128	30,408	34,340	28,103	25,047
Female	261,998	17,152	15,602	15,117	18,536	22,899	38,991	30,525	36,230	30,812	36,134
Red Lake	4,089	283	308	260	236	156	508	431	654	552	701
Male	2,083	149	158	128	129	83	260	226	337	301	312
Female	2,006	134	150	132	107	73	248	205	317	251	389

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Redwood	16,059	1,076	1,116	1,123	1,047	725	1,625	1,777	2,347	2,059	3,164
Male	7,963	565	572	592	525	373	866	889	1,197	1,008	1,376
Female	8,096	511	544	531	522	352	759	888	1,150	1,051	1,788
Renville	15,730	902	975	1,084	1,016	694	1,621	1,728	2,571	2,094	3,045
Male	7,948	449	508	526	551	380	858	865	1,333	1,126	1,352
Female	7,782	453	467	558	465	314	763	863	1,238	968	1,693
Rice	64,142	4,035	4,196	4,139	5,873	6,174	7,653	8,019	9,265	6,907	7,881
Male	32,796	2,032	2,171	2,113	2,903	3,273	4,229	4,275	4,892	3,420	3,488
Female	31,346	2,003	2,025	2,026	2,970	2,901	3,424	3,744	4,373	3,487	4,393
Rock	9,687	683	713	673	641	389	1,053	1,063	1,386	1,251	1,835
Male	4,788	354	357	354	338	206	519	542	681	642	795
Female	4,899	329	356	319	303	183	534	521	705	609	1,040
Roseau	15,629	1,002	1,104	1,193	1,136	647	1,628	2,075	2,691	1,903	2,250
Male	7,980	464	578	618	615	345	842	1,068	1,413	998	1,039
Female	7,649	538	526	575	521	302	786	1,007	1,278	905	1,211
St. Louis	200,226	10,981	10,710	10,657	14,712	17,510	23,279	21,686	30,316	28,559	31,816
Male	100,207	5,526	5,486	5,482	7,593	9,269	12,198	11,088	15,209	14,601	13,755
Female	100,019	5,455	5,224	5,175	7,119	8,241	11,081	10,598	15,107	13,958	18,061
Scott	129,928	10,676	11,546	10,876	8,670	5,640	18,064	22,197	20,521	11,722	10,016
Male	64,715	5,314	5,912	5,537	4,501	2,900	8,708	11,030	10,491	5,804	4,518
Female	65,213	5,362	5,634	5,339	4,169	2,740	9,356	11,167	10,030	5,918	5,498
Sherburne	88,499	6,858	7,390	7,302	6,314	5,414	12,363	13,874	13,377	8,300	7,307
Male	45,273	3,526	3,756	3,735	3,268	2,919	6,457	7,125	6,915	4,258	3,314
Female	43,226	3,332	3,634	3,567	3,046	2,495	5,906	6,749	6,462	4,042	3,993

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
 MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Sibley	15,226	1,043	1,114	1,094	976	686	1,776	1,796	2,430	1,832	2,479
Male	7,648	542	576	557	521	342	929	899	1,254	959	1,069
Female	7,578	501	538	537	455	344	847	897	1,176	873	1,410
Stearns	150,642	9,799	9,598	9,577	12,960	16,445	19,792	17,389	20,874	15,980	18,228
Male	75,933	4,946	4,864	4,939	6,400	8,653	10,303	8,851	10,592	8,131	8,254
Female	74,709	4,853	4,734	4,638	6,560	7,792	9,489	8,538	10,282	7,849	9,974
Steele	36,576	2,670	2,659	2,667	2,476	1,774	4,506	4,759	5,449	4,346	5,270
Male	18,108	1,321	1,374	1,353	1,305	905	2,234	2,423	2,741	2,211	2,241
Female	18,468	1,349	1,285	1,314	1,171	869	2,272	2,336	2,708	2,135	3,029
Stevens	9,726	599	564	546	971	1,250	1,032	893	1,193	1,081	1,597
Male	4,799	302	300	285	457	606	562	446	601	566	674
Female	4,927	297	264	261	514	644	470	447	592	515	923
Swift	9,783	561	588	595	664	449	1,014	1,098	1,519	1,329	1,966
Male	4,925	281	306	321	352	255	541	563	797	686	823
Female	4,858	280	282	274	312	194	473	535	722	643	1,143
Todd	24,895	1,689	1,644	1,719	1,785	1,223	2,606	2,661	3,843	3,398	4,327
Male	12,746	887	872	859	977	662	1,365	1,364	1,962	1,770	2,028
Female	12,149	802	772	860	808	561	1,241	1,297	1,881	1,628	2,299
Traverse	3,558	176	195	249	224	140	315	343	520	459	937
Male	1,767	87	102	127	123	83	167	167	263	242	406
Female	1,791	89	93	122	101	57	148	176	257	217	531
Wabasha	21,676	1,332	1,401	1,363	1,438	978	2,340	2,667	3,450	3,015	3,692
Male	10,866	693	709	688	755	510	1,186	1,358	1,714	1,540	1,713
Female	10,810	639	692	675	683	468	1,154	1,309	1,736	1,475	1,979

*Population values provided by the U.S. Bureau of the Census

Population Table 1
 POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
 MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Wadena	13,843	916	870	923	981	640	1,378	1,447	2,007	1,763	2,918
Male	6,831	448	444	447	537	364	675	760	1,022	881	1,253
Female	7,012	468	426	476	444	276	703	687	985	882	1,665
Waseca	19,136	1,218	1,285	1,311	1,091	999	2,655	2,410	2,947	2,401	2,819
Male	8,976	628	653	663	561	473	1,095	1,083	1,398	1,202	1,220
Female	10,160	590	632	648	530	526	1,560	1,327	1,549	1,199	1,599
Washington	238,136	15,345	17,867	18,830	16,783	11,820	28,864	34,243	40,412	28,988	24,984
Male	117,804	7,852	9,096	9,492	8,732	6,123	14,420	16,759	19,902	14,228	11,200
Female	120,332	7,493	8,771	9,338	8,051	5,697	14,444	17,484	20,510	14,760	13,784
Watsonwan	11,211	769	723	790	791	547	1,237	1,238	1,593	1,398	2,125
Male	5,612	363	400	372	417	307	635	632	800	736	950
Female	5,599	406	323	418	374	240	602	606	793	662	1,175
Wilkin	6,576	371	408	491	447	296	644	768	1,146	836	1,169
Male	3,335	194	236	248	221	165	324	389	594	430	534
Female	3,241	177	172	243	226	131	320	379	552	406	635
Winona	51,461	2,710	2,645	2,810	5,417	7,368	5,702	5,103	6,800	6,015	6,891
Male	25,307	1,372	1,377	1,497	2,497	3,483	3,039	2,594	3,383	3,067	2,998
Female	26,154	1,338	1,268	1,313	2,920	3,885	2,663	2,509	3,417	2,948	3,893
Wright	124,700	10,699	10,822	10,048	8,414	5,615	17,496	19,201	18,513	11,958	11,934
Male	62,622	5,540	5,503	5,075	4,331	2,894	8,669	9,747	9,515	5,959	5,389
Female	62,078	5,159	5,319	4,973	4,083	2,721	8,827	9,454	8,998	5,999	6,545
Yellow Medicine	10,438	660	641	714	693	523	1,134	1,125	1,606	1,311	2,031
Male	5,328	338	340	382	373	300	613	563	801	716	902
Female	5,110	322	301	332	320	223	521	562	805	595	1,129

*Population values provided by the U.S. Bureau of the Census

Population Table 1
POPULATION ESTIMATES* BY COUNTY AND SELECTED CITY BY AGE GROUP AND SEX
MINNESOTA, 2010

	Total	Under 5	5-9 Years	10-14 Years	15-19 Years	20-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65 & Over
Minneapolis	382,578	26,453	21,635	18,136	25,095	43,864	80,531	52,527	46,748	37,078	30,511
Male	192,421	13,479	10,933	9,101	12,373	21,860	41,052	27,779	24,541	18,421	12,882
Female	190,157	12,974	10,702	9,035	12,722	22,004	39,479	24,748	22,207	18,657	17,629
St. Paul	285,068	22,316	19,604	18,117	22,448	28,430	48,477	35,753	35,706	28,629	25,588
Male	139,355	11,417	10,059	9,260	11,402	13,724	23,849	18,000	17,589	13,724	10,331
Female	145,713	10,899	9,545	8,857	11,046	14,706	24,628	17,753	18,117	14,905	15,257
Duluth	86,265	4,798	4,296	4,010	7,686	12,044	11,523	8,676	11,117	10,249	11,866
Male	42,243	2,363	2,199	2,032	3,838	6,302	6,009	4,374	5,443	4,954	4,729
Female	44,022	2,435	2,097	1,978	3,848	5,742	5,514	4,302	5,674	5,295	7,137

*Population values provided by the U.S. Bureau of the Census