

# FURBEARER REGISTRATION AND HARVEST STATISTICS 2000-2001 SEASON

Prepared by

Michael W. DonCarlos  
Wildlife Research Manager  
Minnesota Department of Natural Resources

May 22, 2001



## Table of Contents

	<u>Page</u>
Table 1. Registered furbearer harvests and total permits issued, 1985-2000.	1
Figure 1. Bobcat hunting and trapping harvest by county, 2000-01.	2
Table 2. Comparison of bobcat harvest by county, 1996-97 - 2000-01.	3
Table 3. Time distribution of bobcat harvest by 5-day increments, 2000-01.	4
Table 4. Distribution of bobcat harvest among takers, 1994-95 - 2000-01.	5
Table 5. Bobcat harvest by method of take, 1991-92 - 2000-01.	6
Figure 2. Fisher harvest by county, 2000-01.	7
Table 6. Fisher harvest by county and sex, 2000-01.	8
Table 7. Comparison of fisher harvest by county, 1996-97 - 2000-01.	9
Table 8. Distribution of fisher harvest among takers, 1994-95 - 2000-01.	10
Table 9. Fisher harvest by date and sex, 2000-01.	11
Figure 3. Otter harvest by county, 2000-01.	12
Table 10. Otter harvest by county and sex, 2000-01.	13
Table 11. Comparison of otter harvest by county, 1996-97 - 2000-01.	14
Table 12. Otter harvest by 5-day increments, 2000-01.	15
Table 13. Distribution of otter harvest among takers, 1993-94 - 2000-01.	16
Figure 4. Marten harvest by county, 2000-01.	17
Table 14. Marten harvest by county and sex, 2000-01.	18
Table 15. Comparison of marten harvest by county, 1996-97 - 2000-01.	19
Table 16. Marten harvest by date and sex, 2000-01.	20
Table 17. Distribution of marten harvest among takers, 1993-94 - 2000-01.	21

Table 1. Registered furbearer harvests and total permits issued, 1985-2000<sup>a</sup>.

Year	Bobcats		Fisher		Marten		Otter	
	Permits	Harvest	Permits	Harvest	Permits	Harvest	Permits	Harvest
1985	--	119	--	678	746	430	--	559
1986	--	160	3,302	1,068	2,171	798	3,198	777
1987	--	214	4,952	1,642	3,025	1,363	4,708	1,386
1988	--	140	4,419	1,025	3,369	2,072	4,070	922
1989	--	129	3,712	1,243	3,074	2,119	3,549	1,294
1990	--	84	2,385	746	2,090	1,349	2,199	888
1991 <sup>b</sup>	--	106	2,360	528	2,020	686	2,282	855
1992 <sup>b</sup>	--	168	2,420	778	2,050	1,602	3,440	1,368
1993 <sup>b</sup>	--	201	2,299	1,159	1,925	1,438	2,254	1,459
1994 <sup>b</sup>	--	238	2,186	1,771	2,477	1,527	2,964	2,443
1995 <sup>b</sup>	--	134	2,520	942	2,268	1,500	2,579	1,435
1996 <sup>b</sup>	--	223	1,557	1,773	1,392	1,625	1,623	2,219
1997 <sup>b</sup>	--	359	2,517	2,761	2,517	2,261	2,543	2,145
1998 <sup>b</sup>	--	103	2,808	2,695	2,808	2,299	2,749	1,946
1999 <sup>b</sup>	--	206	1,984	1,725	1,984	2,423	1,918	1,635
2000 <sup>b</sup>	--	231	3,226	1,674	3,226	1,629	3,116	1,578

<sup>a</sup> Prior request tags and permits were required beginning in 1985 for marten and in 1986 for fisher and otter. No possession tags or permits are required for bobcat.

<sup>b</sup> Confiscation and Band Authority removed.

# BOBCAT 2000-2001




Figure 1. Bobcat hunting and trapping harvest by county, 2000-2001

Table 2. Comparison of bobcat harvest by county, 1996-97 - 2000-01.

County	1996-97	1997-98	1998-99	1999-00	2000-01
Aitkin	20	19	6	25	32
Becker	4	10	1	8	6
Beltrami	20	37	7	13	16
Benton	-	-	-	-	-
Carlton	14	18	4	10	12
Cass	22	64	16	24	11
Clearwater	3	14	1	4	-
Cook	-	-	-	-	-
Crow Wing	5	8	15	21	13
Hubbard	4	19	1	7	4
Isanti	-	-	-	2	-
Itasca	51	45	10	23	40
Kanabec	6	13	3	4	11
Kittson	1	-	-	7	6
Koochiching	23	14	2	8	11
Lake of the Woods	2	-	2	2	3
Lake	-	-	1	-	1
Mahnomen	-	2	-	1	1
Marshall	5	28	4	10	2
Mille Lacs	-	-	-	1	2
Morrison	5	1	2	6	8
Ottertail	-	2	-	-	-
Pennington	2	1	-	-	1
Pine	20	23	12	15	21
Polk	1	1	-	-	1
Red Lake	-	-	-	-	2
Roseau	5	15	3	7	12
St. Louis	7	14	10	5	9
Todd	-	-	2	1	-
Wadena	1	5	1	2	-
Unknown	1	4	-	-	4
Total	223	357	103	206	231

Table 3. Time Distribution of bobcat harvest by 5-day increments, 2000-01 season.

Interval	Sex			Total	% of Known Total	Cumulative Percent
	M	F	U			
Dec 2-6	13	13	-	26	12	12
Dec 7-11	13	22	-	35	16	28
Dec 12-16	15	29	-	44	20	48
Dec 17-21	16	10	-	26	12	60
Dec 22-26	11	13	-	24	11	71
Dec 27-31	12	17	-	29	13	84
Jan 1-5	9	15	1	25	12	96
Jan 6-7*	5	4	-	9	4	100
Unknown	10	3	-	13	-	-
<b>Total</b>	<b>104</b>	<b>126</b>	<b>1</b>	<b>231</b>	<b>100</b>	<b>100</b>

\* 2-day interval

Table 4. Distribution of bobcat harvest among takers, 1994-95 through 2000-01.

Year	Number of Bobcats Taken					Totals
	1	2	3	4	5	
<b>1994-95</b>						
# Takers	103	25	12	6	5	151
% Takers	68	17	8	4	3	100
<b>1995-96</b>						
# Takers	67	13	5	4	2	91
% Takers	74	14	6	4	2	100
<b>1996-97</b>						
# Takers	115	28	8	2	4	157
% Takers	73	18	5	1	3	100
<b>1997-98</b>						
# Takers	129	43	17	12	9	210
% Takers	61	20	8	6	5	100
<b>1998-99</b>						
# Takers	59	11	2	3	1	76
% Takers	77	14	3	4	2	100
<b>1999-00</b>						
# Takers	113	21	10	4	1	149
% Takers	76	14	6	3	1	100
<b>2000-01</b>						
# Takers	99	23	7	5	9	143
% Takers	69	16	5	4	6	100

Table 5. Bobcat harvest by method of take, 1991-92 through 2000-01.

Year	Total Harvest	Trapping			Hunting				
		Trap Harvest	% of Total	# of Takers	Ave. Take	Hunt Harvest	% of Total	# of Takers	Ave. Take
1991-92	106	59	56	31	1.9	43	41	33	1.3
1992-93	168	133	80	85	1.6	35	20	23	1.5
1993-94	201	147	73	88	1.7	54	27	41	1.3
1994-95	238	189	79	120	1.6	49	21	31	1.6
1995-96	134	73	54	53	1.4	61	46	38	1.6
1996-97*	223	133	60	91	1.5	70	31	53	1.3
1997-98	359	313	87	176	1.8	44	13	34	1.3
1998-99	103	95	92	67	1.4	8	8	8	1.0
1999-00	206	155	75	114	1.4	51	25	36	1.4
2000-01	231	140	61	85	1.6	91	39	58	1.6

\*Harvest method unknown for 9% of total harvest.



# FISHER 2000-2001




Figure 2. Fisher harvest by county, 2000-2001.

Table 6. Fisher harvest by county and sex, 2000-01 season.

County	Sex			Total
	Male	Female	Unknown	
Aitkin	42	26	-	68
Becker	14	27	1	42
Beltrami	35	25	-	60
Carlton	15	12	-	27
Cass	71	51	-	122
Chisago	2	1	-	3
Clearwater	7	8	-	15
Cook	16	3	-	19
Crow Wing	48	23	-	71
Douglas	-	1	-	1
Hubbard	22	12	-	34
Itasca	156	128	4	288
Kanabec	3	1	-	4
Kittson	3	-	-	3
Koochiching	103	56	-	159
Lake	35	27	-	62
Lake of the Woods	34	37	-	71
Mahnomen	-	-	-	-
Marshall	19	8	-	27
Mille Lacs	1	3	-	4
Morrison	-	-	-	-
Norman	-	-	-	-
Ottertail	-	-	-	-
Pennington	3	1	-	4
Pine	22	15	-	37
Polk	7	1	-	8
Red Lake	12	6	-	18
Roseau	99	58	-	157
St. Louis	191	178	-	369
Wadena	-	-	-	-
Unknown	-	1	-	1
Total	960	709	5	1,674

Table 7. Comparison of fisher harvest by county, 1996-97 through 2000-01.

County	1996-97	1997-98	1998-99	1999-00	2000-01
Aitkin	58	86	105	84	68
Becker	15	25	15	32	42
Beltrami	84	140	105	70	60
Carlton	10	45	25	23	27
Cass	142	212	133	123	122
Chisago	-	-	1	-	3
Clearwater	6	31	18	13	15
Cook	12	24	26	19	19
Crow Wing	32	65	75	53	71
Douglas	-	-	-	-	1
Hubbard	30	66	38	34	34
Itasca	291	477	441	248	288
Kanabec	6	7	3	11	4
Kittson	-	7	3	2	3
Koochiching	232	386	369	150	159
Lake	60	123	84	46	62
Lake of the Woods	30	59	99	83	71
Mahnomen	-	-	-	3	-
Marshall	4	21	7	10	27
Mille Lacs	6	-	3	-	4
Morrison	-	-	-	2	-
Norman	-	-	-	6	-
Ottertail	-	-	1	-	-
Pennington	1	1	-	2	4
Pine	24	34	55	36	37
Polk	3	6	5	6	8
Red Lake	2	5	-	2	18
Roseau	89	134	171	111	157
St. Louis	604	783	880	546	369
Todd	-	2	-	-	-
Wadena	2	10	5	8	-
Unknown	30	12	28	2	1
<b>Total</b>	<b>1,773</b>	<b>2,761</b>	<b>2,695</b>	<b>1,725</b>	<b>1,674</b>

Table 8. Distribution of fisher harvest among takers; 1994-95 through 2000-01.

Year	Number of Fisher Taken				Totals
	1	2	3	4	
<b>1994-95</b>					
# of Takers	321	725	-	-	1,046
% of Takers	31	69	-	-	100
<b>1995-96</b>					
# of Takers	232	355	-	-	587
% of Takers	40	60	-	-	100
<b>1996-97</b>					
# of Takers	321	726	-	-	1,047
% of Takers	31	69	-	-	100
<b>1997-98</b>					
# of Takers	351	1,205	-	-	1,556
% of Takers	23	77	-	-	100
<b>1998-99</b>					
# of Takers	443	1,141	-	-	1,584
% of Takers	28	72	-	-	100
<b>1999-00</b>					
# of Takers	397	664	-	-	1,061
% of Takers	37	63	-	-	100
<b>2000-01</b>					
# of Takers	301	251	129	121	802
% of Takers	38	31	16	15	100

Table 9. Fisher harvest by date and sex, 2000-01 season.

Date	Sex			Total	% of Known Total	Cumulative Percent
	M	F	U			
Dec 2	4	9	-	13	1	1
Dec 3	54	39	-	93	6	7
Dec 4	93	52	1	146	9	16
Dec 5	82	38	-	120	7	23
Dec 6	76	61	-	137	8	31
Dec 7	55	46	-	101	6	37
Dec 8	55	55	-	110	7	44
Dec 9	110	66	-	176	11	55
Dec 10	86	83	1	170	10	65
Dec 11	52	28	-	80	5	70
Dec 12	57	37	-	94	6	76
Dec 13	38	34	1	73	4	80
Dec 14	42	36	1	79	5	85
Dec 15	49	26	-	75	4	89
Dec 16	61	56	-	117	7	96
Dec 17	37	39	1	77	4	100
Unknown	9	4	-	13	-	-
<b>Total</b>	<b>960</b>	<b>709</b>	<b>5</b>	<b>1,674</b>		

# OTTER 2000-2001




Figure 3. Otter harvest by county, 2000-2001.

Table 10. Otter harvest by county and sex, 2000-01 season.

County	Sex			Total
	Male	Female	Unknown	
Aitkin	38	44	-	82
Anoka	7	7	-	14
Becker	26	17	2	45
Beltrami	36	38	-	74
Benton	2	5	-	7
Carlton	12	17	-	29
Cass	60	47	-	107
Chisago	4	8	-	12
Clay	1	2	-	3
Clearwater	16	9	-	25
Cook	17	9	-	26
Crow Wing	43	33	-	76
Douglas	1	-	-	1
Hubbard	12	7	-	19
Isanti	13	15	-	28
Itasca	180	116	-	296
Kanabec	16	16	-	32
Kittson	-	-	-	-
Koochiching	60	47	-	107
Lake	48	22	-	70
Lake of the Woods	13	5	-	18
Mahnomen	4	6	-	10
Marshall	12	4	-	16
Mille Lacs	8	3	1	12
Morrison	9	8	-	17
Norman	3	1	-	4
Otter Tail	6	8	-	14
Pennington	2	-	-	2
Pine	18	17	-	35
Polk	16	18	-	34
Red Lake	14	8	-	22
Roseau	21	19	-	40
St. Louis	165	89	1	255
Sherburne	4	6	-	10
Stearns	2	3	-	5
Todd	11	11	-	22
Wadena	1	2	-	3
Washington	3	1	-	4
Unknown	1	1	-	2
Total	905	669	4	1,578

Table 11. Comparison of otter harvest by county, 1996-97 through 2000-01.

County	1996-97	1997-98	1998-99	1999-00	2000-01
Aitkin	78	95	87	103	82
Anoka	13	21	23	25	14
Becker	54	85	30	64	45
Beltrami	133	133	81	103	74
Benton	1	4	6	2	7
Carlton	33	43	39	45	29
Cass	184	189	149	109	107
Chisago	13	20	20	13	12
Clay	2	7	-	7	3
Clearwater	57	25	18	29	25
Cook	28	29	48	30	26
Crow Wing	73	84	81	77	76
Douglas	5	7	7	1	1
Hubbard	89	95	28	23	19
Isanti	17	29	26	20	28
Itasca	383	371	339	220	296
Kanabec	20	43	24	29	32
Kittson	-	2	1	-	-
Koochiching	139	109	126	63	107
Lake	62	57	77	44	70
Lake of the Woods	16	24	32	36	18
Mahnomen	11	6	9	10	10
Marshall	14	14	5	8	16
Mille Lacs	27	18	17	15	12
Morrison	20	25	18	30	17
Norman	3	1	-	2	4
Ottertail	14	41	29	20	14
Pennington	5	6	2	10	2
Pine	72	73	62	21	35
Polk	45	35	23	21	34
Red Lake	9	9	7	8	22
Roseau	24	41	40	37	40
St. Louis	473	332	421	353	255
Sherburne	12	15	13	14	10
Stearns	15	15	11	7	5
Todd	22	22	23	16	22
Wadena	14	8	6	13	3
Washington	7	4	6	4	4
Unknown	32	8	12	3	2
Total	2,219	2,145	1,946	1,635	1,578



Table 12. Otter harvest by 5-day increments, 2000-01 season.

Interval	Sex			Total	% of Known Total	Cumulative Percent
	M	F	U			
Oct 28-Nov 1	83	51	-	134	9	9
Nov 2-6	121	109	1	231	15	24
Nov 7-11	127	93	-	220	14	38
Nov 12-16	94	58	2	154	10	48
Nov 17-21	73	46	-	119	7	55
Nov 22-26	89	68	-	157	10	65
Nov 27-Dec 1	63	53	-	116	7	72
Dec 2-6	63	50	-	113	7	79
Dec 7-11	82	55	1	138	9	88
Dec 12-16	30	26	-	56	4	92
Dec 17-21	23	18	-	41	3	95
Dec 22-26	19	10	-	29	2	97
Dec 27-31	13	13	-	26	2	99
Jan 1-5	11	5	-	16	1	100
Jan 6-7*	1	3	-	4	-	100
Unknown	13	11	-	24	-	-
<b>Total</b>	<b>905</b>	<b>669</b>	<b>4</b>	<b>1,578</b>	<b>100</b>	<b>100</b>

\* 2-day interval

Table 13. Distribution of otter harvest among takers, 1993-94 through 2000-01.

Year	Number of Otters Taken				Totals
	1	2	3	4	
<b>1993-94</b>					
# Takers	193	115	100	184	592
% Takers	33	19	17	31	100
<b>1994-95</b>					
# Takers	250	185	143	349	927
% Takers	27	20	15	38	100
<b>1995-96</b>					
# Takers	183	134	88	180	585
% Takers	31	23	15	31	100
<b>1996-97</b>					
# Takers	257	205	140	283	885
% Takers	29	23	16	32	100
<b>1997-98</b>					
# Takers	304	235	117	255	911
% Takers	33	26	13	28	100
<b>1998-99</b>					
# Takers	263	183	139	226	811
% Takers	32	23	17	28	100
<b>1999-00</b>					
# Takers	222	124	99	217	662
% Takers	33	19	15	33	100
<b>2000-01</b>					
# Takers	206	122	108	201	637
% Takers	32	19	17	32	100

# MARTEN 2000-2001




Figure 4. Marten harvest by county, 2000-2001

Table 14. Marten harvest by county and sex, 2000-01 season.

County	Sex		Unknown	Total
	Male	Female		
Aitkin	1	1	-	2
Beltrami	1	1	-	2
Carlton	4	1	-	5
Cass	1	2	-	3
Cook	126	58	6	190
Crow Wing	-	-	-	-
Itasca	49	32	1	82
Koochiching	199	107	-	306
Lake	222	101	-	323
Lake of the Woods	11	4	-	15
Marshall	1	-	-	1
Pennington	-	2	-	2
Roseau	64	34	-	98
Red Lake	3	-	-	3
St. Louis	391	203	2	596
Unknown	1	-	-	1
<b>Total</b>	<b>1,074</b>	<b>546</b>	<b>9</b>	<b>1,629</b>

Table 15. Comparison of marten harvest by county, 1996-97 through 2000-01.

County	1996-97	1997-98	1998-99	1999-00	2000-01
Aitkin	-	-	1	2	2
Beltrami	2	12	12	37	2
Carlton	-	-	3	6	5
Cass	-	-	1	2	3
Cook	116	195	208	240	190
Crow Wing	-	-	-	3	-
Itasca	83	164	155	114	82
Koochiching	382	597	517	492	306
Lake	234	287	284	284	323
Lake of the Woods	-	12	26	58	15
Marshall	-	-	-	1	1
Pennington	-	-	-	-	2
Roseau	-	-	41	51	98
Red Lake	-	-	-	-	3
St. Louis	797	980	1,020	1,131	596
Unknown	11	14	31	2	1
<b>Total</b>	<b>1,625</b>	<b>2,261</b>	<b>2,299</b>	<b>2,423</b>	<b>1,629</b>

Table 16. Marten harvest by date and sex, 2000-01 season.

Date	Sex			Total	% of Known Total	Cumulative Percent
	M	F	U			
Dec 2	8	7	-	15	1	1
Dec 3	147	62	2	211	13	14
Dec 4	137	61	1	199	12	26
Dec 5	88	38	-	126	8	34
Dec 6	92	58	-	150	9	43
Dec 7	69	36	-	105	7	50
Dec 8	80	35	-	115	7	57
Dec 9	106	59	-	165	10	67
Dec 10	91	38	-	129	8	75
Dec 11	49	26	-	75	5	80
Dec 12	31	21	-	52	3	83
Dec 13	21	24	-	45	3	86
Dec 14	39	24	-	63	4	90
Dec 15	34	21	-	55	3	93
Dec 16	45	12	-	57	4	97
Dec 17	30	17	1	48	3	100
Unknown	7	7	5	19	-	-
<b>Total</b>	<b>1,074</b>	<b>546</b>	<b>9</b>	<b>1,629</b>		

Table 17. Distribution of marten harvest among takers, 1993-94 through 2000-01.

Year	Number of Marten Taken				Totals
	1	2	3	4	
<b>1993-94</b>					
# Takers	76	681	-	-	757
% Takers	10	90	-	-	100
<b>1994-95</b>					
# Takers	165	681	-	-	846
% Takers	20	80	-	-	100
<b>1995-96</b>					
# Takers	78	711	-	-	789
% Takers	10	90	-	-	100
<b>1996-97</b>					
# Takers	157	734	-	-	891
% Takers	18	82	-	-	100
<b>1997-98</b>					
# Takers	161	1,050	-	-	1,211
% Takers	13	87	-	-	100
<b>1998-99</b>					
# Takers	187	1,056	-	-	1,243
% Takers	15	85	-	-	100
<b>1999-00</b>					
# Takers	164	318	213	246	941
% Takers	17	34	23	26	100
<b>2000-01</b>					
# Takers	188	190	123	173	674
% Takers	28	28	18	26	100

