Chemical Dependency Provider Performance Measures 2010

Alcohol and Drug Abuse Division Minnesota Department of Human Services



Table of Contents

Introduction	
Statewide	
1025 Outpatient Treatment	5
3 R's Nuway Counseling Center	7
A.d.a.p.t of Minnesota	
Addiction Counseling Treatment Services	11
Addiction Recovery Technologies of Rochester	
Addiction Recovery Technology of Mankato	
Adolescent Substance Abuse Program at Woodland Hills	
Adolescent Treatment Center of Winnebago	
African American Family Services, Inc	
African American Family Services, Inc	23
Agape Counseling Center, LLC	25
Ahnji-be-mah-diz Center Leech Lake Halfway House	
Alliance Clinic LLC	
Amethyst Outpatient C.D. Program	31
ANEWAY	
Anishinaabe-Miikana Gidamaajitaamin-Bois Forte	35
Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD	
Anthony Louis Center	
Anthony Louis Center North	
Anthony Louis Center of Woodbury	
ARK Counseling	
Arrowhead Center, Inc.	
Arrowhead Center, Inc.	49
Ashley House, Inc. d.b.a. Road to Recovery	51
Austin Medical-Mayo Health System	
Avalon - Crow Wing County Jail	
Avalon Program of Pine City	
Avalon Program Sturgeon Lake	59
Avalon Program-Aitkin County	
Avalon Program-Midway	63
Avalon Programs LLC Eagan	65
Avalon Programs LLC of Cottage Grove	67
Avalon Programs LLC Stillwater	69
Avalon Programs LLC-Ramsey County Correctional Facility	71
Avalon Prospect Park	
Avalon-Brainerd	75
Bell Hill Recovery Center	77
Bemidji Area Program for Recovery	
Bemidji Area Program for Recovery Steps to Freedom Jaim Program	
Bethel Port Rehabilitation Center	
Boys Totem Town St. Joseph's CD	85
CDC Centers A Women's Way	87
Cedar Ridge	
Center for Solutions	
Central Minnesota Mental Health Center of Buffalo	

Central Minnesota Mental Health Center of Monticello	
Central Minnesota Mental Health Center of St. Cloud	
Chrysalis: A Center for Women	99
Clara's House	
Clinicare Corporation Eau Claire Academy	
Club Recovery	
Common Ground	
Communidades Latinas Unidas En Sericio	
Community Addiction Recovery Enterprises of Anoka Hennepin	
Community Addiction Recovery Enterprise of Anoka	
Community Addiction Recovery Enterprise of Carlton	
Community Addiction Recovery Enterprise of Fergus Falls	117
Community Addiction Recovery Enterprise of St. Peter	
Community Addiction Recovery Enterprise of Willmar	
Community Addiction Recovery Enterprise Prairie Lakes Youth Program	
Community Addiction Recovery Enterprise Valley Lake Boys Home	
Community Addiction Recovery Enterprises of Brainerd	
Community Addiction Recovery Enterprises of Pine River	
Community Drug and Alcohol Servic, Inc.	
Cook County Wilderness Outpatient Treatment Program	
Correctional Transition Services, Inc.	
Corrections Recovery Services	
Counseling Clinic La Crescent	
Counseling Resources	141
Courage Center-Vinland National Center	
CRC Wisconsin RD LLC	
CREATE COULD	
CREATE-South	
Dakota County Jail Treatment Program	
Dakota County Receiving Center, Inc.	
Dakota Treatment Center	
Dellwood Recovery Center	
Dellwood Recovery Center	
Dellwood Recovery Center	
Dellwood Recovery Center	
Dimensions in Recovery Maple Lake Recovery Center, Inc.	
Divine Hope Counseling	
Douglas Place, Inc.	
Drake Counseling	
Drake Counseling Services, Inc.	
Drake Residential Treatment Center	173
Effective Living Center, Inc.	
Effective Living Center, Inc.	
EmPower CTC	
Endeavor Place, LLC	
Essenthis Health Duluth	
Evergreen Youth Recovery House	
Fairview Health Services Minneapolis - MICD Program	
	193

Fairview Recovery Services - Edina Outpatient	195
Fairview Recovery Services Adult Outpatient ProgramCrystal	
Fairview Recovery Services Crystal Outpatient	
Fairview Recovery Services Deaf and Hard of Hearing Program	
Fairview Recovery Services Elk River Outpatient	
Fairview Recovery Services Maplewood Outpatient	
Fairview Recovery Services of Chisago City	207
Fairview Recovery Services of Forest Lake	
Fairview Recovery Services-Burnsville Outpatient	211
Faith Family Recovery Center LLC	213
Family Focus	215
Faribault Family Focus-Immanuel St. Joseph's Mayo Health System	217
First Nation Recovery Program	219
First Step Backus	221
First Step Recovery PLLP	223
First Step Walker	225
Five Stars Recovery Center	227
Five Stars Recovery Center Carver County Jail Program	229
Focus Unit St. Joseph's Medical Center	231
Focus XII	
Fond Du Lac Human Services	
Fountain Center of Albert Lea	
Fountain Center of Fairmont	
Fountain Center of Rochester	
Fountain Center of Waseca	
Franciscan Skemp Healthcare Scarseth House	
Franciscan Skemp Healthcare Villa Succes	
Glenmore of Thief River Falls	
Glenmore Recovery	
Glenmore Recovery - Baudette	
Glenmore Recovery Center	
Glenmore Recovery Center	
Glenmore Recovery Center Northwest Regional Corrections Center	
Glenmore-Roseau	
Golden Living Center Wabasso	
Grace Counseling Services	
Guest House	
Gundersen Lutheran Unity House for Men	
Gundersen Lutheran Unity House for Women	
H.V.M.H.C. Wabasha County Outpatient C.D. Program	
Haven Road Recovery Center LLC	
Haven Road Recovery Center LLC Choices	
Haven Road Recovery Center LLC Outlook Jail Program	
Haven Road Recovery Center Todd County	
Hazelden Center for Youth & Families	
Hazelden Fellowship Club	
Hazelden Recovery Services	
Health Recovery Center	
Hennepin Faculty Associates Addiction Medicine Program HFA Addiction Medicine Program	291
	/ 7.7

Hiawatha Valley Mental Health Center	295
Hope House of Itasca County	297
Hope House Outpatient Program	
Hope Unit St. Francis	301
House of Charity Day by Day Program	303
House of Hope	
House of Hope, Inc.	307
Howard Friese Halfway House	
Hutchinson Health Care	311
Incarnation Family Connections	313
Journey Counseling Services	315
Journey Home	
Juel Fairbanks Chemical Dependency Services	
Juel Fairbanks Chemical Dependency Services	
Keystone Treatment Center Inpatient Program	
Keystone Treatment Outpatient	
Kinnic Falls Alcohol and Drug Abuse Services	
Lake Region Halfway Homes, Inc.	
Lake Superior Treatment Center	
Lake View Memorial Hospital Outpatient CD Treatment Program	
Lakeland Mental Health Center Outpatient C.D. Program	
Lakeplace Retreat Center, Inc.	
Lakes Counseling Center	
Lakes Region Chemical Dependency	
Lakes Region Chemical Dependency	
Lakes Region Chemical Dependency LLC Northwestern Juvenile Center	
Lakes Regions Chemical Dependency Clearwater County Jail Program	
Leech Lake Opiate Treatment Program	
Leech Lake Outpatient Program	
Leech Lake Womens Outpatient Program	
Lifehouse LLC, MN	
Lifestyle Counseling of Richfield/Bloomington	
Lifestyle Counseling Services	
Living Free Recovery Services	
Main Street Collaborative	
Maple Lake Recovery Center, Inc	
Margaret's House Marty Mann Halfway House for Women	
Mash Ka Wisen Treatment Center Inpatient Program	
Mayo Clinic Addiction Services Generose IB	
MCF - Togo	
Meadow Creek	
Micah Halfway House	
Mille Lacs Band Halfway House	
Mille Lacs Band Outpatient Program	
Mille Lacs Band Outpatient Program	
Mille Lacs Band Outpatient Program	
Mille Lacs Band Outpatient Program Aazhoomog Clinic	
Minnesota Alternatives LLC	
Minnesota Teen Challenge	393

Minnesota Teen Challenge Men's Program	395
Minnesota Teen Challenge Women's Program	397
Morgan Treatment Center	
My Home, Inc	401
My Home, Inc	
Nehemiah Family Services	405
Neighborhood Counseling Chemical Dependency Program	
New Beginnings at Buffalo Wright Cty Jail	
New Beginnings at Litchfield	411
New Beginnings at Olivia Renville County Jail	413
New Beginnings at St. Peter	415
New Beginnings at Waverly	417
New Beginnings at Worthington Prairie Justice Center	419
New Beginnings Jail Program at Elk River	
New Beginnings Women's Program	423
New Choices for Adolescents HSI	425
New Choices for Recovery Cottage Grove	427
New Choices for Recovery Forest Lake	
New Choices for Recovery Stillwater	431
New Choices for Recovery Washington County Jail	433
New Connection Program of Eden Prairie	435
New Connections Program-Hastings	
New Life Treatment Center	439
New Perspectives, LLC	441
New Ulm Medical Center Substance Abuse Treatment Service	443
New Ulm Medical Center-Drug Court Treatment	
New Visions Center of Morris	447
New Visions Center Outpatient Program	449
New Visions Center Residential Program	451
Next Step	453
North East Regional Corrections Center	455
North Homes Inc. Outpatient Chemical Dependency	457
Northland Recovery Center	459
Northland Recovery Center Adolescent Unit	
Northland Recovery Womens Center	
Nuway II	
Nuway House, Inc.	
Nystrom and Associates, LTD	
Nystrom and Associates, LTD Waterfront Professional Building	
Odyssey-Dakota County Juvenile Service Center	
Omada Behavioral Health Services of Northfield	
Omegon, Inc.	
On Belay House	
On-Belay House	
Oosh-Kii-Mii-Kah-Nah Halfway House	
Options Family and Behavior Services Community Drug and Alcohol Services, Inc	
Oshki Manidoo New Spirit Center	493

Owatonna Family Focus Immanuel St. Joseph's Mayo Health	495
Park Avenue Center	497
Passage Home	499
Pathway House	501
Pathway House	503
Paul's Place	505
Pear Lake Women's Program	507
Perkins Counseling Center	509
Phoenix Adolescent Outpatient Treatment	511
Phoenix Adolescent Outpatient Treatment	513
Pine Manors, Inc	515
Pineview Recovery Center	517
Pioneer Recovery Center	519
Prairie House Recovery	521
Prairie St. John's	523
Pride Institute, Inc.	525
Pride Institute, Inc.	527
Prodigal House	529
Professional Counseling Center	531
Professional Counseling Center	533
Professional Counseling Center of Buffalo	
Professional Counseling Center of Delano	537
Progress Valley I	539
Progress Valley II	541
Project Turnabout	543
Project Turnabout Chemical Dependency Treatment Center of Redwood Falls	
Project Turnabout of Granite Falls	
Project Turnabout-Marshall	
Prople Inc. Huss Center for Recovery	
Rainbow Behavioral Health Services Chartered	
Range Treatment Center	
Range Treatment Center	
Rapids Counseling Services, Inc.	
Rational Alternatives	
Rays of Hope Unlimited	
Rebecca Residence of Scandia	
Recovery Plus Adult Program St. Cloud Hospital	
Recovery Resource Center	
Recovery Resources of Winsted	
Recovery Works Minimum Security Program	
Recovery Works/BC Jail House Program	
Red Lake CD Outpatient Program	
Red Lake Group Home	
Red Lake Treatment Center	
Red River Recovery Center	
Regions Hospital Alcohol and Drug Abuse Program	
Regions Hospital/New Connection Programs	
Regions/New Connection Program	
Rewind, Inc	
KIVEL KIDDE TJESTMENT LENTEL KILDSVIIIE	593

River Ridge Treatment Center Minnetonka	595
Riverplace Counseling Center of Elk River, Inc	
Riverplace Counseling Center-Anoka	
Rochester Metro Treatment Center	
RS Eden/Eden House	603
RS Eden/Eden House	605
Salvation Army Harbor Light Center	607
Sanford Hospital Luverne Outpatient CD Program	
Senior Recovery Program	
Sentirse Bien, Feeling Healthy	
Share House - Stepping Stones	615
Share House Genesis	617
Share House Inc	619
Share House Wellness Center	
Sisters Path	623
Sobriety First, LLC	625
South Čentral Human Relations Dual Recovery Program	
South Metro Human Services	629
Specialized Treatment Services	
Specialized Treatment Services, Inc.	
Spirit River Recovery Services of Rum River Health Services Inc	
St Josephs Hospital CD Service Coordination	
St. Cloud Metro Treatment	
St. Johns Hospital - Healtheast CD Program	
St. Joseph's Hospital CD Program Hennepin County Home School	
St. Joseph's Hospital Inpatient Chemical Dependency Program	
St. Paul Metro Treatment Center	
Steele County Dention Center	
Tapestry, LLC	
Teen Focus Recovery Center	
Telesis - Hennepin County Workhouse	
The 1402 Treatment Program	
The Gables	659
The Haven Halfway House, LLC	661
The Haven in Cloquet	663
The Haven in Shakopee	665
The Haven in Waconia	
The Haven in Woodbury	
The Wayside House Inc.	
Thunderbird and Wren Halfway House	673
Tomorrow LLC Anchorage	675
Transformation House	677
Transformation House I	679
Transformation House II	681
Tri County Community Corrections	683
Turning Point, Inc.	
Turning Point, Inc.	
Twin Town Treatment Center	
Unity Hospital Substance Abuse Services	691
Unity Hospital Substance Abuse Services.	693

Upper Mississippi Mental Health Center	695
Upper Mississippi Mental Health Center Park Rapids	697
Valhalla Place Inc	699
Vinland National Center	701
We Care Counseling Center	703
Wellcome Manor Family Services	705
Wenden Recovery Service of Winona	707
Wenden Recovery Services County Detention Center	709
Wenden Recovery Services of Preston	711
Wenden Recovery Services, Inc	713
West Hills Lodge, Inc	715
White Earth Substance Abuse Program Outpatient Treatment	717
WINGS	719
Winona Counseling Clinic, Inc.	721
Womens LAAR House	
Women's Recovery Center	725
Women's Wellbriety Center	727
Woodland Centers Outpatient Chemical DependencyTreatment Program	729
Zumbro Valley Mental Health Center Pacing Recovery Effectively Program	731
Zumbro Valley Mental Health Center Recovery Basics Outpatient Program	733
Zumbro Valley Mental Health Center Recovery Partners	735
Zumbro Valley Mental Health Center Right to Recovery II	737

Introduction

In conjunction with national efforts to increase the availability of addiction treatment outcomes, the Alcohol and Drug Abuse Division of the Minnesota Department of Human Services provides the following measures for the entire state of Minnesota and for individual treatment providers licensed under state Rule 31. This report will be updated annually.

The measures fall into four categories. (1) The **Patient Profile** presents background information about patients obtained at admission to treatment. (2) **Discharge Status** describes the situation in which the patient leaves treatment. (3) **National Outcomes Measures (NOMS)** are prescribed by the Substance Abuse and Mental Health Services **Administration (SAMHSA)** and provide information at admission and discharge on patients' status in six critical domains of living. SAMHSA initially considered family support as another indicator but decided not to include it. Because DHS continues to collect the data, the measure is included in this report. (4) **Dimensions of Addiction** are similar to measures developed by the American Society of Addiction Medicine and provide information at admission and discharge on six dimensions of addiction.

The **Patient Profile** presents the percentages of patients in categories of gender, race, age, primary substance, source of income, and sources of referral to treatment. These are obviously not measures of performance but rather provide a picture of the mix of patients seen statewide and by different providers. Since patients can have two sources of referral, the percentages for this measure do not sum to 100.

The next measure is **Discharge Status**. Considerable research demonstrates that completing treatment is associated with post-treatment abstinence.

The **NOMS** attempt to capture meaningful, real life outcomes for people who are striving to attain and sustain recovery and participate fully in their communities in the wake of receiving treatment for an active addiction to drugs or alcohol. They include: rates of homelessness, unemployment, arrest, alcohol and drug use, involvement in self-help groups, and family support for recovery. Since these measures are coded so that higher percentages indicate more people having trouble in that domain, declines in the percentages from admission to discharge indicate success.

Dimensions of Addiction show the percentages of patients with serious problems in six dimensions at admission and discharge. The severity levels within each dimension range from no problem (0) to extreme problem (4). The dimensions are:

- 1. Acute Intoxication/Withdrawal ranges from (0) patients who exhibit no intoxication or withdrawal symptoms to (4) those with symptoms so severe that the patient is a threat to self or others.
- 2. Biomedical Conditions and Complications range from (0) patients who are fully functional to (4) those with severe physical problems or conditions that require immediate medical intervention.
- 3. Emotional/Behavioral/Cognitive Problem ranges from (0) patients with good coping skills and impulse control to (4) those with such severe emotional or behavioral symptoms that they are unable to participate in treatment.
- 4. Resistance to Change ranges from (0) patients who admit problems and are committed to change to (4) those who are in denial and unwilling to change.

- 5. Relapse/Continued Use Potential ranges from (0) patients who recognize risk and are able to manage potential problems to (4) those who have no understanding of relapse issues and display high vulnerability for further substance use disorders.
- 6. Unsupportive Recovery Environment ranges from (0) environments that are supportive of recovery to (4) environments that are antagonistic to recovery.

The numbers shown in the tables are the percentages with (2) moderate, (3) severe or (4) extreme problems in a dimension. Declines in the percentages from admission to discharge indicate success.

For both NOMS and Dimensions of Addictions, the tables show percentages of patients at admission and discharge with problems. The last column shows the percentage improvement for each indicator. This is simply 100 times the difference between the percentage at admission and the percentage at discharge, divided by the percentage at admission. In other words, this column can be interpreted as the percentage of the problem that is reduced during treatment. Because negative values are set to 0, the measures range from 0 (no improvement) to 100 (all problems substantially improved). The last row under both NOMS and Dimensions of Addiction provides a summary measure of improvement. It results from dividing the sum of the percentage point improvements on each item by the sum of the percentages with a problem at admission on each item and multiplying this ratio by 100. In other words, the summary measure for NOMS assesses the percentage of the overall problem captured by NOMS that declines during treatment, and the summary measure for Dimensions of Addiction does the same for Dimensions of Addiction. Negative values indicate that the problem actually worsened, a value of 0 indicates that the problems remained about the same, and a value of 100 indicates that all problems showed substantial improvement.

All data are obtained from The Drug and Alcohol Abuse Normative Evaluation System (DAANES), which is administered by the Performance Measurement and Quality Improvement Division of the Department of Human Services in order to monitor treatment services for substance abuse in Minnesota. DAANES data are collected by providers as clients enter and leave episodes of treatment. All of these measures are based on episodes of treatment that began in 2010 and are accompanied by discharge data submitted by November 21, 2011. For all tables, data are presented only when there are at least 10 observations for the measure.

Statewide

Patient Profile

 $\underline{\text{Gender (N} = 47742)}$

Male: 66.8% Female: 33.2%

Primary Substance

Methamphetamine: 8.0% Marijuana: 19.1%

(N = 47546)

Heroin: 4.0%

Cocaine: 4.4%

Other opiates: 8.2%

Other drugs: 1.8%

Alcohol: 54.5%

Race (N = 47742)

White: 74.0% Black: 10.2%

American Indian: 8.6%

Hispanic: 3.9%

Asian/Pacific Islander: 1.1%

Other: 2.3%

Source of Income

(N = 47742)

Job: 29.4%

Retirement/savings: 3.0% Family/friends: 19.1% No income: 18.4% Public sources: 18.8%

Other sources: 11.2%

(N = 47742). Self/family/relative/

friends: 48.7% Employer/school: 2.0% Criminal justice: 37.6% Professional: 25.6%

County social

Age (N = 47742)Under 18: 8.6%

18 to 25: 24.7% 26 to 34: 23.2%

Source of Referral

35 and older: 43.5%

service agency: 30.3%

Other community resources: 6.7%

AA: 0.2% Tribal: 1.7%

Discharge Status

(N = 47742)

Completed program: 60.3%

Patient left without staff approval: 20.2% Staff requested/judged inappropriate: 8.8%

Death/other: 10.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Statewide

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =45691)	6.7%	3.6%	47.0%
Not employed/student§ (N = 43796)	59.6%	56.6%	5.0%
Arrests past 30 days (N = 46438)	10.9%	4.4%	60.1%
Alcohol use past 30 days (N = 45932)	46.7%	14.2%	69.6%
Drug use past 30 days (N = 45930)	39.5%	15.1%	61.8%
No self-help group participation past 30 days (N = 42568)	58.8%	21.7%	63.0%
No family support for recovery past 30 days (N = 40414)	9.8%	8.1%	16.9%
Summary Measure [∥] 46.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 45895$)	10.9%	5.2%	52.3%
Biomedical Conditions and Complications (N = 46335)	16.0%	11.8%	26.6%
Emotional/Behavioral/ Cognitive Problem (N = 46323)	65.2%	48.7%	25.3%
Resistance to Change ($N = 46421$)	67.3%	48.4%	28.1%
Relapse/Continued Use Potential (N = 46376)	96.6%	74.5%	22.8%
Unsupportive Recovery Environment (N = 46061)	88.8%	69.9%	21.3%
Summary Measure 25.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

1025 Outpatient Treatment

26 East Superior Street Duluth, MN 55802

Provider Website: www.cadt.org

Patient Profile

<u>Gender (N = 615)</u> Male: 59.7%

Female: 40.3%

Primary Substance

(N = 615)Alcohol: 64.1%

Methamphetamine: 5.4% Marijuana: 12.7% Heroin: 0.7%

Cocaine: 3.7%
Other opiates: 11.9%

Other drugs: 1.6%

Race (N = 615)

White: 78.2% Black: 6.3%

American Indian: 10.9%

Hispanic: 1.8%

Asian/Pacific Islander: 0.3%

Other: 2.4%

Source of Income

(N = 615)

Job: 32.2% Retirement/savings: 5.0%

Family/friends: 3.6% No income: 25.2% Public sources: 22.1%

Other sources: 11.9%

Age (N = 615)

County: St. Louis

Under 18: 0.2% 18 to 25: 29.4% 26 to 34: 25.2%

35 and older: 45.2%

Source of Referral

(N = 615) .

Self/family/relative/ friends: 37.2% Employer/school: 3.7% Criminal justice: 38.5%

Professional: 16.6%

County social

service agency: 17.4%

Other community resources: 1.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 615)

Completed program: 64.7%

Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 5.9%

Death/other: 12.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

1025 Outpatient Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =605)	1.5%	4.1%	0.0%
Not employed/student§ (N = 587)	56.2%	54.3%	3.3%
Arrests past 30 days (N = 574)	9.6%	4.4%	54.5%
Alcohol use past 30 days (N = 598)	44.8%	13.5%	69.8%
Drug use past 30 days (N = 598)	28.9%	11.4%	60.7%
No self-help group participation past 30 days ($N = 534$)	55.8%	47.4%	15.1%
No family support for recovery past 30 days ($N = 563$)	1.8%	6.2%	0.0%
Summary Measure 28.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 614)	4.4%	1.1%	74.1%
Biomedical Conditions and Complications ($N = 614$)	10.6%	6.0%	43.1%
Emotional/Behavioral/ Cognitive Problem (N = 614)	45.8%	27.0%	40.9%
Resistance to Change (N = 614)	33.6%	20.8%	37.9%
Relapse/Continued Use Potential (N = 614)	96.7%	62.5%	35.4%
Unsupportive Recovery Environment (N = 614)	76.2%	52.6%	31.0%
Summary Measure 36.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

3 R's Nuway Counseling Center

2220 Central Avenue NE Minneapolis, MN 55418

Provider Website:

Patient Profile

Gender (N = 20)Race (N = 20)Male: 85.0% White: 65.0% Black: 35.0% Female: 15.0%

> American Indian: 0.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance (N = 20)

Alcohol: 65.0%

Methamphetamine: 5.0% Marijuana: 15.0%

Heroin: 5.0% Cocaine: 10.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 20)

Retirement/savings: 0.0%

Family/friends: 10.0% No income: 15.0% Public sources: 15.0%

Job: 55.0%

Other sources: 5.0%

Age (N = 20)

County: Hennepin

Under 18: 0.0% 18 to 25: 10.0% 26 to 34: 20.0%

35 and older: 70.0%

Source of Referral

(N = 20) .

Self/family/relative/ friends: 20.0%

Employer/school: 10.0% Criminal justice: 70.0% Professional: 5.0%

County social

service agency: 40.0%

Other community resources: 5.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 20)

Completed program: 75.0%

Patient left without staff approval: 15.0% Staff requested/judged inappropriate: 5.0%

Death/other: 5.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

3 R's Nuway Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 20)	0.0%	0.0%	*
Not employed/student \S (N = 16)	25.0%	25.0%	0.0%
Arrests past 30 days (N = 20)	5.0%	5.0%	0.0%
Alcohol use past 30 days (N = 20)	15.0%	5.0%	66.7%
Drug use past 30 days (N = 20)	25.0%	0.0%	100.0%
No self-help group participation past 30 days (N = 17)	41.2%	5.9%	85.7%
No family support for recovery past 30 days $(N = 18)$	22.2%	0.0%	100.0%
Summary Measure [∥] 69.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 20)	15.0%	15.0%	0.0%
Biomedical Conditions and Complications (N = 20)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 20)	45.0%	45.0%	0.0%
Resistance to Change (N = 20)	60.0%	45.0%	25.0%
Relapse/Continued Use Potential (N = 20)	75.0%	60.0%	20.0%
Unsupportive Recovery Environment ($N = 20$)	85.0%	60.0%	29.4%
Summary Measure 19.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

A.d.a.p.t of Minnesota

324 South 5th Street Brainerd, MN 56401

Provider Website: www.holisticpsychological.com

Patient Profile

 Gender (N = 41)
 Race (N = 41)

 Male: 75.6%
 White: 100.0%

 Female: 24.4%
 Black: 0.0%

Black: 0.0% 18 to 25: 29.3% American Indian: 0.0% 26 to 34: 24.4% Hispanic: 0.0% 35 and older: 43.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 41) Alcohol: 82.9% (N = 41) Job: 56.1%

Methamphetamine: 4.9% Retirement/savings: 2.4 Marijuana: 9.8% Family/friends: 17.1% Heroin: 0.0% No income: 2.4% Cocaine: 0.0% Public sources: 9.8% Other opiates: 2.4% Other sources: 12.2%

Job: 56.1%

Retirement/savings: 2.4%
Family/friends: 17.1%

No income: 2.4%
Public sources: 9.8%
Other sources: 12.2%

Self/family/relative/
friends: 63.4%

Employer/school: 0.0%
Criminal justice: 22.0%
Professional: 22.0%
County social

service agency: 24.4% Other community resources: 12.2%

AA: 2.4% Tribal: 0.0%

County: Crow Wing

Age (N = 41)

Under 18: 2.4%

Source of Referral

(N = 41).

Discharge Status

Other drugs: 0.0%

(N = 41)

Completed program: 51.2%

Patient left without staff approval: 39.0% Staff requested/judged inappropriate: 0.0%

Death/other: 9.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

A.d.a.p.t of Minnesota

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =41)	0.0%	0.0%	*
Not employed/student§ (N = 41)	31.7%	34.1%	0.0%
Arrests past 30 days (N = 41)	17.1%	2.4%	85.7%
Alcohol use past 30 days (N = 41)	36.6%	26.8%	26.7%
Drug use past 30 days (N = 41)	12.2%	9.8%	20.0%
No self-help group participation past 30 days $(N = 41)$	70.7%	61.0%	13.8%
No family support for recovery past 30 days (N = 40)	10.0%	5.0%	50.0%
Summary Measure [∥] 22.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 41)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 41)$	95.1%	100.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 41)	97.6%	90.2%	7.5%
Resistance to Change $(N = 41)$	100.0%	53.7%	46.3%
Relapse/Continued Use Potential (N = 41)	100.0%	61.0%	39.0%
Unsupportive Recovery Environment ($N = 41$)	100.0%	80.5%	19.5%
Summary Measure 21.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Counseling Treatment Services

112 5th Street Building Gaylord, MN 55334

Provider Website:

Patient Profile

Gender (N = 49)

Male: 71.4%

Female: 28.6%

Primary Substance

(N = 49)Alcohol: 65.3%

Methamphetamine: 4.1%

Marijuana: 22.4% Heroin: 0.0% Cocaine: 2.0% Other opiates: 6.1% Other drugs: 0.0% Race (N = 49)

White: 85.7% Black: 0.0%

American Indian: 0.0% Hispanic: 14.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

 $\frac{(N = 49)}{\text{Job: } 34.7\%}$

Retirement/savings: 4.1% Family/friends: 24.5% No income: 12.2% Public sources: 12.2%

Other sources: 12.2%

Age (N = 49)

County: Sibley

Under 18: 6.1% 18 to 25: 34.7% 26 to 34: 22.4%

35 and older: 36.7%

Source of Referral

(N = 49) .

Self/family/relative/ friends: 26.5% Employer/school: 0.0% Criminal justice: 59.2% Professional: 12.2%

County social

service agency: 57.1%

Other community resources: 6.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 49)

Completed program: 49.0%

Patient left without staff approval: 16.3% Staff requested/judged inappropriate: 20.4%

Death/other: 14.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Addiction Counseling Treatment Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =49)	4.1%	0.0%	100.0%
Not employed/student \S (N = 49)	57.1%	53.1%	7.1%
Arrests past 30 days (N = 49)	6.1%	16.3%	0.0%
Alcohol use past 30 days (N = 49)	26.5%	20.4%	23.1%
Drug use past 30 days (N = 49)	14.3%	8.2%	42.9%
No self-help group participation past 30 days (N = 47)	57.4%	19.1%	66.7%
No family support for recovery past 30 days (N = 45)	2.2%	4.4%	0.0%
Summary Measure [∥] 27.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 46$)	0.0%	4.4%	*
Biomedical Conditions and Complications $(N = 48)$	2.1%	4.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 48)	14.6%	8.3%	42.9%
Resistance to Change $(N = 49)$	85.7%	46.9%	45.2%
Relapse/Continued Use Potential ($N = 49$)	100.0%	65.3%	34.7%
Unsupportive Recovery Environment $(N = 49)$	89.8%	55.1%	38.6%
Summary Measure 37.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Recovery Technologies of Rochester

903 West Center Street Rochester, MN 55902

Provider Website:

Patient Profile

Gender (N = 40) Male: 55.0%

Female: 45.0%

Primary Substance

(N = 40)Alcohol: 30.0%

Methamphetamine: 0.0% Marijuana: 57.5% Heroin: 0.0%

Cocaine: 2.5%
Other opiates: 0.0%

Other drugs: 10.0%

Race (N = 40)

White: 70.0% Black: 5.0%

American Indian: 5.0% Hispanic: 10.0%

Asian/Pacific Islander: 5.0%

Other: 5.0%

Source of Income

 $\frac{(N = 40)}{\text{Job: 7.5}\%}$

Retirement/savings: 0.0% Family/friends: 90.0% No income: 0.0%

Public sources: 0.0% Other sources: 2.5% Age (N = 40)

County: Olmsted

Under 18: 87.5% 18 to 25: 12.5% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 40).

Self/family/relative/ friends: 40.0% Employer/school: 2.5% Criminal justice: 47.5% Professional: 30.0%

County social

service agency: 17.5%

Other community resources: 2.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 40)

Completed program: 37.5%

Patient left without staff approval: 22.5% Staff requested/judged inappropriate: 12.5%

Death/other: 27.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Addiction Recovery Technologies of Rochester

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =31)	0.0%	0.0%	*
Not employed/student§ (N = 30)	0.0%	6.7%	*
Arrests past 30 days (N = 33)	18.2%	6.1%	66.7%
Alcohol use past 30 days (N = 39)	20.5%	12.8%	37.5%
Drug use past 30 days (N = 39)	35.9%	15.4%	57.1%
No self-help group participation past 30 days ($N = 25$)	64.0%	36.0%	43.8%
No family support for recovery past 30 days $(N = 24)$	0.0%	16.7%	*
Summary Measure 32.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 37$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 38)$	5.3%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 38)	84.2%	86.8%	0.0%
Resistance to Change (N = 38)	78.9%	78.9%	0.0%
Relapse/Continued Use Potential (N = 38)	94.7%	89.5%	5.6%
Unsupportive Recovery Environment (N = 38)	94.7%	81.6%	13.9%
Summary Measure 5.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Recovery Technology of Mankato

12 Civic Center Plaza Mankato, MN 56001

Provider Website:

Patient Profile

Gender (N = 146) Male: 69.9%

Female: 30.1%

Hispanic: 8.2%

Primary Substance

(N = 146)Alcohol: 45.9%

Methamphetamine: 5.5%

Marijuana: 39.7% Heroin: 0.0% Cocaine: 3.4% Other opiates: 4.1%

Other drugs: 1.4%

Race (N = 146)

White: 82.2% Black: 8.2%

American Indian: 0.0%

Asian/Pacific Islander: 0.0%

Other: 1.4%

Source of Income

(N = 146)

Job: 39.7% Retirement/savings: 1.4%

Family/friends: 32.9% No income: 2.1%

Public sources: 15.1% Other sources: 8.9%

Age (N = 146)

County: Blue Earth

Under 18: 24.7% 18 to 25: 28.1% 26 to 34: 21.9%

35 and older: 25.3%

Source of Referral

(N = 146) .

Self/family/relative/ friends: 31.5% Employer/school: 3.4%

Criminal justice: 49.3% Professional: 27.4%

County social

service agency: 34.9%

Other community resources: 2.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 146)

Completed program: 45.9%

Patient left without staff approval: 22.6% Staff requested/judged inappropriate: 1.4%

Death/other: 30.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Addiction Recovery Technology of Mankato

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =133)	0.8%	1.5%	0.0%
Not employed/student \S (N = 137)	25.5%	26.3%	0.0%
Arrests past 30 days (N = 137)	7.3%	6.6%	10.0%
Alcohol use past 30 days (N = 125)	32.0%	18.4%	42.5%
Drug use past 30 days (N = 125)	27.2%	20.0%	26.5%
No self-help group participation past 30 days (N = 118)	51.7%	35.6%	31.1%
No family support for recovery past 30 days (N = 115)	2.6%	3.5%	0.0%
Summary Measure 24.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 137)	0.0%	2.2%	*
Biomedical Conditions and Complications (N = 134)	4.5%	6.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 137)	49.6%	40.1%	19.1%
Resistance to Change (N = 138)	44.9%	43.5%	3.2%
Relapse/Continued Use Potential (N = 138)	93.5%	52.9%	43.4%
Unsupportive Recovery Environment (N = 138)	76.8%	47.8%	37.7%
Summary Measure 28.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Adolescent Substance Abuse Program at Woodland Hills

110 West Red Wing Street Duluth, MN 55803

Provider Website:

Patient Profile

 Gender (N = 56)
 Race (N = 56)

 Male: 76.8%
 White: 33.9%

 Female: 23.2%
 Black: 30.4%

American Indian: 14.3% 26 to 34: 0.0% Hispanic: 5.4% 35 and older: 0.0%

Asian/Pacific Islander: 5.4%

Other: 10.7%

Primary Substance Source of Income

(N = 56) (N = 56) Alcohol: 7.1% Job: 3.6%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 85.7% Family/friends: 85.7% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 0.0% Other opiates: 1.8% Other sources: 10.7%

Source of Referral

(N = 56)

Self/family/relative/
friends: 7.1%

Employer/school: 3.6%

Criminal justice: 85.7%

Professional: 5.4%

County social

County: St. Louis

Age (N = 56)

Under 18: 76.8%

18 to 25: 23.2%

service agency: 12.5% Other community resources: 1.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 5.4%

(N = 56)

Completed program: 83.9%

Patient left without staff approval: 5.4% Staff requested/judged inappropriate: 5.4%

Death/other: 5.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Adolescent Substance Abuse Program at Woodland Hills

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =55)	0.0%	0.0%	*
Not employed/student \S (N = 52)	1.9%	3.9%	0.0%
Arrests past 30 days (N = 54)	0.0%	0.0%	*
Alcohol use past 30 days (N = 54)	3.7%	0.0%	100.0%
Drug use past 30 days (N = 54)	5.6%	0.0%	100.0%
No self-help group participation past 30 days (N = 51)	23.5%	27.5%	0.0%
No family support for recovery past 30 days (N = 53)	7.6%	9.4%	0.0%
Summary Measure [∥] 3.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 54)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 54)$	1.9%	1.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 54)	25.9%	7.4%	71.4%
Resistance to Change (N = 54)	44.4%	16.7%	62.5%
Relapse/Continued Use Potential (N = 55)	96.4%	58.2%	39.6%
Unsupportive Recovery Environment (N = 55)	96.4%	41.8%	56.6%
Summary Measure 52.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Adolescent Treatment Center of Winnebago

550 Cleveland Ave. W. Winnebago, MN 56098

Provider Website:

Patient Profile

Gender (N = 117)
Male: 73.5%

Female: 26.5%

Terriale. 20.570

Primary Substance

(N = 116)Alcohol: 17.2%

Methamphetamine: 7.8%

Marijuana: 69.0% Heroin: 0.9% Cocaine: 0.0% Other opiates: 1.7%

Other drugs: 3.5%

Race (N = 117)

White: 70.1% Black: 3.4%

American Indian: 1.7% Hispanic: 17.9%

Asian/Pacific Islander: 2.6%

Other: 4.3%

Source of Income

(N = 117)

Job: 1.7% Retirement/savings: 0.0%

Family/friends: 93.2%
No income: 0.9%

Public sources: 3.4% Other sources: 0.9%

Age (N = 117)

County: Faribault

Under 18: 94.0% 18 to 25: 6.0%

26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 117) .

Self/family/relative/ friends: 52.1% Employer/school: 2.6%

Criminal justice: 48.7% Professional: 27.4%

County social

service agency: 40.2%

Other community resources: 1.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 117)

Completed program: 83.8%

Patient left without staff approval: 6.8% Staff requested/judged inappropriate: 6.8%

Death/other: 2.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Adolescent Treatment Center of Winnebago

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =116)	2.6%	0.9%	66.7%
Not employed/student \S (N = 116)	9.5%	0.9%	90.9%
Arrests past 30 days (N = 116)	29.3%	1.7%	94.1%
Alcohol use past 30 days (N = 116)	61.2%	1.7%	97.2%
Drug use past 30 days (N = 116)	87.1%	3.5%	96.0%
No self-help group participation past 30 days (N = 116)	62.1%	0.0%	100.0%
No family support for recovery past 30 days (N = 117)	6.0%	0.0%	100.0%
Summary Measure 96.7%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 117)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 117)	1.7%	0.9%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 117)	99.1%	65.8%	33.6%
Resistance to Change (N = 116)	87.9%	51.7%	41.2%
Relapse/Continued Use Potential (N = 116)	100.0%	87.1%	12.9%
Unsupportive Recovery Environment (N = 116)	100.0%	96.6%	3.5%
Summary Measure 22.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

African American Family Services, Inc.

1041 Selby Ave St. Paul, MN 55408

St. Paul, MN 55408 County: Ramsey

Provider Website: www.aafs.net

Patient Profile

 Gender (N = 89)
 Race (N = 89)
 Age (N = 89)

 Male: 77.5%
 White: 0.0%
 Under 18: 0.0%

 Female: 22.5%
 Black: 98.9%
 18 to 25: 34.8%

emale: 22.5% Black: 98.9% 18 to 25: 34.8% American Indian: 0.0% 26 to 34: 18.0%

Hispanic: 0.0% 35 and older: 47.2% Asian/Pacific Islander: 1.1%

ASIGN/PACING ISIGNUEL: 1.17

Other: 0.0%

Primary Substance Source of Income Source of Referral

(N = 89) (N = 89) (N = 89) Self/family/relative/

Methamphetamine: 0.0%Retirement/savings: 1.1%friends: 20.2%Marijuana: 34.8%Family/friends: 0.0%Employer/school: 0.0%Heroin: 1.1%No income: 50.6%Criminal justice: 78.7%Cocaine: 20.2%Public sources: 37.1%Professional: 1.1%

Other opiates: 0.0% Other sources: 6.7% County social

Other drugs: 0.0% service agency: 12.4% Other community

resources: 4.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 89)

Completed program: 32.6%

Patient left without staff approval: 44.9% Staff requested/judged inappropriate: 2.3%

Death/other: 20.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

African American Family Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =72)	6.9%	4.2%	40.0%
Not employed/student \S (N = 68)	88.2%	80.9%	8.3%
Arrests past 30 days (N = 88)	11.4%	8.0%	30.0%
Alcohol use past 30 days (N = 78)	62.8%	9.0%	85.7%
Drug use past 30 days (N = 78)	57.7%	20.5%	64.4%
No self-help group participation past 30 days $(N = 69)$	79.7%	46.4%	41.8%
No family support for recovery past 30 days $(N = 61)$	16.4%	24.6%	0.0%
Summary Measure 40.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 89)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 89)	1.1%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 89)	89.9%	43.8%	51.3%
Resistance to Change (N = 89)	95.5%	53.9%	43.5%
Relapse/Continued Use Potential (N = 89)	100.0%	66.3%	33.7%
Unsupportive Recovery Environment $(N = 89)$	96.6%	59.6%	38.4%
Summary Measure 41.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

African American Family Services, Inc.

2616 Nicollet Avenue South Minneapolis, MN 55411

Provider Website: www.aafs.net

Patient Profile

Gender (N = 162) Race (N = 162)Age (N = 162)Male: 78.4% White: 4.9%

Female: 21.6% Black: 94.4% 18 to 25: 20.4% American Indian: 0.0% 26 to 34: 40.1% 35 and older: 39.5%

Hispanic: 0.0% Asian/Pacific Islander: 0.0%

Other: 0.6%

Primary Substance Source of Income

(N = 162)(N = 162)(N = 162) . Alcohol: 46.3% Job: 12.3% Self/family/relative/

friends: 9.9% Methamphetamine: 0.0% Retirement/savings: 1.2% Family/friends: 1.2% Marijuana: 40.7% Employer/school: 1.2% Heroin: 1.9% No income: 35.8% Criminal justice: 81.5% Cocaine: 9.3% Public sources: 46.3% Professional: 6.8%

Other opiates: 0.0% Other sources: 3.1% County social

Other drugs: 1.9% service agency: 54.9%

Other community resources: 1.9%

> AA: 0.0% Tribal: 0.0%

County: Hennepin

Under 18: 0.0%

Source of Referral

Discharge Status

(N = 162)

Completed program: 28.4%

Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 2.5%

Death/other: 35.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

African American Family Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =143)	5.6%	3.5%	37.5%
Not employed/student \S (N = 144)	81.9%	66.7%	18.6%
Arrests past 30 days (N = 155)	10.3%	14.2%	0.0%
Alcohol use past 30 days (N = 146)	41.1%	22.6%	45.0%
Drug use past 30 days (N = 146)	41.8%	26.7%	36.1%
No self-help group participation past 30 days ($N = 141$)	86.5%	28.4%	67.2%
No family support for recovery past 30 days (N = 133)	54.9%	16.5%	69.9%
Summary Measure 44.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 162)	1.9%	0.6%	66.7%
Biomedical Conditions and Complications $(N = 162)$	4.3%	2.5%	42.9%
Emotional/Behavioral/ Cognitive Problem (N = 162)	26.5%	14.8%	44.2%
Resistance to Change (N = 162)	48.1%	25.3%	47.4%
Relapse/Continued Use Potential (N = 162)	94.4%	66.0%	30.1%
Unsupportive Recovery			
Environment (N = 162)	51.9%	33.3%	35.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Agape Counseling Center, LLC

305 9th Street Windom, MN 56101

Provider Website:

Patient Profile

 Gender (N = 52)
 Race (N = 52)

 Male: 84.6%
 White: 88.5%

 Female: 15.4%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 36.5% Hispanic: 9.6% 35 and older: 28.8%

Asian/Pacific Islander: 1.9%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 11.5% Retirement/savings: 0.0% Marijuana: 3.9% Family/friends: 1.9% No income: 17.3% Cocaine: 0.0% Public sources: 3.9%

Other opiates: 0.0% Public sources: 3.9% Other sources: 9.6%

(N = 52) .
Self/family/relative/
friends: 9.6%
Employer/school: 0.0%
Criminal justice: 76.9%

Criminal justice: 76.9% Professional: 9.6% County social

service agency: 46.2% Other community

resources: 5.8% AA: 0.0% Tribal: 0.0%

County: CottonWood

Age (N = 52)

Under 18: 0.0%

18 to 25: 34.6%

Source of Referral

Discharge Status

Other drugs: 0.0%

(N = 52)

Completed program: 86.5%

Patient left without staff approval: 11.5% Staff requested/judged inappropriate: 0.0%

Death/other: 1.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Agape Counseling Center, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =48)	0.0%	0.0%	*
Not employed/student \S (N = 46)	32.6%	21.7%	33.3%
Arrests past 30 days (N = 51)	2.0%	2.0%	0.0%
Alcohol use past 30 days (N = 52)	21.2%	9.6%	54.5%
Drug use past 30 days (N = 52)	13.5%	7.7%	42.9%
No self-help group participation past 30 days (N = 38)	44.7%	5.3%	88.2%
No family support for recovery past 30 days $(N = 49)$	2.0%	8.2%	0.0%
Summary Measure 53.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 52$)	0.0%	1.9%	*
Biomedical Conditions and Complications $(N = 52)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 52)	13.5%	13.5%	0.0%
Resistance to Change $(N = 52)$	13.5%	11.5%	14.3%
Relapse/Continued Use Potential (N = 52)	82.7%	26.9%	67.4%
Unsupportive Recovery Environment $(N = 52)$	98.1%	40.4%	58.8%
Summary Measure 54.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Ahnji-be-mah-diz Center Leech Lake Halfway House

16427 69th Avenue N.W. Cass Lake, MN 56633

Provider Website:

Patient Profile

Gender (N = 19)
Male: 100.0%

Female: 0.0%

(N = 19) Alcohol: 63.2% Methamphetamine: 0.0%

Primary Substance

Marijuana: 15.8% Heroin: 0.0% Cocaine: 5.3% Other opiates: 15.8% Other drugs: 0.0% Race (N = 19)

White: 0.0% Black: 0.0%

American Indian: 100.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 19)Job: 31.6%

Retirement/savings: 5.3% Family/friends: 10.5% No income: 36.8% Public sources: 10.5% Other sources: 5.3% Age (N = 19)

County: Cass

Under 18: 0.0% 18 to 25: 21.1% 26 to 34: 15.8% 35 and older: 63.2%

Source of Referral

(N = 19).

Self/family/relative/ friends: 36.8% Employer/school: 0.0% Criminal justice: 52.6% Professional: 21.1%

County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 42.1%

Discharge Status

(N = 19)

Completed program: 42.1%

Patient left without staff approval: 26.3% Staff requested/judged inappropriate: 10.5%

Death/other: 21.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Ahnji-be-mah-diz Center Leech Lake Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =19)	10.5%	5.3%	50.0%
Not employed/student \S (N = 14)	85.7%	57.1%	33.3%
Arrests past 30 days (N = 18)	16.7%	16.7%	0.0%
Alcohol use past 30 days (N = 13)	15.4%	7.7%	50.0%
Drug use past 30 days (N = 13)	23.1%	7.7%	66.7%
No self-help group participation past 30 days ($N = 19$)	0.0%	5.3%	*
No family support for recovery past 30 days $(N = 17)$	17.6%	11.8%	33.3%
Summary Measure 34.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 19)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 19)$	15.8%	15.8%	0.0%
Emotional/Behavioral/			
Cognitive Problem $(N = 19)$	73.7%	47.4%	35.7%
Cognitive Problem (N = 19) Resistance to Change (N = 19)	73.7% 89.5%	47.4% 73.7%	35.7% 17.6%
Resistance to Change (N = 19) Relapse/Continued Use	89.5%	73.7%	17.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Alliance Clinic LLC

3329 University Aveune SE Minneapolis, MN 55414

Provider Website: www.meridiannetwork.com

Patient Profile

<u>Gender (N = 121)</u>
Male: 67.8%

Race (N = 121)
White: 56.2%

Female: 32.2% Black: 30.6% 18 to 25: 19.0% American Indian: 10.7% 26 to 34: 25.6%

Hispanic: 0.8% 35 and older: 55.4%

County: Hennepin

Age (N = 121)

Under 18: 0.0%

Source of Referral

Self/family/relative/

(N = 121) .

Asian/Pacific Islander: 1.7%

Other: 0.0%

Primary Substance Source of Income

(N = 121) Alcohol: 0.0% (N = 121) Job: 9.9%

Methamphetamine: 0.0%Retirement/savings: 0.0%friends: 1.7%Marijuana: 0.0%Family/friends: 0.8%Employer/school: 0.0%Heroin: 62.0%No income: 47.9%Criminal justice: 3.3%Cocaine: 0.0%Public sources: 35.5%Professional: 15.7%

Other opiates: 38.0% Other sources: 5.8% County social

Other drugs: 0.0% service agency: 95.0% Other community resources: 0.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 121)

Completed program: 2.5%

Patient left without staff approval: 39.7% Staff requested/judged inappropriate: 19.8%

Death/other: 38.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Alliance Clinic LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =118)	7.6%	11.0%	0.0%
Not employed/student§ (N = 104)	89.4%	83.7%	6.5%
Arrests past 30 days (N = 121)	6.6%	14.9%	0.0%
Alcohol use past 30 days (N = 121)	33.1%	11.6%	65.0%
Drug use past 30 days (N = 121)	80.2%	54.5%	32.0%
No self-help group participation past 30 days (N = 51)	98.0%	62.7%	36.0%
No family support for recovery past 30 days $(N = 45)$	88.9%	15.6%	82.5%
Summary Measure 37.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 120)	89.2%	97.5%	0.0%
Biomedical Conditions and Complications $(N = 119)$	23.5%	30.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 119)	61.3%	72.3%	0.0%
Resistance to Change (N = 120)	31.7%	70.0%	0.0%
Relapse/Continued Use Potential (N = 120)	99.2%	96.7%	2.5%
Unsupportive Recovery Environment (N = 119)	65.5%	72.3%	0.0%
Summary Measure -18.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Amethyst Outpatient C.D. Program

1405 Silver Lake Road New Brighton, MN 55112

Provider Website:

Patient Profile

Gender (N = 186) Race (N = 186)Male: 71.5% White: 86.6% Female: 28.5% Black: 5.4%

> American Indian: 1.1% Hispanic: 3.2%

Asian/Pacific Islander: 1.1%

Other: 2.7%

Primary Substance (N = 186)

Alcohol: 71.0% Methamphetamine: 5.4%

Heroin: 3.2%

Marijuana: 15.6%

Cocaine: 1.1% Other opiates: 2.2% Other drugs: 1.6%

Source of Income

(N = 186)Job: 51.6%

Retirement/savings: 3.8% Family/friends: 24.7% No income: 0.5% Public sources: 17.7% Other sources: 1.6%

Age (N = 186)

County: Ramsey

Under 18: 0.0% 18 to 25: 18.8% 26 to 34: 29.6% 35 and older: 51.6%

Source of Referral

(N = 186) . Self/family/relative/ friends: 41.4%

Employer/school: 11.3% Criminal justice: 51.6% Professional: 22.6%

County social

service agency: 21.5%

Other community resources: 8.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 186)

Completed program: 62.9%

Patient left without staff approval: 14.0% Staff requested/judged inappropriate: 9.1%

Death/other: 14.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Amethyst Outpatient C.D. Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =185)	1.1%	0.5%	50.0%
Not employed/student§ (N = 186)	44.1%	37.6%	14.6%
Arrests past 30 days (N = 186)	10.2%	4.3%	57.9%
Alcohol use past 30 days (N = 186)	52.7%	17.7%	66.3%
Drug use past 30 days (N = 186)	24.7%	12.9%	47.8%
No self-help group participation past 30 days ($N = 184$)	71.2%	10.3%	85.5%
No family support for recovery past 30 days (N = 186)	1.1%	3.2%	0.0%
Summary Measure 57.7%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 184)	0.5%	1.1%	0.0%
Biomedical Conditions and Complications (N = 184)	5.4%	3.3%	40.0%
Emotional/Behavioral/ Cognitive Problem (N = 184)	93.5%	64.1%	31.4%
Resistance to Change (N = 184)	78.8%	48.4%	38.6%
Relapse/Continued Use Potential (N = 184)	97.3%	74.5%	23.5%
Unsupportive Recovery Environment (N = 184)	96.2%	90.8%	5.7%
Summary Measure 24.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.
100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

ANEWAY

518 2nd Avenue N.E. Staples, MN 56479

Provider Website:

Patient Profile

Gender (N = 67)
Male: 68.7%

Female: 31.3%

Primary Substance
(N = 67)

Alcohol: 68.7% Methamphetamine: 9.0%

Marijuana: 19.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 3.0%

Other drugs: 0.0%

Race (N = 67)

White: 94.0% Black: 0.0%

American Indian: 4.5% Hispanic: 1.5%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

 $\frac{(N = 67)}{\text{Job: } 40.3\%}$

Retirement/savings: 6.0% Family/friends: 17.9%

No income: 4.5% Public sources: 22.4% Other sources: 9.0% Age (N = 67)

County: Todd

Under 18: 0.0% 18 to 25: 29.9% 26 to 34: 26.9%

35 and older: 43.3%

Source of Referral

(N = 67).

Self/family/relative/ friends: 22.4% Employer/school: 0.0% Criminal justice: 56.7% Professional: 9.0%

County social

service agency: 79.1%

Other community resources: 4.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 67)

Completed program: 59.7%

Patient left without staff approval: 10.4% Staff requested/judged inappropriate: 22.4%

Death/other: 7.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

ANEWAY

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =65)	0.0%	0.0%	*
Not employed/student \S (N = 64)	51.6%	53.1%	0.0%
Arrests past 30 days (N = 64)	6.3%	4.7%	25.0%
Alcohol use past 30 days (N = 65)	20.0%	23.1%	0.0%
Drug use past 30 days (N = 65)	10.8%	12.3%	0.0%
No self-help group participation past 30 days ($N = 58$)	48.3%	31.0%	35.7%
No family support for recovery past 30 days $(N = 58)$	8.6%	3.5%	60.0%
Summary Measure 12.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 54$)	0.0%	1.9%	*
Biomedical Conditions and Complications $(N = 55)$	12.7%	5.5%	57.1%
Emotional/Behavioral/ Cognitive Problem (N = 55)	40.0%	14.5%	63.6%
Resistance to Change (N = 56)	64.3%	25.0%	61.1%
Relapse/Continued Use Potential (N = 56)	92.9%	37.5%	59.6%
Unsupportive Recovery Environment (N = 55)	92.7%	25.5%	72.5%
Summary Measure 63.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

^{*}DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

*100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\$}}$ Status at admission and discharge. II 100(Σ (% at admission - % at discharge)/ Σ (% at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anishinaabe-Miikana Gidamaajitaamin-Bois Forte

13090 Westley Drive #B Nett Lake, MN 55771

Provider Website:

Patient Profile

 Gender (N = 19)
 Race (N = 19)

 Male: 63.2%
 White: 5.3%

 Female: 36.8%
 Black: 0.0%

36.8% Black: 0.0% 18 to 25: 21.1% American Indian: 89.5% 26 to 34: 36.8% Hispanic: 5.3% 35 and older: 42.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 19) Alcohol: 84.2% Methamphetamine: 0.0% (N = 19) Job: 36.8% Retirement/

Marijuana: 10.5% Family/friends: 0.0% No income: 21.1% Cocaine: 0.0% Public sources: 21.1% Other opiates: 5.3% Other sources: 10.5%

 $\begin{array}{lll} (N=19) & (N=19) \\ \text{Job: } 36.8\% & \text{Self/family/relative/} \\ \text{Retirement/savings: } 10.5\% & \text{friends: } 26.3\% \\ \text{Family/friends: } 0.0\% & \text{Employer/school: } 10.5\% \\ \text{No income: } 21.1\% & \text{Criminal justice: } 57.9\% \\ \text{Public sources: } 21.1\% & \text{Professional: } 36.8\% \\ \text{Other sources: } 10.5\% & \text{County social} \\ \end{array}$

service agency: 5.3% Other community resources: 0.0%

AA: 5.3% Tribal: 15.8%

County: St. Louis

Age (N = 19)

Under 18: 0.0%

Source of Referral

Discharge Status

Other drugs: 0.0%

(N = 19)

Completed program: 73.7%

Patient left without staff approval: 15.8% Staff requested/judged inappropriate: 0.0%

Death/other: 10.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Anishinaabe-Miikana Gidamaajitaamin-Bois Forte

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =14)	0.0%	0.0%	*
Not employed/student \S (N = 16)	56.3%	68.8%	0.0%
Arrests past 30 days (N = 19)	21.1%	5.3%	75.0%
Alcohol use past 30 days (N = 19)	42.1%	10.5%	75.0%
Drug use past 30 days (N = 19)	5.3%	0.0%	100.0%
No self-help group participation past 30 days (N = 16)	56.3%	37.5%	33.3%
No family support for recovery past 30 days (N = 13)	15.4%	15.4%	0.0%
Summary Measure [∥] 30.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 19)	5.3%	5.3%	0.0%
Biomedical Conditions and Complications (N = 19)	42.1%	21.1%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 19)	68.4%	31.6%	53.8%
Resistance to Change (N = 19)	89.5%	57.9%	35.3%
Relapse/Continued Use Potential (N = 19)	89.5%	63.2%	29.4%
Unsupportive Recovery Environment ($N = 19$)	89.5%	52.6%	41.2%
Summary Measure 39.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD

1610 Farm Road South Tower, MN 55790

Provider Website:

Patient Profile

Gender (N = 16)Male: 56.3%

Female: 43.8%

Primary Substance

(N = 16)Alcohol: 93.8% Methamphetamine: 0.0%

Marijuana: 6.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Race (N = 16)

White: 18.8% Black: 0.0%

American Indian: 75.0% Hispanic: 6.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 16)Job: 50.0%

Retirement/savings: 0.0%

Family/friends: 0.0% No income: 18.8% Public sources: 18.8%

Other sources: 12.5%

Age (N = 16)

County: St. Louis

Under 18: 0.0% 18 to 25: 18.8% 26 to 34: 25.0%

35 and older: 56.3%

Source of Referral

(N = 16) .

Self/family/relative/ friends: 12.5% Employer/school: 6.3% Criminal justice: 81.3% Professional: 37.5%

County social

service agency: 6.3% Other community resources: 6.3%

AA: 0.0% Tribal: 12.5%

Discharge Status

(N = 16)

Completed program: 81.3%

Patient left without staff approval: 18.8% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =14)	7.1%	7.1%	0.0%
Not employed/student \S (N = 13)	46.2%	53.8%	0.0%
Arrests past 30 days (N = 15)	20.0%	0.0%	100.0%
Alcohol use past 30 days (N = 16)	6.3%	0.0%	100.0%
Drug use past 30 days (N = 16)	0.0%	0.0%	*
No self-help group participation past 30 days ($N = 13$)	76.9%	53.8%	30.0%
No family support for recovery past 30 days $(N = 12)$	41.7%	8.3%	80.0%
Summary Measure 37.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 16)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 16)	6.3%	6.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 16)	50.0%	18.8%	62.5%
Resistance to Change (N = 16)	75.0%	31.3%	58.3%
Relapse/Continued Use Potential (N = 16)	81.3%	43.8%	46.2%
Unsupportive Recovery Environment ($N = 16$)	87.5%	43.8%	50.0%
Summary Measure 52.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center

1517 East Highway 13 Burnsville, MN 55337

Provider Website: www.anthonylouiscenter.com

Patient Profile

 Gender (N = 97)
 Race (N = 97)

 Male: 73.2%
 White: 81.4%

 Female: 26.8%
 Black: 4.1%

American Indian: 1.0% 26 to 34: 0.0% Hispanic: 6.2% 35 and older: 0.0%

County: Dakota

Age (N = 97)

Under 18: 93.8%

Source of Referral

Self/family/relative/

friends: 85.6%

Employer/school: 13.4%

Criminal justice: 16.5%

(N = 97).

18 to 25: 6.2%

Asian/Pacific Islander: 2.1%

Other: 5.2%

Primary Substance Source of Income

(N = 97) Alcohol: 10.3% (N = 97) Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 90.7% Heroin: 0.0% No income: 8.3% Cocaine: 0.0% Public sources: 1.0%

Cocaine: 0.0% Public sources: 1.0% Professional: 49.5% Other opiates: 2.1% Other sources: 0.0% County social service agency: 8.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 97)

Completed program: 54.6%

Patient left without staff approval: 7.2% Staff requested/judged inappropriate: 2.1%

Death/other: 36.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Anthony Louis Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =97)	0.0%	0.0%	*
Not employed/student§ (N = 97)	0.0%	0.0%	*
Arrests past 30 days (N = 97)	4.1%	3.1%	25.0%
Alcohol use past 30 days (N = 97)	54.6%	19.6%	64.2%
Drug use past 30 days (N = 97)	76.3%	42.3%	44.6%
No self-help group participation past 30 days $(N = 52)$	65.4%	40.4%	38.2%
No family support for recovery past 30 days (N = 67)	1.5%	1.5%	0.0%
Summary Measure [∥] 47.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 97)	1.0%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 97)$	1.0%	2.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 97)	87.6%	75.3%	14.1%
Resistance to Change (N = 97)	75.3%	53.6%	28.8%
Relapse/Continued Use Potential (N = 97)	96.9%	87.6%	9.6%
Unsupportive Recovery Environment ($N = 97$)	94.8%	83.5%	12.0%
Summary Measure [∥] 15.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center North

1000 Paul Parkway Blaine, MN 55434

Provider Website:

Patient Profile

 Gender (N = 301)
 Race (N = 301)

 Male: 66.8%
 White: 69.4%

 Female: 33.2%
 Black: 10.0%

American Indian: 4.3% 26 to 34: 0.0% Hispanic: 8.0% 35 and older: 0.0%

Asian/Pacific Islander: 1.3%

Other: 7.0%

Primary Substance Source of Income

(N = 301) Alcohol: 10.3% (N = 301) Job: 0.0%

Methamphetamine: 1.7% Retirement/savings: 0.3% Marijuana: 84.7% Family/friends: 94.7% No income: 3.7% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 0.3% Other sources: 1.3% County social service agency: 7.0% Other community resources: 0.7%

AA: 0.0% Tribal: 0.0%

County: Anoka

Age (N = 301)

Under 18: 96.0%

Source of Referral

Self/family/relative/

friends: 70.1%

Professional: 23.6%

Employer/school: 0.7%

Criminal justice: 49.8%

(N = 301).

18 to 25: 4.0%

Discharge Status

(N = 301)

Completed program: 49.2%

Patient left without staff approval: 6.3% Staff requested/judged inappropriate: 16.9%

Death/other: 27.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Anthony Louis Center North

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =301)	0.3%	0.3%	0.0%
Not employed/student \S (N = 301)	0.0%	0.0%	*
Arrests past 30 days (N = 301)	13.0%	4.3%	66.7%
Alcohol use past 30 days (N = 301)	41.9%	7.0%	83.3%
Drug use past 30 days (N = 301)	85.7%	18.6%	78.3%
No self-help group participation past 30 days (N = 301)	97.0%	8.0%	91.8%
No family support for recovery past 30 days (N = 301)	5.7%	4.0%	29.4%
Summary Measure 82.7%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 301)	2.3%	1.0%	57.1%
Biomedical Conditions and Complications (N = 301)	2.7%	3.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 301)	92.4%	76.1%	17.6%
Resistance to Change (N = 301)	92.7%	54.2%	41.6%
Relapse/Continued Use Potential (N = 301)	99.7%	95.7%	4.0%
Unsupportive Recovery Environment (N = 301)	96.7%	85.7%	11.3%
Summary Measure 18.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center of Woodbury

7700 Hudson Road Woodbury, MN 55125

Provider Website:

Patient Profile

 Gender (N = 87)
 Race (N = 87)

 Male: 75.9%
 White: 85.1%

 Female: 24.1%
 Black: 3.5%

American Indian: 0.0% 26 to 34: 0.0% Hispanic: 4.6% 35 and older: 0.0%

Asian/Pacific Islander: 1.2%

Other: 5.8%

Primary Substance Source (N = 87) (N = 87)

Alcohol: 12.6% Methamphetamine: 0.0%

Marijuana: 80.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 6.9%

Source of Income

(N = 87)Job: 0.0%

> Retirement/savings: 0.0% Family/friends: 97.7% No income: 0.0% Public sources: 1.2% Other sources: 1.2%

Source of Referral

(N = 87) .

County: Washington

Age (N = 87)

Under 18: 93.1%

18 to 25: 6.9%

Self/family/relative/ friends: 50.6% Employer/school: 18.4% Criminal justice: 24.1%

Professional: 36.8% County social

service agency: 2.3% Other community

resources: 0.0% AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 87)

Completed program: 77.0%

Patient left without staff approval: 5.8% Staff requested/judged inappropriate: 1.2%

Death/other: 16.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Anthony Louis Center of Woodbury

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =87)	0.0%	0.0%	*
Not employed/student \S (N = 87)	2.3%	3.5%	0.0%
Arrests past 30 days (N = 87)	1.2%	1.2%	0.0%
Alcohol use past 30 days (N = 87)	42.5%	13.8%	67.6%
Drug use past 30 days (N = 87)	69.0%	31.0%	55.0%
No self-help group participation past 30 days (N = 87)	95.4%	82.8%	13.3%
No family support for recovery past 30 days $(N = 77)$	7.8%	13.0%	0.0%
Summary Measure 33.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 87)	1.2%	3.5%	0.0%
Biomedical Conditions and Complications $(N = 87)$	2.3%	1.2%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 87)	93.1%	49.4%	46.9%
Resistance to Change (N = 87)	80.5%	26.4%	67.1%
Relapse/Continued Use Potential (N = 87)	95.4%	69.0%	27.7%
Unsupportive Recovery Environment ($N = 87$)	97.7%	67.8%	30.6%
Summary Measure 41.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.
100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

ARK Counseling

1884 Berkshire Lane Plymouth, MN 55411

Provider Website: www.ark-lifestyle.com

Patient Profile

Gender (N = 128) Race (N = 128)Age (N = 128)Male: 71.9% White: 84.4%

Female: 28.1% Black: 7.8% 18 to 25: 32.8% American Indian: 0.0% 26 to 34: 25.8%

35 and older: 41.4% Hispanic: 1.6% Asian/Pacific Islander: 2.3%

County: Hennepin

Under 18: 0.0%

Source of Referral

Self/family/relative/

(N = 128) .

County social

Other: 3.9%

Primary Substance Source of Income (N = 128)(N = 128)

Alcohol: 74.2% Job: 42.2% Methamphetamine: 6.3% Retirement/savings: 0.8%

friends: 19.5% Family/friends: 36.7% Marijuana: 14.8% Employer/school: 1.6% Heroin: 2.3% No income: 7.8% Criminal justice: 66.4% Cocaine: 0.8% Public sources: 6.3% Professional: 7.0%

Other drugs: 0.8% service agency: 48.4%

Other sources: 6.3%

Other community resources: 49.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other opiates: 0.8%

(N = 128)

Completed program: 69.5%

Patient left without staff approval: 23.4% Staff requested/judged inappropriate: 0.8%

Death/other: 6.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

ARK Counseling

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =124)	0.0%	0.0%	*
Not employed/student \S (N = 123)	55.3%	30.9%	44.1%
Arrests past 30 days (N = 126)	0.8%	2.4%	0.0%
Alcohol use past 30 days (N = 128)	31.3%	6.3%	80.0%
Drug use past 30 days (N = 128)	18.8%	4.7%	75.0%
No self-help group participation past 30 days (N = 108)	69.4%	21.3%	69.3%
No family support for recovery past 30 days (N = 111)	4.5%	0.9%	80.0%
Summary Measure 63.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 125)	4.8%	1.6%	66.7%
Biomedical Conditions and Complications (N = 125)	4.0%	2.4%	40.0%
Emotional/Behavioral/ Cognitive Problem (N = 125)	60.0%	24.8%	58.7%
Resistance to Change (N = 125)	63.2%	28.8%	54.4%
Relapse/Continued Use Potential (N = 125)	95.2%	47.2%	50.4%
Unsupportive Recovery Environment (N = 125)	90.4%	92.8%	0.0%
Summary Measure 37.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.
100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\%\$ at admission - % at discharge)/\$\Sigma(\%\$ at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Arrowhead Center, Inc.

505 12th Avenue West Virginia, MN 55792

Provider Website:

Patient Profile

<u>Gender (N = 143)</u> Male: 60.8%

Female: 39.2%

emale: 39.2%

Primary Substance (N = 143)

Alcohol: 60.8%

Methamphetamine: 5.6% Marijuana: 22.4%

Heroin: 1.4% Cocaine: 0.0% Other opiates: 9.1%

Other drugs: 0.7%

Race (N = 143)

White: 83.9% Black: 2.1%

American Indian: 11.2%

Hispanic: 1.4%

Asian/Pacific Islander: 0.7%

Other: 0.7%

Source of Income

(N = 143)

Job: 40.6%

Retirement/savings: 4.9% Family/friends: 17.5%

No income: 5.6% Public sources: 20.3% Other sources: 11.2% Age (N = 143)

County: St. Louis

Under 18: 5.6% 18 to 25: 27.3% 26 to 34: 28.0%

35 and older: 39.2%

Source of Referral

(N = 143).

Self/family/relative/ friends: 23.8%

Employer/school: 3.5% Criminal justice: 75.5% Professional: 11.2%

County social

service agency: 30.1%

Other community resources: 2.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 143)

Completed program: 69.2%

Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 10.5%

Death/other: 9.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Arrowhead Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =139)	2.2%	1.4%	33.3%
Not employed/student \S (N = 133)	51.1%	39.8%	22.1%
Arrests past 30 days (N = 140)	5.7%	5.7%	0.0%
Alcohol use past 30 days (N = 143)	28.7%	7.7%	73.2%
Drug use past 30 days (N = 143)	24.5%	7.7%	68.6%
No self-help group participation past 30 days (N = 130)	60.0%	3.9%	93.6%
No family support for recovery past 30 days (N = 128)	7.8%	4.7%	40.0%
Summary Measure 60.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 127)	0.8%	1.6%	0.0%
Biomedical Conditions and Complications (N = 136)	0.7%	2.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 133)	26.3%	25.6%	2.9%
Resistance to Change (N = 137)	83.2%	23.4%	71.9%
Relapse/Continued Use Potential (N = 143)	100.0%	28.7%	71.3%
Unsupportive Recovery Environment (N = 141)	100.0%	28.4%	71.6%
Summary Measure 64.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Arrowhead Center, Inc.

1918 Arlington Avenue Duluth, MN 55811

Provider Website:

Patient Profile

Gender (N = 7)

Male: *

Female: *

Race (N = 7)

White: *

Black: *

American Indian: * 26 to 34: * Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income

(N = 7) Alcohol: * (N = 7) Job: *

Methamphetamine: * Retirement/savings: *
Marijuana: * Family/friends: *

Heroin: *

Cocaine: *

Other opiates: *

No income: *

Public sources: *

Other sources: *

Retirement/savings: * friends: *
Family/friends: * Employer/school: *
No income: * Criminal justice: *
Public sources: * Professional: *
Other sources: * County social
service agency: *

Other community resources: *
AA: *

Tribal: *

Source of Referral

Self/family/relative/

(N = 7).

County: St. Louis

Age (N = 7)

Under 18: *

18 to 25: *

Discharge Status

Other drugs: *

(N = 7)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Arrowhead Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =7)	*	*	*
Not employed/student \S (N = 7)	*	*	*
Arrests past 30 days (N = 6)	*	*	*
Alcohol use past 30 days (N = 7)	*	*	*
Drug use past 30 days (N = 7)	*	*	*
No self-help group participation past 30 days $(N = 5)$	*	*	*
No family support for recovery past 30 days (N = 7)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 7)$	*	*	*
Biomedical Conditions and Complications $(N = 7)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 7)	*	*	*
Resistance to Change $(N = 7)$	*	*	*
Relapse/Continued Use Potential (N = 7)	*	*	*
Unsupportive Recovery Environment (N = 7)	*	*	*
Summary Measure [∥] *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Ashley House, Inc. d.b.a. Road to Recovery

308 West Ashley Street Jackson, MN 56143

Provider Website:

Patient Profile

<u>Gender (N = 29)</u> Male: 62.1%

Female: 37.9%

Primary Substance

(N = 29) Alcohol: 55.2% Methamphetamine: 27.6%

Marijuana: 13.8% Heroin: 0.0% Cocaine: 3.5% Other opiates: 0.0%

Other drugs: 0.0%

Race (N = 29)

White: 96.6% Black: 0.0%

American Indian: 0.0% Hispanic: 0.0%

Asian/Pacific Islander: 3.5%

Other: 0.0%

Source of Income

 $\frac{(N = 29)}{\text{Job: } 44.8\%}$

Retirement/savings: 0.0%

Family/friends: 10.3% No income: 13.8% Public sources: 13.8% Other sources: 17.2% Age (N = 29)

County: Jackson

Under 18: 10.3% 18 to 25: 31.0% 26 to 34: 17.2%

35 and older: 41.4%

Source of Referral

(N = 29) .

Self/family/relative/ friends: 13.8% Employer/school: 0.0% Criminal justice: 51.7% Professional: 34.5%

County social

service agency: 55.2%

Other community resources: 3.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 29)

Completed program: 58.6%

Patient left without staff approval: 6.9% Staff requested/judged inappropriate: 0.0%

Death/other: 34.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Ashley House, Inc. d.b.a. Road to Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =28)	0.0%	0.0%	*
Not employed/student \S (N = 23)	43.5%	17.4%	60.0%
Arrests past 30 days (N = 29)	3.5%	10.3%	0.0%
Alcohol use past 30 days (N = 29)	31.0%	13.8%	55.6%
Drug use past 30 days (N = 29)	6.9%	10.3%	0.0%
No self-help group participation past 30 days (N = 22)	50.0%	31.8%	36.4%
No family support for recovery past 30 days (N = 20)	5.0%	0.0%	100.0%
Summary Measure 40.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 29$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 29)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 29)	27.6%	20.7%	25.0%
Resistance to Change $(N = 29)$	48.3%	41.4%	14.3%
Relapse/Continued Use Potential (N = 29)	89.7%	41.4%	53.8%
Unsupportive Recovery Environment (N = 28)	64.3%	35.7%	44.4%
Summary Measure 39.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Austin Medical-Mayo Health System

101 14th Street NW Austin, MN 55912

Provider Website: www.mayohealthsystem.org

Patient Profile

Gender (N = 198) Race (N = 198)Age (N = 198)Male: 72.2% White: 82.3% Female: 27.8% Black: 4.6%

18 to 25: 26.8% American Indian: 0.0% 26 to 34: 25.3% 35 and older: 39.9% Hispanic: 5.1%

County: Mower

Under 18: 8.1%

Source of Referral

Self/family/relative/

friends: 74.7%

Professional: 13.6%

Employer/school: 0.5%

Criminal justice: 56.6%

(N = 198) .

County social

Tribal: 0.0%

Asian/Pacific Islander: 4.0%

Other: 4.0%

Primary Substance Source of Income

(N = 198)(N = 198)Alcohol: 71.7% Job: 62.6%

Methamphetamine: 6.1% Retirement/savings: 1.0% Family/friends: 4.6% Marijuana: 18.7% Heroin: 0.5% No income: 20.7% Cocaine: 0.5% Public sources: 6.1%

Other drugs: 0.0% service agency: 2.0% Other community

Other sources: 5.1%

resources: 2.5% AA: 0.0%

Discharge Status

Other opiates: 2.5%

(N = 198)

Completed program: 66.2%

Patient left without staff approval: 19.7% Staff requested/judged inappropriate: 5.1%

Death/other: 9.1%

* Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Austin Medical-Mayo Health System

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =186)	0.0%	0.5%	*
Not employed/student§ (N = 183)	27.3%	24.0%	12.0%
Arrests past 30 days (N = 187)	5.4%	7.0%	0.0%
Alcohol use past 30 days (N = 192)	12.0%	9.9%	17.4%
Drug use past 30 days (N = 192)	13.5%	7.8%	42.3%
No self-help group participation past 30 days (N = 185)	37.3%	20.5%	44.9%
No family support for recovery past 30 days ($N = 178$)	8.4%	7.3%	13.3%
Summary Measure 25.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 176)	0.0%	1.7%	*
Biomedical Conditions and Complications (N = 176)	0.6%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 176)	17.0%	15.9%	6.7%
Resistance to Change (N = 176)	91.5%	24.4%	73.3%
Relapse/Continued Use Potential (N = 176)	97.2%	27.8%	71.3%
Unsupportive Recovery Environment (N = 176)	56.3%	24.4%	56.6%
Summary Measure 64.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0. † DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon - Crow Wing County Jail

313 Laurel Street Brainerd, MN 56401

Provider Website:

Patient Profile

 Gender (N = 31)
 Race (N = 31)

 Male: 100.0%
 White: 83.9%

 Female: 0.0%
 Black: 3.2%

American Indian: 6.5% 26 to 34: 22.6% Hispanic: 6.5% 35 and older: 32.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 31) Alcohol: 54.8% (N = 31) Job: 41.9%

Methamphetamine: 32.3% Retirement/savings: 0.0% Marijuana: 6.5% Family/friends: 6.5% Heroin: 0.0% No income: 35.5% Cocaine: 0.0% Public sources: 3.2% Other opiates: 3.2% Other sources: 12.9%

(N = 31)
Self/family/relative/
friends: 96.8%
Employer/school: 0.0%
Criminal justice: 3.2%
Professional: 0.0%
County social

service agency: 100.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Crow Wing

Age (N = 31)

Under 18: 0.0%

18 to 25: 45.2%

Source of Referral

Discharge Status

Other drugs: 3.2%

(N = 31)

Completed program: 41.9%

Patient left without staff approval: 3.2% Staff requested/judged inappropriate: 0.0%

Death/other: 54.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon - Crow Wing County Jail

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =31)	3.2%	0.0%	100.0%
Not employed/student \S (N = 31)	93.5%	93.5%	0.0%
Arrests past 30 days (N = 31)	38.7%	6.5%	83.3%
Alcohol use past 30 days (N = 31)	19.4%	3.2%	83.3%
Drug use past 30 days (N = 31)	12.9%	3.2%	75.0%
No self-help group participation past 30 days (N = 31)	25.8%	6.5%	75.0%
No family support for recovery past 30 days $(N = 31)$	12.9%	6.5%	50.0%
Summary Measure 42.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 31$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 31)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 31)	45.2%	32.3%	28.6%
Resistance to Change (N = 31)	90.3%	38.7%	57.1%
Relapse/Continued Use Potential (N = 31)	100.0%	67.7%	32.3%
Unsupportive Recovery Environment (N = 31)	100.0%	83.9%	16.1%
Summary Measure 33.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.
100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Program of Pine City

645 3rd Ave SW Pine City, MN 55063

Provider Website:

Patient Profile

Gender (N = 85)Race (N = 85)Male: 55.3% White: 85.9% Female: 44.7% Black: 0.0%

> American Indian: 5.9% 26 to 34: 32.9% 35 and older: 45.9% Hispanic: 2.4%

Asian/Pacific Islander: 2.4%

Other: 3.5%

Primary Substance Source of Income

(N = 85)(N = 85)Alcohol: 61.2% Job: 29.4%

Methamphetamine: 18.8% Retirement/savings: 1.2% Marijuana: 16.5% Heroin: 1.2% No income: 21.2% Cocaine: 0.0%

Family/friends: 4.7% Employer/school: 0.0% Criminal justice: 70.6% Public sources: 22.4% Professional: 22.4% Other opiates: 2.4% Other sources: 21.2% County social Other drugs: 0.0%

service agency: 11.8% Other community resources: 0.0%

> AA: 0.0% Tribal: 1.2%

County: Pine

Age (N = 85)

Under 18: 0.0%

18 to 25: 21.2%

Source of Referral

Self/family/relative/

friends: 36.5%

(N = 85).

Discharge Status

(N = 85)

Completed program: 50.6%

Patient left without staff approval: 24.7% Staff requested/judged inappropriate: 0.0%

Death/other: 24.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Program of Pine City

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =84)	0.0%	0.0%	*
Not employed/student \S (N = 80)	72.5%	70.0%	3.5%
Arrests past 30 days (N = 85)	8.2%	7.1%	14.3%
Alcohol use past 30 days (N = 85)	24.7%	7.1%	71.4%
Drug use past 30 days (N = 85)	20.0%	2.4%	88.2%
No self-help group participation past 30 days (N = 70)	44.3%	47.1%	0.0%
No family support for recovery past 30 days $(N = 47)$	4.3%	2.1%	50.0%
Summary Measure [∥] 22.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 85$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 85)	2.4%	1.2%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 85)	5.9%	3.5%	40.0%
Resistance to Change $(N = 85)$	11.8%	21.2%	0.0%
Relapse/Continued Use Potential (N = 85)	85.9%	38.8%	54.8%
Unsupportive Recovery Environment $(N = 85)$	24.7%	17.6%	28.6%
Summary Measure [∥] 36.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Program Sturgeon Lake

645 3rd Ave. SW

Sturgeon Lake, MN 55783 County: Pine

Provider Website:

Patient Profile

 Gender (N = 26)
 Race (N = 26)
 Age (N = 26)

 Male: 69.2%
 White: 92.3%
 Under 18: 0.0%

 Female: 30.8%
 Black: 0.0%
 18 to 25: 23.1%

emale: 30.8% Black: 0.0% 18 to 25: 23.1% American Indian: 3.9% 26 to 34: 19.2%

Hispanic: 0.0% 35 and older: 57.7%

Asian/Pacific Islander: 0.0%

Other: 3.9%

Primary Substance Source of Income Source of Referral (N = 26) (N = 26) (N = 26) .

(N = 26)(N = 26)(N = 26)Alcohol: 57.7%Job: 26.9%Self/family/relative/Methamphetamine: 11.5%Retirement/savings: 3.9%friends: 15.4%

Marijuana: 23.1% Family/friends: 3.9% Employer/school: 0.0% Heroin: 0.0% No income: 23.1% Criminal justice: 84.6% Cocaine: 0.0% Public sources: 15.4% Professional: 11.5%

Other opiates: 7.7% Other sources: 26.9% County social

Other drugs: 0.0% service agency: 76.9% Other community

resources: 0.0% AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 26)

Completed program: 50.0%

Patient left without staff approval: 26.9% Staff requested/judged inappropriate: 0.0%

Death/other: 23.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Program Sturgeon Lake

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =26)	0.0%	0.0%	*
Not employed/student§ (N = 25)	80.0%	60.0%	25.0%
Arrests past 30 days (N = 26)	11.5%	3.9%	66.7%
Alcohol use past 30 days (N = 26)	19.2%	0.0%	100.0%
Drug use past 30 days (N = 26)	19.2%	0.0%	100.0%
No self-help group participation past 30 days (N = 25)	60.0%	60.0%	0.0%
No family support for recovery past 30 days $(N = 24)$	16.7%	4.2%	75.0%
Summary Measure [∥] 38.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 26$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 26)	0.0%	7.7%	*
Emotional/Behavioral/ Cognitive Problem (N = 26)	11.5%	7.7%	33.3%
Resistance to Change (N = 26)	15.4%	38.5%	0.0%
Relapse/Continued Use Potential (N = 26)	92.3%	53.8%	41.7%
Unsupportive Recovery Environment ($N = 26$)	53.8%	42.3%	21.4%
Summary Measure 13.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Program-Aitkin County

15 Washington Street Aitkin, MN 56401

Provider Website:

Patient Profile

 Gender (N = 34)
 Race (N = 34)

 Male: 61.8%
 White: 91.2%

 Female: 38.2%
 Black: 0.0%

American Indian: 5.9% 26 to 34: 44.1% Hispanic: 0.0% 35 and older: 38.2%

Asian/Pacific Islander: 0.0%

Other: 2.9%

Primary Substance

(N = 34)Alcohol: 79.4%

Methamphetamine: 2.9% Marijuana: 14.7% Heroin: 0.0% Cocaine: 0.0%

Other opiates: 2.9% Other drugs: 0.0% Source of Income

 $\frac{(N = 34)}{\text{Job: } 32.4\%}$

Retirement/savings: 0.0% Family/friends: 29.4% No income: 20.6% Public sources: 5.9% Other sources: 11.8% Source of Referral

(N = 34).

Age (N = 34)

Under 18: 0.0%

18 to 25: 17.6%

County: Aitkin

Self/family/relative/ friends: 11.8% Employer/school: 0.0% Criminal justice: 85.3% Professional: 23.5%

County social

service agency: 32.4%

Other community resources: 2.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 34)

Completed program: 82.4%

Patient left without staff approval: 14.7% Staff requested/judged inappropriate: 0.0%

Death/other: 2.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Program-Aitkin County

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =34)	0.0%	0.0%	*
Not employed/student \S (N = 32)	71.9%	43.8%	39.1%
Arrests past 30 days (N = 34)	0.0%	2.9%	*
Alcohol use past 30 days (N = 34)	8.8%	2.9%	66.7%
Drug use past 30 days (N = 34)	8.8%	2.9%	66.7%
No self-help group participation past 30 days (N = 34)	58.8%	47.1%	20.0%
No family support for recovery past 30 days (N = 33)	3.0%	3.0%	0.0%
Summary Measure [∥] 32.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 32$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 32)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 32)	6.3%	0.0%	100.0%
Resistance to Change $(N = 32)$	28.1%	0.0%	100.0%
Relapse/Continued Use Potential (N = 32)	100.0%	12.5%	87.5%
Unsupportive Recovery Environment (N = 32)	65.6%	6.3%	90.5%
Summary Measure 90.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Program-Midway

1885 University Ave. St. Paul, MN 55104

Provider Website: www.meridiannetwork.com

Patient Profile

 $\frac{\text{Gender (N = 210)}}{\text{Male: 0.0\%}}$

Female: 100.0%

Race (N = 210) White: 49.0%

Black: 28.1%

American Indian: 8.1%

Hispanic: 6.2%

Asian/Pacific Islander: 4.8%

Other: 3.8%

Primary Substance

(N = 210)

Alcohol: 48.1%

Methamphetamine: 15.7% Marijuana: 13.8%

Heroin: 4.3% Cocaine: 11.0% Other opiates: 5.7%

Other drugs: 1.4%

Source of Income

(N = 210)

Job: 16.7%

Retirement/savings: 1.4% Family/friends: 18.6%

No income: 11.9% Public sources: 35.2%

Other sources: 16.2%

Age (N = 210)

County: Ramsey

Under 18: 0.0% 18 to 25: 22.9%

26 to 34: 31.9%

35 and older: 45.2%

Source of Referral

(N = 210).

Self/family/relative/ friends: 38.1%

Employer/school: 1.0% Criminal justice: 52.4% Professional: 23.3%

County social

service agency: 43.3%

Other community resources: 11.9%

AA: 1.0% Tribal: 0.5%

Discharge Status

(N = 210)

Completed program: 39.5%

Patient left without staff approval: 38.6% Staff requested/judged inappropriate: 1.0%

Death/other: 21.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Program-Midway

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =195)	2.1%	2.6%	0.0%
Not employed/student§ (N = 187)	74.9%	74.3%	0.7%
Arrests past 30 days (N = 198)	15.7%	5.1%	67.7%
Alcohol use past 30 days (N = 143)	21.0%	5.6%	73.3%
Drug use past 30 days (N = 143)	18.2%	4.2%	76.9%
No self-help group participation past 30 days (N = 156)	48.1%	21.2%	56.0%
No family support for recovery past 30 days $(N = 169)$	3.6%	1.8%	50.0%
Summary Measure 37.5%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 146)	0.7%	2.7%	0.0%
Biomedical Conditions and Complications (N = 173)	5.2%	9.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 173)	69.9%	53.2%	24.0%
Resistance to Change (N = 176)	34.7%	46.6%	0.0%
Relapse/Continued Use Potential (N = 177)	97.7%	68.4%	30.1%
Unsupportive Recovery Environment (N = 177)	83.1%	59.3%	28.6%
Summary Measure 17.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\%\$ at admission - % at discharge)/\$\Sigma(\%\$ at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC Eagan

1230 Eagan Industrial Blvd. Eagan, MN 55121

Provider Website:

Patient Profile

Gender (N = 56)Race (N = 56)Male: 71.4% White: 71.4% Female: 28.6% Black: 12.5%

18 to 25: 35.7% American Indian: 0.0% 26 to 34: 19.6% 35 and older: 44.6% Hispanic: 8.9%

Asian/Pacific Islander: 1.8%

Other: 5.4%

Primary Substance Source of Income

(N = 56)(N = 56)Alcohol: 76.8% Job: 44.6%

Methamphetamine: 1.8% Retirement/savings: 1.8% Family/friends: 19.6% Marijuana: 14.3% Heroin: 1.8% No income: 8.9% Cocaine: 1.8% Public sources: 14.3%

Other sources: 10.7% Other opiates: 1.8%

(N = 56) . Self/family/relative/ friends: 42.9%

Source of Referral

Employer/school: 3.6% Criminal justice: 53.6% Professional: 21.4%

County social

County: Dakota

Age (N = 56)

Under 18: 0.0%

service agency: 23.2%

Other community resources: 7.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.8%

(N = 56)

Completed program: 48.2%

Patient left without staff approval: 23.2% Staff requested/judged inappropriate: 12.5%

Death/other: 16.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Programs LLC Eagan

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =56)	7.1%	3.6%	50.0%
Not employed/student \S (N = 54)	48.1%	48.1%	0.0%
Arrests past 30 days (N = 56)	10.7%	1.8%	83.3%
Alcohol use past 30 days (N = 56)	39.3%	10.7%	72.7%
Drug use past 30 days (N = 56)	19.6%	10.7%	45.5%
No self-help group participation past 30 days $(N = 48)$	77.1%	43.8%	43.2%
No family support for recovery past 30 days $(N = 45)$	6.7%	2.2%	66.7%
Summary Measure 42.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 56)	1.8%	1.8%	0.0%
Biomedical Conditions and Complications $(N = 56)$	7.1%	8.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 56)	46.4%	33.9%	26.9%
Resistance to Change (N = 56)	32.1%	42.9%	0.0%
Relapse/Continued Use Potential (N = 56)	83.9%	53.6%	36.2%
Unsupportive Recovery Environment ($N = 56$)	76.8%	60.7%	20.9%
Summary Measure 18.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC of Cottage Grove

7501 80th Street South #6 Cottage Grove, MN 55016

Provider Website:

Patient Profile

 Gender (N = 27)
 Race (N = 27)

 Male: 66.7%
 White: 88.9%

 Female: 33.3%
 Black: 3.7%

Female: 33.3% Black: 3.7% American Indian: 0.0% Hispanic: 3.7%

Asian/Pacific Islander: 0.0%

Other: 3.7%

Primary Substance Source of Income

(N = 27) Alcohol: 85.2% Methamphetamine: 3.7% (N = 27) Job: 48.1% Retirement/

Marijuana: 3.7% Family/friends: 11.1% Heroin: 0.0% No income: 7.4% Cocaine: 0.0% Public sources: 18.5% Other opiates: 3.7% Other sources: 11.1%

Family/friends: 11.1% Employer/school: 7.4% No income: 7.4% Criminal justice: 55.6% Public sources: 18.5% Professional: 25.9% Other sources: 11.1% County social

service agency: 0.0% Other community resources: 3.7%

AA: 0.0% Tribal: 0.0%

County: Washington

Age (N = 27)

Under 18: 0.0%

18 to 25: 7.4%

26 to 34: 33.3% 35 and older: 59.3%

Source of Referral

Discharge Status

Other drugs: 3.7%

(N = 27)

Completed program: 48.1%

Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 7.4%

Death/other: 11.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Programs LLC of Cottage Grove

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =27)	0.0%	0.0%	*
Not employed/student§ (N = 27)	40.7%	22.2%	45.5%
Arrests past 30 days (N = 27)	3.7%	7.4%	0.0%
Alcohol use past 30 days (N = 27)	37.0%	29.6%	20.0%
Drug use past 30 days (N = 27)	18.5%	11.1%	40.0%
No self-help group participation past 30 days (N = 26)	69.2%	38.5%	44.4%
No family support for recovery past 30 days (N = 25)	4.0%	8.0%	0.0%
Summary Measure [∥] 32.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 26$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 27)	3.7%	7.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 27)	29.6%	33.3%	0.0%
Resistance to Change (N = 27)	29.6%	37.0%	0.0%
Relapse/Continued Use Potential (N = 27)	85.2%	63.0%	26.1%
Unsupportive Recovery Environment ($N = 27$)	48.1%	40.7%	15.4%
Summary Measure 7.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC Stillwater

1825 Curve Crest Blvd West Stillwater, MN 55082

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 67)
 Race (N = 67)

 Male: 73.1%
 White: 98.5%

 Female: 26.9%
 Black: 1.5%

American Indian: 0.0% 26 to 34: 40.3% Hispanic: 0.0% 35 and older: 25.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 1.5% Retirement/savings: 1.5% Family/friends: 7.5% Heroin: 3.0% No income: 26.9% Cocaine: 1.5% Public sources: 3.0% Other opiates: 7.5% Other sources: 13.4%

No income: 26.9% Criminal justice: 49.3% Public sources: 3.0% Professional: 19.4% County social service agency: 6.0% Other community resources: 6.0%

AA: 0.0% Tribal: 0.0%

County: Washington

Age (N = 67)

Under 18: 0.0%

18 to 25: 34.3%

Source of Referral

Self/family/relative/

friends: 43.3%

Employer/school: 7.5%

(N = 67).

Discharge Status

Other drugs: 1.5%

(N = 67)

Completed program: 64.2%

Patient left without staff approval: 22.4% Staff requested/judged inappropriate: 0.0%

Death/other: 13.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Programs LLC Stillwater

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =59)	1.7%	1.7%	0.0%
Not employed/student \S (N = 59)	35.6%	30.5%	14.3%
Arrests past 30 days (N = 66)	7.6%	1.5%	80.0%
Alcohol use past 30 days (N = 67)	41.8%	11.9%	71.4%
Drug use past 30 days (N = 67)	25.4%	10.4%	58.8%
No self-help group participation past 30 days (N = 52)	75.0%	46.2%	38.5%
No family support for recovery past 30 days $(N = 54)$	18.5%	18.5%	0.0%
Summary Measure 41.2%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 67$)	0.0%	3.0%	*
Biomedical Conditions and Complications $(N = 67)$	6.0%	3.0%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 67)	34.3%	25.4%	26.1%
Resistance to Change (N = 67)	37.3%	34.3%	8.0%
Relapse/Continued Use Potential (N = 67)	83.6%	43.3%	48.2%
Unsupportive Recovery Environment $(N = 67)$	64.2%	47.8%	25.6%
Summary Measure 30.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC-Ramsey County Correctional Facility

297 Century Avenue Maplewood, MN 55119

Provider Website:

Patient Profile

Gender (N = 135)

Male: 100.0%

Female: 0.0%

Female: 0.0%

Primary Substance
(N = 135)
Alcohol: 43.7%
Methamphetamine: 11.9%

Marijuana: 33.3% Heroin: 5.2% Cocaine: 5.2% Other opiates: 0.7% Other drugs: 0.0% Race (N = 135) White: 31.9% Black: 47.4%

American Indian: 3.0% Hispanic: 7.4%

Asian/Pacific Islander: 7.4% Other: 3.0%

Source of Income

 $\frac{(N = 135)}{\text{Job: } 36.3\%}$

Retirement/savings: 0.0% Family/friends: 11.9% No income: 31.9% Public sources: 12.6% Other sources: 7.4% Age (N = 135)

County: Ramsey

Under 18: 0.0% 18 to 25: 32.6% 26 to 34: 34.1% 35 and older: 33.3%

Source of Referral (N = 135). Self/family/relative/

friends: 5.2%
Employer/school: 0.0%
Criminal justice: 97.0%
Professional: 0.7%
County social

service agency: 94.8%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 135)

Completed program: 64.4%

Patient left without staff approval: 27.4% Staff requested/judged inappropriate: 2.2%

Death/other: 5.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Programs LLC-Ramsey County Correctional Facility

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =103)	1.9%	1.0%	50.0%
Not employed/student \S (N = 87)	86.2%	56.3%	34.7%
Arrests past 30 days (N = 135)	18.5%	5.9%	68.0%
Alcohol use past 30 days (N = 135)	20.7%	5.9%	71.4%
Drug use past 30 days (N = 135)	17.8%	4.4%	75.0%
No self-help group participation past 30 days (N = 86)	47.7%	17.4%	63.4%
No family support for recovery past 30 days (N = 100)	18.0%	5.0%	72.2%
Summary Measure 54.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 131)	0.0%	0.8%	*
Biomedical Conditions and Complications $(N = 131)$	0.0%	1.5%	*
Emotional/Behavioral/ Cognitive Problem (N = 131)	13.7%	8.4%	38.9%
Resistance to Change (N = 131)	2.3%	17.6%	0.0%
Relapse/Continued Use Potential (N = 131)	98.5%	38.2%	61.2%
Unsupportive Recovery Environment (N = 128)	53.1%	25.8%	51.5%
Summary Measure 45.0%			

* Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Prospect Park

2800 University Ave SE Minneapolis, MN 55414

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 73)
 Race (N = 73)
 Age (N = 73)

 Male: 100.0%
 White: 75.3%
 Under 18: 0.0%

 Female: 0.0%
 Black: 12.3%
 18 to 25: 28.8%

American Indian: 4.1% 26 to 34: 30.1% Hispanic: 2.7% 35 and older: 41.1%

Asian/Pacific Islander: 4.1%

Other: 1.4%

Primary Substance Source of Income

Methamphetamine: 2.7% Retirement/savings: 2.7% Marijuana: 19.2% Family/friends: 12.3% No income: 16.4% Cocaine: 1.4% Public sources: 17.8%

Other opiates: 5.5%

Other sources: 4.1%

N = 73) Self/family/relative/ friends: 45.2%

Source of Referral

Employer/school: 6.9% Criminal justice: 47.9% Professional: 34.2%

County social

County: Hennepin

service agency: 16.4%

Other community resources: 12.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 73)

Completed program: 47.9%

Patient left without staff approval: 27.4% Staff requested/judged inappropriate: 4.1%

Death/other: 20.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon Prospect Park

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =72)	2.8%	2.8%	0.0%
Not employed/student \S (N = 72)	50.0%	43.1%	13.9%
Arrests past 30 days (N = 72)	6.9%	2.8%	60.0%
Alcohol use past 30 days (N = 72)	38.9%	13.9%	64.3%
Drug use past 30 days (N = 72)	23.6%	16.7%	29.4%
No self-help group participation past 30 days (N = 72)	50.0%	33.3%	33.3%
No family support for recovery past 30 days $(N = 72)$	4.2%	4.2%	0.0%
Summary Measure 33.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 72$)	1.4%	2.8%	0.0%
Biomedical Conditions and Complications $(N = 72)$	5.6%	11.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 72)	61.1%	41.7%	31.8%
Resistance to Change (N = 72)	41.7%	44.4%	0.0%
Relapse/Continued Use Potential (N = 72)	90.3%	55.6%	38.5%
Unsupportive Recovery Environment $(N = 72)$	81.9%	55.6%	32.2%
Summary Measure 25.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.
100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Brainerd

15 Washington Street Brainerd, MN 56401

Provider Website:

Patient Profile

Gender (N = 58)Race (N = 58)Male: 39.7% White: 89.7% Female: 60.3% Black: 3.5%

> American Indian: 6.9% 26 to 34: 34.5% 35 and older: 39.7% Hispanic: 0.0%

County: Crow Wing

Age (N = 58)

Under 18: 0.0%

18 to 25: 25.9%

Source of Referral

Self/family/relative/

friends: 25.9%

resources: 5.2%

AA: 0.0% Tribal: 0.0%

Employer/school: 0.0%

(N = 58).

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 58)(N = 58)Alcohol: 53.4% Job: 31.0%

Methamphetamine: 15.5% Retirement/savings: 0.0% Family/friends: 15.5% Marijuana: 17.2% Heroin: 0.0% No income: 12.1% Cocaine: 1.7% Public sources: 25.9%

Criminal justice: 32.8% Professional: 17.2% Other sources: 15.5% County social Other opiates: 10.3% Other drugs: 1.7% service agency: 82.8% Other community

Discharge Status

(N = 58)

Completed program: 55.2%

Patient left without staff approval: 22.4% Staff requested/judged inappropriate: 12.1%

Death/other: 10.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Avalon-Brainerd

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =58)	3.5%	1.7%	50.0%
Not employed/student \S (N = 56)	69.6%	60.7%	12.8%
Arrests past 30 days (N = 58)	8.6%	8.6%	0.0%
Alcohol use past 30 days (N = 58)	17.2%	24.1%	0.0%
Drug use past 30 days (N = 58)	25.9%	19.0%	26.7%
No self-help group participation past 30 days (N = 57)	61.4%	26.3%	57.1%
No family support for recovery past 30 days $(N = 54)$	20.4%	18.5%	9.1%
Summary Measure [∥] 23.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 58$)	0.0%	1.7%	*
Biomedical Conditions and Complications (N = 58)	6.9%	5.2%	25.0%
Emotional/Behavioral/ Cognitive Problem (N = 58)	36.2%	29.3%	19.0%
Resistance to Change (N = 58)	48.3%	50.0%	0.0%
Relapse/Continued Use Potential (N = 58)	98.3%	56.9%	42.1%
Unsupportive Recovery Environment $(N = 58)$	81.0%	50.0%	38.3%
Summary Measure 28.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bell Hill Recovery Center

12214 200th Street Wadena, MN 56482

Provider Website:

Patient Profile

 Gender (N = 46)
 Race (N = 46)

 Male: 100.0%
 White: 71.7%

 Female: 0.0%
 Black: 21.7%

American Indian: 4.4% 26 t Hispanic: 0.0% 35 a

Asian/Pacific Islander: 0.0%

Other: 2.2%

Primary Substance

(N = 46) Alcohol: 71.7% Methamphetamine: 4.4%

Marijuana: 8.7% Heroin: 6.5% Cocaine: 8.7% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 46)Job: 6.5%

> Retirement/savings: 2.2% Family/friends: 2.2% No income: 34.8% Public sources: 54.3%

Other sources: 0.0%

Age (N = 46)

County: Wadena

Under 18: 0.0% 18 to 25: 13.0% 26 to 34: 15.2% 35 and older: 71.7%

Source of Referral

 $\frac{(N = 46)}{C_0 + f_0 + f_0 + f_0}$

Self/family/relative/ friends: 19.6% Employer/school: 0.0% Criminal justice: 30.4% Professional: 17.4%

County social

service agency: 82.6%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 46)

Completed program: 54.3%

Patient left without staff approval: 32.6% Staff requested/judged inappropriate: 6.5%

Death/other: 6.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Bell Hill Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =45)	17.8%	0.0%	100.0%
Not employed/student \S (N = 45)	97.8%	97.8%	0.0%
Arrests past 30 days (N = 46)	13.0%	2.2%	83.3%
Alcohol use past 30 days (N = 46)	71.7%	21.7%	69.7%
Drug use past 30 days (N = 46)	32.6%	4.4%	86.7%
No self-help group participation past 30 days (N = 43)	51.2%	14.0%	72.7%
No family support for recovery past 30 days (N = 43)	20.9%	20.9%	0.0%
Summary Measure [∥] 47.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 45$)	2.2%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 45)$	6.7%	8.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 45)	97.8%	93.3%	4.6%
Resistance to Change $(N = 45)$	100.0%	95.6%	4.4%
Relapse/Continued Use Potential (N = 45)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment (N = 45)	100.0%	97.8%	2.2%
Summary Measure [∥] 2.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bemidji Area Program for Recovery

403 4th St. NW Bemidji, MN 56601

Provider Website:

Patient Profile

Gender (N = 15)Race (N = 15)Male: 60.0% White: 33.3% Female: 40.0% Black: 0.0%

American Indian: 33.3%

Hispanic: 6.7%

Asian/Pacific Islander: 0.0%

Other: 26.7%

Primary Substance

(N = 15)Alcohol: 66.7%

Methamphetamine: 6.7% Marijuana: 20.0% Heroin: 0.0% Cocaine: 0.0%

Other opiates: 0.0% Other drugs: 6.7%

Source of Income

(N = 15)Job: 6.7%

> Retirement/savings: 0.0% Family/friends: 33.3% No income: 20.0%

Public sources: 13.3% Other sources: 26.7%

Age (N = 15)

County: Beltrami

Under 18: 53.3% 18 to 25: 20.0% 26 to 34: 20.0%

35 and older: 6.7%

Source of Referral

(N = 15).

Self/family/relative/ friends: 6.7%

Employer/school: 0.0% Criminal justice: 6.7% Professional: 0.0%

County social

service agency: 93.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 15)

Completed program: 46.7%

Patient left without staff approval: 40.0% Staff requested/judged inappropriate: 0.0%

Death/other: 13.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Bemidji Area Program for Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =15)	0.0%	0.0%	*
Not employed/student \S (N = 13)	38.5%	38.5%	0.0%
Arrests past 30 days (N = 15)	26.7%	13.3%	50.0%
Alcohol use past 30 days (N = 15)	26.7%	20.0%	25.0%
Drug use past 30 days (N = 15)	26.7%	6.7%	75.0%
No self-help group participation past 30 days (N = 12)	83.3%	8.3%	90.0%
No family support for recovery past 30 days (N = 9)	*	*	*
Summary Measure 51.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 15)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 15)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 15)	66.7%	60.0%	10.0%
Resistance to Change $(N = 15)$	73.3%	60.0%	18.2%
Relapse/Continued Use Potential (N = 15)	86.7%	46.7%	46.2%

Summary Measure 33.3%

Unsupportive Recovery Environment (N = 15)

73.3% 33.3%

54.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bemidji Area Program for Recovery Steps to Freedom Jaim Program

626 Minnesota Ave NW Bemidji, MN 56601

Provider Website:

Patient Profile

 Gender (N = 4)
 Race (N = 4)
 Age (N = 4)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

(N=4) (N=4) (N=4) Self/family/relative/

Methamphetamine: * Retirement/savings: * friends: *

Marijuana: * Family/friends: * Employer/school: *

Heroin: * No income: * Criminal justice: *

Cocaine: * Public sources: * Professional: *

Other opiates: * Other sources: * County social Service agency: * Other community

resources: *
AA: *
Tribal: *

County: Beltrami

Discharge Status

(N = 4)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Bemidji Area Program for Recovery Steps to Freedom Jaim Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =4)	*	*	*
Not employed/student \S (N = 4)	*	*	*
Arrests past 30 days (N = 4)	*	*	*
Alcohol use past 30 days (N = 4)	*	*	*
Drug use past 30 days (N = 4)	*	*	*
No self-help group participation past 30 days (N = 3)	*	*	*
No family support for recovery past 30 days (N = 0)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 4)$	*	*	*
Biomedical Conditions and Complications $(N = 4)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 4)	*	*	*
Resistance to Change $(N = 4)$	*	*	*
Relapse/Continued Use Potential (N = 4)	*	*	*
Unsupportive Recovery Environment $(N = 4)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bethel Port Rehabilitation Center

23 Mesaba Avenue Duluth, MN 55806

Provider Website:

Patient Profile

<u>Gender (N = 302)</u> Male: 81.5%

Female: 18.5%

Primary Substance

(N = 302)Alcohol: 62.3%

Methamphetamine: 12.9% Marijuana: 13.9%

Heroin: 0.3% Cocaine: 2.7% Other opiates: 8.0%

Other drugs: 0.0%

Race (N = 302)

White: 82.5% Black: 5.0%

American Indian: 6.3% Hispanic: 3.0%

Asian/Pacific Islander: 1.7%

Other: 1.7%

Source of Income

(N = 302)Job: 38.4%

Retirement/savings: 1.0% Family/friends: 6.0% No income: 23.5%

Public sources: 22.8% Other sources: 8.3% Age (N = 302)

County: St. Louis

Under 18: 0.0% 18 to 25: 22.8% 26 to 34: 31.8%

35 and older: 45.4%

Source of Referral

(N = 302) .

Self/family/relative/ friends: 11.9% Employer/school: 0.3% Criminal justice: 75.2% Professional: 27.5%

County social

service agency: 44.0%

Other community resources: 2.0%

AA: 0.0% Tribal: 0.3%

Discharge Status

(N = 302)

Completed program: 66.9%

Patient left without staff approval: 14.6% Staff requested/judged inappropriate: 4.0%

Death/other: 14.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Bethel Port Rehabilitation Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 280)	2.9%	2.9%	0.0%
Not employed/student§ (N = 270)	56.3%	42.6%	24.3%
Arrests past 30 days (N = 286)	7.0%	10.1%	0.0%
Alcohol use past 30 days (N = 300)	18.0%	7.7%	57.4%
Drug use past 30 days (N = 300)	14.3%	7.7%	46.5%
No self-help group participation past 30 days (N = 261)	47.1%	21.5%	54.5%
No family support for recovery past 30 days ($N = 267$)	24.0%	18.0%	25.0%
Summary Measure [∥] 34.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 300)	1.3%	6.0%	0.0%
Biomedical Conditions and Complications (N = 301)	9.6%	9.3%	3.5%
Emotional/Behavioral/ Cognitive Problem (N = 301)	38.2%	36.2%	5.2%
Resistance to Change (N = 301)	54.5%	35.2%	35.4%
Relapse/Continued Use Potential (N = 301)	96.3%	73.1%	24.1%
	70.070		
Unsupportive Recovery Environment (N = 301)	91.7%	70.4%	23.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Boys Totem Town St. Joseph's CD

398 Totem Road St. Paul, MN 55119

Provider Website:

Patient Profile

Gender (N = 29)Race (N = 29)Male: 100.0% White: 20.7% Female: 0.0% Black: 48.3%

> American Indian: 0.0% 26 to 34: 0.0% 35 and older: 0.0% Hispanic: 10.3%

County: Ramsey

Age (N = 29)

Under 18: 82.8%

18 to 25: 17.2%

Source of Referral

Self/family/relative/

(N = 29).

Asian/Pacific Islander: 17.2%

Other: 3.5%

Primary Substance Source of Income

(N = 29)(N = 29)Alcohol: 10.3% Job: 0.0%

Marijuana: 69.0% Heroin: 0.0% No income: 86.2% Cocaine: 0.0%

Methamphetamine: 17.2% Retirement/savings: 0.0% friends: 96.6% Family/friends: 13.8% Employer/school: 0.0% Criminal justice: 93.1% Public sources: 0.0% Other sources: 0.0% Other opiates: 0.0%

Professional: 3.5% County social service agency: 3.5% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 3.5%

(N = 29)

Completed program: 48.3%

Patient left without staff approval: 31.0% Staff requested/judged inappropriate: 10.3%

Death/other: 10.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Boys Totem Town St. Joseph's CD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =26)	0.0%	0.0%	*
Not employed/student \S (N = 24)	16.7%	16.7%	0.0%
Arrests past 30 days (N = 29)	0.0%	6.9%	*
Alcohol use past 30 days (N = 29)	0.0%	3.5%	*
Drug use past 30 days (N = 29)	0.0%	17.2%	*
No self-help group participation past 30 days (N = 26)	53.8%	30.8%	42.9%
No family support for recovery past 30 days (N = 22)	22.7%	22.7%	0.0%
Summary Measure -4.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 17)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 18)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 23)	52.2%	60.9%	0.0%
Resistance to Change (N = 23)	17.4%	34.8%	0.0%
Relapse/Continued Use Potential (N = 23)	100.0%	73.9%	26.1%
Unsupportive Recovery Environment (N = 22)	100.0%	63.6%	36.4%
Summary Measure 13.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CDC Centers A Women's Way

720 15 1st Street E Burnsville, MN 55306

Provider Website:

Patient Profile

 Gender (N = 70)
 Race (N = 70)

 Male: 0.0%
 White: 80.0%

 Female: 100.0%
 Black: 10.0%

American Indian: 4.3% Hispanic: 1.4%

Asian/Pacific Islander: 2.9%

Other: 1.4%

Primary Substance (N = 70)

Alcohol: 68.6%

Methamphetamine: 5.7%

Marijuana: 7.1% Heroin: 0.0% Cocaine: 10.0% Other opiates: 4.3%

Other drugs: 4.3%

Source of Income

(N = 70)Job: 34.3%

Retirement/savings: 0.0% Family/friends: 34.3%

No income: 0.0% Public sources: 18.6%

Other sources: 12.9%

Age (N = 70)

County: Dakota

Under 18: 0.0% 18 to 25: 27.1% 26 to 34: 22.9%

35 and older: 50.0%

Source of Referral

(N = 70) .

Self/family/relative/ friends: 80.0% Employer/school: 2.9% Criminal justice: 11.4% Professional: 48.6%

County social

service agency: 30.0%

Other community resources: 1.4%

AA: 1.4% Tribal: 1.4%

Discharge Status

(N = 70)

Completed program: 77.1%

Patient left without staff approval: 15.7% Staff requested/judged inappropriate: 4.3%

Death/other: 2.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

CDC Centers A Women's Way

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =70)	5.7%	2.9%	50.0%
Not employed/student \S (N = 66)	63.6%	72.7%	0.0%
Arrests past 30 days (N = 69)	8.7%	1.5%	83.3%
Alcohol use past 30 days (N = 70)	82.9%	12.9%	84.5%
Drug use past 30 days (N = 70)	47.1%	8.6%	81.8%
No self-help group participation past 30 days (N = 68)	72.1%	2.9%	95.9%
No family support for recovery past 30 days $(N = 64)$	9.4%	9.4%	0.0%
Summary Measure [∥] 61.7%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 70$)	1.4%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 70)$	17.1%	15.7%	8.3%
Emotional/Behavioral/ Cognitive Problem (N = 70)	98.6%	84.3%	14.5%
Resistance to Change (N = 70)	82.9%	37.1%	55.2%
Relapse/Continued Use Potential (N = 70)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment $(N = 70)$	100.0%	95.7%	4.3%
Summary Measure [∥] 16.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cedar Ridge

11400 Julianne Avenue North Stillwater, MN 55082

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 373)
 Race (N = 373)
 Age (N = 373)

 Male: 100.0%
 White: 86.1%
 Under 18: 0.0%

 Female: 0.0%
 Black: 7.2%
 18 to 25: 30.8%

American Indian: 1.6% 26 to 34: 24.9% Hispanic: 4.0% 35 and older: 44.2%

Asian/Pacific Islander: 0.3%

Other: 0.8%

Primary Substance Source of Income

Methamphetamine: 11.0% Retirement/savings: 4.3% Marijuana: 15.5% Family/friends: 8.3% Heroin: 10.2% No income: 24.7% Cocaine: 6.2% Public sources: 31.9%

Other opiates: 9.7% Other sources: 7.2%

(N = 373) Self/family/relative/ friends: 69.7% Employer/school: 0.3%

Source of Referral

Employer/school: 0.3% Criminal justice: 28.7% Professional: 26.8%

County social

County: Washington

service agency: 53.4%

Other community resources: 5.6%

AA: 0.5% Tribal: 0.0%

Discharge Status

Other drugs: 2.7%

(N = 373)

Completed program: 74.3%

Patient left without staff approval: 13.9% Staff requested/judged inappropriate: 8.3%

Death/other: 3.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Cedar Ridge

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 363)	6.1%	0.6%	90.9%
Not employed/student§ (N = 354)	82.8%	84.5%	0.0%
Arrests past 30 days (N = 358)	13.1%	1.7%	87.2%
Alcohol use past 30 days (N = 373)	60.1%	6.7%	88.8%
Drug use past 30 days (N = 373)	58.2%	6.7%	88.5%
No self-help group participation past 30 days (N = 352)	44.6%	2.8%	93.6%
No family support for recovery past 30 days (N = 352)	8.5%	1.7%	80.0%
Summary Measure 61.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 322)	7.5%	2.8%	62.5%
Biomedical Conditions and Complications (N = 322)	22.0%	15.5%	29.6%
Emotional/Behavioral/ Cognitive Problem (N = 322)	96.3%	92.5%	3.9%
Resistance to Change (N = 322)	40.4%	29.5%	26.9%
Relapse/Continued Use Potential (N = 322)	99.7%	99.7%	0.0%
Unsupportive Recovery Environment (N = 322)	98.8%	98.8%	0.0%
Summary Measure 7.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Center for Solutions

7448 68th Avenue Northeast Cando, ND 58324

County:

Provider Website:

Patient Profile

<u>Gender (N = 12)</u> Male: 83.3% Female: 16.7% Race (N = 12) White: 66.7% Black: 8.3%

American Indian: 25.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance (N = 12)

Alcohol: 66.7% Methamphetamine: 0.0%

Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 25.0%

Other drugs: 8.3%

Source of Income

 $\frac{(N = 12)}{\text{Job: } 8.3\%}$

Retirement/savings: 16.7% Family/friends: 8.3%

No income: 8.3% Public sources: 33.3% Other sources: 25.0% $\underline{Age (N = 12)}$

Under 18: 0.0% 18 to 25: 25.0% 26 to 34: 41.7% 35 and older: 33.3%

Source of Referral

(N = 12)Self/family/relative/

friends: 16.7%
Employer/school: 0.0%
Criminal justice: 0.0%
Professional: 16.7%

County social

service agency: 91.7%

Other community resources: 16.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 12)

Completed program: 75.0%

Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 16.7%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Center for Solutions

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =12)	16.7%	0.0%	100.0%
Not employed/student \S (N = 10)	100.0%	100.0%	0.0%
Arrests past 30 days (N = 12)	0.0%	0.0%	*
Alcohol use past 30 days (N = 12)	66.7%	25.0%	62.5%
Drug use past 30 days (N = 12)	58.3%	16.7%	71.4%
No self-help group participation past 30 days (N = 12)	66.7%	100.0%	0.0%
No family support for recovery past 30 days $(N = 12)$	8.3%	8.3%	0.0%
Summary Measure 21.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 12)	33.3%	41.7%	0.0%
Biomedical Conditions and Complications (N = 12)	66.7%	66.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 12)	100.0%	100.0%	0.0%
Resistance to Change (N = 12)	91.7%	91.7%	0.0%
Relapse/Continued Use Potential (N = 12)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment (N = 12)	100.0%	100.0%	0.0%
Summary Measure -1.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of Buffalo

308 12th Avenue South Buffalo, MN 55313

Provider Website:

Patient Profile

<u>Gender (N = 124)</u> Male: 75.8%

Female: 24.2%

Primary Substance

(N = 124)Alcohol: 47.6%

Methamphetamine: 5.7%

Marijuana: 41.1% Heroin: 2.4% Cocaine: 0.0% Other opiates: 1.6%

Other drugs: 1.6%

Race (N = 124)

White: 89.5% Black: 2.4%

American Indian: 1.6%

Hispanic: 1.6%

Asian/Pacific Islander: 0.0%

Other: 4.8%

Source of Income

(N = 124)

Job: 33.9% Retirement/savings: 1.6%

Family/friends: 39.5% No income: 12.9% Public sources: 6.5%

Other sources: 5.7%

Age (N = 124)

County: Wright

Under 18: 38.7% 18 to 25: 12.9% 26 to 34: 16.1%

35 and older: 32.3%

Source of Referral

(N = 124).

Self/family/relative/ friends: 56.5% Employer/school: 5.7%

Criminal justice: 59.7% Professional: 14.5%

County social

service agency: 6.5% Other community resources: 5.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 124)

Completed program: 32.3%

Patient left without staff approval: 20.2% Staff requested/judged inappropriate: 21.8%

Death/other: 25.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Central Minnesota Mental Health Center of Buffalo

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =122)	0.0%	0.0%	*
Not employed/student§ (N = 120)	31.7%	27.5%	13.2%
Arrests past 30 days (N = 124)	7.3%	8.1%	0.0%
Alcohol use past 30 days (N = 124)	21.8%	11.3%	48.1%
Drug use past 30 days (N = 124)	28.2%	31.5%	0.0%
No self-help group participation past 30 days (N = 113)	73.5%	25.7%	65.1%
No family support for recovery past 30 days (N = 107)	16.8%	13.1%	22.2%
Summary Measure 34.7%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 124)	0.8%	1.6%	0.0%
Biomedical Conditions and Complications (N = 123)	1.6%	1.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 124)	73.4%	70.2%	4.4%
Resistance to Change (N = 124)	39.5%	61.3%	0.0%
Relapse/Continued Use Potential (N = 123)	95.9%	80.5%	16.1%
Unsupportive Recovery Environment (N = 124)	86.3%	68.5%	20.6%
Summary Measure 4.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of Monticello

407 Washington Street Monticello, MN 55362

Provider Website:

Patient Profile

<u>Gender (N = 104)</u> Male: 73.1%

Female: 26.9%

Primary Substance (N = 104)

Alcohol: 67.3% Methamphetamine: 6.7%

Marijuana: 16.3% Heroin: 1.9% Cocaine: 0.0% Other opiates: 4.8%

Other drugs: 2.9%

Race (N = 104)

White: 92.3% Black: 2.9%

American Indian: 1.0% Hispanic: 1.0%

Asian/Pacific Islander: 1.0%

Other: 1.9%

Source of Income

 $\frac{(N = 104)}{\text{Job: } 52.9\%}$

Retirement/savings: 1.0% Family/friends: 19.2% No income: 6.7% Public sources: 15.4%

Other sources: 4.8%

Age (N = 104)

County: Wright

Under 18: 8.7% 18 to 25: 23.1% 26 to 34: 21.2% 35 and older: 47.1%

oo ana olaci. 17.17

Source of Referral

(N = 104) .

Self/family/relative/ friends: 54.8% Employer/school: 2.9% Criminal justice: 70.2% Professional: 14.4%

County social

service agency: 5.8% Other community resources: 3.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 104)

Completed program: 45.2%

Patient left without staff approval: 26.0% Staff requested/judged inappropriate: 2.9%

Death/other: 26.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Central Minnesota Mental Health Center of Monticello

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =102)	2.9%	1.0%	66.7%
Not employed/student \S (N = 103)	34.0%	35.9%	0.0%
Arrests past 30 days (N = 104)	2.9%	9.6%	0.0%
Alcohol use past 30 days (N = 104)	36.5%	17.3%	52.6%
Drug use past 30 days (N = 104)	22.1%	19.2%	13.0%
No self-help group participation past 30 days (N = 97)	64.9%	21.6%	66.7%
No family support for recovery past 30 days (N = 100)	40.0%	15.0%	62.5%
Summary Measure 41.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 103)	0.0%	3.9%	*
Biomedical Conditions and Complications (N = 103)	4.9%	3.9%	20.0%
Emotional/Behavioral/ Cognitive Problem (N = 103)	88.3%	50.5%	42.9%
Resistance to Change (N = 103)	52.4%	40.8%	22.2%
Relapse/Continued Use Potential (N = 103)	95.1%	48.5%	49.0%
Unsupportive Recovery Environment (N = 103)	79.6%	47.6%	40.2%
Summary Measure 39.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of St. Cloud

1321 13th Street North St. Cloud, MN 56303

Provider Website:

Patient Profile

Gender (N = 93)Race (N = 93)Male: 69.9% Female: 30.1%

Black: 4.3% American Indian: 2.2% Hispanic: 2.2%

Asian/Pacific Islander: 2.2%

Other: 3.2%

White: 86.0%

Primary Substance (N = 93)

Alcohol: 58.1% Methamphetamine: 9.7%

Marijuana: 25.8% Heroin: 0.0% Cocaine: 3.2% Other opiates: 1.1%

Other drugs: 2.2%

Source of Income

(N = 93)Job: 45.2%

> Retirement/savings: 1.1% Family/friends: 12.9% No income: 5.4% Public sources: 28.0% Other sources: 7.5%

Age (N = 93)

County: Stearns

Under 18: 0.0% 18 to 25: 25.8% 26 to 34: 33.3% 35 and older: 40.9%

Source of Referral

(N = 93).

Self/family/relative/ friends: 48.4% Employer/school: 5.4% Criminal justice: 68.8% Professional: 15.1%

County social

service agency: 16.1%

Other community resources: 2.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 93)

Completed program: 44.1%

Patient left without staff approval: 19.4% Staff requested/judged inappropriate: 26.9%

Death/other: 9.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Central Minnesota Mental Health Center of St. Cloud

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =86)	0.0%	0.0%	*
Not employed/student \S (N = 86)	40.7%	38.4%	5.7%
Arrests past 30 days (N = 92)	7.6%	9.8%	0.0%
Alcohol use past 30 days (N = 93)	32.3%	29.0%	10.0%
Drug use past 30 days (N = 93)	15.1%	22.6%	0.0%
No self-help group participation past 30 days (N = 83)	71.1%	37.3%	47.5%
No family support for recovery past 30 days $(N = 77)$	2.6%	9.1%	0.0%
Summary Measure 13.6%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 76$)	1.3%	2.6%	0.0%
Biomedical Conditions and Complications $(N = 79)$	5.1%	6.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 82)	62.2%	40.2%	35.3%
Resistance to Change (N = 82)	68.3%	40.2%	41.1%
Relapse/Continued Use Potential (N = 82)	98.8%	52.4%	46.9%
Unsupportive Recovery Environment ($N = 82$)	92.7%	48.8%	47.4%
Summary Measure 41.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Chrysalis: A Center for Women

4432 Chicago Avenue South Minneapolis, MN 55407

Provider Website: www.chrysaliswomen.org

Patient Profile

Gender (N = 230) Race (N = 230) Male: 0.0% White: 52.2%

Female: 100.0% Black: 20.0% 18 to 25: 17.8% American Indian: 10.0% 26 to 34: 34.8%

Hispanic: 7.0% 35 and older: 47.4%

Asian/Pacific Islander: 0.4%

Other: 10.4%

Primary Substance Source of Income (N = 230) (N = 230)

Alcohol: 61.3% Job: 22.2%

Methamphetamine: 6.1% Retirement/savings: 2.6% Marijuana: 12.6% Family/friends: 12.6% No income: 9.1% Cocaine: 8.3% Public sources: 48.3%

Cocaine: 8.3% Public sources: 48.3% Professional: 27.0% Other opiates: 6.1% Other sources: 5.2% County social

Other drugs: 1.3% service agency: 13.5% Other community resources: 7.0%

AA: 0.0% Tribal: 0.4%

County: Hennepin

Age (N = 230)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 55.7%

Employer/school: 0.4%

Criminal justice: 12.6%

(N = 230) .

Discharge Status

(N = 230)

Completed program: 33.0%

Patient left without staff approval: 40.4% Staff requested/judged inappropriate: 7.0%

Death/other: 19.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chrysalis: A Center for Women

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =168)	1.2%	6.6%	0.0%
Not employed/student \S (N = 161)	67.1%	66.5%	0.9%
Arrests past 30 days (N = 192)	4.2%	3.1%	25.0%
Alcohol use past 30 days (N = 181)	41.4%	15.5%	62.7%
Drug use past 30 days (N = 181)	36.5%	20.4%	43.9%
No self-help group participation past 30 days (N = 137)	51.1%	20.4%	60.0%
No family support for recovery past 30 days ($N = 142$)	3.5%	14.8%	0.0%
Summary Measure 28.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 167)	7.2%	3.6%	50.0%
Biomedical Conditions and Complications ($N = 175$)	17.1%	23.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 176)	84.7%	83.0%	2.0%
Resistance to Change (N = 176)	70.5%	65.3%	7.3%
Relapse/Continued Use Potential (N = 175)	96.0%	82.9%	13.7%
Unsupportive Recovery Environment (N = 174)	90.2%	67.2%	25.5%
Summary Measure 11.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Clara's House

1564 Co. Rd 134 St. Cloud, MN 56303

Provider Website:

Patient Profile

Gender (N = 160) Male: 58.1%

Female: 41.9%

Primary Substance (N = 160)

Alcohol: 11.3% Methamphetamine: 3.1% Marijuana: 79.4% Heroin: 0.6%

Cocaine: 0.0% Other opiates: 0.6%

Other drugs: 5.0%

Race (N = 160)

White: 79.4% Black: 5.0%

American Indian: 3.1% Hispanic: 3.1%

Asian/Pacific Islander: 0.0%

Other: 9.4%

Source of Income

(N = 160)Job: 3.1%

> Retirement/savings: 0.0% Family/friends: 91.9% No income: 1.3% Public sources: 0.0% Other sources: 3.8%

Age (N = 160)

County: Stearns

Under 18: 93.1% 18 to 25: 6.9% 26 to 34: 0.0% 35 and older: 0.0%

Source of Referral (N = 160) .

Self/family/relative/ friends: 40.6% Employer/school: 8.1% Criminal justice: 41.3% Professional: 56.3%

County social

service agency: 19.4%

Other community resources: 3.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 160)

Completed program: 53.8%

Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 28.1%

Death/other: 5.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Clara's House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =160)	0.6%	0.0%	100.0%
Not employed/student§ (N = 158)	0.0%	0.0%	*
Arrests past 30 days (N = 155)	9.7%	4.5%	53.3%
Alcohol use past 30 days (N = 160)	38.1%	11.3%	70.5%
Drug use past 30 days (N = 160)	67.5%	24.4%	63.9%
No self-help group participation past 30 days (N = 159)	72.3%	11.3%	84.3%
No family support for recovery past 30 days (N = 154)	5.2%	2.0%	62.5%
Summary Measure 72.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 155)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 155)	2.6%	5.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 155)	97.4%	93.5%	4.0%
Resistance to Change (N = 155)	93.5%	93.5%	0.0%
Relapse/Continued Use Potential (N = 155)	99.4%	98.7%	0.6%
Unsupportive Recovery Environment (N = 155)	99.4%	99.4%	0.0%
Summary Measure 0.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\%\$ at admission - % at discharge)/\$\Sigma(\%\$ at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Clinicare Corporation Eau Claire Academy

550 N Dewey Street Eau Claire, WI 54702

County:

Provider Website:

Patient Profile

 Gender (N = 5)
 Race (N = 5)
 Age (N = 5)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

(N = 5) (N = 5) (N = 5) Self/family/relative/

Methamphetamine: * Retirement/savings: * friends: *

Marijuana: * Family/friends: * Employer/school: *

Heroin: * No income: * Criminal justice: *

Cocaine: * Public sources: * Professional: *

Other opiates: * Other sources: * County social Service agency: * Other community

resources: *
AA: *
Tribal: *

Discharge Status

(N = 5)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

^t DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Clinicare Corporation Eau Claire Academy

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless \S (N =4)	*	*	*
Not employed/student \S (N = 5)	*	*	*
Arrests past 30 days (N = 5)	*	*	*
Alcohol use past 30 days (N = 4)	*	*	*
Drug use past 30 days (N = 4)	*	*	*
No self-help group participation past 30 days (N = 5)	*	*	*
No family support for recovery past 30 days (N = 5)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 5)$	*	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*	*
Resistance to Change $(N = 5)$	*	*	*
Relapse/Continued Use Potential (N = 5)	*	*	*
Unsupportive Recovery Environment (N = 5)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Club Recovery

6550 York Ave South Minneapolis, MN 55435

Provider Website: www.clubrecoveryllc.com

Patient Profile

 Gender (N = 221)
 Race (N = 221)

 Male: 67.4% White: 89.1%

 Formula: 32.6%

Female: 32.6% Black: 4.1% 18 to 25: 13.6% American Indian: 2.3% 26 to 34: 27.6% Hispanic: 2.3% 35 and older: 58.8%

Asian/Pacific Islander: 1.4%

Other: 0.9%

Primary Substance Source of Income

Methamphetamine: 0.0% Retirement/savings: 4
Marijuana: 5.1% Family/friends: 8.6%
Heroin: 0.5% No income: 4.1%
Cocaine: 1.8% Public sources: 5.4%
Other opiates: 5.1% Other sources: 9.5%

N = 221)

Job: 68.3%

Retirement/savings: 4.1%

Family/friends: 8.6%

No income: 4.1%

Public sources: 5.4%

Other sources: 9.5%

(N = 221)

Self/family/relative/

friends: 52.0%

Employer/school: 3.6%

Criminal justice: 32.1%

Professional: 10.4%

County social

service agency: 2.7%

Other community resources: 19.0%

AA: 2.7% Tribal: 0.0%

County: Hennepin

Age (N = 221)

Under 18: 0.0%

Source of Referral

Discharge Status

Other drugs: 1.4%

(N = 221)

Completed program: 69.2%

Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 0.5%

Death/other: 13.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Club Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =145)	0.0%	0.0%	*
Not employed/student§ (N = 137)	27.7%	26.3%	5.3%
Arrests past 30 days (N = 183)	14.2%	2.2%	84.6%
Alcohol use past 30 days (N = 217)	59.4%	9.7%	83.7%
Drug use past 30 days (N = 217)	20.7%	6.9%	66.7%
No self-help group participation past 30 days $(N = 46)$	67.4%	58.7%	12.9%
No family support for recovery past 30 days (N = 107)	16.8%	3.7%	77.8%
Summary Measure 47.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 187)	1.6%	2.7%	0.0%
Biomedical Conditions and Complications $(N = 199)$	4.0%	2.5%	37.5%
Emotional/Behavioral/ Cognitive Problem (N = 203)	63.5%	23.2%	63.6%
Resistance to Change (N = 209)	74.6%	24.9%	66.7%
Relapse/Continued Use Potential (N = 208)	98.6%	24.5%	75.1%
Unsupportive Recovery Environment (N = 207)	74.4%	23.2%	68.8%
Summary Measure 68.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

^{*}DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

*100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\$}}$ Status at admission and discharge. II 100(Σ (% at admission - % at discharge)/ Σ (% at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Common Ground

1027 7th Street Northwest Rochester, MN 55901

Provider Website:

Patient Profile

 Gender (N = 154)
 Race (N = 154)

 Male: 56.5%
 White: 82.5%

 Female: 43.5%
 Black: 9.1%

American Indian: 1.3% Hispanic: 3.3%

Asian/Pacific Islander: 2.0%

Other: 2.0%

Primary Substance (N = 154)

Alcohol: 46.1% Methamphetamine: 19.5%

Marijuana: 25.3% Heroin: 0.6% Cocaine: 6.5% Other opiates: 0.6%

Other drugs: 1.3%

Source of Income

(N = 154)Job: 41.6%

> Retirement/savings: 2.0% Family/friends: 14.9% No income: 13.0% Public sources: 20.1% Other sources: 8.4%

Age (N = 154)

County: Olmsted

Under 18: 2.6% 18 to 25: 35.1% 26 to 34: 24.0%

35 and older: 38.3%

Source of Referral

(N = 154) .

Self/family/relative/ friends: 42.2% Employer/school: 3.3% Criminal justice: 66.2% Professional: 17.5%

County social

service agency: 3.9% Other community resources: 5.8%

AA: 0.6% Tribal: 0.0%

Discharge Status

(N = 154)

Completed program: 54.5%

Patient left without staff approval: 19.5% Staff requested/judged inappropriate: 6.5%

Death/other: 19.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Common Ground

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =129)	0.8%	1.6%	0.0%
Not employed/student \S (N = 115)	45.2%	27.8%	38.5%
Arrests past 30 days (N = 153)	11.8%	6.5%	44.4%
Alcohol use past 30 days (N = 151)	23.8%	9.9%	58.3%
Drug use past 30 days (N = 151)	20.5%	8.6%	58.1%
No self-help group participation past 30 days (N = 118)	55.1%	36.4%	33.8%
No family support for recovery past 30 days (N = 117)	23.1%	3.4%	85.2%
Summary Measure 47.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 154)	2.6%	1.3%	50.0%
Biomedical Conditions and Complications ($N = 154$)	7.1%	2.6%	63.6%
Emotional/Behavioral/ Cognitive Problem (N = 154)	50.6%	37.7%	25.6%
Resistance to Change (N = 154)	55.2%	39.0%	29.4%
Relapse/Continued Use Potential (N = 154)	94.2%	58.4%	37.9%
Unsupportive Recovery Environment (N = 154)	83.1%	57.1%	31.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\%\$ at admission - % at discharge)/\$\Sigma(\%\$ at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Communidades Latinas Unidas En Sericio

797 East 7th Street St. Paul, MN 55105

Provider Website: www.clues.org

Patient Profile

Gender (N = 141)Race (N = 141)Male: 89.4% White: 17.7% Female: 10.6% Black: 22.0%

American Indian: 0.7% 26 to 34: 32.6% 35 and older: 34.8% Hispanic: 38.3%

Asian/Pacific Islander: 20.6%

Other: 0.7%

Primary Substance Source of Income

(N = 141)(N = 141)Alcohol: 51.8% Job: 42.6%

Marijuana: 31.2% Heroin: 0.0% Cocaine: 6.4%

Methamphetamine: 10.6% Retirement/savings: 2.1% friends: 46.1% Family/friends: 26.2% Employer/school: 2.1% No income: 7.8% Criminal justice: 83.7% Public sources: 14.2% Professional: 0.7% Other opiates: 0.0% Other sources: 7.1% County social

> service agency: 2.8% Other community resources: 1.4%

> > AA: 0.0% Tribal: 0.0%

County: Ramsey

Age (N = 141)

Under 18: 0.0%

18 to 25: 32.6%

Source of Referral

Self/family/relative/

 $(N_{\underline{}} = 141)$.

Discharge Status

Other drugs: 0.0%

(N = 141)

Completed program: 46.8%

Patient left without staff approval: 24.1% Staff requested/judged inappropriate: 7.8%

Death/other: 21.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Communidades Latinas Unidas En Sericio

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =138)	2.2%	2.9%	0.0%
Not employed/student \S (N = 134)	79.1%	66.4%	16.0%
Arrests past 30 days (N = 140)	2.9%	8.6%	0.0%
Alcohol use past 30 days (N = 139)	38.1%	15.8%	58.5%
Drug use past 30 days (N = 139)	34.5%	30.2%	12.5%
No self-help group participation past 30 days (N = 111)	89.2%	55.9%	37.4%
No family support for recovery past 30 days $(N = 89)$	2.3%	6.7%	0.0%
Summary Measure 24.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 141)	0.7%	0.7%	0.0%
Biomedical Conditions and Complications (N = 141)	1.4%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 141)	34.8%	22.7%	34.7%
Resistance to Change (N = 141)	56.7%	48.2%	15.0%
Relapse/Continued Use Potential (N = 141)	99.3%	56.0%	43.6%
Unsupportive Recovery Environment (N = 141)	92.2%	58.2%	36.9%
Summary Measure 34.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprises of Anoka Hennepin

1800 Chicago Ave South Minneapolis, MN 55404

Provider Website:

Patient Profile

Gender (N = 17)Race (N = 17)Male: 70.6% White: 70.6% Female: 29.4% Black: 5.9%

> American Indian: 17.6% Hispanic: 0.0%

> > Asian/Pacific Islander: 0.0%

Other: 5.9%

Primary Substance

(N = 17)Alcohol: 100.0%

Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 17)Job: 0.0%

> Retirement/savings: 0.0% Family/friends: 0.0% No income: 0.0% Public sources: 64.7%

Other sources: 35.3%

County social

County: Hennepin

Age (N = 17)

Under 18: 0.0%

18 to 25: 0.0%

26 to 34: 17.6%

Source of Referral

Self/family/relative/

friends: 58.8%

Professional: 0.0%

Employer/school: 0.0%

Criminal justice: 0.0%

(N = 17) .

35 and older: 82.4%

service agency: 35.3% Other community resources: 5.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

N = 17

Completed program: 0.0%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 76.5%

Death/other: 23.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprises of Anoka Hennepin

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =17)	47.1%	0.0%	100.0%
Not employed/student \S (N = 3)	*	*	*
Arrests past 30 days (N = 17)	5.9%	5.9%	0.0%
Alcohol use past 30 days (N = 17)	100.0%	100.0%	0.0%
Drug use past 30 days (N = 17)	17.6%	5.9%	66.7%
No self-help group participation past 30 days (N = 15)	13.3%	6.7%	50.0%
No family support for recovery past 30 days (N = 12)	8.3%	33.3%	0.0%
Summary Measure 2.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 17)	5.9%	17.6%	0.0%
Biomedical Conditions and Complications $(N = 17)$	41.2%	82.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 17)	82.4%	88.2%	0.0%
Resistance to Change (N = 17)	88.2%	88.2%	0.0%
Relapse/Continued Use Potential (N = 17)	100.0%	88.2%	11.8%
Unsupportive Recovery Environment (N = 17)	88.2%	88.2%	0.0%
Summary Measure -11.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Anoka

3301 7th Avenue Anoka, MN 55303

Provider Website:

Patient Profile

<u>Gender (N = 314)</u> Male: 70.1%

Female: 29.9%

Primary Substance

(N = 311)Alcohol: 65.6%

Methamphetamine: 7.4%

Marijuana: 8.4% Heroin: 3.9% Cocaine: 5.8% Other opiates: 6.1%

Other drugs: 2.9%

Race (N = 314)

White: 83.1% Black: 8.3%

American Indian: 6.7%

Hispanic: 0.6%

Asian/Pacific Islander: 1.0%

Other: 0.3%

Source of Income

(N = 314)Job: 23.2%

Retirement/savings: 4.8%

Family/friends: 9.2% No income: 16.2% Public sources: 37.3% Other sources: 9.2% Age (N = 314)

County: Anoka

Under 18: 0.0% 18 to 25: 28.3% 26 to 34: 22.9%

35 and older: 48.7%

Source of Referral

(N = 314).

Self/family/relative/ friends: 8.3%

Employer/school: 0.0% Criminal justice: 37.9% Professional: 28.3%

County social

service agency: 67.5%

Other community resources: 2.6%

AA: 0.3% Tribal: 1.3%

Discharge Status

(N = 314)

Completed program: 74.8%

Patient left without staff approval: 9.6% Staff requested/judged inappropriate: 8.6%

Death/other: 7.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprise of Anoka

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =297)	7.4%	0.3%	95.5%
Not employed/student§ (N = 263)	82.1%	87.1%	0.0%
Arrests past 30 days (N = 303)	6.6%	2.0%	70.0%
Alcohol use past 30 days (N = 305)	24.9%	1.0%	96.1%
Drug use past 30 days (N = 305)	16.7%	0.7%	96.1%
No self-help group participation past 30 days (N = 226)	29.6%	5.8%	80.6%
No family support for recovery past 30 days $(N = 154)$	5.2%	2.0%	62.5%
Summary Measure 42.8%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 298)	3.0%	3.0%	0.0%
Biomedical Conditions and Complications (N = 300)	22.0%	11.0%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 299)	85.3%	71.9%	15.7%
Resistance to Change (N = 299)	75.3%	72.2%	4.0%
Relapse/Continued Use Potential (N = 299)	81.3%	77.9%	4.1%
Unsupportive Recovery Environment (N = 299)	75.3%	76.3%	0.0%
Summary Measure 8.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Carlton

810 3d Street Carlton, MN 55718

Provider Website:

Patient Profile

Gender (N = 227) Male: 0.0%

Female: 100.0%

White: 79.7% Black: 4.9%

Race (N = 227)

American Indian: 13.7%

Hispanic: 0.9%

Asian/Pacific Islander: 0.0%

Other: 0.9%

Primary Substance

(N = 227)

Alcohol: 41.9%

Methamphetamine: 13.2%

Marijuana: 13.2% Heroin: 4.0%

Cocaine: 4.9% Other opiates: 19.4%

Other drugs: 3.5%

Source of Income

(N = 227)

Job: 12.8%

Retirement/savings: 1.3%

Family/friends: 0.0% No income: 56.8%

Public sources: 22.9% Other sources: 6.2%

(N = 227) .

Age (N = 227)

Under 18: 0.0%

18 to 25: 29.1%

26 to 34: 28.2% 35 and older: 42.7%

County: Carlton

Self/family/relative/ friends: 7.1%

Source of Referral

Employer/school: 0.0%

Criminal justice: 50.2% Professional: 1.8%

County social

service agency: 93.0%

Other community

resources: 11.5%

AA: 0.0% Tribal: 0.9%

Discharge Status

(N = 227)

Completed program: 63.9%

Patient left without staff approval: 22.0% Staff requested/judged inappropriate: 8.4%

Death/other: 5.7%

* Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprise of Carlton

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =214)	2.3%	1.4%	40.0%
Not employed/student \S (N = 213)	83.6%	87.8%	0.0%
Arrests past 30 days (N = 227)	15.0%	3.1%	79.4%
Alcohol use past 30 days (N = 226)	50.0%	6.6%	86.7%
Drug use past 30 days (N = 226)	51.8%	9.3%	82.1%
No self-help group participation past 30 days (N = 205)	70.2%	6.3%	91.0%
No family support for recovery past 30 days (N = 199)	26.1%	4.0%	84.6%
Summary Measure 60.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 221)	5.9%	2.7%	53.8%
Biomedical Conditions and Complications ($N = 224$)	32.6%	22.3%	31.5%
Emotional/Behavioral/ Cognitive Problem (N = 223)	91.0%	77.1%	15.3%
Resistance to Change (N = 223)	84.8%	53.8%	36.5%
Relapse/Continued Use Potential (N = 221)	98.2%	96.4%	1.8%
Unsupportive Recovery Environment (N = 222)	98.2%	97.3%	0.9%
Summary Measure 14.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Fergus Falls

1174 Western Avenue Fergus Falls, MN 56537

Provider Website:

Patient Profile

<u>Gender (N = 421)</u> Male: 68.6%

Female: 31.4%

Primary Substance

(N = 420)Alcohol: 64.0%

Methamphetamine: 6.2% Marijuana: 18.1%

Heroin: 1.2% Cocaine: 1.9% Other opiates: 6.9%

Other drugs: 1.7%

Race (N = 421)

White: 74.8% Black: 7.4%

American Indian: 16.4%

Hispanic: 1.0%

Asian/Pacific Islander: 0.5%

Other: 0.0%

Source of Income

(N = 421)Job: 16.4%

Retirement/savings: 2.4%

Family/friends: 9.7% No income: 28.0% Public sources: 36.3%

Other sources: 7.1%

Age (N = 421)

County: Otter Tail

Under 18: 5.5% 18 to 25: 24.2% 26 to 34: 17.6%

35 and older: 52.7%

Source of Referral

(N = 421) .

Self/family/relative/ friends: 16.4% Employer/school: 0.5% Criminal justice: 72.9%

Professional: 10.5%

County social

service agency: 85.7%

Other community resources: 1.2%

AA: 0.0% Tribal: 1.4%

Discharge Status

(N = 421)

Completed program: 64.1%

Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 8.6%

Death/other: 19.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprise of Fergus Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =401)	13.5%	2.0%	85.2%
Not employed/student§ (N = 383)	77.8%	75.2%	3.4%
Arrests past 30 days (N = 417)	15.8%	5.8%	63.6%
Alcohol use past 30 days (N = 420)	43.6%	4.8%	89.1%
Drug use past 30 days (N = 420)	29.0%	5.2%	82.0%
No self-help group participation past 30 days ($N = 375$)	64.8%	54.4%	16.0%
No family support for recovery past 30 days (N = 346)	12.4%	8.7%	30.2%
Summary Measure 39.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 412)	5.1%	8.7%	0.0%
Biomedical Conditions and Complications ($N = 416$)	35.8%	30.5%	14.8%
Emotional/Behavioral/ Cognitive Problem (N = 416)	70.9%	67.5%	4.8%
Resistance to Change (N = 413)	91.8%	79.7%	13.2%
Relapse/Continued Use Potential (N = 416)	97.1%	94.7%	2.5%
Unsupportive Recovery Environment (N = 411)	79.3%	75.7%	4.6%
Summary Measure 6.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of St. Peter

1703 County Road 15 St. Peter, MN 56082

Provider Website:

Patient Profile

Gender (N = 372) Male: 72.0%

Female: 28.0%

Hispanic: 1.9%

(N = 372)Alcohol: 47.8%

Primary Substance

Methamphetamine: 11.6%

Marijuana: 22.3% Heroin: 1.9% Cocaine: 4.0% Other opiates: 8.1%

Other drugs: 4.3%

Race (N = 372)

White: 82.0% Black: 9.7%

American Indian: 4.3%

Asian/Pacific Islander: 1.3%

Other: 0.8%

Source of Income

(N = 372)Job: 10.8%

Retirement/savings: 3.8%

Family/friends: 8.6% No income: 32.3% Public sources: 37.1%

Other sources: 7.5%

Age (N = 372)

County: Nicollet

Under 18: 0.0% 18 to 25: 28.2% 26 to 34: 29.3%

35 and older: 42.5%

Source of Referral

(N = 372).

Self/family/relative/ friends: 27.4% Employer/school: 0.0% Criminal justice: 67.7% Professional: 5.4%

County social

service agency: 93.3%

Other community resources: 0.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 372)

Completed program: 72.3%

Patient left without staff approval: 14.2% Staff requested/judged inappropriate: 6.2%

Death/other: 7.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprise of St. Peter

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =351)	5.7%	1.1%	80.0%
Not employed/student \S (N = 348)	89.7%	93.1%	0.0%
Arrests past 30 days (N = 372)	13.2%	0.0%	100.0%
Alcohol use past 30 days (N = 372)	51.3%	4.0%	92.1%
Drug use past 30 days (N = 372)	44.4%	6.5%	85.5%
No self-help group participation past 30 days (N = 355)	55.2%	11.5%	79.1%
No family support for recovery past 30 days (N = 297)	14.5%	15.2%	0.0%
Summary Measure [∥] 52.0%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 369$)	0.3%	0.0%	100.0%
	0.3% 3.5%		·
Withdrawal (N = 369) Biomedical Conditions and		0.0%	100.0%
Withdrawal (N = 369) Biomedical Conditions and Complications (N = 367) Emotional/Behavioral/	3.5%	0.0%	100.0%
Withdrawal (N = 369) Biomedical Conditions and Complications (N = 367) Emotional/Behavioral/ Cognitive Problem (N = 366)	3.5% 20.2%	0.0% 3.0% 50.5%	100.0% 15.4% 0.0%
Withdrawal (N = 369) Biomedical Conditions and Complications (N = 367) Emotional/Behavioral/ Cognitive Problem (N = 366) Resistance to Change (N = 364) Relapse/Continued Use	3.5% 20.2% 86.8%	0.0% 3.0% 50.5% 56.3%	100.0% 15.4% 0.0% 35.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Willmar

1801 Technology Drive NE Willmar, MN 56201

Provider Website:

Patient Profile

<u>Gender (N = 380)</u> Male: 61.3%

Female: 38.7%

Primary Substance

(N = 380)Alcohol: 15.3%

Methamphetamine: 3.7% Marijuana: 13.9%

Heroin: 25.3% Cocaine: 2.9% Other opiates: 35.8%

Other drugs: 3.2%

Race (N = 380)

White: 73.2% Black: 5.5%

American Indian: 12.1%

Hispanic: 5.8%

Asian/Pacific Islander: 1.6%

Other: 1.8%

Source of Income

(N = 380)Job: 17.9%

Retirement/savings: 0.0% Family/friends: 11.1%

No income: 24.7% Public sources: 33.4% Other sources: 12.9% Age (N = 380)

County: Kandiyohi

Under 18: 8.7% 18 to 25: 28.2% 26 to 34: 29.5%

35 and older: 33.7%

Source of Referral

(N = 380) .

Self/family/relative/ friends: 25.0% Employer/school: 0.3% Criminal justice: 30.5% Professional: 9.2%

County social

service agency: 76.8%

Other community resources: 3.4%

AA: 0.0% Tribal: 2.9%

Discharge Status

(N = 380)

Completed program: 59.2%

Patient left without staff approval: 24.5% Staff requested/judged inappropriate: 8.4%

Death/other: 7.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprise of Willmar

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless § (N = 365)	15.3%	1.1%	92.9%
Not employed/student§ (N = 347)	79.0%	85.9%	0.0%
Arrests past 30 days (N = 372)	11.6%	3.2%	72.1%
Alcohol use past 30 days (N = 380)	35.5%	3.2%	91.1%
Drug use past 30 days (N = 380)	69.5%	15.0%	78.4%
No self-help group participation past 30 days (N = 361)	59.8%	13.3%	77.8%
No family support for recovery past 30 days (N = 301)	17.9%	12.6%	29.6%
Summary Measure 53.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 380$)	44.2%	19.2%	56.5%
Biomedical Conditions and Complications (N = 380)	34.2%	18.2%	46.9%
Emotional/Behavioral/ Cognitive Problem (N = 380)	79.5%	61.1%	23.2%
Resistance to Change (N = 380)	83.9%	73.4%	12.5%
Relapse/Continued Use Potential (N = 380)	96.6%	83.7%	13.4%
Unsupportive Recovery Environment (N = 324)	89.5%	74.7%	16.6%
Summary Measure 22.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise Prairie Lakes Youth Program

1808 Civic Center Drive Willmar, MN 56201

Provider Website:

Patient Profile

 Gender (N = 32)
 Race (N = 32)

 Male: 87.5%
 White: 43.8%

 Female: 12.5%
 Black: 6.3%

American Indian: 25.0% 26 to 34: 0.0% Hispanic: 15.6% 35 and older: 0.0%

Asian/Pacific Islander: 9.4%

Other: 0.0%

Primary Substance Source of Income

(N = 32) Alcohol: 3.1% (N = 32) Job: 0.0%

Methamphetamine: 12.5% Retirement/savings: 3.1% Marijuana: 81.3% Family/friends: 75.0% No income: 9.4% Cocaine: 3.1% Public sources: 0.0%

Octaine: 3.1% Public sources: 0.0% Other opiates: 0.0% Other sources: 12.5%

(N = 32) .
Self/family/relative/
friends: 3.1%
Employer/school: 0.0%
Criminal justice: 81.3%

Source of Referral

County: Kandiyohi

Age (N = 32)

Under 18: 90.6%

18 to 25: 9.4%

Criminal justice: 81.3% Professional: 0.0% County social

service agency: 50.0% Other community

resources: 3.1% AA: 0.0% Tribal: 21.9%

Discharge Status

Other drugs: 0.0%

(N = 32)

Completed program: 68.8%

Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 12.5%

Death/other: 6.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprise Prairie Lakes Youth Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 32)	0.0%	0.0%	*
Not employed/student \S (N = 31)	0.0%	3.2%	*
Arrests past 30 days (N = 31)	16.1%	0.0%	100.0%
Alcohol use past 30 days (N = 32)	6.3%	0.0%	100.0%
Drug use past 30 days (N = 32)	15.6%	3.1%	80.0%
No self-help group participation past 30 days (N = 32)	84.4%	65.6%	22.2%
No family support for recovery past 30 days (N = 17)	41.2%	17.6%	57.1%
Summary Measure 45.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 32)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 32)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 32)	15.6%	12.5%	20.0%
Resistance to Change $(N = 32)$	100.0%	84.4%	15.6%
Relapse/Continued Use Potential ($N = 32$)	96.9%	93.8%	3.2%
Unsupportive Recovery Environment ($N = 32$)	100.0%	90.6%	9.4%
Summary Measure 10.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise Valley Lake Boys Home

3850 200th Avenue Breckenridge, MN 56520

Provider Website:

Patient Profile

 Gender (N = 5)
 Race (N = 5)
 Age (N = 5)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

Other drugs: *

Service agency: *

Other community
resources: *

AA: *
Tribal: *

County: Wilken

Discharge Status

(N = 5)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprise Valley Lake Boys Home

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =5)	*	*	*
Not employed/student \S (N = 5)	*	*	*
Arrests past 30 days (N = 5)	*	*	*
Alcohol use past 30 days (N = 5)	*	*	*
Drug use past 30 days (N = 5)	*	*	*
No self-help group participation past 30 days $(N = 4)$	*	*	*
No family support for recovery past 30 days (N = 5)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 5)$	*	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*	*
Resistance to Change $(N = 5)$	*	*	*
Relapse/Continued Use Potential (N = 5)	*	*	*
Unsupportive Recovery Environment (N = 5)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprises of Brainerd

11600 State Ave. Brainerd, MN 56401

Provider Website:

Patient Profile

Gender (N = 373) Male: 63.8% Female: 36.2%

Hispanic: 2.4%

Primary Substance

(N = 371)Alcohol: 59.0%

Methamphetamine: 4.6% Marijuana: 26.7%

Heroin: 0.8% Cocaine: 0.8% Other opiates: 7.0%

Other drugs: 1.1%

Race (N = 373)

White: 34.6% Black: 1.9%

American Indian: 60.6%

Asian/Pacific Islander: 0.3%

Other: 0.3%

Source of Income

(N = 373)Job: 13.1%

> Retirement/savings: 1.1% Family/friends: 17.2% No income: 30.3%

Public sources: 22.8% Other sources: 15.5%

Age (N = 373)

County: Crow Wing

Under 18: 23.3% 18 to 25: 25.2% 26 to 34: 16.6%

35 and older: 34.9%

Source of Referral

(N = 373).

Self/family/relative/ friends: 27.6% Employer/school: 0.0% Criminal justice: 41.3% Professional: 7.8%

County social

service agency: 84.7%

Other community resources: 1.1%

AA: 0.0% Tribal: 5.1%

Discharge Status

(N = 373)

Completed program: 62.2%

Patient left without staff approval: 20.1% Staff requested/judged inappropriate: 8.6%

Death/other: 9.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprises of Brainerd

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 354)	4.8%	2.3%	52.9%
Not employed/student§ (N = 357)	62.7%	64.7%	0.0%
Arrests past 30 days (N = 364)	19.8%	3.0%	84.7%
Alcohol use past 30 days (N = 371)	46.6%	12.4%	73.4%
Drug use past 30 days (N = 371)	39.4%	16.2%	58.9%
No self-help group participation past 30 days (N = 355)	75.2%	48.5%	35.6%
No family support for recovery past 30 days (N = 304)	27.0%	15.5%	42.7%
Summary Measure 41.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 352)	4.0%	3.1%	21.4%
Biomedical Conditions and Complications ($N = 361$)	18.6%	10.8%	41.8%
Emotional/Behavioral/ Cognitive Problem (N = 361)	35.7%	36.8%	0.0%
Resistance to Change (N = 370)	71.9%	81.6%	0.0%
Relapse/Continued Use Potential ($N = 368$)	80.7%	88.9%	0.0%
Unsupportive Recovery Environment (N = 368)	74.7%	84.5%	0.0%
Summary Measure [∥] -7.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprises of Pine River

245 Barclay Avenue Pine River, MN 56474

Provider Website:

Patient Profile

 Gender (N = 36)
 Race (N = 36)

 Male: 61.1%
 White: 97.2%

 Female: 38.9%
 Black: 0.0%

Black: 0.0% 18 to 25: 22.2% American Indian: 2.8% 26 to 34: 19.4% Hispanic: 0.0% 35 and older: 52.8%

County: Cass

Age (N = 36)

Under 18: 5.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 36) Alcohol: 66.7% (N = 36) Job: 41.7%

Methamphetamine: 25.0% Retirement/savings: 8.3% Marijuana: 5.6% Family/friends: 16.7% No income: 8.3% Cocaine: 0.0% Public sources: 11.1%

Other opiates: 2.8% Other sources: 13.9%

Source of Referral (N = 36). Self/family/relative/

friends: 16.7% Employer/school: 2.8% Criminal justice: 38.9% Professional: 41.7%

County social

service agency: 88.9%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 36)

Completed program: 69.4%

Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 0.0%

Death/other: 19.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Addiction Recovery Enterprises of Pine River

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =36)	0.0%	0.0%	*
Not employed/student§ (N = 36)	58.3%	50.0%	14.3%
Arrests past 30 days (N = 36)	8.3%	13.9%	0.0%
Alcohol use past 30 days (N = 36)	22.2%	11.1%	50.0%
Drug use past 30 days (N = 36)	2.8%	8.3%	0.0%
No self-help group participation past 30 days (N = 36)	63.9%	66.7%	0.0%
No family support for recovery past 30 days $(N = 35)$	8.6%	8.6%	0.0%
Summary Measure 3.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 35)	0.0%	5.7%	*
Biomedical Conditions and Complications $(N = 36)$	22.2%	13.9%	37.5%
Emotional/Behavioral/ Cognitive Problem (N = 36)	58.3%	36.1%	38.1%
Resistance to Change (N = 36)	38.9%	38.9%	0.0%
Relapse/Continued Use Potential (N = 36)	80.6%	41.7%	48.3%
Unsupportive Recovery Environment (N = 36)	55.6%	38.9%	30.0%
Summary Measure 31.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Drug and Alcohol Servic, Inc.

1600 University Ave St. Paul, MN 55104

Provider Website:

Patient Profile

Gender (N = 78)Race (N = 78)Male: 79.5% White: 33.3% Black: 34.6% Female: 20.5%

> American Indian: 6.4% 26 to 34: 0.0% 35 and older: 0.0% Hispanic: 12.8%

County: Ramsey

Age (N = 78)

Under 18: 96.2%

Source of Referral

(N = 78) .

18 to 25: 3.9%

Asian/Pacific Islander: 3.9%

Other: 9.0%

Primary Substance Source of Income

(N = 78)(N = 78)Alcohol: 10.3% Job: 2.6%

Methamphetamine: 1.3% Marijuana: 85.9% Family/friends: 94.9% Heroin: 0.0% No income: 0.0% Cocaine: 1.3% Public sources: 0.0% Other opiates: 1.3%

Self/family/relative/ Retirement/savings: 0.0% friends: 10.3% Employer/school: 10.3% Criminal justice: 56.4% Professional: 19.2% Other sources: 2.6% County social service agency: 5.1%

Other community resources: 7.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 78)

Completed program: 7.7%

Patient left without staff approval: 44.9% Staff requested/judged inappropriate: 28.2%

Death/other: 19.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Community Drug and Alcohol Servic, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =78)	0.0%	1.3%	*
Not employed/student \S (N = 77)	0.0%	0.0%	*
Arrests past 30 days (N = 78)	11.5%	5.1%	55.6%
Alcohol use past 30 days (N = 78)	29.5%	23.1%	21.7%
Drug use past 30 days (N = 78)	80.8%	64.1%	20.6%
No self-help group participation past 30 days $(N = 76)$	100.0%	96.1%	4.0%
No family support for recovery past 30 days $(N = 77)$	1.3%	7.8%	0.0%
Summary Measure 11.5%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 78$)	0.0%	1.3%	*
Biomedical Conditions and Complications $(N = 78)$	0.0%	7.7%	*
Emotional/Behavioral/ Cognitive Problem (N = 78)	100.0%	93.6%	6.4%
Resistance to Change (N = 78)	100.0%	96.2%	3.9%
Relapse/Continued Use Potential (N = 78)	100.0%	93.6%	6.4%
Unsupportive Recovery Environment $(N = 78)$	100.0%	100.0%	0.0%
Summary Measure 1.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cook County Wilderness Outpatient Treatment Program

411 West 2nd Street Grand Marais, MN 55604

Provider Website:

Patient Profile

 Gender (N = 24)
 Race (N = 24)

 Male: 79.2%
 White: 83.3%

 Famely: 20.0%
 Plack: 0.0%

Female: 20.8% Black: 0.0% 18 to 25: 25.0% American Indian: 16.7% 26 to 34: 20.8% Hispanic: 0.0% 35 and older: 45.8%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income (N = 24) (N = 24)

Alcohol: 70.8%

Methamphetamine: 0.0%

Marijuana: 16.7%

Job: 66.7%

Retirement/savings: 0.0%

Family/friends: 20.8%

Heroin: 0.0%
Cocaine: 0.0%
Other opiates: 12.5%

No income: 4.2%
Public sources: 0.0%
Other sources: 8.3%

Source of Referral

(N = 24)

Self/family/relative/
friends: 54.2%

Employer/school: 4.2%

Criminal justice: 62.5%

Professional: 20.8%

County social

County: Cook

Age (N = 24)

Under 18: 8.3%

service agency: 8.3% Other community resources: 4.2%

AA: 0.0% Tribal: 4.2%

Discharge Status

Other drugs: 0.0%

(N = 24)

Completed program: 37.5%

Patient left without staff approval: 37.5% Staff requested/judged inappropriate: 8.3%

Death/other: 16.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Cook County Wilderness Outpatient Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =22)	0.0%	0.0%	*
Not employed/student§ (N = 23)	26.1%	17.4%	33.3%
Arrests past 30 days (N = 23)	8.7%	0.0%	100.0%
Alcohol use past 30 days (N = 17)	35.3%	17.6%	50.0%
Drug use past 30 days (N = 17)	35.3%	11.8%	66.7%
No self-help group participation past 30 days (N = 22)	68.2%	31.8%	53.3%
No family support for recovery past 30 days ($N = 22$)	4.6%	4.6%	0.0%
Summary Measure 53.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 23$)	4.4%	8.7%	0.0%
Biomedical Conditions and Complications $(N = 23)$	4.4%	4.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 23)	34.8%	34.8%	0.0%
Resistance to Change (N = 22)	72.7%	45.5%	37.5%
Relapse/Continued Use Potential (N = 22)	100.0%	59.1%	40.9%
Unsupportive Recovery Environment (N = 23)	60.9%	30.4%	50.0%
Summary Measure 34.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Correctional Transition Services, Inc.

1901 44th Ave N Minneapolis, MN 55412

Provider Website:

Patient Profile

Gender (N = 133) Race (N = 133)Male: 100.0% White: 24.8% Female: 0.0% Black: 61.7%

> American Indian: 3.8% Hispanic: 2.3%

Asian/Pacific Islander: 3.0%

Other: 4.5%

Primary Substance Source of Income (N = 133)

Alcohol: 40.6% Methamphetamine: 7.5%

Marijuana: 35.3% Heroin: 0.0% Cocaine: 15.0% Other opiates: 1.5%

Other drugs: 0.0%

(N = 133)

Job: 4.5%

Retirement/savings: 0.0% Family/friends: 2.3% No income: 45.1% Public sources: 33.8%

Other sources: 14.3%

Age (N = 133)

County: Hennepin

Under 18: 0.0% 18 to 25: 33.1% 26 to 34: 30.8%

35 and older: 36.1%

Source of Referral

(N = 133) .

Self/family/relative/ friends: 41.4% Employer/school: 0.0% Criminal justice: 90.2% Professional: 6.0%

County social

service agency: 4.5% Other community resources: 2.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 133)

Completed program: 29.3%

Patient left without staff approval: 37.6% Staff requested/judged inappropriate: 20.3%

Death/other: 12.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Correctional Transition Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =124)	17.7%	68.5%	0.0%
Not employed/student§ (N = 115)	92.2%	93.0%	0.0%
Arrests past 30 days (N = 132)	19.7%	2.3%	88.5%
Alcohol use past 30 days (N = 133)	28.6%	8.3%	71.1%
Drug use past 30 days (N = 133)	36.8%	12.8%	65.3%
No self-help group participation past 30 days (N = 90)	50.0%	54.4%	0.0%
No family support for recovery past 30 days (N = 113)	8.9%	0.9%	90.0%
Summary Measure [∥] 5.4%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 122)	0.0%	4.9%	*
Biomedical Conditions and Complications (N = 129)	8.5%	15.5%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 128)	67.2%	63.3%	5.8%
Resistance to Change (N = 128)	85.2%	75.8%	11.0%
Relapse/Continued Use Potential (N = 128)	96.9%	78.9%	18.5%
Unsupportive Recovery Environment (N = 126)	97.6%	80.2%	17.9%
Summary Measure [∥] 10.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Corrections Recovery Services

2116 South East Campus Drive Rochester, MN 55904

Provider Website:

Patient Profile

Gender (N = 120)
Male: 72.5%
Female: 27.5%

Female: 27.5%

Primary Substance
(N = 120)
Alcohol: 55.8%

Methamphetamine: 17.5% Marijuana: 6.7% Heroin: 3.3% Cocaine: 15.0%

Other opiates: 1.7% Other drugs: 0.0% Race (N = 120)

White: 85.0% Black: 6.7%

American Indian: 0.8% Hispanic: 2.5%

Asian/Pacific Islander: 3.3%

Other: 1.7%

Source of Income (N = 120)

Job: 55.8% Retirement/savings: 0.8% Family/friends: 6.7%

No income: 3.3% Public sources: 15.8% Other sources: 17.5%

County: Olmsted

Age (N = 120)

Under 18: 0.0% 18 to 25: 28.3% 26 to 34: 40.0%

35 and older: 31.7%

Source of Referral (N = 120).

Self/family/relative/ friends: 16.7% Employer/school: 0.0% Criminal justice: 88.3% Professional: 8.3% County social

service agency: 20.8%

Other community resources: 10.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 120)

Completed program: 87.5%

Patient left without staff approval: 5.0% Staff requested/judged inappropriate: 2.5%

Death/other: 5.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Corrections Recovery Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =104)	2.9%	2.9%	0.0%
Not employed/student \S (N = 95)	38.9%	42.1%	0.0%
Arrests past 30 days (N = 120)	25.0%	4.2%	83.3%
Alcohol use past 30 days (N = 120)	20.8%	2.5%	88.0%
Drug use past 30 days (N = 120)	22.5%	2.5%	88.9%
No self-help group participation past 30 days (N = 94)	75.5%	69.1%	8.5%
No family support for recovery past 30 days (N = 93)	19.4%	4.3%	77.8%
Summary Measure [∥] 37.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 120)	1.7%	0.8%	50.0%
Biomedical Conditions and Complications (N = 120)	0.8%	0.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 120)	35.0%	23.3%	33.3%
Resistance to Change (N = 120)	42.5%	25.8%	39.2%
Relapse/Continued Use Potential (N = 120)	76.7%	42.5%	44.6%
Unsupportive Recovery Environment (N = 119)	67.2%	38.7%	42.5%
Summary Measure 41.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0. DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Counseling Clinic La Crescent

33 South Walnut Street La Crescent, MN 55947

Provider Website:

Patient Profile

 Gender (N = 45)
 Race (N = 45)

 Male: 82.2%
 White: 97.8%

 Female: 17.8%
 Black: 2.2%

American Indian: 0.0% 26 to 34: 26.7% Hispanic: 0.0% 35 and older: 37.8%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 45) Alcohol: 64.4% (N = 45) Job: 71.1%

Methamphetamine: 4.4% Retirement/savings: 0.

Marijuana: 26.7% Family/friends: 11.1%

Heroin: 2.2% No income: 2.2%

Cocaine: 0.0% Public sources: 8.9%

Other opiates: 2.2% Other sources: 6.7%

County: Houston

Age (N = 45)

Under 18: 2.2%

18 to 25: 33.3%

Source of Referral

Professional: 4.4%
County social

service agency: 46.7%

Other community resources: 4.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 45)

Completed program: 62.2%

Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 2.2%

Death/other: 15.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Counseling Clinic La Crescent

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =37)	0.0%	0.0%	*
Not employed/student§ (N = 39)	23.1%	25.6%	0.0%
Arrests past 30 days (N = 45)	2.2%	6.7%	0.0%
Alcohol use past 30 days (N = 44)	20.5%	2.3%	88.9%
Drug use past 30 days (N = 44)	9.1%	0.0%	100.0%
No self-help group participation past 30 days ($N = 37$)	67.6%	32.4%	52.0%
No family support for recovery past 30 days (N = 34)	0.0%	0.0%	*
Summary Measure 45.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 45)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 45)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 45)	13.3%	20.0%	0.0%
Resistance to Change $(N = 45)$	26.7%	17.8%	33.3%
Relapse/Continued Use Potential (N = 45)	86.7%	55.6%	35.9%
Unsupportive Recovery Environment (N = 45)	86.7%	68.9%	20.5%
Summary Measure [∥] 24.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Counseling Resources

419 9th Street Worthington, MN 56187

Provider Website:

Patient Profile

Gender (N = 19)Race (N = 19)Male: 78.9% White: 47.4% Female: 21.1% Black: 10.5%

> American Indian: 10.5% 26 to 34: 15.8% Hispanic: 15.8% 35 and older: 68.4%

Asian/Pacific Islander: 15.8%

Other: 0.0%

Job: 47.4%

(N = 19)

Source of Income

Primary Substance

(N = 19)Alcohol: 63.2%

Methamphetamine: 15.8%

Marijuana: 21.1% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Retirement/savings: 5.3%

Family/friends: 15.8% No income: 0.0% Public sources: 15.8% Other sources: 15.8%

Source of Referral

(N = 19) .

County: Nobles

Age (N = 19)

Under 18: 0.0%

18 to 25: 15.8%

Self/family/relative/ friends: 5.3%

Employer/school: 5.3% Criminal justice: 94.7% Professional: 0.0%

County social

service agency: 21.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 19)

Completed program: 73.7%

Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 15.8%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Counseling Resources

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =19)	0.0%	0.0%	*
Not employed/student \S (N = 19)	47.4%	36.8%	22.2%
Arrests past 30 days (N = 19)	0.0%	0.0%	*
Alcohol use past 30 days (N = 19)	15.8%	15.8%	0.0%
Drug use past 30 days (N = 19)	10.5%	5.3%	50.0%
No self-help group participation past 30 days $(N = 19)$	78.9%	47.4%	40.0%
No family support for recovery past 30 days (N = 12)	33.3%	16.7%	50.0%
Summary Measure 34.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 19)	0.0%	5.3%	*
Biomedical Conditions and Complications $(N = 19)$	5.3%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 19)	10.5%	5.3%	50.0%
Resistance to Change (N = 19)	42.1%	26.3%	37.5%
Relapse/Continued Use Potential ($N = 19$)	100.0%	42.1%	57.9%
Unsupportive Recovery Environment ($N = 19$)	89.5%	42.1%	52.9%
Summary Measure 51.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Courage Center-Vinland National Center

3915 Golden Valley Road Golden Valley, MN 55422

Provider Website:

Patient Profile

 Gender (N = 86)
 Race (N = 86)

 Male: 73.3%
 White: 66.3%

 Female: 26.7%
 Black: 25.6%

American Indian: 3.5% 26 to 34: Hispanic: 0.0% 35 and old

Asian/Pacific Islander: 0.0%

Other: 4.7%

Primary Substance

(N = 86)Alcohol: 60.5%

Methamphetamine: 2.3%

Marijuana: 22.1% Heroin: 1.2% Cocaine: 10.5% Other opiates: 2.3%

Other drugs: 1.2%

Source of Income

(N = 86)Job: 9.3%

Retirement/savings: 4.7% Family/friends: 9.3% No income: 9.3%

Public sources: 61.6% Other sources: 5.8% $\underline{Age (N = 86)}$

County: Hennepin

Under 18: 0.0% 18 to 25: 18.6% 26 to 34: 17.4%

35 and older: 64.0%

Source of Referral

(N = 86) .

Self/family/relative/ friends: 14.0% Employer/school: 0.0% Criminal justice: 43.0% Professional: 86.0%

County social

service agency: 14.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 86)

Completed program: 70.9%

Patient left without staff approval: 16.3% Staff requested/judged inappropriate: 1.2%

Death/other: 11.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Courage Center-Vinland National Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =85)	2.4%	0.0%	100.0%
Not employed/student§ (N = 85)	83.5%	36.5%	56.3%
Arrests past 30 days (N = 85)	5.9%	1.2%	80.0%
Alcohol use past 30 days (N = 85)	31.8%	5.9%	81.5%
Drug use past 30 days (N = 85)	32.9%	5.9%	82.1%
No self-help group participation past 30 days (N = 84)	44.0%	13.1%	70.3%
No family support for recovery past 30 days $(N = 82)$	6.1%	2.4%	60.0%
Summary Measure [∥] 68.6%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 86$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 86)	8.1%	1.2%	85.7%
Emotional/Behavioral/ Cognitive Problem (N = 86)	98.8%	20.9%	78.8%
Resistance to Change (N = 86)	66.3%	22.1%	66.7%
Relapse/Continued Use Potential (N = 86)	100.0%	25.6%	74.4%
Unsupportive Recovery Environment ($N = 86$)	94.2%	22.1%	76.5%
Summary Measure 75.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CRC Wisconsin RD LLC

615 Old Mill Road Hudson, WI 54016

County:

Provider Website:

Patient Profile

Gender (N = 304) Male: 70.4% Female: 29.6% Race (N = 304) White: 77.6% Black: 6.6%

American Indian: 10.2% Hispanic: 3.3%

Asian/Pacific Islander: 0.3%

Other: 2.0%

Primary Substance (N = 299)Alcohol: 56.9%

Methamphetamine: 10.0% Marijuana: 13.0%

Heroin: 2.0% Cocaine: 7.7% Other opiates: 6.4% Other drugs: 4.0% Source of Income (N = 304)

Job: 17.8%

Retirement/savings: 3.0% Family/friends: 12.2% No income: 24.3% Public sources: 28.9% Other sources: 13.8% Age (N = 304)

Under 18: 0.0% 18 to 25: 27.6% 26 to 34: 25.0% 35 and older: 47.4%

Source of Referral (N = 304).

Self/family/relative/ friends: 53.6% Employer/school: 1.6% Criminal justice: 19.1% Professional: 47.7%

County social

service agency: 28.6%

Other community resources: 22.4%

AA: 0.7% Tribal: 5.6%

Discharge Status

(N = 304)

Completed program: 80.6%

Patient left without staff approval: 11.2% Staff requested/judged inappropriate: 1.3%

Death/other: 6.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

CRC Wisconsin RD LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =289)	20.8%	5.2%	75.0%
Not employed/student§ (N = 261)	75.9%	85.8%	0.0%
Arrests past 30 days (N = 303)	14.9%	0.7%	95.6%
Alcohol use past 30 days (N = 297)	70.7%	3.4%	95.2%
Drug use past 30 days (N = 297)	54.9%	4.7%	91.4%
No self-help group participation past 30 days (N = 291)	54.3%	9.6%	82.3%
No family support for recovery past 30 days (N = 285)	10.9%	7.7%	29.0%
Summary Measure 61.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 297)	7.1%	0.7%	90.5%
Biomedical Conditions and Complications ($N = 297$)	13.8%	7.7%	43.9%
Emotional/Behavioral/ Cognitive Problem (N = 297)	82.8%	57.2%	30.9%
Resistance to Change (N = 297)	69.7%	42.8%	38.6%
Relapse/Continued Use Potential (N = 297)	99.7%	91.6%	8.1%
Unsupportive Recovery Environment (N = 292)	100.0%	85.3%	14.7%
Summary Measure 23.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CREATE

1911 Pleasant Avenue South Minneapolis, MN 55403

Provider Website:

Patient Profile

<u>Gender (N = 181)</u> Male: 77.9% Female: 22.1%

> American Indian: 3.9% Hispanic: 3.9%

> > Asian/Pacific Islander: 3.9%

Other: 6.1%

Race (N = 181)

White: 55.8%

Black: 26.5%

Primary Substance (N = 181)

Alcohol: 72.9% Methamphetamine: 2.2%

Marijuana: 19.9% Heroin: 2.2% Cocaine: 0.0% Other opiates: 1.7% Other drugs: 1.1% Source of Income (N = 181)

Job: 40.3% Retirement/savings: 2.2%

Family/friends: 7.7% No income: 23.8% Public sources: 16.0% Other sources: 9.9% Age (N = 181)

County: Hennepin

Under 18: 0.0% 18 to 25: 24.3% 26 to 34: 40.3%

35 and older: 35.4%

Source of Referral

(N = 181).

Self/family/relative/ friends: 9.4% Employer/school: 2.2%

Criminal justice: 88.4% Professional: 5.5%

County social

service agency: 27.1%

Other community resources: 1.7%

AA: 0.6% Tribal: 0.0%

Discharge Status

(N = 181)

Completed program: 68.0%

Patient left without staff approval: 14.4% Staff requested/judged inappropriate: 9.4%

Death/other: 8.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

CREATE

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =174)	0.6%	0.6%	0.0%
Not employed/student§ (N = 171)	44.4%	39.8%	10.5%
Arrests past 30 days (N = 181)	11.6%	5.0%	57.1%
Alcohol use past 30 days (N = 181)	28.2%	7.2%	74.5%
Drug use past 30 days (N = 181)	13.3%	7.7%	41.7%
No self-help group participation past 30 days (N = 150)	66.7%	43.3%	35.0%
No family support for recovery past 30 days (N = 160)	8.8%	10.0%	0.0%
Summary Measure [∥] 34.5%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 177)	0.6%	1.7%	0.0%
Biomedical Conditions and Complications (N = 177)	7.9%	5.1%	35.7%
Emotional/Behavioral/ Cognitive Problem (N = 176)	36.4%	21.0%	42.2%
Resistance to Change (N = 176)	67.0%	30.1%	55.1%
Relapse/Continued Use Potential (N = 175)	95.4%	49.1%	48.5%
Unsupportive Recovery Environment (N = 174)	90.8%	40.8%	55.1%
Summary Measure [∥] 50.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CREATE-South

15025 Glazier Avenue Apple Valley, MN 55124

Provider Website: www.chemicalhealth.org

Patient Profile

 Gender (N = 81)
 Race (N = 81)

 Male: 82.7%
 White: 76.5%

 Female: 17.3%
 Black: 4.9%

American Indian: 1.2% 26 to 34: 35.8% Hispanic: 6.2% 35 and older: 32.1%

County: Dakota

Age (N = 81)

Under 18: 0.0%

18 to 25: 32.1%

Source of Referral

Self/family/relative/

friends: 39.5%

Professional: 8.6%

Employer/school: 1.2%

Criminal justice: 80.2%

(N = 81) .

AA: 0.0% Tribal: 0.0%

Asian/Pacific Islander: 2.5%

Other: 8.6%

Primary Substance Source of Income

(N = 81) Alcohol: 79.0% (N = 81) Job: 54.3%

Methamphetamine: 6.2% Retirement/savings: 1.2% Marijuana: 12.3% Family/friends: 18.5% No income: 14.8% Cocaine: 1.2% Public sources: 4.9%

Other opiates: 0.0% Other sources: 6.2% County social service agency: 55.6%

Other community resources: 2.5%

Discharge Status

(N = 81)

Completed program: 79.0%

Patient left without staff approval: 12.3% Staff requested/judged inappropriate: 3.7%

Death/other: 4.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

CREATE-South

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =80)	0.0%	0.0%	*
Not employed/student \S (N = 79)	36.7%	29.1%	20.7%
Arrests past 30 days (N = 81)	1.2%	1.2%	0.0%
Alcohol use past 30 days (N = 81)	33.3%	8.6%	74.1%
Drug use past 30 days (N = 81)	14.8%	6.2%	58.3%
No self-help group participation past 30 days (N = 80)	72.5%	45.0%	37.9%
No family support for recovery past 30 days $(N = 73)$	6.9%	12.3%	0.0%
Summary Measure 38.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 77$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 81)$	9.9%	2.5%	75.0%
Emotional/Behavioral/ Cognitive Problem (N = 80)	50.0%	22.5%	55.0%
Resistance to Change (N = 79)	69.6%	17.7%	74.5%
Relapse/Continued Use Potential (N = 79)	96.2%	30.4%	68.4%
Unsupportive Recovery Environment (N = 80)	81.3%	30.0%	63.1%
Summary Measure 66.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\%\$ at admission - % at discharge)/\$\Sigma(\%\$ at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota County Jail Treatment Program

1580 Highway 55 West Hastings, MN 55033

Provider Website:

Patient Profile

 Gender (N = 89)
 Race (N = 89)

 Male: 100.0%
 White: 60.7%

 Female: 0.0%
 Black: 22.5%

American Indian: 2.3% 26 to 34: 39.3% Hispanic: 11.2% 35 and older: 20.2%

Asian/Pacific Islander: 3.4%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 23.6% Retirement/savings: 0.0% Family/friends: 12.4% No income: 65.2% Cocaine: 5.6% Public sources: 1.1%

Other opiates: 2.3% Other sources: 21.3%

Source of Referral (N = 89).

County: Dakota

Age (N = 89)

Under 18: 0.0%

18 to 25: 40.4%

Self/family/relative/ friends: 10.1% Employer/school: 0.0% Criminal justice: 84.3% Professional: 0.0%

County social

service agency: 40.4%

Other community resources: 3.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 89)

Completed program: 25.8%

Patient left without staff approval: 1.1% Staff requested/judged inappropriate: 4.5%

Death/other: 68.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Dakota County Jail Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =85)	5.9%	1.2%	80.0%
Not employed/student \S (N = 86)	96.5%	100.0%	0.0%
Arrests past 30 days (N = 88)	9.1%	1.1%	87.5%
Alcohol use past 30 days (N = 89)	0.0%	0.0%	*
Drug use past 30 days (N = 89)	1.1%	0.0%	100.0%
No self-help group participation past 30 days (N = 88)	31.8%	9.1%	71.4%
No family support for recovery past 30 days (N = 82)	12.2%	2.4%	80.0%
Summary Measure 27.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 89)	1.1%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 89)$	2.3%	1.1%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 89)	70.8%	42.7%	39.7%
Resistance to Change (N = 89)	67.4%	37.1%	45.0%
Relapse/Continued Use Potential ($N = 89$)	100.0%	91.0%	9.0%
Unsupportive Recovery Environment ($N = 89$)	100.0%	98.9%	1.1%
Summary Measure 20.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota County Receiving Center, Inc.

1294 East 18th Street Hasting, MN 55033

Provider Website: www.detoxone.org

Patient Profile

 Gender (N = 319)
 Race (N = 319)

 Male: 88.4%
 White: 82.8%

Female: 11.6% Black: 5.6% 18 to 25: 32.9% American Indian: 3.5% 26 to 34: 27.3% Hispanic: 4.7% 35 and older: 39.8%

Asian/Pacific Islander: 0.3%

Other: 3.1%

Primary Substance Source of Income

Methamphetamine: 13.8% Retirement/savings: 1.6% Family/friends: 6.6% Heroin: 5.4% No income: 39.2% Cocaine: 5.4% Public sources: 28.8%

Other opiates: 3.8% Other sources: 9.7%

(N = 319) . Self/family/relative/ friends: 47.3%

Source of Referral

Employer/school: 0.0% Criminal justice: 36.7% Professional: 52.7%

County: Dakota

Age (N = 319)

Under 18: 0.0%

County social

service agency: 42.9%

Other community resources: 1.6%

AA: 0.3% Tribal: 0.6%

Discharge Status

Other drugs: 1.6%

(N = 319)

Completed program: 64.6%

Patient left without staff approval: 13.8% Staff requested/judged inappropriate: 13.8%

Death/other: 7.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Dakota County Receiving Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =304)	9.9%	20.1%	0.0%
Not employed/student \S (N = 292)	89.0%	80.5%	9.6%
Arrests past 30 days (N = 312)	10.9%	3.9%	64.7%
Alcohol use past 30 days (N = 317)	32.2%	6.9%	78.4%
Drug use past 30 days (N = 317)	26.5%	7.6%	71.4%
No self-help group participation past 30 days ($N = 309$)	21.7%	4.9%	77.6%
No family support for recovery past 30 days (N = 252)	7.5%	2.8%	63.2%
Summary Measure 36.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 316)	2.9%	7.3%	0.0%
Biomedical Conditions and Complications (N = 318)	9.8%	9.4%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 318)	69.8%	50.0%	28.4%
Resistance to Change (N = 318)	70.8%	39.6%	44.0%
Relapse/Continued Use Potential (N = 318)	99.7%	67.3%	32.5%
Unsupportive Recovery Environment (N = 318)	99.7%	73.3%	26.5%
Summary Measure 30.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota Treatment Center

11939 West River Hills Drive Burnsville, MN 55337

Provider Website: www.methadonetreatment.com

Patient Profile

 Gender (N = 66)
 Race (N = 66)
 Age (N = 66)

 Male: 53.0%
 White: 84.8%
 Under 18: 0.0%

 Female: 47.0%
 Black: 1.5%
 18 to 25: 37.9%

American Indian: 9.1% 26 to 34: 40.9%

Hispanic: 3.0% 35 and older: 21.2%

County: Dakota

Source of Referral

Asian/Pacific Islander: 0.0%

Other: 1.5%

Primary Substance Source of Income

 $\begin{array}{ccc} (N=63) & \underline{(N=66)} & \underline{(N=66)} \\ \text{Alcohol: 0.0\%} & \text{Job: 37.9\%} & \text{Self/family/relative/} \end{array}$

Methamphetamine: 0.0% Retirement/savings: 1.5% friends: 86.4% Marijuana: 0.0% Family/friends: 22.7% Employer/school: 1.5% Heroin: 38.1% No income: 0.0% Criminal justice: 4.6% Cocaine: 0.0% Public sources: 12.1% Professional: 19.7%

Other opiates: 61.9% Other sources: 25.8% County social service agency: 0.0%

Other community
resources: 6.1%
AA: 0.0%

Tribal: 0.0%

Discharge Status

(N = 66)

Completed program: 0.0%

Patient left without staff approval: 50.0% Staff requested/judged inappropriate: 6.1%

Death/other: 43.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Dakota Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =52)	0.0%	3.9%	*
Not employed/student§ (N = 48)	45.8%	50.0%	0.0%
Arrests past 30 days (N = 66)	1.5%	6.1%	0.0%
Alcohol use past 30 days (N = 56)	32.1%	12.5%	61.1%
Drug use past 30 days (N = 56)	82.1%	57.1%	30.4%
No self-help group participation past 30 days ($N = 47$)	83.0%	74.5%	10.3%
No family support for recovery past 30 days $(N = 45)$	2.2%	8.9%	0.0%
Summary Measure 13.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 57$)	17.5%	21.1%	0.0%
Biomedical Conditions and Complications $(N = 51)$	15.7%	13.7%	12.5%
Emotional/Behavioral/ Cognitive Problem (N = 52)	51.9%	69.2%	0.0%
Resistance to Change (N = 57)	21.1%	52.6%	0.0%
Relapse/Continued Use Potential (N = 59)	96.6%	98.3%	0.0%
Unsupportive Recovery Environment $(N = 54)$	51.9%	53.7%	0.0%
Summary Measure -21.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

701 South Dellwood Avenue Cambridge, MN 55008

Provider Website: www.allina.com

Patient Profile

 Gender (N = 307)
 Race (N = 307)
 Age (N = 307)

 Male: 70.4%
 White: 92.2%
 Under 18: 0.0%

 Formalo: 20.6%
 Black: 1.6%
 18 to 25: 27.4%

Female: 29.6% Black: 1.6% 18 to 25: 27.4% American Indian: 2.9% 26 to 34: 25.4% Hispanic: 2.0% 35 and older: 47.2%

Asian/Pacific Islander: 0.7%

County: Isanti

Other: 0.7%

Primary Substance Source of Income Source of Referral (N = 305) (N = 307) (N = 307) .

Alcohol: 48.5%

Methamphetamine: 12.1%

Marijuana: 10.5%

Job: 26.4%

Retirement/savings: 5.5%

Family/friends: 11.1%

Self/family/relative/
friends: 76.9%

Employer/school: 0.7%

Heroin: 11.1% No income: 21.8% Criminal justice: 13.4% Cocaine: 0.3% Public sources: 15.0% Professional: 22.8% Other opiates: 16.1% Other sources: 20.2% County social

Other drugs: 1.3% service agency: 4.2% Other community resources: 1.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 307)

Completed program: 75.9%

Patient left without staff approval: 12.4% Staff requested/judged inappropriate: 2.6%

Death/other: 9.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Dellwood Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =300)	6.3%	2.3%	63.2%
Not employed/student§ (N = 288)	75.0%	70.8%	5.6%
Arrests past 30 days (N = 307)	13.7%	2.6%	81.0%
Alcohol use past 30 days (N = 305)	68.5%	50.2%	26.8%
Drug use past 30 days (N = 305)	56.4%	41.0%	27.3%
No self-help group participation past 30 days (N = 289)	65.7%	10.0%	84.7%
No family support for recovery past 30 days ($N = 273$)	3.3%	5.9%	0.0%
Summary Measure 36.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 282)	28.4%	4.3%	85.0%
Biomedical Conditions and Complications ($N = 282$)	18.8%	12.4%	34.0%
Emotional/Behavioral/ Cognitive Problem (N = 282)	89.4%	86.2%	3.6%
Resistance to Change (N = 283)	56.9%	33.9%	40.4%
Relapse/Continued Use Potential (N = 283)	99.6%	96.8%	2.8%
Unsupportive Recovery Environment (N = 280)	98.6%	93.9%	4.7%
Summary Measure 16.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

522 11th Ave. S.W. Cambridge, MN 55008

Provider Website:

Patient Profile

<u>Gender (N = 46)</u> Male: 82.6% Female: 17.4%

> American Indian: 0.0% Hispanic: 4.4%

Asian/Pacific Islander: 0.0%

Other: 2.2%

Race (N = 46)

White: 93.5%

Black: 0.0%

Primary Substance (N = 46)

Alcohol: 8.7% Methamphetamine: 2.2%

Marijuana: 73.9% Heroin: 2.2% Cocaine: 0.0% Other opiates: 4.4%

Other drugs: 8.7%

Source of Income

(N = 46)Job: 0.0%

> Retirement/savings: 0.0% Family/friends: 82.6% No income: 2.2% Public sources: 2.2% Other sources: 13.0%

Age (N = 46)

County: Isanti

Under 18: 91.3% 18 to 25: 4.4% 26 to 34: 4.4% 35 and older: 0.0%

Source of Referral

(N = 46).

Self/family/relative/ friends: 39.1% Employer/school: 2.2% Criminal justice: 50.0% Professional: 50.0%

County social

service agency: 4.4% Other community resources: 2.2%

AA: 0.0% Tribal: 2.2%

Discharge Status

(N = 46)

Completed program: 21.7%

Patient left without staff approval: 26.1% Staff requested/judged inappropriate: 10.9%

Death/other: 41.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Dellwood Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =44)	0.0%	2.3%	*
Not employed/student \S (N = 46)	13.0%	6.5%	50.0%
Arrests past 30 days (N = 46)	6.5%	8.7%	0.0%
Alcohol use past 30 days (N = 44)	20.5%	15.9%	22.2%
Drug use past 30 days (N = 44)	38.6%	38.6%	0.0%
No self-help group participation past 30 days (N = 21)	42.9%	28.6%	33.3%
No family support for recovery past 30 days (N = 20)	0.0%	10.0%	*
Summary Measure 9.0%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 45)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 45)$	0.0%	2.2%	*
Emotional/Behavioral/ Cognitive Problem (N = 45)	86.7%	77.8%	10.3%
Resistance to Change (N = 46)	34.8%	71.7%	0.0%
Relapse/Continued Use Potential (N = 46)	100.0%	93.5%	6.5%
Unsupportive Recovery Environment $(N = 46)$	97.8%	84.8%	13.3%
Summary Measure -3.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

1001 First Ave. N.E. Cambridge, MN 55008

Provider Website:

Patient Profile

 Gender (N = 237)
 Race (N = 237)

 Male: 65.8%
 White: 95.8%

 Female: 34.2%
 Black: 0.0%

American Indian: 0.4% Hispanic: 0.8%

Asian/Pacific Islander: 1.3%

Other: 1.7%

Primary Substance Source of Income (N = 236) (N = 237)

Alcohol: 55.1% Job: 39.2% Methamphetamine: 15.7% Retirement/

Methamphetamine: 15.7% Retirement/savings: 3.4% Family/friends: 9.7% Heroin: 3.0% No income: 14.3% Public sources: 10.1% Other opiates: 6.8% Other sources: 23.2%

Source of Referral
(N = 237)
Self/family/relative/
friends: 61.6%
Employer/school: 2.5%

Employer/school: 2.5% Criminal justice: 39.7% Professional: 46.4%

County social

County: Isanti

Age (N = 237)

Under 18: 0.0%

18 to 25: 23.6%

26 to 34: 29.1% 35 and older: 47.3%

service agency: 13.1%

Other community resources: 3.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 3.0%

(N = 237)

Completed program: 61.2%

Patient left without staff approval: 20.7% Staff requested/judged inappropriate: 8.0%

Death/other: 10.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Dellwood Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	<u>% Improve</u> ‡
Homeless§ (N =227)	2.2%	2.6%	0.0%
Not employed/student§ (N = 207)	58.5%	53.6%	8.3%
Arrests past 30 days (N = 237)	5.5%	5.5%	0.0%
Alcohol use past 30 days (N = 236)	25.0%	10.6%	57.6%
Drug use past 30 days (N = 236)	14.4%	10.6%	26.5%
No self-help group participation past 30 days (N = 153)	35.3%	13.1%	63.0%
No family support for recovery past 30 days (N = 157)	3.2%	5.7%	0.0%
Summary Measure 29.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 228)	1.3%	5.3%	0.0%
Biomedical Conditions and Complications ($N = 230$)	8.3%	8.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 234)	82.9%	50.0%	39.7%
Resistance to Change (N = 236)	34.3%	32.6%	4.9%
Relapse/Continued Use Potential (N = 237)	96.2%	57.0%	40.8%
Unsupportive Recovery Environment (N = 234)	96.6%	63.2%	34.5%
Summary Measure 32.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

701 South Dellwood Cambridge, MN 55008

Provider Website:

Patient Profile

Gender (N = 6)

Male: *

Female: *

Race (N = 6)

White: *

Black: *

American Indian: * 26 to 34: * Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income

(N = 6) (N = 6) Job: *

Methamphetamine: * Retirement/savings: *
Marijuana: * Family/friends: *

Heroin: * No income: *
Cocaine: * Public sources: *
Other opiates: * Other sources: *

Source of Referral (N = 6). Self/family/relative/

Self/family/relative/ ings: * friends: *

County: Isanti

Age (N = 6)

Under 18: *

18 to 25: *

Employer/school: *
Criminal justice: *
Professional: *
County social

service agency: *
Other community
resources: *

AA: *
Tribal: *

Discharge Status

Other drugs: *

(N = 6)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Dellwood Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =6)	*	*	*
Not employed/student \S (N = 6)	*	*	*
Arrests past 30 days (N = 6)	*	*	*
Alcohol use past 30 days (N = 6)	*	*	*
Drug use past 30 days (N = 6)	*	*	*
No self-help group participation past 30 days $(N = 6)$	*	*	*
No family support for recovery past 30 days $(N = 6)$	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 6$)			
VVI(I)UI avvai (IV = 0)	*	*	*
Biomedical Conditions and Complications (N = 6)	*	*	*
Biomedical Conditions and			
Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/	*	*	*
Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6)	*	*	*
Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6) Resistance to Change (N = 6) Relapse/Continued Use	* *	* *	* *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

100 Pine Street Mora, MN 55051

Provider Website:

Patient Profile

 Gender (N = 87)
 Race (N = 87)

 Male: 67.8%
 White: 95.4%

 Female: 32.2%
 Black: 0.0%

Black: 0.0% 18 to 25: 23.0% American Indian: 1.2% 26 to 34: 33.3% Hispanic: 0.0% 35 and older: 43.7%

Asian/Pacific Islander: 0.0%

Other: 3.5%

Primary Substance
(N = 87)

Alcohol: 55.2% Methamphetamine: 10.3%

Marijuana: 23.0% Heroin: 0.0% Cocaine: 0.0%

Other opiates: 11.5% Other drugs: 0.0% Source of Income

(N = 87)Job: 35.6%

Retirement/savings: 1.2% Family/friends: 5.8% No income: 0.0%

Public sources: 11.5% Other sources: 46.0% Source of Referral

(N = 87) .

County: Kanabec

Age (N = 87)

Under 18: 0.0%

Self/family/relative/ friends: 21.8% Employer/school: 1.2% Criminal justice: 55.2% Professional: 59.8%

County social

service agency: 54.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 87)

Completed program: 43.7%

Patient left without staff approval: 35.6% Staff requested/judged inappropriate: 1.2%

Death/other: 19.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Dellwood Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =83)	0.0%	1.2%	*
Not employed/student \S (N = 78)	69.2%	64.1%	7.4%
Arrests past 30 days (N = 87)	4.6%	9.2%	0.0%
Alcohol use past 30 days (N = 87)	18.4%	6.9%	62.5%
Drug use past 30 days (N = 87)	11.5%	13.8%	0.0%
No self-help group participation past 30 days (N = 28)	17.9%	3.6%	80.0%
No family support for recovery past 30 days $(N = 22)$	0.0%	0.0%	*
Summary Measure 18.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 86$)	1.2%	1.2%	0.0%
Biomedical Conditions and Complications $(N = 86)$	14.0%	8.1%	41.7%
Emotional/Behavioral/ Cognitive Problem (N = 86)	83.7%	48.8%	41.7%
Resistance to Change (N = 86)	31.4%	47.7%	0.0%
Relapse/Continued Use Potential (N = 86)	95.3%	55.8%	41.5%
Unsupportive Recovery Environment (N = 86)	98.8%	55.8%	43.5%
Summary Measure 33.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dimensions in Recovery Maple Lake Recovery Center, Inc.

33 Birch Ave

County: Wright Maple Lake, MN 55358

Provider Website:

Patient Profile

Gender (N = 19)Race (N = 19)Male: 84.2% White: 89.5% Female: 15.8% Black: 0.0%

> American Indian: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Hispanic: 5.3%

Asian/Pacific Islander: 0.0%

Other: 5.3%

Primary Substance Source of Income

(N = 19)(N = 19)Alcohol: 10.5% Job: 0.0%

Methamphetamine: 0.0% Marijuana: 73.7% Heroin: 0.0% No income: 0.0% Cocaine: 5.3% Public sources: 0.0% Other opiates: 5.3%

Self/family/relative/ Retirement/savings: 0.0% friends: 42.1% Family/friends: 100.0% Employer/school: 0.0% Criminal justice: 63.2% Professional: 68.4% Other sources: 0.0% County social

> service agency: 10.5% Other community

resources: 0.0%

AA: 0.0% Tribal: 0.0%

Age (N = 19)

Under 18: 94.7%

Source of Referral

(N = 19).

18 to 25: 5.3%

Discharge Status

Other drugs: 5.3%

(N = 19)

Completed program: 52.6%

Patient left without staff approval: 5.3% Staff requested/judged inappropriate: 42.1%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Dimensions in Recovery Maple Lake Recovery Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =19)	0.0%	0.0%	*
Not employed/student \S (N = 19)	5.3%	5.3%	0.0%
Arrests past 30 days (N = 19)	0.0%	0.0%	*
Alcohol use past 30 days (N = 19)	26.3%	15.8%	40.0%
Drug use past 30 days (N = 19)	36.8%	31.6%	14.3%
No self-help group participation past 30 days (N = 19)	26.3%	0.0%	100.0%
No family support for recovery past 30 days (N = 19)	0.0%	0.0%	*
Summary Measure [∥] 44.4%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 19)	5.3%	5.3%	0.0%
Biomedical Conditions and Complications $(N = 19)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 19)	63.2%	31.6%	50.0%
Resistance to Change (N = 19)	63.2%	52.6%	16.7%
Relapse/Continued Use Potential (N = 19)	89.5%	63.2%	29.4%
Unsupportive Recovery Environment (N = 19)	89.5%	57.9%	35.3%
Summary Measure 32.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Divine Hope Counseling

328 SW 3rd Street Willmar, MN 56201

Provider Website:

Patient Profile

 Gender (N = 35)
 Race (N = 35)

 Male: 28.6%
 White: 91.4%

 Female: 71.4%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 22.9% Hispanic: 8.6% 35 and older: 51.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 35) Alcohol: 65.7% (N = 35) Job: 42.9%

Methamphetamine: 14.3% Retirement/savings: 2.9% Marijuana: 17.1% Family/friends: 5.7% Heroin: 0.0% No income: 20.0% Cocaine: 0.0% Public sources: 17.1%

Cocaine: 0.0% Public sources: 17.1% Other opiates: 2.9% Other sources: 11.4% Other drugs: 0.0%

Source of Referral (N = 35).

County: Kandiyohi

Age (N = 35)

Under 18: 0.0%

18 to 25: 25.7%

Self/family/relative/ friends: 42.9% Employer/school: 0.0% Criminal justice: 42.9% Professional: 5.7% County social

service agency: 31.4%

Other community resources: 5.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 35)

Completed program: 60.0%

Patient left without staff approval: 17.1% Staff requested/judged inappropriate: 2.9%

Death/other: 20.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Divine Hope Counseling

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless \S (N = 34)	0.0%	0.0%	*
Not employed/student \S (N = 33)	51.5%	48.5%	5.9%
Arrests past 30 days (N = 35)	2.9%	5.7%	0.0%
Alcohol use past 30 days (N = 34)	35.3%	23.5%	33.3%
Drug use past 30 days (N = 34)	14.7%	5.9%	60.0%
No self-help group participation past 30 days (N = 35)	51.4%	25.7%	50.0%
No family support for recovery past 30 days (N = 35)	0.0%	5.7%	*
Summary Measure [∥] 26.2%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 35$)	8.6%	14.3%	0.0%
Biomedical Conditions and Complications $(N = 35)$	5.7%	8.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 35)	20.0%	25.7%	0.0%
Resistance to Change (N = 35)	22.9%	37.1%	0.0%
Relapse/Continued Use			
Potential $(N = 34)$	50.0%	41.2%	17.6%
Unsupportive Recovery Environment (N = 35)	50.0% 14.3%	41.2% 17.1%	17.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Douglas Place, Inc.

1111 Gateway Drive NE East Grand Forks, MN 56721

Provider Website:

Patient Profile

<u>Gender (N = 232)</u> Male: 80.6% Female: 19.4%

emale: 19.4% Black: 1.7% American Indian: 31.5%

Hispanic: 5.6% Asian/Pacific Islander: 0.0%

Other: 2.2%

Race (N = 232)

White: 59.1%

Other. 2.2

Primary Substance (N = 231)

Alcohol: 76.6% Methamphetamine: 5.2%

Marijuana: 10.4% Heroin: 0.0% Cocaine: 0.9% Other opiates: 6.1% Other drugs: 0.9% Source of Income (N = 232)Job: 18.5%

Retirement/savings: 0.0%

Family/friends: 5.2% No income: 44.4% Public sources: 12.5% Other sources: 19.4% Age (N = 232)

County: Polk

Under 18: 5.6% 18 to 25: 25.0% 26 to 34: 25.0%

35 and older: 44.4%

Source of Referral

(N = 232) .

Self/family/relative/ friends: 31.9% Employer/school: 0.0% Criminal justice: 37.1% Professional: 31.0%

County social

service agency: 66.4%

Other community resources: 4.3%

AA: 0.0% Tribal: 3.0%

Discharge Status

(N = 232)

Completed program: 34.9%

Patient left without staff approval: 37.5% Staff requested/judged inappropriate: 16.4%

Death/other: 11.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Douglas Place, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =199)	34.2%	27.1%	20.6%
Not employed/student \S (N = 172)	82.0%	62.2%	24.1%
Arrests past 30 days (N = 230)	10.9%	11.7%	0.0%
Alcohol use past 30 days (N = 231)	29.9%	10.0%	66.7%
Drug use past 30 days (N = 231)	22.9%	10.0%	56.6%
No self-help group participation past 30 days (N = 175)	37.7%	6.3%	83.3%
No family support for recovery past 30 days (N = 142)	21.1%	13.4%	36.7%
Summary Measure 41.1%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 228)	0.9%	2.6%	0.0%
Biomedical Conditions and Complications (N = 228)	12.3%	10.5%	14.3%
Emotional/Behavioral/ Cognitive Problem (N = 227)	51.1%	38.8%	24.1%
Resistance to Change (N = 228)	71.5%	60.1%	16.0%
Relapse/Continued Use Potential (N = 228)	96.5%	84.6%	12.3%
Unsupportive Recovery Environment (N = 228)	98.7%	85.5%	13.3%
Summary Measure 14.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Counseling

1202 23rd Street South Fargo, ND 58103

County:

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 2)}}{\text{Male: *}}$

Female: *

Race (N = 2)

White: * Black: *

American Indian: *
Hispanic: *

Asian/Pacific Islander: *

Other: *

 $\underline{Age (N = 2)}$

Under 18: *
18 to 25: *
26 to 34: *

35 and older: *

Primary Substance

(N = 2)Alcohol: *

Methamphetamine: *
Marijuana: *

Heroin: *
Cocaine: *
Other opiates: *

Other drugs: *

Source of Income

 $\frac{(N=2)}{\text{Job: }}$

Retirement/savings: *
Family/friends: *
No income: *
Public sources: *
Other sources: *

Source of Referral

(N = 2) .

Self/family/relative/ friends: *

Employer/school: *
Criminal justice: *

Professional: *
County social
service agency: *

Other community resources: *

AA: *
Tribal: *

Discharge Status

(N = 2)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Drake Counseling

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =2)	*	*	*
Not employed/student \S (N = 1)	*	*	*
Arrests past 30 days (N = 2)	*	*	*
Alcohol use past 30 days (N = 2)	*	*	*
Drug use past 30 days (N = 2)	*	*	*
No self-help group participation past 30 days $(N = 2)$	*	*	*
No family support for recovery past 30 days $(N = 2)$	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 2)	*	*	*
Biomedical Conditions and Complications $(N = 2)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 2)	*	*	*
Resistance to Change $(N = 2)$	*	*	*
Relapse/Continued Use Potential (N = 2)	*	*	*
Unsupportive Recovery Environment $(N = 2)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigmu(\%\$ at admission - % at discharge)/\$\Sigmu(\%\$ at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Counseling Services, Inc.

115 Willow Street West Detroit Lakes, MN 56501

Provider Website:

Patient Profile

 Gender (N = 62)
 Race (N = 62)

 Male: 66.1%
 White: 79.0%

 Female: 33.9%
 Black: 0.0%

American Indian: 9.7% Hispanic: 9.7%

Asian/Pacific Islander: 0.0%

Other: 1.6%

Primary Substance (N = 62)

Alcohol: 61.3% Methamphetamine: 3.2%

Marijuana: 29.0% Heroin: 0.0% Cocaine: 3.2% Other opiates: 3.2% Other drugs: 0.0% Source of Income

 $\frac{(N = 62)}{\text{Job: } 56.5\%}$

Retirement/savings: 1.6% Family/friends: 12.9% No income: 1.6% Public sources: 21.0% Other sources: 6.5% Age (N = 62)

County: Becker

Under 18: 1.6% 18 to 25: 25.8% 26 to 34: 33.9%

35 and older: 38.7%

Source of Referral

(N = 62).

Self/family/relative/ friends: 33.9% Employer/school: 3.2% Criminal justice: 66.1% Professional: 14.5%

County social

service agency: 21.0%

Other community resources: 0.0%

AA: 1.6% Tribal: 1.6%

Discharge Status

(N = 62)

Completed program: 50.0%

Patient left without staff approval: 19.4% Staff requested/judged inappropriate: 9.7%

Death/other: 21.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Drake Counseling Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =61)	0.0%	0.0%	*
Not employed/student \S (N = 61)	37.7%	27.9%	26.1%
Arrests past 30 days (N = 59)	8.5%	8.5%	0.0%
Alcohol use past 30 days (N = 62)	35.5%	12.9%	63.6%
Drug use past 30 days (N = 62)	22.6%	11.3%	50.0%
No self-help group participation past 30 days (N = 58)	72.4%	39.7%	45.2%
No family support for recovery past 30 days (N = 56)	10.7%	8.9%	16.7%
Summary Measure 41.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 52$)	5.8%	5.8%	0.0%
Biomedical Conditions and Complications $(N = 61)$	4.9%	4.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 60)	36.7%	21.7%	40.9%
Resistance to Change (N = 61)	75.4%	45.9%	39.1%
Relapse/Continued Use Potential (N = 61)	95.1%	63.9%	32.8%
Unsupportive Recovery Environment $(N = 60)$	50.0%	35.0%	30.0%
Summary Measure [∥] 33.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Residential Treatment Center

28579 Hwy 10 E. Detroit Lakes, MN 56501

Provider Website:

Patient Profile

 Gender (N = 55)
 Race (N = 55)

 Male: 81.8%
 White: 76.4%

 Female: 18.2%
 Black: 0.0%

American Indian: 5.5% 26 to 34: 0.0% Hispanic: 12.7% 35 and older: 0.0%

County: Becker

Age (N = 55)

Under 18: 89.1%

18 to 25: 10.9%

Asian/Pacific Islander: 1.8%

Other: 3.6%

Primary Substance Source of Income

(N = 55) (N = 55) Alcohol: 20.0% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 89.1% No income: 0.0% Cocaine: 0.0% Public sources: 10.9%

Other opiates: 5.5% Other sources: 0.0%

(N = 55) Self/family/relative/ friends: 67.3% Employer/school: 5.5%

Source of Referral

Employer/school: 5.5% Criminal justice: 34.5% Professional: 40.0%

County social

service agency: 29.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 3.6%

(N = 55)

Completed program: 72.7%

Patient left without staff approval: 5.5% Staff requested/judged inappropriate: 16.4%

Death/other: 5.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Drake Residential Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =55)	3.6%	0.0%	100.0%
Not employed/student \S (N = 53)	5.7%	5.7%	0.0%
Arrests past 30 days (N = 54)	33.3%	1.9%	94.4%
Alcohol use past 30 days (N = 55)	60.0%	1.8%	97.0%
Drug use past 30 days (N = 55)	83.6%	12.7%	84.8%
No self-help group participation past 30 days (N = 53)	86.8%	54.7%	37.0%
No family support for recovery past 30 days $(N = 54)$	14.8%	7.4%	50.0%
Summary Measure 70.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 55)	1.8%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 55)$	3.6%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 55)	98.2%	76.4%	22.2%
Resistance to Change (N = 55)	96.4%	78.2%	18.9%
Relapse/Continued Use Potential (N = 55)	98.2%	85.5%	13.0%
Unsupportive Recovery Environment (N = 55)	96.4%	81.8%	15.1%
Summary Measure 18.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Effective Living Center, Inc.

103 6th Street NE Little Falls, MN 56345

Provider Website:

Patient Profile

 Gender (N = 63)
 Race (N = 63)

 Male: 50.8%
 White: 90.5%

 Female: 49.2%
 Black: 4.8%

American Indian: 4.8% 26 to 34: 20.6% Hispanic: 0.0% 35 and older: 39.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 63) Alcohol: 58.7% (N = 63) Job: 28.6

Methamphetamine: 9.5% Retirement/savings: 4.8
Marijuana: 20.6% Family/friends: 31.7%
Heroin: 0.0% No income: 12.7%
Cocaine: 1.6% Public sources: 12.7%
Other opiates: 7.9% Other sources: 9.5%

N = 63)

Job: 28.6%

Retirement/savings: 4.8%
Family/friends: 31.7%
No income: 12.7%
Public sources: 12.7%
Other sources: 9.5%

(N = 63)
Self/family/relative/
friends: 49.2%
Employer/school: 3.2%
Criminal justice: 57.1%
Professional: 9.5%
County social

service agency: 20.6% Other community resources: 11.1%

AA: 0.0% Tribal: 0.0%

County: Morrison

Age (N = 63)

Under 18: 19.0%

18 to 25: 20.6%

Source of Referral

Discharge Status

Other drugs: 1.6%

(N = 63)

Completed program: 46.0%

Patient left without staff approval: 25.4% Staff requested/judged inappropriate: 1.6%

Death/other: 27.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Effective Living Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =63)	1.6%	0.0%	100.0%
Not employed/student§ (N = 63)	54.0%	50.8%	5.9%
Arrests past 30 days (N = 63)	9.5%	3.2%	66.7%
Alcohol use past 30 days (N = 63)	34.9%	17.5%	50.0%
Drug use past 30 days (N = 63)	20.6%	15.9%	23.1%
No self-help group participation past 30 days (N = 59)	59.3%	16.9%	71.4%
No family support for recovery past 30 days $(N = 62)$	9.7%	1.6%	83.3%
Summary Measure 44.2%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 63)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 63)$	4.8%	3.2%	33.3%
Emotional/Behavioral/ Cognitive Problem (N = 63)	66.7%	34.9%	47.6%
Resistance to Change (N = 63)	71.4%	46.0%	35.6%
Relapse/Continued Use Potential (N = 63)	100.0%	54.0%	46.0%
Unsupportive Recovery Environment $(N = 63)$	84.1%	49.2%	41.5%
Summary Measure 42.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Effective Living Center, Inc.

821 West St. Germain St. Cloud, MN 56301

Provider Website:

Patient Profile

Gender (N = 239) Male: 71.1%

Female: 28.9%

Primary Substance

(N = 239) Alcohol: 69.9% Methamphetamine: 7.5%

Marijuana: 20.1% Heroin: 0.0% Cocaine: 1.3% Other opiates: 0.8%

Other drugs: 0.4%

Race (N = 239)

White: 81.6% Black: 11.3%

American Indian: 0.4% Hispanic: 2.9%

Asian/Pacific Islander: 1.7%

Other: 2.1%

Source of Income

(N = 239)Job: 47.3%

Retirement/savings: 2.5%

Family/friends: 8.4% No income: 16.7% Public sources: 13.4%

Other sources: 11.7%

Source of Referral

County: Stearns

(N = 239).

Age (N = 239)

Under 18: 4.6%

18 to 25: 31.0%

26 to 34: 29.7% 35 and older: 34.7%

Self/family/relative/ friends: 57.3% Employer/school: 3.4% Criminal justice: 70.7%

Professional: 3.4% County social

service agency: 12.6%

Other community resources: 2.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 239)

Completed program: 64.4%

Patient left without staff approval: 15.9% Staff requested/judged inappropriate: 4.2%

Death/other: 15.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Effective Living Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =232)	0.9%	1.3%	0.0%
Not employed/student \S (N = 219)	39.7%	37.4%	5.8%
Arrests past 30 days (N = 239)	7.5%	8.8%	0.0%
Alcohol use past 30 days (N = 239)	36.0%	13.8%	61.6%
Drug use past 30 days (N = 239)	23.4%	13.0%	44.6%
No self-help group participation past 30 days (N = 216)	71.3%	37.5%	47.4%
No family support for recovery past 30 days (N = 198)	20.2%	24.2%	0.0%
Summary Measure [∥] 31.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 239)	0.4%	0.0%	100.0%
Biomedical Conditions and Complications (N = 239)	4.6%	4.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 239)	39.7%	18.4%	53.7%
Resistance to Change (N = 239)	82.8%	30.5%	63.1%
Relapse/Continued Use Potential (N = 239)	98.7%	48.1%	51.3%
Unsupportive Recovery Environment ($N = 239$)	77.0%	35.6%	53.8%
Summary Measure 54.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

EmPower CTC

602 11th Ave NW Rochester, MN 55901

Provider Website:

Patient Profile

<u>Gender (N = 219)</u> Male: 65.3%

Female: 34.7%

Primary Substance

(N = 219)Alcohol: 72.6%

Methamphetamine: 7.3% Marijuana: 14.2%

Heroin: 1.4% Cocaine: 2.7% Other opiates: 1.4%

Other drugs: 0.5%

Race (N = 219)

White: 81.7% Black: 8.2%

American Indian: 0.0%

Hispanic: 5.5%

Asian/Pacific Islander: 1.8%

Other: 2.7%

Source of Income

(N = 219)

Job: 45.2% Retirement/savings: 0.9%

Family/friends: 8.7% No income: 1.8%

Public sources: 31.5% Other sources: 11.9% Age (N = 219)

County: Olmsted

Under 18: 0.0% 18 to 25: 25.6% 26 to 34: 34.7%

35 and older: 39.7%

Source of Referral

(N = 219).

Self/family/relative/ friends: 16.0% Employer/school: 2.7%

Criminal justice: 60.3% Professional: 20.1%

County social

service agency: 23.3%

Other community resources: 5.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 219)

Completed program: 59.4%

Patient left without staff approval: 18.3% Staff requested/judged inappropriate: 8.7%

Death/other: 13.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

EmPower CTC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =216)	0.0%	2.8%	*
Not employed/student§ (N = 208)	52.4%	46.2%	11.9%
Arrests past 30 days (N = 219)	11.4%	10.5%	8.0%
Alcohol use past 30 days (N = 219)	37.9%	18.3%	51.8%
Drug use past 30 days (N = 219)	21.9%	9.1%	58.3%
No self-help group participation past 30 days (N = 197)	68.0%	70.6%	0.0%
No family support for recovery past 30 days (N = 149)	16.8%	11.4%	32.0%
Summary Measure 19.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 219)	0.9%	1.8%	0.0%
Biomedical Conditions and Complications (N = 219)	10.5%	8.2%	21.7%
Emotional/Behavioral/ Cognitive Problem (N = 219)	50.7%	32.4%	36.0%
Resistance to Change (N = 219)	43.4%	36.1%	16.8%
Relapse/Continued Use Potential (N = 219)	88.6%	47.0%	46.9%
Unsupportive Recovery Environment (N = 219)	68.9%	43.8%	36.4%
Summary Measure 35.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\% at admission - \% at discharge)/\$\Sigma(\% at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Endeavor Place, LLC

21539 120th Street Verndale, MN 56481

Provider Website:

Patient Profile

<u>Gender (N = 25)</u> Male: 100.0%

Female: 0.0%

Primary Substance

(N = 25) Alcohol: 4.0% Methamphetamine: 8.0%

Marijuana: 76.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 8.0%

Other drugs: 4.0%

Race (N = 25)

White: 68.0% Black: 8.0%

American Indian: 8.0% Hispanic: 8.0%

Asian/Pacific Islander: 0.0%

Other: 8.0%

Source of Income

(N = 25)Job: 4.0%

> Retirement/savings: 0.0% Family/friends: 92.0% No income: 4.0%

Public sources: 0.0% Other sources: 0.0% Age (N = 25)

County: Wadena

Under 18: 92.0% 18 to 25: 8.0% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 25) .

Self/family/relative/ friends: 16.0% Employer/school: 0.0% Criminal justice: 84.0% Professional: 24.0%

County social

service agency: 8.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 25)

Completed program: 72.0%

Patient left without staff approval: 8.0% Staff requested/judged inappropriate: 16.0%

Death/other: 4.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Endeavor Place, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =25)	4.0%	0.0%	100.0%
Not employed/student \S (N = 25)	0.0%	0.0%	*
Arrests past 30 days (N = 25)	20.0%	4.0%	80.0%
Alcohol use past 30 days (N = 25)	20.0%	4.0%	80.0%
Drug use past 30 days (N = 25)	44.0%	4.0%	90.9%
No self-help group participation past 30 days (N = 25)	56.0%	4.0%	92.9%
No family support for recovery past 30 days (N = 25)	0.0%	0.0%	*
Summary Measure 88.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 24)	16.7%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 25)$	12.0%	8.0%	33.3%
Emotional/Behavioral/ Cognitive Problem (N = 25)	100.0%	96.0%	4.0%
Resistance to Change (N = 25)	92.0%	76.0%	17.4%
Relapse/Continued Use Potential (N = 25)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment ($N = 25$)	100.0%	88.0%	12.0%
Summary Measure 12.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Essenthis Health Duluth

330 East 2nd Street Duluth, MN 55805

Provider Website:

Patient Profile

Gender (N = 60)Male: 63.3%

Female: 36.7%

Primary Substance (N = 60)

Alcohol: 15.0% Methamphetamine: 0.0% Marijuana: 76.7%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.7%

Other drugs: 1.7%

Race (N = 60)

White: 68.3% Black: 3.3%

American Indian: 16.7% Hispanic: 5.0%

Asian/Pacific Islander: 0.0%

Other: 6.7%

Source of Income

(N = 60)Job: 3.3%

> Retirement/savings: 0.0% Family/friends: 91.7% No income: 5.0% Public sources: 0.0% Other sources: 0.0%

Age (N = 60)

County: St. Louis

Under 18: 95.0% 18 to 25: 5.0% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 60) .

Self/family/relative/ friends: 88.3% Employer/school: 3.3% Criminal justice: 51.7% Professional: 26.7%

County social

service agency: 13.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 60)

Completed program: 48.3%

Patient left without staff approval: 11.7% Staff requested/judged inappropriate: 20.0%

Death/other: 20.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Essenthis Health Duluth

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =60)	0.0%	0.0%	*
Not employed/student \S (N = 60)	1.7%	0.0%	100.0%
Arrests past 30 days (N = 60)	6.7%	3.3%	50.0%
Alcohol use past 30 days (N = 60)	48.3%	28.3%	41.4%
Drug use past 30 days (N = 60)	58.3%	40.0%	31.4%
No self-help group participation past 30 days (N = 60)	73.3%	35.0%	52.3%
No family support for recovery past 30 days (N = 60)	5.0%	18.3%	0.0%
Summary Measure [∥] 35.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 60$)	11.7%	8.3%	28.6%
Biomedical Conditions and Complications $(N = 60)$	3.3%	6.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 60)	73.3%	75.0%	0.0%
Resistance to Change (N = 60)	81.7%	75.0%	8.2%
Relapse/Continued Use Potential ($N = 60$)	88.3%	70.0%	20.8%
Unsupportive Recovery Environment (N = 60)	68.3%	56.7%	17.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Evergreen Youth Recovery House

P.O. Box 662 Bemidji, MN 56619

Provider Website: www.evergreenhouse.org

Patient Profile

 Gender (N = 11)
 Race (N = 11)

 Male: 100.0%
 White: 9.1%

 Female: 0.0%
 Black: 0.0%

American Indian: 81.8% 26 to 34: 0.0%

Hispanic: 9.1% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 11) Alcohol: 45.5% (N = 11) Job: 18.2%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 45.5% Family/friends: 63.6% No income: 18.2% Public sources: 0.0%

Other opiates: 0.0%

Other sources: 0.0%

(N = 11) .
Self/family/relative/
friends: 9.1%

Employer/school: 0.0% Criminal justice: 54.5% Professional: 81.8% County social

Source of Referral

County: Beltrami

Age (N = 11)

Under 18: 90.9%

18 to 25: 9.1%

service agency: 27.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 9.1%

(N = 11)

Completed program: 45.5%

Patient left without staff approval: 36.4% Staff requested/judged inappropriate: 0.0%

Death/other: 18.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Evergreen Youth Recovery House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =11)	0.0%	0.0%	*
Not employed/student \S (N = 11)	18.2%	27.3%	0.0%
Arrests past 30 days (N = 11)	9.1%	9.1%	0.0%
Alcohol use past 30 days (N = 11)	18.2%	0.0%	100.0%
Drug use past 30 days (N = 11)	9.1%	0.0%	100.0%
No self-help group participation past 30 days (N = 11)	54.5%	0.0%	100.0%
No family support for recovery past 30 days (N = 11)	0.0%	0.0%	*
Summary Measure [∥] 66.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 7)$	*	*	*
Biomedical Conditions and Complications (N = 11)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 11)	54.5%	63.6%	0.0%
Resistance to Change (N = 11)	81.8%	72.7%	11.1%
Relapse/Continued Use Potential (N = 11)	90.9%	81.8%	10.0%
Unsupportive Recovery Environment (N = 10)	80.0%	80.0%	0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Health Services Minneapolis - MICD Program

2450 Riverside Ave Minneapolis, MN 55454

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 187)
 Race (N = 187)

 Male: 47.6%
 White: 82.9%

 Female: 52.4%
 Black: 10.2%

emale: 52.4% Black: 10.2% 18 to 25: 34.2% American Indian: 2.7% 26 to 34: 17.1% Hispanic: 1.1% 35 and older: 48.7%

Asian/Pacific Islander: 1.6%

Other: 1.6%

Primary Substance Source of Income

__(N = 187) Alcohol: 57.2% ___(N = 187) Job: 20.3%

Methamphetamine: 3.2% Retirement/savings: 2.7 Marijuana: 23.0% Family/friends: 27.3% No income: 6.4% Cocaine: 3.2% Public sources: 36.4%

Other opiates: 4.8% Other sources: 7.5%

N = 187) (N = 187) .

Job: 20.3% Self/family/relative/
Retirement/savings: 2.1% friends: 10.2%

Family/friends: 27.3% Employer/school: 1.1%

ily/friends: 27.3% Employer/school: 1.1% Criminal justice: 0.5% ic sources: 36.4% Professional: 69.0% county social

service agency: 3.7% Other community resources: 24.6%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Age (N = 187)

Under 18: 0.0%

Source of Referral

Discharge Status

Other drugs: 4.3%

(N = 187)

Completed program: 39.0%

Patient left without staff approval: 34.8% Staff requested/judged inappropriate: 15.5%

Death/other: 10.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Health Services Minneapolis - MICD Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =186)	2.2%	2.2%	0.0%
Not employed/student \S (N = 185)	66.5%	57.3%	13.8%
Arrests past 30 days (N = 187)	3.7%	0.5%	85.7%
Alcohol use past 30 days (N = 183)	61.2%	32.2%	47.3%
Drug use past 30 days (N = 183)	44.3%	26.8%	39.5%
No self-help group participation past 30 days (N = 186)	61.8%	51.1%	17.4%
No family support for recovery past 30 days (N = 184)	5.4%	4.4%	20.0%
Summary Measure 28.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 178)	3.9%	10.1%	0.0%
Biomedical Conditions and Complications (N = 185)	8.1%	4.9%	40.0%
Emotional/Behavioral/ Cognitive Problem (N = 185)	82.2%	54.6%	33.6%
Resistance to Change (N = 185)	33.0%	39.5%	0.0%
Relapse/Continued Use Potential (N = 185)	98.4%	75.7%	23.1%
Unsupportive Recovery Environment (N = 185)	56.2%	39.5%	29.8%
Summary Measure 20.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Health Services Minneapolis Adult CD Programs

2450 Riverside Ave Minneapolis, MN 55454

Provider Website: www.fairview.org

Patient Profile

<u>Gender (N = 1145)</u> <u>Race (N = 1145)</u> <u>Age (N = 1145)</u> Male: 62.1% White: 84.1% Under 18: 0.0%

Female: 37.9% Black: 8.0% 18 to 25: 18.3% American Indian: 3.3% 26 to 34: 19.7%

Hispanic: 1.3% 35 and older: 62.0%

County: Hennepin

Asian/Pacific Islander: 0.8%

Other: 2.5%

Primary Substance Source of Income Source of Referral (N = 1144) (N = 1145) (N = 1145) .

Alcohol: 68.0% Job: 40.8% Self/family/relative/
Methamphetamine: 3.5% Retirement/savings: 8.9% friends: 93.7%
Marijuana: 5.8% Family/friends: 14.8% Employer/school: 1.3%

Heroin: 8.0%

Cocaine: 3.6%

Other opiates: 8.8%

No income: 10.7%

Public sources: 18.0%

Other sources: 6.9%

Criminal justice: 4.0%

Professional: 20.0%

County social

Other drugs: 2.4% service agency: 0.7%

Other community resources: 23.7%

AA: 0.4% Tribal: 0.0%

Discharge Status

(N = 1145)

Completed program: 63.0%

Patient left without staff approval: 23.8% Staff requested/judged inappropriate: 5.6%

Death/other: 7.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Health Services Minneapolis Adult CD Programs

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =1067)	2.7%	2.0%	27.6%
Not employed/student§ (N = 1046)	55.0%	57.7%	0.0%
Arrests past 30 days (N = 1063)	8.4%	1.5%	82.0%
Alcohol use past 30 days (N = 873)	80.5%	14.2%	82.4%
Drug use past 30 days (N = 873)	46.7%	9.9%	78.9%
No self-help group participation past 30 days (N = 994)	71.7%	17.7%	75.3%
No family support for recovery past 30 days (N = 1023)	11.5%	3.6%	68.6%
Summary Measure 61.5%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 1108)	36.1%	1.7%	95.3%
Biomedical Conditions and Complications (N = 1117)	18.3%	2.2%	88.2%
Emotional/Behavioral/ Cognitive Problem (N = 1112)	85.5%	45.3%	47.0%
Resistance to Change (N = 1112)	54.6%	33.5%	38.6%
Relapse/Continued Use Potential (N = 1111)	100.0%	88.5%	11.5%
Unsupportive Recovery Environment (N = 1111)	96.9%	85.0%	12.3%
Summary Measure 34.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services - Edina Outpatient

3400 W 66th Street Edina, MN 55435

MN 55435 County: Hennepin

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 296)
 Race (N = 296)

 Male: 64.2%
 White: 83.8%

Female: 35.8% Black: 6.1% 18 to 25: 13.2% American Indian: 2.0% 26 to 34: 18.6%

Hispanic: 3.0% 35 and older: 68.2%

Asian/Pacific Islander: 2.0%

Other: 3.0%

Primary Substance Source of Income (N = 295) (N = 296)

Alcohol: 85.8%

Job: 54.4%

Noth and the starting of 20%

Detirement / april 20.0%

Methamphetamine: 0.0% Retirement/savings: 15.9% Marijuana: 6.1% Family/friends: 9.8% No income: 3.0% Cocaine: 1.4% Public sources: 10.1%

Other opiates: 5.1% Other sources: 6.8%

(N = 296) Self/family/relative/ friends: 47.0% Employer/school: 4.7%

Source of Referral

Age (N = 296)

Under 18: 0.0%

Employer/school: 4.7% Criminal justice: 15.9% Professional: 34.8% County social

service agency: 1.4% Other community

Other community resources: 6.1% AA: 2.4%

Tribal: 0.3%

Discharge Status

Other drugs: 0.7%

(N = 296)

Completed program: 50.7%

Patient left without staff approval: 26.0% Staff requested/judged inappropriate: 6.4%

Death/other: 16.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services - Edina Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =280)	0.0%	0.0%	*
Not employed/student \S (N = 272)	39.3%	40.4%	0.0%
Arrests past 30 days (N = 258)	8.1%	0.8%	90.5%
Alcohol use past 30 days (N = 219)	69.4%	11.4%	83.6%
Drug use past 30 days (N = 219)	25.6%	4.6%	82.1%
No self-help group participation past 30 days (N = 249)	58.6%	35.3%	39.7%
No family support for recovery past 30 days ($N = 257$)	11.3%	4.3%	62.1%
Summary Measure [∥] 54.4%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 265)	9.4%	4.5%	52.0%
Biomedical Conditions and Complications (N = 272)	14.3%	7.4%	48.7%
	14.3% 67.2%	7.4% 28.1%	48.7% 58.2%
Complications (N = 272) Emotional/Behavioral/			
Complications (N = 272) Emotional/Behavioral/ Cognitive Problem (N = 274)	67.2%	28.1%	58.2%
Complications (N = 272) Emotional/Behavioral/ Cognitive Problem (N = 274) Resistance to Change (N = 278) Relapse/Continued Use	67.2% 66.2%	28.1% 38.8%	58.2% 41.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Adult Outpatient Program--Crystal

2960 Winnetka Ave N Crystal, MN 55427

Crystal, MN 55427 County: Hennepin

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 97)
 Race (N = 97)
 Age (N = 97)

 Male: 62.9%
 White: 81.4%
 Under 18: 0.0%

 Female: 37.1%
 Black: 13.4%
 18 to 25: 14.4%

American Indian: 1.0% 26 to 34: 19.6% Hispanic: 1.0% 35 and older: 66.0%

Hispanic: 1.0% 35 and older: 66.0% Asian/Pacific Islander: 1.0%

Other: 2.1%

Primary Substance Source of Income

(N = 94) Alcohol: 84.0% (N = 97) Job: 49.5%

Methamphetamine: 2.1% Retirement/savings: 6.2% Marijuana: 9.6% Family/friends: 11.3% No income: 6.2% Cocaine: 1.1% Public sources: 17.5%

Other opiates: 3.2% Public sources: 17.5% Other sources: 9.3%

Source of Referral (N = 97).

Self/family/relative/ friends: 47.4% Employer/school: 7.2% Criminal justice: 32.0% Professional: 28.9% County social

service agency: 3.1%

Other community resources: 6.2%

AA: 2.1% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 97)

Completed program: 54.6%

Patient left without staff approval: 21.6% Staff requested/judged inappropriate: 3.1%

Death/other: 20.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services Adult Outpatient Program--Crystal

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =95)	2.1%	1.1%	50.0%
Not employed/student \S (N = 94)	37.2%	33.0%	11.4%
Arrests past 30 days (N = 79)	7.6%	6.3%	16.7%
Alcohol use past 30 days (N = 67)	59.7%	11.9%	80.0%
Drug use past 30 days (N = 67)	16.4%	3.0%	81.8%
No self-help group participation past 30 days (N = 83)	55.4%	33.7%	39.1%
No family support for recovery past 30 days $(N = 84)$	10.7%	3.6%	66.7%
Summary Measure 51.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 91)	7.7%	4.4%	42.9%
Biomedical Conditions and Complications (N = 95)	4.2%	2.1%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 95)	48.4%	33.7%	30.4%
Resistance to Change (N = 96)	81.3%	42.7%	47.4%
Relapse/Continued Use Potential (N = 96)	96.9%	57.3%	40.9%
Unsupportive Recovery Environment ($N = 94$)	41.5%	37.2%	10.3%
Summary Measure 36.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Crystal Outpatient

2960 Winnetka Avenue North Crystal, MN 55427

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 85)
 Race (N = 85)

 Male: 52.9%
 White: 65.9%

 Female: 47.1%
 Black: 11.8%

male: 47.1% Black: 11.8% 18 to 25: 4.7% American Indian: 4.7% 26 to 34: 0.0% Hispanic: 7.1% 35 and older: 0.0%

Asian/Pacific Islander: 1.2%

Other: 9.4%

Primary Substance Source of Income

Methamphetamine: 2.4% Retirement/savings: 0.0% Marijuana: 78.3% Family/friends: 98.8% No income: 0.0% Cocaine: 1.2% Public sources: 0.0%

Other opiates: 1.2% Other sources: 0.0%

(N = 85) .
Self/family/relative/
friends: 29.4%

Source of Referral

Employer/school: 5.9% Criminal justice: 12.9% Professional: 71.8%

County social

County: Hennepin

Age (N = 85)

Under 18: 95.3%

service agency: 3.5% Other community resources: 12.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.2%

(N = 85)

Completed program: 61.2%

Patient left without staff approval: 9.4% Staff requested/judged inappropriate: 12.9%

Death/other: 16.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services Crystal Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =85)	0.0%	0.0%	*
Not employed/student§ (N = 85)	4.7%	0.0%	100.0%
Arrests past 30 days (N = 85)	16.5%	2.4%	85.7%
Alcohol use past 30 days (N = 75)	72.0%	30.7%	57.4%
Drug use past 30 days (N = 75)	86.7%	37.3%	56.9%
No self-help group participation past 30 days $(N = 79)$	78.5%	25.3%	67.7%
No family support for recovery past 30 days (N = 82)	3.7%	2.4%	33.3%
Summary Measure 62.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 85)	0.0%	2.4%	*
Biomedical Conditions and Complications $(N = 85)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 85)	44.7%	55.3%	0.0%
Resistance to Change $(N = 85)$	87.1%	81.2%	6.8%
Relapse/Continued Use Potential (N = 85)	100.0%	98.8%	1.2%
Unsupportive Recovery Environment (N = 85)	89.4%	91.8%	0.0%
Summary Measure [∥] -2.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Deaf and Hard of Hearing Program

Fairview University Medical Center Minneapolis, MN 55454

Provider Website: www.mncddeaf.org

Patient Profile

Gender (N = 51)Race (N = 51)Male: 80.4% White: 76.5% Female: 19.6% Black: 15.7%

18 to 25: 11.8% American Indian: 2.0% 26 to 34: 31.4% 35 and older: 56.9%

Hispanic: 3.9%

County: Hennepin

Age (N = 51)

Under 18: 0.0%

Source of Referral

Asian/Pacific Islander: 2.0% Other: 0.0%

Primary Substance Source of Income

(N = 51)(N = 51)(N = 51) . Alcohol: 43.1% Job: 11.8% Self/family/relative/

Methamphetamine: 5.9% Retirement/savings: 2.0% friends: 80.4% Family/friends: 0.0% Marijuana: 15.7% Employer/school: 5.9% Heroin: 5.9% No income: 0.0% Criminal justice: 19.6% Cocaine: 13.7% Public sources: 82.4% Professional: 31.4%

Other sources: 3.9% Other opiates: 13.7% County social Other drugs: 2.0% service agency: 9.8%

Other community resources: 7.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 51)

Completed program: 78.4%

Patient left without staff approval: 3.9% Staff requested/judged inappropriate: 17.6%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services Deaf and Hard of Hearing Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =51)	3.9%	2.0%	50.0%
Not employed/student§ (N = 50)	76.0%	72.0%	5.3%
Arrests past 30 days (N = 51)	11.8%	2.0%	83.3%
Alcohol use past 30 days (N = 50)	68.0%	20.0%	70.6%
Drug use past 30 days (N = 50)	52.0%	16.0%	69.2%
No self-help group participation past 30 days (N = 51)	70.6%	7.8%	88.9%
No family support for recovery past 30 days (N = 51)	7.8%	2.0%	75.0%
Summary Measure 58.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 50$)	4.0%	0.0%	100.0%
Biomedical Conditions and Complications (N = 50)	4.0%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 50)	72.0%	34.0%	52.8%
Resistance to Change (N = 50)	66.0%	32.0%	51.5%
Relapse/Continued Use Potential (N = 50)	100.0%	98.0%	2.0%
Unsupportive Recovery Environment ($N = 50$)	100.0%	100.0%	0.0%
Summary Measure 23.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Elk River Outpatient

1230 School Street Elk River, MN 55330

Provider Website: www.fairviewbehavioral.org

Patient Profile

 Gender (N = 79)
 Race (N = 79)

 Male: 78.5%
 White: 94.9%

 Female: 21.5%
 Black: 1.3%

emale: 21.5% Black: 1.3% 18 to 25: 13.9% American Indian: 0.0% 26 to 34: 0.0% Hispanic: 0.0% 35 and older: 0.0%

Asian/Pacific Islander: 1.3%

Other: 2.5%

Primary Substance Source of Income

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 91.1% Family/friends: 98.7% No income: 1.3% Public sources: 0.0%

Cocaine: 0.0% Public sources: 0.0% Other opiates: 0.0% Other sources: 0.0%

 $\frac{(N = 79)}{\text{Self/family/relative/}}$ rings: 0.0% friends: 67.1%

County: Sherburne

Age (N = 79)

Under 18: 86.1%

Source of Referral

Family/friends: 98.7% Employer/school: 12.7% No income: 1.3% Criminal justice: 30.4% Public sources: 0.0% Professional: 50.6%

County social

service agency: 13.9%

Other community resources: 2.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 79)

Completed program: 55.7%

Patient left without staff approval: 15.2% Staff requested/judged inappropriate: 10.1%

Death/other: 19.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services Elk River Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =79)	0.0%	0.0%	*
Not employed/student \S (N = 79)	1.3%	1.3%	0.0%
Arrests past 30 days (N = 79)	5.1%	1.3%	75.0%
Alcohol use past 30 days (N = 79)	29.1%	19.0%	34.8%
Drug use past 30 days (N = 79)	64.6%	31.6%	51.0%
No self-help group participation past 30 days $(N = 79)$	59.5%	13.9%	76.6%
No family support for recovery past 30 days $(N = 78)$	2.6%	0.0%	100.0%
Summary Measure 58.6%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 79)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 79)$	0.0%	1.3%	*
Emotional/Behavioral/ Cognitive Problem $(N = 79)$	24.1%	17.7%	26.3%
Resistance to Change (N = 79)	74.7%	55.7%	25.4%
Relapse/Continued Use Potential (N = 79)	98.7%	98.7%	0.0%
Unsupportive Recovery Environment $(N = 79)$	96.2%	98.7%	0.0%
Summary Measure 7.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Maplewood Outpatient

2355 Ariel Street Maplewood, MN 55109

Provider Website:

Patient Profile

 Gender (N = 56)
 Race (N = 56)

 Male: 64.3%
 White: 75.0%

 Female: 35.7%
 Black: 5.4%

American Indian: 3.6% 26 to 34: 0.0% Hispanic: 5.4% 35 and older: 0.0%

Asian/Pacific Islander: 3.6%

Other: 7.1%

Primary Substance Source of Income

(N = 56) Alcohol: 10.7% (N = 56) Job: 0.0%

Methamphetamine: 3.6% Retirement/savings: 0.0% Marijuana: 80.4% Family/friends: 94.6% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 1.8%

Other opiates: 1.8%
Other drugs: 3.6%

Source of Referral (N = 56).

County: Ramsey

Age (N = 56)

Under 18: 98.2%

18 to 25: 1.8%

Self/family/relative/ friends: 55.4% Employer/school: 8.9% Criminal justice: 17.9%

Professional: 76.8%

County social

service agency: 8.9% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 56)

Completed program: 53.6%

Patient left without staff approval: 8.9% Staff requested/judged inappropriate: 10.7%

Death/other: 26.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services Maplewood Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =55)	0.0%	0.0%	*
Not employed/student \S (N = 56)	0.0%	0.0%	*
Arrests past 30 days (N = 56)	5.4%	7.1%	0.0%
Alcohol use past 30 days (N = 56)	26.8%	21.4%	20.0%
Drug use past 30 days (N = 56)	62.5%	37.5%	40.0%
No self-help group participation past 30 days (N = 48)	60.4%	41.7%	31.0%
No family support for recovery past 30 days $(N = 47)$	4.3%	10.6%	0.0%
Summary Measure [∥] 25.7%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 56$)	0.0%	1.8%	*
Biomedical Conditions and Complications $(N = 56)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 56)	78.6%	82.1%	0.0%
Resistance to Change $(N = 56)$	64.3%	75.0%	0.0%
Relapse/Continued Use Potential (N = 56)	96.4%	89.3%	7.4%
Unsupportive Recovery Environment $(N = 56)$	75.0%	83.9%	0.0%
Summary Measure [∥] -5.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services of Chisago City

11725 Stinson Ave Chisago City, MN 55013

Provider Website:

Patient Profile

<u>Gender (N = 113)</u> Male: 94.7%

Female: 5.3%

Primary Substance

 $\frac{(N = 113)}{\text{Alcohol: 5.3\%}}$

Methamphetamine: 2.7% Marijuana: 76.1%

Heroin: 4.4%
Cocaine: 1.8%
Other opiates: 4.4%

Other drugs: 5.3%

Race (N = 113)

White: 80.5% Black: 7.1%

American Indian: 0.0% Hispanic: 4.4%

Asian/Pacific Islander: 0.9%

Other: 7.1%

Source of Income

(N = 113)

Job: 0.9% Retirement/savings: 0.0%

Family/friends: 97.3% No income: 0.0% Public sources: 0.0%

Other sources: 1.8%

Age (N = 113)

County: Chisago

Under 18: 90.3% 18 to 25: 9.7% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 113).

Self/family/relative/ friends: 85.8% Employer/school: 8.0% Criminal justice: 32.7% Professional: 38.1%

County social

service agency: 0.9% Other community resources: 2.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 113)

Completed program: 65.5%

Patient left without staff approval: 8.9% Staff requested/judged inappropriate: 13.3%

Death/other: 12.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services of Chisago City

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =113)	0.0%	0.9%	*
Not employed/student \S (N = 112)	0.0%	0.9%	*
Arrests past 30 days (N = 113)	12.4%	5.3%	57.1%
Alcohol use past 30 days (N = 113)	48.7%	10.6%	78.2%
Drug use past 30 days (N = 113)	88.5%	39.8%	55.0%
No self-help group participation past 30 days (N = 109)	65.1%	26.6%	59.2%
No family support for recovery past 30 days (N = 110)	7.3%	0.0%	100.0%
Summary Measure 62.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 113)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 113)	1.8%	3.5%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 113)	49.6%	45.1%	8.9%
Resistance to Change (N = 113)	85.0%	50.4%	40.6%
Relapse/Continued Use Potential (N = 113)	100.0%	74.3%	25.7%
Unsupportive Recovery Environment (N = 113)	100.0%	71.7%	28.3%
Summary Measure 27.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services of Forest Lake

20 N Lake Drive, Suite 210 Forest Lake, MN 55025

Provider Website: www.fairview.org

Patient Profile

<u>Gender (N = 137)</u>
Male: 62.8%

Race (N = 137)
White: 90.5%

Female: 37.2% Black: 2.9% 18 to 25: 19.7% American Indian: 2.2% 26 to 34: 24.8% Hispanic: 1.5% 35 and older: 55.5%

Asian/Pacific Islander: 0.0%

Other: 2.9%

Primary Substance Source of Income

Methamphetamine: 8.8% Retirement/savings: 5.8

Marijuana: 10.2% Family/friends: 10.2%

Heroin: 4.4% No income: 10.9%

Cocaine: 0.7% Public sources: 10.9%

Other opiates: 7.3%

Other sources: 10.9%

 N = 137)
 (N = 137)

 Job: 51.8%
 Self/family/relative/

 Retirement/savings: 5.8%
 friends: 51.8%

 Family/friends: 10.2%
 Employer/school: 5.1%

Family/friends: 10.2% Employer/school: 5.1% No income: 10.9% Criminal justice: 48.2% Public sources: 10.9% Professional: 19.0%

County social service agency: 4.4%

Other community resources: 7.3%

AA: 0.7% Tribal: 0.7%

County: Washington

Age (N = 137)

Under 18: 0.0%

Source of Referral

Discharge Status

Other drugs: 2.2%

(N = 137)

Completed program: 58.4%

Patient left without staff approval: 24.8% Staff requested/judged inappropriate: 2.9%

Death/other: 13.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services of Forest Lake

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =119)	0.8%	0.0%	100.0%
Not employed/student§ (N = 117)	40.2%	34.2%	14.9%
Arrests past 30 days (N = 109)	4.6%	2.8%	40.0%
Alcohol use past 30 days (N = 100)	46.0%	7.0%	84.8%
Drug use past 30 days (N = 100)	19.0%	2.0%	89.5%
No self-help group participation past 30 days (N = 109)	57.8%	34.9%	39.7%
No family support for recovery past 30 days (N = 113)	18.6%	5.3%	71.4%
Summary Measure 53.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 122)	4.9%	1.6%	66.7%
Biomedical Conditions and Complications (N = 123)	4.9%	4.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 124)	54.0%	21.8%	59.7%
Resistance to Change (N = 128)	86.7%	32.8%	62.2%
Relapse/Continued Use Potential (N = 122)	94.3%	32.8%	65.2%
Unsupportive Recovery Environment (N = 121)	24.8%	24.0%	3.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services-Burnsville Outpatient

156 Cobblestone Lane Burnsville, MN 55337

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 91)
 Race (N = 91)

 Male: 49.5%
 White: 87.9%

 Female: 50.5%
 Black: 4.4%

American Indian: 2.2% 26 to 34: 22.0% Hispanic: 3.3% 35 and older: 64.8%

Asian/Pacific Islander: 1.1%

Other: 1.1%

Primary Substance Source of Income

Methamphetamine: 1.1% Retirement/savings: 4.4% Marijuana: 8.9% Family/friends: 17.6% No income: 3.3% Cocaine: 2.2% Public sources: 14.3%

Other opiates: 4.4%

Other sources: 5.5%

(N = 91) Self/family/relative/ friends: 64.8% Employer/school: 5.5%

Source of Referral

County: Dakota

Age (N = 91)

Under 18: 0.0%

18 to 25: 13.2%

Employer/school: 5.5% Criminal justice: 31.9% Professional: 11.0% County social

service agency: 3.3%

Other community resources: 3.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 2.2%

(N = 91)

Completed program: 57.1%

Patient left without staff approval: 19.8% Staff requested/judged inappropriate: 7.7%

Death/other: 15.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fairview Recovery Services-Burnsville Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =75)	1.3%	0.0%	100.0%
Not employed/student \S (N = 74)	37.8%	33.8%	10.7%
Arrests past 30 days (N = 74)	9.5%	4.1%	57.1%
Alcohol use past 30 days (N = 62)	56.5%	9.7%	82.9%
Drug use past 30 days (N = 62)	21.0%	1.6%	92.3%
No self-help group participation past 30 days (N = 71)	66.2%	42.3%	36.2%
No family support for recovery past 30 days $(N = 73)$	4.1%	5.5%	0.0%
Summary Measure 50.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 73$)	5.5%	4.1%	25.0%
Biomedical Conditions and Complications $(N = 78)$	11.5%	11.5%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 78)	65.4%	28.2%	56.9%
Resistance to Change (N = 77)	66.2%	31.2%	52.9%
Relapse/Continued Use Potential (N = 77)	84.4%	37.7%	55.4%
Unsupportive Recovery Environment $(N = 78)$	48.7%	37.2%	23.7%
Summary Measure 46.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Faith Family Recovery Center LLC

1303 South Frontage Road Hastings, MN 55033

Provider Website:

Patient Profile

 Gender (N = 73)
 Race (N = 73)

 Male: 67.1%
 White: 90.4%

 Female: 32.9%
 Black: 1.4%

American Indian: 0.0% 26 to 34: 17.8% Hispanic: 8.2% 35 and older: 50.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 4.1% Retirement/savings: 2.7% Marijuana: 9.6% Family/friends: 19.2% No income: 0.0% Cocaine: 5.5% Public sources: 13.7%

Other opiates: 2.7% Other sources: 12.3% Other drugs: 0.0%

Source of Referral

County: Dakota

Age (N = 73)

Under 18: 2.7%

18 to 25: 28.8%

(N = 73)Self/family/relative/

friends: 35.6% Employer/school: 4.1% Criminal justice: 47.9% Professional: 4.1%

County social

service agency: 12.3%

Other community resources: 1.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 73)

Completed program: 61.6%

Patient left without staff approval: 27.4% Staff requested/judged inappropriate: 5.5%

Death/other: 5.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Faith Family Recovery Center LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =72)	1.4%	2.8%	0.0%
Not employed/student \S (N = 72)	41.7%	45.8%	0.0%
Arrests past 30 days (N = 72)	18.1%	6.9%	61.5%
Alcohol use past 30 days (N = 73)	45.2%	23.3%	48.5%
Drug use past 30 days (N = 73)	23.3%	12.3%	47.1%
No self-help group participation past 30 days (N = 68)	58.8%	30.9%	47.5%
No family support for recovery past 30 days $(N = 69)$	5.8%	2.9%	50.0%
Summary Measure 35.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 73$)	1.4%	1.4%	0.0%
Biomedical Conditions and Complications (N = 73)	0.0%	4.1%	*
Emotional/Behavioral/ Cognitive Problem (N = 73)	83.6%	26.0%	68.9%
Resistance to Change (N = 73)	17.8%	13.7%	23.1%
Relapse/Continued Use Potential (N = 73)	98.6%	31.5%	68.1%
Unsupportive Recovery Environment ($N = 73$)	53.4%	17.8%	66.7%
Summary Measure 62.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Family Focus

1400 E Madison Ave Mankato, MN 56001

Provider Website: www.mayohealthsystem.org

Patient Profile

 Gender (N = 111)
 Race (N = 111)

 Male: 65.8%
 White: 91.9%

 Female: 34.2%
 Black: 1.8%

American Indian: 1.8% 26 to 34: 34.2% Hispanic: 3.6% 35 and older: 45.0%

Asian/Pacific Islander: 0.9%

Other: 0.0%

Primary Substance Source of Income (N = 111) (N = 111)

Alcohol: 83.8% Job: 56.8%

Methamphetamine: 3.6% Retirement/savings: 2.7% Marijuana: 9.0% Family/friends: 9.0% No income: 3.6% Cocaine: 0.0% Public sources: 11.7%

Other opiates: 1.8% Other sources: 16.2%

(N = 111) . Self/family/relative/ friends: 38.7%

Source of Referral

friends: 38.7%
Employer/school: 4.5%
Criminal justice: 55.9%
Professional: 12.6%

County social

County: Blue Earth

Age (N = 111)

Under 18: 0.0%

18 to 25: 20.7%

service agency: 9.0% Other community resources: 1.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.9%

(N = 111)

Completed program: 54.1%

Patient left without staff approval: 5.4% Staff requested/judged inappropriate: 10.8%

Death/other: 29.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Family Focus

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =111)	0.9%	0.0%	100.0%
Not employed/student \S (N = 109)	34.9%	32.1%	7.9%
Arrests past 30 days (N = 107)	6.5%	4.7%	28.6%
Alcohol use past 30 days (N = 108)	19.4%	13.0%	33.3%
Drug use past 30 days (N = 108)	6.5%	6.5%	0.0%
No self-help group participation past 30 days (N = 103)	60.2%	39.8%	33.9%
No family support for recovery past 30 days (N = 106)	8.5%	9.4%	0.0%
Summary Measure 23.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 111)	0.9%	3.6%	0.0%
Biomedical Conditions and Complications (N = 111)	5.4%	4.5%	16.7%
Emotional/Behavioral/ Cognitive Problem (N = 111)	53.2%	27.0%	49.2%
Resistance to Change (N = 111)	32.4%	20.7%	36.1%
Relapse/Continued Use Potential (N = 111)	92.8%	64.9%	30.1%
Unsupportive Recovery Environment (N = 111)	80.2%	63.1%	21.3%
Summary Measure 30.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

^{*}DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

*100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\$}}$ Status at admission and discharge. II 100(Σ (% at admission - % at discharge)/ Σ (% at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Faribault Family Focus-Immanuel St. Joseph's Mayo Health System

2301 NW 4th Street Faribault, MN 55021

bault, MN 55021 County: Rice

Provider Website: www.mayohealthsystem.org

Patient Profile

 Gender (N = 103)
 Race (N = 103)
 Age (N = 103)

 Male: 73.8%
 White: 90.3%
 Under 18: 0.0%

Female: 26.2% Black: 5.8% 18 to 25: 21.4% American Indian: 0.0% 26 to 34: 33.0%

Hispanic: 3.9% 35 and older: 45.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income Source of Referral (N = 103) (N = 103) (N = 103).

Alcohol: 59.2% Job: 43.7% Self/family/relative/
Methamphetamine: 7.8% Retirement/savings: 1.9% friends: 52.4%

Marijuana: 23.3% Family/friends: 12.6% Employer/school: 3.9% Heroin: 0.0% No income: 7.8% Criminal justice: 48.5% Public sources: 27.2% Professional: 9.7%

Other opiates: 2.9% Other sources: 6.8% County social

Other drugs: 1.9% service agency: 35.9% Other community

resources: 5.8% AA: 0.0%

Tribal: 0.0%

Discharge Status

(N = 103)

Completed program: 62.1%

Patient left without staff approval: 16.5% Staff requested/judged inappropriate: 11.7%

Death/other: 9.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Faribault Family Focus-Immanuel St. Joseph's Mayo Health System

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =103)	0.0%	0.0%	*
Not employed/student \S (N = 100)	58.0%	53.0%	8.6%
Arrests past 30 days (N = 102)	11.8%	4.9%	58.3%
Alcohol use past 30 days (N = 103)	32.0%	17.5%	45.5%
Drug use past 30 days (N = 103)	33.0%	19.4%	41.2%
No self-help group participation past 30 days (N = 101)	60.4%	31.7%	47.5%
No family support for recovery past 30 days (N = 102)	14.7%	18.6%	0.0%
Summary Measure [∥] 30.9%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 83$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 99)$	4.0%	3.0%	25.0%
Emotional/Behavioral/ Cognitive Problem (N = 96)	49.0%	32.3%	34.0%
Resistance to Change (N = 99)	55.6%	36.4%	34.5%
Relapse/Continued Use Potential (N = 100)	93.0%	49.0%	47.3%
Unsupportive Recovery Environment ($N = 99$)	89.9%	50.5%	43.8%
Summary Measure 41.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Nation Recovery Program

2020 Bloomington Ave So Minneapolis, MN 55404

Provider Website:

Patient Profile

 Gender (N = 70)
 Race (N = 70)

 Male: 40.0%
 White: 2.9%

 Female: 60.0%
 Black: 0.0%

American Indian: 94.3% 26 to Hispanic: 2.9% 35 and

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance (N = 70)

Alcohol: 60.0%

Methamphetamine: 2.9% Marijuana: 21.4%

Heroin: 2.9% Cocaine: 7.1% Other opiates: 4.3%

Other drugs: 1.4%

Source of Income

(N = 70)Job: 4.3%

Retirement/savings: 1.4%

Family/friends: 4.3% No income: 15.7% Public sources: 60.0%

opiates: 4.3% Other sources: 14.3%

Age (N = 70)

County: Hennepin

Under 18: 0.0% 18 to 25: 30.0% 26 to 34: 28.6%

35 and older: 41.4%

Source of Referral

(N = 70) .

Self/family/relative/ friends: 35.7% Employer/school: 0.0% Criminal justice: 57.1%

Professional: 11.4% County social

service agency: 25.7%

Other community resources: 12.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 70)

Completed program: 15.7%

Patient left without staff approval: 61.4% Staff requested/judged inappropriate: 2.9%

Death/other: 20.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

First Nation Recovery Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =66)	21.2%	18.2%	14.3%
Not employed/student \S (N = 60)	85.0%	80.0%	5.9%
Arrests past 30 days (N = 70)	8.6%	7.1%	16.7%
Alcohol use past 30 days (N = 70)	24.3%	15.7%	35.3%
Drug use past 30 days (N = 70)	32.9%	25.7%	21.7%
No self-help group participation past 30 days $(N = 67)$	44.8%	7.5%	83.3%
No family support for recovery past 30 days $(N = 61)$	4.9%	6.6%	0.0%
Summary Measure 27.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 70)	7.1%	8.6%	0.0%
Biomedical Conditions and Complications $(N = 70)$	10.0%	11.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 70)	64.3%	65.7%	0.0%
Resistance to Change (N = 70)	65.7%	67.1%	0.0%
Relapse/Continued Use Potential (N = 70)	90.0%	81.4%	9.5%
Unsupportive Recovery Environment $(N = 70)$	88.6%	81.4%	8.1%
Summary Measure 3.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step Backus

222 Carpenter Street Backus, MN 56435

Provider Website:

Patient Profile

Gender (N = 25)Male: 0.0%

Female: 100.0%

Primary Substance

(N = 24)

Alcohol: 16.7% Methamphetamine: 4.2%

Marijuana: 58.3% Heroin: 0.0% Cocaine: 0.0%

Other opiates: 12.5% Other drugs: 8.3%

Race (N = 25)

White: 44.0% Black: 4.0%

American Indian: 28.0%

Hispanic: 8.0%

Asian/Pacific Islander: 0.0%

Other: 16.0%

Source of Income

(N = 25)

Job: 0.0%

Retirement/savings: 0.0% Family/friends: 88.0% No income: 12.0%

Public sources: 0.0% Other sources: 0.0% Age (N = 25)

County: Cass

Under 18: 96.0% 18 to 25: 4.0%

26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 25) .

Self/family/relative/ friends: 12.0%

Employer/school: 0.0% Criminal justice: 48.0% Professional: 24.0%

County social

service agency: 84.0%

Other community resources: 4.0%

AA: 0.0% Tribal: 4.0%

Discharge Status

(N = 25)

Completed program: 20.0%

Patient left without staff approval: 36.0% Staff requested/judged inappropriate: 12.0%

Death/other: 32.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

First Step Backus

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =24)	4.2%	0.0%	100.0%
Not employed/student§ (N = 25)	0.0%	0.0%	*
Arrests past 30 days (N = 23)	13.0%	13.0%	0.0%
Alcohol use past 30 days (N = 24)	29.2%	8.3%	71.4%
Drug use past 30 days (N = 24)	45.8%	12.5%	72.7%
No self-help group participation past 30 days ($N = 24$)	58.3%	12.5%	78.6%
No family support for recovery past 30 days (N = 24)	8.3%	8.3%	0.0%
Summary Measure [∥] 65.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 24)	0.0%	4.2%	*
Biomedical Conditions and Complications $(N = 25)$	4.0%	8.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 25)	96.0%	96.0%	0.0%
Resistance to Change (N = 25)	100.0%	88.0%	12.0%
Relapse/Continued Use Potential (N = 25)	100.0%	96.0%	4.0%
Unsupportive Recovery Environment (N = 25)	100.0%	92.0%	8.0%
Summary Measure [∥] 4.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step Recovery PLLP

409 7th Street South Fargo, ND 58103

County:

Provider Website:

Patient Profile

Gender (N = 44) Male: 65.9% Female: 34.1% Race (N = 44)
White: 97.7%
Black: 0.0%
American Indian: 2.3%

Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

 $\frac{(N = 44)}{\text{Job: 72.7}\%}$

Retirement/savings: 2.3% Family/friends: 22.7% No income: 0.0% Public sources: 2.3% Other sources: 0.0% Age (N = 44)

Under 18: 2.3% 18 to 25: 27.3% 26 to 34: 11.4% 35 and older: 59.1%

Primary Substance (N = 44)

Alcohol: 77.3% Methamphetamine: 0.0% Marijuana: 15.9% Heroin: 0.0% Cocaine: 2.3%

Other opiates: 4.6% Other drugs: 0.0%

Source of Referral

(N = 44) .

Self/family/relative/ friends: 52.3% Employer/school: 25.0% Criminal justice: 22.7% Professional: 25.0%

County social

service agency: 9.1% Other community resources: 2.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 44)

Completed program: 77.3%

Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 2.3%

Death/other: 2.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

First Step Recovery PLLP

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =43)	0.0%	0.0%	*
Not employed/student \S (N = 42)	19.0%	11.9%	37.5%
Arrests past 30 days (N = 44)	13.6%	6.8%	50.0%
Alcohol use past 30 days (N = 44)	61.4%	2.3%	96.3%
Drug use past 30 days (N = 44)	25.0%	6.8%	72.7%
No self-help group participation past 30 days $(N = 36)$	61.1%	8.3%	86.4%
No family support for recovery past 30 days (N = 35)	5.7%	0.0%	100.0%
Summary Measure 80.6%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 41)	4.9%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 44)$	18.2%	9.1%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 43)	72.1%	60.5%	16.1%
Resistance to Change (N = 44)	81.8%	45.5%	44.4%
Relapse/Continued Use Potential (N = 44)	81.8%	38.6%	52.8%
Unsupportive Recovery Environment $(N = 40)$	77.5%	27.5%	64.5%
Summary Measure 46.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step Walker

211 South 6th Street Walker, MN 56484

County: Cass

Provider Website:

Patient Profile

Gender (N = 4)Male: *

Female: *

Race (N = 4)White: *

Black: * American Indian: *

Hispanic: *

Asian/Pacific Islander: *

Other: *

Age (N = 4)

Under 18: * 18 to 25: * 26 to 34: *

35 and older: *

Primary Substance

(N = 4)Alcohol: *

Methamphetamine: * Marijuana: *

Heroin: * Cocaine: * Other opiates: *

Other drugs: *

Source of Income

(N = 4)Job: *

> Retirement/savings: * Family/friends: * No income: * Public sources: *

Other sources: *

Source of Referral

(N = 4).

Self/family/relative/ friends: *

Employer/school: * Criminal justice: * Professional: *

County social service agency: * Other community

resources: * AA: * Tribal: *

Discharge Status

(N = 4)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

First Step Walker

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =2)	*	*	*
Not employed/student \S (N = 2)	*	*	*
Arrests past 30 days (N = 4)	*	*	*
Alcohol use past 30 days (N = 2)	*	*	*
Drug use past 30 days (N = 2)	*	*	*
No self-help group participation past 30 days $(N = 2)$	*	*	*
No family support for recovery past 30 days (N = 2)	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 2)	*	*	*
Biomedical Conditions and Complications $(N = 2)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 3)	*	*	*
Resistance to Change $(N = 2)$	*	*	*
Relapse/Continued Use Potential ($N = 2$)	*	*	*
Unsupportive Recovery Environment (N = 2)		*	*
	*	*	^

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\$}}$ Status at admission and discharge. II 100(Σ (% at admission - % at discharge)/ Σ (% at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Five Stars Recovery Center

212 North Walnut Street Chaska, MN 55318

Provider Website:

Patient Profile

 Gender (N = 45)
 Race (N = 45)

 Male: 84.4%
 White: 88.9%

 Female: 15.6%
 Black: 4.4%

American Indian: 2.2% 26 to 34: 15.6% Hispanic: 2.2% 35 and older: 37.8%

Asian/Pacific Islander: 0.0%

Other: 2.2%

Primary Substance Source of Income

(N = 45) Alcohol: 66.7% (N = 45) Job: 17.8%

Methamphetamine: 6.7% Retirement/savings: 2.2% Marijuana: 8.9% Family/friends: 20.0% No income: 0.0% Cocaine: 2.2% Public sources: 26.7%

Other opiates: 13.3% Other sources: 33.3%

Source of Referral (N = 45).

County: Carver

Age (N = 45)

Under 18: 6.7%

18 to 25: 40.0%

Self/family/relative/ friends: 35.6% Employer/school: 0.0% Criminal justice: 55.6% Professional: 13.3%

County social

service agency: 86.7%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 45)

Completed program: 57.8%

Patient left without staff approval: 15.6% Staff requested/judged inappropriate: 15.6%

Death/other: 11.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Five Stars Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =43)	7.0%	0.0%	100.0%
Not employed/student \S (N = 38)	73.7%	55.3%	25.0%
Arrests past 30 days (N = 45)	6.7%	13.3%	0.0%
Alcohol use past 30 days (N = 45)	26.7%	20.0%	25.0%
Drug use past 30 days (N = 45)	26.7%	17.8%	33.3%
No self-help group participation past 30 days (N = 41)	61.0%	9.8%	84.0%
No family support for recovery past 30 days $(N = 42)$	9.5%	7.1%	25.0%
Summary Measure 41.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 44$)	0.0%	9.1%	*
Biomedical Conditions and Complications $(N = 43)$	0.0%	2.3%	*
Emotional/Behavioral/ Cognitive Problem (N = 42)	14.3%	16.7%	0.0%
Resistance to Change (N = 40)	80.0%	45.0%	43.8%
Relapse/Continued Use Potential (N = 40)	100.0%	60.0%	40.0%
Unsupportive Recovery Environment (N = 36)	75.0%	33.3%	55.6%
Summary Measure [∥] 38.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Five Stars Recovery Center Carver County Jail Program

601 East Fourth Street Chaska, MN 55318

Provider Website:

Patient Profile

Gender (N = 6)Male: *

Female: *

Hispanic: *

Other: *

(N = 6)Alcohol: *

Primary Substance

Methamphetamine: *

Marijuana: * Heroin: * Cocaine: *

Other opiates: * Other drugs: *

Race (N = 6)

White: * Black: *

American Indian: *

Asian/Pacific Islander: *

Source of Income

(N = 6)Job: *

Retirement/savings: *

Family/friends: * No income: * Public sources: *

Other sources: *

(N = 6).

Age (N = 6)

Under 18: *

18 to 25: * 26 to 34: *

35 and older: *

County: Carver

Self/family/relative/

Source of Referral

friends: *

Employer/school: * Criminal justice: * Professional: *

County social service agency: *

Other community resources: *

AA: * Tribal: *

Discharge Status

(N = 6)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Five Stars Recovery Center Carver County Jail Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless § (N =6)	*	*	*
Not employed/student \S (N = 6)	*	*	*
Arrests past 30 days (N = 6)	*	*	*
Alcohol use past 30 days (N = 6)	*	*	*
Drug use past 30 days (N = 6)	*	*	*
No self-help group participation past 30 days $(N = 6)$	*	*	*
No family support for recovery past 30 days (N = 6)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 6)$	*	*	*
Biomedical Conditions and Complications $(N = 6)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 6)	*	*	*
Resistance to Change $(N = 6)$	*	*	*
Relapse/Continued Use Potential (N = 6)	*	*	*
Unsupportive Recovery Environment (N = 6)	*	*	*
Summary Measure [∥] *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Focus Unit St. Joseph's Medical Center

523 North 3rd Street Brainerd, MN 56401

Provider Website: www.sjmcmn.org

Patient Profile

 Gender (N = 216)
 Race (N = 216)

 Male: 59.3%
 White: 91.7%

Female: 40.7% Black: 2.8% 18 to 25: 24.1% American Indian: 4.6% 26 to 34: 22.7% Hispanic: 0.5% 35 and older: 53.2%

Asian/Pacific Islander: 0.0%

Other: 0.5%

Primary Substance Source of Income (N = 216) (N = 216)

Alcohol: 74.1% Job: 44.0%

Methamphetamine: 8.8% Retirement/savings: 6.9% Marijuana: 9.7% Family/friends: 25.9% Heroin: 0.0% No income: 1.4% Cocaine: 0.5% Public sources: 13.4%

Other opiates: 5.6% Other sources: 8.3%

(N = 216) .
Self/family/relative/
friends: 63.9%
Employer/school: 2.8%

Source of Referral

Employer/school: 2.8% Criminal justice: 21.3% Professional: 34.7%

County social

County: Crow Wing

Age (N = 216)

Under 18: 0.0%

service agency: 29.2%

Other community resources: 1.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.4%

(N = 216)

Completed program: 55.6%

Patient left without staff approval: 21.3% Staff requested/judged inappropriate: 13.4%

Death/other: 9.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Focus Unit St. Joseph's Medical Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =216)	1.4%	0.5%	66.7%
Not employed/student§ (N = 216)	61.1%	60.6%	0.8%
Arrests past 30 days (N = 216)	15.7%	2.8%	82.4%
Alcohol use past 30 days (N = 216)	67.1%	13.9%	79.3%
Drug use past 30 days (N = 216)	32.9%	8.3%	74.6%
No self-help group participation past 30 days (N = 214)	65.4%	13.1%	80.0%
No family support for recovery past 30 days (N = 214)	1.4%	1.4%	0.0%
Summary Measure 59.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 216)	14.4%	2.8%	80.6%
Biomedical Conditions and Complications $(N = 216)$	29.2%	15.3%	47.6%
Emotional/Behavioral/ Cognitive Problem (N = 215)	53.0%	25.1%	52.6%
Resistance to Change (N = 216)	58.3%	44.0%	24.6%
Relapse/Continued Use Potential (N = 215)	95.8%	62.8%	34.5%
Unsupportive Recovery Environment (N = 215)	89.3%	52.6%	41.1%
Summary Measure [∥] 40.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Focus XII

3220 8th Street North St. Cloud, MN 56303

Provider Website:

Patient Profile

Gender (N = 82)Race (N = 82)Male: 100.0% White: 75.6% Female: 0.0% Black: 9.8%

18 to 25: 25.6% American Indian: 4.9% 26 to 34: 30.5% 35 and older: 43.9% Hispanic: 2.4%

Asian/Pacific Islander: 1.2%

Other: 6.1%

Primary Substance Source of Income

(N = 82)(N = 82)Alcohol: 41.5% Job: 17.1%

Methamphetamine: 11.0% Retirement/savings: 0.0% Family/friends: 3.7% Marijuana: 12.2% Heroin: 8.5% No income: 62.2% Cocaine: 3.7% Public sources: 12.2%

Other opiates: 20.7% Other sources: 4.9% County social Other drugs: 2.4%

(N = 82) . Self/family/relative/

Source of Referral

County: Stearns

Age (N = 82)

Under 18: 0.0%

friends: 90.2% Employer/school: 0.0% Criminal justice: 34.1% Professional: 20.7%

service agency: 18.3%

Other community resources: 4.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 82)

Completed program: 50.0%

Patient left without staff approval: 11.0% Staff requested/judged inappropriate: 34.1%

Death/other: 4.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Focus XII

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =82)	2.4%	0.0%	100.0%
Not employed/student§ (N = 73)	53.4%	38.4%	28.2%
Arrests past 30 days (N = 82)	0.0%	4.9%	*
Alcohol use past 30 days (N = 82)	17.1%	12.2%	28.6%
Drug use past 30 days (N = 82)	14.6%	6.1%	58.3%
No self-help group participation past 30 days (N = 77)	11.7%	2.6%	77.8%
No family support for recovery past 30 days $(N = 71)$	4.2%	0.0%	100.0%
Summary Measure 38.0%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 82$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 82)	8.5%	13.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 82)	93.9%	72.0%	23.4%
Resistance to Change (N = 82)	100.0%	58.5%	41.5%
Relapse/Continued Use Potential (N = 82)	100.0%	61.0%	39.0%
Unsupportive Recovery Environment (N = 82)	100.0%	64.6%	35.4%
Summary Measure 33.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fond Du Lac Human Services

927 Trettel Lane Cloquet, MN 55720

Provider Website:

Patient Profile

Gender (N = 77)Male: 59.7%

Female: 40.3%

Hispanic: 5.2%

Other: 1.3%

Primary Substance (N = 77)

Alcohol: 50.6% Methamphetamine: 3.9%

Marijuana: 20.8% Heroin: 0.0% Cocaine: 1.3% Other opiates: 23.4%

Other drugs: 0.0%

Race (N = 77)

White: 0.0% Black: 0.0%

American Indian: 93.5%

Asian/Pacific Islander: 0.0%

Source of Income

(N = 77)Job: 14.3%

Retirement/savings: 0.0%

Family/friends: 3.9% No income: 16.9% Public sources: 19.5%

Other sources: 45.5%

Age (N = 77)

County: Carlton

Under 18: 0.0% 18 to 25: 33.8% 26 to 34: 35.1%

35 and older: 31.2%

Source of Referral

(N = 77) .

Self/family/relative/ friends: 32.5% Employer/school: 1.3% Criminal justice: 63.6% Professional: 10.4%

County social

service agency: 3.9% Other community resources: 1.3%

AA: 0.0% Tribal: 32.5%

Discharge Status

(N = 77)

Completed program: 20.8%

Patient left without staff approval: 19.5% Staff requested/judged inappropriate: 39.0%

Death/other: 20.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fond Du Lac Human Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =74)	0.0%	2.7%	*
Not employed/student \S (N = 70)	81.4%	70.0%	14.0%
Arrests past 30 days (N = 77)	18.2%	13.0%	28.6%
Alcohol use past 30 days (N = 77)	33.8%	16.9%	50.0%
Drug use past 30 days (N = 77)	37.7%	46.8%	0.0%
No self-help group participation past 30 days $(N = 67)$	56.7%	62.7%	0.0%
No family support for recovery past 30 days $(N = 64)$	14.1%	23.4%	0.0%
Summary Measure [∥] 2.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 75)	6.7%	14.7%	0.0%
Biomedical Conditions and Complications $(N = 74)$	21.6%	25.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 75)	94.7%	77.3%	18.3%
Resistance to Change (N = 76)	97.4%	75.0%	23.0%
Relapse/Continued Use Potential (N = 76)	100.0%	85.5%	14.5%
Unsupportive Recovery Environment ($N = 74$)	100.0%	85.1%	14.9%
Summary Measure 13.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Albert Lea

408 Fountain Street Albert Lea, MN 56007

Provider Website: www.fountaincenters.org

Patient Profile

 Gender (N = 725)
 Race (N = 725)

 Male: 68.6%
 White: 83.4%

 Female: 31.4%
 Black: 3.9%

emale: 31.4% Black: 3.9% 18 to 25: 24.0% American Indian: 1.9% 26 to 34: 20.4% Hispanic: 9.5% 35 and older: 39.6%

Asian/Pacific Islander: 0.4%

Other: 0.8%

Primary Substance Source of Income

(N = 724) Alcohol: 50.3% (N = 725) Job: 40.8

Methamphetamine: 10.4% Retirement/savings: 2.4 Marijuana: 27.2% Family/friends: 27.7% Heroin: 1.7% No income: 8.1% Cocaine: 4.0% Public sources: 13.2% Other opiates: 3.9% Other sources: 7.5%

(N = 725) (N = 725).

Job: 40.8% Self/family/relative/
Retirement/savings: 2.6% friends: 48.6%

Family/friends: 27.7% Employer/school: 1.9%
No income: 8.1% Criminal justice: 31.7%

Public sources: 13.2% Criminal justice: 31.7% Professional: 42.5% County social

service agency: 49.2%

Other community resources: 6.6%

AA: 0.3% Tribal: 0.1%

County: Freeborn

Age (N = 725)

Under 18: 16.0%

Source of Referral

Discharge Status

Other drugs: 2.6%

(N = 725)

Completed program: 77.0%

Patient left without staff approval: 13.1% Staff requested/judged inappropriate: 5.0%

Death/other: 5.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fountain Center of Albert Lea

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =703)	3.6%	3.8%	0.0%
Not employed/student \S (N = 701)	51.4%	61.3%	0.0%
Arrests past 30 days (N = 720)	16.7%	5.1%	69.2%
Alcohol use past 30 days (N = 722)	64.0%	21.7%	66.0%
Drug use past 30 days (N = 722)	52.2%	22.7%	56.5%
No self-help group participation past 30 days ($N = 686$)	58.6%	2.5%	95.8%
No family support for recovery past 30 days ($N = 665$)	6.3%	12.9%	0.0%
Summary Measure 48.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 712)	2.0%	0.6%	71.4%
Biomedical Conditions and Complications (N = 715)	4.2%	3.9%	6.7%
Emotional/Behavioral/ Cognitive Problem (N = 713)	88.2%	61.3%	30.5%
Resistance to Change (N = 714)	93.0%	68.2%	26.7%
Relapse/Continued Use Potential (N = 716)	99.3%	94.4%	4.9%
Unsupportive Recovery Environment (N = 712)	99.0%	93.4%	5.7%
Summary Measure 16.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Fairmont

828 N North Ave Fairmont, MN 56031

Provider Website:

Patient Profile

Gender (N = 118) Male: 66.9%

Female: 33.1%

Primary Substance (N = 118)

Alcohol: 46.6% Methamphetamine: 9.3%

Marijuana: 38.1% Heroin: 0.0% Cocaine: 0.8% Other opiates: 3.4%

Other drugs: 1.7%

Race (N = 118)

White: 83.1% Black: 1.7%

American Indian: 0.0% Hispanic: 11.0%

Asian/Pacific Islander: 0.0%

Other: 4.2%

Source of Income

(N = 118)Job: 36.4%

Retirement/savings: 0.8% Family/friends: 38.1% No income: 0.8% Public sources: 15.3% Other sources: 8.5%

Age (N = 118)

County: Martin

Under 18: 24.6% 18 to 25: 24.6% 26 to 34: 25.4%

35 and older: 25.4%

Source of Referral

(N = 118) . Self/family/relative/

friends: 12.7% Employer/school: 3.4% Criminal justice: 55.1% Professional: 17.8%

County social

service agency: 84.7%

Other community resources: 0.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 118)

Completed program: 66.9%

Patient left without staff approval: 15.3% Staff requested/judged inappropriate: 5.9%

Death/other: 11.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fountain Center of Fairmont

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =118)	0.0%	0.0%	*
Not employed/student \S (N = 116)	40.5%	30.2%	25.5%
Arrests past 30 days (N = 118)	5.9%	5.1%	14.3%
Alcohol use past 30 days (N = 118)	33.1%	9.3%	71.8%
Drug use past 30 days (N = 118)	32.2%	15.3%	52.6%
No self-help group participation past 30 days (N = 113)	57.5%	9.7%	83.1%
No family support for recovery past 30 days (N = 111)	10.8%	1.8%	83.3%
Summary Measure 60.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 118)	0.0%	1.7%	*
Biomedical Conditions and Complications (N = 118)	1.7%	0.8%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 118)	55.1%	38.1%	30.8%
Resistance to Change (N = 118)	62.7%	35.6%	43.2%
Relapse/Continued Use Potential (N = 118)	96.6%	65.3%	32.5%
Unsupportive Recovery Environment (N = 118)	83.1%	60.2%	27.6%
	001170		

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Rochester

4122 18th Avenue NW Rochester, MN 55901

Provider Website: www.fountaincenters.org

Patient Profile

 Gender (N = 159)
 Race (N = 159)

 Male: 58.5%
 White: 84.3%

 Female: 41.5%
 Black: 3.8%

Female: 41.5% Black: 3.8% 18 to 25: 21.4% American Indian: 0.6% 26 to 34: 25.2% Hispanic: 4.4% 35 and older: 28.3%

Asian/Pacific Islander: 0.6%

Other: 6.3%

Primary Substance Source of Income

Methamphetamine: 6.3% Retirement/savings: 6.9% Marijuana: 34.6% Family/friends: 50.3% No income: 1.3% Cocaine: 3.8% Public sources: 8.2%

Other opiates: 6.9% Other sources: 4.4%

(N = 159) . Self/family/relative/

Source of Referral

friends: 61.6% Employer/school: 3.1% Criminal justice: 41.5% Professional: 44.7%

County social

County: Olmsted

Age (N = 159)

Under 18: 25.2%

service agency: 28.3%

Other community resources: 1.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 159)

Completed program: 50.3%

Patient left without staff approval: 15.1% Staff requested/judged inappropriate: 23.9%

Death/other: 10.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fountain Center of Rochester

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =159)	1.3%	1.9%	0.0%
Not employed/student§ (N = 156)	42.9%	32.7%	23.9%
Arrests past 30 days (N = 159)	8.8%	4.4%	50.0%
Alcohol use past 30 days (N = 159)	29.6%	23.9%	19.1%
Drug use past 30 days (N = 159)	22.6%	20.8%	8.3%
No self-help group participation past 30 days (N = 142)	44.4%	8.5%	81.0%
No family support for recovery past 30 days (N = 130)	3.9%	1.5%	60.0%
Summary Measure 39.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 159)	0.0%	0.0%	*
Biomedical Conditions and Complications ($N = 159$)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 159)	35.2%	27.7%	21.4%
Resistance to Change (N = 159)	69.8%	46.5%	33.3%
Relapse/Continued Use Potential (N = 159)	99.4%	62.3%	37.3%
Unsupportive Recovery Environment (N = 159)	98.7%	71.7%	27.4%
Summary Measure 31.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Waseca

505 S State Street Waseca, MN 56093

Provider Website:

Patient Profile

 Gender (N = 55)
 Race (N = 55)

 Male: 80.0%
 White: 90.9%

 Female: 20.0%
 Black: 1.8%

American Indian: 0.0% 26 to 34: 36.4% Hispanic: 5.5% 35 and older: 36.4%

County: Waseca

Age (N = 55)

Under 18: 1.8%

18 to 25: 25.5%

Source of Referral

Asian/Pacific Islander: 0.0%

Other: 1.8%

Primary Substance Source of Income

(N = 55) Alcohol: 67.3% (N = 55) Job: 50.9%

Methamphetamine: 0.0% Retirement/savings: 5.5% Marijuana: 27.3% Family/friends: 29.1% Heroin: 1.8% No income: 0.0% Cocaine: 1.8% Public sources: 5.5% Other opiates: 1.8% Other sources: 9.1%

(N = 55) Self/family/relative/ friends: 43.6% Employer/school: 3.6% Criminal justice: 65.5% Professional: 25.5% County social

service agency: 47.3% Other community resources: 1.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 55)

Completed program: 61.8%

Patient left without staff approval: 14.5% Staff requested/judged inappropriate: 16.4%

Death/other: 7.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Fountain Center of Waseca

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =55)	1.8%	1.8%	0.0%
Not employed/student§ (N = 55)	45.5%	38.2%	16.0%
Arrests past 30 days (N = 55)	3.6%	3.6%	0.0%
Alcohol use past 30 days (N = 55)	21.8%	7.3%	66.7%
Drug use past 30 days (N = 55)	12.7%	9.1%	28.6%
No self-help group participation past 30 days ($N = 55$)	74.5%	16.4%	78.0%
No family support for recovery past 30 days (N = 46)	21.7%	15.2%	30.0%
Summary Measure [∥] 49.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 55)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 55)$	0.0%	5.5%	*
Emotional/Behavioral/ Cognitive Problem (N = 55)	63.6%	60.0%	5.7%
Resistance to Change (N = 55)	87.3%	54.5%	37.5%
Relapse/Continued Use Potential (N = 55)	100.0%	81.8%	18.2%
Unsupportive Recovery Environment (N = 55)	98.2%	81.8%	16.7%
Summary Measure [∥] 18.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Franciscan Skemp Healthcare Scarseth House

535 South 17th Street La Crosse, WI 54601

County:

Provider Website:

Patient Profile

 Gender (N = 1)
 Race (N = 1)
 Age (N = 1)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * Other sources: * County social

service agency: *
Other community
resources: *

AA: *
Tribal: *

Discharge Status

Other drugs: *

(N = 1)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Franciscan Skemp Healthcare Scarseth House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =1)	*	*	*
Not employed/student \S (N = 1)	*	*	*
Arrests past 30 days (N = 1)	*	*	*
Alcohol use past 30 days (N = 1)	*	*	*
Drug use past 30 days (N = 1)	*	*	*
No self-help group participation past 30 days $(N = 1)$	*	*	*
No family support for recovery past 30 days $(N = 1)$	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 1)	*	*	*
Biomedical Conditions and Complications $(N = 1)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 1)	*	*	*
Resistance to Change (N = 1)	*	*	*
Relapse/Continued Use Potential (N = 1)	*	*	*
Unsupportive Recovery Environment $(N = 1)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Franciscan Skemp Healthcare Villa Succes

121 South Prairie Street Paririe du Chien, WI 53821

County:

Provider Website:

Patient Profile

 Gender (N = 1)
 Race (N = 1)
 Age (N = 1)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Source of Income Source of Referral Primary Substance (N = 1)(N = 1)(N = 1) . Alcohol: * Job: * Self/family/relative/ friends: * Methamphetamine: * Retirement/savings: * Family/friends: * Employer/school: * Marijuana: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community

resources: *
AA: *
Tribal: *

Discharge Status

(N = 1)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Franciscan Skemp Healthcare Villa Succes

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =1)	*	*	*
Not employed/student \S (N = 1)	*	*	*
Arrests past 30 days (N = 1)	*	*	*
Alcohol use past 30 days (N = 1)	*	*	*
Drug use past 30 days (N = 1)	*	*	*
No self-help group participation past 30 days (N = 1)	*	*	*
No family support for recovery past 30 days (N = 1)	*	*	*
Summary Measure *			
D:	A 1 ' '	Disabores	0/ 1
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 1)	<u>Admission</u> *	<u>Discharge</u> *	<u>% Improve</u> *
Acute Intoxication/			, , , , , , , , , , , , , , , , , , ,
Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and	*	*	*
Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*	*
Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* *	* *
Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1) Resistance to Change (N = 1) Relapse/Continued Use	* * *	* * *	* * *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Pennington

Age (N = 67)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 32.8%

Professional: 19.4%

Employer/school: 3.0%

Criminal justice: 62.7%

(N = 67).

Glenmore of Thief River Falls

621 Labree Ave N Thief River Falls, MN 56701

Provider Website: www.riverviewhealth.org

Patient Profile

 Gender (N = 67)
 Race (N = 67)

 Male: 59.7%
 White: 70.1%

 Female: 40.3%
 Black: 0.0%

Pale: 40.3% Black: 0.0% 18 to 25: 25.4% American Indian: 23.9% 26 to 34: 22.4% Hispanic: 6.0% 35 and older: 52.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 67) Alcohol: 79.1% (N = 67) Job: 44.8%

Methamphetamine: 3.0% Retirement/savings: 4.5% Marijuana: 10.4% Family/friends: 14.9% No income: 9.0% Cocaine: 0.0% Public sources: 17.9%

Other opiates: 7.5% Other sources: 9.0% County social service agency: 43.3%

Other community resources: 3.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 67)

Completed program: 65.7%

Patient left without staff approval: 22.4% Staff requested/judged inappropriate: 1.5%

Death/other: 10.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Glenmore of Thief River Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =67)	1.5%	0.0%	100.0%
Not employed/student \S (N = 66)	60.6%	31.8%	47.5%
Arrests past 30 days (N = 67)	4.5%	0.0%	100.0%
Alcohol use past 30 days (N = 67)	10.4%	7.5%	28.6%
Drug use past 30 days (N = 67)	9.0%	6.0%	33.3%
No self-help group participation past 30 days $(N = 67)$	28.4%	3.0%	89.5%
No family support for recovery past 30 days $(N = 65)$	4.6%	0.0%	100.0%
Summary Measure 59.4%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 66)	0.0%	3.0%	*
Biomedical Conditions and Complications $(N = 67)$	9.0%	11.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 67)	32.8%	22.4%	31.8%
Resistance to Change (N = 67)	83.6%	37.3%	55.4%
Relapse/Continued Use Potential (N = 67)	92.5%	61.2%	33.9%
Unsupportive Recovery Environment $(N = 67)$	89.6%	37.3%	58.3%
Summary Measure 43.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery

1424 Central Ave N.E.

East Grand Forks, MN 56721 County: Polk

Provider Website: www.riverviewhealth.org

Patient Profile

 Gender (N = 38)
 Race (N = 38)
 Age (N = 38)

 Male: 73.7%
 White: 78.9%
 Under 18: 0.0%

 Female: 26.3%
 Black: 5.3%
 18 to 25: 21.1%

American Indian: 0.0% 26 to 34: 42.1%

Hispanic: 13.2% 35 and older: 36.8%

Hispanic: 13.2% 35 and older: 36.8% Asian/Pacific Islander: 0.0%

Other: 2.6%

Primary Substance Source of Income Source of Referral (N = 38) (N = 38).

Alcohol: 78.9%

Methamphetamine: 2.6%

Marijuana: 13.2%

Heroin: 0.0%

Job: 65.8%

Self/family/relative/
friends: 26.3%

Employer/school: 0.0%

Criminal justice: 86.8%

Cocaine: 0.0% Public sources: 5.3% Professional: 18.4%
Other opiates: 5.3% Other sources: 7.9% County social

Other drugs: 0.0% service agency: 18.4% Other community

resources: 2.6% AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 38)

Completed program: 73.7%

Patient left without staff approval: 15.8% Staff requested/judged inappropriate: 5.3%

Death/other: 5.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Glenmore Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =38)	0.0%	0.0%	*
Not employed/student \S (N = 37)	37.8%	27.0%	28.6%
Arrests past 30 days (N = 38)	0.0%	7.9%	*
Alcohol use past 30 days (N = 38)	21.1%	13.2%	37.5%
Drug use past 30 days (N = 38)	18.4%	5.3%	71.4%
No self-help group participation past 30 days (N = 38)	76.3%	76.3%	0.0%
No family support for recovery past 30 days $(N = 36)$	11.1%	5.6%	50.0%
Summary Measure 17.9%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 38)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 38)	5.3%	2.6%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 38)	68.4%	34.2%	50.0%
Resistance to Change (N = 38)	76.3%	36.8%	51.7%
Relapse/Continued Use Potential (N = 38)	86.8%	50.0%	42.4%
Unsupportive Recovery Environment $(N = 38)$	57.9%	26.3%	54.5%
Summary Measure 49.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigmu(\%\$ at admission - % at discharge)/\$\Sigmu(\%\$ at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery - Baudette

206 8th Ave SE Baudette, MN 56623

Provider Website:

Patient Profile

Gender (N = 6)Male: *

Female: *

Other: *

Race (N = 6)White: *

Black: * American Indian: * Hispanic: *

Asian/Pacific Islander: *

Primary Substance

(N = 6)Alcohol: *

Methamphetamine: *

Marijuana: * Heroin: * Cocaine: * Other opiates: *

Other drugs: *

Source of Income

(N = 6)Job: *

> Retirement/savings: * Family/friends: * No income: *

Public sources: * Other sources: * Age (N = 6)

County: Lake of the Woods

Under 18: * 18 to 25: * 26 to 34: *

35 and older: *

Source of Referral

(N = 6) .

Self/family/relative/

friends: *

Employer/school: * Criminal justice: * Professional: *

County social service agency: * Other community

resources: * AA: * Tribal: *

Discharge Status

(N = 6)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Glenmore Recovery - Baudette

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =6)	*	*	*
Not employed/student \S (N = 6)	*	*	*
Arrests past 30 days (N = 6)	*	*	*
Alcohol use past 30 days (N = 6)	*	*	*
Drug use past 30 days (N = 6)	*	*	*
No self-help group participation past 30 days $(N = 5)$	*	*	*
No family support for recovery past 30 days (N = 6)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 5)$	*	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*	*
Resistance to Change $(N = 5)$	*	*	*
Relapse/Continued Use Potential ($N = 5$)	*	*	*
Unsupportive Recovery Environment $(N = 5)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center

2020 East Greenwood Street Thief River Falls, MN 56701

Provider Website:

Patient Profile

 Gender (N = 11)
 Race (N = 11)

 Male: 36.4%
 White: 100.0%

 Female: 63.6%
 Black: 0.0%

American Indian: 0.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 11)Alcohol: 27.3%

Methamphetamine: 0.0%

Marijuana: 72.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 11)Job: 0.0%

Retirement/savings: 0.0% Family/friends: 72.7% No income: 9.1%

Public sources: 18.2% Other sources: 0.0% Age (N = 11)

County: Pennington

Under 18: 90.9% 18 to 25: 0.0% 26 to 34: 0.0%

35 and older: 9.1%

Source of Referral

(N = 11).

Self/family/relative/ friends: 9.1%

Employer/school: 0.0% Criminal justice: 54.5% Professional: 36.4%

County social

service agency: 81.8%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 11)

Completed program: 63.6%

Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 0.0%

Death/other: 27.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Discharge

% Improve[‡]

National Outcome Measures (NOMS)

Admission

Glenmore Recovery Center

<u>Mational Outcome Measures (MOMS)</u>	<u>AUITIISSIUIT</u>	<u>Discriarye</u>	<u> 76 IIIIþrove</u>
Homeless§ (N =11)	0.0%	0.0%	*
Not employed/student \S (N = 11)	54.5%	18.2%	66.7%
Arrests past 30 days (N = 11)	0.0%	0.0%	*
Alcohol use past 30 days (N = 11)	18.2%	9.1%	50.0%
Drug use past 30 days (N = 11)	18.2%	18.2%	0.0%
No self-help group participation past 30 days (N = 11)	63.6%	18.2%	71.4%
No family support for recovery past 30 days $(N = 7)$	*	*	*
Summary Measure 65.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 11)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 11)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 11)	72.7%	27.3%	62.5%
Resistance to Change (N = 11)	81.8%	54.5%	33.3%
Relapse/Continued Use Potential (N = 11)	100.0%	54.5%	45.5%
Unsupportive Recovery Environment (N = 11)	100.0%	45.5%	54.5%
Summary Measure 48.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center

23616 US HWY 2 SW Crookston, MN 56716

Provider Website: www.riverviewhealth.org

Patient Profile

 Gender (N = 257)
 Race (N = 257)

 Male: 61.5%
 White: 64.6%

Female: 38.5% Black: 2.0% 18 to 25: 25.7% American Indian: 25.7% 26 to 34: 26.8% Hispanic: 5.1% 35 and older: 47.5%

Asian/Pacific Islander: 0.8%

Other: 2.0%

Primary Substance Source of Income (N = 254) (N = 257)

Alcohol: 69.3% Job: 35.0% Methamphetamine: 3.9% Retirement/savings: 2.7%

Marijuana: 10.6% Family/friends: 7.0% Heroin: 0.4% No income: 10.5% Cocaine: 1.2% Public sources: 19.5%

Other opiates: 13.4% Other sources: 25.3% Other drugs: 1.2%

(N = 257) .
Self/family/relative/
friends: 75.1%
Employer/school: 1.6%

Source of Referral

Employer/school: 1.6% Criminal justice: 46.7% Professional: 10.5%

County social

County: Polk

Age (N = 257)

Under 18: 0.0%

service agency: 26.8%

Other community resources: 5.5%

AA: 0.0% Tribal: 0.8%

Discharge Status

(N = 257)

Completed program: 64.6%

Patient left without staff approval: 23.7% Staff requested/judged inappropriate: 2.7%

Death/other: 9.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Glenmore Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =239)	5.4%	1.3%	76.9%
Not employed/student \S (N = 210)	63.3%	64.8%	0.0%
Arrests past 30 days (N = 254)	12.2%	5.1%	58.1%
Alcohol use past 30 days (N = 254)	52.4%	12.6%	75.9%
Drug use past 30 days (N = 254)	35.8%	9.5%	73.6%
No self-help group participation past 30 days (N = 227)	43.6%	16.3%	62.6%
No family support for recovery past 30 days (N = 210)	13.8%	6.7%	51.7%
Summary Measure [∥] 48.7%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 247)	0.8%	0.0%	100.0%
Biomedical Conditions and Complications ($N = 247$)	8.1%	4.9%	40.0%
Emotional/Behavioral/ Cognitive Problem (N = 247)	46.6%	26.3%	43.5%
Resistance to Change (N = 248)	86.3%	45.2%	47.7%
Relapse/Continued Use Potential (N = 248)	96.4%	75.8%	21.3%
Unsupportive Recovery Environment (N = 247)	94.3%	72.9%	22.7%
Summary Measure 32.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center Northwest Regional Corrections Center

816 Marin Ave Crookston, MN 56726

Provider Website:

Patient Profile

 Gender (N = 19)
 Race (N = 19)

 Male: 100.0%
 White: 68.4%

 Female: 0.0%
 Black: 5.3%

emale: 0.0% Black: 5.3% 18 to 25: 42.1% American Indian: 5.3% 26 to 34: 21.1% Hispanic: 15.8% 35 and older: 36.8%

Asian/Pacific Islander: 0.0%

Other: 5.3%

Primary Substance Source of Income

(N = 19) Alcohol: 73.7% (N = 19) Job: 36.8%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 0.0% Heroin: 0.0% No income: 47.4% Public sources: 10.5%

Other opiates: 0.0% Other sources: 5.3%

Source of Referral (N = 19).

Age (N = 19)

Under 18: 0.0%

County: Polk

Self/family/relative/ friends: 42.1% Employer/school: 0.0%

Criminal justice: 47.4%
Professional: 5.3%
County social

service agency: 94.7%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 19)

Completed program: 26.3%

Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 10.5%

Death/other: 52.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Glenmore Recovery Center Northwest Regional Corrections Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =19)	0.0%	0.0%	*
Not employed/student \S (N = 16)	75.0%	81.3%	0.0%
Arrests past 30 days (N = 18)	16.7%	22.2%	0.0%
Alcohol use past 30 days (N = 19)	5.3%	21.1%	0.0%
Drug use past 30 days (N = 19)	0.0%	10.5%	*
No self-help group participation past 30 days (N = 17)	41.2%	47.1%	0.0%
No family support for recovery past 30 days (N = 17)	23.5%	52.9%	0.0%
Summary Measure [∥] -45.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 17)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 18)$	5.6%	11.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 18)	66.7%	72.2%	0.0%
Resistance to Change (N = 19)	84.2%	78.9%	6.3%
Relapse/Continued Use Potential ($N = 19$)	89.5%	89.5%	0.0%
Unsupportive Recovery Environment ($N = 18$)	83.3%	77.8%	6.7%
Summary Measure -0.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore-Roseau

216 Center Street W Roseau, MN 56751

Provider Website: www.riverviewhealth.org

Patient Profile

 Gender (N = 19)
 Race (N = 19)

 Male: 84.2%
 White: 84.2%

 Famale: 15.8%
 Plack: 0.0%

Female: 15.8% Black: 0.0% 18 to 25: 31.6% American Indian: 15.8% 26 to 34: 15.8% Hispanic: 0.0% 35 and older: 52.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 19) Alcohol: 78.9% (N = 19) Job: 57.9%

Methamphetamine: 5.3% Retirement/savings: 10.5% Marijuana: 15.8% Family/friends: 5.3% No income: 10.5% Cocaine: 0.0% Public sources: 10.5%

Other opiates: 0.0%

Other sources: 5.3%

Source of Referral (N = 19).

County: Roseau

Age (N = 19)

Under 18: 0.0%

Self/family/relative/ friends: 10.5% Employer/school: 10.5% Criminal justice: 84.2% Professional: 5.3%

County social

service agency: 89.5%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 19)

Completed program: 84.2%

Patient left without staff approval: 5.3% Staff requested/judged inappropriate: 5.3%

Death/other: 5.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Glenmore-Roseau

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =19)	0.0%	0.0%	*
Not employed/student§ (N = 19)	42.1%	42.1%	0.0%
Arrests past 30 days (N = 19)	5.3%	5.3%	0.0%
Alcohol use past 30 days (N = 19)	26.3%	0.0%	100.0%
Drug use past 30 days (N = 19)	21.1%	5.3%	75.0%
No self-help group participation past 30 days $(N = 19)$	73.7%	63.2%	14.3%
No family support for recovery past 30 days (N = 19)	36.8%	36.8%	0.0%
Summary Measure 25.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 18)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 18)$	16.7%	27.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 18)	5.6%	5.6%	0.0%
Resistance to Change (N = 18)	88.9%	72.2%	18.8%
Relapse/Continued Use Potential (N = 18)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment (N = 17)	100.0%	94.1%	5.9%
Summary Measure [∥] 3.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Golden Living Center Wabasso

660 Maple Street Wabasso, MN 56293

Provider Website:

Patient Profile

 Gender (N = 32)
 Race (N = 32)

 Male: 71.9%
 White: 87.5%

 Female: 28.1%
 Black: 3.1%

Black: 3.1% 18 to 25: 3.1% American Indian: 3.1% 26 to 34: 6.3% Hispanic: 3.1% 35 and older: 90.6%

Asian/Pacific Islander: 3.1%

Other: 0.0%

Primary Substance Source of Income

(N = 32) Alcohol: 87.5% (N = 32) Job: 15.6%

Methamphetamine: 0.0% Retirement/savings: 34.4% Marijuana: 0.0% Family/friends: 0.0% Heroin: 0.0% No income: 3.1% Public sources: 46.9% Other opiates: 3.1% Other sources: 0.0%

Source of Referral
(N = 32)
Self/family/relative/
friends: 9.4%
Employer/school: 3.1%
Criminal justice: 15.6%
Professional: 71.9%

service agency: 68.8% Other community

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County social

County: Redwood

Age (N = 32)

Under 18: 0.0%

Discharge Status

Other drugs: 6.3%

(N = 32)

Completed program: 56.3%

Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 6.3%

Death/other: 25.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Golden Living Center Wabasso

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =32)	0.0%	0.0%	*
Not employed/student \S (N = 32)	84.4%	84.4%	0.0%
Arrests past 30 days (N = 30)	3.3%	3.3%	0.0%
Alcohol use past 30 days (N = 32)	21.9%	6.3%	71.4%
Drug use past 30 days (N = 32)	6.3%	3.1%	50.0%
No self-help group participation past 30 days (N = 32)	40.6%	15.6%	61.5%
No family support for recovery past 30 days $(N = 32)$	28.1%	12.5%	55.6%
Summary Measure [∥] 32.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 32)$	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 32)	25.0%	15.6%	37.5%
Emotional/Behavioral/ Cognitive Problem (N = 32)	25.0%	21.9%	12.5%
Resistance to Change (N = 32)	18.8%	18.8%	0.0%
Relapse/Continued Use Potential (N = 32)	100.0%	46.9%	53.1%
Unsupportive Recovery Environment ($N = 32$)	100.0%	62.5%	37.5%
Summary Measure [∥] 38.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Grace Counseling Services

16525 Hwy 65 NE Ham Lake, MN 55304

Provider Website:

Patient Profile

 Gender (N = 22)
 Race (N = 22)

 Male: 86.4%
 White: 100.0%

 Female: 13.6%
 Black: 0.0%

American Indian: 0.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income (N = 22) (N = 22)

Alcohol: 68.2% Job: 59.1% Methamphetamine: 0.0% Retirement/

Methamphetamine: 0.0%

Marijuana: 22.7%

Heroin: 4.6%

Cocaine: 4.6%

Other opiates: 0.0%

Retirement/savings: 0.0%

Family/friends: 0.0%

No income: 36.4%

Public sources: 0.0%

Other sources: 4.6%

Source of Referral
(N = 22)
Self/family/relative/
friends: 22.7%
Employer/school: 0.0%
Criminal justice: 100.0%

Criminal justice: 100.0% Professional: 0.0% County social

service agency: 0.0% Other community resources: 13.6%

AA: 0.0% Tribal: 0.0%

County: Anoka

Age (N = 22)

Under 18: 0.0%

18 to 25: 40.9%

26 to 34: 36.4% 35 and older: 22.7%

Discharge Status

Other drugs: 0.0%

(N = 22)

Completed program: 77.3%

Patient left without staff approval: 22.7% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Grace Counseling Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =21)	0.0%	0.0%	*
Not employed/student \S (N = 21)	38.1%	38.1%	0.0%
Arrests past 30 days (N = 22)	0.0%	0.0%	*
Alcohol use past 30 days (N = 22)	0.0%	0.0%	*
Drug use past 30 days (N = 22)	0.0%	0.0%	*
No self-help group participation past 30 days (N = 0)	*	*	*
No family support for recovery past 30 days (N = 0)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Dimensions of Addiction [#] Acute Intoxication/ Withdrawal (N = 22)	Admission 0.0%	<u>Discharge</u> 0.0%	% Improve [‡] *
Acute Intoxication/		Ü	·
Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and	0.0%	0.0%	*
Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/	0.0%	0.0%	*
Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/ Cognitive Problem (N = 22)	0.0%	0.0% 0.0% 4.6%	* *

Summary Measure 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Guest House

4800 48th Street NE Rochester, MN 55906

Provider Website: www.guesthouse.org

Patient Profile

 Gender (N = 63)
 Race (N = 63)

 Male: 100.0%
 White: 92.1%

 Female: 0.0%
 Black: 0.0%

Black: 0.0% 18 to 25: 0.0% American Indian: 0.0% 26 to 34: 1.6% Hispanic: 7.0% 35 and older: 0.00

Hispanic: 7.9% 35 and older: 98.4%

Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance Source of Income

(N = 62) Alcohol: 96.8% (N = 63) Job: 79.4%

Methamphetamine: 1.6% Retirement/savings: 7.9% Marijuana: 0.0% Family/friends: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 3.2%

Other opiates: 1.6% Other sources: 9.5% County social service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Olmsted

Age (N = 63)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 36.5%

Professional: 6.4%

Employer/school: 92.1%

Criminal justice: 0.0%

(N = 63) .

Discharge Status

(N = 63)

Completed program: 79.4%

Patient left without staff approval: 1.6% Staff requested/judged inappropriate: 3.2%

Death/other: 15.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Guest House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =62)	0.0%	0.0%	*
Not employed/student \S (N = 63)	15.9%	17.5%	0.0%
Arrests past 30 days (N = 63)	9.5%	0.0%	100.0%
Alcohol use past 30 days (N = 62)	85.5%	8.1%	90.6%
Drug use past 30 days (N = 62)	6.5%	0.0%	100.0%
No self-help group participation past 30 days (N = 62)	71.0%	3.2%	95.5%
No family support for recovery past 30 days (N = 63)	4.8%	1.6%	66.7%
Summary Measure [∥] 84.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 62$)	21.0%	1.6%	92.3%
Biomedical Conditions and Complications $(N = 62)$	59.7%	21.0%	64.9%
Emotional/Behavioral/ Cognitive Problem (N = 61)	80.3%	45.9%	42.9%
Resistance to Change $(N = 62)$	79.0%	22.6%	71.4%
Relapse/Continued Use Potential (N = 62)	90.3%	27.4%	69.6%
Unsupportive Recovery Environment $(N = 57)$	71.9%	15.8%	78.0%
Summary Measure 66.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Gundersen Lutheran Unity House for Men

1922 Miller Street La Crosse, WI 54601

County:

Provider Website:

Patient Profile

<u>Gender (N = 25)</u> Male: 100.0% Female: 0.0% Race (N = 25) White: 100.0% Black: 0.0% American Indian: 0.0%

Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance (N = 25)

Alcohol: 80.0% Methamphetamine: 0.0%

Marijuana: 12.0% Heroin: 4.0% Cocaine: 0.0% Other opiates: 4.0% Other drugs: 0.0% Source of Income

(N = 25)Job: 24.0%

Retirement/savings: 4.0% Family/friends: 24.0% No income: 0.0% Public sources: 16.0% Other sources: 32.0% $\underline{Age (N = 25)}$

Under 18: 0.0% 18 to 25: 32.0% 26 to 34: 12.0% 35 and older: 56.0%

Source of Referral

(N = 25) .

Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 0.0% Professional: 40.0%

County social

service agency: 64.0% Other community

resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 25)

Completed program: 68.0%

Patient left without staff approval: 4.0% Staff requested/judged inappropriate: 20.0%

Death/other: 8.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Gundersen Lutheran Unity House for Men

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =24)	0.0%	0.0%	*
Not employed/student \S (N = 17)	64.7%	58.8%	9.1%
Arrests past 30 days (N = 25)	8.0%	0.0%	100.0%
Alcohol use past 30 days (N = 25)	88.0%	16.0%	81.8%
Drug use past 30 days (N = 25)	32.0%	0.0%	100.0%
No self-help group participation past 30 days (N = 20)	80.0%	0.0%	100.0%
No family support for recovery past 30 days (N = 15)	46.7%	6.7%	85.7%
Summary Measure 74.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 25$)	44.0%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 25)$	48.0%	12.0%	75.0%
Emotional/Behavioral/ Cognitive Problem (N = 23)	100.0%	91.3%	8.7%
Resistance to Change $(N = 23)$	100.0%	91.3%	8.7%
Relapse/Continued Use Potential (N = 23)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment $(N = 8)$	*	*	*
Summary Measure 30.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Gundersen Lutheran Unity House for Women

1312 5th Ave S La Crosse, WI 54601

County:

Provider Website:

Patient Profile

Gender (N = 41)
Male: 0.0%
Female: 100.0%

Race (N = 41) White: 97.6% Black: 0.0% American Indian: 0.0%

Hispanic: 0.0%

Asian/Pacific Islander: 2.4%

Other: 0.0%

Primary Substance (N = 41)

Alcohol: 63.4% Methamphetamine: 0.0%

Marijuana: 2.4% Heroin: 7.3% Cocaine: 2.4% Other opiates: 24.4%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 41)}{\text{Job: } 9.8\%}$

Retirement/savings: 7.3% Family/friends: 39.0% No income: 7.3% Public sources: 29.3% Other sources: 7.3% Age (N = 41)

Under 18: 0.0% 18 to 25: 34.1% 26 to 34: 17.1% 35 and older: 48.8%

Source of Referral

(N = 41) .

Self/family/relative/ friends: 58.5% Employer/school: 2.4% Criminal justice: 22.0% Professional: 51.2%

County social

service agency: 26.8%

Other community resources: 12.2%

AA: 2.4% Tribal: 0.0%

Discharge Status

(N = 41)

Completed program: 48.8%

Patient left without staff approval: 34.1% Staff requested/judged inappropriate: 7.3%

Death/other: 9.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Gundersen Lutheran Unity House for Women

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =41)	7.3%	0.0%	100.0%
Not employed/student \S (N = 41)	90.2%	75.6%	16.2%
Arrests past 30 days (N = 41)	12.2%	4.9%	60.0%
Alcohol use past 30 days (N = 41)	87.8%	26.8%	69.4%
Drug use past 30 days (N = 41)	58.5%	24.4%	58.3%
No self-help group participation past 30 days (N = 41)	48.8%	0.0%	100.0%
No family support for recovery past 30 days $(N = 40)$	17.5%	0.0%	100.0%
Summary Measure 59.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 41)	29.3%	7.3%	75.0%
Biomedical Conditions and Complications (N = 41)	41.5%	17.1%	58.8%
Emotional/Behavioral/ Cognitive Problem (N = 41)	97.6%	56.1%	42.5%
Resistance to Change (N = 41)	100.0%	56.1%	43.9%
Relapse/Continued Use Potential (N = 41)	100.0%	87.8%	12.2%
Unsupportive Recovery Environment $(N = 37)$	100.0%	73.0%	27.0%
Summary Measure 36.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

H.V.M.H.C. Wabasha County Outpatient C.D. Program

611 Broadway, Suite 100 Wabasha, MN 55981

, MN 55981 County: Wabasha

Provider Website: www.hvmhc.org

Patient Profile

 Gender (N = 5)
 Race (N = 5)
 Age (N = 5)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

Other drugs: *

Service agency: *

Other community

resources: *

AA: *
Tribal: *

Discharge Status

(N = 5)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

H.V.M.H.C. Wabasha County Outpatient C.D. Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =5)	*	*	*
Not employed/student \S (N = 5)	*	*	*
Arrests past 30 days (N = 5)	*	*	*
Alcohol use past 30 days (N = 5)	*	*	*
Drug use past 30 days (N = 5)	*	*	*
No self-help group participation past 30 days (N = 5)	*	*	*
No family support for recovery past 30 days (N = 4)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 5)$	*	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*	*
Resistance to Change $(N = 5)$	*	*	*
Relapse/Continued Use Potential (N = 5)	*	*	*
Unsupportive Recovery Environment (N = 5)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC

16403 Haven Road Little Falls, MN 56345

Provider Website:

Patient Profile

Gender (N = 89)Race (N = 89)Male: 79.8% White: 96.6% Female: 20.2% Black: 2.3%

> American Indian: 0.0% 26 to 34: 31.5% 35 and older: 44.9% Hispanic: 0.0%

Asian/Pacific Islander: 1.1%

Other: 0.0%

Primary Substance Source of Income

(N = 89)(N = 89)Alcohol: 64.0% Methamphetamine: 10.1%

Marijuana: 18.0% Heroin: 0.0% Cocaine: 2.3% Other opiates: 5.6%

Other drugs: 0.0%

Job: 40.4%

Retirement/savings: 3.4% Family/friends: 27.0% No income: 4.5% Public sources: 15.7%

Other sources: 9.0%

Source of Referral

County: Morrison

Age (N = 89)

Under 18: 0.0%

18 to 25: 23.6%

(N = 89) . Self/family/relative/ friends: 38.2%

Employer/school: 6.7% Criminal justice: 41.6% Professional: 31.5%

County social

service agency: 43.8%

Other community resources: 2.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 89)

Completed program: 57.3%

Patient left without staff approval: 10.1% Staff requested/judged inappropriate: 21.3%

Death/other: 11.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Haven Road Recovery Center LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =88)	1.1%	1.1%	0.0%
Not employed/student \S (N = 89)	58.4%	51.7%	11.5%
Arrests past 30 days (N = 88)	6.8%	9.1%	0.0%
Alcohol use past 30 days (N = 89)	24.7%	16.9%	31.8%
Drug use past 30 days (N = 89)	16.9%	11.2%	33.3%
No self-help group participation past 30 days (N = 77)	64.9%	18.2%	72.0%
No family support for recovery past 30 days $(N = 59)$	3.4%	0.0%	100.0%
Summary Measure 38.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 89)	1.1%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 89)$	11.2%	13.5%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 89)	32.6%	27.0%	17.2%
Resistance to Change (N = 89)	15.7%	6.7%	57.1%
Relapse/Continued Use Potential (N = 89)	98.9%	47.2%	52.3%
Unsupportive Recovery Environment ($N = 89$)	98.9%	74.2%	25.0%
Summary Measure 34.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC Choices

115 3rd Street South Long Prairie, MN 56345

Provider Website:

Patient Profile

 Gender (N = 10)
 Race (N = 10)

 Male: 100.0%
 White: 90.0%

 Female: 0.0%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 40.0% Hispanic: 10.0% 35 and older: 10.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 10) Alcohol: 40.0% (N = 10) Job: 20.0%

Methamphetamine: 20.0% Retirement/savings: 0
Marijuana: 30.0% Family/friends: 20.0%
Heroin: 10.0% No income: 30.0%
Cocaine: 0.0% Public sources: 0.0%
Other opiates: 0.0% Other sources: 30.0%

N = 10)

Job: 20.0%

Retirement/savings: 0.0%

Family/friends: 20.0%

No income: 30.0%

Public sources: 0.0%

(N = 10)

Self/family/relative/
friends: 60.0%

Employer/school: 0.0%

Criminal justice: 50.0%

Professional: 0.0%

County: Todd

Age (N = 10)

Under 18: 0.0%

18 to 25: 50.0%

County social

Source of Referral

service agency: 90.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 10)

Completed program: 20.0%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0%

Death/other: 80.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Haven Road Recovery Center LLC Choices

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless \S (N =8)	*	*	*
Not employed/student \S (N = 5)	*	*	*
Arrests past 30 days (N = 10)	10.0%	0.0%	100.0%
Alcohol use past 30 days (N = 9)	*	*	*
Drug use past 30 days (N = 9)	*	*	*
No self-help group participation past 30 days (N = 8)	*	*	*
No family support for recovery past 30 days (N = 8)	*	*	*
Summary Measure 5.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 9)$	*	*	*
Biomedical Conditions and Complications $(N = 9)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 9)	*	*	*
Resistance to Change $(N = 9)$	*	*	*
Relapse/Continued Use Potential (N = 9)	*	*	*
Unsupportive Recovery Environment $(N = 9)$	*	*	*
Summary Measure [∥] *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC Outlook Jail Program

213 SE 1st Avenue Little Falls, MN 56345

Provider Website:

Patient Profile

 Gender (N = 23)
 Race (N = 23)

 Male: 95.7%
 White: 91.3%

 Female: 4.4%
 Black: 4.4%

American Indian: 4.4% 26 to 34: 39.1% Hispanic: 0.0% 35 and older: 34.8%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 23) Alcohol: 56.5% (N = 23) Job: 21.7%

Methamphetamine: 26.1% Retirement/savings: 0.0

Marijuana: 13.0% Family/friends: 4.4%

Heroin: 0.0% No income: 26.1%

Cocaine: 4.4% Public sources: 0.0%

Other opiates: 0.0% Other sources: 47.8%

Retirement/savings: 0.0% friends: 91.3% Family/friends: 4.4% Employer/school: 0.0% No income: 26.1% Criminal justice: 13.0% Public sources: 0.0% Professional: 0.0% Other sources: 47.8% County social service agency: 69.6%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Morrison

Age (N = 23)

Under 18: 0.0%

18 to 25: 26.1%

Source of Referral

Self/family/relative/

(N = 23) .

Discharge Status

Other drugs: 0.0%

(N = 23)

Completed program: 8.7%

Patient left without staff approval: 21.7% Staff requested/judged inappropriate: 0.0%

Death/other: 69.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Haven Road Recovery Center LLC Outlook Jail Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =21)	4.8%	0.0%	100.0%
Not employed/student \S (N = 13)	92.3%	84.6%	8.3%
Arrests past 30 days (N = 22)	18.2%	4.6%	75.0%
Alcohol use past 30 days (N = 22)	13.6%	4.6%	66.7%
Drug use past 30 days (N = 22)	13.6%	0.0%	100.0%
No self-help group participation past 30 days $(N = 20)$	60.0%	50.0%	16.7%
No family support for recovery past 30 days (N = 20)	0.0%	15.0%	*
Summary Measure 21.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 21)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 21)$	0.0%	4.8%	*
Emotional/Behavioral/ Cognitive Problem (N = 21)	14.3%	14.3%	0.0%
Resistance to Change $(N = 21)$	52.4%	33.3%	36.4%
Relapse/Continued Use Potential (N = 21)	100.0%	95.2%	4.8%
Unsupportive Recovery Environment ($N = 21$)	95.2%	100.0%	0.0%
Summary Measure 5.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center Todd County

17 2nd Street North Long Prairie, MN 56345

Provider Website:

Patient Profile

Gender (N = 24)Race (N = 24)Male: 87.5% White: 91.7% Female: 12.5% Black: 0.0%

American Indian: 0.0% Hispanic: 8.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 24)(N = 24)Alcohol: 66.7%

Methamphetamine: 16.7% Marijuana: 8.3% Heroin: 0.0% Cocaine: 8.3% Other opiates: 0.0%

Other drugs: 0.0%

Job: 45.8%

Retirement/savings: 4.2% Family/friends: 16.7% No income: 20.8% Public sources: 12.5% Other sources: 0.0%

Age (N = 24)

County: Todd

Under 18: 0.0% 18 to 25: 25.0% 26 to 34: 37.5%

35 and older: 37.5%

Source of Referral

(N = 24) .

Self/family/relative/ friends: 41.7% Employer/school: 8.3% Criminal justice: 75.0% Professional: 8.3% County social

service agency: 54.2%

Other community resources: 4.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 24)

Completed program: 54.2%

Patient left without staff approval: 20.8% Staff requested/judged inappropriate: 0.0%

Death/other: 25.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Haven Road Recovery Center Todd County

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =23)	4.4%	8.7%	0.0%
Not employed/student \S (N = 21)	61.9%	33.3%	46.2%
Arrests past 30 days (N = 24)	0.0%	8.3%	*
Alcohol use past 30 days (N = 24)	20.8%	8.3%	60.0%
Drug use past 30 days (N = 24)	12.5%	4.2%	66.7%
No self-help group participation past 30 days (N = 23)	47.8%	26.1%	45.5%
No family support for recovery past 30 days (N = 22)	4.6%	4.6%	0.0%
Summary Measure [∥] 38.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 23$)	0.0%	4.4%	*
Biomedical Conditions and Complications $(N = 23)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 23)	4.4%	8.7%	0.0%
Resistance to Change (N = 23)	65.2%	52.2%	20.0%
Relapse/Continued Use Potential (N = 23)	100.0%	91.3%	8.7%
Unsupportive Recovery Environment (N = 23)	100.0%	73.9%	26.1%
Summary Measure 14.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Center for Youth & Families

11505 36th Avenue North Plymouth, MN 55441

Provider Website: www.hazelden.org

Patient Profile

Gender (N = 658) Race (N = 658)Male: 75.7% White: 94.2% Female: 24.3% Black: 0.3%

18 to 25: 68.1% American Indian: 0.6% 26 to 34: 0.0%

35 and older: 0.0% Hispanic: 2.1%

County: Hennepin

Age (N = 658)

Under 18: 31.9%

Source of Referral

Self/family/relative/

friends: 84.0%

Employer/school: 1.4%

Criminal justice: 0.0%

Professional: 13.7%

(N = 658) .

County social

Tribal: 0.0%

Asian/Pacific Islander: 1.7%

Other: 1.1%

Primary Substance Source of Income (N = 640)(N = 658)

Alcohol: 25.8% Job: 4.9%

Methamphetamine: 0.9% Retirement/savings: 0.3% Family/friends: 87.4% Marijuana: 40.3% Heroin: 1.6% No income: 3.7% Cocaine: 2.0% Public sources: 0.0%

Other sources: 3.8% Other drugs: 4.7% service agency: 0.0%

Other community resources: 20.5% AA: 0.0%

Discharge Status

Other opiates: 24.7%

(N = 658)

Completed program: 75.4%

Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 8.7%

Death/other: 5.5%

* Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hazelden Center for Youth & Families

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =655)	1.4%	1.2%	11.1%
Not employed/student \S (N = 582)	12.5%	30.6%	0.0%
Arrests past 30 days (N = 658)	17.0%	3.8%	77.7%
Alcohol use past 30 days (N = 658)	65.7%	14.7%	77.5%
Drug use past 30 days (N = 657)	86.9%	23.0%	73.6%
No self-help group participation past 30 days ($N = 632$)	74.4%	16.6%	77.7%
No family support for recovery past 30 days $(N = 479)$	5.6%	12.5%	0.0%
Summary Measure 61.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 650)	32.9%	27.4%	16.8%
Biomedical Conditions and Complications ($N = 650$)	29.2%	28.2%	3.7%
Emotional/Behavioral/ Cognitive Problem (N = 650)	90.9%	90.0%	1.0%
Resistance to Change (N = 649)	95.5%	85.4%	10.6%
Relapse/Continued Use Potential (N = 649)	99.5%	92.4%	7.1%
Unsupportive Recovery Environment (N = 648)	99.4%	91.7%	7.8%
Summary Measure 7.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Fellowship Club

680 Stewart Avenue St. Paul, MN 55102

Provider Website: www.hazelden.org

Patient Profile

 Gender (N = 545)
 Race (N = 545)

 Male: 68.4%
 White: 93.4%

 Female: 31.6%
 Black: 1.3%

American Indian: 1.1% 26 to 34: 21.1% Hispanic: 1.7% 35 and older: 50.1%

Asian/Pacific Islander: 1.8%

Other: 0.7%

Primary Substance Source of Income

(N = 538) Alcohol: 68.4% (N = 545) Job: 45.3%

Methamphetamine: 2.0% Retirement/savings: 7.3% Marijuana: 9.5% Family/friends: 24.6% Heroin: 0.6% No income: 8.4% Cocaine: 4.5% Public sources: 4.8%

Cocaine: 4.5% Public sources: 4.8% Professional: 32.1% Other opiates: 12.8% Other sources: 9.5% County social service agency: 0.4% Other community resources: 18.0%

AA: 0.0% Tribal: 0.0%

County: Ramsey

Age (N = 545)

Under 18: 0.0%

18 to 25: 28.8%

Source of Referral

Self/family/relative/

friends: 89.9%

Employer/school: 1.7%

Criminal justice: 2.2%

(N = 545) .

Discharge Status

(N = 545)

Completed program: 70.6%

Patient left without staff approval: 14.9% Staff requested/judged inappropriate: 10.5%

Death/other: 4.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hazelden Fellowship Club

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =529)	0.9%	0.4%	60.0%
Not employed/student \S (N = 497)	33.2%	39.2%	0.0%
Arrests past 30 days (N = 544)	6.1%	2.9%	51.5%
Alcohol use past 30 days (N = 545)	58.5%	12.3%	79.0%
Drug use past 30 days (N = 545)	30.3%	7.0%	77.0%
No self-help group participation past 30 days (N = 508)	23.6%	1.8%	92.5%
No family support for recovery past 30 days ($N = 363$)	2.8%	1.1%	60.0%
Summary Measure 58.4%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 530)	7.6%	6.8%	10.0%
Biomedical Conditions and Complications ($N = 530$)	13.0%	8.1%	37.7%
Emotional/Behavioral/ Cognitive Problem (N = 529)	38.9%	24.6%	36.9%
Resistance to Change (N = 529)	54.6%	28.4%	48.1%
Relapse/Continued Use Potential (N = 526)	71.9%	34.4%	52.1%
Unsupportive Recovery Environment ($N = 527$)	66.0%	31.9%	51.7%
Summary Measure 46.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Recovery Services

15245 Pleasant Valley Road Center City, MN 55012

Provider Website: www.hazelden.org

Patient Profile

 Gender (N = 2331)
 Race (N = 2331)
 Age (N = 2331)

 Male: 61.4%
 White: 96.0%
 Under 18: 0.0%

Female: 38.6% Black: 0.5% 18 to 25: 12.2% American Indian: 1.5% 26 to 34: 19.1%

Hispanic: 0.8% 35 and older: 68.7%

County: Chisago

Asian/Pacific Islander: 0.4%

Other: 0.9%

Primary Substance Source of Income Source of Referral (N = 2282) (N = 2331) (N = 2331) .

Alcohol: 74.3%

Methamphetamine: 2.1%

Marijuana: 2.6%

Job: 59.7%

Retirement/savings: 8.0%

Family/friends: 18.0%

Employer/school: 1.7%

Heroin: 1.4%

Cocaine: 3.4%

Other opiates: 12.9%

No income: 4.1%

Public sources: 2.0%

Other sources: 8.2%

County social

Other drugs: 3.4% service agency: 0.1% Other community resources: 18.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 2331)

Completed program: 86.4%

Patient left without staff approval: 9.6% Staff requested/judged inappropriate: 2.1%

Death/other: 1.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hazelden Recovery Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =2290)	0.2%	0.9%	0.0%
Not employed/student \S (N = 2264)	43.4%	45.1%	0.0%
Arrests past 30 days (N = 2331)	9.4%	2.5%	74.1%
Alcohol use past 30 days (N = 2331)	84.9%	21.8%	74.3%
Drug use past 30 days (N = 2330)	49.7%	11.1%	77.7%
No self-help group participation past 30 days (N = 2250)	57.9%	14.0%	75.8%
No family support for recovery past 30 days (N = 1915)	1.6%	2.5%	0.0%
Summary Measure 60.4%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 2271)	49.7%	15.8%	68.2%
Biomedical Conditions and Complications (N = 2275)	57.4%	47.8%	16.7%
Emotional/Behavioral/ Cognitive Problem (N = 2275)	80.7%	61.2%	24.1%
Resistance to Change (N = 2274)	91.1%	59.7%	34.5%
Relapse/Continued Use Potential (N = 2276)	98.1%	79.0%	19.4%
Unsupportive Recovery Environment (N = 2271)	93.5%	75.5%	19.2%
Summary Measure 27.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Health Recovery Center

3255 Hennepin Avenue South Minneapolis, MN 55408

Provider Website:

Patient Profile

 Gender (N = 55)
 Race (N = 55)

 Male: 69.1%
 White: 100.0%

 Female: 30.9%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 12.7% Hispanic: 0.0% 35 and older: 72.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 55) Alcohol: 89.1% (N = 55) Job: 61.8%

Methamphetamine: 0.0% Retirement/savings: 3.6% Marijuana: 1.8% Family/friends: 20.0% No income: 0.0% Cocaine: 0.0% Public sources: 0.0%

Cocaine: 0.0% Public sources: 0.0% Professional: 0.0% Other opiates: 5.5% Other sources: 14.5% County social service agency: 0.0% Other community resources: 40.0%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Age (N = 55)

Under 18: 1.8%

18 to 25: 12.7%

Source of Referral

Self/family/relative/

friends: 61.8%

Employer/school: 0.0%

Criminal justice: 0.0%

(N = 55).

Discharge Status

(N = 55)

Completed program: 89.1%

Patient left without staff approval: 10.9% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Health Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =55)	0.0%	0.0%	*
Not employed/student§ (N = 47)	19.1%	19.1%	0.0%
Arrests past 30 days (N = 55)	0.0%	0.0%	*
Alcohol use past 30 days (N = 55)	92.7%	7.3%	92.2%
Drug use past 30 days (N = 55)	25.5%	1.8%	92.9%
No self-help group participation past 30 days (N = 39)	79.5%	94.9%	0.0%
No family support for recovery past 30 days (N = 55)	1.8%	0.0%	100.0%
Summary Measure 43.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 55)	32.7%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 55)$	81.8%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 55)	85.5%	0.0%	100.0%
Resistance to Change (N = 55)	47.3%	1.8%	96.2%
Relapse/Continued Use Potential (N = 55)	80.0%	0.0%	100.0%
Unsupportive Recovery Environment (N = 55)	65.5%	0.0%	100.0%
Summary Measure 99.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hennepin Faculty Associates Addiction Medicine Program

807 Park Ave Minneapolis, MN 55404

Provider Website:

Patient Profile

 Gender (N = 44)
 Race (N = 44)

 Male: 43.2%
 White: 45.5%

 Family: 54.8%
 Plack: 20.5%

Female: 56.8% Black: 29.5% 18 to 25: 13.6% American Indian: 15.9% 26 to 34: 34.1% Hispanic: 4.6% 35 and older: 52.3%

Asian/Pacific Islander: 0.0%

Other: 4.6%

Primary Substance Source of Income

(N = 42) Alcohol: 4.8% (N = 44) Job: 6.8%

Methamphetamine: 0.0% Retirement/savings: 2.3% Marijuana: 0.0% Family/friends: 27.3% Heroin: 64.3% No income: 11.4% Cocaine: 0.0% Public sources: 34.1%

Cocaine: 0.0% Public sources: 34.1% Other opiates: 31.0% Other drugs: 0.0%

Source of Referral

County: Hennepin

Age (N = 44)

Under 18: 0.0%

__(N = 44) __.
Self/family/relative/
friends: 68.2%
Employer/school: 0.0%
Criminal justice: 11.4%
Professional: 18.2%

County social

service agency: 75.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 44)

Completed program: 6.8%

Patient left without staff approval: 40.9% Staff requested/judged inappropriate: 4.6%

Death/other: 47.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hennepin Faculty Associates Addiction Medicine Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =31)	9.7%	22.6%	0.0%
Not employed/student \S (N = 32)	93.8%	87.5%	6.7%
Arrests past 30 days (N = 33)	3.0%	24.2%	0.0%
Alcohol use past 30 days (N = 14)	21.4%	7.1%	66.7%
Drug use past 30 days (N = 14)	92.9%	57.1%	38.5%
No self-help group participation past 30 days (N = 26)	76.9%	84.6%	0.0%
No family support for recovery past 30 days (N = 17)	23.5%	41.2%	0.0%
Summary Measure -1.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 38$)	73.7%	76.3%	0.0%
Biomedical Conditions and Complications $(N = 39)$	66.7%	53.8%	19.2%
Emotional/Behavioral/ Cognitive Problem (N = 38)	76.3%	57.9%	24.1%
Resistance to Change (N = 39)	48.7%	76.9%	0.0%
Relapse/Continued Use Potential (N = 38)	100.0%	89.5%	10.5%
Unsupportive Recovery Environment (N = 38)	68.4%	65.8%	3.9%
Summary Measure [∥] 3.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

HFA Addiction Medicine Program

914 South 8th Street Minneapolis, MN 55404

Provider Website: www.hfahealth.com

Patient Profile

 Gender (N = 28)
 Race (N = 28)

 Male: 57.1%
 White: 50.0%

 Female: 42.9%
 Black: 39.3%

Pale: 42.9% Black: 39.3% 18 to 25: 17.9% American Indian: 3.6% 26 to 34: 17.9% Hispanic: 0.0% 35 and older: 64.3%

Asian/Pacific Islander: 7.1%

Other: 0.0%

Primary Substance Source of Income

(N = 28) Alcohol: 3.6% (N = 28) Job: 7.1%

Methamphetamine: 0.0%Retirement/savings: 3.6%Marijuana: 0.0%Family/friends: 32.1%Heroin: 57.1%No income: 7.1%Cocaine: 0.0%Public sources: 39.3%

Other opiates: 35.7% Other sources: 10.7%

(N = 28) . Self/family/relative/

Source of Referral

County: Hennepin

Age (N = 28)

Under 18: 0.0%

friends: 75.0%
Employer/school: 0.0%
Criminal justice: 7.1%
Professional: 39.3%
County social

service agency: 53.6%

Other community resources: 3.6%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 3.6%

(N = 28)

Completed program: 10.7%

Patient left without staff approval: 50.0% Staff requested/judged inappropriate: 3.6%

Death/other: 35.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

HFA Addiction Medicine Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =25)	8.0%	16.0%	0.0%
Not employed/student \S (N = 23)	87.0%	87.0%	0.0%
Arrests past 30 days (N = 21)	4.8%	23.8%	0.0%
Alcohol use past 30 days (N = 13)	61.5%	23.1%	62.5%
Drug use past 30 days (N = 13)	92.3%	69.2%	25.0%
No self-help group participation past 30 days $(N = 24)$	66.7%	70.8%	0.0%
No family support for recovery past 30 days $(N = 24)$	20.8%	20.8%	0.0%
Summary Measure 8.9%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 24$)	62.5%	66.7%	0.0%
Biomedical Conditions and Complications $(N = 24)$	54.2%	50.0%	7.7%
Emotional/Behavioral/ Cognitive Problem (N = 24)	58.3%	58.3%	0.0%
Resistance to Change (N = 24)	50.0%	83.3%	0.0%
Relapse/Continued Use Potential (N = 24)	100.0%	95.8%	4.2%
Unsupportive Recovery Environment $(N = 24)$	58.3%	79.2%	0.0%
Summary Measure -13.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hiawatha Valley Mental Health Center

166 Main Street Winona, MN 55987

Provider Website: www.hvmhc.org

Patient Profile

Gender (N = 11)Race (N = 11)Age (N = 11)Male: 54.5% White: 100.0% Female: 45.5% Black: 0.0%

18 to 25: 18.2% American Indian: 0.0% 26 to 34: 9.1% 35 and older: 0.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

County: Winona

Under 18: 72.7%

Source of Referral

Self/family/relative/

friends: 54.5%

Professional: 9.1%

Employer/school: 0.0%

Criminal justice: 72.7%

(N = 11) .

AA: 0.0% Tribal: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 11)(N = 11)Alcohol: 9.1% Job: 9.1%

Methamphetamine: 0.0% Retirement/savings: 9.1% Family/friends: 45.5% Marijuana: 90.9% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 9.1%

Other sources: 27.3% Other opiates: 0.0% County social Other drugs: 0.0% service agency: 54.5%

Other community resources: 0.0%

Discharge Status

(N = 11)

Completed program: 0.0%

Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 0.0%

Death/other: 90.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hiawatha Valley Mental Health Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless \S (N =10)	0.0%	0.0%	*
Not employed/student \S (N = 9)	*	*	*
Arrests past 30 days (N = 11)	0.0%	27.3%	*
Alcohol use past 30 days (N = 11)	18.2%	36.4%	0.0%
Drug use past 30 days (N = 11)	18.2%	27.3%	0.0%
No self-help group participation past 30 days (N = 9)	*	*	*
No family support for recovery past 30 days (N = 9)	*	*	*
Summary Measure -35.2%			
Summary Medsure 3312 70			
Dimensions of Addiction [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
•	Admission 0.0%	<u>Discharge</u> 0.0%	% Improve [‡]
<u>Dimensions of Addiction</u> * Acute Intoxication/			•
Dimensions of Addiction# Acute Intoxication/ Withdrawal (N = 11) Biomedical Conditions and	0.0%	0.0%	*
Dimensions of Addiction# Acute Intoxication/ Withdrawal (N = 11) Biomedical Conditions and Complications (N = 11) Emotional/Behavioral/	0.0%	0.0%	*
Dimensions of Addiction# Acute Intoxication/ Withdrawal (N = 11) Biomedical Conditions and Complications (N = 11) Emotional/Behavioral/ Cognitive Problem (N = 11)	0.0% 0.0% 45.5%	0.0% 0.0% 54.5%	*

Summary Measure 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hope House of Itasca County

604 South Pokegama Avenue Grand Rapids, MN 55744

Provider Website:

Patient Profile

 Gender (N = 24)
 Race (N = 24)

 Male: 100.0%
 White: 79.2%

 Female: 0.0%
 Black: 4.2%

American Indian: 12.5% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 4.2%

Primary Substance (N = 24)

Alcohol: 50.0% Methamphetamine: 8.3%

Marijuana: 16.7% Heroin: 0.0% Cocaine: 4.2% Other opiates: 12.5%

Other drugs: 8.3%

Source of Income

(N = 24)Job: 12.5%

> Retirement/savings: 0.0% Family/friends: 0.0% No income: 62.5% Public sources: 16.7% Other sources: 8.3%

Age (N = 24)

County: Itasca

Under 18: 0.0% 18 to 25: 37.5% 26 to 34: 20.8%

35 and older: 41.7%

Source of Referral

(N = 24).

Self/family/relative/ friends: 41.7% Employer/school: 0.0% Criminal justice: 8.3% Professional: 75.0%

County social

service agency: 16.7% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 24)

Completed program: 70.8%

Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 8.3%

Death/other: 8.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hope House of Itasca County

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =23)	4.4%	4.4%	0.0%
Not employed/student \S (N = 21)	85.7%	66.7%	22.2%
Arrests past 30 days (N = 22)	9.1%	4.6%	50.0%
Alcohol use past 30 days (N = 24)	20.8%	16.7%	20.0%
Drug use past 30 days (N = 24)	16.7%	12.5%	25.0%
No self-help group participation past 30 days (N = 21)	38.1%	4.8%	87.5%
No family support for recovery past 30 days $(N = 23)$	8.7%	8.7%	0.0%
Summary Measure 35.6%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 20)	10.0%	10.0%	0.0%
Biomedical Conditions and Complications $(N = 4)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*	*
Resistance to Change (N = 5)	*	*	*
Relapse/Continued Use Potential (N = 5)	*	*	*
Unsupportive Recovery Environment $(N = 3)$	*	*	*
Summary Measure 23.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hope House Outpatient Program

2086 Ridgeway Drive Grand Rapids, MN 55744

Provider Website:

Patient Profile

 Gender (N = 11)
 Race (N = 11)

 Male: 45.5%
 White: 81.8%

 Female: 54.5%
 Black: 9.1%

American Indian: 9.1% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 11)Alcohol: 18.2%

Methamphetamine: 18.2% Marijuana: 45.5%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 9.1%

Other drugs: 9.1%

Source of Income

(N = 11)Job: 45.5%

Retirement/savings: 0.0% Family/friends: 0.0%

No income: 27.3% Public sources: 18.2% Other sources: 9.1% Age (N = 11)

County: Itasca

Under 18: 0.0% 18 to 25: 45.5% 26 to 34: 9.1%

35 and older: 45.5%

Source of Referral

(N = 11) .

Self/family/relative/ friends: 9.1%

Employer/school: 0.0% Criminal justice: 45.5% Professional: 0.0%

County social

service agency: 45.5%

Other community resources: 18.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 11)

Completed program: 72.7%

Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 9.1%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hope House Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =9)	*	*	*
Not employed/student \S (N = 6)	*	*	*
Arrests past 30 days (N = 11)	0.0%	0.0%	*
Alcohol use past 30 days (N = 11)	9.1%	0.0%	100.0%
Drug use past 30 days (N = 11)	0.0%	0.0%	*
No self-help group participation past 30 days $(N = 6)$	*	*	*
No family support for recovery past 30 days $(N = 8)$	*	*	*
Summary Measure [∥] -76.8%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 11)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 11)	9.1%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 11)	45.5%	54.5%	0.0%
Resistance to Change (N = 11)	54.5%	36.4%	33.3%
Relapse/Continued Use Potential (N = 11)	81.8%	63.6%	22.2%
Unsupportive Recovery Environment (N = 11)	63.6%	54.5%	14.3%
Summary Measure 17.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hope Unit St. Francis

2400 St. Francis Dr. Breckenridge, MN 56520

Provider Website: www.sfcare.org

Patient Profile

 Gender (N = 44)
 Race (N = 44)
 Age (N = 44)

 Male: 86.4%
 White: 86.4%
 Under 18: 0.0%

 Female: 13.6%
 Black: 2.3%
 18 to 25: 36.4%

American Indian: 4.6% 26 to 34: 34.1%
Hispanic: 6.8% 35 and older: 29.5%

Asian/Pacific Islander: 0.0%

County: Wilken

Other: 0.0%

Primary Substance Source of Income Source of Referral (N = 44) (N = 44) (N = 44).

Alcohol: 90.9% Job: 59.1% Self/family/relative/
Methamphetamine: 4.6% Retirement/savings: 2.3% friends: 11.4%

Marijuana: 2.3%Family/friends: 15.9%Employer/school: 2.3%Heroin: 0.0%No income: 4.6%Criminal justice: 77.3%Cocaine: 0.0%Public sources: 4.6%Professional: 18.2%

Other opiates: 0.0% Other sources: 13.6% County social

Other drugs: 2.3% service agency: 18.2% Other community

Other community resources: 2.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 44)

Completed program: 68.2%

Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 2.3%

Death/other: 4.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hope Unit St. Francis

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =42)	0.0%	0.0%	*
Not employed/student \S (N = 43)	30.2%	23.3%	23.1%
Arrests past 30 days (N = 44)	27.3%	2.3%	91.7%
Alcohol use past 30 days (N = 44)	52.3%	9.1%	82.6%
Drug use past 30 days (N = 44)	9.1%	2.3%	75.0%
No self-help group participation past 30 days (N = 43)	95.3%	25.6%	73.2%
No family support for recovery past 30 days (N = 27)	25.9%	0.0%	100.0%
Summary Measure 74.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 43$)	2.3%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 44)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 44)	2.3%	2.3%	0.0%
Resistance to Change $(N = 44)$	65.9%	31.8%	51.7%
Relapse/Continued Use Potential (N = 44)	90.9%	31.8%	65.0%
Unsupportive Recovery Environment (N = 44)	63.6%	29.5%	53.6%
Summary Measure 57.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Charity Day by Day Program

510 South 8th Street Minneapolis, MN 55404

Provider Website: www.houseofcharity.org

Patient Profile

 Gender (N = 39)
 Race (N = 39)

 Male: 100.0%
 White: 17.9%

 Female: 0.0%
 Black: 76.9%

American Indian: 2.6% 26 to 34: 15.4% Hispanic: 0.0% 35 and older: 82.1%

Asian/Pacific Islander: 2.6%

Other: 0.0%

Primary Substance Source of Income

(N = 39) Alcohol: 59.0% (N = 39) Job: 5.1%

Methamphetamine: 2.6% Retirement/savings: 0.0% Marijuana: 5.1% Family/friends: 2.6% Heroin: 7.7% No income: 17.9% Cocaine: 25.6% Public sources: 71.8% Other opiates: 0.0% Other sources: 2.6%

(N = 39) .
Self/family/relative/
friends: 89.7%
Employer/school: 2.6%
Criminal justice: 10.3%
Professional: 43.6%
County social

Source of Referral

County: Hennepin

Age (N = 39)

Under 18: 0.0%

18 to 25: 2.6%

service agency: 17.9% Other community resources: 33.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 39)

Completed program: 53.8%

Patient left without staff approval: 17.9% Staff requested/judged inappropriate: 20.5%

Death/other: 7.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

House of Charity Day by Day Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 38)	73.7%	39.5%	46.4%
Not employed/student \S (N = 38)	92.1%	57.9%	37.1%
Arrests past 30 days (N = 38)	7.9%	2.6%	66.7%
Alcohol use past 30 days (N = 38)	71.1%	23.7%	66.7%
Drug use past 30 days (N = 38)	65.8%	28.9%	56.0%
No self-help group participation past 30 days ($N = 36$)	66.7%	36.1%	45.8%
No family support for recovery past 30 days $(N = 34)$	35.3%	5.9%	83.3%
Summary Measure 52.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 37$)	5.4%	16.2%	0.0%
Biomedical Conditions and Complications $(N = 37)$	24.3%	18.9%	22.2%
Emotional/Behavioral/ Cognitive Problem (N = 37)	86.5%	45.9%	46.9%
Resistance to Change (N = 37)	97.3%	51.4%	47.2%
Relapse/Continued Use Potential (N = 37)	100.0%	83.8%	16.2%
Unsupportive Recovery Environment (N = 37)	100.00/	00.207	10.00/
Environment (N = 37)	100.0%	89.2%	10.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Hope

1429 3rd Avenue Mankato, MN 56001

Provider Website: www.houseofhopemn.com

Patient Profile

 Gender (N = 184)
 Race (N = 184)

 Male: 94.6%
 White: 83.7%

 Female: 5.4%
 Black: 4.9%

American Indian: 3.8% 26 to 34: 25.0% Hispanic: 6.5% 35 and older: 37.0%

Asian/Pacific Islander: 0.5%

Other: 0.5%

Primary Substance Source of Income

(N = 183) Alcohol: 57.4% (N = 184) Job: 26.1%

Methamphetamine: 6.6%

Marijuana: 25.1%

Heroin: 1.1%

Cocaine: 3.3%

Other opiates: 5.5%

Retirement/savings: 1.1%

Family/friends: 12.0%

No income: 32.6%

Public sources: 17.9%

Other sources: 10.3%

____(N = 184) ___.
Self/family/relative/
friends: 37.0%
Employer/school: 0.0%
Criminal justice: 46.2%
Professional: 40.8%
County social

service agency: 46.2% Other community resources: 6.0%

AA: 0.5% Tribal: 0.0%

County: Blue Earth

Age (N = 184)

Under 18: 0.0%

18 to 25: 38.0%

Source of Referral

Discharge Status

Other drugs: 1.1%

(N = 184)

Completed program: 54.9%

Patient left without staff approval: 16.8% Staff requested/judged inappropriate: 23.4%

Death/other: 4.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

House of Hope

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =182)	5.5%	0.0%	100.0%
Not employed/student§ (N = 165)	80.6%	57.0%	29.3%
Arrests past 30 days (N = 184)	2.2%	9.8%	0.0%
Alcohol use past 30 days (N = 183)	12.0%	8.2%	31.8%
Drug use past 30 days (N = 183)	3.3%	7.1%	0.0%
No self-help group participation past 30 days ($N = 147$)	10.2%	0.7%	93.3%
No family support for recovery past 30 days (N = 160)	2.5%	0.6%	75.0%
Summary Measure 28.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 183)	0.0%	1.1%	*
Biomedical Conditions and Complications $(N = 183)$	7.7%	6.0%	21.4%
Emotional/Behavioral/ Cognitive Problem (N = 182)	81.9%	47.3%	42.3%
Resistance to Change (N = 182)	61.0%	42.3%	30.6%
Relapse/Continued Use Potential (N = 182)	98.4%	69.8%	29.1%
Unsupportive Recovery Environment (N = 182)	90.7%	59.3%	34.5%
Summary Measure 33.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

^{*}DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

*100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Hope, Inc.

1614 3rd Avenue Mankato, MN 56001

Provider Website: www.houseofhopemn.com

Patient Profile

Gender (N = 30)Race (N = 30)Male: 0.0% White: 96.7% Female: 100.0% Black: 0.0%

18 to 25: 33.3% American Indian: 0.0% 26 to 34: 26.7% 35 and older: 40.0% Hispanic: 3.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 30)(N = 30)Alcohol: 46.7% Job: 6.7%

Methamphetamine: 16.7% Retirement/savings: 3.3% Marijuana: 6.7% Heroin: 0.0% No income: 56.7% Cocaine: 10.0%

Family/friends: 20.0% Employer/school: 0.0% Criminal justice: 40.0% Public sources: 13.3% Professional: 73.3% Other opiates: 10.0% Other sources: 0.0% County social Other drugs: 10.0% service agency: 53.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Blue Earth

Age (N = 30)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 26.7%

(N = 30).

Discharge Status

(N = 30)

Completed program: 70.0%

Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 20.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

House of Hope, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 30)	3.3%	0.0%	100.0%
Not employed/student \S (N = 30)	93.3%	56.7%	39.3%
Arrests past 30 days (N = 30)	3.3%	0.0%	100.0%
Alcohol use past 30 days (N = 30)	6.7%	13.3%	0.0%
Drug use past 30 days (N = 30)	6.7%	13.3%	0.0%
No self-help group participation past 30 days (N = 30)	3.3%	0.0%	100.0%
No family support for recovery past 30 days $(N = 30)$	3.3%	0.0%	100.0%
Summary Measure [∥] 30.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 30)$	3.3%	13.3%	0.0%
Biomedical Conditions and Complications (N = 30)	43.3%	33.3%	23.1%
Emotional/Behavioral/ Cognitive Problem (N = 30)	100.0%	100.0%	0.0%
Resistance to Change (N = 30)	30.0%	23.3%	22.2%
Relapse/Continued Use Potential (N = 30)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment ($N = 30$)	100.0%	83.3%	16.7%
Summary Measure [∥] 6.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Howard Friese Halfway House

1520 East 2nd Street Duluth, MN 55812

Provider Website: www.cadt.org

Patient Profile

 Gender (N = 58)
 Race (N = 58)

 Male: 100.0%
 White: 84.5%

 Female: 0.0%
 Black: 5.2%

American Indian: 5.2% 26 to 34: 24.1% Hispanic: 3.5% 35 and older: 48.3%

Asian/Pacific Islander: 0.0%

Other: 1.7%

Primary Substance Source of Income

Methamphetamine: 10.3% Retirement/savings: 0.0% Marijuana: 5.2% Family/friends: 0.0% No income: 60.3% Cocaine: 3.5% Public sources: 24.1%

Other opiates: 17.2% Other sources: 5.2%

Source of Referral (N = 58).

County: St. Louis

Age (N = 58)

Under 18: 0.0%

18 to 25: 27.6%

Self/family/relative/ friends: 62.1% Employer/school: 0.0% Criminal justice: 22.4% Professional: 67.2%

County social

service agency: 13.8%

Other community resources: 1.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 58)

Completed program: 60.3%

Patient left without staff approval: 19.0% Staff requested/judged inappropriate: 17.2%

Death/other: 3.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Howard Friese Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =55)	7.3%	0.0%	100.0%
Not employed/student \S (N = 55)	89.1%	63.6%	28.6%
Arrests past 30 days (N = 58)	8.6%	0.0%	100.0%
Alcohol use past 30 days (N = 57)	35.1%	3.5%	90.0%
Drug use past 30 days (N = 57)	12.3%	1.8%	85.7%
No self-help group participation past 30 days (N = 56)	16.1%	1.8%	88.9%
No family support for recovery past 30 days $(N = 46)$	4.4%	0.0%	100.0%
Summary Measure 59.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 58$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 58)	12.1%	3.5%	71.4%
Emotional/Behavioral/ Cognitive Problem (N = 58)	19.0%	12.1%	36.4%
Resistance to Change (N = 58)	19.0%	22.4%	0.0%
Relapse/Continued Use Potential (N = 58)	100.0%	75.9%	24.1%
Unsupportive Recovery Environment $(N = 58)$	98.3%	50.0%	49.1%
Summary Measure [∥] 34.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hutchinson Health Care

1095 Highway 15 South Hutchinson, MN 55350

Provider Website: www.hahc-hmc.com

Patient Profile

 Gender (N = 34)
 Race (N = 34)

 Male: 82.4%
 White: 91.2%

 Female: 17.6%
 Black: 5.9%

American Indian: 0.0% 26 to 34: 20.6% Hispanic: 2.9% 35 and older: 38.2%

County: McLeod

Age (N = 34)

Under 18: 2.9%

18 to 25: 38.2%

Source of Referral

Self/family/relative/

friends: 35.3%

Employer/school: 2.9%

(N = 34) .

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 5.9% Retirement/savings: 0.0% Family/friends: 23.5% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 8.8%

No income: 0.0%

Public sources: 8.8%

Other sources: 11.8%

County social
service agency: 14.7%

Other community
resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other opiates: 0.0%

Other drugs: 2.9%

(N = 34)

Completed program: 50.0%

Patient left without staff approval: 20.6% Staff requested/judged inappropriate: 17.6%

Death/other: 11.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Hutchinson Health Care

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =19)	0.0%	0.0%	*
Not employed/student \S (N = 18)	22.2%	11.1%	50.0%
Arrests past 30 days (N = 34)	5.9%	2.9%	50.0%
Alcohol use past 30 days (N = 34)	35.3%	8.8%	75.0%
Drug use past 30 days (N = 34)	11.8%	5.9%	50.0%
No self-help group participation past 30 days ($N = 19$)	78.9%	5.3%	93.3%
No family support for recovery past 30 days $(N = 18)$	5.6%	5.6%	0.0%
Summary Measure 75.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 34)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 34)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 34)	2.9%	5.9%	0.0%
Resistance to Change (N = 34)	100.0%	47.1%	52.9%
Relapse/Continued Use Potential (N = 34)	100.0%	82.4%	17.6%
Unsupportive Recovery Environment $(N = 34)$	100.0%	44.1%	55.9%
Summary Measure 40.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Incarnation Family Connections

2120 Clinton Aveune South Minneapolis, MN 55404

Provider Website:

Patient Profile

<u>Gender (N = 27)</u> Male: 0.0% Female: 100.0%

emale: 100.0% Black: 33.3% American Indian: 22.2%

Hispanic: 7.4%

Race (N = 27)

White: 25.9%

Asian/Pacific Islander: 3.7%

Other: 7.4%

Primary Substance

(N = 27)Alcohol: 25.9%

Methamphetamine: 22.2%

Marijuana: 11.1% Heroin: 3.7% Cocaine: 29.6% Other opiates: 7.4%

Other drugs: 0.0%

Source of Income

(N = 27)

Job: 0.0% Retirement/savings: 0.0%

Family/friends: 0.0% No income: 18.5% Public sources: 77.8%

Other sources: 3.7%

Age (N = 27)

County: Hennepin

Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 44.4%

35 and older: 22.2%

Source of Referral

(N = 27).

Self/family/relative/ friends: 14.8% Employer/school: 0.0% Criminal justice: 37.0% Professional: 44.4%

County social

service agency: 44.4%

Other community resources: 3.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 27)

Completed program: 37.0%

Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 44.4%

Death/other: 7.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Incarnation Family Connections

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =27)	40.7%	0.0%	100.0%
Not employed/student \S (N = 25)	100.0%	100.0%	0.0%
Arrests past 30 days (N = 27)	3.7%	0.0%	100.0%
Alcohol use past 30 days (N = 27)	40.7%	7.4%	81.8%
Drug use past 30 days (N = 27)	37.0%	11.1%	70.0%
No self-help group participation past 30 days (N = 23)	43.5%	17.4%	60.0%
No family support for recovery past 30 days (N = 23)	26.1%	4.4%	83.3%
Summary Measure 51.9%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 27$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 27)$	22.2%	11.1%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 27)	96.3%	81.5%	15.4%
Resistance to Change (N = 27)	85.2%	70.4%	17.4%
Relapse/Continued Use Potential (N = 27)	100.0%	81.5%	18.5%
Unsupportive Recovery Environment ($N = 27$)	100.0%	85.2%	14.8%
Summary Measure 18.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Journey Counseling Services

821 3rd Street Farmington, MN 55024

Provider Website:

Patient Profile

<u>Gender (N = 173)</u> Male: 74.0%

Female: 26.0%

Primary Substance

(N = 172)Alcohol: 70.9%

Methamphetamine: 14.0%

Marijuana: 11.6% Heroin: 1.2% Cocaine: 1.2% Other opiates: 0.6%

Other drugs: 0.6%

Race (N = 173)

White: 87.3% Black: 7.5%

American Indian: 0.6%

Hispanic: 0.6% Asian/Pacific Islander: 3.5%

Other: 0.6%

Source of Income

(N = 173)Job: 44.5%

Retirement/savings: 0.0%

Family/friends: 13.9% No income: 3.5% Public sources: 31.2%

Other sources: 6.9%

Age (N = 173)

County: Dakota

Under 18: 0.0% 18 to 25: 27.7% 26 to 34: 35.3%

35 and older: 37.0%

Source of Referral

(N = 173) .

Self/family/relative/ friends: 27.7% Employer/school: 1.2% Criminal justice: 71.1% Professional: 11.0%

County social

service agency: 30.1%

Other community resources: 2.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 173)

Completed program: 60.1%

Patient left without staff approval: 17.9% Staff requested/judged inappropriate: 10.4%

Death/other: 11.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Journey Counseling Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =142)	2.8%	2.1%	25.0%
Not employed/student \S (N = 142)	55.6%	40.8%	26.6%
Arrests past 30 days (N = 150)	13.3%	8.0%	40.0%
Alcohol use past 30 days (N = 119)	33.6%	5.0%	85.0%
Drug use past 30 days (N = 119)	19.3%	2.5%	87.0%
No self-help group participation past 30 days (N = 145)	66.9%	5.5%	91.8%
No family support for recovery past 30 days (N = 129)	31.0%	6.2%	80.0%
Summary Measure 68.5%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 138)	0.7%	1.5%	0.0%
Biomedical Conditions and Complications (N = 171)	14.0%	11.1%	20.8%
Emotional/Behavioral/ Cognitive Problem (N = 173)	79.8%	42.8%	46.4%
Resistance to Change (N = 173)	75.1%	37.0%	50.8%
Relapse/Continued Use Potential (N = 172)	100.0%	43.0%	57.0%
Unsupportive Recovery Environment (N = 173)	82.7%	43.9%	46.9%
Summary Measure 49.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Journey Home

1485 10th Ave NE Sauk Rapids, MN 56379

Provider Website:

Patient Profile

Gender (N = 168) Male: 0.0%

Female: 100.0%

Black: 3.6% American Indian: 22.0%

Hispanic: 4.8%

Race (N = 168)

White: 62.5%

Asian/Pacific Islander: 1.2%

Other: 6.0%

Primary Substance

(N = 168)

Alcohol: 28.6% Methamphetamine: 26.8%

Marijuana: 14.9% Heroin: 3.6% Cocaine: 2.4%

Other opiates: 20.8% Other drugs: 3.0%

Source of Income

(N = 168)Job: 13.1%

Retirement/savings: 0.0%

Family/friends: 13.1% No income: 16.7% Public sources: 40.5%

Other sources: 16.7%

Age (N = 168)

County: Benton

Under 18: 6.0% 18 to 25: 37.5% 26 to 34: 41.7%

35 and older: 14.9%

Source of Referral

(N = 168).

Self/family/relative/ friends: 17.3% Employer/school: 0.0% Criminal justice: 23.8%

Professional: 81.5%

County social

service agency: 66.7%

Other community resources: 0.6%

AA: 0.0% Tribal: 4.2%

Discharge Status

(N = 168)

Completed program: 50.6%

Patient left without staff approval: 18.5% Staff requested/judged inappropriate: 4.8%

Death/other: 26.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Journey Home

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =168)	4.2%	1.2%	71.4%
Not employed/student \S (N = 166)	4.2%	3.0%	28.6%
Arrests past 30 days (N = 167)	4.2%	4.8%	0.0%
Alcohol use past 30 days (N = 168)	1.8%	4.2%	0.0%
Drug use past 30 days (N = 168)	6.0%	11.9%	0.0%
No self-help group participation past 30 days (N = 166)	1.2%	0.6%	50.0%
No family support for recovery past 30 days $(N = 163)$	8.6%	4.9%	42.9%
Summary Measure -1.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 164)	1.2%	2.4%	0.0%
Biomedical Conditions and Complications (N = 168)	25.6%	23.8%	7.0%
Emotional/Behavioral/ Cognitive Problem (N = 168)	83.3%	60.7%	27.1%
Resistance to Change (N = 168)	69.6%	49.4%	29.1%
Relapse/Continued Use Potential (N = 168)	98.8%	85.7%	13.3%
Unsupportive Recovery Environment (N = 167)	100.0%	89.2%	10.8%
Summary Measure 17.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Juel Fairbanks Chemical Dependency Services

806 North Albert Street St. Paul, MN 55104

Provider Website: www.juelfairbanks.org

Patient Profile

 Gender (N = 138)
 Race (N = 138)

 Male: 94.2%
 White: 42.8%

 Plant 0.7%
 Plant 0.7%

Female: 5.8% Black: 8.7% 18 to 25: 29.7% American Indian: 37.0% 26 to 34: 29.0% Hispanic: 5.1% 35 and older: 41.3%

Hispanic: 5.1% 35 and older: 41. Asian/Pacific Islander: 1.5%

County: Ramsey

Age (N = 138)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 26.8%

Employer/school: 0.0%

Criminal justice: 38.4%

(N = 138) .

Other: 5.1%

Primary Substance Source of Income

(N = 138) Alcohol: 59.4% (N = 138) Job: 4.4%

Methamphetamine: 13.8% Retirement/savings: 2.2% Marijuana: 13.8% Family/friends: 8.0% No income: 45.7% Cocaine: 4.4% Public sources: 26.1%

Cocaine: 4.4% Public sources: 26.1% Professional: 55.8% Other opiates: 4.4% Other sources: 13.8% County social service agency: 23.9% Other community

resources: 2.9% AA: 0.0% Tribal: 1.5%

Discharge Status

(N = 138)

Completed program: 42.8%

Patient left without staff approval: 27.5% Staff requested/judged inappropriate: 24.6%

Death/other: 5.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Juel Fairbanks Chemical Dependency Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =135)	22.2%	6.7%	70.0%
Not employed/student§ (N = 122)	91.8%	77.0%	16.1%
Arrests past 30 days (N = 132)	2.3%	6.1%	0.0%
Alcohol use past 30 days (N = 138)	21.0%	7.3%	65.5%
Drug use past 30 days (N = 138)	19.6%	8.7%	55.6%
No self-help group participation past 30 days (N = 130)	34.6%	9.2%	73.3%
No family support for recovery past 30 days (N = 126)	15.9%	4.0%	75.0%
Summary Measure 42.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 135)	1.5%	5.2%	0.0%
Biomedical Conditions and Complications ($N = 136$)	8.1%	12.5%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 136)	72.8%	65.4%	10.1%
Resistance to Change (N = 136)	36.8%	49.3%	0.0%
Relapse/Continued Use Potential (N = 136)	95.6%	80.9%	15.4%
Unsupportive Recovery Environment (N = 130)	88.5%	75.4%	14.8%
Summary Measure 4.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Juel Fairbanks Chemical Dependency Services

804 Albert Street North St. Paul, MN 55104

Provider Website:

Patient Profile

Gender (N = 23)
Male: 82.6%

Female: 17.4%

Primary Substance
(N = 23)

Alcohol: 56.5% Methamphetamine: 4.4%

Marijuana: 13.0% Heroin: 8.7% Cocaine: 17.4% Other opiates: 0.0%

Other drugs: 0.0%

Race (N = 23)

White: 47.8% Black: 17.4%

American Indian: 30.4% Hispanic: 4.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

 $\frac{(N = 23)}{\text{Job: } 17.4\%}$

Retirement/savings: 8.7% Family/friends: 0.0% No income: 17.4%

Public sources: 52.2% Other sources: 4.4% Age (N = 23)

County: Ramsey

Under 18: 0.0% 18 to 25: 30.4% 26 to 34: 34.8%

35 and older: 34.8%

Source of Referral

(N = 23) .

Self/family/relative/ friends: 8.7%

Employer/school: 0.0% Criminal justice: 43.5% Professional: 39.1%

County social

service agency: 52.2%

Other community resources: 4.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 23)

Completed program: 21.7%

Patient left without staff approval: 52.2% Staff requested/judged inappropriate: 17.4%

Death/other: 8.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Juel Fairbanks Chemical Dependency Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =23)	30.4%	13.0%	57.1%
Not employed/student \S (N = 16)	87.5%	68.8%	21.4%
Arrests past 30 days (N = 16)	6.3%	0.0%	100.0%
Alcohol use past 30 days (N = 23)	43.5%	17.4%	60.0%
Drug use past 30 days (N = 23)	39.1%	21.7%	44.4%
No self-help group participation past 30 days (N = 19)	47.4%	31.6%	33.3%
No family support for recovery past 30 days $(N = 20)$	30.0%	20.0%	33.3%
Summary Measure 39.3%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 22)	0.0%	9.1%	*
Biomedical Conditions and Complications (N = 22)	4.6%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 22)	59.1%	59.1%	0.0%
Resistance to Change (N = 22)	45.5%	72.7%	0.0%
Relapse/Continued Use Potential (N = 22)	100.0%	77.3%	22.7%
Unsupportive Recovery Environment $(N = 22)$	90.9%	72.7%	20.0%
Summary Measure 3.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Keystone Treatment Center Inpatient Program

1010 East 2nd Street Canton, SD 57013

County:

Provider Website:

Patient Profile

Gender (N = 93)
Male: 64.5%
Female: 35.5%

Race (N = 93) White: 49.5% Black: 1.1%

American Indian: 41.9% Hispanic: 1.1%

Asian/Pacific Islander: 1.1%

Other: 5.4%

Primary Substance (N = 93)

Alcohol: 58.1% Methamphetamine: 7.5% Marijuana: 14.0%

Heroin: 0.0% Cocaine: 1.1% Other opiates: 14.0%

Other drugs: 5.4%

Source of Income

(N = 93)Job: 12.9%

> Retirement/savings: 2.2% Family/friends: 35.5% No income: 0.0% Public sources: 6.5% Other sources: 43.0%

Age (N = 93)

Under 18: 29.0% 18 to 25: 25.8% 26 to 34: 22.6% 35 and older: 22.6%

Source of Referral

(N = 93) .

Self/family/relative/ friends: 41.9% Employer/school: 1.1% Criminal justice: 18.3% Professional: 11.8%

County social

service agency: 26.9%

Other community resources: 5.4%

AA: 0.0% Tribal: 24.7%

Discharge Status

(N = 93)

Completed program: 77.4%

Patient left without staff approval: 17.2% Staff requested/judged inappropriate: 2.2%

Death/other: 3.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Keystone Treatment Center Inpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =93)	5.4%	0.0%	100.0%
Not employed/student \S (N = 92)	63.0%	65.2%	0.0%
Arrests past 30 days (N = 93)	22.6%	0.0%	100.0%
Alcohol use past 30 days (N = 93)	62.4%	7.5%	87.9%
Drug use past 30 days (N = 93)	79.6%	15.1%	81.1%
No self-help group participation past 30 days $(N = 91)$	98.9%	2.2%	97.8%
No family support for recovery past 30 days (N = 58)	1.7%	12.1%	0.0%
Summary Measure [∥] 69.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 93)	19.4%	2.2%	88.9%
Biomedical Conditions and Complications $(N = 93)$	17.2%	10.8%	37.5%
Emotional/Behavioral/ Cognitive Problem (N = 93)	86.0%	52.7%	38.8%
Resistance to Change (N = 93)	100.0%	87.1%	12.9%
Relapse/Continued Use Potential ($N = 93$)	100.0%	98.9%	1.1%
Unsupportive Recovery Environment $(N = 93)$	100.0%	94.6%	5.4%
Summary Measure 18.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Keystone Treatment Outpatient

7511 South Louise Ave Sioux Falls, SD 57108

County:

Provider Website:

Patient Profile

Gender (N = 1)Race (N = 1)Age (N = 1)Male: * White: * Under 18: * Black: * Female: * 18 to 25: * 26 to 34: * American Indian: * Hispanic: * 35 and older: * Asian/Pacific Islander: *

Other: *

Source of Income Source of Referral Primary Substance

(N = 1)(N = 1)(N = 1) . Alcohol: * Job: * Self/family/relative/ friends: * Methamphetamine: * Retirement/savings: *

Family/friends: * Employer/school: * Marijuana: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

Other drugs: * service agency: * Other community resources: * AA: *

Tribal: *

Discharge Status

(N = 1)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Keystone Treatment Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =1)	*	*	*
Not employed/student \S (N = 1)	*	*	*
Arrests past 30 days (N = 1)	*	*	*
Alcohol use past 30 days (N = 1)	*	*	*
Drug use past 30 days (N = 1)	*	*	*
No self-help group participation past 30 days $(N = 0)$	*	*	*
No family support for recovery past 30 days $(N = 1)$	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 1)	*	*	*
Biomedical Conditions and Complications $(N = 1)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 1)	*	*	*
Resistance to Change (N = 1)	*	*	*
Relapse/Continued Use Potential (N = 1)	*	*	*
Unsupportive Recovery Environment $(N = 1)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Kinnic Falls Alcohol and Drug Abuse Services

900 So. Orange St River Falls, WI 54022

County:

Provider Website:

Patient Profile

<u>Gender (N = 179)</u> Male: 100.0% Female: 0.0% Race (N = 179)
White: 89.9%
Black: 5.0%
American Indian: 0.0%

Hispanic: 2.2%

Asian/Pacific Islander: 0.6%

Other: 2.2%

Primary Substance (N = 179)

Alcohol: 53.1%

Methamphetamine: 8.9% Marijuana: 17.9% Heroin: 6.7% Cocaine: 7.8%

Other opiates: 3.9% Other drugs: 1.7%

Source of Income

(N = 179)Job: 34.1%

> Retirement/savings: 3.9% Family/friends: 2.8% No income: 26.3% Public sources: 30.2% Other sources: 2.8%

Age (N = 179)

Under 18: 0.0% 18 to 25: 34.6% 26 to 34: 21.8% 35 and older: 43.6%

Source of Referral (N = 179).

Self/family/relative/ friends: 0.6% Employer/school: 0.0% Criminal justice: 1.7% Professional: 96.1%

County social

service agency: 81.6%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 179)

Completed program: 54.2%

Patient left without staff approval: 15.1% Staff requested/judged inappropriate: 28.5%

Death/other: 2.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Kinnic Falls Alcohol and Drug Abuse Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =177)	0.6%	0.6%	0.0%
Not employed/student \S (N = 178)	97.2%	93.3%	4.1%
Arrests past 30 days (N = 177)	0.6%	2.8%	0.0%
Alcohol use past 30 days (N = 179)	1.1%	1.1%	0.0%
Drug use past 30 days (N = 179)	1.1%	0.0%	100.0%
No self-help group participation past 30 days ($N = 179$)	2.2%	1.1%	50.0%
No family support for recovery past 30 days (N = 179)	1.7%	0.0%	100.0%
Summary Measure 5.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 138)	5.1%	4.4%	14.3%
Biomedical Conditions and Complications ($N = 154$)	9.7%	7.8%	20.0%
Emotional/Behavioral/ Cognitive Problem (N = 151)	58.3%	19.9%	65.9%
Resistance to Change (N = 152)	48.7%	27.0%	44.6%
Relapse/Continued Use Potential (N = 152)	92.8%	44.1%	52.5%
Unsupportive Recovery Environment (N = 122)	91.8%	27.9%	69.6%
Summary Measure 57.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake Region Halfway Homes, Inc.

217 North Union Avenue Fergus Falls, MN 56537

Provider Website:

Patient Profile

 Gender (N = 50)
 Race (N = 50)

 Male: 100.0%
 White: 80.0%

 Female: 0.0%
 Black: 2.0%

American Indian: 12.0% 26 to 34 Hispanic: 4.0% 35 and

Asian/Pacific Islander: 0.0%

Other: 2.0%

Primary Substance (N = 50)

Alcohol: 52.0% Methamphetamine: 16.0%

Marijuana: 28.0% Heroin: 2.0% Cocaine: 0.0% Other opiates: 2.0%

Other drugs: 0.0%

Source of Income

(N = 50)Job: 26.0%

> Retirement/savings: 2.0% Family/friends: 0.0% No income: 46.0% Public sources: 24.0% Other sources: 2.0%

Age (N = 50)

County: Otter Tail

Under 18: 0.0% 18 to 25: 48.0% 26 to 34: 12.0% 35 and older: 40.0%

Source of Referral

(N = 50).

Self/family/relative/ friends: 50.0% Employer/school: 0.0% Criminal justice: 52.0% Professional: 20.0%

County social

service agency: 46.0%

Other community resources: 2.0%

AA: 2.0% Tribal: 0.0%

Discharge Status

(N = 50)

Completed program: 62.0%

Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 16.0%

Death/other: 2.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lake Region Halfway Homes, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =47)	12.8%	2.1%	83.3%
Not employed/student \S (N = 45)	80.0%	55.6%	30.6%
Arrests past 30 days (N = 48)	8.3%	6.3%	25.0%
Alcohol use past 30 days (N = 50)	4.0%	0.0%	100.0%
Drug use past 30 days (N = 50)	6.0%	0.0%	100.0%
No self-help group participation past 30 days (N = 41)	9.8%	14.6%	0.0%
No family support for recovery past 30 days (N = 34)	5.9%	5.9%	0.0%
Summary Measure [∥] 33.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 50$)	0.0%	10.0%	*
Biomedical Conditions and Complications $(N = 50)$	14.0%	6.0%	57.1%
Emotional/Behavioral/ Cognitive Problem (N = 50)	80.0%	56.0%	30.0%
Resistance to Change (N = 50)	94.0%	58.0%	38.3%
Relapse/Continued Use Potential (N = 50)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment (N = 50)	100.0%	96.0%	4.0%
Summary Measure 16.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake Superior Treatment Center

14 East Central Entrance Duluth, MN 55811

Provider Website: www.methadonetreatment.com

Patient Profile

 Gender (N = 34)
 Race (N = 34)

 Male: 44.1%
 White: 55.9%

 Female: 55.9%
 Black: 5.9%

nale: 55.9% Black: 5.9% 18 to 25: 32.4% American Indian: 35.3% 26 to 34: 47.1% Hispanic: 2.9% 35 and older: 20.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 5.9% No income: 14.7% Public sources: 32.4%

Other opiates: 88.2% Other sources: 26.5%

Source of Referral

County: St. Louis

Age (N = 34)

Under 18: 0.0%

(N = 34) . Self/family/relative/ friends: 97.1%

Employer/school: 0.0% Criminal justice: 0.0% Professional: 8.8%

County social

service agency: 2.9% Other community resources: 5.9%

AA: 0.0% Tribal: 2.9%

Discharge Status

Other drugs: 2.9%

(N = 34)

Completed program: 2.9%

Patient left without staff approval: 29.4% Staff requested/judged inappropriate: 8.8%

Death/other: 58.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lake Superior Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =26)	19.2%	15.4%	20.0%
Not employed/student \S (N = 27)	59.3%	81.5%	0.0%
Arrests past 30 days (N = 28)	3.6%	25.0%	0.0%
Alcohol use past 30 days (N = 28)	32.1%	7.1%	77.8%
Drug use past 30 days (N = 28)	96.4%	39.3%	59.3%
No self-help group participation past 30 days $(N = 20)$	75.0%	85.0%	0.0%
No family support for recovery past 30 days $(N = 24)$	12.5%	20.8%	0.0%
Summary Measure 8.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 30)	90.0%	86.7%	3.7%
Biomedical Conditions and Complications (N = 30)	40.0%	36.7%	8.3%
Emotional/Behavioral/ Cognitive Problem (N = 30)	66.7%	70.0%	0.0%
Resistance to Change (N = 30)	50.0%	76.7%	0.0%
Relapse/Continued Use Potential ($N = 30$)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment ($N = 29$)	79.3%	86.2%	0.0%
Summary Measure -7.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake View Memorial Hospital Outpatient CD Treatment Program

325 11th Avenue

Two Harbors, MN 55616 County: Lake

Provider Website:

Patient Profile

 Gender (N = 7)
 Race (N = 7)
 Age (N = 7)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Source of Referral Primary Substance Source of Income (N = 7)(N = 7)(N = 7). Alcohol: * Job: * Self/family/relative/ friends: * Methamphetamine: * Retirement/savings: * Family/friends: * Employer/school: * Marijuana: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: *

services: * County social service agency: *
Other community resources: *

AA: *
Tribal: *

Discharge Status

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lake View Memorial Hospital Outpatient CD Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless § (N =7)	*	*	*
Not employed/student \S (N = 7)	*	*	*
Arrests past 30 days (N = 7)	*	*	*
Alcohol use past 30 days (N = 7)	*	*	*
Drug use past 30 days (N = 7)	*	*	*
No self-help group participation past 30 days $(N = 7)$	*	*	*
No family support for recovery past 30 days (N = 7)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 7)$	*	*	*
Biomedical Conditions and Complications $(N = 7)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 7)	*	*	*
Resistance to Change $(N = 7)$	*	*	*
Relapse/Continued Use Potential (N = 7)	*	*	*
Unsupportive Recovery Environment (N = 7)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakeland Mental Health Center Outpatient C.D. Program

21081 County Highway 1 Fergus Falls, MN 56537

Provider Website:

Patient Profile

<u>Gender (N = 46)</u> Male: 69.6% Female: 30.4%

emale: 30.4% Black: 2.2% American Indian: 0.0% Hispanic: 4.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Race (N = 46)

White: 93.5%

Primary Substance (N = 46)

Alcohol: 89.1% Methamphetamine: 0.0%

Marijuana: 4.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.5% Other drugs: 0.0% Source of Income

 $\frac{(N = 46)}{\text{Job: } 58.7\%}$

Retirement/savings: 2.2% Family/friends: 26.1% No income: 0.0% Public sources: 10.9% Other sources: 2.2% Age (N = 46)

County: Otter Tail

Under 18: 2.2% 18 to 25: 23.9% 26 to 34: 21.7% 35 and older: 52.2%

Source of Referral

(N = 46) .

Self/family/relative/ friends: 47.8% Employer/school: 2.2% Criminal justice: 67.4% Professional: 21.7%

County social

service agency: 30.4%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 46)

Completed program: 63.0%

Patient left without staff approval: 19.6% Staff requested/judged inappropriate: 0.0%

Death/other: 17.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lakeland Mental Health Center Outpatient C.D. Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =45)	0.0%	2.2%	*
Not employed/student \S (N = 46)	39.1%	32.6%	16.7%
Arrests past 30 days (N = 46)	19.6%	8.7%	55.6%
Alcohol use past 30 days (N = 46)	19.6%	15.2%	22.2%
Drug use past 30 days (N = 46)	10.9%	15.2%	0.0%
No self-help group participation past 30 days (N = 43)	46.5%	11.6%	75.0%
No family support for recovery past 30 days $(N = 35)$	22.9%	11.4%	50.0%
Summary Measure 38.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 46$)	4.4%	8.7%	0.0%
Biomedical Conditions and Complications (N = 46)	15.2%	21.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 46)	45.7%	39.1%	14.3%
Resistance to Change (N = 46)	45.7%	23.9%	47.6%
Relapse/Continued Use Potential (N = 46)	87.0%	34.8%	60.0%
Unsupportive Recovery Environment (N = 43)	41.9%	18.6%	55.6%
Summary Measure 38.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakeplace Retreat Center, Inc.

25704 County Road 338 Bovey, MN 55709

Provider Website:

Patient Profile

Gender (N = 160) Male: 74.4%

Female: 25.6%

Primary Substance

(N = 160)Alcohol: 68.1%

Methamphetamine: 10.0% Marijuana: 8.8%

Heroin: 1.9% Cocaine: 1.3% Other opiates: 10.0%

Other drugs: 0.0%

Race (N = 160)

White: 88.8% Black: 1.9%

American Indian: 7.5% Hispanic: 0.6%

Asian/Pacific Islander: 0.6%

Other: 0.6%

Source of Income

(N = 160)Job: 21.3%

Retirement/savings: 6.3% Family/friends: 20.0%

No income: 23.8% Public sources: 20.6% Other sources: 8.1% Age (N = 160)

County: Itasca

Under 18: 0.0% 18 to 25: 23.8% 26 to 34: 23.8%

35 and older: 52.5%

Source of Referral

(N = 160) .

Self/family/relative/ friends: 32.5% Employer/school: 2.5% Criminal justice: 10.0% Professional: 19.4%

County social

service agency: 68.1%

Other community resources: 6.3%

AA: 0.0% Tribal: 0.6%

Discharge Status

(N = 160)

Completed program: 76.3%

Patient left without staff approval: 8.8% Staff requested/judged inappropriate: 9.4%

Death/other: 5.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Lakeplace Retreat Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =159)	0.6%	0.6%	0.0%
Not employed/student§ (N = 158)	79.7%	81.6%	0.0%
Arrests past 30 days (N = 160)	15.6%	1.9%	88.0%
Alcohol use past 30 days (N = 160)	57.5%	10.0%	82.6%
Drug use past 30 days (N = 160)	41.3%	10.0%	75.8%
No self-help group participation past 30 days (N = 158)	46.8%	0.6%	98.6%
No family support for recovery past 30 days $(N = 149)$	5.4%	6.7%	0.0%
Summary Measure 54.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 160)	7.5%	0.0%	100.0%
Biomedical Conditions and Complications (N = 160)	15.0%	5.0%	66.7%
Emotional/Behavioral/ Cognitive Problem (N = 160)	55.0%	28.1%	48.9%
Resistance to Change (N = 160)	74.4%	63.8%	14.3%
Relapse/Continued Use Potential (N = 160)	99.4%	83.8%	15.7%
Unsupportive Recovery Environment ($N = 160$)	92.5%	91.3%	1.4%
Summary Measure 20.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Counseling Center

1000 8th Street SE Detroit Lakes, MN 56501

Provider Website: www.lakescounseling.com

Patient Profile

 Gender (N = 140)
 Race (N = 140)

 Male: 67.9%
 White: 80.7%

Female: 32.1% Black: 0.7% 18 to 25: 23.6% American Indian: 13.6% 26 to 34: 19.3%

Hispanic: 2.1% 35 and older: 31.4%

County: Becker

Age (N = 140)

Under 18: 25.7%

Source of Referral

Self/family/relative/

friends: 16.4%

Professional: 23.6%

Employer/school: 5.0%

Criminal justice: 67.1%

(N = 140) .

Tribal: 0.0%

Asian/Pacific Islander: 0.0%

Other: 2.9%

Primary Substance Source of Income (N = 140) (N = 140)

Alcohol: 49.3% Job: 44.3%

Methamphetamine: 5.0% Retirement/savings: 0.7% Marijuana: 39.3% Family/friends: 9.3% No income: 25.7% Cocaine: 2.9% Public sources: 16.4%

Other opiates: 0.7% Other sources: 3.6% County social service agency: 35.0% Other community

resources: 2.1% AA: 0.0%

Discharge Status

(N = 140)

Completed program: 33.6%

Patient left without staff approval: 20.7% Staff requested/judged inappropriate: 10.7%

Death/other: 35.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lakes Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =111)	0.0%	0.9%	*
Not employed/student§ (N = 111)	27.0%	27.0%	0.0%
Arrests past 30 days (N = 128)	8.6%	13.3%	0.0%
Alcohol use past 30 days (N = 95)	33.7%	18.9%	43.8%
Drug use past 30 days (N = 95)	26.3%	16.8%	36.0%
No self-help group participation past 30 days (N = 103)	59.2%	18.4%	68.9%
No family support for recovery past 30 days (N = 96)	9.4%	5.2%	44.4%
Summary Measure [∥] 38.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 139)	2.2%	4.3%	0.0%
Biomedical Conditions and Complications $(N = 139)$	6.5%	7.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 139)	74.1%	63.3%	14.6%
Resistance to Change (N = 139)	82.7%	58.3%	29.6%
Relapse/Continued Use Potential (N = 139)	97.1%	79.9%	17.8%
Unsupportive Recovery Environment ($N = 139$)	88.5%	76.3%	13.8%
Summary Measure [∥] 17.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency

16734 Hwy 2 West Bagley, MN 56621

Provider Website:

Patient Profile

Gender (N = 25)Race (N = 25)Male: 100.0% White: 88.0% Female: 0.0% Black: 0.0%

American Indian: 8.0% Hispanic: 4.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 25)(N = 25)Alcohol: 92.0% Job: 72.0%

Methamphetamine: 4.0% Retirement/savings: 0.0% Marijuana: 4.0% Family/friends: 4.0% Heroin: 0.0% No income: 0.0% Cocaine: 0.0%

Public sources: 12.0% Other opiates: 0.0% Other sources: 12.0% Other drugs: 0.0%

Age (N = 25)

County: Clearwater

Under 18: 0.0% 18 to 25: 36.0% 26 to 34: 20.0% 35 and older: 44.0%

Source of Referral

(N = 25) . Self/family/relative/ friends: 16.0% Employer/school: 4.0% Criminal justice: 68.0% Professional: 12.0%

County social

service agency: 28.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 25)

Completed program: 84.0%

Patient left without staff approval: 8.0% Staff requested/judged inappropriate: 0.0%

Death/other: 8.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lakes Region Chemical Dependency

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =24)	0.0%	0.0%	*
Not employed/student \S (N = 24)	45.8%	54.2%	0.0%
Arrests past 30 days (N = 24)	8.3%	0.0%	100.0%
Alcohol use past 30 days (N = 25)	28.0%	16.0%	42.9%
Drug use past 30 days (N = 25)	0.0%	8.0%	*
No self-help group participation past 30 days (N = 24)	75.0%	83.3%	0.0%
No family support for recovery past 30 days (N = 24)	4.2%	4.2%	0.0%
Summary Measure -2.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 24$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 24)$	4.2%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 24)	4.2%	4.2%	0.0%
Resistance to Change $(N = 24)$	8.3%	4.2%	50.0%
Relapse/Continued Use Potential (N = 24)	95.8%	20.8%	78.3%
Unsupportive Recovery Environment (N = 24)	12.5%	8.3%	33.3%
Summary Measure 70.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency

1510 Bemidji Avenue North Bemidji, MN 56601

Provider Website:

Patient Profile

Gender (N = 101)

Male: 64.4%

Female: 35.6%

Primary Substance

(N = 101)Alcohol: 75.2%

Methamphetamine: 4.0% Marijuana: 12.9%

Heroin: 0.0% Cocaine: 1.0% Other opiates: 5.9%

Other drugs: 1.0%

Race (N = 101)

White: 54.5% Black: 1.0%

American Indian: 36.6%

Hispanic: 0.0%

Asian/Pacific Islander: 1.0%

Other: 6.9%

Source of Income

(N = 101)Job: 52.5%

Retirement/savings: 5.0% Family/friends: 18.8%

No income: 5.9% Public sources: 15.8% Other sources: 2.0% Age (N = 101)

County: Beltrami

Under 18: 14.9% 18 to 25: 31.7% 26 to 34: 22.8%

35 and older: 30.7%

Source of Referral

(N = 101) .

Self/family/relative/ friends: 26.7% Employer/school: 0.0% Criminal justice: 60.4%

Professional: 36.6%

County social

service agency: 43.6%

Other community resources: 1.0%

AA: 0.0% Tribal: 1.0%

Discharge Status

(N = 101)

Completed program: 72.3%

Patient left without staff approval: 22.8% Staff requested/judged inappropriate: 1.0%

Death/other: 4.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lakes Region Chemical Dependency

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =86)	0.0%	0.0%	*
Not employed/student \S (N = 85)	29.4%	28.2%	4.0%
Arrests past 30 days (N = 92)	12.0%	3.3%	72.7%
Alcohol use past 30 days (N = 98)	35.7%	10.2%	71.4%
Drug use past 30 days (N = 98)	15.3%	4.1%	73.3%
No self-help group participation past 30 days (N = 84)	79.8%	73.8%	7.5%
No family support for recovery past 30 days (N = 81)	6.2%	2.5%	60.0%
Summary Measure [∥] 31.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 90$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 90)	1.1%	1.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 90)	4.4%	1.1%	75.0%
Resistance to Change (N = 90)	5.6%	8.9%	0.0%
Relapse/Continued Use Potential (N = 90)	94.4%	21.1%	77.6%
Unsupportive Recovery Environment $(N = 92)$	13.0%	14.1%	0.0%
Summary Measure 60.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency LLC Northwestern Juvenile Center

1231 5th Street N.W. Bemidji, MN 56601

Provider Website:

Patient Profile

 Gender (N = 21)
 Race (N = 21)

 Male: 76.2%
 White: 23.8%

 Female: 23.8%
 Black: 4.8%

American Indian: 52.4% 26 to 34: 0.0% Hispanic: 14.3% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 4.8%

Primary Substance

(N = 21)Alcohol: 28.6%

Methamphetamine: 0.0%

Marijuana: 61.9% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.8%

Other drugs: 4.8%

Source of Income

(N = 21)Job: 4.8%

Retirement/savings: 0.0% Family/friends: 28.6% No income: 57.1%

Public sources: 0.0% Other sources: 9.5% Source of Referral

(N = 21) .

County: Beltrami

Age (N = 21)

Under 18: 85.7%

18 to 25: 14.3%

Self/family/relative/ friends: 4.8%

Employer/school: 0.0% Criminal justice: 100.0% Professional: 52.4%

County social

service agency: 38.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 21)

Completed program: 100.0%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lakes Region Chemical Dependency LLC Northwestern Juvenile Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =21)	0.0%	0.0%	*
Not employed/student \S (N = 21)	0.0%	0.0%	*
Arrests past 30 days (N = 21)	19.0%	0.0%	100.0%
Alcohol use past 30 days (N = 21)	4.8%	0.0%	100.0%
Drug use past 30 days (N = 21)	4.8%	0.0%	100.0%
No self-help group participation past 30 days (N = 21)	85.7%	42.9%	50.0%
No family support for recovery past 30 days (N = 19)	15.8%	0.0%	100.0%
Summary Measure 67.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 21$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 21)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 21)	19.0%	0.0%	100.0%
Resistance to Change $(N = 21)$	14.3%	0.0%	100.0%
Relapse/Continued Use Potential (N = 21)	100.0%	42.9%	57.1%
Unsupportive Recovery Environment (N = 21)	19.0%	4.8%	75.0%
Summary Measure 68.8%			

* Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Regions Chemical Dependency Clearwater County Jail Program

213 Main Avenue North Bagley, MN 56621

Provider Website:

Patient Profile

<u>Gender (N = 15)</u> Male: 86.7%

Female: 13.3%

Other: C

Primary Substance (N = 15)

Alcohol: 40.0% Methamphetamine: 13.3%

Marijuana: 33.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 13.3%

Other drugs: 0.0%

Race (N = 15)

White: 6.7% Black: 0.0%

American Indian: 93.3% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 15)Job: 60.0%

Retirement/savings: 0.0% Family/friends: 0.0% No income: 6.7% Public sources: 33.3% Other sources: 0.0%

County: Clearwater

Age (N = 15)

Under 18: 0.0%

18 to 25: 40.0%

26 to 34: 33.3% 35 and older: 26.7%

Source of Referral (N = 15).

Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 53.3% Professional: 13.3%

County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 15)

Completed program: 66.7%

Patient left without staff approval: 6.7% Staff requested/judged inappropriate: 0.0%

Death/other: 26.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lakes Regions Chemical Dependency Clearwater County Jail Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =13)	0.0%	0.0%	*
Not employed/student \S (N = 13)	92.3%	100.0%	0.0%
Arrests past 30 days (N = 14)	35.7%	0.0%	100.0%
Alcohol use past 30 days (N = 14)	28.6%	7.1%	75.0%
Drug use past 30 days (N = 14)	21.4%	7.1%	66.7%
No self-help group participation past 30 days (N = 12)	0.0%	0.0%	*
No family support for recovery past 30 days (N = 13)	38.5%	46.2%	0.0%
Summary Measure [∥] 25.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 15)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 15)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 15)	0.0%	0.0%	*
Resistance to Change (N = 15)	0.0%	6.7%	*
Relapse/Continued Use Potential (N = 15)	100.0%	73.3%	26.7%
Unsupportive Recovery Environment (N = 15)	93.3%	86.7%	7.1%
Summary Measure 13.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Opiate Treatment Program

110 Balsam Ave NW Cass Lake, MN 56633

Provider Website:

Patient Profile

<u>Gender (N = 20)</u> Male: 35.0%

Female: 65.0%

Primary Substance

(N = 20)Alcohol: 5.0%

Methamphetamine: 0.0% Marijuana: 0.0%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 95.0%

Other drugs: 0.0%

Race (N = 20)

White: 0.0% Black: 0.0%

American Indian: 100.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 20)Job: 30.0%

> Retirement/savings: 0.0% Family/friends: 5.0% No income: 5.0%

Public sources: 20.0% Other sources: 40.0% Age (N = 20)

County: Cass

Under 18: 0.0% 18 to 25: 30.0% 26 to 34: 35.0%

35 and older: 35.0%

Source of Referral

(N = 20).

Self/family/relative/ friends: 80.0% Employer/school: 0.0% Criminal justice: 20.0% Professional: 10.0%

County social

service agency: 0.0% Other community resources: 5.0%

AA: 0.0% Tribal: 30.0%

Discharge Status

(N = 20)

Completed program: 10.0%

Patient left without staff approval: 65.0% Staff requested/judged inappropriate: 0.0%

Death/other: 25.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Leech Lake Opiate Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =20)	0.0%	0.0%	*
Not employed/student \S (N = 8)	*	*	*
Arrests past 30 days (N = 13)	0.0%	0.0%	*
Alcohol use past 30 days (N = 20)	10.0%	20.0%	0.0%
Drug use past 30 days (N = 20)	85.0%	75.0%	11.8%
No self-help group participation past 30 days ($N = 12$)	75.0%	16.7%	77.8%
No family support for recovery past 30 days $(N = 7)$	*	*	*
Summary Measure 32.5%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 20)	35.0%	30.0%	14.3%
Biomedical Conditions and Complications (N = 20)	10.0%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 20)	55.0%	35.0%	36.4%
Resistance to Change (N = 20)	80.0%	65.0%	18.8%
Relapse/Continued Use Potential (N = 20)	95.0%	95.0%	0.0%
Unsupportive Recovery Environment ($N = 20$)	95.0%	85.0%	10.5%
Summary Measure 16.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Outpatient Program

115 6th Street N.W. Cass Lake, MN 56633

Provider Website:

Patient Profile

<u>Gender (N = 155)</u> Male: 83.2%

Female: 16.8%

Primary Substance

(N = 152) Alcohol: 47.4% Methamphetamine: 1.3%

Marijuana: 36.8% Heroin: 0.0% Cocaine: 1.3%

Other opiates: 13.2% Other drugs: 0.0% Race (N = 155)

White: 0.0% Black: 1.9%

American Indian: 93.5%

Hispanic: 1.9%

Asian/Pacific Islander: 0.0%

Other: 2.6%

Source of Income

(N = 155)Job: 34.8%

Retirement/savings: 0.6% Family/friends: 25.2% No income: 10.3%

Public sources: 20.6% Other sources: 8.4% Age (N = 155)

County: Cass

Under 18: 21.9% 18 to 25: 24.5% 26 to 34: 21.3%

35 and older: 32.3%

Source of Referral

(N = 155) .

Self/family/relative/ friends: 19.4% Employer/school: 5.8% Criminal justice: 77.4% Professional: 18.1%

County social

service agency: 11.0%

Other community resources: 5.2%

AA: 0.0% Tribal: 31.0%

Discharge Status

(N = 155)

Completed program: 16.1%

Patient left without staff approval: 43.2% Staff requested/judged inappropriate: 22.6%

Death/other: 18.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Leech Lake Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =130)	2.3%	4.6%	0.0%
Not employed/student§ (N = 129)	38.8%	39.5%	0.0%
Arrests past 30 days (N = 104)	8.7%	22.1%	0.0%
Alcohol use past 30 days (N = 103)	23.3%	22.3%	4.2%
Drug use past 30 days (N = 103)	37.9%	32.0%	15.4%
No self-help group participation past 30 days ($N = 84$)	65.5%	52.4%	20.0%
No family support for recovery past 30 days $(N = 90)$	7.8%	10.0%	0.0%
Summary Measure 0.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 145)	1.4%	6.2%	0.0%
Biomedical Conditions and Complications ($N = 145$)	12.4%	13.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 145)	33.1%	47.6%	0.0%
Resistance to Change (N = 145)	97.9%	95.9%	2.1%
Relapse/Continued Use Potential (N = 145)	98.6%	97.2%	1.4%
Unsupportive Recovery Environment (N = 144)	96.5%	91.7%	5.0%
Summary Measure -3.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Womens Outpatient Program

113 Balsam Ave NW Cass Lake, MN 56633

Provider Website:

Patient Profile

<u>Gender (N = 58)</u> Male: 0.0%

Female: 100.0%

Primary Substance

(N = 57)Alcohol: 64.9%

Methamphetamine: 1.8% Marijuana: 15.8%

Heroin: 0.0% Cocaine: 3.5% Other opiates: 14.0%

Other drugs: 0.0%

Race (N = 58)

White: 0.0% Black: 1.7%

American Indian: 96.6%

Hispanic: 1.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 58)Job: 27.6%

Retirement/savings: 0.0%

Family/friends: 6.9% No income: 13.8% Public sources: 31.0%

Other sources: 20.7%

Age (N = 58)

County: Cass

Under 18: 0.0% 18 to 25: 22.4% 26 to 34: 32.8%

35 and older: 44.8%

Source of Referral

(N = 58).

Self/family/relative/ friends: 17.2% Employer/school: 0.0% Criminal justice: 74.1% Professional: 32.8%

County social

service agency: 22.4%

Other community resources: 10.3%

AA: 0.0% Tribal: 20.7%

Discharge Status

(N = 58)

Completed program: 22.4%

Patient left without staff approval: 41.4% Staff requested/judged inappropriate: 6.9%

Death/other: 29.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Leech Lake Womens Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =27)	0.0%	7.4%	*
Not employed/student \S (N = 26)	69.2%	53.8%	22.2%
Arrests past 30 days (N = 14)	0.0%	35.7%	*
Alcohol use past 30 days (N = 21)	9.5%	19.0%	0.0%
Drug use past 30 days (N = 21)	9.5%	14.3%	0.0%
No self-help group participation past 30 days $(N = 14)$	28.6%	21.4%	25.0%
No family support for recovery past 30 days $(N = 18)$	0.0%	0.0%	*
Summary Measure -29.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 44$)	4.6%	18.2%	0.0%
Biomedical Conditions and Complications (N = 44)	15.9%	25.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 44)	36.4%	43.2%	0.0%
Resistance to Change (N = 44)	47.7%	47.7%	0.0%
Relapse/Continued Use Potential (N = 44)	84.1%	75.0%	10.8%
Unsupportive Recovery Environment (N = 43)	88.4%	72.1%	18.4%
Summary Measure -1.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifehouse LLC, MN

31065 Highway 61 Stacy, MN 55079

Provider Website:

Patient Profile

 Gender (N = 10)
 Race (N = 10)

 Male: 70.0%
 White: 100.0%

 Female: 30.0%
 Black: 0.0%

emale: 30.0% Black: 0.0% American Indian: 0.0%

Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 10)Alcohol: 70.0%

Methamphetamine: 10.0%

Marijuana: 20.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 10)Job: 30.0%

Retirement/savings: 0.0%

Family/friends: 70.0% No income: 0.0% Public sources: 0.0%

Other sources: 0.0%

Age (N = 10)

County: Chisago

Under 18: 0.0% 18 to 25: 20.0% 26 to 34: 30.0%

35 and older: 50.0%

Source of Referral

(N = 10) .

Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 100.0%

Professional: 0.0% County social

service agency: 0.0% Other community

resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 10)

Completed program: 90.0%

Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lifehouse LLC, MN

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =10)	0.0%	0.0%	*
Not employed/student \S (N = 10)	60.0%	80.0%	0.0%
Arrests past 30 days (N = 10)	0.0%	10.0%	*
Alcohol use past 30 days (N = 10)	0.0%	0.0%	*
Drug use past 30 days (N = 10)	0.0%	0.0%	*
No self-help group participation past 30 days $(N = 9)$	*	*	*
No family support for recovery past 30 days $(N = 10)$	10.0%	0.0%	100.0%
Summary Measure 1.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 9)	*	*	*
Biomedical Conditions and Complications $(N = 9)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 9)	*	*	*
Resistance to Change (N = 9)	*	*	*
Relapse/Continued Use Potential (N = 9)	*	*	*
Unsupportive Recovery Environment $(N = 9)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling of Richfield/Bloomington

9613 Girard Avenue South Bloomington, MN 55431

Provider Website: www.ark-lifestyle.com

Patient Profile

 Gender (N = 82)
 Race (N = 82)

 Male: 69.5%
 White: 78.0%

 Female: 30.5%
 Black: 15.9%

emale: 30.5% Black: 15.9% 18 to 25: 31.7% American Indian: 0.0% 26 to 34: 32.9% Hispanic: 0.0% 35 and older: 35.4%

Asian/Pacific Islander: 2.4%

County: Hennepin

Age (N = 82)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 12.2%

Professional: 8.5%

Other community resources: 52.4%

Employer/school: 1.2%

Criminal justice: 75.6%

(N = 82) .

Other: 3.7%

Primary Substance Source of Income

Methamphetamine: 4.9% Retirement/savings: 2.4% Marijuana: 19.5% Family/friends: 20.7% No income: 12.2% Cocaine: 1.2% Public sources: 11.0%

Other opiates: 2.4% Other sources: 9.8% County social service agency: 42.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 82)

Completed program: 53.7%

Patient left without staff approval: 25.6% Staff requested/judged inappropriate: 7.3%

Death/other: 13.4%

* Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lifestyle Counseling of Richfield/Bloomington

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =79)	0.0%	0.0%	*
Not employed/student§ (N = 76)	55.3%	31.6%	42.9%
Arrests past 30 days (N = 82)	1.2%	4.9%	0.0%
Alcohol use past 30 days (N = 80)	28.8%	8.8%	69.6%
Drug use past 30 days (N = 80)	15.0%	7.5%	50.0%
No self-help group participation past 30 days (N = 63)	68.3%	17.5%	74.4%
No family support for recovery past 30 days (N = 52)	0.0%	15.4%	*
Summary Measure 49.2%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 82)	3.7%	1.2%	66.7%
Biomedical Conditions and Complications ($N = 82$)	17.1%	4.9%	71.4%
Emotional/Behavioral/ Cognitive Problem (N = 82)	57.3%	30.5%	46.8%
Resistance to Change (N = 82)	61.0%	41.5%	32.0%
Relapse/Continued Use Potential (N = 82)	96.3%	70.7%	26.6%
Unsupportive Recovery Environment (N = 82)	86.6%	64.6%	25.4%
Summary Measure 33.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling Services

14162 Commerce Ave NE Prior Lake, MN 55372

Provider Website:

Patient Profile

Gender (N = 119) Male: 78.2%

Female: 21.8%

Primary Substance

(N = 119)Alcohol: 84.9%

Methamphetamine: 2.5% Marijuana: 7.6%

Heroin: 0.8% Cocaine: 0.8% Other opiates: 3.4%

Other drugs: 0.0%

Race (N = 119)

White: 95.0% Black: 1.7%

American Indian: 1.7%

Hispanic: 0.8% Asian/Pacific Islander: 0.8%

Other: 0.0%

Source of Income

(N = 119)

Job: 56.3% Retirement/savings: 1.7%

Family/friends: 4.2% No income: 6.7% Public sources: 15.1%

Other sources: 16.0%

Age (N = 119)

County: Scott

Under 18: 0.0% 18 to 25: 20.2% 26 to 34: 19.3%

35 and older: 60.5%

Source of Referral

(N = 119) .

Self/family/relative/ friends: 50.4% Employer/school: 4.2% Criminal justice: 69.7%

Professional: 14.3%

County social

service agency: 13.4%

Other community resources: 7.6%

AA: 1.7% Tribal: 0.8%

Discharge Status

(N = 119)

Completed program: 71.4%

Patient left without staff approval: 19.3% Staff requested/judged inappropriate: 5.9%

Death/other: 3.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Lifestyle Counseling Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =107)	0.0%	1.9%	*
Not employed/student \S (N = 104)	42.3%	31.7%	25.0%
Arrests past 30 days (N = 112)	11.6%	2.7%	76.9%
Alcohol use past 30 days (N = 94)	33.0%	3.2%	90.3%
Drug use past 30 days (N = 94)	16.0%	3.2%	80.0%
No self-help group participation past 30 days (N = 104)	60.6%	14.4%	76.2%
No family support for recovery past 30 days (N = 103)	29.1%	8.7%	70.0%
Summary Measure [∥] 65.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 111)	1.8%	1.8%	0.0%
Biomedical Conditions and Complications (N = 118)	3.4%	4.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 118)	79.7%	32.2%	59.6%
Resistance to Change (N = 118)	61.0%	27.1%	55.6%
Relapse/Continued Use Potential (N = 118)	96.6%	42.4%	56.1%
Unsupportive Recovery Environment (N = 118)	69.5%	50.0%	28.0%
Summary Measure [∥] 49.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Hennepin

Age (N = 128)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 100.0%

Employer/school: 0.0%

Criminal justice: 0.0%

Professional: 0.0%

AA: 0.0% Tribal: 0.0%

(N = 128) .

Living Free Recovery Services

9201 75th Avenue North Brooklyn Park, MN 55428

Provider Website: www.recovery.lwcc.org

Patient Profile

 Gender (N = 128)
 Race (N = 128)

 Male: 70.3%
 White: 92.2%

 Female: 29.7%
 Black: 7.0%

male: 29.7% Black: 7.0% 18 to 25: 25.0% American Indian: 0.0% 26 to 34: 24.2% Hispanic: 0.0% 35 and older: 50.8%

Asian/Pacific Islander: 0.8%

Other: 0.0%

Primary Substance Source of Income (N = 128) (N = 128)

Alcohol: 66.4% Job: 34.4%

Methamphetamine: 3.9% Retirement/savings: 2.3% Marijuana: 10.9% Family/friends: 1.6% No income: 1.6% Cocaine: 5.5% Public sources: 3.9%

Other opiates: 9.4% Other sources: 56.3% County social service agency: 0.0%

Other community resources: 54.7%

Discharge Status

(N = 128)

Completed program: 52.3%

Patient left without staff approval: 32.0% Staff requested/judged inappropriate: 0.8%

Death/other: 14.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Living Free Recovery Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =128)	0.8%	0.0%	100.0%
Not employed/student§ (N = 123)	56.1%	55.3%	1.5%
Arrests past 30 days (N = 128)	7.0%	1.6%	77.8%
Alcohol use past 30 days (N = 128)	39.1%	0.8%	98.0%
Drug use past 30 days (N = 128)	28.9%	6.3%	78.4%
No self-help group participation past 30 days (N = 124)	70.2%	66.1%	5.8%
No family support for recovery past 30 days (N = 115)	41.7%	58.3%	0.0%
Summary Measure 22.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 128)	4.7%	2.3%	50.0%
Biomedical Conditions and Complications ($N = 128$)	7.0%	4.7%	33.3%
Emotional/Behavioral/ Cognitive Problem (N = 128)	55.5%	21.1%	62.0%
Resistance to Change (N = 128)	25.0%	25.8%	0.0%
Relapse/Continued Use Potential (N = 128)	93.8%	47.7%	49.2%
Unsupportive Recovery Environment (N = 128)	68.0%	39.1%	42.5%
Summary Measure 44.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Main Street Collaborative

3381 Gorham Ave St. Louis Park, MN 55426

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 7)}}{\text{Male: *}} \qquad \frac{\text{Race (N = 7)}}{\text{White: *}}$

Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income

(N = 7) Alcohol: * (N = 7) Job: *

Methamphetamine: * Retirement/savings: *

Marijuana: * Family/friends: * Heroin: * No income: * Cocaine: * Public sources: *

Other opiates: * Other sources: *

urce of Income Source of Referral

(N = 7)Self/family/relative/

County: Hennepin

Age (N = 7)

Under 18: *

etirement/savings: * friends: *

nily/friends: * Employer/school: *
income: * Criminal justice: *
vlic sources: * Professional: *

County social service agency: *

Other community resources: *

AA: *
Tribal: *

Discharge Status

Other drugs: *

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Main Street Collaborative

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless § (N =7)	*	*	*
Not employed/student \S (N = 7)	*	*	*
Arrests past 30 days (N = 7)	*	*	*
Alcohol use past 30 days (N = 7)	*	*	*
Drug use past 30 days (N = 7)	*	*	*
No self-help group participation past 30 days $(N = 5)$	*	*	*
No family support for recovery past 30 days (N = 7)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 7)$	*	*	*
Biomedical Conditions and Complications $(N = 7)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 7)	*	*	*
Resistance to Change $(N = 7)$	*	*	*
Relapse/Continued Use Potential (N = 7)	*	*	*
Unsupportive Recovery Environment (N = 7)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Maple Lake Recovery Center, Inc.

207 Division Street Maple Lake, MN 55358

Provider Website: www.mlrecovery.org

Patient Profile

 Gender (N = 79)
 Race (N = 79)

 Male: 100.0%
 White: 78.5%

 Female: 0.0%
 Black: 6.3%

American Indian: 6.3% 26 to 34: 0.0% Hispanic: 8.9% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 79) Alcohol: 13.9% (N = 79) Job: 2.5%

Methamphetamine: 2.5% Retirement/savings: 1.3% Marijuana: 77.2% Family/friends: 96.2% No income: 0.0% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 0.0% Other sources: 0.0%

Source of Referral (N = 79).

County: Wright

Age (N = 79)

Under 18: 96.2%

18 to 25: 3.8%

Self/family/relative/ friends: 72.2% Employer/school: 0.0% Criminal justice: 74.7% Professional: 19.0%

County social

service agency: 21.5%

Other community resources: 5.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 3.8%

(N = 79)

Completed program: 62.0%

Patient left without staff approval: 6.3% Staff requested/judged inappropriate: 17.7%

Death/other: 13.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Maple Lake Recovery Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =79)	1.3%	0.0%	100.0%
Not employed/student \S (N = 79)	0.0%	0.0%	*
Arrests past 30 days (N = 79)	19.0%	7.6%	60.0%
Alcohol use past 30 days (N = 79)	32.9%	1.3%	96.2%
Drug use past 30 days (N = 79)	77.2%	7.6%	90.2%
No self-help group participation past 30 days $(N = 76)$	64.5%	1.3%	98.0%
No family support for recovery past 30 days (N = 50)	6.0%	4.0%	33.3%
Summary Measure [∥] 89.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 79$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 79)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 79)	93.7%	50.6%	45.9%
Resistance to Change $(N = 79)$	94.9%	44.3%	53.3%
Relapse/Continued Use Potential (N = 79)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment $(N = 79)$	100.0%	98.7%	1.3%
Summary Measure 24.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Margaret's House

2535 Condon Court Mendota Heights, MN 55120

Provider Website: www.havenchemicalhealth.com

Patient Profile

Gender (N = 110)Race (N = 110)Male: 0.9% White: 93.6%

Female: 99.1% Black: 0.9% 18 to 25: 13.6% American Indian: 0.9% 26 to 34: 37.3% 35 and older: 49.1% Hispanic: 0.9%

Asian/Pacific Islander: 0.9%

Other: 2.7%

Primary Substance Source of Income

(N = 107)(N = 110)Alcohol: 54.2% Job: 22.7%

Methamphetamine: 15.0% Retirement/savings: 0.9% Family/friends: 25.5% Marijuana: 5.6% Heroin: 4.7% No income: 10.9% Cocaine: 3.7%

Criminal justice: 1.8% Public sources: 19.1% Professional: 52.7% Other sources: 20.9% Other opiates: 12.1% County social Other drugs: 4.7% service agency: 35.5% Other community

> AA: 0.0% Tribal: 0.9%

County: Dakota

Age (N = 110)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 31.8%

resources: 8.2%

Employer/school: 0.0%

(N = 110) .

Discharge Status

(N = 110)

Completed program: 70.9%

Patient left without staff approval: 14.5% Staff requested/judged inappropriate: 7.3%

Death/other: 7.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Margaret's House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =103)	4.9%	0.0%	100.0%
Not employed/student \S (N = 93)	74.2%	71.0%	4.4%
Arrests past 30 days (N = 108)	11.1%	1.9%	83.3%
Alcohol use past 30 days (N = 107)	57.0%	15.9%	72.1%
Drug use past 30 days (N = 107)	43.0%	15.0%	65.2%
No self-help group participation past 30 days $(N = 97)$	51.5%	0.0%	100.0%
No family support for recovery past 30 days (N = 107)	3.7%	0.0%	100.0%
Summary Measure 57.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 109)	1.8%	0.9%	50.0%
Biomedical Conditions and Complications (N = 109)	4.6%	3.7%	20.0%
Emotional/Behavioral/ Cognitive Problem (N = 109)	100.0%	98.2%	1.8%
Resistance to Change (N = 109)	20.2%	21.1%	0.0%
Relapse/Continued Use Potential (N = 109)	100.0%	99.1%	0.9%
Unsupportive Recovery Environment (N = 109)	99.1%	95.4%	3.7%
Summary Measure 2.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Marty Mann Halfway House for Women

714 North 11th Avenue East Duluth, MN 55805

Provider Website: www.cadt.org

Patient Profile

Gender (N = 61)Race (N = 61)Male: 0.0% White: 67.2%

Female: 100.0% Black: 6.6% 18 to 25: 24.6% American Indian: 18.0% 26 to 34: 29.5%

35 and older: 45.9% Hispanic: 1.6% Asian/Pacific Islander: 1.6%

Other: 4.9%

Primary Substance Source of Income

(N = 61)(N = 61)Alcohol: 42.6% Job: 16.4%

Marijuana: 6.6% Heroin: 3.3% No income: 23.0% Cocaine: 8.2%

Methamphetamine: 13.1% Retirement/savings: 0.0% friends: 45.9% Family/friends: 19.7% Employer/school: 0.0% Criminal justice: 45.9% Public sources: 29.5% Professional: 57.4% Other opiates: 23.0% Other sources: 11.5% County social Other drugs: 3.3% service agency: 19.7%

Other community resources: 0.0%

> AA: 0.0% Tribal: 1.6%

County: St. Louis

Age (N = 61)

Under 18: 0.0%

Source of Referral

Self/family/relative/

(N = 61) .

Discharge Status

(N = 61)

Completed program: 45.9%

Patient left without staff approval: 26.2% Staff requested/judged inappropriate: 18.0%

Death/other: 9.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Marty Mann Halfway House for Women

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =60)	1.7%	0.0%	100.0%
Not employed/student \S (N = 59)	94.9%	79.7%	16.1%
Arrests past 30 days (N = 60)	6.7%	3.3%	50.0%
Alcohol use past 30 days (N = 59)	18.6%	8.5%	54.5%
Drug use past 30 days (N = 59)	25.4%	6.8%	73.3%
No self-help group participation past 30 days (N = 60)	10.0%	3.3%	66.7%
No family support for recovery past 30 days $(N = 61)$	1.6%	1.6%	0.0%
Summary Measure 35.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 59)	0.0%	1.7%	*
Biomedical Conditions and Complications $(N = 60)$	11.7%	13.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 60)	45.0%	26.7%	40.7%
Resistance to Change (N = 60)	20.0%	45.0%	0.0%
Relapse/Continued Use Potential (N = 60)	100.0%	75.0%	25.0%
Unsupportive Recovery Environment $(N = 60)$	96.7%	76.7%	20.7%
Summary Measure 12.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mash Ka Wisen Treatment Center Inpatient Program

1150 Mission Road Sawyer, MN 55780

Provider Website:

Patient Profile

<u>Gender (N = 299)</u> Male: 62.2%

Female: 37.8%

Hi: Λs

Primary Substance

(N = 298)Alcohol: 43.0%

Methamphetamine: 3.0% Marijuana: 35.6%

Heroin: 1.0% Cocaine: 2.4%

Other opiates: 14.1% Other drugs: 1.0% Race (N = 299)

White: 0.3% Black: 0.0%

American Indian: 97.7%

Hispanic: 1.3%

Asian/Pacific Islander: 0.7%

Other: 0.0%

Source of Income

(N = 299)

Job: 13.7% Retirement/savings: 1.7%

Family/friends: 29.1% No income: 22.1% Public sources: 13.4%

Other sources: 20.1%

Age (N = 299)

County: Carlton

Under 18: 29.8% 18 to 25: 23.4% 26 to 34: 20.7%

35 and older: 26.1%

Source of Referral

(N = 299).

Self/family/relative/ friends: 25.1% Employer/school: 0.7% Criminal justice: 67.9% Professional: 2.3%

County social

service agency: 31.4%

Other community resources: 0.3%

AA: 0.0% Tribal: 70.2%

Discharge Status

(N = 299)

Completed program: 73.2%

Patient left without staff approval: 15.7% Staff requested/judged inappropriate: 10.0%

Death/other: 1.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Mash Ka Wisen Treatment Center Inpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =294)	7.5%	0.7%	90.9%
Not employed/student§ (N = 292)	61.0%	65.8%	0.0%
Arrests past 30 days (N = 298)	32.2%	3.7%	88.5%
Alcohol use past 30 days (N = 298)	51.3%	3.7%	92.8%
Drug use past 30 days (N = 298)	61.4%	9.1%	85.2%
No self-help group participation past 30 days (N = 294)	67.3%	1.4%	98.0%
No family support for recovery past 30 days (N = 293)	9.2%	2.1%	77.8%
Summary Measure 70.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 298)	9.1%	2.7%	70.4%
Biomedical Conditions and Complications (N = 298)	9.4%	7.7%	17.9%
Emotional/Behavioral/ Cognitive Problem (N = 298)	90.9%	91.9%	0.0%
Resistance to Change (N = 298)	96.0%	87.6%	8.7%
Relapse/Continued Use Potential (N = 298)	99.3%	99.3%	0.0%
Unsupportive Recovery Environment ($N = 298$)	99.7%	100.0%	0.0%
Summary Measure [∥] 3.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mayo Clinic Addiction Services Generose IB

1216 2nd Street SW Rochester, MN 55902

Provider Website: www.mayoclinic.org/chemicaldependency

Patient Profile

<u>Gender (N = 216)</u> Male: 52.8%

Female: 47.2%

Primary Substance

(N = 216)Alcohol: 89.8%

Methamphetamine: 1.9% Marijuana: 2.3%

Heroin: 0.0% Cocaine: 1.4% Other opiates: 2.8%

Other drugs: 1.9%

Race (N = 216)

White: 93.1% Black: 0.5%

American Indian: 1.9%

Hispanic: 0.9% Asian/Pacific Islander: 0.0%

Other: 3.7%

Source of Income

(N = 216)

Job: 47.2%

Retirement/savings: 14.4% Family/friends: 19.0%

No income: 0.9% Public sources: 10.2% Other sources: 8.3% Age (N = 216)

County: Olmsted

Under 18: 0.0% 18 to 25: 11.1% 26 to 34: 15.3%

35 and older: 73.6%

Source of Referral

(N = 216).

Self/family/relative/ friends: 88.4% Employer/school: 0.9% Criminal justice: 3.2% Professional: 41.2%

County social

service agency: 0.0% Other community resources: 1.4%

AA: 0.5% Tribal: 0.0%

Discharge Status

(N = 216)

Completed program: 71.8%

Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 5.6%

Death/other: 14.4%

 $^{^{\}star}$ Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Mayo Clinic Addiction Services Generose IB

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =209)	0.0%	0.5%	*
Not employed/student \S (N = 212)	47.6%	46.2%	3.0%
Arrests past 30 days (N = 216)	8.8%	1.9%	78.9%
Alcohol use past 30 days (N = 216)	78.7%	9.7%	87.6%
Drug use past 30 days (N = 216)	22.7%	6.0%	73.5%
No self-help group participation past 30 days (N = 190)	66.3%	5.3%	92.1%
No family support for recovery past 30 days (N = 200)	1.5%	2.0%	0.0%
Summary Measure 68.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 216)	9.7%	1.4%	85.7%
Biomedical Conditions and Complications (N = 216)	11.1%	15.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 216)	73.1%	42.6%	41.8%
Resistance to Change (N = 215)	89.3%	29.8%	66.7%
Relapse/Continued Use Potential (N = 216)	98.6%	93.5%	5.2%
Unsupportive Recovery Environment (N = 216)	96.3%	81.9%	14.9%
Summary Measure 29.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

MCF - Togo

62741 Co. Rd. 551 Togo, MN 55723

Provider Website:

Patient Profile

Gender (N = 43)
Male: 100.0%

Female: 0.0%

Primary Substance

(N = 43)Alcohol: 20.9%

Methamphetamine: 2.3% Marijuana: 69.8%

Heroin: 2.3% Cocaine: 2.3% Other opiates: 2.3%

Other drugs: 0.0%

Race (N = 43)

White: 53.5% Black: 9.3%

American Indian: 25.6%

Hispanic: 11.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 43)Job: 0.0%

Retirement/savings: 0.0% Family/friends: 83.7%

No income: 0.0% Public sources: 7.0% Other sources: 9.3% Age (N = 43)

County: Itasca

Under 18: 95.3% 18 to 25: 4.7% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 43) .

Self/family/relative/ friends: 4.7%

Employer/school: 0.0% Criminal justice: 100.0%

Professional: 0.0% County social

service agency: 14.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 43)

Completed program: 95.3%

Patient left without staff approval: 2.3% Staff requested/judged inappropriate: 2.3%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

MCF - Togo

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =43)	2.3%	0.0%	100.0%
Not employed/student § (N = 41)	0.0%	4.9%	*
Arrests past 30 days (N = 43)	48.8%	0.0%	100.0%
Alcohol use past 30 days (N = 43)	32.6%	0.0%	100.0%
Drug use past 30 days (N = 43)	60.5%	0.0%	100.0%
No self-help group participation past 30 days (N = 42)	73.8%	92.9%	0.0%
No family support for recovery past 30 days $(N = 41)$	7.3%	2.4%	66.7%
Summary Measure 55.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 42)	0.0%	0.0%	*
Biomedical Conditions and Complications ($N = 42$)	2.4%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 42)	57.1%	40.5%	29.2%
Resistance to Change (N = 42)	88.1%	54.8%	37.8%
Relapse/Continued Use Potential (N = 42)	100.0%	69.0%	31.0%
Unsupportive Recovery Environment ($N = 42$)	92.9%	61.9%	33.3%
Summary Measure [∥] 33.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Meadow Creek

17305 Meadow Creek Lane Pine City, MN 55063

Provider Website: www.meridiannetwork.com

Patient Profile

Gender (N = 180) Race (N = 180)Male: 0.0% White: 80.0% Female: 100.0% Black: 4.4%

18 to 25: 25.6% American Indian: 7.8% 26 to 34: 30.0% 35 and older: 44.4% Hispanic: 1.7%

Asian/Pacific Islander: 0.0%

Other: 6.1%

Primary Substance Source of Income

(N = 178)(N = 180)Alcohol: 34.3% Job: 12.8%

Marijuana: 12.9% Heroin: 5.6% Cocaine: 6.7%

Self/family/relative/ Methamphetamine: 15.7% Retirement/savings: 1.1% friends: 42.8% Family/friends: 12.2% Employer/school: 0.0% No income: 29.4% Criminal justice: 12.2% Public sources: 31.1% Professional: 42.2% Other sources: 13.3% County social Other opiates: 18.5%

Other drugs: 6.2% service agency: 73.3% Other community resources: 2.8%

> AA: 0.0% Tribal: 4.4%

County: Pine

Age (N = 180)

Under 18: 0.0%

Source of Referral

(N = 180) .

Discharge Status

(N = 180)

Completed program: 81.1%

Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 6.1%

Death/other: 1.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Meadow Creek

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =177)	14.1%	0.6%	96.0%
Not employed/student§ (N = 175)	83.4%	83.4%	0.0%
Arrests past 30 days (N = 180)	12.8%	1.7%	87.0%
Alcohol use past 30 days (N = 178)	52.8%	1.7%	96.8%
Drug use past 30 days (N = 178)	61.2%	10.1%	83.5%
No self-help group participation past 30 days (N = 178)	42.7%	0.0%	100.0%
No family support for recovery past 30 days (N = 147)	3.4%	3.4%	0.0%
Summary Measure 62.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 178)	4.5%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 178)$	3.9%	2.3%	42.9%
Emotional/Behavioral/ Cognitive Problem (N = 178)	98.3%	82.6%	16.0%
Resistance to Change (N = 178)	25.8%	18.5%	28.3%
Relapse/Continued Use Potential (N = 178)	100.0%	92.7%	7.3%
Unsupportive Recovery Environment (N = 178)	95.5%	88.8%	7.1%
Summary Measure [∥] 13.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Micah Halfway House

3047 5th Avenue South Minneapolis, MN 55408

Provider Website:

Patient Profile

 Gender (N = 80)
 Race (N = 80)

 Male: 100.0%
 White: 10.0%

 Female: 0.0%
 Black: 40.0%

American Indian: 0.0% Hispanic: 50.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance (N = 80)

Alcohol: 58.8% Methamphetamine: 1.3%

Marijuana: 12.5% Heroin: 7.5% Cocaine: 17.5% Other opiates: 2.5%

Other drugs: 0.0%

Source of Income

(N = 80)Job: 60.0%

Retirement/savings: 0.0% Family/friends: 0.0% No income: 21.3% Public sources: 16.3% Other sources: 2.5% Age (N = 80)

County: Hennepin

Under 18: 0.0% 18 to 25: 7.5% 26 to 34: 20.0% 35 and older: 72.5%

Source of Referral

(N = 80) .

Self/family/relative/ friends: 90.0% Employer/school: 0.0% Criminal justice: 21.3% Professional: 30.0%

County social

service agency: 7.5% Other community resources: 8.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 80)

Completed program: 31.3%

Patient left without staff approval: 43.8% Staff requested/judged inappropriate: 12.5%

Death/other: 12.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Micah Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =79)	63.3%	45.6%	28.0%
Not employed/student \S (N = 56)	87.5%	71.4%	18.4%
Arrests past 30 days (N = 79)	10.1%	5.1%	50.0%
Alcohol use past 30 days (N = 77)	59.7%	28.6%	52.2%
Drug use past 30 days (N = 77)	35.1%	14.3%	59.3%
No self-help group participation past 30 days $(N = 74)$	47.3%	14.9%	68.6%
No family support for recovery past 30 days (N = 78)	23.1%	7.7%	66.7%
Summary Measure 42.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 79$)	6.3%	5.1%	20.0%
Biomedical Conditions and Complications $(N = 79)$	3.8%	6.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 79)	86.1%	69.6%	19.1%
Resistance to Change $(N = 79)$	81.0%	72.2%	10.9%
Relapse/Continued Use Potential ($N = 79$)	100.0%	91.1%	8.9%
Unsupportive Recovery Environment (N = 79)	98.7%	92.4%	6.4%
Summary Measure 10.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\% at admission - \% at discharge)/\$\Sigma(\% at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Halfway House

17222 Ataage Drive Onamia, MN 56359

Provider Website:

Patient Profile

<u>Gender (N = 19)</u> Male: 100.0%

Female: 0.0%

Primary Substance

(N = 19)Alcohol: 63.2%

Methamphetamine: 0.0% Marijuana: 26.3%

Heroin: 0.0%
Cocaine: 0.0%
Other opiates: 10.5

Other opiates: 10.5% Other drugs: 0.0% Race (N = 19)

White: 0.0% Black: 0.0%

American Indian: 89.5%

Hispanic: 5.3%

Asian/Pacific Islander: 0.0%

Other: 5.3%

Source of Income

(N = 19)

Job: 21.1% Retirement/savings: 5.3%

Family/friends: 10.5% No income: 10.5% Public sources: 21.1%

Other sources: 31.6%

Age (N = 19)

County: Mille Lacs

Under 18: 0.0% 18 to 25: 47.4% 26 to 34: 26.3%

35 and older: 26.3%

Source of Referral

(N = 19) .

Self/family/relative/ friends: 15.8% Employer/school: 0.0%

Criminal justice: 47.4% Professional: 52.6%

County social

service agency: 15.8%

Other community resources: 0.0%

AA: 0.0% Tribal: 68.4%

Discharge Status

(N = 19)

Completed program: 47.4%

Patient left without staff approval: 26.3% Staff requested/judged inappropriate: 15.8%

Death/other: 10.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Mille Lacs Band Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =19)	0.0%	0.0%	*
Not employed/student \S (N = 15)	86.7%	60.0%	30.8%
Arrests past 30 days (N = 19)	0.0%	10.5%	*
Alcohol use past 30 days (N = 19)	0.0%	31.6%	*
Drug use past 30 days (N = 19)	10.5%	42.1%	0.0%
No self-help group participation past 30 days (N = 19)	57.9%	5.3%	90.9%
No family support for recovery past 30 days (N = 19)	21.1%	26.3%	0.0%
Summary Measure 0.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 19)	0.0%	5.3%	*
Biomedical Conditions and Complications $(N = 19)$	10.5%	5.3%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 19)	5.3%	36.8%	0.0%
Resistance to Change $(N = 19)$	100.0%	78.9%	21.1%
Relapse/Continued Use Potential (N = 19)	100.0%	89.5%	10.5%
Unsupportive Recovery Environment (N = 19)	100.0%	73.7%	26.3%
Summary Measure [∥] 8.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

777 Lady Luck Drive Hinckley, MN 55037

Provider Website:

Patient Profile

Gender (N = 17)Male: 76.5%

Female: 23.5%

Hispanic: 0.0% Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 17)Alcohol: 76.5%

Methamphetamine: 0.0% Marijuana: 17.6%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 5.9%

Other drugs: 0.0%

Race (N = 17)

White: 11.8% Black: 0.0%

American Indian: 88.2%

Source of Income

(N = 17)Job: 5.9%

Retirement/savings: 5.9%

Family/friends: 0.0% No income: 29.4% Public sources: 23.5%

Other sources: 35.3%

Age (N = 17)

County: Pine

Under 18: 29.4% 18 to 25: 41.2% 26 to 34: 11.8%

35 and older: 17.6%

Source of Referral

(N = 17) .

Self/family/relative/ friends: 11.8% Employer/school: 0.0% Criminal justice: 88.2%

Professional: 5.9% County social

service agency: 11.8%

Other community resources: 11.8%

AA: 0.0% Tribal: 5.9%

Discharge Status

N = 17

Completed program: 47.1%

Patient left without staff approval: 41.2% Staff requested/judged inappropriate: 0.0%

Death/other: 11.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =16)	0.0%	0.0%	*
Not employed/student \S (N = 15)	73.3%	53.3%	27.3%
Arrests past 30 days (N = 17)	5.9%	11.8%	0.0%
Alcohol use past 30 days (N = 17)	5.9%	23.5%	0.0%
Drug use past 30 days (N = 17)	5.9%	17.6%	0.0%
No self-help group participation past 30 days (N = 15)	60.0%	46.7%	22.2%
No family support for recovery past 30 days (N = 15)	0.0%	6.7%	*
Summary Measure -5.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 16)	0.0%	6.3%	*
Biomedical Conditions and Complications $(N = 15)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 16)	0.0%	0.0%	*
Resistance to Change (N = 16)	93.8%	50.0%	46.7%
Relapse/Continued Use Potential (N = 17)	100.0%	52.9%	47.1%
Unsupportive Recovery Environment (N = 17)	82.4%	47.1%	42.9%
Summary Measure [∥] 43.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

42293 Twilight Rd Onamia, MN 56359

Provider Website:

Patient Profile

Gender (N = 46)Race (N = 46)Male: 41.3% White: 0.0%

Female: 58.7% Black: 0.0% 18 to 25: 30.4% American Indian: 100.0% 26 to 34: 28.3% 35 and older: 34.8% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 46)(N = 46)Alcohol: 82.6% Job: 2.2%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 8.7% Family/friends: 8.7% Heroin: 0.0% No income: 4.4% Cocaine: 0.0% Public sources: 0.0%

friends: 0.0% Employer/school: 0.0% Criminal justice: 82.6% Professional: 2.2% Other sources: 84.8% Other opiates: 8.7% County social Other drugs: 0.0% service agency: 39.1% Other community

> resources: 13.0% AA: 0.0% Tribal: 60.9%

County: Mille Lacs

Age (N = 46)

Under 18: 6.5%

Source of Referral

Self/family/relative/

(N = 46) .

Discharge Status

(N = 46)

Completed program: 28.3%

Patient left without staff approval: 50.0% Staff requested/judged inappropriate: 4.4%

Death/other: 17.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =43)	0.0%	0.0%	*
Not employed/student \S (N = 31)	77.4%	74.2%	4.2%
Arrests past 30 days (N = 46)	8.7%	8.7%	0.0%
Alcohol use past 30 days (N = 46)	17.4%	10.9%	37.5%
Drug use past 30 days (N = 46)	10.9%	17.4%	0.0%
No self-help group participation past 30 days ($N = 38$)	39.5%	23.7%	40.0%
No family support for recovery past 30 days $(N = 34)$	0.0%	0.0%	*
Summary Measure 12.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 46$)	4.4%	2.2%	50.0%
Biomedical Conditions and Complications $(N = 46)$	26.1%	28.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 46)	65.2%	56.5%	13.3%
Resistance to Change (N = 46)	60.9%	73.9%	0.0%
Relapse/Continued Use Potential (N = 45)	95.6%	80.0%	16.3%
Unsupportive Recovery Environment (N = 44)	59.1%	52.3%	11.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

20849 370th Lane McGregor, MN 55760

Provider Website:

Patient Profile

 Gender (N = 14)
 Race (N = 14)

 Male: 57.1%
 White: 0.0%

 Female: 42.9%
 Black: 0.0%

emale: 42.9% Black: 0.0% 18 to 25: 21.4% American Indian: 100.0% 26 to 34: 21.4% Hispanic: 0.0% 35 and older: 42.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 14) Alcohol: 42.9% (N = 14) Job: 7.1%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 14.3% Family/friends: 7.1% No income: 7.1% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 42.9% Other sources: 78.6%

Source of Referral (N = 14)

Age (N = 14)

Under 18: 14.3%

County: Aitkin

Self/family/relative/ friends: 85.7% Employer/school: 7.1% Criminal justice: 71.4% Professional: 7.1%

County social

service agency: 14.3% Other community

resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 14)

Completed program: 35.7%

Patient left without staff approval: 57.1% Staff requested/judged inappropriate: 0.0%

Death/other: 7.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =13)	15.4%	15.4%	0.0%
Not employed/student \S (N = 12)	75.0%	75.0%	0.0%
Arrests past 30 days (N = 14)	21.4%	21.4%	0.0%
Alcohol use past 30 days (N = 14)	50.0%	50.0%	0.0%
Drug use past 30 days (N = 14)	28.6%	64.3%	0.0%
No self-help group participation past 30 days $(N = 13)$	46.2%	76.9%	0.0%
No family support for recovery past 30 days (N = 13)	23.1%	38.5%	0.0%
Summary Measure -31.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 12)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 11)$	9.1%	18.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 12)	25.0%	33.3%	0.0%
Resistance to Change $(N = 12)$	100.0%	66.7%	33.3%
Relapse/Continued Use Potential ($N = 12$)	100.0%	75.0%	25.0%
Unsupportive Recovery Environment ($N = 12$)	91.7%	66.7%	27.3%
Summary Measure 20.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program Aazhoomog Clinic

45741 Grace Lake Road Sandstone, MN 55072

Provider Website:

Patient Profile

<u>Gender (N = 12)</u> Male: 58.3%

Female: 41.7%

Primary Substance

(N = 12)

Alcohol: 83.3% Methamphetamine: 16.7%

Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Race (N = 12)

White: 0.0% Black: 0.0%

American Indian: 100.0%

Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 12)

Job: 0.0%

Retirement/savings: 0.0% Family/friends: 8.3% No income: 8.3%

Public sources: 8.3% Other sources: 75.0% Age (N = 12)

County: Pine

Under 18: 0.0% 18 to 25: 25.0% 26 to 34: 25.0%

35 and older: 50.0%

Source of Referral

(N = 12) .

Self/family/relative/ friends: 0.0%

Employer/school: 0.0% Criminal justice: 83.3% Professional: 33.3%

County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 83.3%

Discharge Status

(N = 12)

Completed program: 58.3%

Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 0.0%

Death/other: 25.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Mille Lacs Band Outpatient Program Aazhoomog Clinic

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =12)	0.0%	16.7%	*
Not employed/student \S (N = 12)	58.3%	41.7%	28.6%
Arrests past 30 days (N = 12)	8.3%	8.3%	0.0%
Alcohol use past 30 days (N = 12)	33.3%	41.7%	0.0%
Drug use past 30 days (N = 12)	16.7%	25.0%	0.0%
No self-help group participation past 30 days (N = 12)	33.3%	16.7%	50.0%
No family support for recovery past 30 days (N = 11)	9.1%	9.1%	0.0%
Summary Measure 0.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 12)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 12)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 12)	25.0%	33.3%	0.0%
Resistance to Change $(N = 12)$	41.7%	33.3%	20.0%
Relapse/Continued Use Potential (N = 12)	100.0%	58.3%	41.7%
Unsupportive Recovery Environment (N = 12)	100.0%	66.7%	33.3%
Summary Measure 28.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0. DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Alternatives LLC

7766 Highway 65 NE Minneapolis, MN 55432

Provider Website:

Patient Profile

 Gender (N = 73)
 Race (N = 73)

 Male: 64.4%
 White: 90.4%

 Female: 35.6%
 Black: 4.1%

American Indian: 2.7% 26 to 34: 27.4% Hispanic: 0.0% 35 and older: 56.2%

Asian/Pacific Islander: 0.0%

Other: 2.7%

Primary Substance Source of Income

(N = 73) Alcohol: 69.9% (N = 73) Job: 28.8%

Methamphetamine: 9.6% Retirement/savings: 1.4% Marijuana: 5.5% Family/friends: 2.7% Heroin: 1.4% No income: 4.1% Cocaine: 2.7% Public sources: 54.8% Other opiates: 5.5% Other sources: 8.2%

(N = 73) .
Self/family/relative/
friends: 35.6%

Source of Referral

Employer/school: 1.4% Criminal justice: 43.8% Professional: 32.9%

County social

County: Anoka

Age (N = 73)

Under 18: 0.0%

18 to 25: 16.4%

service agency: 41.1%

Other community resources: 11.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 5.5%

(N = 73)

Completed program: 60.3%

Patient left without staff approval: 19.2% Staff requested/judged inappropriate: 6.9%

Death/other: 13.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Minnesota Alternatives LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =68)	1.5%	2.9%	0.0%
Not employed/student \S (N = 70)	68.6%	58.6%	14.6%
Arrests past 30 days (N = 73)	4.1%	4.1%	0.0%
Alcohol use past 30 days (N = 72)	41.7%	37.5%	10.0%
Drug use past 30 days (N = 72)	20.8%	22.2%	0.0%
No self-help group participation past 30 days ($N = 68$)	61.8%	63.2%	0.0%
No family support for recovery past 30 days $(N = 64)$	1.6%	1.6%	0.0%
Summary Measure 4.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 64$)	0.0%	3.1%	*
Biomedical Conditions and Complications $(N = 70)$	4.3%	7.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 70)	81.4%	45.7%	43.9%
Resistance to Change (N = 71)	38.0%	29.6%	22.2%
Relapse/Continued Use Potential (N = 72)	97.2%	51.4%	47.1%
Unsupportive Recovery Environment $(N = 70)$	90.0%	52.9%	41.3%
Summary Measure 39.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge

2 East 2nd Street Duluth, MN 55802

Provider Website:

Patient Profile

<u>Gender (N = 69)</u> Male: 75.4% Female: 24.6%

emale: 24.6% Black: 5.8% American Indian: 8.7% Hispanic: 1.5%

Asian/Pacific Islander: 0.0%

Other: 1.5%

Race (N = 69)

White: 82.6%

Primary Substance (N = 69)

Alcohol: 47.8% Methamphetamine: 20.3%

Marijuana: 13.0% Heroin: 2.9% Cocaine: 0.0% Other opiates: 13.0%

Other drugs: 2.9%

Source of Income

(N = 69)Job: 20.3%

Retirement/savings: 1.5% Family/friends: 5.8%

No income: 10.1% Public sources: 59.4% Other sources: 2.9% Age (N = 69)

County: St. Louis

Under 18: 0.0% 18 to 25: 36.2% 26 to 34: 23.2%

35 and older: 40.6%

Source of Referral

(N = 69).

Self/family/relative/ friends: 87.0% Employer/school: 4.4% Criminal justice: 11.6% Professional: 2.9% County social

service agency: 5.8% Other community resources: 10.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 69)

Completed program: 71.0%

Patient left without staff approval: 21.7% Staff requested/judged inappropriate: 0.0%

Death/other: 7.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Minnesota Teen Challenge

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =68)	2.9%	1.5%	50.0%
Not employed/student§ (N = 63)	76.2%	79.4%	0.0%
Arrests past 30 days (N = 65)	6.2%	1.5%	75.0%
Alcohol use past 30 days (N = 69)	43.5%	8.7%	80.0%
Drug use past 30 days (N = 69)	31.9%	4.4%	86.4%
No self-help group participation past 30 days (N = 59)	35.6%	8.5%	76.2%
No family support for recovery past 30 days $(N = 67)$	7.5%	0.0%	100.0%
Summary Measure 49.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 68)	35.3%	29.4%	16.7%
Biomedical Conditions and Complications (N = 68)	23.5%	17.6%	25.0%
Emotional/Behavioral/ Cognitive Problem (N = 68)	66.2%	52.9%	20.0%
Resistance to Change (N = 68)	42.6%	42.6%	0.0%
Relapse/Continued Use Potential (N = 68)	89.7%	69.1%	23.0%
Unsupportive Recovery Environment ($N = 68$)	79.4%	66.2%	16.7%
Summary Measure 17.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge Men's Program

1619 Portland Ave. So. Minneapolis, MN 55404

Provider Website: www.mntc.org

Patient Profile

 Gender (N = 272)
 Race (N = 272)
 Age (N = 272)

 Male: 100.0%
 White: 80.9%
 Under 18: 9.6%

 Female: 0.0%
 Black: 10.7%
 18 to 25: 35.7%

emale: 0.0% Black: 10.7% 18 to 25: 35.7% American Indian: 2.2% 26 to 34: 28.7% Hispanic: 4.0% 35 and older: 26.1%

Asian/Pacific Islander: 1.5%

County: Hennepin

Other: 0.7%

Primary Substance Source of Income Source of Referral (N = 272) (N = 272) (N = 272) .

Alcohol: 40.1%

Methamphetamine: 18.0%

Marijuana: 27.6%

Job: 7.7%

Retirement/savings: 0.7%

Family/friends: 3.3%

Self/family/relative/
friends: 97.1%

Employer/school: 0.0%

Heroin: 2.9%

Cocaine: 5.5%

Other opiates: 5.5%

No income: 80.9%

Public sources: 1.5%

Other sources: 5.9%

Criminal justice: 18.0%

Professional: 0.0%

County social

Other drugs: 0.4% service agency: 0.0% Other community resources: 0.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 272)

Completed program: 73.5%

Patient left without staff approval: 18.0% Staff requested/judged inappropriate: 4.0%

Death/other: 4.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Minnesota Teen Challenge Men's Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =270)	4.8%	0.0%	100.0%
Not employed/student \S (N = 268)	83.6%	90.7%	0.0%
Arrests past 30 days (N = 272)	17.6%	1.1%	93.8%
Alcohol use past 30 days (N = 271)	53.5%	0.4%	99.3%
Drug use past 30 days (N = 271)	60.1%	1.5%	97.5%
No self-help group participation past 30 days (N = 268)	88.4%	44.8%	49.4%
No family support for recovery past 30 days (N = 270)	7.8%	13.3%	0.0%
Summary Measure 52.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 272)	2.9%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 272)$	1.8%	0.4%	80.0%
Emotional/Behavioral/ Cognitive Problem (N = 272)	20.2%	18.4%	9.1%
Resistance to Change (N = 272)	95.2%	45.2%	52.5%
Relapse/Continued Use Potential (N = 272)	100.0%	96.7%	3.3%
Unsupportive Recovery Environment (N = 272)	100.0%	97.1%	2.9%
Summary Measure [∥] 19.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge Women's Program

1717 2nd Ave South Minneapolis, MN 55403

Provider Website: www.mntc.org

Patient Profile

Gender (N = 90)Race (N = 90)Age (N = 90)Male: 0.0% White: 85.6% Female: 100.0% Black: 3.3%

> American Indian: 6.7% 26 to 34: 28.9% 35 and older: 41.1% Hispanic: 2.2%

> > Asian/Pacific Islander: 2.2%

Other: 0.0%

Primary Substance Source of Income

(N = 90)(N = 90)Alcohol: 47.8% Job: 10.0%

Methamphetamine: 20.0% Retirement/savings: 1.1% Family/friends: 3.3% Marijuana: 13.3% Heroin: 3.3% No income: 78.9% Cocaine: 5.6% Public sources: 2.2%

Other opiates: 10.0% Other sources: 4.4% (N = 90). Self/family/relative/ friends: 98.9%

Source of Referral

County: Hennepin

Under 18: 6.7%

18 to 25: 23.3%

Employer/school: 0.0% Criminal justice: 15.6% Professional: 0.0% County social

service agency: 0.0% Other community resources: 1.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 90)

Completed program: 71.1%

Patient left without staff approval: 26.7% Staff requested/judged inappropriate: 1.1%

Death/other: 1.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Minnesota Teen Challenge Women's Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =89)	1.1%	0.0%	100.0%
Not employed/student \S (N = 88)	84.1%	93.2%	0.0%
Arrests past 30 days (N = 89)	9.0%	0.0%	100.0%
Alcohol use past 30 days (N = 90)	56.7%	3.3%	94.1%
Drug use past 30 days (N = 90)	48.9%	3.3%	93.2%
No self-help group participation past 30 days (N = 88)	79.5%	51.1%	35.7%
No family support for recovery past 30 days (N = 88)	6.8%	4.6%	33.3%
Summary Measure 45.6%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 90$)	2.2%	3.3%	0.0%
Biomedical Conditions and Complications (N = 90)	2.2%	5.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 90)	28.9%	27.8%	3.9%
Resistance to Change (N = 90)	92.2%	41.1%	55.4%
Relapse/Continued Use Potential (N = 90)	100.0%	96.7%	3.3%
Unsupportive Recovery Environment $(N = 90)$	100.0%	98.9%	1.1%
Summary Measure 16.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Hennepin

AA: *
Tribal: *

Morgan Treatment Center

1025 Portland Avenue South Minneapolis, MN 55403

Provider Website:

Patient Profile

 Gender (N = 8)
 Race (N = 8)
 Age (N = 8)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

(N=8) (N=8) (N=8) Self/family/relative/

Methamphetamine: * Retirement/savings: * friends: *

Marijuana: * Family/friends: * Employer/school: *

Heroin: * No income: * Criminal justice: *

Cocaine: * Public sources: * Professional: *

Other opiates: * Other sources: * County social service agency: * Other community resources: *

Discharge Status

(N = 8)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Morgan Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless \S (N =8)	*	*	*
Not employed/student \S (N = 8)	*	*	*
Arrests past 30 days (N = 8)	*	*	*
Alcohol use past 30 days (N = 8)	*	*	*
Drug use past 30 days (N = 8)	*	*	*
No self-help group participation past 30 days $(N = 8)$	*	*	*
No family support for recovery past 30 days (N = 8)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 8)$	*	*	*
Biomedical Conditions and Complications $(N = 8)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 8)	*	*	*
Resistance to Change $(N = 8)$	*	*	*
Relapse/Continued Use Potential (N = 8)	*	*	*
Unsupportive Recovery Environment (N = 8)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

My Home, Inc.

1010 University Avenue St. Paul, MN 55104

Provider Website:

Patient Profile

 Gender (N = 88)
 Race (N = 88)

 Male: 89.8%
 White: 2.3%

 Female: 10.2%
 Black: 85.2%

American Indian: 3.4% Hispanic: 1.1%

Asian/Pacific Islander: 0.0%

Other: 8.0%

Primary Substance Source of Income

(N = 88) Alcohol: 39.8% (N = 88) Job: 9.1%

Methamphetamine: 1.1% Retirement/savings: 0.

Marijuana: 46.6% Family/friends: 0.0%

Heroin: 2.3% No income: 73.9%

Cocaine: 9.1% Public sources: 14.8%

Other opiates: 0.0% Other sources: 2.3%

N = 88)

Job: 9.1%

Retirement/savings: 0.0%

Family/friends: 0.0%

No income: 73.9%

Public sources: 14.8%

Professional: 0.0%

Professional: 0.0%

Professional: 0.0% County social

County social

County: Ramsey

Age (N = 88)

Under 18: 1.1%

18 to 25: 33.0%

26 to 34: 31.8% 35 and older: 34.1%

Source of Referral

service agency: 100.0%

Other community resources: 3.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.1%

(N = 88)

Completed program: 43.2%

Patient left without staff approval: 36.4% Staff requested/judged inappropriate: 0.0%

Death/other: 20.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

My Home, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =88)	3.4%	4.6%	0.0%
Not employed/student \S (N = 27)	37.0%	40.7%	0.0%
Arrests past 30 days (N = 88)	1.1%	1.1%	0.0%
Alcohol use past 30 days (N = 88)	27.3%	2.3%	91.7%
Drug use past 30 days (N = 88)	30.7%	2.3%	92.6%
No self-help group participation past 30 days (N = 54)	92.6%	94.4%	0.0%
No family support for recovery past 30 days $(N = 72)$	4.2%	5.6%	0.0%
Summary Measure [∥] 23.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 87$)	4.6%	0.0%	100.0%
Biomedical Conditions and Complications (N = 87)	2.3%	1.2%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 85)	41.2%	30.6%	25.7%
Resistance to Change (N = 85)	64.7%	51.8%	20.0%
Relapse/Continued Use Potential (N = 85)	92.9%	62.4%	32.9%
Unsupportive Recovery Environment ($N = 85$)	67.1%	52.9%	21.1%
Summary Measure 27.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

My Home, Inc.

420 North 5th Street Minneapolis, MN 55401

Provider Website:

Patient Profile

Black: * 18 to 25: *
American Indian: * 26 to 34: *
Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income

(N = 1) Alcohol: * (N = 1) Job: *

Methamphetamine: * Retirement/savings: *
Marijuana: * Family/friends: *

Heroin: * No income: *
Cocaine: * Public sources: *
Other opiates: * Other sources: *

Source of Referral (N = 1).

County: Hennepin

Age (N = 1)

Under 18: *

Self/family/relative/ friends: *

Employer/school: *
Criminal justice: *
Professional: *
County social

service agency: *
Other community
resources: *

AA: *
Tribal: *

Discharge Status

Other drugs: *

(N = 1)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

My Home, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless \S (N =1)	*	*	*
Not employed/student \S (N = 0)	*	*	*
Arrests past 30 days (N = 1)	*	*	*
Alcohol use past 30 days (N = 1)	*	*	*
Drug use past 30 days (N = 1)	*	*	*
No self-help group participation past 30 days $(N = 0)$	*	*	*
No family support for recovery past 30 days (N = 1)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 1)	*	*	*
Biomedical Conditions and Complications $(N = 1)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 1)	*	*	*
Resistance to Change $(N = 1)$	*	*	*
Relapse/Continued Use Potential (N = 1)	*	*	*
Unsupportive Recovery Environment (N = 1)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nehemiah Family Services

104 1st Street Dodge Center, MN 55927

Provider Website:

Patient Profile

 Gender (N = 86)
 Race (N = 86)

 Male: 77.9%
 White: 94.2%

 Female: 22.1%
 Black: 1.2%

American Indian: 0.0% 26 to 34: 36.0% Hispanic: 4.7% 35 and older: 30.2%

County: Dodge

Age (N = 86)

Under 18: 2.3%

18 to 25: 31.4%

Source of Referral

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 86) Alcohol: 75.6% (N = 86) Job: 64.0%

Methamphetamine: 5.8% Retirement/savings: 3.5% Marijuana: 18.6% Family/friends: 22.1% No income: 2.3% Cocaine: 0.0% Public sources: 7.0% Other opiates: 0.0% Other sources: 1.2%

(N = 86) .
Self/family/relative/
friends: 96.5%
Employer/school: 0.0%
Criminal justice: 88.4%
Professional: 3.5%
County social

service agency: 5.8% Other community resources: 1.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 86)

Completed program: 64.0%

Patient left without staff approval: 20.9% Staff requested/judged inappropriate: 0.0%

Death/other: 15.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Nehemiah Family Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =86)	0.0%	0.0%	*
Not employed/student \S (N = 85)	38.8%	38.8%	0.0%
Arrests past 30 days (N = 86)	10.5%	15.1%	0.0%
Alcohol use past 30 days (N = 86)	19.8%	20.9%	0.0%
Drug use past 30 days (N = 86)	10.5%	4.7%	55.6%
No self-help group participation past 30 days (N = 86)	75.6%	73.3%	3.1%
No family support for recovery past 30 days $(N = 84)$	3.6%	1.2%	66.7%
Summary Measure [∥] 3.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 86$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 86)	1.2%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 86)	4.7%	5.8%	0.0%
Resistance to Change (N = 86)	66.3%	31.4%	52.6%
Relapse/Continued Use Potential (N = 86)	81.4%	37.2%	54.3%
Unsupportive Recovery Environment (N = 86)	43.0%	29.1%	32.4%
Summary Measure [∥] 47.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Neighborhood Counseling Chemical Dependency Program

11 2nd Street SW Wadena, MN 56482

Provider Website:

Patient Profile

 Gender (N = 71)
 Race (N = 71)

 Male: 62.0%
 White: 94.4%

 Female: 38.0%
 Black: 5.6%

American Indian: 0.0% 26 th Hispanic: 0.0% 35 and the same and the sam

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 71) Alcohol: 73.2% Methamphetamine: 4.2%

Marijuana: 12.7% Heroin: 0.0% Cocaine: 1.4% Other opiates: 7.0%

Other drugs: 1.4%

Source of Income

(N = 71)Job: 38.0%

> Retirement/savings: 4.2% Family/friends: 11.3% No income: 15.5% Public sources: 14.1% Other sources: 16.9%

Age (N = 71)

County: Wadena

Under 18: 2.8% 18 to 25: 23.9% 26 to 34: 25.4% 35 and older: 47.9%

Source of Referral

(N = 71).

Self/family/relative/ friends: 40.8% Employer/school: 0.0% Criminal justice: 42.3% Professional: 29.6%

County social

service agency: 71.8%

Other community resources: 4.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 71)

Completed program: 50.7%

Patient left without staff approval: 29.6% Staff requested/judged inappropriate: 1.4%

Death/other: 18.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Neighborhood Counseling Chemical Dependency Progra

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =55)	1.8%	0.0%	100.0%
Not employed/student \S (N = 50)	50.0%	40.0%	20.0%
Arrests past 30 days (N = 61)	4.9%	8.2%	0.0%
Alcohol use past 30 days (N = 64)	35.9%	10.9%	69.6%
Drug use past 30 days (N = 64)	10.9%	1.6%	85.7%
No self-help group participation past 30 days (N = 53)	62.3%	58.5%	6.1%
No family support for recovery past 30 days (N = 50)	4.0%	2.0%	50.0%
Summary Measure [∥] 28.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 52$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 53)$	20.8%	11.3%	45.5%
Emotional/Behavioral/ Cognitive Problem (N = 52)	61.5%	36.5%	40.6%
Resistance to Change $(N = 52)$	38.5%	11.5%	70.0%
Relapse/Continued Use Potential (N = 52)	84.6%	34.6%	59.1%
Unsupportive Recovery Environment (N = 52)	90.4%	57.7%	36.2%
Summary Measure 48.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Buffalo Wright Cty Jail

3800 Braddock Ave NE Buffalo, MN 55313

Provider Website:

Patient Profile

 Gender (N = 34)
 Race (N = 34)

 Male: 100.0%
 White: 91.2%

 Female: 0.0%
 Black: 2.9%

emale: 0.0% Black: 2.9% 18 to 25: 32.4% American Indian: 5.9% 26 to 34: 29.4% Hispanic: 0.0% 35 and older: 38.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 34) Alcohol: 64.7% (N = 34) Job: 11.8%

Methamphetamine: 23.5% Retirement/savings: 0. Marijuana: 5.9% Family/friends: 2.9% Heroin: 0.0% No income: 76.5% Cocaine: 2.9% Other opiates: 2.9% Other sources: 2.9%

N = 34)

Job: 11.8%

Retirement/savings: 0.0%

Family/friends: 2.9%

No income: 76.5%

Public sources: 5.9%

Other sources: 2.9%

(N = 34)

Self/family/relative/
friends: 58.8%

Employer/school: 0.0%

Criminal justice: 76.5%

Professional: 0.0%

County social

County: Wright

Age (N = 34)

Under 18: 0.0%

Source of Referral

service agency: 11.8% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 34)

Completed program: 97.1%

Patient left without staff approval: 2.9% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Beginnings at Buffalo Wright Cty Jail

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =34)	11.8%	0.0%	100.0%
Not employed/student \S (N = 34)	94.1%	94.1%	0.0%
Arrests past 30 days (N = 34)	44.1%	0.0%	100.0%
Alcohol use past 30 days (N = 34)	26.5%	0.0%	100.0%
Drug use past 30 days (N = 34)	11.8%	0.0%	100.0%
No self-help group participation past 30 days $(N = 34)$	44.1%	5.9%	86.7%
No family support for recovery past 30 days $(N = 34)$	23.5%	0.0%	100.0%
Summary Measure 60.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 34$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 34)	2.9%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 34)	91.2%	11.8%	87.1%
Resistance to Change (N = 34)	79.4%	8.8%	88.9%
Relapse/Continued Use Potential (N = 34)	100.0%	29.4%	70.6%
Unsupportive Recovery Environment $(N = 34)$	100.0%	29.4%	70.6%
Summary Measure 78.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Litchfield

114 N. Holcombe Litchfield, MN 55355

Provider Website:

Patient Profile

 Gender (N = 53)
 Race (N = 53)

 Male: 67.9%
 White: 88.7%

 Female: 32.1%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 24.5% Hispanic: 9.4% 35 and older: 52.8%

Asian/Pacific Islander: 0.0%

Other: 1.9%

Primary Substance Source of Income

(N = 53) Alcohol: 66.0% (N = 53) Job: 49.1%

Methamphetamine: 20.8% Retirement/savings: 1.9% Family/friends: 20.8% Heroin: 0.0% No income: 5.7% Cocaine: 0.0% Public sources: 18.9% Other opiates: 1.9% Other sources: 3.8%

(N = 53) .
Self/family/relative/
friends: 7.6%
Employer/school: 0.0%
Criminal justice: 79.2%
Professional: 5.7%
County social

service agency: 67.9% Other community resources: 7.6%

AA: 0.0% Tribal: 0.0%

County: Meeker

Age (N = 53)

Under 18: 0.0%

18 to 25: 22.6%

Source of Referral

Discharge Status

Other drugs: 0.0%

(N = 53)

Completed program: 58.5%

Patient left without staff approval: 13.2% Staff requested/judged inappropriate: 26.4%

Death/other: 1.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Beginnings at Litchfield

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =53)	0.0%	0.0%	*
Not employed/student \S (N = 53)	54.7%	56.6%	0.0%
Arrests past 30 days (N = 53)	7.6%	1.9%	75.0%
Alcohol use past 30 days (N = 53)	20.8%	13.2%	36.4%
Drug use past 30 days (N = 53)	5.7%	11.3%	0.0%
No self-help group participation past 30 days $(N = 53)$	37.7%	9.4%	75.0%
No family support for recovery past 30 days $(N = 53)$	0.0%	1.9%	*
Summary Measure 25.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 53$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 53)	0.0%	3.8%	*
Emotional/Behavioral/ Cognitive Problem (N = 53)	30.2%	24.5%	18.8%
Resistance to Change (N = 53)	92.5%	41.5%	55.1%
Relapse/Continued Use Potential (N = 53)	100.0%	77.4%	22.6%
Unsupportive Recovery Environment ($N = 53$)	94.3%	43.4%	54.0%
Summary Measure 39.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Olivia Renville County Jail

105 5th Street Olivia, MN 56277

Provider Website:

Patient Profile

 Gender (N = 35)
 Race (N = 35)

 Male: 85.7%
 White: 62.9%

 Female: 14.3%
 Black: 11.4%

American Indian: 8.6% Hispanic: 17.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 35) Alcohol: 60.0% (N = 35) Job: 57.1%

Methamphetamine: 20.0% Retirement/savings: 0.

Marijuana: 17.1% Family/friends: 22.9%
Heroin: 0.0% No income: 8.6%
Cocaine: 0.0% Public sources: 5.7%
Other opiates: 2.9% Other sources: 5.7%

N = 35)

Job: 57.1%

Retirement/savings: 0.0%

Family/friends: 22.9%

No income: 8.6%

(N = 35)

Self/family/relative/
friends: 22.9%

Employer/school: 0.0%

Criminal justice: 71.4%

County: Renville

Age (N = 35)

Under 18: 0.0%

18 to 25: 17.1%

26 to 34: 57.1%

Source of Referral

35 and older: 25.7%

Professional: 0.0% County social

service agency: 54.3% Other community

resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 35)

Completed program: 74.3%

Patient left without staff approval: 17.1% Staff requested/judged inappropriate: 5.7%

Death/other: 2.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Beginnings at Olivia Renville County Jail

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =34)	17.6%	0.0%	100.0%
Not employed/student \S (N = 35)	91.4%	82.9%	9.4%
Arrests past 30 days (N = 35)	54.3%	5.7%	89.5%
Alcohol use past 30 days (N = 35)	37.1%	5.7%	84.6%
Drug use past 30 days (N = 35)	25.7%	5.7%	77.8%
No self-help group participation past 30 days (N = 35)	71.4%	2.9%	96.0%
No family support for recovery past 30 days (N = 35)	14.3%	0.0%	100.0%
Summary Measure 67.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 35$)	2.9%	2.9%	0.0%
Biomedical Conditions and Complications $(N = 35)$	0.0%	5.7%	*
Emotional/Behavioral/ Cognitive Problem (N = 35)	40.0%	31.4%	21.4%
Resistance to Change (N = 35)	20.0%	22.9%	0.0%
Relapse/Continued Use Potential (N = 35)	100.0%	97.1%	2.9%
Unsupportive Recovery Environment (N = 35)	100.0%	71.4%	28.6%
Summary Measure 12.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at St. Peter

201 W Park Row #B St. Peter, MN 56082

Provider Website: www.newbeginningsatwaverly.com

Patient Profile

 Gender (N = 64)
 Race (N = 64)

 Male: 84.4%
 White: 92.2%

 Female: 15.6%
 Black: 3.1%

Black: 3.1% 18 to 25: 31.3% American Indian: 0.0% 26 to 34: 29.7% Hispanic: 4.7% 35 and older: 39.1%

County: Nicollet

Age (N = 64)

Under 18: 0.0%

Source of Referral

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 7.8% Retirement/savings: 10
Marijuana: 25.0% Family/friends: 23.4%
Heroin: 0.0% No income: 3.1%
Cocaine: 0.0% Public sources: 7.8%
Other opiates: 3.1% Other sources: 4.7%

N = 64)

Job: 50.0%

Retirement/savings: 10.9%
Family/friends: 23.4%

No income: 3.1%

Public sources: 7.8%

Other sources: 4.7%

(N = 64)

Self/family/relative/
friends: 32.8%

Employer/school: 1.6%
Criminal justice: 89.1%
Professional: 10.9%
County social

service agency: 20.3% Other community resources: 1.6%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 64)

Completed program: 82.8%

Patient left without staff approval: 1.6% Staff requested/judged inappropriate: 9.4%

Death/other: 6.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Beginnings at St. Peter

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =64)	0.0%	0.0%	*
Not employed/student \S (N = 64)	48.4%	45.3%	6.5%
Arrests past 30 days (N = 64)	6.3%	3.1%	50.0%
Alcohol use past 30 days (N = 64)	3.1%	0.0%	100.0%
Drug use past 30 days (N = 64)	4.7%	1.6%	66.7%
No self-help group participation past 30 days (N = 64)	57.8%	3.1%	94.6%
No family support for recovery past 30 days $(N = 64)$	12.5%	1.6%	87.5%
Summary Measure 58.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 64$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 64)$	3.1%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 63)	15.9%	1.6%	90.0%
Resistance to Change $(N = 63)$	49.2%	4.8%	90.3%
Relapse/Continued Use Potential (N = 63)	100.0%	11.1%	88.9%
Unsupportive Recovery Environment $(N = 63)$	77.8%	11.1%	85.7%
Summary Measure [∥] 88.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Waverly

109 North Shore Drive Waverly, MN 55390

Provider Website: www.newbeginningsatwaverly.com

Patient Profile

 Gender (N = 623)
 Race (N = 623)

 Male: 100.0%
 White: 92.6%

 Female: 0.0%
 Black: 2.1%

American Indian: 1.4% 26 to 34: 23.6% Hispanic: 2.3% 35 and older: 43.8%

County: Wright

Age (N = 623)

Under 18: 0.2%

18 to 25: 32.4%

Source of Referral

Asian/Pacific Islander: 0.6%

Other sources: 6.1%

Other: 1.0%

Primary Substance Source of Income (N = 623) (N = 623)

Alcohol: 55.9% Job: 32.1%

Methamphetamine: 21.7% Retirement/savings: 2.7% Marijuana: 6.4% Family/friends: 10.6% No income: 44.8% Cocaine: 3.9% Public sources: 3.7%

___(N = 623) __.
Self/family/relative/
friends: 69.2%
Employer/school: 3.2%
Criminal justice: 20.4%
Professional: 19.1%
County social

service agency: 28.3% Other community resources: 28.6%

AA: 2.6% Tribal: 0.2%

Discharge Status

Other opiates: 5.9%

Other drugs: 1.9%

(N = 623)

Completed program: 83.9%

Patient left without staff approval: 10.3% Staff requested/judged inappropriate: 4.5%

Death/other: 1.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Beginnings at Waverly

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =622)	3.1%	0.2%	94.7%
Not employed/student \S (N = 621)	71.7%	72.0%	0.0%
Arrests past 30 days (N = 622)	17.7%	2.1%	88.2%
Alcohol use past 30 days (N = 623)	68.7%	21.8%	68.2%
Drug use past 30 days (N = 623)	53.1%	20.2%	61.9%
No self-help group participation past 30 days (N = 619)	76.4%	3.7%	95.1%
No family support for recovery past 30 days (N = 622)	5.0%	0.2%	96.8%
Summary Measure 59.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 622$)	1.6%	0.3%	80.0%
Biomedical Conditions and Complications $(N = 621)$	3.2%	4.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 622)	12.1%	18.5%	0.0%
Resistance to Change (N = 622)	9.0%	16.9%	0.0%
Relapse/Continued Use Potential (N = 621)	99.8%	99.4%	0.5%
Unsupportive Recovery Environment ($N = 622$)	99.7%	94.4%	5.3%
Summary Measure [∥] -3.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.
100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Worthington Prairie Justice Center

1680 Airport Road Worthington, MN 56182

Provider Website:

Patient Profile

 Gender (N = 19)
 Race (N = 19)

 Male: 78.9%
 White: 47.4%

 Female: 21.1%
 Black: 10.5%

American Indian: 15.8% 26 to 34: 26.3% Hispanic: 15.8% 35 and older: 31.6%

County: Nobles

Age (N = 19)

Under 18: 0.0%

18 to 25: 42.1%

Source of Referral

(N = 19) .

Asian/Pacific Islander: 5.3%

Other: 5.3%

Primary Substance Source of Income

(N = 19) Alcohol: 52.6% (N = 19) Job: 10.5%

Methamphetamine: 31.6% Retirement/savings: 0.0% Marijuana: 15.8% Family/friends: 0.0% No income: 21.1% Cocaine: 0.0% Public sources: 21.1% Other opiates: 0.0% Other sources: 47.4%

Job: 10.5%

Retirement/savings: 0.0%

Family/friends: 0.0%

No income: 21.1%

Public sources: 21.1%

Other sources: 47.4%

Self/family/relative/
friends: 57.9%

Employer/school: 0.0%

Criminal justice: 100.0%

Professional: 5.3%

County social

service agency: 10.5% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 19)

Completed program: 63.2%

Patient left without staff approval: 5.3% Staff requested/judged inappropriate: 15.8%

Death/other: 15.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Beginnings at Worthington Prairie Justice Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =19)	5.3%	0.0%	100.0%
Not employed/student \S (N = 18)	83.3%	88.9%	0.0%
Arrests past 30 days (N = 18)	61.1%	5.6%	90.9%
Alcohol use past 30 days (N = 19)	0.0%	10.5%	*
Drug use past 30 days (N = 19)	5.3%	0.0%	100.0%
No self-help group participation past 30 days (N = 19)	89.5%	5.3%	94.1%
No family support for recovery past 30 days (N = 19)	57.9%	0.0%	100.0%
Summary Measure 63.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 19)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 19)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 19)	57.9%	31.6%	45.5%
Resistance to Change (N = 19)	84.2%	31.6%	62.5%
Relapse/Continued Use Potential (N = 19)	100.0%	89.5%	10.5%
Unsupportive Recovery Environment (N = 19)	100.0%	89.5%	10.5%
Summary Measure 29.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings Jail Program at Elk River

13880 Hwy 10 Elk River, MN 55347

Provider Website:

Patient Profile

Gender (N = 62)Race (N = 62)Male: 93.5% White: 90.3% Female: 6.5% Black: 4.8%

> American Indian: 4.8% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 62)Alcohol: 48.4%

Methamphetamine: 25.8% Marijuana: 11.3% Heroin: 8.1%

Cocaine: 1.6% Other opiates: 4.8%

Other drugs: 0.0%

Source of Income

(N = 62)Job: 19.4%

> Retirement/savings: 0.0% Family/friends: 9.7%

No income: 61.3% Public sources: 4.8% Other sources: 4.8%

Age (N = 62)

County: Sherburne

Under 18: 0.0% 18 to 25: 25.8% 26 to 34: 35.5%

35 and older: 38.7%

Source of Referral

(N = 62) .

Self/family/relative/ friends: 37.1% Employer/school: 1.6% Criminal justice: 61.3% Professional: 16.1%

County social

service agency: 11.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 62)

Completed program: 74.2%

Patient left without staff approval: 12.9% Staff requested/judged inappropriate: 11.3%

Death/other: 1.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Beginnings Jail Program at Elk River

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =62)	11.3%	0.0%	100.0%
Not employed/student \S (N = 61)	85.2%	82.0%	3.9%
Arrests past 30 days (N = 62)	17.7%	0.0%	100.0%
Alcohol use past 30 days (N = 62)	22.6%	1.6%	92.9%
Drug use past 30 days (N = 62)	21.0%	4.8%	76.9%
No self-help group participation past 30 days $(N = 62)$	69.4%	4.8%	93.0%
No family support for recovery past 30 days (N = 58)	6.9%	1.7%	75.0%
Summary Measure [∥] 59.4%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 62$)	0.0%	1.6%	*
Biomedical Conditions and Complications $(N = 62)$	0.0%	1.6%	*
Emotional/Behavioral/ Cognitive Problem (N = 62)	77.4%	58.1%	25.0%
Resistance to Change $(N = 62)$	41.9%	29.0%	30.8%
Relapse/Continued Use Potential (N = 62)	100.0%	83.9%	16.1%
Unsupportive Recovery Environment ($N = 62$)	100.0%	79.0%	21.0%
Summary Measure [∥] 20.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings Women's Program

7300 Estes Avenue Waverly, MN 55390

Provider Website:

Patient Profile

Gender (N = 336) Male: 0.3%

Female: 99.7%

Hispanic: 1.8%

Primary Substance (N = 336)

Alcohol: 50.3%

Methamphetamine: 28.0%

Marijuana: 4.2% Heroin: 4.2% Cocaine: 3.3% Other opiates: 8.9%

Other drugs: 1.2%

Race (N = 336)

White: 94.3% Black: 1.2%

American Indian: 1.8%

Asian/Pacific Islander: 0.3%

Other: 0.6%

Source of Income

(N = 336)Job: 21.1%

Retirement/savings: 3.0%

Family/friends: 16.1% No income: 44.6% Public sources: 11.0%

Other sources: 4.2%

Age (N = 336)

Under 18: 0.0%

18 to 25: 24.1%

26 to 34: 31.3% 35 and older: 44.6%

County: Wright

Source of Referral (N = 336).

Self/family/relative/ friends: 63.4%

Employer/school: 1.2% Criminal justice: 17.3% Professional: 18.8%

County social

service agency: 32.7%

Other community resources: 28.9%

AA: 3.3% Tribal: 0.9%

Discharge Status

(N = 336)

Completed program: 80.1%

Patient left without staff approval: 14.6% Staff requested/judged inappropriate: 3.9%

Death/other: 1.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Beginnings Women's Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =335)	9.0%	0.3%	96.7%
Not employed/student \S (N = 335)	75.5%	75.8%	0.0%
Arrests past 30 days (N = 335)	14.3%	0.3%	97.9%
Alcohol use past 30 days (N = 336)	66.7%	27.1%	59.4%
Drug use past 30 days (N = 336)	56.3%	27.1%	51.9%
No self-help group participation past 30 days (N = 333)	75.1%	3.6%	95.2%
No family support for recovery past 30 days (N = 335)	8.4%	0.3%	96.4%
Summary Measure 55.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 335)	2.4%	0.3%	87.5%
Biomedical Conditions and Complications ($N = 335$)	3.6%	5.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 335)	18.2%	23.0%	0.0%
Resistance to Change (N = 335)	9.9%	20.0%	0.0%
Relapse/Continued Use Potential (N = 335)	100.0%	99.7%	0.3%
Unsupportive Recovery Environment (N = 335)	100.0%	99.7%	0.3%
Summary Measure -5.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Adolescents HSI

7565 4th Avenue Lino Lakes, MN 55014

Provider Website:

Patient Profile

 Gender (N = 37)
 Race (N = 37)

 Male: 89.2%
 White: 67.6%

 Female: 10.8%
 Black: 8.1%

American Indian: 10.8% 26 to 34: 0.0% Hispanic: 10.8% 35 and older: 0.0%

Asian/Pacific Islander: 2.7%

Other: 0.0%

Primary Substance Source of Income

(N = 37) Alcohol: 10.8% (N = 37) Job: 13.5%

Methamphetamine: 5.4% Retirement/savings: 0.0% Marijuana: 64.9% Family/friends: 70.3% No income: 2.7% Cocaine: 0.0% Public sources: 0.0%

Cocaine: 0.0% Public sources: 0.0% Properties: 0.0% Other sources: 13.5% Cother drugs: 18.9%

Source of Referral

County: Anoka

Age (N = 37)

Under 18: 75.7%

18 to 25: 24.3%

(N = 37) .
Self/family/relative/
friends: 0.0%

Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0%

County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 37)

Completed program: 86.5%

Patient left without staff approval: 13.5% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Choices for Adolescents HSI

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =36)	0.0%	0.0%	*
Not employed/student \S (N = 37)	2.7%	0.0%	100.0%
Arrests past 30 days (N = 37)	56.8%	2.7%	95.2%
Alcohol use past 30 days (N = 37)	35.1%	5.4%	84.6%
Drug use past 30 days (N = 37)	62.2%	8.1%	87.0%
No self-help group participation past 30 days (N = 35)	80.0%	51.4%	35.7%
No family support for recovery past 30 days $(N = 36)$	5.6%	0.0%	100.0%
Summary Measure 72.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 37$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 37)$	5.4%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 37)	89.2%	78.4%	12.1%
Resistance to Change (N = 37)	86.5%	5.4%	93.8%
Relapse/Continued Use Potential (N = 37)	100.0%	86.5%	13.5%
Unsupportive Recovery Environment (N = 37)	97.3%	91.9%	5.6%
Summary Measure 30.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Cottage Grove

8451 E. Point Douglas Road Cottage Grove, MN 55016

Provider Website: www.hsicares.org

Patient Profile

 Gender (N = 34)
 Race (N = 34)
 Age (N = 34)

 Male: 67.6%
 White: 79.4%
 Under 18: 0.0%

 Female: 32.4%
 Black: 11.8%
 18 to 25: 35.3%

American Indian: 2.9% 26 to 34: 32.4% Hispanic: 2.9% 35 and older: 32.4%

County: Washington

(N = 34) .

Self/family/relative/

friends: 55.9%

Professional: 0.0%

Employer/school: 5.9%

Criminal justice: 55.9%

Asian/Pacific Islander: 2.9%

Other: 0.0%

Primary Substance Source of Income Source of Referral

(N = 34) Alcohol: 61.8% (N = 34) Job: 32.4%

Methamphetamine: 11.8% Retirement/savings: 2.9% Marijuana: 17.6% Family/friends: 5.9% Heroin: 0.0% No income: 32.4% Cocaine: 0.0% Public sources: 14.7%

Other opiates: 5.9% Other sources: 11.8% County social service agency: 5.9%

Other community resources: 2.9% AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 34)

Completed program: 58.8%

Patient left without staff approval: 32.4% Staff requested/judged inappropriate: 5.9%

Death/other: 2.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Choices for Recovery Cottage Grove

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =31)	0.0%	0.0%	*
Not employed/student \S (N = 29)	51.7%	41.4%	20.0%
Arrests past 30 days (N = 34)	8.8%	11.8%	0.0%
Alcohol use past 30 days (N = 33)	30.3%	12.1%	60.0%
Drug use past 30 days (N = 33)	27.3%	3.0%	88.9%
No self-help group participation past 30 days (N = 31)	51.6%	22.6%	56.3%
No family support for recovery past 30 days (N = 29)	13.8%	37.9%	0.0%
Summary Measure [∥] 29.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 34$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 34)$	2.9%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 34)	47.1%	44.1%	6.3%
Resistance to Change $(N = 34)$	76.5%	41.2%	46.2%
Relapse/Continued Use Potential (N = 34)	100.0%	47.1%	52.9%
Unsupportive Recovery Environment (N = 34)	94.1%	38.2%	59.4%
Summary Measure 46.8%			

* Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Forest Lake

121 11th Ave S.E.

Forest Lake, MN 55025 County: Washington

Provider Website: www.hsicares.org

Patient Profile

 Gender (N = 30)
 Race (N = 30)
 Age (N = 30)

 Male: 93.3%
 White: 100.0%
 Under 18: 0.0%

Female: 6.7% Black: 0.0% 18 to 25: 30.0% American Indian: 0.0% 26 to 34: 26.7%

Hispanic: 0.0% 35 and older: 43.3% Asian/Pacific Islander: 0.0%

Tribal: 0.0%

Other: 0.0%

Primary Substance Source of Income Source of Referral (N = 30) (N = 30) (N = 30) .

Alcohol: 56.7% Job: 66.7% Self/family/relative/
Methamphetamine: 20.0% Retirement/savings: 0.0% friends: 43.3%

Marijuana: 20.0% Family/friends: 13.3% Employer/school: 0.0% Heroin: 0.0% No income: 3.3% Criminal justice: 60.0% Cocaine: 0.0% Public sources: 6.7% Professional: 10.0%

Cocaine: 0.0% Public sources: 6.7% Professional: 10.0% Other opiates: 3.3% Other sources: 10.0% County social

Other drugs: 0.0% service agency: 13.3% Other community

resources: 10.0% AA: 3.3%

Discharge Status

(N = 30)

Completed program: 66.7%

Patient left without staff approval: 3.3% Staff requested/judged inappropriate: 20.0%

Death/other: 10.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Choices for Recovery Forest Lake

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =27)	0.0%	0.0%	*
Not employed/student \S (N = 26)	38.5%	34.6%	10.0%
Arrests past 30 days (N = 29)	17.2%	3.5%	80.0%
Alcohol use past 30 days (N = 28)	35.7%	7.1%	80.0%
Drug use past 30 days (N = 28)	35.7%	14.3%	60.0%
No self-help group participation past 30 days $(N = 26)$	65.4%	38.5%	41.2%
No family support for recovery past 30 days $(N = 24)$	8.3%	0.0%	100.0%
Summary Measure 51.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 28)	0.0%	3.6%	*
Biomedical Conditions and Complications $(N = 28)$	3.6%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 28)	21.4%	17.9%	16.7%
Resistance to Change (N = 28)	78.6%	25.0%	68.2%
Relapse/Continued Use Potential (N = 28)	100.0%	28.6%	71.4%
Unsupportive Recovery Environment (N = 28)	85.7%	53.6%	37.5%
Summary Measure 55.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Stillwater

375 East Orleans Street Stillwater, MN 55082

Provider Website: www.hsicares.org

Patient Profile

<u>Gender (N = 111)</u> Male: 62.2%

Female: 37.8%

Primary Substance

(N = 111)

Alcohol: 52.3% Methamphetamine: 10.8%

Marijuana: 23.4% Heroin: 1.8% Cocaine: 5.4% Other opiates: 5.4%

Other drugs: 0.9%

Race (N = 111)

White: 91.0% Black: 0.9%

American Indian: 0.0%

Hispanic: 3.6%

Asian/Pacific Islander: 0.9%

Other: 3.6%

Source of Income

(N = 111)

Job: 34.2% Retirement/savings: 5.4%

Family/friends: 23.4% No income: 16.2% Public sources: 11.7%

Other sources: 9.0%

Age (N = 111)

County: Washington

Under 18: 11.7% 18 to 25: 21.6% 26 to 34: 17.1%

35 and older: 49.5%

Source of Referral

(N = 111).

Self/family/relative/ friends: 44.1% Employer/school: 2.7%

Criminal justice: 61.3% Professional: 16.2%

County social

service agency: 4.5% Other community resources: 5.4%

AA: 1.8% Tribal: 0.0%

Discharge Status

(N = 111)

Completed program: 48.6%

Patient left without staff approval: 18.9% Staff requested/judged inappropriate: 9.0%

Death/other: 23.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Choices for Recovery Stillwater

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =104)	1.0%	0.0%	100.0%
Not employed/student \S (N = 100)	49.0%	43.0%	12.2%
Arrests past 30 days (N = 110)	10.0%	11.8%	0.0%
Alcohol use past 30 days (N = 104)	23.1%	16.3%	29.2%
Drug use past 30 days (N = 104)	29.8%	24.0%	19.4%
No self-help group participation past 30 days (N = 101)	45.5%	30.7%	32.6%
No family support for recovery past 30 days (N = 100)	5.0%	4.0%	20.0%
Summary Measure [∥] 20.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 100)	0.0%	1.0%	*
Biomedical Conditions and Complications (N = 106)	6.6%	9.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 107)	61.7%	54.2%	12.1%
Resistance to Change (N = 104)	64.4%	36.5%	43.3%
Relapse/Continued Use Potential (N = 104)	93.3%	66.3%	28.9%
Unsupportive Recovery Environment (N = 106)	84.0%	66.0%	21.3%
Summary Measure [∥] 24.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0. DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Washington County Jail

15015 62nd Street N Stillwater, MN 55082

Provider Website:

Patient Profile

 Gender (N = 50)
 Race (N = 50)

 Male: 84.0%
 White: 80.0%

 Female: 16.0%
 Black: 0.0%

American Indian: 2.0% 26 to 34: 26.0% Hispanic: 10.0% 35 and older: 30.0%

Asian/Pacific Islander: 0.0%

Other: 8.0%

Primary Substance So

(N = 50)Alcohol: 30.0%

Methamphetamine: 38.0% Marijuana: 18.0% Heroin: 8.0%

Cocaine: 6.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 50)Job: 24.0%

> Retirement/savings: 4.0% Family/friends: 6.0% No income: 50.0% Public sources: 8.0%

Other sources: 8.0%

Source of Referral

(N = 50).

County: Washington

Age (N = 50)

Under 18: 0.0%

18 to 25: 44.0%

Self/family/relative/ friends: 44.0% Employer/school: 2.0% Criminal justice: 68.0% Professional: 0.0%

County social

service agency: 4.0% Other community resources: 2.0%

AA: 2.0% Tribal: 0.0%

Discharge Status

(N = 50)

Completed program: 44.0%

Patient left without staff approval: 22.0% Staff requested/judged inappropriate: 6.0%

Death/other: 28.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Choices for Recovery Washington County Jail

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =50)	4.0%	0.0%	100.0%
Not employed/student§ (N = 50)	92.0%	86.0%	6.5%
Arrests past 30 days (N = 50)	48.0%	10.0%	79.2%
Alcohol use past 30 days (N = 48)	12.5%	0.0%	100.0%
Drug use past 30 days (N = 48)	22.9%	6.3%	72.7%
No self-help group participation past 30 days (N = 46)	41.3%	37.0%	10.5%
No family support for recovery past 30 days $(N = 48)$	6.3%	16.7%	0.0%
Summary Measure 31.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 49)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 49)	2.0%	6.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 49)	59.2%	57.1%	3.5%
Resistance to Change (N = 50)	92.0%	32.0%	65.2%
Relapse/Continued Use Potential (N = 50)	100.0%	90.0%	10.0%
Unsupportive Recovery Environment ($N = 50$)	100.0%	90.0%	10.0%
Summary Measure 22.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Connection Program of Eden Prairie

6754 Shady Oak Road Eden Prairie, MN 55344

Provider Website: www.regionshospital.com

Patient Profile

 Gender (N = 48)
 Race (N = 48)

 Male: 66.7%
 White: 60.4%

 Female: 33.3%
 Black: 10.4%

emale: 33.3% Black: 10.4% 18 to 25: 10.4% American Indian: 2.1% 26 to 34: 0.0% Hispanic: 12.5% 35 and older: 0.0%

Asian/Pacific Islander: 4.2%

Other: 10.4%

Primary Substance Source of Income

(N = 48) Alcohol: 10.4% (N = 48) Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 85.4% Family/friends: 97.9% No income: 2.1% Public sources: 0.0%

Cocaine: 0.0% Public sources: 0.0% Other opiates: 0.0% Other sources: 0.0%

(N = 48) . Self/family/relative/ friends: 87.5%

Source of Referral

County: Hennepin

Age (N = 48)

Under 18: 89.6%

/friends: 97.9% Employer/school: 25.0% Ome: 2.1% Criminal justice: 16.7% sources: 0.0% Professional: 52.1% County social

service agency: 4.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 2.1%

(N = 48)

Completed program: 43.8%

Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 18.8%

Death/other: 25.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Connection Program of Eden Prairie

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =48)	0.0%	0.0%	*
Not employed/student \S (N = 48)	2.1%	4.2%	0.0%
Arrests past 30 days (N = 48)	14.6%	2.1%	85.7%
Alcohol use past 30 days (N = 48)	37.5%	20.8%	44.4%
Drug use past 30 days (N = 48)	64.6%	52.1%	19.4%
No self-help group participation past 30 days (N = 48)	56.3%	6.3%	88.9%
No family support for recovery past 30 days $(N = 48)$	2.1%	0.0%	100.0%
Summary Measure 51.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 48)	0.0%	2.1%	*
Biomedical Conditions and Complications (N = 48)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 48)	33.3%	47.9%	0.0%
Resistance to Change (N = 48)	43.8%	54.2%	0.0%
Relapse/Continued Use Potential (N = 48)	97.9%	60.4%	38.3%
Unsupportive Recovery Environment $(N = 48)$	93.8%	62.5%	33.3%
Summary Measure 15.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Connections Program-Hastings

1250 Highway 55 Hastings, MN 55033

Provider Website: www.regionshospital.com

Patient Profile

 $\underline{\text{Gender (N = 60)}}$

Male: 68.3% Female: 31.7%

Primary Substance

(N = 60)Alcohol: 10.0%

Methamphetamine: 0.0% Marijuana: 78.3%

Heroin: 5.0% Cocaine: 1.7% Other opiates: 1.7%

Other drugs: 3.3%

Race (N = 60)

White: 81.7% Black: 5.0%

American Indian: 0.0% Hispanic: 10.0%

Asian/Pacific Islander: 0.0%

Other: 3.3%

Source of Income

(N = 60)Job: 0.0%

Retirement/savings: 0.0% Family/friends: 100.0%

No income: 0.0% Public sources: 0.0%

Other sources: 0.0%

Age (N = 60)

County: Dakota

Under 18: 98.3% 18 to 25: 1.7% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 60) .

Self/family/relative/ friends: 95.0%

Employer/school: 15.0% Criminal justice: 23.3% Professional: 36.7%

County social

service agency: 13.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 60)

Completed program: 46.7%

Patient left without staff approval: 5.0% Staff requested/judged inappropriate: 8.3%

Death/other: 40.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Connections Program-Hastings

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =59)	0.0%	0.0%	*
Not employed/student \S (N = 60)	0.0%	0.0%	*
Arrests past 30 days (N = 60)	8.3%	6.7%	20.0%
Alcohol use past 30 days (N = 60)	45.0%	46.7%	0.0%
Drug use past 30 days (N = 60)	60.0%	61.7%	0.0%
No self-help group participation past 30 days (N = 60)	58.3%	40.0%	31.4%
No family support for recovery past 30 days $(N = 60)$	20.0%	8.3%	58.3%
Summary Measure 14.8%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 58$)	1.7%	0.0%	100.0%
Biomedical Conditions and Complications (N = 60)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 60)	88.3%	60.0%	32.1%
Resistance to Change (N = 60)	55.0%	56.7%	0.0%
Relapse/Continued Use Potential (N = 60)	100.0%	75.0%	25.0%
Unsupportive Recovery Environment $(N = 60)$	53.3%	61.7%	0.0%
Summary Measure 15.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Life Treatment Center

130 Dakota Street Woodstock, MN 56186

Provider Website: www.newlifetreatment.com

Patient Profile

Gender (N = 260) Race (N = 260)Male: 71.9% White: 83.1% Female: 28.1% Black: 1.5%

18 to 25: 30.0% American Indian: 6.5% 26 to 34: 24.2% 35 and older: 44.2% Hispanic: 3.5%

Asian/Pacific Islander: 0.0%

Other: 5.4%

Primary Substance Source of Income (N = 260)(N = 260)

Alcohol: 61.5% Job: 45.0%

Marijuana: 17.3% Heroin: 0.4% No income: 13.8% Cocaine: 0.4%

Methamphetamine: 14.6% Retirement/savings: 3.1% friends: 44.2% Family/friends: 16.9% Employer/school: 0.0% Criminal justice: 5.8% Public sources: 10.4% Professional: 8.5% Other sources: 10.8% County social Other opiates: 3.9% Other drugs: 1.9% service agency: 53.8%

Other community resources: 6.2%

AA: 0.0% Tribal: 6.5%

County: Pipestone

Age (N = 260)

Under 18: 1.5%

Source of Referral

Self/family/relative/

(N = 260) .

Discharge Status

(N = 260)

Completed program: 83.1%

Patient left without staff approval: 10.4% Staff requested/judged inappropriate: 2.7%

Death/other: 3.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Life Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 260)	5.4%	0.0%	100.0%
Not employed/student§ (N = 258)	57.0%	60.5%	0.0%
Arrests past 30 days (N = 260)	18.5%	0.4%	97.9%
Alcohol use past 30 days (N = 260)	64.6%	3.1%	95.2%
Drug use past 30 days (N = 260)	43.8%	3.9%	91.2%
No self-help group participation past 30 days (N = 260)	69.6%	2.3%	96.7%
No family support for recovery past 30 days (N = 259)	12.0%	4.3%	64.5%
Summary Measure [∥] 72.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 260)	1.5%	0.0%	100.0%
Biomedical Conditions and Complications (N = 260)	3.1%	1.2%	62.5%
Emotional/Behavioral/ Cognitive Problem (N = 260)	68.5%	21.5%	68.5%
Resistance to Change (N = 260)	63.1%	21.5%	65.9%
Relapse/Continued Use Potential (N = 260)	100.0%	90.4%	9.6%
Unsupportive Recovery Environment ($N = 260$)	97.7%	78.1%	20.1%
Summary Measure [∥] 36.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\$}}$ Status at admission and discharge. II 100(Σ (% at admission - % at discharge)/ Σ (% at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Perspectives, LLC

6425 Nicollet Ave. South Richfield, MN 55423

Provider Website:

Patient Profile

 Gender (N = 86)
 Race (N = 86)

 Male: 88.4%
 White: 44.2%

 Female: 11.6%
 Black: 47.7%

American Indian: 2.3% Hispanic: 2.3%

Asian/Pacific Islander: 1.2%

Other: 2.3%

Primary Substance Source of Income

(N = 86) Alcohol: 60.5% (N = 86) Job: 36.0

Methamphetamine: 1.2% Retirement/savings: 0.

Marijuana: 26.7% Family/friends: 1.2%

Heroin: 2.3% No income: 36.0%

Cocaine: 7.0% Public sources: 11.6%

Other opiates: 0.0% Other sources: 15.1%

(N = 86) (N = 86) .

Job: 36.0% Self/family/relative/
Retirement/savings: 0.0% friends: 24.4%

Family/friends: 1.2% Employer/school: 2.3%

Criminal justice: 51.2% s: 11.6% Professional: 17.4% S: 15.1% County social

County: Hennepin

Age (N = 86)

Under 18: 0.0%

18 to 25: 22.1%

26 to 34: 27.9% 35 and older: 50.0%

Source of Referral

service agency: 2.3% Other community resources: 14.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 2.3%

(N = 86)

Completed program: 51.2%

Patient left without staff approval: 14.0% Staff requested/judged inappropriate: 19.8%

Death/other: 15.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Perspectives, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =83)	7.2%	4.8%	33.3%
Not employed/student \S (N = 82)	61.0%	65.9%	0.0%
Arrests past 30 days (N = 62)	8.1%	3.2%	60.0%
Alcohol use past 30 days (N = 86)	50.0%	16.3%	67.4%
Drug use past 30 days (N = 86)	41.9%	14.0%	66.7%
No self-help group participation past 30 days (N = 83)	77.1%	31.3%	59.4%
No family support for recovery past 30 days (N = 83)	16.9%	22.9%	0.0%
Summary Measure 39.6%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 86)	8.1%	1.2%	85.7%
Biomedical Conditions and Complications (N = 86)	9.3%	3.5%	62.5%
Emotional/Behavioral/ Cognitive Problem (N = 86)	60.5%	34.9%	42.3%
Resistance to Change (N = 86)	84.9%	40.7%	52.1%
Relapse/Continued Use Potential (N = 86)	91.9%	54.7%	40.5%
Unsupportive Recovery Environment $(N = 86)$	93.0%	48.8%	47.5%
Summary Measure 47.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Ulm Medical Center Substance Abuse Treatment Service

1324 5th Street North New Ulm, MN 56073

Provider Website:

Patient Profile

Gender (N = 279) Male: 69.5%

Female: 30.5%

Primary Substance (N = 279)

Alcohol: 68.1%

Methamphetamine: 5.7% Marijuana: 20.4% Heroin: 0.7%

Cocaine: 0.7% Other opiates: 2.9%

Other drugs: 1.4%

Race (N = 279)

White: 91.8% Black: 1.4%

American Indian: 0.7% Hispanic: 5.0%

Asian/Pacific Islander: 0.0%

Other: 1.1%

Source of Income

(N = 279)

Job: 34.8% Retirement/savings: 3.6%

Family/friends: 17.2% No income: 3.9%

Public sources: 25.4% Other sources: 15.1%

Age (N = 279)

County: Brown

Under 18: 6.5% 18 to 25: 22.9% 26 to 34: 22.9%

35 and older: 47.7%

Source of Referral

(N = 279).

Self/family/relative/ friends: 37.3% Employer/school: 1.1% Criminal justice: 47.7% Professional: 19.4%

County social

service agency: 43.7%

Other community resources: 3.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 279)

Completed program: 55.2%

Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 7.2%

Death/other: 24.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Ulm Medical Center Substance Abuse Treatment Service

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =266)	2.6%	0.0%	100.0%
Not employed/student§ (N = 256)	61.3%	55.1%	10.2%
Arrests past 30 days (N = 279)	12.2%	11.5%	5.9%
Alcohol use past 30 days (N = 279)	43.0%	21.9%	49.2%
Drug use past 30 days (N = 279)	26.5%	15.4%	41.9%
No self-help group participation past 30 days (N = 198)	54.0%	27.3%	49.5%
No family support for recovery past 30 days (N = 138)	16.7%	12.3%	26.1%
Summary Measure 33.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 261)	7.3%	1.2%	84.2%
Biomedical Conditions and Complications (N = 277)	24.9%	18.8%	24.6%
Emotional/Behavioral/ Cognitive Problem (N = 275)	75.3%	60.7%	19.3%
Resistance to Change (N = 277)	48.7%	37.5%	23.0%
Relapse/Continued Use Potential (N = 277)	99.6%	89.5%	10.1%
Unsupportive Recovery Environment (N = 277)	96.0%	81.9%	14.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Ulm Medical Center-Drug Court Treatment

1821 Bassett Drive Mankato, MN 56001

Provider Website:

Patient Profile

Gender (N = 28)Race (N = 28)Male: 50.0% White: 92.9% Black: 3.6% Female: 50.0%

American Indian: 0.0% Hispanic: 3.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 28)(N = 28)Alcohol: 57.1% Job: 39.3%

Methamphetamine: 3.6% Retirement/savings: 3.6% Family/friends: 17.9% Marijuana: 28.6% Heroin: 0.0% No income: 10.7% Cocaine: 7.1%

Employer/school: 0.0% Criminal justice: 67.9% Public sources: 21.4% Professional: 28.6% Other sources: 7.1% Other opiates: 3.6% County social Other drugs: 0.0% service agency: 39.3% Other community

> resources: 0.0% AA: 0.0% Tribal: 0.0%

County: Blue Earth

Age (N = 28)

Under 18: 0.0%

18 to 25: 17.9%

26 to 34: 39.3% 35 and older: 42.9%

Source of Referral

Self/family/relative/

friends: 14.3%

(N = 28) .

Discharge Status

(N = 28)

Completed program: 50.0%

Patient left without staff approval: 42.9% Staff requested/judged inappropriate: 7.1%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Ulm Medical Center-Drug Court Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =28)	0.0%	3.6%	*
Not employed/student \S (N = 28)	57.1%	60.7%	0.0%
Arrests past 30 days (N = 28)	14.3%	14.3%	0.0%
Alcohol use past 30 days (N = 28)	14.3%	17.9%	0.0%
Drug use past 30 days (N = 28)	10.7%	10.7%	0.0%
No self-help group participation past 30 days (N = 25)	24.0%	32.0%	0.0%
No family support for recovery past 30 days $(N = 26)$	11.5%	23.1%	0.0%
Summary Measure -22.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 28)	0.0%	3.6%	*
Biomedical Conditions and Complications (N = 28)	32.1%	25.0%	22.2%
Emotional/Behavioral/ Cognitive Problem (N = 28)	85.7%	57.1%	33.3%
Resistance to Change (N = 28)	71.4%	46.4%	35.0%
Relapse/Continued Use Potential (N = 28)	85.7%	53.6%	37.5%
Unsupportive Recovery Environment $(N = 28)$	92.9%	60.7%	34.6%
Summary Measure 33.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center of Morris

712 Atlantic Avenue Morris, MN 56267

Provider Website:

Patient Profile

 Gender (N = 57)
 Race (N = 57)

 Male: 61.4%
 White: 96.5%

 Female: 38.6%
 Black: 0.0%

American Indian: 1.8% 26 to 34: 24.6% Hispanic: 0.0% 35 and older: 42.1%

Asian/Pacific Islander: 1.8%

Other: 0.0%

Primary Substance Source of Income

(N = 57) Alcohol: 57.9% (N = 57) Job: 52.6%

Methamphetamine: 10.5% Retirement/savings: 0.0% Family/friends: 17.5% No income: 3.5% Cocaine: 0.0% Public sources: 24.6%

Other opiates: 8.8% Other sources: 1.8%

(N = 57) Self/family/relative/ friends: 43.9% Employer/school: 3.5%

Source of Referral

Employer/school: 3.5% Criminal justice: 61.4% Professional: 17.5%

County social

County: Stevens

Age (N = 57)

Under 18: 0.0%

18 to 25: 33.3%

service agency: 35.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 3.5%

(N = 57)

Completed program: 54.4%

Patient left without staff approval: 14.0% Staff requested/judged inappropriate: 17.5%

Death/other: 14.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Visions Center of Morris

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =57)	0.0%	1.8%	*
Not employed/student \S (N = 56)	42.9%	21.4%	50.0%
Arrests past 30 days (N = 54)	5.6%	13.0%	0.0%
Alcohol use past 30 days (N = 57)	24.6%	26.3%	0.0%
Drug use past 30 days (N = 57)	15.8%	24.6%	0.0%
No self-help group participation past 30 days (N = 47)	48.9%	14.9%	69.6%
No family support for recovery past 30 days $(N = 49)$	2.0%	0.0%	100.0%
Summary Measure [∥] 27.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 52$)	0.0%	11.5%	*
Biomedical Conditions and Complications $(N = 57)$	12.3%	22.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 57)	64.9%	64.9%	0.0%
Resistance to Change (N = 57)	80.7%	70.2%	13.0%
Relapse/Continued Use Potential (N = 57)	96.5%	96.5%	0.0%
Unsupportive Recovery Environment ($N = 57$)	94.7%	87.7%	7.4%
Summary Measure -1.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center Outpatient Program

1700 Broadway Alexandria, MN 56308

Provider Website: www.newvisionscenter.net

Patient Profile

 Gender (N = 69)
 Race (N = 69)

 Male: 68.1%
 White: 97.1%

 Female: 31.9%
 Black: 1.5%

Black: 1.5% 18 to 25: 26.1% American Indian: 1.5% 26 to 34: 21.7% Hispanic: 0.0% 35 and older: 37.7%

County: Douglas

Age (N = 69)

Under 18: 14.5%

Source of Referral

Self/family/relative/

friends: 24.6%

Employer/school: 10.1%

(N = 69) .

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 69) Alcohol: 66.7% (N = 69) Job: 52.2%

Methamphetamine: 2.9% Retirement/savings: 1.5% Marijuana: 20.3% Family/friends: 18.8% Heroin: 1.5% No income: 4.4% Cocaine: 0.0% Public sources: 11.6% Other opiates: 7.3% Other sources: 11.6%

No income: 4.4% Criminal justice: 43.5% Public sources: 11.6% Professional: 36.2% County social service agency: 49.3% Other community

resources: 4.4% AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.5%

(N = 69)

Completed program: 52.2%

Patient left without staff approval: 21.7% Staff requested/judged inappropriate: 8.7%

Death/other: 17.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Visions Center Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =69)	0.0%	1.5%	*
Not employed/student§ (N = 68)	39.7%	26.5%	33.3%
Arrests past 30 days (N = 69)	5.8%	4.4%	25.0%
Alcohol use past 30 days (N = 69)	30.4%	15.9%	47.6%
Drug use past 30 days (N = 69)	18.8%	17.4%	7.7%
No self-help group participation past 30 days $(N = 68)$	64.7%	55.9%	13.6%
No family support for recovery past 30 days (N = 69)	26.1%	26.1%	0.0%
Summary Measure 20.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 69)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 69)$	1.5%	2.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 69)	42.0%	46.4%	0.0%
Resistance to Change $(N = 69)$	81.2%	73.9%	8.9%
Relapse/Continued Use Potential (N = 69)	100.0%	92.8%	7.3%
Unsupportive Recovery Environment ($N = 69$)	91.3%	87.0%	4.8%
Summary Measure [∥] 4.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center Residential Program

222 West 9th Ave. Alexandria, MN 56308

Provider Website: www.newvisionscenter.net

Patient Profile

Gender (N = 187) Race (N = 187)Male: 67.9% White: 88.2% Female: 32.1% Black: 2.7%

> American Indian: 5.4% 26 to 34: 20.9% 35 and older: 47.1% Hispanic: 2.7%

County: Douglas

Age (N = 187)

Under 18: 0.0%

18 to 25: 32.1%

Source of Referral

Self/family/relative/

(N = 187) .

Asian/Pacific Islander: 0.0%

Other: 1.1%

Primary Substance Source of Income

(N = 187)(N = 187)Alcohol: 58.8% Job: 28.9%

Methamphetamine: 10.2% Marijuana: 19.3% Heroin: 0.5% No income: 21.4% Cocaine: 2.1% Other opiates: 8.0%

Retirement/savings: 5.4% friends: 50.8% Family/friends: 17.6% Employer/school: 1.1% Criminal justice: 31.6% Public sources: 19.3% Professional: 19.8% Other sources: 7.5% County social

> service agency: 51.9% Other community resources: 2.7%

AA: 0.0% Tribal: 0.5%

Discharge Status

Other drugs: 1.1%

(N = 187)

Completed program: 46.5%

Patient left without staff approval: 25.7% Staff requested/judged inappropriate: 7.5%

Death/other: 20.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

New Visions Center Residential Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =182)	9.9%	1.7%	83.3%
Not employed/student \S (N = 181)	75.7%	72.9%	3.7%
Arrests past 30 days (N = 184)	12.0%	2.2%	81.8%
Alcohol use past 30 days (N = 187)	54.0%	12.8%	76.2%
Drug use past 30 days (N = 187)	37.4%	11.8%	68.6%
No self-help group participation past 30 days (N = 164)	59.1%	12.8%	78.4%
No family support for recovery past 30 days (N = 172)	7.6%	2.9%	61.5%
Summary Measure 54.2%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 187)	4.3%	2.1%	50.0%
Biomedical Conditions and Complications (N = 185)	10.3%	5.4%	47.4%
Emotional/Behavioral/ Cognitive Problem (N = 187)	56.1%	36.4%	35.2%
Resistance to Change (N = 187)	89.8%	53.5%	40.5%
Relapse/Continued Use Potential (N = 187)	100.0%	86.6%	13.4%
Unsupportive Recovery Environment (N = 187)	97.3%	77.0%	20.9%
Summary Measure 27.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Next Step

201 6th Street N.E. Staples, MN 56479

Provider Website:

Patient Profile

 Gender (N = 33)
 Race (N = 33)

 Male: 100.0%
 White: 54.5%

 Female: 0.0%
 Black: 6.1%

American Indian: 15.2% Hispanic: 6.1%

Asian/Pacific Islander: 3.0%

Other: 15.2%

Primary Substance

(N = 33)Alcohol: 6.1%

Methamphetamine: 0.0% Marijuana: 87.9% Heroin: 0.0%

Cocaine: 0.0% Other opiates: 3.0% Other drugs: 3.0% Source of Income

(N = 33)Job: 0.0%

> Retirement/savings: 0.0% Family/friends: 97.0% No income: 0.0%

Public sources: 3.0% Other sources: 0.0% Age (N = 33)

County: Todd

Under 18: 97.0% 18 to 25: 3.0% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 33) .

Self/family/relative/ friends: 24.2% Employer/school: 0.0% Criminal justice: 75.8% Professional: 12.1%

County social

service agency: 63.6%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 33)

Completed program: 60.6%

Patient left without staff approval: 15.2% Staff requested/judged inappropriate: 12.1%

Death/other: 12.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Next Step

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =33)	0.0%	0.0%	*
Not employed/student \S (N = 33)	0.0%	0.0%	*
Arrests past 30 days (N = 31)	3.2%	6.5%	0.0%
Alcohol use past 30 days (N = 33)	39.4%	6.1%	84.6%
Drug use past 30 days (N = 33)	63.6%	9.1%	85.7%
No self-help group participation past 30 days (N = 31)	54.8%	3.2%	94.1%
No family support for recovery past 30 days (N = 32)	3.1%	3.1%	0.0%
Summary Measure [∥] 83.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 33$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 33)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 33)	100.0%	39.4%	60.6%
Resistance to Change (N = 33)	100.0%	42.4%	57.6%
Relapse/Continued Use Potential (N = 33)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment $(N = 33)$	100.0%	100.0%	0.0%
Summary Measure [∥] 29.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

North East Regional Corrections Center

6102 Abrahamson Road Saginaw, MN 55779

Provider Website:

Patient Profile

<u>Gender (N = 156)</u> Male: 100.0%

Female: 0.0%

Primary Substance

(N = 156)Alcohol: 62.8%

Methamphetamine: 5.1%

Marijuana: 22.4% Heroin: 0.6% Cocaine: 0.6% Other opiates: 7.1%

Other drugs: 1.3%

Race (N = 156)

White: 76.9% Black: 9.0%

American Indian: 12.2%

Hispanic: 1.3%

Asian/Pacific Islander: 0.6%

Other: 0.0%

Source of Income

(N = 156)

Job: 30.8% Retirement/savings: 1.3%

Family/friends: 0.0% No income: 59.0% Public sources: 6.4% Other sources: 2.6% Age (N = 156)

County: St. Louis

Under 18: 0.0% 18 to 25: 38.5% 26 to 34: 28.8%

35 and older: 32.7%

Source of Referral

(N = 156) .

Self/family/relative/ friends: 0.6%

Employer/school: 0.0% Criminal justice: 99.4% Professional: 0.0%

County social

service agency: 30.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 156)

Completed program: 91.7%

Patient left without staff approval: 0.6% Staff requested/judged inappropriate: 3.2%

Death/other: 4.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

North East Regional Corrections Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =156)	0.0%	0.6%	*
Not employed/student \S (N = 155)	64.5%	80.6%	0.0%
Arrests past 30 days (N = 156)	3.2%	0.6%	80.0%
Alcohol use past 30 days (N = 156)	1.3%	0.0%	100.0%
Drug use past 30 days (N = 156)	1.9%	0.0%	100.0%
No self-help group participation past 30 days (N = 152)	40.8%	3.3%	91.9%
No family support for recovery past 30 days ($N = 149$)	3.4%	6.7%	0.0%
Summary Measure 20.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 156)	0.6%	0.0%	100.0%
Biomedical Conditions and Complications (N = 156)	9.6%	5.1%	46.7%
Emotional/Behavioral/ Cognitive Problem (N = 156)	49.4%	9.0%	81.8%
Resistance to Change (N = 156)	64.1%	10.3%	84.0%
Relapse/Continued Use Potential (N = 156)	99.4%	60.3%	39.4%
Unsupportive Recovery Environment ($N = 156$)	89.1%	47.4%	46.8%
Summary Measure 57.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

North Homes Inc. Outpatient Chemical Dependency

1880 River Road Grand Rapids, MN 55744

Provider Website:

Patient Profile

 Gender (N = 16)
 Race (N = 16)

 Male: 68.8%
 White: 68.8%

 Female: 31.3%
 Black: 0.0%

emale: 31.3% Black: 0.0% 18 to 25: 6.3% American Indian: 25.0% 26 to 34: 0.0% Hispanic: 0.0% 35 and older: 0.0%

Asian/Pacific Islander: 6.3%

Other: 0.0%

Primary Substance Source of Income

(N = 16) Alcohol: 25.0% (N = 16) Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.

Marijuana: 68.8% Family/friends: 68.8%
Heroin: 0.0% No income: 0.0%
Cocaine: 0.0% Public sources: 31.3%
Other opiates: 0.0% Other sources: 0.0%

N = 16)

Job: 0.0%

Retirement/savings: 0.0%

Family/friends: 68.8%

No income: 0.0%

Public sources: 31.3%

Other sources: 0.0%

(N = 16)

Self/family/relative/
friends: 12.5%

Employer/school: 0.0%

Criminal justice: 50.0%

Professional: 0.0%

County social

County: Itasca

Age (N = 16)

Under 18: 93.8%

Source of Referral

service agency: 50.0% Other community resources: 6.3%

AA: 0.0% Tribal: 6.3%

Discharge Status

Other drugs: 6.3%

(N = 16)

Completed program: 43.8%

Patient left without staff approval: 6.3% Staff requested/judged inappropriate: 12.5%

Death/other: 37.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

North Homes Inc. Outpatient Chemical Dependency

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =16)	0.0%	0.0%	*
Not employed/student \S (N = 16)	0.0%	0.0%	*
Arrests past 30 days (N = 16)	12.5%	12.5%	0.0%
Alcohol use past 30 days (N = 16)	18.8%	12.5%	33.3%
Drug use past 30 days (N = 16)	18.8%	25.0%	0.0%
No self-help group participation past 30 days (N = 16)	75.0%	68.8%	8.3%
No family support for recovery past 30 days (N = 15)	0.0%	26.7%	*
Summary Measure -16.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 16)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 16)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 16)	50.0%	56.3%	0.0%
Resistance to Change $(N = 16)$	75.0%	68.8%	8.3%
Relapse/Continued Use Potential (N = 16)	87.5%	75.0%	14.3%
Unsupportive Recovery Environment (N = 15)	46.7%	33.3%	28.6%
Summary Measure 10.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Center

1215 SE 7th Avenue Grand Rapids, MN 55744

Provider Website:

Patient Profile

 Gender (N = 367)
 Race (N = 367)

 Male: 74.9%
 White: 78.7%

 Female: 25.1%
 Black: 0.8%

American Indian: 13.9% Hispanic: 1.6%

Asian/Pacific Islander: 0.3%

Other: 4.6%

Primary Substance Source of Income (N = 367) (N = 367)

Alcohol: 55.3% Job: 28.6% Methamphetamine: 3.8% Retirement/

Marijuana: 26.4% Family/friends: 19.3% Heroin: 0.0% No income: 12.5% Cocaine: 0.5% Public sources: 19.6% Other opiates: 10.9% Other sources: 16.3%

N = 367)

Job: 28.6%

Retirement/savings: 3.5%

Family/friends: 19.3%

No income: 12.5%

Public sources: 19.6%

(N = 367)

Self/family/relative/
friends: 46.3%

Employer/school: 1.4%

Criminal justice: 42.0%

Professional: 23.2%

.3% Professional: 23.2%

County: Itasca

Age (N = 367)

Under 18: 12.5%

18 to 25: 23.2%

26 to 34: 24.5% 35 and older: 39.8%

Source of Referral

service agency: 24.0% Other community resources: 15.8%

AA: 0.0% Tribal: 3.3%

Discharge Status

Other drugs: 3.0%

(N = 367)

Completed program: 60.5%

Patient left without staff approval: 20.7% Staff requested/judged inappropriate: 7.6%

Death/other: 11.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Northland Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 361)	1.4%	2.5%	0.0%
Not employed/student§ (N = 348)	60.1%	50.3%	16.3%
Arrests past 30 days (N = 367)	16.1%	5.2%	67.8%
Alcohol use past 30 days (N = 367)	52.0%	13.6%	73.8%
Drug use past 30 days (N = 367)	44.1%	12.8%	71.0%
No self-help group participation past 30 days ($N = 345$)	72.8%	29.3%	59.8%
No family support for recovery past 30 days ($N = 349$)	10.9%	5.2%	52.6%
Summary Measure 53.8%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 362)	5.8%	4.1%	28.6%
Biomedical Conditions and Complications ($N = 362$)	18.0%	12.4%	30.8%
Emotional/Behavioral/ Cognitive Problem (N = 363)	75.8%	55.9%	26.2%
Resistance to Change (N = 362)	32.0%	29.0%	9.5%
Relapse/Continued Use Potential (N = 362)	95.3%	76.0%	20.3%
Unsupportive Recovery Environment (N = 364)	89.3%	60.7%	32.0%
Summary Measure 24.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Center Adolescent Unit

510 Southeast 13th Street Grand Rapids, MN 55744

Provider Website:

Patient Profile

<u>Gender (N = 91)</u> Male: 61.5% Female: 38.5%

emale: 38.5% Black: 3.3% American Indian: 25.3% Hispanic: 13.2%

Asian/Pacific Islander: 0.0%

Other: 1.1%

Race (N = 91)

White: 57.1%

Primary Substance (N = 91)

Alcohol: 12.1% Methamphetamine: 0.0%

Marijuana: 63.7% Heroin: 1.1% Cocaine: 0.0% Other opiates: 12.19

Other opiates: 12.1% Other drugs: 11.0% Source of Income

(N = 91)Job: 1.1%

> Retirement/savings: 0.0% Family/friends: 96.7% No income: 0.0% Public sources: 1.1%

Other sources: 1.1%

Age (N = 91)

County: Itasca

Under 18: 93.4% 18 to 25: 6.6% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 91) .

Self/family/relative/ friends: 40.7% Employer/school: 3.3% Criminal justice: 63.7% Professional: 8.8%

County social

service agency: 12.1% Other community resources: 16.5%

AA: 0.0% Tribal: 14.3%

Discharge Status

(N = 91)

Completed program: 73.6%

Patient left without staff approval: 14.3% Staff requested/judged inappropriate: 7.7%

Death/other: 4.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Northland Recovery Center Adolescent Unit

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =91)	0.0%	0.0%	*
Not employed/student \S (N = 91)	9.9%	3.3%	66.7%
Arrests past 30 days (N = 91)	31.9%	5.5%	82.8%
Alcohol use past 30 days (N = 91)	51.6%	11.0%	78.7%
Drug use past 30 days (N = 91)	75.8%	16.5%	78.3%
No self-help group participation past 30 days (N = 91)	89.0%	100.0%	0.0%
No family support for recovery past 30 days $(N = 91)$	6.6%	3.3%	50.0%
Summary Measure [∥] 47.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 91)	5.5%	1.1%	80.0%
Biomedical Conditions and Complications (N = 91)	2.2%	1.1%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 91)	86.8%	51.6%	40.5%
Resistance to Change (N = 91)	79.1%	41.8%	47.2%
Relapse/Continued Use Potential (N = 91)	100.0%	95.6%	4.4%
Unsupportive Recovery Environment ($N = 91$)	98.9%	96.7%	2.2%
Summary Measure 22.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Itasca

Age (N = 99)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 37.4%

Employer/school: 0.0%

Criminal justice: 42.4%

(N = 99).

AA: 0.0% Tribal: 9.1%

Northland Recovery Womens Center

213 SE 11th Street Grand Rapids, MN 55744

Provider Website:

Patient Profile

 Gender (N = 99)
 Race (N = 99)

 Male: 0.0%
 White: 62.6%

 Female: 100.0%
 Black: 0.0%

emale: 100.0% Black: 0.0% 18 to 25: 36.4% American Indian: 21.2% 26 to 34: 32.3% Hispanic: 2.0% 35 and older: 31.3%

Asian/Pacific Islander: 0.0%

Other: 14.1%

Primary Substance Source of Income (N = 99) (N = 99)

Alcohol: 41.4% Job: 19.2% Methamphetamine: 13.1% Retirement/savings: 1.0%

Marijuana: 15.2% Family/friends: 16.2% Heroin: 0.0% No income: 23.2% Cocaine: 0.0% Public sources: 30.3%

Cocaine: 0.0% Public sources: 30.3% Professional: 18.2% Other opiates: 26.3% Other sources: 10.1% County social service agency: 54.5% Other community resources: 9.1%

Discharge Status

(N = 99)

Completed program: 53.5%

Patient left without staff approval: 24.2% Staff requested/judged inappropriate: 13.1%

Death/other: 9.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Northland Recovery Womens Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =99)	4.0%	2.0%	50.0%
Not employed/student \S (N = 98)	76.5%	79.6%	0.0%
Arrests past 30 days (N = 99)	18.2%	2.0%	88.9%
Alcohol use past 30 days (N = 99)	58.6%	12.1%	79.3%
Drug use past 30 days (N = 99)	62.6%	25.3%	59.7%
No self-help group participation past 30 days (N = 99)	59.6%	10.1%	83.1%
No family support for recovery past 30 days $(N = 86)$	8.1%	7.0%	14.3%
Summary Measure [∥] 52.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 99$)	7.1%	3.0%	57.1%
Biomedical Conditions and Complications (N = 99)	16.2%	7.1%	56.3%
Emotional/Behavioral/ Cognitive Problem (N = 99)	91.9%	55.6%	39.6%
Resistance to Change (N = 99)	51.5%	44.4%	13.7%
Relapse/Continued Use Potential (N = 99)	100.0%	92.9%	7.1%
Unsupportive Recovery Environment (N = 99)	99.0%	88.9%	10.2%
Summary Measure [∥] 20.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nuway II

2518 First Avenue South Minneapolis, MN 55404

Provider Website:

Patient Profile

Gender (N = 97)Race (N = 97)Male: 100.0% White: 74.2% Female: 0.0% Black: 13.4%

> American Indian: 9.3% Hispanic: 2.1%

Asian/Pacific Islander: 0.0%

Other: 1.0%

Primary Substance

(N = 97)Alcohol: 37.1%

Methamphetamine: 17.5% Marijuana: 10.3%

Heroin: 14.4% Cocaine: 5.2% Other opiates: 15.5%

Other drugs: 0.0%

Source of Income

(N = 97)Job: 2.1%

Retirement/savings: 0.0%

Family/friends: 7.2% No income: 41.2% Public sources: 40.2%

Other sources: 9.3%

Age (N = 97)

County: Hennepin

Under 18: 0.0% 18 to 25: 25.8% 26 to 34: 34.0%

35 and older: 40.2%

Source of Referral

(N = 97).

Self/family/relative/ friends: 17.5% Employer/school: 0.0% Criminal justice: 18.6% Professional: 77.3%

County social

service agency: 69.1%

Other community resources: 1.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 97)

Completed program: 53.6%

Patient left without staff approval: 22.7% Staff requested/judged inappropriate: 14.4%

Death/other: 9.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Nuway II

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =94)	16.0%	8.5%	46.7%
Not employed/student§ (N = 96)	90.6%	65.6%	27.6%
Arrests past 30 days (N = 97)	3.1%	7.2%	0.0%
Alcohol use past 30 days (N = 97)	11.3%	19.6%	0.0%
Drug use past 30 days (N = 97)	7.2%	24.7%	0.0%
No self-help group participation past 30 days (N = 88)	5.7%	8.0%	0.0%
No family support for recovery past 30 days $(N = 62)$	8.1%	11.3%	0.0%
Summary Measure -2.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 96$)	1.0%	3.1%	0.0%
Biomedical Conditions and Complications $(N = 97)$	9.3%	10.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 97)	75.3%	69.1%	8.2%
Resistance to Change (N = 97)	85.6%	67.0%	21.7%
Relapse/Continued Use Potential (N = 97)	97.9%	89.7%	8.4%
Unsupportive Recovery Environment ($N = 97$)	96.9%	90.7%	6.4%
Summary Measure 9.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nuway House, Inc.

2200 First Avenue South Minneapolis, MN 55404

Provider Website:

Patient Profile

 Gender (N = 127)
 Race (N = 127)

 Male: 100.0%
 White: 75.6%

 Female: 0.0%
 Black: 18.1%

American Indian: 4.7% Hispanic: 0.8%

Asian/Pacific Islander: 0.0%

Other: 0.8%

Primary Substance (N = 127)

Alcohol: 47.2%

Methamphetamine: 15.0%

Marijuana: 5.5% Heroin: 17.3% Cocaine: 5.5% Other opiates: 8.7%

Other drugs: 0.8%

Source of Income

 $\frac{(N = 127)}{\text{Job: 7.9}\%}$

Retirement/savings: 0.8%

Family/friends: 7.9% No income: 33.9% Public sources: 25.2%

Other sources: 24.4%

Age (N = 127)

County: Hennepin

Under 18: 0.0% 18 to 25: 22.8% 26 to 34: 22.8%

35 and older: 54.3%

Source of Referral

(N = 127).

Self/family/relative/ friends: 12.6% Employer/school: 0.0% Criminal justice: 26.8% Professional: 80.3%

County social

service agency: 66.1%

Other community resources: 4.7%

AA: 0.0% Tribal: 0.8%

Discharge Status

(N = 127)

Completed program: 48.0%

Patient left without staff approval: 37.0% Staff requested/judged inappropriate: 11.8%

Death/other: 3.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Nuway House, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =126)	9.5%	1.6%	83.3%
Not employed/student \S (N = 121)	91.7%	76.9%	16.2%
Arrests past 30 days (N = 126)	2.4%	5.6%	0.0%
Alcohol use past 30 days (N = 127)	8.7%	22.8%	0.0%
Drug use past 30 days (N = 127)	11.8%	22.0%	0.0%
No self-help group participation past 30 days (N = 119)	14.3%	3.4%	76.5%
No family support for recovery past 30 days (N = 107)	15.0%	11.2%	25.0%
Summary Measure [∥] 6.5%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 127)	0.0%	3.2%	*
Biomedical Conditions and Complications (N = 127)	3.2%	1.6%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 127)	81.1%	62.2%	23.3%
Resistance to Change (N = 127)	99.2%	76.4%	23.0%
Relapse/Continued Use Potential (N = 127)	100.0%	89.8%	10.2%
Unsupportive Recovery Environment (N = 127)	100.0%	90.6%	9.5%
Summary Measure [∥] 15.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD

7300 W. 147th Street Apple Valley, MN 55124

Provider Website:

Patient Profile

<u>Gender (N = 52)</u> Male: 57.7%

Female: 42.3%

Primary Substance

(N = 52)Alcohol: 59.6%

Methamphetamine: 5.8% Marijuana: 17.3%

Heroin: 0.0% Cocaine: 7.7% Other opiates: 9.6%

Other drugs: 0.0%

Race (N = 52)

White: 88.5% Black: 3.9%

American Indian: 3.9% Hispanic: 1.9%

Asian/Pacific Islander: 0.0%

Other: 1.9%

Source of Income

(N = 52)Job: 42.3%

Retirement/savings: 0.0% Family/friends: 23.1%

No income: 1.9%
Public sources: 19.2%

Other sources: 13.5%

Age (N = 52)

County: Dakota

Under 18: 0.0% 18 to 25: 30.8% 26 to 34: 11.5%

35 and older: 57.7%

Source of Referral

(N = 52) .

Self/family/relative/ friends: 36.5% Employer/school: 0.0% Criminal justice: 5.8% Professional: 40.4%

County social

service agency: 26.9%

Other community resources: 3.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 52)

Completed program: 32.7%

Patient left without staff approval: 30.8% Staff requested/judged inappropriate: 13.5%

Death/other: 23.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Nystrom and Associates, LTD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	<u>% Improve</u> ‡
Homeless§ (N =50)	2.0%	0.0%	100.0%
Not employed/student \S (N = 48)	47.9%	45.8%	4.4%
Arrests past 30 days (N = 49)	2.0%	8.2%	0.0%
Alcohol use past 30 days (N = 52)	34.6%	9.6%	72.2%
Drug use past 30 days (N = 52)	26.9%	7.7%	71.4%
No self-help group participation past 30 days ($N = 43$)	41.9%	48.8%	0.0%
No family support for recovery past 30 days $(N = 46)$	8.7%	15.2%	0.0%
Summary Measure 17.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 52$)	1.9%	9.6%	0.0%
Biomedical Conditions and Complications (N = 52)	7.7%	7.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 52)	94.2%	78.8%	16.3%
Resistance to Change (N = 52)	55.8%	51.9%	6.9%
Relapse/Continued Use Potential (N = 52)	96.2%	63.5%	34.0%
Unsupportive Recovery Environment ($N = 52$)	96.2%	78.8%	18.0%
Summary Measure 17.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Hennepin

resources: *

AA: *
Tribal: *

Nystrom and Associates, LTD

11010 Prairie Lakes Drive # 250 Eden Prairie, MN 55344

Provider Website:

Patient Profile

 Gender (N = 4)
 Race (N = 4)
 Age (N = 4)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Source of Referral Primary Substance Source of Income (N = 4)(N = 4)(N = 4) . Alcohol: * Job: * Self/family/relative/ friends: * Methamphetamine: * Retirement/savings: * Family/friends: * Employer/school: * Marijuana: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community

Discharge Status

(N = 4)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Nystrom and Associates, LTD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =4)	*	*	*
Not employed/student \S (N = 4)	*	*	*
Arrests past 30 days (N = 3)	*	*	*
Alcohol use past 30 days (N = 4)	*	*	*
Drug use past 30 days (N = 4)	*	*	*
No self-help group participation past 30 days (N = 4)	*	*	*
No family support for recovery past 30 days $(N = 4)$	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 4)$	*	*	*
Biomedical Conditions and Complications $(N = 4)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 4)	*	*	*
Resistance to Change $(N = 4)$	*	*	*
Relapse/Continued Use Potential (N = 4)	*	*	*
Unsupportive Recovery Environment (N = 4)	*	*	*
Summary Measure [∥] *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD

13021 Evergreen Drive Baxter, MN 56425

Provider Website:

Patient Profile

<u>Gender (N = 16)</u> Male: 56.3%

Female: 43.8%

Primary Substance

(N = 16)Alcohol: 75.0%

Methamphetamine: 0.0% Marijuana: 25.0%

Heroin: 0.0%
Cocaine: 0.0%
Other opiates: 0.0%
Other drugs: 0.0%

Race (N = 16)

White: 100.0% Black: 0.0%

American Indian: 0.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 16)Job: 50.0%

Retirement/savings: 12.5%

Family/friends: 0.0% No income: 6.3% Public sources: 25.0% Other sources: 6.3% Age (N = 16)

County: Crow Wing

Under 18: 0.0% 18 to 25: 18.8% 26 to 34: 25.0%

35 and older: 56.3%

Source of Referral

(N = 16) .

Self/family/relative/ friends: 31.3%

Employer/school: 12.5% Criminal justice: 31.3% Professional: 50.0%

County social

service agency: 75.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 16)

Completed program: 43.8%

Patient left without staff approval: 18.8% Staff requested/judged inappropriate: 12.5%

Death/other: 25.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Nystrom and Associates, LTD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =16)	6.3%	0.0%	100.0%
Not employed/student \S (N = 16)	50.0%	50.0%	0.0%
Arrests past 30 days (N = 15)	0.0%	6.7%	*
Alcohol use past 30 days (N = 16)	37.5%	12.5%	66.7%
Drug use past 30 days (N = 16)	18.8%	6.3%	66.7%
No self-help group participation past 30 days (N = 13)	53.8%	23.1%	57.1%
No family support for recovery past 30 days $(N = 14)$	21.4%	7.1%	66.7%
Summary Measure 43.7%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 13)	15.4%	0.0%	100.0%
Biomedical Conditions and Complications (N = 13)	15.4%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 14)	57.1%	28.6%	50.0%
Resistance to Change (N = 13)	30.8%	15.4%	50.0%
Relapse/Continued Use Potential (N = 13)	92.3%	23.1%	75.0%
Unsupportive Recovery Environment (N = 13)	69.2%	15.4%	77.8%
Summary Measure 70.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD

1900 Silver Lake Road New Brighton, MN 55112

Provider Website: www.nystromcounseling.com

Patient Profile

 Gender (N = 46)
 Race (N = 46)
 Age (N = 46)

 Male: 52.2%
 White: 91.3%
 Under 18: 0.0%

 Female: 47.8%
 Black: 2.2%
 18 to 25: 28.3%

American Indian: 4.4% 26 to 34: 21.7% Hispanic: 2.2% 35 and older: 50.0%

Asian/Pacific Islander: 0.0%

County: Ramsey

Source of Referral

resources: 13.0%

Other: 0.0%

Primary Substance Source of Income

(N = 46)(N = 46)(N = 46)Alcohol: 65.2%Job: 45.7%Self/family/relative/Methamphetamine: 4.4%Retirement/savings: 2.2%friends: 43.5%

Marijuana: 10.9% Family/friends: 17.4% Employer/school: 6.5% Heroin: 0.0% No income: 0.0% Criminal justice: 8.7% Public sources: 28.3% Professional: 39.1% Other opiates: 10.9% Other sources: 6.5% County social

Other drugs: 2.2% service agency: 10.9% Other community

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 46)

Completed program: 58.7%

Patient left without staff approval: 21.7% Staff requested/judged inappropriate: 4.4%

Death/other: 15.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Nystrom and Associates, LTD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =44)	0.0%	2.3%	*
Not employed/student \S (N = 45)	48.9%	44.4%	9.1%
Arrests past 30 days (N = 45)	4.4%	2.2%	50.0%
Alcohol use past 30 days (N = 46)	30.4%	13.0%	57.1%
Drug use past 30 days (N = 46)	23.9%	6.5%	72.7%
No self-help group participation past 30 days (N = 39)	56.4%	33.3%	40.9%
No family support for recovery past 30 days $(N = 39)$	2.6%	2.6%	0.0%
Summary Measure 37.4%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 46$)	2.2%	6.5%	0.0%
Biomedical Conditions and Complications (N = 46)	15.2%	6.5%	57.1%
Emotional/Behavioral/ Cognitive Problem (N = 46)	69.6%	47.8%	31.3%
Resistance to Change (N = 46)	39.1%	28.3%	27.8%
Relapse/Continued Use Potential (N = 46)	89.1%	52.2%	41.5%
Unsupportive Recovery Environment (N = 46)	63.0%	30.4%	51.7%
Summary Measure 38.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD Waterfront Professional Building

9075 Quaday Ave. NE Otsego, MN 55330

Provider Website:

Patient Profile

 Gender (N = 37)
 Race (N = 37)

 Male: 67.6%
 White: 100.0%

 Female: 32.4%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 32.4% Hispanic: 0.0% 35 and older: 54.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 37) Alcohol: 75.7% (N = 37) Job: 51.4%

Methamphetamine: 5.4% Retirement/savings: 0.0% Marijuana: 5.4% Family/friends: 18.9% No income: 10.8% Cocaine: 2.7% Public sources: 13.5%

Cocaine: 2.7% Public sources: 13.5% Other opiates: 10.8% Other sources: 5.4%

Source of Referral (N = 37).

County: Wright

Age (N = 37)

Under 18: 0.0%

18 to 25: 13.5%

Self/family/relative/ friends: 37.8% Employer/school: 8.1% Criminal justice: 37.8% Professional: 18.9% County social

service agency: 5.4%

Other community resources: 10.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 37)

Completed program: 56.8%

Patient left without staff approval: 16.2% Staff requested/judged inappropriate: 5.4%

Death/other: 21.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Nystrom and Associates, LTD Waterfront Professional Building

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 37)	0.0%	0.0%	*
Not employed/student \S (N = 36)	36.1%	30.6%	15.4%
Arrests past 30 days (N = 36)	16.7%	16.7%	0.0%
Alcohol use past 30 days (N = 37)	45.9%	13.5%	70.6%
Drug use past 30 days (N = 37)	13.5%	10.8%	20.0%
No self-help group participation past 30 days (N = 33)	45.5%	42.4%	6.7%
No family support for recovery past 30 days (N = 37)	5.4%	8.1%	0.0%
Summary Measure 25.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 37)	5.4%	16.2%	0.0%
Biomedical Conditions and Complications $(N = 37)$	18.9%	16.2%	14.3%
Emotional/Behavioral/ Cognitive Problem (N = 37)	54.1%	43.2%	20.0%
Resistance to Change (N = 37)	70.3%	40.5%	42.3%
Relapse/Continued Use Potential ($N = 37$)	91.9%	45.9%	50.0%
Unsupportive Recovery Environment $(N = 37)$	86.5%	45.9%	46.9%
Summary Measure 36.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Odyssey-Dakota County Juvenile Service Center

1600 Hwy 55 Hastings MN 5503

Hastings, MN 55033 County: Dakota

Provider Website:

Patient Profile

 Gender (N = 36)
 Race (N = 36)
 Age (N = 36)

 Male: 97.2%
 White: 44.4%
 Under 18: 77.8%

 Female: 2.8%
 Black: 22.2%
 18 to 25: 22.2%

American Indian: 0.0% 26 to 34: 0.0%

Hispanic: 19.4% 35 and older: 0.0% Asian/Pacific Islander: 0.0%

Other: 13.9%

Primary Substance Source of Income

 $\begin{array}{cccc} \text{(N = 36)} & \text{(N = 36)} & \text{(N = 36)}. \\ \text{Alcohol: 2.8\%} & \text{Job: 8.3\%} & \text{Self/family/relative/} \\ \text{Methamphetamine: 0.0\%} & \text{Retirement/savings: 0.0\%} & \text{friends: 0.0\%} \\ \end{array}$

Marijuana: 91.7% Family/friends: 30.6% Employer/school: 0.0% Heroin: 0.0% No income: 41.7% Criminal justice: 100.0% Public sources: 0.0% Professional: 2.8%

Cocaine: 0.0% Public sources: 0.0% Professional: 2.8% Other opiates: 0.0% Other sources: 19.4% County social

Other drugs: 5.6% service agency: 5.6% Other community resources: 2.8%

AA: 0.0% Tribal: 0.0%

Source of Referral

Discharge Status

(N = 36)

Completed program: 38.9%

Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 2.8%

Death/other: 47.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Odyssey-Dakota County Juvenile Service Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N = 36)	0.0%	0.0%	*
Not employed/student \S (N = 36)	13.9%	16.7%	0.0%
Arrests past 30 days (N = 36)	16.7%	5.6%	66.7%
Alcohol use past 30 days (N = 36)	41.7%	5.6%	86.7%
Drug use past 30 days (N = 36)	52.8%	27.8%	47.4%
No self-help group participation past 30 days ($N = 36$)	94.4%	77.8%	17.6%
No family support for recovery past 30 days $(N = 36)$	11.1%	5.6%	50.0%
Summary Measure 39.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 36$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 36)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 36)	83.3%	83.3%	0.0%
Resistance to Change (N = 36)	88.9%	80.6%	9.4%
Relapse/Continued Use Potential (N = 36)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment $(N = 36)$	100.0%	94.4%	5.6%
Summary Measure 3.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Omada Behavioral Health Services of Northfield

401 Division St

County: Dakota Northfield, MN 55057

Provider Website:

Patient Profile

Gender (N = 7)Race (N = 7)Male: * White: *

Black: * Female: * 18 to 25: * 26 to 34: * American Indian: * 35 and older: *

Hispanic: *

Asian/Pacific Islander: *

Other: *

Source of Referral Primary Substance Source of Income

(N = 7)(N = 7)Alcohol: * Job: *

Self/family/relative/ friends: * Methamphetamine: * Retirement/savings: * Family/friends: * Employer/school: * Marijuana: *

Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

Other drugs: * service agency: * Other community resources: *

AA: * Tribal: *

Age (N = 7)

Under 18: *

(N = 7).

Discharge Status

(N = 7)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Omada Behavioral Health Services of Northfield

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =7)	*	*	*
Not employed/student § (N = 6)	*	*	*
Arrests past 30 days (N = 7)	*	*	*
Alcohol use past 30 days (N = 7)	*	*	*
Drug use past 30 days (N = 7)	*	*	*
No self-help group participation past 30 days (N = 5)	*	*	*
No family support for recovery past 30 days (N = 1)	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 4)	*	*	*
Biomedical Conditions and Complications $(N = 4)$	*	*	*
Emotional/Behavioral/ Cognitive Problem $(N = 4)$	*	*	*
Resistance to Change (N = 4)	*	*	*
Relapse/Continued Use Potential (N = 4)	*	*	*
Unsupportive Recovery Environment (N = 4)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Omegon, Inc.

2000 Hopkins Crossroads Minnetonka, MN 55305

Provider Website: www.omegon-mn.org

Patient Profile

 Gender (N = 22)
 Race (N = 22)

 Male: 54.5%
 White: 77.3%

 Female: 45.5%
 Black: 0.0%

Black: 0.0% 18 to 25: 0.0% American Indian: 9.1% 26 to 34: 0.0% Hispanic: 4.6% 35 and older: 0.0%

Asian/Pacific Islander: 4.6%

Other: 4.6%

Primary Substance Source of Income

(N = 22) Alcohol: 18.2% (N = 22) Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 45.5% Family/friends: 59.1% No income: 9.1% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 13.6%

Public sources: 0.0%

Other sources: 31.8%

(N = 22) Self/family/relative/ friends: 40.9%

Source of Referral

friends: 40.9% Employer/school: 0.0% Criminal justice: 31.8% Professional: 36.4%

County social

County: Hennepin

Age (N = 22)

Under 18: 100.0%

service agency: 54.5%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 22.7%

(N = 22)

Completed program: 18.2%

Patient left without staff approval: 27.3% Staff requested/judged inappropriate: 31.8%

Death/other: 22.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Omegon, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =22)	0.0%	0.0%	*
Not employed/student \S (N = 22)	0.0%	0.0%	*
Arrests past 30 days (N = 22)	9.1%	18.2%	0.0%
Alcohol use past 30 days (N = 22)	27.3%	9.1%	66.7%
Drug use past 30 days (N = 22)	45.5%	9.1%	80.0%
No self-help group participation past 30 days (N = 22)	50.0%	31.8%	36.4%
No family support for recovery past 30 days (N = 22)	18.2%	18.2%	0.0%
Summary Measure 42.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 22$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 22)$	0.0%	18.2%	*
Emotional/Behavioral/ Cognitive Problem (N = 22)	100.0%	95.5%	4.6%
Resistance to Change (N = 22)	95.5%	81.8%	14.3%
Relapse/Continued Use Potential (N = 22)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment (N = 22)	100.0%	95.5%	4.6%
Summary Measure 1.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

On Belay House

7170 Bryant Lake Drive Eden Prairie, MN 55344

Provider Website:

Patient Profile

 Gender (N = 54)
 Race (N = 54)

 Male: 1.9%
 White: 63.0%

 Female: 98.1%
 Black: 11.1%

American Indian: 13.0% 26 to 34: 0.0% Hispanic: 9.3% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 3.7%

Primary Substance Source of Income

(N = 54) Alcohol: 25.9% (N = 54) Job: 1.9%

Methamphetamine: 3.7% Retirement/savings: 0.0 Marijuana: 59.3% Family/friends: 81.5% Heroin: 0.0% No income: 1.9% Cocaine: 0.0% Public sources: 0.0% Other opiates: 1.9% Other sources: 14.8%

N = 54)

Job: 1.9%

Retirement/savings: 0.0%

Family/friends: 81.5%

No income: 1.9%

Public sources: 0.0%

Other sources: 14.8%

(N = 54)

Self/family/relative/
friends: 53.7%

Employer/school: 0.0%

Criminal justice: 35.2%

Professional: 42.6%

County social

service agency: 16.7% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Age (N = 54)

Under 18: 100.0%

18 to 25: 0.0%

Source of Referral

Discharge Status

Other drugs: 9.3%

(N = 54)

Completed program: 51.9%

Patient left without staff approval: 13.0% Staff requested/judged inappropriate: 11.1%

Death/other: 24.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

On Belay House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =54)	0.0%	0.0%	*
Not employed/student \S (N = 54)	0.0%	0.0%	*
Arrests past 30 days (N = 54)	3.7%	1.9%	50.0%
Alcohol use past 30 days (N = 54)	38.9%	9.3%	76.2%
Drug use past 30 days (N = 54)	64.8%	11.1%	82.9%
No self-help group participation past 30 days ($N = 48$)	83.3%	6.3%	92.5%
No family support for recovery past 30 days $(N = 47)$	0.0%	2.1%	*
Summary Measure 84.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 54$)	1.9%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 54)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 54)	100.0%	83.3%	16.7%
Resistance to Change (N = 54)	88.9%	46.3%	47.9%
Relapse/Continued Use Potential (N = 54)	100.0%	94.4%	5.6%
Unsupportive Recovery Environment ($N = 54$)	100.0%	88.9%	11.1%
Summary Measure 19.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

On-Belay House

115 Forestview Lane North Plymouth, MN 55441

Provider Website:

Patient Profile

 Gender (N = 94)
 Race (N = 94)

 Male: 100.0%
 White: 72.3%

 Female: 0.0%
 Black: 11.7%

American Indian: 2.1% Hispanic: 7.5%

Asian/Pacific Islander: 2.1%

Other: 4.3%

Primary Substance (N = 94)

Alcohol: 2.1% Methamphetamine: 1.1%

Marijuana: 89.4% Heroin: 1.1% Cocaine: 1.1% Other opiates: 3.2% Other drugs: 2.1% Source of Income

 $\frac{(N = 94)}{\text{Job: 0.0}\%}$

Retirement/savings: 0.0% Family/friends: 98.9% No income: 1.1% Public sources: 0.0% Other sources: 0.0% Age (N = 94)

County: Hennepin

Under 18: 95.7% 18 to 25: 3.2% 26 to 34: 1.1% 35 and older: 0.0%

Source of Referral

(N = 94).

Self/family/relative/ friends: 51.1% Employer/school: 2.1% Criminal justice: 60.6% Professional: 28.7%

County social

service agency: 1.1% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 94)

Completed program: 47.9%

Patient left without staff approval: 11.7% Staff requested/judged inappropriate: 22.3%

Death/other: 18.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

On-Belay House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =94)	0.0%	0.0%	*
Not employed/student \S (N = 94)	0.0%	0.0%	*
Arrests past 30 days (N = 94)	9.6%	1.1%	88.9%
Alcohol use past 30 days (N = 94)	26.6%	6.4%	76.0%
Drug use past 30 days (N = 94)	70.2%	11.7%	83.3%
No self-help group participation past 30 days $(N = 94)$	87.2%	11.7%	86.6%
No family support for recovery past 30 days $(N = 94)$	5.3%	5.3%	0.0%
Summary Measure [∥] 81.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 94)	1.1%	2.1%	0.0%
Biomedical Conditions and Complications $(N = 94)$	2.1%	2.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 94)	89.4%	86.2%	3.6%
Resistance to Change (N = 94)	90.4%	53.2%	41.2%
Relapse/Continued Use Potential (N = 94)	100.0%	98.9%	1.1%
Unsupportive Recovery Environment $(N = 94)$	98.9%	94.7%	4.3%
Summary Measure 11.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Oosh-Kii-Mii-Kah-Nah Halfway House

P.O. Box 114

Red Lake, MN 56671 County: Beltrami

Provider Website:

Patient Profile

 Gender (N = 5)
 Race (N = 5)
 Age (N = 5)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Methamphetamine: * Retirement/savings: * friends: *

Marijuana: * Family/friends: * Employer/school: *

Heroin: * No income: * Criminal justice: *

Cocaine: * Public sources: * Professional: *

Other opiates: * County social

Other drugs: * service agency: *
Other community
resources: *

AA: *
Tribal: *

Discharge Status

(N = 5)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Oosh-Kii-Mii-Kah-Nah Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =5)	*	*	*
Not employed/student \S (N = 2)	*	*	*
Arrests past 30 days (N = 5)	*	*	*
Alcohol use past 30 days (N = 5)	*	*	*
Drug use past 30 days (N = 5)	*	*	*
No self-help group participation past 30 days $(N = 4)$	*	*	*
No family support for recovery past 30 days (N = 2)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 5)	*	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*	*
Resistance to Change $(N = 5)$	*	*	*
Relapse/Continued Use Potential (N = 5)	*	*	*
Unsupportive Recovery Environment $(N = 5)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Options Family and Behavior Services Community Drug and Alcohol Services, Inc.

151 West Burnsville Parkway Burnsville, MN 55337

Provider Website:

Patient Profile

 Gender (N = 81)
 Race (N = 81)

 Male: 59.3%
 White: 55.6%

 Female: 40.7%
 Black: 6.2%

American Indian: 1.2% Hispanic: 25.9%

Asian/Pacific Islander: 1.2%

Other: 9.9%

Primary Substance

(N = 81)Alcohol: 7.4%

Methamphetamine: 0.0% Marijuana: 82.7%

Heroin: 1.2% Cocaine: 0.0% Other opiates: 2.5%

Other drugs: 6.2%

Source of Income

(N = 81)Job: 0.0%

> Retirement/savings: 0.0% Family/friends: 98.8% No income: 0.0% Public sources: 1.2%

Other sources: 0.0%

Age (N = 81)

County: Dakota

Under 18: 98.8% 18 to 25: 1.2% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 81) .

Self/family/relative/ friends: 42.0%

Employer/school: 16.0% Criminal justice: 22.2% Professional: 34.6%

County social

service agency: 16.0%

Other community resources: 16.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 81)

Completed program: 18.5%

Patient left without staff approval: 17.3% Staff requested/judged inappropriate: 16.0%

Death/other: 48.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Options Family and Behavior Services Community Drug and Alcohol Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =81)	0.0%	0.0%	*
Not employed/student§ (N = 80)	0.0%	0.0%	*
Arrests past 30 days (N = 81)	17.3%	6.2%	64.3%
Alcohol use past 30 days (N = 81)	43.2%	14.8%	65.7%
Drug use past 30 days (N = 81)	60.5%	46.9%	22.4%
No self-help group participation past 30 days (N = 66)	90.9%	75.8%	16.7%
No family support for recovery past 30 days (N = 75)	16.0%	6.7%	58.3%
Summary Measure 34.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 81$)	0.0%	2.5%	*
Biomedical Conditions and Complications (N = 81)	0.0%	14.8%	*
Emotional/Behavioral/ Cognitive Problem (N = 81)	100.0%	85.2%	14.8%
Resistance to Change (N = 81)	98.8%	82.7%	16.3%
Relapse/Continued Use Potential (N = 81)	100.0%	86.4%	13.6%
Unsupportive Recovery Environment (N = 81)	100.0%	92.6%	7.4%
Summary Measure [∥] 8.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Oshki Manidoo New Spirit Center

1741 15th Street N.W. Bemidji, MN 56601

Provider Website:

Patient Profile

<u>Gender (N = 67)</u> Male: 62.7%

Female: 37.3%

Primary Substance

(N = 67)Alcohol: 31.3%

Methamphetamine: 0.0%

Marijuana: 59.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.5%

Other drugs: 4.5%

Race (N = 67)

White: 0.0% Black: 0.0%

American Indian: 92.5%

Hispanic: 0.0%

Asian/Pacific Islander: 1.5%

Other: 6.0%

Source of Income

(N = 67)

Job: 0.0% Retirement/savings: 1.5%

Family/friends: 65.7% No income: 16.4% Public sources: 1.5%

Other sources: 14.9%

Age (N = 67)

County: Beltrami

Under 18: 98.5% 18 to 25: 1.5% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 67).

Self/family/relative/ friends: 23.9% Employer/school: 3.0% Criminal justice: 55.2% Professional: 13.4%

County social

service agency: 28.4%

Other community resources: 1.5%

AA: 0.0% Tribal: 55.2%

Discharge Status

(N = 67)

Completed program: 61.2%

Patient left without staff approval: 25.4% Staff requested/judged inappropriate: 10.4%

Death/other: 3.0%

 $^{^{\}star}$ Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Oshki Manidoo New Spirit Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =63)	1.6%	0.0%	100.0%
Not employed/student \S (N = 67)	3.0%	0.0%	100.0%
Arrests past 30 days (N = 48)	52.1%	10.4%	80.0%
Alcohol use past 30 days (N = 67)	55.2%	13.4%	75.7%
Drug use past 30 days (N = 67)	70.1%	29.9%	57.4%
No self-help group participation past 30 days (N = 65)	66.2%	12.3%	81.4%
No family support for recovery past 30 days $(N = 64)$	40.6%	37.5%	7.7%
Summary Measure [∥] 64.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 67$)	1.5%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 67)$	11.9%	1.5%	87.5%
Emotional/Behavioral/ Cognitive Problem (N = 67)	70.1%	59.7%	14.9%
Resistance to Change $(N = 67)$	89.6%	77.6%	13.3%
Relapse/Continued Use Potential (N = 67)	100.0%	94.0%	6.0%
Unsupportive Recovery Environment $(N = 67)$	98.5%	91.0%	7.6%
Summary Measure 12.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Owatonna Family Focus Immanuel St. Joseph's Mayo Health

134 Southview Street Owatonna, MN 55060

Provider Website: www.mayohealthsystem.org

Patient Profile

 Gender (N = 58)
 Race (N = 58)

 Male: 70.7%
 White: 81.0%

 Female: 29.3%
 Black: 1.7%

American Indian: 0.0% 26 to 34: 29.3% Hispanic: 15.5% 35 and older: 46.6%

County: Steele

Age (N = 58)

Under 18: 1.7%

18 to 25: 22.4%

Source of Referral

Self/family/relative/

friends: 36.2%

Professional: 19.0%

Employer/school: 1.7%

Criminal justice: 70.7%

(N = 58).

Asian/Pacific Islander: 0.0%

Other: 1.7%

Primary Substance Source of Income

Methamphetamine: 1.7% Retirement/savings: 1.7% Marijuana: 15.5% Family/friends: 17.2% No income: 5.2% Cocaine: 8.6% Public sources: 15.5%

Other opiates: 3.5% Other sources: 10.3% County social service agency: 6.9% Other community resources: 5.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 58)

Completed program: 67.2%

Patient left without staff approval: 15.5% Staff requested/judged inappropriate: 5.2%

Death/other: 12.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Owatonna Family Focus Immanuel St. Joseph's Mayo Health

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =58)	1.7%	1.7%	0.0%
Not employed/student \S (N = 57)	54.4%	36.8%	32.3%
Arrests past 30 days (N = 58)	3.5%	5.2%	0.0%
Alcohol use past 30 days (N = 58)	20.7%	3.5%	83.3%
Drug use past 30 days (N = 58)	13.8%	8.6%	37.5%
No self-help group participation past 30 days (N = 55)	67.3%	72.7%	0.0%
No family support for recovery past 30 days $(N = 43)$	32.6%	18.6%	42.9%
Summary Measure 24.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 50)	2.0%	2.0%	0.0%
Biomedical Conditions and Complications $(N = 58)$	1.7%	1.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 55)	32.7%	27.3%	16.7%
Resistance to Change (N = 53)	43.4%	26.4%	39.1%
Relapse/Continued Use Potential (N = 54)	90.7%	50.0%	44.9%
Unsupportive Recovery Environment ($N = 53$)	67.9%	39.6%	41.7%
Summary Measure 38.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Park Avenue Center

2525 Park Avenue Minneapolis, MN 55404

Provider Website: www.ParkAvenueCenter.com

Patient Profile

Gender (N = 1361) Race (N = 1361)Age (N = 1361)Male: 73.0% White: 52.1% Under 18: 0.0% Female: 27.0% Black: 32.8%

18 to 25: 26.6% American Indian: 5.7% 26 to 34: 27.1%

35 and older: 46.3% Hispanic: 2.4%

County: Hennepin

Asian/Pacific Islander: 2.2%

Other: 4.9%

Source of Referral Primary Substance Source of Income (N = 1358)(N = 1361)(N = 1361)Alcohol: 50.3%

Job: 17.9% Self/family/relative/ Methamphetamine: 9.0% Retirement/savings: 1.3% friends: 35.6% Family/friends: 5.8% Marijuana: 19.6% Employer/school: 0.7%

Heroin: 5.7% No income: 43.5% Criminal justice: 56.9% Cocaine: 13.5% Public sources: 23.9% Professional: 7.9% Other sources: 7.6% County social

Other drugs: 1.0% service agency: 15.7% Other community

> resources: 2.7% AA: 0.0% Tribal: 0.1%

Discharge Status

Other opiates: 1.0%

(N = 1361)

Completed program: 47.3%

Patient left without staff approval: 40.6% Staff requested/judged inappropriate: 8.2%

Death/other: 3.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Park Avenue Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =1307)	13.0%	1.8%	86.5%
Not employed/student§ (N = 1244)	81.8%	80.5%	1.6%
Arrests past 30 days (N = 1328)	15.3%	1.4%	90.6%
Alcohol use past 30 days (N = 1332)	65.5%	10.9%	83.4%
Drug use past 30 days (N = 1332)	61.3%	14.1%	77.0%
No self-help group participation past 30 days (N = 1260)	70.4%	13.5%	80.8%
No family support for recovery past 30 days (N = 932)	18.3%	5.5%	70.2%
Summary Measure 60.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 1354)	0.1%	0.3%	0.0%
Biomedical Conditions and Complications (N = 1355)			
	0.9%	1.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 1354)	0.9% 58.6%	1.7% 41.3%	0.0% 29.5%
Cognitive Problem (N = 1354)	58.6%	41.3%	29.5%
Cognitive Problem (N = 1354) Resistance to Change (N = 1355) Relapse/Continued Use	58.6% 92.2%	41.3% 52.4%	29.5% 43.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Passage Home

121 Park Ave S St. Cloud, MN 56301

Provider Website: www.centracare.com

Patient Profile

Gender (N = 176) Race (N = 176)Age (N = 176)Male: 100.0% White: 80.1% Under 18: 4.0% Female: 0.0% Black: 7.4%

18 to 25: 27.8% American Indian: 5.7% 26 to 34: 23.9% 35 and older: 44.3%

Hispanic: 5.1% Asian/Pacific Islander: 0.0%

County: Benton

Other: 1.7%

Primary Substance Source of Income (N = 176)(N = 176)

Alcohol: 62.5% Job: 33.0% Methamphetamine: 9.7%

Family/friends: 14.2% Marijuana: 13.1% Heroin: 2.3% No income: 21.0% Cocaine: 1.1% Public sources: 13.6%

Retirement/savings: 0.6% friends: 26.1% Employer/school: 0.0% Criminal justice: 44.3% Professional: 73.9% Other opiates: 9.7% Other sources: 17.6% County social Other drugs: 1.7% service agency: 48.9%

Other community resources: 1.1%

Source of Referral

(N = 176) . Self/family/relative/

AA: 0.0% Tribal: 0.6%

Discharge Status

(N = 176)

Completed program: 59.1%

Patient left without staff approval: 6.3% Staff requested/judged inappropriate: 22.2%

Death/other: 12.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Passage Home

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =175)	1.1%	3.4%	0.0%
Not employed/student \S (N = 174)	87.9%	59.8%	32.0%
Arrests past 30 days (N = 176)	2.3%	7.4%	0.0%
Alcohol use past 30 days (N = 158)	1.9%	9.5%	0.0%
Drug use past 30 days (N = 158)	2.5%	12.0%	0.0%
No self-help group participation past 30 days (N = 171)	5.3%	2.3%	55.6%
No family support for recovery past 30 days (N = 160)	6.3%	3.8%	40.0%
Summary Measure 8.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 176)	2.3%	3.4%	0.0%
Biomedical Conditions and Complications (N = 176)	21.0%	14.8%	29.7%
Emotional/Behavioral/ Cognitive Problem (N = 176)	76.7%	64.2%	16.3%
Resistance to Change (N = 176)	76.7%	55.7%	27.4%
Relapse/Continued Use Potential (N = 176)	99.4%	83.5%	16.0%
Unsupportive Recovery Environment (N = 176)	100.0%	79.5%	20.5%
Summary Measure 19.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pathway House

613 2nd Street SW Rochester, MN 55902

Provider Website: www.pathwayhouse.com

Patient Profile

Gender (N = 177) Race (N = 177)White: 87.0% Male: 100.0% Female: 0.0%

Black: 7.3% 18 to 25: 39.5% American Indian: 1.7% 26 to 34: 26.0% 35 and older: 33.9% Hispanic: 2.8%

Asian/Pacific Islander: 0.0%

Other: 1.1%

Primary Substance Source of Income (N = 167)(N = 177)

Alcohol: 52.1% Job: 11.9% Methamphetamine: 16.2%

Retirement/savings: 2.3% Marijuana: 22.8% Family/friends: 8.5% Heroin: 3.0% No income: 41.8% Cocaine: 1.2% Public sources: 15.8%

Criminal justice: 36.7% Professional: 54.2% Other opiates: 3.0% Other sources: 19.8% County social Other drugs: 1.8% service agency: 32.2% Other community

> resources: 5.1% AA: 1.1% Tribal: 0.6%

County: Olmsted

Age (N = 177)

Under 18: 0.6%

Source of Referral

friends: 32.8%

Employer/school: 0.0%

(N = 177) . Self/family/relative/

Discharge Status

(N = 177)

Completed program: 37.9%

Patient left without staff approval: 41.8% Staff requested/judged inappropriate: 13.0%

Death/other: 7.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Pathway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =166)	1.2%	0.0%	100.0%
Not employed/student \S (N = 97)	93.8%	28.9%	69.2%
Arrests past 30 days (N = 168)	3.6%	1.2%	66.7%
Alcohol use past 30 days (N = 167)	0.6%	0.6%	0.0%
Drug use past 30 days (N = 167)	0.0%	0.6%	*
No self-help group participation past 30 days (N = 164)	2.4%	1.8%	25.0%
No family support for recovery past 30 days (N = 164)	0.6%	0.0%	100.0%
Summary Measure [∥] 67.6%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 160)	0.6%	0.6%	0.0%
Biomedical Conditions and Complications $(N = 160)$	3.8%	8.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 160)	23.1%	25.0%	0.0%
Resistance to Change (N = 160)	98.1%	60.0%	38.9%
Relapse/Continued Use Potential (N = 160)	100.0%	65.0%	35.0%
Unsupportive Recovery Environment (N = 160)	99.4%	61.9%	37.7%
Summary Measure [∥] 32.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pathway House

103 6th Avenue SW Rochester, MN 55902

Provider Website: www.pathwayhouse.com

Patient Profile

 Gender (N = 102)
 Race (N = 102)

 Male: 0.0%
 White: 90.2%

Female: 100.0% Black: 2.0% 18 to 25: 35.3% American Indian: 2.0% 26 to 34: 29.4%

Hispanic: 3.9% 35 and older: 34.3%

County: Olmsted

Age (N = 102)

Under 18: 1.0%

Source of Referral

Self/family/relative/

friends: 30.4%

Employer/school: 0.0%

Criminal justice: 42.2%

(N = 102) .

Asian/Pacific Islander: 1.0%

Other: 1.0%

Primary Substance Source of Income

(N = 101) Alcohol: 43.6% (N = 102) Job: 7.8%

Methamphetamine: 22.8%Retirement/savings: 3.9%Marijuana: 6.9%Family/friends: 20.6%Heroin: 6.9%No income: 30.4%

Cocaine: 6.9% Public sources: 24.5% Professional: 49.0% Other opiates: 11.9% Other sources: 12.7% County social

Other drugs: 1.0% service agency: 31.4% Other community resources: 7.8%

AA: 2.9% Tribal: 0.0%

Discharge Status

(N = 102)

Completed program: 27.5%

Patient left without staff approval: 44.1% Staff requested/judged inappropriate: 1.0%

Death/other: 27.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Pathway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =91)	6.6%	0.0%	100.0%
Not employed/student§ (N = 68)	79.4%	55.9%	29.6%
Arrests past 30 days (N = 93)	3.2%	2.2%	33.3%
Alcohol use past 30 days (N = 98)	13.3%	2.0%	84.6%
Drug use past 30 days (N = 98)	11.2%	2.0%	81.8%
No self-help group participation past 30 days ($N = 94$)	7.5%	0.0%	100.0%
No family support for recovery past 30 days (N = 88)	4.6%	0.0%	100.0%
Summary Measure [∥] 50.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 97)	0.0%	4.1%	*
Biomedical Conditions and Complications $(N = 97)$	0.0%	3.1%	*
Emotional/Behavioral/ Cognitive Problem (N = 97)	53.6%	10.3%	80.8%
Resistance to Change $(N = 97)$	97.9%	76.3%	22.1%
Relapse/Continued Use Potential (N = 97)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment ($N = 97$)	100.0%	100.0%	0.0%
Summary Measure 16.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Paul's Place

22355 Albatruss Circle Farmington, MN 55024

Provider Website:

Patient Profile

 Gender (N = 78)
 Race (N = 78)

 Male: 100.0%
 White: 87.2%

 Female: 0.0%
 Black: 7.7%

American Indian: 0.0% 26 to 34: 20.5% Hispanic: 2.6% 35 and older: 47.4%

Asian/Pacific Islander: 0.0%

Other: 2.6%

Primary Substance

(N = 78)Alcohol: 53.8%

Methamphetamine: 11.5% Marijuana: 14.1%

Heroin: 6.4% Cocaine: 7.7% Other opiates: 2.6%

Other drugs: 3.9%

Source of Income

(N = 78)Job: 33.3%

Retirement/savings: 2.6%

Family/friends: 25.6% No income: 23.1% Public sources: 5.1%

Other sources: 10.3%

Source of Referral

(N = 78) .

Age (N = 78)

Under 18: 0.0%

18 to 25: 32.1%

County: Dakota

Self/family/relative/ friends: 80.8%

Employer/school: 1.3% Criminal justice: 15.4% Professional: 44.9%

County social

service agency: 39.7%

Other community resources: 12.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 78)

Completed program: 79.5%

Patient left without staff approval: 12.8% Staff requested/judged inappropriate: 3.9%

Death/other: 3.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Paul's Place

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =77)	1.3%	0.0%	100.0%
Not employed/student \S (N = 75)	64.0%	66.7%	0.0%
Arrests past 30 days (N = 78)	14.1%	7.7%	45.5%
Alcohol use past 30 days (N = 78)	78.2%	23.1%	70.5%
Drug use past 30 days (N = 78)	55.1%	19.2%	65.1%
No self-help group participation past 30 days (N = 77)	61.0%	1.3%	97.9%
No family support for recovery past 30 days $(N = 77)$	0.0%	1.3%	*
Summary Measure 56.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 78$)	10.3%	5.1%	50.0%
Biomedical Conditions and Complications $(N = 77)$	19.5%	14.3%	26.7%
Emotional/Behavioral/ Cognitive Problem (N = 77)	93.5%	80.5%	13.9%
Resistance to Change (N = 77)	94.8%	72.7%	23.3%
Relapse/Continued Use Potential (N = 77)	100.0%	98.7%	1.3%
Unsupportive Recovery Environment $(N = 77)$	97.4%	100.0%	0.0%
Summary Measure 10.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.
100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\%\$ at admission - % at discharge)/\$\Sigma(\%\$ at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pear Lake Women's Program

2086 Ridgeway Drive Grand Rapids, MN 55744

Provider Website:

Patient Profile

 Gender (N = 76)
 Race (N = 76)

 Male: 7.9%
 White: 67.1%

 Female: 92.1%
 Black: 1.3%

American Indian: 27.6%
Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 4.0%

Primary Substance Source of Income

(N = 76) Alcohol: 57.9% (N = 76) Job: 28.9%

Methamphetamine: 9.2% Retirement/savings: 0.

Marijuana: 9.2% Family/friends: 15.8%

Heroin: 0.0% No income: 9.2%

Cocaine: 2.6% Public sources: 42.1%

Other opiates: 19.7% Other sources: 4.0%

N = 76)

Job: 28.9%

Retirement/savings: 0.0%

Family/friends: 15.8%

No income: 9.2%

Public sources: 42.1%

(N = 76)

Self/family/relative/
friends: 35.5%

Employer/school: 0.0%

Criminal justice: 36.8%

Professional: 76.3%

County: Itasca

Age (N = 76)

Under 18: 0.0%

18 to 25: 25.0%

26 to 34: 27.6% 35 and older: 47.4%

Source of Referral

service agency: 39.5% Other community

resources: 1.3%

AA: 0.0% Tribal: 0.0%

County social

Discharge Status

Other drugs: 1.3%

(N = 76)

Completed program: 61.8%

Patient left without staff approval: 21.1% Staff requested/judged inappropriate: 10.5%

Death/other: 6.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Pear Lake Women's Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =74)	0.0%	0.0%	*
Not employed/student \S (N = 69)	87.0%	72.5%	16.7%
Arrests past 30 days (N = 76)	2.6%	4.0%	0.0%
Alcohol use past 30 days (N = 76)	6.6%	5.3%	20.0%
Drug use past 30 days (N = 76)	6.6%	5.3%	20.0%
No self-help group participation past 30 days (N = 74)	4.1%	0.0%	100.0%
No family support for recovery past 30 days (N = 73)	0.0%	1.4%	*
Summary Measure [∥] 17.3%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 76)$	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 76)$	25.0%	15.8%	36.8%
Emotional/Behavioral/ Cognitive Problem (N = 76)	68.4%	26.3%	61.5%
Resistance to Change (N = 76)	78.9%	31.6%	60.0%
Relapse/Continued Use Potential ($N = 76$)	96.1%	35.5%	63.0%
Unsupportive Recovery Environment $(N = 65)$	95.4%	16.9%	82.3%
Summary Measure 65.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Perkins Counseling Center

1500 1st Ave. NE Rochester, MN 55906

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 4)}}{\text{Male: *}} \qquad \frac{\text{Race (N = 4)}}{\text{White: *}}$

Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: *

Hispanic: *
Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

(N = 4) Alcohol: * (N = 4) Job: *

Methamphetamine: * Retirement/savings: *
Marijuana: * Family/friends: *

Heroin: *

Cocaine: *

Public sources: *

Other opiates: * Other sources: * County social service agency: * Other community resources: *

AA: *
Tribal: *

County: Olmsted

Age (N = 4)

35 and older: *

(N = 4).

Self/family/relative/ friends: *

Employer/school: *

Criminal justice: *

Professional: *

Discharge Status

(N = 4)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Perkins Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =4)	*	*	*
Not employed/student \S (N = 4)	*	*	*
Arrests past 30 days (N = 4)	*	*	*
Alcohol use past 30 days (N = 4)	*	*	*
Drug use past 30 days (N = 4)	*	*	*
No self-help group participation past 30 days (N = 3)	*	*	*
No family support for recovery past 30 days (N = 4)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 4)$	*	*	*
Biomedical Conditions and Complications $(N = 4)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 4)	*	*	*
Resistance to Change $(N = 4)$	*	*	*
Relapse/Continued Use Potential (N = 4)	*	*	*
Unsupportive Recovery Environment (N = 4)	*	*	*
Summary Measure [∥] *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Phoenix Adolescent Outpatient Treatment

2055 White Bear Ave Maplewood, MN 55109

Provider Website:

Patient Profile

Gender (N = 43)Male: 100.0%

Female: 0.0%

Primary Substance

(N = 43)Alcohol: 2.3%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Methamphetamine: 4.7% Marijuana: 93.0%

Other drugs: 0.0%

Race (N = 43)

White: 62.8% Black: 23.3%

American Indian: 4.7% Hispanic: 7.0%

Asian/Pacific Islander: 2.3%

Other: 0.0%

Source of Income

(N = 43)Job: 0.0%

> Retirement/savings: 0.0% Family/friends: 93.0% No income: 0.0%

Public sources: 7.0% Other sources: 0.0%

Age (N = 43)

County: Ramsey

Under 18: 88.4% 18 to 25: 11.6% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 43) .

Self/family/relative/ friends: 20.9% Employer/school: 0.0% Criminal justice: 67.4% Professional: 69.8%

County social

service agency: 27.9%

Other community resources: 2.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 43)

Completed program: 53.5%

Patient left without staff approval: 20.9% Staff requested/judged inappropriate: 23.3%

Death/other: 2.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Phoenix Adolescent Outpatient Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =43)	2.3%	0.0%	100.0%
Not employed/student \S (N = 43)	2.3%	2.3%	0.0%
Arrests past 30 days (N = 43)	11.6%	4.7%	60.0%
Alcohol use past 30 days (N = 43)	32.6%	9.3%	71.4%
Drug use past 30 days (N = 43)	44.2%	14.0%	68.4%
No self-help group participation past 30 days (N = 43)	48.8%	7.0%	85.7%
No family support for recovery past 30 days $(N = 41)$	4.9%	9.8%	0.0%
Summary Measure [∥] 68.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 43$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 43)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 43)	97.7%	53.5%	45.2%
Resistance to Change (N = 43)	95.3%	46.5%	51.2%
Relapse/Continued Use Potential (N = 43)	100.0%	81.4%	18.6%
Unsupportive Recovery Environment ($N = 43$)	100.0%	90.7%	9.3%
Summary Measure [∥] 30.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Phoenix Adolescent Outpatient Treatment

227 E Main Street # 105 Mankato, MN 56001

Provider Website:

Patient Profile

 Gender (N = 29)
 Race (N = 29)

 Male: 100.0%
 White: 79.3%

 Female: 0.0%
 Black: 3.5%

American Indian: 0.0% Hispanic: 10.3%

Asian/Pacific Islander: 0.0%

Other: 6.9%

Primary Substance

(N = 29)Alcohol: 3.5%

Methamphetamine: 0.0% Marijuana: 93.1%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 3.5%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 29)}{\text{Job: 0.0}\%}$

Retirement/savings: 0.0% Family/friends: 93.1%

No income: 0.0% Public sources: 3.5% Other sources: 3.5% Age (N = 29)

County: Blue Earth

Under 18: 93.1% 18 to 25: 6.9% 26 to 34: 0.0%

35 and older: 0.0%

Source of Referral

(N = 29).

Self/family/relative/ friends: 20.7% Employer/school: 0.0% Criminal justice: 75.9% Professional: 65.5%

County social

service agency: 31.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 29)

Completed program: 37.9%

Patient left without staff approval: 13.8% Staff requested/judged inappropriate: 24.1%

Death/other: 24.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Phoenix Adolescent Outpatient Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =29)	0.0%	0.0%	*
Not employed/student \S (N = 29)	6.9%	10.3%	0.0%
Arrests past 30 days (N = 26)	0.0%	7.7%	*
Alcohol use past 30 days (N = 29)	24.1%	6.9%	71.4%
Drug use past 30 days (N = 29)	27.6%	27.6%	0.0%
No self-help group participation past 30 days (N = 28)	35.7%	21.4%	40.0%
No family support for recovery past 30 days (N = 29)	3.5%	13.8%	0.0%
Summary Measure 10.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 29$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 29)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 29)	72.4%	79.3%	0.0%
Resistance to Change (N = 29)	86.2%	86.2%	0.0%
Relapse/Continued Use Potential (N = 29)	93.1%	100.0%	0.0%
Unsupportive Recovery Environment $(N = 28)$	85.7%	78.6%	8.3%
Summary Measure -2.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pine Manors, Inc.

22195 State 34 Nevis, MN 56467

Provider Website:

Patient Profile

Gender (N = 288) Male: 76.4%

Female: 23.6%

Primary Substance

(N = 288)

Alcohol: 63.5% Methamphetamine: 8.3%

Marijuana: 19.4% Heroin: 0.0% Cocaine: 1.0% Other opiates: 6.3%

Other drugs: 1.4%

Race (N = 288)

White: 66.3% Black: 1.7%

American Indian: 27.8%

Hispanic: 2.1%

Asian/Pacific Islander: 0.0%

Other: 2.1%

Source of Income

(N = 288)

Job: 39.9% Retirement/savings: 3.1%

Family/friends: 14.6% No income: 15.6% Public sources: 19.4%

Other sources: 7.3%

Age (N = 288)

County: Hubbard

Under 18: 0.0% 18 to 25: 27.1% 26 to 34: 22.6%

35 and older: 50.3%

Source of Referral

(N = 288).

Self/family/relative/ friends: 48.3% Employer/school: 0.0% Criminal justice: 49.0%

Professional: 3.8% County social

service agency: 65.3%

Other community resources: 1.7%

AA: 0.0% Tribal: 11.5%

Discharge Status

(N = 288)

Completed program: 71.2%

Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 9.4%

Death/other: 2.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Pine Manors, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =287)	1.1%	1.1%	0.0%
Not employed/student§ (N = 287)	83.3%	86.8%	0.0%
Arrests past 30 days (N = 288)	22.9%	0.0%	100.0%
Alcohol use past 30 days (N = 288)	62.2%	9.4%	84.9%
Drug use past 30 days (N = 288)	50.0%	10.1%	79.9%
No self-help group participation past 30 days (N = 285)	97.2%	6.3%	93.5%
No family support for recovery past 30 days ($N = 285$)	3.9%	1.4%	63.6%
Summary Measure 64.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 288$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 288)	4.5%	1.7%	61.5%
Emotional/Behavioral/ Cognitive Problem (N = 288)	85.1%	23.6%	72.2%
Resistance to Change (N = 288)	94.1%	27.8%	70.5%
Relapse/Continued Use Potential (N = 288)	97.9%	29.5%	69.9%
Unsupportive Recovery Environment (N = 288)	97.9%	29.2%	70.2%
Summary Measure [∥] 70.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pineview Recovery Center

912 Main Street Little Fork, MN 56653

Provider Website: www.littleforkmedicalcenter.com

Patient Profile

 Gender (N = 50)
 Race (N = 50)
 Age (N = 50)

 Male: 66.0%
 White: 84.0%
 Under 18: 0.0%

 Female: 34.0%
 Black: 0.0%
 18 to 25: 28.0%

emale: 34.0% Black: 0.0% 18 to 25: 28.0% American Indian: 14.0% 26 to 34: 18.0%

Hispanic: 0.0% 35 and older: 54.0% Asian/Pacific Islander: 0.0%

County: Koochiching

Source of Referral

(N = 50) .

Other: 2.0%

Primary Substance Source of Income (N = 50) (N = 50)

Alcohol: 66.0% Job: 24.0% Self/family/relative/ Methamphetamine: 8.0% Retirement/savings: 8.0% friends: 80.0%

Marijuana: 10.0% Family/friends: 10.0% Employer/school: 0.0% Heroin: 2.0% No income: 20.0% Criminal justice: 20.0% Public sources: 30.0% Professional: 18.0%

Other opiates: 12.0% Other sources: 8.0% County social service agency: 68.0%

Other community
resources: 6.0%

AA: 0.0% Tribal: 4.0%

Discharge Status

(N = 50)

Completed program: 60.0%

Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 4.0%

Death/other: 16.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Pineview Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =50)	2.0%	0.0%	100.0%
Not employed/student \S (N = 50)	88.0%	84.0%	4.6%
Arrests past 30 days (N = 50)	22.0%	2.0%	90.9%
Alcohol use past 30 days (N = 50)	82.0%	22.0%	73.2%
Drug use past 30 days (N = 50)	48.0%	14.0%	70.8%
No self-help group participation past 30 days (N = 50)	52.0%	0.0%	100.0%
No family support for recovery past 30 days (N = 50)	8.0%	0.0%	100.0%
Summary Measure 59.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 50$)	90.0%	72.0%	20.0%
Biomedical Conditions and Complications $(N = 50)$	78.0%	58.0%	25.6%
Emotional/Behavioral/ Cognitive Problem (N = 50)	98.0%	94.0%	4.1%
Resistance to Change $(N = 50)$	92.0%	70.0%	23.9%
Relapse/Continued Use Potential (N = 50)	100.0%	96.0%	4.0%
Unsupportive Recovery Environment (N = 50)	98.0%	100.0%	0.0%
Summary Measure 11.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pioneer Recovery Center

5388 Road 37 Aurora, MN 55705

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 23)}}{\text{Male: 0.0\%}}$

Female: 100.0%

Primary Substance

(N = 23)Alcohol: 52.2%

Methamphetamine: 13.0% Marijuana: 13.0%

Heroin: 4.4% Cocaine: 0.0% Other opiates: 17.4%

Other drugs: 0.0%

Race (N = 23)

White: 43.5% Black: 0.0%

American Indian: 52.2%

Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 4.4%

Source of Income

(N = 23)

Job: 4.4%

Retirement/savings: 0.0% Family/friends: 17.4% No income: 4.4%

Public sources: 39.1% Other sources: 34.8%

Age (N = 23)

County: St. Louis

Under 18: 0.0% 18 to 25: 34.8% 26 to 34: 30.4%

35 and older: 34.8%

Source of Referral

(N = 23).

Self/family/relative/ friends: 43.5% Employer/school: 0.0% Criminal justice: 47.8%

Professional: 8.7%

County social

service agency: 82.6%

Other community resources: 8.7%

AA: 0.0% Tribal: 4.4%

Discharge Status

(N = 23)

Completed program: 65.2%

Patient left without staff approval: 21.7% Staff requested/judged inappropriate: 4.4%

Death/other: 8.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Pioneer Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =23)	21.7%	4.4%	80.0%
Not employed/student \S (N = 22)	95.5%	95.5%	0.0%
Arrests past 30 days (N = 23)	39.1%	0.0%	100.0%
Alcohol use past 30 days (N = 23)	56.5%	13.0%	76.9%
Drug use past 30 days (N = 23)	47.8%	8.7%	81.8%
No self-help group participation past 30 days (N = 23)	65.2%	4.4%	93.3%
No family support for recovery past 30 days ($N = 22$)	13.6%	13.6%	0.0%
Summary Measure 58.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 23)	4.4%	0.0%	100.0%
Biomedical Conditions and Complications (N = 23)	8.7%	4.4%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 23)	65.2%	60.9%	6.7%
Resistance to Change (N = 23)	60.9%	39.1%	35.7%
Relapse/Continued Use Potential (N = 23)	100.0%	73.9%	26.1%
Unsupportive Recovery Environment $(N = 23)$	100.0%	73.9%	26.1%
Summary Measure 25.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie House Recovery

305 Prairie Road Monticello, MN 55362

Provider Website: www.mlrecovery.org

Patient Profile

 Gender (N = 39)
 Race (N = 39)

 Male: 0.0%
 White: 66.7%

 Female: 100.0%
 Black: 5.1%

emale: 100.0% Black: 5.1% 18 to 25: 2.6% American Indian: 17.9% 26 to 34: 0.0% Hispanic: 5.1% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 5.1%

Primary Substance Source of Income

(N = 39) Alcohol: 25.6% (N = 39) Job: 0.0%

Methamphetamine: 7.7% Retirement/savings: 0.0° Marijuana: 64.1% Family/friends: 100.0% No income: 0.0%

Cocaine: 0.0% Public sources: 0.0% Other opiates: 0.0% Other sources: 0.0%

N = 39)

Job: 0.0%

Retirement/savings: 0.0%

Family/friends: 100.0%

(N = 39)

Self/family/relative/
friends: 7.7%

Employer/school: 0.0%

County: Wright

Age (N = 39)

Under 18: 97.4%

Source of Referral

c sources: 0.0%

r sources: 0.0%

Criminal justice: 10.3%

Professional: 71.8%

County social

service agency: 25.6%

Other community resources: 2.6%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 39)

Completed program: 61.5%

Patient left without staff approval: 10.3% Staff requested/judged inappropriate: 15.4%

Death/other: 12.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Prairie House Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =39)	0.0%	0.0%	*
Not employed/student \S (N = 39)	0.0%	0.0%	*
Arrests past 30 days (N = 39)	12.8%	0.0%	100.0%
Alcohol use past 30 days (N = 39)	17.9%	2.6%	85.7%
Drug use past 30 days (N = 39)	35.9%	7.7%	78.6%
No self-help group participation past 30 days (N = 39)	28.2%	5.1%	81.8%
No family support for recovery past 30 days $(N = 39)$	0.0%	5.1%	*
Summary Measure 78.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 39$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 39)$	2.6%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 39)	94.9%	41.0%	56.8%
Resistance to Change (N = 39)	74.4%	30.8%	58.6%
Relapse/Continued Use Potential (N = 39)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment $(N = 39)$	100.0%	100.0%	0.0%
Summary Measure 26.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie St. John's

510 4th Street South Fargo, ND 58103

County:

Provider Website:

Patient Profile

Gender (N = 14)
Male: 35.7%
Female: 64.3%

Race (N = 14)
White: 71.4%
Black: 14.3%

American Indian: 14.3% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance (N = 14)

Alcohol: 78.6% Methamphetamine: 7.1%

Marijuana: 7.1% Heroin: 0.0% Cocaine: 0.0% Other opiates: 7.1% Other drugs: 0.0% Source of Income

 $\frac{(N = 14)}{\text{Job: 7.1}\%}$

Retirement/savings: 0.0% Family/friends: 14.3% No income: 7.1% Public sources: 50.0% Other sources: 21.4% Age (N = 14)

Under 18: 0.0% 18 to 25: 35.7% 26 to 34: 14.3% 35 and older: 50.0%

Source of Referral

(N = 14).

Self/family/relative/ friends: 78.6% Employer/school: 0.0% Criminal justice: 0.0% Professional: 28.6%

County social

service agency: 14.3% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 14)

Completed program: 50.0%

Patient left without staff approval: 21.4% Staff requested/judged inappropriate: 7.1%

Death/other: 21.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Prairie St. John's

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =13)	15.4%	15.4%	0.0%
Not employed/student \S (N = 8)	*	*	*
Arrests past 30 days (N = 14)	0.0%	0.0%	*
Alcohol use past 30 days (N = 10)	30.0%	30.0%	0.0%
Drug use past 30 days (N = 10)	30.0%	20.0%	33.3%
No self-help group participation past 30 days $(N = 6)$	*	*	*
No family support for recovery past 30 days (N = 9)	*	*	*
Summary Measure 15.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 14$)	7.1%	14.3%	0.0%
Biomedical Conditions and Complications $(N = 14)$	14.3%	21.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 14)	100.0%	71.4%	28.6%
Resistance to Change $(N = 14)$	92.9%	71.4%	23.1%
Relapse/Continued Use Potential (N = 14)	100.0%	85.7%	14.3%
Unsupportive Recovery Environment (N = 14)	100.0%	85.7%	14.3%
Summary Measure 15.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pride Institute, Inc.

14400 Martin Drive Eden Prairie, MN 55344

Provider Website: www.pride-institute.com

Patient Profile

 Gender (N = 371)
 Race (N = 371)

 Male: 79.8%
 White: 79.0%

 Female: 20.2%
 Black: 6.5%

lle: 20.2% Black: 6.5% 18 to 25: 29.1% American Indian: 5.1% 26 to 34: 29.1% Hispanic: 7.3% 35 and older: 41.8%

Hispanic: 7.3% 35 and older: 4 Asian/Pacific Islander: 0.8%

Other: 1.4%

Primary Substance Source of Income (N = 371) (N = 371)

Alcohol: 47.2% Job: 30.2% Methamphetamine: 22.6% Retirement/savings: 4.3

Methamphetamine: 22.6% Retirement/savings: 4.3% Marijuana: 9.2% Family/friends: 15.9% No income: 16.4% Cocaine: 6.5% Public sources: 18.6%

Cocaine: 6.5% Public sources: 18.6% Professional: 21.6% Other opiates: 6.5% Other sources: 14.6% County social

Other drugs: 6.2% service agency: 12.9% Other community resources: 11.6%

AA: 0.5% Tribal: 0.0%

County: Hennepin

Age (N = 371)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 66.6%

Employer/school: 1.6%

Criminal justice: 4.3%

(N = 371).

Discharge Status

(N = 371)

Completed program: 79.8%

Patient left without staff approval: 4.6% Staff requested/judged inappropriate: 9.4%

Death/other: 6.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Pride Institute, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =350)	11.4%	0.6%	95.0%
Not employed/student§ (N = 342)	65.2%	71.6%	0.0%
Arrests past 30 days (N = 371)	7.6%	0.8%	89.3%
Alcohol use past 30 days (N = 370)	74.1%	20.5%	72.3%
Drug use past 30 days (N = 370)	65.4%	21.9%	66.5%
No self-help group participation past 30 days (N = 360)	50.3%	2.8%	94.5%
No family support for recovery past 30 days ($N = 355$)	5.1%	3.4%	33.3%
Summary Measure 56.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 371$)	4.0%	0.3%	93.3%
Biomedical Conditions and Complications ($N = 370$)	7.6%	0.8%	89.3%
Emotional/Behavioral/ Cognitive Problem (N = 371)	91.6%	40.7%	55.6%
Resistance to Change (N = 371)	87.9%	35.3%	59.8%
Relapse/Continued Use Potential (N = 371)	93.0%	35.6%	61.7%
Unsupportive Recovery Environment (N = 371)	97.8%	33.2%	66.1%
Summary Measure 61.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pride Institute, Inc.

2110 Lyndale Ave. So. Minneapolis, MN 55405

Provider Website: www.pride-institute.com

Patient Profile

 Gender (N = 192)
 Race (N = 192)

 Male: 76.6%
 White: 81.3%

 Female: 23.4%
 Black: 6.3%

American Indian: 1.6% 26 to 34: 32.8% Hispanic: 7.3% 35 and older: 43.8%

Asian/Pacific Islander: 0.5%

Other: 3.1%

Primary Substance Source of Income

(N = 192) Alcohol: 58.3% (N = 192) Job: 28.1%

Methamphetamine: 18.8% Retirement/savings: 2.6% Marijuana: 7.8% Family/friends: 9.4% Heroin: 0.5% No income: 14.6% Cocaine: 2.6% Public sources: 12.5% Other opiates: 7.3% Other sources: 32.8%

Other drugs: 4.7%

Service agency: 4.7%

Other community

resources: 7.3%

AA: 4.2% Tribal: 0.0%

County: Hennepin

Age (N = 192)

Under 18: 0.5%

18 to 25: 22.9%

Source of Referral

Self/family/relative/

friends: 58.9%

Employer/school: 1.0%

Criminal justice: 4.7%

Professional: 44.8%

(N = 192) .

County social

Discharge Status

(N = 192)

Completed program: 43.8%

Patient left without staff approval: 30.7% Staff requested/judged inappropriate: 10.9%

Death/other: 14.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Pride Institute, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =165)	1.2%	0.6%	50.0%
Not employed/student \S (N = 119)	52.1%	32.8%	37.1%
Arrests past 30 days (N = 192)	2.6%	1.0%	60.0%
Alcohol use past 30 days (N = 180)	28.9%	5.0%	82.7%
Drug use past 30 days (N = 180)	22.2%	3.3%	85.0%
No self-help group participation past 30 days (N = 140)	25.0%	9.3%	62.9%
No family support for recovery past 30 days (N = 121)	6.6%	4.1%	37.5%
Summary Measure 59.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 191)	0.0%	1.1%	*
Biomedical Conditions and Complications (N = 191)	2.6%	2.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 191)	78.0%	58.1%	25.5%
Resistance to Change (N = 191)	51.3%	45.5%	11.2%
Relapse/Continued Use Potential (N = 191)	85.9%	64.4%	25.0%
Unsupportive Recovery Environment (N = 191)	83.8%	59.2%	29.4%
Summary Measure 23.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prodigal House

5103 Minnehaha Ave Minneapolis, MN 55417

Provider Website: www.prodhouse.com

Patient Profile

 Gender (N = 135)
 Race (N = 135)
 Age (N = 135)

 Male: 100.0%
 White: 62.2%
 Under 18: 0.0%

 Female: 0.0%
 Black: 31.1%
 18 to 25: 17.0%

American Indian: 1.5% 26 to 34: 26.7%
Hispanic: 3.0% 35 and older: 56.3%

Asian/Pacific Islander: 0.7%

Other: 1.5%

Primary Substance Source of Income (N = 135) (N = 135)

Alcohol: 48.1% Job: 4.4%

Methamphetamine: 8.9% Retirement/savings: 1.5% Family/friends: 3.7% Heroin: 8.2% No income: 66.7% Public sources: 17.8%

Other opiates: 3.0%

Public sources: 17.6%

Other sources: 5.9%

(N = 135) .
Self/family/relative/
friends: 25.2%

Source of Referral

friends: 25.2% Employer/school: 0.0% Criminal justice: 36.3% Professional: 40.0%

County social

County: Hennepin

service agency: 94.1%

Other community resources: 0.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.5%

(N = 135)

Completed program: 49.6%

Patient left without staff approval: 23.0% Staff requested/judged inappropriate: 17.8%

Death/other: 9.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Prodigal House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =135)	11.9%	0.0%	100.0%
Not employed/student \S (N = 129)	98.4%	96.1%	2.4%
Arrests past 30 days (N = 135)	5.9%	1.5%	75.0%
Alcohol use past 30 days (N = 135)	38.5%	8.9%	76.9%
Drug use past 30 days (N = 135)	37.0%	12.6%	66.0%
No self-help group participation past 30 days (N = 132)	34.8%	0.8%	97.8%
No family support for recovery past 30 days (N = 122)	6.6%	4.9%	25.0%
Summary Measure 46.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 134)	1.5%	5.2%	0.0%
Biomedical Conditions and Complications ($N = 133$)	19.5%	9.8%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 133)	86.5%	39.1%	54.8%
Resistance to Change (N = 133)	95.5%	54.9%	42.5%
Relapse/Continued Use Potential (N = 133)	100.0%	61.7%	38.3%
Unsupportive Recovery Environment (N = 132)	100.0%	75.8%	24.2%
Summary Measure 38.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Wright

AA: * Tribal: *

Professional Counseling Center

Wright One Plaza Highway 55 West Buffalo, MN 55313

Provider Website:

Patient Profile

Gender (N = 6)Race (N = 6)Age (N = 6)Male: * White: * Under 18: * Black: * Female: * 18 to 25: * 26 to 34: * American Indian: * 35 and older: * Hispanic: *

Asian/Pacific Islander: *

Other: *

Source of Referral Primary Substance Source of Income

(N = 6)(N = 6)(N = 6) . Alcohol: * Job: * Self/family/relative/ friends: * Methamphetamine: * Retirement/savings: *

Family/friends: * Employer/school: * Marijuana: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

Other drugs: * service agency: * Other community resources: *

Discharge Status

(N = 6)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Professional Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =6)	*	*	*
Not employed/student \S (N = 6)	*	*	*
Arrests past 30 days (N = 6)	*	*	*
Alcohol use past 30 days (N = 6)	*	*	*
Drug use past 30 days (N = 6)	*	*	*
No self-help group participation past 30 days $(N = 6)$	*	*	*
No family support for recovery past 30 days $(N = 6)$	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 6$)		*	*
vvitnaravvar (iv – 0)	*	*	^
Biomedical Conditions and Complications (N = 6)	*	*	*
Biomedical Conditions and			
Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/	*	*	*
Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6)	*	*	*
Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6) Resistance to Change (N = 6) Relapse/Continued Use	* *	* *	* *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center

500 Highway 12 Delano, MN 55328

Provider Website:

Patient Profile

Black: * 18 to 25: *
American Indian: * 26 to 34: *
Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income

(N = 2) Alcohol: * (N = 2) Job: *

Methamphetamine: * Retirement/savings: *
Marijuana: * Family/friends: *

Heroin: * No income: *
Cocaine: * Public sources: *
Other opiates: * Other sources: *

Oth re

 $=2) \qquad \qquad (N=2) \qquad .$

Self/family/relative/ friends: *

Source of Referral

County: Wright

Age (N = 2)

Under 18: *

Employer/school: *
Criminal justice: *
Professional: *
County social

service agency: *
Other community
resources: *

AA: *
Tribal: *

Discharge Status

Other drugs: *

(N = 2)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Professional Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =2)	*	*	*
Not employed/student \S (N = 2)	*	*	*
Arrests past 30 days (N = 2)	*	*	*
Alcohol use past 30 days (N = 2)	*	*	*
Drug use past 30 days (N = 2)	*	*	*
No self-help group participation past 30 days $(N = 2)$	*	*	*
No family support for recovery past 30 days (N = 2)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 2)$	*	*	*
Biomedical Conditions and Complications $(N = 2)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 2)	*	*	*
Resistance to Change $(N = 2)$	*	*	*
Relapse/Continued Use Potential (N = 2)	*	*	*
Unsupportive Recovery Environment (N = 2)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center of Buffalo

7 West Highway 55 Buffalo, MN 55313

Provider Website:

Patient Profile

Gender (N = 10)Race (N = 10)Male: 70.0% White: 80.0% Female: 30.0% Black: 10.0%

18 to 25: 50.0% American Indian: 0.0% 26 to 34: 30.0% 35 and older: 20.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 10.0%

Primary Substance Source of Income

(N = 10)(N = 10)Alcohol: 60.0% Job: 40.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 50.0% Marijuana: 30.0% Heroin: 0.0% No income: 0.0% Cocaine: 0.0%

Public sources: 10.0% Professional: 0.0% Other opiates: 10.0% Other sources: 0.0% County social Other drugs: 0.0%

(N = 10) . Self/family/relative/ friends: 30.0% Employer/school: 0.0% Criminal justice: 90.0%

Source of Referral

service agency: 70.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Wright

Age (N = 10)

Under 18: 0.0%

Discharge Status

(N = 10)

Completed program: 20.0%

Patient left without staff approval: 50.0% Staff requested/judged inappropriate: 0.0%

Death/other: 30.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Professional Counseling Center of Buffalo

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =10)	0.0%	0.0%	*
Not employed/student \S (N = 10)	60.0%	50.0%	16.7%
Arrests past 30 days (N = 10)	0.0%	10.0%	*
Alcohol use past 30 days (N = 10)	20.0%	0.0%	100.0%
Drug use past 30 days (N = 10)	30.0%	0.0%	100.0%
No self-help group participation past 30 days (N = 10)	60.0%	60.0%	0.0%
No family support for recovery past 30 days $(N = 10)$	0.0%	0.0%	*
Summary Measure 29.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 10)	0.0%	10.0%	*
Biomedical Conditions and Complications $(N = 10)$	10.0%	10.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 10)	30.0%	20.0%	33.3%
Resistance to Change (N = 10)	70.0%	40.0%	42.9%
Relapse/Continued Use Potential (N = 10)	80.0%	90.0%	0.0%
Unsupportive Recovery Environment (N = 10)	70.0%	30.0%	57.1%
Summary Measure 23.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center of Delano

620 East Hwy 12 Delano, MN 55328

Provider Website:

Patient Profile

Gender (N = 6)Male: *

Female: *

Race (N = 6)

White: * Black: *

American Indian: *

Hispanic: *

Asian/Pacific Islander: *

Other: *

(N = 6)Alcohol: *

Methamphetamine: *

Primary Substance

Marijuana: * Heroin: *

Cocaine: * Other opiates: *

Other drugs: *

Source of Income

(N = 6)Job: *

Retirement/savings: *

Family/friends: * No income: *

Public sources: * Other sources: * Source of Referral

35 and older: *

(N = 6).

County: Wright

Age (N = 6)

Under 18: *

18 to 25: * 26 to 34: *

Self/family/relative/

friends: *

Employer/school: *

Criminal justice: * Professional: *

County social

service agency: *

Other community

resources: *

AA: * Tribal: *

Discharge Status

(N = 6)

Completed program: *

Patient left without staff approval: *

Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Professional Counseling Center of Delano

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =6)	*	*	*
Not employed/student \S (N = 6)	*	*	*
Arrests past 30 days (N = 6)	*	*	*
Alcohol use past 30 days (N = 6)	*	*	*
Drug use past 30 days (N = 6)	*	*	*
No self-help group participation past 30 days $(N = 6)$	*	*	*
No family support for recovery past 30 days (N = 6)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 6)$	*	*	*
Biomedical Conditions and Complications $(N = 6)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 6)	*	*	*
Resistance to Change $(N = 6)$	*	*	*
Relapse/Continued Use Potential (N = 6)	*	*	*
Unsupportive Recovery Environment (N = 6)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Progress Valley I

3033 Garfield Avenue South Minneapolis, MN 55408

Provider Website: www.progressvalley.org

Patient Profile

 Gender (N = 129)
 Race (N = 129)

 Male: 100.0%
 White: 88.4%

 Female: 0.0%
 Black: 6.2%

Black: 6.2% 18 to 25: 39.5% American Indian: 0.8% 26 to 34: 23.3% Hispanic: 3.9% 35 and older: 37.2%

Asian/Pacific Islander: 0.8%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 23.4% Retirement/savings: 2.3% Marijuana: 7.0% Family/friends: 17.8% No income: 10.1% Cocaine: 5.5% Public sources: 11.6%

Other opiates: 7.8%

Other sources: 24.0%

Source of Referral (N = 129).

County: Hennepin

Age (N = 129)

Under 18: 0.0%

Self/family/relative/ friends: 22.5% Employer/school: 0.0% Criminal justice: 3.9% Professional: 76.7%

County social

service agency: 9.3% Other community resources: 3.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 2.3%

(N = 129)

Completed program: 31.8%

Patient left without staff approval: 38.8% Staff requested/judged inappropriate: 24.8%

Death/other: 4.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Progress Valley I

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =129)	2.3%	3.9%	0.0%
Not employed/student \S (N = 116)	88.8%	45.7%	48.5%
Arrests past 30 days (N = 124)	4.0%	0.8%	80.0%
Alcohol use past 30 days (N = 128)	17.2%	9.4%	45.5%
Drug use past 30 days (N = 128)	20.3%	12.5%	38.5%
No self-help group participation past 30 days (N = 125)	11.2%	4.8%	57.1%
No family support for recovery past 30 days (N = 125)	3.2%	6.4%	0.0%
Summary Measure 43.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 123)	1.6%	8.1%	0.0%
Biomedical Conditions and Complications (N = 123)	8.9%	9.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 123)	57.7%	51.2%	11.3%
Resistance to Change (N = 123)	43.1%	65.0%	0.0%
Relapse/Continued Use Potential (N = 123)	100.0%	91.9%	8.1%
Unsupportive Recovery Environment (N = 123)	100.0%	82.1%	17.9%
Summary Measure 1.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Progress Valley II

308 East 78th Street Richfield, MN 55423

Provider Website: www.progressvalley.org

Patient Profile

 Gender (N = 128)
 Race (N = 128)
 Age (N = 128)

 Male: 0.0%
 White: 87.5%
 Under 18: 0.0%

 Female: 100.0%
 Black: 5.5%
 18 to 25: 29.7%

emale: 100.0% Black: 5.5% 18 to 25: 29.7% American Indian: 3.1% 26 to 34: 22.7% Hispanic: 3.1% 35 and older: 47.7%

Hispanic: 3.1% 35 and older: 47.7% Asian/Pacific Islander: 0.0%

Other: 0.8%

Primary Substance Source of Income Source of Referral (N = 128) (N = 128) (N = 128) .

Alcohol: 43.8% Job: 22.7% Self/family/relative/
Methamphetamine: 25.0% Retirement/savings: 1.6% friends: 58.6%

Marijuana: 7.0% Family/friends: 22.7% Employer/school: 0.0%

Heroin: 6.3% No income: 17.2% Criminal justice: 10.9%

Cocaine: 10.9% Public sources: 22.7% Professional: 79.7% Other opiates: 6.3% Other sources: 13.3% County social

Other drugs: 0.8% service agency: 18.0% Other community

Other community resources: 0.8%

AA: 0.8% Tribal: 0.8%

County: Hennepin

Discharge Status

(N = 128)

Completed program: 36.7%

Patient left without staff approval: 44.5% Staff requested/judged inappropriate: 17.2%

Death/other: 1.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Progress Valley II

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =126)	4.0%	0.8%	80.0%
Not employed/student§ (N = 127)	86.6%	52.8%	39.1%
Arrests past 30 days (N = 127)	3.2%	3.2%	0.0%
Alcohol use past 30 days (N = 128)	21.9%	9.4%	57.1%
Drug use past 30 days (N = 128)	18.0%	10.9%	39.1%
No self-help group participation past 30 days (N = 124)	14.5%	0.8%	94.4%
No family support for recovery past 30 days (N = 113)	4.4%	0.9%	80.0%
Summary Measure 48.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 128)	1.6%	2.3%	0.0%
Biomedical Conditions and Complications (N = 128)	22.7%	14.8%	34.5%
Emotional/Behavioral/ Cognitive Problem (N = 127)	88.2%	80.3%	8.9%
Resistance to Change (N = 128)	86.7%	74.2%	14.4%
Relapse/Continued Use Potential (N = 127)	100.0%	89.8%	10.2%
Unsupportive Recovery Environment (N = 125)	99.2%	79.2%	20.2%
Summary Measure 14.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout

130 Willmar Ave SE Willmar, MN 56201

Provider Website: www.projectturnabout.org

Patient Profile

 Gender (N = 114)
 Race (N = 114)

 Male: 73.7%
 White: 85.1%

 Female: 26.3%
 Black: 2.6%

American Indian: 0.9% 26 to 34: 21.1% Hispanic: 11.4% 35 and older: 31.6%

County: Kandiyohi

Age (N = 114)

Under 18: 1.8%

18 to 25: 45.6%

Source of Referral

(N = 114) .

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 114) Alcohol: 58.8% (N = 114) Job: 41.2%

Methamphetamine: 11.4% Retirement/savings: 0.0 Marijuana: 25.4% Family/friends: 21.1% Heroin: 0.0% No income: 3.5% Cocaine: 2.6% Public sources: 12.3% Other opiates: 0.9% Other sources: 21.9%

Job: 41.2%
Retirement/savings: 0.0%
Family/friends: 21.1%
No income: 3.5%
Public sources: 12.3%
Other sources: 21.9%

Self/family/relative/
friends: 30.7%
Employer/school: 3.5%
Criminal justice: 64.9%
Professional: 18.4%
County social

service agency: 38.6% Other community resources: 2.6%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.9%

(N = 114)

Completed program: 44.7%

Patient left without staff approval: 21.9% Staff requested/judged inappropriate: 22.8%

Death/other: 10.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Project Turnabout

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =113)	0.9%	1.8%	0.0%
Not employed/student \S (N = 103)	46.6%	38.8%	16.7%
Arrests past 30 days (N = 113)	6.2%	7.1%	0.0%
Alcohol use past 30 days (N = 114)	25.4%	13.2%	48.3%
Drug use past 30 days (N = 114)	20.2%	12.3%	39.1%
No self-help group participation past 30 days (N = 104)	42.3%	11.5%	72.7%
No family support for recovery past 30 days $(N = 75)$	13.3%	2.7%	80.0%
Summary Measure 43.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 114)	4.4%	2.6%	40.0%
Biomedical Conditions and Complications (N = 114)	8.8%	6.1%	30.0%
Emotional/Behavioral/ Cognitive Problem (N = 114)	57.0%	37.7%	33.8%
Resistance to Change (N = 114)	67.5%	53.5%	20.8%
Relapse/Continued Use Potential (N = 114)	99.1%	77.2%	22.1%
Unsupportive Recovery Environment (N = 114)	98.2%	71.1%	27.7%
Summary Measure 25.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout Chemical Dependency Treatment Center of Redwood Falls

334 South Jefferson Street Redwood Falls, MN 56283

Provider Website: www.projectturnabout.com

Patient Profile

 Gender (N = 61)
 Race (N = 61)

 Male: 86.9%
 White: 65.6%

 Female: 13.1%
 Black: 1.6%

American Indian: 21.3% 26 to 34: 26.2% Hispanic: 8.2% 35 and older: 37.7%

Asian/Pacific Islander: 0.0%

Other: 3.3%

Primary Substance Source of Income

(N = 61) Alcohol: 59.0% (N = 61) Job: 37.7%

Methamphetamine: 9.8% Retirement/savings: 3.3% Marijuana: 23.0% Family/friends: 36.1% No income: 0.0% Cocaine: 0.0% Public sources: 6.6% Other opiates: 6.6% Other sources: 16.4%

(N = 61) ...
Self/family/relative/
friends: 24.6%
Employer/school: 1.6%
Criminal justice: 41.0%
Professional: 26.2%
County social

Source of Referral

County: Redwood

Age (N = 61)

Under 18: 14.8%

18 to 25: 21.3%

service agency: 73.8%

Other community resources: 3.3%

AA: 0.0% Tribal: 1.6%

Discharge Status

Other drugs: 1.6%

(N = 61)

Completed program: 41.0%

Patient left without staff approval: 4.9% Staff requested/judged inappropriate: 26.2%

Death/other: 27.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Project Turnabout Chemical Dependency Treatment Center of Redwood Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =59)	0.0%	1.7%	*
Not employed/student \S (N = 58)	51.7%	36.2%	30.0%
Arrests past 30 days (N = 54)	5.6%	9.3%	0.0%
Alcohol use past 30 days (N = 56)	23.2%	16.1%	30.8%
Drug use past 30 days (N = 56)	16.1%	25.0%	0.0%
No self-help group participation past 30 days (N = 55)	40.0%	16.4%	59.1%
No family support for recovery past 30 days $(N = 54)$	14.8%	11.1%	25.0%
Summary Measure [∥] 23.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 60$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 61)$	0.0%	1.6%	*
Emotional/Behavioral/ Cognitive Problem (N = 61)	24.6%	32.8%	0.0%
Resistance to Change (N = 61)	62.3%	41.0%	34.2%
Relapse/Continued Use Potential (N = 61)	98.4%	63.9%	35.0%
Unsupportive Recovery Environment ($N = 61$)	83.6%	57.4%	31.4%
Summary Measure [∥] 26.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0. DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout of Granite Falls

660 18th Street Granite Falls, MN 56241

Provider Website: www.projectturnabout.com

Patient Profile

 Gender (N = 575)
 Race (N = 575)
 Age (N = 575)

 Male: 66.3%
 White: 83.3%
 Under 18: 2.4%

 Female: 33.7%
 Black: 1.7%
 18 to 25: 35.5%

American Indian: 9.2% 26 to 34: 23.1%

Hispanic: 4.4% 35 and older: 39.0%

Asian/Pacific Islander: 0.2%

Other: 1.2%

Primary Substance Source of Income Source of Referral (N = 572) (N = 575) (N = 575) (N = 575)

Alcohol: 55.4%

Methamphetamine: 9.1%

Marijuana: 21.7%

Alcohol: 55.4%

Job: 35.7%

Retirement/savings: 3.8%

Family/friends: 15.0%

Self/family/relative/
friends: 51.5%

Employer/school: 1.0%

Heroin: 1.6%

Cocaine: 2.1%

Other opiates: 7.3%

Pamily/Herods: 13.0%

Employer/school: 1.0%

Criminal justice: 41.6%

Professional: 20.3%

County social

Other drugs: 2.8% service agency: 40.2% Other community

Other community resources: 4.2%

AA: 1.4% Tribal: 2.8%

County: Yellow Medicine

Discharge Status

(N = 575)

Completed program: 63.3%

Patient left without staff approval: 21.0% Staff requested/judged inappropriate: 10.4%

Death/other: 5.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Project Turnabout of Granite Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =548)	8.4%	0.7%	91.3%
Not employed/student \S (N = 484)	64.3%	70.7%	0.0%
Arrests past 30 days (N = 553)	15.0%	4.5%	69.9%
Alcohol use past 30 days (N = 572)	52.8%	7.5%	85.8%
Drug use past 30 days (N = 572)	47.4%	10.8%	77.1%
No self-help group participation past 30 days ($N = 491$)	62.7%	5.5%	91.2%
No family support for recovery past 30 days (N = 349)	12.0%	7.7%	35.7%
Summary Measure [∥] 59.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 557)	17.1%	4.3%	74.7%
Biomedical Conditions and Complications (N = 557)	42.4%	30.2%	28.8%
Emotional/Behavioral/ Cognitive Problem (N = 546)	96.2%	78.6%	18.3%
Resistance to Change (N = 545)	99.4%	83.7%	15.9%
Relapse/Continued Use Potential (N = 545)	99.8%	93.0%	6.8%
Unsupportive Recovery Environment (N = 544)	99.8%	87.3%	12.5%
Summary Measure 17.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout-Marshall

1220 Birch Street Marshall, MN 56258

Provider Website: www.projectturnabout.com

Patient Profile

 Gender (N = 218)
 Race (N = 218)

 Male: 85.3%
 White: 83.9%

 Female: 14.7%
 Black: 2.3%

male: 14.7% Black: 2.3% 18 to 25: 27.5% American Indian: 3.7% 26 to 34: 22.0% Hispanic: 8.3% 35 and older: 40.4%

Hispanic: 8.3% 35 and older: 40. Asian/Pacific Islander: 0.5%

Other: 1.4%

Primary Substance Source of Income (N = 218) (N = 218)

Alcohol: 63.8%

Methamphetamine: 10.1%

Job: 34.9%

Retirement/savings: 0.5%

Marijuana: 21.1% Family/friends: 11.9% Heroin: 0.9% No income: 29.8% Cocaine: 0.0% Public sources: 16.1%

Other opiates: 3.7% Other sources: 6.9% Other drugs: 0.5%

Source of Referral (N = 218). Self/family/relative/

Age (N = 218)

Under 18: 10.1%

County: Lyon

friends: 17.4% Employer/school: 0.5% Criminal justice: 30.3% Professional: 53.7%

County social

service agency: 73.4%

Other community resources: 1.8%

AA: 0.0% Tribal: 1.4%

Discharge Status

(N = 218)

Completed program: 57.8%

Patient left without staff approval: 20.6% Staff requested/judged inappropriate: 17.0%

Death/other: 4.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Project Turnabout-Marshall

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =215)	2.3%	0.9%	60.0%
Not employed/student \S (N = 215)	61.4%	44.2%	28.0%
Arrests past 30 days (N = 210)	8.1%	10.5%	0.0%
Alcohol use past 30 days (N = 218)	12.8%	12.8%	0.0%
Drug use past 30 days (N = 218)	7.3%	9.6%	0.0%
No self-help group participation past 30 days (N = 212)	25.9%	6.1%	76.4%
No family support for recovery past 30 days (N = 208)	3.9%	9.1%	0.0%
Summary Measure [∥] 23.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 217)	0.0%	0.9%	*
Biomedical Conditions and Complications (N = 217)	3.2%	1.4%	57.1%
Emotional/Behavioral/ Cognitive Problem (N = 217)	35.0%	25.3%	27.6%
Resistance to Change (N = 218)	71.1%	39.9%	43.9%
Relapse/Continued Use Potential (N = 217)	97.7%	80.6%	17.5%
Unsupportive Recovery Environment (N = 217)	98.6%	76.0%	22.9%
Summary Measure 26.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prople Inc. Huss Center for Recovery

2120 Park Avenue Minneapolis, MN 55404

Provider Website: www.peopleIncorporated.org

Patient Profile

 Gender (N = 46)
 Race (N = 46)
 Age (N = 46)

 Male: 65.2%
 White: 23.9%
 Under 18: 0.0%

 Female: 34.8%
 Black: 65.2%
 18 to 25: 19.6%

American Indian: 4.4% 26 to 34: 30.4%

Hispanic: 2.2% 35 and older: 50.0%

Hispanic: 2.2% 35 and older: 50.0%

Asian/Pacific Islander: 0.0% Other: 4.4%

Other. T. F.

Primary Substance Source of Income Source of Referral

 $\begin{array}{ccc} (N=46) & (N=46) & (N=46) \\ \text{Alcohol: } 45.7\% & \text{Job: } 4.4\% & \text{Self/family/relative/} \end{array}$

Methamphetamine: 0.0%Retirement/savings: 0.0%friends: 4.4%Marijuana: 37.0%Family/friends: 15.2%Employer/school: 0.0%Heroin: 6.5%No income: 4.4%Criminal justice: 67.4%Cocaine: 10.9%Public sources: 65.2%Professional: 21.7%

Other opiates: 0.0% Other sources: 10.9% County social

Other drugs: 0.0% service agency: 97.8% Other community

Other community resources: 2.2%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Discharge Status

(N = 46)

Completed program: 34.8%

Patient left without staff approval: 21.7% Staff requested/judged inappropriate: 17.4%

Death/other: 26.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Prople Inc. Huss Center for Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =45)	15.6%	15.6%	0.0%
Not employed/student \S (N = 45)	86.7%	86.7%	0.0%
Arrests past 30 days (N = 46)	0.0%	8.7%	*
Alcohol use past 30 days (N = 45)	35.6%	26.7%	25.0%
Drug use past 30 days (N = 45)	42.2%	35.6%	15.8%
No self-help group participation past 30 days $(N = 43)$	81.4%	67.4%	17.1%
No family support for recovery past 30 days $(N = 41)$	41.5%	43.9%	0.0%
Summary Measure 6.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 43)	2.3%	4.7%	0.0%
Biomedical Conditions and Complications $(N = 44)$	11.4%	4.6%	60.0%
Emotional/Behavioral/ Cognitive Problem (N = 44)	90.9%	72.7%	20.0%
Resistance to Change (N = 44)	77.3%	61.4%	20.6%
Relapse/Continued Use Potential (N = 44)	100.0%	65.9%	34.1%
Unsupportive Recovery Environment ($N = 43$)	100.0%	88.4%	11.6%
Summary Measure 22.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rainbow Behavioral Health Services Chartered

305 9th Street Windom, MN 56101

Provider Website:

Patient Profile

 Gender (N = 27)
 Race (N = 27)

 Male: 81.5%
 White: 81.5%

 Female: 18.5%
 Black: 0.0%

emale: 18.5% Black: 0.0% American Indian: 3.7% Hispanic: 11.1%

Asian/Pacific Islander: 3.7%

Other: 0.0%

Primary Substance

(N = 27)Alcohol: 77.8%

Methamphetamine: 3.7% Marijuana: 14.8%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 3.7%

Other drugs: 0.0%

Source of Income

(N = 27)

Job: 51.9% Retirement/savings: 0.0%

Family/friends: 14.8% No income: 14.8% Public sources: 11.1%

Other sources: 7.4%

Age (N = 27)

County: CottonWood

Under 18: 7.4% 18 to 25: 33.3% 26 to 34: 22.2%

35 and older: 37.0%

Source of Referral

(N = 27) .

Self/family/relative/ friends: 3.7%

Employer/school: 3.7% Criminal justice: 55.6% Professional: 25.9%

County social

service agency: 74.1%

Other community resources: 11.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 27)

Completed program: 51.9%

Patient left without staff approval: 3.7% Staff requested/judged inappropriate: 7.4%

Death/other: 37.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Rainbow Behavioral Health Services Chartered

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =26)	0.0%	7.7%	*
Not employed/student \S (N = 25)	32.0%	44.0%	0.0%
Arrests past 30 days (N = 25)	8.0%	4.0%	50.0%
Alcohol use past 30 days (N = 25)	8.0%	0.0%	100.0%
Drug use past 30 days (N = 25)	0.0%	8.0%	*
No self-help group participation past 30 days (N = 24)	37.5%	4.2%	88.9%
No family support for recovery past 30 days (N = 24)	8.3%	4.2%	50.0%
Summary Measure 23.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 26)	0.0%	7.7%	*
Biomedical Conditions and Complications $(N = 26)$	3.9%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 26)	19.2%	23.1%	0.0%
Resistance to Change (N = 26)	23.1%	11.5%	50.0%
Relapse/Continued Use Potential (N = 26)	80.8%	50.0%	38.1%
Unsupportive Recovery Environment ($N = 26$)	84.6%	73.1%	13.6%
Summary Measure 21.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Range Treatment Center

626 13th Street South Virginia, MN 55792

Provider Website:

Patient Profile

<u>Gender (N = 132)</u> Male: 72.7%

Female: 27.3%

Primary Substance

(N = 132)

Alcohol: 59.8%

Methamphetamine: 8.3% Marijuana: 12.9%

Heroin: 0.8% Cocaine: 1.5%

Other opiates: 15.2% Other drugs: 1.5% Race (N = 132)

White: 84.1% Black: 0.8%

American Indian: 13.6%

American Indian: 13.6% Hispanic: 0.8%

nispatiic. U.o 70

Asian/Pacific Islander: 0.0%

Other: 0.8%

Source of Income

(N = 132)

Job: 40.9%

Retirement/savings: 2.3%

Family/friends: 9.1% No income: 12.1% Public sources: 24.2%

Other sources: 11.4%

Age (N = 132)

County: St. Louis

Under 18: 0.0% 18 to 25: 27.3%

26 to 34: 22.7%

35 and older: 50.0%

Source of Referral

(N = 132) .

Self/family/relative/ friends: 46.2%

Employer/school: 3.0% Criminal justice: 50.0%

Professional: 11.4%

County social

service agency: 14.4%

Other community resources: 3.8%

AA: 0.0% Tribal: 2.3%

Discharge Status

(N = 132)

Completed program: 86.4%

Patient left without staff approval: 10.6% Staff requested/judged inappropriate: 2.3%

Death/other: 0.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Range Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =132)	0.8%	1.5%	0.0%
Not employed/student \S (N = 121)	65.3%	69.4%	0.0%
Arrests past 30 days (N = 129)	22.5%	0.0%	100.0%
Alcohol use past 30 days (N = 132)	56.8%	2.3%	96.0%
Drug use past 30 days (N = 132)	46.2%	1.5%	96.7%
No self-help group participation past 30 days (N = 130)	56.2%	1.5%	97.3%
No family support for recovery past 30 days (N = 128)	18.0%	8.6%	52.2%
Summary Measure 68.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 129)	0.8%	1.6%	0.0%
Biomedical Conditions and Complications ($N = 129$)	17.1%	4.7%	72.7%
Emotional/Behavioral/ Cognitive Problem (N = 129)	96.9%	65.1%	32.8%
Resistance to Change (N = 129)	98.4%	62.8%	36.2%
Relapse/Continued Use Potential (N = 129)	99.2%	65.9%	33.6%
Unsupportive Recovery Environment (N = 129)	96.9%	61.2%	36.8%
Summary Measure 36.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Range Treatment Center

3203 3rd Aveune West Hibbing, MN 55746

Provider Website:

Patient Profile

Gender (N = 77)Race (N = 77)Male: 72.7% White: 92.2% Female: 27.3% Black: 1.3%

> American Indian: 3.9% Hispanic: 1.3%

Asian/Pacific Islander: 0.0%

Other: 1.3%

Primary Substance

(N = 77)Alcohol: 66.2%

Methamphetamine: 3.9%

Marijuana: 27.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.3%

Other drugs: 1.3%

Source of Income

(N = 77)

Job: 39.0% Retirement/savings: 2.6%

Family/friends: 11.7% No income: 15.6% Public sources: 19.5%

Other sources: 11.7%

Age (N = 77)

County: St. Louis

Under 18: 0.0% 18 to 25: 31.2% 26 to 34: 39.0%

35 and older: 29.9%

Source of Referral

(N = 77) .

Self/family/relative/ friends: 3.9%

Employer/school: 0.0% Criminal justice: 96.1% Professional: 2.6%

County social

service agency: 6.5% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 77)

Completed program: 83.1%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 13.0%

Death/other: 3.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Range Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =77)	1.3%	1.3%	0.0%
Not employed/student \S (N = 75)	50.7%	46.7%	7.9%
Arrests past 30 days (N = 77)	3.9%	2.6%	33.3%
Alcohol use past 30 days (N = 77)	27.3%	5.2%	81.0%
Drug use past 30 days (N = 77)	16.9%	1.3%	92.3%
No self-help group participation past 30 days $(N = 75)$	68.0%	9.3%	86.3%
No family support for recovery past 30 days (N = 69)	14.5%	1.5%	90.0%
Summary Measure 62.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 70$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 77)$	2.6%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 77)	31.2%	18.2%	41.7%
Resistance to Change $(N = 77)$	94.8%	20.8%	78.1%
Relapse/Continued Use Potential (N = 77)	98.7%	22.1%	77.6%
Unsupportive Recovery Environment (N = 77)	98.7%	22.1%	77.6%
Summary Measure 74.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rapids Counseling Services, Inc.

717 NE 4th Street Grand Rapids, MN 55744

Provider Website: www.rapidscounseling.com

Patient Profile

 Gender (N = 167)
 Race (N = 167)
 Age (N = 167)

 Male: 65.9%
 White: 91.0%
 Under 18: 0.0%

Female: 34.1% Black: 0.6% 18 to 25: 22.2% American Indian: 4.8% 26 to 34: 26.3%

Hispanic: 1.2% 35 and older: 51.5%

County: Itasca

Asian/Pacific Islander: 1.2%

Other: 1.2%

Primary Substance Source of Income Source of Referral (N = 167) (N = 167) (N = 167) .

Alcohol: 68.3% Job: 41.9% Self/family/relative/
Methamphetamine: 7.2% Retirement/savings: 2.4% friends: 24.6%
Marijuana: 15.6% Family/friends: 18.6% Employer/school: 1.2%

Heroin: 0.0%

No income: 8.4%

Cocaine: 1.8%

Public sources: 18.0%

Other opiates: 5.4%

County social

Other drugs: 1.8% service agency: 6.6% Other community resources: 4.2%

AA: 2.4% Tribal: 0.0%

Discharge Status

(N = 167)

Completed program: 59.3%

Patient left without staff approval: 24.0% Staff requested/judged inappropriate: 3.0%

Death/other: 13.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Rapids Counseling Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =164)	0.6%	0.6%	0.0%
Not employed/student \S (N = 164)	48.2%	40.9%	15.2%
Arrests past 30 days (N = 159)	17.0%	9.4%	44.4%
Alcohol use past 30 days (N = 145)	23.4%	13.1%	44.1%
Drug use past 30 days (N = 145)	20.7%	9.7%	53.3%
No self-help group participation past 30 days ($N = 156$)	55.8%	17.3%	69.0%
No family support for recovery past 30 days (N = 159)	8.8%	8.2%	7.1%
Summary Measure 43.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 164)	0.0%	3.1%	*
Biomedical Conditions and Complications (N = 164)	10.4%	8.5%	17.6%
Emotional/Behavioral/ Cognitive Problem (N = 164)	18.3%	20.7%	0.0%
Resistance to Change (N = 164)	64.0%	31.7%	50.5%
Relapse/Continued Use Potential (N = 164)	93.3%	45.7%	51.0%
Unsupportive Recovery Environment (N = 164)	79.9%	42.1%	47.3%
Summary Measure 42.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rational Alternatives

206 14th Street East International Falls, MN 56649

Provider Website:

Patient Profile

 Gender (N = 45)
 Race (N = 45)

 Male: 77.8%
 White: 86.7%

 Female: 22.2%
 Black: 0.0%

Black: 0.0% 18 to 25: 33.3% American Indian: 8.9% 26 to 34: 26.7% Hispanic: 0.0% 35 and older: 35.6%

Asian/Pacific Islander: 0.0%

Other: 4.4%

Primary Substance Source of Income

(N = 45) Alcohol: 48.9% (N = 45) Job: 48.9%

Methamphetamine: 2.2% Retirement/savings: 0.

Marijuana: 26.7% Family/friends: 22.2%

Heroin: 0.0% No income: 0.0%

Cocaine: 0.0% Public sources: 24.4%

Other opiates: 22.2% Other sources: 4.4%

N = 45)

Job: 48.9%

Retirement/savings: 0.0%

Family/friends: 22.2%

No income: 0.0%

Public sources: 24.4%

Other sources: 4.4%

(N = 45)

Self/family/relative/
friends: 40.0%

Employer/school: 0.0%

Criminal justice: 53.3%

Professional: 33.3%

County social

service agency: 33.3% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Koochiching

Age (N = 45)

Under 18: 4.4%

Source of Referral

Discharge Status

Other drugs: 0.0%

(N = 45)

Completed program: 42.2%

Patient left without staff approval: 42.2% Staff requested/judged inappropriate: 0.0%

Death/other: 15.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Rational Alternatives

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =40)	0.0%	0.0%	*
Not employed/student§ (N = 39)	46.2%	25.6%	44.4%
Arrests past 30 days (N = 42)	9.5%	4.8%	50.0%
Alcohol use past 30 days (N = 33)	51.5%	3.0%	94.1%
Drug use past 30 days (N = 33)	30.3%	0.0%	100.0%
No self-help group participation past 30 days (N = 36)	58.3%	38.9%	33.3%
No family support for recovery past 30 days $(N = 31)$	6.5%	3.2%	50.0%
Summary Measure 62.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 40$)	10.0%	7.5%	25.0%
Biomedical Conditions and Complications $(N = 44)$	27.3%	22.7%	16.7%
Emotional/Behavioral/ Cognitive Problem (N = 44)	43.2%	34.1%	21.1%
Resistance to Change (N = 45)	57.8%	35.6%	38.5%
Relapse/Continued Use Potential (N = 45)	97.8%	66.7%	31.8%
Unsupportive Recovery Environment (N = 45)	62.2%	33.3%	46.4%
Summary Measure 33.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rays of Hope Unlimited

118 North Victoria Street St. Paul, MN 55104

County: Ramsey

Provider Website:

Patient Profile

 Gender (N = 1)
 Race (N = 1)
 Age (N = 1)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Primary Substance Source of Income Source of Referral (N = 1) (N = 1) (N = 1)

Other: *

Alcohol: * Job: * Self/family/relative/ friends: * Methamphetamine: * Retirement/savings: * Family/friends: * Employer/school: * Marijuana: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

service agency: *

Other community
resources: *

AA: *
Tribal: *

Discharge Status

Other drugs: *

(N = 1)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Rays of Hope Unlimited

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless \S (N =1)	*	*	*
Not employed/student \S (N = 1)	*	*	*
Arrests past 30 days (N = 1)	*	*	*
Alcohol use past 30 days (N = 1)	*	*	*
Drug use past 30 days (N = 1)	*	*	*
No self-help group participation past 30 days (N = 1)	*	*	*
No family support for recovery past 30 days (N = 1)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 1)	*	*	*
Biomedical Conditions and Complications $(N = 1)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 1)	*	*	*
Resistance to Change $(N = 1)$	*	*	*
Relapse/Continued Use Potential (N = 1)	*	*	*
Unsupportive Recovery Environment (N = 1)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rebecca Residence of Scandia

21077 Penrose Avenue North Scandia, MN 55073

Provider Website: www.havenchemicalhealth.com

Patient Profile

 Gender (N = 161)
 Race (N = 161)

 Male: 0.0%
 White: 95.7%

Female: 100.0% Black: 0.0% 18 to 25: 27.3% American Indian: 0.6% 26 to 34: 22.4% Hispanic: 0.6% 35 and older: 50.3%

Asian/Pacific Islander: 1.9%

Other: 1.2%

Primary Substance Source of Income

Methamphetamine: 19.3% Retirement/savings: 4.4% Family/friends: 34.8% Heroin: 5.0% No income: 13.0%

Cocaine: 1.2% Public sources: 13.0% Other opiates: 12.4% Other sources: 10.6%

(N = 161) Self/family/relative/ friends: 93.2% Employer/school: 1.9%

Source of Referral

ds: 34.8% Employer/school: 1.9% 13.0% Criminal justice: 6.2% es: 13.0% Professional: 53.4%

County social

County: Washington

Age (N = 161)

Under 18: 0.0%

service agency: 11.8%

Other community resources: 3.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 6.2%

(N = 161)

Completed program: 68.9%

Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 3.7%

Death/other: 9.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Rebecca Residence of Scandia

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =160)	18.1%	2.5%	86.2%
Not employed/student \S (N = 149)	68.5%	70.5%	0.0%
Arrests past 30 days (N = 161)	8.1%	0.0%	100.0%
Alcohol use past 30 days (N = 161)	55.3%	8.1%	85.4%
Drug use past 30 days (N = 161)	43.5%	7.5%	82.9%
No self-help group participation past 30 days (N = 150)	50.7%	3.3%	93.4%
No family support for recovery past 30 days (N = 156)	1.9%	3.2%	0.0%
Summary Measure 61.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 161)	0.6%	0.0%	100.0%
Biomedical Conditions and Complications (N = 161)	3.1%	1.9%	40.0%
Emotional/Behavioral/ Cognitive Problem (N = 161)	100.0%	99.4%	0.6%
Resistance to Change (N = 161)	5.0%	3.7%	25.0%
Relapse/Continued Use Potential (N = 161)	100.0%	98.1%	1.9%
Unsupportive Recovery Environment (N = 161)	100.0%	99.4%	0.6%
Summary Measure 2.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Plus Adult Program St. Cloud Hospital

713 Anderson Ave St. Cloud, MN 56303

Provider Website: www.centracare.com

Patient Profile

 Gender (N = 1149)
 Race (N = 1149)
 Age (N = 1149)

 Male: 62.7%
 White: 83.1%
 Under 18: 0.6%

Female: 37.3% Black: 5.7% 18 to 25: 27.9% American Indian: 6.7% 26 to 34: 25.7%

Hispanic: 2.8% 35 and older: 45.8% Asian/Pacific Islander: 0.8%

County: Stearns

Other: 1 00/

Other: 1.0%

Primary Substance Source of Income Source of Referral (N = 1146) (N = 1149) (N = 1149).

Alcohol: 57.4%

Job: 29.6%

Self/family/relative/

Methamphetamine: 10.6%

Retirement/savings: 6.3%

Family/friends: 10.3%

Family/friends: 10.3%

Marijuana: 15.9% Family/friends: 10.3% Employer/school: 1.7% Heroin: 1.2% No income: 25.0% Criminal justice: 21.6% Public sources: 24.8% Professional: 22.7%

Other opiates: 11.7%

Other sources: 4.1%

County social

Other drugs: 1.1% service agency: 39.3%

Other community resources: 1.8%

AA: 0.0% Tribal: 0.2%

Discharge Status

(N = 1149)

Completed program: 68.6%

Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 9.7%

Death/other: 4.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Recovery Plus Adult Program St. Cloud Hospital

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =1143)	3.2%	1.4%	56.8%
Not employed/student§ (N = 1139)	71.2%	71.0%	0.2%
Arrests past 30 days (N = 1113)	13.2%	3.8%	71.4%
Alcohol use past 30 days (N = 951)	57.4%	9.2%	84.1%
Drug use past 30 days (N = 951)	38.8%	9.4%	75.9%
No self-help group participation past 30 days (N = 1133)	70.1%	12.5%	82.1%
No family support for recovery past 30 days (N = 1098)	1.4%	4.6%	0.0%
Summary Measure 56.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 1078)	10.5%	4.2%	60.2%
Biomedical Conditions and Complications (N = 1079)	31.5%	18.4%	41.5%
Emotional/Behavioral/ Cognitive Problem (N = 1079)	79.8%	69.0%	13.5%
Resistance to Change (N = 1079)	72.8%	63.0%	13.4%
Relapse/Continued Use Potential (N = 1079)	98.5%	83.6%	15.1%
Unsupportive Recovery Environment (N = 1079)	97.5%	83.9%	14.0%
Summary Measure 17.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Resource Center

1900 Chicago Avenue South Minneapolis, MN 55404

Provider Website: www.resource-mn.org

Patient Profile

 Gender (N = 412)
 Race (N = 412)
 Age (N = 412)

 Male: 68.2%
 White: 24.5%
 Under 18: 0.0%

 Female: 31.9%
 Plack: 50.3%

Female: 31.8% Black: 59.2% 18 to 25: 15.3% American Indian: 5.6% 26 to 34: 21.4%

Hispanic: 4.1% 35 and older: 63.3%

Asian/Pacific Islander: 1.0%

Other: 5.6%

Primary Substance Source of Income Source of Referral (N = 404) (N = 412) (N = 412) .

Marijuana: 14.6% Family/friends: 0.7% Employer/school: 0.2% Heroin: 10.6% No income: 46.4% Criminal justice: 42.5% Cocaine: 33.2% Public sources: 49.8% Professional: 16.7%

Other opiates: 2.2%

Other sources: 2.9%

County social

Other drugs: 0.5% service agency: 13.8% Other community

resources: 0.7%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Discharge Status

(N = 412)

Completed program: 59.7%

Patient left without staff approval: 24.5% Staff requested/judged inappropriate: 7.0%

Death/other: 8.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Recovery Resource Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =370)	48.9%	5.7%	88.4%
Not employed/student§ (N = 377)	97.3%	95.5%	1.9%
Arrests past 30 days (N = 346)	10.1%	7.8%	22.9%
Alcohol use past 30 days (N = 309)	46.9%	17.2%	63.4%
Drug use past 30 days (N = 309)	54.4%	20.7%	61.9%
No self-help group participation past 30 days ($N = 359$)	58.2%	10.6%	81.8%
No family support for recovery past 30 days (N = 320)	6.6%	4.1%	38.1%
Summary Measure 49.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 412)	5.6%	11.2%	0.0%
Biomedical Conditions and Complications ($N = 412$)	41.0%	17.5%	57.4%
Emotional/Behavioral/ Cognitive Problem (N = 412)	81.8%	53.9%	34.1%
Resistance to Change (N = 412)	92.5%	51.5%	44.4%
Relapse/Continued Use Potential (N = 412)	93.0%	54.4%	41.5%
Unsupportive Recovery Environment (N = 412)	96.8%	53.6%	44.6%
Summary Measure 41.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Resources of Winsted

471 2nd St. No Winsted, MN 55395

Provider Website:

Patient Profile

<u>Gender (N = 170)</u> Male: 77.6%

Female: 22.4%

Primary Substance

(N = 170)Alcohol: 64.1%

Methamphetamine: 5.9% Marijuana: 26.5%

Heroin: 0.0% Cocaine: 0.6% Other opiates: 1.8%

Other drugs: 1.2%

Race (N = 170)

White: 91.2% Black: 0.6%

American Indian: 3.5% Hispanic: 4.1%

Asian/Pacific Islander: 0.0%

Other: 0.6%

Source of Income

(N = 170)

Job: 48.8% Retirement/savings: 3.5%

Other sources: 8.2%

Family/friends: 24.1% No income: 6.5% Public sources: 8.8% Age (N = 170)

County: McLeod

Under 18: 8.8% 18 to 25: 35.3% 26 to 34: 18.2%

35 and older: 37.6%

Source of Referral

(N = 170) .

Self/family/relative/ friends: 28.8% Employer/school: 5.3% Criminal justice: 76.5% Professional: 5.3%

County social

service agency: 26.5%

Other community resources: 3.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 170)

Completed program: 68.2%

Patient left without staff approval: 11.8% Staff requested/judged inappropriate: 11.2%

Death/other: 8.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Recovery Resources of Winsted

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =163)	0.0%	0.0%	*
Not employed/student§ (N = 155)	32.3%	30.3%	6.0%
Arrests past 30 days (N = 168)	3.0%	6.0%	0.0%
Alcohol use past 30 days (N = 170)	29.4%	15.9%	46.0%
Drug use past 30 days (N = 170)	20.0%	11.8%	41.2%
No self-help group participation past 30 days (N = 157)	48.4%	10.8%	77.6%
No family support for recovery past 30 days $(N = 162)$	1.9%	4.9%	0.0%
Summary Measure 40.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 162)	2.5%	4.3%	0.0%
Biomedical Conditions and Complications (N = 170)	9.4%	5.3%	43.8%
Emotional/Behavioral/ Cognitive Problem (N = 170)	72.4%	27.6%	61.8%
Resistance to Change (N = 170)	77.6%	30.6%	60.6%
Relapse/Continued Use Potential (N = 170)	96.5%	35.3%	63.4%
Unsupportive Recovery Environment (N = 170)	81.8%	32.9%	59.7%
Summary Measure 60.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Works Minimum Security Program

640 Randolph Road Detroit Lakes, MN 56501

Provider Website:

Patient Profile

 Gender (N = 5)
 Race (N = 5)
 Age (N = 5)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

(N = 5) (N = 5) (N = 5) Self/family/relative/

Methamphetamine: * Retirement/savings: * friends: *

Marijuana: * Family/friends: * Employer/school: *

Heroin: * No income: * Criminal justice: *

Cocaine: * Public sources: * Professional: *

Other opiates: * County social

Other drugs: *

Service agency: *

Other community

resources: *

AA: *
Tribal: *

County: Becker

Discharge Status

(N = 5)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Recovery Works Minimum Security Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =5)	*	*	*
Not employed/student \S (N = 5)	*	*	*
Arrests past 30 days (N = 5)	*	*	*
Alcohol use past 30 days (N = 5)	*	*	*
Drug use past 30 days (N = 5)	*	*	*
No self-help group participation past 30 days $(N = 5)$	*	*	*
No family support for recovery past 30 days $(N = 5)$	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 5)	*	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*	*
Resistance to Change $(N = 5)$	*	*	*
Relapse/Continued Use Potential ($N = 5$)	*	*	*
Unsupportive Recovery Environment $(N = 5)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Works/BC Jail House Program

925 Lake Avenue Detroit Lakes, MN 56502

Provider Website:

Patient Profile

 Gender (N = 17)
 Race (N = 17)

 Male: 100.0%
 White: 64.7%

 Female: 0.0%
 Black: 0.0%

American Indian: 29.4% Hispanic: 5.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

 $\frac{(N = 17)}{\text{Alcohol: } 41.2\%}$

Methamphetamine: 29.4%

Marijuana: 23.5% Heroin: 5.9% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income

 $\frac{(N = 17)}{\text{Job: } 23.5\%}$

Retirement/savings: 0.0% Family/friends: 41.2% No income: 0.0% Public sources: 11.8% Other sources: 23.5% Age (N = 17)

County: Becker

Under 18: 0.0% 18 to 25: 35.3% 26 to 34: 29.4%

35 and older: 35.3%

Source of Referral

(N = 17).

Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 5.9% Professional: 0.0%

County social

service agency: 70.6%

Other community resources: 0.0%

AA: 0.0% Tribal: 11.8%

Discharge Status

(N = 17)

Completed program: 17.6%

Patient left without staff approval: 11.8% Staff requested/judged inappropriate: 0.0%

Death/other: 70.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Recovery Works/BC Jail House Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =17)	0.0%	0.0%	*
Not employed/student§ (N = 16)	87.5%	100.0%	0.0%
Arrests past 30 days (N = 17)	70.6%	5.9%	91.7%
Alcohol use past 30 days (N = 17)	47.1%	5.9%	87.5%
Drug use past 30 days (N = 17)	35.3%	5.9%	83.3%
No self-help group participation past 30 days $(N = 17)$	58.8%	11.8%	80.0%
No family support for recovery past 30 days (N = 17)	11.8%	29.4%	0.0%
Summary Measure [∥] 48.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 17)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 17)$	11.8%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 17)	52.9%	47.1%	11.1%
Resistance to Change (N = 17)	88.2%	47.1%	46.7%
Relapse/Continued Use Potential (N = 17)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment (N = 17)	100.0%	100.0%	0.0%
Summary Measure [∥] 16.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake CD Outpatient Program

P.O. Box 114 Red Lake, MN 56671

Provider Website:

Patient Profile

Gender (N = 119) Male: 62.2%

Female: 37.8%

White: 0.0% Black: 0.0% American Indian: 99.2%

> Hispanic: 0.8% Asian/Pacific Islander: 0.0%

Other: 0.0%

Race (N = 119)

Primary Substance

(N = 119)Alcohol: 68.9%

Methamphetamine: 0.0%

Marijuana: 24.4% Heroin: 0.0% Cocaine: 1.7% Other opiates: 5.0% Other drugs: 0.0%

Source of Income (N = 119)

Job: 30.3% Retirement/savings: 0.0%

Family/friends: 5.0% No income: 32.8% Public sources: 27.7% Other sources: 4.2%

Age (N = 119)

County: Beltrami

Under 18: 2.5% 18 to 25: 31.9% 26 to 34: 32.8%

35 and older: 32.8%

Source of Referral

(N = 119) .

Self/family/relative/ friends: 10.1% Employer/school: 8.4% Criminal justice: 85.7% Professional: 3.4%

County social

service agency: 14.3%

Other community resources: 0.8%

AA: 0.0% Tribal: 1.7%

Discharge Status

(N = 119)

Completed program: 68.9%

Patient left without staff approval: 15.1% Staff requested/judged inappropriate: 1.7%

Death/other: 14.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Red Lake CD Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =119)	1.7%	2.5%	0.0%
Not employed/student§ (N = 107)	57.0%	47.7%	16.4%
Arrests past 30 days (N = 115)	44.3%	3.5%	92.2%
Alcohol use past 30 days (N = 118)	66.1%	5.9%	91.0%
Drug use past 30 days (N = 118)	55.9%	10.2%	81.8%
No self-help group participation past 30 days (N = 97)	97.9%	30.9%	68.4%
No family support for recovery past 30 days $(N = 97)$	66.0%	19.6%	70.3%
Summary Measure 69.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 119)	0.0%	0.8%	*
Biomedical Conditions and Complications ($N = 119$)	4.2%	2.5%	40.0%
Emotional/Behavioral/ Cognitive Problem (N = 119)	36.1%	26.1%	27.9%
Resistance to Change (N = 119)	86.6%	37.8%	56.3%
Relapse/Continued Use Potential (N = 119)	96.6%	41.2%	57.4%
Unsupportive Recovery Environment (N = 119)	90.8%	38.7%	57.4%
Summary Measure 53.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake Group Home

PO Box 114

Redlake, MN 56671 County: Beltrami

Provider Website: www.redlakechemicalhealthprograms.com

Patient Profile

 Gender (N = 15)
 Race (N = 15)

 Male: 46.7%
 White: 0.0%

 Female: 53.3%
 Black: 0.0%

Black: 0.0% 18 to 25: 0.0% American Indian: 100.0% 26 to 34: 0.0% Hispanic: 0.0% 35 and older: 0.0%

Hispanic: 0.0% 35 and older: 0.09 Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 15) Alcohol: 20.0% (N = 15) Job: 20.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 26.7% Heroin: 0.0% No income: 6.7% Cocaine: 0.0% Public sources: 26.7%

Other opiates: 0.0%

Other sources: 20.0%

(N = 15) Self/family/relative/ friends: 6.7%

Source of Referral

Age (N = 15)

Under 18: 100.0%

Family/friends: 26.7% Employer/school: 0.0% No income: 6.7% Criminal justice: 80.0% Public sources: 26.7% Professional: 0.0% County social

service agency: 33.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 15)

Completed program: 46.7%

Patient left without staff approval: 26.7% Staff requested/judged inappropriate: 26.7%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Red Lake Group Home

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =15)	6.7%	0.0%	100.0%
Not employed/student§ (N = 14)	0.0%	0.0%	*
Arrests past 30 days (N = 13)	46.2%	53.8%	0.0%
Alcohol use past 30 days (N = 14)	35.7%	14.3%	60.0%
Drug use past 30 days (N = 14)	57.1%	21.4%	62.5%
No self-help group participation past 30 days (N = 15)	33.3%	0.0%	100.0%
No family support for recovery past 30 days (N = 15)	26.7%	13.3%	50.0%
Summary Measure 50.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 15)	6.7%	6.7%	0.0%
Biomedical Conditions and Complications $(N = 15)$	40.0%	26.7%	33.3%
Emotional/Behavioral/ Cognitive Problem (N = 15)	66.7%	46.7%	30.0%
Resistance to Change (N = 15)	86.7%	60.0%	30.8%
Relapse/Continued Use Potential (N = 15)	93.3%	60.0%	35.7%
Unsupportive Recovery Environment (N = 15)	93.3%	60.0%	35.7%
Summary Measure 32.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake Treatment Center

PO Box 114

Redlake, MN 56671 County: Beltrami

Provider Website:

Patient Profile

 Gender (N = 71)
 Race (N = 71)

 Male: 67.6%
 White: 0.0%

 Female: 32.4%
 Black: 0.0%

32.4% Black: 0.0% 18 to 25: 35.2% American Indian: 98.6% 26 to 34: 22.5% Hispanic: 1.4% 35 and older: 40.8%

Hispanic: 1.4% 35 and Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 71) Alcohol: 63.4% (N = 71) Job: 9.9%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 0.0% No income: 45.1% Public sources: 15.5%

Other opiates: 8.5% Other sources: 29.6% County social Service ager

N = 71. Self/family/relative/

Source of Referral

Age (N = 71)

Under 18: 1.4%

friends: 29.6%
Employer/school: 1.4%
Criminal justice: 70.4%
Professional: 7.0%

service agency: 7.0% Other community resources: 1.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 71)

Completed program: 70.4%

Patient left without staff approval: 19.7% Staff requested/judged inappropriate: 2.8%

Death/other: 7.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Red Lake Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =64)	10.9%	0.0%	100.0%
Not employed/student \S (N = 51)	86.3%	92.2%	0.0%
Arrests past 30 days (N = 71)	39.4%	4.2%	89.3%
Alcohol use past 30 days (N = 71)	64.8%	5.6%	91.3%
Drug use past 30 days (N = 71)	49.3%	9.9%	80.0%
No self-help group participation past 30 days (N = 67)	83.6%	6.0%	92.9%
No family support for recovery past 30 days (N = 57)	17.5%	8.8%	50.0%
Summary Measure 64.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 71$)	2.8%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 71)$	9.9%	5.6%	42.9%
Emotional/Behavioral/ Cognitive Problem (N = 71)	23.9%	14.1%	41.2%
Resistance to Change (N = 71)	87.3%	54.9%	37.1%
Relapse/Continued Use Potential (N = 71)	100.0%	78.9%	21.1%
Unsupportive Recovery Environment $(N = 71)$	97.2%	74.6%	23.2%
Summary Measure [∥] 28.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red River Recovery Center

701 Center Ave. E. Dilworth, MN 56529

Provider Website:

Patient Profile

<u>Gender (N = 262)</u> Male: 80.9%

Female: 19.1%

Hispanic: 4.2%

Asian/Pacific Islander: 0.4%

American Indian: 14.5%

Other: 0.8%

Race (N = 262)

White: 77.1%

Black: 3.1%

Primary Substance

(N = 262)Alcohol: 55.3%

Methamphetamine: 16.0%

Marijuana: 15.3% Heroin: 2.7% Cocaine: 2.7% Other opiates: 6.5%

Other drugs: 1.5%

Source of Income

(N = 262)

Job: 39.7% Retirement/savings: 0.8%

Family/friends: 9.5% No income: 18.7% Public sources: 19.8%

6.5% Other sources: 11.5%

Age (N = 262)

County: Clay

Under 18: 5.0% 18 to 25: 34.7% 26 to 34: 17.6%

35 and older: 42.7%

Source of Referral

(N = 262).

Self/family/relative/ friends: 26.7% Employer/school: 0.0% Criminal justice: 27.9% Professional: 58.0%

County social

service agency: 63.0%

Other community resources: 0.4%

AA: 0.0% Tribal: 4.6%

Discharge Status

(N = 262)

Completed program: 51.9%

Patient left without staff approval: 21.8% Staff requested/judged inappropriate: 16.8%

Death/other: 9.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Red River Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =262)	4.6%	0.8%	83.3%
Not employed/student§ (N = 258)	91.5%	48.4%	47.0%
Arrests past 30 days (N = 262)	4.2%	6.1%	0.0%
Alcohol use past 30 days (N = 262)	13.4%	11.1%	17.1%
Drug use past 30 days (N = 262)	10.7%	8.8%	17.9%
No self-help group participation past 30 days ($N = 262$)	14.9%	0.4%	97.4%
No family support for recovery past 30 days ($N = 262$)	5.0%	0.8%	84.6%
Summary Measure 47.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 259)	0.4%	6.6%	0.0%
Biomedical Conditions and Complications ($N = 260$)	25.4%	16.5%	34.8%
Emotional/Behavioral/ Cognitive Problem (N = 256)	59.0%	34.8%	41.1%
Resistance to Change (N = 256)	84.4%	52.0%	38.4%
Relapse/Continued Use Potential (N = 256)	100.0%	74.6%	25.4%
Unsupportive Recovery Environment (N = 255)	100.0%	75.7%	24.3%
Summary Measure 29.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital Alcohol and Drug Abuse Program

445 Etna Street St. Paul, MN 55106

St. Paul, MN 55106 County: Ramsey

Provider Website: www.regionshospital.com

Patient Profile

 Gender (N = 932)
 Race (N = 932)
 Age (N = 932)

 Male: 78.0%
 White: 62.9%
 Under 18: 0.0%

Female: 22.0% Black: 22.0% 18 to 25: 21.5% American Indian: 2.6% 26 to 34: 25.5%

Hispanic: 6.4% 35 and older: 53.0%

Tribal: 0.0%

Asian/Pacific Islander: 3.0% Other: 3.1%

Other. 3.1

Primary Substance Source of Income Source of Referral (N = 930) (N = 932) (N = 932).

Alcohol: 60.6% Job: 29.8% Self/family/relative/
Methamphetamine: 11.5% Retirement/savings: 1.9% friends: 38.6%
Marijuana: 16.2% Family/friends: 12.8% Employer/school: 1.7%
Heroin: 1.7% No income: 18.1% Criminal justice: 51.7%

Cocaine: 6.8% Public sources: 27.1% Professional: 38.3% Other opiates: 2.2% Other sources: 10.2% County social

Other drugs: 1.0% service agency: 53.2% Other community

resources: 2.2% AA: 0.0%

Discharge Status

(N = 932)

Completed program: 55.9%

Patient left without staff approval: 26.9% Staff requested/judged inappropriate: 12.9%

Death/other: 4.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Regions Hospital Alcohol and Drug Abuse Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =915)	12.5%	4.4%	64.9%
Not employed/student§ (N = 815)	68.8%	66.7%	3.0%
Arrests past 30 days (N = 932)	9.6%	4.3%	55.1%
Alcohol use past 30 days (N = 886)	57.6%	18.6%	67.6%
Drug use past 30 days (N = 886)	44.5%	18.4%	58.6%
No self-help group participation past 30 days ($N = 867$)	71.9%	12.1%	83.1%
No family support for recovery past 30 days $(N = 739)$	6.4%	10.3%	0.0%
Summary Measure 50.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 835)	0.1%	1.1%	0.0%
Biomedical Conditions and Complications ($N = 905$)	14.0%	6.7%	52.0%
Emotional/Behavioral/ Cognitive Problem (N = 900)	65.2%	49.1%	24.7%
Resistance to Change (N = 913)	93.8%	67.8%	27.7%
Relapse/Continued Use Potential (N = 919)	97.2%	73.2%	24.6%
Unsupportive Recovery Environment (N = 868)	90.4%	66.1%	26.9%
Summary Measure 26.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital/New Connection Programs

199 Coon Rapids Blvd Coon Rapids, MN 55433

Provider Website: www.regionshospital.com

Patient Profile

 Gender (N = 95)
 Race (N = 95)

 Male: 76.8%
 White: 84.2%

 Female: 23.2%
 Black: 6.3%

emale: 23.2% Black: 6.3% 18 to 25: 10.5% American Indian: 2.1% 26 to 34: 0.0% Hispanic: 5.3% 35 and older: 0.0%

Hispanic: 5.3% 35 and c Asian/Pacific Islander: 0.0%

Other: 2.1%

Primary Substance Source of Income

(N = 95) Alcohol: 9.5% (N = 95) Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 83.2% Family/friends: 97.9% Heroin: 1.1% No income: 0.0% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 4.2% Other sources: 2.1% County social service agency: 4.2% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Anoka

Age (N = 95)

Under 18: 89.5%

Source of Referral

Self/family/relative/

friends: 34.7%

Professional: 23.2%

Employer/school: 14.7%

Criminal justice: 61.1%

(N = 95).

Discharge Status

(N = 95)

Completed program: 42.1%

Patient left without staff approval: 12.6% Staff requested/judged inappropriate: 8.4%

Death/other: 36.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Regions Hospital/New Connection Programs

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =94)	0.0%	1.1%	*
Not employed/student \S (N = 95)	2.1%	2.1%	0.0%
Arrests past 30 days (N = 81)	8.6%	7.4%	14.3%
Alcohol use past 30 days (N = 95)	11.6%	5.3%	54.5%
Drug use past 30 days (N = 95)	30.5%	20.0%	34.5%
No self-help group participation past 30 days $(N = 87)$	77.0%	27.6%	64.2%
No family support for recovery past 30 days (N = 89)	13.5%	5.6%	58.3%
Summary Measure 51.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 95)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 95)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 95)	72.6%	54.7%	24.6%
Resistance to Change (N = 95)	81.1%	66.3%	18.2%
Relapse/Continued Use Potential (N = 95)	95.8%	82.1%	14.3%
Unsupportive Recovery Environment (N = 95)	87.4%	80.0%	8.4%
Summary Measure 15.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions/New Connection Program

445 Etna Street St. Paul, MN 55106

Provider Website:

Patient Profile

Gender (N = 73)Race (N = 73)Male: 84.9% White: 31.5% Female: 15.1% Black: 42.5%

> American Indian: 1.4% 26 to 34: 0.0% 35 and older: 0.0% Hispanic: 8.2%

> > Asian/Pacific Islander: 13.7%

Other: 2.7%

Primary Substance Source of Income

(N = 73)(N = 73)Alcohol: 6.9% Job: 0.0%

Methamphetamine: 1.4% Retirement/savings: 0.0% Family/friends: 97.3% Marijuana: 90.4% Heroin: 0.0% No income: 1.4% Cocaine: 0.0% Public sources: 1.4%

Other opiates: 0.0% Other sources: 0.0% Source of Referral (N = 73) .

County: Ramsey

Age (N = 73)

Under 18: 90.4%

18 to 25: 9.6%

Self/family/relative/ friends: 87.7% Employer/school: 32.9% Criminal justice: 60.3% Professional: 11.0%

County social

service agency: 2.7% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.4%

(N = 73)

Completed program: 30.1%

Patient left without staff approval: 34.2% Staff requested/judged inappropriate: 28.8%

Death/other: 6.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Regions/New Connection Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =72)	0.0%	0.0%	*
Not employed/student \S (N = 72)	0.0%	0.0%	*
Arrests past 30 days (N = 73)	16.4%	6.9%	58.3%
Alcohol use past 30 days (N = 73)	26.0%	19.2%	26.3%
Drug use past 30 days (N = 73)	78.1%	49.3%	36.8%
No self-help group participation past 30 days ($N = 47$)	74.5%	23.4%	68.6%
No family support for recovery past 30 days (N = 57)	56.1%	19.3%	65.6%
Summary Measure 53.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 73)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 73)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 73)	30.1%	31.5%	0.0%
Resistance to Change $(N = 73)$	69.9%	67.1%	3.9%
Relapse/Continued Use Potential ($N = 73$)	90.4%	76.7%	15.2%
Unsupportive Recovery Environment $(N = 73)$	84.9%	71.2%	16.1%
Summary Measure 10.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rewind, Inc.

840 East Main Street Perham, MN 56573

Provider Website:

Patient Profile

 Gender (N = 54)
 Race (N = 54)

 Male: 92.6%
 White: 88.9%

 Female: 7.4%
 Black: 3.7%

American Indian: 5.6% Hispanic: 1.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

 $\frac{(N = 53)}{\text{Alcohol: } 77.4\%}$ $\frac{(N = 54)}{\text{Job: } 22.2}$

Methamphetamine: 13.2% Retirement/savings: 5
Marijuana: 7.6% Family/friends: 1.9%
Heroin: 0.0% No income: 7.4%
Cocaine: 0.0% Public sources: 1.9%
Other opiates: 0.0% Other sources: 61.1%

(N = 54) (N = 54) .

Job: 22.2% Self/family/relative/
Retirement/savings: 5.6% friends: 5.6%

Family/friends: 1.9% Employer/school: 0.0%

% Criminal justice: 57.4% Professional: 16.7% County social

County: Otter Tail

Age (N = 54)

Under 18: 0.0%

18 to 25: 18.5%

26 to 34: 25.9% 35 and older: 55.6%

Source of Referral

service agency: 85.2%

Other community resources: 5.6%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.9%

(N = 54)

Completed program: 70.4%

Patient left without staff approval: 14.8% Staff requested/judged inappropriate: 11.1%

Death/other: 3.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Rewind, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =47)	12.8%	2.1%	83.3%
Not employed/student§ (N = 27)	70.4%	44.4%	36.8%
Arrests past 30 days (N = 54)	3.7%	5.6%	0.0%
Alcohol use past 30 days (N = 53)	11.3%	11.3%	0.0%
Drug use past 30 days (N = 53)	7.6%	3.8%	50.0%
No self-help group participation past 30 days $(N = 39)$	28.2%	2.6%	90.9%
No family support for recovery past 30 days $(N = 29)$	10.3%	3.5%	66.7%
Summary Measure 49.2%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 54$)	1.9%	7.4%	0.0%
Biomedical Conditions and Complications (N = 54)	14.8%	11.1%	25.0%
Emotional/Behavioral/ Cognitive Problem (N = 54)	53.7%	38.9%	27.6%
Resistance to Change (N = 54)	72.2%	27.8%	61.5%
Relapse/Continued Use Potential (N = 54)	94.4%	63.0%	33.3%
Unsupportive Recovery Environment $(N = 54)$	90.7%	68.5%	24.5%
Summary Measure 33.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

River Ridge Treatment Center Burnsville

14750 Lac Lavon Drive Burnsville, MN 55306

Provider Website: www.riverridgetreatmentcenter.com

Patient Profile

 Gender (N = 340)
 Race (N = 340)

 Male: 61.5%
 White: 88.8%

 Family: 38.5%
 Planty F.2%

Female: 38.5% Black: 5.3% 18 to 25: 25.9% American Indian: 1.5% 26 to 34: 21.5% Hispanic: 2.9% 35 and older: 51.8%

Asian/Pacific Islander: 0.3%

Other: 1.2%

Primary Substance Source of Income

(N = 338) Alcohol: 79.9% (N = 340) Job: 54.1%

Methamphetamine: 3.6% Retirement/savings: 0.6% Marijuana: 9.5% Family/friends: 6.8% No income: 2.4% Cocaine: 2.1% Public sources: 1.8%

Other opiates: 3.9% Other sources: 34.4% Other drugs: 0.0%

(N = 340) .
Self/family/relative/
friends: 48.2%
Employer/school: 5.0%

Source of Referral

Employer/school: 5.0% Criminal justice: 28.2% Professional: 22.4%

County social

County: Dakota

Age (N = 340)

Under 18: 0.9%

service agency: 21.8%

Other community resources: 6.5%

AA: 0.6% Tribal: 0.0%

Discharge Status

(N = 340)

Completed program: 48.5%

Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 19.1%

Death/other: 7.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

River Ridge Treatment Center Burnsville

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =321)	0.3%	0.9%	0.0%
Not employed/student \S (N = 270)	38.1%	34.1%	10.7%
Arrests past 30 days (N = 330)	7.3%	1.5%	79.2%
Alcohol use past 30 days (N = 334)	38.0%	20.4%	46.5%
Drug use past 30 days (N = 334)	18.9%	10.8%	42.9%
No self-help group participation past 30 days (N = 159)	27.7%	15.7%	43.2%
No family support for recovery past 30 days (N = 230)	2.2%	6.1%	0.0%
Summary Measure [∥] 32.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 322$)	2.5%	4.0%	0.0%
Biomedical Conditions and Complications (N = 333)	13.2%	10.8%	18.2%
Emotional/Behavioral/ Cognitive Problem (N = 336)	60.4%	59.5%	1.5%
Resistance to Change (N = 337)	43.0%	46.3%	0.0%
Relapse/Continued Use Potential (N = 337)	97.9%	59.3%	39.4%
Unsupportive Recovery Environment ($N = 334$)	71.0%	44.6%	37.1%
Summary Measure 22.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

River Ridge Treatment Center Minnetonka

15612 West Highway 7 Minnetonka, MN 55345

Provider Website: www.riverridgetreatmentcenter.com

Patient Profile

<u>Gender (N = 212)</u> Male: 59.0%

Female: 41.0%

Hispanic: 0.9%

Asian/Pacific Islander: 0.9%

American Indian: 1.9%

Other: 1.4%

Race (N = 212)

White: 91.0%

Black: 3.8%

Primary Substance

(N = 212)

Alcohol: 85.8% Methamphetamine: 2.8%

Marijuana: 6.6% Heroin: 0.5% Cocaine: 1.4% Other opiates: 2.8%

Other drugs: 0.0%

Source of Income

(N = 212)

Job: 58.0%

Retirement/savings: 2.8% Family/friends: 5.7% No income: 1.4%

Public sources: 2.4%
Other sources: 29.7%

Age (N = 212)

County: Hennepin

Under 18: 0.0% 18 to 25: 23.1% 26 to 34: 21.2%

35 and older: 55.7%

Source of Referral

(N = 212).

Self/family/relative/ friends: 57.1%

Employer/school: 2.4% Criminal justice: 39.6% Professional: 33.0%

County social

service agency: 4.3% Other community resources: 1.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 212)

Completed program: 58.0%

Patient left without staff approval: 19.3% Staff requested/judged inappropriate: 16.5%

Death/other: 6.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

River Ridge Treatment Center Minnetonka

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =210)	0.5%	1.0%	0.0%
Not employed/student \S (N = 203)	37.4%	35.5%	5.3%
Arrests past 30 days (N = 212)	6.6%	0.9%	85.7%
Alcohol use past 30 days (N = 212)	41.5%	20.8%	50.0%
Drug use past 30 days (N = 212)	16.5%	10.4%	37.1%
No self-help group participation past 30 days (N = 87)	14.9%	6.9%	53.8%
No family support for recovery past 30 days (N = 187)	0.5%	0.0%	100.0%
Summary Measure 36.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 203$)	2.0%	3.5%	0.0%
Biomedical Conditions and Complications $(N = 209)$	7.2%	7.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 212)	57.5%	34.0%	41.0%
Resistance to Change (N = 211)	30.8%	32.7%	0.0%
Relapse/Continued Use Potential (N = 212)	92.5%	42.9%	53.6%
Unsupportive Recovery Environment (N = 207)	58.0%	31.4%	45.8%
Summary Measure 38.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Riverplace Counseling Center of Elk River, Inc.

9816 NW Highway 10 Elk River, MN 55330

Provider Website: www.riverplacecenter.com

Patient Profile

 Gender (N = 328)
 Race (N = 328)
 Age (N = 328)

 Male: 29.3%
 White: 88.4%
 Under 18: 0.0%

 Female: 70.7%
 Black: 3.4%
 18 to 25: 28.4%

American Indian: 3.7% 26 to 34: 27.4% Hispanic: 1.5% 35 and older: 44.2%

Asian/Pacific Islander: 0.0%

County: Sherburne

Source of Referral

Self/family/relative/

friends: 49.4%

Professional: 22.3%

Other community

Employer/school: 2.1%

Criminal justice: 42.7%

(N = 328) .

Other: 3.1%

Primary Substance Source of Income (N = 328) (N = 328)

Alcohol: 62.5% Job: 32.3%

Methamphetamine: 19.5% Retirement/savings: 2.4% Marijuana: 10.7% Family/friends: 26.2% No income: 18.9% Cocaine: 2.1% Public sources: 10.1%

Other opiates: 3.7% Other sources: 10.1% County social service agency: 43.0%

resources: 1.8% AA: 0.3% Tribal: 0.6%

Discharge Status

(N = 328)

Completed program: 70.4%

Patient left without staff approval: 13.4% Staff requested/judged inappropriate: 13.4%

Death/other: 2.7%

* Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Riverplace Counseling Center of Elk River, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =327)	5.5%	4.6%	16.7%
Not employed/student \S (N = 322)	66.8%	67.1%	0.0%
Arrests past 30 days (N = 328)	9.5%	2.4%	74.2%
Alcohol use past 30 days (N = 328)	52.4%	12.8%	75.6%
Drug use past 30 days (N = 328)	39.6%	16.5%	58.5%
No self-help group participation past 30 days (N = 316)	64.2%	12.7%	80.3%
No family support for recovery past 30 days ($N = 319$)	2.5%	0.9%	62.5%
Summary Measure 51.4%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 328)	0.3%	0.3%	0.0%
Biomedical Conditions and Complications (N = 328)	9.2%	8.8%	3.3%
Emotional/Behavioral/ Cognitive Problem (N = 328)	49.1%	45.7%	6.8%
Resistance to Change (N = 328)	93.6%	72.3%	22.8%
Relapse/Continued Use Potential (N = 328)	99.1%	93.9%	5.2%
Unsupportive Recovery Environment (N = 328)	99.1%	94.8%	4.3%
Summary Measure 9.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Riverplace Counseling Center-Anoka

1814 South Ferry Street Anoka, MN 55303

Provider Website: www.riverplacecenter.com

Patient Profile

 Gender (N = 685)
 Race (N = 685)

 Male: 89.5%
 White: 83.9%

Female: 10.5% Black: 6.9% American Indian: 2.6%

Hispanic: 2.8%

Asian/Pacific Islander: 1.2%

Other: 2.6%

Primary Substance

(N = 685)Alcohol: 58.0%

Methamphetamine: 12.6%

Marijuana: 16.8% Heroin: 4.2% Cocaine: 3.5% Other opiates: 3.9%

Other drugs: 1.0%

Source of Income

(N = 685)

Job: 33.7% Retirement/savings: 2.6%

Family/friends: 23.9% No income: 12.0% Public sources: 15.5%

Other sources: 12.3%

Age (N = 685)

County: Anoka

Under 18: 0.0% 18 to 25: 31.1% 26 to 34: 27.9%

35 and older: 41.0%

Source of Referral

(N = 685).

Self/family/relative/ friends: 42.5% Employer/school: 1.5%

Criminal justice: 53.3% Professional: 28.0%

County social

service agency: 62.0%

Other community resources: 5.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 685)

Completed program: 74.9%

Patient left without staff approval: 11.7% Staff requested/judged inappropriate: 10.9%

Death/other: 2.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Riverplace Counseling Center-Anoka

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =680)	11.8%	12.1%	0.0%
Not employed/student \S (N = 674)	61.7%	59.6%	3.4%
Arrests past 30 days (N = 685)	9.5%	3.5%	63.1%
Alcohol use past 30 days (N = 685)	48.3%	13.7%	71.6%
Drug use past 30 days (N = 685)	42.6%	17.1%	59.9%
No self-help group participation past 30 days ($N = 676$)	62.6%	5.9%	90.5%
No family support for recovery past 30 days (N = 667)	4.8%	5.4%	0.0%
Summary Measure 51.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 685)	0.4%	1.0%	0.0%
Biomedical Conditions and Complications ($N = 685$)	9.1%	8.8%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 685)	55.6%	44.8%	19.4%
Resistance to Change (N = 685)	89.1%	64.1%	28.0%
Relapse/Continued Use Potential (N = 685)	98.5%	93.4%	5.2%
Unsupportive Recovery Environment ($N = 685$)	97.1%	91.5%	5.7%
Summary Measure 13.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rochester Metro Treatment Center

2360 North Broadway Rochester, MN 55906

Provider Website: www.methodonetreatment.com

Patient Profile

 Gender (N = 44)
 Race (N = 44)

 Male: 61.4%
 White: 88.6%

Female: 38.6% Black: 9.1% 18 to 25: 22.7% American Indian: 0.0% 26 to 34: 34.1% Hispanic: 2.3% 35 and older: 43.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 44) Alcohol: 0.0% (N = 44) Job: 25.0%

Methamphetamine: 0.0% Retirement/savings: 4.6% Marijuana: 0.0% Family/friends: 15.9% No income: 20.5% Cocaine: 0.0% Public sources: 20.5%

Other opiates: 65.9% Other sources: 13.6%

Source of Referral

County: Olmsted

Age (N = 44)

Under 18: 0.0%

(N = 44)Self/family/relative/

friends: 93.2%
Employer/school: 0.0%
Criminal justice: 0.0%
Professional: 13.6%

County social

service agency: 4.6% Other community resources: 13.6%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 44)

Completed program: 2.3%

Patient left without staff approval: 47.7% Staff requested/judged inappropriate: 2.3%

Death/other: 47.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Rochester Metro Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =39)	5.1%	10.3%	0.0%
Not employed/student§ (N = 35)	65.7%	80.0%	0.0%
Arrests past 30 days (N = 42)	7.1%	19.0%	0.0%
Alcohol use past 30 days (N = 43)	37.2%	14.0%	62.5%
Drug use past 30 days (N = 43)	81.4%	55.8%	31.4%
No self-help group participation past 30 days (N = 26)	73.1%	61.5%	15.8%
No family support for recovery past 30 days ($N = 32$)	12.5%	25.0%	0.0%
Summary Measure 5.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 42)	73.8%	85.7%	0.0%
Biomedical Conditions and Complications $(N = 41)$	19.5%	26.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 41)	26.8%	31.7%	0.0%
Resistance to Change (N = 42)	19.0%	57.1%	0.0%
Relapse/Continued Use Potential (N = 42)	88.1%	97.6%	0.0%
Unsupportive Recovery Environment (N = 40)	37.5%	52.5%	0.0%
Summary Measure -32.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

RS Eden/Eden House

1025 Portland Avenue South Minneapolis, MN 55404

Provider Website: www.rseden.org

Patient Profile

Gender (N = 210) Race (N = 210)Age (N = 210)Male: 100.0% White: 36.7% Under 18: 0.0% Female: 0.0% Black: 50.5%

18 to 25: 29.0% American Indian: 1.0% 26 to 34: 28.1%

35 and older: 42.9% Hispanic: 6.2% Asian/Pacific Islander: 0.0%

Other: 5.7%

Primary Substance Source of Income (N = 210)(N = 210)

Alcohol: 27.1% Job: 11.9% Self/family/relative/ Methamphetamine: 11.9% Retirement/savings: 1.4% Family/friends: 7.1% Marijuana: 32.4% Employer/school: 0.0% Heroin: 8.1% No income: 47.1% Criminal justice: 75.2%

Cocaine: 15.7% Public sources: 26.2% Professional: 5.7% Other sources: 6.2% Other opiates: 3.3% County social

Other drugs: 1.4% service agency: 48.6% Other community resources: 27.1%

AA: 0.0% Tribal: 0.0%

Source of Referral

friends: 22.9%

(N = 210) .

County: Hennepin

Discharge Status

(N = 210)

Completed program: 21.0%

Patient left without staff approval: 50.0% Staff requested/judged inappropriate: 25.7%

Death/other: 3.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

RS Eden/Eden House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =199)	56.8%	10.6%	81.4%
Not employed/student§ (N = 196)	88.8%	84.2%	5.2%
Arrests past 30 days (N = 208)	26.4%	11.1%	58.2%
Alcohol use past 30 days (N = 202)	51.5%	13.4%	74.0%
Drug use past 30 days (N = 202)	60.9%	19.8%	67.5%
No self-help group participation past 30 days (N = 185)	65.9%	24.9%	62.3%
No family support for recovery past 30 days (N = 161)	10.6%	37.3%	0.0%
Summary Measure 44.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 195)	8.7%	1.5%	82.4%
Biomedical Conditions and Complications (N = 195)	12.8%	3.6%	72.0%
Emotional/Behavioral/ Cognitive Problem (N = 195)	82.1%	61.0%	25.6%
Resistance to Change (N = 196)	83.7%	78.6%	6.1%
Relapse/Continued Use Potential (N = 195)	94.9%	94.4%	0.5%
Unsupportive Recovery Environment (N = 195)	07.40/	00.50/	0.00/
Environment (N - 175)	97.4%	98.5%	0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

RS Eden/Eden House

1025 Portland Avenue South Minneapolis, MN 55404

Provider Website: www.rseden.org

Patient Profile

Gender (N = 109) Race (N = 109)Male: 1.8% White: 27.5% Female: 98.2% Black: 45.9%

18 to 25: 30.3% American Indian: 10.1% 26 to 34: 39.4% 35 and older: 30.3% Hispanic: 6.4%

Asian/Pacific Islander: 0.9%

Other: 9.2%

Primary Substance Source of Income (N = 109)(N = 109)

Alcohol: 31.2% Job: 1.8%

Methamphetamine: 11.0% Marijuana: 15.6% Family/friends: 7.3% Heroin: 9.2% No income: 33.9% Cocaine: 23.9% Other opiates: 7.3%

Self/family/relative/ Retirement/savings: 0.0% friends: 34.9% Employer/school: 0.0% Criminal justice: 44.0% Public sources: 53.2% Professional: 9.2% Other sources: 3.7% County social service agency: 53.2%

Other community resources: 27.5%

AA: 0.0% Tribal: 0.9%

County: Hennepin

Age (N = 109)

Under 18: 0.0%

Source of Referral

(N = 109) .

Discharge Status

Other drugs: 1.8%

(N = 109)

Completed program: 30.3%

Patient left without staff approval: 45.9% Staff requested/judged inappropriate: 16.5%

Death/other: 7.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

RS Eden/Eden House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =98)	70.4%	26.5%	62.3%
Not employed/student§ (N = 102)	93.1%	99.0%	0.0%
Arrests past 30 days (N = 109)	19.3%	6.4%	66.7%
Alcohol use past 30 days (N = 107)	38.3%	13.1%	65.9%
Drug use past 30 days (N = 107)	46.7%	15.0%	68.0%
No self-help group participation past 30 days ($N = 84$)	50.0%	17.9%	64.3%
No family support for recovery past 30 days (N = 80)	5.0%	12.5%	0.0%
Summary Measure 41.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 107)	9.4%	5.6%	40.0%
Biomedical Conditions and Complications $(N = 107)$	21.5%	18.7%	13.0%
Emotional/Behavioral/ Cognitive Problem (N = 107)	86.9%	84.1%	3.2%
Resistance to Change (N = 107)	88.8%	86.0%	3.2%
Relapse/Continued Use Potential (N = 107)	99.1%	99.1%	0.0%
Unsupportive Recovery Environment (N = 107)	98.1%	96.3%	1.9%
Summary Measure [∥] 3.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Salvation Army Harbor Light Center

1010 Currie Avenue North Minneapolis, MN 55403

Provider Website: www.thesalarmy.com

Patient Profile

Gender (N = 227) Race (N = 227)Age (N = 227)Male: 100.0% White: 37.9% Female: 0.0% Black: 55.1%

18 to 25: 10.6% American Indian: 2.2% 26 to 34: 17.6%

35 and older: 71.8% Hispanic: 1.8%

County: Hennepin

Under 18: 0.0%

Source of Referral

Asian/Pacific Islander: 0.9%

Other: 2.2%

Primary Substance Source of Income (N = 227)(N = 227)

(N = 227) . Alcohol: 52.0% Job: 3.5% Self/family/relative/

Methamphetamine: 6.6% Retirement/savings: 0.0% friends: 61.7% Family/friends: 0.0% Marijuana: 11.0% Employer/school: 2.2% Heroin: 7.9% No income: 26.0% Criminal justice: 35.7% Cocaine: 20.7% Public sources: 67.4% Professional: 21.1%

Other opiates: 0.4% Other sources: 3.1% County social

Other drugs: 1.3% service agency: 66.5% Other community

resources: 0.4% AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 227)

Completed program: 55.9%

Patient left without staff approval: 23.8% Staff requested/judged inappropriate: 18.5%

Death/other: 1.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Salvation Army Harbor Light Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =225)	45.8%	20.4%	55.3%
Not employed/student \S (N = 212)	92.0%	74.5%	19.0%
Arrests past 30 days (N = 225)	9.8%	3.1%	68.2%
Alcohol use past 30 days (N = 227)	51.1%	11.5%	77.6%
Drug use past 30 days (N = 227)	47.1%	12.3%	73.8%
No self-help group participation past 30 days (N = 218)	73.9%	4.6%	93.8%
No family support for recovery past 30 days (N = 212)	47.2%	17.9%	62.0%
Summary Measure 60.6%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 225)	4.4%	5.3%	0.0%
Biomedical Conditions and Complications (N = 225)	11.1%	8.4%	24.0%
Emotional/Behavioral/ Cognitive Problem (N = 225)	85.8%	52.0%	39.4%
Resistance to Change (N = 225)	61.3%	48.9%	20.3%
Relapse/Continued Use Potential (N = 225)	94.2%	71.6%	24.1%
Unsupportive Recovery Environment (N = 225)	93.3%	68.4%	26.7%
Summary Measure [∥] 27.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sanford Hospital Luverne Outpatient CD Program

Provider Website: www.luvernecommunityhospital.org

1600 N Kniss Ave Luverne, MN 56156

Patient Profile

 Gender (N = 37)
 Race (N = 37)

 Male: 64.9%
 White: 91.9%

Female: 35.1% Black: 0.0% 18 to 25: 24.3% American Indian: 5.4% 26 to 34: 32.4% Hispanic: 2.7% 35 and older: 40.5%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 37) Alcohol: 73.0% (N = 37) Job: 67.6%

Methamphetamine: 8.1% Retirement/savings: 2.7% Marijuana: 8.1% Family/friends: 16.2% No income: 10.8% Cocaine: 0.0% Public sources: 2.7%

Cocaine: 0.0% Public sources: 2.7% Professional: 16.2% Other opiates: 5.4% Other sources: 0.0% County social service agency: 10.8%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Rock

Age (N = 37)

Under 18: 2.7%

Source of Referral

Self/family/relative/

friends: 37.8%

Employer/school: 0.0%

Criminal justice: 67.6%

(N = 37) .

Discharge Status

(N = 37)

Completed program: 67.6%

Patient left without staff approval: 21.6% Staff requested/judged inappropriate: 2.7%

Death/other: 8.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Sanford Hospital Luverne Outpatient CD Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless § (N = 36)	0.0%	0.0%	*
Not employed/student§ (N = 36)	25.0%	22.2%	11.1%
Arrests past 30 days (N = 37)	18.9%	2.7%	85.7%
Alcohol use past 30 days (N = 37)	48.6%	5.4%	88.9%
Drug use past 30 days (N = 37)	21.6%	2.7%	87.5%
No self-help group participation past 30 days (N = 36)	75.0%	47.2%	37.0%
No family support for recovery past 30 days (N = 35)	14.3%	0.0%	100.0%
Summary Measure 60.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 36$)	2.8%	2.8%	0.0%
Biomedical Conditions and Complications $(N = 37)$	10.8%	2.7%	75.0%
Emotional/Behavioral/ Cognitive Problem (N = 36)	33.3%	16.7%	50.0%
Resistance to Change (N = 36)	44.4%	13.9%	68.8%
Relapse/Continued Use Potential (N = 36)	83.3%	27.8%	66.7%
Unsupportive Recovery Environment (N = 36)	66.7%	33.3%	50.0%
Summary Measure 59.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Senior Recovery Program

253 State Street St. Paul, MN 55107

Provider Website: www.senior-recovery.org

Patient Profile

 Gender (N = 16)
 Race (N = 16)

 Male: 62.5%
 White: 75.0%

 Female: 37.5%
 Black: 18.8%

emale: 37.5% Black: 18.8% 18 to 25: 0.0% American Indian: 0.0% 26 to 34: 0.0%

Hispanic: 6.3% 35 and older: 100.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 0.0% Retirement/savings: 68.8% Marijuana: 0.0% Family/friends: 0.0% No income: 0.0% Cocaine: 6.3% Public sources: 25.0%

Other opiates: 0.0% Other sources: 6.3%

Source of Referral (N = 16).

County: Ramsey

Age (N = 16)

Under 18: 0.0%

Self/family/relative/ friends: 75.0% Employer/school: 0.0% Criminal justice: 6.3% Professional: 25.0% County social

service agency: 25.0%

Other community resources: 12.5%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 16)

Completed program: 31.3%

Patient left without staff approval: 37.5% Staff requested/judged inappropriate: 0.0%

Death/other: 31.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Senior Recovery Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =12)	0.0%	0.0%	*
Not employed/student \S (N = 8)	*	*	*
Arrests past 30 days (N = 16)	0.0%	0.0%	*
Alcohol use past 30 days (N = 16)	43.8%	37.5%	14.3%
Drug use past 30 days (N = 16)	12.5%	6.3%	50.0%
No self-help group participation past 30 days (N = 12)	33.3%	33.3%	0.0%
No family support for recovery past 30 days $(N = 12)$	25.0%	16.7%	33.3%
Summary Measure 4.1%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 14)	7.1%	14.3%	0.0%
Biomedical Conditions and Complications (N = 15)	33.3%	26.7%	20.0%
Emotional/Behavioral/ Cognitive Problem (N = 15)	73.3%	60.0%	18.2%
Resistance to Change (N = 15)	100.0%	60.0%	40.0%
Relapse/Continued Use Potential (N = 15)	100.0%	80.0%	20.0%
Unsupportive Recovery Environment (N = 15)	86.7%	66.7%	23.1%
Summary Measure 23.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sentirse Bien, Feeling Healthy

720 E Lake St Minneapolis, MN 55407

Provider Website: www.clues.org

Patient Profile

 Gender (N = 63)
 Race (N = 63)

 Male: 96.8%
 White: 0.0%

 Female: 3.2%
 Black: 0.0%

male: 3.2% Black: 0.0% 18 to 25: 15.9% American Indian: 0.0% 26 to 34: 42.9% Hispanic: 100.0% 35 and older: 41.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 63) Alcohol: 92.1% (N = 63) Job: 52.4%

Methamphetamine: 0.0% Retirement/savings: 0. Marijuana: 3.2% Family/friends: 25.4% Heroin: 1.6% No income: 14.3% Cocaine: 3.2% Public sources: 1.6% Other opiates: 0.0% Other sources: 6.4%

N = 63)

Job: 52.4%

Retirement/savings: 0.0%

Family/friends: 25.4%

No income: 14.3%

Public sources: 1.6%

Other sources: 6.4%

(N = 63)

Self/family/relative/
friends: 6.4%

Employer/school: 0.0%
Criminal justice: 87.3%
Professional: 1.6%
County social
service agency: 6.4%

Other community resources: 3.2%

AA: 0.0%

Tribal: 0.0%

County: Hennepin

Age (N = 63)

Under 18: 0.0%

Source of Referral

Discharge Status

Other drugs: 0.0%

(N = 63)

Completed program: 69.8%

Patient left without staff approval: 23.8% Staff requested/judged inappropriate: 1.6%

Death/other: 4.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Sentirse Bien, Feeling Healthy

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =47)	2.1%	0.0%	100.0%
Not employed/student \S (N = 39)	43.6%	7.7%	82.4%
Arrests past 30 days (N = 58)	0.0%	5.2%	*
Alcohol use past 30 days (N = 51)	21.6%	3.9%	81.8%
Drug use past 30 days (N = 51)	9.8%	9.8%	0.0%
No self-help group participation past 30 days (N = 47)	40.4%	19.1%	52.6%
No family support for recovery past 30 days $(N = 43)$	7.0%	27.9%	0.0%
Summary Measure 40.8%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 63$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 63)$	1.6%	3.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 63)	65.1%	27.0%	58.5%
Resistance to Change (N = 63)	54.0%	30.2%	44.1%
Relapse/Continued Use Potential ($N = 63$)	96.8%	31.7%	67.2%
Unsupportive Recovery Environment $(N = 63)$	92.1%	31.7%	65.5%
Summary Measure 60.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Otter Tail

Age (N = 56)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 32.1%

Professional: 35.7%

resources: 0.0%

AA: 1.8%

Employer/school: 0.0%

Criminal justice: 19.6%

(N = 56) .

Share House - Stepping Stones

102 Miller Street New York Mills, MN 56567

Provider Website: sharehouse.org

Patient Profile

 Gender (N = 56)
 Race (N = 56)

 Male: 0.0%
 White: 57.1%

 Female: 100.0%
 Black: 3.6%

emale: 100.0% Black: 3.6% 18 to 25: 46.4% American Indian: 26.8% 26 to 34: 32.1% Hispanic: 10.7% 35 and older: 21.4%

Asian/Pacific Islander: 0.0%

Other: 1.8%

Primary Substance Source of Income

(N = 55) Alcohol: 27.3% (N = 56) Job: 8.9%

Methamphetamine: 29.1% Retirement/savings: 0.0% Marijuana: 23.6% Family/friends: 10.7% No income: 14.3% Cocaine: 3.6% Public sources: 41.1%

Other opiates: 16.4% Other sources: 25.0% County social service agency: 62.5% Other community

Tribal: 7.1%

Discharge Status

(N = 56)

Completed program: 41.1%

Patient left without staff approval: 23.2% Staff requested/judged inappropriate: 19.6%

Death/other: 16.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Share House - Stepping Stones

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =56)	5.4%	1.8%	66.7%
Not employed/student \S (N = 55)	85.5%	96.4%	0.0%
Arrests past 30 days (N = 56)	7.1%	8.9%	0.0%
Alcohol use past 30 days (N = 55)	23.6%	12.7%	46.2%
Drug use past 30 days (N = 55)	41.8%	10.9%	73.9%
No self-help group participation past 30 days (N = 52)	38.5%	1.9%	95.0%
No family support for recovery past 30 days $(N = 53)$	5.7%	1.9%	66.7%
Summary Measure [∥] 35.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 52$)	1.9%	1.9%	0.0%
Biomedical Conditions and Complications $(N = 52)$	28.8%	23.1%	20.0%
Emotional/Behavioral/ Cognitive Problem (N = 52)	84.6%	71.2%	15.9%
Resistance to Change (N = 52)	98.1%	80.8%	17.6%
Relapse/Continued Use Potential (N = 51)	96.1%	94.1%	2.0%
Unsupportive Recovery Environment ($N = 52$)	98.1%	96.2%	2.0%
Summary Measure 9.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Genesis

505 40th Street SW Fargo, ND 58103

County:

Provider Website:

Patient Profile

Gender (N = 10)
Male: 70.0%
Female: 30.0%

Race (N = 10) White: 40.0% Black: 0.0%

American Indian: 40.0% Hispanic: 10.0%

Asian/Pacific Islander: 0.0%

Other: 10.0%

Primary Substance (N = 10)

Alcohol: 60.0% Methamphetamine: 0.0% Marijuana: 30.0%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 10.0%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 10)}{\text{Job: } 60.0\%}$

Retirement/savings: 0.0% Family/friends: 10.0% No income: 0.0% Public sources: 20.0% Other sources: 10.0% $\underline{Age (N = 10)}$

Under 18: 0.0% 18 to 25: 50.0% 26 to 34: 40.0% 35 and older: 10.0%

Source of Referral

(N = 10)Self/family/relative/

friends: 40.0% Employer/school: 0.0% Criminal justice: 50.0% Professional: 30.0%

County social

service agency: 70.0%

Other community resources: 10.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 10)

Completed program: 40.0%

Patient left without staff approval: 30.0% Staff requested/judged inappropriate: 20.0%

Death/other: 10.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Share House Genesis

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =8)	*	*	*
Not employed/student \S (N = 9)	*	*	*
Arrests past 30 days (N = 8)	*	*	*
Alcohol use past 30 days (N = 10)	50.0%	20.0%	60.0%
Drug use past 30 days (N = 10)	30.0%	10.0%	66.7%
No self-help group participation past 30 days $(N = 7)$	*	*	*
No family support for recovery past 30 days $(N = 2)$	*	*	*
Summary Measure 36.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 10)	0.0%	20.0%	*
Biomedical Conditions and Complications (N = 10)	10.0%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 10)	40.0%	30.0%	25.0%
Resistance to Change (N = 10)	100.0%	80.0%	20.0%
Relapse/Continued Use Potential (N = 10)	100.0%	80.0%	20.0%
Unsupportive Recovery Environment $(N = 10)$	100.0%	70.0%	30.0%
Summary Measure 20.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Inc

4227 9th Avenue South Fargo, ND 58103

County:

Provider Website:

Patient Profile

Gender (N = 137) Male: 50.4%

Female: 49.6%

Primary Substance (N = 137)Alcohol: 55.5% Methamphetamine: 14.6%

Marijuana: 17.5% Heroin: 0.7% Cocaine: 0.7% Other opiates: 9.5% Other drugs: 1.5%

Race (N = 137)White: 74.5% Black: 0.7%

American Indian: 19.7% Hispanic: 4.4%

Asian/Pacific Islander: 0.0%

Other: 0.7%

Source of Income (N = 137)

Job: 31.4% Retirement/savings: 2.2% Family/friends: 5.8% No income: 29.9% Public sources: 24.1% Other sources: 6.6%

Age (N = 137)

Under 18: 0.0% 18 to 25: 40.1% 26 to 34: 22.6% 35 and older: 37.2%

Source of Referral (N = 137) .

Self/family/relative/ friends: 56.9% Employer/school: 1.5% Criminal justice: 21.9% Professional: 33.6%

County social

service agency: 81.8%

Other community resources: 2.2%

AA: 0.0% Tribal: 0.7%

Discharge Status

(N = 137)

Completed program: 50.4%

Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 19.7%

Death/other: 11.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Share House Inc

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =136)	6.6%	1.5%	77.8%
Not employed/student \S (N = 128)	90.6%	70.3%	22.4%
Arrests past 30 days (N = 130)	10.8%	3.1%	71.4%
Alcohol use past 30 days (N = 137)	56.2%	11.7%	79.2%
Drug use past 30 days (N = 137)	38.0%	10.2%	73.1%
No self-help group participation past 30 days (N = 133)	53.4%	0.8%	98.6%
No family support for recovery past 30 days (N = 96)	3.1%	4.2%	0.0%
Summary Measure [∥] 60.7%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 132)	7.6%	6.1%	20.0%
Biomedical Conditions and			
Complications (N = 131)	20.6%	16.8%	18.5%
	20.6% 69.7%	16.8% 53.0%	18.5% 23.9%
Complications (N = 131) Emotional/Behavioral/			
Complications (N = 131) Emotional/Behavioral/ Cognitive Problem (N = 132)	69.7%	53.0%	23.9%
Complications (N = 131) Emotional/Behavioral/ Cognitive Problem (N = 132) Resistance to Change (N = 132) Relapse/Continued Use	69.7% 97.7%	53.0% 90.9%	23.9% 7.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Wellness Center

715 11th Street North Moorhead, MN 56560

Provider Website: www.wellnesscenter-fm.com

Patient Profile

Gender (N = 130) Male: 75.4%

Female: 24.6%

Hispanic: 13.1%

Asian/Pacific Islander: 0.8%

Race (N = 130)

White: 71.5%

American Indian: 9.2%

Black: 3.9%

Other: 1.5%

Primary Substance

(N = 130)Alcohol: 56.9%

Methamphetamine: 5.4%

Marijuana: 34.6% Heroin: 0.0% Cocaine: 0.8% Other opiates: 1.5%

Other drugs: 0.8%

Source of Income

(N = 130)

Job: 35.4% Retirement/savings: 1.5%

Family/friends: 30.8% No income: 2.3%

Public sources: 20.0% Other sources: 10.0%

Age (N = 130)

County: Clay

Under 18: 23.8% 18 to 25: 30.8%

26 to 34: 16.9% 35 and older: 28.5%

Source of Referral

(N = 130) .

Self/family/relative/ friends: 13.8% Employer/school: 3.9%

Criminal justice: 69.2% Professional: 20.8%

County social

service agency: 51.5%

Other community resources: 3.1%

AA: 0.8% Tribal: 0.0%

Discharge Status

(N = 130)

Completed program: 60.0%

Patient left without staff approval: 15.4% Staff requested/judged inappropriate: 3.1%

Death/other: 21.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Share House Wellness Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =123)	3.3%	6.5%	0.0%
Not employed/student \S (N = 124)	41.9%	26.6%	36.5%
Arrests past 30 days (N = 129)	9.3%	3.9%	58.3%
Alcohol use past 30 days (N = 129)	25.6%	8.5%	66.7%
Drug use past 30 days (N = 129)	26.4%	14.0%	47.1%
No self-help group participation past 30 days (N = 112)	32.1%	13.4%	58.3%
No family support for recovery past 30 days (N = 101)	24.8%	11.9%	52.0%
Summary Measure 48.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 130)	0.8%	0.0%	100.0%
Biomedical Conditions and Complications (N = 130)	12.3%	11.5%	6.3%
Emotional/Behavioral/ Cognitive Problem (N = 130)	42.3%	27.7%	34.5%
Resistance to Change (N = 130)	92.3%	70.0%	24.2%
Relapse/Continued Use Potential (N = 130)	95.4%	73.1%	23.4%
Unsupportive Recovery Environment (N = 130)	95.4%	80.0%	16.1%
Summary Measure 22.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sisters Path

4219 9th Avenue South Fargo, ND 58103

County:

AA: *

Provider Website:

Patient Profile

 Gender (N = 7)
 Race (N = 7)
 Age (N = 7)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Hispanic: *
Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

(N=7) (N=7) Self/family/re

Alcohol: * Job: * Self/family/relative/
Methamphetamine: * Retirement/savings: * friends: *

Marijuana: * Family/friends: * Employer/school: *

Heroin: * No income: * Criminal justice: *

Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * County social

Other drugs: * service agency: *
Other community
resources: *

Tribal: *

Discharge Status

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Sisters Path

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless \S (N =7)	*	*	*
Not employed/student § (N = 7)	*	*	*
Arrests past 30 days (N = 7)	*	*	*
Alcohol use past 30 days (N = 7)	*	*	*
Drug use past 30 days (N = 7)	*	*	*
No self-help group participation past 30 days $(N = 7)$	*	*	*
No family support for recovery past 30 days (N = 7)	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 7)$	*	*	*
Biomedical Conditions and Complications $(N = 7)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 7)	*	*	*
Resistance to Change $(N = 7)$	*	*	*
Relapse/Continued Use Potential ($N = 7$)	*	*	*
Unsupportive Recovery Environment $(N = 7)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sobriety First, LLC

3333 West Division Street St. Cloud, MN 56301

Provider Website:

Patient Profile

Gender (N = 24)Male: 75.0%

Female: 25.0%

Primary Substance

(N = 24)Alcohol: 91.7% Methamphetamine: 4.2%

Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.2%

Other drugs: 0.0%

Race (N = 24)

White: 87.5% Black: 0.0%

American Indian: 0.0% Hispanic: 4.2%

Asian/Pacific Islander: 4.2%

Other: 4.2%

Source of Income

(N = 24)Job: 62.5%

Retirement/savings: 0.0% Family/friends: 0.0% No income: 0.0% Public sources: 4.2%

Other sources: 33.3%

Age (N = 24)

County: Stearns

Under 18: 0.0% 18 to 25: 25.0% 26 to 34: 25.0% 35 and older: 50.0%

Source of Referral

(N = 24) .

Self/family/relative/ friends: 50.0% Employer/school: 4.2% Criminal justice: 70.8% Professional: 4.2%

County social

service agency: 25.0%

Other community resources: 4.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 24)

Completed program: 79.2%

Patient left without staff approval: 20.8% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Sobriety First, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =24)	0.0%	0.0%	*
Not employed/student§ (N = 22)	31.8%	31.8%	0.0%
Arrests past 30 days (N = 24)	12.5%	8.3%	33.3%
Alcohol use past 30 days (N = 24)	41.7%	16.7%	60.0%
Drug use past 30 days (N = 24)	12.5%	12.5%	0.0%
No self-help group participation past 30 days ($N = 23$)	60.9%	13.0%	78.6%
No family support for recovery past 30 days (N = 21)	0.0%	0.0%	*
Summary Measure [∥] 48.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 21)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 21)$	9.5%	9.5%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 21)	33.3%	4.8%	85.7%
Resistance to Change $(N = 21)$	61.9%	14.3%	76.9%
Relapse/Continued Use Potential (N = 21)	71.4%	9.5%	86.7%
Unsupportive Recovery Environment ($N = 21$)	66.7%	14.3%	78.6%
Summary Measure [∥] 78.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

South Central Human Relations Dual Recovery Program

610 Florence Ave Owatonna, MN 55060

Provider Website:

Patient Profile

 Gender (N = 82)
 Race (N = 82)

 Male: 51.2%
 White: 82.9%

 Female: 48.8%
 Black: 7.3%

American Indian: 0.0% 26 to 34: 26.8% Hispanic: 9.8% 35 and older: 28.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income (N = 80) (N = 82)

Alcohol: 55.0%

Methamphetamine: 5.0%

Retirement/

Methamphetamine: 5.0% Retirement/savings: 1.2% Marijuana: 25.0% Family/friends: 34.1% No income: 13.4% Cocaine: 5.0% Public sources: 26.8% Other opiates: 8.8% Other sources: 9.8%

(N = 82) Self/family/relative/ friends: 15.9% Employer/school: 1.2% Criminal justice: 48.8% Professional: 35.4% County social

service agency: 50.0% Other community

other community resources: 4.9%

AA: 0.0% Tribal: 0.0%

County: Steele

Age (N = 82)

Under 18: 20.7%

18 to 25: 24.4%

Source of Referral

Discharge Status

Other drugs: 1.3%

(N = 82)

Completed program: 24.4%

Patient left without staff approval: 52.4% Staff requested/judged inappropriate: 6.1%

Death/other: 17.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

South Central Human Relations Dual Recovery Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =82)	1.2%	2.4%	0.0%
Not employed/student \S (N = 79)	53.2%	46.8%	11.9%
Arrests past 30 days (N = 81)	4.9%	8.6%	0.0%
Alcohol use past 30 days (N = 53)	28.3%	20.8%	26.7%
Drug use past 30 days (N = 53)	18.9%	17.0%	10.0%
No self-help group participation past 30 days $(N = 76)$	46.1%	53.9%	0.0%
No family support for recovery past 30 days $(N = 65)$	6.2%	18.5%	0.0%
Summary Measure -5.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 82)	1.2%	3.7%	0.0%
Biomedical Conditions and Complications (N = 82)	17.1%	19.5%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 82)	87.8%	85.4%	2.8%
Resistance to Change (N = 82)	52.4%	73.2%	0.0%
Relapse/Continued Use Potential (N = 82)	95.1%	79.3%	16.7%
Unsupportive Recovery Environment $(N = 81)$	91.4%	88.9%	2.7%
Summary Measure -1.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

South Metro Human Services

400 Sibley Street St. Paul, MN 55101

Provider Website:

Patient Profile

 $\underline{\text{Gender (N = 5)}}$

Male: *

Female: *

White: *
Black: *

Race (N = 5)

American Indian: *

Hispanic: *

Asian/Pacific Islander: *

Other: *

Primary Substance

(N = 5)Alcohol: *

Methamphetamine: *

Marijuana: *
Heroin: *
Cocaine: *

Other opiates: *
Other drugs: *

Source of Income

(N = 5)

Job: *

Retirement/savings: *
Family/friends: *

No income: *
Public sources: *

Other sources: *

Age (N = 5)

County: Ramsey

Under 18: * 18 to 25: *

26 to 34: *

35 and older: *

Source of Referral

(N = 5).

Self/family/relative/

friends: *

Employer/school: *
Criminal justice: *

Professional: *

County social

service agency: *
Other community

resources: *

AA: *
Tribal: *

Discharge Status

(N = 5)

Completed program: *

Patient left without staff approval: *

Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

South Metro Human Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =5)	*	*	*
Not employed/student \S (N = 5)	*	*	*
Arrests past 30 days (N = 5)	*	*	*
Alcohol use past 30 days (N = 5)	*	*	*
Drug use past 30 days (N = 5)	*	*	*
No self-help group participation past 30 days $(N = 4)$	*	*	*
No family support for recovery past 30 days $(N = 5)$	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 5)	*	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*	*
Resistance to Change (N = 5)	*	*	*
Relapse/Continued Use Potential (N = 5)	*	*	*
Unsupportive Recovery			
Environment (N = 5)	*	*	*

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Specialized Treatment Services

1132 Central Avenue N.E. Minneapolis, MN 55413

Provider Website:

Patient Profile

 Gender (N = 75)
 Race (N = 75)

 Male: 62.7%
 White: 74.7%

 Female: 37.3%
 Black: 8.0%

American Indian: 9.3% Hispanic: 2.7%

Asian/Pacific Islander: 2.7%

Other: 2.7%

Primary Substance Source of Income

(N = 74) Alcohol: 0.0% (N = 75) Job: 34.7

Methamphetamine: 0.0% Retirement/savings: 1...

Marijuana: 0.0% Family/friends: 10.7% Heroin: 67.6% No income: 14.7% Cocaine: 0.0% Public sources: 21.3% Other opiates: 31.1% Other sources: 17.3%

> service agency: 4.0% Other community resources: 1.3%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Age (N = 75)

Under 18: 0.0%

18 to 25: 25.3%

26 to 34: 40.0% 35 and older: 34.7%

Discharge Status

Other drugs: 1.4%

(N = 75)

Completed program: 4.0%

Patient left without staff approval: 54.7% Staff requested/judged inappropriate: 5.3%

Death/other: 36.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Specialized Treatment Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =73)	5.5%	9.6%	0.0%
Not employed/student \S (N = 73)	58.9%	71.2%	0.0%
Arrests past 30 days (N = 72)	11.1%	16.7%	0.0%
Alcohol use past 30 days (N = 67)	28.4%	11.9%	57.9%
Drug use past 30 days (N = 67)	79.1%	52.2%	34.0%
No self-help group participation past 30 days (N = 71)	60.6%	71.8%	0.0%
No family support for recovery past 30 days $(N = 73)$	8.2%	11.0%	0.0%
Summary Measure 2.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 72$)	100.0%	100.0%	0.0%
Biomedical Conditions and Complications (N = 72)	43.1%	50.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 72)	76.4%	69.4%	9.1%
Resistance to Change (N = 72)	54.2%	76.4%	0.0%
Relapse/Continued Use Potential (N = 72)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment $(N = 72)$	72.2%	80.6%	0.0%
Summary Measure -6.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Specialized Treatment Services, Inc.

1121 Jackson Street NE Minneapolis, MN 55413

Provider Website:

Patient Profile

Gender (N = 193)

Male: 56.5%

Female: 43.5%

Primary Substance

(N = 193)Alcohol: 18.1%

Methamphetamine: 1.6% Marijuana: 1.6%

Heroin: 46.6% Cocaine: 2.6% Other opiates: 29.0%

Other drugs: 0.5%

Race (N = 193)

White: 74.1% Black: 16.1%

American Indian: 6.2% Hispanic: 1.0%

Asian/Pacific Islander: 1.0%

Other: 1.6%

Source of Income

(N = 193)Job: 26.9%

Retirement/savings: 1.6%

Family/friends: 16.6% No income: 10.4% Public sources: 36.3%

Other sources: 8.3%

Age (N = 193)

County: Hennepin

Under 18: 0.0% 18 to 25: 29.0% 26 to 34: 29.0%

35 and older: 42.0%

Source of Referral

(N = 193).

Self/family/relative/ friends: 86.0% Employer/school: 0.5% Criminal justice: 3.6%

Professional: 18.7%

County social

service agency: 9.8% Other community resources: 1.0%

AA: 0.0% Tribal: 0.5%

Discharge Status

(N = 193)

Completed program: 26.9%

Patient left without staff approval: 45.1% Staff requested/judged inappropriate: 3.1%

Death/other: 24.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Specialized Treatment Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =190)	5.3%	3.2%	40.0%
Not employed/student§ (N = 189)	65.6%	62.4%	4.8%
Arrests past 30 days (N = 187)	5.9%	9.6%	0.0%
Alcohol use past 30 days (N = 168)	35.7%	10.1%	71.7%
Drug use past 30 days (N = 168)	68.5%	36.9%	46.1%
No self-help group participation past 30 days (N = 186)	68.8%	67.2%	2.3%
No family support for recovery past 30 days (N = 187)	5.4%	1.6%	70.0%
Summary Measure 25.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 191)	80.1%	79.6%	0.7%
Biomedical Conditions and Complications (N = 191)	27.2%	22.5%	17.3%
Emotional/Behavioral/ Cognitive Problem (N = 191)	62.8%	49.7%	20.8%
Resistance to Change (N = 191)	51.3%	39.3%	23.5%
Relapse/Continued Use Potential (N = 191)	97.4%	82.7%	15.1%
Unsupportive Recovery Environment (N = 191)	69.1%	53.4%	22.7%
Summary Measure 15.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Spirit River Recovery Services of Rum River Health Services Inc.

209 6th Avenue South Princeton, MN 55371

Provider Website:

Patient Profile

<u>Gender (N = 103)</u> Male: 60.2%

Female: 39.8%

Primary Substance

(N = 103)Alcohol: 52.4%

Methamphetamine: 15.5%

Marijuana: 16.5% Heroin: 1.0% Cocaine: 1.0%

Other opiates: 13.6% Other drugs: 0.0% Race (N = 103)

White: 90.3% Black: 2.9%

American Indian: 3.9% Hispanic: 0.0%

Asian/Pacific Islander: 1.0%

Other: 1.9%

Source of Income

(N = 103)Job: 32.0%

Retirement/savings: 3.9% Family/friends: 12.6%

No income: 14.6%
Public sources: 21.4%

Other sources: 15.5%

Age (N = 103)

County: Mille Lacs

Under 18: 4.9% 18 to 25: 17.5% 26 to 34: 31.1%

35 and older: 46.6%

Source of Referral

(N = 103).

Self/family/relative/ friends: 55.3% Employer/school: 8.7% Criminal justice: 39.8%

Professional: 13.6%

County social

service agency: 28.2%

Other community resources: 10.7%

AA: 0.0% Tribal: 1.0%

Discharge Status

(N = 103)

Completed program: 68.9%

Patient left without staff approval: 18.4% Staff requested/judged inappropriate: 5.8%

Death/other: 6.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Spirit River Recovery Services of Rum River Health Services Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =99)	4.0%	1.0%	75.0%
Not employed/student§ (N = 97)	63.9%	62.9%	1.6%
Arrests past 30 days (N = 102)	9.8%	6.9%	30.0%
Alcohol use past 30 days (N = 102)	32.4%	4.9%	84.8%
Drug use past 30 days (N = 102)	23.5%	6.9%	70.8%
No self-help group participation past 30 days $(N = 94)$	51.1%	10.6%	79.2%
No family support for recovery past 30 days (N = 95)	10.5%	5.3%	50.0%
Summary Measure [∥] 49.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 99)	2.0%	2.0%	0.0%
Biomedical Conditions and Complications ($N = 100$)	24.0%	15.0%	37.5%
Emotional/Behavioral/ Cognitive Problem (N = 100)	86.0%	69.0%	19.8%
Resistance to Change (N = 100)	67.0%	34.0%	49.3%
Relapse/Continued Use Potential (N = 100)	96.0%	80.0%	16.7%
Unsupportive Recovery Environment (N = 100)	96.0%	84.0%	12.5%
Summary Measure 23.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St Josephs Hospital CD Service Coordination

45 West 10th Street St Paul, MN 55102

Provider Website:

Patient Profile

 Gender (N = 20)
 Race (N = 20)

 Male: 35.0%
 White: 80.0%

 Female: 65.0%
 Black: 10.0%

American Indian: 0.0% Hispanic: 10.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 20)Alcohol: 65.0%

Methamphetamine: 15.0%

Marijuana: 5.0% Heroin: 0.0% Cocaine: 15.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 20)Job: 15.0%

Retirement/savings: 0.0%

Family/friends: 0.0% No income: 0.0% Public sources: 70.0%

Other sources: 15.0%

Age (N = 20)

County: Ramsey

Under 18: 0.0% 18 to 25: 0.0% 26 to 34: 10.0%

35 and older: 90.0%

Source of Referral

(N = 20).

Self/family/relative/ friends: 40.0% Employer/school: 0.0% Criminal justice: 10.0%

Professional: 50.0%

County social

service agency: 55.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 20)

Completed program: 5.0%

Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 10.0%

Death/other: 65.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

St Josephs Hospital CD Service Coordination

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =16)	25.0%	31.3%	0.0%
Not employed/student \S (N = 14)	71.4%	71.4%	0.0%
Arrests past 30 days (N = 20)	10.0%	10.0%	0.0%
Alcohol use past 30 days (N = 20)	60.0%	60.0%	0.0%
Drug use past 30 days (N = 20)	50.0%	50.0%	0.0%
No self-help group participation past 30 days $(N = 14)$	14.3%	57.1%	0.0%
No family support for recovery past 30 days (N = 15)	13.3%	33.3%	0.0%
Summary Measure [∥] -28.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 16)	6.3%	43.8%	0.0%
Biomedical Conditions and Complications (N = 16)	6.3%	25.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 16)	93.8%	100.0%	0.0%
Resistance to Change (N = 16)	62.5%	75.0%	0.0%
Relapse/Continued Use Potential ($N = 16$)	87.5%	93.8%	0.0%
Unsupportive Recovery Environment $(N = 16)$	87.5%	75.0%	14.3%
Summary Measure -20.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Cloud Metro Treatment

524 25th Avenue North St. Cloud, MN 56303

Provider Website: www.methadonetreatment.com

Patient Profile

 Gender (N = 82)
 Race (N = 82)

 Male: 52.4%
 White: 64.6%

 Female: 47.6%
 Black: 0.0%

% Black: 0.0% 18 to 25: 37.8% American Indian: 30.5% 26 to 34: 35.4% Hispanic: 2.4% 35 and older: 26.8%

Asian/Pacific Islander: 1.2%

Other: 1.2%

Primary Substance Source of Income

(N = 82) Alcohol: 0.0% (N = 82) Job: 23.2%

Methamphetamine: 1.2% Retirement/savings: 3.

Marijuana: 0.0% Family/friends: 23.2%

Heroin: 17.1% No income: 8.5%

Cocaine: 1.2% Public sources: 23.2%

Other opiates: 80.5% Other sources: 18.3%

N = 82)

Job: 23.2%

Retirement/savings: 3.7%

Family/friends: 23.2%

No income: 8.5%

Public sources: 23.2%

Other sources: 18.3%

(N = 82)

Self/family/relative/
friends: 92.7%

Employer/school: 0.0%

Criminal justice: 0.0%

Professional: 17.1%

County social

service agency: 3.7% Other community resources: 2.4%

AA: 0.0% Tribal: 4.9%

County: Stearns

Age (N = 82)

Under 18: 0.0%

Source of Referral

Discharge Status

Other drugs: 0.0%

(N = 82)

Completed program: 14.6%

Patient left without staff approval: 47.6% Staff requested/judged inappropriate: 1.2%

Death/other: 36.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

St. Cloud Metro Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =49)	0.0%	2.0%	*
Not employed/student \S (N = 43)	62.8%	69.8%	0.0%
Arrests past 30 days (N = 43)	7.0%	18.6%	0.0%
Alcohol use past 30 days (N = 82)	34.1%	1.2%	96.4%
Drug use past 30 days (N = 82)	80.5%	6.1%	92.4%
No self-help group participation past 30 days $(N = 34)$	70.6%	47.1%	33.3%
No family support for recovery past 30 days (N = 36)	8.3%	8.3%	0.0%
Summary Measure 41.9%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 67$)	92.5%	52.2%	43.5%
Biomedical Conditions and Complications $(N = 67)$	19.4%	19.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 69)	59.4%	53.6%	9.8%
Resistance to Change (N = 68)	60.3%	52.9%	12.2%
Relapse/Continued Use Potential (N = 68)	98.5%	89.7%	9.0%
Unsupportive Recovery Environment ($N = 62$)	62.9%	64.5%	0.0%
Summary Measure 15.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Johns Hospital - Healtheast CD Program

1575 Beam Ave Maplewood, MN 55109

Provider Website:

Patient Profile

Gender (N = 153) Race (N = 153)Male: 66.0% White: 84.3% Female: 34.0% Black: 5.2%

American Indian: 2.0%

Hispanic: 3.3% Asian/Pacific Islander: 1.3%

Other: 3.9%

Primary Substance Source of Income

(N = 153)(N = 153)Alcohol: 69.9%

Methamphetamine: 10.5% Marijuana: 6.5%

Heroin: 2.6% Cocaine: 1.3% Other opiates: 7.2%

Other drugs: 2.0%

Job: 49.7%

Retirement/savings: 9.2% Family/friends: 12.4%

No income: 2.0% Public sources: 17.0%

Other sources: 9.8%

Age (N = 153)

County: Ramsey

Under 18: 0.0% 18 to 25: 12.4% 26 to 34: 22.9%

35 and older: 64.7%

Source of Referral

(N = 153) .

Self/family/relative/ friends: 72.5% Employer/school: 2.6%

Criminal justice: 38.6% Professional: 41.8%

County social

service agency: 7.8% Other community resources: 0.7%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 153)

Completed program: 51.6%

Patient left without staff approval: 30.1% Staff requested/judged inappropriate: 2.6%

Death/other: 15.7%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

St. Johns Hospital - Healtheast CD Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =147)	1.4%	6.1%	0.0%
Not employed/student \S (N = 149)	54.4%	52.3%	3.7%
Arrests past 30 days (N = 153)	11.1%	5.9%	47.1%
Alcohol use past 30 days (N = 153)	59.5%	20.9%	64.8%
Drug use past 30 days (N = 153)	37.9%	15.7%	58.6%
No self-help group participation past 30 days (N = 135)	66.7%	45.2%	32.2%
No family support for recovery past 30 days (N = 123)	4.9%	4.9%	0.0%
Summary Measure 35.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 112)	0.9%	5.4%	0.0%
Biomedical Conditions and Complications (N = 132)	5.3%	5.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 121)	57.9%	33.9%	41.4%
Resistance to Change (N = 134)	15.7%	30.6%	0.0%
Relapse/Continued Use Potential (N = 124)	98.4%	41.1%	58.2%
Unsupportive Recovery Environment (N = 127)	82.7%	47.2%	42.9%
Summary Measure 37.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Joseph's Hospital CD Program Hennepin County Home School

14300 County Road 62 Minnetonka, MN 55345

Provider Website:

Patient Profile

 Gender (N = 99)
 Race (N = 99)

 Male: 87.9%
 White: 14.1%

 Female: 12.1%
 Black: 57.6%

American Indian: 13.1% 26 to 34: 0.0% Hispanic: 8.1% 35 and older: 0.0%

Asian/Pacific Islander: 3.0%

Other: 4.0%

Primary Substance Source of Income

 (N = 99)
 (N = 99)

 Alcohol: 5.1%
 Job: 1.0%

 Methamphetamine: 0.0%
 Retirement

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 92.9% Family/friends: 19.2% Heroin: 0.0% No income: 72.7% Cocaine: 1.0% Public sources: 0.0% Other opiates: 0.0% Other sources: 7.1%

(N = 99) .
Self/family/relative/
friends: 64.6%
Employer/school: 0.0%

Source of Referral

County: Hennepin

Age (N = 99)

Under 18: 88.9%

18 to 25: 11.1%

Employer/school: 0.0% Criminal justice: 84.8% Professional: 0.0% County social

service agency: 25.3%

Other community resources: 3.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.0%

(N = 99)

Completed program: 90.9%

Patient left without staff approval: 2.0% Staff requested/judged inappropriate: 4.0%

Death/other: 3.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

St. Joseph's Hospital CD Program Hennepin County Home School

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =99)	0.0%	1.0%	*
Not employed/student§ (N = 99)	0.0%	0.0%	*
Arrests past 30 days (N = 99)	1.0%	1.0%	0.0%
Alcohol use past 30 days (N = 99)	0.0%	0.0%	*
Drug use past 30 days (N = 99)	1.0%	0.0%	100.0%
No self-help group participation past 30 days (N = 99)	89.9%	82.8%	7.9%
No family support for recovery past 30 days $(N = 89)$	55.1%	46.1%	16.3%
Summary Measure 10.9%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 99)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 99)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 99)	97.0%	82.8%	14.6%
Resistance to Change (N = 99)	85.9%	73.7%	14.1%
Relapse/Continued Use Potential (N = 99)	100.0%	96.0%	4.0%
Unsupportive Recovery Environment ($N = 99$)	98.0%	92.9%	5.2%
Summary Measure 9.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Joseph's Hospital Inpatient Chemical Dependency Program

69 West Exchange Street St. Paul, MN 55102

Provider Website: www.healtheast.org

Patient Profile

Gender (N = 1160)

Male: 64.1%

Female: 35.9%

Race (N = 1160)White: 69.8%

Black: 16.6%

American Indian: 4.6%

Hispanic: 5.8%

Asian/Pacific Islander: 1.4%

Other: 1.9%

Primary Substance

(N = 1154)

Alcohol: 51.4% Methamphetamine: 2.9%

Marijuana: 5.5% Heroin: 17.5%

Cocaine: 5.6% Other opiates: 15.5%

Other drugs: 1.7%

Source of Income

(N = 1160)

Job: 22.4%

Retirement/savings: 5.3%

Family/friends: 8.4% No income: 14.7%

Public sources: 27.5% Other sources: 21.6%

Age (N = 1160)

County: Ramsey

Under 18: 0.0% 18 to 25: 18.4%

26 to 34: 20.3%

35 and older: 61.4%

Source of Referral

(N = 1160) .

Self/family/relative/ friends: 77.6%

Employer/school: 1.2% Criminal justice: 20.7%

Professional: 23.5%

County social

service agency: 42.1%

Other community resources: 7.9%

AA: 0.1% Tribal: 0.9%

Discharge Status

(N = 1160)

Completed program: 54.1%

Patient left without staff approval: 22.3% Staff requested/judged inappropriate: 5.6%

Death/other: 17.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

St. Joseph's Hospital Inpatient Chemical Dependency Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =1093)	14.5%	11.9%	18.2%
Not employed/student \S (N = 1059)	77.0%	76.2%	1.0%
Arrests past 30 days (N = 1154)	5.2%	3.0%	43.3%
Alcohol use past 30 days (N = 1147)	58.8%	38.0%	35.4%
Drug use past 30 days (N = 1147)	58.8%	44.7%	23.9%
No self-help group participation past 30 days (N = 971)	59.0%	30.8%	47.8%
No family support for recovery past 30 days (N = 992)	5.4%	4.8%	11.1%
Summary Measure [∥] 24.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 1024$)	32.7%	8.2%	74.9%
Biomedical Conditions and Complications (N = 1031)	20.3%	10.9%	46.4%
Emotional/Behavioral/ Cognitive Problem (N = 1045)	64.8%	50.9%	21.4%
Resistance to Change (N = 1067)	12.7%	21.3%	0.0%
Relapse/Continued Use Potential (N = 1043)	98.2%	80.2%	18.4%
Unsupportive Recovery Environment (N = 1033)	89.4%	75.0%	16.1%
Summary Measure [∥] 22.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Paul Metro Treatment Center

2311 Woodbridge Street Roseville, MN 55113

Provider Website: www.methadonetreatment.com

Patient Profile

 Gender (N = 23)
 Race (N = 23)

 Male: 78.3%
 White: 87.0%

 Female: 21.7%
 Black: 8.7%

Ale: 21.7% Black: 8.7% 18 to 25: 17.4% American Indian: 0.0% 26 to 34: 26.1% Hispanic: 4.4% 35 and older: 56.5%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 0.0% Retirement/savings: 4.4% Marijuana: 0.0% Family/friends: 13.0% No income: 0.0% Cocaine: 0.0% Public sources: 17.4%

Other opiates: 39.1% Other sources: 26.1%

Source of Referral (N = 23).

County: Ramsey

Age (N = 23)

Under 18: 0.0%

Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 0.0%

Professional: 17.4%
County social

service agency: 0.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 23)

Completed program: 4.4%

Patient left without staff approval: 26.1% Staff requested/judged inappropriate: 0.0%

Death/other: 69.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

St. Paul Metro Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =23)	0.0%	4.4%	*
Not employed/student§ (N = 18)	55.6%	50.0%	10.0%
Arrests past 30 days (N = 23)	0.0%	4.4%	*
Alcohol use past 30 days (N = 23)	26.1%	8.7%	66.7%
Drug use past 30 days (N = 23)	91.3%	34.8%	61.9%
No self-help group participation past 30 days (N = 17)	76.5%	76.5%	0.0%
No family support for recovery past 30 days $(N = 21)$	14.3%	4.8%	66.7%
Summary Measure [∥] 30.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 23$)	56.5%	39.1%	30.8%
Biomedical Conditions and Complications ($N = 23$)	0.0%	4.4%	*
Emotional/Behavioral/ Cognitive Problem (N = 23)	26.1%	21.7%	16.7%
Resistance to Change (N = 22)	27.3%	31.8%	0.0%
Relapse/Continued Use Potential (N = 22)	100.0%	90.9%	9.1%
Unsupportive Recovery Environment ($N = 22$)	27.3%	22.7%	16.7%
Summary Measure 11.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Steele County Dention Center

2500 Alexander Street Owatonna, MN 55060

Provider Website:

Patient Profile

 Gender (N = 16)
 Race (N = 16)

 Male: 93.8%
 White: 81.3%

 Female: 6.3%
 Black: 12.5%

American Indian: 0.0% 26 th Hispanic: 6.3% 35 and 3

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 16)Alcohol: 31.3%

Methamphetamine: 25.0% Marijuana: 37.5%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.3%

Other drugs: 0.0%

Source of Income

(N = 16)Job: 31.3%

Retirement/savings: 0.0%

Family/friends: 0.0% No income: 43.8% Public sources: 6.3% Other sources: 18.8% Age (N = 16)

County: Steele

Under 18: 0.0% 18 to 25: 37.5% 26 to 34: 50.0%

35 and older: 12.5%

Source of Referral

(N = 16) .

Self/family/relative/ friends: 18.8% Employer/school: 0.0% Criminal justice: 56.3% Professional: 0.0%

County social

service agency: 68.8%

Other community resources: 6.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 16)

Completed program: 0.0%

Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 0.0%

Death/other: 75.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Steele County Dention Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =15)	0.0%	13.3%	*
Not employed/student \S (N = 16)	75.0%	75.0%	0.0%
Arrests past 30 days (N = 16)	37.5%	12.5%	66.7%
Alcohol use past 30 days (N = 12)	16.7%	0.0%	100.0%
Drug use past 30 days (N = 12)	0.0%	0.0%	*
No self-help group participation past 30 days (N = 13)	76.9%	84.6%	0.0%
No family support for recovery past 30 days (N = 12)	33.3%	8.3%	75.0%
Summary Measure 19.1%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 16)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 16)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 16)	68.8%	50.0%	27.3%
Resistance to Change (N = 16)	56.3%	56.3%	0.0%
Relapse/Continued Use Potential (N = 16)	100.0%	75.0%	25.0%
Unsupportive Recovery Environment (N = 16)	100.0%	87.5%	12.5%
Summary Measure 17.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tapestry, LLC

135 Colorado Street E St. Paul, MN 55107

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 503)}}{\text{Male: 0.6\%}}$

Female: 99.4%

Primary Substance

(N = 500)Alcohol: 44.6%

Methamphetamine: 13.4%

Marijuana: 8.4% Heroin: 7.4% Cocaine: 13.0%

Other opiates: 11.2% Other drugs: 2.0% Race (N = 503)

White: 70.4% Black: 17.1%

American Indian: 4.6% Hispanic: 3.4%

Asian/Pacific Islander: 2.0%

Other: 2.6%

Source of Income

(N = 503)

Job: 11.5% Retirement/savings: 2.0%

Family/friends: 16.5% No income: 21.3% Public sources: 39.4%

Other sources: 9.3%

Age (N = 503)

County: Ramsey

Under 18: 0.0% 18 to 25: 20.1% 26 to 34: 24.7%

35 and older: 55.3%

Source of Referral

(N = 503) .

Self/family/relative/ friends: 39.6% Employer/school: 0.2%

Criminal justice: 19.9% Professional: 41.4%

County social

service agency: 53.7%

Other community resources: 3.6%

AA: 0.0% Tribal: 0.4%

Discharge Status

(N = 503)

Completed program: 61.8%

Patient left without staff approval: 24.1% Staff requested/judged inappropriate: 7.8%

Death/other: 6.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Tapestry, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =497)	23.7%	6.0%	74.6%
Not employed/student \S (N = 488)	86.1%	87.3%	0.0%
Arrests past 30 days (N = 488)	9.2%	3.3%	64.4%
Alcohol use past 30 days (N = 481)	57.2%	20.4%	64.4%
Drug use past 30 days (N = 481)	62.6%	25.2%	59.8%
No self-help group participation past 30 days (N = 489)	61.8%	18.0%	70.9%
No family support for recovery past 30 days ($N = 485$)	6.8%	3.3%	51.5%
Summary Measure 46.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 477$)	13.6%	4.6%	66.2%
Biomedical Conditions and Complications (N = 479)	44.3%	30.5%	31.1%
Emotional/Behavioral/ Cognitive Problem (N = 479)	90.6%	68.5%	24.4%
Resistance to Change (N = 479)	57.2%	44.9%	21.5%
Relapse/Continued Use Potential (N = 478)	99.6%	96.4%	3.2%
Unsupportive Recovery Environment ($N = 478$)	99.4%	96.2%	3.2%
Summary Measure 15.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Teen Focus Recovery Center

475 Dana Avenue South Rush City, MN 55069

Provider Website:

Patient Profile

Gender (N = 29)Race (N = 29)Male: 79.3% Female: 20.7%

Hispanic: 6.9%

Other: 3.5%

Primary Substance

(N = 29)Alcohol: 6.9%

Methamphetamine: 3.5% Marijuana: 79.3%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 10.3%

White: 69.0%

Black: 6.9%

American Indian: 13.8%

Asian/Pacific Islander: 0.0%

Source of Income

(N = 29)

Job: 10.3%

Retirement/savings: 0.0% Family/friends: 79.3% No income: 3.5% Public sources: 3.5%

Other sources: 3.5%

Under 18: 93.1%

18 to 25: 6.9%

26 to 34: 0.0% 35 and older: 0.0%

Age (N = 29)

Source of Referral

(N = 29) .

County: Chisago

Self/family/relative/ friends: 20.7% Employer/school: 6.9% Criminal justice: 62.1% Professional: 17.2%

County social

service agency: 17.2%

Other community resources: 62.1%

AA: 0.0% Tribal: 13.8%

Discharge Status

(N = 29)

Completed program: 51.7%

Patient left without staff approval: 31.0% Staff requested/judged inappropriate: 6.9%

Death/other: 10.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Teen Focus Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =29)	0.0%	6.9%	*
Not employed/student \S (N = 29)	10.3%	10.3%	0.0%
Arrests past 30 days (N = 29)	37.9%	34.5%	9.1%
Alcohol use past 30 days (N = 29)	34.5%	6.9%	80.0%
Drug use past 30 days (N = 29)	69.0%	51.7%	25.0%
No self-help group participation past 30 days (N = 29)	41.4%	3.5%	91.7%
No family support for recovery past 30 days $(N = 29)$	10.3%	24.1%	0.0%
Summary Measure [∥] 32.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 29$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 29)	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 29)	24.1%	27.6%	0.0%
Resistance to Change (N = 29)	58.6%	27.6%	52.9%
Relapse/Continued Use Potential (N = 29)	96.6%	51.7%	46.4%
Unsupportive Recovery Environment (N = 29)	58.6%	44.8%	23.5%
Summary Measure [∥] 36.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Telesis - Hennepin County Workhouse

1145 Shenadoah Lane Plymouth, MN 55447

Provider Website:

Patient Profile

 Gender (N = 168)
 Race (N = 168)

 Male: 80.4%
 White: 28.0%

 Female: 19.6%
 Black: 42.3%

e: 19.6% Black: 42.3% 18 to 25: 38.7% American Indian: 17.9% 26 to 34: 32.7% Hispanic: 4.2% 35 and older: 28.6%

Asian/Pacific Islander: 1.8%

Other: 6.0%

Primary Substance Source of Income (N = 168) (N = 168)

Alcohol: 44.0% Job: 14.9% Retirement/savings: 0.6%

Marijuana: 37.5% Family/friends: 3.6% Heroin: 3.0% No income: 51.8% Cocaine: 9.5% Public sources: 17.9% Other opiates: 2.4% Other sources: 11.3%

\(\begin{align*} \begin{align*} \left(N = 168 \end{align*} \)
\(\text{Job: 14.9%} \)
\(\text{Retirement/savings: 0.6%} \)
\(\text{Family/friends: 3.6%} \)
\(\text{No income: 51.8%} \)
\(\text{Public sources: 17.9%} \)
\(\text{Other sources: 11.3%} \)
\(\text{County social service agency: 0.0%} \)

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Age (N = 168)

Under 18: 0.0%

Source of Referral

Discharge Status

Other drugs: 1.8%

(N = 168)

Completed program: 63.1%

Patient left without staff approval: 6.0% Staff requested/judged inappropriate: 12.5%

Death/other: 18.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Telesis - Hennepin County Workhouse

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =167)	6.6%	3.0%	54.5%
Not employed/student§ (N = 163)	87.1%	90.8%	0.0%
Arrests past 30 days (N = 168)	21.4%	0.0%	100.0%
Alcohol use past 30 days (N = 168)	2.4%	0.0%	100.0%
Drug use past 30 days (N = 168)	3.0%	0.0%	100.0%
No self-help group participation past 30 days (N = 163)	47.2%	46.6%	1.3%
No family support for recovery past 30 days (N = 166)	38.6%	28.3%	26.6%
Summary Measure [∥] 18.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 168)	5.4%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 168)$	3.0%	7.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 168)	67.3%	54.8%	18.6%
Resistance to Change (N = 168)	94.0%	70.2%	25.3%
Relapse/Continued Use Potential (N = 168)	100.0%	91.1%	8.9%
Unsupportive Recovery Environment (N = 168)	99.4%	95.8%	3.6%
Summary Measure [∥] 13.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The 1402 Treatment Program

1402 East Superior Street Duluth, MN 55812

Provider Website: www.cadt.org

Patient Profile

<u>Gender (N = 230)</u> Male: 65.2%

Female: 34.8%

American Indian: 12.2% Hispanic: 4.4%

Asian/Pacific Islander: 0.0%

Other: 2.2%

Race (N = 230)

White: 75.7%

Black: 5.7%

Primary Substance

(N = 230)Alcohol: 54.8%

Methamphetamine: 7.8% Marijuana: 7.0%

Heroin: 1.7% Cocaine: 3.5% Other opiates: 23.9%

Other drugs: 1.3%

Source of Income

(N = 230)Job: 16.5%

Retirement/savings: 2.2%

Family/friends: 4.8% No income: 40.0% Public sources: 23.5%

Other sources: 13.0%

Age (N = 230)

County: St. Louis

Under 18: 0.0% 18 to 25: 27.8% 26 to 34: 29.1%

35 and older: 43.0%

Source of Referral

(N = 230) .

Self/family/relative/ friends: 58.3% Employer/school: 0.0% Criminal justice: 34.3% Professional: 11.7%

County social

service agency: 19.1%

Other community resources: 1.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 230)

Completed program: 69.6%

Patient left without staff approval: 17.8% Staff requested/judged inappropriate: 8.7%

Death/other: 3.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

The 1402 Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =218)	11.0%	3.2%	70.8%
Not employed/student§ (N = 207)	78.7%	87.0%	0.0%
Arrests past 30 days (N = 190)	18.9%	3.7%	80.6%
Alcohol use past 30 days (N = 216)	64.8%	8.3%	87.1%
Drug use past 30 days (N = 216)	56.0%	8.3%	85.1%
No self-help group participation past 30 days (N = 223)	60.1%	3.1%	94.8%
No family support for recovery past 30 days (N = 204)	3.9%	10.3%	0.0%
Summary Measure [∥] 57.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 228$)	23.7%	0.9%	96.3%
Biomedical Conditions and Complications (N = 228)	25.4%	4.4%	82.8%
Emotional/Behavioral/ Cognitive Problem (N = 228)	70.6%	41.2%	41.6%
Resistance to Change (N = 228)	37.7%	34.2%	9.3%
Relapse/Continued Use Potential (N = 228)	99.1%	99.1%	0.0%
Unsupportive Recovery Environment (N = 228)	95.6%	95.2%	0.5%
Summary Measure 21.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Gables

604 5th Street SW Rochester, MN 55902

Provider Website:

Patient Profile

Gender (N = 111) Male: 0.9%

Female: 99.1%

White: 82.9% Black: 5.4%

Race (N = 111)

American Indian: 7.2% Hispanic: 1.8%

Asian/Pacific Islander: 0.0%

Other: 2.7%

Primary Substance

(N = 111)

Alcohol: 62.2%

Methamphetamine: 14.4%

Marijuana: 5.4% Heroin: 0.0%

Cocaine: 3.6% Other opiates: 10.8%

Other drugs: 3.6%

Source of Income

(N = 111)

Job: 15.3% Retirement/savings: 1.8%

Family/friends: 37.8%

No income: 7.2% Public sources: 29.7%

Other sources: 8.1%

Age (N = 111)

County: Olmsted

Under 18: 13.5% 18 to 25: 24.3%

26 to 34: 17.1%

35 and older: 45.0%

Source of Referral

(N = 111) .

Self/family/relative/ friends: 14.4%

Employer/school: 0.0%

Criminal justice: 5.4% Professional: 56.8%

County social

service agency: 67.6%

Other community

resources: 1.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 111)

Completed program: 12.6%

Patient left without staff approval: 56.8% Staff requested/judged inappropriate: 16.2%

Death/other: 14.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

The Gables

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =110)	6.4%	0.9%	85.7%
Not employed/student§ (N = 103)	86.4%	90.3%	0.0%
Arrests past 30 days (N = 110)	30.9%	9.1%	70.6%
Alcohol use past 30 days (N = 111)	42.3%	12.6%	70.2%
Drug use past 30 days (N = 111)	26.1%	7.2%	72.4%
No self-help group participation past 30 days (N = 64)	32.8%	6.3%	81.0%
No family support for recovery past 30 days (N = 81)	11.1%	7.4%	33.3%
Summary Measure 43.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 108)	1.9%	1.9%	0.0%
Biomedical Conditions and Complications ($N = 108$)	25.0%	21.3%	14.8%
Emotional/Behavioral/ Cognitive Problem (N = 108)	97.2%	83.3%	14.3%
Resistance to Change (N = 108)	99.1%	86.1%	13.1%
Relapse/Continued Use Potential (N = 108)	99.1%	95.4%	3.7%
Unsupportive Recovery Environment (N = 107)	99.1%	95.3%	3.8%
Summary Measure [∥] 9.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven Halfway House, LLC

1425 East St. Germain St. Cloud, MN 56304

Provider Website:

Patient Profile

Gender (N = 139)
Male: 100.0%

Female: 0.0%

Primary Substance

(N = 139)Alcohol: 51.1%

Methamphetamine: 20.9% Marijuana: 12.9%

Heroin: 3.6% Cocaine: 5.0% Other opiates: 4.3%

Other drugs: 2.2%

Race (N = 139)

White: 84.2% Black: 4.3%

American Indian: 5.0% Hispanic: 2.9%

Asian/Pacific Islander: 0.0%

Other: 3.6%

Source of Income

(N = 139)Job: 23.0%

Retirement/savings: 5.8%

Family/friends: 7.2% No income: 33.1% Public sources: 23.0%

Other sources: 7.9%

Age (N = 139)

County: Benton

Under 18: 0.0% 18 to 25: 46.0% 26 to 34: 26.6%

35 and older: 27.3%

Source of Referral

(N = 139) .

Self/family/relative/ friends: 21.6% Employer/school: 0.0% Criminal justice: 7.2% Professional: 89.2%

County social

service agency: 76.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.7%

Discharge Status

(N = 139)

Completed program: 44.6%

Patient left without staff approval: 15.1% Staff requested/judged inappropriate: 36.7%

Death/other: 3.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

The Haven Halfway House, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =139)	0.7%	0.0%	100.0%
Not employed/student§ (N = 137)	88.3%	46.0%	47.9%
Arrests past 30 days (N = 139)	4.3%	8.6%	0.0%
Alcohol use past 30 days (N = 139)	8.6%	7.2%	16.7%
Drug use past 30 days (N = 139)	9.4%	11.5%	0.0%
No self-help group participation past 30 days (N = 139)	9.4%	5.0%	46.2%
No family support for recovery past 30 days (N = 138)	3.6%	5.1%	0.0%
Summary Measure [∥] 32.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 139)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 139)	2.2%	1.4%	33.3%
Emotional/Behavioral/ Cognitive Problem (N = 139)	18.0%	19.4%	0.0%
Resistance to Change (N = 139)	94.2%	63.3%	32.8%
Relapse/Continued Use Potential (N = 139)	100.0%	92.1%	7.9%
Unsupportive Recovery Environment ($N = 139$)	100.0%	89.2%	10.8%
Summary Measure 15.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Cloquet

1003 Cloquet Ave Cloquet, MN 55720

Provider Website:

Patient Profile

Gender (N = 156) Male: 66.7%

Female: 33.3%

Primary Substance

(N = 156)

Alcohol: 62.8% Methamphetamine: 2.6%

Marijuana: 17.3% Heroin: 0.0% Cocaine: 0.0%

Other opiates: 17.3% Other drugs: 0.0%

Race (N = 156)

White: 84.6% Black: 0.0%

American Indian: 11.5%

Hispanic: 1.9%

Asian/Pacific Islander: 0.6%

Other: 1.3%

Source of Income

(N = 156)

Job: 44.9%

Retirement/savings: 0.0% Family/friends: 21.2%

No income: 9.6% Public sources: 10.9%

Other sources: 13.5%

Age (N = 156)

County: Carlton

Under 18: 13.5% 18 to 25: 27.6% 26 to 34: 27.6%

35 and older: 31.4%

Source of Referral

(N = 156) .

Self/family/relative/ friends: 58.3%

Employer/school: 3.9% Criminal justice: 54.5% Professional: 13.5%

County social

service agency: 9.6% Other community resources: 0.6%

AA: 0.6% Tribal: 1.9%

Discharge Status

(N = 156)

Completed program: 64.1%

Patient left without staff approval: 13.5% Staff requested/judged inappropriate: 1.9%

Death/other: 20.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

The Haven in Cloquet

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =154)	0.6%	0.0%	100.0%
Not employed/student§ (N = 153)	37.3%	35.9%	3.5%
Arrests past 30 days (N = 154)	10.4%	6.5%	37.5%
Alcohol use past 30 days (N = 156)	42.3%	23.1%	45.5%
Drug use past 30 days (N = 156)	28.2%	20.5%	27.3%
No self-help group participation past 30 days ($N = 141$)	66.7%	14.2%	78.7%
No family support for recovery past 30 days $(N = 134)$	3.7%	5.2%	0.0%
Summary Measure 44.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 145)	7.6%	9.7%	0.0%
Biomedical Conditions and Complications ($N = 154$)	24.7%	21.4%	13.2%
Emotional/Behavioral/ Cognitive Problem (N = 152)	61.2%	32.2%	47.3%
Resistance to Change (N = 156)	62.8%	30.8%	51.0%
Relapse/Continued Use Potential (N = 156)	96.8%	41.7%	57.0%
Unsupportive Recovery Environment (N = 156)	92.3%	56.4%	38.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Shakopee

275 1st Avenue East Shakopee, MN 55379

Provider Website: www.havenchemicalhealth.com

Patient Profile

 Gender (N = 111)
 Race (N = 111)

 Male: 69.4%
 White: 80.2%

Female: 30.6% Black: 6.3% 18 to 25: 30.6% American Indian: 5.4% 26 to 34: 27.0% Hispanic: 5.4% 35 and older: 39.6%

Asian/Pacific Islander: 0.9%

Other: 1.8%

Primary Substance Source of Income (N = 101) (N = 111)

Alcohol: 67.3% Job: 44.1%

Methamphetamine: 5.0% Retirement/s

Methamphetamine: 5.0% Retirement/savings: 2.7% Marijuana: 16.8% Family/friends: 13.5% Heroin: 1.0% No income: 9.9% Cocaine: 2.0% Public sources: 15.3%

Other opiates: 6.9% Other sources: 14.4%

Source of Referral (N = 111).

Age (N = 111)

Under 18: 2.7%

County: Scott

Self/family/relative/ friends: 48.6% Employer/school: 0.9% Criminal justice: 54.1% Professional: 15.3%

County social

service agency: 8.1% Other community resources: 4.5%

AA: 2.7% Tribal: 0.0%

Discharge Status

Other drugs: 1.0%

(N = 111)

Completed program: 64.9%

Patient left without staff approval: 12.6% Staff requested/judged inappropriate: 2.7%

Death/other: 19.8%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

The Haven in Shakopee

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =102)	2.0%	2.0%	0.0%
Not employed/student§ (N = 105)	54.3%	37.1%	31.6%
Arrests past 30 days (N = 94)	12.8%	4.3%	66.7%
Alcohol use past 30 days (N = 73)	31.5%	4.1%	87.0%
Drug use past 30 days (N = 73)	15.1%	4.1%	72.7%
No self-help group participation past 30 days $(N = 99)$	57.6%	17.2%	70.2%
No family support for recovery past 30 days ($N = 105$)	3.8%	1.0%	75.0%
Summary Measure 60.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 110)	1.8%	7.3%	0.0%
Biomedical Conditions and Complications (N = 110)	2.7%	3.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 110)	38.2%	24.5%	35.7%
Resistance to Change (N = 111)	58.6%	31.5%	46.2%
Relapse/Continued Use Potential (N = 110)	98.2%	36.4%	63.0%
Unsupportive Recovery Environment (N = 110)	81.8%	31.8%	61.1%
Summary Measure 51.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Waconia

233 West First Street Waconia, MN 55387

Provider Website: www.havenchemicalhealth.com

Patient Profile

 Gender (N = 103)
 Race (N = 103)

 Male: 72.8%
 White: 92.2%

Female: 27.2% Black: 4.9% 18 to 25: 18.4% American Indian: 0.0% 26 to 34: 18.4% Hispanic: 1.9% 35 and older: 37.9%

Asian/Pacific Islander: 1.0%

Other: 0.0%

Primary Substance Source of Income

(N = 103) Alcohol: 43.7% (N = 103) Job: 35.9%

Methamphetamine: 5.8% Retirement/savings: 1.9% Marijuana: 38.8% Family/friends: 19.4% Heroin: 1.0% No income: 23.3% Cocaine: 3.9% Public sources: 10.7% Other opiates: 3.9% Other sources: 8.7%

(N = 103) .
Self/family/relative/
friends: 45.6%
Employer/school: 5.8%
Criminal justice: 26.2%
Professional: 25.2%
County social

Source of Referral

County: Carver

Age (N = 103)

Under 18: 25.2%

service agency: 17.5% Other community

Other community resources: 7.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 2.9%

(N = 103)

Completed program: 47.6%

Patient left without staff approval: 17.5% Staff requested/judged inappropriate: 13.6%

Death/other: 21.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

The Haven in Waconia

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =102)	0.0%	1.0%	*
Not employed/student \S (N = 102)	40.2%	36.3%	9.8%
Arrests past 30 days (N = 103)	8.7%	6.8%	22.2%
Alcohol use past 30 days (N = 103)	32.0%	16.5%	48.5%
Drug use past 30 days (N = 103)	28.2%	20.4%	27.6%
No self-help group participation past 30 days (N = 99)	63.6%	28.3%	55.6%
No family support for recovery past 30 days (N = 101)	4.0%	3.0%	25.0%
Summary Measure 36.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 102)	2.0%	3.9%	0.0%
Biomedical Conditions and Complications (N = 103)	4.9%	5.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 103)	50.5%	44.7%	11.5%
Resistance to Change (N = 103)	59.2%	50.5%	14.8%
Relapse/Continued Use Potential (N = 103)	94.2%	62.1%	34.0%
Unsupportive Recovery Environment (N = 103)	86.4%	57.3%	33.7%
Summary Measure 24.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Woodbury

2042 Wooddale Drive Woodbury, MN 55125

Provider Website: www.havenchemicalhealthsystems.com

Patient Profile

 Gender (N = 156)
 Race (N = 156)

 Male: 61.5%
 White: 82.7%

 Female: 38.5%
 Black: 3.2%

American Indian: 1.9% 26 to 34: 23.7% Hispanic: 8.3% 35 and older: 41.0%

Asian/Pacific Islander: 2.6%

Other: 1.3%

Primary Substance Source of Income

(N = 154) Alcohol: 54.5% (N = 156) Job: 43.6%

Methamphetamine: 4.6% Retirement/savings: 4.5 Marijuana: 26.0% Family/friends: 35.9% Heroin: 1.3% No income: 6.4% Cocaine: 7.1% Public sources: 3.9% Other opiates: 5.8% Other sources: 5.8%

Source of Income Source of Referral (N = 156) (N = 156).

Job: 43.6% Self/family/relative/ friends: 54.5% Family/friends: 35.9% Employer/school: 5.1% Oriminal justice: 37.8% Public sources: 3.9% County social

service agency: 8.3% Other community resources: 5.1%

AA: 1.3% Tribal: 0.0%

County: Washington

Age (N = 156)

Under 18: 10.9%

18 to 25: 24.4%

Discharge Status

Other drugs: 0.6%

(N = 156)

Completed program: 60.3%

Patient left without staff approval: 19.2% Staff requested/judged inappropriate: 7.1%

Death/other: 13.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

The Haven in Woodbury

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =147)	0.0%	0.0%	*
Not employed/student \S (N = 152)	42.1%	32.9%	21.9%
Arrests past 30 days (N = 125)	10.4%	4.0%	61.5%
Alcohol use past 30 days (N = 123)	52.0%	8.9%	82.8%
Drug use past 30 days (N = 123)	30.9%	8.1%	73.7%
No self-help group participation past 30 days (N = 137)	49.6%	34.3%	30.9%
No family support for recovery past 30 days (N = 137)	10.9%	7.3%	33.3%
Summary Measure 51.2%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 143)	0.0%	2.8%	*
Biomedical Conditions and Complications (N = 152)	4.6%	5.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 155)	73.5%	43.9%	40.4%
Resistance to Change (N = 155)	60.6%	33.5%	44.7%
Relapse/Continued Use Potential (N = 155)	98.7%	39.4%	60.1%
Unsupportive Recovery Environment (N = 154)	84.4%	40.9%	51.5%
Summary Measure 48.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Wayside House Inc.

3705 Park Center Boulevard St. Louis Park, MN 55416

Provider Website: www.waysidehouse.org

Patient Profile

 Gender (N = 203)
 Race (N = 203)
 Age (N = 203)

 Male: 0.0%
 White: 61.1%
 Under 18: 0.0%

Female: 100.0% Black: 20.7% 18 to 25: 16.7% American Indian: 10.3% 26 to 34: 31.0%

Hispanic: 0.5% 35 and older: 52.2%

County: Hennepin

Tribal: 0.0%

Asian/Pacific Islander: 0.0% Other: 7.4%

Other. 7.4

Primary Substance Source of Income Source of Referral (N = 203) (N = 203) (N = 203).

Alcohol: 41.4%

Methamphetamine: 17.2%

Job: 7.4%

Retirement/savings: 1.5%

Self/family/relative/
friends: 4.4%

Marijuana: 8.9%Family/friends: 46.8%Employer/school: 0.0%Heroin: 4.9%No income: 9.4%Criminal justice: 20.2%Cocaine: 20.2%Public sources: 26.6%Professional: 38.9%

Other opiates: 6.9% Other sources: 8.4% County social

Other drugs: 0.5% service agency: 38.9% Other community

resources: 0.0%

Discharge Status

(N = 203)

Completed program: 42.4%

Patient left without staff approval: 31.0% Staff requested/judged inappropriate: 18.2%

Death/other: 8.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

The Wayside House Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =185)	25.9%	21.6%	16.7%
Not employed/student§ (N = 173)	98.8%	88.4%	10.5%
Arrests past 30 days (N = 203)	6.4%	3.9%	38.5%
Alcohol use past 30 days (N = 203)	44.3%	6.9%	84.4%
Drug use past 30 days (N = 203)	41.9%	15.3%	63.5%
No self-help group participation past 30 days (N = 188)	70.2%	19.1%	72.7%
No family support for recovery past 30 days (N = 173)	31.8%	5.8%	81.8%
Summary Measure [∥] 49.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 203)	2.5%	1.0%	60.0%
Biomedical Conditions and Complications $(N = 203)$	36.9%	24.6%	33.3%
Emotional/Behavioral/ Cognitive Problem (N = 203)	100.0%	81.3%	18.7%
Resistance to Change (N = 203)	87.2%	62.6%	28.2%
Relapse/Continued Use Potential (N = 203)	100.0%	82.3%	17.7%
Unsupportive Recovery Environment ($N = 203$)	99.5%	77.8%	21.8%
Summary Measure 22.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Thunderbird and Wren Halfway House

229 North 4th Avenue West Duluth, MN 55806

Provider Website:

Patient Profile

 Gender (N = 76)
 Race (N = 76)

 Male: 64.5%
 White: 0.0%

 Female: 35.5%
 Black: 0.0%

Black: 0.0% 18 to 25: 28.9% American Indian: 100.0% 26 to 34: 26.3% Hispanic: 0.0% 35 and older: 40.8%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 76) Alcohol: 67.1% (N = 76) Job: 4.0%

Methamphetamine: 4.0% Retirement/savings: 1
Marijuana: 13.2% Family/friends: 4.0%
Heroin: 0.0% No income: 42.1%
Cocaine: 1.3% Public sources: 27.6%
Other opiates: 14.5% Other sources: 9.2%

N = 76)

Job: 4.0%

Retirement/savings: 13.2%

Family/friends: 4.0%

No income: 42.1%

Public sources: 27.6%

Other sources: 9.2%

(N = 76)

Self/family/relative/
friends: 2.6%

Employer/school: 0.0%

Criminal justice: 19.7%

Professional: 85.5%

County social

service agency: 50.0% Other community resources: 0.0%

AA: 0.0% Tribal: 42.1%

County: St. Louis

Age (N = 76)

Under 18: 4.0%

Source of Referral

Discharge Status

Other drugs: 0.0%

(N = 76)

Completed program: 30.3%

Patient left without staff approval: 35.5% Staff requested/judged inappropriate: 30.3%

Death/other: 4.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Thunderbird and Wren Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =76)	1.3%	0.0%	100.0%
Not employed/student \S (N = 65)	89.2%	75.4%	15.5%
Arrests past 30 days (N = 76)	2.6%	0.0%	100.0%
Alcohol use past 30 days (N = 76)	2.6%	2.6%	0.0%
Drug use past 30 days (N = 76)	4.0%	7.9%	0.0%
No self-help group participation past 30 days $(N = 76)$	1.3%	2.6%	0.0%
No family support for recovery past 30 days $(N = 76)$	4.0%	4.0%	0.0%
Summary Measure 11.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 76$)	1.3%	2.6%	0.0%
Biomedical Conditions and Complications $(N = 76)$	6.6%	7.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 76)	46.1%	42.1%	8.6%
Resistance to Change (N = 76)	97.4%	82.9%	14.9%
Relapse/Continued Use Potential (N = 76)	100.0%	90.8%	9.2%
Unsupportive Recovery Environment $(N = 76)$	100.0%	93.4%	6.6%
Summary Measure 9.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tomorrow LLC Anchorage

810 4th Street Moorhead, MN 56560

Provider Website:

Patient Profile

<u>Gender (N = 32)</u> Male: 75.0%

Female: 25.0%

Primary Substance

(N = 32)Alcohol: 87.5%

Methamphetamine: 3.1% Marijuana: 3.1%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.3%

Other drugs: 0.0%

Race (N = 32)

White: 78.1% Black: 3.1%

American Indian: 15.6%

Hispanic: 3.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 32)Job: 21.9%

Retirement/savings: 0.0% Family/friends: 0.0%

No income: 12.5% Public sources: 59.4% Other sources: 6.3% Age (N = 32)

County: Clay

Under 18: 0.0% 18 to 25: 31.3% 26 to 34: 15.6%

35 and older: 53.1%

Source of Referral

(N = 32).

Self/family/relative/ friends: 15.6% Employer/school: 0.0% Criminal justice: 31.3% Professional: 0.0%

County social

service agency: 71.9%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 32)

Completed program: 50.0%

Patient left without staff approval: 28.1% Staff requested/judged inappropriate: 15.6%

Death/other: 6.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Tomorrow LLC Anchorage

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =32)	18.8%	6.3%	66.7%
Not employed/student \S (N = 32)	96.9%	75.0%	22.6%
Arrests past 30 days (N = 32)	18.8%	3.1%	83.3%
Alcohol use past 30 days (N = 32)	71.9%	34.4%	52.2%
Drug use past 30 days (N = 32)	21.9%	21.9%	0.0%
No self-help group participation past 30 days (N = 24)	33.3%	8.3%	75.0%
No family support for recovery past 30 days (N = 26)	19.2%	7.7%	60.0%
Summary Measure 44.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 32)	3.1%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 32)$	56.3%	43.8%	22.2%
Emotional/Behavioral/ Cognitive Problem (N = 32)	100.0%	100.0%	0.0%
Resistance to Change $(N = 32)$	90.6%	68.8%	24.1%
Relapse/Continued Use Potential ($N = 32$)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment ($N = 32$)	96.9%	90.6%	6.5%
Summary Measure 9.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

 $^{^{\}S}$ Status at admission and discharge. II 100(\$\Sigma(\% at admission - \% at discharge)/\$\Sigma(\% at admission))

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House

1410 South Ferry Anoka, MN 55303

Provider Website: www.transformationhouse.com

Patient Profile

Gender (N = 110) Race (N = 110)Male: 100.0% White: 88.2%

Female: 0.0% Black: 6.4% 18 to 25: 31.8% American Indian: 1.8% 26 to 34: 20.9% 35 and older: 46.4% Hispanic: 1.8%

Asian/Pacific Islander: 0.0%

Other: 1.8%

Primary Substance Source of Income (N = 110)(N = 110)

Alcohol: 52.7% Job: 10.9%

Methamphetamine: 20.9% Retirement/savings: 0.0% Family/friends: 3.6% Marijuana: 15.5% Heroin: 6.4% No income: 58.2% Cocaine: 2.7% Public sources: 19.1%

Other sources: 8.2% County social Other opiates: 1.8% Other drugs: 0.0%

(N = 110) . Self/family/relative/ friends: 58.2% Employer/school: 0.9% Criminal justice: 44.5%

Source of Referral

Professional: 37.3%

service agency: 10.0%

Other community resources: 7.3%

AA: 0.0% Tribal: 0.0%

County: Anoka

Age (N = 110)

Under 18: 0.9%

Discharge Status

(N = 110)

Completed program: 47.3%

Patient left without staff approval: 30.0% Staff requested/judged inappropriate: 17.3%

Death/other: 5.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Transformation House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =104)	8.7%	34.6%	0.0%
Not employed/student \S (N = 95)	87.4%	53.7%	38.6%
Arrests past 30 days (N = 107)	7.5%	3.7%	50.0%
Alcohol use past 30 days (N = 107)	20.6%	7.5%	63.6%
Drug use past 30 days (N = 107)	18.7%	5.6%	70.0%
No self-help group participation past 30 days ($N = 35$)	25.7%	11.4%	55.6%
No family support for recovery past 30 days $(N = 97)$	4.1%	5.2%	0.0%
Summary Measure 29.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 108)	0.9%	8.3%	0.0%
Biomedical Conditions and Complications ($N = 109$)	17.4%	19.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 109)	78.9%	68.8%	12.8%
Resistance to Change (N = 109)	92.7%	62.4%	32.7%
Relapse/Continued Use Potential (N = 109)	97.2%	76.1%	21.7%
Unsupportive Recovery Environment (N = 109)	91.7%	84.4%	8.0%
	, , 0		

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House I

2532 N Ferry Anoka, MN 55303

Provider Website: www.transformationhouse.com

Patient Profile

 Gender (N = 42)
 Race (N = 42)

 Male: 4.8%
 White: 76.2%

 Female: 95.2%
 Black: 14.3%

emale: 95.2% Black: 14.3% 18 to 25: 26.2% American Indian: 2.4% 26 to 34: 21.4%

Hispanic: 2.4% 35 and older: 52.4%

Asian/Pacific Islander: 0.0%

Other: 4.8%

Primary Substance Source of Income

Methamphetamine: 24.4% Retirement/savings: 0.0

Marijuana: 7.3% Family/friends: 19.0%

Heroin: 0.0% No income: 23.8%

Cocaine: 12.2% Public sources: 31.0% Other opiates: 4.9% Other sources: 19.0%

 $\frac{(N = 42)}{.1\%}$ Self/family/relative/

County: Anoka

Age (N = 42)

Under 18: 0.0%

Source of Referral

Retirement/savings: 0.0% friends: 45.2% Employer/school: 0.0% No income: 23.8% Criminal justice: 38.1% Public sources: 31.0% Professional: 52.4%

County social

service agency: 19.0%

Other community resources: 7.1%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 42)

Completed program: 61.9%

Patient left without staff approval: 28.6% Staff requested/judged inappropriate: 2.4%

Death/other: 7.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Transformation House I

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =39)	10.3%	0.0%	100.0%
Not employed/student§ (N = 35)	97.1%	71.4%	26.5%
Arrests past 30 days (N = 38)	5.3%	2.6%	50.0%
Alcohol use past 30 days (N = 41)	17.1%	14.6%	14.3%
Drug use past 30 days (N = 41)	22.0%	14.6%	33.3%
No self-help group participation past 30 days (N = 23)	8.7%	8.7%	0.0%
No family support for recovery past 30 days $(N = 31)$	3.2%	6.5%	0.0%
Summary Measure 27.6%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 42$)	2.4%	0.0%	100.0%
Biomedical Conditions and Complications (N = 42)	38.1%	33.3%	12.5%
Emotional/Behavioral/ Cognitive Problem (N = 42)	92.9%	81.0%	12.8%
Resistance to Change (N = 42)	85.7%	54.8%	36.1%
Relapse/Continued Use Potential (N = 42)	100.0%	88.1%	11.9%
Unsupportive Recovery Environment (N = 42)	100.0%	90.5%	9.5%
Summary Measure 17.0%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House II

351 74th Avenue NE Fridley, MN 55432

Provider Website: www.transformationhouse.com

Patient Profile

 Gender (N = 107)
 Race (N = 107)

 Male: 0.0%
 White: 83.2%

Female: 100.0% Black: 4.7% 18 to 25: 29.0% American Indian: 4.7% 26 to 34: 27.1%

Hispanic: 2.8% 35 and older: 43.9%

Asian/Pacific Islander: 0.9%

Other: 3.7%

Primary Substance Source of Income

Methamphetamine: 19.6% Retirement/savings: 0.9
Marijuana: 15.9% Family/friends: 7.5%
Heroin: 5.6% No income: 44.9%
Cocaine: 6.5% Public sources: 41.1%

Other opiates: 5.6% Other sources: 2.8%

<u>(N = 107)</u> Self/family/relative/ 0.9% friends: 46.7%

County: Anoka

Age (N = 107)

Under 18: 0.0%

Source of Referral

Retirement/savings: 0.9% friends: 46.7%
Family/friends: 7.5% Employer/school: 0.9%
No income: 44.9% Criminal justice: 23.4%
Public sources: 41.1% Professional: 78.5%
Other sources: 2.8% County social

service agency: 17.8%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 1.9%

(N = 107)

Completed program: 48.6%

Patient left without staff approval: 35.5% Staff requested/judged inappropriate: 6.5%

Death/other: 9.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Transformation House II

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =104)	3.9%	1.0%	75.0%
Not employed/student \S (N = 94)	93.6%	70.2%	25.0%
Arrests past 30 days (N = 106)	1.9%	3.8%	0.0%
Alcohol use past 30 days (N = 106)	3.8%	10.4%	0.0%
Drug use past 30 days (N = 106)	6.6%	7.6%	0.0%
No self-help group participation past 30 days (N = 75)	6.7%	0.0%	100.0%
No family support for recovery past 30 days (N = 102)	2.9%	1.0%	66.7%
Summary Measure 21.4%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 107)	0.9%	8.4%	0.0%
Biomedical Conditions and Complications (N = 107)	15.0%	17.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 107)	100.0%	89.7%	10.3%
Resistance to Change (N = 107)	94.4%	82.2%	12.9%
Relapse/Continued Use Potential (N = 107)	100.0%	90.7%	9.4%
Unsupportive Recovery Environment (N = 106)	100.0%	92.5%	7.6%
Summary Measure 7.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tri County Community Corrections

816 Marin Ave Crookston, MN 56716

Provider Website:

Patient Profile

Gender (N = 34)Race (N = 34)Male: 82.4% White: 47.1% Female: 17.6% Black: 0.0%

18 to 25: 2.9% American Indian: 14.7% 26 to 34: 0.0% 35 and older: 0.0% Hispanic: 35.3%

Asian/Pacific Islander: 0.0%

Other: 2.9%

Primary Substance Source of Income

(N = 34)(N = 34)Alcohol: 20.6% Job: 0.0%

Methamphetamine: 0.0% Marijuana: 76.5% Family/friends: 91.2% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 5.9%

Retirement/savings: 0.0% friends: 17.6% Employer/school: 0.0% Criminal justice: 58.8% Professional: 14.7% Other sources: 2.9% Other opiates: 0.0% County social Other drugs: 2.9% service agency: 67.6%

Other community resources: 2.9%

AA: 0.0% Tribal: 2.9%

County: Polk

Age (N = 34)

Under 18: 97.1%

Source of Referral

Self/family/relative/

(N = 34).

Discharge Status

(N = 34)

Completed program: 50.0%

Patient left without staff approval: 17.6% Staff requested/judged inappropriate: 2.9%

Death/other: 29.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Tri County Community Corrections

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =34)	0.0%	0.0%	*
Not employed/student \S (N = 34)	2.9%	0.0%	100.0%
Arrests past 30 days (N = 29)	13.8%	3.5%	75.0%
Alcohol use past 30 days (N = 34)	5.9%	8.8%	0.0%
Drug use past 30 days (N = 34)	41.2%	14.7%	64.3%
No self-help group participation past 30 days (N = 34)	94.1%	73.5%	21.9%
No family support for recovery past 30 days $(N = 34)$	0.0%	5.9%	*
Summary Measure [∥] 32.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 34$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 34)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 34)	47.1%	23.5%	50.0%
Resistance to Change (N = 34)	47.1%	29.4%	37.5%
Relapse/Continued Use Potential (N = 34)	97.1%	44.1%	54.5%
Unsupportive Recovery Environment (N = 34)	17.6%	14.7%	16.7%
Summary Measure 46.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Turning Point, Inc.

1500 Golden Valley Road Minneapolis, MN 55411

Provider Website: www.ourturningpoint.org

Patient Profile

 Gender (N = 242)
 Race (N = 242)

 Male: 99.6%
 White: 2.1%

 Plant: 97.1%

Female: 0.4% Black: 97.1% 18 to 25: 9.1% American Indian: 0.0% 26 to 34: 20.2%

Hispanic: 0.4% 35 and older: 70.7% Asian/Pacific Islander: 0.4%

Other: 0.0%

Primary Substance Source of Income

(N = 241) Alcohol: 37.3% (N = 242) Job: 6.6%

Methamphetamine: 0.4%
Marijuana: 19.1%
Heroin: 11.2%
Cocaine: 30.3%
Retirement/savings: 0.4%
Family/friends: 2.5%
No income: 44.6%
Public sources: 38.0%

Other opiates: 0.4% Other sources: 7.9% County social service agency: 1.2% Other community resources: 6.6%

AA: 0.8% Tribal: 0.0%

County: Hennepin

Age (N = 242)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 55.0%

Professional: 7.0%

Employer/school: 0.0%

Criminal justice: 29.8%

(N = 242).

Discharge Status

(N = 242)

Completed program: 43.0%

Patient left without staff approval: 25.2% Staff requested/judged inappropriate: 12.8%

Death/other: 19.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Turning Point, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =228)	63.2%	68.0%	0.0%
Not employed/student \S (N = 226)	88.5%	86.7%	2.0%
Arrests past 30 days (N = 240)	13.8%	4.6%	66.7%
Alcohol use past 30 days (N = 238)	65.5%	13.9%	78.8%
Drug use past 30 days (N = 238)	68.5%	18.9%	72.4%
No self-help group participation past 30 days (N = 215)	71.6%	14.4%	79.9%
No family support for recovery past 30 days (N = 213)	28.2%	6.6%	76.7%
Summary Measure [∥] 46.6%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 241)	11.6%	0.4%	96.4%
Biomedical Conditions and Complications $(N = 242)$	17.4%	11.6%	33.3%
Emotional/Behavioral/ Cognitive Problem (N = 241)	67.2%	51.0%	24.1%
Resistance to Change (N = 241)	89.2%	51.9%	41.9%
Relapse/Continued Use Potential (N = 241)	99.6%	97.5%	2.1%
Unsupportive Recovery Environment (N = 241)	98.3%	97.1%	1.3%
Summary Measure 19.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Turning Point, Inc.

1105 16th Ave.

Minneapolis, MN 55411 County: Hennepin

Provider Website: www.ourturningpoint.org

Patient Profile

 Gender (N = 1)
 Race (N = 1)
 Age (N = 1)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

Other drugs: * service agency: *

Other community resources: *

AA: *

Tribal: *

Discharge Status

(N = 1)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Turning Point, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =1)	*	*	*
Not employed/student \S (N = 1)	*	*	*
Arrests past 30 days (N = 1)	*	*	*
Alcohol use past 30 days (N = 1)	*	*	*
Drug use past 30 days (N = 1)	*	*	*
No self-help group participation past 30 days (N = 1)	*	*	*
No family support for recovery past 30 days (N = 1)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal $(N = 1)$	*	*	*
Biomedical Conditions and Complications $(N = 1)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 1)	*	*	*
Resistance to Change $(N = 1)$	*	*	*
Relapse/Continued Use Potential (N = 1)	*	*	*
Unsupportive Recovery Environment (N = 1)	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Twin Town Treatment Center

1706 University Avenue St. Paul, MN 55104

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 886)
 Race (N = 886)
 Age (N = 886)

 Male: 97.7%
 White: 60.7%
 Under 18: 0.0%

 Female: 2.3%
 Black: 24.3%
 18 to 25: 23.0%

American Indian: 3.3% 26 to 34: 27.4% Hispanic: 5.3% 35 and older: 49.5%

Hispanic: 5.3% 35 and older: 49.5% Asian/Pacific Islander: 2.6%

County: Ramsey

Other: 3.8%

Other: 3.8%

Primary Substance Source of Income Source of Referral (N = 885) (N = 886) (N = 886)

Alcohol: 55.3%

Methamphetamine: 11.8%

Marijuana: 13.4%

Heroin: 5.8%

Job: 21.9%

Retirement/savings: 3.3%

Family/friends: 3.3%

Employer/school: 1.4%

Criminal justice: 36.0%

Heroin: 5.8% No income: 35.9% Criminal justice: 36.0% Cocaine: 8.1% Public sources: 25.8% Professional: 23.5% Other opiates: 4.3% Other sources: 7.7% County social

Other drugs: 1.4% service agency: 34.5% Other community

Other community resources: 2.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 886)

Completed program: 56.1%

Patient left without staff approval: 29.9% Staff requested/judged inappropriate: 4.9%

Death/other: 9.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Twin Town Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =791)	18.6%	9.4%	49.7%
Not employed/student \S (N = 801)	73.3%	72.9%	0.5%
Arrests past 30 days (N = 839)	10.8%	5.6%	48.4%
Alcohol use past 30 days (N = 857)	48.9%	12.8%	73.7%
Drug use past 30 days (N = 857)	44.6%	16.3%	63.4%
No self-help group participation past 30 days ($N = 756$)	54.5%	33.1%	39.3%
No family support for recovery past 30 days $(N = 721)$	11.5%	11.0%	4.8%
Summary Measure [∥] 38.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 746)	7.0%	1.6%	76.9%
Biomedical Conditions and Complications $(N = 765)$	23.0%	19.0%	17.6%
Emotional/Behavioral/ Cognitive Problem (N = 765)	62.7%	51.0%	18.8%
Resistance to Change (N = 768)	62.2%	65.1%	0.0%
Relapse/Continued Use Potential (N = 763)	97.0%	88.3%	8.9%
Unsupportive Recovery Environment ($N = 761$)	94.1%	87.9%	6.6%
Summary Measure [∥] 9.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Unity Hospital Substance Abuse Services

550 Osborne Road NE Fridley, MN 55432

County: Anoka

Provider Website: www.allina.com

Patient Profile

 Gender (N = 766)
 Race (N = 766)
 Age (N = 766)

 Male: 58.9%
 White: 89.2%
 Under 18: 0.1%

 Female: 41.1%
 Black: 5.5%
 18 to 25: 20.2%

American Indian: 1.8% 26 to 34: 18.0%

Hispanic: 1.0% 35 and older: 61.6%

Hispanic: 1.0% 35 and older: 61.6%

Asian/Pacific Islander: 0.1%

Other: 2.4%

Primary Substance Source of Income Source of Referral (N = 766) (N = 766) (N = 766) (N = 766) Self/family/relative/

Methamphetamine: 1.3% Retirement/savings: 4.4% friends: 96.7%

Marijuana: 1.7% Family/friends: 14.1% Employer/school: 0.9%

Heroin: 11.6% No income: 3.7% Criminal justice: 3.3%

Cocaine: 2.1% Public sources: 14.5% Professional: 18.7%

Other opiates: 21.1% Other sources: 30.0% County social service agency: 2.1% Other community resources: 2.2%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 766)

Completed program: 76.4%

Patient left without staff approval: 8.4% Staff requested/judged inappropriate: 2.2%

Death/other: 13.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Unity Hospital Substance Abuse Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =729)	10.2%	9.3%	8.1%
Not employed/student \S (N = 694)	63.7%	63.4%	0.5%
Arrests past 30 days (N = 766)	3.9%	3.5%	10.0%
Alcohol use past 30 days (N = 766)	72.1%	62.1%	13.8%
Drug use past 30 days (N = 766)	57.3%	53.1%	7.3%
No self-help group participation past 30 days ($N = 728$)	88.6%	95.5%	0.0%
No family support for recovery past 30 days (N = 648)	11.3%	74.7%	0.0%
Summary Measure -17.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 766$)	82.2%	3.7%	95.6%
Biomedical Conditions and Complications ($N = 765$)	42.6%	28.0%	34.4%
Emotional/Behavioral/ Cognitive Problem (N = 764)	71.9%	53.4%	25.7%
Resistance to Change (N = 763)	31.3%	40.5%	0.0%
Relapse/Continued Use Potential (N = 765)	99.5%	97.1%	2.4%
Unsupportive Recovery Environment (N = 743)	/ F. 40/	/ F 20/	0.2%
Environment (IV 710)	65.4%	65.3%	0.270

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Unity Hospital Substance Abuse Services

7590 Lyric Lane NE Fridley, MN 55432

County: Anoka

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 440)}}{\text{Male: 63.4\%}}$

Female: 36.6%

White: 86.4% Black: 6.8%

Race (N = 440)

American Indian: 2.3% Hispanic: 1.6%

Asian/Pacific Islander: 0.7%

Other: 2.3%

Primary Substance

(N = 440)Alcohol: 68.9%

Methamphetamine: 5.0%

Marijuana: 11.4% Heroin: 2.7% Cocaine: 2.7% Other opiates: 8.6%

Other drugs: 0.7%

Source of Income

(N = 440)

Job: 48.4% Retirement/savings: 2.5%

Family/friends: 18.9% No income: 3.2% Public sources: 13.2%

Other sources: 13.9%

 $\underline{Age (N = 440)}$

Under 18: 0.0% 18 to 25: 20.9% 26 to 34: 21.4%

35 and older: 57.7%

Source of Referral

(N = 440).

Self/family/relative/ friends: 77.7% Employer/school: 4.1% Criminal justice: 31.4%

Professional: 37.0%

County social

service agency: 13.0%

Other community resources: 3.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 440)

Completed program: 56.8%

Patient left without staff approval: 29.3% Staff requested/judged inappropriate: 5.7%

Death/other: 8.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Unity Hospital Substance Abuse Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =435)	0.5%	0.5%	0.0%
Not employed/student§ (N = 405)	46.4%	40.2%	13.3%
Arrests past 30 days (N = 440)	5.0%	2.7%	45.5%
Alcohol use past 30 days (N = 440)	63.0%	20.5%	67.5%
Drug use past 30 days (N = 440)	34.5%	15.9%	53.9%
No self-help group participation past 30 days (N = 410)	68.0%	29.3%	57.0%
No family support for recovery past 30 days (N = 365)	15.3%	6.6%	57.1%
Summary Measure 50.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 423)	2.1%	6.9%	0.0%
Biomedical Conditions and Complications $(N = 435)$	15.9%	7.6%	52.2%
Emotional/Behavioral/ Cognitive Problem (N = 438)	59.8%	34.2%	42.7%
Resistance to Change (N = 438)	32.9%	42.7%	0.0%
Relapse/Continued Use Potential (N = 437)	96.8%	65.7%	32.2%
Unsupportive Recovery Environment ($N = 437$)	73.7%	41.9%	43.2%
Summary Measure [∥] 29.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Upper Mississippi Mental Health Center

722 1st Street Bemidji, MN 56601

Provider Website: www.ummhcmn.org

Patient Profile

 Gender (N = 36)
 Race (N = 36)

 Male: 50.0%
 White: 72.2%

 Female: 50.0%
 Black: 0.0%

American Indian: 25.0%

Hispanic: 0.0% Asian/Pacific Islander: 0.0%

Other: 2.8%

Primary Substance Source of Income

(N = 36) Alcohol: 100.0% (N = 36) Job: 47.2%

Methamphetamine: 0.0% Retirement/savings: 2.8% Marijuana: 0.0% Family/friends: 2.8% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 41.7%

Other opiates: 0.0% Other sources: 5.6%

Source of Referral

County: Beltrami

Age (N = 36)

Under 18: 0.0%

18 to 25: 27.8%

26 to 34: 30.6% 35 and older: 41.7%

(N = 36) .
Self/family/relative/
friends: 8.3%

Employer/school: 2.8% Criminal justice: 91.7% Professional: 8.3% County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 36)

Completed program: 50.0%

Patient left without staff approval: 36.1% Staff requested/judged inappropriate: 5.6%

Death/other: 8.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Upper Mississippi Mental Health Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =29)	0.0%	0.0%	*
Not employed/student§ (N = 19)	42.1%	36.8%	12.5%
Arrests past 30 days (N = 36)	11.1%	2.8%	75.0%
Alcohol use past 30 days (N = 32)	18.8%	3.1%	83.3%
Drug use past 30 days (N = 32)	3.1%	3.1%	0.0%
No self-help group participation past 30 days (N = 31)	83.9%	83.9%	0.0%
No family support for recovery past 30 days (N = 28)	50.0%	64.3%	0.0%
Summary Measure [∥] 7.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 27)	25.9%	11.1%	57.1%
Biomedical Conditions and Complications $(N = 27)$	37.0%	18.5%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 27)	44.4%	29.6%	33.3%
Resistance to Change (N = 28)	46.4%	28.6%	38.5%
Relapse/Continued Use Potential ($N = 27$)	44.4%	40.7%	8.3%
Unsupportive Recovery Environment ($N = 27$)	40.7%	48.1%	0.0%
Summary Measure [∥] 26.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Upper Mississippi Mental Health Center Park Rapids

120 N. Main Street Park Rapids, MN 56470

Provider Website:

Patient Profile

Gender (N = 66)Race (N = 66)Male: 66.7% White: 89.4% Female: 33.3% Black: 0.0%

> American Indian: 7.6% 26 to 34: 18.2% 35 and older: 54.5% Hispanic: 3.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 66)(N = 66)Alcohol: 66.7% Job: 36.4%

Methamphetamine: 4.6% Retirement/savings: 3.0% Family/friends: 7.6% Marijuana: 22.7% Heroin: 1.5% No income: 3.0% Cocaine: 0.0% Public sources: 25.8%

Other sources: 24.2% Other opiates: 1.5%

Source of Referral

County: Hubbard

Age (N = 66)

Under 18: 4.6%

18 to 25: 22.7%

(N = 66) . Self/family/relative/ friends: 19.7%

Employer/school: 3.0% Criminal justice: 68.2% Professional: 18.2%

County social

service agency: 72.7%

Other community resources: 4.6%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 3.0%

(N = 66)

Completed program: 48.5%

Patient left without staff approval: 22.7% Staff requested/judged inappropriate: 1.5%

Death/other: 27.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Upper Mississippi Mental Health Center Park Rapids

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =55)	0.0%	0.0%	*
Not employed/student \S (N = 25)	32.0%	36.0%	0.0%
Arrests past 30 days (N = 66)	9.1%	13.6%	0.0%
Alcohol use past 30 days (N = 66)	13.6%	9.1%	33.3%
Drug use past 30 days (N = 66)	13.6%	16.7%	0.0%
No self-help group participation past 30 days (N = 47)	46.8%	27.7%	40.9%
No family support for recovery past 30 days $(N = 49)$	10.2%	2.0%	80.0%
Summary Measure 16.2%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 66)	1.5%	3.0%	0.0%
Biomedical Conditions and Complications (N = 66)	18.2%	6.1%	66.7%
Emotional/Behavioral/ Cognitive Problem (N = 66)	62.1%	57.6%	7.3%
Resistance to Change (N = 66)	51.5%	53.0%	0.0%
Relapse/Continued Use Potential (N = 66)	92.4%	59.1%	36.1%
Unsupportive Recovery Environment $(N = 66)$	87.9%	71.2%	19.0%
Summary Measure 20.3%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Valhalla Place Inc.

6043 Hudson Road Woodbury, MN 55125

Provider Website:

Patient Profile

Gender (N = 151) Male: 62.9%

Female: 37.1%

Primary Substance (N = 148)

Alcohol: 0.7% Methamphetamine: 0.0%

Marijuana: 0.7% Heroin: 40.5% Cocaine: 0.0% Other opiates: 57.4%

Other drugs: 0.7%

Race (N = 151)

White: 74.8% Black: 13.2%

American Indian: 4.0% Hispanic: 5.3%

Asian/Pacific Islander: 0.0%

Other: 2.7%

Source of Income

(N = 151)Job: 37.1%

Retirement/savings: 0.7% Family/friends: 16.6% No income: 4.6%

Public sources: 18.5% Other sources: 22.5%

Age (N = 151)

County: Washington

Under 18: 0.0% 18 to 25: 35.1% 26 to 34: 33.8%

35 and older: 31.1%

Source of Referral

(N = 151) .

Self/family/relative/ friends: 90.7% Employer/school: 0.0% Criminal justice: 4.6% Professional: 10.6%

County social

service agency: 3.3% Other community resources: 7.3%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 151)

Completed program: 7.3%

Patient left without staff approval: 50.3% Staff requested/judged inappropriate: 4.0%

Death/other: 38.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Valhalla Place Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =108)	2.8%	5.6%	0.0%
Not employed/student§ (N = 105)	49.5%	57.1%	0.0%
Arrests past 30 days (N = 135)	4.4%	8.9%	0.0%
Alcohol use past 30 days (N = 146)	30.1%	8.9%	70.5%
Drug use past 30 days (N = 146)	88.4%	52.7%	40.3%
No self-help group participation past 30 days ($N = 94$)	85.1%	86.2%	0.0%
No family support for recovery past 30 days $(N = 96)$	4.2%	6.3%	0.0%
Summary Measure 14.7%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 129)	78.3%	60.5%	22.8%
Biomedical Conditions and Complications ($N = 123$)	26.0%	27.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 123)	62.6%	60.2%	3.9%
Resistance to Change (N = 125)	55.2%	60.0%	0.0%
Relapse/Continued Use Potential (N = 124)	95.2%	88.7%	6.8%
Unsupportive Recovery Environment (N = 121)	64.5%	65.3%	0.0%
Summary Measure 5.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Vinland National Center

3675 Ihduhapi Rd Loretto, MN 55357

Provider Website: www.vinlandcenter.org

Patient Profile

Gender (N = 288) Race (N = 288)Male: 75.0% White: 70.5% Female: 25.0% Black: 14.2%

> American Indian: 8.7% Hispanic: 3.5%

> > Asian/Pacific Islander: 1.7%

Other: 1.4%

Primary Substance Source of Income

(N = 286)Alcohol: 62.9% Methamphetamine: 5.6%

Marijuana: 18.9% Heroin: 1.1% Cocaine: 8.0% Other opiates: 2.1%

Other drugs: 1.4%

(N = 288)Job: 7.3%

> Retirement/savings: 3.1% Family/friends: 8.3% No income: 12.5% Public sources: 60.4%

Other sources: 8.3%

Age (N = 288)

County: Hennepin

Under 18: 0.0% 18 to 25: 25.3% 26 to 34: 20.1%

35 and older: 54.5%

Source of Referral

(N = 288). Self/family/relative/ friends: 11.5%

Employer/school: 0.0% Criminal justice: 42.0% Professional: 28.1%

County social

service agency: 47.6%

Other community resources: 2.8%

AA: 0.0% Tribal: 1.4%

Discharge Status

(N = 288)

Completed program: 74.7%

Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 11.5%

Death/other: 5.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Vinland National Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless [§] (N =284)	9.5%	4.2%	55.6%
Not employed/student§ (N = 265)	87.5%	88.7%	0.0%
Arrests past 30 days (N = 288)	8.3%	7.6%	8.3%
Alcohol use past 30 days (N = 286)	44.8%	0.4%	99.2%
Drug use past 30 days (N = 286)	36.7%	2.8%	92.4%
No self-help group participation past 30 days (N = 273)	59.3%	30.0%	49.4%
No family support for recovery past 30 days ($N = 268$)	18.7%	28.0%	0.0%
Summary Measure 38.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 288)	0.7%	0.7%	0.0%
Biomedical Conditions and Complications (N = 288)	17.7%	19.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 288)	74.7%	82.6%	0.0%
Resistance to Change (N = 288)	50.0%	55.6%	0.0%
Relapse/Continued Use Potential (N = 288)	81.9%	95.1%	0.0%
Unsupportive Recovery Environment (N = 288)	79.9%	93.8%	0.0%
Summary Measure -13.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

We Care Counseling Center

6027 Georgia Blvd. North Oakdale, MN 55128

Provider Website: www.wecarecd.com

Patient Profile

 Gender (N = 216)
 Race (N = 216)

 Male: 68.5%
 White: 82.4%

 Female: 31.5%
 Black: 5.6%

hale: 31.5% Black: 5.6% 18 to 25: 25.9% American Indian: 2.8% 26 to 34: 32.4% Hispanic: 5.1% 35 and older: 41.2%

Asian/Pacific Islander: 1.9%

Other: 2.3%

Primary Substance Source of Income (N = 216) (N = 216)

Alcohol: 68.1% Job: 58.3% Methamphetamine: 6.0% Retirement/savings: 3.2%

Marijuana: 19.9% Family/friends: 6.5% Heroin: 0.9% No income: 14.8% Cocaine: 1.4% Public sources: 10.2%

Other opiates: 1.4%

Other sources: 6.9%

(N = 216) .
Self/family/relative/

Source of Referral

ement/savings: 3.2% friends: 44.4% Employer/school: 6.9% come: 14.8% Criminal justice: 53.7% Professional: 17.6%

County social

County: Washington

Age (N = 216)

Under 18: 0.5%

service agency: 2.8% Other community resources: 2.8%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 2.3%

(N = 216)

Completed program: 70.4%

Patient left without staff approval: 14.4% Staff requested/judged inappropriate: 10.2%

Death/other: 5.1%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

We Care Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =213)	0.0%	0.5%	*
Not employed/student \S (N = 212)	38.7%	37.7%	2.4%
Arrests past 30 days (N = 215)	8.4%	3.3%	61.1%
Alcohol use past 30 days (N = 216)	53.7%	14.8%	72.4%
Drug use past 30 days (N = 216)	28.7%	9.7%	66.1%
No self-help group participation past 30 days ($N = 209$)	66.5%	9.1%	86.3%
No family support for recovery past 30 days (N = 195)	9.7%	5.1%	47.4%
Summary Measure 61.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 211)	0.9%	2.4%	0.0%
Biomedical Conditions and Complications (N = 211)	0.9%	4.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 211)	78.7%	40.8%	48.2%
Resistance to Change (N = 211)	60.2%	34.6%	42.5%
Relapse/Continued Use Potential (N = 211)	97.6%	60.7%	37.9%
Unsupportive Recovery Environment (N = 211)	59.2%	37.9%	36.0%
Summary Measure 39.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wellcome Manor Family Services

114 West Pleasant Street Garden City, MN 56034

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 107)}}{\text{Male: 0.0\%}}$

Female: 100.0%

Primary Substance

(N = 107)Alcohol: 33.6%

Methamphetamine: 27.1%

Marijuana: 24.3% Heroin: 0.0% Cocaine: 0.9% Other opiates: 8.4%

Other drugs: 5.6%

Race (N = 107)

White: 78.5% Black: 8.4%

American Indian: 10.3%

Hispanic: 0.9%

Asian/Pacific Islander: 0.9%

Other: 0.9%

Source of Income

(N = 107)

Job: 6.5%

Retirement/savings: 0.9% Family/friends: 12.1%

No income: 3.7% Public sources: 32.7% Other sources: 43.9%

(N = 107).

County: Blue Earth

Age (N = 107)

Under 18: 0.0%

18 to 25: 43.9%

26 to 34: 40.2% 35 and older: 15.9%

Self/family/relative/ friends: 20.6%

Source of Referral

Employer/school: 0.0% Criminal justice: 17.8% Professional: 40.2%

County social

service agency: 42.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.9%

Discharge Status

(N = 107)

Completed program: 57.9%

Patient left without staff approval: 28.0% Staff requested/judged inappropriate: 8.4%

Death/other: 5.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Wellcome Manor Family Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =105)	21.0%	1.9%	90.9%
Not employed/student \S (N = 51)	74.5%	88.2%	0.0%
Arrests past 30 days (N = 107)	12.1%	2.8%	76.9%
Alcohol use past 30 days (N = 107)	34.6%	6.5%	81.1%
Drug use past 30 days (N = 107)	43.0%	10.3%	76.1%
No self-help group participation past 30 days (N = 55)	30.9%	40.0%	0.0%
No family support for recovery past 30 days (N = 61)	3.3%	1.6%	50.0%
Summary Measure [∥] 31.0%			
<u>Dimensions of Addiction</u> *	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 104$)	19.2%	1.9%	90.0%
Biomedical Conditions and Complications (N = 103)	27.2%	9.7%	64.3%
Emotional/Behavioral/ Cognitive Problem (N = 103)	80.6%	41.7%	48.2%
Resistance to Change (N = 103)	73.8%	37.9%	48.7%
Relapse/Continued Use Potential (N = 103)	99.0%	61.2%	38.2%
Unsupportive Recovery Environment (N = 103)	95.1%	60.2%	36.7%
Summary Measure [∥] 46.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Service of Winona

131 Harriet Street Winona, MN 55987

Provider Website:

Patient Profile

 Gender (N = 85)
 Race (N = 85)

 Male: 83.5%
 White: 88.2%

 Female: 16.5%
 Black: 5.9%

American Indian: 0.0% 26 to 34: 21.2% Hispanic: 3.5% 35 and older: 37.6%

Asian/Pacific Islander: 1.2%

Other: 1.2%

Primary Substance Source of Income

(N = 85) Alcohol: 74.1% (N = 85) Job: 48.2%

Methamphetamine: 0.0% Retirement/savings: 1.

Marijuana: 20.0% Family/friends: 8.2%

Heroin: 0.0% No income: 8.2%

Cocaine: 2.4% Public sources: 18.8%

Other opiates: 3.5% Other sources: 15.3%

N = 85)

Job: 48.2%

Retirement/savings: 1.2%

Family/friends: 8.2%

No income: 8.2%

Public sources: 18.8%

Other sources: 15.3%

(N = 85)

Self/family/relative/
friends: 22.4%

Employer/school: 0.0%

Criminal justice: 81.2%

Professional: 1.2%

County social

service agency: 45.9% Other community resources: 3.5%

AA: 0.0% Tribal: 0.0%

County: Winona

Age (N = 85)

Under 18: 0.0%

18 to 25: 41.2%

Source of Referral

Discharge Status

Other drugs: 0.0%

(N = 85)

Completed program: 85.9%

Patient left without staff approval: 11.8% Staff requested/judged inappropriate: 1.2%

Death/other: 1.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Wenden Recovery Service of Winona

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =82)	0.0%	0.0%	*
Not employed/student \S (N = 71)	56.3%	40.8%	27.5%
Arrests past 30 days (N = 85)	16.5%	2.4%	85.7%
Alcohol use past 30 days (N = 85)	27.1%	3.5%	87.0%
Drug use past 30 days (N = 85)	17.6%	3.5%	80.0%
No self-help group participation past 30 days ($N = 84$)	84.5%	45.2%	46.5%
No family support for recovery past 30 days $(N = 69)$	0.0%	0.0%	*
Summary Measure 52.7%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 85$)	0.0%	1.2%	*
Biomedical Conditions and Complications (N = 85)	7.1%	1.2%	83.3%
Emotional/Behavioral/ Cognitive Problem (N = 85)	35.3%	3.5%	90.0%
Resistance to Change (N = 85)	41.2%	12.9%	68.6%
Relapse/Continued Use Potential (N = 85)	88.2%	24.7%	72.0%
Unsupportive Recovery Environment (N = 85)	80.0%	31.8%	60.3%
Summary Measure 70.1%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Services County Detention Center

201 West Third Street Winona, MN 55987

Provider Website:

Patient Profile

 Gender (N = 10)
 Race (N = 10)

 Male: 100.0%
 White: 70.0%

 Female: 0.0%
 Black: 30.0%

emale: 0.0% Black: 30.0% 18 to 25: 40.0% American Indian: 0.0% 26 to 34: 20.0% Hispanic: 0.0% 35 and older: 40.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 11.1% Retirement/savings: 0.0% Marijuana: 22.2% Family/friends: 30.0% No income: 10.0% Cocaine: 0.0% Public sources: 10.0%

Other opiates: 0.0%

Other sources: 20.0%

(N = 10) .
Self/family/relative/
friends: 0.0%

Source of Referral

County: Winona

Age (N = 10)

Under 18: 0.0%

Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0%

County social

service agency: 70.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 10)

Completed program: 30.0%

Patient left without staff approval: 60.0% Staff requested/judged inappropriate: 0.0%

Death/other: 10.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Wenden Recovery Services County Detention Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =10)	0.0%	0.0%	*
Not employed/student \S (N = 7)	*	*	*
Arrests past 30 days (N = 10)	60.0%	0.0%	100.0%
Alcohol use past 30 days (N = 9)	*	*	*
Drug use past 30 days (N = 9)	*	*	*
No self-help group participation past 30 days (N = 10)	100.0%	100.0%	0.0%
No family support for recovery past 30 days $(N = 6)$	*	*	*
Summary Measure [∥] 33.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 10)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 10)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 10)	70.0%	10.0%	85.7%
Resistance to Change (N = 10)	90.0%	70.0%	22.2%
Relapse/Continued Use Potential (N = 10)	90.0%	100.0%	0.0%
Unsupportive Recovery Environment (N = 10)	80.0%	90.0%	0.0%
Summary Measure 18.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Fillmore

Age (N = 39)

Under 18: 2.6%

18 to 25: 23.1%

Source of Referral

Self/family/relative/

friends: 38.5%

Professional: 17.9%

Employer/school: 0.0%

Criminal justice: 79.5%

(N = 39) .

AA: 0.0% Tribal: 0.0%

Wenden Recovery Services of Preston

124 Main Street SW Preston, MN 55965

Provider Website:

Patient Profile

 Gender (N = 39)
 Race (N = 39)

 Male: 92.3%
 White: 100.0%

 Female: 7.7%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 25.6% Hispanic: 0.0% 35 and older: 48.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 39) Alcohol: 69.2% (N = 39) Job: 48.7%

Methamphetamine: 7.7% Retirement/savings: 0.0% Marijuana: 20.5% Family/friends: 43.6% No income: 0.0% Cocaine: 2.6% Public sources: 5.1%

Other opiates: 0.0% Other sources: 2.6% County social service agency: 5.1% Other community

resources: 2.6%

Discharge Status

(N = 39)

Completed program: 82.1%

Patient left without staff approval: 2.6% Staff requested/judged inappropriate: 0.0%

Death/other: 15.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Wenden Recovery Services of Preston

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =39)	0.0%	0.0%	*
Not employed/student \S (N = 38)	57.9%	28.9%	50.0%
Arrests past 30 days (N = 39)	12.8%	5.1%	60.0%
Alcohol use past 30 days (N = 39)	20.5%	5.1%	75.0%
Drug use past 30 days (N = 39)	15.4%	0.0%	100.0%
No self-help group participation past 30 days (N = 38)	36.8%	7.9%	78.6%
No family support for recovery past 30 days (N = 38)	2.6%	0.0%	100.0%
Summary Measure [∥] 67.8%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 39$)	2.6%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 39)$	2.6%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 39)	46.2%	23.1%	50.0%
Resistance to Change (N = 39)	35.9%	10.3%	71.4%
Relapse/Continued Use Potential ($N = 39$)	82.1%	28.2%	65.6%
Unsupportive Recovery Environment $(N = 39)$	79.5%	28.2%	64.5%
Summary Measure 63.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Services, Inc.

217 Plum Street Red Wing, MN 55066

Provider Website:

Patient Profile

Gender (N = 61)Male: 82.0%

Female: 18.0%

Primary Substance

(N = 61)Alcohol: 65.6% Methamphetamine: 6.6%

Marijuana: 21.3% Heroin: 3.3% Cocaine: 1.6% Other opiates: 0.0%

Other drugs: 1.6%

Race (N = 61)

White: 98.4% Black: 0.0%

American Indian: 0.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 1.6%

Source of Income

(N = 61)Job: 59.0%

Retirement/savings: 0.0% Family/friends: 11.5% No income: 1.6% Public sources: 8.2% Other sources: 19.7%

Age (N = 61)

County: Goodhue

Under 18: 0.0% 18 to 25: 39.3% 26 to 34: 23.0% 35 and older: 37.7%

Source of Referral

(N = 61) .

Self/family/relative/ friends: 32.8% Employer/school: 0.0% Criminal justice: 82.0% Professional: 14.8%

County social

service agency: 13.1%

Other community resources: 1.6%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 61)

Completed program: 85.2%

Patient left without staff approval: 9.8% Staff requested/judged inappropriate: 0.0%

Death/other: 4.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Wenden Recovery Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =60)	1.7%	0.0%	100.0%
Not employed/student \S (N = 46)	28.3%	13.0%	53.8%
Arrests past 30 days (N = 61)	11.5%	0.0%	100.0%
Alcohol use past 30 days (N = 61)	19.7%	0.0%	100.0%
Drug use past 30 days (N = 61)	21.3%	1.6%	92.3%
No self-help group participation past 30 days (N = 50)	52.0%	12.0%	76.9%
No family support for recovery past 30 days (N = 54)	5.6%	1.9%	66.7%
Summary Measure 79.6%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 59)	5.1%	0.0%	100.0%
Biomedical Conditions and Complications ($N = 60$)	8.3%	3.3%	60.0%
Emotional/Behavioral/ Cognitive Problem (N = 60)	38.3%	10.0%	73.9%
Resistance to Change (N = 60)	55.0%	11.7%	78.8%
Relapse/Continued Use Potential (N = 60)	75.0%	21.7%	71.1%
Unsupportive Recovery Environment $(N = 60)$	53.3%	20.0%	62.5%
Summary Measure 71.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

West Hills Lodge, Inc.

545 Florence Avenue Owatonna, MN 55060

Provider Website:

Patient Profile

 Gender (N = 68)
 Race (N = 68)

 Male: 60.3%
 White: 94.1%

 Female: 39.7%
 Black: 0.0%

Black: 0.0% 18 to 25: 29.4% American Indian: 1.5% 26 to 34: 29.4% Hispanic: 4.4% 35 and older: 41.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 68) Alcohol: 39.7% (N = 68) Job: 33.8%

Methamphetamine: 17.6% Retirement/savings: 0.0% Marijuana: 19.1% Family/friends: 14.7% No income: 19.1% Cocaine: 7.4% Public sources: 14.7%

Other opiates: 11.8% Other sources: 17.6%

(N = 68) .
Self/family/relative/
friends: 0.0%

Source of Referral

County: Steele

Age (N = 68)

Under 18: 0.0%

Employer/school: 0.0% Criminal justice: 5.9% Professional: 97.1%

County social

service agency: 92.6% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 68)

Completed program: 35.3%

Patient left without staff approval: 14.7% Staff requested/judged inappropriate: 47.1%

Death/other: 2.9%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

West Hills Lodge, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =68)	0.0%	1.5%	*
Not employed/student \S (N = 67)	92.5%	58.2%	37.1%
Arrests past 30 days (N = 68)	0.0%	1.5%	*
Alcohol use past 30 days (N = 68)	4.4%	5.9%	0.0%
Drug use past 30 days (N = 68)	16.2%	13.2%	18.2%
No self-help group participation past 30 days (N = 67)	0.0%	0.0%	*
No family support for recovery past 30 days (N = 66)	0.0%	0.0%	*
Summary Measure [∥] 29.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 67$)	0.0%	0.0%	*
Biomedical Conditions and Complications (N = 68)	1.5%	2.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 68)	30.9%	26.5%	14.3%
Resistance to Change (N = 68)	95.6%	66.2%	30.8%
Relapse/Continued Use Potential (N = 68)	100.0%	83.8%	16.2%
Unsupportive Recovery Environment $(N = 68)$	100.0%	94.1%	5.9%
Summary Measure 16.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

White Earth Substance Abuse Program Outpatient Treatment

P.O. Box 435

White Earth, MN 56591 County: Becker

Provider Website: www.whiteearth.com

Patient Profile

<u>Gender (N = 202)</u>
Male: 53.0%

Race (N = 202)
White: 3.0%

Female: 47.0% Black: 0.5% 18 to 25: 25.7% American Indian: 95.0% 26 to 34: 28.7%

Hispanic: 1.0% 35 and older: 31.7%

Asian/Pacific Islander: 0.0%

Other: 0.5%

Primary Substance Source of Income

(N = 199) Alcohol: 59.8% (N = 202) Job: 23.3%

Methamphetamine: 1.5% Retirement/savings: 0.5% Marijuana: 27.1% Family/friends: 9.4% No income: 33.7% Cocaine: 0.0% Public sources: 21.3%

Other opiates: 11.6% Other sources: 11.9% C

me Source of Referral (N = 202).

Self/family/relative/ friends: 14.9% Employer/school: 1.5% Criminal justice: 79.7% Professional: 11.9%

County social

Age (N = 202)

Under 18: 13.9%

service agency: 9.4% Other community resources: 4.5%

AA: 0.0% Tribal: 15.8%

Discharge Status

Other drugs: 0.0%

(N = 202)

Completed program: 45.5%

Patient left without staff approval: 31.7% Staff requested/judged inappropriate: 0.5%

Death/other: 22.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

White Earth Substance Abuse Program Outpatient Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =163)	0.0%	0.0%	*
Not employed/student \S (N = 134)	53.7%	57.5%	0.0%
Arrests past 30 days (N = 176)	6.3%	4.0%	36.4%
Alcohol use past 30 days (N = 176)	23.3%	9.1%	61.0%
Drug use past 30 days (N = 176)	23.3%	13.6%	41.5%
No self-help group participation past 30 days (N = 124)	68.5%	53.2%	22.4%
No family support for recovery past 30 days $(N = 119)$	14.3%	10.9%	23.5%
Summary Measure 21.7%			
Dimensions of Addiction #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 167)	3.0%	3.6%	0.0%
Biomedical Conditions and Complications (N = 168)	10.7%	8.9%	16.7%
Emotional/Behavioral/ Cognitive Problem (N = 168)	33.9%	22.0%	35.1%
Resistance to Change (N = 164)	68.3%	40.9%	40.2%
Relapse/Continued Use Potential (N = 165)	92.1%	55.8%	39.5%
Unsupportive Recovery Environment (N = 164)	86.0%	52.4%	39.0%
Summary Measure 37.6%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

WINGS

1326 East Ripley Street Litchfield, MN 55355

Provider Website:

Patient Profile

Gender (N = 84)Male: 70.2%

Female: 29.8%

Primary Substance

(N = 84)Alcohol: 11.9% Methamphetamine: 3.6% Marijuana: 75.0% Heroin: 2.4%

Cocaine: 2.4% Other opiates: 0.0%

Other drugs: 4.8%

Race (N = 84)

White: 67.9% Black: 6.0%

American Indian: 6.0% Hispanic: 14.3%

Asian/Pacific Islander: 0.0%

Other: 6.0%

Source of Income

(N = 84)Job: 0.0%

> Retirement/savings: 0.0% Family/friends: 91.7% No income: 2.4% Public sources: 3.6% Other sources: 2.4%

Age (N = 84)

County: Meeker

Under 18: 94.0% 18 to 25: 6.0% 26 to 34: 0.0% 35 and older: 0.0%

Source of Referral

(N = 84) .

Self/family/relative/ friends: 35.7% Employer/school: 3.6% Criminal justice: 44.0% Professional: 53.6%

County social

service agency: 14.3%

Other community resources: 21.4%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 84)

Completed program: 72.6%

Patient left without staff approval: 10.7% Staff requested/judged inappropriate: 8.3%

Death/other: 8.3%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

WINGS

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =84)	0.0%	2.4%	*
Not employed/student \S (N = 84)	4.8%	7.1%	0.0%
Arrests past 30 days (N = 84)	20.2%	3.6%	82.4%
Alcohol use past 30 days (N = 84)	48.8%	7.1%	85.4%
Drug use past 30 days (N = 84)	76.2%	8.3%	89.1%
No self-help group participation past 30 days (N = 84)	70.2%	6.0%	91.5%
No family support for recovery past 30 days $(N = 83)$	2.4%	3.6%	0.0%
Summary Measure 82.9%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 84$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 84)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 84)	65.5%	78.6%	0.0%
Resistance to Change (N = 84)	60.7%	58.3%	3.9%
Relapse/Continued Use Potential (N = 84)	100.0%	100.0%	0.0%
Unsupportive Recovery Environment ($N = 84$)	97.6%	98.8%	0.0%
Summary Measure -3.7%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Winona Counseling Clinic, Inc.

111 Riverfront Street Winona, MN 55987

Provider Website:

Patient Profile

<u>Gender (N = 24)</u> Male: 79.2%

Female: 20.8%

Primary Substance

(N = 24)Alcohol: 87.5%

Methamphetamine: 0.0% Marijuana: 8.3%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.2%

Other drugs: 0.0%

Race (N = 24)

White: 95.8% Black: 4.2%

American Indian: 0.0% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

(N = 24)Job: 62.5%

Retirement/savings: 12.5%

Family/friends: 4.2% No income: 0.0% Public sources: 12.5%

Other sources: 8.3%

Age (N = 24)

County: Winona

Under 18: 0.0% 18 to 25: 25.0% 26 to 34: 25.0%

35 and older: 50.0%

Source of Referral

(N = 24).

Self/family/relative/ friends: 66.7% Employer/school: 0.0% Criminal justice: 12.5% Professional: 12.5%

County social

service agency: 0.0% Other community resources: 25.0%

AA: 4.2% Tribal: 0.0%

Discharge Status

(N = 24)

Completed program: 70.8%

Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 0.0%

Death/other: 4.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Chemical Dependency Provider Outcome Measures in Calendar Year 2010[†]

Winona Counseling Clinic, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =24)	0.0%	0.0%	*
Not employed/student § (N = 24)	33.3%	29.2%	12.5%
Arrests past 30 days (N = 23)	4.4%	4.4%	0.0%
Alcohol use past 30 days (N = 24)	62.5%	25.0%	60.0%
Drug use past 30 days (N = 24)	20.8%	12.5%	40.0%
No self-help group participation past 30 days $(N = 23)$	78.3%	65.2%	16.7%
No family support for recovery past 30 days $(N = 23)$	13.0%	4.4%	66.7%
Summary Measure [∥] 33.8%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 23)	21.7%	17.4%	20.0%
Biomedical Conditions and Complications ($N = 24$)	12.5%	0.0%	100.0%
Emotional/Behavioral/ Cognitive Problem (N = 24)	33.3%	20.8%	37.5%
Resistance to Change (N = 23)	39.1%	26.1%	33.3%
Relapse/Continued Use Potential (N = 23)	95.7%	26.1%	72.7%
Unsupportive Recovery Environment $(N = 24)$	45.8%	8.3%	81.8%
Summary Measure [∥] 60.2%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Womens LAAR House

1005 Jackson Street La Crosse, WI 54601

County:

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 8)}}{\text{Male: *}}$

Female: *

Race (N = 8)

White: *
Black: *

American Indian: *
Hispanic: *

Asian/Pacific Islander: *

Other: *

 $\underline{Age (N = 8)}$

Under 18: *
18 to 25: *
26 to 34: *
35 and older: *

(N = 8)Alcohol: *

Methamphetamine: *
Marijuana: *
Heroin: *

Primary Substance

Cocaine: *
Other opiates: *
Other drugs: *

Source of Income

 $\frac{(N=8)}{\text{Job: }}$

Retirement/savings: *
Family/friends: *
No income: *
Public sources: *
Other sources: *

Source of Referral

(N = 8).

Self/family/relative/

friends: *
Employer/school: *

Criminal justice: *
Professional: *
County social

service agency: *
Other community
resources: *

AA: *
Tribal: *

Discharge Status

(N = 8)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Womens LAAR House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =8)	*	*	*
Not employed/student \S (N = 8)	*	*	*
Arrests past 30 days (N = 8)	*	*	*
Alcohol use past 30 days (N = 7)	*	*	*
Drug use past 30 days (N = 7)	*	*	*
No self-help group participation past 30 days (N = 8)	*	*	*
No family support for recovery past 30 days (N = 8)	*	*	*
Summary Measure *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 8$)	*	*	*
Biomedical Conditions and Complications $(N = 8)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 8)	*	*	*
Resistance to Change $(N = 8)$	*	*	*
Relapse/Continued Use Potential ($N = 8$)	*	*	*
Unsupportive Recovery Environment $(N = 8)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Women's Recovery Center

5100 Hodgson Road St. Paul, MN 55126

Provider Website: www.voamn.org

Patient Profile

<u>Gender (N = 121)</u> Male: 0.0%

Female: 100.0%

Race (N = 121)

White: 53.7% Black: 31.4%

American Indian: 0.8%

Hispanic: 7.4%

Asian/Pacific Islander: 2.5%

Other: 4.1%

Primary Substance

(N = 121)

Alcohol: 34.7% Methamphetamine: 15.7%

Marijuana: 7.4% Heroin: 4.1% Cocaine: 34.7% Other opiates: 0.8%

Other drugs: 2.5%

Source of Income

(N = 121)Job: 0.8%

Retirement/savings: 0.8%

Family/friends: 5.0% No income: 28.9% Public sources: 37.2%

Other sources: 27.3%

Age (N = 121)

County: Ramsey

Under 18: 0.0% 18 to 25: 19.8% 26 to 34: 22.3%

35 and older: 57.9%

Source of Referral

(N = 121) .

Self/family/relative/ friends: 26.4% Employer/school: 0.8% Criminal justice: 29.8% Professional: 24.8%

County social

service agency: 44.6%

Other community resources: 14.9%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 121)

Completed program: 70.2%

Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 5.0%

Death/other: 6.6%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Women's Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =107)	43.0%	7.5%	82.6%
Not employed/student§ (N = 89)	95.5%	93.3%	2.4%
Arrests past 30 days (N = 115)	17.4%	1.7%	90.0%
Alcohol use past 30 days (N = 120)	54.2%	7.5%	86.2%
Drug use past 30 days (N = 120)	61.7%	10.8%	82.4%
No self-help group participation past 30 days (N = 112)	56.3%	14.3%	74.6%
No family support for recovery past 30 days (N = 116)	15.5%	1.7%	88.9%
Summary Measure 60.2%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 113)	0.9%	0.9%	0.0%
Biomedical Conditions and Complications (N = 118)	16.1%	11.0%	31.6%
Emotional/Behavioral/ Cognitive Problem (N = 118)	94.1%	63.6%	32.4%
Resistance to Change (N = 118)	68.6%	38.1%	44.4%
Relapse/Continued Use Potential (N = 118)	100.0%	81.4%	18.6%
Unsupportive Recovery Environment (N = 118)	100.0%	78.8%	21.2%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission}) - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Women's Wellbriety Center

2388 State Highway 200 Mahnomen, MN 56557

Provider Website:

Patient Profile

<u>Gender (N = 29)</u> Male: 0.0%

Female: 100.0%

Primary Substance

(N = 29)Alcohol: 20.7%

Methamphetamine: 0.0%

Marijuana: 27.6% Heroin: 0.0% Cocaine: 3.5%

Other opiates: 44.8% Other drugs: 3.5% Race (N = 29)

White: 0.0% Black: 0.0%

American Indian: 93.1%

Hispanic: 3.5%

Asian/Pacific Islander: 0.0%

Other: 3.5%

Source of Income

(N = 29)

Job: 6.9% Retirement/savings: 0.0%

Family/friends: 3.5% No income: 17.2%

Public sources: 51.7% Other sources: 20.7% Age (N = 29)

County: Mahonmen

Under 18: 3.5% 18 to 25: 55.2% 26 to 34: 34.5%

35 and older: 6.9%

Source of Referral

(N = 29) .

Self/family/relative/ friends: 27.6% Employer/school: 0.0% Criminal justice: 13.8% Professional: 69.0%

County social

service agency: 51.7%

Other community resources: 0.0%

AA: 0.0% Tribal: 24.1%

Discharge Status

(N = 29)

Completed program: 34.5%

Patient left without staff approval: 41.4% Staff requested/judged inappropriate: 20.7%

Death/other: 3.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Women's Wellbriety Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =29)	3.5%	0.0%	100.0%
Not employed/student \S (N = 26)	96.2%	92.3%	4.0%
Arrests past 30 days (N = 29)	10.3%	3.5%	66.7%
Alcohol use past 30 days (N = 29)	17.2%	10.3%	40.0%
Drug use past 30 days (N = 29)	58.6%	27.6%	52.9%
No self-help group participation past 30 days (N = 29)	69.0%	6.9%	90.0%
No family support for recovery past 30 days (N = 28)	39.3%	32.1%	18.2%
Summary Measure 41.3%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 29$)	10.3%	0.0%	100.0%
Biomedical Conditions and Complications $(N = 29)$	13.8%	6.9%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 29)	79.3%	65.5%	17.4%
Resistance to Change $(N = 29)$	93.1%	75.9%	18.5%
Relapse/Continued Use Potential (N = 29)	100.0%	93.1%	6.9%
Unsupportive Recovery Environment (N = 22)	100.0%	86.4%	13.6%
Summary Measure 17.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge. II $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Woodland Centers Outpatient Chemical DependencyTreatment Program

1125 S.E. 6th Street Willmar, MN 56201

Provider Website:

Patient Profile

 Gender (N = 61)
 Race (N = 61)

 Male: 77.0%
 White: 75.4%

 Female: 23.0%
 Black: 1.6%

American Indian: 1.6% Hispanic: 21.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 61)Alcohol: 57.4%

Methamphetamine: 13.1% Marijuana: 21.3%

Heroin: 1.6% Cocaine: 1.6% Other opiates: 0.0%

Other drugs: 4.9%

Source of Income

 $\frac{(N = 61)}{\text{Job: } 45.9\%}$

Retirement/savings: 3.3% Family/friends: 16.4% No income: 18.0%

Public sources: 9.8% Other sources: 6.6% Age (N = 61)

County: Kandiyohi

Under 18: 0.0% 18 to 25: 36.1% 26 to 34: 24.6%

35 and older: 39.3%

Source of Referral

(N = 61) .

Self/family/relative/ friends: 21.3% Employer/school: 1.6% Criminal justice: 72.1% Professional: 8.2%

County social

service agency: 4.9% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 61)

Completed program: 67.2%

Patient left without staff approval: 8.2% Staff requested/judged inappropriate: 13.1%

Death/other: 11.5%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Woodland Centers Outpatient Chemical DependencyTreatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =60)	1.7%	1.7%	0.0%
Not employed/student§ (N = 59)	39.0%	33.9%	13.0%
Arrests past 30 days (N = 61)	3.3%	1.6%	50.0%
Alcohol use past 30 days (N = 61)	16.4%	8.2%	50.0%
Drug use past 30 days (N = 61)	9.8%	3.3%	66.7%
No self-help group participation past 30 days (N = 53)	62.3%	11.3%	81.8%
No family support for recovery past 30 days (N = 55)	10.9%	10.9%	0.0%
Summary Measure 50.5%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 60$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 60)$	1.7%	1.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 60)	23.3%	16.7%	28.6%
Resistance to Change $(N = 60)$	73.3%	28.3%	61.4%
Relapse/Continued Use Potential (N = 60)	98.3%	38.3%	61.0%
Unsupportive Recovery Environment (N = 60)	90.0%	48.3%	46.3%
Summary Measure 53.5%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Pacing Recovery Effectively Program

343 Woodlake Drive SE Rochester, MN 55904

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 8)}}{\text{Male: *}} \qquad \frac{\text{Race (N = 8)}}{\text{White: *}}$

Female: * Black: *

American Indian: *

American Indian: * 26 to 34: * Hispanic: * 35 and older: *

County: Olmsted

Age (N = 8)

Under 18: *

18 to 25: *

Source of Referral

Self/family/relative/ friends: *

Employer/school: *

Criminal justice: *

Professional: *

AA: *

(N = 8) .

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income

(N = 8) (N = 8) Job: *

Methamphetamine: * Retirement/savings: *

Marijuana: * Family/friends: * Heroin: * No income: * Cocaine: * Public sources: *

Other opiates: * Other sources: * County social
Other drugs: * service agency: *
Other community

Other community resources: *

Tribal: *

Discharge Status

(N = 8)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Zumbro Valley Mental Health Center Pacing Recovery Effectively Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless § (N =6)	*	*	*
Not employed/student \S (N = 5)	*	*	*
Arrests past 30 days (N = 8)	*	*	*
Alcohol use past 30 days (N = 8)	*	*	*
Drug use past 30 days (N = 8)	*	*	*
No self-help group participation past 30 days $(N = 4)$	*	*	*
No family support for recovery past 30 days (N = 4)	*	*	*
Summary Measure [∥] *			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 8$)	*	*	*
Biomedical Conditions and Complications $(N = 8)$	*	*	*
Emotional/Behavioral/ Cognitive Problem (N = 8)	*	*	*
Resistance to Change $(N = 8)$	*	*	*
Relapse/Continued Use Potential (N = 8)	*	*	*
Unsupportive Recovery Environment $(N = 8)$	*	*	*
Summary Measure *			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Recovery Basics Outpatient Program

343 Woodlake Drive SE Rochester, MN 55904

Provider Website:

Patient Profile

Gender (N = 31)Race (N = 31)Male: 87.1% White: 93.5% Black: 3.2% Female: 12.9%

> American Indian: 0.0% Hispanic: 3.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 31)(N = 31)Alcohol: 77.4%

Methamphetamine: 0.0% Marijuana: 16.1% Heroin: 0.0% Cocaine: 6.5%

Other opiates: 0.0% Other drugs: 0.0%

Job: 67.7%

Retirement/savings: 0.0% Family/friends: 6.5% No income: 0.0% Public sources: 9.7%

Other sources: 16.1%

(N = 31). Self/family/relative/ friends: 41.9%

Source of Referral

County: Olmsted

Age (N = 31)

Under 18: 0.0%

18 to 25: 32.3%

26 to 34: 25.8% 35 and older: 41.9%

Employer/school: 6.5% Criminal justice: 87.1% Professional: 0.0% County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

(N = 31)

Completed program: 80.6%

Patient left without staff approval: 3.2% Staff requested/judged inappropriate: 16.1%

Death/other: 0.0%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Zumbro Valley Mental Health Center Recovery Basics Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =30)	0.0%	0.0%	*
Not employed/student \S (N = 29)	24.1%	13.8%	42.9%
Arrests past 30 days (N = 31)	0.0%	6.5%	*
Alcohol use past 30 days (N = 31)	29.0%	9.7%	66.7%
Drug use past 30 days (N = 31)	16.1%	0.0%	100.0%
No self-help group participation past 30 days (N = 29)	89.7%	96.6%	0.0%
No family support for recovery past 30 days (N = 26)	0.0%	3.9%	*
Summary Measure [∥] 18.0%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 28$)	0.0%	0.0%	*
Biomedical Conditions and Complications $(N = 28)$	0.0%	0.0%	*
Emotional/Behavioral/ Cognitive Problem (N = 28)	0.0%	0.0%	*
Resistance to Change (N = 28)	21.4%	10.7%	50.0%
Relapse/Continued Use Potential (N = 28)	89.3%	14.3%	84.0%
Unsupportive Recovery Environment $(N = 28)$	85.7%	32.1%	62.5%
Summary Measure 70.9%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

† 100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

II $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Recovery Partners

343 Woodlake Drive SE Rochester, MN 55904

County: Olmsted

Provider Website: www.zumbromhc.org

Patient Profile

Gender (N = 28)Race (N = 28)Male: 50.0% White: 85.7% Female: 50.0% Black: 10.7%

18 to 25: 7.1% American Indian: 3.6% 26 to 34: 25.0% 35 and older: 67.9% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 28)(N = 28)Alcohol: 60.7% Job: 14.3%

Methamphetamine: 3.6% Retirement/savings: 3.6% Family/friends: 7.1% Marijuana: 10.7% Heroin: 0.0% No income: 0.0% Cocaine: 10.7% Public sources: 67.9%

Other opiates: 14.3% Other sources: 7.1%

(N = 28) . Self/family/relative/ friends: 67.9%

Source of Referral

Employer/school: 3.6% Criminal justice: 35.7% Professional: 35.7%

County social

Age (N = 28)

Under 18: 0.0%

service agency: 25.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Discharge Status

Other drugs: 0.0%

(N = 28)

Completed program: 21.4%

Patient left without staff approval: 46.4% Staff requested/judged inappropriate: 10.7%

Death/other: 21.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Zumbro Valley Mental Health Center Recovery Partners

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =27)	0.0%	3.7%	*
Not employed/student \S (N = 28)	82.1%	78.6%	4.4%
Arrests past 30 days (N = 28)	7.1%	7.1%	0.0%
Alcohol use past 30 days (N = 28)	25.0%	17.9%	28.6%
Drug use past 30 days (N = 28)	25.0%	7.1%	71.4%
No self-help group participation past 30 days (N = 18)	50.0%	44.4%	11.1%
No family support for recovery past 30 days (N = 25)	0.0%	24.0%	*
Summary Measure 3.4%			
<u>Dimensions of Addiction</u> [#]	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal (N = 14)	7.1%	7.1%	0.0%
Biomedical Conditions and Complications $(N = 14)$	21.4%	42.9%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 14)	78.6%	85.7%	0.0%
Resistance to Change (N = 16)	25.0%	56.3%	0.0%
Relapse/Continued Use Potential (N = 15)	80.0%	66.7%	16.7%
Unsupportive Recovery Environment (N = 14)	85.7%	64.3%	25.0%
Summary Measure -8.4%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission} - \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Right to Recovery II

29 7th Street NE Rochester, MN 55906

Provider Website:

Patient Profile

 Gender (N = 34)
 Race (N = 34)

 Male: 88.2%
 White: 88.2%

 Female: 11.8%
 Black: 8.8%

American Indian: 0.0% 26 to 34: 20.6% Hispanic: 0.0% 35 and older: 79.4%

Asian/Pacific Islander: 2.9%

Other: 0.0%

Primary Substance Source of Income

(N = 34) Alcohol: 85.3% (N = 34) Job: 5.9%

Methamphetamine: 5.9% Retirement/savings: 0.0% Family/friends: 0.0% No income: 17.6% Cocaine: 0.0% Public sources: 44.1%

Cocaine: 0.0% Public sources: 44.1% Professional: 5.9% Other opiates: 2.9% Other sources: 32.4% County social service agency: 8.8% Other community

resources: 14.7% AA: 0.0% Tribal: 0.0%

County: Olmsted

Age (N = 34)

Under 18: 0.0%

18 to 25: 0.0%

Source of Referral

Self/family/relative/

friends: 88.2%

Employer/school: 0.0%

Criminal justice: 32.4%

(N = 34) .

Discharge Status

(N = 34)

Completed program: 23.5%

Patient left without staff approval: 41.2% Staff requested/judged inappropriate: 2.9%

Death/other: 32.4%

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

Zumbro Valley Mental Health Center Right to Recovery II

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Homeless§ (N =28)	7.1%	7.1%	0.0%
Not employed/student§ (N = 20)	95.0%	85.0%	10.5%
Arrests past 30 days (N = 34)	2.9%	20.6%	0.0%
Alcohol use past 30 days (N = 34)	44.1%	44.1%	0.0%
Drug use past 30 days (N = 34)	14.7%	11.8%	20.0%
No self-help group participation past 30 days (N = 12)	41.7%	75.0%	0.0%
No family support for recovery past 30 days (N = 19)	0.0%	10.5%	*
Summary Measure [∥] -23.6%			
<u>Dimensions of Addiction</u> #	<u>Admission</u>	<u>Discharge</u>	% Improve [‡]
Acute Intoxication/ Withdrawal ($N = 33$)	12.1%	24.2%	0.0%
Biomedical Conditions and Complications $(N = 33)$	27.3%	33.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 33)	54.5%	48.5%	11.1%
Resistance to Change (N = 33)	54.5%	66.7%	0.0%
Relapse/Continued Use Potential (N = 33)	93.9%	81.8%	12.9%
Unsupportive Recovery Environment $(N = 33)$	100.0%	81.8%	18.2%
Summary Measure 1.8%			

^{*} Insufficient data (fewer than 10 clients), or involves division by 0.

DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients admitted to treatment in CY 2010 and whose discharge data were submitted to DHS by November 21, 2011.

100(% at admission - % at discharge) / (% at admission); negative entries are set to 0.

[§] Status at admission and discharge.

If $100(\Sigma(\% \text{ at admission - } \% \text{ at discharge})/\Sigma(\% \text{ at admission}))$

[#] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.