This document is made available electronically by the Minnesota Legislative Reference Library as part of an ongoing digital archiving project. https://www.lrl.mn.gov



December 16, 2008

Dear Program Director:

There is continuing interest by state policymakers in assuring that potential consumers and the general public have access to information about the outcomes of treatment for addiction in Minnesota. This was also the specific interest of the Office of the Legislative Auditor in its 2006 report and is consistent with the development and implementation of national outcome measures on the federal level.

The Department of Human Services will soon post provider-specific outcomes for 2007 online at <u>http://chemhealth.dhs.state.mn.us</u>. These reports will be updated annually. We attach the sections of the report that are most pertinent to you: the report for all patients and for those treated in your specific program. All data are obtained from The Drug and Alcohol Abuse Normative Evaluation System (DAANES), which is administered by the Performance Measurement and Quality Improvement Division of the Department of Human Services. For all tables, data are presented only when there are at least 10 observations for the measure. These data are for admissions that occurred between January 1 and December 31, 2007, with discharge data submitted by September 1, 2008.

The measures in the report fall into four categories. (1) The **Patient Profile** presents background information about patients obtained at admission to treatment. (2) **Outcomes** describe the situation in which the patient leaves treatment. (3) **National Outcomes Measures (NOMS)** are prescribed by the Substance Abuse and Mental Health Services Administration (SAMHSA) and provide information at admission and discharge on patients' status in seven critical domains of living. (4) **Barriers to Recovery** are similar to measures developed by the American Society of Addiction Medicine and provide information at admission and discharge on six dimensions of addiction.

The **Patient Profile** presents the percentages of patients in categories of gender, race, age, primary substance, source of income, and sources of referral to treatment. These are obviously not measures of performance but rather provide a picture of the mix of patients seen statewide and by different providers. Since patients can have two sources of referral, the percentages for this measure do not sum to 100.

The only measure under **Outcomes** is discharge status. Considerable research demonstrates that completing treatment is associated with post-treatment abstinence.

The **NOMS** attempt to capture meaningful, real life outcomes for people who are striving to attain and sustain recovery and participate fully in their communities in the wake of receiving treatment for an active addiction to drugs or alcohol. They include: rates of homelessness, unemployment, arrest, alcohol and drug use, involvement in self-help groups, and family support for recovery. Since these measures are coded so that higher percentages indicate more people having trouble in that domain, declines in the percentages from admission to discharge indicate success. Details on NOMS are available at http://nationaloutcomemeasures.samhsa.gov/welcome.asp.

Chemical Health Division - PO Box 64977 - St. Paul, MN 55164-0977 An Equal Opportunity and Veteran Friendly Employer

Page 2 December 16, 2008

Barriers to Recovery show the percentages of patients with serious problems in six dimensions at admission and discharge. The severity levels within each dimension range from no problem (0) to extreme problem (4). The dimensions are:

- 1. Acute Intoxication/Withdrawal ranges from (0) patients who exhibit no intoxication or withdrawal symptoms to (4) those with symptoms so severe that the patient is a threat to self or others.
- Biomedical Conditions and Complications range from (0) patients who are fully functional to (4) those with severe physical problems or conditions that require immediate medical intervention.
- 3. Emotional/Behavioral/Cognitive Problem ranges from (0) patients with good coping skills and impulse control to (4) those with such severe emotional or behavioral symptoms that they are unable to participate in treatment.
- 4. Resistance to Change ranges from (0) patients who admit problems and are committed to change to (4) those who are in denial and unwilling to change.
- 5. Relapse/Continued Use Potential ranges from (0) patients who recognize risk and are able to manage potential problems to (4) those who have no understanding of relapse issues and display high vulnerability for further substance use disorders.
- 6. Unsupportive Recovery Environment ranges from (0) environments that are supportive of recovery to (4) environments that are antagonistic to recovery.

The numbers shown in the tables are the percentages with (2) moderate, (3) severe or (4) extreme problems in a dimension. Declines in the percentages from admission to discharge indicate success.

We hope you agree that this is a useful way to illustrate the far-reaching, positive effects of addiction treatment on the functioning of patients in various areas of their lives. We also hope that you can use this report to discover areas in which you are performing well and others in which you might be able to improve your performance. Please feel free to use this information in your communications about the quality and range of services provided by your program. We all need to better demonstrate the benefits of addiction treatment.

We would be interested in any feedback you have. Thanks for your continuing participation in DAANES. Keep up the good work in providing treatment services to Minnesotans in need.

Cordially,

Carol L. Falkowski Director, Chemical Health Division <u>Carol.Falkowski@state.mn.us</u> (651) 431-2457

Attachments

Chemical Health Division - PO Box 64977 - St. Paul, MN 55164-0977 An Equal Opportunity and Veteran Friendly Employer

Chemical Dependency Provider

Performance Measures

2007

Chemical Health Division Minnesota Department of Human Services



Introduction	1
Statewide	3
1025 Outpatient Treatment	
3 R's Nuway Counseling Center	7
A.d.a.p.t of Minnesota	9
AA Alternatives of Minnesota, Inc	
Addiction Counseling Treatment Services	13
Addiction Recovery Technologies of Rochester	15
Addiction Recovery Technology of Mankato	17
Adolescent Substance Abuse Program at Woodland Hills	19
Adolescent Treatment Center of Winnebago	21
African American Family Services, Inc	23
African American Family Services, Inc	25
Ahnji-be-mah-diz Center Leech Lake Halfway House	27
Alliance Clinic LLC	
Amethyst Outpatient C.D. Program	31
Anthony Louis Center	33
Anthony Louis Center North	35
Anthony Louis Center of Woodbury	37
ARK Counseling	39
Arrowhead Center, Inc	41
Ashley House, Inc. d.b.a. Road to Recovery	43
Austin Medical-Mayo Health System	45
Avalon - Dakota County Twin Town Dakota County Jail Program	47
Avalon - Pine City	49
Avalon Programs LLC Eagan	51
Avalon Programs LLC of Cottage Grove	53
Avalon Programs LLC Stillwater	
Avalon Programs LLC-Ramsey County Correctional Facility	
Avalon Prospect Park	
Avalon-Aitkin County	
Avalon-Brainerd	63
Avalon-Midway	
Bachmann and Associates, Inc.	
Bell Hill Recovery Center	
Beltrami County Jail	
Bethel Port Rehabilitation Center	
Boys Totem Town St. Joseph's CD	
Burkwood Inc.	
Cardinal Recovery Center SOS-Willmar RTC	
Cedar Ridge	
Center for Alcohol/Drug Treatment Outpatient C.D. Program	
Center for Solutions Towner County Medical Center	
Central Minnesota Mental Health Center of Buffalo	
Central Minnesota Mental Health Center of Monticello	
Central Minnesota Mental Health Center of St. Cloud	
Chrysalis: A Center for Women	
Club Recovery	
Communidades Latinas Unidas En Sericio	97

Table of Contents

Community Addiction Recovery Enterprise of Anoka	
Community Addiction Recovery Enterprise of Carlton	
Community Addiction Recovery Enterprise of Fergus Falls	103
Community Addiction Recovery Enterprise of St. Peter	
Community Addiction Recovery Enterprise of Willmar	
Community Addiction Recovery Enterprise of Willmar Jail Outpatient	
Community Addiction Recovery Enterprises of Brainerd	
Community Drug and Alcohol Servic, Inc.	
Community Drug and Alcohol Services, Inc.	
Conceptual Counseling	
Cook County Wilderness Outpatient Treatment Program	119
Correctional Transition Services, Inc	121
Corrections Recovery Services	123
Counseling Clinic La Crescent	125
Courage Center-Vinland National Center	127
CREATE	129
CREATE-South	131
Dakota County Receiving Center, Inc	133
Dakota Treatment Center	
Dellwood Recovery Center	
Dimensions in Recovery Maple Lake Recovery Center, Inc.	
Douglas Place, Inc.	
Effective Living Center, Inc.	
Effective Living Center, Inc.	
EmPower CTC	
Endeavor Place, LLC	
Episcopal Community Services Bemidji Campus	
Evergreen Youth Recovery House	
Fairview Health Services Minneapolis - MICD Program	
Fairview Health Services Minneapolis Adult CD Programs	
Fairview Recovery Services - Edina Outpatient	
Fairview Recovery Services Adult Outpatient ProgramCrystal	
Fairview Recovery Services Crystal Outpatient	
Fairview Recovery Services Deaf and Hard of Hearing Program	
Fairview Recovery Services Elk River Outpatient	
Fairview Recovery Services Maplewood Outpatient	
Fairview Recovery Services of Chisago City	
Fairview Recovery Services of Forest Lake	
Fairview Recovery Services-Burnsville Outpatient	
Faith Family Recovery Center LLC	
Faribault Family Focus-Immanuel St. Joseph's Mayo Health System	
First Nation Recovery Program	
First Step	
First Step Recovery PLLP	
Five Stars Recovery Center	
Focus Unit St. Joseph's Medical Center	
Focus XII	
Fond Du Lac Human Services	
Fountain Center of Albert Lea	
Fountain Center of Fairmont	
Fountain Center of Rochester	

Fountain Centers Recovery House of Rochester	
Franciscan Skemp Healthcare	
Glenmore of Thief River Falls	
Glenmore Recovery	
Glenmore Recovery Center	
Glenmore-Roseau	
Golden Living Center Wabasso	
Grace Counseling Services	
Guest House	
Gundersen Lutheran Unity House for Men	
Gundersen Lutheran Unity House for Women	
H.V.M.H.C. Wabasha County Outpatient C.D. Program	
Hanson and Hanson Addiction Specialist, Inc	
Haven Road Recovery Center LLC	
Haven Road Recovery Center LLC Outlook Jail Program	
Haven Road Recovery Center Todd County	
Hazelden Center for Youth & Families	
Hazelden Fellowship Club	
Hazelden Recovery Services	
Health Recovery Center	
HFA Addiction Medicine Program	
Hiawatha Valley Mental Health	
Hoffe Counseling, Inc.	
Hoffe Counseling, Inc.	
Hope House of Itasca County	
House of Charity Day by Day Program	
House of Hope	
House of Hope, Inc.	
Howard Friese Halfway House	
Hutchinson Health Care	
Journey Counseling Services	
Journey Home	
Juel Fairbanks Chemical Dependency Services	
Keystone Treatment Center Inpatient Program	
Kinnic Falls Alcohol and Drug Abuse Services	
Lake Region Halfway Homes, Inc.	
Lake Superior Treatment Center	
Lake View Memorial Hospital Outpatient CD Treatment Program	
Lakeland Mental Health Center Outpatient C.D. Program	
Lakeplace Retreat Center, Inc.	
Lakes Counseling Center	281
Lakes Region Chemical Dependency	
Lakes Region Chemical Dependency	
Lakes Regions Chemical Dependency Clearwater County Jail Program	
Leech Lake Opiate Treatment Program	
Leech Lake Outpatient Program	
Leech Lake Womens Outpatient Program	
Lifehouse LLC, MN	
Lifestyle Counseling of Mound	
Lifestyle Counseling of Richfield/Bloomington	
Lifestyle Counseling Services	

Living Free Recovery Services	
Lower Sioux Chemical and Mental Health Services	
Mahnomen County Human Services	
Mankato Family Focus-Immanuel St. Joseph's Mayo Health System	
Maple Lake Recovery Center, Inc.	
Margaret's House	
Marty Mann Halfway House for Women	
Mash Ka Wisen Treatment Center Inpatient Program	
Mayo Clinic Addiction Services Generose IB	
MCF - Togo Meadow Creek	
Meadow Creek	
Miller Dwan Medical Center	
Minnesota Teen Challenge	
Morgan Treatment Center	
My Home, Inc.	
5	
My Home, Inc Nehemiah Family Services	
Neighborhood Counseling Chemical Dependency Progra	
New Beginnings at Litchfield New Beginnings at St. Peter	
New Beginnings at St. Peter	
New Choices for Recovery Cottage Grove	
New Choices for Recovery Forest Lake	
New Choices for Recovery Stillwater	
New Choices for Recovery Washington County Jail	
New Connection Program of Eden Prairie	
New Connections Program-Hastings	
New Guidance Counseling	
New Life Treatment Center	
New Ulm Medical Center Substance Abuse Treatment Service	
New Ulm Medical Center-Drug Court Treatment	
New Visions Center	
New Visions Center	
Next Step	
North Homes Inc. Outpatient Chemical Dependency	
Northern Lakes Clinic, Inc.	
Northland Recovery Center	
Northland Recovery Center Adolescent Unit	
Northland Recovery Womens Center	
Northwest Recovery Center, Inc. Thief River Falls	
Nuway II	
Nuway House, Inc	
Nystrom and Associates, LTD	
Odyssey County Home School Hennepin County	
Odyssey-Dakota County Juvenile Service Center	
Omada Behavioral Health-Downtown Northfield	
Omegon, Inc	
On-Belay House	
Oosh-Kii-Mii-Kah-Nah Halfway House	
vi	

Outpatient CD Casingu	405
Outpatient CD - Saginaw	
Owatonna Family Focus Immanuel St. Joseph's Mayo Health	
Park Avenue Center	
Passages	
Pathway House	
Pathway House	
Pear Lake Women's Program	
People Incorporated ISN, Huss Recovery Services	
Perkins Counseling Center Phoenix Group Homes Inc.	
Pine Manors, Inc.	
Pineview Recovery Center	
Prairie Center for the Family, LLC	
5	
Prairie House Recovery	
Pride Institute, Inc.	
Pride Institute, Inc.	
Prodigal House	
Professional Counseling Center of Buffalo	
Professional Counseling Center of Delano	
Progress Valley I	
Progress Valley II	
Project Turnabout	
Project Turnabout Chemical Dependency Treatment Center of Redwood Falls	
Project Turnabout Halfway House-Marshall	
Project Turnabout of Granite Falls Rainbow Behavioral Health Services Chartered	
Range Treatment Center Rapids Counseling Services, Inc.	
Rational Alternatives	
Rays of Hope Unlimited	
Rebecca Residence of Scandia	
Recovery Plus Adult Program St. Cloud Hospital	
Recovery Plus-Rum River Health	
Recovery Resource Center	
Recovery Resources of Winsted	
Recovery Works/BC Jail House Program	
Red Lake CD Outpatient Program	
Red Lake Group Home	
Red Lake Treatment Center	
Red River Recovery Center	
Regions Hospital Alcohol and Drug Abuse Program	
Regions Hospital/New Connection Programs	
Regions Hospital/New Connection Programs	
Rewind, Inc.	
River Ridge Treatment Center Burnsville	
River Ridge Treatment Center Minnetonka	
Riverplace Counseling Center of Elk River, Inc.	
Riverplace Counseling Center-Anoka	
Rochester Behavioral Health Service	
Rochester Metro Treatment Center	
RS Eden/Eden House	

	507
RS Eden/Eden House	
Salvation Army Beacon Matrix Program in Caver County	
Salvation Army Harbor Light Center	
Sanford Hospital Luverne Outpatient CD Program	
Sentirse Bien, Feeling Healthy	
Share House - Stepping Stones	
Share House Inc	
Share House Wellness Center	
Sisters Path	
South Metro Human Services	
Specialized Treatment Services, Inc.	
St. Cloud Metro Treatment	
St. Johns Hospital - Healtheast CD Program	
St. Joseph's Hospital Inpatient Chemical Dependency Program	
St. Paul Metro Treatment Center	537
Stellher Human Services, Inc. Bagley School District #162	
Stellher Human Services, Inc. La Porte School District # 306	
Stellher Human Services, Inc. Nevis School District # 308	
Stellher Human Services, Inc. Park Rapids School District # 309	
Tapestry, LLC	
Telesis - Hennepin County Workhouse	
Temporary Living Center, TLC	
The 1402 Treatment Program	
The Gables	555
The Haven Halfway House, LLC	557
The Haven in Cloquet	559
The Haven in Shakopee	561
The Haven in Waconia	563
The Haven in Woodbury	565
The Micah Halfway House	567
The Range Treatment Center	569
The Wayside House Inc	
Thunderbird and Wren Halfway House	573
Transformation House	
Transformation House I	
Transformation House II	
Tri County Community Corrections	
Turning Point, Inc.	
Turning Point, Inc.	
Twin Town Treatment Center	
Unity Hospital Substance Abuse Services	
Unity Hospital Substance Abuse Services	
Upper Mississippi Mental Health Center	
Upper Mississippi Mental Health Center	
Vinland National Center	
Volunteers of America, Dakotas	
Way 12 Halfway House	
We Care Counseling Center	
Wellcome Manor Family Services	
Wenden Recovery Service of Winona	007

Wenden Recovery Services, Inc.	609
West Hills Lodge, Inc	611
West Metro Recovery Services	613
White Earth CD Treatment Program Outpatient Program	615
WINGS	
Winona Counseling Clinic, Inc.	619
Womens LAAR House	
Women's Recovery Center	623
Women's Wellbriety Center	
Woodland Centers Outpatient Chemical DependencyTreatment Program	
Zumbro Valley Mental Health Center Pacing Recovery Effectively Program	629
Zumbro Valley Mental Health Center Recovery Basics Outpatient Program	631
Zumbro Valley Mental Health Center Recovery Partners	633
Zumbro Valley Mental Health Center Right to Recovery	635
Chemical dependency treatment providers with insufficient data for reporting	637

Х

Introduction

In conjunction with national efforts to increase the availability of addiction treatment outcomes, the Chemical Health Division of the Minnesota Department of Human Services provides the following treatment outcome measures for the entire state of Minnesota and for individual treatment providers licensed under state Rule 31. This report will be updated annually.

The measures fall into four categories. (1) The **Patient Profile** presents background information about patients obtained at admission to treatment. (2) **Outcomes** describe the situation in which the patient leaves treatment. (3) **National Outcomes Measures (NOMS)** are prescribed by the Substance Abuse and Mental Health Services Administration (SAMHSA) and provide information at admission and discharge on patients' status in seven critical domains of living. (4) **Barriers to Recovery** are similar to measures developed by the American Society of Addiction Medicine and provide information at admission and discharge on six dimensions of addiction.

The **Patient Profile** presents the percentages of patients in categories of gender, race, age, primary substance, source of income, and sources of referral to treatment. These are obviously not measures of performance but rather provide a picture of the mix of patients seen statewide and by different providers. Since patients can have two sources of referral, the percentages for this measure do not sum to 100.

The only measure under **Outcomes** is discharge status. Considerable research demonstrates that completing treatment is associated with post-treatment abstinence.

The **NOMS** attempt to capture meaningful, real life outcomes for people who are striving to attain and sustain recovery and participate fully in their communities in the wake of receiving treatment for an active addiction to drugs or alcohol. They include: rates of homelessness, unemployment, arrest, alcohol and drug use, involvement in self-help groups, and family support for recovery. Since these measures are coded so that higher percentages indicate more people having trouble in that domain, declines in the percentages from admission to discharge indicate success. Details on NOMS are available at

http://nationaloutcomemeasures.samhsa.gov/welcome.asp.

Barriers to Recovery show the percentages of patients with serious problems in six dimensions at admission and discharge. The severity levels within each dimension range from no problem (0) to extreme problem (4). The dimensions are:

- 1. Acute Intoxication/Withdrawal ranges from (0) patients who exhibit no intoxication or withdrawal symptoms to (4) those with symptoms so severe that the patient is a threat to self or others.
- Biomedical Conditions and Complications range from (0) patients who are fully functional to (4) those with severe physical problems or conditions that require immediate medical intervention.
- 3. Emotional/Behavioral/Cognitive Problem ranges from (0) patients with good coping skills and impulse control to (4) those with such severe emotional or behavioral symptoms that they are unable to participate in treatment.
- 4. Resistance to Change ranges from (0) patients who admit problems and are committed to change to (4) those who are in denial and unwilling to change.
- 5. Relapse/Continued Use Potential ranges from (0) patients who recognize risk and are able to manage potential problems to (4) those who have no understanding of relapse issues and display high vulnerability for further substance use disorders.

6. Unsupportive Recovery Environment ranges from (0) environments that are supportive of recovery to (4) environments that are antagonistic to recovery.

The numbers shown in the tables are the percentages with (2) moderate, (3) severe or (4) extreme problems in a dimension. Declines in the percentages from admission to discharge indicate success.

All data are obtained from The Drug and Alcohol Abuse Normative Evaluation System (DAANES), which is administered by the Performance Measurement and Quality Improvement Division of the Department of Human Services in order to monitor treatment services for substance abuse in Minnesota. DAANES data are collected by providers as clients enter and leave episodes of treatment. All of these measures are based on episodes of treatment that began in 2007 and are accompanied by discharge data submitted by September 1, 2008. For all tables, data are presented only when there are at least 10 observations for the measure.

Statewide

County: Statewide

Provider Website:

Patient Profile

 Gender (N = 46412)
 Race (N = 46412)
 Age (N = 46412)

 Male: 67.1%
 White: 76.1%
 Under 18: 9.5%

 Female: 32.9%
 Black: 10.5%
 18 to 25: 23.7%

 American Indian: 7.5%
 26 to 34: 21.0%

 Hispanic: 3.4%
 35 and older: 45.8%

Other: 1.8%

Source of Income

Primary Substance (N = 45580) Alcohol: 54.4% Methamphetamine: 10.1% Marijuana: 17.2% Heroin: 2.9% Cocaine: 9.8% Other opiates: 4.3% Other drugs: 1.4%

(N = 46412) Job: 37.8% Retirement/savings: 3.4% Family/friends: 20.7% No income: 13.8% Public sources: 15.0% Other sources: 9.4%

Source of Referral

(N = 46412) . Self/family/relative/ friends: 50.0% Employer/school: 2.8% Criminal justice: 36.1% Professional: 24.8% County social service agency: 34.1% Other community resources: 16.3% AA: 0.2% Tribal: 1.6%

Outcomes

Discharge Status (N = 46412)Completed program: 64.0% Patient left without staff approval: 17.3% Staff requested/judged inappropriate: 9.0% Death/other: 9.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Statewide

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 44612)	5.7%	3.6%
Not employed/student ^{\ddagger} (N = 41200)	54.0%	49.4%
Arrests past 30 days (N = 42805)	13.2%	4.0%
Alcohol use past 30 days (N = 41581)	46.8%	13.0%
Drug use past 30 days (N = 41524)	37.1%	12.5%
No self-help group participation past 30 days ($N = 40250$)	58.6%	19.6%
No family support for recovery past 30 days (N = 38884)	15.5%	11.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission 9.0%	<u>Discharge</u> 5.7%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =45108) Biomedical Conditions and	9.0%	5.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =45108) Biomedical Conditions and Complications (N = 45190) Emotional/Behavioral/	9.0% 14.8%	5.7% 9.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =45108) Biomedical Conditions and Complications (N = 45190) Emotional/Behavioral/ Cognitive Problem (N = 45255)	9.0% 14.8% 55.6%	5.7% 9.9% 40.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

1025 Outpatient Treatment

1025 London Road Duluth, MN 55812

County: St. Louis

Provider Website: www.cadt.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 443)} \\ Male: \ 67.7\% \\ Female: \ 32.3\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 443)} \\ White: \ 82.6\% \\ Black: \ 3.8\% \\ American \ Indian: \ 9.0\% \\ Hispanic: \ 1.8\% \\ Asian/Pacific \ Islander: \ 1.1\% \\ Other: \ 1.6\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 443)} \\ Under \ 18: \ 0.2\% \\ 18 \ to \ 25: \ 30.9\% \\ 26 \ to \ 34: \ 23.3\% \\ 35 \ and \ older: \ 45.6\% \\ 35 \ and \ older: \ 45.6\% \end{array}$

Primary Substance (N = 443) Alcohol: 69.1% Methamphetamine: 7.5% Marijuana: 15.3% Heroin: 0.5% Cocaine: 3.6% Other opiates: 3.4% Other drugs: 0.7% Source of Income (N = 443)Job: 52.6% Retirement/savings: 4.3% Family/friends: 7.2% No income: 13.1% Public sources: 19.2% Other sources: 3.6% Source of Referral (N = 443) Self/family/relative/ friends: 33.4% Employer/school: 3.8% Criminal justice: 55.3% Professional: 12.2% County social service agency: 9.7% Other community resources: 2.3% AA: 0.2% Tribal: 0.2%

Outcomes

Discharge Status (N = 443) Completed program: 67.9% Patient left without staff approval: 20.8% Staff requested/judged inappropriate: 2.7% Death/other: 8.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

1025 Outpatient Treatment

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 431)	1.9%	1.9%
Not employed/student ^{\ddagger} (N = 415)	39.3%	38.8%
Arrests past 30 days (N = 418)	5.7%	2.9%
Alcohol use past 30 days (N = 411)	34.1%	13.1%
Drug use past 30 days (N = 413)	17.7%	9.0%
No self-help group participation past 30 days (N = 398)	60.3%	68.3%
No family support for recovery past 30 days (N = 398)	6.5%	15.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =441)	2.0%	3.0%
Biomedical Conditions and Complications ($N = 443$)		
•	7.9%	10.2%
Emotional/Behavioral/ Cognitive Problem (N = 443)	7.9% 19.9%	10.2% 24.2%
Cognitive Problem ($N = 443$)	19.9%	24.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

3 R's Nuway Counseling Center

2220 Central Avenue NE Minneapolis, MN 554183708

County: Hennepin

Provider Website:

Patient Profile

Gender (N = 94) Race (N = 94)Male: 80.9% White: 77.7% Female: 19.1% Black: 16.0% American Indian: 2.1% Hispanic: 3.2% Asian/Pacific Islander: 0.0% Other: 1.1%

Age (N = 94)Under 18: 1.1% 18 to 25: 16.0% 26 to 34: 25.5% 35 and older: 57.4%

resources: 28.7%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 94)	(N = 94)	(N = 94) .
Alcohol: 75.5%	Job: 68.1%	Self/family/relative/
Methamphetamine: 2.1%	Retirement/savings: 0.0%	friends: 31.9%
Marijuana: 16.0%	Family/friends: 4.3%	Employer/school: 5.3%
Heroin: 0.0%	No income: 8.5%	Criminal justice: 73.4%
Cocaine: 6.4%	Public sources: 7.5%	Professional: 7.5%
Other opiates: 0.0%	Other sources: 11.7%	County social
Other drugs: 0.0%		service agency: 45.7%
-		Other community

Outcomes

Discharge Status <u>(N = 94</u>) Completed program: 83.0% Patient left without staff approval: 12.8% Staff requested/judged inappropriate: 1.1% Death/other: 3.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

3 R's Nuway Counseling Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 94)	2.1%	1.1%
Not employed/student ^{11} (N = 92)	27.2%	28.3%
Arrests past 30 days (N = 73)	39.7%	0.0%
Alcohol use past 30 days (N = 82)	29.3%	0.0%
Drug use past 30 days (N = 84)	9.5%	0.0%
No self-help group participation past 30 days (N = 86)	67.4%	1.2%
No family support for recovery past 30 days (N = 43)	18.6%	9.3%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =87)	32.2%	20.7%
Biomedical Conditions and Complications ($N = 86$)	12.8%	7.0%
Emotional/Behavioral/ Cognitive Problem (N = 86)	59.3%	20.9%
Resistance to Change ($N = 86$)	32.6%	11.6%
Relapse/Continued Use Potential (N = 86)	67.4%	25.6%
Unsupportive Recovery Environment (N = 86)	57.0%	26.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

A.d.a.p.t of Minnesota

324 South 5th Street Brainerd, MN 56401

County: Crow Wing

Provider Website: www.holisticpsychological.com

Patient Profile

<u>Gender (N = 154)</u>	<u>Race (N = 154)</u>	<u>Age (N = 154)</u>
Male: 72.7%	White: 95.5%	Under 18: 6.5%
Female: 27.3%	Black: 0.0%	18 to 25: 26.6%
	American Indian: 2.6%	26 to 34: 22.1%
	Hispanic: 1.3%	35 and older: 44.8%
	Asian/Pacific Islander: 0.0%	
	Other: 0.6%	

Primary Substance (N = 154) Alcohol: 70.8% Methamphetamine: 14.9% Marijuana: 13.0% Heroin: 0.0% Cocaine: 1.3% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 154)Job: 61.0% Retirement/savings: 3.9% Family/friends: 12.3% No income: 5.2% Public sources: 7.8% Other sources: 9.7%

Source of Referral

(N = 154) Self/family/relative/ friends: 46.1% Employer/school: 3.9% Criminal justice: 47.4% Professional: 4.6% County social service agency: 60.4% Other community resources: 9.7% AA: 1.3% Tribal: 0.6%

Outcomes

Discharge Status (N = 154) Completed program: 61.7% Patient left without staff approval: 35.1% Staff requested/judged inappropriate: 2.0% Death/other: 1.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

A.d.a.p.t of Minnesota

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 152)	0.7%	0.0%
Not employed/student ^{\ddagger} (N = 153)	34.0%	32.7%
Arrests past 30 days (N = 153)	13.7%	3.3%
Alcohol use past 30 days (N = 144)	31.9%	5.6%
Drug use past 30 days (N = 144)	9.7%	2.1%
No self-help group participation past 30 days (N = 153)	69.9%	76.5%
No family support for recovery past 30 days (N = 150)	40.7%	30.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =154)	38.3%	9.7%
Biomedical Conditions and Complications ($N = 154$)		
	94.2%	94.8%
Emotional/Behavioral/ Cognitive Problem (N = 154)	94.2% 98.7%	94.8% 91.6%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 154)	98.7%	91.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

AA Alternatives of Minnesota, Inc.

366 Prior Ave N. St. Paul, MN 55104

County: Ramsey

AA: 0.0% Tribal: 0.0%

Provider Website: www.aa-alternatives.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 18)} \\ Male: \ 61.1\% \\ Female: \ 38.9\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 18)} \\ White: \ 100.0\% \\ Black: \ 0.0\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 18)} \\ Under \ 18: \ 5.6\% \\ 18 \ to \ 25: \ 0.0\% \\ 26 \ to \ 34: \ 0.0\% \\ 35 \ and \ older: \ 94.4\% \\ Other: \ 0.0\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 18)	<u>(N = 18)</u>	<u>(N = 18)</u> .
Alcohol: 100.0%	Job: 88.9%	Self/family/relative/
Methamphetamine: 0.0%	Retirement/savings: 5.6%	friends: 50.0%
Marijuana: 0.0%	Family/friends: 5.6%	Employer/school: 5.6%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 0.0%
Cocaine: 0.0%	Public sources: 0.0%	Professional: 5.6%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 0.0%		service agency: 0.0%
		Other community
		resources: 38.9%

Outcomes

Discharge Status (N = 18) Completed program: 83.3% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 0.0% Death/other: 5.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

AA Alternatives of Minnesota, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 18)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 18)	11.1%	16.7%
Arrests past 30 days (N = 18)	22.2%	0.0%
Alcohol use past 30 days (N = 18)	72.2%	33.3%
Drug use past 30 days (N = 18)	0.0%	0.0%
No self-help group participation past 30 days (N = 18)	94.4%	94.4%
No family support for recovery past 30 days (N = 18)	16.7%	11.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 38.9%	Discharge 22.2%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =18) Biomedical Conditions and	38.9%	22.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =18) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/	38.9% 33.3%	22.2% 11.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 18) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/ Cognitive Problem (N = 18)	38.9% 33.3% 50.0%	22.2% 11.1% 11.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Counseling Treatment Services

112 5th Street Building Gaylord, MN 55334

County: Sibley

resources: 11.1%

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

(N = 45)

Gender (N = 45) Race (N = 45)Age (N = 45)Male: 80.0% White: 77.8% Under 18: 24.4% Female: 20.0% Black: 0.0% 18 to 25: 24.4% American Indian: 0.0% 26 to 34: 17.8% Hispanic: 20.0% 35 and older: 33.3% Asian/Pacific Islander: 0.0% Other: 2.2%

Primary Substance Source of Income Source of Referral (N = 45)(N = 45). Alcohol: 46.7% Self/family/relative/ Job: 40.0% friends: 64.4% Methamphetamine: 15.6% Retirement/savings: 0.0% Marijuana: 33.3% Family/friends: 37.8% Employer/school: 0.0% Heroin: 0.0% No income: 0.0% Criminal justice: 66.7% Cocaine: 2.2% Public sources: 6.7% Professional: 2.2% County social Other opiates: 0.0% Other sources: 15.6% Other drugs: 2.2% service agency: 42.2% Other community

Outcomes

Discharge Status <u>(N = 45</u>) Completed program: 60.0% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 8.9% Death/other: 20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Addiction Counseling Treatment Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 45)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 44)	36.4%	25.0%
Arrests past 30 days (N = 37)	13.5%	2.7%
Alcohol use past 30 days (N = 39)	28.2%	5.1%
Drug use past 30 days (N = 39)	23.1%	10.3%
No self-help group participation past 30 days (N = 29)	75.9%	20.7%
No family support for recovery past 30 days (N = 35)	8.6%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Dimensions of enemical float	AUTHISSIUT	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =45)	0.0%	Discharge 0.0%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =45) Biomedical Conditions and	0.0%	0.0%
Acute Intoxication/ Withdrawal (N =45) Biomedical Conditions and Complications (N = 45) Emotional/Behavioral/	0.0%	0.0%
Acute Intoxication/ Withdrawal (N =45) Biomedical Conditions and Complications (N = 45) Emotional/Behavioral/ Cognitive Problem (N = 45)	0.0% 4.4% 6.7%	0.0% 4.4% 13.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Recovery Technologies of Rochester

903 West Center Street Rochester, MN 55902

County: Olmsted

Provider Website:

Patient Profile

Gender (N = 17) Race (N = 17)Male: 64.7% White: 94.1% Female: 35.3% Black: 0.0% American Indian: 5.9% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 17)Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance	Source of Income
<u>(N = 17)</u>	<u>(N = 17)</u>
Alcohol: 47.1%	Job: 0.0%
Methamphetamine: 5.9%	Retirement/savings
Marijuana: 47.1%	Family/friends: 100
Heroin: 0.0%	No income: 0.0%
Cocaine: 0.0%	Public sources: 0.0
Other opiates: 0.0%	Other sources: 0.09
Other drugs: 0.0%	

17) 0.0% ement/savings: 0.0% ly/friends: 100.0% come: 0.0% c sources: 0.0% r sources: 0.0%

Source of Referral

(N = 17) . Self/family/relative/ friends: 58.8% Employer/school: 0.0% Criminal justice: 17.6% Professional: 52.9% County social service agency: 41.2% Other community resources: 17.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 17</u>) Completed program: 17.6% Patient left without staff approval: 52.9% Staff requested/judged inappropriate: 0.0% Death/other: 29.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Addiction Recovery Technologies of Rochester

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 17)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 16)	0.0%	0.0%
Arrests past 30 days (N = 17)	23.5%	5.9%
Alcohol use past 30 days (N = 17)	5.9%	11.8%
Drug use past 30 days (N = 17)	17.6%	23.5%
No self-help group participation past 30 days ($N = 17$)	76.5%	35.3%
No family support for recovery past 30 days (N = 17)	47.1%	23.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =17)	5.9%	5.9%
Biomedical Conditions and Complications $(N = 17)$	0.0%	5. 9 %
Emotional/Behavioral/ Cognitive Problem (N = 17)	70.6%	70.6%
Resistance to Change ($N = 17$)	88.2%	76.5%
Relapse/Continued Use Potential (N = 17)	100.0%	82.4%
Unsupportive Recovery Environment (N = 17)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Recovery Technology of Mankato

12 Civic Center Plaza Mankato, MN 560013661

County: Blue Earth

Provider Website:

Patient Profile

<u>Gender (N = 210)</u>	<u>Race (N = 210)</u>	<u>Age (N = 210)</u>
Male: 73.3%	White: 89.0%	Under 18: 37.1%
Female: 26.7%	Black: 3.3%	18 to 25: 21.4%
	American Indian: 0.5%	26 to 34: 15.7%
	Hispanic: 5.7%	35 and older: 25.7%
	Asian/Pacific Islander: 1.0%	
	Other: 0.5%	

Primary Substance (N = 210)
Alcohol: 48.1%
Methamphetamine: 6.2%
Marijuana: 35.2%
Heroin: 0.0%
Cocaine: 4.3%
Other opiates: 2.9%
Other drugs: 3.3%

Source of Income (N = 210)Job: 40.0% Retirement/savings: 1.0% Family/friends: 32.4% No income: 9.1% Public sources: 11.4% Other sources: 6.2%

Source of Referral

(N = 210) Self/family/relative/ friends: 43.8% Employer/school: 1.9% Criminal justice: 61.9% Professional: 29.0% County social service agency: 23.8% Other community resources: 15.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 210) Completed program: 51.0% Patient left without staff approval: 12.4% Staff requested/judged inappropriate: 9.1% Death/other: 27.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Addiction Recovery Technology of Mankato

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 204)	0.5%	0.5%
Not employed/student ^{\ddagger} (N = 192)	22.4%	16.7%
Arrests past 30 days (N = 201)	11.9%	5.5%
Alcohol use past 30 days (N = 170)	20.0%	10.6%
Drug use past 30 days (N = 171)	18.1%	21.6%
No self-help group participation past 30 days (N = 185)	51.9%	30.8%
No family support for recovery past 30 days (N = 178)	16.9%	16.9%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =203)	3.0%	7.9%
	3.0% 2.0%	7.9% 3.0%
Withdrawal (N =203) Biomedical Conditions and		
Withdrawal (N =203) Biomedical Conditions and Complications (N = 203) Emotional/Behavioral/	2.0%	3.0%
Withdrawal (N =203) Biomedical Conditions and Complications (N = 203) Emotional/Behavioral/ Cognitive Problem (N = 203)	2.0% 18.2%	3.0% 21.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Adolescent Substance Abuse Program at Woodland Hills

110 West Red Wing Street Duluth, MN 55803

County: St. Louis

Provider Website:

Patient Profile

Gender (N = 101) Race (N = 101)Age (N = 101)Male: 77.2% White: 37.6% Female: 22.8% Black: 20.8% American Indian: 18.8% Hispanic: 8.9% Asian/Pacific Islander: 6.9% Other: 6.9%

Under 18: 82.2% 18 to 25: 17.8% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 101)Alcohol: 22.8% Methamphetamine: 1.0% Marijuana: 68.3% Heroin: 0.0% Cocaine: 5.0% Other opiates: 0.0% Other drugs: 3.0%

Source of Income

(N = 101)Job: 3.0% Retirement/savings: 3.0% Family/friends: 83.2% No income: 0.0% Public sources: 3.0% Other sources: 7.9%

Source of Referral

(N<u>= 101)</u>. Self/family/relative/ friends: 0.0% Employer/school: 1.0% Criminal justice: 99.0% Professional: 0.0% County social service agency: 5.9% Other community resources: 1.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 101)Completed program: 93.1% Patient left without staff approval: 5.0% Staff requested/judged inappropriate: 2.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Adolescent Substance Abuse Program at Woodland Hills

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 101)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 97)	2.1%	0.0%
Arrests past 30 days (N = 100)	5.0%	2.0%
Alcohol use past 30 days (N = 98)	3.1%	3.1%
Drug use past 30 days (N = 98)	9.2%	4.1%
No self-help group participation past 30 days (N = 95)	10.5%	17.9%
No family support for recovery past 30 days (N = 91)	13.2%	14.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
•	<u>Admission</u> 0.0%	<u>Discharge</u> 1.0%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =101) Biomedical Conditions and	0.0%	1.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 101) Biomedical Conditions and Complications (N = 101) Emotional/Behavioral/	0.0% 0.0%	1.0% 1.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 101) Biomedical Conditions and Complications (N = 101) Emotional/Behavioral/ Cognitive Problem (N = 101)	0.0% 0.0% 15.8%	1.0% 1.0% 12.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Adolescent Treatment Center of Winnebago

550 Cleveland Ave. W. Winnebago, MN 56098

County: Faribault

Provider Website:

Patient Profile

Gender (N = 127) Race (N = 127)Age (N = 127)Male: 81.1% White: 80.3% Female: 18.9% Black: 0.8% American Indian: 2.4% Hispanic: 11.8% Asian/Pacific Islander: 0.8% Other: 3.9%

Primary Substance (N = 127) Alcohol: 13.4% Methamphetamine: 6.3% Marijuana: 73.2% Heroin: 0.0% Cocaine: 3.2% Other opiates: 0.0% Other drugs: 3.9%

Source of Income (N = 127)Job: 9.5% Retirement/savings: 0.0% Family/friends: 81.1% No income: 4.7% Public sources: 3.2% Other sources: 1.6%

Under 18: 96.9% 18 to 25: 3.2% 26 to 34: 0.0% 35 and older: 0.0%

Source of Referral

(N = 127). Self/family/relative/ friends: 51.2% Employer/school: 3.9% Criminal justice: 64.6% Professional: 15.0% County social service agency: 31.5% Other community resources: 11.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 127)Completed program: 81.9% Patient left without staff approval: 5.5% Staff requested/judged inappropriate: 11.8% Death/other: 0.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Adolescent Treatment Center of Winnebago

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 127)	0.8%	0.0%
Not employed/student ^{\ddagger} (N = 124)	5.7%	5.7%
Arrests past 30 days (N = 127)	21.3%	1.6%
Alcohol use past 30 days (N = 126)	50.0%	4.8%
Drug use past 30 days (N = 127)	70.1%	8.7%
No self-help group participation past 30 days (N = 127)	66.1%	24.4%
No family support for recovery past 30 days (N = 127)	0.8%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =127)	0.0%	1.6%
Biomedical Conditions and Complications ($N = 127$)	2.4%	2.4%
Emotional/Behavioral/ Cognitive Problem (N = 127)	42.5%	87.4%
Resistance to Change ($N = 127$)		aa <i>i</i> a <i>i</i>
	97.6%	90.6%
Relapse/Continued Use Potential (N = 127)	97.6% 100.0%	90.6% 98.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

African American Family Services, Inc.

1041 Selby Ave St. Paul, MN 554080900

County: Ramsey

Provider Website: www.aafs.net

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 61)} \\ Male: \ 75.4\% \\ Female: \ 24.6\% \\ \end{array} \begin{array}{c} \underline{Race \ (N = 61)} \\ White: \ 1.6\% \\ Black: \ 96.7\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 1.6\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \begin{array}{c} \underline{Age \ (N = 61)} \\ Under \ 18: \ 6.6\% \\ 18 \ to \ 25: \ 18.0\% \\ 26 \ to \ 34: \ 31.1\% \\ 35 \ and \ older: \ 44.3\% \\ Other: \ 0.0\% \end{array}$

Primary SubstanceS(N = 61)(Alcohol: 42.6%(Methamphetamine: 1.6%(Marijuana: 42.6%(Heroin: 1.6%(Cocaine: 11.5%(Other opiates: 0.0%(Other drugs: 0.0%(

Source of Income (N = 61)Job: 21.3% Retirement/savings: 0.0% Family/friends: 9.8% No income: 27.9% Public sources: 32.8% Other sources: 8.2%

Source of Referral

(N = 61) Self/family/relative/ friends: 24.6% Employer/school: 1.6% Criminal justice: 72.1% Professional: 1.6% County social service agency: 86.9% Other community resources: 3.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 61) Completed program: 23.0% Patient left without staff approval: 47.5% Staff requested/judged inappropriate: 9.8% Death/other: 19.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

African American Family Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 50)	0.0%	4.0%
Not employed/student ^{11} (N = 50)	66.0%	50.0%
Arrests past 30 days (N = 45)	13.3%	8.9%
Alcohol use past 30 days (N = 48)	50.0%	16.7%
Drug use past 30 days (N = 54)	70.4%	55.6%
No self-help group participation past 30 days (N = 51)	88.2%	66.7%
No family support for recovery past 30 days (N = 46)	56.5%	58.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =59)	3.4%	23.7%
Biomedical Conditions and Complications ($N = 60$)	0.0%	6.7%
Emotional/Behavioral/ Cognitive Problem (N = 60)	15.0%	55.0%
Resistance to Change ($N = 60$)	10.0%	66.7%
Relapse/Continued Use Potential (N = 60)	60.0%	76.7%
Unsupportive Recovery Environment (N = 60)	16.7%	53.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

African American Family Services, Inc.

2616 Nicollet Avenue South Minneapolis, MN 55411

County: Hennepin

Provider Website: www.aafs.net

Patient Profile

Gender (N = 145) Race (N = 145)Age (N = 145)Male: 55.2% White: 0.7% Under 18: 11.0% Female: 44.8% Black: 95.2% 18 to 25: 28.3% American Indian: 2.1% 26 to 34: 25.5% Hispanic: 0.0% 35 and older: 35.2% Asian/Pacific Islander: 0.0% Other: 2.1%

Source of Income

Primary Substance (N = 145) Alcohol: 31.0% Methamphetamine: 0.0% Marijuana: 46.9% Heroin: 1.4% Cocaine: 20.0% Other opiates: 0.0% Other drugs: 0.7%

(N = 145)Job: 20.0% Retirement/savings: 0.0% Family/friends: 13.8% No income: 31.0% Public sources: 33.1% Other sources: 2.1%

Source of Referral (N<u>= 145)</u>. Self/family/relative/ friends: 14.5% Employer/school: 3.5% Criminal justice: 66.2% Professional: 9.0% County social service agency: 80.0% Other community resources: 2.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 145)Completed program: 24.1% Patient left without staff approval: 43.4% Staff requested/judged inappropriate: 10.3% Death/other: 22.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

African American Family Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{11} (N = 143)	2.1%	4.2%
Not employed/student ^{\ddagger} (N = 140)	63.6%	56.4%
Arrests past 30 days (N = 142)	12.0%	8.5%
Alcohol use past 30 days (N = 131)	58.8%	17.6%
Drug use past 30 days (N = 131)	71.8%	48.9%
No self-help group participation past 30 days (N = 143)	89.5%	21.0%
No family support for recovery past 30 days (N = 141)	68.1%	20.6%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =143)	2.1%	8.4%
Biomedical Conditions and Complications ($N = 143$)	4.9%	7.0%
Emotional/Behavioral/ Cognitive Problem (N = 143)	9.8%	21.0%
Resistance to Change ($N = 144$)		58.3%
	14.6%	38.3%
Relapse/Continued Use Potential (N = 143)	14.6% 97.2%	66.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Ahnji-be-mah-diz Center Leech Lake Halfway House

16427 69th Avenue N.W. Cass Lake, MN 56633

County: Cass

Provider Website:

Patient Profile

Gender (N = 24) Age (N = 24)Race (N = 24)Male: 100.0% White: 0.0% Under 18: 0.0% Female: 0.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 24)Alcohol: 95.8% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 4.2% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 24)Job: 4.2% Retirement/savings: 0.0% Family/friends: 0.0% No income: 79.2% Public sources: 8.3% Other sources: 8.3%

18 to 25: 29.2% 26 to 34: 16.7% 35 and older: 54.2%

Source of Referral (N = 24). Self/family/relative/ friends: 45.8% Employer/school: 4.2% Criminal justice: 75.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 20.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 24</u>) Completed program: 41.7% Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 12.5% Death/other: 12.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Ahnji-be-mah-diz Center Leech Lake Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 21)	33.3%	4.8%
Not employed/student ^{\ddagger} (N = 21)	95.2%	66.7%
Arrests past 30 days (N = 21)	23.8%	4.8%
Alcohol use past 30 days (N = 19)	10.5%	26.3%
Drug use past 30 days (N = 17)	5.9%	0.0%
No self-help group participation past 30 days ($N = 21$)	9.5%	4.8%
No family support for recovery past 30 days (N = 14)	0.0%	28.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =24)	4.2%	12.5%
Biomedical Conditions and Complications $(N = 24)$	4.2%	20.8%
Emotional/Behavioral/ Cognitive Problem (N = 23)	21.7%	52.2%
Resistance to Change ($N = 24$)	41.7%	54.2%
Relapse/Continued Use Potential (N = 24)	50.0%	41.7%
Unsupportive Recovery Environment (N = 24)	58.3%	41.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Alliance Clinic LLC

3329 University Aveune SE Minneapolis, MN 55414

County: Hennepin

AA: 0.0% Tribal: 1.3%

Provider Website: www.meridiannetwork.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 80)} \\ Male: 68.8\% \\ Female: 31.3\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 80)} \\ White: 41.3\% \\ Black: 41.3\% \\ American Indian: 8.8\% \\ Hispanic: 2.5\% \\ Asian/Pacific Islander: 5.0\% \\ Other: 1.3\% \end{array} \qquad \begin{array}{c} \underline{Age (N = 80)} \\ Under 18: 0.0\% \\ 18 to 25: 5.0\% \\ 26 to 34: 25.0\% \\ 35 and older: 70.0\% \\ 35 and older: 70.0\% \\ \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 79)	<u>(N = 80)</u>	<u>(N = 80)</u> .
Alcohol: 1.3%	Job: 15.0%	Self/family/relative/
Methamphetamine: 0.0%	Retirement/savings: 1.3%	friends: 30.0%
Marijuana: 0.0%	Family/friends: 5.0%	Employer/school: 0.0%
Heroin: 77.2%	No income: 20.0%	Criminal justice: 3.8%
Cocaine: 0.0%	Public sources: 47.5%	Professional: 21.3%
Other opiates: 20.3%	Other sources: 11.3%	County social
Other drugs: 1.3%		service agency: 68.8%
		Other community
		resources: 5.0%

Outcomes

Discharge Status (N = 80) Completed program: 2.5% Patient left without staff approval: 35.0% Staff requested/judged inappropriate: 21.3% Death/other: 41.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Alliance Clinic LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 74)	14.9%	10.8%
Not employed/student ^{\ddagger} (N = 69)	85.5%	78.3%
Arrests past 30 days (N = 66)	21.2%	13.6%
Alcohol use past 30 days (N = 76)	25.0%	4.0%
Drug use past 30 days (N = 77)	80.5%	66.2%
No self-help group participation past 30 days (N = 24)	83.3%	70.8%
No family support for recovery past 30 days (N = 11)	63.6%	63.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	<u>Admission</u> 55.7%	<u>Discharge</u> 53.2%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =79) Biomedical Conditions and	55.7%	53.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 79) Biomedical Conditions and Complications (N = 79) Emotional/Behavioral/	55.7% 25.3%	53.2% 16.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =79) Biomedical Conditions and Complications (N = 79) Emotional/Behavioral/ Cognitive Problem (N = 79)	55.7% 25.3% 50.6%	53.2% 16.5% 54.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Amethyst Outpatient C.D. Program

1405 Silver Lake Road New Brighton, MN 55112

County: Ramsey

Provider Website:

Patient Profile

 Gender (N = 110)
 Race (N = 110)

 Male: 69.1%
 White: 85.5%

 Female: 30.9%
 Black: 7.3%

 American Indian: 2.7%
 Hispanic: 3.6%

 Asian/Pacific Islander: 0.0%
 Other: 0.9%

<u>Age (N = 110)</u> Under 18: 0.0% 18 to 25: 26.4% 26 to 34: 20.9% 35 and older: 52.7%

Primary Substance (N = 110) Alcohol: 70.0% Methamphetamine: 6.4% Marijuana: 16.4% Heroin: 0.0% Cocaine: 4.6%

Other opiates: 1.8%

Other drugs: 0.9%

Source of Income

(N = 110) Job: 68.2% Retirement/savings: 2.7% Family/friends: 21.8% No income: 2.7% Public sources: 1.8% Other sources: 2.7%

Source of Referral

(N = 110) Self/family/relative/ friends: 55.5% Employer/school: 14.5% Criminal justice: 50.9% Professional: 20.9% County social service agency: 17.3% Other community resources: 15.5% AA: 0.9% Tribal: 0.0%

Outcomes

Discharge Status (N = 110) Completed program: 68.2% Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 18.2% Death/other: 4.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Amethyst Outpatient C.D. Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 110)	0.0%	0.9%
Not employed/student ^{\ddagger} (N = 110)	31.8%	29.1%
Arrests past 30 days (N = 110)	1.8%	0.0%
Alcohol use past 30 days (N = 110)	56.4%	11.8%
Drug use past 30 days (N = 110)	31.8%	10.0%
No self-help group participation past 30 days (N = 105)	69 .5%	14.3%
No family support for recovery past 30 days (N = 109)	0.9%	0.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =110)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 110$)	1.8%	1.8%
Emotional/Behavioral/ Cognitive Problem (N = 110)	71.8%	58.2%
Resistance to Change ($N = 110$)	5.5%	21.8%
Relapse/Continued Use Potential (N = 110)	86.4%	37.3%
Unsupportive Recovery Environment (N = 110)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center

1517 East Highway 13 Burnsville, MN 553372917

County: Dakota

AA: 0.0% Tribal: 0.0%

Provider Website: www.anthonylouiscenter.com

Patient Profile

 Gender (N = 89)
 Race (N = 89)
 Age (N = 89)

 Male: 67.4%
 White: 85.4%
 Under 18: 100.0%

 Female: 32.6%
 Black: 4.5%
 18 to 25: 0.0%

 American Indian: 2.3%
 26 to 34: 0.0%

 Hispanic: 0.0%
 35 and older: 0.0%

 Asian/Pacific Islander: 2.3%
 Other: 5.6%

Primary Substance	Source of Income	Source of Referral
(N = 89)	<u>(N = 89)</u>	<u>(N = 89)</u> .
Alcohol: 16.9%	Job: 0.0%	Self/family/relative/
Methamphetamine: 1.1%	Retirement/savings: 0.0%	friends: 88.8%
Marijuana: 77.5%	Family/friends: 95.5%	Employer/school: 38.2%
Heroin: 0.0%	No income: 2.3%	Criminal justice: 18.0%
Cocaine: 3.4%	Public sources: 0.0%	Professional: 33.7%
Other opiates: 0.0%	Other sources: 2.3%	County social
Other drugs: 1.1%		service agency: 4.5%
		Other community
		resources: 13.5%

Outcomes

Discharge Status (N = 89) Completed program: 59.6% Patient left without staff approval: 4.5% Staff requested/judged inappropriate: 2.3% Death/other: 33.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Anthony Louis Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 88)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 88)	1.1%	0.0%
Arrests past 30 days (N = 64)	7.8%	1.6%
Alcohol use past 30 days (N = 89)	40.4%	4.5%
Drug use past 30 days (N = 89)	86.5%	34.8%
No self-help group participation past 30 days (N = 20)	45.0%	30.0%
No family support for recovery past 30 days (N = 21)	33.3%	33.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
•	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =89) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =89) Biomedical Conditions and Complications (N = 89) Emotional/Behavioral/	0.0%	0.0% 3.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =89) Biomedical Conditions and Complications (N = 89) Emotional/Behavioral/ Cognitive Problem (N = 89)	0.0% 2.3% 79.8%	0.0% 3.4% 69.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center North

1000 Paul Parkway Blaine, MN 55434

County: Anoka

Provider Website:

Patient Profile

<u>Gender (N = 83)</u> Male: 77.1% Female: 22.9% Race (N = 83) White: 74.7% Black: 10.8% American Indian: 2.4% Hispanic: 6.0% Asian/Pacific Islander: 6.0% Other: 0.0% <u>Age (N = 83)</u> Under 18: 98.8% 18 to 25: 1.2% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 83) Alcohol: 13.3% Methamphetamine: 0.0% Marijuana: 80.7% Heroin: 0.0% Cocaine: 3.6% Other opiates: 0.0% Other drugs: 2.4% Source of Income (N = 83)

<u>N = 83)</u> Job: 2.4% Retirement/savings: 0.0% Family/friends: 95.2% No income: 1.2% Public sources: 0.0% Other sources: 1.2%

Source of Referral

(N = 83) Self/family/relative/ friends: 83.1% Employer/school: 13.3% Criminal justice: 25.3% Professional: 53.0% County social service agency: 8.4% Other community resources: 8.4% AA: 1.2% Tribal: 0.0%

Outcomes

Discharge Status (N = 83) Completed program: 63.9% Patient left without staff approval: 4.8% Staff requested/judged inappropriate: 16.9% Death/other: 14.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Anthony Louis Center North

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 83)	1.2%	1.2%
Not employed/student ^{\ddagger} (N = 82)	0.0%	0.0%
Arrests past 30 days (N = 80)	15.0%	13.8%
Alcohol use past 30 days (N = 83)	71.1%	44.6%
Drug use past 30 days (N = 83)	84.3%	60.2%
No self-help group participation past 30 days (N = 59)	89 .8%	81.4%
No family support for recovery past 30 days (N = 73)	41.1%	57.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =83)	8.4%	3.6%
Biomedical Conditions and Complications $(N = 83)$	14.5%	13.3%
Emotional/Behavioral/ Cognitive Problem (N = 82)	68.3%	70.7%
Resistance to Change ($N = 82$)	81.7%	59.8%
Relapse/Continued Use Potential (N = 81)	93.8%	80.2%
Unsupportive Recovery Environment (N = 81)	50.6%	43.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center of Woodbury

7700 Hudson Road Woodbury, MN 551251469

County: Washington

Provider Website:

Patient Profile

Primary SubstanceSo(N = 76)(NAlcohol: 17.1%JaMethamphetamine: 1.3%RMarijuana: 80.3%FHeroin: 0.0%NCocaine: 1.3%POther opiates: 0.0%COther drugs: 0.0%C

Source of Income (N = 78)

Job: 2.6% Retirement/savings: 1.3% Family/friends: 91.0% No income: 2.6% Public sources: 0.0% Other sources: 2.6%

Source of Referral (N = 78) Self/family/relative/ friends: 82.1% Employer/school: 37.2% Criminal justice: 9.0% Professional: 24.4% County social service agency: 5.1% Other community resources: 41.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 78) Completed program: 74.4% Patient left without staff approval: 2.6% Staff requested/judged inappropriate: 9.0% Death/other: 14.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Anthony Louis Center of Woodbury

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 78)	0.0%	0.0%
Not employed/student ^{ii} (N = 67)	1.5%	0.0%
Arrests past 30 days (N = 68)	8.8%	7.4%
Alcohol use past 30 days (N = 67)	56.7%	10.4%
Drug use past 30 days (N = 74)	33.8%	23.0%
No self-help group participation past 30 days (N = 12)	66.7%	66.7%
No family support for recovery past 30 days (N = 70)	0.0%	4.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =77)	0.0%	1.3%
Biomedical Conditions and Complications ($N = 77$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 77)	13.0%	19.5%
Resistance to Change ($N = 78$)	6.4%	16.7%
Relapse/Continued Use Potential (N = 78)	12.8%	26.9%
Unsupportive Recovery Environment (N = 77)	11.7%	20.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

ARK Counseling

1884 Berkshire Lane Plymouth, MN 55411

County: Hennepin

Provider Website: www.ark-lifestyle.com

Patient Profile

<u>Gender (N = 112)</u>	<u>Race (N = 112)</u>	<u>Age (N = 112)</u>
Male: 69.6%	White: 83.0%	Under 18: 0.0%
Female: 30.4%	Black: 6.3%	18 to 25: 24.1%
	American Indian: 2.7%	26 to 34: 19.6%
	Hispanic: 3.6%	35 and older: 56.3%
	Asian/Pacific Islander: 1.8%	
	Other: 2.7%	

Primary Substance (N = 111) Alcohol: 73.0% Methamphetamine: 5.4% Marijuana: 11.7% Heroin: 0.0% Cocaine: 7.2% Other opiates: 0.9% Other drugs: 1.8%

Source of Income

(N = 112) Job: 73.2% Retirement/savings: 3.6% Family/friends: 2.7% No income: 9.8% Public sources: 3.6% Other sources: 7.1%

Source of Referral

(N = 112) Self/family/relative/ friends: 24.1% Employer/school: 0.9% Criminal justice: 49.1% Professional: 19.6% County social service agency: 67.0% Other community resources: 8.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 112) Completed program: 69.6% Patient left without staff approval: 21.4% Staff requested/judged inappropriate: 7.1% Death/other: 1.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

ARK Counseling

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 102)	2.0%	1.0%
Not employed/student ^{\ddagger} (N = 98)	31.6%	23.5%
Arrests past 30 days (N = 111)	11.7%	1.8%
Alcohol use past 30 days (N = 112)	45.5%	17.9%
Drug use past 30 days (N = 112)	29.5%	12.5%
No self-help group participation past 30 days (N = 71)	70.4%	26.8%
No family support for recovery past 30 days (N = 73)	9.6%	17.8%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
•	Admission 3.6%	<u>Discharge</u> 11.8%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =110) Biomedical Conditions and	3.6%	11.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 110) Biomedical Conditions and Complications (N = 111) Emotional/Behavioral/	3.6% 4.5%	11.8% 27.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =110) Biomedical Conditions and Complications (N = 111) Emotional/Behavioral/ Cognitive Problem (N = 112)	3.6% 4.5% 68.8%	11.8% 27.9% 36.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Arrowhead Center, Inc.

505 12th Avenue West Virginia, MN 557923078

Provider Website:

Patient Profile

Gender (N = 150)

Female: 35.3%

Male: 64.7%

Race (N = 150) White: 86.0% Black: 2.7% American Indian: 7.3% Hispanic: 2.7% Asian/Pacific Islander: 0.0% Other: 1.3% Age (N = 150) Under 18: 24.7% 18 to 25: 25.3% 26 to 34: 21.3% 35 and older: 28.7%

County: St. Louis

Primary Substance (N = 149) Alcohol: 45.0% Methamphetamine: 13.4% Marijuana: 36.2% Heroin: 0.0%

Cocaine: 1.3% Other opiates: 2.0%

Other drugs: 2.0%

Source of Income

(N = 150) Job: 44.7% Retirement/savings: 2.7% Family/friends: 29.3% No income: 7.3% Public sources: 10.0% Other sources: 6.0%

Source of Referral

(N = 150) Self/family/relative/ friends: 20.0% Employer/school: 2.0% Criminal justice: 71.3% Professional: 14.0% County social service agency: 22.0% Other community resources: 1.3% AA: 0.0% Tribal: 0.7%

Outcomes

Discharge Status (N = 150) Completed program: 50.7% Patient left without staff approval: 12.0% Staff requested/judged inappropriate: 16.7% Death/other: 20.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Arrowhead Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 148)	0.0%	0.7%
Not employed/student ^{ii} (N = 145)	34.5%	30.3%
Arrests past 30 days (N = 143)	16.1%	13.3%
Alcohol use past 30 days (N = 117)	24.8%	8.6%
Drug use past 30 days (N = 112)	25.9%	14.3%
No self-help group participation past 30 days (N = 133)	63.9%	12.0%
No family support for recovery past 30 days (N = 136)	18.4%	20.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	
	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =148)	<u>Admission</u> 0.7%	Discharge 4.7%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =148) Biomedical Conditions and	0.7%	4.7%
Acute Intoxication/ Withdrawal (N =148) Biomedical Conditions and Complications (N = 150) Emotional/Behavioral/	0.7% 5.3%	4.7% 7.3%
Acute Intoxication/ Withdrawal (N =148) Biomedical Conditions and Complications (N = 150) Emotional/Behavioral/ Cognitive Problem (N = 150)	0.7% 5.3% 22.0%	4.7% 7.3% 24.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Ashley House, Inc. d.b.a. Road to Recovery

308 West Ashley Street Jackson, MN 56143

County: Jackson

Provider Website:

Patient Profile

Gender (N = 31) Race (N = 31)Male: 58.1% White: 87.1% Female: 41.9% Black: 3.2% American Indian: 3.2% Hispanic: 6.5% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 31)Under 18: 3.2% 18 to 25: 22.6% 26 to 34: 25.8% 35 and older: 48.4%

resources: 25.8%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 31)	<u>(N = 31)</u>	<u>(N = 31)</u> .
Alcohol: 80.6%	Job: 64.5%	Self/family/relative/
Methamphetamine: 3.2%	Retirement/savings: 3.2%	friends: 25.8%
Marijuana: 16.1%	Family/friends: 16.1%	Employer/school: 0.0%
Heroin: 0.0%	No income: 3.2%	Criminal justice: 58.1%
Cocaine: 0.0%	Public sources: 6.5%	Professional: 16.1%
Other opiates: 0.0%	Other sources: 6.5%	County social
Other drugs: 0.0%		service agency: 61.3%
		Other community

Outcomes

Discharge Status <u>(N = 31</u>) Completed program: 74.2% Patient left without staff approval: 22.6% Staff requested/judged inappropriate: 0.0% Death/other: 3.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Ashley House, Inc. d.b.a. Road to Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 31)	0.0%	0.0%
Not employed/student ^{III} (N = 30)	33.3%	30.0%
Arrests past 30 days (N = 31)	3.2%	0.0%
Alcohol use past 30 days (N = 31)	22.6%	3.2%
Drug use past 30 days (N = 31)	16.1%	3.2%
No self-help group participation past 30 days ($N = 31$)	51.6%	29.0%
No family support for recovery past 30 days (N = 29)	3.5%	3.5%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =31)	3.2%	6.5%
Biomedical Conditions and Complications $(N = 31)$	0.0%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 31)	6.5%	9.7%
Resistance to Change ($N = 31$)	19.4%	22.6%
Relapse/Continued Use Potential (N = 31)	51.6%	29.0%
Unsupportive Recovery Environment (N = 31)	22.6%	16.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Austin Medical-Mayo Health System

101 14th Street NW Austin, MN 55912

County: Mower

AA: 1.2% Tribal: 0.0%

Provider Website: www.mayohealthsystem.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 82)} \\ Male: \ 62.2\% \\ Female: \ 37.8\% \\ \end{array} \qquad \begin{array}{c|c} \underline{Race \ (N = 82)} \\ White: \ 87.8\% \\ Black: \ 1.2\% \\ American \ Indian: \ 1.2\% \\ Hispanic: \ 3.7\% \\ Asian/Pacific \ Islander: \ 1.2\% \\ Other: \ 4.9\% \\ \end{array} \qquad \begin{array}{c|c} \underline{Age \ (N = 82)} \\ Under \ 18: \ 23.2\% \\ 18 \ to \ 25: \ 32.9\% \\ 26 \ to \ 34: \ 17.1\% \\ 35 \ and \ older: \ 26.8\% \\ Asian \ Other: \ 4.9\% \\ \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 82)	<u>(N = 82)</u>	(N = 82) .
Alcohol: 65.9%	Job: 52.4%	Self/family/relative/
Methamphetamine: 7.3%	Retirement/savings: 1.2%	friends: 61.0%
Marijuana: 24.4%	Family/friends: 28.0%	Employer/school: 3.7%
Heroin: 0.0%	No income: 3.7%	Criminal justice: 56.1%
Cocaine: 1.2%	Public sources: 9.8%	Professional: 17.1%
Other opiates: 0.0%	Other sources: 4.9%	County social
Other drugs: 1.2%		service agency: 3.7%
		Other community
		resources: 26.8%

Outcomes

Discharge Status (N = 82) Completed program: 65.9% Patient left without staff approval: 20.7% Staff requested/judged inappropriate: 0.0% Death/other: 13.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Austin Medical-Mayo Health System

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 81)	0.0%	1.2%
Not employed/student ^{\ddagger} (N = 78)	24.4%	25.6%
Arrests past 30 days (N = 82)	15.9%	7.3%
Alcohol use past 30 days (N = 82)	29.3%	17.1%
Drug use past 30 days (N = 82)	25.6%	9.8%
No self-help group participation past 30 days (N = 79)	39.2%	27.8%
No family support for recovery past 30 days (N = 68)	13.2%	14.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	2.7%	1.4%
Biomedical Conditions and Complications $(N = 75)$	12.0%	4.0%
Emotional/Behavioral/ Cognitive Problem (N = 75)	40.0%	24.0%
Resistance to Change ($N = 75$)	62.7%	32.0%
Relapse/Continued Use Potential (N = 75)	69.3%	32.0%
Unsupportive Recovery		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon - Dakota County Twin Town Dakota County Jail Program

Dakota County Workhouse Hastings, MN 55033

County: Dakota

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 1)</u> Male: * Female: *	Race (N = 1) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 1) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 1) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 1) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 1) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon - Dakota County Twin Town Dakota County Jail Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 1)	*	*
Not employed/student ^{\ddagger} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days ($N = 1$)	*	*
No family support for recovery past 30 days (N = 1)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	<u>Admission</u> *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon - Pine City

645 3rd Ave SW Pine City, MN 55063

Provider Website:

Patient Profile

Gender (N = 85)

Female: 22.4%

Male: 77.6%

Race (N = 85) White: 87.1% Black: 3.5% American Indian: 2.4% Hispanic: 1.2% Asian/Pacific Islander: 0.0% Other: 5.9%

<u>Age (N = 85)</u> Under 18: 0.0% 18 to 25: 24.7% 26 to 34: 31.8% 35 and older: 43.5%

County: Pine

Primary Substance (N = 85) Alcohol: 61.2% Methamphetamine: 12.9% Marijuana: 20.0% Heroin: 0.0% Cocaine: 3.5% Other opiates: 2.4% Other drugs: 0.0% Source of Income (N = 85)Job: 54.1% Retirement/savings: 1.2% Family/friends: 10.6% No income: 9.4% Public sources: 11.8% Other sources: 12.9%

Source of Referral

(N = 85) Self/family/relative/ friends: 58.8% Employer/school: 1.2% Criminal justice: 72.9% Professional: 25.9% County social service agency: 20.0% Other community resources: 7.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 85) Completed program: 69.4% Patient left without staff approval: 22.4% Staff requested/judged inappropriate: 4.7% Death/other: 3.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon - Pine City

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 84)	1.2%	1.2%
Not employed/student ^{\ddagger} (N = 80)	50.0%	41.3%
Arrests past 30 days (N = 79)	5.1%	5.1%
Alcohol use past 30 days (N = 76)	10.5%	2.6%
Drug use past 30 days (N = 77)	13.0%	6.5%
No self-help group participation past 30 days (N = 55)	65.5%	61.8%
No family support for recovery past 30 days (N = 62)	4.8%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =85)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 85$)	1.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 85)	17.6%	9.4%
Resistance to Change ($N = 85$)	40.0%	28.2%
Relapse/Continued Use Potential (N = 85)	65.9%	34.1%
Unsupportive Recovery Environment (N = 85)	27.1%	22.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC Eagan

1230 Eagan Industrial Blvd. Eagan, MN 55121

County: Dakota

Provider Website:

Patient Profile

 Gender (N = 110)
 Race (N = 110)

 Male: 67.3%
 White: 84.5%

 Female: 32.7%
 Black: 7.3%

 American Indian: 1.8%
 Hispanic: 4.6%

Asian/Pacific Islander: 0.9% Other: 0.9% <u>Age (N = 110)</u> Under 18: 0.0% 18 to 25: 29.1% 26 to 34: 25.5% 35 and older: 45.5%

Primary Substance (N = 110) Alcohol: 74.5% Methamphetamine: 6.4% Marijuana: 10.9% Heroin: 0.0% Cocaine: 4.6% Other opiates: 2.7%

Other drugs: 0.9%

Source of Income

(N = 110) Job: 70.0% Retirement/savings: 1.8% Family/friends: 8.2% No income: 7.3% Public sources: 9.1% Other sources: 3.6%

Source of Referral

(N = 110) Self/family/relative/ friends: 45.5% Employer/school: 3.6% Criminal justice: 42.7% Professional: 23.6% County social service agency: 23.6% Other community resources: 35.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 110) Completed program: 51.8% Patient left without staff approval: 27.3% Staff requested/judged inappropriate: 17.3% Death/other: 3.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon Programs LLC Eagan

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 108)	0.9%	0.0%
Not employed/student ^{\ddagger} (N = 93)	22.6%	12.9%
Arrests past 30 days (N = 108)	17.6%	0.9%
Alcohol use past 30 days (N = 110)	43.6%	7.3%
Drug use past 30 days (N = 109)	22.9%	5.5%
No self-help group participation past 30 days (N = 87)	64.4%	9.2%
No family support for recovery past 30 days (N = 84)	2.4%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =108)	5.6%	0.0%
Biomedical Conditions and Complications ($N = 110$)	5.5%	2.7%
Emotional/Behavioral/ Cognitive Problem (N = 110)	35.5%	27.3%
Resistance to Change ($N = 110$)	15.5%	36.4%
Resistance to Change (N = 110) Relapse/Continued Use Potential (N = 110)	15.5% 85.5%	36.4% 54.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC of Cottage Grove

7501 80th Street South #6 Cottage Grove, MN 550163020

County: Washington

Provider Website:

Patient Profile

Gender (N = 89) Race (N = 89)Age (N = 89)Male: 69.7% White: 88.8% Under 18: 2.3% Female: 30.3% Black: 2.3% 18 to 25: 19.1% American Indian: 1.1% 26 to 34: 19.1% Hispanic: 6.7% 35 and older: 59.6% Asian/Pacific Islander: 1.1% Other: 0.0%

Primary Substance (N = 89) Alcohol: 71.9% Methamphetamine: 12.4% Marijuana: 12.4% Heroin: 1.1% Cocaine: 2.3% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 89)Job: 56.2% Retirement/savings: 1.1% Family/friends: 24.7% No income: 4.5% Public sources: 7.9% Other sources: 5.6%

Source of Referral (N<u>= 89)</u>. Self/family/relative/ friends: 68.5% Employer/school: 10.1% Criminal justice: 43.8% Professional: 5.6% County social service agency: 27.0% Other community resources: 42.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 89)Completed program: 52.8% Patient left without staff approval: 25.8% Staff requested/judged inappropriate: 12.4% Death/other: 9.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon Programs LLC of Cottage Grove

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 88)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 57)	22.8%	12.3%
Arrests past 30 days (N = 88)	9.1%	4.6%
Alcohol use past 30 days (N = 89)	59.6%	10.1%
Drug use past 30 days (N = 89)	30.3%	5.6%
No self-help group participation past 30 days (N = 56)	50.0%	8.9%
No family support for recovery past 30 days (N = 67)	3.0%	6.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =70)	0.0%	2.9%
Biomedical Conditions and Complications $(N = 72)$	2.8%	2.8%
Emotional/Behavioral/ Cognitive Problem (N = 70)	54.3%	24.3%
Resistance to Change ($N = 73$)	6.9%	15.1%
Relapse/Continued Use Potential (N = 70)	94.3%	35.7%
Unsupportive Recovery Environment (N = 73)	30.1%	20.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC Stillwater

1825 Curve Crest Blvd West Stillwater, MN 550826054

County: Washington

Provider Website: www.meridiannetwork.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 97)} \\ Male: 59.8\% \\ Female: 40.2\% \end{array} \begin{array}{c} \underline{Race \ (N = 97)} \\ White: 96.9\% \\ Black: 0.0\% \\ American Indian: 1.0\% \\ Hispanic: 0.0\% \\ Asian/Pacific Islander: 1.0\% \\ Other: 1.0\% \end{array} \begin{array}{c} \underline{Age \ (N = 97)} \\ Under 18: 0.0\% \\ 18 to 25: 19.6\% \\ 26 to 34: 23.7\% \\ 35 and older: 56.7\% \\ 35 and older: 56.7\% \\ \end{array}$

Primary Substance (N = 97) Alcohol: 71.1% Methamphetamine: 12.4% Marijuana: 8.3% Heroin: 0.0% Cocaine: 7.2% Other opiates: 1.0% Other drugs: 0.0% Source of Income (N = 97) Job: 61.9% Retirement/savings: 3.1% Family/friends: 20.6% No income: 2.1% Public sources: 5.2% Other sources: 7.2%

Source of Referral

(N = 97) Self/family/relative/ friends: 54.6% Employer/school: 8.3% Criminal justice: 27.8% Professional: 28.9% County social service agency: 28.9% Other community resources: 11.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 97) Completed program: 54.6% Patient left without staff approval: 5.2% Staff requested/judged inappropriate: 34.0% Death/other: 6.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon Programs LLC Stillwater

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 96)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 89)	27.0%	22.5%
Arrests past 30 days (N = 66)	12.1%	3.0%
Alcohol use past 30 days (N = 56)	46.4%	3.6%
Drug use past 30 days (N = 56)	17.9%	0.0%
No self-help group participation past 30 days ($N = 78$)	53.8%	17.9%
No family support for recovery past 30 days (N = 76)	1.3%	4.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =65)	4.6%	4.6%
Biomedical Conditions and Complications ($N = 94$)	5.3%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 95)	66.3%	48.4%
Resistance to Change ($N = 97$)	24.7%	49.5%
Relapse/Continued Use Potential (N = 90)	86.7%	65.6%
Unsupportive Recovery Environment (N = 85)	40.0%	37.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC-Ramsey County Correctional Facility

297 Century Avenue Maplewood, MN 55119

County: Ramsey

Provider Website:

Patient Profile

 Gender (N = 117)
 Race (N = 117)

 Male: 100.0%
 White: 39.3%

 Female: 0.0%
 Black: 41.9%

 American Indian: 8.6%
 Hispanic: 7.7%

 Asian/Pacific Islander: 1.7%
 Other: 0.9%

<u>Age (N = 117)</u> Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 31.6% 35 and older: 35.0%

Primary Substance (N = 117) Alcohol: 31.6% Methamphetamine: 18.8% Marijuana: 36.8% Heroin: 0.9% Cocaine: 11.1% Other opiates: 0.9% Other drugs: 0.0%

Source of Income

(N = 117) Job: 53.8% Retirement/savings: 0.0% Family/friends: 8.6% No income: 14.5% Public sources: 7.7% Other sources: 15.4%

Source of Referral

(N = 117) Self/family/relative/ friends: 3.4% Employer/school: 0.0% Criminal justice: 98.3% Professional: 0.9% County social service agency: 94.0% Other community resources: 3.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 117) Completed program: 49.6% Patient left without staff approval: 37.6% Staff requested/judged inappropriate: 8.6% Death/other: 4.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon Programs LLC-Ramsey County Correctional Facility

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 45)	0.0%	2.2%
Not employed/student ^{\ddagger} (N = 28)	82.1%	35.7%
Arrests past 30 days (N = 81)	8.6%	7.4%
Alcohol use past 30 days (N = 69)	7.3%	4.4%
Drug use past 30 days (N = 70)	10.0%	8.6%
No self-help group participation past 30 days (N = 34)	61.8%	23.5%
No family support for recovery past 30 days (N = 44)	20.5%	4.6%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =117)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 117$)	1.7%	1.7%
Emotional/Behavioral/ Cognitive Problem (N = 116)	20.7%	16.4%
Resistance to Change (N = 117)	32.5%	42.7%
Relapse/Continued Use Potential (N = 117)	100.0%	5 9 .0%
Unsupportive Recovery Environment (N = 115)	47.0%	33.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Prospect Park

2800 University Ave SE Mpls, MN 55414

County: Hennepin

Provider Website: www.meridiannetwork.com

Patient Profile

Gender (N = 72) Race (N = 72)Age (N = 72)Male: 93.1% White: 86.1% Under 18: 0.0% Female: 6.9% Black: 11.1% 18 to 25: 19.4% American Indian: 0.0% 26 to 34: 25.0% Hispanic: 0.0% Asian/Pacific Islander: 1.4% Other: 1.4%

(N = 72)

Job: 29.2%

Primary Substance (N = 72) Alcohol: 55.6% Methamphetamine: 5.6% Marijuana: 12.5% Heroin: 4.2% Cocaine: 15.3% Other opiates: 4.2% Other drugs: 2.8%

35 and older: 55.6%

Source of Income Source of Referral (N = 72) . Self/family/relative/ friends: 20.8% Retirement/savings: 5.6% Family/friends: 16.7% Employer/school: 5.6% No income: 20.8% Criminal justice: 40.3% Public sources: 20.8% Professional: 72.2% Other sources: 6.9% County social service agency: 18.1% Other community resources: 9.7% AA: 0.0%

Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 72</u>) Completed program: 27.8% Patient left without staff approval: 22.2% Staff requested/judged inappropriate: 44.4% Death/other: 5.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon Prospect Park

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 68)	4.4%	7.4%
Not employed/student ^{\ddagger} (N = 65)	73.8%	67.7%
Arrests past 30 days (N = 65)	7.7%	6.2%
Alcohol use past 30 days (N = 33)	15.2%	12.1%
Drug use past 30 days (N = 34)	14.7%	11.8%
No self-help group participation past 30 days (N = 30)	50.0%	30.0%
No family support for recovery past 30 days (N = 43)	7.0%	14.0%
- · · -		
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission 1.7%	<u>Discharge</u> 1.7%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =59) Biomedical Conditions and	1.7%	1.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =59) Biomedical Conditions and Complications (N = 68) Emotional/Behavioral/	1.7% 5.9%	1.7% 7.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =59) Biomedical Conditions and Complications (N = 68) Emotional/Behavioral/ Cognitive Problem (N = 68)	1.7% 5.9% 76.5%	1.7% 7.4% 55.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Aitkin County

3 3rd Street N.E. Aitkin, MN 56431

Provider Website:

Patient Profile

<u>Gender (N = 12)</u> Male: 58.3% Female: 41.7% Race (N = 12) White: 91.7% Black: 0.0% American Indian: 0.0% Hispanic: 8.3% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 12)</u> Under 18: 0.0% 18 to 25: 16.7% 26 to 34: 41.7% 35 and older: 41.7%

County: Aitkin

Primary Substance (N = 12) Alcohol: 50.0% Methamphetamine: 25.0% Marijuana: 16.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 8.3% Other drugs: 0.0%

Source of Income (N = 12)

Job: 66.7% Retirement/savings: 8.3% Family/friends: 8.3% No income: 8.3% Public sources: 0.0% Other sources: 8.3%

Source of Referral

(N = 12) Self/family/relative/ friends: 16.7% Employer/school: 8.3% Criminal justice: 58.3% Professional: 25.0% County social service agency: 83.3% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 12) Completed program: 58.3% Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 0.0% Death/other: 25.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon-Aitkin County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 12)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 12)	33.3%	33.3%
Arrests past 30 days (N = 12)	25.0%	0.0%
Alcohol use past 30 days (N = 12)	33.3%	0.0%
Drug use past 30 days (N = 12)	25.0%	0.0%
No self-help group participation past 30 days (N = 12)	41.7%	41.7%
No family support for recovery past 30 days (N = 12)	0.0%	16.7%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 12) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 12) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/	0.0%	0.0% 8.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =12) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/ Cognitive Problem (N = 12)	0.0% 25.0% 16.7%	0.0% 8.3% 8.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Brainerd

217 South 7th Street Brainerd, MN 56401

Provider Website:

Patient Profile

Gender (N = 30)

Female: 13.3%

Male: 86.7%

Race (N = 30) White: 80.0% Black: 0.0% American Indian: 20.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

<u>Age (N = 30)</u> Under 18: 0.0% 18 to 25: 13.3% 26 to 34: 40.0% 35 and older: 46.7%

County: Crow Wing

Primary Substance (N = 30) Alcohol: 50.0% Methamphetamine: 43.3% Marijuana: 6.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 30) Job: 60.0% Retirement/savings: 0.0% Family/friends: 3.3% No income: 13.3% Public sources: 3.3% Other sources: 20.0%

Source of Income

Source of Referral

(N = 30) Self/family/relative/ friends: 76.7% Employer/school: 0.0% Criminal justice: 13.3% Professional: 13.3% County social service agency: 86.7% Other community resources: 3.3% AA: 0.0% Tribal: 3.3%

Outcomes

Discharge Status (N = 30) Completed program: 56.7% Patient left without staff approval: 23.3% Staff requested/judged inappropriate: 0.0% Death/other: 20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon-Brainerd

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 30)	10.0%	0.0%
Not employed/student ^{\ddagger} (N = 28)	78.6%	78.6%
Arrests past 30 days (N = 30)	26.7%	3.3%
Alcohol use past 30 days (N = 30)	13.3%	3.3%
Drug use past 30 days (N = 30)	10.0%	0.0%
No self-help group participation past 30 days (N = 25)	48.0%	4.0%
No family support for recovery past 30 days (N = 21)	9.5%	52.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =30)	0.0%	0.0%
Biomedical Conditions and Complications (N = 30)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 29)	41.4%	17.2%
	11.170	
Resistance to Change ($N = 29$)	100.0%	82.8%
Resistance to Change (N = 29) Relapse/Continued Use Potential (N = 29)		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Midway

709 University Ave. St. Paul, MN 55104

County: Ramsey

Provider Website: www.meridiannetwork.com

Patient Profile

Gender (N = 71) Race (N = 71)Age (N = 71)Male: 0.0% White: 54.9% Under 18: 1.4% Female: 100.0% Black: 18.3% American Indian: 15.5% Hispanic: 4.2% Asian/Pacific Islander: 4.2% Other: 2.8%

Primary Substance (N = 71)Alcohol: 66.2% Methamphetamine: 7.0% Marijuana: 9.9% Heroin: 0.0% Cocaine: 16.9% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 71)Job: 12.7% Retirement/savings: 0.0% Family/friends: 8.5% No income: 22.5% Public sources: 42.3% Other sources: 14.1%

18 to 25: 15.5% 26 to 34: 25.4% 35 and older: 57.7%

Source of Referral

(N = 71) . Self/family/relative/ friends: 52.1% Employer/school: 1.4% Criminal justice: 25.4% Professional: 23.9% County social service agency: 45.1% Other community resources: 32.4% AA: 1.4% Tribal: 2.8%

Outcomes

Discharge Status <u>(N = 71</u>) Completed program: 28.2% Patient left without staff approval: 16.9% Staff requested/judged inappropriate: 47.9% Death/other: 7.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Avalon-Midway

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 69)	18.8%	17.4%
Not employed/student ^{\ddagger} (N = 64)	82.8%	73.4%
Arrests past 30 days (N = 70)	5.7%	4.3%
Alcohol use past 30 days (N = 71)	56.3%	35.2%
Drug use past 30 days (N = 70)	40.0%	27.1%
No self-help group participation past 30 days (N = 47)	72.3%	63.8%
No family support for recovery past 30 days (N = 55)	45.5%	40.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	<u>Admission</u> 0.0%	<u>Discharge</u> 7.0%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =71) Biomedical Conditions and	0.0%	7.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 71) Biomedical Conditions and Complications (N = 70) Emotional/Behavioral/	0.0% 20.0%	7.0% 18.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =71) Biomedical Conditions and Complications (N = 70) Emotional/Behavioral/ Cognitive Problem (N = 71)	0.0% 20.0% 64.8%	7.0% 18.6% 56.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bachmann and Associates, Inc.

8669 Eagle Point Blvd. Lake Elmo, MN 55042

County: Washington

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 8)</u> Male: * Female: *	Race (N = 8) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 8) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 8) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 8) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 8) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Bachmann and Associates, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 6)	*	*
Not employed/student ^{tt} (N = 5)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 8)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days ($N = 4$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bell Hill Recovery Center

12214 200th Street Wadena, MN 56482

County: Wadena

Provider Website:

Patient Profile

<u>Gender (N = 38)</u> Male: 100.0% Female: 0.0% Race (N = 38) White: 71.1% Black: 13.2% American Indian: 10.5% Hispanic: 5.3% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 38)</u> Under 18: 5.3% 18 to 25: 5.3% 26 to 34: 5.3% 35 and older: 84.2%

Primary Substance (N = 38) Alcohol: 81.6% Methamphetamine: 0.0% Marijuana: 7.9% Heroin: 0.0% Cocaine: 10.5% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 38)Job: 18.4% Retirement/savings: 2.6% Family/friends: 2.6% No income: 10.5% Public sources: 63.2% Other sources: 2.6%

Source of Referral (N = 38) Self/family/relative/ friends: 15.8% Employer/school: 0.0% Criminal justice: 26.3% Professional: 23.7% County social service agency: 89.5% Other community resources: 5.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 38) Completed program: 76.3% Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 0.0% Death/other: 13.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Bell Hill Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 38)	23.7%	0.0%
Not employed/student ^{\ddagger} (N = 25)	100.0%	100.0%
Arrests past 30 days (N = 32)	6.3%	3.1%
Alcohol use past 30 days (N = 30)	73.3%	3.3%
Drug use past 30 days (N = 30)	26.7%	3.3%
No self-help group participation past 30 days (N = 37)	54.1%	0.0%
No family support for recovery past 30 days (N = 28)	35.7%	3.6%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =38)	47.4%	2.6%
Biomedical Conditions and Complications ($N = 37$)	81.1%	62.2%
Emotional/Behavioral/ Cognitive Problem (N = 38)	94.7%	100.0%
Resistance to Change ($N = 38$)	100.0%	86.8%
Relapse/Continued Use Potential (N = 38)	100.0%	100.0%
Unsupportive Recovery Environment (N = 38)	100.0%	44.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Beltrami County Jail

626 Minnesota Ave Bemidji, MN 56601

Provider Website:

Patient Profile

Gender (N = 7)
Male: *Race (N = 7)
White: *Female: *Black: *
American Indian: *
Hispanic: *
Asian/Pacific Islander: *

Age (N = 7) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

> AA: * Tribal: *

County: Beltrami

Primary Substance	Source of Income	Source of Referral
<u>(N = 7)</u>	(N = 7)	<u>(N = 7)</u>
Alcohol: *	Job: *	Self/family/relative/
Methamphetamine: *	Retirement/savings: *	friends: *
Marijuana: *	Family/friends: *	Employer/school: *
Heroin: *	No income: *	Criminal justice: *
Cocaine: *	Public sources: *	Professional: *
Other opiates: *	Other sources: *	County social
Other drugs: *		service agency: *
		Other community
		resources: *

Other: *

Outcomes

Discharge Status (N = 7) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Beltrami County Jail

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 7)	*	*
Not employed/student ^{tt} (N = 6)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days (N = 7)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days (N = 7)	*	*
No family support for recovery past 30 days (N = 4)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bethel Port Rehabilitation Center

23 Mesaba Avenue Duluth, MN 55806

County: St. Louis

Provider Website:

Patient Profile

Gender (N = 213) Race (N = 213)Age (N = 213)Male: 90.1% White: 84.0% Under 18: 1.4% Female: 9.9% Black: 5.6% 18 to 25: 31.0% American Indian: 7.5% 26 to 34: 21.1% Hispanic: 1.9% 35 and older: 46.5% Asian/Pacific Islander: 0.9% Other: 0.0%

Primary Substance (N = 213) Alcohol: 66.7% Methamphetamine: 15.5% Marijuana: 12.2% Heroin: 0.9% Cocaine: 3.8% Other opiates: 0.9% Other drugs: 0.0%

Source of Income (N = 213)Job: 46.5% Retirement/savings: 0.5% Family/friends: 10.3% No income: 15.0% Public sources: 22.1% Other sources: 5.6%

Source of Referral (N<u>= 213)</u>. Self/family/relative/ friends: 20.7% Employer/school: 0.9% Criminal justice: 70.9% Professional: 17.8% County social service agency: 66.2% Other community resources: 3.3% AA: 0.5% Tribal: 0.9%

Outcomes

Discharge Status (N = 213)Completed program: 61.5% Patient left without staff approval: 20.2% Staff requested/judged inappropriate: 4.2% Death/other: 14.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Bethel Port Rehabilitation Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 197)	3.6%	1.0%
Not employed/student ^{\ddagger} (N = 186)	62.4%	48.4%
Arrests past 30 days (N = 179)	10.6%	10.1%
Alcohol use past 30 days (N = 169)	19.5%	7.1%
Drug use past 30 days (N = 170)	14.7%	6.5%
No self-help group participation past 30 days (N = 177)	52.5%	45.8%
No family support for recovery past 30 days (N = 165)	9.1%	17.0%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =213)	1.4%	4.2%
Biomedical Conditions and Complications ($N = 213$)	11.3%	5.6%
Emotional/Behavioral/ Cognitive Problem (N = 212)	35.8%	27.8%
Resistance to Change ($N = 212$)	45.8%	30.7%
Relapse/Continued Use Potential (N = 213)	74.6%	47.9%
Unsupportive Recovery Environment (N = 212)	62.7%	41.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Boys Totem Town St. Joseph's CD

398 Totem Road St. Paul, MN 55119

County: Ramsey

Provider Website:

Patient Profile

Gender (N = 33) Race (N = 33)Male: 100.0% White: 33.3% Female: 0.0% Black: 42.4% American Indian: 9.1% Hispanic: 3.0% Asian/Pacific Islander: 6.1% Other: 6.1%

Age (N = 33)Under 18: 84.8% 18 to 25: 9.1% 26 to 34: 0.0% 35 and older: 6.1%

Source of Income
(N = 33)
Job: 0.0%
Retirement/savings
Family/friends: 87.
No income: 9.1%
Public sources: 3.0
Other sources: 0.0

5) 0% nent/savings: 0.0% /friends: 87.9% ome: 9.1% sources: 3.0% sources: 0.0%

Source of Referral

(N = 33). Self/family/relative/ friends: 60.6% Employer/school: 0.0% Criminal justice: 57.6% Professional: 6.1% County social service agency: 69.7% Other community resources: 3.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 33</u>) Completed program: 39.4% Patient left without staff approval: 42.4% Staff requested/judged inappropriate: 6.1% Death/other: 12.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Boys Totem Town St. Joseph's CD

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 31)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 29)	3.5%	6.9%
Arrests past 30 days (N = 25)	0.0%	8.0%
Alcohol use past 30 days (N = 25)	0.0%	0.0%
Drug use past 30 days (N = 26)	0.0%	7.7%
No self-help group participation past 30 days (N = 13)	30.8%	23.1%
No family support for recovery past 30 days (N = 20)	5.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =33)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 33)$	0.0%	3.0%
Emotional/Behavioral/ Cognitive Problem (N = 33)	90.9%	63.6%
Resistance to Change ($N = 33$)	48.5%	39.4%
Relapse/Continued Use Potential (N = 33)	100.0%	84.8%
Unsupportive Recovery Environment (N = 33)	97.0%	63.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Burkwood Inc.

615 Old Mill Road Hudson, WI 54016

Provider Website:

Patient Profile

Gender (N = 434)

Female: 35.9%

Male: 64.1%

Race (N = 434) White: 70.5% Black: 17.3% American Indian: 2.1% Hispanic: 4.2% Asian/Pacific Islander: 1.4% Other: 4.6% <u>Age (N = 434)</u> Under 18: 0.0% 18 to 25: 21.2% 26 to 34: 19.4% 35 and older: 59.4%

County: Wisconsin

Primary Substance (N = 428) Alcohol: 53.7% Methamphetamine: 7.0% Marijuana: 10.5% Heroin: 1.9% Cocaine: 23.8% Other opiates: 1.6% Other drugs: 1.4%

(N = 434) Job: 14.5% Retirement/savings: 2.1% Family/friends: 11.8% No income: 21.2% Public sources: 41.0% Other sources: 9.5%

Source of Income

Source of Referral

(N = 434) Self/family/relative/ friends: 53.2% Employer/school: 0.9% Criminal justice: 22.4% Professional: 56.2% County social service agency: 33.2% Other community resources: 21.9% AA: 1.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 434) Completed program: 75.3% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 12.9% Death/other: 0.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Burkwood Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 420)	22.6%	4.5%
Not employed/student ^{\ddagger} (N = 378)	87.0%	89.9%
Arrests past 30 days (N = 425)	13.4%	2.8%
Alcohol use past 30 days (N = 428)	69.9%	6.3%
Drug use past 30 days (N = 428)	58.6%	6.3%
No self-help group participation past 30 days (N = 412)	55.1%	14.6%
No family support for recovery past 30 days (N = 393)	16.5%	21.1%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
5	Admission 2.6%	Discharge 1.9%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =427) Biomedical Conditions and	2.6%	1.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =427) Biomedical Conditions and Complications (N = 428) Emotional/Behavioral/	2.6% 24.5%	1.9% 14.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =427) Biomedical Conditions and Complications (N = 428) Emotional/Behavioral/ Cognitive Problem (N = 428)	2.6% 24.5% 88.1%	1.9% 14.3% 47.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cardinal Recovery Center SOS-Willmar RTC

316 Becker Avenue Willmar, MN 56201

County: Kandiyohi

Provider Website:

Patient Profile

<u>Gender (N = 193)</u>	<u>Race (N = 193)</u>	<u>Age (N = 193)</u>
Male: 74.6%	White: 73.1%	Under 18: 44.6%
Female: 25.4%	Black: 2.1%	18 to 25: 17.1%
	American Indian: 3.6%	26 to 34: 14.5%
	Hispanic: 18.1%	35 and older: 23.8%
	Asian/Pacific Islander: 1.6%	
	Other: 1.6%	

Primary Substance (N = 192)	
Alcohol: 45.3%	
Methamphetamine: 9.9%	
Marijuana: 39.6%	
Heroin: 0.5%	
Cocaine: 4.7%	
Other opiates: 0.0%	
Other drugs: 0.0%	

Source of Income (N = 193) Job: 30.6% Retirement/savings: 1.0% Family/friends: 33.2% No income: 17.1% Public sources: 7.8%

Other sources: 10.4%

Source of Referral

(N = 193) Self/family/relative/ friends: 35.2% Employer/school: 1.0% Criminal justice: 62.7% Professional: 9.3% County social service agency: 51.8% Other community resources: 16.6% AA: 0.0% Tribal: 1.0%

Outcomes

Discharge Status (N = 193) Completed program: 45.1% Patient left without staff approval: 12.4% Staff requested/judged inappropriate: 11.9% Death/other: 30.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Cardinal Recovery Center SOS-Willmar RTC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 167)	3.0%	1.2%
Not employed/student ^{\ddagger} (N = 161)	30.4%	28.6%
Arrests past 30 days (N = 171)	27.5%	7.6%
Alcohol use past 30 days (N = 164)	20.7%	3.1%
Drug use past 30 days (N = 164)	28.0%	6.1%
No self-help group participation past 30 days (N = 138)	52.9%	17.4%
No family support for recovery past 30 days (N = 130)	20.8%	16.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 190)	5.8%	4.2%
Biomedical Conditions and Complications ($N = 190$)	9.0%	4.2%
Emotional/Behavioral/ Cognitive Problem (N = 190)	23.2%	22.6%
Resistance to Change (N = 190)	88.4%	58.9%
Relapse/Continued Use Potential (N = 190)	94.2%	67.4%
Unsupportive Recovery Environment (N = 190)	87.9%	65.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cedar Ridge

11400 Julianne Avenue North Stillwater, MN 55082

County: Washington

Provider Website: www.meridiannetwork.com

Patient Profile

<u>Gender (N = 362)</u>	<u>Race (N = 362)</u>	<u>Age (N = 362)</u>
Male: 100.0%	White: 85.6%	Under 18: 0.3%
Female: 0.0%	Black: 6.4%	18 to 25: 27.6%
	American Indian: 1.9%	26 to 34: 23.2%
	Hispanic: 2.5%	35 and older: 48.9%
	Asian/Pacific Islander: 0.6%	
	Other: 3.0%	
Primary Substance	Source of Income	Source of Referral

Primary Substance (N = 355) Alcohol: 55.8% Methamphetamine: 8.7% Marijuana: 9.9% Heroin: 6.8% Cocaine: 12.4% Other opiates: 4.5% Other drugs: 2.0%

(N = 362)Job: 30.4% Retirement/savings: 2.8% Family/friends: 9.4% No income: 23.2% Public sources: 20.2% Other sources: 14.1%

Source of Referral

(N = 362). Self/family/relative/ friends: 38.1% Employer/school: 0.0% Criminal justice: 26.2% Professional: 21.8% County social service agency: 42.0% Other community resources: 58.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 362)Completed program: 57.5% Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 7.7% Death/other: 21.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Cedar Ridge

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 346)	8.1%	1.5%
Not employed/student ^{\ddagger} (N = 344)	76.2%	77.0%
Arrests past 30 days (N = 349)	14.3%	3.7%
Alcohol use past 30 days (N = 352)	55.4%	6.5%
Drug use past 30 days (N = 351)	51.9%	7.7%
No self-help group participation past 30 days (N = 323)	65.3%	13.9%
No family support for recovery past 30 days (N = 286)	14.0%	5.2%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
•	Admission 10.2%	<u>Discharge</u> 4.8%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 353) Biomedical Conditions and	10.2%	4.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 353) Biomedical Conditions and Complications (N = 349) Emotional/Behavioral/	10.2% 19.5%	4.8% 11.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 353) Biomedical Conditions and Complications (N = 349) Emotional/Behavioral/ Cognitive Problem (N = 352)	10.2% 19.5% 96.9%	4.8% 11.7% 66.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Center for Alcohol/Drug Treatment Outpatient C.D. Program

400 Torrey Building Duluth, MN 558021805

County: St. Louis

AA: 0.0% Tribal: 0.0%

Provider Website: www.cadt.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 26)} \\ Male: \ 80.8\% \\ Female: \ 19.2\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 26)} \\ White: \ 100.0\% \\ Black: \ 0.0\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 26)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 30.8\% \\ 26 \ to \ 34: \ 15.4\% \\ 35 \ and \ older: \ 53.8\% \\ 35 \ and \ older: \ 53.8\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 26)	<u>(N = 26)</u>	(N = 26).
Alcohol: 76.9%	Job: 96.2%	Self/family/relative/
Methamphetamine: 3.9%	Retirement/savings: 0.0%	friends: 15.4%
Marijuana: 15.4%	Family/friends: 0.0%	Employer/school: 7.7%
Heroin: 0.0%	No income: 3.9%	Criminal justice: 76.9%
Cocaine: 3.9%	Public sources: 0.0%	Professional: 0.0%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 0.0%		service agency: 3.9%
		Other community
		resources: 7.7%

Outcomes

Discharge Status (N = 26) Completed program: 88.5% Patient left without staff approval: 7.7% Staff requested/judged inappropriate: 0.0% Death/other: 3.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Center for Alcohol/Drug Treatment Outpatient C.D. Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 26)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 24)	16.7%	20.8%
Arrests past 30 days (N = 14)	7.1%	0.0%
Alcohol use past 30 days (N = 24)	29.2%	8.3%
Drug use past 30 days (N = 24)	8.3%	0.0%
No self-help group participation past 30 days ($N = 23$)	87.0%	100.0%
No family support for recovery past 30 days (N = 23)	21.7%	17.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =26)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 26)$	11.5%	7.7%
Emotional/Behavioral/ Cognitive Problem (N = 26)	15.4%	11.5%
Resistance to Change ($N = 26$)	57.7%	57.7%
Relapse/Continued Use Potential (N = 26)	65.4%	61.5%
Unsupportive Recovery Environment (N = 26)	19.2%	11.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Center for Solutions Towner County Medical Center

7448 68th Avenue Northeast Cando, ND 58324

County: North Dakota

resources: 0.0%

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

<u>Gender (N = 19)</u>	<u>Race (N = 19)</u>	<u>Age (N = 19)</u>
Male: 57.9%	White: 94.7%	Under 18: 5.3%
Female: 42.1%	Black: 0.0%	18 to 25: 21.1%
	American Indian: 5.3%	26 to 34: 15.8%
	Hispanic: 0.0%	35 and older: 57.9%
	Asian/Pacific Islander: 0.0%	
	Other: 0.0%	

Source of Income $\frac{(N = 19)}{100 \cdot 21}$	Source of Referral (N = 19) Self/family/relative/
Retirement/savings: 15.8%	friends: 78.9%
Family/friends: 21.1% No income: 10.5%	Employer/school: 0.0% Criminal justice: 15.8%
Public sources: 15.8%	Professional: 0.0%
Other sources: 15.8%	County social service agency: 94.7% Other community
	<u>(N = 19)</u> Job: 21.1% Retirement/savings: 15.8% Family/friends: 21.1% No income: 10.5%

Outcomes

Discharge Status (N = 19)Completed program: 89.5% Patient left without staff approval: 5.3% Staff requested/judged inappropriate: 5.3% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Center for Solutions Towner County Medical Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 19)	5.3%	0.0%
Not employed/student ^{$\ddagger t$} (N = 19)	63.2%	73.7%
Arrests past 30 days (N = 19)	26.3%	0.0%
Alcohol use past 30 days (N = 19)	78.9%	15.8%
Drug use past 30 days (N = 19)	52.6%	0.0%
No self-help group participation past 30 days (N = 15)	100.0%	86.7%
No family support for recovery past 30 days (N = 17)	17.6%	5.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =19)	15.8%	0.0%
	15.8% 52.6%	0.0% 47.4%
Withdrawal (N = 19) Biomedical Conditions and		
Withdrawal (N =19) Biomedical Conditions and Complications (N = 19) Emotional/Behavioral/	52.6%	47.4%
Withdrawal (N =19) Biomedical Conditions and Complications (N = 19) Emotional/Behavioral/ Cognitive Problem (N = 19)	52.6% 100.0%	47.4% 73.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of Buffalo

308 12th Avenue South Buffalo, MN 55313

County: Wright

Provider Website:

Patient Profile

 Gender (N = 62)
 Race (N = 62)

 Male: 61.3%
 White: 96.8%

 Female: 38.7%
 Black: 0.0%

 American India
 Hispanic: 1.6%

White: 96.8% Black: 0.0% American Indian: 0.0% Hispanic: 1.6% Asian/Pacific Islander: 0.0% Other: 1.6% Age (N = 62) Under 18: 29.0% 18 to 25: 22.6% 26 to 34: 9.7% 35 and older: 38.7%

Primary Substance (N = 61)Alcohol: 82.0% Methamphetamine: 3.3% Marijuana: 14.8% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 62) Job: 61.3% Retirement/savings: 4.8% Family/friends: 24.2% No income: 0.0% Public sources: 8.1% Other sources: 1.6%

Source of Income

Source of Referral

(N = 62) Self/family/relative/ friends: 58.1% Employer/school: 0.0% Criminal justice: 75.8% Professional: 4.8% County social service agency: 4.8% Other community resources: 30.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 62) Completed program: 71.0% Patient left without staff approval: 9.7% Staff requested/judged inappropriate: 6.5% Death/other: 12.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Central Minnesota Mental Health Center of Buffalo

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 61)	0.0%	0.0%
Not employed/student ^{11} (N = 60)	21.7%	20.0%
Arrests past 30 days (N = 61)	1.6%	1.6%
Alcohol use past 30 days (N = 62)	4.8%	8.1%
Drug use past 30 days (N = 59)	0.0%	8.5%
No self-help group participation past 30 days (N = 60)	56.7%	5.0%
No family support for recovery past 30 days (N = 60)	10.0%	1.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =62)	0.0%	1.6%
Biomedical Conditions and Complications $(N = 62)$	1.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 62)	46.8%	27.4%
Resistance to Change ($N = 62$)	21.0%	25.8%
Relapse/Continued Use Potential (N = 62)	77.4%	32.3%
Unsupportive Recovery Environment (N = 62)	53.2%	30.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of Monticello

407 Washington Street Monticello, MN 55362

County: Wright

Provider Website:

Patient Profile

 Gender (N = 46)
 Race (N = 46)
 Age (N = 46)

 Male: 82.6%
 White: 100.0%
 Under 18: 0.0%

 Female: 17.4%
 Black: 0.0%
 18 to 25: 19.6%

 American Indian: 0.0%
 26 to 34: 28.3%

 Hispanic: 0.0%
 35 and older: 52

 Asian/Pacific Islander: 0.0%
 Other: 0.0%

Source of Income

35 and older: 52.2% .0% Source of Referral

Primary Substance (N = 46) Alcohol: 78.3% Methamphetamine: 4.4% Marijuana: 15.2% Heroin: 0.0% Cocaine: 0.0% Other opiates: 2.2% Other drugs: 0.0%

(N = 46) Job: 65.2% Retirement/savings: 0.0% Family/friends: 15.2% No income: 0.0% Public sources: 13.0% Other sources: 6.5%

Source of Referral (N = 46). Self/family/relative/ friends: 23.9% Employer/school: 2.2% Criminal justice: 87.0% Professional: 8.7% County social service agency: 6.5% Other community resources: 10.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 46) Completed program: 73.9% Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 4.4% Death/other: 4.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Central Minnesota Mental Health Center of Monticello

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 43)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 42)	28.6%	21.4%
Arrests past 30 days (N = 46)	10.9%	6.5%
Alcohol use past 30 days (N = 46)	13.0%	17.4%
Drug use past 30 days (N = 46)	2.2%	4.4%
No self-help group participation past 30 days ($N = 44$)	65.9%	15.9%
No family support for recovery past 30 days (N = 40)	20.0%	20.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =45)	4.4%	11.1%
Biomedical Conditions and Complications $(N = 45)$	2.2%	8.9%
Emotional/Behavioral/ Cognitive Problem (N = 46)	63.0%	26.1%
	63.0% 43.5%	26.1% 28.3%
Cognitive Problem $(N = 46)$		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of St. Cloud

1321 13th Street North St. Cloud, MN 56303

County: Stearns

resources: 31.5%

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

<u>Gender (N = 124)</u>	<u>Race (N = 124)</u>	<u>Age (N = 124)</u>
Male: 76.6%	White: 91.9%	Under 18: 0.8%
Female: 23.4%	Black: 1.6%	18 to 25: 34.7%
	American Indian: 0.8%	26 to 34: 25.0%
	Hispanic: 4.8%	35 and older: 39.5%
	Asian/Pacific Islander: 0.0%	
	Other: 0.8%	

Primary Substance	Source of Income	Source of Referral
(N = 124)	(N = 124)	(N = 124)
Alcohol: 76.6%	Job: 74.2%	Self/family/relative/
Methamphetamine: 11.3%	Retirement/savings: 2.4%	friends: 51.6%
Marijuana: 7.3%	Family/friends: 8.1%	Employer/school: 7.3%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 67.7%
Cocaine: 2.4%	Public sources: 8.9%	Professional: 5.7%
Other opiates: 2.4%	Other sources: 6.5%	County social
Other drugs: 0.0%		service agency: 6.5%
		Other community

Outcomes

Discharge Status (N = 124) Completed program: 59.7% Patient left without staff approval: 15.3% Staff requested/judged inappropriate: 5.7% Death/other: 19.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Central Minnesota Mental Health Center of St. Cloud

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 112)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 105)	22.9%	19.0%
Arrests past 30 days (N = 109)	8.3%	2.8%
Alcohol use past 30 days (N = 109)	35.8%	12.8%
Drug use past 30 days (N = 108)	12.0%	8.3%
No self-help group participation past 30 days ($N = 90$)	67.8%	26.7%
No family support for recovery past 30 days (N = 91)	11.0%	6.6%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =123)	14.6%	13.0%
Biomedical Conditions and Complications ($N = 123$)	13.0%	8.9%
Emotional/Behavioral/ Cognitive Problem (N = 124)	62.1%	35.5%
Resistance to Change ($N = 124$)	62.1%	30.6%
Relapse/Continued Use Potential (N = 124)	89 .5%	43.5%
Unsupportive Recovery Environment (N = 124)	83. 9 %	46.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Chrysalis: A Center for Women

4432 Chicago Avenue South Minneapolis, MN 55407

County: Hennepin

Provider Website: www.chrysaliswomen.org

Patient Profile

Primary Substance (N = 263) Alcohol: 43.0% Methamphetamine: 5.3% Marijuana: 20.2% Heroin: 1.9% Cocaine: 25.5% Other opiates: 3.0% Other drugs: 1.1% Source of Income (N = 264)Job: 19.7% Retirement/savings: 1.1% Family/friends: 17.0% No income: 9.9% Public sources: 44.7% Other sources: 7.6%

Source of Referral

<u>(N = 264)</u> Self/family/relative/ friends: 38.3% Employer/school: 0.8% Criminal justice: 18.6% Professional: 17.4% County social service agency: 32.2% Other community resources: 8.0% AA: 0.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 264) Completed program: 32.6% Patient left without staff approval: 35.2% Staff requested/judged inappropriate: 9.1% Death/other: 23.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Chrysalis: A Center for Women

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 212)	4.3%	6.1%
Not employed/student ^{$\ddagger t$} (N = 181)	66.3%	61.9%
Arrests past 30 days (N = 176)	7.4%	6.3%
Alcohol use past 30 days (N = 161)	41.0%	18.0%
Drug use past 30 days (N = 159)	38.4%	23.3%
No self-help group participation past 30 days (N = 194)	41.2%	18.0%
No family support for recovery past 30 days (N = 171)	5.3%	5. 9 %
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	Admission 6.4%	<u>Discharge</u> 11.2%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =251) Biomedical Conditions and	6.4%	11.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =251) Biomedical Conditions and Complications (N = 250) Emotional/Behavioral/	6.4% 26.8%	11.2% 23.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 251) Biomedical Conditions and Complications (N = 250) Emotional/Behavioral/ Cognitive Problem (N = 250)	6.4% 26.8% 86.8%	11.2% 23.2% 73.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Club Recovery

6550 York Ave South Minneapolis, MN 554352337

County: Hennepin

Provider Website: www.clubrecoveryllc.com

Patient Profile

Gender (N = 249) Race (N = 249)Age (N = 249)Male: 59.8% White: 85.1% Under 18: 1.2% Female: 40.2% Black: 8.4% 18 to 25: 22.9% American Indian: 2.0% 26 to 34: 19.3% Hispanic: 1.6% 35 and older: 56.6% Asian/Pacific Islander: 2.0% Other: 0.8% Source of Income

Primary Substance (N = 249)Alcohol: 81.5% Methamphetamine: 1.6% Marijuana: 7.2% Heroin: 0.0% Cocaine: 6.4% Other opiates: 2.4% Other drugs: 0.8%

(N = 249)Job: 69.1% Retirement/savings: 3.2% Family/friends: 14.5% No income: 2.4% Public sources: 4.0% Other sources: 6.8%

Source of Referral

(N<u>= 249)</u>. Self/family/relative/ friends: 82.7% Employer/school: 7.6% Criminal justice: 42.2% Professional: 26.5% County social service agency: 8.8% Other community resources: 24.5% AA: 0.4% Tribal: 0.4%

Outcomes

Discharge Status (N = 249)Completed program: 66.3% Patient left without staff approval: 20.1% Staff requested/judged inappropriate: 2.8% Death/other: 10.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Club Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 224)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 198)	20.2%	20.2%
Arrests past 30 days (N = 245)	20.4%	1.6%
Alcohol use past 30 days (N = 249)	60.6%	5.6%
Drug use past 30 days (N = 246)	25.6%	2.0%
No self-help group participation past 30 days (N = 140)	55.7%	45.7%
No family support for recovery past 30 days (N = 164)	18.3%	1.8%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =213)	0.0%	4.7%
Biomedical Conditions and Complications (N = 222)	5.4%	9.0%
	5.4% 33.5%	9.0% 12.1%
Complications (N = 222) Emotional/Behavioral/		
Complications (N = 222) Emotional/Behavioral/ Cognitive Problem (N = 215)	33.5%	12.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Communidades Latinas Unidas En Sericio

797 East 7th Street St. Paul, MN 551055014

County: Ramsey

Tribal: *

Provider Website: www.clues.org

Patient Profile

Gender (N = 5) Race (N = 5)Age (N = 5)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 5)(N = 5)(N = 5). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 5) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Communidades Latinas Unidas En Sericio

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 5)	*	*
Not employed/student ^{\ddagger} (N = 5)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days (N = 5)	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days (N = 5)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Anoka

3301 7th Avenue Anoka, MN 553031400

County: Anoka

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 364)} \\ Male: 76.6\% \\ Female: 23.4\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 364)} \\ White: 80.8\% \\ Black: 8.5\% \\ American Indian: 6.0\% \\ Hispanic: 2.2\% \\ Asian/Pacific Islander: 0.5\% \\ Other: 1.9\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 364)} \\ Under 18: 0.5\% \\ 18 to 25: 22.8\% \\ 26 to 34: 19.8\% \\ 35 and older: 56.9\% \\ 35 and older: 56.9\% \\ \end{array}$

Primary SubstanceSou(N = 354)(NAlcohol: 68.1%JoMethamphetamine: 7.1%ReMarijuana: 8.2%FaHeroin: 1.1%NoCocaine: 11.0%PuOther opiates: 3.1%OtherOther drugs: 1.4%Value

Source of Income (N = 364)Job: 41.5% Retirement/savings: 3.6% Family/friends: 10.2% No income: 6.6% Public sources: 32.1% Other sources: 6.0%

Source of Referral

<u>(N = 364)</u> Self/family/relative/ friends: 47.0% Employer/school: 0.3% Criminal justice: 51.1% Professional: 3.6% County social service agency: 45.6% Other community resources: 33.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 364) Completed program: 87.1% Patient left without staff approval: 3.6% Staff requested/judged inappropriate: 1.4% Death/other: 8.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Addiction Recovery Enterprise of Anoka

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{‡‡} (N = 357)	8.4%	2.8%
Not employed/student ^{\ddagger} (N = 348)	61.5%	65.2%
Arrests past 30 days (N = 338)	13.3%	1.2%
Alcohol use past 30 days (N = 344)	32.6%	1.7%
Drug use past 30 days (N = 337)	18.7%	1.2%
No self-help group participation past 30 days (N = 331)	48.6%	13.3%
No family support for recovery past 30 days (N = 329)	13.1%	5.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =352)	8.5%	2.3%
Biomedical Conditions and Complications ($N = 350$)	18.9%	10.9%
Emotional/Behavioral/ Cognitive Problem (N = 353)	45.9%	35.7%
Resistance to Change ($N = 352$)	53.7%	34.9%
Relapse/Continued Use Potential (N = 352)	98.3%	52.3%
Unsupportive Recovery Environment (N = 344)	56.1%	42.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Carlton

810 3d Street Carlton, MN 55718

County: Carlton

Provider Website:

Patient Profile

Gender (N = 267) Race (N = 267)Age (N = 267)Male: 0.4% White: 81.3% Under 18: 0.7% Female: 99.6% Black: 2.3% 18 to 25: 31.1% American Indian: 15.4% 26 to 34: 26.2% Hispanic: 1.1% 35 and older: 41.9% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 267) Alcohol: 42.3% Methamphetamine: 25.8% Marijuana: 9.7% Heroin: 2.3% Cocaine: 8.6% Other opiates: 10.1% Other drugs: 1.1%

Source of Income (N = 267)Job: 20.6% Retirement/savings: 0.7% Family/friends: 15.7% No income: 28.8% Public sources: 26.2%

Other sources: 7.9%

Source of Referral (N<u>= 267)</u>. Self/family/relative/ friends: 25.8% Employer/school: 0.4% Criminal justice: 40.1% Professional: 19.9% County social service agency: 79.4% Other community resources: 3.0% AA: 0.0% Tribal: 5.2%

Outcomes

Discharge Status (N = 267)Completed program: 63.7% Patient left without staff approval: 19.1% Staff requested/judged inappropriate: 9.7% Death/other: 7.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Addiction Recovery Enterprise of Carlton

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 264)	3.0%	1.9%
Not employed/student ^{\ddagger} (N = 220)	80.9%	84.1%
Arrests past 30 days (N = 266)	22.2%	4.1%
Alcohol use past 30 days (N = 267)	50.2%	3.0%
Drug use past 30 days (N = 267)	44.9%	1.1%
No self-help group participation past 30 days (N = 258)	40.3%	0.8%
No family support for recovery past 30 days (N = 256)	23.0%	1.2%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =267)	7.1%	15.7%
Biomedical Conditions and Complications (N = 267)	77.5%	32.2%
Emotional/Behavioral/ Cognitive Problem (N = 267)	94.4%	72.7%
Resistance to Change ($N = 267$)	96.6%	66.7%
Relapse/Continued Use Potential (N = 266)	98.5%	87.2%
Unsupportive Recovery Environment (N = 267)	97.4%	80.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Fergus Falls

1400 North Union Avenue Fergus Falls, MN 56537

County: Otter Tail

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 563)} \\ Male: \ 63.1\% \\ Female: \ 36.9\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 563)} \\ White: \ 76.0\% \\ Black: \ 4.1\% \\ American \ Indian: \ 15.8\% \\ Hispanic: \ 2.7\% \\ Asian/Pacific \ Islander: \ 0.7\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 563)} \\ Under \ 18: \ 19.5\% \\ 18 \ to \ 25: \ 16.9\% \\ 26 \ to \ 34: \ 20.6\% \\ 35 \ and \ older: \ 43.0\% \\ Other: \ 0.7\% \end{array}$

Primary Substance (N = 554) Alcohol: 59.9% Methamphetamine: 8.5% Marijuana: 20.2% Heroin: 0.9% Cocaine: 3.3% Other opiates: 5.2% Other drugs: 2.0% Source of Income (N = 563) Job: 22.6% Retirement/savings: 2.3% Family/friends: 18.3% No income: 18.7% Public sources: 28.2% Other sources: 10.0%

Source of Referral (N = 563) Self/family/relative/ friends: 19.9% Employer/school: 0.4% Criminal justice: 60.0% Professional: 16.5% County social service agency: 73.7% Other community resources: 12.3% AA: 0.2% Tribal: 6.2%

Outcomes

Discharge Status (N = 563) Completed program: 62.2% Patient left without staff approval: 9.2% Staff requested/judged inappropriate: 10.7% Death/other: 17.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Addiction Recovery Enterprise of Fergus Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 537)	5.8%	3.4%
Not employed/student ^{\ddagger} (N = 509)	62.5%	64.6%
Arrests past 30 days (N = 458)	20.5%	5.2%
Alcohol use past 30 days (N = 504)	38.3%	7.5%
Drug use past 30 days (N = 495)	27.1%	6.9%
No self-help group participation past 30 days (N = 410)	73.7%	33.9%
No family support for recovery past 30 days (N = 388)	31.7%	20.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =542)	7.2%	8.5%
Biomedical Conditions and Complications ($N = 543$)	37.6%	32.8%
Emotional/Behavioral/ Cognitive Problem (N = 542)	73.1%	68.3%
Resistance to Change ($N = 540$)	72.0%	63.7%
Relapse/Continued Use Potential (N = 540)	80.9%	75.9%
Unsupportive Recovery Environment (N = 538)	76.4%	70.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of St. Peter

1703 County Road 15 St. Peter, MN 560825382

County: Nicollet

Provider Website:

Patient Profile

Gender (N = 358) Race (N = 358)Age (N = 358)Male: 67.0% White: 86.3% Under 18: 0.0% Female: 33.0% Black: 7.0% 18 to 25: 25.1% American Indian: 2.0% 26 to 34: 26.0% Hispanic: 3.9% 35 and older: 48.9% Asian/Pacific Islander: 0.3% Other: 0.6%

Primary Substance	Source of Income
(N = 351)	<u>(N = 358)</u>
Alcohol: 51.3%	Job: 25.1%
Methamphetamine: 11.1%	Retirement/savings
Marijuana: 19.7%	Family/friends: 14.
Heroin: 1.1%	No income: 26.3%
Cocaine: 11.7%	Public sources: 24.
Other opiates: 2.0%	Other sources: 6.2
Other drugs: 3.1%	

avings: 3.4% : 14.2% 6.3% s: 24.9% 5: 6.2%

Source of Referral

(N = 358). Self/family/relative/ friends: 18.4% Employer/school: 0.3% Criminal justice: 48.0% Professional: 7.0% County social service agency: 92.7% Other community resources: 2.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 358)Completed program: 66.8% Patient left without staff approval: 14.5% Staff requested/judged inappropriate: 8.1% Death/other: 10.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Addiction Recovery Enterprise of St. Peter

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 353)	12.2%	4.5%
Not employed/student ^{\ddagger} (N = 349)	86.8%	96.0%
Arrests past 30 days (N = 341)	22.0%	1.5%
Alcohol use past 30 days (N = 312)	59.0%	2.2%
Drug use past 30 days (N = 313)	43.1%	2.2%
No self-help group participation past 30 days (N = 337)	53.7%	7.1%
No family support for recovery past 30 days (N = 313)	14.4%	39.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	
<u>Binonorono or entenneur ricultin</u>	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =356)	<u>Admission</u> 6.7%	Discharge 2.0%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =356) Biomedical Conditions and	6.7%	2.0%
Acute Intoxication/ Withdrawal (N =356) Biomedical Conditions and Complications (N = 355) Emotional/Behavioral/	6.7% 14.4%	2.0% 6.8%
Acute Intoxication/ Withdrawal (N =356) Biomedical Conditions and Complications (N = 355) Emotional/Behavioral/ Cognitive Problem (N = 356)	6.7% 14.4% 35.7%	2.0% 6.8% 52.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Willmar

1705 16th Street NE Willmar, MN 562011128

County: Kandiyohi

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 377)} \\ Male: \ 67.6\% \\ Female: \ 32.4\% \\ \end{array} \begin{array}{c} \underline{Race \ (N = 377)} \\ White: \ 74.8\% \\ Black: \ 10.9\% \\ American \ Indian: \ 8.5\% \\ Hispanic: \ 2.9\% \\ Asian/Pacific \ Islander: \ 0.3\% \\ Other: \ 2.7\% \end{array} \begin{array}{c} \underline{Age \ (N = 377)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 27.1\% \\ 26 \ to \ 34: \ 26.3\% \\ 35 \ and \ older: \ 46.7\% \\ Other: \ 2.7\% \end{array}$

Primary Substance (N = 373) Alcohol: 37.3% Methamphetamine: 8.3% Marijuana: 14.2% Heroin: 14.5% Cocaine: 7.0% Other opiates: 16.9% Other drugs: 1.9% Source of Income (N = 377)Job: 24.9% Retirement/savings: 1.6% Family/friends: 11.9% No income: 13.8% Public sources: 37.7% Other sources: 10.1%

Source of Referral (N = 377) Self/family/relative/ friends: 61.5% Employer/school: 0.3% Criminal justice: 25.2% Professional: 18.0% County social service agency: 71.9% Other community resources: 17.8% AA: 0.3% Tribal: 3.5%

Outcomes

Discharge Status (N = 377) Completed program: 50.1% Patient left without staff approval: 25.2% Staff requested/judged inappropriate: 8.8% Death/other: 15.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Addiction Recovery Enterprise of Willmar

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 353)	15.9%	2.3%
Not employed/student ^{\ddagger} (N = 350)	82.6%	94.9%
Arrests past 30 days (N = 353)	15.0%	5.1%
Alcohol use past 30 days (N = 347)	46.7%	6.3%
Drug use past 30 days (N = 349)	56.2%	10.3%
No self-help group participation past 30 days (N = 353)	57.5%	13.9%
No family support for recovery past 30 days (N = 319)	20.1%	15.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =373)	52.0%	14.5%
Biomedical Conditions and Complications ($N = 371$)	53.4%	24.0%
Emotional/Behavioral/ Cognitive Problem (N = 372)	74.5%	51.3%
Resistance to Change ($N = 373$)	85.5%	61.4%
Relapse/Continued Use Potential (N = 374)	87.4%	70.3%
	07.470	

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Willmar Jail Outpatient

2200 23rd Street NE Willmar, MN 56201

County: Kandiyohi

Provider Website:

Patient Profile

Gender (N = 25) Race (N = 25)Age (N = 25)Male: 100.0% White: 48.0% Female: 0.0% Black: 4.0% American Indian: 4.0% Hispanic: 40.0% Asian/Pacific Islander: 0.0% Other: 4.0%

Under 18: 4.0% 18 to 25: 40.0% 26 to 34: 40.0% 35 and older: 16.0%

Primary Substance	Source of Income
<u>(N = 25)</u>	<u>(N = 25)</u>
Alcohol: 48.0%	Job: 20.0%
Methamphetamine: 16.0%	Retirement/savings: 0.0%
Marijuana: 28.0%	Family/friends: 8.0%
Heroin: 0.0%	No income: 52.0%
Cocaine: 8.0%	Public sources: 12.0%
Other opiates: 0.0%	Other sources: 8.0%
Other drugs: 0.0%	
÷	

Source of Referral

(N = 25). Self/family/relative/ friends: 20.0% Employer/school: 0.0% Criminal justice: 96.0% Professional: 4.0% County social service agency: 52.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 25</u>) Completed program: 52.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 4.0% Death/other: 44.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Addiction Recovery Enterprise of Willmar Jail Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 25)	8.0%	0.0%
Not employed/student ^{11} (N = 21)	81.0%	85.7%
Arrests past 30 days (N = 23)	47.8%	4.4%
Alcohol use past 30 days (N = 24)	16.7%	0.0%
Drug use past 30 days (N = 23)	17.4%	0.0%
No self-help group participation past 30 days (N = 18)	66.7%	38.9%
No family support for recovery past 30 days (N = 19)	21.1%	10.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =25)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 25)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 25)	8.0%	0.0%
Resistance to Change ($N = 25$)	84.0%	64.0%
Relapse/Continued Use Potential (N = 25)	100.0%	84.0%
Unsupportive Recovery		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprises of Brainerd

11600 State Ave. Brainerd, MN 56401

County: Crow Wing

Provider Website:

Patient Profile

Gender (N = 637) Race (N = 637)Age (N = 637)Male: 67.3% White: 55.3% Under 18: 20.1% Female: 32.7% Black: 1.4% American Indian: 40.7% Hispanic: 1.7% Asian/Pacific Islander: 0.3% Other: 0.6%

Primary Substance (N = 617) Alcohol: 53.0% Methamphetamine: 12.8% Marijuana: 23.8% Heroin: 0.6% Cocaine: 4.1% Other opiates: 4.9% Other drugs: 0.8%

Source of Income (N = 637)

Job: 19.2% Retirement/savings: 2.2% Family/friends: 18.8% No income: 28.4% Public sources: 15.4% Other sources: 16.0%

18 to 25: 23.2% 26 to 34: 18.4% 35 and older: 38.3%

Source of Referral

(N<u>= 637)</u>. Self/family/relative/ friends: 45.2% Employer/school: 1.1% Criminal justice: 35.9% Professional: 12.4% County social service agency: 85.6% Other community resources: 6.6% AA: 0.0% Tribal: 7.2%

Outcomes

Discharge Status (N = 637)Completed program: 60.8% Patient left without staff approval: 27.0% Staff requested/judged inappropriate: 8.8% Death/other: 3.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Addiction Recovery Enterprises of Brainerd

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 603)	6.5%	3.2%
Not employed/student ^{\ddagger} (N = 578)	64.5%	63.5%
Arrests past 30 days (N = 600)	22.7%	7.0%
Alcohol use past 30 days (N = 606)	52.3%	15.3%
Drug use past 30 days (N = 602)	43.5%	12.3%
No self-help group participation past 30 days (N = 578)	76.8%	21.6%
No family support for recovery past 30 days (N = 580)	29.5%	15.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =602)	2.0%	3.5%
Biomedical Conditions and Complications ($N = 604$)	9.8%	7.8%
Emotional/Behavioral/ Cognitive Problem (N = 603)	63.2%	40.8%
Resistance to Change ($N = 611$)	79.2%	53.5%
Relapse/Continued Use Potential (N = 610)	90.7%	65.2%
Unsupportive Recovery Environment (N = 591)	77.5%	52.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Drug and Alcohol Servic, Inc.

1600 University Ave St. Paul, MN 55104

County: Ramsey

Provider Website:

Patient Profile

Gender (N = 90) Race (N = 90)Age (N = 90)Male: 74.4% White: 27.8% Under 18: 95.6% Female: 25.6% Black: 31.1% 18 to 25: 4.4% American Indian: 5.6% 26 to 34: 0.0% Hispanic: 18.9% 35 and older: 0.0% Asian/Pacific Islander: 8.9% Other: 7.8%

Primary Substance Source of Income Source of Referral (N = 90) (N = 90)(N = 90) . Alcohol: 11.1% Job: 7.8% Self/family/relative/ friends: 25.6% Methamphetamine: 4.4% Retirement/savings: 0.0% Marijuana: 83.3% Family/friends: 56.7% Heroin: 0.0% No income: 17.8% Public sources: 3.3% Cocaine: 1.1% Other opiates: 0.0% Other sources: 14.4% County social Other drugs: 0.0% Other community

Employer/school: 10.0% Criminal justice: 71.1% Professional: 10.0% service agency: 8.9% resources: 15.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 90)Completed program: 17.8% Patient left without staff approval: 37.8% Staff requested/judged inappropriate: 18.9% Death/other: 25.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Drug and Alcohol Servic, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 86)	0.0%	4.7%
Not employed/student ^{\ddagger} (N = 88)	0.0%	2.3%
Arrests past 30 days (N = 90)	47.8%	26.7%
Alcohol use past 30 days (N = 87)	46.0%	21.8%
Drug use past 30 days (N = 89)	86.5%	53.9%
No self-help group participation past 30 days (N = 89)	91.0%	87.6%
No family support for recovery past 30 days (N = 80)	33.8%	52.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =89)	0.0%	1.1%
	0.0% 1.1%	1.1% 2.3%
Withdrawal (N =89) Biomedical Conditions and		
Withdrawal (N =89) Biomedical Conditions and Complications (N = 89) Emotional/Behavioral/	1.1%	2.3%
Withdrawal (N =89) Biomedical Conditions and Complications (N = 89) Emotional/Behavioral/ Cognitive Problem (N = 89)	1.1% 98.9%	2.3% 91.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Drug and Alcohol Services, Inc.

501 Hwy 13 E Burnsville, MN 55337

County: Dakota

Provider Website:

Patient Profile

Gender (N = 84) Race (N = 84)Age (N = 84)White: 73.8% Male: 57.1% Female: 42.9% Black: 3.6% American Indian: 2.4% Hispanic: 4.8% Asian/Pacific Islander: 2.4% Other: 13.1%

Primary Substance Source of Income (N = 84)(N = 84)Alcohol: 19.0% Methamphetamine: 2.4% Marijuana: 73.8% Heroin: 0.0% Cocaine: 4.8% Other opiates: 0.0% Other drugs: 0.0%

Job: 0.0% Retirement/savings: 0.0% Family/friends: 95.2% No income: 0.0% Public sources: 1.2% Other sources: 3.6%

Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Source of Referral (N = 84). Self/family/relative/ friends: 23.8% Employer/school: 10.7% Criminal justice: 11.9% Professional: 58.3% County social service agency: 17.9% Other community resources: 23.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 84</u>) Completed program: 15.5% Patient left without staff approval: 38.1% Staff requested/judged inappropriate: 20.2% Death/other: 26.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Community Drug and Alcohol Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 83)	0.0%	1.2%
Not employed/student ^{$\pm\pm$} (N = 83)	1.2%	1.2%
Arrests past 30 days (N = 73)	17.8%	6.9%
Alcohol use past 30 days (N = 73)	52.1%	20.5%
Drug use past 30 days (N = 73)	67.1%	35.6%
No self-help group participation past 30 days (N = 53)	83.0%	81.1%
No family support for recovery past 30 days (N = 58)	13.8%	31.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =81)	1.2%	1.2%
Biomedical Conditions and Complications $(N = 83)$	6.0%	7.2%
Emotional/Behavioral/ Cognitive Problem (N = 83)		
j i i i i i i i i i i i i i i i i i i i	98.8%	91.6%
Resistance to Change ($N = 83$)	98.8% 96.4%	91.6% 89.2%
3		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Conceptual Counseling

287 E. 6th Street St. Paul, MN 551011654

County: Ramsey

Provider Website: www.conceptualcounseling.com

Patient Profile

Gender (N = 28) Male: 82.1% Female: 17.9%

Race (N = 28)White: 85.7% Black: 7.1% American Indian: 0.0% Hispanic: 3.6% Asian/Pacific Islander: 3.6% Other: 0.0%

Age (N = 28)Under 18: 0.0% 18 to 25: 10.7% 26 to 34: 28.6% 35 and older: 60.7%

resources: 67.9%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
<u>(N = 28)</u>	<u>(N = 28)</u>	<u>(N = 28)</u> .
Alcohol: 96.4%	Job: 75.0%	Self/family/relative/
Methamphetamine: 0.0%	Retirement/savings: 7.1%	friends: 53.6%
Marijuana: 0.0%	Family/friends: 10.7%	Employer/school: 0.0%
Heroin: 0.0%	No income: 7.1%	Criminal justice: 14.3%
Cocaine: 3.6%	Public sources: 0.0%	Professional: 17.9%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 0.0%		service agency: 0.0%
		Other community

Outcomes

Discharge Status <u>(N = 28</u>) Completed program: 100.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Conceptual Counseling

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 27)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 28)	10.7%	14.3%
Arrests past 30 days (N = 28)	7.1%	0.0%
Alcohol use past 30 days (N = 28)	21.4%	0.0%
Drug use past 30 days (N = 28)	3.6%	0.0%
No self-help group participation past 30 days ($N = 13$)	46.2%	0.0%
No family support for recovery past 30 days (N = 26)	3.9%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =26)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 25)$	4.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 26)	11.5%	0.0%
Resistance to Change ($N = 26$)	19.2%	0.0%
Relapse/Continued Use Potential (N = 26)	30.8%	0.0%
Unsupportive Recovery Environment (N = 26)	23.1%	0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cook County Wilderness Outpatient Treatment Program

411 West 2nd Street Grand Marais, MN 556042307

County: Cook

Provider Website:

Patient Profile

Gender (N = 26) Race (N = 26)Age (N = 26)Male: 88.5% White: 88.5% Under 18: 0.0% Female: 11.5% Black: 0.0% American Indian: 7.7% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 3.9%

Primary Substance (N = 26) Alcohol: 84.6% Methamphetamine: 3.9% Marijuana: 11.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 26)Job: 92.3% Retirement/savings: 0.0% Family/friends: 7.7% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

18 to 25: 23.1% 26 to 34: 26.9% 35 and older: 50.0%

Source of Referral (N = 26). Self/family/relative/ friends: 50.0% Employer/school: 0.0% Criminal justice: 92.3% Professional: 0.0% County social service agency: 11.5% Other community resources: 7.7% AA: 0.0% Tribal: 3.9%

Outcomes

Discharge Status <u>(N = 26</u>) Completed program: 69.2% Patient left without staff approval: 7.7% Staff requested/judged inappropriate: 23.1% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Cook County Wilderness Outpatient Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 26)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 25)	20.0%	20.0%
Arrests past 30 days (N = 25)	4.0%	0.0%
Alcohol use past 30 days (N = 25)	24.0%	4.0%
Drug use past 30 days (N = 21)	4.8%	0.0%
No self-help group participation past 30 days (N = 25)	60.0%	20.0%
No family support for recovery past 30 days (N = 22)	50.0%	22.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =26)	0.0%	0.0%
Withdrawal (N = 26) Biomedical Conditions and Complications (N = 26)	0.0%	0.0% 0.0%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 26) Emotional/Behavioral/	0.0%	0.0%
Biomedical Conditions and Complications (N = 26) Emotional/Behavioral/ Cognitive Problem (N = 26)	0.0% 19.2%	0.0% 7.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Correctional Transition Services, Inc.

2308 Dowling Ave. N. Minneapolis, MN 55412

County: Hennepin

Provider Website:

Patient Profile

Gender (N = 55) Race (N = 55)Age (N = 55)Male: 96.4% White: 27.3% Under 18: 0.0% Female: 3.6% Black: 45.5% American Indian: 10.9% Hispanic: 5.5% Asian/Pacific Islander: 3.6% Other: 7.3%

Primary Substance (N = 55) Alcohol: 32.7% Methamphetamine: 9.1% Marijuana: 30.9% Heroin: 1.8% Cocaine: 25.5% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 55)Job: 10.9% Retirement/savings: 0.0% Family/friends: 9.1% No income: 23.6% Public sources: 25.5% Other sources: 30.9%

18 to 25: 20.0% 26 to 34: 29.1% 35 and older: 50.9%

Source of Referral (N = 55). Self/family/relative/ friends: 29.1% Employer/school: 0.0% Criminal justice: 74.5% Professional: 0.0% County social service agency: 85.5% Other community resources: 7.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 55</u>) Completed program: 25.5% Patient left without staff approval: 49.1% Staff requested/judged inappropriate: 16.4% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Correctional Transition Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 39)	20.5%	20.5%
Not employed/student ^{11} (N = 21)	71.4%	66.7%
Arrests past 30 days (N = 38)	47.4%	28.9%
Alcohol use past 30 days (N = 34)	23.5%	14.7%
Drug use past 30 days (N = 34)	50.0%	23.5%
No self-help group participation past 30 days (N = 23)	47.8%	17.4%
No family support for recovery past 30 days (N = 21)	9 .5%	4.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =29)	0.0%	3.5%
Biomedical Conditions and Complications ($N = 30$)	23.3%	3.3%
Emotional/Behavioral/ Cognitive Problem (N = 30)	80.0%	36.7%
Resistance to Change ($N = 30$)	36.7%	36.7%
Relapse/Continued Use Potential (N = 30)	93.3%	53.3%
Unsupportive Recovery Environment (N = 30)	93.3%	53.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Corrections Recovery Services

2116 South East Campus Drive Rochester, MN 55904

County: Olmsted

Provider Website:

Patient Profile

Gender (N = 164) Race (N = 164)Male: 80.5% White: 83.5% Female: 19.5% Black: 11.0% American Indian: 1.2% Hispanic: 1.2% Asian/Pacific Islander: 1.8% Other: 1.2%

Primary Substance (N = 143) Alcohol: 44.1% Methamphetamine: 24.5% Marijuana: 16.8% Heroin: 0.0% Cocaine: 12.6% Other opiates: 0.0% Other drugs: 2.1%

Source of Income (N = 164)Job: 74.4% Retirement/savings: 1.8% Family/friends: 7.3% No income: 6.1% Public sources: 3.1% Other sources: 7.3%

Age (N = 164)

Under 18: 0.6% 18 to 25: 39.0% 26 to 34: 30.5% 35 and older: 29.9%

Source of Referral

(N<u>= 164)</u>. Self/family/relative/ friends: 17.7% Employer/school: 0.6% Criminal justice: 92.1% Professional: 3.7% County social service agency: 12.2% Other community resources: 7.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 164)Completed program: 78.7% Patient left without staff approval: 15.9% Staff requested/judged inappropriate: 1.8% Death/other: 3.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Corrections Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 147)	0.7%	0.7%
Not employed/student ^{\ddagger} (N = 147)	29.3%	33.3%
Arrests past 30 days (N = 158)	15.8%	5.1%
Alcohol use past 30 days (N = 163)	14.1%	2.5%
Drug use past 30 days (N = 163)	7.4%	1.8%
No self-help group participation past 30 days (N = 118)	83.9%	75.4%
No family support for recovery past 30 days (N = 109)	40.4%	32.1%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =162)	0.6%	1.9%
Riemenliegt Conditions and		
Biomedical Conditions and Complications ($N = 162$)	3.7%	3.1%
	3.7% 37.0%	3.1% 27.2%
Complications (N = 162) Emotional/Behavioral/		
Complications (N = 162) Emotional/Behavioral/ Cognitive Problem (N = 162)	37.0%	27.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Counseling Clinic La Crescent

33 South Walnut Street La Crescent, MN 55947

County: Houston

Provider Website:

Patient Profile

Gender (N = 48) Race (N = 48)Male: 79.2% White: 95.8% Female: 20.8% Black: 4.2% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 48)Under 18: 2.1% 18 to 25: 31.3% 26 to 34: 27.1% 35 and older: 39.6%

resources: 12.5%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 48)	(N = 48)	<u>(N = 48)</u> .
Alcohol: 68.8%	Job: 70.8%	Self/family/relative/
Methamphetamine: 6.3%	Retirement/savings: 0.0%	friends: 20.8%
Marijuana: 8.3%	Family/friends: 10.4%	Employer/school: 2.1%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 62.5%
Cocaine: 10.4%	Public sources: 16.7%	Professional: 6.3%
Other opiates: 4.2%	Other sources: 2.1%	County social
Other drugs: 2.1%		service agency: 33.3%
-		Other community

Outcomes

Discharge Status <u>(N = 48</u>) Completed program: 64.6% Patient left without staff approval: 27.1% Staff requested/judged inappropriate: 8.3% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Counseling Clinic La Crescent

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 45)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 43)	25.6%	25.6%
Arrests past 30 days (N = 43)	23.3%	4.7%
Alcohol use past 30 days (N = 39)	17.9%	0.0%
Drug use past 30 days (N = 38)	13.2%	2.6%
No self-help group participation past 30 days (N = 37)	75.7%	40.5%
No family support for recovery past 30 days (N = 37)	0.0%	5.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =48)	2.1%	0.0%
Biomedical Conditions and Complications $(N = 48)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 48)	4.2%	8.3%
Resistance to Change ($N = 48$)	29.2%	14.6%
Relapse/Continued Use Potential (N = 48)	81.3%	35.4%
Unsupportive Recovery Environment (N = 48)	83.3%	33.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Courage Center-Vinland National Center

3915 Golden Valley Road Golden Valley, MN 55357

County: Hennepin

Provider Website:

Patient Profile

Gender (N = 63) Race (N = 63)Age (N = 63)White: 66.7% Male: 82.5% Female: 17.5% Black: 27.0% American Indian: 1.6% Hispanic: 3.2% Asian/Pacific Islander: 1.6% Other: 0.0%

Primary Substance Source of Income (N = 63)(N = 63)Alcohol: 63.5% Job: 4.8% Retirement/savings: 3.2% Methamphetamine: 1.6% Marijuana: 14.3% Family/friends: 19.0% Heroin: 3.2% No income: 0.0% Cocaine: 14.3% Public sources: 73.0% Other opiates: 1.6% Other sources: 0.0% Other drugs: 1.6%

Under 18: 1.6% 18 to 25: 12.7% 26 to 34: 30.2% 35 and older: 55.6%

Source of Referral (N = 63). Self/family/relative/ friends: 57.1% Employer/school: 0.0% Criminal justice: 33.3% Professional: 39.7% County social service agency: 38.1% Other community resources: 4.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 63</u>) Completed program: 65.1% Patient left without staff approval: 31.7% Staff requested/judged inappropriate: 0.0% Death/other: 3.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Courage Center-Vinland National Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 60)	1.7%	0.0%
Not employed/student ^{\ddagger} (N = 58)	77.6%	51.7%
Arrests past 30 days (N = 55)	12.7%	0.0%
Alcohol use past 30 days (N = 51)	23.5%	5.9%
Drug use past 30 days (N = 50)	20.0%	2.0%
No self-help group participation past 30 days ($N = 49$)	18.4%	16.3%
No family support for recovery past 30 days (N = 49)	24.5%	26.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =63)	0.0%	20.6%
Biomedical Conditions and Complications $(N = 63)$	14.3%	25.4%
Emotional/Behavioral/ Cognitive Problem (N = 63)	98.4%	79.4%
Resistance to Change ($N = 63$)	19.0%	28.6%
Relapse/Continued Use Potential (N = 63)	98.4%	77.8%
Unsupportive Recovery Environment (N = 63)	93.7%	60.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CREATE

1911 Pleasant Avenue South Minneapolis, MN 55403

County: Hennepin

Provider Website:

Patient Profile

Age (N = 225) Under 18: 1.3% 18 to 25: 32.4% 26 to 34: 23.6% 35 and older: 42.7%

Primary Substance (N = 225) Alcohol: 80.9% Methamphetamine: 2.2% Marijuana: 13.3% Heroin: 0.4% Cocaine: 2.2% Other opiates: 0.0% Other drugs: 0.9%

Source of Income

(N = 225) Job: 72.4% Retirement/savings: 0.4% Family/friends: 8.0% No income: 1.8% Public sources: 8.4% Other sources: 8.9%

Source of Referral

(N = 225) Self/family/relative/ friends: 42.7% Employer/school: 6.2% Criminal justice: 73.8% Professional: 9.3% County social service agency: 10.7% Other community resources: 17.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 225) Completed program: 78.7% Patient left without staff approval: 13.8% Staff requested/judged inappropriate: 2.2% Death/other: 5.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

CREATE

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 221)	0.9%	1.4%
Not employed/student ^{\ddagger} (N = 217)	25.3%	20.3%
Arrests past 30 days (N = 225)	20.9%	3.6%
Alcohol use past 30 days (N = 225)	48.0%	14.2%
Drug use past 30 days (N = 225)	20.9%	8.0%
No self-help group participation past 30 days (N = 205)	86.3%	81.0%
No family support for recovery past 30 days (N = 174)	13.8%	23.6%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =218)	0.9%	3.2%
Biomedical Conditions and Complications ($N = 218$)	1.8%	1.8%
	1.8% 44.4%	1.8% 9.7%
Complications (N = 218) Emotional/Behavioral/		
Complications (N = 218) Emotional/Behavioral/ Cognitive Problem (N = 216)	44.4%	9.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CREATE-South

15025 Glazier Avenue Apple Valley, MN 55124

County: Dakota

Provider Website: www.chemicalhealth.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 105)} \\ Male: \ 81.0\% \\ Female: \ 19.0\% \\ \hline Female: \ 19.0\% \\ \hline Female: \ 19.0\% \\ \hline \\ Semigration \ Mite: \ 80.0\% \\ Black: \ 2.9\% \\ American \ Indian: \ 2.9\% \\ American \ Indian: \ 2.9\% \\ American \ Indian: \ 2.9\% \\ Aisan/Pacific \ Islander: \ 2.9\% \\ Other: \ 4.8\% \\ \end{array} \\ \begin{array}{c} \underline{Age \ (N = 105)} \\ Under \ 18: \ 1.9\% \\ 18 \ to \ 25: \ 35.2\% \\ 26 \ to \ 34: \ 28.6\% \\ 35 \ and \ older: \ 34.3\% \\ Other: \ 4.8\% \\ \hline \end{array}$

Primary Substance (N = 105) Alcohol: 86.7% Methamphetamine: 3.8% Marijuana: 5.7% Heroin: 0.0% Cocaine: 1.9% Other opiates: 1.0% Other drugs: 1.0% Source of Income (N = 105)Job: 62.9% Retirement/savings: 4.8% Family/friends: 28.6% No income: 0.0% Public sources: 3.8% Other sources: 0.0% Source of Referral (N = 105) Self/family/relative/ friends: 49.5% Employer/school: 3.8% Criminal justice: 69.5% Professional: 26.7% County social service agency: 34.3% Other community resources: 7.6% AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 105) Completed program: 91.4% Patient left without staff approval: 2.9% Staff requested/judged inappropriate: 4.8% Death/other: 1.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

CREATE-South

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 105)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 105)	23.8%	17.1%
Arrests past 30 days (N = 105)	6.7%	1.9%
Alcohol use past 30 days (N = 105)	34.3%	8.6%
Drug use past 30 days (N = 105)	7.6%	1.0%
No self-help group participation past 30 days ($N = 104$)	72.1%	52. 9 %
No family support for recovery past 30 days (N = 104)	26.0%	4.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =102)	0.0%	2.9%
Biomedical Conditions and Complications ($N = 105$)	9.5%	1.0%
Emotional/Behavioral/ Cognitive Problem (N = 105)	68.6%	5.7%
Resistance to Change ($N = 104$)	36.5%	6.7%
Relapse/Continued Use Potential (N = 105)	96.2%	13.3%
Unsupportive Recovery Environment (N = 105)	74.3%	10.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota County Receiving Center, Inc.

1294 East 18th Street Hasting, MN 55033

County: Dakota

Provider Website: www.detoxone.org

Patient Profile

Gender (N = 432) Race (N = 432)Age (N = 432)Male: 95.1% White: 79.6% Under 18: 1.6% Female: 4.9% Black: 10.4% 18 to 25: 30.1% American Indian: 3.0% 26 to 34: 22.5% Hispanic: 4.9% 35 and older: 45.8% Asian/Pacific Islander: 0.5% Other: 1.6%

Drimary Substance	Source of Income
Primary Substance	Source of Income
(N = 380)	<u>(N = 432)</u>
Alcohol: 50.0%	Job: 35.6%
Methamphetamine: 20.5%	Retirement/savings
Marijuana: 9.7%	Family/friends: 9.0
Heroin: 2.1%	No income: 14.6%
Cocaine: 12.1%	Public sources: 17.
Other opiates: 3.4%	Other sources: 19.9
Other drugs: 2.1%	

(N = 432)Job: 35.6% Retirement/savings: 3.2% Family/friends: 9.0% No income: 14.6% Public sources: 17.6% Other sources: 19.9%

Source of Referral

(N = 432). Self/family/relative/ friends: 52.5% Employer/school: 0.0% Criminal justice: 34.3% Professional: 52.3% County social service agency: 38.9% Other community resources: 6.5% AA: 0.0% Tribal: 0.9%

Outcomes

Discharge Status (N = 432)Completed program: 59.3% Patient left without staff approval: 14.8% Staff requested/judged inappropriate: 17.6% Death/other: 8.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Dakota County Receiving Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 408)	11.5%	24.8%
Not employed/student ^{ii} (N = 365)	76.4%	57.5%
Arrests past 30 days (N = 319)	10.3%	4.4%
Alcohol use past 30 days (N = 303)	28.4%	9.9%
Drug use past 30 days (N = 297)	17.8%	5.1%
No self-help group participation past 30 days (N = 386)	11.9%	0.0%
No family support for recovery past 30 days (N = 314)	7.3%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =405)	3.7%	7.7%
Biomedical Conditions and Complications ($N = 408$)	17.6%	9.3%
Emotional/Behavioral/ Cognitive Problem (N = 405)	66.2%	40.7%
Resistance to Change ($N = 405$)	52.6%	36.0%
Relapse/Continued Use Potential (N = 405)	83.0%	51.1%
Unsupportive Recovery Environment (N = 405)	81.2%	48.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota Treatment Center

11939 West River Hills Drive Burnsville, MN 55337

County: Dakota

Provider Website: www.methadonetreatment.com

Patient Profile

<u>Gender (N = 10)</u> Male: 60.0% Female: 40.0% Race (N = 10) White: 80.0% Black: 20.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 10)</u> Under 18: 0.0% 18 to 25: 30.0% 26 to 34: 30.0% 35 and older: 40.0%

Primary Substance (N = 10)Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 30.0% Cocaine: 0.0% Other opiates: 70.0% Other drugs: 0.0%

(N = 10) Job: 60.0% Retirement/savings: 0.0% Family/friends: 20.0% No income: 0.0% Public sources: 20.0% Other sources: 0.0%

Source of Income

Source of Referral

(N = 10) Self/family/relative/ friends: 100.0% Employer/school: 10.0% Criminal justice: 0.0% Professional: 10.0% County social service agency: 0.0% Other community resources: 30.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 10) Completed program: 0.0% Patient left without staff approval: 30.0% Staff requested/judged inappropriate: 0.0% Death/other: 70.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Dakota Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 8)	*	*
Not employed/student ^{tt} (N = 9)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days (N = 7)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
•	<u>Admission</u> 50.0%	Discharge 60.0%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =10) Biomedical Conditions and	50.0%	60.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =10) Biomedical Conditions and Complications (N = 10) Emotional/Behavioral/	50.0% 10.0%	60.0% 10.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =10) Biomedical Conditions and Complications (N = 10) Emotional/Behavioral/ Cognitive Problem (N = 10)	50.0% 10.0% 40.0%	60.0% 10.0% 40.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

701 South Dellwood Avenue Cambridge, MN 55008

County: Isanti

Provider Website: www.allina.com

Patient Profile

Gender (N = 710) Age (N = 710)Race (N = 710)Male: 70.6% White: 86.3% Under 18: 29.6% Female: 29.4% Black: 4.5% 18 to 25: 18.3% American Indian: 3.8% 26 to 34: 18.6% Hispanic: 2.8% 35 and older: 33.5% Asian/Pacific Islander: 0.4% Other: 2.1%

Primary Substance (N = 707)Alcohol: 42.4% Methamphetamine: 15.1% Marijuana: 30.7% Heroin: 1.0% Cocaine: 3.7% Other opiates: 3.8% Other drugs: 3.3%

Source of Income (N = 710)Job: 33.9% Retirement/savings: 2.0% Family/friends: 44.8% No income: 6.9% Public sources: 4.8%

Other sources: 7.6%

Source of Referral (N<u>= 710)</u>. Self/family/relative/ friends: 71.8% Employer/school: 4.8% Criminal justice: 40.8% Professional: 22.4% County social service agency: 12.5% Other community resources: 17.0% AA: 0.6% Tribal: 0.6%

Outcomes

Discharge Status (N = 710)Completed program: 67.6% Patient left without staff approval: 10.1% Staff requested/judged inappropriate: 11.3% Death/other: 11.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Dellwood Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 701)	4.1%	2.6%
Not employed/student ^{\ddagger} (N = 688)	40.8%	40.4%
Arrests past 30 days (N = 693)	18.3%	9.2%
Alcohol use past 30 days (N = 692)	56.2%	24.1%
Drug use past 30 days (N = 692)	50.1%	26.9%
No self-help group participation past 30 days (N = 680)	62.9%	8.2%
No family support for recovery past 30 days (N = 679)	21.8%	8.1%
Barriers to Recovery Dimensions of Chemical Health [§]		
Bimensions of onemical fication	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =694)	Admission 9.5%	<u>Discharge</u> 3.2%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =694) Biomedical Conditions and	9.5%	3.2%
Acute Intoxication/ Withdrawal (N =694) Biomedical Conditions and Complications (N = 689) Emotional/Behavioral/	9.5% 15.8%	3.2% 10.2%
Acute Intoxication/ Withdrawal (N =694) Biomedical Conditions and Complications (N = 689) Emotional/Behavioral/ Cognitive Problem (N = 696)	9.5% 15.8% 83.0%	3.2% 10.2% 58.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dimensions in Recovery Maple Lake Recovery Center, Inc.

33 Birch Ave Maple Lake, MN 55358

County: Wright

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

 Gender (N = 14)
 Race (N = 14)
 Age (N = 14)

 Male: 64.3%
 White: 100.0%
 Under 18: 92.9%

 Female: 35.7%
 Black: 0.0%
 18 to 25: 7.1%

 American Indian: 0.0%
 26 to 34: 0.0%

 Hispanic: 0.0%
 35 and older: 0.0%

 Other: 0.0%
 0ther: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 14)	<u>(N = 14)</u>	(N = 14) .
Alcohol: 28.6%	Job: 0.0%	Self/family/relative/
Methamphetamine: 7.1%	Retirement/savings: 0.0%	friends: 57.1%
Marijuana: 57.1%	Family/friends: 100.0%	Employer/school: 0.0%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 57.1%
Cocaine: 7.1%	Public sources: 0.0%	Professional: 71.4%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 0.0%		service agency: 7.1%
		Other community
		resources: 7.1%

Outcomes

Discharge Status (N = 14) Completed program: 14.3% Patient left without staff approval: 42.9% Staff requested/judged inappropriate: 28.6% Death/other: 14.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 14)	0.0%	0.0%
Not employed/student ^{11} (N = 14)	0.0%	7.1%
Arrests past 30 days (N = 14)	7.1%	14.3%
Alcohol use past 30 days (N = 14)	35.7%	21.4%
Drug use past 30 days (N = 14)	35.7%	14.3%
No self-help group participation past 30 days (N = 14)	21.4%	0.0%
No family support for recovery past 30 days (N = 14)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =14)	0.0%	7.1%
Biomedical Conditions and Complications $(N = 13)$	7.7%	7.7%
Emotional/Behavioral/ Cognitive Problem (N = 13)	38.5%	46.2%
Resistance to Change ($N = 14$)	57.1%	78.6%
Relapse/Continued Use Potential (N = 14)	100.0%	85.7%
Unsupportive Recovery Environment (N = 13)	84.6%	76.9%

Dimensions in Recovery Maple Lake Recovery Center, Inc.

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

 $^{^{\}ddagger\ddagger}$ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Douglas Place, Inc.

1111 Gateway Drive NE East Grand Forks, MN 567212620

County: Polk

Provider Website:

Patient Profile

<u>Gender (N = 263)</u>	<u>Race (N = 263)</u>	<u>Age (N = 263)</u>
Male: 85.2%	White: 69.2%	Under 18: 0.0%
Female: 14.8%	Black: 1.9%	18 to 25: 24.7%
	American Indian: 25.9%	26 to 34: 26.2%
	Hispanic: 2.7%	35 and older: 49.0%
	Asian/Pacific Islander: 0.4%	
	Other: 0.0%	

Primary Substance (N = 263)	S
Alcohol: 78.7%	7
Methamphetamine: 10.3%	
Marijuana: 5.7%	
Heroin: 0.4%	
Cocaine: 1.5%	
Other opiates: 2.7%	
Other drugs: 0.8%	

Source of Income (N = 263) Job: 11.8% Retirement/savings: 0.4% Family/friends: 4.2% No income: 66.2% Public sources: 14.8% Other sources: 2.7%

Source of Referral

(N = 263) Self/family/relative/ friends: 36.5% Employer/school: 0.0% Criminal justice: 27.4% Professional: 35.0% County social service agency: 94.7% Other community resources: 4.6% AA: 0.0% Tribal: 0.4%

Outcomes

Discharge Status (N = 263) Completed program: 45.6% Patient left without staff approval: 22.8% Staff requested/judged inappropriate: 25.5% Death/other: 6.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Douglas Place, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 261)	15.7%	1.2%
Not employed/student ^{\ddagger} (N = 243)	96.3%	61.3%
Arrests past 30 days (N = 263)	10.6%	5.3%
Alcohol use past 30 days (N = 263)	27.0%	24.3%
Drug use past 30 days (N = 263)	12.9%	7.2%
No self-help group participation past 30 days (N = 263)	99.6%	85.2%
No family support for recovery past 30 days (N = 263)	11.0%	1.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	<u>Admission</u> 0.0%	<u>Discharge</u> 7.6%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =263) Biomedical Conditions and	0.0%	7.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 263) Biomedical Conditions and Complications (N = 263) Emotional/Behavioral/	0.0% 22.1%	7.6% 16.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 263) Biomedical Conditions and Complications (N = 263) Emotional/Behavioral/ Cognitive Problem (N = 263)	0.0% 22.1% 69.6%	7.6% 16.3% 47.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Effective Living Center, Inc.

103 6th Street NE Little Falls, MN 563452854

County: Morrison

resources: 6.4%

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 94)} \\ Male: \ 75.5\% \\ Female: \ 24.5\% \\ \end{array} \begin{array}{c} \underline{Race (N = 94)} \\ White: \ 93.6\% \\ Black: \ 4.3\% \\ American \ Indian: \ 2.1\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \begin{array}{c} \underline{Age (N = 94)} \\ Under \ 18: \ 8.5\% \\ 18 \ to \ 25: \ 31.9\% \\ 26 \ to \ 34: \ 18.1\% \\ 35 \ and \ older: \ 41.5\% \\ Other: \ 0.0\% \end{array}$

Primary Substance Source of Income Source of Referral (N = 94)(N = 94)(N = 94) . Alcohol: 63.8% Job: 60.6% Self/family/relative/ friends: 36.2% Methamphetamine: 13.8% Retirement/savings: 1.1% Marijuana: 19.1% Family/friends: 19.1% Employer/school: 2.1% Heroin: 0.0% No income: 7.5% Criminal justice: 79.8% Public sources: 8.5% Professional: 7.5% Cocaine: 1.1% Other opiates: 2.1% Other sources: 3.2% County social Other drugs: 0.0% service agency: 17.0% Other community

Outcomes

Discharge Status (N = 94) Completed program: 48.9% Patient left without staff approval: 26.6% Staff requested/judged inappropriate: 6.4% Death/other: 18.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Effective Living Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 93)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 94)	40.4%	28.7%
Arrests past 30 days (N = 94)	14.9%	4.3%
Alcohol use past 30 days (N = 94)	38.3%	13.8%
Drug use past 30 days (N = 94)	14.9%	8.5%
No self-help group participation past 30 days ($N = 94$)	75.5%	38.3%
No family support for recovery past 30 days (N = 93)	19.4%	21.5%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
-	<u>Admission</u> 0.0%	Discharge 3.2%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and	0.0%	3.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and Complications (N = 94) Emotional/Behavioral/	0.0%	3.2% 5.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and Complications (N = 94) Emotional/Behavioral/ Cognitive Problem (N = 94)	0.0% 14.9% 35.1%	3.2% 5.3% 22.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Effective Living Center, Inc.

821 West St. Germain St. Cloud, MN 56301

County: Stearns

Provider Website:

Patient Profile

Gender (N = 279) Race (N = 279)Age (N = 279)Male: 66.3% White: 84.9% Under 18: 4.3% Female: 33.7% Black: 9.3% 18 to 25: 34.1% American Indian: 1.4% Hispanic: 2.9% Asian/Pacific Islander: 0.7% Other: 0.7%

Primary Substance Source of Income (N = 279) (N = 279)Alcohol: 55.9% Job: 57.3% Methamphetamine: 14.0% Marijuana: 24.7% Heroin: 1.1% Cocaine: 2.9% Other opiates: 1.1% Other drugs: 0.4%

Retirement/savings: 1.1% Family/friends: 12.5% No income: 10.8% Public sources: 12.2% Other sources: 6.1%

26 to 34: 28.7% 35 and older: 33.0%

Source of Referral

(N<u>= 279)</u>. Self/family/relative/ friends: 68.5% Employer/school: 1.8% Criminal justice: 65.6% Professional: 5.4% County social service agency: 16.8% Other community resources: 7.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 279)Completed program: 59.5% Patient left without staff approval: 21.9% Staff requested/judged inappropriate: 9.3% Death/other: 9.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Effective Living Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 274)	1.1%	0.0%
Not employed/student ^{\ddagger} (N = 260)	40.0%	35.4%
Arrests past 30 days (N = 276)	9.4%	3.6%
Alcohol use past 30 days (N = 279)	31.2%	12.5%
Drug use past 30 days (N = 278)	21.9%	9.4%
No self-help group participation past 30 days (N = 168)	82.7%	66.7%
No family support for recovery past 30 days (N = 158)	18.4%	10.1%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health ⁹ Acute Intoxication/ Withdrawal (N =279)	Admission 0.4%	<u>Discharge</u> 0.0%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =279) Biomedical Conditions and	0.4%	0.0%
Acute Intoxication/ Withdrawal (N =279) Biomedical Conditions and Complications (N = 277) Emotional/Behavioral/	0.4% 8.3%	0.0% 5.8%
Acute Intoxication/ Withdrawal (N =279) Biomedical Conditions and Complications (N = 277) Emotional/Behavioral/ Cognitive Problem (N = 278)	0.4% 8.3% 44.6%	0.0% 5.8% 33.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

EmPower CTC

602 11th Ave NW Rochester, MN 55901

Provider Website:

Patient Profile

Gender (N = 138)

Female: 22.5%

Male: 77.5%

<u>Race (N = 138)</u> White: 80.4% Black: 11.6% American Indian: 0.7% Hispanic: 6.5% Asian/Pacific Islander: 0.7% <u>Age (N = 138)</u> Under 18: 0.0% 18 to 25: 34.1% 26 to 34: 31.2% 35 and older: 34.8%

County: Olmsted

Primary Substance (N = 138) Alcohol: 50.7% Methamphetamine: 10.1% Marijuana: 25.4% Heroin: 0.0% Cocaine: 10.9%

Other opiates: 1.5%

Other drugs: 1.5%

Source of Income

Other: 0.0%

(N = 138) Job: 55.1% Retirement/savings: 3.6% Family/friends: 21.0% No income: 5.8% Public sources: 6.5% Other sources: 8.0%

Source of Referral

<u>(N = 138)</u> Self/family/relative/ friends: 34.1% Employer/school: 2.2% Criminal justice: 54.3% Professional: 8.0% County social service agency: 8.7% Other community resources: 2.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 138) Completed program: 59.4% Patient left without staff approval: 26.1% Staff requested/judged inappropriate: 3.6% Death/other: 10.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

EmPower CTC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 137)	0.0%	0.7%
Not employed/student ^{\ddagger} (N = 137)	43.8%	32.8%
Arrests past 30 days (N = 138)	13.8%	11.6%
Alcohol use past 30 days (N = 138)	39.1%	7.3%
Drug use past 30 days (N = 138)	27.5%	13.0%
No self-help group participation past 30 days (N = 97)	57.7%	25.8%
No family support for recovery past 30 days (N = 108)	30.6%	17.6%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
•	<u>Admission</u> 1.5%	<u>Discharge</u> 0.7%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =138) Biomedical Conditions and	1.5%	0.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 138) Biomedical Conditions and Complications (N = 138) Emotional/Behavioral/	1.5% 3.6%	0.7% 2.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =138) Biomedical Conditions and Complications (N = 138) Emotional/Behavioral/ Cognitive Problem (N = 138)	1.5% 3.6% 21.0%	0.7% 2.2% 14.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Endeavor Place, LLC

21539 120th Street Verndale, MN 56481

Provider Website:

Patient Profile

<u>Gender (N = 29)</u> Male: 100.0% Female: 0.0% Race (N = 29) White: 89.7% Black: 0.0% American Indian: 6.9% Hispanic: 3.5% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 29)</u> Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

County: Wadena

Primary Substance (N = 29) Alcohol: 13.8% Methamphetamine: 3.5% Marijuana: 69.0% Heroin: 0.0%

Cocaine: 6.9% Other opiates: 3.5%

Other drugs: 3.5%

Source of Income

(N = 29) Job: 13.8% Retirement/savings: 0.0% Family/friends: 82.8% No income: 0.0% Public sources: 0.0% Other sources: 3.5%

Source of Referral

(N = 29) Self/family/relative/ friends: 27.6% Employer/school: 0.0% Criminal justice: 72.4% Professional: 51.7% County social service agency: 10.3% Other community resources: 6.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 29) Completed program: 69.0% Patient left without staff approval: 3.5% Staff requested/judged inappropriate: 24.1% Death/other: 3.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Endeavor Place, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 23)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 28)	0.0%	0.0%
Arrests past 30 days (N = 26)	15.4%	3.9%
Alcohol use past 30 days (N = 29)	6.9%	0.0%
Drug use past 30 days (N = 29)	10.3%	0.0%
No self-help group participation past 30 days (N = 27)	63.0%	0.0%
No family support for recovery past 30 days (N = 29)	3.5%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission 10.7%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =28) Biomedical Conditions and	10.7%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/	10.7% 10.7%	0.0% 10.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/ Cognitive Problem (N = 28)	10.7% 10.7% 78.6%	0.0% 10.7% 57.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Episcopal Community Services Bemidji Campus

1741 15th Street NW Bemidji, MN 566190744

County: Beltrami

AA: 0.0% Tribal: 0.0%

Provider Website: www.ecsmn.org

Patient Profile

 Gender (N = 23)
 Race (N = 23)
 Age (N = 23)

 Male: 56.5%
 White: 78.3%
 Under 18: 100.0%

 Female: 43.5%
 Black: 0.0%
 18 to 25: 0.0%

 American Indian: 17.4%
 26 to 34: 0.0%

 Hispanic: 0.0%
 35 and older: 0.0%

 Asian/Pacific Islander: 0.0%
 Other: 4.4%

Primary Substance	Source of Income	Source of Referral
(N = 23)	<u>(N = 23)</u>	(N = 23).
Alcohol: 13.0%	Job: 4.4%	Self/family/relative/
Methamphetamine: 4.4%	Retirement/savings: 0.0%	friends: 60.9%
Marijuana: 65.2%	Family/friends: 91.3%	Employer/school: 8.7%
Heroin: 0.0%	No income: 4.4%	Criminal justice: 47.8%
Cocaine: 4.4%	Public sources: 0.0%	Professional: 21.7%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 13.0%		service agency: 30.4%
		Other community
		resources: 0.0%

Outcomes

Discharge Status (N = 23) Completed program: 21.7% Patient left without staff approval: 4.4% Staff requested/judged inappropriate: 8.7% Death/other: 65.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Episcopal Community Services Bemidji Campus

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 23)	13.0%	0.0%
Not employed/student ^{\ddagger} (N = 23)	0.0%	0.0%
Arrests past 30 days (N = 19)	31.6%	0.0%
Alcohol use past 30 days (N = 23)	13.0%	4.4%
Drug use past 30 days (N = 23)	39.1%	4.4%
No self-help group participation past 30 days ($N = 23$)	60.9%	39.1%
No family support for recovery past 30 days (N = 23)	17.4%	8.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =23)	13.0%	8.7%
Biomedical Conditions and Complications $(N = 23)$	21.7%	4.4%
Emotional/Behavioral/ Cognitive Problem (N = 23)	95.7%	87.0%
Resistance to Change ($N = 23$)	9 5.7%	69.6%
Relapse/Continued Use Potential (N = 23)	100.0%	78.3%
Unsupportive Recovery Environment (N = 22)	95.5%	72.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Evergreen Youth Recovery House

820 Beltrami Avenue Bemidji, MN 56601

County: Beltrami

Provider Website: www.evergreenhouse.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 17)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ Female: \ 0.0\% \\ American \ Indian: \ 52.9\% \\ Hispanic: \ 11.8\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 17)} \\ Under \ 18: \ 100.0\% \\ 18 \ to \ 25: \ 0.0\% \\ 26 \ to \ 34: \ 0.0\% \\ 35 \ and \ older: \ 0.0\% \\ Other: \ 0.0\% \end{array}$

Primary Substance (N = 17) Alcohol: 41.2% Methamphetamine: 0.0% Marijuana: 58.8% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 17) Job: 11.8% Retirement/savings: 0.0% Family/friends: 82.4% No income: 0.0% Public sources: 5.9% Other sources: 0.0%

Source of Referral

<u>(N = 17)</u> Self/family/relative/ friends: 47.1% Employer/school: 0.0% Criminal justice: 64.7% Professional: 11.8% County social service agency: 64.7% Other community resources: 5.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 17) Completed program: 52.9% Patient left without staff approval: 29.4% Staff requested/judged inappropriate: 17.6% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Evergreen Youth Recovery House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 16)	12.5%	0.0%
Not employed/student ^{III (N = 17)}	0.0%	0.0%
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 14)	0.0%	0.0%
Drug use past 30 days (N = 16)	25.0%	6.3%
No self-help group participation past 30 days (N = 10)	40.0%	40.0%
No family support for recovery past 30 days (N = 13)	7.7%	7.7%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =17)	5.9%	11.8%
Biomedical Conditions and Complications ($N = 17$)	17.6%	11.8%
Emotional/Behavioral/ Cognitive Problem (N = 17)	47.1%	52.9%
Resistance to Change ($N = 17$)	41.2%	41.2%
Relapse/Continued Use Potential (N = 17)	94.1%	47.1%
Unsupportive Recovery Environment (N = 17)	70.6%	41.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Health Services Minneapolis - MICD Program

2450 Riverside Ave Minneapolis, MN 55454

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

Gender (N = 112) Male: 50.0% Female: 50.0%

Race (N = 112)White: 75.9% Black: 15.2% American Indian: 4.5% Hispanic: 1.8% Asian/Pacific Islander: 1.8% Other: 0.9%

Age (N = 112)Under 18: 0.9% 18 to 25: 16.1% 26 to 34: 25.0% 35 and older: 58.0%

Primary Substance Source of Income (N = 112) (N = 112)Alcohol: 58.9% Job: 22.3% Methamphetamine: 3.6% Marijuana: 21.4% Heroin: 1.8% Cocaine: 12.5% Other opiates: 0.9% Other drugs: 0.9%

Retirement/savings: 1.8% Family/friends: 24.1% No income: 0.0% Public sources: 49.1% Other sources: 2.7%

Source of Referral

(N<u>= 112)</u>. Self/family/relative/ friends: 43.8% Employer/school: 0.0% Criminal justice: 3.6% Professional: 56.3% County social service agency: 3.6% Other community resources: 67.9% AA: 0.0% Tribal: 0.9%

Outcomes

Discharge Status (N = 112)Completed program: 38.4% Patient left without staff approval: 29.5% Staff requested/judged inappropriate: 18.8% Death/other: 13.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Health Services Minneapolis - MICD Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 112)	2.7%	2.7%
Not employed/student ^{\ddagger} (N = 112)	69.6%	62.5%
Arrests past 30 days (N = 112)	2.7%	0.0%
Alcohol use past 30 days (N = 106)	60.4%	28.3%
Drug use past 30 days (N = 108)	42.6%	30.6%
No self-help group participation past 30 days (N = 109)	64.2%	61.5%
No family support for recovery past 30 days (N = 105)	10.5%	18.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =112)	4.5%	8.9%
Biomedical Conditions and Complications ($N = 112$)	8.0%	6.3%
Emotional/Behavioral/ Cognitive Problem (N = 112)	7.1%	19.6%
Resistance to Change ($N = 112$)	12.5%	54.5%
Relapse/Continued Use Potential (N = 112)	94.6%	77.7%
Unsupportive Recovery Environment (N = 112)	42.0%	46.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Health Services Minneapolis Adult CD Programs

2450 Riverside Ave Minneapolis, MN 55454

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

Primary Substance (N = 1661) Alcohol: 66.7% Methamphetamine: 2.7% Marijuana: 5.1% Heroin: 8.6% Cocaine: 8.5% Other opiates: 6.5% Other drugs: 1.9% Source of Income (N = 1670)Job: 43.4% Retirement/savings: 9.8% Family/friends: 15.3% No income: 7.8% Public sources: 16.0% Other sources: 7.7%

Source of Referral

<u>(N = 1670)</u> Self/family/relative/ friends: 92.6% Employer/school: 2.1% Criminal justice: 5.7% Professional: 42.0% County social service agency: 2.9% Other community resources: 43.4% AA: 0.1% Tribal: 0.3%

Outcomes

Discharge Status (N = 1670) Completed program: 69.2% Patient left without staff approval: 18.5% Staff requested/judged inappropriate: 4.1% Death/other: 8.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Health Services Minneapolis Adult CD Programs

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{‡‡} (N = 1595)	2.5%	2.8%
Not employed/student ^{\ddagger} (N = 1504)	54.0%	52.6%
Arrests past 30 days (N = 1501)	10.7%	2.2%
Alcohol use past 30 days (N = 1431)	73.7%	8.4%
Drug use past 30 days (N = 1433)	48.2%	8.1%
No self-help group participation past 30 days (N = 1242)	61.4%	4.8%
No family support for recovery past 30 days (N = 1331)	14.7%	3.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =1654)	28.7%	1.4%
Biomedical Conditions and Complications (N = 1651)	13.4%	1.6%
Emotional/Behavioral/ Cognitive Problem (N = 1654)	47.3%	26.5%
Resistance to Change ($N = 1654$)	31.5%	20.9%
Relapse/Continued Use Potential (N = 1654)	86.2%	69.0%
Unsupportive Recovery Environment (N = 1651)	73.3%	57.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services - Edina Outpatient

3400 W 66th Street Edina, MN 55435

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

Primary Substance (N = 180) Alcohol: 80.6% Methamphetamine: 1.7% Marijuana: 5.0% Heroin: 1.7% Cocaine: 6.1% Other opiates: 3.3% Other drugs: 1.7% Source of Income (N = 181)Job: 58.0% Retirement/savings: 12.2% Family/friends: 8.8% No income: 3.3% Public sources: 5.0% Other sources: 12.7%

Source of Referral

<u>(N = 181)</u>. Self/family/relative/ friends: 66.9% Employer/school: 3.9% Criminal justice: 25.4% Professional: 27.6% County social service agency: 1.7% Other community resources: 53.6% AA: 0.6% Tribal: 2.2%

Outcomes

Discharge Status (N = 181) Completed program: 63.0% Patient left without staff approval: 17.7% Staff requested/judged inappropriate: 6.1% Death/other: 13.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery Services - Edina Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 158)	0.6%	0.0%
Not employed/student ^{\ddagger} (N = 155)	31.6%	32.3%
Arrests past 30 days (N = 158)	17.1%	0.6%
Alcohol use past 30 days (N = 147)	38.8%	6.8%
Drug use past 30 days (N = 146)	20.5%	5.5%
No self-help group participation past 30 days ($N = 144$)	56.3%	29.9%
No family support for recovery past 30 days (N = 136)	25.0%	2.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =173)	7.5%	4.1%
Biomedical Conditions and Complications ($N = 172$)	9.3%	4.7%
Emotional/Behavioral/ Cognitive Problem (N = 170)	31.2%	12.4%
Resistance to Change ($N = 172$)	40.7%	30.2%
Relapse/Continued Use Potential (N = 172)	89 .5%	50.0%
Unsupportive Recovery Environment (N = 170)	61.2%	35.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Adult Outpatient Program--Crystal

2960 Winnetka Ave N Crystal, MN 55427

County: Hennepin

AA: 0.0% Tribal: 2.7%

Provider Website: www.fairview.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 73)} \\ Male: \ 68.5\% \\ Female: \ 31.5\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 73)} \\ White: \ 91.8\% \\ Black: \ 5.5\% \\ American \ Indian: \ 2.7\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 73)} \\ Under \ 18: \ 1.4\% \\ 18 \ to \ 25: \ 16.4\% \\ 26 \ to \ 34: \ 21.9\% \\ 35 \ and \ older: \ 60.3\% \\ other: \ 0.0\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 73)	<u>(N = 73)</u>	(N = 73).
Alcohol: 63.0%	Job: 64.4%	Self/family/relative/
Methamphetamine: 8.2%	Retirement/savings: 6.9%	friends: 37.0%
Marijuana: 11.0%	Family/friends: 9.6%	Employer/school: 16.4%
Heroin: 1.4%	No income: 4.1%	Criminal justice: 31.5%
Cocaine: 9.6%	Public sources: 9.6%	Professional: 54.8%
Other opiates: 6.9%	Other sources: 5.5%	County social
Other drugs: 0.0%		service agency: 2.7%
		Other community
		resources: 32.9%

Outcomes

Discharge Status (N = 73) Completed program: 68.5% Patient left without staff approval: 13.7% Staff requested/judged inappropriate: 5.5% Death/other: 12.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery S	ervices Adult	Outpatient	ProgramCrystal
----------------------------	---------------	------------	----------------

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 71)	2.8%	0.0%
Not employed/student ^{\ddagger} (N = 65)	30.8%	23.1%
Arrests past 30 days (N = 63)	19.0%	1.6%
Alcohol use past 30 days (N = 57)	49.1%	3.5%
Drug use past 30 days (N = 59)	33.9%	3.4%
No self-help group participation past 30 days (N = 64)	59.4%	9.4%
No family support for recovery past 30 days (N = 64)	23.4%	17.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	4.1%	4.1%
Biomedical Conditions and Complications $(N = 73)$	4.1%	4.1%
Emotional/Behavioral/ Cognitive Problem (N = 73)	21.9%	17.8%
Resistance to Change ($N = 73$)	61.6%	34.2%
Relapse/Continued Use Potential (N = 70)	94.3%	42.9%
Unsupportive Recovery Environment (N = 71)	33.8%	35.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Crystal Outpatient

2960 Winnetka Avenue North Crystal, MN 55427

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

Gender (N = 137) Race (N = 137)Age (N = 137)Male: 34.3% White: 81.0% Under 18: 93.4% Female: 65.7% Black: 6.6% 18 to 25: 6.6% American Indian: 2.9% 26 to 34: 0.0% Hispanic: 2.9% 35 and older: 0.0% Asian/Pacific Islander: 0.7% Other: 5.8%

Primary Substance (N = 137) Alcohol: 25.5% Methamphetamine: 5.8% Marijuana: 58.4% Heroin: 0.0% Cocaine: 7.3% Other opiates: 0.0% Other drugs: 2.9%

Source of Income (N = 137)

Job: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral (N<u>= 137)</u>. Self/family/relative/ friends: 32.1% Employer/school: 6.6% Criminal justice: 12.4% Professional: 82.5% County social service agency: 5.1% Other community resources: 29.2% AA: 0.0% Tribal: 1.5%

Outcomes

Discharge Status (N = 137)Completed program: 71.5% Patient left without staff approval: 6.6% Staff requested/judged inappropriate: 13.1% Death/other: 8.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery Services Crystal Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 136)	0.7%	0.7%
Not employed/student ^{\ddagger} (N = 130)	2.3%	0.0%
Arrests past 30 days (N = 135)	21.5%	3.0%
Alcohol use past 30 days (N = 130)	64.6%	13.1%
Drug use past 30 days (N = 128)	76.6%	23.4%
No self-help group participation past 30 days (N = 136)	52.2%	14.0%
No family support for recovery past 30 days (N = 128)	2.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =137)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 137$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 137)	23.4%	24.1%
Resistance to Change ($N = 137$)	75.9%	67.2%
Relapse/Continued Use Potential (N = 137)	97.1%	83.9%
Unsupportive Recovery Environment (N = 137)	82.5%	80.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Deaf and Hard of Hearing Program

Fairview University Medical Center Minneapolis, MN 55454

County: Hennepin

Provider Website: www.mncddeaf.org

Patient Profile

Gender (N = 43) Race (N = 43)Male: 65.1% White: 95.3% Female: 34.9% Black: 2.3% American Indian: 0.0% Hispanic: 2.3% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 43)Under 18: 0.0% 18 to 25: 16.3% 26 to 34: 23.3% 35 and older: 60.5%

resources: 32.6%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 43)	(N = 43)	(N = 43).
Alcohol: 58.1%	Job: 27.9%	Self/family/relative/
Methamphetamine: 2.3%	Retirement/savings: 0.0%	friends: 88.4%
Marijuana: 14.0%	Family/friends: 4.7%	Employer/school: 4.7%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 7.0%
Cocaine: 16.3%	Public sources: 65.1%	Professional: 46.5%
Other opiates: 7.0%	Other sources: 2.3%	County social
Other drugs: 2.3%		service agency: 11.6%
		Other community

Outcomes

Discharge Status <u>(N = 43</u>) Completed program: 86.0% Patient left without staff approval: 11.6% Staff requested/judged inappropriate: 2.3% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery Services Deaf and Hard of Hearing Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 43)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 43)	62.8%	65.1%
Arrests past 30 days (N = 43)	14.0%	7.0%
Alcohol use past 30 days (N = 43)	76.7%	4.7%
Drug use past 30 days (N = 43)	65.1%	7.0%
No self-help group participation past 30 days (N = 42)	88.1%	64.3%
No family support for recovery past 30 days (N = 43)	9.3%	2.3%
Parriero to Decevery		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
5	Admission 14.0%	<u>Discharge</u> 2.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and	14.0%	2.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and Complications (N = 42) Emotional/Behavioral/	14.0% 9.5%	2.3% 7.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and Complications (N = 42) Emotional/Behavioral/ Cognitive Problem (N = 43)	14.0% 9.5% 88.4%	2.3% 7.1% 72.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Elk River Outpatient

1230 School Street Elk River, MN 55330

County: Sherburne

AA: 0.0% Tribal: 0.0%

Provider Website: www.fairviewbehavioral.org

Patient Profile

 Gender (N = 88)
 Race (N = 88)
 Age (N = 88)

 Male: 70.5%
 White: 94.3%
 Under 18: 88.6%

 Female: 29.5%
 Black: 1.1%
 18 to 25: 11.4%

 American Indian: 0.0%
 26 to 34: 0.0%

 Hispanic: 1.1%
 35 and older: 0.0%

 Other: 3.4%
 Other: 3.4%

Primary Substance	Source of Income	Source of Referral
<u>(N = 88)</u>	<u>(N = 88)</u>	(N = 88) .
Alcohol: 25.0%	Job: 0.0%	Self/family/relative/
Methamphetamine: 0.0%	Retirement/savings: 0.0%	friends: 51.1%
Marijuana: 61.4%	Family/friends: 97.7%	Employer/school: 11.4%
Heroin: 1.1%	No income: 0.0%	Criminal justice: 37.5%
Cocaine: 4.6%	Public sources: 1.1%	Professional: 76.1%
Other opiates: 1.1%	Other sources: 1.1%	County social
Other drugs: 6.8%		service agency: 13.6%
		Other community
		resources: 0.0%

Outcomes

Discharge Status (N = 88) Completed program: 35.2% Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 13.6% Death/other: 33.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery Services Elk River Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 88)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 88)	0.0%	0.0%
Arrests past 30 days (N = 88)	11.4%	5.7%
Alcohol use past 30 days (N = 88)	26.1%	19.3%
Drug use past 30 days (N = 88)	45.5%	30.7%
No self-help group participation past 30 days (N = 87)	60.9%	11.5%
No family support for recovery past 30 days (N = 88)	2.3%	1.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =87)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 88)$	1.1%	1.1%
Emotional/Behavioral/ Cognitive Problem (N = 88)	6.8%	13.6%
Resistance to Change ($N = 88$)	58.0%	56.8%
Relapse/Continued Use Potential (N = 88)	97.7%	85.2%
Unsupportive Recovery Environment (N = 88)	83.0%	75.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Maplewood Outpatient

2355 Ariel Street Maplewood, MN 55109

County: Ramsey

Provider Website:

Patient Profile

Gender (N = 159) Race (N = 159)Male: 73.0% White: 81.8% Female: 27.0% Black: 3.1% American Indian: 3.8% Hispanic: 6.3% Asian/Pacific Islander: 2.5% Other: 2.5%

Age (N = 159)Under 18: 95.6% 18 to 25: 4.4% 26 to 34: 0.0% 35 and older: 0.0%

resources: 3.8%

AA: 0.0% Tribal: 0.0%

Primary Substance (N = 159)	Source of Income (N = 159)	Source of Referral (N = 159) .
Alcohol: 17.6%	Job: 0.0%	Self/family/relative/
Methamphetamine: 4.4%	Retirement/savings: 0.0%	friends: 61.6%
Marijuana: 73.0%	Family/friends: 89.9%	Employer/school: 8.8%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 29.6%
Cocaine: 1.9%	Public sources: 8.8%	Professional: 87.4%
Other opiates: 0.6%	Other sources: 1.3%	County social
Other drugs: 2.5%		service agency: 3.1%
		Other community

Outcomes

Discharge Status (N = 159)Completed program: 47.2% Patient left without staff approval: 23.9% Staff requested/judged inappropriate: 9.4% Death/other: 19.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery Services Maplewood Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 159)	0.6%	0.6%
Not employed/student ^{\ddagger} (N = 157)	0.0%	0.0%
Arrests past 30 days (N = 159)	13.8%	3.8%
Alcohol use past 30 days (N = 158)	34.8%	13.3%
Drug use past 30 days (N = 159)	52.2%	23.3%
No self-help group participation past 30 days (N = 158)	58.2%	32.3%
No family support for recovery past 30 days (N = 156)	4.5%	7.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =158)	0.0%	0.6%
Biomedical Conditions and Complications ($N = 158$)	0.0%	1.3%
Emotional/Behavioral/ Cognitive Problem (N = 159)	54.1%	40.9%
Resistance to Change ($N = 159$)	68.6%	57.2%
Relapse/Continued Use Potential (N = 159)		
	92.5%	74.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services of Chisago City

11725 Stinson Ave Chisago City, MN 55013

County: Chisago

Provider Website:

Patient Profile

Gender (N = 175) Race (N = 175)Age (N = 175)Male: 93.7% White: 85.7% Under 18: 90.9% Female: 6.3% Black: 0.6% 18 to 25: 9.1% American Indian: 0.0% 26 to 34: 0.0% Hispanic: 8.0% 35 and older: 0.0% Asian/Pacific Islander: 1.7% Other: 4.0%

Primary Substance (N = 175) Alcohol: 16.0% Methamphetamine: 4.0% Marijuana: 66.9% Heroin: 1.1% Cocaine: 5.7% Other opiates: 0.6% Other drugs: 5.7%

Source of Income (N = 175)Job: 5.1% Retirement/savings: 0.0% Family/friends: 93.7% No income: 0.0% Public sources: 0.0% Other sources: 1.1%

Source of Referral (N = 175). Self/family/relative/ friends: 84.0% Employer/school: 18.3% Criminal justice: 33.1% Professional: 36.6% County social service agency: 2.9% Other community resources: 11.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 175)Completed program: 76.0% Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 10.9% Death/other: 4.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery Services of Chisago City

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 173)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 175)	1.7%	1.7%
Arrests past 30 days (N = 167)	16.2%	5.4%
Alcohol use past 30 days (N = 159)	52.2%	15.7%
Drug use past 30 days (N = 165)	78.2%	33.3%
No self-help group participation past 30 days (N = 166)	59.0%	19.9%
No family support for recovery past 30 days (N = 169)	4.7%	3.6%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =175)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 174$)	0.0%	0.6%
Emotional/Behavioral/ Cognitive Problem (N = 175)	34.9%	27.4%
Resistance to Change ($N = 175$)	66.3%	33.7%
Relapse/Continued Use Potential (N = 175)	94.9%	55.4%
Unsupportive Recovery Environment (N = 175)	86.9%	52.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services of Forest Lake

20 N Lake Drive, Suite 210 Forest Lake, MN 55025

County: Washington

Provider Website: www.fairview.org

Patient Profile

Source of Income

Primary Substance (N = 108) Alcohol: 75.0% Methamphetamine: 6.5% Marijuana: 9.3% Heroin: 0.0% Cocaine: 1.9% Other opiates: 6.5% Other drugs: 0.9%

(N = 111) Job: 55.9% Retirement/savings: 2.7% Family/friends: 10.8% No income: 9.9%

Public sources: 11.7%

Other sources: 9.0%

Source of Referral

<u>(N = 111)</u>. Self/family/relative/ friends: 51.4% Employer/school: 6.3% Criminal justice: 47.7% Professional: 18.9% County social service agency: 6.3% Other community resources: 38.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 111) Completed program: 66.7% Patient left without staff approval: 19.8% Staff requested/judged inappropriate: 3.6% Death/other: 9.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery Services of Forest Lake

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{ii} (N = 86)	1.2%	1.2%
Not employed/student ^{\ddagger} (N = 83)	34.9%	20.5%
Arrests past 30 days (N = 33)	12.1%	0.0%
Alcohol use past 30 days (N = 32)	40.6%	3.1%
Drug use past 30 days (N = 32)	31.3%	3.1%
No self-help group participation past 30 days (N = 52)	57.7%	26.9%
No family support for recovery past 30 days (N = 54)	1.9%	7.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =102)	3.9%	1.0%
Biomedical Conditions and Complications ($N = 104$)	3.9%	2.9%
Emotional/Behavioral/ Cognitive Problem (N = 108)	11.1%	13.9%
Resistance to Change ($N = 106$)	74.5%	31.1%
Relapse/Continued Use Potential (N = 107)	93.5%	33.6%
Unsupportive Recovery Environment (N = 105)	21.0%	25.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services-Burnsville Outpatient

156 Cobblestone Lane Burnsville, MN 553374578

County: Dakota

Provider Website: www.fairview.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 106)} \\ Male: \ 61.3\% \\ Female: \ 38.7\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 106)} \\ White: \ 90.6\% \\ Black: \ 4.7\% \\ American \ Indian: \ 1.9\% \\ Hispanic: \ 0.9\% \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 106)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 14.2\% \\ 26 \ to \ 34: \ 22.6\% \\ 35 \ and \ older: \ 63.2\% \\ Other: \ 0.9\% \\ \end{array}$

Primary Substance (N = 104) Alcohol: 77.9% Methamphetamine: 1.0% Marijuana: 8.7% Heroin: 0.0% Cocaine: 6.7% Other opiates: 3.9% Other drugs: 1.9% Source of Income (N = 106)

Job: 71.7% Retirement/savings: 0.9% Family/friends: 9.4% No income: 3.8% Public sources: 6.6% Other sources: 7.6%

Source of Referral

<u>(N = 106)</u>. Self/family/relative/ friends: 54.7% Employer/school: 7.6% Criminal justice: 32.1% Professional: 21.7% County social service agency: 0.9% Other community resources: 9.4% AA: 0.9% Tribal: 0.0%

Outcomes

Discharge Status (N = 106) Completed program: 82.1% Patient left without staff approval: 10.4% Staff requested/judged inappropriate: 0.9% Death/other: 6.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fairview Recovery Services-Burnsville Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 100)	1.0%	1.0%
Not employed/student ^{$\pm\pm$} (N = 95)	18.9%	11.6%
Arrests past 30 days (N = 90)	18.9%	0.0%
Alcohol use past 30 days (N = 91)	11.0%	2.2%
Drug use past 30 days (N = 91)	23.1%	1.1%
No self-help group participation past 30 days ($N = 94$)	53.2%	26.6%
No family support for recovery past 30 days (N = 99)	41.4%	6.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =101)	5.9%	2.0%
Biomedical Conditions and Complications ($N = 101$)	5.9%	1.0%
Emotional/Behavioral/ Cognitive Problem (N = 101)	48.5%	17.8%
Resistance to Change ($N = 101$)	51.5%	15.8%
Relapse/Continued Use Potential (N = 101)	96.0%	28.7%
Unsupportive Recovery Environment (N = 100)	44.0%	20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Faith Family Recovery Center LLC

1303 South Frontage Road Hastings, MN 55033

County: Dakota

Provider Website:

Patient Profile

 Gender (N = 22)
 Race (N = 22)
 Age (N

 Male: 45.5%
 White: 95.5%
 Under

 Female: 54.5%
 Black: 0.0%
 18 to 2

 American Indian: 0.0%
 26 to 3

 Hispanic: 4.6%
 35 and

 Asian/Pacific Islander: 0.0%
 0ther: 0.0%

<u>Age (N = 22)</u> Under 18: 0.0% 18 to 25: 9.1% 26 to 34: 18.2% 35 and older: 72.7%

Primary Substance
(N = 22)
Alcohol: 54.5%
Methamphetamine: 13.6%
Marijuana: 9.1%
Heroin: 0.0%
Cocaine: 4.6%
Other opiates: 18.2%
Other drugs: 0.0%

(N = 22) Job: 86.4% Retirement/savings: 0.0% Family/friends: 9.1% No income: 0.0% Public sources: 4.6% Other sources: 0.0%

Source of Income

Source of Referral

(N = 22) Self/family/relative/ friends: 59.1% Employer/school: 13.6% Criminal justice: 27.3% Professional: 18.2% County social service agency: 0.0% Other community resources: 50.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 22) Completed program: 81.8% Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 0.0% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Faith Family Recovery Center LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 22)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 22)	27.3%	27.3%
Arrests past 30 days (N = 22)	13.6%	0.0%
Alcohol use past 30 days (N = 20)	45.0%	5.0%
Drug use past 30 days (N = 20)	30.0%	5.0%
No self-help group participation past 30 days (N = 22)	72.7%	36.4%
No family support for recovery past 30 days (N = 22)	0.0%	4.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =22)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 22)$	9.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 22)	72.7%	9.1%
Resistance to Change ($N = 21$)	28.6%	4.8%
Relapse/Continued Use Potential (N = 22)	9 5.5%	18.2%
Unsupportive Recovery Environment (N = 22)	50.0%	4.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Faribault Family Focus-Immanuel St. Joseph's Mayo Health System

2301 NW 4th Street Faribault, MN 55021

County: Rice

AA: 0.0% Tribal: 11.9%

Provider Website: www.mayohealthsystem.org

Patient Profile

Primary Substance	Source of Income	Source of Referral
(N = 118)	<u>(N = 118)</u>	<u>(N = 118)</u>
Alcohol: 62.7%	Job: 56.8%	Self/family/relative/
Methamphetamine: 12.7%	Retirement/savings: 4.2%	friends: 49.2%
Marijuana: 14.4%	Family/friends: 23.7%	Employer/school: 5.1%
Heroin: 1.7%	No income: 4.2%	Criminal justice: 62.7%
Cocaine: 5.9%	Public sources: 9.3%	Professional: 4.2%
Other opiates: 0.8%	Other sources: 1.7%	County social
Other drugs: 1.7%		service agency: 17.8%
		Other community
		resources: 27.1%

Outcomes

Discharge Status (N = 118) Completed program: 68.6% Patient left without staff approval: 8.5% Staff requested/judged inappropriate: 14.4% Death/other: 8.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Faribault Family Focus-Immanuel St. Joseph's Mayo Health System

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 118)	0.8%	0.0%
Not employed/student ^{\ddagger} (N = 117)	40.2%	30.8%
Arrests past 30 days (N = 116)	22.4%	5.2%
Alcohol use past 30 days (N = 108)	33.3%	10.2%
Drug use past 30 days (N = 107)	17.8%	13.1%
No self-help group participation past 30 days (N = 117)	63.2%	39.3%
No family support for recovery past 30 days (N = 116)	19.8%	25.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =117)	0.0%	7.7%
Biomedical Conditions and Complications ($N = 118$)	3.4%	2.5%
Emotional/Behavioral/ Cognitive Problem (N = 118)	66.9%	38.1%
Resistance to Change ($N = 118$)	56.8%	33.1%
Relapse/Continued Use Potential (N = 118)	89.0%	39.0%
Unsupportive Recovery Environment (N = 118)	62.7%	31.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Nation Recovery Program

2020 Bloomington Ave So Minneapolis, MN 55404

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 41)</u> Male: 39.0% Female: 61.0% Race (N = 41) White: 0.0% Black: 0.0% American Indian: 97.6% Hispanic: 0.0% Asian/Pacific Islander: 2.4% Other: 0.0% Age (N = 41) Under 18: 0.0% 18 to 25: 36.6% 26 to 34: 24.4% 35 and older: 39.0%

Primary Substance (N = 40)Alcohol: 70.0% Methamphetamine: 0.0% Marijuana: 17.5% Heroin: 0.0% Cocaine: 12.5% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 41) Job: 7.3% Retirement/savings: 0.0% Family/friends: 4.9% No income: 29.3% Public sources: 41.5% Other sources: 17.1%

Source of Referral

<u>(N = 41)</u> Self/family/relative/ friends: 53.7% Employer/school: 2.4% Criminal justice: 24.4% Professional: 17.1% County social service agency: 26.8% Other community resources: 65.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 41) Completed program: 24.4% Patient left without staff approval: 51.2% Staff requested/judged inappropriate: 7.3% Death/other: 17.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

First Nation Recovery Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 36)	22.2%	13.9%
Not employed/student ^{\ddagger} (N = 35)	80.0%	80.0%
Arrests past 30 days (N = 33)	18.2%	3.0%
Alcohol use past 30 days (N = 31)	45.2%	12.9%
Drug use past 30 days (N = 31)	38.7%	12.9%
No self-help group participation past 30 days (N = 25)	56.0%	48.0%
No family support for recovery past 30 days (N = 24)	16.7%	33.3%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
•	Admission 8.1%	<u>Discharge</u> 13.5%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and	8.1%	13.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 38) Emotional/Behavioral/	8.1% 26.3%	13.5% 21.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 38) Emotional/Behavioral/ Cognitive Problem (N = 36)	8.1% 26.3% 27.8%	13.5% 21.1% 38.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step

518 2nd Ave NE Staples, MN 56479

Provider Website:

Patient Profile

Male: *

Female: *

<u>Gender (N = 5)</u>

Race (N = 5) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *

<u>Age (N = 5)</u> Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

AA: * Tribal: *

County: Todd

Primary Substance	Source of Income	Source of Referral
(N = 5)	<u>(N = 5)</u>	(N = 5) .
Alcohol: *	Job: *	Self/family/relative/
Methamphetamine: *	Retirement/savings: *	friends: *
Marijuana: *	Family/friends: *	Employer/school: *
Heroin: *	No income: *	Criminal justice: *
Cocaine: *	Public sources: *	Professional: *
Other opiates: *	Other sources: *	County social
Other drugs: *		service agency: *
		Other community
		resources: *

Outcomes

Discharge Status (N = 5) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

First Step

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 5)	*	*
Not employed/student ^{tt} (N = 5)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days (N = 5)	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step Recovery PLLP

409 7th Street South Fargo, ND 58103

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 73)}}{\text{Male: 72.6\%}}$ Female: 27.4%

Race (N = 73) White: 97.3% Black: 0.0% American Indian: 1.4% Hispanic: 1.4% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 73)</u> Under 18: 0.0% 18 to 25: 26.0% 26 to 34: 16.4% 35 and older: 57.5%

County: North Dakota

Primary Substance (N = 73) Alcohol: 83.6% Methamphetamine: 0.0% Marijuana: 15.1% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.4% Other drugs: 0.0%

Source of Income (N = 73)

<u>IN = 73)</u> Job: 80.8% Retirement/savings: 2.7% Family/friends: 11.0% No income: 0.0% Public sources: 2.7% Other sources: 2.7%

Source of Referral

(N = 73) Self/family/relative/ friends: 76.7% Employer/school: 24.7% Criminal justice: 41.1% Professional: 34.2% County social service agency: 6.9% Other community resources: 8.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 73) Completed program: 63.0% Patient left without staff approval: 32.9% Staff requested/judged inappropriate: 0.0% Death/other: 4.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

First Step Recovery PLLP

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 71)	1.4%	0.0%
Not employed/student ^{\ddagger} (N = 66)	13.6%	13.6%
Arrests past 30 days (N = 73)	16.4%	2.7%
Alcohol use past 30 days (N = 73)	67.1%	6.9%
Drug use past 30 days (N = 73)	20.5%	4.1%
No self-help group participation past 30 days ($N = 63$)	92.1%	25.4%
No family support for recovery past 30 days (N = 56)	58.9%	35.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =66)	9.1%	9.1%
Biomedical Conditions and Complications $(N = 71)$	5.6%	5.6%
Emotional/Behavioral/ Cognitive Problem (N = 70)	14.3%	34.3%
Resistance to Change ($N = 73$)	24.7%	32.9%
Relapse/Continued Use Potential (N = 71)	33.8%	33.8%
Unsupportive Recovery Environment (N = 68)	22.1%	27.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Five Stars Recovery Center

212 North Walnut Street Chaska, MN 553182044

County: Carver

Provider Website:

Patient Profile

<u>Gender (N = 43)</u> Male: 72.1% Female: 27.9% Race (N = 43) White: 81.4% Black: 0.0% American Indian: 7.0% Hispanic: 9.3% Asian/Pacific Islander: 0.0% Other: 2.3% <u>Age (N = 43)</u> Under 18: 20.9% 18 to 25: 20.9% 26 to 34: 16.3% 35 and older: 41.9%

Primary Substance (N = 43) Alcohol: 53.5% Methamphetamine: 16.3% Marijuana: 23.3% Heroin: 0.0% Cocaine: 4.7% Other opiates: 2.3% Other drugs: 0.0%

(N = 43) Job: 32.6% Retirement/savings: 4.7% Family/friends: 34.9% No income: 2.3% Public sources: 7.0% Other sources: 18.6%

Source of Income

Source of Referral

(N = 43) Self/family/relative/ friends: 39.5% Employer/school: 0.0% Criminal justice: 72.1% Professional: 4.7% County social service agency: 23.3% Other community resources: 18.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 43) Completed program: 51.2% Patient left without staff approval: 20.9% Staff requested/judged inappropriate: 11.6% Death/other: 16.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Five Stars Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 41)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 37)	43.2%	21.6%
Arrests past 30 days (N = 43)	16.3%	7.0%
Alcohol use past 30 days (N = 43)	41.9%	14.0%
Drug use past 30 days (N = 42)	28.6%	23.8%
No self-help group participation past 30 days ($N = 36$)	55.6%	5.6%
No family support for recovery past 30 days (N = 31)	0.0%	3.2%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =42)	0.0%	2.4%
Biomedical Conditions and Complications $(N = 42)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 42)	33.3%	19.0%
Resistance to Change ($N = 41$)	68.3%	58.5%
Relapse/Continued Use Potential (N = 41)	85.4%	58.5%
Unsupportive Recovery Environment (N = 42)	73.8%	50.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Focus Unit St. Joseph's Medical Center

523 North 3rd Street Brainerd, MN 56401

County: Crow Wing

Provider Website: www.sjmcmn.org

Patient Profile

Primary Substance (N = 299) Alcohol: 69.6% Methamphetamine: 11.0% Marijuana: 10.4% Heroin: 0.0% Cocaine: 1.3% Other opiates: 5.4% Other drugs: 2.3% Source of Income (N = 299)Job: 49.2% Retirement/savings: 7.0% Family/friends: 20.4% No income: 1.0% Public sources: 16.1% Other sources: 6.4% Source of Referral (N = 299) Self/family/relative/ friends: 81.9% Employer/school: 5.0% Criminal justice: 18.7% Professional: 51.8% County social service agency: 27.1% Other community resources: 10.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 299) Completed program: 65.2% Patient left without staff approval: 20.1% Staff requested/judged inappropriate: 11.4% Death/other: 3.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Focus Unit St. Joseph's Medical Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 299)	1.3%	0.7%
Not employed/student ^{\ddagger} (N = 298)	54.0%	56.4%
Arrests past 30 days (N = 299)	10.4%	4.7%
Alcohol use past 30 days (N = 299)	48.8%	15.4%
Drug use past 30 days (N = 299)	21.7%	7.4%
No self-help group participation past 30 days (N = 299)	53.8%	10.4%
No family support for recovery past 30 days (N = 299)	2.7%	7.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =299)	9.4%	2.3%
Biomedical Conditions and Complications ($N = 299$)	22.1%	10.7%
Emotional/Behavioral/ Cognitive Problem (N = 299)	45.5%	28.1%
Resistance to Change ($N = 299$)	86.3%	63.5%
Relapse/Continued Use Potential (N = 299)	82.3%	62.5%
Unsupportive Recovery Environment (N = 298)	90.9%	65.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Focus XII

3220 8th Street North St. Cloud, MN 56303

Provider Website:

Patient Profile

Gender (N = 69)

Male: 100.0%

Female: 0.0%

Race (N = 69) White: 84.1% Black: 8.7% American Indian: 0.0% Hispanic: 4.4% Asian/Pacific Islander: 0.0% Other: 2.9%

<u>Age (N = 69)</u> Under 18: 1.5% 18 to 25: 29.0% 26 to 34: 17.4% 35 and older: 52.2%

County: Stearns

Primary Substance (N = 66) Alcohol: 65.2% Methamphetamine: 19.7% Marijuana: 4.6% Heroin: 1.5% Cocaine: 4.6% Other opiates: 4.6% Other drugs: 0.0%

(N = 69) Job: 34.8% Retirement/savings: 5.8% Family/friends: 8.7% No income: 18.8% Public sources: 10.1% Other sources: 21.7%

Source of Income

Source of Referral

(N = 69) Self/family/relative/ friends: 21.7% Employer/school: 0.0% Criminal justice: 8.7% Professional: 75.4% County social service agency: 76.8% Other community resources: 15.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 69) Completed program: 37.7% Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 30.4% Death/other: 14.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Focus XII

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 68)	8.8%	2.9%
Not employed/student ^{\ddagger} (N = 66)	83.3%	54.5%
Arrests past 30 days (N = 67)	16.4%	7.5%
Alcohol use past 30 days (N = 66)	15.2%	24.2%
Drug use past 30 days (N = 65)	7.7%	10.8%
No self-help group participation past 30 days (N = 66)	10.6%	9.1%
No family support for recovery past 30 days (N = 66)	10.6%	18.2%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
5	Admission 11.6%	Discharge 10.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =69) Biomedical Conditions and	11.6%	10.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =69) Biomedical Conditions and Complications (N = 69) Emotional/Behavioral/	11.6% 7.3%	10.1% 10.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =69) Biomedical Conditions and Complications (N = 69) Emotional/Behavioral/ Cognitive Problem (N = 69)	11.6% 7.3% 15.9%	10.1% 10.1% 26.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fond Du Lac Human Services

927 Trettel Lane Cloquet, MN 55720

County: Carlton

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 1)</u> Male: * Female: *	Race (N = 1) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 1) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 1) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 1) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 1) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fond Du Lac Human Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 1)	*	*
Not employed/student ^{tt} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days (N = 1)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	<u>Admission</u> *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Albert Lea

408 Fountain Street Albert Lea, MN 56007

County: Freeborn

Provider Website: www.fountaincenters.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 843)} \\ Male: \ 66.7\% \\ Female: \ 33.3\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 843)} \\ White: \ 83.5\% \\ Black: \ 4.2\% \\ American \ Indian: \ 1.7\% \\ Hispanic: \ 9.0\% \\ Asian/Pacific \ Islander: \ 0.2\% \\ Other: \ 1.4\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 843)} \\ Under \ 18: \ 19.1\% \\ 18 \ to \ 25: \ 24.9\% \\ 26 \ to \ 34: \ 21.0\% \\ 35 \ and \ older: \ 35.0\% \end{array}$

Source of Income

Primary Substance (N = 842) Alcohol: 48.3% Methamphetamine: 11.6% Marijuana: 23.5% Heroin: 1.1% Cocaine: 11.2% Other opiates: 2.6% Other drugs: 1.7%

(N = 843) Job: 46.0% Retirement/savings: 3.9% Family/friends: 31.0% No income: 5.7% Public sources: 8.4% Other sources: 5.0% Source of Referral (N = 843) Self/family/relative/ friends: 51.1% Employer/school: 1.7% Criminal justice: 36.9% Professional: 28.0% County social service agency: 57.8% Other community resources: 14.2% AA: 0.5% Tribal: 0.2%

Outcomes

Discharge Status (N = 843) Completed program: 78.5% Patient left without staff approval: 10.6% Staff requested/judged inappropriate: 7.2% Death/other: 3.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fountain Center of Albert Lea

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 822)	2.6%	7.5%
Not employed/student ^{\ddagger} (N = 813)	44.8%	59.0%
Arrests past 30 days (N = 832)	17.2%	5.7%
Alcohol use past 30 days (N = 839)	64.5%	30.5%
Drug use past 30 days (N = 842)	53.7%	26.7%
No self-help group participation past 30 days (N = 817)	62.8%	13.2%
No family support for recovery past 30 days (N = 780)	4.7%	11.9%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =837)	Admission 6.9%	Discharge 2.2%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =837) Biomedical Conditions and	6.9%	2.2%
Acute Intoxication/ Withdrawal (N =837) Biomedical Conditions and Complications (N = 840) Emotional/Behavioral/	6.9% 10.5%	2.2% 7.4%
Acute Intoxication/ Withdrawal (N =837) Biomedical Conditions and Complications (N = 840) Emotional/Behavioral/ Cognitive Problem (N = 840)	6.9% 10.5% 94.2%	2.2% 7.4% 66.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Fairmont

828 N North Ave Fairmont, MN 560311605

County: Martin

Provider Website:

Patient Profile

Gender (N = 116) Race (N = 116)Age (N = 116)Male: 57.8% White: 94.0% Under 18: 22.4% Female: 42.2% Black: 0.0% 18 to 25: 31.9% American Indian: 0.0% 26 to 34: 21.6% Hispanic: 6.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 116) Alcohol: 50.9% Methamphetamine: 22.4% Marijuana: 25.9% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.9% Other drugs: 0.0%

Source of Income

(N = 116)Job: 37.9% Retirement/savings: 2.6% Family/friends: 31.0% No income: 0.9% Public sources: 26.7% Other sources: 0.9%

35 and older: 24.1%

Source of Referral

(N<u>= 116)</u>. Self/family/relative/ friends: 17.2% Employer/school: 3.5% Criminal justice: 57.8% Professional: 19.8% County social service agency: 82.8% Other community resources: 1.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 116)Completed program: 62.1% Patient left without staff approval: 17.2% Staff requested/judged inappropriate: 6.9% Death/other: 13.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fountain Center of Fairmont

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 116)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 115)	43.5%	26.1%
Arrests past 30 days (N = 116)	25.9%	6.0%
Alcohol use past 30 days (N = 116)	35.3%	14.7%
Drug use past 30 days (N = 116)	22.4%	10.3%
No self-help group participation past 30 days ($N = 116$)	62.9%	16.4%
No family support for recovery past 30 days (N = 110)	40.9%	16.4%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =115)	Admission 0.0%	Discharge 3.5%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =115) Biomedical Conditions and	0.0%	3.5%
Acute Intoxication/ Withdrawal (N =115) Biomedical Conditions and Complications (N = 115) Emotional/Behavioral/	0.0% 7.8%	3.5% 7.0%
Acute Intoxication/ Withdrawal (N =115) Biomedical Conditions and Complications (N = 115) Emotional/Behavioral/ Cognitive Problem (N = 116)	0.0% 7.8% 92.2%	3.5% 7.0% 65.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Rochester

4122 18th Avenue NW Rochester, MN 55901

County: Olmsted

Provider Website: www.fountaincenters.org

Patient Profile

Primary Substance (N = 148) Alcohol: 54.1% Methamphetamine: 6.1% Marijuana: 30.4% Heroin: 0.7% Cocaine: 6.8% Other opiates: 0.7% Other drugs: 1.4% Source of Income (N = 148)Job: 48.6% Retirement/savings: 2.7% Family/friends: 38.5% No income: 1.4% Public sources: 6.1% Other sources: 2.7% Source of Referral (N = 148) Self/family/relative/ friends: 79.7% Employer/school: 2.7% Criminal justice: 45.9% Professional: 23.6% County social service agency: 14.9% Other community resources: 27.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 148) Completed program: 61.5% Patient left without staff approval: 20.9% Staff requested/judged inappropriate: 12.8% Death/other: 4.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fountain Center of Rochester

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 148)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 147)	25.2%	22.4%
Arrests past 30 days (N = 145)	16.6%	6.2%
Alcohol use past 30 days (N = 148)	29.1%	10.8%
Drug use past 30 days (N = 148)	20.3%	14.2%
No self-help group participation past 30 days (N = 120)	53.3%	8.3%
No family support for recovery past 30 days (N = 96)	13.5%	4.2%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =145)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 147$)	4.1%	2.7%
Emotional/Behavioral/ Cognitive Problem (N = 147)	87.1%	63.3%
Resistance to Change ($N = 147$)	92.5%	51.7%
Relapse/Continued Use Potential (N = 147)	100.0%	82.3%
Unsupportive Recovery Environment (N = 146)	97.9%	85.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Centers Recovery House of Rochester

1623 4th Street NW Rochester, MN 55901

County: Olmsted

Provider Website:

Patient Profile

Gender (N = 80) Race (N = 80)Age (N = 80)Male: 61.3% White: 85.0% Female: 38.8% Black: 6.3% American Indian: 1.3% 26 to 34: 25.0% Hispanic: 5.0% Asian/Pacific Islander: 0.0% Other: 2.5%

Primary Substance (N = 79) Alcohol: 46.8% Methamphetamine: 24.1% Marijuana: 12.7% Heroin: 0.0% Cocaine: 12.7% Other opiates: 2.5% Other drugs: 1.3%

Source of Income (N = 80)Job: 31.3% Retirement/savings: 3.8% Family/friends: 21.3% No income: 23.8% Public sources: 8.8% Other sources: 11.3%

Under 18: 0.0% 18 to 25: 38.8%

35 and older: 36.3%

Source of Referral (N<u>= 80)</u>. Self/family/relative/ friends: 3.8% Employer/school: 0.0% Criminal justice: 10.0% Professional: 92.5% County social service agency: 91.3% Other community resources: 1.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 80</u>) Completed program: 51.2% Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 36.3% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Fountain Centers Recovery House of Rochester

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 80)	2.5%	0.0%
Not employed/student ^{$\pm\pm$} (N = 79)	96.2%	44.3%
Arrests past 30 days (N = 79)	2.5%	2.5%
Alcohol use past 30 days (N = 79)	3.8%	2.5%
Drug use past 30 days (N = 79)	2.5%	11.4%
No self-help group participation past 30 days ($N = 78$)	2.6%	1.3%
No family support for recovery past 30 days (N = 78)	0.0%	6.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =78)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 78)$	15.4%	12.8%
Emotional/Behavioral/ Cognitive Problem (N = 78)	98.7%	78.2%
Resistance to Change ($N = 78$)	96.2%	71.8%
Relapse/Continued Use Potential (N = 78)	100.0%	88.5%
Unsupportive Recovery Environment (N = 78)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Franciscan Skemp Healthcare

212 South 11th Street La Crosse, WI 54601

County: Wisconsin

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 2)</u> Male: * Female: *	Race (N = 2) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	<u>Age (N = 2)</u> Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 2) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 2) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 2) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 2) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Franciscan Skemp Healthcare

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 2)	*	*
Not employed/student ^{tt} (N = 2)	*	*
Arrests past 30 days (N = 2)	*	*
Alcohol use past 30 days (N = 2)	*	*
Drug use past 30 days (N = 2)	*	*
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days ($N = 1$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/ Cognitive Problem (N = 2)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore of Thief River Falls

621 Labree Ave N Thief River Falls, MN 56701

County: Pennington

Provider Website: www.riverviewhealth.org

Patient Profile

Gender (N = 43) Race (N = 43)Age (N = 43)Male: 65.1% White: 69.8% Under 18: 0.0% Female: 34.9% Black: 0.0% 18 to 25: 25.6% American Indian: 27.9% 26 to 34: 34.9% Hispanic: 2.3% Asian/Pacific Islander: 0.0% Other: 0.0%

Source of Income

Primary Substance (N = 43)Alcohol: 39.5% Methamphetamine: 39.5% Marijuana: 7.0% Heroin: 0.0% Cocaine: 9.3% Other opiates: 4.7% Other drugs: 0.0%

(N = 43)Job: 27.9% Retirement/savings: 0.0% Family/friends: 4.7% No income: 46.5% Public sources: 16.3% Other sources: 4.7%

35 and older: 39.5%

Source of Referral (N = 43). Self/family/relative/ friends: 74.4% Employer/school: 2.3% Criminal justice: 30.2% Professional: 0.0% County social service agency: 93.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 43</u>) Completed program: 46.5% Patient left without staff approval: 27.9% Staff requested/judged inappropriate: 14.0% Death/other: 11.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Glenmore of Thief River Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 42)	11.9%	0.0%
Not employed/student ^{\ddagger} (N = 43)	90.7%	79.1%
Arrests past 30 days (N = 43)	9.3%	2.3%
Alcohol use past 30 days (N = 43)	32.6%	9.3%
Drug use past 30 days (N = 43)	32.6%	16.3%
No self-help group participation past 30 days (N = 43)	32.6%	7.0%
No family support for recovery past 30 days (N = 40)	7.5%	10.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =43)	9.3%	0.0%
Biomedical Conditions and Complications $(N = 43)$	11.6%	2.3%
Emotional/Behavioral/ Cognitive Problem (N = 43)	41.9%	20.9%
Resistance to Change ($N = 43$)	79 .1%	58.1%
Relapse/Continued Use Potential (N = 43)	83.7%	62.8%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery

1424 Central Ave N.E. East Grand Forks, MN 56721

County: Polk

Provider Website: www.riverviewhealth.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 31)} \\ Male: \ 80.6\% \\ Female: \ 19.4\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 31)} \\ White: \ 74.2\% \\ Black: \ 0.0\% \\ American \ Indian: \ 12.9\% \\ Hispanic: \ 9.7\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 3.2\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 31)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 29.0\% \\ 26 \ to \ 34: \ 35.5\% \\ 35 \ and \ older: \ 35.5\% \end{array}$

Primary Substance (N = 31) Alcohol: 87.1% Methamphetamine: 3.2% Marijuana: 9.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 31)Job: 71.0% Retirement/savings: 0.0% Family/friends: 6.5% No income: 9.7% Public sources: 6.5% Other sources: 6.5%

Source of Referral

(N = 31) Self/family/relative/ friends: 48.4% Employer/school: 9.7% Criminal justice: 77.4% Professional: 9.7% County social service agency: 9.7% Other community resources: 0.0% AA: 0.0% Tribal: 3.2%

Outcomes

Discharge Status (N = 31) Completed program: 80.6% Patient left without staff approval: 19.4% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Glenmore Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 31)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 30)	33.3%	20.0%
Arrests past 30 days (N = 31)	12.9%	6.5%
Alcohol use past 30 days (N = 31)	25.8%	9.7%
Drug use past 30 days (N = 31)	3.2%	3.2%
No self-help group participation past 30 days (N = 30)	60.0%	50.0%
No family support for recovery past 30 days (N = 30)	10.0%	3.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =31)	6.5%	6.5%
Biomedical Conditions and Complications $(N = 31)$	6.5%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 31)		
	48.4%	25.8%
Resistance to Change ($N = 31$)	48.4% 83.9%	25.8% 35.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center

23616 US HWY 2 SW Crookston, MN 567160497

County: Polk

Provider Website: www.riverviewhealth.org

Patient Profile

Primary Substance (N = 265) Alcohol: 67.5% Methamphetamine: 3.0% Marijuana: 14.0% Heroin: 0.0% Cocaine: 4.5% Other opiates: 7.9% Other drugs: 3.0% Source of Income (N = 266) Job: 52.3% Retirement/savings: 3.0% Family/friends: 12.8% No income: 7.5% Public sources: 21.1% Other sources: 3.4%

Source of Referral

(N = 266) Self/family/relative/ friends: 66.9% Employer/school: 2.6% Criminal justice: 41.4% Professional: 9.4% County social service agency: 19.9% Other community resources: 37.2% AA: 0.4% Tribal: 2.3%

Outcomes

Discharge Status (N = 266) Completed program: 83.5% Patient left without staff approval: 11.3% Staff requested/judged inappropriate: 2.3% Death/other: 3.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Glenmore Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 250)	4.4%	1.2%
Not employed/student ^{$\ddagger t$} (N = 245)	54.7%	55.1%
Arrests past 30 days (N = 266)	15.0%	3.0%
Alcohol use past 30 days (N = 266)	56.0%	6.4%
Drug use past 30 days (N = 266)	27.4%	3.8%
No self-help group participation past 30 days (N = 258)	79.8%	46.9%
No family support for recovery past 30 days (N = 247)	15.8%	8.9%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =261)	Admission 49.4%	Discharge 46.7%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =261) Biomedical Conditions and	49.4%	46.7%
Acute Intoxication/ Withdrawal (N =261) Biomedical Conditions and Complications (N = 259) Emotional/Behavioral/	49.4% 50.6%	46.7% 47.9%
Acute Intoxication/ Withdrawal (N =261) Biomedical Conditions and Complications (N = 259) Emotional/Behavioral/ Cognitive Problem (N = 261)	49.4% 50.6% 71.6%	46.7% 47.9% 59.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore-Roseau

216 Center Street W Roseau, MN 567511494

County: Roseau

Provider Website: www.riverviewhealth.org

Patient Profile

Gender (N = 79) Race (N = 79)Age (N = 79)Male: 82.3% White: 93.7% Under 18: 1.3% Female: 17.7% Black: 0.0% 18 to 25: 17.7% American Indian: 2.5% 26 to 34: 21.5% Hispanic: 2.5% 35 and older: 59.5% Asian/Pacific Islander: 0.0% Other: 1.3%

Primary Substance
(N = 79)
Alcohol: 84.8%
Methamphetamine: 5.1%
Marijuana: 8.9%
Heroin: 0.0%
Cocaine: 1.3%
Other opiates: 0.0%
Other drugs: 0.0%

Source of Income (N = 79)Job: 81.0% Retirement/savings: 1.3% Family/friends: 2.5% No income: 7.6% Public sources: 5.1%

Other sources: 2.5%

Source of Referral (N = 79) . Self/family/relative/ friends: 20.3% Employer/school: 6.3% Criminal justice: 73.4% Professional: 2.5% County social service agency: 77.2% Other community resources: 12.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 79</u>) Completed program: 84.8% Patient left without staff approval: 8.9% Staff requested/judged inappropriate: 1.3% Death/other: 5.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Glenmore-Roseau

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 74)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 77)	23.4%	20.8%
Arrests past 30 days (N = 79)	2.5%	3.8%
Alcohol use past 30 days (N = 79)	22.8%	7.6%
Drug use past 30 days (N = 79)	8.9%	1.3%
No self-help group participation past 30 days (N = 73)	79.5%	46.6%
No family support for recovery past 30 days (N = 71)	50.7%	46.5%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	<u>Admission</u> 0.0%	Discharge 4.2%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =72) Biomedical Conditions and	0.0%	4.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =72) Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/	0.0% 0.0%	4.2% 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 72) Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/ Cognitive Problem (N = 72)	0.0% 0.0% 19.4%	4.2% 0.0% 4.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Golden Living Center Wabasso

660 Maple Street Wabasso, MN 56293

County: Redwood

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 20)}}{\text{Male: } 45.0\%}$ Female: 55.0%

Race (N = 20) White: 80.0% Black: 10.0% American Indian: 0.0% Hispanic: 5.0% Asian/Pacific Islander: 0.0% Other: 5.0% <u>Age (N = 20)</u> Under 18: 0.0% 18 to 25: 0.0% 26 to 34: 5.0% 35 and older: 95.0%

Primary Substance (N = 20) Alcohol: 70.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 20.0% Other opiates: 10.0% Other drugs: 0.0%

(N = 20) Job: 0.0% Retirement/savings: 35.0% Family/friends: 0.0% No income: 0.0% Public sources: 65.0% Other sources: 0.0%

Source of Income

Source of Referral

(N = 20) Self/family/relative/ friends: 10.0% Employer/school: 0.0% Criminal justice: 5.0% Professional: 90.0% County social service agency: 70.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 20) Completed program: 65.0% Patient left without staff approval: 15.0% Staff requested/judged inappropriate: 0.0% Death/other: 20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Golden Living Center Wabasso

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 20)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 20)	100.0%	95.0%
Arrests past 30 days (N = 20)	5.0%	0.0%
Alcohol use past 30 days (N = 20)	25.0%	0.0%
Drug use past 30 days (N = 20)	15.0%	0.0%
No self-help group participation past 30 days (N = 18)	38.9%	5.6%
No family support for recovery past 30 days (N = 18)	11.1%	16.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =18)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 18)$	11.1%	5.6%
Emotional/Behavioral/ Cognitive Problem (N = 20)	10.0%	20.0%
Resistance to Change ($N = 20$)	30.0%	20.0%
Relapse/Continued Use Potential (N = 20)	95.0%	35.0%
Unsupportive Recovery Environment (N = 19)	100.0%	42.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Grace Counseling Services

16525 Hwy 65 NE Ham Lake, MN 55304

County: Anoka

resources: 61.1%

AA: 3.7% Tribal: 0.0%

Provider Website:

Patient Profile

(N = 108)

Heroin: 0.9%

Gender (N = 108) Race (N = 108)Age (N = 108)Male: 69.4% White: 99.1% Under 18: 0.0% Female: 30.6% Black: 0.0% 18 to 25: 30.6% American Indian: 0.0% 26 to 34: 32.4% Hispanic: 0.0% 35 and older: 37.0% Asian/Pacific Islander: 0.9% Other: 0.0%

Primary Substance Source of Income Source of Referral (N = 108)(N<u>= 108)</u>. Alcohol: 63.0% Self/family/relative/ Job: 49.1% friends: 17.6% Methamphetamine: 11.1% Retirement/savings: 0.9% Marijuana: 22.2% Family/friends: 2.8% Employer/school: 0.0% No income: 16.7% Criminal justice: 83.3% Cocaine: 0.9% Public sources: 1.9% Professional: 0.9% Other opiates: 0.0% Other sources: 28.7% County social Other drugs: 1.9% service agency: 6.5% Other community

Outcomes

Discharge Status (N = 108)Completed program: 75.9% Patient left without staff approval: 23.1% Staff requested/judged inappropriate: 0.0% Death/other: 0.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Grace Counseling Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 108)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 74)	29.7%	29.7%
Arrests past 30 days (N = 26)	0.0%	7.7%
Alcohol use past 30 days (N = 107)	38.3%	38.3%
Drug use past 30 days (N = 106)	33.0%	34.9%
No self-help group participation past 30 days (N = 3)	*	*
No family support for recovery past 30 days (N = 1)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =108)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 108$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 108)	8.3%	7.4%
Resistance to Change ($N = 108$)	4.6%	3.7%
Relapse/Continued Use Potential (N = 107)	7.5%	6.5%
Unsupportive Recovery Environment (N = 107)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Guest House

4800 48th Street NE Rochester, MN 55906

County: Olmsted

Provider Website: www.guesthouse.org

Patient Profile

Gender (N = 24) Race (N = 24)Age (N = 24)Male: 100.0% White: 95.8% Under 18: 0.0% Female: 0.0% Black: 0.0% 18 to 25: 0.0% American Indian: 0.0% 26 to 34: 4.2% Hispanic: 4.2% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = <u>2</u>4) Alcohol: 91.7% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 4.2% Other opiates: 4.2% Other drugs: 0.0%

Source of Income (N = 24)Job: 79.2% Retirement/savings: 12.5% Family/friends: 4.2% No income: 0.0% Public sources: 0.0% Other sources: 4.2%

35 and older: 95.8%

Source of Referral (N = 24). Self/family/relative/ friends: 45.8% Employer/school: 83.3% Criminal justice: 4.2% Professional: 0.0% County social service agency: 0.0% Other community resources: 20.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 24</u>) Completed program: 62.5% Patient left without staff approval: 20.8% Staff requested/judged inappropriate: 4.2% Death/other: 12.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Guest House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 24)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 23)	21.7%	13.0%
Arrests past 30 days (N = 24)	4.2%	0.0%
Alcohol use past 30 days (N = 24)	75.0%	8.3%
Drug use past 30 days (N = 24)	8.3%	8.3%
No self-help group participation past 30 days (N = 24)	62.5%	8.3%
No family support for recovery past 30 days (N = 24)	16.7%	4.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =24)	0.0%	4.2%
Biomedical Conditions and Complications $(N = 24)$	16.7%	20.8%
Emotional/Behavioral/ Cognitive Problem (N = 24)	58.3%	41.7%
Resistance to Change ($N = 24$)	41.7%	29.2%
Relapse/Continued Use Potential (N = 24)	75.0%	37.5%
Unsupportive Recovery Environment (N = 23)	30.4%	17.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Gundersen Lutheran Unity House for Men

1922 Miller Street La Crosse, WI 54601

County: Wisconsin

Provider Website:

Patient Profile

 Gender (N = 41)
 Race (N = 41)
 Age (N

 Male: 100.0%
 White: 97.6%
 Unde

 Female: 0.0%
 Black: 2.4%
 18 to

 American Indian: 0.0%
 26 to

 Hispanic: 0.0%
 35 ar

 Asian/Pacific Islander: 0.0%
 Other: 0.0%

<u>Age (N = 41)</u> Under 18: 0.0% 18 to 25: 26.8% 26 to 34: 14.6% 35 and older: 58.5%

Primary Substance (N = 41) Alcohol: 75.6% Methamphetamine: 0.0% Marijuana: 12.2% Heroin: 0.0% Cocaine: 2.4% Other opiates: 9.8% Other drugs: 0.0%

Source of Income (N = 41)

<u>IN = 41)</u> Job: 53.7% Retirement/savings: 4.9% Family/friends: 39.0% No income: 0.0% Public sources: 0.0% Other sources: 2.4%

Source of Referral

(N = 41) Self/family/relative/ friends: 75.6% Employer/school: 2.4% Criminal justice: 7.3% Professional: 80.5% County social service agency: 31.7% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 41) Completed program: 82.9% Patient left without staff approval: 7.3% Staff requested/judged inappropriate: 4.9% Death/other: 4.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Gundersen Lutheran Unity House for Men

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 41)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 41)	48.8%	39.0%
Arrests past 30 days (N = 41)	24.4%	0.0%
Alcohol use past 30 days (N = 41)	90.2%	12.2%
Drug use past 30 days (N = 41)	36.6%	7.3%
No self-help group participation past 30 days ($N = 41$)	51.2%	0.0%
No family support for recovery past 30 days (N = 41)	26.8%	4.9%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =41)	19.5%	0.0%
Biomedical Conditions and Complications $(N = 41)$	43.9%	4.9%
Emotional/Behavioral/ Cognitive Problem (N = 41)	100.0%	39.0%
Resistance to Change ($N = 41$)	100.0%	43.9%
Relapse/Continued Use Potential (N = 41)	100.0%	78.0%
Unsupportive Recovery Environment (N = 38)	73.7%	21.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Gundersen Lutheran Unity House for Women

1312 5th Ave S La Crosse, WI 54601

County: Wisconsin

Provider Website:

Patient Profile

Primary Substance

Methamphetamine: 0.0%

Other opiates: 23.3%

Other drugs: 0.0%

Alcohol: 65.1%

Marijuana: 4.7%

Heroin: 0.0%

Cocaine: 7.0%

(N = 43)

Gender (N = 43) Race (N = 43)Age (N = 43)Male: 2.3% White: 97.7% Under 18: 4.7% Female: 97.7% Black: 0.0% 18 to 25: 20.9% American Indian: 2.3% 26 to 34: 18.6% Hispanic: 0.0% 35 and older: 55.8% Asian/Pacific Islander: 0.0% Other: 0.0%

(N = 43)

Job: 20.9%

Source of Income Source of Referral (N = 43). Self/family/relative/ friends: 53.5% Retirement/savings: 9.3% Family/friends: 27.9% Employer/school: 0.0% No income: 25.6% Criminal justice: 27.9% Public sources: 9.3% Professional: 79.1% Other sources: 7.0% County social service agency: 23.3% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 43)Completed program: 51.2% Patient left without staff approval: 25.6% Staff requested/judged inappropriate: 7.0% Death/other: 16.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Gundersen Lutheran Unity House for Women

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 43)	4.7%	2.3%
Not employed/student ^{11} (N = 40)	72.5%	52.5%
Arrests past 30 days (N = 41)	17.1%	2.4%
Alcohol use past 30 days (N = 43)	79.1%	11.6%
Drug use past 30 days (N = 43)	46.5%	14.0%
No self-help group participation past 30 days ($N = 42$)	69 .0%	0.0%
No family support for recovery past 30 days (N = 40)	22.5%	7.5%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =43)	20.9%	11.6%
Biomedical Conditions and Complications $(N = 43)$	34.9%	16.3%
Emotional/Behavioral/ Cognitive Problem (N = 43)	39.5%	30.2%
Resistance to Change ($N = 43$)	65.1%	46.5%
Relapse/Continued Use Potential (N = 43)	95.3%	72.1%
Unsupportive Recovery Environment (N = 41)	68.3%	43.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

H.V.M.H.C. Wabasha County Outpatient C.D. Program

611 Broadway, Suite 100 Wabasha, MN 55981

County: Wabasha

AA: 0.0% Tribal: 0.0%

Provider Website: www.hvmhc.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 26)} \\ Male: \ 76.9\% \\ Female: \ 23.1\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 26)} \\ White: \ 84.6\% \\ Black: \ 7.7\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 7.7\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 26)} \\ Under \ 18: \ 3.9\% \\ 18 \ to \ 25: \ 50.0\% \\ 26 \ to \ 34: \ 15.4\% \\ 35 \ and \ older: \ 30.8\% \\ Other: \ 0.0\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 26)	<u>(N = 26)</u>	(N = 26).
Alcohol: 53.8%	Job: 38.5%	Self/family/relative/
Methamphetamine: 0.0%	Retirement/savings: 3.9%	friends: 19.2%
Marijuana: 42.3%	Family/friends: 30.8%	Employer/school: 0.0%
Heroin: 0.0%	No income: 7.7%	Criminal justice: 76.9%
Cocaine: 0.0%	Public sources: 7.7%	Professional: 84.6%
Other opiates: 3.9%	Other sources: 11.5%	County social
Other drugs: 0.0%		service agency: 15.4%
		Other community
		resources: 0.0%

Outcomes

Discharge Status (N = 26) Completed program: 42.3% Patient left without staff approval: 26.9% Staff requested/judged inappropriate: 15.4% Death/other: 15.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

H.V.M.H.C. Wabasha County Outpatient C.D. Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 26)	0.0%	3.9%
Not employed/student ^{\ddagger} (N = 23)	60.9%	52.2%
Arrests past 30 days (N = 26)	26.9%	7.7%
Alcohol use past 30 days (N = 24)	50.0%	29.2%
Drug use past 30 days (N = 24)	37.5%	16.7%
No self-help group participation past 30 days (N = 25)	64.0%	16.0%
No family support for recovery past 30 days (N = 23)	34.8%	26.1%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =26)	7.7%	7.7%
Biomedical Conditions and Complications $(N = 26)$	7.7%	7.7%
Emotional/Behavioral/ Cognitive Problem (N = 26)	7.7%	0.0%
Resistance to Change ($N = 26$)	57.7%	53.8%
Relapse/Continued Use Potential (N = 26)	100.0%	57.7%
Unsupportive Recovery Environment (N = 26)	100.0%	61.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hanson and Hanson Addiction Specialist, Inc

223 Sibley Street Hastings, MN 550330594

County: Dakota

Provider Website:

Patient Profile

Gender (N = 31) Race (N = 31)Male: 67.7% White: 93.5% Female: 32.3% Black: 0.0% American Indian: 0.0% Hispanic: 3.2% Asian/Pacific Islander: 0.0% Other: 3.2%

Primary Substance (N = 31) Alcohol: 51.6% Methamphetamine: 22.6% Marijuana: 19.4% Heroin: 0.0% Cocaine: 6.5% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 31)Job: 74.2% Retirement/savings: 0.0% Family/friends: 12.9% No income: 6.5% Public sources: 0.0% Other sources: 6.5%

Age (N = 31)

Under 18: 6.5% 18 to 25: 16.1% 26 to 34: 22.6% 35 and older: 54.8%

Source of Referral (N = 31) . Self/family/relative/ friends: 64.5% Employer/school: 22.6% Criminal justice: 48.4% Professional: 0.0% County social service agency: 3.2% Other community resources: 25.8% AA: 12.9% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 31</u>) Completed program: 64.5% Patient left without staff approval: 6.5% Staff requested/judged inappropriate: 22.6% Death/other: 6.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hanson and Hanson Addiction Specialist, Inc

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 30)	0.0%	0.0%
Not employed/student ^{III} (N = 29)	24.1%	20.7%
Arrests past 30 days (N = 31)	12.9%	0.0%
Alcohol use past 30 days (N = 30)	43.3%	16.7%
Drug use past 30 days (N = 30)	36.7%	6.7%
No self-help group participation past 30 days ($N = 30$)	53.3%	23.3%
No family support for recovery past 30 days (N = 30)	46.7%	33.3%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =31)	61.3%	32.3%
Biomedical Conditions and Complications $(N = 31)$	67.7%	35.5%
Emotional/Behavioral/ Cognitive Problem (N = 31)	80.6%	38.7%
Resistance to Change ($N = 31$)	80.6%	35.5%
Relapse/Continued Use Potential (N = 31)	87.1%	38.7%
Unsupportive Recovery Environment (N = 31)	71.0%	41.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC

16403 Haven Road Little Falls, MN 56345

County: Morrison

Provider Website:

Patient Profile

Gender (N = 130) Race (N = 130)Age (N = 130)Male: 64.6% White: 93.1% Under 18: 0.0% Female: 35.4% Black: 2.3% American Indian: 2.3% Hispanic: 1.5% Asian/Pacific Islander: 0.0% Other: 0.8%

Primary Substance (N = 130)Alcohol: 64.6% Methamphetamine: 17.7% Marijuana: 12.3% Heroin: 0.0% Cocaine: 3.1% Other opiates: 2.3% Other drugs: 0.0%

Source of Income (N = 130)Job: 56.9% Retirement/savings: 2.3% Family/friends: 14.6% No income: 2.3% Public sources: 14.6% Other sources: 9.2%

18 to 25: 16.2% 26 to 34: 30.0% 35 and older: 53.8%

Source of Referral (N<u>= 130)</u>. Self/family/relative/ friends: 18.5% Employer/school: 3.1% Criminal justice: 53.1% Professional: 5.4% County social service agency: 45.4% Other community resources: 8.5%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 130)Completed program: 52.3% Patient left without staff approval: 10.8% Staff requested/judged inappropriate: 30.8% Death/other: 6.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Haven Road Recovery Center LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 127)	0.0%	0.0%
Not employed/student ^{ii} (N = 122)	47.5%	39.3%
Arrests past 30 days (N = 116)	6.0%	6.9%
Alcohol use past 30 days (N = 91)	28.6%	14.3%
Drug use past 30 days (N = 93)	16.1%	5.4%
No self-help group participation past 30 days (N = 118)	72.0%	27.1%
No family support for recovery past 30 days (N = 117)	22.2%	15.4%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =124)	0.0%	8. 9 %
Biomedical Conditions and Complications ($N = 124$)	13.7%	11.3%
Emotional/Behavioral/ Cognitive Problem (N = 124)	41.9%	28.2%
Resistance to Change ($N = 124$)	52.4%	39.5%
Relapse/Continued Use Potential (N = 124)	95.2%	54.8%
Unsupportive Recovery Environment (N = 124)	79.8%	50.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC Outlook Jail Program

213 SE 1st Avenue Little Falls, MN 56345

County: Morrison

Provider Website:

Patient Profile

Gender (N = 29) Race (N = 29)Age (N = 29)Under 18: 3.5% White: 75.9% Male: 82.8% Female: 17.2% Black: 6.9% American Indian: 0.0% Hispanic: 10.3% Asian/Pacific Islander: 0.0% Other: 6.9%

Primary Substance (N = 28) Alcohol: 35.7% Methamphetamine: 50.0% Marijuana: 7.1% Heroin: 0.0% Cocaine: 3.6% Other opiates: 0.0% Other drugs: 3.6%

Source of Income (N = 29)Job: 41.4% Retirement/savings: 0.0% Family/friends: 6.9% No income: 44.8% Public sources: 3.5% Other sources: 3.5%

18 to 25: 44.8% 26 to 34: 31.0% 35 and older: 20.7%

Source of Referral (N = 29) . Self/family/relative/ friends: 93.1% Employer/school: 0.0% Criminal justice: 37.9% Professional: 3.5% County social service agency: 65.5% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 29)Completed program: 41.4% Patient left without staff approval: 10.3% Staff requested/judged inappropriate: 17.2% Death/other: 31.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Haven Road Recovery Center LLC Outlook Jail Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 27)	3.7%	3.7%
Not employed/student ^{\ddagger} (N = 29)	79.3%	65.5%
Arrests past 30 days (N = 24)	33.3%	8.3%
Alcohol use past 30 days (N = 22)	0.0%	4.6%
Drug use past 30 days (N = 22)	4.6%	9.1%
No self-help group participation past 30 days (N = 28)	46.4%	32.1%
No family support for recovery past 30 days (N = 21)	9.5%	9.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =28)	0.0%	3.6%
Biomedical Conditions and Complications $(N = 28)$	3.6%	7.1%
Emotional/Behavioral/ Cognitive Problem (N = 28)	78.6%	28.6%
Resistance to Change ($N = 28$)	78.6%	46.4%
Relapse/Continued Use Potential (N = 28)	100.0%	60.7%
Unsupportive Recovery Environment (N = 28)	100.0%	78.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center Todd County

17 2nd Street North Long Prairie, MN 56345

County: Todd

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 1)</u> Male: * Female: *	Race (N = 1) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 1) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 1) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 1) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 1) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Haven Road Recovery Center Todd County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 1)	*	*
Not employed/student ^{\ddagger} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days (N = 1)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Center for Youth & Families

11505 36th Avenue North Plymouth, MN 55441

County: Hennepin

Provider Website: www.hazelden.org

Patient Profile

 Gender (N = 786)
 Race (N = 786)
 Age (N = 786)

 Male: 73.9%
 White: 94.9%
 Under 18: 37.5%

 Female: 26.1%
 Black: 1.0%
 18 to 25: 62.5%

 American Indian: 0.6%
 26 to 34: 0.0%

 Hispanic: 1.0%
 35 and older: 0.0%

 Asian/Pacific Islander: 1.0%
 Other: 1.4%

Primary Substance (N = 698) Alcohol: 23.4% Methamphetamine: 2.4% Marijuana: 40.4% Heroin: 2.6% Cocaine: 11.0% Other opiates: 14.6% Other drugs: 5.6% Source of Income (N = 786) Job: 7.6% Retirement/savings: 0.8% Family/friends: 83.0% No income: 2.0% Public sources: 0.1% Other sources: 6.5%

Source of Referral

<u>(N = 786)</u>. Self/family/relative/ friends: 93.9% Employer/school: 0.0% Criminal justice: 0.0% Professional: 9.8% County social service agency: 0.0% Other community resources: 13.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 786) Completed program: 74.7% Patient left without staff approval: 8.4% Staff requested/judged inappropriate: 10.3% Death/other: 6.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hazelden Center for Youth & Families

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 776)	2.5%	1.0%
Not employed/student ^{\ddagger} (N = 394)	7.9%	0.3%
Arrests past 30 days (N = 680)	18.2%	4.9%
Alcohol use past 30 days (N = 664)	67.9%	20.9%
Drug use past 30 days (N = 678)	83.2%	38.2%
No self-help group participation past 30 days (N = 747)	77.9%	10.3%
No family support for recovery past 30 days (N = 736)	12.2%	6.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =786)	6.6%	6.7%
Biomedical Conditions and Complications ($N = 786$)	1.4%	1.5%
Emotional/Behavioral/ Cognitive Problem (N = 786)		31.4%
	28.5%	51.470
Resistance to Change (N = 786)	28.5% 53.7%	56.5%
Resistance to Change (N = 786) Relapse/Continued Use Potential (N = 786)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Fellowship Club

680 Stewart Avenue St. Paul, MN 55102

County: Ramsey

Provider Website: www.hazelden.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 321)} \\ Male: \ 71.7\% \\ Female: \ 28.3\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 321)} \\ White: \ 96.3\% \\ Black: \ 0.9\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 1.3\% \\ Asian/Pacific \ Islander: \ 0.3\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 321)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 39.6\% \\ 26 \ to \ 34: \ 21.8\% \\ 35 \ and \ older: \ 38.6\% \\ Asian/Pacific \ Islander: \ 0.3\% \end{array}$

Primary Substance (N = 269) Alcohol: 60.6% Methamphetamine: 4.8% Marijuana: 10.0% Heroin: 2.2% Cocaine: 12.3% Other opiates: 8.2% Other drugs: 1.9% Source of Income (N = 321)Job: 40.5% Retirement/savings: 7.2% Family/friends: 28.0% No income: 14.3% Public sources: 3.1% Other sources: 6.9%

Source of Referral

<u>(N = 321)</u>. Self/family/relative/ friends: 87.5% Employer/school: 0.6% Criminal justice: 1.6% Professional: 8.7% County social service agency: 0.3% Other community resources: 16.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 321) Completed program: 68.8% Patient left without staff approval: 18.1% Staff requested/judged inappropriate: 12.5% Death/other: 0.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hazelden Fellowship Club

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 307)	2.3%	0.3%
Not employed/student ^{\ddagger} (N = 215)	38.6%	1.9%
Arrests past 30 days (N = 272)	7.0%	4.0%
Alcohol use past 30 days (N = 265)	29.4%	12.8%
Drug use past 30 days (N = 253)	45.1%	6.7%
No self-help group participation past 30 days (N = 283)	34.3%	5.7%
No family support for recovery past 30 days (N = 294)	6.8%	2.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =321)	0.3%	0.6%
Biomedical Conditions and Complications ($N = 321$)	2.2%	1.3%
Emotional/Behavioral/ Cognitive Problem (N = 321)	14.3%	10.9%
	14.3% 19.0%	10.9% 20.9%
Cognitive Problem ($N = 321$)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Recovery Services

15245 Pleasant Valley Road Center City, MN 55012

County: Chisago

Provider Website: www.hazelden.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 2454)} \\ Male: \ 60.3\% \\ Female: \ 39.7\% \end{array} \qquad \begin{array}{c|c} \underline{Race \ (N = 2454)} \\ White: \ 95.5\% \\ Black: \ 0.8\% \\ American \ Indian: \ 1.7\% \\ Hispanic: \ 0.7\% \\ Asian/Pacific \ Islander: \ 0.3\% \end{array} \qquad \begin{array}{c|c} \underline{Age \ (N = 2454)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 13.0\% \\ 26 \ to \ 34: \ 20.8\% \\ 35 \ and \ older: \ 66.2\% \\ Other: \ 1.0\% \end{array}$

Primary Substance (N = 2212) Alcohol: 71.1% Methamphetamine: 4.4% Marijuana: 3.0% Heroin: 1.1% Cocaine: 9.8% Other opiates: 8.5% Other drugs: 2.1% Source of Income (N = 2454)Job: 56.1% Retirement/savings: 10.8% Family/friends: 21.5% No income: 4.2% Public sources: 2.1% Other sources: 5.3%

Source of Referral

<u>(N = 2454)</u>. Self/family/relative/ friends: 90.7% Employer/school: 1.5% Criminal justice: 1.1% Professional: 11.4% County social service agency: 0.3% Other community resources: 14.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 2454) Completed program: 88.0% Patient left without staff approval: 8.2% Staff requested/judged inappropriate: 1.4% Death/other: 2.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hazelden Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 2395)	0.5%	0.5%
Not employed/student ^{\ddagger} (N = 1251)	24.1%	3.4%
Arrests past 30 days (N = 2120)	10.3%	3.9%
Alcohol use past 30 days (N = 2058)	85.7%	12.0%
Drug use past 30 days (N = 1984)	46.9%	7.4%
No self-help group participation past 30 days (N = 2355)	59.8%	23.8%
No family support for recovery past 30 days (N = 2329)	3.5%	7.4%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =2453)	<u>Admission</u> 18.6%	<u>Discharge</u> 5.8%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =2453) Biomedical Conditions and	18.6%	5.8%
Acute Intoxication/ Withdrawal (N =2453) Biomedical Conditions and Complications (N = 2453) Emotional/Behavioral/	18.6% 8.6%	5.8% 2.8%
Acute Intoxication/ Withdrawal (N =2453) Biomedical Conditions and Complications (N = 2453) Emotional/Behavioral/ Cognitive Problem (N = 2453)	18.6% 8.6% 25.0%	5.8% 2.8% 12.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Health Recovery Center

3255 Hennepin Avenue South Minneapolis, MN 55408

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 111)</u> Male: 55.9% Female: 44.1%

Race (N = 111) White: 96.4% Black: 0.9% American Indian: 0.0% Hispanic: 0.9% Asian/Pacific Islander: 0.0% Other: 1.8% <u>Age (N = 111)</u> Under 18: 0.0% 18 to 25: 25.2% 26 to 34: 17.1% 35 and older: 57.7%

Primary Substance

(N = 110) Alcohol: 72.7% Methamphetamine: 1.8% Marijuana: 5.5% Heroin: 5.5% Cocaine: 2.7% Other opiates: 0.9% Other drugs: 10.9%

Source of Income

(N = 111) Job: 49.5% Retirement/savings: 5.4% Family/friends: 33.3% No income: 2.7% Public sources: 0.9% Other sources: 8.1%

Source of Referral

<u>(N = 111)</u>. Self/family/relative/ friends: 94.6% Employer/school: 0.9% Criminal justice: 0.9% Professional: 3.6% County social service agency: 0.0% Other community resources: 23.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 111) Completed program: 71.2% Patient left without staff approval: 18.9% Staff requested/judged inappropriate: 9.9% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Health Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 109)	0.9%	0.0%
Not employed/student ^{\ddagger} (N = 99)	40.4%	32.3%
Arrests past 30 days (N = 109)	13.8%	1.8%
Alcohol use past 30 days (N = 111)	76.6%	15.3%
Drug use past 30 days (N = 110)	40.9%	10.0%
No self-help group participation past 30 days (N = 103)	92.2%	99.0%
No family support for recovery past 30 days (N = 102)	37.3%	28.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
•	Admission 37.3%	<u>Discharge</u> 20.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =110) Biomedical Conditions and	37.3%	20.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 110) Biomedical Conditions and Complications (N = 110) Emotional/Behavioral/	37.3% 82.7%	20.0% 19.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =110) Biomedical Conditions and Complications (N = 110) Emotional/Behavioral/ Cognitive Problem (N = 111)	37.3% 82.7% 88.3%	20.0% 19.1% 37.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

HFA Addiction Medicine Program

914 South 8th Street Minneapolis, MN 55404

County: Hennepin

Provider Website: www.hfahealth.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 46)} \\ Male: 52.2\% \\ Female: 47.8\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 46)} \\ White: 47.8\% \\ Black: 32.6\% \\ American Indian: 6.5\% \\ Hispanic: 0.0\% \\ Asian/Pacific Islander: 6.5\% \\ Other: 6.5\% \end{array} \qquad \begin{array}{c} \underline{Age (N = 46)} \\ Under 18: 2.2\% \\ 18 to 25: 8.7\% \\ 26 to 34: 19.6\% \\ 35 and older: 69.6\% \\ 35 and older: 69.6\% \\ \end{array}$

Primary Substance	Source of Income
(N = 45)	<u>(N = 46)</u>
Alcohol: 26.7%	Job: 30.4%
Methamphetamine: 0.0%	Retirement/savings: 4.4%
Marijuana: 0.0%	Family/friends: 13.0%
Heroin: 48.9%	No income: 6.5%
Cocaine: 2.2%	Public sources: 37.0%
Other opiates: 22.2%	Other sources: 8.7%
Other drugs: 0.0%	

Source of Referral <u>(N = 46)</u> Self/family/relative/ friends: 76.1% Employer/school: 2.2% Criminal justice: 8.7% Professional: 32.6%

> County social service agency: 58.7% Other community resources: 15.2% AA: 2.2% Tribal: 2.2%

Outcomes

Discharge Status (N = 46) Completed program: 4.4% Patient left without staff approval: 45.7% Staff requested/judged inappropriate: 6.5% Death/other: 43.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

HFA Addiction Medicine Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 37)	2.7%	10.8%
Not employed/student ^{11} (N = 32)	65.6%	50.0%
Arrests past 30 days (N = 37)	2.7%	5.4%
Alcohol use past 30 days (N = 30)	43.3%	6.7%
Drug use past 30 days (N = 32)	62.5%	18.8%
No self-help group participation past 30 days (N = 15)	73.3%	93.3%
No family support for recovery past 30 days (N = 14)	7.1%	14.3%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =46)	43.5%	50.0%
Biomedical Conditions and Complications $(N = 46)$	39.1%	28.3%
Emotional/Behavioral/ Cognitive Problem (N = 46)	47.8%	50.0%
Resistance to Change ($N = 46$)	17.4%	54.3%
Relapse/Continued Use Potential (N = 45)	75.6%	77.8%
Unsupportive Recovery Environment (N = 43)	39.5%	55.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hiawatha Valley Mental Health

166 Main Street Winona, MN 55987

County: Winona

Provider Website: www.hvmhc.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 51)} \\ Male: \ 70.6\% \\ Female: \ 29.4\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 51)} \\ White: \ 86.3\% \\ Black: \ 9.8\% \\ American \ Indian: \ 2.0\% \\ Hispanic: \ 2.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 51)} \\ Under \ 18: \ 2.0\% \\ 18 \ to \ 25: \ 31.4\% \\ 26 \ to \ 34: \ 25.5\% \\ 35 \ and \ older: \ 41.2\% \\ Other: \ 0.0\% \end{array}$

Primary Substance (N = 51) Alcohol: 78.4% Methamphetamine: 3.9% Marijuana: 11.8% Heroin: 0.0% Cocaine: 3.9% Other opiates: 2.0% Other drugs: 0.0% Source of Income (N = 51) Job: 54.9% Retirement/savings: 2.0% Family/friends: 27.5% No income: 2.0% Public sources: 9.8% Other sources: 3.9% Source of Referral (N = 51) Self/family/relative/ friends: 35.3% Employer/school: 3.9% Criminal justice: 56.9% Professional: 37.3% County social service agency: 7.8% Other community resources: 39.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 51) Completed program: 41.2% Patient left without staff approval: 43.1% Staff requested/judged inappropriate: 9.8% Death/other: 5.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hiawatha Valley Mental Health

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 51)	0.0%	0.0%
Not employed/student ^{ii} (N = 44)	36.4%	22.7%
Arrests past 30 days (N = 50)	12.0%	4.0%
Alcohol use past 30 days (N = 47)	42.6%	19.1%
Drug use past 30 days (N = 47)	19.1%	8.5%
No self-help group participation past 30 days ($N = 40$)	75.0%	40.0%
No family support for recovery past 30 days (N = 39)	38.5%	28.2%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =49)	0.0%	4.1%
Biomedical Conditions and Complications ($N = 50$)	4.0%	6.0%
Emotional/Behavioral/ Cognitive Problem (N = 50)	20.0%	18.0%
Resistance to Change ($N = 50$)	54.0%	38.0%
Relapse/Continued Use Potential (N = 50)	96.0%	54.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hoffe Counseling, Inc.

319 Main Street La Crosse, WI 54601

County: Wisconsin

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 8)</u> Male: * Female: *	Race (N = 8) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 8) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 8) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 8) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 8) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hoffe Counseling, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 7)	*	*
Not employed/student ^{tt} (N = 6)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 7)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days ($N = 8$)	*	*
No family support for recovery past 30 days ($N = 7$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hoffe Counseling, Inc.

157 Franklin Street Winona, MN 55987

County: Winona

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 9)</u> Male: * Female: *	Race (N = 9) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 9) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 9) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 9) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 9) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 9) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hoffe Counseling, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 9)	*	*
Not employed/student ^{tt} (N = 9)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days (N = 6)	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days (N = 6)	*	*
No family support for recovery past 30 days (N = 9)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 7)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hope House of Itasca County

604 South Pokegama Avenue Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

<u>Gender (N = 73)</u> Male: 98.6% Female: 1.4% Race (N = 73) White: 84.9% Black: 2.7% American Indian: 6.9% Hispanic: 2.7% Asian/Pacific Islander: 0.0% Other: 2.7% <u>Age (N = 73)</u> Under 18: 0.0% 18 to 25: 30.1% 26 to 34: 23.3% 35 and older: 46.6%

resources: 4.1%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 73)	<u>(N = 73)</u>	<u>(N = 73)</u> .
Alcohol: 56.2%	Job: 15.1%	Self/family/relative/
Methamphetamine: 16.4%	Retirement/savings: 1.4%	friends: 63.0%
Marijuana: 12.3%	Family/friends: 1.4%	Employer/school: 0.0%
Heroin: 0.0%	No income: 60.3%	Criminal justice: 20.5%
Cocaine: 9.6%	Public sources: 19.2%	Professional: 75.3%
Other opiates: 5.5%	Other sources: 2.7%	County social
Other drugs: 0.0%		service agency: 28.8%
		Other community

Outcomes

Discharge Status (N = 73) Completed program: 46.6% Patient left without staff approval: 30.1% Staff requested/judged inappropriate: 6.9% Death/other: 16.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hope House of Itasca County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 72)	5.6%	0.0%
Not employed/student ^{ii} (N = 54)	87.0%	63.0%
Arrests past 30 days (N = 67)	13.4%	4.5%
Alcohol use past 30 days (N = 68)	14.7%	19.1%
Drug use past 30 days (N = 66)	6.1%	6.1%
No self-help group participation past 30 days ($N = 71$)	38.0%	2.8%
No family support for recovery past 30 days (N = 70)	15.7%	4.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	0.0%	2.7%
Biomedical Conditions and Complications $(N = 73)$	2.7%	2.7%
Emotional/Behavioral/ Cognitive Problem (N = 73)	8.2%	17.8%
Resistance to Change ($N = 73$)	2.7%	19.2%
Relapse/Continued Use Potential (N = 73)	5.5%	23.3%
Unsupportive Recovery Environment (N = 73)	6.9%	8.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Charity Day by Day Program

510 South 8th Street Minneapolis, MN 55404

County: Hennepin

resources: 15.4%

AA: 0.0% Tribal: 0.0%

Provider Website: www.houseofcharity.org

Patient Profile

Gender (N = 26) Race (N = 26)Age (N = 26)Male: 100.0% White: 42.3% Under 18: 0.0% Female: 0.0% Black: 46.2% 18 to 25: 3.9% American Indian: 7.7% 26 to 34: 19.2% Hispanic: 0.0% 35 and older: 76.9% Asian/Pacific Islander: 3.9% Other: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 26)	<u>(N = 26)</u>	<u>(N = 26)</u> .
Alcohol: 38.5%	Job: 7.7%	Self/family/relative/
Methamphetamine: 7.7%	Retirement/savings: 0.0%	friends: 34.6%
Marijuana: 3.9%	Family/friends: 3.9%	Employer/school: 0.0%
Heroin: 3.9%	No income: 38.5%	Criminal justice: 19.2%
Cocaine: 42.3%	Public sources: 42.3%	Professional: 53.8%
Other opiates: 3.9%	Other sources: 7.7%	County social
Other drugs: 0.0%		service agency: 69.2%
		Other community

Outcomes

Discharge Status <u>(N = 26</u>) Completed program: 76.9% Patient left without staff approval: 11.5% Staff requested/judged inappropriate: 11.5% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

House of Charity Day by Day Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 26)	46.2%	19.2%
Not employed/student ^{ii} (N = 26)	100.0%	57.7%
Arrests past 30 days (N = 25)	12.0%	8.0%
Alcohol use past 30 days (N = 26)	19.2%	11.5%
Drug use past 30 days (N = 25)	28.0%	28.0%
No self-help group participation past 30 days ($N = 13$)	30.8%	7.7%
No family support for recovery past 30 days (N = 16)	12.5%	6.3%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =26)	0.0%	3.9 %
Biomedical Conditions and Complications $(N = 26)$	30.8%	7.7%
Emotional/Behavioral/ Cognitive Problem (N = 26)	73.1%	50.0%
Resistance to Change ($N = 26$)	42.3%	26.9%
Relapse/Continued Use Potential (N = 26)	100.0%	50.0%
Unsupportive Recovery Environment (N = 26)	92.3%	30.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Hope

1429 3rd Avenue Mankato, MN 56001

County: Blue Earth

AA: 0.0% Tribal: 1.1%

Provider Website: www.houseofhopemn.com

Patient Profile

<u>Gender (N = 182)</u>	<u>Race (N = 182)</u>	<u>Age (N = 182)</u>
Male: 97.3%	White: 83.5%	Under 18: 0.0%
Female: 2.8%	Black: 6.0%	18 to 25: 28.6%
	American Indian: 2.8%	26 to 34: 35.7%
	Hispanic: 6.0%	35 and older: 35.7%
	Asian/Pacific Islander: 1.1%	
	Other: 0.5%	

Primary Substance	Source of Income	Source of Referral
<u>(N = 177)</u>	<u>(N = 182)</u>	<u>(N = 182)</u>
Alcohol: 57.1%	Job: 44.5%	Self/family/relative/
Methamphetamine: 14.1%	Retirement/savings: 2.2%	friends: 25.8%
Marijuana: 18.1%	Family/friends: 5.0%	Employer/school: 1.1%
Heroin: 2.3%	No income: 30.2%	Criminal justice: 36.8%
Cocaine: 7.3%	Public sources: 9.3%	Professional: 50.0%
Other opiates: 0.0%	Other sources: 8.8%	County social
Other drugs: 1.1%		service agency: 73.6%
		Other community
		resources: 3.9%

Outcomes

Discharge Status (N = 182) Completed program: 62.1% Patient left without staff approval: 16.5% Staff requested/judged inappropriate: 15.4% Death/other: 6.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

House of Hope

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 178)	2.3%	0.0%
Not employed/student ^{\ddagger} (N = 145)	55.2%	33.1%
Arrests past 30 days (N = 170)	11.2%	3.5%
Alcohol use past 30 days (N = 174)	8.6%	1.7%
Drug use past 30 days (N = 178)	4.5%	2.3%
No self-help group participation past 30 days ($N = 98$)	15.3%	2.0%
No family support for recovery past 30 days (N = 105)	7.6%	5.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =170)	0.0%	1.8%
Biomedical Conditions and Complications ($N = 174$)	3.5%	4.6%
Emotional/Behavioral/ Cognitive Problem (N = 176)	44.3%	23.9%
Resistance to Change ($N = 177$)	23.2%	31.1%
Relapse/Continued Use Potential (N = 177)	88.1%	48.0%
Unsupportive Recovery Environment (N = 174)	46.6%	47.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Hope, Inc.

1614 3rd Avenue Mankato, MN 56001

County: Blue Earth

AA: 0.0% Tribal: 0.0%

Provider Website: www.houseofhopemn.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 30)} \\ Male: \ 0.0\% \\ Female: \ 100.0\% \\ Female: \ 100.0\% \\ American \ Indian: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 6.7\% \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 30)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 40.0\% \\ 26 \ to \ 34: \ 23.3\% \\ 35 \ and \ older: \ 36.7\% \\ 35 \ and \ older: \ 36.7\% \\ \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 29)	(N = 30)	(N = 30) .
Alcohol: 44.8%	Job: 33.3%	Self/family/relative/
Methamphetamine: 37.9%	Retirement/savings: 0.0%	friends: 10.0%
Marijuana: 0.0%	Family/friends: 20.0%	Employer/school: 0.0%
Heroin: 0.0%	No income: 13.3%	Criminal justice: 10.0%
Cocaine: 17.2%	Public sources: 23.3%	Professional: 80.0%
Other opiates: 0.0%	Other sources: 10.0%	County social
Other drugs: 0.0%		service agency: 100.0%
		Other community
		resources: 0.0%

Outcomes

Discharge Status <u>(N = 30)</u> Completed program: 46.7% Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 26.7% Death/other: 6.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

House of Hope, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 30)	3.3%	0.0%
Not employed/student ^{$\pm\pm$} (N = 29)	100.0%	62.1%
Arrests past 30 days (N = 29)	0.0%	0.0%
Alcohol use past 30 days (N = 29)	3.5%	0.0%
Drug use past 30 days (N = 29)	6.9%	0.0%
No self-help group participation past 30 days ($N = 29$)	6.9%	0.0%
No family support for recovery past 30 days (N = 25)	4.0%	12.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =29)	3.5%	0.0%
Biomedical Conditions and Complications $(N = 29)$	31.0%	34.5%
Emotional/Behavioral/ Cognitive Problem (N = 29)	86.2%	58.6%
Resistance to Change ($N = 29$)	31.0%	58.6%
Relapse/Continued Use Potential (N = 29)	96.6%	86.2%
Unsupportive Recovery Environment (N = 28)	57.1%	78.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Howard Friese Halfway House

1520 East 2nd Street Duluth, MN 55812

County: St. Louis

Provider Website: www.cadt.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 63)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Since \ (N = 63) \\ Black: \ 4.8\% \\ American \ Indian: \ 4.8\% \\ Hispanic: \ 4.8\% \\ Hispanic: \ 4.8\% \\ Asian/Pacific \ Islander: \ 1.6\% \\ \hline Other: \ 1.6\% \\ \hline \end{array}$

Primary Substance (N = 63) Alcohol: 54.0% Methamphetamine: 19.0% Marijuana: 7.9% Heroin: 4.8% Cocaine: 6.4% Other opiates: 3.2% Other drugs: 4.8% Source of Income (N = 63)Job: 9.5% Retirement/savings: 1.6% Family/friends: 7.9% No income: 44.4% Public sources: 23.8% Other sources: 12.7%

Source of Referral

<u>(N = 63)</u> Self/family/relative/ friends: 46.0% Employer/school: 1.6% Criminal justice: 27.0% Professional: 65.1% County social service agency: 30.2% Other community resources: 3.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 63) Completed program: 61.9% Patient left without staff approval: 17.5% Staff requested/judged inappropriate: 11.1% Death/other: 9.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Howard Friese Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 59)	15.3%	0.0%
Not employed/student ^{\ddagger} (N = 56)	96.4%	41.1%
Arrests past 30 days (N = 61)	4.9%	1.6%
Alcohol use past 30 days (N = 60)	16.7%	10.0%
Drug use past 30 days (N = 58)	8.6%	1.7%
No self-help group participation past 30 days (N = 63)	7.9%	0.0%
No family support for recovery past 30 days (N = 60)	6.7%	3.3%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =63)	1.6%	9.5%
Biomedical Conditions and Complications $(N = 63)$	1.6%	1.6%
Emotional/Behavioral/ Cognitive Problem (N = 63)	19.0%	20.6%
Resistance to Change ($N = 63$)	38.1%	31.7%
Relapse/Continued Use Potential (N = 63)	88.9%	49.2%
Unsupportive Recovery Environment (N = 63)	74.6%	49.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hutchinson Health Care

1095 Highway 15 South Hutchinson, MN 55350

County: McLeod

Provider Website: www.hahc-hmc.com

Patient Profile

Gender (N = 44) Race (N = 44)Age (N = 44)Male: 81.8% White: 97.7% Under 18: 2.3% Female: 18.2% Black: 0.0% 18 to 25: 27.3% American Indian: 2.3% 26 to 34: 18.2% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Source of Income

Family/friends: 15.9%

Public sources: 2.3%

Other sources: 0.0%

No income: 4.6%

(N = 44)

Job: 72.7%

Primary Substance (N = 44)Alcohol: 75.0% Methamphetamine: 9.1% Marijuana: 13.6% Heroin: 0.0% Cocaine: 2.3% Other opiates: 0.0% Other drugs: 0.0%

35 and older: 52.3%

Source of Referral (N = 44). Self/family/relative/ friends: 65.9% Retirement/savings: 4.6% Employer/school: 6.8% Criminal justice: 61.4% Professional: 2.3% County social service agency: 22.7% Other community resources: 18.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 44</u>) Completed program: 84.1% Patient left without staff approval: 2.3% Staff requested/judged inappropriate: 13.6% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Hutchinson Health Care

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 44)	2.3%	0.0%
Not employed/student ^{$\pm\pm$} (N = 42)	23.8%	14.3%
Arrests past 30 days (N = 44)	11.4%	4.6%
Alcohol use past 30 days (N = 43)	30.2%	11.6%
Drug use past 30 days (N = 43)	14.0%	7.0%
No self-help group participation past 30 days (N = 39)	48.7%	7.7%
No family support for recovery past 30 days (N = 40)	10.0%	7.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =44)	15.9%	11.4%
Biomedical Conditions and Complications $(N = 42)$	16.7%	11.9%
Emotional/Behavioral/ Cognitive Problem (N = 44)	9.1%	11.4%
Resistance to Change ($N = 44$)	50.0%	34.1%
Relapse/Continued Use Potential (N = 44)	59.1%	54.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Journey Counseling Services

821 3rd Street Farmington, MN 55024

County: Dakota

Provider Website:

Patient Profile

Gender (N = 195) Race (N = 195)Age (N = 195)White: 87.2% Male: 79.0% Under 18: 1.0% Female: 21.0% Black: 4.6% American Indian: 1.5% Hispanic: 5.6% Asian/Pacific Islander: 0.5% Other: 0.5%

18 to 25: 30.3% 26 to 34: 29.7% 35 and older: 39.0%

Primary Substance (N = 195) Alcohol: 66.2% Methamphetamine: 9.7% Marijuana: 16.4% Heroin: 0.0% Cocaine: 5.6% Other opiates: 2.1% Other drugs: 0.0%

(N = 195)Job: 54.9% Retirement/savings: 2.6% Family/friends: 20.5% No income: 3.6% Public sources: 13.3% Other sources: 5.1%

Source of Income

Source of Referral

(N<u>= 195)</u> Self/family/relative/ friends: 5.6% Employer/school: 3.1% Criminal justice: 64.6% Professional: 9.2% County social service agency: 23.1% Other community resources: 3.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 195)Completed program: 57.4% Patient left without staff approval: 16.9% Staff requested/judged inappropriate: 16.9% Death/other: 8.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Journey Counseling Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 194)	1.0%	0.5%
Not employed/student ^{\ddagger} (N = 184)	46.2%	29.3%
Arrests past 30 days (N = 192)	15.6%	6.8%
Alcohol use past 30 days (N = 191)	44.0%	11.0%
Drug use past 30 days (N = 192)	22.9%	8.9%
No self-help group participation past 30 days (N = 189)	67.2%	13.8%
No family support for recovery past 30 days (N = 187)	18.7%	12.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =195)	0.0%	1.5%
Biomedical Conditions and Complications ($N = 195$)	5.6%	5.1%
Emotional/Behavioral/ Cognitive Problem (N = 195)	35.4%	27.2%
Resistance to Change ($N = 195$)	53.3%	41.5%
Relapse/Continued Use Potential (N = 195)	89.2%	45.1%
Unsupportive Recovery Environment (N = 195)	61.0%	39.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Journey Home

1485 10th Ave NE Sauk Rapids, MN 563799838

County: Benton

Provider Website:

Patient Profile

<u>Gender (N = 122)</u> Male: 0.0% Female: 100.0% Race (N = 122) White: 71.3% Black: 7.4% American Indian: 13.9% Hispanic: 3.3% Asian/Pacific Islander: 0.0% Other: 4.1% <u>Age (N = 122)</u> Under 18: 4.1% 18 to 25: 43.4% 26 to 34: 36.1% 35 and older: 16.4%

Primary Substance (N = 121) Alcohol: 19.8% Methamphetamine: 40.5% Marijuana: 16.5%

Heroin: 0.0% Cocaine: 14.0% Other opiates: 8.3% Other drugs: 0.8%

Source of Income

(N = 122) Job: 11.5% Retirement/savings: 0.0% Family/friends: 11.5% No income: 13.9% Public sources: 37.7% Other sources: 25.4%

Source of Referral

(N = 122) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 12.3% Professional: 82.0% County social service agency: 96.7% Other community resources: 0.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 122) Completed program: 63.9% Patient left without staff approval: 10.7% Staff requested/judged inappropriate: 9.0% Death/other: 16.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Journey Home

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 120)	95.0%	91.7%
Not employed/student ^{$\pm\pm$} (N = 119)	87.4%	52.9%
Arrests past 30 days (N = 112)	3.6%	6.3%
Alcohol use past 30 days (N = 120)	1.7%	4.2%
Drug use past 30 days (N = 117)	2.6%	3.4%
No self-help group participation past 30 days (N = 119)	3.4%	0.0%
No family support for recovery past 30 days (N = 113)	11.5%	8.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
•	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 121) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 121) Biomedical Conditions and Complications (N = 121) Emotional/Behavioral/	0.0% 5.0%	0.0% 4.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =121) Biomedical Conditions and Complications (N = 121) Emotional/Behavioral/ Cognitive Problem (N = 121)	0.0% 5.0% 24.8%	0.0% 4.1% 24.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Juel Fairbanks Chemical Dependency Services

806 North Albert Street St. Paul, MN 55104

County: Ramsey

AA: 0.0% Tribal: 3.3%

Provider Website: www.juelfairbanks.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 61)} \\ Male: \ 55.7\% \\ Female: \ 44.3\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 61)} \\ White: \ 37.7\% \\ Black: \ 14.8\% \\ American \ Indian: \ 41.0\% \\ Hispanic: \ 3.3\% \\ Asian/Pacific \ Islander: \ 1.6\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 61)} \\ Under \ 18: \ 1.6\% \\ 26 \ to \ 34: \ 34.4\% \\ 35 \ and \ older: \ 34.4\% \\ 35 \ and \ older: \ 34.4\% \\ Other: \ 1.6\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 61)	<u>(N = 61)</u>	<u>(N = 61)</u>
Alcohol: 44.3%	Job: 8.2%	Self/family/relative/
Methamphetamine: 21.3%	Retirement/savings: 0.0%	friends: 52.5%
Marijuana: 13.1%	Family/friends: 13.1%	Employer/school: 3.3%
Heroin: 3.3%	No income: 44.3%	Criminal justice: 26.2%
Cocaine: 14.8%	Public sources: 29.5%	Professional: 39.3%
Other opiates: 3.3%	Other sources: 4.9%	County social
Other drugs: 0.0%		service agency: 54.1%
		Other community
		resources: 8.2%

Outcomes

Discharge Status (N = 61) Completed program: 50.8% Patient left without staff approval: 23.0% Staff requested/judged inappropriate: 24.6% Death/other: 1.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Juel Fairbanks Chemical Dependency Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 57)	29.8%	10.5%
Not employed/student ^{11} (N = 49)	91.8%	51.0%
Arrests past 30 days (N = 59)	3.4%	1.7%
Alcohol use past 30 days (N = 60)	21.7%	1.7%
Drug use past 30 days (N = 60)	15.0%	6.7%
No self-help group participation past 30 days (N = 56)	10.7%	1.8%
No family support for recovery past 30 days (N = 54)	14.8%	22.2%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =61)	1.6%	0.0%
Biomedical Conditions and Complications $(N = 61)$	13.1%	8.2%
Emotional/Behavioral/ Cognitive Problem (N = 61)	60.7%	24.6%
Resistance to Change ($N = 61$)	9.8%	21.3%
Relapse/Continued Use Potential (N = 61)	75.4%	36.1%
Unsupportive Recovery Environment (N = 60)	38.3%	31.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Keystone Treatment Center Inpatient Program

1010 East 2nd Street Canton, SD 57013

County: South Dakota

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 147)} \\ Male: \ 63.3\% \\ Female: \ 36.7\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 147)} \\ White: \ 42.9\% \\ Black: \ 1.4\% \\ American \ Indian: \ 53.1\% \\ Hispanic: \ 2.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.7\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 147)} \\ Under \ 18: \ 27.2\% \\ 18 \ to \ 25: \ 25.9\% \\ 26 \ to \ 34: \ 21.8\% \\ 35 \ and \ older: \ 25.2\% \\ 35 \ and \ older: \ 25.2\% \\ \end{array}$

Primary Substance (N = 147) Alcohol: 38.8% Methamphetamine: 10.9% Marijuana: 30.6% Heroin: 0.0% Cocaine: 6.8% Other opiates: 11.6% Other drugs: 1.4%

(N = 147) Job: 10.2% Retirement/savings: 2.0% Family/friends: 36.7% No income: 2.7%

Public sources: 9.5%

Other sources: 38.8%

Source of Income

Source of Referral

<u>(N = 147)</u> Self/family/relative/ friends: 40.8% Employer/school: 0.7% Criminal justice: 28.6% Professional: 21.1% County social service agency: 24.5% Other community resources: 8.8% AA: 0.0% Tribal: 6.8%

Outcomes

Discharge Status (N = 147) Completed program: 78.9% Patient left without staff approval: 9.5% Staff requested/judged inappropriate: 10.2% Death/other: 1.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Keystone Treatment Center Inpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 147)	6.1%	3.4%
Not employed/student ^{\ddagger} (N = 91)	50.5%	50.5%
Arrests past 30 days (N = 131)	24.4%	5.3%
Alcohol use past 30 days (N = 147)	63.3%	4.1%
Drug use past 30 days (N = 147)	83.0%	8.2%
No self-help group participation past 30 days ($N = 74$)	94.6%	0.0%
No family support for recovery past 30 days (N = 69)	18.8%	5.8%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =147)	73.5%	57.1%
Biomedical Conditions and Complications ($N = 146$)	70.5%	61.6%
Emotional/Behavioral/ Cognitive Problem (N = 147)	84.4%	80.3%
Resistance to Change ($N = 147$)	93.2%	85.0%
Relapse/Continued Use Potential (N = 147)	95.2%	92.5%
Unsupportive Recovery Environment (N = 143)	92.3%	76.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Kinnic Falls Alcohol and Drug Abuse Services

900 So. Orange St River Falls, WI 54022

County: Wisconsin

resources: 30.5%

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 223)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Size \\ American \ Indian: \ 1.4\% \\ Hispanic: \ 0.9\% \\ Asian/Pacific \ Islander: \ 0.4\% \\ \hline Other: \ 1.8\% \\ \hline \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 223)} \\ Under \ 18: \ 0.0\% \\ I8 \ to \ 25: \ 29.1\% \\ 18 \ to \ 25: \ 29.1\% \\ 26 \ to \ 34: \ 17.9\% \\ 35 \ and \ older: \ 52.9\% \\ Other: \ 1.8\% \\ \hline \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 223)	<u>(N = 223)</u>	(N = 223).
Alcohol: 61.9%	Job: 55.2%	Self/family/relative/
Methamphetamine: 11.7%	Retirement/savings: 2.7%	friends: 10.3%
Marijuana: 6.3%	Family/friends: 6.3%	Employer/school: 0.0%
Heroin: 2.7%	No income: 11.7%	Criminal justice: 3.6%
Cocaine: 14.8%	Public sources: 17.5%	Professional: 96.4%
Other opiates: 1.8%	Other sources: 6.7%	County social
Other drugs: 0.9%		service agency: 58.7%
-		Other community

Outcomes

Discharge Status (N = 223) Completed program: 50.2% Patient left without staff approval: 17.5% Staff requested/judged inappropriate: 28.3% Death/other: 4.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Kinnic Falls Alcohol and Drug Abuse Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 221)	1.4%	2.3%
Not employed/student ^{\ddagger} (N = 212)	95.3%	63.7%
Arrests past 30 days (N = 212)	1.4%	0.0%
Alcohol use past 30 days (N = 197)	1.0%	2.5%
Drug use past 30 days (N = 197)	2.0%	2.0%
No self-help group participation past 30 days (N = 222)	1.4%	0.5%
No family support for recovery past 30 days (N = 210)	6.7%	4.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =223)	0.0%	9.9%
Biomedical Conditions and Complications ($N = 223$)	0.0%	7.6%
Emotional/Behavioral/ Cognitive Problem (N = 222)	0.9%	20.3%
Resistance to Change ($N = 223$)	0.9%	25.1%
Relapse/Continued Use Potential (N = 223)	1.8%	29.1%
Unsupportive Recovery Environment (N = 222)	1.4%	27.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake Region Halfway Homes, Inc.

217 North Union Avenue Fergus Falls, MN 56537

County: Otter Tail

Provider Website:

Patient Profile

Gender (N = 57) Race (N = 57)Age (N = 57)Male: 100.0% White: 89.5% Under 18: 1.8% Female: 0.0% Black: 7.0% American Indian: 1.8% Hispanic: 1.8% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 57) Alcohol: 54.4% Methamphetamine: 19.3% Marijuana: 12.3% Heroin: 5.3% Cocaine: 5.3% Other opiates: 3.5% Other drugs: 0.0%

Source of Income (N = 57)Job: 22.8% Retirement/savings: 0.0% Family/friends: 7.0% No income: 45.6% Public sources: 17.5% Other sources: 7.0%

18 to 25: 33.3% 26 to 34: 22.8% 35 and older: 42.1%

Source of Referral (N = 57). Self/family/relative/ friends: 1.8% Employer/school: 0.0% Criminal justice: 26.3% Professional: 66.7% County social service agency: 94.7% Other community resources: 7.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 57</u>) Completed program: 61.4% Patient left without staff approval: 17.5% Staff requested/judged inappropriate: 15.8% Death/other: 5.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lake Region Halfway Homes, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 52)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 56)	94.6%	50.0%
Arrests past 30 days (N = 55)	9.1%	0.0%
Alcohol use past 30 days (N = 41)	7.3%	7.3%
Drug use past 30 days (N = 40)	2.5%	2.5%
No self-help group participation past 30 days (N = 56)	39.3%	0.0%
No family support for recovery past 30 days (N = 56)	12.5%	7.1%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =57)	5.3%	12.3%
	0.070	12.370
Biomedical Conditions and Complications ($N = 57$)	15.8%	15.8%
Complications (N = 57) Emotional/Behavioral/	15.8%	15.8%
Complications (N = 57) Emotional/Behavioral/ Cognitive Problem (N = 57)	15.8% 73.7%	15.8% 45.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake Superior Treatment Center

14 East Central Entrance Duluth, MN 55811

County: St. Louis

Provider Website: www.methadonetreatment.com

Patient Profile

Gender (N = 21) Race (N = 21)Age (N = 21)Male: 47.6% White: 76.2% Under 18: 0.0% Female: 52.4% Black: 0.0% American Indian: 19.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 4.8%

Source of Income

Primary Substance (N = 20) Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 100.0% Other drugs: 0.0%

(N = 21)Job: 23.8% Retirement/savings: 0.0% Family/friends: 9.5% No income: 4.8% Public sources: 19.0% Other sources: 42.9%

18 to 25: 42.9% 26 to 34: 28.6% 35 and older: 28.6%

Source of Referral (N<u>= 21)</u>. Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 0.0% Professional: 9.5% County social service agency: 0.0% Other community resources: 47.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 21</u>) Completed program: 9.5% Patient left without staff approval: 57.1% Staff requested/judged inappropriate: 0.0% Death/other: 33.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lake Superior Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 13)	0.0%	0.0%
Not employed/student ^{11} (N = 10)	60.0%	50.0%
Arrests past 30 days (N = 18)	5.6%	5.6%
Alcohol use past 30 days (N = 19)	47.4%	10.5%
Drug use past 30 days (N = 20)	90.0%	40.0%
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days (N = 6)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =20)	95.0%	60.0%
Biomedical Conditions and Complications $(N = 14)$	21.4%	28.6%
Emotional/Behavioral/ Cognitive Problem (N = 14)	35.7%	35.7%
Resistance to Change ($N = 20$)	30.0%	45.0%
Relapse/Continued Use Potential (N = 20)	95.0%	60.0%
Unsupportive Recovery Environment (N = 18)	33.3%	33.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake View Memorial Hospital Outpatient CD Treatment Program

325 11th Avenue Two Harbors, MN 55616

County: Lake

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 24)} \\ Male: \ 70.8\% \\ Female: \ 29.2\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 24)} \\ White: \ 100.0\% \\ Black: \ 0.0\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 24)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 41.7\% \\ 35 \ and \ older: \ 41.7\% \\ 35 \ and \ older: \ 41.7\% \end{array}$

Primary Substance Source of Income Source of Referral (N = 24) (N = 24)(N = 24). Alcohol: 58.3% Self/family/relative/ Job: 50.0% friends: 25.0% Methamphetamine: 29.2% Retirement/savings: 8.3% Marijuana: 12.5% Family/friends: 25.0% Employer/school: 8.3% Heroin: 0.0% No income: 0.0% Criminal justice: 62.5% Cocaine: 0.0% Public sources: 16.7% Professional: 20.8% Other opiates: 0.0% Other sources: 0.0% County social Other drugs: 0.0% service agency: 20.8% Other community resources: 8.3%

Outcomes

Discharge Status (N = 24) Completed program: 62.5% Patient left without staff approval: 20.8% Staff requested/judged inappropriate: 16.7% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lake View Memorial Hospital Outpatient CD Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 23)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 24)	54.2%	54.2%
Arrests past 30 days (N = 24)	16.7%	0.0%
Alcohol use past 30 days (N = 24)	41.7%	16.7%
Drug use past 30 days (N = 24)	12.5%	20.8%
No self-help group participation past 30 days (N = 24)	50.0%	16.7%
No family support for recovery past 30 days (N = 21)	14.3%	19.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =24)	4.2%	4.2%
Biomedical Conditions and Complications $(N = 24)$	12.5%	12.5%
Emotional/Behavioral/ Cognitive Problem (N = 24)	25.0%	16.7%
	20.070	
Resistance to Change ($N = 24$)	20.8%	20.8%
Resistance to Change (N = 24) Relapse/Continued Use Potential (N = 24)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakeland Mental Health Center Outpatient C.D. Program

126 East Alcott Avenue Fergus Falls, MN 56537

County: Otter Tail

Provider Website:

Patient Profile

Gender (N = 48) Race (N = 48)Age (N = 48)Male: 56.3% White: 97.9% Under 18: 0.0% Female: 43.8% Black: 0.0% American Indian: 0.0% Hispanic: 2.1% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 48)Alcohol: 79.2% Methamphetamine: 10.4% Marijuana: 8.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 2.1% Other drugs: 0.0%

Source of Income (N = 48)Job: 87.5% Retirement/savings: 0.0% Family/friends: 6.3% No income: 0.0% Public sources: 4.2% Other sources: 2.1%

18 to 25: 22.9% 26 to 34: 22.9% 35 and older: 54.2%

Source of Referral (N = 48) . Self/family/relative/ friends: 27.1% Employer/school: 4.2% Criminal justice: 68.8% Professional: 12.5% County social service agency: 35.4% Other community resources: 10.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 48)Completed program: 72.9% Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 2.1% Death/other: 12.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lakeland Mental Health Center Outpatient C.D. Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 48)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 48)	18.8%	14.6%
Arrests past 30 days (N = 48)	27.1%	6.3%
Alcohol use past 30 days (N = 48)	31.3%	16.7%
Drug use past 30 days (N = 48)	10.4%	2.1%
No self-help group participation past 30 days ($N = 48$)	60.4%	41.7%
No family support for recovery past 30 days (N = 30)	10.0%	6.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =46)	4.4%	6.5%
Biomedical Conditions and Complications $(N = 46)$	6.5%	10.9%
Emotional/Behavioral/ Cognitive Problem (N = 46)	32.6%	28.3%
Resistance to Change ($N = 47$)	38.3%	23.4%
Relapse/Continued Use Potential (N = 47)	85.1%	53.2%
Unsupportive Recovery Environment (N = 47)	38.3%	12.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakeplace Retreat Center, Inc.

25704 County Road 338 Bovey, MN 55709

County: Itasca

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 548)} \\ Male: \ 78.1\% \\ Female: \ 21.9\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 548)} \\ White: \ 78.8\% \\ Black: \ 13.3\% \\ American \ Indian: \ 3.5\% \\ Hispanic: \ 3.3\% \\ Asian/Pacific \ Islander: \ 0.2\% \\ Other: \ 0.9\% \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 548)} \\ Under \ 18: \ 0.2\% \\ 18 \ to \ 25: \ 34.1\% \\ 26 \ to \ 34: \ 23.2\% \\ 35 \ and \ older: \ 42.5\% \\ Other: \ 0.9\% \\ \end{array}$

Primary Substance (N = 548) Alcohol: 50.5% Methamphetamine: 18.6% Marijuana: 11.1% Heroin: 1.3% Cocaine: 16.1% Other opiates: 2.0% Other drugs: 0.4% Source of Income (N = 548)Job: 39.6% Retirement/savings: 2.7% Family/friends: 13.1% No income: 24.6% Public sources: 8.2% Other sources: 11.7%

Source of Referral (N = 548) Self/family/relative/ friends: 25.2% Employer/school: 0.2% Criminal justice: 35.4% Professional: 40.7% County social service agency: 78.1% Other community resources: 14.4% AA: 0.2% Tribal: 0.4%

Outcomes

Discharge Status (N = 548) Completed program: 99.6% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.2% Death/other: 0.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lakeplace Retreat Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 547)	4.8%	1.8%
Not employed/student ^{\ddagger} (N = 537)	78.8%	82.5%
Arrests past 30 days (N = 544)	4.4%	0.4%
Alcohol use past 30 days (N = 548)	20.8%	6.6%
Drug use past 30 days (N = 548)	17.0%	5.3%
No self-help group participation past 30 days (N = 546)	17.8%	0.0%
No family support for recovery past 30 days (N = 543)	4.2%	0.9%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =547)	0.7%	0.4%
Biomedical Conditions and Complications ($N = 547$)	4.9%	4.2%
Emotional/Behavioral/ Cognitive Problem (N = 548)	26.3%	26.5%
Resistance to Change ($N = 548$)	19.2%	12.4%
Relapse/Continued Use Potential (N = 547)	70.9%	38.9%
Unsupportive Recovery Environment (N = 546)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Counseling Center

1000 8th Street SE Detroit Lakes, MN 56501

County: Becker

Provider Website: www.lakescounseling.com

Patient Profile

Source of Income

Primary Substance (N = 122) Alcohol: 61.5% Methamphetamine: 7.4% Marijuana: 30.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.8% Other drugs: 0.0%

(N = 122) Job: 51.6% Retirement/savings: 4.1% Family/friends: 31.1% No income: 2.5% Public sources: 4.9% Other sources: 5.7%

Source of Referral

<u>(N = 122)</u> Self/family/relative/ friends: 18.9% Employer/school: 9.0% Criminal justice: 59.0% Professional: 20.5% County social service agency: 66.4% Other community resources: 11.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 122) Completed program: 53.3% Patient left without staff approval: 14.8% Staff requested/judged inappropriate: 18.9% Death/other: 13.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lakes Counseling Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 117)	0.0%	0.9%
Not employed/student ^{\ddagger} (N = 119)	23.5%	21.8%
Arrests past 30 days (N = 102)	6.9%	6.9%
Alcohol use past 30 days (N = 96)	25.0%	14.6%
Drug use past 30 days (N = 92)	16.3%	9.8%
No self-help group participation past 30 days (N = 91)	64.8%	40.7%
No family support for recovery past 30 days (N = 89)	18.0%	10.1%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =121)	Admission 3.3%	<u>Discharge</u> 5.8%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =121) Biomedical Conditions and	3.3%	5.8%
Acute Intoxication/ Withdrawal (N =121) Biomedical Conditions and Complications (N = 120) Emotional/Behavioral/	3.3% 14.2%	5.8% 11.7%
Acute Intoxication/ Withdrawal (N = 121) Biomedical Conditions and Complications (N = 120) Emotional/Behavioral/ Cognitive Problem (N = 121)	3.3% 14.2% 74.4%	5.8% 11.7% 52.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency

16734 Hwy 2 West Bagley, MN 56621

County: Clearwater

Provider Website:

Patient Profile

 Gender (N = 23)
 Race (N = 23)
 A

 Male: 65.2%
 White: 73.9%
 Black: 0.0%

 Female: 34.8%
 Black: 0.0%
 American Indian: 17.4%

 Hispanic: 0.0%
 Asian/Pacific Islander: 0.0%
 Other: 8.7%

<u>Age (N = 23)</u> Under 18: 0.0% 18 to 25: 30.4% 26 to 34: 26.1% 35 and older: 43.5%

Primary Substance
(N = 23)
Alcohol: 82.6%
Methamphetamine: 4.4%
Marijuana: 13.0%
Heroin: 0.0%
Cocaine: 0.0%
Other opiates: 0.0%
Other drugs: 0.0%

Source of Income (N = 23)Job: 39.1% Retirement/savings: 0.0% Family/friends: 4.4% No income: 4.4% Public sources: 39.1% Other sources: 13.0%

Source of Referral

(N = 23) Self/family/relative/ friends: 8.7% Employer/school: 0.0% Criminal justice: 52.2% Professional: 17.4% County social service agency: 65.2% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 23) Completed program: 73.9% Patient left without staff approval: 8.7% Staff requested/judged inappropriate: 8.7% Death/other: 8.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lakes Region Chemical Dependency

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 23)	0.0%	4.4%
Not employed/student ^{\ddagger} (N = 22)	59.1%	63.6%
Arrests past 30 days (N = 23)	13.0%	8.7%
Alcohol use past 30 days (N = 21)	19.0%	4.8%
Drug use past 30 days (N = 21)	9.5%	0.0%
No self-help group participation past 30 days (N = 23)	82.6%	82.6%
No family support for recovery past 30 days (N = 23)	4.4%	17.4%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =23)	0.0%	4.4%
Biomedical Conditions and Complications ($N = 23$)	0.0%	4.4%
Emotional/Behavioral/ Cognitive Problem (N = 23)	4.4%	0.0%
Resistance to Change ($N = 23$)	8.7%	13.0%
Relapse/Continued Use Potential (N = 23)	39.1%	13.0%
Unsupportive Recovery Environment (N = 23)	43.5%	13.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency

1510 Bemidji Avenue North Bemidji, MN 56601

County: Beltrami

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 122)} \\ Male: \ 63.9\% \\ Female: \ 36.1\% \\ \end{array} \begin{array}{c} \underline{Race \ (N = 122)} \\ White: \ 61.5\% \\ Black: \ 1.6\% \\ American \ Indian: \ 35.2\% \\ Hispanic: \ 1.6\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ \end{array} \begin{array}{c} \underline{Age \ (N = 122)} \\ Under \ 18: \ 23.8\% \\ 18 \ to \ 25: \ 22.1\% \\ 26 \ to \ 34: \ 18.0\% \\ 35 \ and \ older: \ 36.1\% \\ \end{array}$

Primary Substance (N = 122) Alcohol: 65.6% Methamphetamine: 7.4% Marijuana: 23.0% Heroin: 0.0% Cocaine: 0.8% Other opiates: 1.6% Other drugs: 1.6% Source of Income (N = 122)Job: 44.3% Retirement/savings: 2.5% Family/friends: 27.0% No income: 2.5% Public sources: 18.9% Other sources: 4.9%

Source of Referral

(N = 122) Self/family/relative/ friends: 26.2% Employer/school: 0.8% Criminal justice: 54.1% Professional: 17.2% County social service agency: 57.4% Other community resources: 6.6% AA: 0.0% Tribal: 0.8%

Outcomes

Discharge Status (N = 122) Completed program: 64.8% Patient left without staff approval: 23.8% Staff requested/judged inappropriate: 0.8% Death/other: 10.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lakes Region Chemical Dependency

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 106)	0.9%	0.0%
Not employed/student ^{ii} (N = 105)	24.8%	20.0%
Arrests past 30 days (N = 98)	13.3%	3.1%
Alcohol use past 30 days (N = 93)	21.5%	6.5%
Drug use past 30 days (N = 95)	12.6%	7.4%
No self-help group participation past 30 days (N = 99)	81.8%	59.6%
No family support for recovery past 30 days (N = 102)	10.8%	13.7%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =113)	0.9%	0.0%
Biomedical Conditions and Complications ($N = 113$)	1.8%	1.8%
Emotional/Behavioral/ Cognitive Problem (N = 113)	17.7%	10.6%
Resistance to Change (N = 113)	21.2%	15.0%
Relapse/Continued Use Potential (N = 113)	57.5%	30.1%
Unsupportive Recovery Environment (N = 113)	32.7%	23.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Regions Chemical Dependency Clearwater County Jail Program

213 Main Avenue North Bagley, MN 56621

County: Clearwater

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 8)</u> Male: * Female: *	Race (N = 8) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 8) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 8) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 8) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 8) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{ii} (N = 7)	*	*
Not employed/student ^{ii} (N = 7)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days (N = 7)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days (N = 7)	*	*
No family support for recovery past 30 days (N = 5)	*	*
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Aguta Interioration /		

Lakes Regions Chemical Dependency Clearwater County Jail Program

Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharg</u>
Acute Intoxication/ Withdrawal (N =7)	*	*
Biomedical Conditions and Complications $(N = 7)$	*	*
Emotional/Behavioral/ Cognitive Problem (N = 7)	*	*
Resistance to Change ($N = 7$)	*	*
Relapse/Continued Use Potential (N = 7)	*	*
Unsupportive Recovery Environment (N = 7)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Opiate Treatment Program

110 Balsam Ave NW Cass Lake, MN 56633

County: Cass

Provider Website:

Patient Profile

Gender (N = 41) Race (N = 41)Age (N = 41)Male: 29.3% White: 0.0% Under 18: 0.0% Female: 70.7% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Source of Income

18 to 25: 43.9% 26 to 34: 34.1% 35 and older: 22.0%

Primary Substance
(N = 40)
Alcohol: 0.0%
Methamphetamine: 0.0%
Marijuana: 0.0%
Heroin: 0.0%
Cocaine: 0.0%
Other opiates: 100.0%
Other drugs: 0.0%

(N = 41)Job: 43.9% Retirement/savings: 0.0% Family/friends: 7.3% No income: 9.8% Public sources: 17.1% Other sources: 22.0%

Source of Referral

(N = 41). Self/family/relative/ friends: 100.0% Employer/school: 2.4% Criminal justice: 12.2% Professional: 0.0% County social service agency: 2.4% Other community resources: 43.9% AA: 0.0% Tribal: 2.4%

Outcomes

Discharge Status <u>(N = 41</u>) Completed program: 0.0% Patient left without staff approval: 63.4% Staff requested/judged inappropriate: 14.6% Death/other: 22.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Leech Lake Opiate Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 37)	0.0%	0.0%
Not employed/student ^{11} (N = 22)	36.4%	27.3%
Arrests past 30 days (N = 23)	8.7%	0.0%
Alcohol use past 30 days (N = 36)	22.2%	8.3%
Drug use past 30 days (N = 39)	87.2%	41.0%
No self-help group participation past 30 days (N = 17)	76.5%	41.2%
No family support for recovery past 30 days (N = 23)	26.1%	30.4%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =41)	58.5%	17.1%
Biomedical Conditions and Complications $(N = 41)$	31.7%	19.5%
Emotional/Behavioral/ Cognitive Problem (N = 41)	58.5%	68.3%
Resistance to Change ($N = 41$)	92.7%	90.2%
Relapse/Continued Use Potential (N = 41)	95.1%	100.0%
Unsupportive Recovery Environment (N = 40)	72.5%	67.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Outpatient Program

115 6th Street N.W. Cass Lake, MN 56633

County: Cass

Provider Website:

Patient Profile

 Gender (N = 32)
 Race (N = 32)

 Male: 93.8%
 White: 0.0%

 Female: 6.3%
 Black: 0.0%

 American Indiar
 Hispanic: 3.1%

Race (N = 32) White: 0.0% Black: 0.0% American Indian: 96.9% Hispanic: 3.1% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 32)</u> Under 18: 25.0% 18 to 25: 31.3% 26 to 34: 21.9% 35 and older: 21.9%

Primary Substance (N = 32) Alcohol: 75.0% Methamphetamine: 0.0% Marijuana: 18.8% Heroin: 0.0% Cocaine: 3.1% Other opiates: 3.1% Other drugs: 0.0%

(N = 32) Job: 12.5% Retirement/savings: 0.0% Family/friends: 28.1% No income: 21.9% Public sources: 12.5% Other sources: 25.0%

Source of Income

Source of Referral

(N = 32) Self/family/relative/ friends: 40.6% Employer/school: 6.3% Criminal justice: 65.6% Professional: 28.1% County social service agency: 6.3% Other community resources: 3.1% AA: 0.0% Tribal: 46.9%

Outcomes

Discharge Status (N = 32) Completed program: 37.5% Patient left without staff approval: 28.1% Staff requested/judged inappropriate: 3.1% Death/other: 31.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Leech Lake Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 23)	0.0%	0.0%
Not employed/student ^{11} (N = 19)	42.1%	42.1%
Arrests past 30 days (N = 21)	0.0%	14.3%
Alcohol use past 30 days (N = 24)	4.2%	16.7%
Drug use past 30 days (N = 24)	0.0%	0.0%
No self-help group participation past 30 days (N = 3)	*	*
No family support for recovery past 30 days (N = 11)	0.0%	9.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =29)	3.5%	6.9%
Biomedical Conditions and Complications ($N = 28$)	3.6%	3.6%
Emotional/Behavioral/ Cognitive Problem (N = 28)	32.1%	21.4%
Resistance to Change ($N = 28$)	32.1%	32.1%
Relapse/Continued Use Potential (N = 28)	35.7%	32.1%
Unsupportive Recovery Environment (N = 29)	31.0%	34.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Womens Outpatient Program

113 Balsam Ave NW Cass Lake, MN 56633

County: Cass

Provider Website:

Patient Profile

Gender (N = 15) Race (N = 15)Age (N = 15)White: 0.0% Male: 0.0% Female: 100.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 15) Alcohol: 66.7% Methamphetamine: 0.0% Marijuana: 6.7% Heroin: 0.0% Cocaine: 20.0% Other opiates: 6.7% Other drugs: 0.0%

Source of Income (N = 15)Job: 13.3% Retirement/savings: 0.0% Family/friends: 6.7% No income: 20.0% Public sources: 40.0% Other sources: 20.0%

Under 18: 0.0%

18 to 25: 46.7% 26 to 34: 46.7% 35 and older: 6.7%

Source of Referral (N = 15) . Self/family/relative/ friends: 13.3% Employer/school: 0.0% Criminal justice: 53.3% Professional: 26.7% County social service agency: 53.3% Other community resources: 20.0% AA: 0.0% Tribal: 13.3%

Outcomes

Discharge Status <u>(N = 15</u>) Completed program: 6.7% Patient left without staff approval: 46.7% Staff requested/judged inappropriate: 6.7% Death/other: 40.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Leech Lake Womens Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 10)	0.0%	0.0%
Not employed/student ^{tt} (N = 9)	*	*
Arrests past 30 days (N = 9)	*	*
Alcohol use past 30 days (N = 10)	20.0%	20.0%
Drug use past 30 days (N = 9)	*	*
No self-help group participation past 30 days (N = 11)	63.6%	63.6%
No family support for recovery past 30 days (N = 7)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =14)	7.1%	35.7%
Biomedical Conditions and Complications $(N = 13)$	23.1%	61.5%
	2011/0	01.070
Emotional/Behavioral/ Cognitive Problem (N = 13)	53.8%	61.5%
Cognitive Problem $(N = 13)$	53.8%	61.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifehouse LLC, MN

31065 Highway 61 Stacy, MN 55079

Provider Website:

Patient Profile

Gender (N = 43)

Female: 16.3%

Male: 83.7%

Race (N = 43) White: 97.7% Black: 2.3% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

<u>Age (N = 43)</u> Under 18: 2.3% 18 to 25: 32.6% 26 to 34: 25.6% 35 and older: 39.5%

County: Chisago

Primary Substance (N = 43) Alcohol: 65.1% Methamphetamine: 11.6% Marijuana: 20.9% Heroin: 0.0% Cocaine: 2.3% Other opiates: 0.0% Other drugs: 0.0%

(N = 43) Job: 51.2% Retirement/savings: 2.3% Family/friends: 46.5% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

Source of Income

Source of Referral

<u>(N = 43)</u>. Self/family/relative/ friends: 88.4% Employer/school: 2.3% Criminal justice: 90.7% Professional: 2.3% County social service agency: 7.0% Other community resources: 2.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 43) Completed program: 97.7% Patient left without staff approval: 2.3% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lifehouse LLC, MN

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 43)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 41)	43.9%	39.0%
Arrests past 30 days (N = 43)	0.0%	0.0%
Alcohol use past 30 days (N = 43)	4.7%	27.9%
Drug use past 30 days (N = 43)	0.0%	0.0%
No self-help group participation past 30 days ($N = 43$)	44.2%	27.9%
No family support for recovery past 30 days (N = 43)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =43)	2.3%	2.3%
Biomedical Conditions and Complications $(N = 43)$	0.0%	2.3%
Emotional/Behavioral/ Cognitive Problem (N = 43)	9.3%	2.3%
Resistance to Change ($N = 43$)	23.3%	7.0%
Relapse/Continued Use Potential (N = 43)	65.1%	37.2%
Unsupportive Recovery Environment (N = 43)	60.5%	44.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling of Mound

2389 Blaine Avenue Navarre, MN 553920011

County: Hennepin

Provider Website: www.lifestylecounseling.com

Patient Profile

Gender (N = 19) Race (N = 19)Age (N = 19)Male: 68.4% White: 94.7% Under 18: 0.0% Female: 31.6% Black: 0.0% 18 to 25: 10.5% American Indian: 5.3% 26 to 34: 26.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance	Source of Income
<u>(N = 19)</u>	<u>(N = 19)</u>
Alcohol: 73.7%	Job: 100.0%
Methamphetamine: 0.0%	Retirement/savings
Marijuana: 5.3%	Family/friends: 0.0
Heroin: 5.3%	No income: 0.0%
Cocaine: 5.3%	Public sources: 0.0
Other opiates: 10.5%	Other sources: 0.0
Other drugs: 0.0%	

) 0.0% nent/savings: 0.0% friends: 0.0% me: 0.0% sources: 0.0% ources: 0.0%

35 and older: 63.2%

Source of Referral (N = 19). Self/family/relative/ friends: 36.8% Employer/school: 0.0% Criminal justice: 73.7% Professional: 0.0% County social service agency: 0.0% Other community resources: 89.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 19</u>) Completed program: 89.5% Patient left without staff approval: 5.3% Staff requested/judged inappropriate: 0.0% Death/other: 5.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lifestyle Counseling of Mound

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 19)	5.3%	0.0%
Not employed/student ^{11} (N = 19)	0.0%	10.5%
Arrests past 30 days (N = 19)	0.0%	10.5%
Alcohol use past 30 days (N = 19)	73.7%	5.3%
Drug use past 30 days (N = 19)	21.1%	5.3%
No self-help group participation past 30 days (N = 19)	78.9%	31.6%
No family support for recovery past 30 days (N = 19)	26.3%	26.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =19)	10.5%	0.0%
Biomedical Conditions and Complications ($N = 19$)	15.8%	5.3%
Emotional/Behavioral/ Cognitive Problem (N = 19)	10.5%	0.0%
Resistance to Change ($N = 19$)	31.6%	5.3%
Relapse/Continued Use Potential (N = 19)	21.1%	0.0%
Unsupportive Recovery Environment (N = 19)	21.1%	0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling of Richfield/Bloomington

9613 Girard Avenue South Bloomington, MN 55431

County: Hennepin

Provider Website: www.ark-lifestyle.com

Patient Profile

Primary Substance (N = 105) Alcohol: 78.1% Methamphetamine: 1.0% Marijuana: 12.4% Heroin: 0.0% Cocaine: 7.6% Other opiates: 1.0% Other drugs: 0.0% Source of Income (N = 108)Job: 67.6% Retirement/savings: 0.9% Family/friends: 3.7% No income: 10.2% Public sources: 5.6% Other sources: 12.0%

Source of Referral

<u>(N = 108)</u> Self/family/relative/ friends: 29.6% Employer/school: 5.6% Criminal justice: 63.0% Professional: 16.7% County social service agency: 40.7% Other community resources: 14.8% AA: 0.0% Tribal: 0.9%

Outcomes

Discharge Status (N = 108) Completed program: 87.0% Patient left without staff approval: 5.6% Staff requested/judged inappropriate: 5.6% Death/other: 1.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lifestyle Counseling of Richfield/Bloomington

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{ii} (N = 66)	0.0%	1.5%
Not employed/student ^{11} (N = 65)	24.6%	7.7%
Arrests past 30 days (N = 108)	6.5%	0.0%
Alcohol use past 30 days (N = 108)	37.0%	5.6%
Drug use past 30 days (N = 107)	23.4%	2.8%
No self-help group participation past 30 days (N = 101)	71.3%	20.8%
No family support for recovery past 30 days (N = 97)	16.5%	15.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =108)	8.3%	15.7%
Biomedical Conditions and Complications ($N = 108$)	16.7%	21.3%
Emotional/Behavioral/ Cognitive Problem (N = 108)	95.4%	33.3%
Resistance to Change ($N = 108$)	98.1%	38.0%
Relapse/Continued Use Potential (N = 108)	99.1%	35.2%
Unsupportive Recovery Environment (N = 108)	94.4%	32.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling Services

14162 Commerce Ave NE Prior Lake, MN 553721487

County: Scott

Provider Website:

Patient Profile

 Gender (N = 99)
 Race (N = 99)

 Male: 68.7%
 White: 90.9%

 Female: 31.3%
 Black: 4.0%

 American Indian: 3.0%
 Hispanic: 2.0%

Age (N = 99) Under 18: 1.0% 18 to 25: 24.2% 26 to 34: 25.3% 35 and older: 49.5%

Primary Substance
(N = 99)
Alcohol: 73.7%
Methamphetamine: 4.0%
Marijuana: 11.1%
Heroin: 0.0%
Cocaine: 8.1%
Other opiates: 3.0%
Other drugs: 0.0%

Source of Income (N = 99)Job: 68.7% Retirement/savings: 1.0% Family/friends: 12.1% No income: 2.0% Public sources: 9.1% Other sources: 7.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Referral

(N = 99) Self/family/relative/ friends: 16.2% Employer/school: 2.0% Criminal justice: 64.6% Professional: 9.1% County social service agency: 19.2% Other community resources: 7.1% AA: 0.0% Tribal: 2.0%

Outcomes

Discharge Status (N = 99) Completed program: 58.6% Patient left without staff approval: 24.2% Staff requested/judged inappropriate: 13.1% Death/other: 4.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lifestyle Counseling Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 99)	0.0%	0.0%
Not employed/student ^{tt} (N = 83)	31.3%	22.9%
Arrests past 30 days (N = 99)	10.1%	3.0%
Alcohol use past 30 days (N = 97)	40.2%	7.2%
Drug use past 30 days (N = 97)	17.5%	4.1%
No self-help group participation past 30 days (N = 93)	62.4%	20.4%
No family support for recovery past 30 days (N = 89)	22.5%	11.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	<u>Admission</u> 1.0%	Discharge 6.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =99) Biomedical Conditions and	1.0%	6.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =99) Biomedical Conditions and Complications (N = 99) Emotional/Behavioral/	1.0% 9.1%	6.1% 11.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 99) Biomedical Conditions and Complications (N = 99) Emotional/Behavioral/ Cognitive Problem (N = 98)	1.0% 9.1% 51.0%	6.1% 11.1% 17.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Living Free Recovery Services

9201 75th Avenue North Brooklyn Park, MN 554281031

County: Hennepin

Provider Website: www.recovery.lwcc.org

Patient Profile

Primary Substance (N = 103) Alcohol: 72.8% Methamphetamine: 1.9% Marijuana: 9.7% Heroin: 1.0% Cocaine: 11.7% Other opiates: 1.9% Other drugs: 1.0% Source of Income (N = 103)Job: 71.8% Retirement/savings: 3.9% Family/friends: 7.8% No income: 1.0% Public sources: 10.7% Other sources: 4.9%

Source of Referral

(N = 103) . Self/family/relative/ friends: 89.3% Employer/school: 0.0% Criminal justice: 1.0% Professional: 1.9% County social service agency: 5.8% Other community resources: 98.1% AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 103) Completed program: 60.2% Patient left without staff approval: 24.3% Staff requested/judged inappropriate: 1.9% Death/other: 13.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Living Free Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 102)	0.0%	1.0%
Not employed/student ^{\ddagger} (N = 100)	26.0%	23.0%
Arrests past 30 days (N = 103)	2.9%	1.9%
Alcohol use past 30 days (N = 103)	52.4%	6.8%
Drug use past 30 days (N = 103)	25.2%	1.9%
No self-help group participation past 30 days (N = 87)	46.0%	42.5%
No family support for recovery past 30 days (N = 33)	18.2%	6.1%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =101)	3.0%	2.0%
Biomedical Conditions and Complications (N = 103)	1.9%	1.9%
	1.9% 9.9%	1.9% 6.9%
Complications (N = 103) Emotional/Behavioral/		
Complications (N = 103) Emotional/Behavioral/ Cognitive Problem (N = 101)	9.9%	6.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lower Sioux Chemical and Mental Health Services

39458 Res. Hwy 1 Morton, MN 56270

County: Redwood

AA: 0.0% Tribal: 2.7%

Provider Website:

Patient Profile

 Gender (N = 73)
 Race (N = 73)
 Age (N = 73)

 Male: 50.7%
 White: 0.0%
 Under 18: 2.7%

 Female: 49.3%
 Black: 0.0%
 18 to 25: 38.4%

 American Indian: 100.0%
 26 to 34: 15.1%

 Hispanic: 0.0%
 35 and older: 43.8%

 Asian/Pacific Islander: 0.0%
 Other: 0.0%

Primary Substance	Source of Income	Source of Referral
<u>(N = 73)</u>	<u>(N = 73)</u>	<u>(N = 73)</u> .
Alcohol: 67.1%	Job: 5.5%	Self/family/relative/
Methamphetamine: 15.1%	Retirement/savings: 0.0%	friends: 65.8%
Marijuana: 15.1%	Family/friends: 5.5%	Employer/school: 0.0%
Heroin: 0.0%	No income: 15.1%	Criminal justice: 68.5%
Cocaine: 1.4%	Public sources: 13.7%	Professional: 24.7%
Other opiates: 0.0%	Other sources: 60.3%	County social
Other drugs: 1.4%		service agency: 12.3%
		Other community
		resources: 21.9%

Outcomes

Discharge Status (N = 73) Completed program: 63.0% Patient left without staff approval: 6.9% Staff requested/judged inappropriate: 2.7% Death/other: 27.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Lower Sioux Chemical and Mental Health Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{ii} (N = 69)	5.8%	0.0%
Not employed/student ^{\ddagger} (N = 61)	90.2%	90.2%
Arrests past 30 days (N = 73)	13.7%	4.1%
Alcohol use past 30 days (N = 72)	40.3%	9.7%
Drug use past 30 days (N = 72)	33.3%	2.8%
No self-help group participation past 30 days ($N = 68$)	51.5%	1.5%
No family support for recovery past 30 days (N = 65)	7.7%	4.6%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	21.9%	8.2%
Biomedical Conditions and Complications $(N = 73)$	32.9%	12.3%
Emotional/Behavioral/ Cognitive Problem (N = 73)	86.3%	79.5%
Resistance to Change ($N = 73$)	87.7%	80.8%
Relapse/Continued Use Potential (N = 73)	98.6%	91.8%
Unsupportive Recovery Environment (N = 73)	93.2%	87.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mahnomen County Human Services

311 N Main Street Mahnomen, MN 56557

County: Mahonmen

Provider Website:

Patient Profile

Gender (N = 24) Race (N = 24)Age (N = 24)Male: 70.8% White: 41.7% Under 18: 4.2% Female: 29.2% Black: 0.0% American Indian: 54.2% Hispanic: 4.2% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 24) Alcohol: 83.3% Methamphetamine: 4.2% Marijuana: 4.2% Heroin: 0.0% Cocaine: 4.2% Other opiates: 4.2% Other drugs: 0.0%

Source of Income (N = 24)Job: 45.8% Retirement/savings: 0.0% Family/friends: 20.8% No income: 4.2% Public sources: 20.8% Other sources: 8.3%

18 to 25: 29.2% 26 to 34: 33.3% 35 and older: 33.3%

Source of Referral (N = 24). Self/family/relative/ friends: 58.3% Employer/school: 0.0% Criminal justice: 33.3% Professional: 16.7% County social service agency: 41.7% Other community resources: 4.2% AA: 0.0% Tribal: 45.8%

Outcomes

Discharge Status <u>(N = 24</u>) Completed program: 45.8% Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 0.0% Death/other: 45.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Mahnomen County Human Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 23)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 22)	54.5%	50.0%
Arrests past 30 days (N = 24)	4.2%	16.7%
Alcohol use past 30 days (N = 24)	20.8%	20.8%
Drug use past 30 days (N = 24)	25.0%	20.8%
No self-help group participation past 30 days (N = 20)	75.0%	50.0%
No family support for recovery past 30 days (N = 21)	9.5%	4.8%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =21)	0.0%	4.8%
Biomedical Conditions and Complications $(N = 21)$	9.5%	14.3%
Emotional/Behavioral/ Cognitive Problem (N = 20)	20.0%	25.0%
Resistance to Change ($N = 23$)	52.2%	39.1%
Relapse/Continued Use Potential (N = 23)	100.0%	43.5%
Unsupportive Recovery Environment (N = 22)	36.4%	45.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mankato Family Focus-Immanuel St. Joseph's Mayo Health System

309 Holly Lane Mankato, MN 56001

County: Blue Earth

resources: 10.1%

AA: 0.0% Tribal: 0.0%

Provider Website: www.mayohealthsystem.org

Patient Profile

Primary Substance	Source of Income	Source of Referral
(N = 118)	<u>(N = 119)</u>	<u>(N = 119)</u> .
Alcohol: 81.4%	Job: 71.4%	Self/family/relative/
Methamphetamine: 2.5%	Retirement/savings: 3.4%	friends: 5.0%
Marijuana: 13.6%	Family/friends: 10.1%	Employer/school: 3.4%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 79.0%
Cocaine: 0.8%	Public sources: 15.1%	Professional: 15.1%
Other opiates: 0.8%	Other sources: 0.0%	County social
Other drugs: 0.8%		service agency: 37.0%
		Other community

Outcomes

Discharge Status (N = 119) Completed program: 85.7% Patient left without staff approval: 3.4% Staff requested/judged inappropriate: 10.9% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Mankato Family Focus-Immanuel St. Joseph's Mayo Health System

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 119)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 119)	23.5%	21.0%
Arrests past 30 days (N = 119)	13.4%	2.5%
Alcohol use past 30 days (N = 112)	32.1%	7.1%
Drug use past 30 days (N = 113)	15.0%	6.2%
No self-help group participation past 30 days (N = 114)	92.1%	85.1%
No family support for recovery past 30 days (N = 115)	67.8%	51.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =116)	8.6%	9.5%
Biomedical Conditions and Complications ($N = 117$)	22.2%	19.7%
Emotional/Behavioral/ Cognitive Problem (N = 119)	95.8%	62.2%
Resistance to Change ($N = 119$)	96.6%	45.4%
Relapse/Continued Use Potential (N = 119)	98.3%	74.8%
Unsupportive Recovery Environment (N = 119)	84.0%	53.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Maple Lake Recovery Center, Inc.

207 Division Street Maple Lake, MN 55358

County: Wright

resources: 47.3%

AA: 0.0% Tribal: 0.0%

Provider Website: www.mlrecovery.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 55)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Hispanic: \ 9.1\% \\ \hline Asian/Pacific \ Islander: \ 3.6\% \\ \hline Other: \ 9.1\% \\ \hline \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 55)} \\ Under \ 18: \ 96.4\% \\ 18 \ to \ 25: \ 3.6\% \\ 26 \ to \ 34: \ 0.0\% \\ 35 \ and \ older: \ 0.0\% \\ \hline S5 \ other: \ 9.1\% \\ \hline \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 55)	<u>(N = 55)</u>	<u>(N = 55)</u> .
Alcohol: 23.6%	Job: 0.0%	Self/family/relative/
Methamphetamine: 0.0%	Retirement/savings: 0.0%	friends: 54.5%
Marijuana: 76.4%	Family/friends: 98.2%	Employer/school: 0.0%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 10.9%
Cocaine: 0.0%	Public sources: 0.0%	Professional: 49.1%
Other opiates: 0.0%	Other sources: 1.8%	County social
Other drugs: 0.0%		service agency: 38.2%
		Other community

Outcomes

Discharge Status (N = 55) Completed program: 58.2% Patient left without staff approval: 7.3% Staff requested/judged inappropriate: 27.3% Death/other: 7.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Maple Lake Recovery Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 55)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 55)	0.0%	0.0%
Arrests past 30 days (N = 54)	40.7%	3.7%
Alcohol use past 30 days (N = 55)	67.3%	0.0%
Drug use past 30 days (N = 55)	74.5%	3.6%
No self-help group participation past 30 days (N = 52)	38.5%	1.9%
No family support for recovery past 30 days (N = 51)	11.8%	2.0%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =55)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 55$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 55)	85.5%	85.5%
Resistance to Change ($N = 55$)	96.4%	83.6%
Relapse/Continued Use Potential (N = 55)	100.0%	96.4%
Unsupportive Recovery		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Margaret's House

2535 Condon Court Mendota Heights, MN 55120

County: Dakota

Provider Website: www.havenchemicalhealth.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 102)} \\ Male: \ 0.0\% \\ Female: \ 100.0\% \\ Female: \ 100.0\% \\ Black: \ 5.9\% \\ American \ Indian: \ 2.9\% \\ Hispanic: \ 2.0\% \\ Asian/Pacific \ Islander: \ 1.0\% \\ Other: \ 2.9\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 102)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 23.5\% \\ 26 \ to \ 34: \ 19.6\% \\ 35 \ and \ older: \ 56.9\% \\ 35 \ and \ older: \ 56.9\% \\ \end{array}$

Primary Substance (N = 102) Alcohol: 56.9% Methamphetamine: 18.6% Marijuana: 11.8% Heroin: 0.0% Cocaine: 7.8% Other opiates: 2.0% Other drugs: 2.9% Source of Income (N = 102)Job: 37.3% Retirement/savings: 2.0% Family/friends: 23.5% No income: 2.9% Public sources: 2.9% Other sources: 31.4%

Source of Referral

(N = 102) Self/family/relative/ friends: 32.4% Employer/school: 1.0% Criminal justice: 3.9% Professional: 47.1% County social service agency: 31.4% Other community resources: 72.5% AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 102) Completed program: 75.5% Patient left without staff approval: 13.7% Staff requested/judged inappropriate: 4.9% Death/other: 5.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Margaret's House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 101)	3.0%	0.0%
Not employed/student ^{\ddagger} (N = 99)	66.7%	67.7%
Arrests past 30 days (N = 102)	10.8%	2.9%
Alcohol use past 30 days (N = 102)	74.5%	24.5%
Drug use past 30 days (N = 102)	62.7%	26.5%
No self-help group participation past 30 days (N = 102)	39.2%	0.0%
No family support for recovery past 30 days (N = 101)	3.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =102)	1.0%	1.0%
Biomedical Conditions and Complications ($N = 102$)	6.9%	3.9%
Emotional/Behavioral/ Cognitive Problem (N = 102)	99 .0%	85.3%
Resistance to Change (N = 102)	5.9%	13.7%
Relapse/Continued Use Potential (N = 102)	100.0%	86.3%
Unsupportive Recovery Environment (N = 102)	86.3%	67.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Marty Mann Halfway House for Women

714 North 11th Avenue East Duluth, MN 55805

County: St. Louis

Provider Website: www.cadt.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 62)} \\ Male: \ 1.6\% \\ Female: \ 98.4\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 62)} \\ White: \ 82.3\% \\ Black: \ 4.8\% \\ American \ Indian: \ 9.7\% \\ Hispanic: \ 1.6\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 1.6\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 62)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 40.3\% \\ 26 \ to \ 34: \ 24.2\% \\ 35 \ and \ older: \ 35.5\% \\ 35 \ and \ older: \ 35.5\% \\ Other: \ 1.6\% \\ \end{array}$

Source of Income

Primary Substance (N = 62) Alcohol: 48.4% Methamphetamine: 24.2% Marijuana: 4.8% Heroin: 3.2% Cocaine: 4.8% Other opiates: 12.9% Other drugs: 1.6%

(N = 62) Job: 3.2% Retirement/savings: 1.6% Family/friends: 21.0% No income: 16.1% Public sources: 51.6% Other sources: 6.5%

Source of Referral

(N = 62) Self/family/relative/ friends: 33.9% Employer/school: 0.0% Criminal justice: 27.4% Professional: 72.6% County social service agency: 38.7% Other community resources: 6.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 62) Completed program: 53.2% Patient left without staff approval: 14.5% Staff requested/judged inappropriate: 25.8% Death/other: 6.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Marty Mann Halfway House for Women

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 61)	29.5%	4.9%
Not employed/student ^{\ddagger} (N = 54)	92.6%	72.2%
Arrests past 30 days (N = 59)	1.7%	3.4%
Alcohol use past 30 days (N = 56)	10.7%	5.4%
Drug use past 30 days (N = 54)	5.6%	3.7%
No self-help group participation past 30 days ($N = 59$)	16.9%	0.0%
No family support for recovery past 30 days (N = 57)	1.8%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =62)	0.0%	6.5%
Biomedical Conditions and Complications $(N = 62)$	21.0%	14.5%
Emotional/Behavioral/ Cognitive Problem (N = 62)	53.2%	45.2%
Resistance to Change ($N = 62$)	59.7%	51.6%
Relapse/Continued Use Potential (N = 62)	95.2%	69.4%
Unsupportive Recovery Environment (N = 62)	87.1%	61.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mash Ka Wisen Treatment Center Inpatient Program

1150 Mission Road Sawyer, MN 55780

County: Carlton

Provider Website:

Patient Profile

Gender (N = 390) Age (N = 390)Race (N = 390)Male: 58.7% White: 5.4% Under 18: 28.2% Female: 41.3% Black: 0.0% 18 to 25: 30.8% American Indian: 91.3% 26 to 34: 15.1% Hispanic: 1.8% 35 and older: 25.9% Asian/Pacific Islander: 0.5% Other: 1.0%

Primary Substance Source of Income (N = 387) (N = 390)Alcohol: 53.0% Job: 16.2% Methamphetamine: 3.1% Marijuana: 30.5% Heroin: 0.5% Cocaine: 5.4% Other opiates: 6.5% Other drugs: 1.0%

Retirement/savings: 0.5% Family/friends: 33.8% No income: 19.7% Public sources: 15.1% Other sources: 14.6%

Source of Referral (N = 390) . Self/family/relative/ friends: 20.0% Employer/school: 4.1% Criminal justice: 62.3% Professional: 8.7% County social service agency: 31.8% Other community resources: 2.3% AA: 0.0% Tribal: 65.9%

Outcomes

Discharge Status (N = 390)Completed program: 71.0% Patient left without staff approval: 14.1% Staff requested/judged inappropriate: 12.6% Death/other: 2.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Mash Ka Wisen Treatment Center Inpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 380)	6.3%	1.1%
Not employed/student ^{\ddagger} (N = 363)	53.7%	57.6%
Arrests past 30 days (N = 381)	28.1%	3.2%
Alcohol use past 30 days (N = 361)	60.7%	6.1%
Drug use past 30 days (N = 363)	62.0%	6.3%
No self-help group participation past 30 days (N = 373)	75.1%	7.0%
No family support for recovery past 30 days (N = 374)	18.2%	9.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =381)	7.1%	2.4%
Biomedical Conditions and Complications ($N = 384$)	14.8%	8.3%
Emotional/Behavioral/ Cognitive Problem (N = 384)	78.4%	68.0%
Resistance to Change ($N = 384$)	77.3%	56.5%
Relapse/Continued Use Potential (N = 384)	96.9%	89.3%
Unsupportive Recovery Environment (N = 384)	96.1%	83.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mayo Clinic Addiction Services Generose IB

1216 2nd Street SW Rochester, MN 55902

County: Olmsted

resources: 5.5%

AA: 0.8% Tribal: 0.0%

Provider Website: www.mayoclinic.org/chemicaldependency

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 253)} \\ Male: \ 64.4\% \\ Female: \ 35.6\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 253)} \\ White: \ 96.4\% \\ Black: \ 0.4\% \\ American \ Indian: \ 1.2\% \\ Hispanic: \ 1.2\% \\ Asian/Pacific \ Islander: \ 0.4\% \\ Other: \ 0.4\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 253)} \\ Under \ 18: \ 2.0\% \\ 18 \ to \ 25: \ 11.5\% \\ 26 \ to \ 34: \ 15.0\% \\ 35 \ and \ older: \ 71.5\% \\ 35 \ and \ older: \ 71.5\% \end{array}$

Primary Substance (N = 253) Alcohol: 74.3% Methamphetamine: 3.2%	Source of Income (N = 253) Job: 55.7% Retirement/savings: 13.4%	Source of Referral (N = 253) Self/family/relative/ friends: 87.7%
Marijuana: 5.1%	Family/friends: 17.8%	Employer/school: 6.7%
Heroin: 0.4%	No income: 0.4%	Criminal justice: 7.9%
Cocaine: 6.7%	Public sources: 9.1%	Professional: 39.5%
Other opiates: 7.5%	Other sources: 3.6%	County social
Other drugs: 2.8%		service agency: 0.4%
		Other community

Outcomes

Discharge Status (N = 253) Completed program: 76.3% Patient left without staff approval: 10.3% Staff requested/judged inappropriate: 6.7% Death/other: 6.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Mayo Clinic Addiction Services Generose IB

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 248)	0.8%	0.8%
Not employed/student ^{ii} (N = 247)	35.6%	40.9%
Arrests past 30 days (N = 247)	5.7%	1.2%
Alcohol use past 30 days (N = 249)	73.9%	13.7%
Drug use past 30 days (N = 249)	32.5%	11.6%
No self-help group participation past 30 days (N = 245)	63.3%	6.1%
No family support for recovery past 30 days (N = 240)	25.0%	14.2%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =253)	9.1%	5.1%
Biomedical Conditions and Complications ($N = 253$)	12.3%	11.9%
Emotional/Behavioral/ Cognitive Problem (N = 253)	54.9%	39.1%
Resistance to Change (N = 252)	81.3%	40.9%
Relapse/Continued Use Potential (N = 253)	98.8%	75.9%
Unsupportive Recovery Environment (N = 252)	91.3%	71.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

MCF - Togo

62741 Co. Rd. 551 Togo, MN 55723

Provider Website:

Patient Profile

County: Itasca

<u>Gender (N = 23)</u>	<u>Race (N = 23)</u>	<u>Age (N =</u>
Male: 100.0%	White: 69.6%	Under 1
Female: 0.0%	Black: 0.0%	18 to 25
	American Indian: 4.4%	26 to 34
	Hispanic: 13.0%	35 and o
	Asian/Pacific Islander: 4.4%	

Other: 8.7%

Source of Income

Age (N = 23) Under 18: 91.3% 18 to 25: 8.7% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance
(N = 23)
Alcohol: 26.1%
Methamphetamine: 4.4%
Marijuana: 60.9%
Heroin: 0.0%
Cocaine: 0.0%
Other opiates: 4.4%
Other drugs: 4.4%

(N = 23) Job: 26.1% Retirement/savings: 0.0% Family/friends: 52.2% No income: 4.4% Public sources: 4.4% Other sources: 13.0%

Source of Referral

(N = 23) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 91.3% Professional: 0.0% County social service agency: 8.7% Other community resources: 0.0% AA: 0.0% Tribal: 4.4%

Outcomes

Discharge Status (N = 23) Completed program: 100.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

MCF - Togo

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 23)	0.0%	0.0%
Not employed/student ^{$\ddagger \ddagger$ (N = 22)}	0.0%	0.0%
Arrests past 30 days (N = 22)	59.1%	0.0%
Alcohol use past 30 days (N = 23)	47.8%	0.0%
Drug use past 30 days (N = 23)	56.5%	0.0%
No self-help group participation past 30 days (N = 23)	65.2%	100.0%
No family support for recovery past 30 days (N = 21)	23.8%	4.8%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =23)	8.7%	0.0%
Biomedical Conditions and Complications $(N = 23)$	4.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 23)	73.9%	91.3%
	73.9% 56.5%	91.3% 91.3%
Cognitive Problem ($N = 23$)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Meadow Creek

17305 Meadow Creek Lane Pine City, MN 55063

County: Pine

Provider Website: www.meridiannetwork.com

Patient Profile

Primary Substance (N = 213) Alcohol: 42.3% Methamphetamine: 10.8% Marijuana: 8.5% Heroin: 10.8% Cocaine: 17.4% Other opiates: 6.6% Other drugs: 3.8% Source of Income (N = 218)Job: 13.8% Retirement/savings: 0.9% Family/friends: 12.4% No income: 17.9% Public sources: 45.0% Other sources: 10.1%

Source of Referral

(N = 218) Self/family/relative/ friends: 55.5% Employer/school: 0.9% Criminal justice: 21.1% Professional: 45.4% County social service agency: 46.8% Other community resources: 17.4% AA: 0.0% Tribal: 0.5%

Outcomes

Discharge Status (N = 218) Completed program: 73.4% Patient left without staff approval: 16.1% Staff requested/judged inappropriate: 3.7% Death/other: 6.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Meadow Creek

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 209)	17.7%	1.9%
Not employed/student ^{\ddagger} (N = 170)	84.7%	88.8%
Arrests past 30 days (N = 211)	11.4%	1.9%
Alcohol use past 30 days (N = 204)	51.0%	2.9%
Drug use past 30 days (N = 204)	58.8%	3.9%
No self-help group participation past 30 days (N = 163)	55.2%	2.5%
No family support for recovery past 30 days (N = 138)	22.5%	5.8%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =205)	0.5%	0.5%
Biomedical Conditions and Complications ($N = 204$)	8.8%	7.8%
Emotional/Behavioral/ Cognitive Problem (N = 206)	89.8%	41.7%
Resistance to Change ($N = 206$)	35.4%	29.1%
Relapse/Continued Use Potential (N = 206)	96.1%	49.5%
Unsupportive Recovery Environment (N = 204)	73.5%	40.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mens Laar House

1022 Division Street La Crosse, WI 54601

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 17)}}{\text{Male: 100.0\%}}$ Female: 0.0% Race (N = 17) White: 94.1% Black: 0.0% American Indian: 5.9% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 17)</u> Under 18: 0.0% 18 to 25: 23.5% 26 to 34: 11.8% 35 and older: 64.7%

County: Wisconsin

Primary Substance (N = 17) Alcohol: 52.9% Methamphetamine: 5.9%

Marijuana: 11.8% Heroin: 5.9% Cocaine: 23.5% Other opiates: 0.0% Other drugs: 0.0% (N = 17) Job: 23.5% Retirement/savings: 5.9% Family/friends: 5.9% No income: 23.5% Public sources: 29.4%

Other sources: 11.8%

Source of Income

Source of Referral

<u>(N = 17)</u> Self/family/relative/ friends: 17.6% Employer/school: 0.0% Criminal justice: 11.8% Professional: 70.6% County social service agency: 76.5% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 17) Completed program: 29.4% Patient left without staff approval: 52.9% Staff requested/judged inappropriate: 17.6% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Mens Laar House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 17)	17.6%	5.9%
Not employed/student ^{\ddagger} (N = 14)	85.7%	64.3%
Arrests past 30 days (N = 17)	17.6%	5.9%
Alcohol use past 30 days (N = 17)	58.8%	23.5%
Drug use past 30 days (N = 17)	23.5%	0.0%
No self-help group participation past 30 days (N = 17)	29.4%	0.0%
No family support for recovery past 30 days (N = 13)	38.5%	30.8%
Demiser to Decement		
Barriers to Recovery Dimensions of Chemical Health [®]	Admission	<u>Discharge</u>
•	<u>Admission</u> 0.0%	<u>Discharge</u> 11.8%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =17) Biomedical Conditions and	0.0%	11.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 17) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/	0.0% 23.5%	11.8% 11.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =17) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/ Cognitive Problem (N = 17)	0.0% 23.5% 41.2%	11.8% 11.8% 47.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Miller Dwan Medical Center

502 East 2nd Street Duluth, MN 55805

Provider Website:

Patient Profile

Gender (N = 30) Male: 53.3% Female: 46.7%

Race (N = 30)White: 73.3% Black: 0.0% American Indian: 20.0% Hispanic: 6.7% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 30)Under 18: 93.3% 18 to 25: 6.7% 26 to 34: 0.0% 35 and older: 0.0%

County: St. Louis

Primary Substance Source of Income (N = 30)(N = 30)Alcohol: 26.7% Methamphetamine: 0.0% Marijuana: 63.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.7% Other drugs: 3.3%

Job: 0.0% Retirement/savings: 0.0% Family/friends: 93.3% No income: 3.3% Public sources: 0.0% Other sources: 3.3%

Source of Referral

(N = 30). Self/family/relative/ friends: 93.3% Employer/school: 10.0% Criminal justice: 33.3% Professional: 53.3% County social service agency: 0.0% Other community resources: 0.0% AA: 3.3% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 30</u>) Completed program: 66.7% Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 13.3% Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Miller Dwan Medical Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 28)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 30)	0.0%	0.0%
Arrests past 30 days (N = 29)	17.2%	6.9%
Alcohol use past 30 days (N = 30)	56.7%	20.0%
Drug use past 30 days (N = 30)	80.0%	30.0%
No self-help group participation past 30 days (N = 29)	69.0%	24.1%
No family support for recovery past 30 days (N = 29)	24.1%	31.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =29)	3.5%	0.0%
Biomedical Conditions and Complications $(N = 29)$	20.7%	13.8%
Emotional/Behavioral/ Cognitive Problem (N = 29)	82.8%	55.2%
Resistance to Change ($N = 29$)	96.6%	48.3%
Relapse/Continued Use Potential (N = 29)	100.0%	58.6%
Unsupportive Recovery Environment (N = 29)	93.1%	55.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge

1619 Portland Ave. So. Minneapolis, MN 55404

County: Hennepin

Provider Website: www.mntc.org

Patient Profile

Gender (N = 152)
Male: 100.0%Race (N = 152)
White: 84.9%Age (N = 152)
Under 18: 0.0%Female: 0.0%Black: 7.9%
American Indian: 1.3%
Hispanic: 3.3%18 to 25: 30.9%
26 to 34: 29.6%
35 and older: 39.5%
Asian/Pacific Islander: 0.7%
Other: 2.0%

Primary Substance (N = 150) Alcohol: 43.3% Methamphetamine: 26.0% Marijuana: 10.0% Heroin: 0.0% Cocaine: 16.0% Other opiates: 0.7% Other drugs: 4.0% Source of Income

(N = 152) Job: 17.1% Retirement/savings: 2.0% Family/friends: 15.1% No income: 39.5% Public sources: 11.2% Other sources: 15.1%

Source of Referral

<u>(N = 152)</u> Self/family/relative/ friends: 67.1% Employer/school: 1.3% Criminal justice: 34.9% Professional: 6.6% County social service agency: 28.3% Other community resources: 52.6% AA: 0.7% Tribal: 0.0%

Outcomes

Discharge Status (N = 152) Completed program: 78.3% Patient left without staff approval: 14.5% Staff requested/judged inappropriate: 3.3% Death/other: 4.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Minnesota Teen Challenge

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 131)	22.9%	16.0%
Not employed/student ^{\ddagger} (N = 145)	87.6%	89.7%
Arrests past 30 days (N = 146)	26.7%	1.4%
Alcohol use past 30 days (N = 147)	53.7%	8.2%
Drug use past 30 days (N = 149)	49.7%	7.4%
No self-help group participation past 30 days (N = 148)	56.8%	5.4%
No family support for recovery past 30 days (N = 142)	10.6%	9.2%
Barriers to Recovery Dimensions of Chemical Health [§]		
Dimensions of chemical fieattri	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =150)	Admission 12.0%	<u>Discharge</u> 2.0%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =150) Biomedical Conditions and	12.0%	2.0%
Acute Intoxication/ Withdrawal (N =150) Biomedical Conditions and Complications (N = 150) Emotional/Behavioral/	12.0% 19.3%	2.0% 8.7%
Acute Intoxication/ Withdrawal (N =150) Biomedical Conditions and Complications (N = 150) Emotional/Behavioral/ Cognitive Problem (N = 150)	12.0% 19.3% 97.3%	2.0% 8.7% 65.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge

1717 2nd Ave South Minneapolis, MN 55403

County: Hennepin

Provider Website: www.mntc.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 55)} \\ Male: \ 1.8\% \\ Female: \ 98.2\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 55)} \\ White: \ 85.5\% \\ Black: \ 1.8\% \\ American \ Indian: \ 1.8\% \\ Hispanic: \ 5.5\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 5.5\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 55)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 29.1\% \\ 26 \ to \ 34: \ 23.6\% \\ 35 \ and \ older: \ 47.3\% \\ Asian \ Other: \ 5.5\% \end{array}$

Primary Substance (N = 55) Alcohol: 47.3% Methamphetamine: 20.0% Marijuana: 3.6% Heroin: 5.5% Cocaine: 20.0% Other opiates: 1.8% Other drugs: 1.8% Source of Income (N = 55)Job: 14.5% Retirement/savings: 9.1% Family/friends: 30.9% No income: 18.2% Public sources: 12.7% Other sources: 14.5%

Source of Referral

(N = 55) Self/family/relative/ friends: 90.9% Employer/school: 1.8% Criminal justice: 21.8% Professional: 9.1% County social service agency: 10.9% Other community resources: 58.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 55) Completed program: 70.9% Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 1.8% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Minnesota Teen Challenge

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 47)	12.8%	17.0%
Not employed/student ^{\ddagger} (N = 54)	87.0%	94.4%
Arrests past 30 days (N = 55)	12.7%	9.1%
Alcohol use past 30 days (N = 53)	69.8%	15.1%
Drug use past 30 days (N = 54)	57.4%	14.8%
No self-help group participation past 30 days (N = 54)	61.1%	9.3%
No family support for recovery past 30 days (N = 51)	9.8%	15.7%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
•	<u>Admission</u> 9.1%	<u>Discharge</u> 3.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and	9.1%	3.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and Complications (N = 55) Emotional/Behavioral/	9.1% 25.5%	3.6% 18.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and Complications (N = 55) Emotional/Behavioral/ Cognitive Problem (N = 55)	9.1% 25.5% 98.2%	3.6% 18.2% 70.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Morgan Treatment Center

1025 Portland Avenue South Minneapolis, MN 55403

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 10)</u> Male: 100.0% Female: 0.0% Race (N = 10) White: 90.0% Black: 0.0% American Indian: 10.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 10)</u> Under 18: 0.0% 18 to 25: 0.0% 26 to 34: 20.0% 35 and older: 80.0%

Primary Substance (N = 10) Alcohol: 90.0% Methamphetamine: 0.0% Marijuana: 10.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 10) Job: 90.0% Retirement/savings: 10.0% Family/friends: 0.0% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral

(N = 10) Self/family/relative/ friends: 90.0% Employer/school: 0.0% Criminal justice: 0.0% Professional: 10.0% County social service agency: 0.0% Other community resources: 80.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 10) Completed program: 90.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Morgan Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 10)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 10)	10.0%	20.0%
Arrests past 30 days (N = 10)	10.0%	0.0%
Alcohol use past 30 days (N = 10)	0.0%	10.0%
Drug use past 30 days (N = 10)	30.0%	0.0%
No self-help group participation past 30 days (N = 10)	10.0%	20.0%
No family support for recovery past 30 days (N = 10)	10.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =10)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 10)$	10.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 10)	10.0%	0.0%
Resistance to Change ($N = 10$)	10.0%	10.0%
Relapse/Continued Use		
Potential ($N = 10$)	40.0%	20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

My Home, Inc.

1010 University Avenue St. Paul, MN 55104

Provider Website:

Patient Profile

<u>Gender (N = 15)</u> Male: 100.0% Female: 0.0% Race (N = 15) White: 0.0% Black: 100.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 15)</u> Under 18: 0.0% 18 to 25: 46.7% 26 to 34: 26.7% 35 and older: 26.7%

County: Ramsey

Primary Substance (N = 15) Alcohol: 53.3% Methamphetamine: 0.0% Marijuana: 40.0% Heroin: 0.0% Cocaine: 6.7% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 15) Job: 20.0% Retirement/savings: 0.0% Family/friends: 20.0% No income: 33.3% Public sources: 0.0% Other sources: 26.7%

Source of Referral

(N = 15) Self/family/relative/ friends: 13.3% Employer/school: 0.0% Criminal justice: 46.7% Professional: 0.0% County social service agency: 66.7% Other community resources: 13.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 15) Completed program: 26.7% Patient left without staff approval: 40.0% Staff requested/judged inappropriate: 13.3% Death/other: 20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

My Home, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 15)	13.3%	6.7%
Not employed/student ^{tt} (N = 9)	*	*
Arrests past 30 days (N = 9)	*	*
Alcohol use past 30 days (N = 13)	76.9%	30.8%
Drug use past 30 days (N = 13)	61.5%	23.1%
No self-help group participation past 30 days (N = 4)	*	*
No family support for recovery past 30 days ($N = 4$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
J	Admission 20.0%	Discharge 13.3%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =15) Biomedical Conditions and	20.0%	13.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 15) Biomedical Conditions and Complications (N = 15) Emotional/Behavioral/	20.0% 6.7%	13.3% 6.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =15) Biomedical Conditions and Complications (N = 15) Emotional/Behavioral/ Cognitive Problem (N = 15)	20.0% 6.7% 13.3%	13.3% 6.7% 20.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

My Home, Inc.

420 North 5th Street Minneapolis, MN 55401

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 10)}}{\text{Male: 100.0\%}}$ Female: 0.0%

Race (N = 10) White: 0.0% Black: 70.0% American Indian: 10.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 20.0% <u>Age (N = 10)</u> Under 18: 0.0% 18 to 25: 50.0% 26 to 34: 50.0% 35 and older: 0.0%

County: Hennepin

Primary Substance (N = 10) Alcohol: 30.0% Methamphetamine: 0.0% Marijuana: 70.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 10) Job: 20.0% Retirement/savings: 0.0% Family/friends: 20.0% No income: 10.0% Public sources: 0.0% Other sources: 50.0%

Source of Income

Source of Referral

(N = 10) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 50.0% Professional: 10.0% County social service agency: 90.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 10) Completed program: 30.0% Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 40.0% Death/other: 20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

My Home, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 9)	*	*
Not employed/student ^{11} (N = 4)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days ($N = 6$)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days (N = 0)	*	*
No family support for recovery past 30 days $(N = 0)$	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	<u>Admission</u> *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nehemiah Family Services

104 1st Street Dodge Center, MN 55927

County: Dodge

Provider Website:

Patient Profile

<u>Gender (N = 35)</u> Male: 91.4% Female: 8.6% Race (N = 35) White: 91.4% Black: 0.0% American Indian: 0.0% Hispanic: 8.6% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 35)</u> Under 18: 5.7% 18 to 25: 37.1% 26 to 34: 34.3% 35 and older: 22.9%

Primary Substance (N = 35) Alcohol: 80.0% Methamphetamine: 0.0% Marijuana: 20.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 35) Job: 85.7% Retirement/savings: 0.0% Family/friends: 11.4% No income: 2.9% Public sources: 0.0% Other sources: 0.0%

Source of Income

Source of Referral (N = 35).

Self/family/relative/ friends: 94.3% Employer/school: 2.9% Criminal justice: 94.3% Professional: 2.9% County social service agency: 0.0% Other community resources: 2.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 35) Completed program: 91.4% Patient left without staff approval: 8.6% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Nehemiah Family Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 35)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 35)	11.4%	8.6%
Arrests past 30 days (N = 35)	14.3%	0.0%
Alcohol use past 30 days (N = 35)	20.0%	0.0%
Drug use past 30 days (N = 35)	5.7%	5.7%
No self-help group participation past 30 days (N = 35)	77.1%	14.3%
No family support for recovery past 30 days (N = 35)	8.6%	5.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =35)	5.7%	0.0%
Biomedical Conditions and Complications ($N = 35$)	8.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 35)	68.6%	11.4%
Resistance to Change ($N = 35$)	80.0%	14.3%
Relapse/Continued Use Potential (N = 35)	62.9%	17.1%
Unsupportive Recovery Environment (N = 35)	85.7%	17.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Neighborhood Counseling Chemical Dependency Progra

11 2nd Street SW Wadena, MN 56482

County: Wadena

Provider Website:

Patient Profile

Gender (N = 85) Age (N = 85)Race (N = 85)Male: 71.8% White: 91.8% Female: 28.2% Black: 5.9% American Indian: 0.0% Hispanic: 1.2% Asian/Pacific Islander: 0.0% Other: 1.2%

Primary Substance Source of Income (N = 85) (N = 85)Alcohol: 75.3% Job: 63.5% Methamphetamine: 3.5% Retirement/savings: 1.2% Marijuana: 18.8% Family/friends: 18.8% Heroin: 0.0% No income: 1.2% Cocaine: 0.0% Public sources: 5.9% Other opiates: 2.4% Other sources: 9.4% Other drugs: 0.0%

Under 18: 7.1% 18 to 25: 30.6% 26 to 34: 16.5% 35 and older: 45.9%

Source of Referral (N = 85) . Self/family/relative/ friends: 48.2% Employer/school: 5.9% Criminal justice: 50.6% Professional: 16.5% County social service agency: 64.7% Other community resources: 5.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 85</u>) Completed program: 60.0% Patient left without staff approval: 28.2% Staff requested/judged inappropriate: 0.0% Death/other: 11.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Neighborhood Counseling Chemical Dependency Progra

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 78)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 64)	31.3%	23.4%
Arrests past 30 days (N = 78)	7.7%	3.9%
Alcohol use past 30 days (N = 82)	23.2%	4.9%
Drug use past 30 days (N = 81)	17.3%	2.5%
No self-help group participation past 30 days ($N = 48$)	66.7%	27.1%
No family support for recovery past 30 days (N = 56)	7.1%	7.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =77)	2.6%	6.5%
Biomedical Conditions and Complications $(N = 78)$	9.0%	9.0%
Emotional/Behavioral/ Cognitive Problem (N = 76)	28.9%	28.9%
Resistance to Change ($N = 78$)	14.1%	14.1%
Relapse/Continued Use Potential (N = 76)	82.9%	34.2%
Unsupportive Recovery Environment (N = 78)	75.6%	33.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Litchfield

114 N. Holcombe Litchfield, MN 55355

County: Meeker

Provider Website:

Patient Profile

Gender (N = 61) Male: 80.3% Female: 19.7%

Race (N = 61)White: 85.2% Black: 4.9% American Indian: 0.0% Hispanic: 9.8% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 61)Under 18: 0.0% 18 to 25: 41.0% 26 to 34: 16.4% 35 and older: 42.6%

Primary Substance (N = 61)Alcohol: 70.5% Methamphetamine: 9.8% Marijuana: 14.8% Heroin: 0.0% Cocaine: 4.9% Other opiates: 0.0% Other drugs: 0.0%

(N = 61)Job: 59.0% Retirement/savings: 4.9%

Source of Income

Family/friends: 11.5% No income: 11.5% Public sources: 13.1% Other sources: 0.0%

Source of Referral

(N = 61) . Self/family/relative/ friends: 31.1% Employer/school: 1.6% Criminal justice: 65.6% Professional: 13.1% County social service agency: 49.2% Other community resources: 9.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 61</u>) Completed program: 63.9% Patient left without staff approval: 19.7% Staff requested/judged inappropriate: 11.5% Death/other: 4.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Beginnings at Litchfield

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 61)	1.6%	0.0%
Not employed/student ^{\ddagger} (N = 61)	44.3%	45.9%
Arrests past 30 days (N = 60)	16.7%	3.3%
Alcohol use past 30 days (N = 61)	32.8%	8.2%
Drug use past 30 days (N = 61)	14.8%	4.9%
No self-help group participation past 30 days (N = 60)	63.3%	13.3%
No family support for recovery past 30 days (N = 60)	5.0%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =61)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 61)$	1.6%	3.3%
Emotional/Behavioral/ Cognitive Problem (N = 61)	18.0%	23.0%
Resistance to Change ($N = 61$)	45.9%	44.3%
Relapse/Continued Use Potential (N = 61)	98.4%	65.6%
Unsupportive Recovery Environment (N = 61)	82.0%	47.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at St. Peter

201 W Park Row #B St. Peter, MN 56082

County: Nicollet

AA: 0.0% Tribal: 0.0%

Provider Website: www.newbeginningsatwaverly.com

Patient Profile

Primary Substance	Source of Income	Source of Referral
(N = 64)	(N = 64)	(N = 64).
Alcohol: 62.5%	Job: 62.5%	Self/family/relative/
Methamphetamine: 15.6%	Retirement/savings: 3.1%	friends: 50.0%
Marijuana: 20.3%	Family/friends: 17.2%	Employer/school: 3.1%
Heroin: 0.0%	No income: 9.4%	Criminal justice: 78.1%
Cocaine: 0.0%	Public sources: 7.8%	Professional: 3.1%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 1.6%		service agency: 31.3%
		Other community
		resources: 4.7%

Outcomes

Discharge Status (N = 64) Completed program: 82.8% Patient left without staff approval: 6.3% Staff requested/judged inappropriate: 6.3% Death/other: 4.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Beginnings at St. Peter

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 64)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 64)	35.9%	31.3%
Arrests past 30 days (N = 64)	14.1%	3.1%
Alcohol use past 30 days (N = 64)	26.6%	3.1%
Drug use past 30 days (N = 64)	21.9%	4.7%
No self-help group participation past 30 days ($N = 63$)	66.7%	14.3%
No family support for recovery past 30 days (N = 61)	4.9%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =64)	1.6%	1.6%
Biomedical Conditions and Complications $(N = 64)$	6.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 64)	35.9%	14.1%
Resistance to Change ($N = 64$)	54.7%	14.1%
Relapse/Continued Use		
Potential (N = 64)	93.8%	20.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Waverly

109 North Shore Drive Waverly, MN 553909743

County: Wright

AA: 2.5% Tribal: 0.2%

Provider Website: www.newbeginningsatwaverly.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 879)} \\ Male: 72.0\% \\ Female: 28.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 879)} \\ White: 90.1\% \\ Black: 3.6\% \\ American Indian: 2.2\% \\ Hispanic: 2.3\% \\ Asian/Pacific Islander: 0.5\% \\ Other: 1.4\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 879)} \\ Under 18: 0.3\% \\ 18 to 25: 29.5\% \\ 26 to 34: 28.3\% \\ 35 and older: 41.9\% \\ 35 and older: 41.9\% \\ \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 879)	<u>(N = 879)</u>	<u>(N = 879)</u>
Alcohol: 46.1%	Job: 38.0%	Self/family/relative/
Methamphetamine: 29.1%	Retirement/savings: 5.1%	friends: 63.1%
Marijuana: 7.9%	Family/friends: 21.4%	Employer/school: 5.9%
Heroin: 1.4%	No income: 11.6%	Criminal justice: 19.1%
Cocaine: 10.0%	Public sources: 4.8%	Professional: 17.3%
Other opiates: 4.0%	Other sources: 19.1%	County social
Other drugs: 1.6%		service agency: 50.3%
		Other community
		resources: 17.0%

Outcomes

Discharge Status (N = 879) Completed program: 83.4% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 4.0% Death/other: 1.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Beginnings at Waverly

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 879)	6.9%	0.1%
Not employed/student ^{\ddagger} (N = 873)	67.0%	67.6%
Arrests past 30 days (N = 873)	13.3%	0.9%
Alcohol use past 30 days (N = 877)	66.4%	13.6%
Drug use past 30 days (N = 877)	59.4%	17.3%
No self-help group participation past 30 days (N = 873)	74.7%	2.1%
No family support for recovery past 30 days (N = 877)	2.3%	0.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =875)	6.7%	1.0%
Biomedical Conditions and Complications ($N = 875$)	12.5%	5.9%
Emotional/Behavioral/ Cognitive Problem (N = 875)	55.3%	32.5%
Resistance to Change ($N = 875$)	36.2%	22.3%
Relapse/Continued Use Potential (N = 875)	98.7%	59.9%
Unsupportive Recovery Environment (N = 875)	91.0%	41.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Cottage Grove

8451 E. Point Douglas Road Cottage Grove, MN 55016

County: Washington

Provider Website: www.hsicares.org

Patient Profile

Gender (N = 10) Race (N = 10)Age (N = 10)Male: 90.0% White: 90.0% Under 18: 0.0% Female: 10.0% Black: 0.0% 18 to 25: 40.0% American Indian: 0.0% 26 to 34: 10.0% Hispanic: 0.0% 35 and older: 50.0% Asian/Pacific Islander: 0.0% Other: 10.0%

Primary Substance Source of Income (N = 10)(N = 10)Alcohol: 50.0% Job: 40.0% Methamphetamine: 30.0% Marijuana: 10.0% Heroin: 0.0% Cocaine: 10.0% Other opiates: 0.0% Other drugs: 0.0%

Retirement/savings: 20.0% Family/friends: 0.0% No income: 40.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral

(N = 10) . Self/family/relative/ friends: 60.0% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 10.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 10)Completed program: 80.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 20.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Choices for Recovery Cottage Grove

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 10)	0.0%	10.0%
Not employed/student ^{ii} (N = 10)	60.0%	40.0%
Arrests past 30 days (N = 10)	0.0%	0.0%
Alcohol use past 30 days (N = 10)	0.0%	0.0%
Drug use past 30 days (N = 9)	*	*
No self-help group participation past 30 days (N = 10)	40.0%	40.0%
No family support for recovery past 30 days (N = 10)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =10)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 10$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 10)	30.0%	10.0%
Resistance to Change ($N = 10$)	40.0%	20.0%
Relapse/Continued Use Potential (N = 10)	100.0%	30.0%
Unsupportive Recovery Environment (N = 9)	*	*

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Forest Lake

121 11th Ave S.E. Forest Lake, MN 55025

County: Washington

Provider Website: www.hsicares.org

Patient Profile

Gender (N = 11) Race (N = 11)Age (N = 11)Male: 90.9% White: 100.0% Under 18: 0.0% Female: 9.1% Black: 0.0% 18 to 25: 45.5% American Indian: 0.0% 26 to 34: 45.5% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Source of Income

Primary Substance (N = <u>1</u>1) Alcohol: 27.3% Methamphetamine: 45.5% Marijuana: 18.2% Heroin: 0.0% Cocaine: 9.1% Other opiates: 0.0% Other drugs: 0.0%

(N = 11)Job: 54.5% Retirement/savings: 0.0% Family/friends: 18.2% No income: 27.3% Public sources: 0.0% Other sources: 0.0%

35 and older: 9.1%

Source of Referral (N = 11) . Self/family/relative/ friends: 45.5% Employer/school: 9.1% Criminal justice: 100.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 11</u>) Completed program: 72.7% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 27.3% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Choices for Recovery Forest Lake

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 11)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 10)	50.0%	20.0%
Arrests past 30 days (N = 10)	20.0%	10.0%
Alcohol use past 30 days (N = 9)	*	*
Drug use past 30 days (N = 11)	0.0%	36.4%
No self-help group participation past 30 days (N = 10)	50.0%	50.0%
No family support for recovery past 30 days (N = 10)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =11)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 11)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 11)	18.2%	9.1%
Resistance to Change ($N = 11$)	9.1%	27.3%
Relapse/Continued Use Potential (N = 11)	100.0%	36.4%
Unsupportive Recovery Environment (N = 11)	90.9%	54.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Stillwater

375 East Orleans Street Stillwater, MN 55082

County: Washington

Provider Website: www.hsicares.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 52)} \\ Male: \ 84.6\% \\ Female: \ 15.4\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 52)} \\ White: \ 90.4\% \\ Black: \ 0.0\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 5.8\% \\ Asian/Pacific \ Islander: \ 1.9\% \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 52)} \\ Under \ 18: \ 32.7\% \\ 18 \ to \ 25: \ 25.0\% \\ 26 \ to \ 34: \ 23.1\% \\ 35 \ and \ older: \ 19.2\% \\ \end{array}$

Primary Substance (N = 52) Alcohol: 44.2% Methamphetamine: 19.2% Marijuana: 30.8% Heroin: 0.0% Cocaine: 5.8% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 52)Job: 32.7% Retirement/savings: 0.0% Family/friends: 36.5% No income: 21.2% Public sources: 5.8% Other sources: 3.9%

Source of Referral

(N = 52) Self/family/relative/ friends: 30.8% Employer/school: 1.9% Criminal justice: 84.6% Professional: 5.8% County social service agency: 11.5% Other community resources: 7.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 52) Completed program: 55.8% Patient left without staff approval: 13.5% Staff requested/judged inappropriate: 26.9% Death/other: 3.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Choices for Recovery Stillwater

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 52)	0.0%	1.9%
Not employed/student ^{11} (N = 49)	46.9%	24.5%
Arrests past 30 days (N = 50)	18.0%	8.0%
Alcohol use past 30 days (N = 45)	31.1%	8.9%
Drug use past 30 days (N = 46)	26.1%	13.0%
No self-help group participation past 30 days (N = 50)	68.0%	42.0%
No family support for recovery past 30 days (N = 47)	10.6%	4.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =51)	2.0%	3.9 %
Biomedical Conditions and Complications ($N = 52$)	1.9%	1.9%
Emotional/Behavioral/ Cognitive Problem (N = 52)	44.2%	38.5%
Resistance to Change ($N = 52$)	32.7%	42.3%
Relapse/Continued Use Potential (N = 52)	90.4%	55.8%
Unsupportive Recovery Environment (N = 52)	92.3%	51.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Washington County Jail

15015 62nd Street N Stillwater, MN 55082

County: Washington

Provider Website:

Patient Profile

Gender (N = 73) Race (N = 73)Age (N = 73)Male: 86.3% White: 86.3% Female: 13.7% Black: 2.7% American Indian: 1.4% Hispanic: 6.9% Asian/Pacific Islander: 1.4% Other: 1.4%

Source of Income

Primary Substance (N = 73) Alcohol: 37.0% Methamphetamine: 41.1% Marijuana: 9.6% Heroin: 0.0% Cocaine: 9.6% Other opiates: 2.7% Other drugs: 0.0%

(N = 73)Job: 35.6% Retirement/savings: 4.1% Family/friends: 13.7% No income: 38.4% Public sources: 6.9% Other sources: 1.4%

Under 18: 0.0% 18 to 25: 32.9% 26 to 34: 20.5% 35 and older: 46.6%

Source of Referral (N = 73) . Self/family/relative/ friends: 15.1% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 73</u>) Completed program: 49.3% Patient left without staff approval: 4.1% Staff requested/judged inappropriate: 2.7% Death/other: 43.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Choices for Recovery Washington County Jail

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 73)	1.4%	0.0%
Not employed/student ^{11} (N = 71)	95.8%	97.2%
Arrests past 30 days (N = 73)	30.1%	1.4%
Alcohol use past 30 days (N = 73)	24.7%	4.1%
Drug use past 30 days (N = 73)	21.9%	1.4%
No self-help group participation past 30 days (N = 72)	58.3%	50.0%
No family support for recovery past 30 days (N = 73)	17.8%	1.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 73)$	2.7%	4.1%
Emotional/Behavioral/ Cognitive Problem (N = 73)	30.1%	20.5%
Resistance to Change ($N = 73$)	82.2%	9.6%
Relapse/Continued Use Potential (N = 73)	100.0%	97.3%
Unsupportive Recovery Environment (N = 73)	100.0%	93.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Connection Program of Eden Prairie

6446 City West Parkway Eden Prairie, MN 55344

County: Hennepin

Provider Website: www.regionshospital.com

Patient Profile

 Gender (N = 64)
 Race (N = 64)
 Age (N = 64)

 Male: 75.0%
 White: 70.3%
 Under 18: 92.2%

 Female: 25.0%
 Black: 9.4%
 18 to 25: 7.8%

 American Indian: 3.1%
 26 to 34: 0.0%

 Hispanic: 7.8%
 35 and older: 0.0%

 Asian/Pacific Islander: 1.6%
 Other: 7.8%

Primary Substance (N = 64)
Alcohol: 20.3%
Methamphetamine: 0.0%
Marijuana: 75.0%
Heroin: 0.0%
Cocaine: 4.7%
Other opiates: 0.0%
Other drugs: 0.0%

Source of Income

(N = 64) Job: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0% Other sources: 0.0% Source of Referral (N = 64) Self/family/relative/ friends: 85.9% Employer/school: 28.1% Criminal justice: 31.3% Professional: 10.9% County social service agency: 1.6% Other community resources: 42.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 64) Completed program: 57.8% Patient left without staff approval: 4.7% Staff requested/judged inappropriate: 10.9% Death/other: 26.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Connection Program of Eden Prairie

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 64)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 63)	0.0%	0.0%
Arrests past 30 days (N = 48)	20.8%	10.4%
Alcohol use past 30 days (N = 62)	35.5%	27.4%
Drug use past 30 days (N = 63)	57.1%	42.9%
No self-help group participation past 30 days ($N = 49$)	81.6%	42.9%
No family support for recovery past 30 days (N = 50)	12.0%	4.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =64)	0.0%	1.6%
Biomedical Conditions and Complications ($N = 64$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 64)	56.3%	51.6%
Resistance to Change ($N = 64$)	59.4%	53.1%
Relapse/Continued Use Potential (N = 64)	96.9%	85.9%
Unsupportive Recovery Environment (N = 64)	89.1%	90.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Connections Program-Hastings

1250 Highway 55 Hastings, MN 55033

County: Dakota

Provider Website: www.regionshospital.com

Patient Profile

Gender (N = 60) Race (N = 60)Age (N = 60)Male: 71.7% White: 91.7% Under 18: 86.7% Female: 28.3% Black: 1.7% 18 to 25: 13.3% American Indian: 0.0% 26 to 34: 0.0% Hispanic: 1.7% Asian/Pacific Islander: 0.0% Other: 5.0%

Primary Substance
(N = 60)
Alcohol: 13.3%
Methamphetamine: 1.7%
Marijuana: 71.7%
Heroin: 1.7%
Cocaine: 1.7%
Other opiates: 3.3%
Other drugs: 6.7%

Source of Income (N = 60)Job: 0.0%

Retirement/savings: 0.0% Family/friends: 98.3% No income: 0.0% Public sources: 1.7% Other sources: 0.0%

35 and older: 0.0%

Source of Referral (N = 60) . Self/family/relative/ friends: 75.0% Employer/school: 21.7% Criminal justice: 41.7% Professional: 38.3% County social service agency: 6.7% Other community resources: 15.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 60</u>) Completed program: 61.7% Patient left without staff approval: 11.7% Staff requested/judged inappropriate: 13.3% Death/other: 13.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Connections Program-Hastings

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 59)	0.0%	1.7%
Not employed/student ^{\ddagger} (N = 60)	0.0%	1.7%
Arrests past 30 days (N = 58)	24.1%	6.9%
Alcohol use past 30 days (N = 58)	55.2%	32.8%
Drug use past 30 days (N = 60)	81.7%	66.7%
No self-help group participation past 30 days (N = 59)	88.1%	50.8%
No family support for recovery past 30 days (N = 56)	32.1%	33.9%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =60)	1.7%	1.7%
Biomedical Conditions and Complications $(N = 60)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 60)	71.7%	63.3%
Resistance to Change ($N = 60$)	63.3%	55.0%
Relapse/Continued Use Potential (N = 60)	96.7%	91.7%
Unsupportive Recovery Environment (N = 60)	53.3%	66.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Guidance Counseling

8557 Wyoming Ave N Brooklyn Park, MN 55445

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 29)</u> Male: 82.8% Female: 17.2% Race (N = 29) White: 41.4% Black: 20.7% American Indian: 0.0% Hispanic: 24.1% Asian/Pacific Islander: 0.0% Other: 13.8% <u>Age (N = 29)</u> Under 18: 0.0% 18 to 25: 24.1% 26 to 34: 31.0% 35 and older: 44.8%

Primary Substance (N = 29) Alcohol: 65.5% Methamphetamine: 3.5% Marijuana: 17.2% Heroin: 0.0% Cocaine: 10.3% Other opiates: 3.5%

Other drugs: 0.0%

Source of Income

(N = 29) Job: 20.7% Retirement/savings: 0.0% Family/friends: 10.3% No income: 48.3% Public sources: 17.2% Other sources: 3.5%

Source of Referral

(N = 29) Self/family/relative/ friends: 34.5% Employer/school: 0.0% Criminal justice: 31.0% Professional: 31.0% County social service agency: 6.9% Other community resources: 41.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 29) Completed program: 37.9% Patient left without staff approval: 51.7% Staff requested/judged inappropriate: 6.9% Death/other: 3.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Guidance Counseling

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 22)	40.9%	40.9%
Not employed/student ^{11} (N = 18)	77.8%	72.2%
Arrests past 30 days (N = 18)	33.3%	16.7%
Alcohol use past 30 days (N = 18)	61.1%	22.2%
Drug use past 30 days (N = 19)	31.6%	15.8%
No self-help group participation past 30 days (N = 18)	100.0%	22.2%
No family support for recovery past 30 days (N = 14)	85.7%	35.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 3.5%	<u>Discharge</u> 3.5%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and	3.5%	3.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/	3.5% 0.0%	3.5% 7.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/ Cognitive Problem (N = 29)	3.5% 0.0% 82.8%	3.5% 7.1% 62.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Life Treatment Center

130 Dakota Street Woodstock, MN 56186

County: Pipestone

Provider Website: www.newlifetreatment.com

Patient Profile

Primary Substance (N = 263) Alcohol: 59.3% Methamphetamine: 16.3% Marijuana: 14.8% Heroin: 0.4% Cocaine: 4.6% Other opiates: 3.0% Other drugs: 1.5% Source of Income (N = 263)Job: 50.2% Retirement/savings: 3.8% Family/friends: 22.1% No income: 10.3% Public sources: 8.4% Other sources: 5.3%

Source of Referral (N = 263) Self/family/relative/ friends: 53.2% Employer/school: 1.9% Criminal justice: 0.4% Professional: 4.2% County social service agency: 45.2% Other community resources: 5.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 263) Completed program: 85.9% Patient left without staff approval: 8.4% Staff requested/judged inappropriate: 2.3% Death/other: 3.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Life Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 263)	6.1%	0.4%
Not employed/student ^{\ddagger} (N = 258)	44.6%	50.4%
Arrests past 30 days (N = 263)	23.6%	0.8%
Alcohol use past 30 days (N = 263)	65.4%	1.9%
Drug use past 30 days (N = 263)	41.1%	1.1%
No self-help group participation past 30 days (N = 263)	68.8%	1.1%
No family support for recovery past 30 days (N = 262)	16.4%	11.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
•	Admission 4.9%	<u>Discharge</u> 0.8%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 263) Biomedical Conditions and	4.9%	0.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 263) Biomedical Conditions and Complications (N = 261) Emotional/Behavioral/	4.9% 15.3%	0.8% 5.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 263) Biomedical Conditions and Complications (N = 261) Emotional/Behavioral/ Cognitive Problem (N = 262)	4.9% 15.3% 84.4%	0.8% 5.4% 25.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Ulm Medical Center Substance Abuse Treatment Service

1324 5th Street North New Ulm, MN 56073

County: Brown

Provider Website:

Patient Profile

<u>Gender (N = 237)</u>	<u>Race (N = 237)</u>	<u>Age (N = 237)</u>
Male: 73.4%	White: 91.6%	Under 18: 13.5%
Female: 26.6%	Black: 0.8%	18 to 25: 32.1%
	American Indian: 1.3%	26 to 34: 21.9%
	Hispanic: 5.5%	35 and older: 32.5%
	Asian/Pacific Islander: 0.0%	
	Other: 0.8%	

Primary Substance	Source of Income
(N = 235)	<u>(N = 237)</u>
Alcohol: 63.0%	Job: 49.8%
Methamphetamine: 8.1%	Retirement/savings
Marijuana: 24.7%	Family/friends: 27.
Heroin: 0.4%	No income: 1.3%
Cocaine: 3.0%	Public sources: 6.3
Other opiates: 0.4%	Other sources: 13.
Other drugs: 0.4%	

savings: 1.7% ds: 27.0% 1.3% es: 6.3% es: 13.9%

Source of Referral

(N = 237). Self/family/relative/ friends: 38.4% Employer/school: 2.5% Criminal justice: 62.9% Professional: 17.3% County social service agency: 24.1% Other community resources: 11.8% AA: 0.0% Tribal: 0.4%

Outcomes

Discharge Status (N = 237)Completed program: 64.6% Patient left without staff approval: 11.4% Staff requested/judged inappropriate: 9.7% Death/other: 14.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Ulm Medical Center Substance Abuse Treatment Service

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 236)	1.7%	0.4%
Not employed/student ^{11} (N = 230)	35.7%	37.4%
Arrests past 30 days (N = 213)	22.1%	7.0%
Alcohol use past 30 days (N = 235)	39.1%	12.8%
Drug use past 30 days (N = 235)	30.2%	13.2%
No self-help group participation past 30 days (N = 115)	54.8%	13.0%
No family support for recovery past 30 days (N = 64)	18.8%	15.6%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =229)	4.8%	3.9%
Biomedical Conditions and Complications $(N = 234)$		<i>.</i>
	17.1%	6.8%
Emotional/Behavioral/ Cognitive Problem (N = 235)	17.1% 69.4%	6.8% 46.8%
Cognitive Problem ($N = 235$)	69.4%	46.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Ulm Medical Center-Drug Court Treatment

410 Jackson Street Mankato, MN 56001

County: Blue Earth

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 8)</u> Male: * Female: *	Race (N = 8) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 8) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 8) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 8) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 8) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Ulm Medical Center-Drug Court Treatment

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 8)	*	*
Not employed/student ^{tt} (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 8)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days (N = 8)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center

222 West 9th Ave. Alexandria, MN 56308

County: Douglas

resources: 20.6%

AA: 0.0% Tribal: 0.0%

Provider Website: www.newvisionscenter.net

Patient Profile

<u>Gender (N = 165)</u>	<u>Race (N = 165)</u>	<u>Age (N = 165)</u>
Male: 78.2%	White: 92.1%	Under 18: 0.0%
Female: 21.8%	Black: 3.6%	18 to 25: 33.3%
	American Indian: 0.6%	26 to 34: 18.8%
	Hispanic: 3.6%	35 and older: 47.9%
	Asian/Pacific Islander: 0.0%	
	Other: 0.0%	

Primary Substance	Source of Income	Source of Referral
<u>(N = 165)</u>	<u>(N = 165)</u>	(N = 165) .
Alcohol: 69.7%	Job: 43.0%	Self/family/relative/
Methamphetamine: 10.3%	Retirement/savings: 1.2%	friends: 56.4%
Marijuana: 13.9%	Family/friends: 19.4%	Employer/school: 1.8%
Heroin: 0.0%	No income: 14.5%	Criminal justice: 22.4%
Cocaine: 1.8%	Public sources: 9.7%	Professional: 20.0%
Other opiates: 3.6%	Other sources: 12.1%	County social
Other drugs: 0.6%		service agency: 61.2%
		Other community

Outcomes

Discharge Status (N = 165) Completed program: 69.7% Patient left without staff approval: 13.9% Staff requested/judged inappropriate: 9.7% Death/other: 6.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Visions Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 157)	4.5%	5.7%
Not employed/student ^{\ddagger} (N = 156)	65.4%	55.1%
Arrests past 30 days (N = 147)	15.6%	1.4%
Alcohol use past 30 days (N = 141)	59.6%	4.3%
Drug use past 30 days (N = 142)	45.1%	7.0%
No self-help group participation past 30 days (N = 154)	63.0%	7.8%
No family support for recovery past 30 days (N = 152)	7.2%	7.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	Admission 12.7%	<u>Discharge</u> 9.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =165) Biomedical Conditions and	12.7%	9.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 165) Biomedical Conditions and Complications (N = 165) Emotional/Behavioral/	12.7% 35.8%	9.1% 16.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 165) Biomedical Conditions and Complications (N = 165) Emotional/Behavioral/ Cognitive Problem (N = 165)	12.7% 35.8% 98.8%	9.1% 16.4% 90.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center

1700 Broadway Alexandria, MN 56308

County: Douglas

AA: 0.0% Tribal: 0.0% 45.6%

Provider Website: www.newvisionscenter.net

Patient Profile

Gender (N = 79) Race (N = 79)Age (N = 79)Male: 73.4% White: 93.7% Under 18: 17.7% Female: 26.6% Black: 1.3% 18 to 25: 24.1% American Indian: 0.0% 26 to 34: 26.6% Hispanic: 5.1% 35 and older: 31.6% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 78)	(N = 79)	(N = 79) .
Alcohol: 71.8%	Job: 63.3%	Self/family/relative/
Methamphetamine: 9.0%	Retirement/savings: 1.3%	friends: 25.3%
Marijuana: 16.7%	Family/friends: 19.0%	Employer/school: 3.8%
Heroin: 0.0%	No income: 1.3%	Criminal justice: 59.5%
Cocaine: 2.6%	Public sources: 6.3%	Professional: 12.7%
Other opiates: 0.0%	Other sources: 8.9%	County social
Other drugs: 0.0%		service agency: 45.6%
-		Other community
		resources: 3.8%

Outcomes

Discharge Status <u>(N = 79</u>) Completed program: 46.8% Patient left without staff approval: 13.9% Staff requested/judged inappropriate: 26.6% Death/other: 12.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

New Visions Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 77)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 75)	18.7%	20.0%
Arrests past 30 days (N = 71)	12.7%	7.0%
Alcohol use past 30 days (N = 65)	24.6%	20.0%
Drug use past 30 days (N = 67)	16.4%	10.4%
No self-help group participation past 30 days (N = 57)	73.7%	45.6%
No family support for recovery past 30 days (N = 46)	28.3%	30.4%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
•	<u>Admission</u> 4.0%	Discharge 6.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =76) Biomedical Conditions and	4.0%	6.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 76) Biomedical Conditions and Complications (N = 76) Emotional/Behavioral/	4.0% 14.5%	6.6% 11.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 76) Biomedical Conditions and Complications (N = 76) Emotional/Behavioral/ Cognitive Problem (N = 76)	4.0% 14.5% 59.2%	6.6% 11.8% 52.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Next Step

201 6th Street NE Staples, MN 56479

County: Todd

Provider Website: www.nextstepgo.com

Patient Profile

Gender (N = 43) Race (N = 43)Age (N = 43)Male: 100.0% White: 74.4% Under 18: 95.3% Female: 0.0% Black: 4.7% 18 to 25: 4.7% American Indian: 14.0% 26 to 34: 0.0% Hispanic: 4.7% Asian/Pacific Islander: 0.0% Other: 2.3%

Primary Substance (N = 43)Alcohol: 7.0% Methamphetamine: 0.0% Marijuana: 88.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 4.7%

Source of Income (N = 43)Job: 0.0% Retirement/savings: 0.0% Family/friends: 95.3% No income: 4.7%

Public sources: 0.0%

Other sources: 0.0%

35 and older: 0.0%

Source of Referral (N = 43). Self/family/relative/ friends: 25.6% Employer/school: 0.0% Criminal justice: 67.4% Professional: 9.3% County social service agency: 72.1% Other community resources: 0.0% AA: 0.0% Tribal: 2.3%

Outcomes

Discharge Status <u>(N = 43</u>) Completed program: 37.2% Patient left without staff approval: 11.6% Staff requested/judged inappropriate: 34.9% Death/other: 16.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Next Step

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 43)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 43)	0.0%	0.0%
Arrests past 30 days (N = 41)	26.8%	9.8%
Alcohol use past 30 days (N = 43)	60.5%	4.7%
Drug use past 30 days (N = 43)	72.1%	7.0%
No self-help group participation past 30 days (N = 42)	76.2%	4.8%
No family support for recovery past 30 days (N = 41)	7.3%	14.6%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =43)	0.0%	0.0%
Withdrawal (N =43) Biomedical Conditions and Complications (N = 43)	0.0%	0.0%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 43) Emotional/Behavioral/	0.0%	11.6%
Biomedical Conditions and Complications (N = 43) Emotional/Behavioral/ Cognitive Problem (N = 43)	0.0% 93.0%	11.6% 86.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

North Homes Inc. Outpatient Chemical Dependency

1880 River Road Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

 Gender (N = 32)
 Race (N = 32)

 Male: 50.0%
 White: 59.4%

 Female: 50.0%
 Black: 6.3%

 American Indian: 25.0%
 Hispanic: 3.1%

Age (N = 32) Under 18: 93.8% 18 to 25: 6.3% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance
(N = 32)
Alcohol: 18.8%
Methamphetamine: 15.6%
Marijuana: 50.0%
Heroin: 0.0%
Cocaine: 3.1%
Other opiates: 0.0%
Other drugs: 12.5%

(N = 32) Job: 0.0% Retirement/savings: 0.0% Family/friends: 28.1% No income: 0.0% Public sources: 71.9% Other sources: 0.0%

Asian/Pacific Islander: 6.3%

Other: 0.0%

Source of Income

Source of Referral

(N = 32) Self/family/relative/ friends: 28.1% Employer/school: 0.0% Criminal justice: 75.0% Professional: 6.3% County social service agency: 62.5% Other community resources: 25.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 32) Completed program: 53.1% Patient left without staff approval: 15.6% Staff requested/judged inappropriate: 0.0% Death/other: 31.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

North Homes Inc. Outpatient Chemical Dependency

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 32)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 32)	0.0%	0.0%
Arrests past 30 days (N = 32)	3.1%	3.1%
Alcohol use past 30 days (N = 32)	18.8%	3.1%
Drug use past 30 days (N = 32)	25.0%	15.6%
No self-help group participation past 30 days (N = 32)	100.0%	96.9%
No family support for recovery past 30 days (N = 32)	3.1%	3.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	Admission 9.4%	<u>Discharge</u> 15.6%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 32) Biomedical Conditions and	9.4%	15.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 32) Biomedical Conditions and Complications (N = 32) Emotional/Behavioral/	9.4% 0.0%	15.6% 3.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 32) Biomedical Conditions and Complications (N = 32) Emotional/Behavioral/ Cognitive Problem (N = 32)	9.4% 0.0% 31.3%	15.6% 3.1% 37.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northern Lakes Clinic, Inc.

301 America Ave NW Bemidji, MN 56601

County: Beltrami

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 2)</u> Male: * Female: *	Race (N = 2) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 2) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 2) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 2) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 2) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 2) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Northern Lakes Clinic, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 2)	*	*
Not employed/student ^{tt} (N = 2)	*	*
Arrests past 30 days (N = 2)	*	*
Alcohol use past 30 days (N = 2)	*	*
Drug use past 30 days (N = 2)	*	*
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days ($N = 2$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Center

1215 SE 7th Avenue Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

<u>Gender (N = 417)</u> Male: 77.0% Female: 23.0% Race (N = 417) White: 71.5% Black: 0.7% American Indian: 24.2% Hispanic: 1.7% Asian/Pacific Islander: 0.2% Other: 1.7% Age (N = 417) Under 18: 12.7% 18 to 25: 26.9% 26 to 34: 23.3% 35 and older: 37.2%

Primary Substance (N = 415) Alcohol: 58.1% Methamphetamine: 8.7% Marijuana: 24.6%

Heroin: 0.0% Cocaine: 3.1% Other opiates: 4.1% Other drugs: 1.5%

Source of Income (N = 417)

<u>N = 417)</u> Job: 43.9% Retirement/savings: 2.6% Family/friends: 18.0% No income: 8.9% Public sources: 18.5% Other sources: 8.2%

Source of Referral

(N = 417) Self/family/relative/ friends: 35.5% Employer/school: 1.2% Criminal justice: 59.0% Professional: 15.3% County social service agency: 23.0% Other community resources: 13.7% AA: 0.2% Tribal: 8.2%

Outcomes

Discharge Status (N = 417) Completed program: 63.1% Patient left without staff approval: 16.5% Staff requested/judged inappropriate: 7.4% Death/other: 12.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Northland Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 413)	2.4%	1.0%
Not employed/student ^{\ddagger} (N = 413)	54.0%	51.6%
Arrests past 30 days (N = 407)	17.9%	7.4%
Alcohol use past 30 days (N = 407)	39.1%	13.8%
Drug use past 30 days (N = 407)	36.1%	14.3%
No self-help group participation past 30 days (N = 408)	64.5%	17.9%
No family support for recovery past 30 days (N = 410)	12.4%	4.2%
Domiono to Docorrom		
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
•	<u>Admission</u> 4.4%	<u>Discharge</u> 3.6%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =414) Biomedical Conditions and	4.4%	3.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 414) Biomedical Conditions and Complications (N = 415) Emotional/Behavioral/	4.4% 7.7%	3.6% 4.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =414) Biomedical Conditions and Complications (N = 415) Emotional/Behavioral/ Cognitive Problem (N = 415)	4.4% 7.7% 65.5%	3.6% 4.6% 35.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Center Adolescent Unit

510 Southeast 13th Street Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

Gender (N = 117) Race (N = 117)Age (N = 117)Male: 59.8% White: 56.4% Under 18: 94.9% Female: 40.2% Black: 2.6% American Indian: 30.8% Hispanic: 7.7% Asian/Pacific Islander: 0.9% Other: 1.7%

Primary Substance (N = 117) Alcohol: 30.8% Methamphetamine: 0.0% Marijuana: 64.1% Heroin: 0.9% Cocaine: 0.0% Other opiates: 3.4% Other drugs: 0.9%

Source of Income

(N = 117)Job: 2.6% Retirement/savings: 0.0% Family/friends: 96.6% No income: 0.0% Public sources: 0.0% Other sources: 0.9%

18 to 25: 5.1% 26 to 34: 0.0% 35 and older: 0.0%

Source of Referral

(N<u>= 117)</u>. Self/family/relative/ friends: 29.9% Employer/school: 2.6% Criminal justice: 73.5% Professional: 5.1% County social service agency: 11.1% Other community resources: 6.8% AA: 0.0% Tribal: 7.7%

Outcomes

Discharge Status (N = 117)Completed program: 68.4% Patient left without staff approval: 6.0% Staff requested/judged inappropriate: 13.7% Death/other: 12.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Northland Recovery Center Adolescent Unit

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 117)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 117)	5.1%	0.0%
Arrests past 30 days (N = 117)	29.1%	13.7%
Alcohol use past 30 days (N = 117)	45.3%	5.1%
Drug use past 30 days (N = 117)	67.5%	20.5%
No self-help group participation past 30 days (N = 117)	78.6%	98.3%
No family support for recovery past 30 days (N = 117)	3.4%	0.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =117)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 117$)	0.9%	2.6%
Emotional/Behavioral/ Cognitive Problem (N = 117)	80.3%	30.8%
Resistance to Change ($N = 117$)	70.1%	28.2%
Relapse/Continued Use Potential (N = 117)	100.0%	76.9%
Unsupportive Recovery Environment (N = 117)	99.1%	87.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Womens Center

213 SE 11th Street Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 106)} \\ Male: \ 0.9\% \\ Female: \ 99.1\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 106)} \\ White: \ 54.7\% \\ Black: \ 0.0\% \\ American \ Indian: \ 37.7\% \\ Hispanic: \ 0.9\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 6.6\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 106)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 34.9\% \\ 26 \ to \ 34: \ 25.5\% \\ 35 \ and \ older: \ 39.6\% \\ 35 \ and \ older: \ 39.6\% \\ \end{array}$

Source of Income

Primary Substance (N = 106) Alcohol: 50.0% Methamphetamine: 13.2% Marijuana: 20.8% Heroin: 0.0% Cocaine: 4.7% Other opiates: 8.5% Other drugs: 2.8%

(N = 106) Job: 22.6% Retirement/savings: 2.8% Family/friends: 23.6% No income: 5.7%

Public sources: 32.1%

Other sources: 13.2%

Source of Referral

(N = 106) Self/family/relative/ friends: 46.2% Employer/school: 2.8% Criminal justice: 45.3% Professional: 22.6% County social service agency: 55.7% Other community resources: 7.6% AA: 0.0% Tribal: 4.7%

Outcomes

Discharge Status (N = 106) Completed program: 61.3% Patient left without staff approval: 17.9% Staff requested/judged inappropriate: 8.5% Death/other: 12.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Northland Recovery Womens Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 105)	4.8%	1.9%
Not employed/student ^{$\pm \pm$} (N = 104)	73.1%	73.1%
Arrests past 30 days (N = 104)	25.0%	1.9%
Alcohol use past 30 days (N = 104)	58.7%	20.2%
Drug use past 30 days (N = 105)	50.5%	22.9%
No self-help group participation past 30 days (N = 105)	69.5%	7.6%
No family support for recovery past 30 days (N = 103)	10.7%	14.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	<u>Admission</u> 5.7%	<u>Discharge</u> 1.9%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 106) Biomedical Conditions and	5.7%	1.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =106) Biomedical Conditions and Complications (N = 105) Emotional/Behavioral/	5.7% 14.3%	1.9% 9.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =106) Biomedical Conditions and Complications (N = 105) Emotional/Behavioral/ Cognitive Problem (N = 106)	5.7% 14.3% 69.8%	1.9% 9.5% 37.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northwest Recovery Center, Inc. Thief River Falls

115 6th Street West Thief River Falls, MN 56701

County: Pennington

Provider Website:

Patient Profile

Gender (N = 54) Race (N = 54)Age (N = 54)Male: 81.5% White: 88.9% Female: 18.5% Black: 3.7% American Indian: 0.0% Hispanic: 3.7% Asian/Pacific Islander: 0.0% Other: 3.7%

Primary Substance (N = 54) Alcohol: 64.8% Methamphetamine: 11.1% Marijuana: 14.8% Heroin: 3.7% Cocaine: 3.7% Other opiates: 1.9% Other drugs: 0.0%

Source of Income (N = 54)Job: 42.6% Retirement/savings: 1.9% Family/friends: 11.1% No income: 24.1% Public sources: 9.3% Other sources: 11.1%

Under 18: 7.4% 18 to 25: 18.5% 26 to 34: 16.7% 35 and older: 57.4%

Source of Referral (N = 54). Self/family/relative/ friends: 25.9% Employer/school: 1.9% Criminal justice: 64.8% Professional: 11.1% County social service agency: 83.3% Other community resources: 9.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 54</u>) Completed program: 64.8% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 13.0% Death/other: 11.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Northwest Recovery Center, Inc. Thief River Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 54)	3.7%	0.0%
Not employed/student ^{\ddagger} (N = 52)	55.8%	46.2%
Arrests past 30 days (N = 53)	3.8%	5.7%
Alcohol use past 30 days (N = 53)	34.0%	7.6%
Drug use past 30 days (N = 53)	18.9%	5.7%
No self-help group participation past 30 days ($N = 54$)	61.1%	35.2%
No family support for recovery past 30 days (N = 53)	22.6%	17.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =54)	7.4%	7.4%
Biomedical Conditions and Complications $(N = 54)$	35.2%	22.2%
Emotional/Behavioral/ Cognitive Problem (N = 54)	81.5%	51.9%
Resistance to Change ($N = 54$)	100.0%	83.3%
Relapse/Continued Use Potential (N = 54)	100.0%	88.9%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nuway II

2518 First Avenue South Minneapolis, MN 55404

Provider Website:

Patient Profile

Gender (N = 152)

Male: 100.0%

Female: 0.0%

Race (N = 152) White: 75.0% Black: 17.8% American Indian: 5.3% Hispanic: 0.7% Asian/Pacific Islander: 0.7% Other: 0.7% <u>Age (N = 152)</u> Under 18: 0.0% 18 to 25: 21.1% 26 to 34: 25.0% 35 and older: 53.9%

County: Hennepin

Primary Substance (N = 152) Alcohol: 45.4% Methamphetamine: 14.5% Marijuana: 6.6% Heroin: 11.8% Cocaine: 17.8% Other opiates: 2.6% Other drugs: 1.3%

(N = 152) Job: 38.8% Retirement/savings: 2.6% Family/friends: 6.6% No income: 20.4% Public sources: 16.4% Other sources: 15.1%

Source of Income

Source of Referral

(N = 152) Self/family/relative/ friends: 3.3% Employer/school: 0.0% Criminal justice: 25.7% Professional: 94.1% County social service agency: 71.7% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 152) Completed program: 52.6% Patient left without staff approval: 25.7% Staff requested/judged inappropriate: 19.1% Death/other: 2.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Nuway II

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 152)	0.7%	0.0%
Not employed/student ^{ii} (N = 149)	79.9%	49.7%
Arrests past 30 days (N = 134)	2.2%	0.0%
Alcohol use past 30 days (N = 152)	4.6%	11.8%
Drug use past 30 days (N = 152)	4.6%	19.7%
No self-help group participation past 30 days (N = 134)	1.5%	0.7%
No family support for recovery past 30 days (N = 129)	6.2%	3.9%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =150)	2.7%	16.0%
Biomedical Conditions and Complications ($N = 151$)	25.2%	9.3%
Emotional/Behavioral/ Cognitive Problem (N = 151)	80.1%	49.7%
Resistance to Change ($N = 150$)	78.7%	49.3%
Relapse/Continued Use Potential (N = 151)	94.0%	49.0%
Unsupportive Recovery Environment (N = 151)	90.7%	43.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nuway House, Inc.

2200 First Avenue South Minneapolis, MN 55404

Provider Website:

Patient Profile

<u>Gender (N = 145)</u> Male: 100.0% Female: 0.0% Race (N = 145) White: 60.7% Black: 33.8% American Indian: 3.5% Hispanic: 1.4% Asian/Pacific Islander: 0.0% Other: 0.7% <u>Age (N = 145)</u> Under 18: 0.7% 18 to 25: 24.8% 26 to 34: 21.4% 35 and older: 53.1%

County: Hennepin

Primary Substance (N = 145) Alcohol: 49.0% Methamphetamine: 10.3% Marijuana: 12.4% Heroin: 9.7% Cocaine: 16.6% Other opiates: 0.7% Other drugs: 1.4%

(N = 145) Job: 11.0% Retirement/savings: 2.8% Family/friends: 14.5% No income: 42.1% Public sources: 19.3% Other sources: 10.3%

Source of Income

Source of Referral

<u>(N = 145)</u>. Self/family/relative/ friends: 2.8% Employer/school: 0.0% Criminal justice: 24.1% Professional: 91.7% County social service agency: 77.9% Other community resources: 0.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 145) Completed program: 55.9% Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 20.7% Death/other: 3.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Nuway House, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 140)	9.3%	2.9%
Not employed/student ^{\ddagger} (N = 115)	81.7%	50.4%
Arrests past 30 days (N = 121)	17.4%	4.1%
Alcohol use past 30 days (N = 130)	6.9%	9.2%
Drug use past 30 days (N = 129)	6.2%	11.6%
No self-help group participation past 30 days (N = 132)	3.0%	0.0%
No family support for recovery past 30 days (N = 93)	5.4%	3.2%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission 36.6%	Discharge 32.8%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =134) Biomedical Conditions and	36.6%	32.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =134) Biomedical Conditions and Complications (N = 133) Emotional/Behavioral/	36.6% 33.1%	32.8% 32.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =134) Biomedical Conditions and Complications (N = 133) Emotional/Behavioral/ Cognitive Problem (N = 134)	36.6% 33.1% 79.9%	32.8% 32.3% 68.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD

1900 Silver Lake Road New Brighton, MN 55112

County: Ramsey

AA: 3.9% Tribal: 0.0%

Provider Website: www.nystromcounseling.com

Patient Profile

Primary Substance	Source of Income	Source of Referral
<u>(N = 26)</u>	<u>(N = 26)</u>	(N = 26).
Alcohol: 61.5%	Job: 73.1%	Self/family/relative/
Methamphetamine: 19.2%	Retirement/savings: 3.9%	friends: 61.5%
Marijuana: 11.5%	Family/friends: 11.5%	Employer/school: 0.0%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 7.7%
Cocaine: 3.9%	Public sources: 7.7%	Professional: 61.5%
Other opiates: 0.0%	Other sources: 3.9%	County social
Other drugs: 3.9%		service agency: 7.7%
		Other community
		resources: 42.3%

Outcomes

Discharge Status (N = 26) Completed program: 34.6% Patient left without staff approval: 50.0% Staff requested/judged inappropriate: 11.5% Death/other: 3.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Nystrom and Associates, LTD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 26)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 23)	13.0%	17.4%
Arrests past 30 days (N = 26)	11.5%	0.0%
Alcohol use past 30 days (N = 26)	76.9%	19.2%
Drug use past 30 days (N = 26)	23.1%	3.9%
No self-help group participation past 30 days (N = 25)	16.0%	12.0%
No family support for recovery past 30 days (N = 8)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
2	Admission 4.4%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =23) Biomedical Conditions and	4.4%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =23) Biomedical Conditions and Complications (N = 23) Emotional/Behavioral/	4.4% 8.7%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 23) Biomedical Conditions and Complications (N = 23) Emotional/Behavioral/ Cognitive Problem (N = 23)	4.4% 8.7% 52.2%	0.0% 13.0% 30.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Odyssey County Home School Hennepin County

14300 County Road 62 Minnetonka, MN 55345

County: Hennepin

Provider Website:

Patient Profile

 Gender (N = 55)
 Race (N = 55)

 Male: 90.9%
 White: 9.1%

 Female: 9.1%
 Black: 65.5%

 American Indian: 5.5%

 Hispanic: 9.1%

 Asian/Pacific Islander: 1.8%

 Other: 9.1%

<u>Age (N = 55)</u> Under 18: 83.6% 18 to 25: 16.4% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance
(N = 55)
Alcohol: 16.4%
Methamphetamine: 0.0%
Marijuana: 83.6%
Heroin: 0.0%
Cocaine: 0.0%
Other opiates: 0.0%
Other drugs: 0.0%

Source of Income (N = 55)Job: 1.8% Retirement/savings: 0.0% Family/friends: 54.5% No income: 9.1% Public sources: 7.3% Other sources: 27.3%

Source of Referral

(N = 55) Self/family/relative/ friends: 1.8% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 45.5% Other community resources: 3.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 55) Completed program: 41.8% Patient left without staff approval: 3.6% Staff requested/judged inappropriate: 1.8% Death/other: 52.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Odyssey County Home School Hennepin County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 54)	9.3%	5.6%
Not employed/student ^{$\pm\pm$} (N = 54)	1.9%	0.0%
Arrests past 30 days (N = 52)	1.9%	0.0%
Alcohol use past 30 days (N = 54)	0.0%	0.0%
Drug use past 30 days (N = 55)	0.0%	0.0%
No self-help group participation past 30 days (N = 10)	100.0%	60.0%
No family support for recovery past 30 days (N = 21)	33.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =55)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 55$)	1.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 55)	90.9%	63.6%
Resistance to Change ($N = 55$)	50.9%	72.7%
Relapse/Continued Use Potential (N = 55)	98.2%	90.9%
	70.270	

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Odyssey-Dakota County Juvenile Service Center

1600 Hwy 55 Hastings, MN 55033

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 10)</u> Male: 100.0% Female: 0.0% Race (N = 10) White: 20.0% Black: 50.0% American Indian: 10.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 20.0% <u>Age (N = 10)</u> Under 18: 80.0% 18 to 25: 20.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 10)Alcohol: 10.0% Methamphetamine: 0.0% Marijuana: 90.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 10) Job: 0.0% Retirement/savings: 0.0% Family/friends: 90.0% No income: 0.0% Public sources: 0.0% Other sources: 10.0%

Source of Income

Source of Referral

(N = 10) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 10) Completed program: 100.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Odyssey-Dakota County Juvenile Service Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 10)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 10)	30.0%	0.0%
Arrests past 30 days (N = 10)	30.0%	0.0%
Alcohol use past 30 days (N = 10)	20.0%	0.0%
Drug use past 30 days (N = 10)	30.0%	0.0%
No self-help group participation past 30 days ($N = 10$)	90.0%	100.0%
No family support for recovery past 30 days ($N = 6$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =10)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 10)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 10)	100.0%	70.0%
Resistance to Change ($N = 10$)	100.0%	80.0%
Relapse/Continued Use Potential (N = 10)	100.0%	100.0%
Unsupportive Recovery Environment (N = 10)	100.0%	100.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Omada Behavioral Health-Downtown Northfield

401 Division St Northfield, MN 55057

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 20)</u> Male: 75.0% Female: 25.0% Race (N = 20) White: 95.0% Black: 0.0% American Indian: 0.0% Hispanic: 5.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 20) Under 18: 15.0% 18 to 25: 25.0% 26 to 34: 20.0% 35 and older: 40.0%

Primary Substance (N = 20) Alcohol: 65.0% Methamphetamine: 0.0% Marijuana: 35.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 20) Job: 35.0% Retirement/savings: 0.0% Family/friends: 60.0% No income: 0.0% Public sources: 0.0% Other sources: 5.0%

Source of Income

Source of Referral

(N = 20) Self/family/relative/ friends: 35.0% Employer/school: 5.0% Criminal justice: 30.0% Professional: 5.0% County social service agency: 20.0% Other community resources: 10.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 20) Completed program: 85.0% Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 0.0% Death/other: 5.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Omada Behavioral Health-Downtown Northfield

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 20)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 20)	25.0%	25.0%
Arrests past 30 days (N = 20)	35.0%	10.0%
Alcohol use past 30 days (N = 20)	35.0%	20.0%
Drug use past 30 days (N = 20)	35.0%	10.0%
No self-help group participation past 30 days (N = 19)	89.5%	84.2%
No family support for recovery past 30 days (N = 7)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =20)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 20$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 20)	25.0%	5.0%
Resistance to Change (N = 20)	15.0%	0.0%
Relapse/Continued Use Potential (N = 20)	65.0%	15.0%
Unsupportive Recovery Environment (N = 20)	30.0%	25.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Omegon, Inc.

2000 Hopkins Crossroads Minnetonka, MN 55305

County: Hennepin

Provider Website: www.omegon-mn.org

Patient Profile

Gender (N = 46) Race (N = 46)Age (N = 46)Male: 58.7% White: 78.3% Female: 41.3% Black: 2.2% 18 to 25: 0.0% American Indian: 2.2% 26 to 34: 0.0% Hispanic: 8.7% Asian/Pacific Islander: 2.2% Other: 6.5%

(N = 46)

Job: 43.5%

Primary Substance (N = 46)Alcohol: 19.6% Methamphetamine: 0.0% Marijuana: 67.4% Heroin: 0.0% Cocaine: 4.4% Other opiates: 2.2% Other drugs: 6.5%

Under 18: 100.0% 35 and older: 0.0%

Source of Income Source of Referral (N = 46). Self/family/relative/ friends: 67.4% Retirement/savings: 0.0% Family/friends: 39.1% Employer/school: 0.0% No income: 2.2% Criminal justice: 50.0% Public sources: 4.4% Professional: 32.6% Other sources: 10.9% County social service agency: 10.9% Other community resources: 8.7% AA: 0.0%

Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 46</u>) Completed program: 45.7% Patient left without staff approval: 34.8% Staff requested/judged inappropriate: 13.0% Death/other: 6.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Omegon, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 46)	2.2%	0.0%
Not employed/student ^{\ddagger} (N = 42)	0.0%	0.0%
Arrests past 30 days (N = 45)	20.0%	2.2%
Alcohol use past 30 days (N = 46)	23.9%	30.4%
Drug use past 30 days (N = 46)	43.5%	23.9%
No self-help group participation past 30 days (N = 43)	27.9%	4.7%
No family support for recovery past 30 days (N = 46)	0.0%	2.2%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
5	Admission 0.0%	<u>Discharge</u> 19.6%
Dimensions of Chemical Health ^s Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =46) Biomedical Conditions and	0.0%	19.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 46) Biomedical Conditions and Complications (N = 46) Emotional/Behavioral/	0.0% 17.4%	19.6% 28.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 46) Biomedical Conditions and Complications (N = 46) Emotional/Behavioral/ Cognitive Problem (N = 46)	0.0% 17.4% 97.8%	19.6% 28.3% 95.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

On-Belay House

115 Forestview Lane North Plymouth, MN 554415910

Provider Website:

Patient Profile

Gender (N = 75)

Female: 30.7%

Male: 69.3%

Race (N = 75) White: 62.7% Black: 8.0% American Indian: 17.3% Hispanic: 4.0% Asian/Pacific Islander: 2.7% Other: 5.3% <u>Age (N = 75)</u> Under 18: 98.7% 18 to 25: 1.3% 26 to 34: 0.0% 35 and older: 0.0%

County: Hennepin

Primary Substance (N = 74)Alcohol: 25.7% Methamphetamine: 6.8% Marijuana: 58.1% Heroin: 0.0% Cocaine: 4.1% Other opiates: 2.7%

Other drugs: 2.7%

Source of Income

(N = 75) Job: 0.0% Retirement/savings: 0.0% Family/friends: 85.3% No income: 0.0% Public sources: 13.3% Other sources: 1.3%

Source of Referral

(N = 75) Self/family/relative/ friends: 33.3% Employer/school: 0.0% Criminal justice: 49.3% Professional: 89.3% County social service agency: 24.0% Other community resources: 0.0% AA: 0.0% Tribal: 1.3%

Outcomes

Discharge Status (N = 75) Completed program: 37.3% Patient left without staff approval: 14.7% Staff requested/judged inappropriate: 25.3% Death/other: 22.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

On-Belay House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 75)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 75)	0.0%	0.0%
Arrests past 30 days (N = 52)	3.9%	5.8%
Alcohol use past 30 days (N = 73)	1.4%	1.4%
Drug use past 30 days (N = 73)	4.1%	4.1%
No self-help group participation past 30 days (N = 46)	28.3%	0.0%
No family support for recovery past 30 days (N = 14)	14.3%	21.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =74)		
withdrawar $(N = 74)$	0.0%	0.0%
Biomedical Conditions and Complications ($N = 74$)	0.0% 4.1%	0.0% 16.2%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 74) Emotional/Behavioral/	4.1%	16.2%
Biomedical Conditions and Complications (N = 74) Emotional/Behavioral/ Cognitive Problem (N = 74)	4.1% 98.6%	16.2% 74.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Oosh-Kii-Mii-Kah-Nah Halfway House

P.O. Box 114 Red Lake, MN 56671

County: Beltrami

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 23)} \\ Male: \ 65.2\% \\ Female: \ 34.8\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 23)} \\ White: \ 0.0\% \\ Black: \ 0.0\% \\ American \ Indian: \ 100.0\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 23)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 21.7\% \\ 26 \ to \ 34: \ 47.8\% \\ 35 \ and \ older: \ 30.4\% \\ Other: \ 0.0\% \end{array}$

Primary Substance (N = 23) Alcohol: 82.6% Methamphetamine: 0.0% Marijuana: 4.4% Heroin: 0.0% Cocaine: 13.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 23)Job: 21.7% Retirement/savings: 0.0% Family/friends: 0.0% No income: 21.7% Public sources: 13.0% Other sources: 43.5%

Source of Referral (N = 23) Self/family/relative/ friends: 26.1% Employer/school: 0.0% Criminal justice: 78.3% Professional: 56.5% County social service agency: 13.0% Other community resources: 8.7% AA: 0.0% Tribal: 4.4%

Outcomes

Discharge Status (N = 23) Completed program: 47.8% Patient left without staff approval: 39.1% Staff requested/judged inappropriate: 13.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Oosh-Kii-Mii-Kah-Nah Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{ii} (N = 21)	0.0%	0.0%
Not employed/student ^{11} (N = 15)	60.0%	53.3%
Arrests past 30 days (N = 18)	5.6%	5.6%
Alcohol use past 30 days (N = 23)	0.0%	0.0%
Drug use past 30 days (N = 20)	0.0%	0.0%
No self-help group participation past 30 days (N = 23)	0.0%	4.4%
No family support for recovery past 30 days (N = 23)	0.0%	4.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =23)	13.0%	30.4%
Biomedical Conditions and Complications $(N = 23)$	8.7%	8.7%
Emotional/Behavioral/ Cognitive Problem (N = 23)	17.4%	17.4%
Resistance to Change ($N = 23$)	21.7%	52.2%
Relapse/Continued Use Potential (N = 23)	78.3%	60.9%
Unsupportive Recovery Environment (N = 23)	73.9%	69.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Outpatient CD - Saginaw

6102 Abrahamson Road Saginaw, MN 55779

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 156)</u> Male: 100.0% Female: 0.0% Race (N = 156) White: 82.1% Black: 2.6% American Indian: 13.5% Hispanic: 1.9% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 156) Under 18: 0.0% 18 to 25: 39.1% 26 to 34: 28.8% 35 and older: 32.1%

Primary Substance (N = 156) Alcohol: 60.9% Methamphetamine: 10.9% Marijuana: 23.7% Heroin: 0.0% Cocaine: 0.6% Other opiates: 3.9% Other drugs: 0.0%

Source of Income

(N = 156) Job: 41.7% Retirement/savings: 1.3% Family/friends: 2.6% No income: 48.1% Public sources: 3.2% Other sources: 3.2%

Source of Referral

<u>(N = 156)</u>. Self/family/relative/ friends: 5.8% Employer/school: 0.0% Criminal justice: 95.5% Professional: 0.6% County social service agency: 5.1% Other community resources: 0.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 156) Completed program: 91.7% Patient left without staff approval: 0.6% Staff requested/judged inappropriate: 1.3% Death/other: 6.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Outpatient CD - Saginaw

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 152)	0.7%	0.7%
Not employed/student ^{\ddagger} (N = 151)	63.6%	85.4%
Arrests past 30 days (N = 156)	1.3%	0.6%
Alcohol use past 30 days (N = 156)	0.0%	0.0%
Drug use past 30 days (N = 156)	1.3%	2.6%
No self-help group participation past 30 days (N = 155)	29.0%	2.6%
No family support for recovery past 30 days (N = 152)	7.2%	15.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =156)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 156$)	14.7%	15.4%
Emotional/Behavioral/ Cognitive Problem (N = 156)	30.8%	28.8%
Resistance to Change ($N = 156$)	64.1%	49.4%
Relapse/Continued Use Potential (N = 156)	95.5%	88.5%
Unsupportive Recovery Environment (N = 156)	47.4%	39.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Owatonna Family Focus Immanuel St. Joseph's Mayo Health

634 West Bridge Street Owatonna, MN 55060

County: Steele

Provider Website: www.mayohealthsystem.org

Patient Profile

Primary Substance
(N = 117)
Alcohol: 62.4%
Methamphetamine: 6.8%
Marijuana: 20.5%
Heroin: 0.9%
Cocaine: 4.3%
Other opiates: 5.1%
Other drugs: 0.0%

Source of Income (N = 117)Job: 70.1% Retirement/savings: 3.4% Family/friends: 17.9% No income: 1.7% Public sources: 5.1% Other sources: 1.7%

Source of Referral

<u>(N = 117)</u>. Self/family/relative/ friends: 29.1% Employer/school: 2.6% Criminal justice: 65.8% Professional: 11.1% County social service agency: 6.8% Other community resources: 22.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 117) Completed program: 73.5% Patient left without staff approval: 10.3% Staff requested/judged inappropriate: 11.1% Death/other: 5.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Owatonna Family Focus Immanuel St. Joseph's Mayo Health

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 117)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 115)	23.5%	20.9%
Arrests past 30 days (N = 110)	3.6%	1.8%
Alcohol use past 30 days (N = 107)	25.2%	6.5%
Drug use past 30 days (N = 104)	6.7%	2.9%
No self-help group participation past 30 days (N = 105)	66.7%	61.9%
No family support for recovery past 30 days (N = 104)	19.2%	24.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =116)	1.7%	5.2%
Biomedical Conditions and Complications ($N = 117$)	8.6%	5.1%
Emotional/Behavioral/ Cognitive Problem (N = 117)	40.2%	21.4%
Resistance to Change ($N = 117$)	47.0%	25.6%
Relapse/Continued Use Potential (N = 117)	89.7%	5 9 .0%
Unsupportive Recovery Environment (N = 117)	80.3%	72.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Park Avenue Center

2525 Park Avenue Minneapolis, MN 55404

County: Hennepin

Provider Website: www.ParkAvenueCenter.com

Patient Profile

Primary Substance (N = 1501) Alcohol: 35.6% Methamphetamine: 12.9% Marijuana: 17.7% Heroin: 3.7% Cocaine: 28.2% Other opiates: 1.4% Other drugs: 0.5% Source of Income (N = 1501)Job: 19.8% Retirement/savings: 1.1% Family/friends: 6.7% No income: 49.0% Public sources: 19.1% Other sources: 4.3%

Source of Referral

(N = 1501) . Self/family/relative/ friends: 34.2% Employer/school: 0.9% Criminal justice: 48.3% Professional: 8.3% County social service agency: 14.8% Other community resources: 3.4% AA: 0.0% Tribal: 0.1%

Outcomes

Discharge Status (N = 1501) Completed program: 64.1% Patient left without staff approval: 28.6% Staff requested/judged inappropriate: 5.3% Death/other: 2.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Park Avenue Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 1439)	10.5%	20.5%
Not employed/student ^{\ddagger} (N = 1484)	78.6%	78.6%
Arrests past 30 days (N = 1481)	14.7%	3.2%
Alcohol use past 30 days (N = 538)	69.1%	23.2%
Drug use past 30 days (N = 562)	67.6%	27.6%
No self-help group participation past 30 days (N = 1462)	67.6%	11.7%
No family support for recovery past 30 days (N = 1411)	19.3%	18.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =1499)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 1499$)	1.4%	2.3%
Emotional/Behavioral/ Cognitive Problem (N = 1499)	42.9%	26.0%
Resistance to Change (N = 1498)		
	89.0%	42.6%
Relapse/Continued Use Potential (N = 1499)	89.0% 98.5%	42.6% 48.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Passages

121 Park Ave S St. Cloud, MN 563013780

County: Benton

Provider Website: www.centracare.com

Patient Profile

Primary Substance (N = 117) Alcohol: 49.6% Methamphetamine: 30.8% Marijuana: 15.4% Heroin: 0.0% Cocaine: 1.7% Other opiates: 2.6% Other drugs: 0.0%

(N = 117) Job: 24.8% Retirement/savings: 0.0% Family/friends: 6.0% No income: 27.4%

Public sources: 28.2%

Other sources: 13.7%

Source of Income

Source of Referral

<u>(N = 117)</u> Self/family/relative/ friends: 0.9% Employer/school: 0.0% Criminal justice: 0.9% Professional: 0.9% County social service agency: 98.3% Other community resources: 94.0% AA: 0.0% Tribal: 4.3%

Outcomes

Discharge Status (N = 117) Completed program: 65.8% Patient left without staff approval: 6.8% Staff requested/judged inappropriate: 12.8% Death/other: 14.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Passages

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 115)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 113)	92.9%	41.6%
Arrests past 30 days (N = 115)	1.7%	6.1%
Alcohol use past 30 days (N = 117)	1.7%	4.3%
Drug use past 30 days (N = 114)	0.9%	3.5%
No self-help group participation past 30 days (N = 114)	3.5%	0.0%
No family support for recovery past 30 days (N = 94)	6.4%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =117)	0.9%	0.9%
Biomedical Conditions and Complications ($N = 117$)	12.0%	12.8%
Emotional/Behavioral/ Cognitive Problem (N = 117)	75.2%	74.4%
Resistance to Change ($N = 117$)	91.5%	74.4%
Relapse/Continued Use Potential (N = 117)	97.4%	88.9%
Unsupportive Recovery Environment (N = 116)	99.1%	90.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pathway House

613 2nd Street SW Rochester, MN 55902

County: Olmsted

Provider Website: www.pathwayhouse.com

Patient Profile

Source of Income

Primary Substance (N = 106) Alcohol: 44.3% Methamphetamine: 35.8% Marijuana: 11.3% Heroin: 0.9% Cocaine: 4.7% Other opiates: 1.9% Other drugs: 0.9%

(N = 106) Job: 25.5% Retirement/savings: 0.0% Family/friends: 8.5% No income: 37.7% Public sources: 20.8% Other sources: 7.6% Source of Referral (N = 106) Self/family/relative/ friends: 25.5% Employer/school: 0.0% Criminal justice: 34.9% Professional: 50.0% County social service agency: 84.0% Other community resources: 2.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 106) Completed program: 87.7% Patient left without staff approval: 6.6% Staff requested/judged inappropriate: 2.8% Death/other: 2.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Pathway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 106)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 104)	87.5%	8.7%
Arrests past 30 days (N = 104)	1.0%	1.0%
Alcohol use past 30 days (N = 106)	0.9%	1.9%
Drug use past 30 days (N = 106)	0.9%	0.0%
No self-help group participation past 30 days (N = 98)	27.6%	19.4%
No family support for recovery past 30 days (N = 56)	3.6%	0.0%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =106) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 106) Biomedical Conditions and Complications (N = 106) Emotional/Behavioral/	0.0% 19.8%	0.0% 8.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 106) Biomedical Conditions and Complications (N = 106) Emotional/Behavioral/ Cognitive Problem (N = 106)	0.0% 19.8% 52.8%	0.0% 8.5% 12.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pathway House

103 6th Avenue SW Rochester, MN 55902

County: Olmsted

Provider Website: www.pathwayhouse.com

Patient Profile

Gender (N = 73) Race (N = 73)Age (N = 73)Male: 2.7% White: 83.6% Under 18: 0.0% Female: 97.3% Black: 2.7% 18 to 25: 26.0% American Indian: 5.5% 26 to 34: 31.5% Hispanic: 2.7% 35 and older: 42.5% Asian/Pacific Islander: 1.4% Other: 4.1%

Primary Substance (N = 73)
Alcohol: 43.8%
Methamphetamine: 27.4%
Marijuana: 4.1%
Heroin: 1.4%
Cocaine: 13.7%
Other opiates: 6.9%
Other drugs: 2.7%

Source of Income (N = 73)Job: 13.7% Retirement/savings: 1.4% Family/friends: 13.7% No income: 35.6% Public sources: 28.8% Other sources: 6.9%

Source of Referral (N = 73). Self/family/relative/ friends: 23.3% Employer/school: 0.0% Criminal justice: 27.4% Professional: 52.1% County social service agency: 91.8% Other community resources: 1.4% AA: 0.0% Tribal: 1.4%

Outcomes

Discharge Status <u>(N = 73</u>) Completed program: 75.3% Patient left without staff approval: 17.8% Staff requested/judged inappropriate: 4.1% Death/other: 2.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Pathway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 73)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 73)	97.3%	12.3%
Arrests past 30 days (N = 73)	1.4%	0.0%
Alcohol use past 30 days (N = 73)	1.4%	1.4%
Drug use past 30 days (N = 73)	0.0%	4.1%
No self-help group participation past 30 days ($N = 71$)	36.6%	8.5%
No family support for recovery past 30 days (N = 43)	2.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 73)$	0.0%	1.4%
Emotional/Behavioral/ Cognitive Problem (N = 73)	9.6%	23.3%
Resistance to Change ($N = 73$)	100.0%	50.7%
Relapse/Continued Use Potential (N = 73)	100.0%	75.3%
Unsupportive Recovery Environment (N = 73)	100.0%	68.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pear Lake Women's Program

2086 Ridgeway Drive Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

Gender (N = 81) Race (N = 81)Male: 19.8% White: 71.6% Female: 80.2% Black: 1.2% American Indian: 22.2% Hispanic: 4.9% Asian/Pacific Islander: 0.0% Other: 0.0%

Source of Income

Age (N = 81)Under 18: 0.0% 18 to 25: 34.6% 26 to 34: 16.0% 35 and older: 49.4%

Primary Substance (N = 81) Alcohol: 45.7% Methamphetamine: 24.7% Marijuana: 14.8% Heroin: 0.0% Cocaine: 3.7% Other opiates: 11.1% Other drugs: 0.0%

(N = 81)Job: 30.9% Retirement/savings: 2.5% Family/friends: 7.4% No income: 14.8% Public sources: 27.2% Other sources: 17.3%

Source of Referral (N = 81) . Self/family/relative/ friends: 55.6% Employer/school: 0.0% Criminal justice: 24.7% Professional: 50.6% County social service agency: 51.9%

Other community resources: 7.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 81</u>) Completed program: 66.7% Patient left without staff approval: 16.0% Staff requested/judged inappropriate: 9.9% Death/other: 7.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Pear Lake Women's Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 80)	2.5%	0.0%
Not employed/student ^{\ddagger} (N = 77)	77.9%	68.8%
Arrests past 30 days (N = 79)	6.3%	2.5%
Alcohol use past 30 days (N = 81)	11.1%	6.2%
Drug use past 30 days (N = 81)	9.9%	2.5%
No self-help group participation past 30 days ($N = 79$)	7.6%	0.0%
No family support for recovery past 30 days (N = 80)	1.3%	1.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =80)	2.5%	0.0%
Biomedical Conditions and Complications ($N = 80$)	13.8%	15.0%
Emotional/Behavioral/ Cognitive Problem (N = 80)	23.8%	23.8%
Resistance to Change ($N = 80$)	33.8%	23.8%
Relapse/Continued Use Potential (N = 80)	37.5%	28.8%
Unsupportive Recovery Environment (N = 64)	31.3%	7.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

People Incorporated ISN, Huss Recovery Services

1315 Girard Avenue North Minneapolis, MN 55411

County: Hennepin

Provider Website: www.peopleIncorporated.org

Patient Profile

Gender (N = 41)Race (NMale: 39.0%White: 3Female: 61.0%Black: 5AmericaHispania

Race (N = 41) White: 39.0% Black: 51.2% American Indian: 0.0% Hispanic: 9.8% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 41)</u> Under 18: 0.0% 18 to 25: 26.8% 26 to 34: 19.5% 35 and older: 53.7%

resources: 9.8%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 40)	(N = 41)	<u>(N = 41)</u> .
Alcohol: 50.0%	Job: 17.1%	Self/family/relative/
Methamphetamine: 5.0%	Retirement/savings: 0.0%	friends: 26.8%
Marijuana: 25.0%	Family/friends: 12.2%	Employer/school: 2.4%
Heroin: 0.0%	No income: 4.9%	Criminal justice: 26.8%
Cocaine: 20.0%	Public sources: 61.0%	Professional: 19.5%
Other opiates: 0.0%	Other sources: 4.9%	County social
Other drugs: 0.0%		service agency: 90.2%
		Other community

Outcomes

Discharge Status (N = 41) Completed program: 24.4% Patient left without staff approval: 39.0% Staff requested/judged inappropriate: 7.3% Death/other: 29.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

People Incorporated ISN, Huss Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 41)	9.8%	7.3%
Not employed/student ^{11} (N = 39)	79.5%	66.7%
Arrests past 30 days (N = 28)	7.1%	3.6%
Alcohol use past 30 days (N = 38)	57.9%	44.7%
Drug use past 30 days (N = 38)	65.8%	60.5%
No self-help group participation past 30 days (N = 22)	72.7%	54.5%
No family support for recovery past 30 days (N = 16)	0.0%	25.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =35)	0.0%	2.9%
Biomedical Conditions and Complications $(N = 36)$	25.0%	22.2%
Emotional/Behavioral/ Cognitive Problem (N = 37)	100.0%	86.5%
Resistance to Change ($N = 37$)	91.9%	73.0%
Relapse/Continued Use Potential (N = 37)	100.0%	91.9%
Unsupportive Recovery Environment (N = 37)	86.5%	81.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Perkins Counseling Center

1500 1st Ave. NE Rochester, MN 55906

County: Olmsted

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 1)</u> Male: * Female: *	Race (N = 1) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 1) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 1) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 1) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 1) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Perkins Counseling Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 1)	*	*
Not employed/student ^{tt} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days (N = 1)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	*	* *

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Phoenix Group Homes Inc.

601 SE 13th Ave Minneapolis, MN 55414

County: Hennepin

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 5)</u> Male: * Female: *	Race (N = 5) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 5) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 5) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 5) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 5) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: *

Outcomes

Discharge Status (N = 5) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Phoenix Group Homes Inc.

National Outcome Measures (NOMS)	Admission	Discharge
Homeless ^{\ddagger} (N = 5)	*	*
Not employed/student ^{tt} (N = 4)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days (N = 5)	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pine Manors, Inc.

22195 State 34 Nevis, MN 56467

Provider Website:

Patient Profile

Gender (N = 292)

Female: 20.5%

Male: 79.5%

Race (N = 292) White: 63.0% Black: 1.0% American Indian: 32.9% Hispanic: 1.7% Asian/Pacific Islander: 0.3% Other: 1.0% <u>Age (N = 292)</u> Under 18: 0.0% 18 to 25: 30.5% 26 to 34: 22.9% 35 and older: 46.6%

County: Hubbard

Primary Substance (N = 292) Alcohol: 60.3% Methamphetamine: 11.0% Marijuana: 19.9% Heroin: 1.0% Cocaine: 1.7% Other opiates: 5.8% Other drugs: 0.3%

(N = 292) Job: 46.6% Retirement/savings: 0.7% Family/friends: 15.4% No income: 18.8% Public sources: 12.0% Other sources: 6.5%

Source of Income

Source of Referral

(N = 292) Self/family/relative/ friends: 54.1% Employer/school: 0.3% Criminal justice: 40.4% Professional: 6.2% County social service agency: 74.0% Other community resources: 3.1% AA: 0.0% Tribal: 19.9%

Outcomes

Discharge Status (N = 292) Completed program: 71.2% Patient left without staff approval: 19.5% Staff requested/judged inappropriate: 7.9% Death/other: 1.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Pine Manors, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 292)	0.3%	0.0%
Not employed/student ^{\ddagger} (N = 291)	81.4%	85.2%
Arrests past 30 days (N = 292)	2.1%	0.3%
Alcohol use past 30 days (N = 292)	75.0%	13.7%
Drug use past 30 days (N = 292)	56.8%	10.6%
No self-help group participation past 30 days (N = 290)	96.2%	2.1%
No family support for recovery past 30 days (N = 288)	2.1%	0.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =291)	0.3%	0.3%
Biomedical Conditions and Complications ($N = 292$)	6.5%	1.7%
Emotional/Behavioral/ Cognitive Problem (N = 292)	90.1%	22.3%
Resistance to Change (N = 292)	98.3%	25.0%
Relapse/Continued Use Potential (N = 292)	99.7%	26.0%
Unsupportive Recovery Environment (N = 292)	99.0%	25.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pineview Recovery Center

912 Main Street Little Fork, MN 56653

County: Koochiching

Provider Website: www.littleforkmedicalcenter.com

Patient Profile

<u>Gender (N = 50)</u> Male: 72.0% Female: 28.0% Race (N = 50) White: 74.0% Black: 0.0% American Indian: 20.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 6.0% <u>Age (N = 50)</u> Under 18: 0.0% 18 to 25: 16.0% 26 to 34: 20.0% 35 and older: 64.0%

AA: 0.0% Tribal: 4.0%

Primary Substance	Source of Income	Source of Referral
(N = 50)	<u>(N = 50)</u>	(N = 50) .
Alcohol: 78.0%	Job: 30.0%	Self/family/relative/
Methamphetamine: 6.0%	Retirement/savings: 4.0%	friends: 44.0%
Marijuana: 4.0%	Family/friends: 10.0%	Employer/school: 2.0%
Heroin: 0.0%	No income: 12.0%	Criminal justice: 50.0%
Cocaine: 4.0%	Public sources: 42.0%	Professional: 16.0%
Other opiates: 0.0%	Other sources: 2.0%	County social
Other drugs: 8.0%		service agency: 80.0%
		Other community
		resources: 0.0%

Outcomes

Discharge Status (N = 50) Completed program: 66.0% Patient left without staff approval: 8.0% Staff requested/judged inappropriate: 10.0% Death/other: 16.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Pineview Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 49)	6.1%	4.1%
Not employed/student ^{\ddagger} (N = 50)	82.0%	80.0%
Arrests past 30 days (N = 49)	32.7%	6.1%
Alcohol use past 30 days (N = 49)	75.5%	14.3%
Drug use past 30 days (N = 50)	38.0%	8.0%
No self-help group participation past 30 days (N = 50)	64.0%	2.0%
No family support for recovery past 30 days (N = 50)	12.0%	6.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =50)	14.0%	8.0%
Biomedical Conditions and Complications $(N = 50)$	40.0%	24.0%
Emotional/Behavioral/ Cognitive Problem (N = 50)	40.0%	26.0%
Resistance to Change (N = 50)	14.0%	18.0%
Relapse/Continued Use Potential (N = 49)		01 (0/
	100.0%	81.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie Center for the Family, LLC

400 East Main Street Marshall, MN 562582665

County: Lyon

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 9)</u> Male: * Female: *	Race (N = 9) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 9) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 9) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 9) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 9) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 9) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Prairie Center for the Family, LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 6)	*	*
Not employed/student ^{tt} (N = 4)	*	*
Arrests past 30 days (N = 3)	*	*
Alcohol use past 30 days (N = 2)	*	*
Drug use past 30 days (N = 2)	*	*
No self-help group participation past 30 days (N = 3)	*	*
No family support for recovery past 30 days (N = 3)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie House Recovery

305 Prairie Road Monticello, MN 55362

County: Wright

Provider Website: www.mlrecovery.org

Patient Profile

Gender (N = 36) Race (N = 36)Age (N = 36)Male: 0.0% White: 80.6% Under 18: 100.0% Female: 100.0% Black: 0.0% 18 to 25: 0.0% American Indian: 13.9% 26 to 34: 0.0% Hispanic: 0.0% 35 and older: 0.0% Asian/Pacific Islander: 0.0% Other: 5.6%

Primary Substance (N = 35)Alcohol: 25.7% Methamphetamine: 5.7% Marijuana: 45.7% Heroin: 2.9% Cocaine: 17.1% Other opiates: 2.9% Other drugs: 0.0%

Source of Income (N = 36)Job: 0.0% Retirement/savings: 0.0% Family/friends: 91.7% No income: 2.8% Public sources: 2.8% Other sources: 2.8%

Source of Referral (N = 36). Self/family/relative/ friends: 36.1% Employer/school: 0.0% Criminal justice: 50.0% Professional: 33.3% County social service agency: 47.2% Other community resources: 25.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 36</u>) Completed program: 75.0% Patient left without staff approval: 13.9% Staff requested/judged inappropriate: 11.1% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Prairie House Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 36)	2.8%	0.0%
Not employed/student ^{$\ddagger t$} (N = 36)	0.0%	0.0%
Arrests past 30 days (N = 36)	16.7%	0.0%
Alcohol use past 30 days (N = 36)	19.4%	0.0%
Drug use past 30 days (N = 36)	41.7%	2.8%
No self-help group participation past 30 days (N = 36)	25.0%	0.0%
No family support for recovery past 30 days (N = 35)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 22.2%	<u>Discharge</u> 8.3%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and	22.2%	8.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and Complications (N = 36) Emotional/Behavioral/	22.2% 38.9%	8.3% 27.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and Complications (N = 36) Emotional/Behavioral/ Cognitive Problem (N = 36)	22.2% 38.9% 88.9%	8.3% 27.8% 50.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pride Institute, Inc.

14400 Martin Drive Eden Prairie, MN 55344

County: Hennepin

Provider Website: www.pride-institute.com

Patient Profile

Gender (N = 76) Race (N = 76)Age (N = 76)Under 18: 0.0% Male: 82.9% White: 76.3% Female: 17.1% Black: 10.5% 18 to 25: 9.2% American Indian: 1.3% 26 to 34: 31.6% Hispanic: 6.6% Asian/Pacific Islander: 0.0% Other: 5.3%

Primary Substance	Source
(N = 75)	(N = 7)
Alcohol: 56.0%	Job: 4
Methamphetamine: 22.7%	Retire
Marijuana: 2.7%	Family
Heroin: 1.3%	No inc
Cocaine: 14.7%	Public
Other opiates: 1.3%	Other
Other drugs: 1.3%	

e of Income '6) 10.8% ment/savings: 7.9% v/friends: 7.9% come: 11.8% sources: 14.5% sources: 17.1%

35 and older: 59.2%

Source of Referral (N = 76). Self/family/relative/ friends: 78.9% Employer/school: 9.2% Criminal justice: 7.9% Professional: 23.7% County social service agency: 7.9% Other community resources: 11.8% AA: 2.6% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 76</u>) Completed program: 88.2% Patient left without staff approval: 6.6% Staff requested/judged inappropriate: 2.6% Death/other: 2.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Pride Institute, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 70)	18.6%	0.0%
Not employed/student ^{ii} (N = 63)	50.8%	52.4%
Arrests past 30 days (N = 72)	8.3%	0.0%
Alcohol use past 30 days (N = 76)	53.9%	2.6%
Drug use past 30 days (N = 76)	64.5%	6.6%
No self-help group participation past 30 days (N = 74)	41.9%	0.0%
No family support for recovery past 30 days (N = 74)	6.8%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =75)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 75$)	4.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 76)	81.6%	23.7%
Resistance to Change ($N = 76$)	59.2%	26.3%
Relapse/Continued Use		
Potential (N = 76)	73.7%	14.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pride Institute, Inc.

2836 Lyndale Ave. So. Minneapolis, MN 55408

County: Hennepin

Provider Website: www.pride-institute.com

Patient Profile

Gender (N = 60) Race (N = 60)Age (N = 60)Male: 78.3% White: 85.0% Under 18: 1.7% Female: 21.7% Black: 3.3% 18 to 25: 13.3% American Indian: 1.7% 26 to 34: 30.0% Hispanic: 6.7% 35 and older: 55.0% Asian/Pacific Islander: 1.7% Other: 1.7%

Primary Substance (N = 59) Alcohol: 67.8% Methamphetamine: 20.3% Marijuana: 3.4% Heroin: 0.0% Cocaine: 5.1% Other opiates: 0.0% Other drugs: 3.4%

Source of Income (N = 60)Job: 51.7% Retirement/savings: 5.0% Family/friends: 5.0% No income: 0.0% Public sources: 20.0% Other sources: 18.3%

Source of Referral

(N = 60) . Self/family/relative/ friends: 70.0% Employer/school: 5.0% Criminal justice: 20.0% Professional: 26.7% County social service agency: 11.7% Other community resources: 11.7% AA: 1.7% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 60</u>) Completed program: 63.3% Patient left without staff approval: 23.3% Staff requested/judged inappropriate: 6.7% Death/other: 6.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Pride Institute, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 56)	1.8%	0.0%
Not employed/student ^{\ddagger} (N = 47)	36.2%	31.9%
Arrests past 30 days (N = 59)	6.8%	0.0%
Alcohol use past 30 days (N = 60)	35.0%	0.0%
Drug use past 30 days (N = 59)	33.9%	0.0%
No self-help group participation past 30 days (N = 53)	39.6%	5.7%
No family support for recovery past 30 days (N = 54)	13.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =60)	8.3%	0.0%
Biomedical Conditions and Complications ($N = 60$)	6.7%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 60)	48.3%	41.7%
Resistance to Change ($N = 60$)	35.0%	26.7%
Relapse/Continued Use Potential (N = 60)		
	56.7%	33.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prodigal House

5103 Minnehaha Ave Minneapolis, MN 55417

County: Hennepin

AA: 0.0% Tribal: 0.0%

Provider Website: www.prodhouse.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 94)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline \\ Mispanic: \ 4.3\% \\ Asian/Pacific \ Islander: \ 1.1\% \\ \hline \\ Other: \ 0.0\% \\ \hline \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 94)} \\ Under \ 18: \ 0.0\% \\ \hline \\ 18 \ to \ 25: \ 16.0\% \\ 26 \ to \ 34: \ 13.8\% \\ 35 \ and \ older: \ 70.2\% \\ \hline \\ Other: \ 0.0\% \\ \hline \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 94)	(N = 94)	(N = 94).
Alcohol: 45.7%	Job: 2.1%	Self/family/relative/
Methamphetamine: 14.9%	Retirement/savings: 1.1%	friends: 6.4%
Marijuana: 6.4%	Family/friends: 0.0%	Employer/school: 0.0%
Heroin: 2.1%	No income: 64.9%	Criminal justice: 45.7%
Cocaine: 28.7%	Public sources: 30.9%	Professional: 48.9%
Other opiates: 2.1%	Other sources: 1.1%	County social
Other drugs: 0.0%		service agency: 94.7%
-		Other community
		resources: 3.2%

Outcomes

Discharge Status (N = 94) Completed program: 63.8% Patient left without staff approval: 16.0% Staff requested/judged inappropriate: 18.1% Death/other: 2.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Prodigal House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 94)	9.6%	2.1%
Not employed/student ^{\ddagger} (N = 86)	100.0%	98.8%
Arrests past 30 days (N = 94)	3.2%	0.0%
Alcohol use past 30 days (N = 94)	26.6%	0.0%
Drug use past 30 days (N = 94)	17.0%	3.2%
No self-help group participation past 30 days (N = 93)	3.2%	4.3%
No family support for recovery past 30 days (N = 85)	5.9%	11.8%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =94)	1.1%	1.1%
Biomedical Conditions and Complications $(N = 94)$	26.6%	9.6%
Emotional/Behavioral/ Cognitive Problem (N = 94)	90.4%	34.0%
Resistance to Change ($N = 93$)	91.4%	41.9%
Relapse/Continued Use Potential (N = 93)	100.0%	47.3%
Unsupportive Recovery Environment (N = 93)	100.0%	37.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center of Buffalo

7 West Highway 55 Buffalo, MN 55313

County: Wright

Provider Website:

Patient Profile

Gender (N = 83) Race (N = 83)Age (N = 83)Male: 80.7% White: 96.4% Under 18: 0.0% Female: 19.3% Black: 1.2% 18 to 25: 37.3% American Indian: 0.0% Hispanic: 2.4% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance Source of Income (N = 83) (N = 83)Alcohol: 81.9% Job: 65.1% Methamphetamine: 7.2% Marijuana: 9.6% Heroin: 0.0% Cocaine: 1.2% Other opiates: 0.0% Other drugs: 0.0%

Retirement/savings: 2.4% Family/friends: 14.5% No income: 1.2% Public sources: 2.4% Other sources: 14.5%

26 to 34: 25.3%

35 and older: 37.3%

Source of Referral (N = 83) . Self/family/relative/ friends: 43.4% Employer/school: 0.0% Criminal justice: 86.7% Professional: 4.8% County social service agency: 45.8% Other community resources: 4.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 83</u>) Completed program: 63.9% Patient left without staff approval: 9.6% Staff requested/judged inappropriate: 19.3% Death/other: 7.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Professional Counseling Center of Buffalo

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 83)	0.0%	0.0%
Not employed/student ^{III} (N = 82)	32.9%	25.6%
Arrests past 30 days (N = 83)	19.3%	13.3%
Alcohol use past 30 days (N = 83)	24.1%	20.5%
Drug use past 30 days (N = 83)	6.0%	6.0%
No self-help group participation past 30 days (N = 82)	87.8%	28.0%
No family support for recovery past 30 days (N = 83)	39.8%	21.7%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =83)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 82$)	2.4%	4.9%
Emotional/Behavioral/ Cognitive Problem (N = 83)	78.3%	33.7%
Resistance to Change ($N = 83$)	43.4%	28.9%
Relapse/Continued Use Potential (N = 83)	84.3%	42.2%
Unsupportive Recovery Environment (N = 83)	81.9%	37.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center of Delano

620 Hwy 12 Delano, MN 55328

County: Wright

Provider Website:

Patient Profile

Gender (N = 35) Race (N = 35)Male: 60.0% White: 97.1% Female: 40.0% Black: 0.0% American Indian: 2.9% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 35)Under 18: 0.0% 18 to 25: 22.9% 26 to 34: 22.9% 35 and older: 54.3%

Primary Substance	Source of Income
<u>(N = 35)</u>	<u>(N = 35)</u>
Alcohol: 82.9%	Job: 68.6%
Methamphetamine: 5.7%	Retirement/savings
Marijuana: 8.6%	Family/friends: 22.
Heroin: 0.0%	No income: 0.0%
Cocaine: 0.0%	Public sources: 0.0
Other opiates: 2.9%	Other sources: 8.6
Other drugs: 0.0%	

avings: 0.0% s: 22.9% .0% s: 0.0% s: 8.6%

Source of Referral

(N = 35). Self/family/relative/ friends: 54.3% Employer/school: 0.0% Criminal justice: 82.9% Professional: 0.0% County social service agency: 45.7% Other community resources: 5.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 35</u>) Completed program: 71.4% Patient left without staff approval: 11.4% Staff requested/judged inappropriate: 17.1% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Professional Counseling Center of Delano

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 35)	0.0%	2.9%
Not employed/student ^{11} (N = 35)	34.3%	25.7%
Arrests past 30 days (N = 35)	17.1%	2.9%
Alcohol use past 30 days (N = 35)	34.3%	17.1%
Drug use past 30 days (N = 35)	8.6%	2.9%
No self-help group participation past 30 days (N = 35)	97.1%	22.9%
No family support for recovery past 30 days (N = 35)	37.1%	14.3%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =35)	2.9%	8.6%
Biomedical Conditions and Complications ($N = 35$)	5.7%	5.7%
Emotional/Behavioral/ Cognitive Problem (N = 35)	77.1%	31.4%
Resistance to Change ($N = 35$)	40.0%	28.6%
Relapse/Continued Use Potential (N = 35)	88.6%	34.3%
Unsupportive Recovery Environment (N = 35)	82.9%	40.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Progress Valley I

3033 Garfield Avenue South Minneapolis, MN 55408

County: Hennepin

Provider Website: www.progressvalley.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 131)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 131)} \\ White: \ 84.0\% \\ Black: \ 9.2\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 4.6\% \\ Asian/Pacific \ Islander: \ 0.8\% \\ Other: \ 1.5\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 131)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 35.1\% \\ 26 \ to \ 34: \ 29.0\% \\ 35 \ and \ older: \ 35.9\% \\ 35 \ and \ older: \ 35.9\% \\ \end{array}$

Source of Income

Primary Substance (N = 131) Alcohol: 42.0% Methamphetamine: 24.4% Marijuana: 7.6% Heroin: 6.1% Cocaine: 16.8% Other opiates: 2.3% Other drugs: 0.8%

(N = 131) Job: 58.0% Retirement/savings: 6.1% Family/friends: 13.7% No income: 2.3% Public sources: 4.6% Other sources: 15.3%

Source of Referral

(N = 131) Self/family/relative/ friends: 17.6% Employer/school: 0.0% Criminal justice: 0.8% Professional: 84.7% County social service agency: 22.1% Other community resources: 0.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 131) Completed program: 53.4% Patient left without staff approval: 22.1% Staff requested/judged inappropriate: 20.6% Death/other: 3.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Progress Valley I

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 131)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 127)	85.0%	29.9%
Arrests past 30 days (N = 131)	2.3%	0.8%
Alcohol use past 30 days (N = 130)	12.3%	4.6%
Drug use past 30 days (N = 130)	12.3%	5.4%
No self-help group participation past 30 days (N = 131)	1.5%	0.0%
No family support for recovery past 30 days (N = 130)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =128)	0.8%	4.7%
Biomedical Conditions and Complications ($N = 128$)	3.9%	2.3%
Emotional/Behavioral/ Cognitive Problem (N = 128)	65.6%	47.7%
Resistance to Change (N = 128)	61.7%	44.5%
Relapse/Continued Use Potential (N = 128)	95.3%	78.1%
Unsupportive Recovery Environment (N = 127)	92.9%	58.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Progress Valley II

308 East 78th Street Richfield, MN 55423

County: Hennepin

Provider Website: www.progressvalley.org

Patient Profile

Primary Substance (N = 138) Alcohol: 37.7% Methamphetamine: 24.6% Marijuana: 4.4% Heroin: 4.4% Cocaine: 22.5% Other opiates: 0.7% Other drugs: 5.8% Source of Income (N = 139)Job: 7.9% Retirement/savings: 2.9% Family/friends: 16.5% No income: 48.2% Public sources: 18.7% Other sources: 5.8%

Source of Referral

(N = 139) Self/family/relative/ friends: 26.6% Employer/school: 0.0% Criminal justice: 25.9% Professional: 88.5% County social service agency: 33.1% Other community resources: 15.1% AA: 1.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 139) Completed program: 55.4% Patient left without staff approval: 21.6% Staff requested/judged inappropriate: 20.9% Death/other: 2.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Progress Valley II

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 136)	5.2%	0.7%
Not employed/student ^{\ddagger} (N = 116)	91.4%	34.5%
Arrests past 30 days (N = 136)	2.2%	0.7%
Alcohol use past 30 days (N = 129)	9.3%	3.1%
Drug use past 30 days (N = 125)	11.2%	0.0%
No self-help group participation past 30 days (N = 132)	12.1%	0.0%
No family support for recovery past 30 days (N = 123)	5.7%	6.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =137)	0.0%	0.7%
Biomedical Conditions and Complications ($N = 136$)	13.2%	6.6%
Emotional/Behavioral/ Cognitive Problem (N = 136)	60.3%	39.0%
Resistance to Change ($N = 136$)	76.5%	52.9%
Relapse/Continued Use		
Potential (N = 136)	99.3%	58.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout

520 Litchfield Ave S.W. Willmar, MN 56201

County: Kandiyohi

Provider Website: www.projectturnabout.org

Patient Profile

Primary Substance (N = 101) Alcohol: 72.3% Methamphetamine: 7.9% Marijuana: 18.8% Heroin: 0.0% Cocaine: 1.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 101)Job: 53.5% Potiromont/cavings:

Job: 53.5% Retirement/savings: 0.0% Family/friends: 21.8% No income: 5.0% Public sources: 2.0% Other sources: 17.8% Source of Referral

(N = 101) Self/family/relative/ friends: 41.6% Employer/school: 4.0% Criminal justice: 57.4% Professional: 37.6% County social service agency: 36.6% Other community resources: 9.9% AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 101) Completed program: 55.4% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 43.6% Death/other: 1.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Project Turnabout

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 100)	3.0%	0.0%
Not employed/student ^{\ddagger} (N = 85)	32.9%	27.1%
Arrests past 30 days (N = 98)	0.0%	2.0%
Alcohol use past 30 days (N = 92)	8.7%	18.5%
Drug use past 30 days (N = 97)	2.1%	6.2%
No self-help group participation past 30 days (N = 82)	26.8%	4.9%
No family support for recovery past 30 days (N = 64)	15.6%	6.3%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
5	Admission 2.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =101) Biomedical Conditions and	2.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 101) Biomedical Conditions and Complications (N = 101) Emotional/Behavioral/	2.0% 6.9%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =101) Biomedical Conditions and Complications (N = 101) Emotional/Behavioral/ Cognitive Problem (N = 101)	2.0% 6.9% 95.0%	0.0% 3.0% 68.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout Chemical Dependency Treatment Center of Redwood Falls

334 South Jefferson Street Redwood Falls, MN 562831762

County: Redwood

AA: 0.0% Tribal: 1.5%

Provider Website: www.projectturnabout.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 65)} \\ Male: \ 76.9\% \\ Female: \ 23.1\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 65)} \\ White: \ 81.5\% \\ Black: \ 0.0\% \\ American \ Indian: \ 9.2\% \\ Hispanic: \ 7.7\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 1.5\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 65)} \\ Under \ 18: \ 13.8\% \\ 18 \ to \ 25: \ 30.8\% \\ 26 \ to \ 34: \ 18.5\% \\ 35 \ and \ older: \ 36.9\% \\ Other: \ 1.5\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 65)	<u>(N = 65)</u>	(N = 65).
Alcohol: 70.8%	Job: 46.2%	Self/family/relative/
Methamphetamine: 1.5%	Retirement/savings: 0.0%	friends: 18.5%
Marijuana: 27.7%	Family/friends: 35.4%	Employer/school: 3.1%
Heroin: 0.0%	No income: 1.5%	Criminal justice: 66.2%
Cocaine: 0.0%	Public sources: 10.8%	Professional: 23.1%
Other opiates: 0.0%	Other sources: 6.2%	County social
Other drugs: 0.0%		service agency: 75.4%
		Other community
		resources: 7.7%

Outcomes

Discharge Status (N = 65) Completed program: 63.1% Patient left without staff approval: 3.1% Staff requested/judged inappropriate: 30.8% Death/other: 3.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{ii} (N = 65)	0.0%	0.0%
Not employed/student ^{ii} (N = 65)	43.1%	29.2%
Arrests past 30 days (N = 65)	3.1%	6.2%
Alcohol use past 30 days (N = 65)	20.0%	12.3%
Drug use past 30 days (N = 65)	10.8%	3.1%
No self-help group participation past 30 days (N = 65)	60.0%	13.8%
No family support for recovery past 30 days (N = 61)	8.2%	6.6%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =64)	0.0%	0.0%
	0.0% 1.5%	0.0% 1.5%
Withdrawal (N =64) Biomedical Conditions and		
Withdrawal (N =64) Biomedical Conditions and Complications (N = 65) Emotional/Behavioral/	1.5%	1.5%
Withdrawal (N =64) Biomedical Conditions and Complications (N = 65) Emotional/Behavioral/ Cognitive Problem (N = 65)	1.5% 64.6%	1.5% 41.5%

Project Turnabout Chemical Dependency Treatment Center of Redwood Falls

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

 $^{^{\}ddagger\ddagger}$ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout Halfway House-Marshall

1220 Birch Street Marshall, MN 562581500

County: Lyon

AA: 0.0% Tribal: 0.5%

Provider Website: www.projectturnabout.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 200)} \\ Male: \ 84.0\% \\ Female: \ 16.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 200)} \\ White: \ 91.0\% \\ Black: \ 3.5\% \\ American \ Indian: \ 1.5\% \\ Hispanic: \ 3.5\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.5\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 200)} \\ Under \ 18: \ 6.0\% \\ 18 \ to \ 25: \ 32.0\% \\ 35 \ and \ older: \ 41.5\% \\ 35 \ and \ older: \ 41.5\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 200)	<u>(N = 200)</u>	(N = 200).
Alcohol: 59.5%	Job: 43.5%	Self/family/relative/
Methamphetamine: 11.5%	Retirement/savings: 3.5%	friends: 10.5%
Marijuana: 22.5%	Family/friends: 15.5%	Employer/school: 0.5%
Heroin: 0.0%	No income: 12.5%	Criminal justice: 34.5%
Cocaine: 4.0%	Public sources: 10.5%	Professional: 64.5%
Other opiates: 2.0%	Other sources: 14.5%	County social
Other drugs: 0.5%		service agency: 83.0%
		Other community
		resources: 4.0%

Outcomes

Discharge Status (N = 200) Completed program: 60.5% Patient left without staff approval: 9.0% Staff requested/judged inappropriate: 23.0% Death/other: 7.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Project Turnabout Halfway House-Marshall

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 197)	0.0%	0.0%
Not employed/student ^{ii} (N = 195)	57.9%	28.7%
Arrests past 30 days (N = 200)	2.0%	5.0%
Alcohol use past 30 days (N = 199)	8.0%	9.1%
Drug use past 30 days (N = 200)	5.5%	4.0%
No self-help group participation past 30 days (N = 191)	16.8%	2.6%
No family support for recovery past 30 days (N = 187)	3.7%	1.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =198)	0.0%	2.0%
Biomedical Conditions and Complications ($N = 200$)	2.0%	1.5%
Emotional/Behavioral/ Cognitive Problem (N = 200)	34.0%	29.0%
Resistance to Change (N = 199)	45.7%	44.7%
Relapse/Continued Use Potential (N = 200)	78.5%	61.0%
Unsupportive Recovery Environment (N = 200)	66.0%	61.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout of Granite Falls

660 18th Street Granite Falls, MN 562411099

County: Yellow Medicine

Provider Website: www.projectturnabout.com

Patient Profile

Primary Substance (N = 606) Alcohol: 56.1% Methamphetamine: 14.4% Marijuana: 17.8% Heroin: 3.0% Cocaine: 5.0% Other opiates: 3.1% Other drugs: 0.7% Source of Income (N = 624)Job: 37.0% Retirement/savings: 4.8% Family/friends: 24.4% No income: 12.0% Public sources: 8.3% Other sources: 13.5%

Source of Referral

(N = 624) Self/family/relative/ friends: 54.0% Employer/school: 0.3% Criminal justice: 37.0% Professional: 19.6% County social service agency: 66.8% Other community resources: 14.9% AA: 0.6% Tribal: 0.3%

Outcomes

Discharge Status (N = 624) Completed program: 58.2% Patient left without staff approval: 15.7% Staff requested/judged inappropriate: 14.3% Death/other: 11.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Project Turnabout of Granite Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 603)	3.7%	0.8%
Not employed/student ^{11} (N = 537)	67.0%	73.0%
Arrests past 30 days (N = 595)	18.5%	4.2%
Alcohol use past 30 days (N = 582)	53.6%	5.7%
Drug use past 30 days (N = 585)	39.0%	5.6%
No self-help group participation past 30 days ($N = 542$)	43.5%	4.4%
No family support for recovery past 30 days (N = 449)	16.0%	7.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =615)	8.1%	1.6%
Biomedical Conditions and Complications ($N = 615$)	25.2%	20.5%
Emotional/Behavioral/ Cognitive Problem (N = 609)	97.0%	97.7%
Resistance to Change ($N = 608$)	98.8%	97.2%
Relapse/Continued Use Potential (N = 609)	99.5%	99.3%
Unsupportive Recovery Environment (N = 602)	98.3%	98.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rainbow Behavioral Health Services Chartered

305 9th Street Windom, MN 56101

County: CottonWood

Provider Website:

Patient Profile

 Gender (N = 69)
 Race (N = 69)

 Male: 72.5%
 White: 92.8%

 Female: 27.5%
 Black: 0.0%

 American India
 Hispanic: 4.4%

Race (N = 69) White: 92.8% Black: 0.0% American Indian: 1.5% Hispanic: 4.4% Asian/Pacific Islander: 1.5% Other: 0.0% Age (N = 69) Under 18: 5.8% 18 to 25: 21.7% 26 to 34: 24.6% 35 and older: 47.8%

Primary Substance (N = 69) Alcohol: 73.9% Methamphetamine: 4.4% Marijuana: 20.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.5% Other drugs: 0.0%

Source of Income

(N = 69) Job: 72.5% Retirement/savings: 0.0% Family/friends: 13.0% No income: 1.5% Public sources: 7.3% Other sources: 5.8%

Source of Referral

(N = 69) Self/family/relative/ friends: 33.3% Employer/school: 1.5% Criminal justice: 62.3% Professional: 18.8% County social service agency: 60.9% Other community resources: 2.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 69) Completed program: 72.5% Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 4.4% Death/other: 5.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Rainbow Behavioral Health Services Chartered

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 65)	0.0%	0.0%
Not employed/student ^{11} (N = 64)	20.3%	18.8%
Arrests past 30 days (N = 65)	4.6%	0.0%
Alcohol use past 30 days (N = 57)	29.8%	0.0%
Drug use past 30 days (N = 60)	8.3%	1.7%
No self-help group participation past 30 days ($N = 58$)	63.8%	15.5%
No family support for recovery past 30 days (N = 59)	27.1%	6.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =66)	0.0%	3.0%
Biomedical Conditions and Complications $(N = 68)$	0.0%	2.9%
Emotional/Behavioral/ Cognitive Problem (N = 67)	0.0%	6.0%
Resistance to Change ($N = 68$)	8.8%	19.1%
Relapse/Continued Use Potential (N = 68)	83.8%	26.5%
Unsupportive Recovery Environment (N = 68)	95.6%	38.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Range Treatment Center

3203 3rd Aveune West Hibbing, MN 55746

Provider Website:

Patient Profile

Male: 78.1%

Gender (N = 64) Female: 21.9%

Race (N = 64)White: 85.9% Black: 1.6% American Indian: 6.3% Hispanic: 4.7% Asian/Pacific Islander: 1.6% Other: 0.0%

Age (N = 64)Under 18: 0.0% 18 to 25: 50.0% 26 to 34: 20.3% 35 and older: 29.7%

County: St. Louis

Primary Substance (N = 64)Alcohol: 56.3% Methamphetamine: 15.6% Marijuana: 26.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.6% Other drugs: 0.0%

(N = 64)Job: 46.9% Retirement/savings: 3.1% Family/friends: 10.9% No income: 9.4% Public sources: 21.9% Other sources: 7.8%

Source of Income

Source of Referral

(N = 64) . Self/family/relative/ friends: 28.1% Employer/school: 3.1% Criminal justice: 68.8% Professional: 7.8% County social service agency: 26.6% Other community resources: 6.3% AA: 0.0% Tribal: 1.6%

Outcomes

Discharge Status <u>(N = 64</u>) Completed program: 75.0% Patient left without staff approval: 9.4% Staff requested/judged inappropriate: 14.1% Death/other: 1.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Range Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 63)	0.0%	1.6%
Not employed/student ^{\ddagger} (N = 61)	50.8%	45.9%
Arrests past 30 days (N = 61)	6.6%	9.8%
Alcohol use past 30 days (N = 60)	18.3%	6.7%
Drug use past 30 days (N = 60)	13.3%	8.3%
No self-help group participation past 30 days ($N = 61$)	65.6%	8.2%
No family support for recovery past 30 days (N = 61)	16.4%	19.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
5	<u>Admission</u> 1.6%	Discharge 11.3%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =62) Biomedical Conditions and	1.6%	11.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =62) Biomedical Conditions and Complications (N = 63) Emotional/Behavioral/	1.6% 12.7%	11.3% 17.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =62) Biomedical Conditions and Complications (N = 63) Emotional/Behavioral/ Cognitive Problem (N = 63)	1.6% 12.7% 25.4%	11.3% 17.5% 34.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rapids Counseling Services, Inc.

717 NE 4th Street Grand Rapids, MN 55744

County: Itasca

Provider Website: www.rapidscounseling.com

Patient Profile

Primary Substance (N = 172) Alcohol: 68.0% Methamphetamine: 8.1% Marijuana: 12.8% Heroin: 0.0% Cocaine: 4.7% Other opiates: 4.1% Other drugs: 2.3% Source of Income (N = 172)Job: 57.0% Retirement/savings: 2.3% Family/friends: 10.5% No income: 6.4% Public sources: 19.8% Other sources: 4.1%

Source of Referral

<u>(N = 172)</u>. Self/family/relative/ friends: 19.2% Employer/school: 2.9% Criminal justice: 80.8% Professional: 4.1% County social service agency: 8.7% Other community resources: 11.0% AA: 1.7% Tribal: 0.6%

Outcomes

Discharge Status (N = 172) Completed program: 71.5% Patient left without staff approval: 16.3% Staff requested/judged inappropriate: 1.7% Death/other: 10.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Rapids Counseling Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 170)	2.4%	1.2%
Not employed/student ^{\ddagger} (N = 166)	35.5%	39.8%
Arrests past 30 days (N = 157)	13.4%	8.9%
Alcohol use past 30 days (N = 143)	63.6%	9.8%
Drug use past 30 days (N = 141)	48.2%	8.5%
No self-help group participation past 30 days (N = 155)	63.2%	7.1%
No family support for recovery past 30 days (N = 141)	7.1%	13.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
5	Admission 0.0%	<u>Discharge</u> 0.6%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =171) Biomedical Conditions and	0.0%	0.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 171) Biomedical Conditions and Complications (N = 172) Emotional/Behavioral/	0.0%	0.6% 0.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =171) Biomedical Conditions and Complications (N = 172) Emotional/Behavioral/ Cognitive Problem (N = 172)	0.0% 0.0% 7.6%	0.6% 0.6% 6.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rational Alternatives

206 14th Street East International Falls, MN 566490229

Provider Website:

Patient Profile

<u>Gender (N = 68)</u> Male: 63.2% Female: 36.8% Race (N = 68) White: 83.8% Black: 0.0% American Indian: 14.7% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 1.5% <u>Age (N = 68)</u> Under 18: 0.0% 18 to 25: 29.4% 26 to 34: 19.1% 35 and older: 51.5%

County: Koochiching

Primary Substance (N = 68) Alcohol: 67.6% Methamphetamine: 5.9% Marijuana: 17.6% Heroin: 0.0% Cocaine: 1.5% Other opiates: 5.9% Other drugs: 1.5%

(N = 68) Job: 38.2% Retirement/savings: 7.4% Family/friends: 10.3% No income: 8.8% Public sources: 29.4% Other sources: 5.9%

Source of Income

Source of Referral

(N = 68) Self/family/relative/ friends: 52.9% Employer/school: 2.9% Criminal justice: 51.5% Professional: 13.2% County social service agency: 54.4% Other community resources: 11.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 68) Completed program: 70.6% Patient left without staff approval: 13.2% Staff requested/judged inappropriate: 4.4% Death/other: 11.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Rational Alternatives

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 66)	4.6%	6.1%
Not employed/student ^{\ddagger} (N = 65)	50.8%	43.1%
Arrests past 30 days (N = 63)	14.3%	3.2%
Alcohol use past 30 days (N = 52)	40.4%	9.6%
Drug use past 30 days (N = 49)	20.4%	8.2%
No self-help group participation past 30 days (N = 66)	56.1%	12.1%
No family support for recovery past 30 days (N = 54)	1.9%	3.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =68)	45.6%	32.4%
Biomedical Conditions and Complications $(N = 68)$	47.1%	27.9%
Emotional/Behavioral/ Cognitive Problem (N = 68)	89.7%	54.4%
Resistance to Change ($N = 68$)	52.9%	29.4%
Relapse/Continued Use Potential (N = 68)	98.5%	58.8%
Unsupportive Recovery Environment (N = 68)	88.2%	67.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rays of Hope Unlimited

118 North Victoria Street St. Paul, MN 55104

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 11)}}{\text{Male: } 45.5\%}$ Female: 54.5% Race (N = 11) White: 63.6% Black: 36.4% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 11)</u> Under 18: 0.0% 18 to 25: 54.5% 26 to 34: 18.2% 35 and older: 27.3%

County: Ramsey

Primary Substance (N = 11) Alcohol: 54.5% Methamphetamine: 0.0% Marijuana: 27.3% Heroin: 0.0% Cocaine: 9.1% Other opiates: 0.0% Other drugs: 9.1%

(N = 11) Job: 36.4% Retirement/savings: 0.0% Family/friends: 36.4% No income: 0.0% Public sources: 27.3% Other sources: 0.0%

Source of Income

Source of Referral

(N = 11) Self/family/relative/ friends: 100.0% Employer/school: 9.1% Criminal justice: 54.5% Professional: 9.1% County social service agency: 9.1% Other community resources: 18.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 11) Completed program: 72.7% Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 0.0% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Rays of Hope Unlimited

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 9)	*	*
Not employed/student ^{\ddagger} (N = 9)	*	*
Arrests past 30 days (N = 11)	9.1%	0.0%
Alcohol use past 30 days (N = 11)	63.6%	27.3%
Drug use past 30 days (N = 11)	63.6%	9.1%
No self-help group participation past 30 days (N = 7)	*	*
No family support for recovery past 30 days (N = 6)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =8)	*	*
Biomedical Conditions and Complications $(N = 8)$	*	*
Emotional/Behavioral/ Cognitive Problem (N = 8)	*	*
Resistance to Change ($N = 8$)	*	*
Relapse/Continued Use Potential (N = 7)	*	*
Unsupportive Recovery Environment (N = 6)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rebecca Residence of Scandia

21077 Penrose Avenue North Scandia, MN 55073

County: Washington

Provider Website: www.havenchemicalhealth.com

Patient Profile

Primary Substance (N = 127) Alcohol: 52.8% Methamphetamine: 25.2% Marijuana: 9.5% Heroin: 0.8% Cocaine: 5.5% Other opiates: 5.5% Other drugs: 0.8% Source of Income (N = 127) Job: 32.3% Retirement/savings: 1.6% Family/friends: 40.2% No income: 7.9%

Public sources: 7.9%

Other sources: 10.2%

Source of Referral

(N = 127) Self/family/relative/ friends: 50.4% Employer/school: 0.8% Criminal justice: 10.2% Professional: 37.8% County social service agency: 48.0% Other community resources: 44.1% AA: 2.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 127) Completed program: 81.9% Patient left without staff approval: 10.2% Staff requested/judged inappropriate: 3.9% Death/other: 3.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Rebecca Residence of Scandia

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 127)	2.4%	0.8%
Not employed/student ^{\ddagger} (N = 121)	64.5%	68.6%
Arrests past 30 days (N = 127)	11.0%	2.4%
Alcohol use past 30 days (N = 127)	70.9%	7.9%
Drug use past 30 days (N = 127)	56.7%	3.9%
No self-help group participation past 30 days (N = 117)	89.7%	1.7%
No family support for recovery past 30 days (N = 117)	70.1%	3.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =127)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 126$)	2.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 127)	97.6%	63.0%
Resistance to Change ($N = 127$)	15.0%	12.6%
Relapse/Continued Use Potential (N = 127)	100.0%	82.7%
Unsupportive Recovery Environment (N = 127)	100.0%	40.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Plus Adult Program St. Cloud Hospital

713 Anderson Ave St. Cloud, MN 56303

County: Stearns

AA: 0.2% Tribal: 0.2%

Provider Website: www.centracare.com

Patient Profile

Primary Substance	Source of Income	Source of Referral
<u>(N = 1332)</u>	<u>(N = 1332)</u>	<u>(N = 1332)</u>
Alcohol: 56.2%	Job: 35.1%	Self/family/relative/
Methamphetamine: 14.3%	Retirement/savings: 6.4%	friends: 53.0%
Marijuana: 17.2%	Family/friends: 19.1%	Employer/school: 5.4%
Heroin: 0.6%	No income: 17.4%	Criminal justice: 32.5%
Cocaine: 5.2%	Public sources: 15.9%	Professional: 25.7%
Other opiates: 5.5%	Other sources: 6.2%	County social
Other drugs: 1.1%		service agency: 18.5%
		Other community
		resources: 5.3%

Outcomes

Discharge Status (N = 1332) Completed program: 69.5% Patient left without staff approval: 12.1% Staff requested/judged inappropriate: 11.3% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Recovery Plus Adult Program St. Cloud Hospital

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 1310)	4.0%	2.0%
Not employed/student ^{\ddagger} (N = 1251)	54.2%	51.2%
Arrests past 30 days (N = 1242)	8.6%	3.8%
Alcohol use past 30 days (N = 1140)	46.5%	6.4%
Drug use past 30 days (N = 1138)	35.4%	6.8%
No self-help group participation past 30 days (N = 1263)	56.5%	8.2%
No family support for recovery past 30 days (N = 1183)	6.3%	5.8%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1283)	Admission 8.7%	<u>Discharge</u> 4.6%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =1283) Biomedical Conditions and	8.7%	4.6%
Acute Intoxication/ Withdrawal (N =1283) Biomedical Conditions and Complications (N = 1283) Emotional/Behavioral/	8.7% 17.1%	4.6% 11.1%
Acute Intoxication/ Withdrawal (N =1283) Biomedical Conditions and Complications (N = 1283) Emotional/Behavioral/ Cognitive Problem (N = 1282)	8.7% 17.1% 62.5%	4.6% 11.1% 53.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Plus-Rum River Health

209 6th Avenue South Princeton, MN 55371

County: Mille Lacs

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 138)} \\ Male: \ 64.5\% \\ Female: \ 35.5\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 138)} \\ White: \ 92.8\% \\ Black: \ 0.7\% \\ American \ Indian: \ 2.2\% \\ Hispanic: \ 3.6\% \\ Asian/Pacific \ Islander: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 138)} \\ Under \ 18: \ 6.5\% \\ 18 \ to \ 25: \ 25.4\% \\ 26 \ to \ 34: \ 25.4\% \\ 35 \ and \ older: \ 42.8\% \\ Other: \ 0.7\% \end{array}$

Source of Income

Primary Substance (N = 132) Alcohol: 69.7% Methamphetamine: 15.9% Marijuana: 11.4% Heroin: 0.0% Cocaine: 1.5% Other opiates: 0.8% Other drugs: 0.8%

(N = 138) Job: 44.2% Retirement/savings: 3.6% Family/friends: 10.9% No income: 15.2% Public sources: 15.9% Other sources: 10.1%

Source of Referral

<u>(N = 138)</u> Self/family/relative/ friends: 38.4% Employer/school: 1.5% Criminal justice: 50.7% Professional: 14.5% County social service agency: 19.6% Other community resources: 13.8% AA: 0.7% Tribal: 0.0%

Outcomes

Discharge Status (N = 138) Completed program: 71.7% Patient left without staff approval: 10.1% Staff requested/judged inappropriate: 10.1% Death/other: 8.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Recovery Plus-Rum River Health

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 120)	7.5%	4.2%
Not employed/student ^{11} (N = 118)	47.5%	43.2%
Arrests past 30 days (N = 124)	9.7%	0.8%
Alcohol use past 30 days (N = 128)	8.6%	5.5%
Drug use past 30 days (N = 124)	15.3%	4.8%
No self-help group participation past 30 days (N = 113)	49.6%	2.7%
No family support for recovery past 30 days (N = 103)	18.4%	7.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =131)	2.3%	0.8%
Biomedical Conditions and Complications ($N = 131$)	13.0%	5.3%
Emotional/Behavioral/ Cognitive Problem (N = 131)	66.4%	20.6%
Resistance to Change ($N = 131$)	38.9%	18.3%
Relapse/Continued Use Potential (N = 131)	91.6%	28.2%
Unsupportive Recovery Environment (N = 131)	74.0%	30.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Resource Center

1900 Chicago Avenue South Minneapolis, MN 55404

County: Hennepin

Provider Website: www.resource-mn.org

Patient Profile

Primary Substance (N = 356) Alcohol: 32.3% Methamphetamine: 2.8% Marijuana: 9.3% Heroin: 7.6% Cocaine: 45.5% Other opiates: 1.7% Other drugs: 0.8% Source of Income (N = 356) Job: 12.4% Retirement/savings: 0.3% Family/friends: 3.7% No income: 13.2% Public sources: 41.9% Other sources: 28.7%

Source of Referral

(N = 356) Self/family/relative/ friends: 84.8% Employer/school: 0.0% Criminal justice: 19.9% Professional: 15.2% County social service agency: 60.4% Other community resources: 3.7% AA: 0.3% Tribal: 0.0%

Outcomes

Discharge Status (N = 356) Completed program: 62.6% Patient left without staff approval: 28.9% Staff requested/judged inappropriate: 5.9% Death/other: 2.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Recovery Resource Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 345)	35.9%	3.8%
Not employed/student ^{\ddagger} (N = 342)	96.8%	93.6%
Arrests past 30 days (N = 336)	9.5%	0.9%
Alcohol use past 30 days (N = 248)	62.5%	6.1%
Drug use past 30 days (N = 248)	70.6%	11.3%
No self-help group participation past 30 days (N = 330)	78.2%	13.9%
No family support for recovery past 30 days (N = 328)	14.3%	11.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
•	<u>Admission</u> 19.1%	Discharge 17.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 356) Biomedical Conditions and	19.1%	17.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 356) Biomedical Conditions and Complications (N = 356) Emotional/Behavioral/	19.1% 47.5%	17.1% 12.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =356) Biomedical Conditions and Complications (N = 356) Emotional/Behavioral/ Cognitive Problem (N = 355)	19.1% 47.5% 72.1%	17.1% 12.1% 57.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Resources of Winsted

471 2nd St. No Winsted, MN 55395

County: McLeod

Provider Website:

Patient Profile

Gender (N = 73) Race (N = 73)Age (N = 73)Male: 72.6% White: 90.4% Female: 27.4% Black: 0.0% American Indian: 2.7% Hispanic: 6.9% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 73)Alcohol: 72.6% Methamphetamine: 12.3% Marijuana: 13.7% Heroin: 0.0% Cocaine: 1.4% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 73)Job: 75.3% Retirement/savings: 2.7% Family/friends: 11.0% No income: 5.5% Public sources: 2.7% Other sources: 2.7%

Under 18: 8.2%

18 to 25: 30.1% 26 to 34: 21.9% 35 and older: 39.7%

Source of Referral (N = 73). Self/family/relative/ friends: 12.3% Employer/school: 6.9% Criminal justice: 82.2% Professional: 11.0% County social

service agency: 12.3% Other community resources: 15.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 73</u>) Completed program: 72.6% Patient left without staff approval: 12.3% Staff requested/judged inappropriate: 6.9% Death/other: 8.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Recovery Resources of Winsted

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 72)	0.0%	1.4%
Not employed/student ^{$\pm\pm$} (N = 70)	12.9%	21.4%
Arrests past 30 days (N = 71)	8.5%	4.2%
Alcohol use past 30 days (N = 66)	18.2%	10.6%
Drug use past 30 days (N = 67)	9.0%	7.5%
No self-help group participation past 30 days ($N = 73$)	46.6%	15.1%
No family support for recovery past 30 days (N = 73)	5.5%	6.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =73)	2.7%	8.2%
Withdrawal (N =73) Biomedical Conditions and Complications (N = 71)	2.7% 7.0%	8.2% 7.0%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/	7.0%	7.0%
Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/ Cognitive Problem (N = 73)	7.0% 54.8%	7.0% 37.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Works/BC Jail House Program

925 Lake Avenue Detroit Lakes, MN 56502

County: Becker

Provider Website:

Patient Profile

 Gender (N = 21)
 Race (N = 21)
 Addition

 Male: 81.0%
 White: 33.3%
 U

 Female: 19.0%
 Black: 4.8%
 American Indian: 57.1%
 Addition

 Hispanic: 4.8%
 Asian/Pacific Islander: 0.0%
 Other: 0.0%
 Description

<u>Age (N = 21)</u> Under 18: 0.0% 18 to 25: 42.9% 26 to 34: 19.0% 35 and older: 38.1%

Primary Substance
(N = 21)
Alcohol: 38.1%
Methamphetamine: 19.0%
Marijuana: 38.1%
Heroin: 0.0%
Cocaine: 0.0%
Other opiates: 4.8%
Other drugs: 0.0%

(N = 21) Job: 14.3% Retirement/savings: 0.0% Family/friends: 19.0% No income: 47.6% Public sources: 0.0% Other sources: 19.0%

Source of Income

Source of Referral

(N = 21) Self/family/relative/ friends: 90.5% Employer/school: 0.0% Criminal justice: 76.2% Professional: 0.0% County social service agency: 19.0% Other community resources: 14.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 21) Completed program: 52.4% Patient left without staff approval: 9.5% Staff requested/judged inappropriate: 0.0% Death/other: 38.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Recovery Works/BC Jail House Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 21)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 20)	100.0%	75.0%
Arrests past 30 days (N = 21)	33.3%	0.0%
Alcohol use past 30 days (N = 21)	38.1%	0.0%
Drug use past 30 days (N = 21)	33.3%	0.0%
No self-help group participation past 30 days (N = 21)	57.1%	9.5%
No family support for recovery past 30 days (N = 19)	26.3%	15.8%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =21)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 21)$	19.0%	9.5%
Emotional/Behavioral/ Cognitive Problem (N = 21)	66.7%	33.3%
Resistance to Change ($N = 21$)	100.0%	71.4%
Relapse/Continued Use Potential (N = 21)	100.0%	85.7%
Unsupportive Recovery Environment (N = 21)	100.0%	81.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake CD Outpatient Program

P.O. Box 114 Red Lake, MN 56671

County: Beltrami

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 121)} \\ Male: \ 55.4\% \\ Female: \ 44.6\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 121)} \\ White: \ 0.0\% \\ Black: \ 0.0\% \\ American \ Indian: \ 99.2\% \\ Hispanic: \ 0.8\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 121)} \\ Under \ 18: \ 14.0\% \\ 18 \ to \ 25: \ 32.2\% \\ 26 \ to \ 34: \ 19.0\% \\ 35 \ and \ older: \ 34.7\% \\ Asian/Pacific \ Islander: \ 0.0\% \end{array}$

Primary Substance (N = 121) Alcohol: 84.3% Methamphetamine: 0.0% Marijuana: 14.9% Heroin: 0.0% Cocaine: 0.8% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 121)Job: 28.1%

Job: 28.1% Retirement/savings: 0.8% Family/friends: 21.5% No income: 11.6% Public sources: 24.8% Other sources: 13.2% Source of Referral (N = 121) Self/family/relative/ friends: 43.0% Employer/school: 5.8% Criminal justice: 83.5% Professional: 1.7% County social service agency: 9.9% Other community resources: 6.6% AA: 0.0% Tribal: 3.3%

Outcomes

Discharge Status (N = 121) Completed program: 42.1% Patient left without staff approval: 33.9% Staff requested/judged inappropriate: 2.5% Death/other: 21.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Red Lake CD Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{ii} (N = 115)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 103)	43.7%	48.5%
Arrests past 30 days (N = 112)	61.6%	6.3%
Alcohol use past 30 days (N = 121)	56.2%	5.0%
Drug use past 30 days (N = 119)	35.3%	7.6%
No self-help group participation past 30 days (N = 85)	98.8%	94.1%
No family support for recovery past 30 days (N = 82)	41.5%	11.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =119)	1.7%	1.7%
Biomedical Conditions and Complications ($N = 121$)	0.8%	1.7%
Emotional/Behavioral/ Cognitive Problem (N = 121)	82.6%	37.2%
Resistance to Change (N = 121)	72.7%	43.0%
Relapse/Continued Use Potential (N = 121)	85.1%	46.3%
Unsupportive Recovery Environment (N = 121)	76.0%	40.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake Group Home

PO Box 114 Redlake, MN 56671

County: Beltrami

Tribal: *

Provider Website: www.redlakechemicalhealthprograms.com

Patient Profile

<u>Gender (N = 3)</u> Male: * Female: *	Race (N = 3) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	<u>Age (N = 3)</u> Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 3) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 3) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 3) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 3) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Red Lake Group Home

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 3)	*	*
Not employed/student ^{tt} (N = 3)	*	*
Arrests past 30 days (N = 3)	*	*
Alcohol use past 30 days (N = 3)	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days (N = 3)	*	*
No family support for recovery past 30 days (N = 2)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

 $^{^{\}ddagger\ddagger}$ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake Treatment Center

PO Box 114 Redlake, MN 56671

County: Beltrami

Provider Website:

Patient Profile

<u>Gender (N = 55)</u> Male: 61.8% Female: 38.2% Race (N = 55) White: 0.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 55)</u> Under 18: 10.9% 18 to 25: 29.1% 26 to 34: 27.3% 35 and older: 32.7%

Primary Substance (N = 55) Alcohol: 92.7% Methamphetamine: 0.0% Marijuana: 5.5% Heroin: 0.0% Cocaine: 1.8% Other opiates: 0.0% Other drugs: 0.0%

(N = 55) Job: 10.9% Retirement/savings: 0.0% Family/friends: 7.3% No income: 21.8% Public sources: 12.7% Other sources: 47.3%

Source of Income

Source of Referral

(N = 55) Self/family/relative/ friends: 25.5% Employer/school: 1.8% Criminal justice: 63.6% Professional: 63.6% County social service agency: 12.7% Other community resources: 10.9% AA: 0.0% Tribal: 5.5%

Outcomes

Discharge Status (N = 55) Completed program: 65.5% Patient left without staff approval: 32.7% Staff requested/judged inappropriate: 0.0% Death/other: 1.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Red Lake Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 51)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 34)	85.3%	88.2%
Arrests past 30 days (N = 49)	38.8%	16.3%
Alcohol use past 30 days (N = 55)	34.5%	10.9%
Drug use past 30 days (N = 46)	34.8%	8.7%
No self-help group participation past 30 days (N = 55)	45.5%	47.3%
No family support for recovery past 30 days (N = 55)	43.6%	49.1%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =53)	9.4%	1.9%
Biomedical Conditions and Complications ($N = 53$)	11.3%	9.4%
Emotional/Behavioral/ Cognitive Problem (N = 53)	20.8%	18.9%
Resistance to Change ($N = 53$)	32.1%	28.3%
Relapse/Continued Use Potential (N = 53)	60.4%	30.2%
Unsupportive Recovery		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red River Recovery Center

701 Center Ave. E. Dilworth, MN 56529

County: Clay

Provider Website:

Patient Profile

Primary Substance

Marijuana: 15.4%

Other opiates: 3.3%

Other drugs: 0.4%

Methamphetamine: 23.7%

Alcohol: 48.5%

Heroin: 2.9%

Cocaine: 5.8%

(N = 241)

Gender (N = 241) Race (N = 241)Age (N = 241)Male: 69.3% White: 75.1% Under 18: 4.6% Female: 30.7% Black: 2.9% 18 to 25: 28.6% American Indian: 15.8% 26 to 34: 23.2% Hispanic: 4.6% 35 and older: 43.6%

Asian/Pacific Islander: 0.0%

Public sources: 17.0%

Other sources: 10.8%

Other: 1.7% Source of Income (N = 241)(N<u>= 241)</u>. Job: 47.7% Retirement/savings: 2.1% Family/friends: 10.8% No income: 11.6%

Source of Referral

Self/family/relative/ friends: 25.3% Employer/school: 0.0% Criminal justice: 27.0% Professional: 51.0% County social service agency: 85.5% Other community resources: 2.5% AA: 0.0% Tribal: 6.2%

Outcomes

Discharge Status (N = 241)Completed program: 45.2% Patient left without staff approval: 24.9% Staff requested/judged inappropriate: 20.7% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Red River Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 241)	1.2%	0.0%
Not employed/student ^{\ddagger} (N = 238)	90.8%	35.3%
Arrests past 30 days (N = 241)	5.4%	4.6%
Alcohol use past 30 days (N = 239)	18.0%	17.2%
Drug use past 30 days (N = 238)	7.1%	8.0%
No self-help group participation past 30 days (N = 241)	10.0%	0.0%
No family support for recovery past 30 days (N = 241)	3.7%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =234)	13.7%	5.1%
Biomedical Conditions and Complications ($N = 226$)	10 10/	
	18.1%	5.3%
Emotional/Behavioral/ Cognitive Problem (N = 239)	37.2%	5.3% 13.8%
Cognitive Problem ($N = 239$)	37.2%	13.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital Alcohol and Drug Abuse Program

445 Etna Street St. Paul, MN 55106

County: Ramsey

resources: 6.5%

AA: 0.0% Tribal: 0.0%

Provider Website: www.regionshospital.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 1288)} \\ Male: \ 69.8\% \\ Female: \ 30.2\% \end{array} \qquad \begin{array}{c|c} \underline{Race \ (N = 1288)} \\ White: \ 70.8\% \\ Black: \ 19.4\% \\ American \ Indian: \ 3.3\% \\ Hispanic: \ 3.8\% \\ Asian/Pacific \ Islander: \ 1.6\% \end{array} \qquad \begin{array}{c|c} \underline{Age \ (N = 1288)} \\ Under \ 18: \ 0.4\% \\ 18 \ to \ 25: \ 18.8\% \\ 26 \ to \ 34: \ 22.7\% \\ 35 \ and \ older: \ 58.2\% \\ Asian/Pacific \ Islander: \ 1.6\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 1288)	<u>(N = 1288)</u>	<u>(N = 1288)</u>
Alcohol: 57.5%	Job: 37.2%	Self/family/relative/
Methamphetamine: 14.0%	Retirement/savings: 4.1%	friends: 55.0%
Marijuana: 10.7%	Family/friends: 13.4%	Employer/school: 2.0%
Heroin: 1.0%	No income: 12.8%	Criminal justice: 37.4%
Cocaine: 15.5%	Public sources: 24.1%	Professional: 55.5%
Other opiates: 0.9%	Other sources: 8.4%	County social
Other drugs: 0.4%		service agency: 30.8%
		Other community

Outcomes

Discharge Status (N = 1288) Completed program: 30.1% Patient left without staff approval: 25.2% Staff requested/judged inappropriate: 11.3% Death/other: 33.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Regions Hospital Alcohol and Drug Abuse Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 1277)	10.4%	8.1%
Not employed/student ^{\ddagger} (N = 1233)	68.2%	65.4%
Arrests past 30 days (N = 1258)	14.7%	6.5%
Alcohol use past 30 days (N = 1286)	59.5%	25.0%
Drug use past 30 days (N = 1285)	49.0%	23.7%
No self-help group participation past 30 days (N = 1153)	62.3%	6.9%
No family support for recovery past 30 days (N = 1017)	27.9%	19.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =1248)	1.1%	1.6%
Biomedical Conditions and Complications ($N = 1257$)	11.4%	12.3%
Emotional/Behavioral/ Cognitive Problem (N = 1262)	57.8%	46.8%
Resistance to Change ($N = 1261$)	46.2%	43.1%
Relapse/Continued Use Potential (N = 1269)	88.2%	72.5%
Unsupportive Recovery Environment (N = 1252)	65.7%	52.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital/New Connection Programs

8000 Highway 65 NE Spring Lake Park, MN 554342051

County: Anoka

Provider Website: www.regionshospital.com

Patient Profile

Gender (N = 76) Race (N = 76)Age (N = 76)Male: 68.4% White: 80.3% Under 18: 90.8% Female: 31.6% Black: 11.8% 18 to 25: 9.2% American Indian: 1.3% 26 to 34: 0.0% Hispanic: 1.3% 35 and older: 0.0% Asian/Pacific Islander: 1.3% Other: 4.0%

Primary Substance	Source of Income	Source of Referral
(N = 76)	<u>(N = 76)</u>	(N = 76) .
Alcohol: 30.3%	Job: 0.0%	Self/family/relative/
Methamphetamine: 0.0%	Retirement/savings: 0.0%	friends: 38.2%
Marijuana: 65.8%	Family/friends: 100.0%	Employer/school: 3-
Heroin: 0.0%	No income: 0.0%	Criminal justice: 59
Cocaine: 2.6%	Public sources: 0.0%	Professional: 6.6%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 1.3%		service agency: 0
-		Other community

• v/relative/ 38.2% /school: 34.2% justice: 59.2% nal: 6.6% ocial agency: 0.0% mmunity resources: 57.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 76</u>) Completed program: 55.3% Patient left without staff approval: 7.9% Staff requested/judged inappropriate: 18.4% Death/other: 18.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Regions Hospital/New Connection Programs

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 75)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 74)	1.4%	0.0%
Arrests past 30 days (N = 67)	23.9%	6.0%
Alcohol use past 30 days (N = 67)	34.3%	25.4%
Drug use past 30 days (N = 68)	51.5%	47.1%
No self-help group participation past 30 days ($N = 69$)	89.9%	23.2%
No family support for recovery past 30 days (N = 66)	30.3%	27.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =75)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 76)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 76)	55.3%	47.4%
Resistance to Change ($N = 75$)	68.0%	58.7%
Relapse/Continued Use Potential (N = 76)	97.4%	86.8%
Unsupportive Recovery Environment (N = 76)	85.5%	84.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital/New Connection Programs

445 Etna Street St. Paul, MN 551065848

County: Ramsey

Provider Website:

Patient Profile

Gender (N = 84) Race (N = 84)Male: 67.9% White: 46.4% Female: 32.1% Black: 17.9% American Indian: 4.8% Hispanic: 22.6% Asian/Pacific Islander: 6.0% Other: 2.4%

Source of Income

Primary Substance (N = 83)Alcohol: 12.0% Methamphetamine: 4.8% Marijuana: 83.1% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 84)Job: 0.0% Retirement/savings: 0.0% Family/friends: 95.2% No income: 0.0% Public sources: 2.4% Other sources: 2.4%

Age (N = 84)

Under 18: 91.7% 18 to 25: 8.3% 26 to 34: 0.0% 35 and older: 0.0%

Source of Referral (N = 84). Self/family/relative/ friends: 84.5% Employer/school: 58.3% Criminal justice: 46.4% Professional: 3.6% County social service agency: 1.2% Other community resources: 3.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 84</u>) Completed program: 42.9% Patient left without staff approval: 17.9% Staff requested/judged inappropriate: 25.0% Death/other: 14.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Regions Hospital/New Connection Programs

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 84)	0.0%	0.0%
Not employed/student ^{III} (N = 81)	0.0%	0.0%
Arrests past 30 days (N = 68)	16.2%	1.5%
Alcohol use past 30 days (N = 74)	43.2%	12.2%
Drug use past 30 days (N = 75)	74.7%	53.3%
No self-help group participation past 30 days ($N = 63$)	60.3%	30.2%
No family support for recovery past 30 days (N = 54)	35.2%	14.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =84)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 84$)	0.0%	1.2%
Emotional/Behavioral/ Cognitive Problem (N = 84)	51.2%	47.6%
Resistance to Change ($N = 84$)	66.7%	61.9%
Relapse/Continued Use Potential (N = 84)	96.4%	78.6%
Unsupportive Recovery Environment (N = 84)	76.2%	76.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rewind, Inc.

840 East Main Street Perham, MN 56573

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 15)}}{\text{Male: 100.0\%}}$ Female: 0.0%

Race (N = 15) White: 80.0% Black: 13.3% American Indian: 6.7% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 15)</u> Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 13.3% 35 and older: 53.3%

County: Otter Tail

Primary Substance (N = 15) Alcohol: 60.0% Methamphetamine: 33.3% Marijuana: 6.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 15) Job: 40.0% Retirement/savings: 0.0% Family/friends: 0.0% No income: 6.7% Public sources: 46.7% Other sources: 6.7%

Source of Referral

(N = 15) Self/family/relative/ friends: 33.3% Employer/school: 0.0% Criminal justice: 46.7% Professional: 20.0% County social service agency: 86.7% Other community resources: 6.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 15) Completed program: 66.7% Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 20.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Rewind, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 6)	*	*
Not employed/student ^{11} (N = 12)	66.7%	16.7%
Arrests past 30 days (N = 15)	6.7%	6.7%
Alcohol use past 30 days (N = 15)	6.7%	6.7%
Drug use past 30 days (N = 15)	6.7%	0.0%
No self-help group participation past 30 days ($N = 14$)	14.3%	0.0%
No family support for recovery past 30 days (N = 8)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =15)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 15)$	13.3%	6.7%
Emotional/Behavioral/ Cognitive Problem (N = 15)	53.3%	53.3%
Resistance to Change ($N = 15$)	66.7%	46.7%
Relapse/Continued Use Potential (N = 15)	100.0%	86.7%
Unsupportive Recovery Environment (N = 15)	100.0%	86.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

River Ridge Treatment Center Burnsville

1510 East 122nd Street Burnsville, MN 55337

County: Dakota

AA: 0.0% Tribal: 0.3%

Provider Website: www.riverridgetreatmentcenter.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 329)} \\ Male: 57.8\% \\ Female: 42.2\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 329)} \\ White: 86.3\% \\ Black: 5.8\% \\ American Indian: 1.2\% \\ Hispanic: 3.3\% \\ Asian/Pacific Islander: 1.8\% \\ Other: 1.5\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 329)} \\ Under 18: 0.9\% \\ 18 to 25: 29.5\% \\ 26 to 34: 27.1\% \\ 35 and older: 42.6\% \\ 35 and older: 42.6\% \\ \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 328)	<u>(N = 329)</u>	(N = 329) .
Alcohol: 77.4%	Job: 62.6%	Self/family/relative/
Methamphetamine: 5.8%	Retirement/savings: 0.9%	friends: 45.3%
Marijuana: 10.1%	Family/friends: 9.1%	Employer/school: 6.1%
Heroin: 0.6%	No income: 0.3%	Criminal justice: 53.8%
Cocaine: 4.9%	Public sources: 4.9%	Professional: 18.2%
Other opiates: 1.2%	Other sources: 22.2%	County social
Other drugs: 0.0%		service agency: 13.4%
		Other community
		resources: 30.1%

Outcomes

Discharge Status (N = 329) Completed program: 68.4% Patient left without staff approval: 10.9% Staff requested/judged inappropriate: 11.6% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

River Ridge Treatment Center Burnsville

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 321)	0.0%	0.6%
Not employed/student ^{\ddagger} (N = 291)	30.2%	15.5%
Arrests past 30 days (N = 254)	23.6%	0.8%
Alcohol use past 30 days (N = 308)	50.6%	6.5%
Drug use past 30 days (N = 303)	24.4%	5.3%
No self-help group participation past 30 days (N = 116)	45.7%	18.1%
No family support for recovery past 30 days (N = 121)	10.7%	9.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =303)	3.0%	5.9%
Biomedical Conditions and Complications ($N = 294$)	16.3%	9.5%
Emotional/Behavioral/ Cognitive Problem (N = 306)	73.9%	45.8%
Resistance to Change ($N = 306$)	46.1%	32.7%
Relapse/Continued Use Potential (N = 305)		
· · · · ·	83.0%	47.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

River Ridge Treatment Center Minnetonka

15612 West Highway 7 Minnetonka, MN 55345

County: Hennepin

resources: 46.9%

AA: 0.9% Tribal: 0.4%

Provider Website: www.riverridgetreatmentcenter.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 226)} \\ Male: \ 64.6\% \\ Female: \ 35.4\% \\ \end{array} \qquad \begin{array}{c|c} \underline{Race \ (N = 226)} \\ White: \ 98.2\% \\ Black: \ 1.8\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c|c} \underline{Age \ (N = 226)} \\ Under \ 18: \ 1.3\% \\ 18 \ to \ 25: \ 19.5\% \\ 26 \ to \ 34: \ 16.4\% \\ 35 \ and \ older: \ 62.8\% \\ Other: \ 0.0\% \end{array}$

Primary Substance	Source of Income	Source of Referral
<u>(N = 225)</u>	<u>(N = 226)</u>	<u>(N = 226)</u> .
Alcohol: 83.6%	Job: 80.1%	Self/family/relative/
Methamphetamine: 0.9%	Retirement/savings: 3.1%	friends: 66.8%
Marijuana: 5.8%	Family/friends: 11.5%	Employer/school: 8.9%
Heroin: 0.4%	No income: 1.8%	Criminal justice: 39.4%
Cocaine: 5.3%	Public sources: 2.7%	Professional: 25.7%
Other opiates: 3.6%	Other sources: 0.9%	County social
Other drugs: 0.4%		service agency: 5.8%
		Other community

Outcomes

Discharge Status (N = 226) Completed program: 73.0% Patient left without staff approval: 18.1% Staff requested/judged inappropriate: 7.1% Death/other: 1.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

River Ridge Treatment Center Minnetonka

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 222)	0.5%	0.0%
Not employed/student ^{11} (N = 217)	13.8%	11.1%
Arrests past 30 days (N = 216)	13.0%	1.9%
Alcohol use past 30 days (N = 205)	58.0%	10.2%
Drug use past 30 days (N = 203)	21.2%	3.9%
No self-help group participation past 30 days (N = 196)	82.1%	4.6%
No family support for recovery past 30 days (N = 200)	36.5%	2.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =224)	4.5%	2.7%
Biomedical Conditions and Complications ($N = 225$)	10.2%	4.4%
Emotional/Behavioral/ Cognitive Problem (N = 226)	67.3%	23.0%
Resistance to Change ($N = 225$)	36.4%	18.2%
Relapse/Continued Use Potential (N = 226)	90.3%	26.1%
Unsupportive Recovery Environment (N = 226)	31.9%	17.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Riverplace Counseling Center of Elk River, Inc.

9816 NW Highway 10 Elk River, MN 55330

County: Sherburne

resources: 42.3%

AA: 0.0% Tribal: 0.6%

Provider Website: www.riverplacecenter.com

Patient Profile

<u>Gender (N = 523)</u>	<u>Race (N = 523)</u>	<u>Age (N = 523)</u>
Male: 18.4%	White: 79.0%	Under 18: 0.0%
Female: 81.6%	Black: 10.9%	18 to 25: 30.8%
	American Indian: 4.4%	26 to 34: 24.5%
	Hispanic: 3.8%	35 and older: 44.7%
	Asian/Pacific Islander: 0.6%	
	Other: 1.3%	

Primary Substance	Source of Income	Source of Referral
(N = 520)	<u>(N = 523)</u>	(N = 523) .
Alcohol: 47.1%	Job: 27.7%	Self/family/relative/
Methamphetamine: 21.3%	Retirement/savings: 2.1%	friends: 19.5%
Marijuana: 9.0%	Family/friends: 16.3%	Employer/school: 0.4%
Heroin: 1.9%	No income: 29.6%	Criminal justice: 35.4%
Cocaine: 16.9%	Public sources: 12.2%	Professional: 11.5%
Other opiates: 3.3%	Other sources: 12.0%	County social
Other drugs: 0.4%		service agency: 70.0%
		Other community

Outcomes

Discharge Status (N = 523) Completed program: 80.3% Patient left without staff approval: 9.4% Staff requested/judged inappropriate: 7.8% Death/other: 2.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Riverplace Counseling Center of Elk River, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 516)	7.6%	3.7%
Not employed/student ^{ii} (N = 498)	71.1%	76.1%
Arrests past 30 days (N = 521)	13.1%	2.1%
Alcohol use past 30 days (N = 519)	51.3%	24.9%
Drug use past 30 days (N = 520)	46.9%	28.7%
No self-help group participation past 30 days ($N = 481$)	66.1%	21.2%
No family support for recovery past 30 days (N = 471)	7.2%	13.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =501)	0.2%	0.6%
Biomedical Conditions and Complications ($N = 498$)	7.6%	4.0%
Emotional/Behavioral/ Cognitive Problem (N = 504)	27.0%	22.0%
Resistance to Change ($N = 503$)	67.0%	21.7%
Relapse/Continued Use Potential (N = 505)	96.6%	42.0%
Unsupportive Recovery Environment (N = 499)	87.2%	43.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Riverplace Counseling Center-Anoka

1814 South Ferry Street Anoka, MN 55303

County: Anoka

resources: 15.7%

AA: 0.3% Tribal: 0.1%

Provider Website: www.riverplacecenter.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 942)} \\ Male: \ 93.9\% \\ Female: \ 6.1\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 942)} \\ White: \ 81.4\% \\ Black: \ 11.9\% \\ American \ Indian: \ 2.2\% \\ Hispanic: \ 1.8\% \\ Asian/Pacific \ Islander: \ 0.7\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 942)} \\ Under \ 18: \ 0.5\% \\ 18 \ to \ 25: \ 33.8\% \\ 26 \ to \ 34: \ 23.4\% \\ 35 \ and \ older: \ 42.4\% \\ Other: \ 1.9\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 942)	<u>(N = 942)</u>	(N = 942).
Alcohol: 55.3%	Job: 61.3%	Self/family/relative/
Methamphetamine: 13.2%	Retirement/savings: 2.7%	friends: 37.9%
Marijuana: 16.6%	Family/friends: 14.1%	Employer/school: 0.7%
Heroin: 1.0%	No income: 10.0%	Criminal justice: 65.0%
Cocaine: 12.5%	Public sources: 5.1%	Professional: 5.8%
Other opiates: 1.1%	Other sources: 6.9%	County social
Other drugs: 0.4%		service agency: 64.9%
Ū.		Other community

Outcomes

Discharge Status (N = 942) Completed program: 83.1% Patient left without staff approval: 8.7% Staff requested/judged inappropriate: 5.4% Death/other: 2.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Riverplace Counseling Center-Anoka

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{ii} (N = 937)	2.7%	0.9%
Not employed/student ^{\ddagger} (N = 920)	47.8%	62.2%
Arrests past 30 days (N = 929)	10.9%	1.9%
Alcohol use past 30 days (N = 941)	49.6%	12.2%
Drug use past 30 days (N = 942)	41.7%	11.0%
No self-help group participation past 30 days (N = 933)	73.3%	3.0%
No family support for recovery past 30 days (N = 897)	7.7%	1.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =940)	5.4%	0.4%
Biomedical Conditions and Complications ($N = 941$)	23.7%	8.0%
Emotional/Behavioral/ Cognitive Problem (N = 940)	80.4%	48.7%
Resistance to Change (N = 939)	85.6%	31.7%
Relapse/Continued Use Potential (N = 938)	88.3%	66.7%
Unsupportive Recovery Environment (N = 934)	82.5%	65.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rochester Behavioral Health Service

1027 7th Street Northwest Rochester, MN 55901

County: Olmsted

Provider Website:

Patient Profile

Gender (N = 95) Race (N = 95)Age (N = 95)Male: 62.1% White: 82.1% Under 18: 6.3% Female: 37.9% Black: 9.5% American Indian: 4.2% Hispanic: 1.1% Asian/Pacific Islander: 3.2% Other: 0.0%

18 to 25: 45.3% 26 to 34: 28.4% 35 and older: 20.0%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
<u>(N = 87)</u>	<u>(N = 95)</u>	<u>(N = 95)</u>
Alcohol: 41.4%	Job: 65.3%	Self/family/relative/
Methamphetamine: 17.2%	Retirement/savings: 0.0%	friends: 32.6%
Marijuana: 28.7%	Family/friends: 11.6%	Employer/school: 1.1%
Heroin: 2.3%	No income: 5.3%	Criminal justice: 69.5%
Cocaine: 10.3%	Public sources: 9.5%	Professional: 15.8%
Other opiates: 0.0%	Other sources: 8.4%	County social
Other drugs: 0.0%		service agency: 8.4%
		Other community
		resources: 13.7%

Outcomes

Discharge Status <u>(N = 95</u>) Completed program: 48.4% Patient left without staff approval: 29.5% Staff requested/judged inappropriate: 5.3% Death/other: 16.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Rochester Behavioral Health Service

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 83)	4.8%	1.2%
Not employed/student ^{\ddagger} (N = 87)	26.4%	28.7%
Arrests past 30 days (N = 94)	17.0%	10.6%
Alcohol use past 30 days (N = 94)	19.1%	7.5%
Drug use past 30 days (N = 94)	22.3%	9.6%
No self-help group participation past 30 days (N = 84)	58.3%	46.4%
No family support for recovery past 30 days (N = 80)	15.0%	32.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =95)	5.3%	11.6%
Biomedical Conditions and Complications $(N = 95)$	8.4%	5.3%
Emotional/Behavioral/ Cognitive Problem (N = 95)	28.4%	30.5%
Resistance to Change ($N = 95$)	13.7%	30.5%
Relapse/Continued Use Potential (N = 95)	88.4%	56.8%
Unsupportive Recovery Environment (N = 95)	62.1%	38.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rochester Metro Treatment Center

2360 North Broadway Rochester, MN 55906

County: Olmsted

Provider Website: www.methodonetreatment.com

Patient Profile

Gender (N = 18) Male: 33.3% Female: 66.7%

Race (N = 18)White: 72.2% Black: 11.1% American Indian: 5.6% Hispanic: 11.1% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 18)Under 18: 0.0% 18 to 25: 16.7% 26 to 34: 38.9% 35 and older: 44.4%

Primary Substance	Source of Income
(N = 15)	<u>(N = 18)</u>
Alcohol: 0.0%	Job: 33.3%
Methamphetamine: 0.0%	Retirement/savings
Marijuana: 0.0%	Family/friends: 11.
Heroin: 40.0%	No income: 16.7%
Cocaine: 0.0%	Public sources: 16.
Other opiates: 60.0%	Other sources: 22.2
Other drugs: 0.0%	

3% ent/savings: 0.0% riends: 11.1% ne: 16.7% ources: 16.7% urces: 22.2%

Source of Referral

(N = 18) . Self/family/relative/ friends: 77.8% Employer/school: 5.6% Criminal justice: 0.0% Professional: 11.1% County social service agency: 0.0% Other community resources: 33.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 18</u>) Completed program: 5.6% Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 0.0% Death/other: 77.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Rochester Metro Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 5)	*	*
Not employed/student ^{tt} (N = 4)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days (N = 4)	*	*
Drug use past 30 days (N = 4)	*	*
No self-help group participation past 30 days ($N = 3$)	*	*
No family support for recovery past 30 days ($N = 4$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

RS Eden/Eden House

1025 Portland Avenue South Minneapolis, MN 55404

County: Hennepin

Provider Website: www.rseden.org

Patient Profile

Gender (N = 84) Race (N = 84)Age (N = 84)Male: 1.2% White: 33.3% Under 18: 0.0% Female: 98.8% Black: 38.1% 18 to 25: 25.0% American Indian: 17.9% 26 to 34: 31.0% Hispanic: 6.0% 35 and older: 44.0% Asian/Pacific Islander: 1.2% Other: 3.6%

Primary Substance (N = 83) Alcohol: 16.9% Methamphetamine: 9.6% Marijuana: 18.1% Heroin: 14.5% Cocaine: 38.6% Other opiates: 2.4% Other drugs: 0.0%

Source of Income (N = 84)Job: 13.1% Retirement/savings: 1.2% Family/friends: 9.5% No income: 34.5% Public sources: 40.5% Other sources: 1.2%

Source of Referral (N = 84). Self/family/relative/ friends: 23.8% Employer/school: 0.0% Criminal justice: 45.2% Professional: 10.7% County social service agency: 76.2% Other community resources: 19.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 84</u>) Completed program: 44.0% Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 16.7% Death/other: 6.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

RS Eden/Eden House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 83)	61.4%	16.9%
Not employed/student ^{\ddagger} (N = 71)	90.1%	97.2%
Arrests past 30 days (N = 69)	24.6%	2.9%
Alcohol use past 30 days (N = 67)	34.3%	9.0%
Drug use past 30 days (N = 71)	50.7%	2.8%
No self-help group participation past 30 days (N = 76)	63.2%	7.9%
No family support for recovery past 30 days (N = 77)	14.3%	3.9%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =82)	1.2%	3.7%
Biomedical Conditions and Complications ($N = 82$)	46.3%	26.8%
Emotional/Behavioral/ Cognitive Problem (N = 82)	91.5%	75.6%
Resistance to Change ($N = 82$)	91.5%	62.2%
Relapse/Continued Use Potential (N = 81)	97.5%	77.8%
Unsupportive Recovery Environment (N = 82)	96.3%	72.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

RS Eden/Eden House

1025 Portland Avenue South Minneapolis, MN 55404

County: Hennepin

Provider Website: www.rseden.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 161)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 161)} \\ White: \ 31.1\% \\ Black: \ 51.6\% \\ American \ Indian: \ 6.2\% \\ Hispanic: \ 6.2\% \\ Asian/Pacific \ Islander: \ 0.6\% \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 161)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 30.4\% \\ 26 \ to \ 34: \ 22.4\% \\ 35 \ and \ older: \ 47.2\% \\ \end{array}$

Primary Substance (N = 161) Alcohol: 27.3% Methamphetamine: 4.4% Marijuana: 27.3% Heroin: 12.4% Cocaine: 26.1% Other opiates: 1.2% Other drugs: 1.2% Source of Income (N = 161) Job: 23.0% Retirement/savings: 1.9% Family/friends: 13.7% No income: 36.0% Public sources: 23.0%

Other sources: 2.5%

Source of Referral (N = 161) Self/family/relative/ friends: 29.2% Employer/school: 0.0% Criminal justice: 67.1% Professional: 9.3% County social service agency: 66.5% Other community resources: 5.6% AA: 0.6% Tribal: 0.0%

Outcomes

Discharge Status (N = 161) Completed program: 37.9% Patient left without staff approval: 45.3% Staff requested/judged inappropriate: 9.9% Death/other: 6.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

RS Eden/Eden House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 158)	42.4%	24.7%
Not employed/student ^{\ddagger} (N = 157)	87.3%	9 5.5%
Arrests past 30 days (N = 159)	32.1%	7.6%
Alcohol use past 30 days (N = 160)	46.9%	8.1%
Drug use past 30 days (N = 159)	62.3%	14.5%
No self-help group participation past 30 days (N = 152)	64.5%	6.6%
No family support for recovery past 30 days (N = 150)	24.7%	20.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =134)	0.0%	0.7%
Biomedical Conditions and Complications ($N = 134$)	5.2%	5.2%
Emotional/Behavioral/ Cognitive Problem (N = 134)	18.7%	26.9%
Resistance to Change ($N = 134$)	70.1%	46.3%
Relapse/Continued Use Potential (N = 134)	100.0%	55.2%
Unsupportive Recovery Environment (N = 134)	100.0%	55.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Salvation Army Beacon Matrix Program in Caver County

11065 Village Road Chaska, MN 55318

County: Carver

AA: 0.0% Tribal: 0.0%

Provider Website: www.salarmy.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 20)} \\ Male: \ 35.0\% \\ Female: \ 65.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 20)} \\ White: \ 95.0\% \\ Black: \ 0.0\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 5.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 20)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 35.0\% \\ 26 \ to \ 34: \ 25.0\% \\ 35 \ and \ older: \ 40.0\% \\ Other: \ 0.0\% \end{array}$

Primary Substance	Source of Income	Source of Referral
<u>(N = 19)</u>	<u>(N = 20)</u>	<u>(N = 20)</u> .
Alcohol: 26.3%	Job: 20.0%	Self/family/relative/
Methamphetamine: 52.6%	Retirement/savings: 0.0%	friends: 25.0%
Marijuana: 15.8%	Family/friends: 20.0%	Employer/school: 0.0%
Heroin: 0.0%	No income: 50.0%	Criminal justice: 25.0%
Cocaine: 0.0%	Public sources: 10.0%	Professional: 0.0%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 5.3%		service agency: 85.0%
		Other community
		resources: 40.0%

Outcomes

Discharge Status (N = 20) Completed program: 60.0% Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 15.0% Death/other: 5.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Salvation Army Beacon Matrix Program in Caver County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 20)	0.0%	5.0%
Not employed/student ^{\ddagger} (N = 17)	94.1%	47.1%
Arrests past 30 days (N = 18)	22.2%	0.0%
Alcohol use past 30 days (N = 19)	36.8%	10.5%
Drug use past 30 days (N = 20)	20.0%	10.0%
No self-help group participation past 30 days (N = 7)	*	*
No family support for recovery past 30 days (N = 12)	0.0%	16.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =20)	15.0%	0.0%
Biomedical Conditions and Complications $(N = 20)$	10.0%	20.0%
Emotional/Behavioral/ Cognitive Problem (N = 19)	63.2%	47.4%
Resistance to Change ($N = 19$)	26.3%	36.8%
Relapse/Continued Use Potential (N = 19)	68.4%	26.3%
Unsupportive Recovery Environment (N = 20)	25.0%	30.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Salvation Army Harbor Light Center

1010 Currie Avenue North Minneapolis, MN 55403

County: Hennepin

Provider Website: www.thesalarmy.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 247)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Hispanic: \ 1.6\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ \hline Other: \ 2.4\% \\ \hline \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 247)} \\ Under \ 18: \ 0.0\% \\ \hline 18 \ to \ 25: \ 9.7\% \\ 26 \ to \ 34: \ 16.2\% \\ 35 \ and \ older: \ 74.1\% \\ \hline Other: \ 2.4\% \\ \hline \end{array}$

Primary Substance (N = 246) Alcohol: 41.9% Methamphetamine: 7.3% Marijuana: 13.4% Heroin: 7.3% Cocaine: 28.0% Other opiates: 1.2% Other drugs: 0.8% Source of Income (N = 247)Job: 11.3% Retirement/savings: 1.2% Family/friends: 0.8% No income: 17.4% Public sources: 56.7% Other sources: 12.6%

Source of Referral

(N = 247) Self/family/relative/ friends: 62.3% Employer/school: 0.0% Criminal justice: 25.9% Professional: 22.7% County social service agency: 68.4% Other community resources: 9.3% AA: 0.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 247) Completed program: 59.9% Patient left without staff approval: 22.3% Staff requested/judged inappropriate: 15.0% Death/other: 2.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Salvation Army Harbor Light Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 238)	20.6%	1.7%
Not employed/student ^{\ddagger} (N = 202)	90.1%	76.2%
Arrests past 30 days (N = 228)	15.4%	4.4%
Alcohol use past 30 days (N = 236)	27.5%	9.8%
Drug use past 30 days (N = 241)	29.0%	5.4%
No self-help group participation past 30 days (N = 238)	37.0%	2.5%
No family support for recovery past 30 days (N = 235)	32.3%	7.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =246)	3.3%	6.9%
Biomedical Conditions and Complications ($N = 245$)	13.5%	10.2%
Emotional/Behavioral/ Cognitive Problem (N = 245)	40.0%	32.2%
Resistance to Change ($N = 247$)	25.5%	38.1%
Relapse/Continued Use Potential (N = 245)	97.1%	76.7%
Unsupportive Recovery Environment (N = 246)	91.9%	68.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sanford Hospital Luverne Outpatient CD Program

1600 N Kniss Ave Luverne, MN 56156

County: Rock

AA: 0.0% Tribal: 0.0%

Provider Website: www.luvernecommunityhospital.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 43)} \\ Male: \ 74.4\% \\ Female: \ 25.6\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 43)} \\ White: \ 93.0\% \\ Black: \ 0.0\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 4.7\% \\ Asian/Pacific \ Islander: \ 2.3\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 43)} \\ Under \ 18: \ 2.3\% \\ 18 \ to \ 25: \ 34.9\% \\ 26 \ to \ 34: \ 18.6\% \\ 35 \ and \ older: \ 44.2\% \\ Asian/Pacific \ Islander: \ 2.3\% \\ Other: \ 0.0\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 43)	<u>(N = 43)</u>	(N = 43).
Alcohol: 58.1%	Job: 58.1%	Self/family/relative/
Methamphetamine: 11.6%	Retirement/savings: 2.3%	friends: 37.2%
Marijuana: 25.6%	Family/friends: 18.6%	Employer/school: 2.3%
Heroin: 2.3%	No income: 7.0%	Criminal justice: 69.8%
Cocaine: 2.3%	Public sources: 14.0%	Professional: 16.3%
Other opiates: 0.0%	Other sources: 0.0%	County social
Other drugs: 0.0%		service agency: 30.2%
		Other community
		resources: 7.0%

Outcomes

Discharge Status (N = 43) Completed program: 65.1% Patient left without staff approval: 18.6% Staff requested/judged inappropriate: 9.3% Death/other: 7.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Sanford Hospital Luverne Outpatient CD Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 43)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 43)	34.9%	25.6%
Arrests past 30 days (N = 43)	14.0%	0.0%
Alcohol use past 30 days (N = 43)	20.9%	7.0%
Drug use past 30 days (N = 43)	16.3%	14.0%
No self-help group participation past 30 days ($N = 43$)	72.1%	18.6%
No family support for recovery past 30 days (N = 42)	16.7%	4.8%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 2.3%	<u>Discharge</u> 4.7%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and	2.3%	4.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and Complications (N = 43) Emotional/Behavioral/	2.3% 9.3%	4.7% 4.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and Complications (N = 43) Emotional/Behavioral/ Cognitive Problem (N = 43)	2.3% 9.3% 41.9%	4.7% 4.7% 27.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Senior Recovery

1351 Frost Avenue St. Paul, MN 55109

County: Ramsey

Provider Website: www.senior-recovery.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 14)} \\ Male: \ 50.0\% \\ Female: \ 50.0\% \\ Female: \ 50.0\% \\ American Indian: \ 0.0\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 14)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 0.0\% \\ 26 \ to \ 34: \ 0.0\% \\ 35 \ and \ older: \ 100.0\% \\ 0ther: \ 0.0\% \end{array}$

Primary Substance (N = 14) Alcohol: 100.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 14)Job: 0.0% Retirement/savings: 85.7% Family/friends: 14.3% No income: 0.0% Public sources: 0.0% Other sources: 0.0% Source of Referral (N = 14) Self/family/relative/ friends: 42.9% Employer/school: 0.0% Criminal justice: 21.4% Professional: 64.3% County social service agency: 35.7% Other community resources: 28.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 14) Completed program: 57.1% Patient left without staff approval: 21.4% Staff requested/judged inappropriate: 7.1% Death/other: 14.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Senior Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 14)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 14)	92.9%	100.0%
Arrests past 30 days (N = 14)	21.4%	0.0%
Alcohol use past 30 days (N = 14)	100.0%	28.6%
Drug use past 30 days (N = 14)	0.0%	0.0%
No self-help group participation past 30 days (N = 13)	7.7%	0.0%
No family support for recovery past 30 days (N = 12)	33.3%	58.3%
Domiono to Docorremy		
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
•	<u>Admission</u> 0.0%	<u>Discharge</u> 7.1%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =14) Biomedical Conditions and	0.0%	7.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 14) Biomedical Conditions and Complications (N = 14) Emotional/Behavioral/	0.0%	7.1% 14.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =14) Biomedical Conditions and Complications (N = 14) Emotional/Behavioral/ Cognitive Problem (N = 14)	0.0% 0.0% 0.0%	7.1% 14.3% 14.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sentirse Bien, Feeling Healthy

720 E Lake St Minneapolis, MN 55407

County: Hennepin

Provider Website: www.clues.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 42)} \\ Male: \ 97.6\% \\ Female: \ 2.4\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 42)} \\ White: \ 0.0\% \\ Black: \ 0.0\% \\ American \ Indian: \ 0.0\% \\ Hispanic: \ 100.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 42)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 28.6\% \\ 35 \ and \ older: \ 28.6\% \\ 35 \ and \ older: \ 28.6\% \\ Other: \ 0.0\% \\ \end{array}$

Primary Substance (N = 42) Alcohol: 92.9% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 7.1% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 42)Job: 73.8% Retirement/savings: 0.0% Family/friends: 11.9% No income: 7.1% Public sources: 0.0% Other sources: 7.1%

Source of Referral

(N = 42) Self/family/relative/ friends: 4.8% Employer/school: 0.0% Criminal justice: 90.5% Professional: 0.0% County social service agency: 9.5% Other community resources: 7.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 42) Completed program: 69.0% Patient left without staff approval: 23.8% Staff requested/judged inappropriate: 0.0% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Sentirse Bien, Feeling Healthy

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 36)	0.0%	0.0%
Not employed/student ^{$\pm\pm$} (N = 32)	34.4%	21.9%
Arrests past 30 days (N = 36)	25.0%	8.3%
Alcohol use past 30 days (N = 36)	25.0%	5.6%
Drug use past 30 days (N = 36)	2.8%	8.3%
No self-help group participation past 30 days ($N = 14$)	85.7%	64.3%
No family support for recovery past 30 days (N = 20)	25.0%	5.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =32)	3.1%	3.1%
Biomedical Conditions and Complications $(N = 33)$	3.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 36)	27.8%	22.2%
Resistance to Change ($N = 38$)		21 10/
	39.5%	21.1%
Relapse/Continued Use Potential (N = 38)	39.5% 73.7%	47.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House - Stepping Stones

102 Miller Street New York Mills, MN 56567

County: Otter Tail

Provider Website: sharehouse.org

Patient Profile

Gender (N = 40) Race (N = 40)Age (N = 40)White: 47.5% Under 18: 0.0% Male: 0.0% Female: 100.0% Black: 5.0% American Indian: 42.5% Hispanic: 2.5% Asian/Pacific Islander: 0.0% Other: 2.5%

Source of Income

Primary Substance (N = 40)Alcohol: 35.0% Methamphetamine: 22.5% Marijuana: 25.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 17.5% Other drugs: 0.0%

(N = 40)Job: 2.5% Retirement/savings: 0.0% Family/friends: 2.5% No income: 42.5% Public sources: 25.0% Other sources: 27.5%

18 to 25: 47.5% 26 to 34: 37.5% 35 and older: 15.0%

Source of Referral (N = 40) . Self/family/relative/ friends: 10.0% Employer/school: 0.0% Criminal justice: 17.5% Professional: 57.5% County social service agency: 90.0% Other community resources: 5.0% AA: 0.0% Tribal: 2.5%

Outcomes

Discharge Status (N = 40)Completed program: 52.5% Patient left without staff approval: 15.0% Staff requested/judged inappropriate: 17.5% Death/other: 15.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Share House - Stepping Stones

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 39)	7.7%	0.0%
Not employed/student ^{\ddagger} (N = 40)	92.5%	77.5%
Arrests past 30 days (N = 38)	13.2%	5.3%
Alcohol use past 30 days (N = 38)	15.8%	7.9%
Drug use past 30 days (N = 39)	23.1%	10.3%
No self-help group participation past 30 days (N = 39)	20.5%	5.1%
No family support for recovery past 30 days (N = 38)	7.9%	10.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =40)	7.5%	5.0%
Biomedical Conditions and Complications $(N = 40)$	37.5%	37.5%
Emotional/Behavioral/ Cognitive Problem (N = 40)	92.5%	67.5%
Resistance to Change ($N = 40$)	9 2.5%	60.0%
Relapse/Continued Use Potential (N = 40)	95.0%	85.0%
Unsupportive Recovery Environment (N = 40)	92.5%	85.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Inc

4227 9th Avenue South Fargo, ND 58103

Provider Website:

Patient Profile

Gender (N = 89)

Male: 55.1% Female: 44.9% Race (N = 89) White: 85.4% Black: 1.1% American Indian: 6.7% Hispanic: 4.5% Asian/Pacific Islander: 1.1% Other: 1.1% <u>Age (N = 89)</u> Under 18: 0.0% 18 to 25: 27.0% 26 to 34: 34.8% 35 and older: 38.2%

County: North Dakota

Primary Substance (N = 89) Alcohol: 50.6% Methamphetamine: 16.9% Marijuana: 21.3% Heroin: 1.1% Cocaine: 6.7% Other opiates: 1.1% Other drugs: 2.3%

(N = 89) Job: 70.8% Retirement/savings: 0.0% Family/friends: 5.6% No income: 1.1% Public sources: 14.6% Other sources: 7.9%

Source of Income

Source of Referral

(N = 89) Self/family/relative/ friends: 51.7% Employer/school: 0.0% Criminal justice: 36.0% Professional: 7.9% County social service agency: 97.8% Other community resources: 2.3% AA: 0.0% Tribal: 1.1%

Outcomes

Discharge Status (N = 89) Completed program: 48.3% Patient left without staff approval: 12.4% Staff requested/judged inappropriate: 15.7% Death/other: 23.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Share House Inc

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 87)	14.9%	1.2%
Not employed/student ^{\ddagger} (N = 87)	88.5%	46.0%
Arrests past 30 days (N = 89)	9.0%	0.0%
Alcohol use past 30 days (N = 89)	59.6%	13.5%
Drug use past 30 days (N = 89)	47.2%	3.4%
No self-help group participation past 30 days (N = 88)	40.9%	0.0%
No family support for recovery past 30 days (N = 84)	4.8%	13.1%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =89)	1.1%	1.1%
Biomedical Conditions and Complications $(N = 89)$	14.6%	7.9%
Emotional/Behavioral/ Cognitive Problem (N = 89)	95.5%	68.5%
Resistance to Change ($N = 89$)	96.6%	48.3%
Relapse/Continued Use Potential (N = 89)	97.8%	86.5%
Unsupportive Recovery Environment (N = 89)	100.0%	89.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Wellness Center

715 11th Street North Moorhead, MN 56560

County: Clay

Provider Website: www.wellnesscenter-fm.com

Patient Profile

Gender (N = 44) Race (N = 44)Age (N = 44)Male: 65.9% White: 56.8% Under 18: 4.6% Female: 34.1% Black: 0.0% 18 to 25: 36.4% American Indian: 13.6% 26 to 34: 27.3% Hispanic: 22.7% Asian/Pacific Islander: 4.6% Other: 2.3%

Primary Substance (N = 42)Alcohol: 69.0% Methamphetamine: 9.5% Marijuana: 21.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 44)Job: 56.8% Retirement/savings: 0.0% Family/friends: 18.2% No income: 2.3% Public sources: 18.2% Other sources: 4.6%

35 and older: 31.8%

Source of Referral (N = 44). Self/family/relative/ friends: 25.0% Employer/school: 2.3% Criminal justice: 68.2% Professional: 15.9% County social service agency: 65.9% Other community resources: 6.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 44</u>) Completed program: 50.0% Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 4.6% Death/other: 20.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Share House Wellness Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 25)	0.0%	4.0%
Not employed/student ^{\ddagger} (N = 20)	30.0%	15.0%
Arrests past 30 days (N = 20)	5.0%	0.0%
Alcohol use past 30 days (N = 22)	13.6%	4.6%
Drug use past 30 days (N = 22)	0.0%	4.6%
No self-help group participation past 30 days (N = 15)	33.3%	33.3%
No family support for recovery past 30 days (N = 14)	7.1%	7.1%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =37)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 36)$	5.6%	2.8%
Emotional/Behavioral/ Cognitive Problem (N = 37)	67.6%	27.0%
Resistance to Change ($N = 37$)	56.8%	54.1%
Relapse/Continued Use Potential (N = 38)	71.1%	55.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sisters Path

4219 9th Avenue South Fargo, ND 58103

County: North Dakota

Provider Website:

Patient Profile

Gender (N = 6)Race (N = 6)Age (N = 6)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * **Primary Substance** Source of Income (N = 6)(N = 6)(N = 6). Alcohol: * Job: * Retirement/savings: * friends: * Methamphetamine: * Marijuana: *

Retirement/savings Family/friends: * No income: * Public sources: * Other sources: *

Source of Referral (N = 6) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: * Tribal: *

Outcomes

Heroin: *

Cocaine: *

Other opiates: *

Other drugs: *

Discharge Status (N = 6) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Sisters Path

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 6)	*	*
Not employed/student ^{tt} (N = 4)	*	*
Arrests past 30 days (N = 6)	*	*
Alcohol use past 30 days ($N = 6$)	*	*
Drug use past 30 days (N = 6)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days (N = 4)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	<u>Admission</u> *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

South Metro Human Services

400 Sibley Street St. Paul, MN 55101

County: Ramsey

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 10)}}{\text{Male: 40.0\%}}$ Female: 60.0%

Race (N = 10) White: 80.0% Black: 10.0% American Indian: 10.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 10)</u> Under 18: 0.0% 18 to 25: 0.0% 26 to 34: 20.0% 35 and older: 80.0%

Primary Substance (N = 10) Alcohol: 60.0%Methamphetamine: 10.0%Marijuana: 0.0%Heroin: 0.0%Cocaine: 20.0%Other opiates: 10.0%Other drugs: 0.0%

(N = 10) Job: 0.0% Retirement/savings: 0.0% Family/friends: 40.0% No income: 10.0% Public sources: 50.0% Other sources: 0.0%

Source of Income

Source of Referral

(N = 10) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 70.0% Professional: 10.0% County social service agency: 100.0% Other community resources: 20.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 10) Completed program: 0.0% Patient left without staff approval: 40.0% Staff requested/judged inappropriate: 0.0% Death/other: 60.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

South Metro Human Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 8)	*	*
Not employed/student ^{11} (N = 9)	*	*
Arrests past 30 days (N = 10)	0.0%	0.0%
Alcohol use past 30 days (N = 10)	60.0%	30.0%
Drug use past 30 days (N = 10)	10.0%	10.0%
No self-help group participation past 30 days (N = 7)	*	*
No family support for recovery past 30 days (N = 6)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =8)	*	*
Biomedical Conditions and Complications $(N = 10)$	20.0%	20.0%
Emotional/Behavioral/ Cognitive Problem (N = 10)	30.0%	30.0%
Resistance to Change $(N = 9)$	*	*
Relapse/Continued Use Potential (N = 10)		
	70.0%	70.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Specialized Treatment Services, Inc.

1121 Jackson Street NE Minneapolis, MN 55413

County: Hennepin

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 350)} \\ Male: 65.4\% \\ Female: 34.6\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 350)} \\ White: 75.1\% \\ Black: 19.4\% \\ American Indian: 2.3\% \\ Hispanic: 1.7\% \\ Asian/Pacific Islander: 0.0\% \\ Other: 1.4\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 350)} \\ Under 18: 0.3\% \\ 18 to 25: 20.0\% \\ 26 to 34: 31.7\% \\ 35 and older: 48.0\% \\ 35 and older: 48.0\% \\ \end{array}$

Primary Substance (N = 347) Alcohol: 1.4% Methamphetamine: 0.3% Marijuana: 0.6% Heroin: 65.7% Cocaine: 0.0% Other opiates: 29.4% Other drugs: 2.6% Source of Income (N = 350) Job: 47.1% Retirement/savings: 0.6% Family/friends: 14.9% No income: 8.0% Public sources: 21.1% Other sources: 8.3%

Source of Referral

<u>(N = 350)</u>. Self/family/relative/ friends: 84.9% Employer/school: 0.6% Criminal justice: 2.6% Professional: 10.6% County social service agency: 7.1% Other community resources: 18.6% AA: 0.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 350) Completed program: 6.3% Patient left without staff approval: 47.4% Staff requested/judged inappropriate: 5.1% Death/other: 41.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Specialized Treatment Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 311)	6.1%	5.8%
Not employed/student ^{11} (N = 290)	52.1%	52.1%
Arrests past 30 days (N = 218)	7.8%	12.4%
Alcohol use past 30 days (N = 144)	43.8%	12.5%
Drug use past 30 days (N = 147)	87.8%	51.7%
No self-help group participation past 30 days (N = 242)	70.7%	69 .0%
No family support for recovery past 30 days (N = 247)	22.7%	19.0%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =341)	76.0%	69.2%
Biomedical Conditions and Complications ($N = 341$)	21.4%	26.4%
Emotional/Behavioral/ Cognitive Problem (N = 339)	49.9%	54.3%
Resistance to Change ($N = 341$)	29.3%	56.0%
Relapse/Continued Use Potential (N = 340)	85.0%	80.3%
Unsupportive Recovery Environment (N = 338)	51.8%	55.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Cloud Metro Treatment

524 25th Avenue North St. Cloud, MN 56303

County: Stearns

Provider Website: www.methadonetreatment.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 28)} \\ Male: \ 67.9\% \\ Female: \ 32.1\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 28)} \\ White: \ 89.3\% \\ Black: \ 0.0\% \\ American \ Indian: \ 10.7\% \\ Hispanic: \ 0.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 28)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 39.3\% \\ 26 \ to \ 34: \ 17.9\% \\ 35 \ and \ older: \ 42.9\% \\ Other: \ 0.0\% \\ \end{array}$

Primary Substance (N = 28)	
Alcohol: 0.0%	
Methamphetamine: 0.0%	
Marijuana: 0.0%	
Heroin: 21.4%	
Cocaine: 0.0%	
Other opiates: 78.6%	
Other drugs: 0.0%	

Source of Income (N = 28)Job: 21.4% Retirement/savings: 3.6% Family/friends: 25.0% No income: 7.1% Public sources: 35.7% Other sources: 7.1%

Source of Referral

(N = 28) Self/family/relative/ friends: 92.9% Employer/school: 0.0% Criminal justice: 0.0% Professional: 32.1% County social service agency: 7.1% Other community resources: 21.4% AA: 0.0% Tribal: 7.1%

Outcomes

Discharge Status (N = 28) Completed program: 0.0% Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 7.1% Death/other: 67.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

St. Cloud Metro Treatment

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 16)	6.3%	0.0%
Not employed/student ^{ii} (N = 13)	69.2%	53.8%
Arrests past 30 days (N = 4)	*	*
Alcohol use past 30 days (N = 6)	*	*
Drug use past 30 days (N = 6)	*	*
No self-help group participation past 30 days (N = 6)	*	*
No family support for recovery past 30 days (N = 12)	8.3%	16.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =28)	67.9%	67.9%
Biomedical Conditions and Complications ($N = 28$)	57.1%	50.0%
Emotional/Behavioral/ Cognitive Problem (N = 28)	67.9%	78.6%
Resistance to Change ($N = 28$)	78.6%	67.9%
Relapse/Continued Use Potential (N = 28)	96.4%	75.0%
Unsupportive Recovery Environment (N = 26)	76.9%	76.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Johns Hospital - Healtheast CD Program

1575 Beam Ave Maplewood, MN 55109

County: Ramsey

Provider Website:

Patient Profile

Gender (N = 43) Race (N = 43)Age (N = 43)Male: 41.9% White: 93.0% Female: 58.1% Black: 2.3% American Indian: 0.0% Hispanic: 2.3% Asian/Pacific Islander: 0.0% Other: 2.3%

Primary Substance (N = 43)Alcohol: 51.2% Methamphetamine: 14.0% Marijuana: 7.0% Heroin: 2.3% Cocaine: 18.6% Other opiates: 7.0% Other drugs: 0.0%

Source of Income (N = 43)Job: 25.6% Retirement/savings: 11.6% Family/friends: 18.6% No income: 0.0% Public sources: 32.6% Other sources: 11.6%

Under 18: 0.0%

18 to 25: 11.6% 26 to 34: 7.0% 35 and older: 81.4%

Source of Referral (N = 43). Self/family/relative/ friends: 62.8% Employer/school: 0.0% Criminal justice: 16.3% Professional: 65.1% County social service agency: 25.6% Other community resources: 4.7% AA: 0.0% Tribal: 2.3%

Outcomes

Discharge Status <u>(N = 43</u>) Completed program: 48.8% Patient left without staff approval: 25.6% Staff requested/judged inappropriate: 2.3% Death/other: 23.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

St. Johns Hospital - Healtheast CD Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 43)	0.0%	0.0%
Not employed/student ^{ii} (N = 40)	75.0%	70.0%
Arrests past 30 days (N = 38)	5.3%	5.3%
Alcohol use past 30 days (N = 43)	44.2%	11.6%
Drug use past 30 days (N = 40)	32.5%	10.0%
No self-help group participation past 30 days (N = 28)	35.7%	32.1%
No family support for recovery past 30 days (N = 31)	3.2%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =42)	0.0%	2.4%
Biomedical Conditions and Complications $(N = 43)$	39.5%	30.2%
Emotional/Behavioral/ Cognitive Problem (N = 43)	97.7%	60.5%
Resistance to Change ($N = 43$)	51.2%	41.9%
Relapse/Continued Use Potential (N = 43)	100.0%	55.8%
Unsupportive Recovery Environment (N = 43)	95.3%	67.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Joseph's Hospital Inpatient Chemical Dependency Program

69 West Exchange Street St. Paul, MN 55102

County: Ramsey

resources: 13.3%

AA: 0.3% Tribal: 0.1%

Provider Website: www.healtheast.org

Patient Profile

Primary Substance	Source of Income	Source of Referral
(N = 1001)	(N = 1147)	<u>(N = 1147)</u>
Alcohol: 60.0%	Job: 29.4%	Self/family/relative/
Methamphetamine: 5.3%	Retirement/savings: 5.3%	friends: 75.2%
Marijuana: 5.4%	Family/friends: 9.4%	Employer/school: 1.6%
Heroin: 10.0%	No income: 7.2%	Criminal justice: 12.6%
Cocaine: 10.0%	Public sources: 19.3%	Professional: 31.3%
Other opiates: 8.4%	Other sources: 29.5%	County social
Other drugs: 0.9%		service agency: 34.2%
		Other community

Outcomes

Discharge Status (N = 1147) Completed program: 47.4% Patient left without staff approval: 22.8% Staff requested/judged inappropriate: 4.9% Death/other: 24.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

St. Joseph's Hospital Inpatient Chemical Dependency Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{ii} (N = 952)	10.2%	8.6%
Not employed/student ^{ii} (N = 869)	67.7%	64.4%
Arrests past 30 days (N = 937)	8.5%	4.0%
Alcohol use past 30 days (N = 932)	69.7%	45.0%
Drug use past 30 days (N = 936)	49.8%	34.8%
No self-help group participation past 30 days (N = 774)	64.2%	20.3%
No family support for recovery past 30 days (N = 732)	22.1%	12.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =851)	30.3%	15.6%
Biomedical Conditions and Complications ($N = 849$)	23.9%	15.9%
Emotional/Behavioral/ Cognitive Problem (N = 868)	81.2%	56.9%
Resistance to Change (N = 909)	29.5%	33.7%
Relapse/Continued Use Potential (N = 910)	98.0%	69.6%
Unsupportive Recovery Environment (N = 865)	91.2%	62.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Paul Metro Treatment Center

2311 Woodbridge Street Roseville, MN 55113

County: Ramsey

Provider Website: www.methadonetreatment.com

Patient Profile

Gender (N = 84) Race (N = 84)Age (N = 84)Male: 64.3% White: 76.2% Under 18: 1.2% Female: 35.7% Black: 8.3% 18 to 25: 27.4% American Indian: 8.3% 26 to 34: 28.6% Hispanic: 3.6% Asian/Pacific Islander: 2.4% Other: 1.2%

Primary Substance	Source of Income	Sour
(N = 83)	(N = 84)	(N :
Alcohol: 0.0%	Job: 47.6%	Self/
Methamphetamine: 0.0%	Retirement/savings: 4.8%	fri
Marijuana: 0.0%	Family/friends: 17.9%	Emp
Heroin: 49.4%	No income: 2.4%	Crin
Cocaine: 0.0%	Public sources: 14.3%	Prof
Other opiates: 50.6%	Other sources: 13.1%	Cou
Other drugs: 0.0%		SE
		Othe

35 and older: 42.9%

rce of Referral = <u>84)</u>. /family/relative/ riends: 94.0% ployer/school: 0.0% minal justice: 0.0% ofessional: 14.3% unty social service agency: 0.0% her community resources: 52.4% AA: 1.2% Tribal: 1.2%

Outcomes

Discharge Status <u>(N = 84</u>) Completed program: 2.4% Patient left without staff approval: 60.7% Staff requested/judged inappropriate: 1.2% Death/other: 35.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

St. Paul Metro Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 66)	3.0%	1.5%
Not employed/student ^{\ddagger} (N = 65)	43.1%	52.3%
Arrests past 30 days (N = 57)	7.0%	8.8%
Alcohol use past 30 days (N = 46)	26.1%	10.9%
Drug use past 30 days (N = 48)	91.7%	50.0%
No self-help group participation past 30 days (N = 54)	87.0%	90.7%
No family support for recovery past 30 days (N = 57)	15.8%	22.8%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =81)	97.5%	88.9%
Biomedical Conditions and Complications $(N = 81)$	30.9%	30.9%
Emotional/Behavioral/ Cognitive Problem (N = 81)	56.8%	65.4%
Resistance to Change ($N = 81$)	65.4%	77.8%
Relapse/Continued Use Potential (N = 82)	100.0%	91.5%
Unsupportive Recovery Environment (N = 79)	70.9%	67.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Stellher Human Services, Inc. Bagley School District #162

202 Bagley Ave. NW Bagley, MN 56621

County: Clearwater

Provider Website:

Patient Profile

<u>Gender (N = 11)</u> Male: 54.5% Female: 45.5% Race (N = 11) White: 27.3% Black: 0.0% American Indian: 63.6% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 9.1% Age (N = 11) Under 18: 81.8% 18 to 25: 18.2% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 11) Alcohol: 54.5% Methamphetamine: 0.0% Marijuana: 45.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income

(N = 11) Job: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral

<u>(N = 11)</u> Self/family/relative/ friends: 45.5% Employer/school: 54.5% Criminal justice: 45.5% Professional: 0.0% County social service agency: 45.5% Other community resources: 9.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 11) Completed program: 27.3% Patient left without staff approval: 54.5% Staff requested/judged inappropriate: 0.0% Death/other: 18.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Stellher Human Services, Inc. Bagley School District #162

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 11)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 11)	0.0%	0.0%
Arrests past 30 days (N = 11)	27.3%	0.0%
Alcohol use past 30 days (N = 11)	9.1%	9.1%
Drug use past 30 days (N = 11)	18.2%	9.1%
No self-help group participation past 30 days ($N = 5$)	*	*
No family support for recovery past 30 days (N = 5)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
•	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =11) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =11) Biomedical Conditions and Complications (N = 11) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 11) Biomedical Conditions and Complications (N = 11) Emotional/Behavioral/ Cognitive Problem (N = 11)	0.0% 0.0% 18.2%	0.0% 0.0% 18.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Stellher Human Services, Inc. La Porte School District # 306

315 Main Street West LaPorte, MN 56619

County: Hubbard

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 5)</u> Male: * Female: *	Race (N = 5) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 5) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 5) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 5) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 5) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 5) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Stellher Human Services, Inc. La Porte School District # 306

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 5)	*	*
Not employed/student ^{\ddagger} (N = 4)	*	*
Arrests past 30 days (N = 4)	*	*
Alcohol use past 30 days (N = 5)	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days (N = 3)	*	*
No family support for recovery past 30 days (N = 2)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/ Cognitive Problem (N = 4)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Stellher Human Services, Inc. Nevis School District # 308

210 Pleasant Street Nevis, MN 56467

County: Hubbard

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 4)</u> Male: * Female: *	Race (N = 4) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 4) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 4) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 4) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 4) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 4) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Stellher Human Services, Inc. Nevis School District # 308

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 4)	*	*
Not employed/student ^{\ddagger} (N = 4)	*	*
Arrests past 30 days (N = 4)	*	*
Alcohol use past 30 days ($N = 4$)	*	*
Drug use past 30 days (N = 4)	*	*
No self-help group participation past 30 days (N = 4)	*	*
No family support for recovery past 30 days (N = 4)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	<u>Admission</u> *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/ Cognitive Problem (N = 4)	* *	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Stellher Human Services, Inc. Park Rapids School District # 309

301 Huntsinger Avenue Park Rapids, MN 56470

County: Hubbard

Provider Website:

Patient Profile

Gender (N = 19) Race (N = 19)Age (N = 19)Male: 26.3% White: 68.4% Female: 73.7% Black: 0.0% American Indian: 21.1% Hispanic: 10.5% Asian/Pacific Islander: 0.0% Other: 0.0%

Source of Income

Primary Substance (N = 19) Alcohol: 31.6% Methamphetamine: 10.5% Marijuana: 52.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 5.3% Other drugs: 0.0%

(N = 19)Job: 5.3% Retirement/savings: 0.0% Family/friends: 84.2% No income: 0.0% Public sources: 0.0% Other sources: 10.5%

Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Source of Referral (N = 19) . Self/family/relative/ friends: 52.6% Employer/school: 47.4% Criminal justice: 15.8% Professional: 10.5% County social service agency: 57.9% Other community resources: 10.5% AA: 0.0% Tribal: 5.3%

Outcomes

Discharge Status (N = 19)Completed program: 15.8% Patient left without staff approval: 47.4% Staff requested/judged inappropriate: 0.0% Death/other: 36.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Stellher Human Services, Inc. Park Rapids School District # 309

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 18)	11.1%	11.1%
Not employed/student ^{$\pm\pm$} (N = 19)	0.0%	0.0%
Arrests past 30 days (N = 19)	5.3%	5.3%
Alcohol use past 30 days (N = 18)	55.6%	27.8%
Drug use past 30 days (N = 15)	46.7%	13.3%
No self-help group participation past 30 days ($N = 16$)	93.8%	93.8%
No family support for recovery past 30 days (N = 14)	0.0%	21.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =19)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 19)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 19)	5.3%	21.1%
Resistance to Change ($N = 19$)	36.8%	47.4%
Relapse/Continued Use Potential (N = 19)	84.2%	63.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tapestry, LLC

1609 Jackson Street St. Paul, MN 55117

Provider Website:

Patient Profile

Gender (N = 6)Race (N = 6)Male: *White: *Female: *Black: *American Indian: *Hispanic: *Asian/Pacific Islander: *Other: *

Age (N = 6) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

AA: * Tribal: *

County: Ramsey

Primary Substance	Source of Income	Source of Referral
(N = 6)	(N = 6)	(N = 6).
Alcohol: *	Job: *	Self/family/relative/
Methamphetamine: *	Retirement/savings: *	friends: *
Marijuana: *	Family/friends: *	Employer/school: *
Heroin: *	No income: *	Criminal justice: *
Cocaine: *	Public sources: *	Professional: *
Other opiates: *	Other sources: *	County social
Other drugs: *		service agency: *
		Other community
		resources: *

Outcomes

Discharge Status (N = 6) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Tapestry, LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 6)	*	*
Not employed/student ^{tt} (N = 6)	*	*
Arrests past 30 days (N = 6)	*	*
Alcohol use past 30 days (N = 6)	*	*
Drug use past 30 days (N = 6)	*	*
No self-help group participation past 30 days (N = 6)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Telesis - Hennepin County Workhouse

1145 Shenadoah Lane Plymouth, MN 55447

County: Hennepin

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 287)} \\ Male: \ 81.5\% \\ Female: \ 18.5\% \\ Female: \ 18.5\% \\ American \ Indian: \ 5.9\% \\ Hispanic: \ 2.4\% \\ Asian/Pacific \ Islander: \ 1.4\% \\ Other: \ 5.2\% \\ \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 287)} \\ Under \ 18: \ 0.3\% \\ I8 \ to \ 25: \ 33.1\% \\ 26 \ to \ 34: \ 24.4\% \\ 35 \ and \ older: \ 42.2\% \\ 35 \ and \ older: \ 42.2\% \\ \end{array}$

Source of Income

Primary Substance (N = 287) Alcohol: 43.2% Methamphetamine: 3.8% Marijuana: 26.8% Heroin: 3.8% Cocaine: 20.2% Other opiates: 0.7% Other drugs: 1.4%

(N = 287) Job: 36.6% Retirement/savings: 0.7% Family/friends: 4.9% No income: 35.9%

Public sources: 15.3%

Other sources: 6.6%

Source of Referral

(N = 287) Self/family/relative/ friends: 0.7% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 287) Completed program: 85.0% Patient left without staff approval: 3.8% Staff requested/judged inappropriate: 8.0% Death/other: 3.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Telesis - Hennepin County Workhouse

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 287)	0.0%	0.0%
Not employed/student ^{ii} (N = 280)	81.1%	80.7%
Arrests past 30 days (N = 287)	2.1%	0.0%
Alcohol use past 30 days (N = 287)	0.7%	0.3%
Drug use past 30 days (N = 287)	1.1%	0.0%
No self-help group participation past 30 days (N = 287)	55.1%	33.8%
No family support for recovery past 30 days (N = 286)	41.3%	30.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =287)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 285$)	0.0%	1.1%
Emotional/Behavioral/ Cognitive Problem (N = 287)	98.6%	48.8%
Resistance to Change (N = 287)	99.0%	48.1%
Relapse/Continued Use Potential (N = 287)	100.0%	92.7%
Unsupportive Recovery Environment (N = 286)	99.7%	94.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Temporary Living Center, TLC

7170 Bryant Lake Drive Eden Prairie, MN 55344

County: Hennepin

Provider Website: www.tlcgirls.org

Patient Profile

Gender (N = 63) Race (N = 63)Age (N = 63)White: 82.5% Under 18: 92.1% Male: 0.0% Female: 100.0% Black: 3.2% 18 to 25: 7.9% American Indian: 9.5% 26 to 34: 0.0% Hispanic: 3.2% 35 and older: 0.0% Asian/Pacific Islander: 0.0% Other: 1.6%

Primary Substance (N = 63)Alcohol: 39.7% Methamphetamine: 11.1% Marijuana: 34.9% Heroin: 1.6% Cocaine: 7.9% Other opiates: 1.6% Other drugs: 3.2%

Source of Income (N = 63)Job: 0.0% Retirement/savings: 0.0% Family/friends: 95.2% No income: 3.2% Public sources: 0.0% Other sources: 1.6%

Source of Referral (N = 63). Self/family/relative/ friends: 30.2% Employer/school: 0.0% Criminal justice: 38.1% Professional: 95.2% County social service agency: 22.2% Other community resources: 9.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 63</u>) Completed program: 69.8% Patient left without staff approval: 12.7% Staff requested/judged inappropriate: 9.5% Death/other: 7.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Temporary Living Center, TLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 63)	3.2%	0.0%
Not employed/student ^{\ddagger} (N = 62)	1.6%	0.0%
Arrests past 30 days (N = 60)	8.3%	0.0%
Alcohol use past 30 days (N = 63)	14.3%	1.6%
Drug use past 30 days (N = 63)	15.9%	4.8%
No self-help group participation past 30 days (N = 57)	1.8%	0.0%
No family support for recovery past 30 days (N = 57)	1.8%	1.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =60)	0.0%	3.3%
Biomedical Conditions and Complications ($N = 60$)	6.7%	6.7%
Emotional/Behavioral/ Cognitive Problem (N = 60)	100.0%	75.0%
Resistance to Change ($N = 60$)	95.0%	35.0%
Relapse/Continued Use Potential (N = 60)	100.0%	73.3%
Unsupportive Recovery Environment (N = 60)	90.0%	70.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The 1402 Treatment Program

1402 East Superior Street Duluth, MN 55812

County: St. Louis

Provider Website: www.cadt.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 332)} \\ Male: \ 61.4\% \\ Female: \ 38.6\% \end{array} & \begin{array}{c} \underline{Race (N = 332)} \\ White: \ 84.0\% \\ Black: \ 4.5\% \\ American \ Indian: \ 9.6\% \\ Hispanic: \ 0.6\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 1.2\% \end{array} & \begin{array}{c} \underline{Age (N = 332)} \\ Under \ 18: \ 0.3\% \\ 18 \ to \ 25: \ 21.1\% \\ 26 \ to \ 34: \ 21.7\% \\ 35 \ and \ older: \ 56.9\% \\ 35 \ and \ older: \ 56.9\% \\ \end{array}$

Primary Substance (N = 332) Alcohol: 62.0% Methamphetamine: 12.3% Marijuana: 5.4% Heroin: 0.0% Cocaine: 6.9% Other opiates: 12.7% Other drugs: 0.6% Source of Income (N = 332)Job: 37.3% Retirement/savings: 2.7% Family/friends: 6.3% No income: 23.5% Public sources: 21.1% Other sources: 9.0%

Source of Referral

<u>(N = 332)</u> Self/family/relative/ friends: 52.4% Employer/school: 1.2% Criminal justice: 26.5% Professional: 17.5% County social service agency: 18.1% Other community resources: 1.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 332) Completed program: 67.5% Patient left without staff approval: 16.9% Staff requested/judged inappropriate: 3.0% Death/other: 12.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The 1402 Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{11} (N = 325)	8.0%	4.3%
Not employed/student ^{\ddagger} (N = 310)	55.2%	61.6%
Arrests past 30 days (N = 286)	8.7%	1.4%
Alcohol use past 30 days (N = 284)	60.2%	16.5%
Drug use past 30 days (N = 285)	46.0%	15.8%
No self-help group participation past 30 days (N = 299)	63.2%	42.8%
No family support for recovery past 30 days (N = 295)	15.9%	21.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =332)	8.7%	4.5%
Biomedical Conditions and Complications ($N = 331$)	13.3%	7.3%
Emotional/Behavioral/ Cognitive Problem (N = 332)	25.0%	21.4%
Resistance to Change ($N = 332$)	62.7%	34.9%
Relapse/Continued Use Potential (N = 332)	87.0%	68.7%
Unsupportive Recovery		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Gables

604 5th Street SW Rochester, MN 55902

Provider Website:

Patient Profile

Male: 0.0%

Gender (N = 156)

Female: 100.0%

Race (N = 156) White: 92.9% Black: 0.6% American Indian: 3.9% Hispanic: 0.6% Asian/Pacific Islander: 0.0% Other: 1.9%

<u>Age (N = 156)</u> Under 18: 5.1% 18 to 25: 30.1% 26 to 34: 21.2% 35 and older: 43.6%

County: Olmsted

Primary Substance (N = 156) Alcohol: 64.7% Methamphetamine: 17.3% Marijuana: 1.3% Heroin: 1.9% Cocaine: 9.6%

Other opiates: 3.2%

Other drugs: 1.9%

Source of Income

(N = 156) Job: 44.9% Retirement/savings: 1.9% Family/friends: 21.2% No income: 13.5% Public sources: 7.7% Other sources: 10.9%

Source of Referral

(N = 156) Self/family/relative/ friends: 21.2% Employer/school: 0.0% Criminal justice: 5.8% Professional: 53.2% County social service agency: 80.1% Other community resources: 32.7% AA: 0.0% Tribal: 0.6%

Outcomes

Discharge Status (N = 156) Completed program: 19.2% Patient left without staff approval: 41.7% Staff requested/judged inappropriate: 9.6% Death/other: 29.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Gables

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 151)	1.3%	0.0%
Not employed/student ^{\ddagger} (N = 148)	83.1%	77.0%
Arrests past 30 days (N = 149)	13.4%	1.3%
Alcohol use past 30 days (N = 154)	30.5%	4.6%
Drug use past 30 days (N = 153)	25.5%	3.3%
No self-help group participation past 30 days ($N = 44$)	4.6%	0.0%
No family support for recovery past 30 days (N = 124)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =150)	1.3%	2.0%
Biomedical Conditions and Complications ($N = 148$)	32.4%	25.0%
Emotional/Behavioral/ Cognitive Problem (N = 149)	83.9%	77.9%
Resistance to Change ($N = 149$)	74.5%	64.4%
Relapse/Continued Use Potential (N = 148)	91.9%	78.4%
Unsupportive Recovery Environment (N = 146)	91.8%	80.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven Halfway House, LLC

1425 East St. Germain St. Cloud, MN 56304

County: Benton

Provider Website:

Patient Profile

 Gender (N = 76)
 Race (N = 76)
 Age

 Male: 100.0%
 White: 85.5%
 Un

 Female: 0.0%
 Black: 5.3%
 18

 American Indian: 1.3%
 26

 Hispanic: 7.9%
 35

 Asian/Pacific Islander: 0.0%
 Other: 0.0%

<u>Age (N = 76)</u> Under 18: 0.0% 18 to 25: 27.6% 26 to 34: 28.9% 35 and older: 43.4%

Primary Substance (N = 76) Alcohol: 56.6% Methamphetamine: 28.9% Marijuana: 11.8% Heroin: 0.0% Cocaine: 1.3% Other opiates: 1.3% Other drugs: 0.0%

(N = 76) Job: 32.9% Retirement/savings: 1.3% Family/friends: 14.5% No income: 14.5% Public sources: 21.1% Other sources: 15.8%

Source of Income

Source of Referral

<u>(N = 76)</u> Self/family/relative/ friends: 11.8% Employer/school: 0.0% Criminal justice: 1.3% Professional: 86.8% County social service agency: 100.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 76) Completed program: 59.2% Patient left without staff approval: 11.8% Staff requested/judged inappropriate: 23.7% Death/other: 5.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Haven Halfway House, LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 76)	0.0%	1.3%
Not employed/student ^{\ddagger} (N = 76)	89.5%	42.1%
Arrests past 30 days (N = 76)	7.9%	2.6%
Alcohol use past 30 days (N = 76)	13.2%	11.8%
Drug use past 30 days (N = 76)	5.3%	10.5%
No self-help group participation past 30 days (N = 75)	10.7%	6.7%
No family support for recovery past 30 days (N = 75)	2.7%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =76)	0.0%	4.0%
Biomedical Conditions and Complications $(N = 76)$	4.0%	14.5%
Emotional/Behavioral/ Cognitive Problem (N = 76)	7.9%	21.1%
Resistance to Change ($N = 76$)	0.0%	27.6%
Relapse/Continued Use Potential (N = 76)	32.9%	47.4%
Unsupportive Recovery Environment (N = 76)	31.6%	46.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Cloquet

1003 Cloquet Ave Cloquet, MN 55720

Provider Website:

Patient Profile

<u>Gender (N = 176)</u> Male: 69.9% Female: 30.1% Race (N = 176) White: 81.3% Black: 1.7% American Indian: 14.8% Hispanic: 1.7% Asian/Pacific Islander: 0.0% Other: 0.6% <u>Age (N = 176)</u> Under 18: 22.7% 18 to 25: 22.7% 26 to 34: 12.5% 35 and older: 42.0%

County: Carlton

Primary Substance (N = 176)

Alcohol: 64.8% Methamphetamine: 3.4% Marijuana: 24.4% Heroin: 0.0% Cocaine: 0.6% Other opiates: 6.3% Other drugs: 0.6%

Source of Income

(N = 176) Job: 50.0% Retirement/savings: 4.0% Family/friends: 27.8% No income: 6.8% Public sources: 5.1% Other sources: 6.3%

Source of Referral

<u>(N = 176)</u>. Self/family/relative/ friends: 64.8% Employer/school: 7.4% Criminal justice: 54.5% Professional: 18.8% County social service agency: 9.1% Other community resources: 15.9% AA: 0.6% Tribal: 2.3%

Outcomes

Discharge Status (N = 176) Completed program: 64.8% Patient left without staff approval: 14.8% Staff requested/judged inappropriate: 9.7% Death/other: 10.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Haven in Cloquet

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 173)	1.2%	0.0%
Not employed/student ^{$\ddagger t$} (N = 166)	27.7%	22.3%
Arrests past 30 days (N = 163)	17.8%	2.5%
Alcohol use past 30 days (N = 149)	40.3%	6.7%
Drug use past 30 days (N = 150)	24.0%	7.3%
No self-help group participation past 30 days (N = 160)	70.6%	12.5%
No family support for recovery past 30 days (N = 143)	8.4%	2.1%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 3.4%	<u>Discharge</u> 4.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =175) Biomedical Conditions and	3.4%	4.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =175) Biomedical Conditions and Complications (N = 176) Emotional/Behavioral/	3.4% 15.3%	4.6% 8.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =175) Biomedical Conditions and Complications (N = 176) Emotional/Behavioral/ Cognitive Problem (N = 175)	3.4% 15.3% 54.9%	4.6% 8.0% 40.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Shakopee

275 1st Avenue East Shakopee, MN 55379

County: Scott

Provider Website: www.havenchemicalhealth.com

Patient Profile

Gender (N = 146) Race (N = 146)White: 87.0% Male: 65.1% Under 18: 15.1% Female: 34.9% Black: 2.7% 18 to 25: 19.9% American Indian: 2.7% 26 to 34: 18.5% Hispanic: 4.1% 35 and older: 46.6% Asian/Pacific Islander: 2.1% Other: 1.4%

Primary Substance (N = 146)
`_`
Alcohol: 69.2%
Methamphetamine: 2.7%
Marijuana: 17.8%
Heroin: 0.0%
Cocaine: 6.9%
Other opiates: 2.1%
Other drugs: 1.4%

Source of Income (N = 146)Job: 55.5% Retirement/savings: 0.7% Family/friends: 17.8% No income: 14.4% Public sources: 4.1%

Other sources: 7.5%

Age (N = 146)

Source of Referral (N<u>= 146)</u>. Self/family/relative/ friends: 61.6% Employer/school: 4.8% Criminal justice: 57.5% Professional: 16.4% County social service agency: 8.2% Other community resources: 35.6% AA: 0.0% Tribal: 0.7%

Outcomes

Discharge Status (N = 146)Completed program: 54.8% Patient left without staff approval: 19.9% Staff requested/judged inappropriate: 6.9% Death/other: 18.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Haven in Shakopee

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 134)	1.5%	1.5%
Not employed/student ^{\ddagger} (N = 136)	27.9%	23.5%
Arrests past 30 days (N = 116)	17.2%	6.0%
Alcohol use past 30 days (N = 100)	34.0%	10.0%
Drug use past 30 days (N = 100)	20.0%	10.0%
No self-help group participation past 30 days (N = 132)	62.9%	22.0%
No family support for recovery past 30 days (N = 128)	19.5%	32.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =145)	0.7%	7.6%
Biomedical Conditions and Complications (N = 145)	9.7%	7.6%
Emotional/Behavioral/		
Cognitive Problem ($N = 145$)	50.3%	35.9%
Cognitive Problem (N = 145) Resistance to Change (N = 145)	50.3% 53.8%	35.9% 41.4%
o i i i		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Waconia

508 Industrial Blvd Waconia, MN 55387

County: Carver

Provider Website: www.havenchemicalhealth.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 151)} \\ Male: \ 68.9\% \\ Female: \ 31.1\% \\ \end{array} \begin{array}{c} \underline{Race \ (N = 151)} \\ White: \ 92.7\% \\ Black: \ 2.0\% \\ American \ Indian: \ 1.3\% \\ Hispanic: \ 3.3\% \\ Asian/Pacific \ Islander: \ 0.7\% \\ Other: \ 0.0\% \end{array} \begin{array}{c} \underline{Age \ (N = 151)} \\ Under \ 18: \ 30.5\% \\ 18 \ to \ 25: \ 22.5\% \\ 26 \ to \ 34: \ 15.2\% \\ 35 \ and \ older: \ 31.8\% \\ 35 \ and \ older: \ 31.8\% \\ \end{array}$

Primary Substance (N = 151) Alcohol: 60.3% Methamphetamine: 1.3% Marijuana: 29.8% Heroin: 0.0% Cocaine: 5.3% Other opiates: 2.0% Other drugs: 1.3% Other: 0.0% Source of Income (N = 151)Job: 45.7%

Job: 45.7% Retirement/savings: 0.7% Family/friends: 33.8% No income: 6.0% Public sources: 7.3% Other sources: 6.6% Source of Referral (N = 151) Self/family/relative/ friends: 35.8% Employer/school: 4.0% Criminal justice: 37.7% Professional: 18.5% County social service agency: 23.2% Other community resources: 53.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 151) Completed program: 55.0% Patient left without staff approval: 18.5% Staff requested/judged inappropriate: 6.6% Death/other: 19.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Haven in Waconia

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 148)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 144)	16.7%	15.3%
Arrests past 30 days (N = 151)	11.3%	4.0%
Alcohol use past 30 days (N = 150)	35.3%	14.0%
Drug use past 30 days (N = 150)	22.0%	8.7%
No self-help group participation past 30 days (N = 146)	69.2%	39.0%
No family support for recovery past 30 days (N = 144)	21.5%	21.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =150)	0.7%	0.7%
Biomedical Conditions and Complications ($N = 150$)	18.7%	13.3%
Emotional/Behavioral/ Cognitive Problem (N = 151)		
	58.3%	34.4%
Resistance to Change ($N = 151$)	58.3% 62.9%	34.4% 39.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Woodbury

2042 Wooddale Drive Woodbury, MN 55125

County: Washington

Provider Website: www.havenchemicalhealthsystems.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 102)} \\ Male: \ 61.8\% \\ Female: \ 38.2\% \\ \end{array} \begin{array}{c} \underline{Race \ (N = 102)} \\ White: \ 92.2\% \\ Black: \ 2.9\% \\ American \ Indian: \ 1.0\% \\ Hispanic: \ 2.0\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 2.0\% \end{array} \begin{array}{c} \underline{Age \ (N = 102)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 25.5\% \\ 26 \ to \ 34: \ 23.5\% \\ 35 \ and \ older: \ 51.0\% \\ Other: \ 2.0\% \end{array}$

Primary SubstanceS(N = 98)(1)Alcohol: 72.4%(1)Methamphetamine: 9.2%(1)Marijuana: 13.3%(1)Heroin: 0.0%(1)Cocaine: 1.0%(1)Other opiates: 3.1%(1)Other drugs: 1.0%(1)

Source of Income (N = 102)Job: 64.7% Retirement/savings: 5.9% Family/friends: 17.6% No income: 4.9% Public sources: 2.9% Other sources: 3.9%

Source of Referral

(N = 102) Self/family/relative/ friends: 60.8% Employer/school: 3.9% Criminal justice: 35.3% Professional: 28.4% County social service agency: 16.7% Other community resources: 42.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 102) Completed program: 60.8% Patient left without staff approval: 21.6% Staff requested/judged inappropriate: 10.8% Death/other: 6.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Haven in Woodbury

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 98)	0.0%	1.0%
Not employed/student ^{\ddagger} (N = 95)	33.7%	24.2%
Arrests past 30 days (N = 86)	12.8%	1.2%
Alcohol use past 30 days (N = 82)	50.0%	7.3%
Drug use past 30 days (N = 80)	20.0%	5.0%
No self-help group participation past 30 days (N = 84)	64.3%	9.5%
No family support for recovery past 30 days (N = 80)	7.5%	20.0%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =96)	6.3%	13.5%
Biomedical Conditions and Complications $(N = 98)$	34.7%	22.4%
Emotional/Behavioral/ Cognitive Problem (N = 99)	80.8%	46.5%
Resistance to Change ($N = 98$)	50.0%	35.7%
Relapse/Continued Use Potential (N = 97)	96.9%	45.4%
Unsupportive Recovery Environment (N = 97)	91.8%	42.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Micah Halfway House

3047 5th Avenue South Minneapolis, MN 55408

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 108)</u> Male: 100.0% Female: 0.0% Race (N = 108) White: 10.2% Black: 66.7% American Indian: 0.0% Hispanic: 19.4% Asian/Pacific Islander: 0.0% Other: 3.7% Age (N = 108) Under 18: 0.0% 18 to 25: 9.3% 26 to 34: 18.5% 35 and older: 72.2%

Primary Substance (N = 108) Alcohol: 36.1% Methamphetamine: 2.8% Marijuana: 6.5% Heroin: 5.6% Cocaine: 47.2% Other opiates: 0.9% Other drugs: 0.9%

(N = 108) Job: 44.4% Retirement/savings: 0.0% Family/friends: 0.9% No income: 36.1% Public sources: 11.1% Other sources: 7.4%

Source of Income

Source of Referral

<u>(N = 108)</u> Self/family/relative/ friends: 1.9% Employer/school: 0.0% Criminal justice: 12.0% Professional: 9.3% County social service agency: 100.0% Other community resources: 0.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 108) Completed program: 56.5% Patient left without staff approval: 22.2% Staff requested/judged inappropriate: 18.5% Death/other: 2.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Micah Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 108)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 107)	43.0%	41.1%
Arrests past 30 days (N = 108)	11.1%	3.7%
Alcohol use past 30 days (N = 107)	30.8%	36.4%
Drug use past 30 days (N = 108)	34.3%	29.6%
No self-help group participation past 30 days (N = 107)	11.2%	13.1%
No family support for recovery past 30 days (N = 97)	42.3%	45.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =105)	17.1%	23.8%
Biomedical Conditions and Complications ($N = 106$)	17.1% 15.1%	23.8% 15.1%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 106) Emotional/Behavioral/	15.1%	15.1%
Biomedical Conditions and Complications (N = 106) Emotional/Behavioral/ Cognitive Problem (N = 105)	15.1% 62.9%	15.1% 59.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Range Treatment Center

626 13th Street South Virginia, MN 55792

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 118)</u> Male: 69.5% Female: 30.5% Race (N = 118) White: 79.7% Black: 2.5% American Indian: 14.4% Hispanic: 1.7% Asian/Pacific Islander: 0.0% Other: 1.7% Age (N = 118) Under 18: 0.0% 18 to 25: 28.0% 26 to 34: 23.7% 35 and older: 48.3%

Primary Substance (N = 118) Alcohol: 59.3% Methamphetamine: 12.7% Marijuana: 9.3% Heroin: 0.0% Cocaine: 3.4% Other opiates: 11.0% Other drugs: 4.2%

Source of Income (N = 118)Job: 30.5%

Retirement/savings: 2.5% Family/friends: 14.4% No income: 19.5% Public sources: 22.0% Other sources: 11.0%

Source of Referral

<u>(N = 118)</u> Self/family/relative/ friends: 67.8% Employer/school: 0.8% Criminal justice: 45.8% Professional: 11.9% County social service agency: 11.9% Other community resources: 13.6% AA: 0.8% Tribal: 3.4%

Outcomes

Discharge Status (N = 118) Completed program: 91.5% Patient left without staff approval: 5.1% Staff requested/judged inappropriate: 2.5% Death/other: 0.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Range Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 113)	10.6%	4.4%
Not employed/student ^{\ddagger} (N = 115)	74.8%	73.9%
Arrests past 30 days (N = 118)	17.8%	0.0%
Alcohol use past 30 days (N = 117)	59.0%	1.7%
Drug use past 30 days (N = 118)	44.9%	1.7%
No self-help group participation past 30 days (N = 118)	60.2%	1.7%
No family support for recovery past 30 days (N = 118)	11.9%	16.9%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	Discharge
Acute Intoxication/ Withdrawal (N =112)	3.6%	0.0%
Biomedical Conditions and		
Complications ($N = 112$)	46.4%	21.4%
	46.4% 84.1%	21.4% 46.9%
Complications (N = 112) Emotional/Behavioral/		
Complications (N = 112) Emotional/Behavioral/ Cognitive Problem (N = 113)	84.1%	46.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Wayside House Inc

3705 Park Center Boulevard St. Louis Park, MN 55416

County: Hennepin

Provider Website: www.waysidehouse.org

Patient Profile

Primary Substance (N = 275) Alcohol: 34.5% Methamphetamine: 14.2% Marijuana: 6.2% Heroin: 4.7% Cocaine: 37.5% Other opiates: 1.1% Other drugs: 1.8% Source of Income (N = 275)Job: 13.8% Retirement/savings: 0.7% Family/friends: 43.6% No income: 3.6% Public sources: 30.9% Other sources: 7.3%

Source of Referral

(N = 275) Self/family/relative/ friends: 3.6% Employer/school: 0.0% Criminal justice: 7.6% Professional: 49.5% County social service agency: 43.3% Other community resources: 0.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 275) Completed program: 60.0% Patient left without staff approval: 15.6% Staff requested/judged inappropriate: 20.0% Death/other: 4.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

The Wayside House Inc

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 272)	14.3%	0.0%
Not employed/student ^{\ddagger} (N = 246)	93.5%	94.3%
Arrests past 30 days (N = 272)	5.2%	2.9%
Alcohol use past 30 days (N = 275)	49.5%	5.5%
Drug use past 30 days (N = 267)	47.2%	4.5%
No self-help group participation past 30 days (N = 263)	54.4%	14.4%
No family support for recovery past 30 days (N = 228)	39.5%	9.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
•	Admission 2.6%	Discharge 1.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =275) Biomedical Conditions and	2.6%	1.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 275) Biomedical Conditions and Complications (N = 275) Emotional/Behavioral/	2.6% 72.7%	1.1% 54.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =275) Biomedical Conditions and Complications (N = 275) Emotional/Behavioral/ Cognitive Problem (N = 275)	2.6% 72.7% 96.0%	1.1% 54.2% 86.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Thunderbird and Wren Halfway House

229 North 4th Avenue West Duluth, MN 55806

County: St. Louis

resources: 2.2%

AA: 0.0% Tribal: 48.4%

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 93)} \\ Male: \ 59.1\% \\ Female: \ 40.9\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 93)} \\ White: \ 1.1\% \\ Black: \ 0.0\% \\ American \ Indian: \ 96.8\% \\ Hispanic: \ 1.1\% \\ Asian/Pacific \ Islander: \ 1.1\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 93)} \\ Under \ 18: \ 7.5\% \\ 18 \ to \ 25: \ 28.0\% \\ 26 \ to \ 34: \ 22.6\% \\ 35 \ and \ older: \ 41.9\% \\ Other: \ 0.0\% \end{array}$

Primary Substance (N = 93) Alcohol: 72.0% Methamphetamine: 6.5% Marijuana: 9.7% Heroin: 0.0% Cocaine: 6.5%	Source of Income (N = 93) Job: 6.5% Retirement/savings: 1.1% Family/friends: 4.3% No income: 34.4% Public sources: 36.6%	Source of Referral (N = 93) Self/family/relative/ friends: 14.0% Employer/school: 0.0% Criminal justice: 18.3% Professional: 83.9%
		Other community

Outcomes

Discharge Status (N = 93) Completed program: 33.3% Patient left without staff approval: 28.0% Staff requested/judged inappropriate: 34.4% Death/other: 4.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Thunderbird and Wren Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 87)	1.2%	0.0%
Not employed/student ^{11} (N = 83)	92.8%	75.9%
Arrests past 30 days (N = 91)	8.8%	2.2%
Alcohol use past 30 days (N = 91)	19.8%	13.2%
Drug use past 30 days (N = 92)	5.4%	6.5%
No self-help group participation past 30 days (N = 90)	11.1%	2.2%
No family support for recovery past 30 days (N = 89)	9.0%	10.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =76)	4.0%	40.8%
Biomedical Conditions and Complications ($N = 80$)	17.5%	35.0%
Emotional/Behavioral/ Cognitive Problem (N = 76)	30.3%	48.7%
Resistance to Change ($N = 75$)	12.0%	52.0%
Relapse/Continued Use Potential (N = 77)	14.3%	50.6%
Unsupportive Recovery Environment (N = 78)	9.0%	57.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House

1410 South Ferry Anoka, MN 55303

County: Anoka

AA: 0.0% Tribal: 0.0%

Provider Website: www.transformationhouse.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 205)} \\ Male: \ 100.0\% \\ Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Female: \ 0.0\% \\ \hline Hispanic: \ 2.9\% \\ \hline Asian/Pacific \ Islander: \ 1.0\% \\ \hline Other: \ 2.9\% \\ \hline \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 205)} \\ Under \ 18: \ 0.5\% \\ I8 \ to \ 25: \ 32.2\% \\ 26 \ to \ 34: \ 24.9\% \\ 35 \ and \ older: \ 42.4\% \\ Asian/Pacific \ Islander: \ 1.0\% \\ \hline \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 205)	<u>(N = 205)</u>	<u>(N = 205)</u> .
Alcohol: 43.4%	Job: 18.5%	Self/family/relative/
Methamphetamine: 20.5%	Retirement/savings: 2.0%	friends: 24.9%
Marijuana: 14.1%	Family/friends: 4.9%	Employer/school: 0.0%
Heroin: 4.4%	No income: 40.0%	Criminal justice: 21.0%
Cocaine: 15.1%	Public sources: 26.8%	Professional: 48.8%
Other opiates: 1.5%	Other sources: 7.8%	County social
Other drugs: 1.0%		service agency: 44.9%
		Other community
		resources: 5.9%

Outcomes

Discharge Status (N = 205) Completed program: 50.2% Patient left without staff approval: 27.8% Staff requested/judged inappropriate: 17.6% Death/other: 4.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Transformation House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 195)	11.3%	1.0%
Not employed/student ^{\ddagger} (N = 161)	88.8%	54.7%
Arrests past 30 days (N = 185)	9.2%	3.2%
Alcohol use past 30 days (N = 192)	14.1%	8.9%
Drug use past 30 days (N = 193)	10.4%	7.8%
No self-help group participation past 30 days (N = 186)	24.2%	8.6%
No family support for recovery past 30 days (N = 165)	6.1%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =200)	3.5%	6.5%
Biomedical Conditions and Complications ($N = 199$)	18.6%	12.6%
Emotional/Behavioral/ Cognitive Problem (N = 200)	69.0%	58.0%
Resistance to Change ($N = 200$)	84.0%	65.5%
Relapse/Continued Use Potential (N = 198)	90.9%	74.2%
Unsupportive Recovery Environment (N = 198)	89.4%	66.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House I

2532 N Ferry Anoka, MN 55303

County: Anoka

Provider Website: www.transformationhouse.com

Patient Profile

Gender (N = 63) Male: 0.0% Female: 100.0% Race (N = 63)White: 71.4% Black: 17.5% American Indian: 3.2% Hispanic: 4.8% Asian/Pacific Islander: 0.0% Other: 3.2%

Age (N = 63)Under 18: 0.0% 18 to 25: 22.2% 26 to 34: 30.2% 35 and older: 47.6%

resources: 14.3%

AA: 0.0% Tribal: 0.0%

Primary Substance	Source of Income	Source of Referral
(N = 62)	(N = 63)	(N = 63) .
Alcohol: 38.7%	Job: 6.4%	Self/family/relative/
Methamphetamine: 24.2%	Retirement/savings: 0.0%	friends: 47.6%
Marijuana: 9.7%	Family/friends: 23.8%	Employer/school: 0.0%
Heroin: 8.1%	No income: 25.4%	Criminal justice: 7.9%
Cocaine: 14.5%	Public sources: 36.5%	Professional: 47.6%
Other opiates: 4.8%	Other sources: 7.9%	County social
Other drugs: 0.0%		service agency: 44.4%
-		Other community

Outcomes

Discharge Status <u>(N = 63</u>) Completed program: 54.0% Patient left without staff approval: 27.0% Staff requested/judged inappropriate: 11.1% Death/other: 7.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Transformation House I

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 59)	3.4%	3.4%
Not employed/student ^{\ddagger} (N = 55)	92.7%	78.2%
Arrests past 30 days (N = 52)	0.0%	0.0%
Alcohol use past 30 days (N = 55)	20.0%	9.1%
Drug use past 30 days (N = 55)	14.5%	9.1%
No self-help group participation past 30 days (N = 56)	10.7%	5.4%
No family support for recovery past 30 days (N = 56)	10.7%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =58)	0.0%	1.7%
Biomedical Conditions and Complications ($N = 58$)	27.6%	19.0%
Emotional/Behavioral/ Cognitive Problem (N = 58)	55.2%	48.3%
Resistance to Change ($N = 58$)	86.2%	46.6%
Relapse/Continued Use Potential (N = 58)	100.0%	62.1%
Unsupportive Recovery Environment (N = 58)	82.8%	70.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House II

351 74th Avenue NE Fridley, MN 55432

County: Anoka

AA: 0.0% Tribal: 1.3%

Provider Website: www.transformationhouse.com

Patient Profile

Primary Substance	Source of Income	Source of Referral
(N = 151)	<u>(N = 160)</u>	(N = 160) .
Alcohol: 41.1%	Job: 8.8%	Self/family/relative/
Methamphetamine: 16.6%	Retirement/savings: 1.3%	friends: 33.1%
Marijuana: 4.6%	Family/friends: 4.4%	Employer/school: 1.3%
Heroin: 10.6%	No income: 31.3%	Criminal justice: 13.8%
Cocaine: 21.2%	Public sources: 41.3%	Professional: 56.9%
Other opiates: 5.3%	Other sources: 13.1%	County social
Other drugs: 0.7%		service agency: 26.9%
		Other community
		resources: 61.9%

Outcomes

Discharge Status (N = 160) Completed program: 46.9% Patient left without staff approval: 28.8% Staff requested/judged inappropriate: 15.6% Death/other: 8.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Transformation House II

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 138)	17.4%	34.1%
Not employed/student ^{\ddagger} (N = 135)	92.6%	78.5%
Arrests past 30 days (N = 105)	3.8%	1.9%
Alcohol use past 30 days (N = 119)	4.2%	7.6%
Drug use past 30 days (N = 119)	6.7%	8.4%
No self-help group participation past 30 days (N = 120)	23.3%	9.2%
No family support for recovery past 30 days (N = 117)	4.3%	6.8%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =142)	0.7%	6.3%
Biomedical Conditions and Complications ($N = 141$)	27.0%	19.1%
Emotional/Behavioral/ Cognitive Problem (N = 140)	82.1%	56.4%
Resistance to Change ($N = 140$)	85.0%	62.9%
Relapse/Continued Use Potential (N = 140)	92.9%	75.0%
Unsupportive Recovery Environment (N = 140)	80.7%	63.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tri County Community Corrections

816 Marin Ave Crookston, MN 567162148

County: Polk

Provider Website:

Patient Profile

 Gender (N = 31)
 Race (N = 31)
 Age

 Male: 64.5%
 White: 77.4%
 Und

 Female: 35.5%
 Black: 0.0%
 18 t

 American Indian: 3.2%
 26 t

 Hispanic: 19.4%
 35 a

 Asian/Pacific Islander: 0.0%
 0ther: 0.0%

<u>Age (N = 31)</u> Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 31)Alcohol: 32.3% Methamphetamine: 0.0% Marijuana: 67.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 31) Job: 29.0% Retirement/savings: 0.0% Family/friends: 51.6% No income: 19.4% Public sources: 0.0% Other sources: 0.0%

Source of Income

Source of Referral

(N = 31) Self/family/relative/ friends: 22.6% Employer/school: 16.1% Criminal justice: 58.1% Professional: 9.7% County social service agency: 58.1% Other community resources: 3.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 31) Completed program: 58.1% Patient left without staff approval: 9.7% Staff requested/judged inappropriate: 0.0% Death/other: 32.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Tri County Community Corrections

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 31)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 30)	0.0%	3.3%
Arrests past 30 days (N = 30)	3.3%	20.0%
Alcohol use past 30 days (N = 31)	38.7%	19.4%
Drug use past 30 days (N = 31)	38.7%	12.9%
No self-help group participation past 30 days (N = 28)	78.6%	75.0%
No family support for recovery past 30 days (N = 26)	46.2%	19.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =31)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 31)$	3.2%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 31)	38.7%	29.0%
Resistance to Change ($N = 31$)	35.5%	19.4%
Relapse/Continued Use Potential (N = 31)	77.4%	41.9%
Unsupportive Recovery Environment (N = 31)	29.0%	32.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Turning Point, Inc.

1105 16th Ave N Minneapolis, MN 55411

County: Hennepin

Provider Website: www.ourturningpoint.org

Patient Profile

Race (N = 187)Gender (N = 187) Age (N = 187)Male: 98.4% White: 2.1% Under 18: 0.0% Female: 1.6% Black: 95.7% 18 to 25: 10.7% American Indian: 0.5% 26 to 34: 21.9% Hispanic: 1.1% 35 and older: 67.4% Asian/Pacific Islander: 0.0% Other: 0.5%

Source of Income

Primary Substance (N = 179) Alcohol: 20.7% Methamphetamine: 0.0% Marijuana: 26.3% Heroin: 5.0% Cocaine: 46.9% Other opiates: 0.0% Other drugs: 1.1%

(N = 187)Job: 24.1% Retirement/savings: 0.0% Family/friends: 2.1% No income: 36.4% Public sources: 23.5% Other sources: 13.9%

Source of Referral

(N<u>= 187)</u>. Self/family/relative/ friends: 58.8% Employer/school: 1.1% Criminal justice: 20.9% Professional: 7.5% County social service agency: 37.4% Other community resources: 17.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 187)Completed program: 77.0% Patient left without staff approval: 17.6% Staff requested/judged inappropriate: 3.7% Death/other: 1.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Turning Point, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 156)	14.7%	42.9%
Not employed/student ^{\ddagger} (N = 147)	85.0%	86.4%
Arrests past 30 days (N = 95)	15.8%	9.5%
Alcohol use past 30 days (N = 139)	66.9%	34.5%
Drug use past 30 days (N = 144)	75.0%	29.2%
No self-help group participation past 30 days (N = 140)	90.7%	53.6%
No family support for recovery past 30 days (N = 138)	41.3%	31.9%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	Discharge
Acute Intoxication/		
Withdrawal (N =174)	0.6%	1.2%
Withdrawal (N =174) Biomedical Conditions and Complications (N = 173)	0.6% 2.3%	1.2% 2.9%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 173) Emotional/Behavioral/	2.3%	2.9%
Biomedical Conditions and Complications (N = 173) Emotional/Behavioral/ Cognitive Problem (N = 173)	2.3% 20.8%	2.9% 48.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Turning Point, Inc.

1500 Golden Valley Road Minneapolis, MN 55411

County: Hennepin

Provider Website: www.ourturningpoint.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 83)} \\ Male: 100.0\% \\ Female: 0.0\% \\ \hline Female: 0.0\%$

Primary Substance (N = 83) Alcohol: 28.9% Methamphetamine: 0.0% Marijuana: 13.3% Heroin: 6.0% Cocaine: 51.8% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 83)Job: 15.7% Retirement/savings: 0.0% Family/friends: 0.0% No income: 16.9% Public sources: 60.2% Other sources: 7.2% Source of Referral (N = 83) Self/family/relative/ friends: 79.5% Employer/school: 0.0% Criminal justice: 12.0% Professional: 3.6% County social service agency: 9.6% Other community resources: 14.5% AA: 1.2% Tribal: 0.0%

Outcomes

Discharge Status (N = 83) Completed program: 50.6% Patient left without staff approval: 30.1% Staff requested/judged inappropriate: 13.3% Death/other: 6.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Turning Point, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 80)	42.5%	32.5%
Not employed/student ^{\ddagger} (N = 64)	78.1%	65.6%
Arrests past 30 days (N = 62)	8.1%	8.1%
Alcohol use past 30 days (N = 71)	11.3%	8.5%
Drug use past 30 days (N = 72)	11.1%	12.5%
No self-help group participation past 30 days (N = 76)	14.5%	11.8%
No family support for recovery past 30 days (N = 73)	4.1%	8.2%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	1.4%	2.7%
	1.4% 5.5%	2.7% 6.9%
Withdrawal (N =73) Biomedical Conditions and		
Withdrawal (N =73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/	5.5%	6.9%
Withdrawal (N =73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/ Cognitive Problem (N = 73)	5.5% 35.6%	6.9% 42.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Twin Town Treatment Center

1706 University Avenue St. Paul, MN 55104

County: Ramsey

AA: 0.0% Tribal: 0.3%

Provider Website: www.meridiannetwork.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 303)} \\ Male: 98.3\% \\ Female: 1.7\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 303)} \\ White: 58.7\% \\ Black: 28.1\% \\ American Indian: 2.6\% \\ Hispanic: 6.3\% \\ Asian/Pacific Islander: 1.3\% \\ Other: 3.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 303)} \\ Under 18: 0.3\% \\ 18 to 25: 23.1\% \\ 26 to 34: 21.1\% \\ 35 and older: 55.4\% \\ 35 and older: 55.4\% \\ \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 300)	<u>(N = 303)</u>	(N = 303).
Alcohol: 48.7%	Job: 29.4%	Self/family/relative/
Methamphetamine: 12.0%	Retirement/savings: 2.3%	friends: 65.0%
Marijuana: 9.0%	Family/friends: 10.6%	Employer/school: 1.7%
Heroin: 6.7%	No income: 26.1%	Criminal justice: 28.1%
Cocaine: 21.7%	Public sources: 21.8%	Professional: 11.6%
Other opiates: 1.0%	Other sources: 9.9%	County social
Other drugs: 1.0%		service agency: 61.4%
		Other community
		resources: 17.5%

Outcomes

Discharge Status (N = 303) Completed program: 57.1% Patient left without staff approval: 30.0% Staff requested/judged inappropriate: 6.9% Death/other: 5.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Twin Town Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 282)	19.5%	11.7%
Not employed/student ^{\ddagger} (N = 275)	78.5%	75.3%
Arrests past 30 days (N = 260)	16.5%	8.9%
Alcohol use past 30 days (N = 253)	66.8%	19.8%
Drug use past 30 days (N = 265)	59.2%	17.0%
No self-help group participation past 30 days (N = 255)	55.7%	29.4%
No family support for recovery past 30 days (N = 237)	26.6%	22.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =297)	4.7%	2.0%
Biomedical Conditions and Complications ($N = 298$)	17.4%	16.4%
Emotional/Behavioral/ Cognitive Problem (N = 296)	68.2%	50.3%
	68.2% 53.4%	50.3% 52.7%
Cognitive Problem ($N = 296$)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Unity Hospital Substance Abuse Services

550 Osborne Road NE Fridley, MN 55432

County: Anoka

Provider Website: www.allina.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 315)} \\ Male: \ 60.3\% \\ Female: \ 39.7\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 315)} \\ White: \ 86.0\% \\ Black: \ 7.3\% \\ American \ Indian: \ 1.0\% \\ Hispanic: \ 1.6\% \\ Asian/Pacific \ Islander: \ 0.3\% \\ Other: \ 3.8\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 315)} \\ Under \ 18: \ 0.3\% \\ 18 \ to \ 25: \ 7.0\% \\ 26 \ to \ 34: \ 19.7\% \\ 35 \ and \ older: \ 73.0\% \\ 35 \ and \ older: \ 73.0\% \\ \end{array}$

Primary Substance (N = 303) Alcohol: 71.9% Methamphetamine: 3.3% Marijuana: 2.0% Heroin: 3.6% Cocaine: 8.3% Other opiates: 7.6% Other drugs: 3.3%

Source of Income (N = 315)

<u>N = 315)</u> Job: 32.1% Retirement/savings: 8.3% Family/friends: 14.3% No income: 1.6% Public sources: 14.9% Other sources: 28.9%

Source of Referral

<u>(N = 315)</u>. Self/family/relative/ friends: 79.4% Employer/school: 0.3% Criminal justice: 9.8% Professional: 37.5% County social service agency: 2.5% Other community resources: 64.1% AA: 0.6% Tribal: 0.3%

Outcomes

Discharge Status (N = 315) Completed program: 37.5% Patient left without staff approval: 15.9% Staff requested/judged inappropriate: 3.8% Death/other: 42.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Unity Hospital Substance Abuse Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 286)	16.4%	9.1%
Not employed/student ^{III} (N = 262)	64.1%	55.0%
Arrests past 30 days (N = 280)	6.1%	1.8%
Alcohol use past 30 days (N = 302)	81.8%	82.5%
Drug use past 30 days (N = 295)	43.1%	25.4%
No self-help group participation past 30 days (N = 208)	91.8%	83.7%
No family support for recovery past 30 days (N = 178)	30.3%	63.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =308)	50.3%	6.2%
Biomedical Conditions and Complications ($N = 305$)	51.5%	24.9%
Emotional/Behavioral/ Cognitive Problem (N = 291)	61.9%	36.1%
Resistance to Change (N = 297)	59.6%	52.2%
Relapse/Continued Use Potential (N = 297)	98.0%	94.6%
Unsupportive Recovery Environment (N = 249)	71.1%	71.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Unity Hospital Substance Abuse Services

7590 Lyric Lane NE Fridley, MN 55432

County: Anoka

Provider Website:

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 498)} \\ Male: \ 61.0\% \\ Female: \ 39.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 498)} \\ White: \ 92.0\% \\ Black: \ 6.0\% \\ American \ Indian: \ 0.6\% \\ Hispanic: \ 0.8\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.6\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 498)} \\ Under \ 18: \ 0.2\% \\ 18 \ to \ 25: \ 21.5\% \\ 26 \ to \ 34: \ 23.1\% \\ 35 \ and \ older: \ 55.2\% \\ Asian/Pacific \ Islander: \ 0.0\% \end{array}$

Primary Substance (N = 497) Alcohol: 70.2% Methamphetamine: 9.9% Marijuana: 8.7% Heroin: 1.2% Cocaine: 4.6% Other opiates: 4.2% Other drugs: 1.2% Source of Income (N = 498)Job: 58.6% Retirement/savings: 3.6% Family/friends: 16.7% No income: 2.6% Public sources: 7.6% Other sources: 10.8%

Source of Referral

(N = 498) Self/family/relative/ friends: 68.5% Employer/school: 7.6% Criminal justice: 41.0% Professional: 29.7% County social service agency: 13.5% Other community resources: 20.1% AA: 0.0% Tribal: 0.2%

Outcomes

Discharge Status (N = 498) Completed program: 56.8% Patient left without staff approval: 26.1% Staff requested/judged inappropriate: 7.6% Death/other: 9.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Unity Hospital Substance Abuse Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 493)	0.6%	0.2%
Not employed/student ^{\ddagger} (N = 479)	36.5%	34.4%
Arrests past 30 days (N = 492)	13.6%	2.9%
Alcohol use past 30 days (N = 494)	48.8%	16.2%
Drug use past 30 days (N = 495)	24.0%	9.9%
No self-help group participation past 30 days (N = 440)	61.6%	29 .5%
No family support for recovery past 30 days (N = 340)	14.7%	9.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
	Admission 3.0%	Discharge 3.9%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =460) Biomedical Conditions and	3.0%	3.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =460) Biomedical Conditions and Complications (N = 494) Emotional/Behavioral/	3.0% 13.0%	3.9% 10.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 460) Biomedical Conditions and Complications (N = 494) Emotional/Behavioral/ Cognitive Problem (N = 492)	3.0% 13.0% 46.7%	3.9% 10.7% 32.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Upper Mississippi Mental Health Center

120 N. Main Street Park Rapids, MN 56470

County: Hubbard

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

<u>Gender (N = 28)</u>	<u>Race (N = 28)</u>	<u>Age (N = 28)</u>
Male: 78.6%	White: 96.4%	Under 18: 3.6%
Female: 21.4%	Black: 0.0%	18 to 25: 25.0%
	American Indian: 0.0%	26 to 34: 14.3%
	Hispanic: 0.0%	35 and older: 57.1%
	Asian/Pacific Islander: 0.0%	
	Other: 3.6%	

Primary Substance	Source of Income	Source of Referral
(N = 28)	<u>(N = 28)</u>	<u>(N = 28)</u> .
Alcohol: 71.4%	Job: 46.4%	Self/family/relative/
Methamphetamine: 3.6%	Retirement/savings: 7.1%	friends: 75.0%
Marijuana: 25.0%	Family/friends: 10.7%	Employer/school: 0.0%
Heroin: 0.0%	No income: 10.7%	Criminal justice: 46.4%
Cocaine: 0.0%	Public sources: 3.6%	Professional: 28.6%
Other opiates: 0.0%	Other sources: 21.4%	County social
Other drugs: 0.0%		service agency: 32.1%
		Other community
		resources: 10.7%

Outcomes

Discharge Status (N = 28) Completed program: 78.6% Patient left without staff approval: 17.9% Staff requested/judged inappropriate: 0.0% Death/other: 3.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Upper Mississippi Mental Health Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 26)	0.0%	0.0%
Not employed/student ^{11} (N = 25)	40.0%	28.0%
Arrests past 30 days (N = 28)	7.1%	0.0%
Alcohol use past 30 days (N = 28)	25.0%	3.6%
Drug use past 30 days (N = 28)	14.3%	3.6%
No self-help group participation past 30 days (N = 25)	68.0%	64.0%
No family support for recovery past 30 days (N = 25)	44.0%	28.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =28)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 28$)	7.1%	3.6%
Emotional/Behavioral/ Cognitive Problem (N = 28)	50.0%	32.1%
Resistance to Change ($N = 28$)	67.9%	25.0%
Relapse/Continued Use Potential (N = 28)	89.3%	28.6%
Unsupportive Recovery Environment (N = 28)	89.3%	32.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Upper Mississippi Mental Health Center

722 1st Street Bemidji, MN 56601

County: Beltrami

Provider Website: www.ummhcmn.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 21)} \\ Male: 52.4\% \\ Female: 47.6\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 21)} \\ White: 71.4\% \\ Black: 0.0\% \\ American Indian: 28.6\% \\ Hispanic: 0.0\% \\ Asian/Pacific Islander: 0.0\% \\ Other: 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 21)} \\ Under \ 18: 4.8\% \\ 18 \ to \ 25: 28.6\% \\ 26 \ to \ 34: 23.8\% \\ 35 \ and \ older: 42.9\% \\ Other: 0.0\% \end{array}$

Primary Substance (N = 21) Alcohol: 57.1% Methamphetamine: 19.0% Marijuana: 19.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.8% Other drugs: 0.0% Source of Income (N = 21)Job: 61.9% Retirement/savings: 0.0% Family/friends: 9.5% No income: 0.0% Public sources: 14.3% Other sources: 14.3% Source of Referral (N = 21) Self/family/relative/ friends: 38.1% Employer/school: 0.0% Criminal justice: 57.1% Professional: 4.8% County social service agency: 57.1% Other community resources: 33.3% AA: 0.0% Tribal: 4.8%

Outcomes

Discharge Status (N = 21) Completed program: 52.4% Patient left without staff approval: 42.9% Staff requested/judged inappropriate: 0.0% Death/other: 4.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Upper Mississippi Mental Health Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 21)	0.0%	0.0%
Not employed/student ^{III} (N = 18)	38.9%	50.0%
Arrests past 30 days (N = 21)	0.0%	4.8%
Alcohol use past 30 days (N = 21)	33.3%	9.5%
Drug use past 30 days (N = 21)	33.3%	0.0%
No self-help group participation past 30 days (N = 20)	70.0%	70.0%
No family support for recovery past 30 days (N = 19)	26.3%	36.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =21)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 21)$	14.3%	9.5%
Emotional/Behavioral/ Cognitive Problem (N = 21)	61.9%	52.4%
Resistance to Change ($N = 21$)	81.0%	47.6%
Relapse/Continued Use Potential (N = 21)	85.7%	61.9%
Unsupportive Recovery Environment (N = 21)	81.0%	61.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Vinland National Center

3675 Ihduhapi Rd Loretto, MN 55357

County: Hennepin

Provider Website: www.vinlandcenter.org

Patient Profile

Gender (N = 300) Race (N = 300)Age (N = 300)Male: 77.7% White: 76.7% Under 18: 3.3% Female: 22.3% Black: 10.3% 18 to 25: 20.3% American Indian: 8.0% 26 to 34: 20.0% Hispanic: 1.7% 35 and older: 56.3% Asian/Pacific Islander: 1.0% Other: 2.3%

Primary Substance (N = 295) Alcohol: 59.3% Methamphetamine: 5.8% Marijuana: 17.6% Heroin: 0.7% Cocaine: 12.5% Other opiates: 1.7% Other drugs: 2.4%

Source of Income (N = 300)Job: 16.0% Retirement/savings: 5.7% Family/friends: 9.0% No income: 12.3% Public sources: 49.3% Other sources: 7.7%

Source of Referral (N = 300) . Self/family/relative/ friends: 12.0% Employer/school: 0.0% Criminal justice: 24.3% Professional: 32.3% County social service agency: 42.3% Other community resources: 2.3% AA: 0.0% Tribal: 1.0%

Outcomes

Discharge Status (N = 300)Completed program: 79.3% Patient left without staff approval: 6.7% Staff requested/judged inappropriate: 10.0% Death/other: 4.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Vinland National Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 293)	10.6%	3.1%
Not employed/student ^{\ddagger} (N = 291)	79.7%	86.9%
Arrests past 30 days (N = 270)	12.2%	3.0%
Alcohol use past 30 days (N = 295)	54.9%	7.8%
Drug use past 30 days (N = 293)	39.9%	8.2%
No self-help group participation past 30 days (N = 294)	79.3%	13.9%
No family support for recovery past 30 days (N = 292)	22.6%	14.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =300)	1.7%	1.7%
Biomedical Conditions and Complications ($N = 299$)	21.4%	19.7%
Emotional/Behavioral/ Cognitive Problem (N = 300)	97.0%	95.7%
Resistance to Change ($N = 300$)	65.7%	61.7%
Relapse/Continued Use		
Potential ($N = 300$)	97.3%	96.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Volunteers of America, Dakotas

1401 West 51st Street Sioux Falls, SD 57109

County: South Dakota

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 8)</u> Male: * Female: *	Race (N = 8) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 8) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 8) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 8) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 8) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Volunteers of America, Dakotas

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 8)	*	*
Not employed/student ^{tt} (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 8)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days ($N = 8$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
5	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		•
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Way 12 Halfway House

645 East Wayzata Blvd Wayzata, MN 55391

County: Hennepin

Provider Website: www.way12.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 74)} \\ Male: 100.0\% \\ Female: 0.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 74)} \\ White: 85.1\% \\ Black: 4.1\% \\ American Indian: 1.4\% \\ Hispanic: 5.4\% \\ Asian/Pacific Islander: 0.0\% \\ Other: 4.1\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 74)} \\ Under 18: 47.3\% \\ 18 to 25: 52.7\% \\ 26 to 34: 0.0\% \\ 35 and older: 0.0\% \\ 0ther: 4.1\% \\ \end{array}$

Primary Substance (N = 74) Alcohol: 27.0% Methamphetamine: 9.5% Marijuana: 43.2% Heroin: 5.4% Cocaine: 9.5% Other opiates: 2.7% Other drugs: 2.7% Source of Income (N = 74) Job: 10.8% Retirement/savings: 0.0% Family/friends: 82.4% No income: 5.4% Public sources: 0.0% Other sources: 1.4%

Source of Referral

<u>(N = 74)</u> Self/family/relative/ friends: 23.0% Employer/school: 0.0% Criminal justice: 18.9% Professional: 70.3% County social service agency: 33.8% Other community resources: 2.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 74) Completed program: 45.9% Patient left without staff approval: 18.9% Staff requested/judged inappropriate: 25.7% Death/other: 9.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Way 12 Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 73)	8.2%	1.4%
Not employed/student ^{\ddagger} (N = 68)	32.4%	16.2%
Arrests past 30 days (N = 71)	7.0%	0.0%
Alcohol use past 30 days (N = 72)	5.6%	9.7%
Drug use past 30 days (N = 74)	9.5%	14.9%
No self-help group participation past 30 days (N = 71)	4.2%	2.8%
No family support for recovery past 30 days (N = 72)	1.4%	2.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	0.0%	6.9%
Biomedical Conditions and Complications $(N = 73)$	1.4%	8.2%
Emotional/Behavioral/ Cognitive Problem (N = 74)	54.1%	59.5%
Resistance to Change ($N = 74$)	54.1%	60.8%
Relapse/Continued Use Potential (N = 72)	73.6%	84.7%
Unsupportive Recovery Environment (N = 71)	70.4%	81.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

We Care Counseling Center

6060 50th Street North Oakdale, MN 55128

County: Washington

Provider Website: www.wecarecd.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 233)} \\ Male: \ 78.5\% \\ Female: \ 21.5\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 233)} \\ White: \ 91.4\% \\ Black: \ 2.6\% \\ American \ Indian: \ 1.7\% \\ Hispanic: \ 3.0\% \\ Asian/Pacific \ Islander: \ 1.3\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 233)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 21.5\% \\ 35 \ and \ older: \ 52.4\% \\ 35 \ and \ older: \ 52.4\% \end{array}$

Primary Substance (N = 232) Alcohol: 76.3% Methamphetamine: 7.8% Marijuana: 9.9% Heroin: 0.0% Cocaine: 3.0% Other opiates: 2.2% Other drugs: 0.9% Source of Income (N = 233)Job: 61.8% Retirement/savings: 3.4% Family/friends: 13.3% No income: 10.3% Public sources: 4.3% Other sources: 6.9%

Source of Referral

(N = 233) Self/family/relative/ friends: 40.8% Employer/school: 9.9% Criminal justice: 43.3% Professional: 11.2% County social service agency: 12.4% Other community resources: 10.3% AA: 0.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 233) Completed program: 68.7% Patient left without staff approval: 14.6% Staff requested/judged inappropriate: 12.4% Death/other: 4.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

We Care Counseling Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 227)	0.9%	0.4%
Not employed/student ^{11} (N = 216)	29.2%	27.3%
Arrests past 30 days (N = 230)	20.9%	2.6%
Alcohol use past 30 days (N = 232)	53.4%	13.4%
Drug use past 30 days (N = 232)	24.1%	10.8%
No self-help group participation past 30 days (N = 225)	61.8%	12.0%
No family support for recovery past 30 days (N = 208)	18.3%	3.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =233)	0.9%	3.9%
Biomedical Conditions and Complications ($N = 229$)	2.2%	4.4%
Emotional/Behavioral/ Cognitive Problem (N = 232)	58.2%	33.2%
Resistance to Change ($N = 232$)	40.1%	29.7%
Relapse/Continued Use Potential (N = 233)	69.1%	36.9%
Unsupportive Recovery		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wellcome Manor Family Services

114 West Pleasant Street Garden City, MN 56034

County: Blue Earth

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 1)</u> Male: * Female: *	<u>Race (N = 1)</u> White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	<u>Age (N = 1)</u> Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 1) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 1) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 1) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Wellcome Manor Family Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 1)	*	*
Not employed/student ^{tt} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days (N = 1)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Service of Winona

69 Lafayette Street Winona, MN 55987

County: Winona

AA: 0.0% Tribal: 0.0%

Provider Website:

Patient Profile

(N = 89)

Gender (N = 89) Race (N = 89)Age (N = 89)Male: 69.7% White: 94.4% Under 18: 1.1% Female: 30.3% Black: 5.6% 18 to 25: 22.5% American Indian: 0.0% 26 to 34: 34.8% Hispanic: 0.0% 35 and older: 41.6% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance Source of Income Source of Referral (N = 89)(N<u>= 89)</u>. Alcohol: 65.2% Job: 57.3% Self/family/relative/ friends: 28.1% Methamphetamine: 9.0% Retirement/savings: 2.3% Marijuana: 18.0% Family/friends: 9.0% Employer/school: 1.1% Heroin: 0.0% No income: 12.4% Criminal justice: 56.2% Public sources: 13.5% Professional: 18.0% Cocaine: 5.6% Other opiates: 1.1% Other sources: 5.6% County social Other drugs: 1.1% service agency: 40.4% Other community resources: 4.5%

Outcomes

Discharge Status (N = 89)Completed program: 61.8% Patient left without staff approval: 37.1% Staff requested/judged inappropriate: 0.0% Death/other: 1.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Wenden Recovery Service of Winona

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 88)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 89)	52.8%	40.4%
Arrests past 30 days (N = 85)	12.9%	2.4%
Alcohol use past 30 days (N = 89)	34.8%	5.6%
Drug use past 30 days (N = 89)	31.5%	7.9%
No self-help group participation past 30 days ($N = 43$)	51.2%	16.3%
No family support for recovery past 30 days (N = 53)	15.1%	17.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =89)	4.5%	5.6%
Biomedical Conditions and Complications ($N = 89$)	2.3%	5.6%
Emotional/Behavioral/ Cognitive Problem (N = 88)	35.2%	31.8%
Resistance to Change ($N = 89$)	24.7%	30.3%
Relapse/Continued Use Potential (N = 89)	68.5%	49.4%
Unsupportive Recovery Environment (N = 89)	32.6%	27.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Services, Inc.

217 Plum Street Red Wing, MN 550662340

County: Goodhue

Provider Website:

Patient Profile

<u>Gender (N = 160)</u>	<u>Race (N = 160)</u>	<u>Age (N = 160)</u>
Male: 79.4%	White: 86.3%	Under 18: 3.8%
Female: 20.6%	Black: 3.8%	18 to 25: 25.6%
	American Indian: 6.9%	26 to 34: 22.5%
	Hispanic: 1.9%	35 and older: 48.1%
	Asian/Pacific Islander: 0.6%	
	Other: 0.6%	

Primary Substance (N = 160) Alcohol: 66.3%Methamphetamine: 13.8%Marijuana: 15.6%Heroin: 0.0%Cocaine: 3.8%Other opiates: 0.6%Other drugs: 0.0% Source of Income (N = 160)

Job: 57.5% Retirement/savings: 1.9% Family/friends: 16.9% No income: 13.8% Public sources: 3.8% Other sources: 6.3%

Source of Referral

(N = 160) Self/family/relative/ friends: 48.8% Employer/school: 5.0% Criminal justice: 52.5% Professional: 20.0% County social service agency: 10.6% Other community resources: 6.3% AA: 0.6% Tribal: 1.9%

Outcomes

Discharge Status (N = 160) Completed program: 71.3% Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 3.8% Death/other: 5.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Wenden Recovery Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 155)	0.6%	0.0%
Not employed/student ^{11} (N = 146)	31.5%	30.1%
Arrests past 30 days (N = 101)	7.9%	1.0%
Alcohol use past 30 days (N = 132)	37.9%	2.3%
Drug use past 30 days (N = 132)	19.7%	1.5%
No self-help group participation past 30 days (N = 72)	61.1%	8.3%
No family support for recovery past 30 days (N = 123)	0.0%	0.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =159)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 159$)	3.1%	1.3%
Emotional/Behavioral/ Cognitive Problem (N = 159)	22.0%	12.6%
Resistance to Change ($N = 159$)	43.4%	20.8%
Relapse/Continued Use Potential (N = 160)	85.0%	31.9%
Unsupportive Recovery Environment (N = 159)	64.2%	40.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

West Hills Lodge, Inc.

545 Florence Avenue Owatonna, MN 55060

Provider Website:

Patient Profile

Gender (N = 69)

Male: 58.0% Female: 42.0% Race (N = 69) White: 92.8% Black: 1.5% American Indian: 1.5% Hispanic: 1.5% Asian/Pacific Islander: 0.0% Other: 2.9% <u>Age (N = 69)</u> Under 18: 0.0% 18 to 25: 42.0% 26 to 34: 18.8% 35 and older: 39.1%

County: Steele

Primary Substance (N = 69) Alcohol: 40.6% Methamphetamine: 26.1% Marijuana: 10.1% Heroin: 2.9% Cocaine: 14.5% Other opiates: 4.4% Other drugs: 1.5%

(N = 69) Job: 43.5% Retirement/savings: 2.9% Family/friends: 5.8% No income: 20.3% Public sources: 15.9% Other sources: 11.6%

Source of Income

Source of Referral

(N = 69) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 0.0% Professional: 97.1% County social service agency: 100.0% Other community resources: 2.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 69) Completed program: 62.3% Patient left without staff approval: 7.3% Staff requested/judged inappropriate: 29.0% Death/other: 1.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

West Hills Lodge, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 69)	0.0%	0.0%
Not employed/student ^{$\ddagger t$} (N = 69)	95.7%	43.5%
Arrests past 30 days (N = 69)	1.5%	7.3%
Alcohol use past 30 days (N = 67)	7.5%	6.0%
Drug use past 30 days (N = 66)	0.0%	1.5%
No self-help group participation past 30 days (N = 69)	1.5%	0.0%
No family support for recovery past 30 days (N = 69)	29.0%	24.6%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	<u>Admission</u> 0.0%	Discharge 2.9%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =69) Biomedical Conditions and	0.0%	2.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =69) Biomedical Conditions and Complications (N = 69) Emotional/Behavioral/	0.0% 2.9%	2.9% 1.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 69) Biomedical Conditions and Complications (N = 69) Emotional/Behavioral/ Cognitive Problem (N = 69)	0.0% 2.9% 40.6%	2.9% 1.5% 26.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

West Metro Recovery Services

5810 42nd Ave N Robbinsdale, MN 554221634

County: Hennepin

Provider Website: www.wmrs.biz

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 308)} \\ Male: \ 74.7\% \\ Female: \ 25.3\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 308)} \\ White: \ 42.9\% \\ Black: \ 41.2\% \\ American \ Indian: \ 1.0\% \\ Hispanic: \ 10.1\% \\ Asian/Pacific \ Islander: \ 0.6\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 308)} \\ Under \ 18: \ 1.0\% \\ 18 \ to \ 25: \ 14.9\% \\ 26 \ to \ 34: \ 27.6\% \\ 35 \ and \ older: \ 56.5\% \\ Other: \ 4.2\% \end{array}$

Primary Substance (N = 308) Alcohol: 49.7% Methamphetamine: 5.8% Marijuana: 10.1% Heroin: 1.6% Cocaine: 31.5% Other opiates: 1.3% Other drugs: 0.0% Source of Income (N = 308)Job: 40.9% Retirement/savings: 0.6% Family/friends: 6.5% No income: 16.6% Public sources: 16.6% Other sources: 18.8%

Source of Referral

(N = 308) Self/family/relative/ friends: 68.5% Employer/school: 1.0% Criminal justice: 17.5% Professional: 1.0% County social service agency: 41.2% Other community resources: 66.6% AA: 0.6% Tribal: 2.0%

Outcomes

Discharge Status (N = 308) Completed program: 76.3% Patient left without staff approval: 16.9% Staff requested/judged inappropriate: 5.5% Death/other: 1.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

West Metro Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 297)	18.2%	0.3%
Not employed/student ^{\ddagger} (N = 291)	65.3%	76.6%
Arrests past 30 days (N = 301)	13.6%	0.7%
Alcohol use past 30 days (N = 307)	49.5%	0.3%
Drug use past 30 days (N = 306)	51.3%	1.0%
No self-help group participation past 30 days (N = 216)	74.5%	28.7%
No family support for recovery past 30 days (N = 223)	53.4%	13.9%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =269)	16.7%	14.9%
Biomedical Conditions and Complications ($N = 267$)	22.1%	17.2%
Emotional/Behavioral/ Cognitive Problem (N = 268)	28.7%	24.6%
Resistance to Change ($N = 271$)	34.7%	24.4%
Relapse/Continued Use Potential (N = 268)	39.6%	27.6%
Unsupportive Recovery Environment (N = 268)	51.9%	35.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

White Earth CD Treatment Program Outpatient Program

P.O. Box 435 White Earth, MN 56591

County: Becker

AA: 0.0% Tribal: 11.7%

Provider Website: www.whiteearth.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 94)} \\ Male: \ 70.2\% \\ Female: \ 29.8\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 94)} \\ White: \ 3.2\% \\ Black: \ 0.0\% \\ American \ Indian: \ 92.6\% \\ Hispanic: \ 4.3\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 94)} \\ Under \ 18: \ 29.8\% \\ 18 \ to \ 25: \ 21.3\% \\ 26 \ to \ 34: \ 18.1\% \\ 35 \ and \ older: \ 30.9\% \\ Other: \ 0.0\% \end{array}$

Primary Substance	Source of Income	Source of Referral
(N = 94)	(N = 94)	(N = 94).
Alcohol: 51.1%	Job: 22.3%	Self/family/relative/
Methamphetamine: 4.3%	Retirement/savings: 1.1%	friends: 18.1%
Marijuana: 34.0%	Family/friends: 27.7%	Employer/school: 3.2%
Heroin: 0.0%	No income: 16.0%	Criminal justice: 87.2%
Cocaine: 2.1%	Public sources: 22.3%	Professional: 5.3%
Other opiates: 8.5%	Other sources: 10.6%	County social
Other drugs: 0.0%		service agency: 8.5%
		Other community
		resources: 8.5%

Outcomes

Discharge Status (N = 94) Completed program: 55.3% Patient left without staff approval: 27.7% Staff requested/judged inappropriate: 5.3% Death/other: 11.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

White Earth CD Treatment Program Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{\ddagger} (N = 86)	0.0%	1.2%
Not employed/student ^{$\ddagger t$} (N = 82)	40.2%	43.9%
Arrests past 30 days (N = 93)	11.8%	9.7%
Alcohol use past 30 days (N = 93)	17.2%	14.0%
Drug use past 30 days (N = 92)	26.1%	15.2%
No self-help group participation past 30 days (N = 86)	81.4%	79.1%
No family support for recovery past 30 days (N = 86)	23.3%	30.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 19.1%	<u>Discharge</u> 10.6%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and	19.1%	10.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and Complications (N = 92) Emotional/Behavioral/	19.1% 20.7%	10.6% 12.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and Complications (N = 92) Emotional/Behavioral/ Cognitive Problem (N = 94)	19.1% 20.7% 29.8%	10.6% 12.0% 24.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

WINGS

1326 East Ripley Street Litchfield, MN 55355

Provider Website:

Patient Profile

Gender (N = 31)

Female: 38.7%

Male: 61.3%

Race (N = 31) White: 61.3% Black: 3.2% American Indian: 0.0% Hispanic: 22.6% Asian/Pacific Islander: 6.5% Other: 6.5% Age (N = 31) Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

County: Meeker

Primary Substance (N = 31)Alcohol: 35.5% Methamphetamine: 6.5% Marijuana: 48.4% Heroin: 0.0% Cocaine: 9.7%

Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 31) Job: 6.5% Retirement/savings: 0.0% Family/friends: 87.1% No income: 3.2% Public sources: 3.2% Other sources: 0.0%

Source of Referral

(N = 31) Self/family/relative/ friends: 61.3% Employer/school: 9.7% Criminal justice: 51.6% Professional: 16.1% County social service agency: 41.9% Other community resources: 12.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 31) Completed program: 74.2% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 19.4% Death/other: 6.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

WINGS

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 31)	0.0%	0.0%
Not employed/student ^{\ddagger} (N = 31)	0.0%	3.2%
Arrests past 30 days (N = 31)	22.6%	0.0%
Alcohol use past 30 days (N = 31)	51.6%	6.5%
Drug use past 30 days (N = 31)	32.3%	9.7%
No self-help group participation past 30 days (N = 29)	48.3%	10.3%
No family support for recovery past 30 days (N = 31)	9.7%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =31)	12.9%	0.0%
Biomedical Conditions and Complications $(N = 31)$	6.5%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 31)	77.4%	58.1%
Resistance to Change ($N = 31$)	58.1%	35.5%
Relapse/Continued Use Potential (N = 31)		11.00/
	93.5%	41.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Winona Counseling Clinic, Inc.

111 Market Street Winona, MN 559875532

County: Winona

Provider Website:

Patient Profile

Gender (N = 36) Race (N = 36)Age (N = 36)Male: 77.8% White: 91.7% Female: 22.2% Black: 2.8% American Indian: 2.8% Hispanic: 0.0% Asian/Pacific Islander: 2.8% Other: 0.0%

Under 18: 0.0% 18 to 25: 5.6% 26 to 34: 30.6% 35 and older: 63.9%

Primary Substance	Source of Income	Sou
(N = 36)	(N = 36)	(N
Alcohol: 83.3%	Job: 80.6%	Sel
Methamphetamine: 0.0%	Retirement/savings: 11.1%	1
Marijuana: 8.3%	Family/friends: 5.6%	En
Heroin: 0.0%	No income: 0.0%	Cri
Cocaine: 5.6%	Public sources: 2.8%	Pro
Other opiates: 2.8%	Other sources: 0.0%	Со
Other drugs: 0.0%		9
		Ot

urce of Referral N = 36) . lf/family/relative/ friends: 75.0% mployer/school: 0.0% riminal justice: 30.6% rofessional: 19.4% ounty social service agency: 0.0% Other community resources: 41.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 36</u>) Completed program: 69.4% Patient left without staff approval: 27.8% Staff requested/judged inappropriate: 0.0% Death/other: 2.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Winona Counseling Clinic, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 35)	2.9%	0.0%
Not employed/student ^{$\pm\pm$} (N = 36)	11.1%	13.9%
Arrests past 30 days (N = 36)	22.2%	2.8%
Alcohol use past 30 days (N = 36)	47.2%	22.2%
Drug use past 30 days (N = 36)	19.4%	8.3%
No self-help group participation past 30 days (N = 33)	60.6%	42.4%
No family support for recovery past 30 days (N = 30)	3.3%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
5	Admission 11.1%	<u>Discharge</u> 19.4%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and	11.1%	19.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and Complications (N = 36) Emotional/Behavioral/	11.1% 8.3%	19.4% 8.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and Complications (N = 36) Emotional/Behavioral/ Cognitive Problem (N = 36)	11.1% 8.3% 38.9%	19.4% 8.3% 41.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Womens LAAR House

1005 Jackson Street La Crosse, WI 54601

Provider Website:

Patient Profile

<u>Gender (N = 14)</u> Male: 0.0% Female: 100.0% Race (N = 14) White: 92.9% Black: 0.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 7.1% <u>Age (N = 14)</u> Under 18: 0.0% 18 to 25: 0.0% 26 to 34: 21.4% 35 and older: 78.6%

County: Wisconsin

Primary Substance (N = 14) Alcohol: 50.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 14.3% Other opiates: 35.7% Other drugs: 0.0%

(N = 14) Job: 14.3% Retirement/savings: 0.0% Family/friends: 0.0% No income: 21.4% Public sources: 35.7% Other sources: 28.6%

Source of Income

Source of Referral

<u>(N = 14)</u> Self/family/relative/ friends: 35.7% Employer/school: 0.0% Criminal justice: 14.3% Professional: 78.6% County social service agency: 57.1% Other community resources: 14.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 14) Completed program: 50.0% Patient left without staff approval: 35.7% Staff requested/judged inappropriate: 14.3% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Womens LAAR House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 14)	14.3%	0.0%
Not employed/student ^{\ddagger} (N = 12)	75.0%	50.0%
Arrests past 30 days (N = 14)	21.4%	0.0%
Alcohol use past 30 days (N = 14)	35.7%	21.4%
Drug use past 30 days (N = 14)	42.9%	28.6%
No self-help group participation past 30 days (N = 13)	38.5%	0.0%
No family support for recovery past 30 days (N = 13)	7.7%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =13)	0.0%	15.4%
Biomedical Conditions and Complications $(N = 13)$	30.8%	38.5%
Emotional/Behavioral/ Cognitive Problem (N = 13)	84.6%	61.5%
	84.070	011070
Resistance to Change ($N = 13$)	46.2%	53.8%
Resistance to Change (N = 13) Relapse/Continued Use Potential (N = 13)		

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

^{\$} Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Women's Recovery Center

5100 Hodgson Road St. Paul, MN 55126

County: Ramsey

Provider Website: www.voamn.org

Patient Profile

Source of Income

Primary Substance (N = 104) Alcohol: 32.7% Methamphetamine: 6.7% Marijuana: 2.9% Heroin: 3.9% Cocaine: 51.9% Other opiates: 1.0% Other drugs: 1.0%

(N = 108) Job: 0.9% Retirement/savings: 0.0% Family/friends: 1.9% No income: 57.4% Public sources: 22.2% Other sources: 17.6% Source of Referral (N = 108) Self/family/relative/ friends: 14.8% Employer/school: 0.0% Criminal justice: 29.6% Professional: 28.7% County social service agency: 34.3% Other community resources: 0.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 108) Completed program: 50.0% Patient left without staff approval: 40.7% Staff requested/judged inappropriate: 6.5% Death/other: 2.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Women's Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{tt} (N = 107)	27.1%	0.9%
Not employed/student ^{\ddagger} (N = 105)	97.1%	91.4%
Arrests past 30 days (N = 108)	13.9%	0.9%
Alcohol use past 30 days (N = 98)	46.9%	15.3%
Drug use past 30 days (N = 98)	54.1%	19.4%
No self-help group participation past 30 days (N = 13)	69.2%	7.7%
No family support for recovery past 30 days ($N = 6$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health[§]</u>	Admission	<u>Discharge</u>
•	Admission 11.2%	Discharge 8.4%
Dimensions of Chemical Health [§] Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =107) Biomedical Conditions and	11.2%	8.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 107) Biomedical Conditions and Complications (N = 107) Emotional/Behavioral/	11.2% 38.3%	8.4% 22.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =107) Biomedical Conditions and Complications (N = 107) Emotional/Behavioral/ Cognitive Problem (N = 107)	11.2% 38.3% 95.3%	8.4% 22.4% 77.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Women's Wellbriety Center

2388 State Highway 200 Mahnomen, MN 56557

County: Mahonmen

Provider Website:

Patient Profile

<u>Gender (N = 25)</u> Male: 0.0% Female: 100.0% Race (N = 25) White: 0.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 25) Under 18: 4.0% 18 to 25: 60.0% 26 to 34: 28.0% 35 and older: 8.0%

Primary Substance (N = 25) Alcohol: 40.0% Methamphetamine: 0.0% Marijuana: 28.0% Heroin: 0.0% Cocaine: 12.0% Other opiates: 20.0% Other drugs: 0.0%

(N = 25) Job: 12.0% Retirement/savings: 0.0% Family/friends: 0.0% No income: 28.0% Public sources: 44.0% Other sources: 16.0%

Source of Income

Source of Referral

(N = 25) Self/family/relative/ friends: 8.0% Employer/school: 0.0% Criminal justice: 32.0% Professional: 68.0% County social service agency: 52.0% Other community resources: 0.0% AA: 0.0% Tribal: 32.0%

Outcomes

Discharge Status (N = 25) Completed program: 40.0% Patient left without staff approval: 44.0% Staff requested/judged inappropriate: 12.0% Death/other: 4.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Women's Wellbriety Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 24)	12.5%	8.3%
Not employed/student ^{\ddagger} (N = 25)	92.0%	96.0%
Arrests past 30 days (N = 25)	20.0%	0.0%
Alcohol use past 30 days (N = 24)	37.5%	8.3%
Drug use past 30 days (N = 25)	64.0%	20.0%
No self-help group participation past 30 days (N = 25)	92.0%	4.0%
No family support for recovery past 30 days (N = 25)	32.0%	20.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	Discharge
Acute Intoxication/ Withdrawal (N =25)	12.0%	12.0%
Biomedical Conditions and		
Complications ($N = 25$)	4.0%	4.0%
	4.0% 4.0%	4.0% 4.0%
Complications (N = 25) Emotional/Behavioral/		
Complications (N = 25) Emotional/Behavioral/ Cognitive Problem (N = 25)	4.0%	4.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Woodland Centers Outpatient Chemical DependencyTreatment Program

1125 S.E. 6th Street Willmar, MN 56201

County: Kandiyohi

Provider Website:

Patient Profile

 Gender (N = 60)
 Race (N = 60)
 Age (N = 60)

 Male: 78.3%
 White: 85.0%
 Under 18

 Female: 21.7%
 Black: 0.0%
 18 to 25

 American Indian: 3.3%
 26 to 34

 Hispanic: 8.3%
 35 and c

 Asian/Pacific Islander: 1.7%
 Other: 1.7%

<u>Age (N = 60)</u> Under 18: 0.0% 18 to 25: 25.0% 26 to 34: 38.3% 35 and older: 36.7%

Primary Substance (N = 60) Alcohol: 85.0% Methamphetamine: 6.7% Marijuana: 5.0% Heroin: 0.0% Cocaine: 1.7% Other opiates: 1.7% Other drugs: 0.0%

(N = 60) Job: 76.7% Retirement/savings: 1.7% Family/friends: 8.3% No income: 1.7% Public sources: 6.7% Other sources: 5.0%

Source of Income

Source of Referral

(N = 60) Self/family/relative/ friends: 11.7% Employer/school: 1.7% Criminal justice: 88.3% Professional: 3.3% County social service agency: 1.7% Other community resources: 8.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 60) Completed program: 73.3% Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 15.0% Death/other: 3.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

National Outcome Measures (NOMS) Admission **Discharge** Homeless^{\ddagger} (N = 59) 0.0% 0.0% Not employed/student^{\ddagger} (N = 59) 16.9% 18.6% Arrests past 30 days (N = 60) 1.7% 3.3% Alcohol use past 30 days (N = 60) 8.3% 23.3% 1.7% Drug use past 30 days (N = 60) 3.3% No self-help group participation past 30 days (N = 51) 80.4% 7.8% No family support for recovery past 30 days (N = 46) 10.9% 43.5% **Barriers to Recovery Dimensions of Chemical Health[§]** Admission **Discharge** Acute Intoxication/ Withdrawal (N = 59) 0.0% 0.0% **Biomedical Conditions and** 1.7% 3.3% Complications (N = 60)Emotional/Behavioral/ 16.7% Cognitive Problem (N = 60)15.0% Resistance to Change (N = 60)88.3% 58.3% Relapse/Continued Use Potential (N = 60) 93.3% 86.7% Unsupportive Recovery Environment (N = 60) 75.0% 40.0%

Woodland Centers Outpatient Chemical DependencyTreatment Program

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Pacing Recovery Effectively Program

343 Wood Lake Drive SE Rochester, MN 55904

County: Olmsted

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 4)</u> Male: * Female: *	Race (N = 4) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 4) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 4) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 4) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 4) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 4) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Zumbro Valley Mental Health Center Pacing Recovery Effectively Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 4)	*	*
Not employed/student ^{tt} (N = 4)	*	*
Arrests past 30 days (N = 4)	*	*
Alcohol use past 30 days (N = 3)	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days (N = 3)	*	*
No family support for recovery past 30 days (N = 3)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/ Cognitive Problem (N = 4)	* *	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Recovery Basics Outpatient Program

932 North Broadway Rochester, MN 55901

County: Olmsted

Provider Website:

Patient Profile

Gender (N = 36) Race (N = 36)Age (N = 36)Male: 75.0% White: 86.1% Female: 25.0% Black: 8.3% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 2.8% Other: 2.8%

Primary Substance (N = 36) Alcohol: 83.3% Methamphetamine: 0.0% Marijuana: 11.1% Heroin: 0.0% Cocaine: 2.8% Other opiates: 2.8% Other drugs: 0.0%

Source of Income (N = 36)Job: 75.0% Retirement/savings: 2.8% Family/friends: 8.3% No income: 11.1% Public sources: 2.8% Other sources: 0.0%

Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 22.2% 35 and older: 44.4%

Source of Referral (N = 36). Self/family/relative/ friends: 80.6% Employer/school: 2.8% Criminal justice: 72.2% Professional: 19.4% County social service agency: 0.0% Other community resources: 13.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 36</u>) Completed program: 69.4% Patient left without staff approval: 19.4% Staff requested/judged inappropriate: 0.0% Death/other: 11.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

National Outcome Measures (NOMS) Admission **Discharge** Homeless^{\ddagger} (N = 33) 0.0% 3.0% Not employed/student^{\ddagger} (N = 33) 27.3% 18.2% Arrests past 30 days (N = 32) 15.6% 3.1% Alcohol use past 30 days (N = 27) 7.4% 33.3% Drug use past 30 days (N = 28) 7.1% 0.0% No self-help group participation past 30 days (N = 20) 45.0% 45.0% No family support for recovery past 30 days (N = 28) 3.6% 21.4% **Barriers to Recovery Dimensions of Chemical Health[§]** Admission Discharge Acute Intoxication/ Withdrawal (N = 34) 26.5% 5.9% **Biomedical Conditions and** 2.9% 2.9% Complications (N = 35)Emotional/Behavioral/ 42.9% 34.3% Cognitive Problem (N = 35)Resistance to Change (N = 35)45.7% 14.3% Relapse/Continued Use Potential (N = 35) 68.6% 34.3% Unsupportive Recovery Environment (N = 35) 48.6% 17.1%

Zumbro Valley Mental Health Center Recovery Basics Outpatient Program

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Recovery Partners

47 13 1/2 Str NW Rochester, MN 55901

County: Olmsted

AA: 0.0% Tribal: 0.0%

Provider Website: www.zumbromhc.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 28)} \\ Male: \ 42.9\% \\ Female: \ 57.1\% \\ \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 28)} \\ White: \ 78.6\% \\ Black: \ 10.7\% \\ American \ Indian: \ 3.6\% \\ Hispanic: \ 7.1\% \\ Asian/Pacific \ Islander: \ 0.0\% \\ Other: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 28)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 17.9\% \\ 26 \ to \ 34: \ 32.1\% \\ 35 \ and \ older: \ 50.0\% \\ Other: \ 0.0\% \end{array}$

Primary Substance	Source of Income	Source of Referral
<u>(N = 28)</u>	<u>(N = 28)</u>	<u>(N = 28)</u>
Alcohol: 46.4%	Job: 10.7%	Self/family/relative/
Methamphetamine: 17.9%	Retirement/savings: 0.0%	friends: 50.0%
Marijuana: 17.9%	Family/friends: 10.7%	Employer/school: 0.0%
Heroin: 0.0%	No income: 0.0%	Criminal justice: 25.0%
Cocaine: 7.1%	Public sources: 75.0%	Professional: 32.1%
Other opiates: 7.1%	Other sources: 3.6%	County social
Other drugs: 3.6%		service agency: 60.7%
		Other community
		resources: 17.9%

Outcomes

Discharge Status (N = 28) Completed program: 28.6% Patient left without staff approval: 46.4% Staff requested/judged inappropriate: 0.0% Death/other: 25.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Zumbro Valley Mental Health Center Recovery Partners

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{tt} (N = 28)	3.6%	0.0%
Not employed/student ^{\ddagger} (N = 27)	88.9%	77.8%
Arrests past 30 days (N = 24)	12.5%	4.2%
Alcohol use past 30 days (N = 18)	22.2%	5.6%
Drug use past 30 days (N = 18)	11.1%	5.6%
No self-help group participation past 30 days (N = 26)	38.5%	50.0%
No family support for recovery past 30 days (N = 26)	3.9%	19.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =28)	17.9%	25.0%
Biomedical Conditions and Complications $(N = 28)$	21.4%	21.4%
Emotional/Behavioral/ Cognitive Problem (N = 28)	100.0%	92.9%
Resistance to Change ($N = 28$)	53.6%	53.6%
Relapse/Continued Use Potential (N = 28)	100.0%	82.1%
Unsupportive Recovery Environment (N = 28)	100.0%	78.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Right to Recovery

923 North Broadway Rochester, MN 55901

County: Olmsted

Provider Website:

Patient Profile

 Gender (N = 33)
 Race (N = 33)
 Age (N = 33)

 Male: 87.9%
 White: 69.7%
 Under 1

 Female: 12.1%
 Black: 18.2%
 18 to 28

 American Indian: 3.0%
 26 to 34

 Hispanic: 6.1%
 35 and

 Asian/Pacific Islander: 0.0%
 Other: 3.0%

<u>Age (N = 33)</u> Under 18: 0.0% 18 to 25: 6.1% 26 to 34: 9.1% 35 and older: 84.8%

Primary Substance (N = 33) Alcohol: 69.7% Methamphetamine: 0.0% Marijuana: 6.1% Heroin: 6.1% Cocaine: 18.2% Other opiates: 0.0% Other drugs: 0.0%

(N = 33) Job: 21.2% Retirement/savings: 6.1% Family/friends: 6.1% No income: 9.1% Public sources: 51.5% Other sources: 6.1%

Source of Income

Source of Referral

(N = 33) Self/family/relative/ friends: 51.5% Employer/school: 0.0% Criminal justice: 18.2% Professional: 27.3% County social service agency: 75.8% Other community resources: 12.1% AA: 0.0% Tribal: 3.0%

Outcomes

Discharge Status (N = 33) Completed program: 21.2% Patient left without staff approval: 51.5% Staff requested/judged inappropriate: 3.0% Death/other: 24.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

Zumbro Valley Mental Health Center Right to Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{\ddagger} (N = 29)	10.3%	3.5%
Not employed/student ^{\ddagger} (N = 28)	75.0%	78.6%
Arrests past 30 days (N = 20)	10.0%	25.0%
Alcohol use past 30 days (N = 17)	35.3%	23.5%
Drug use past 30 days (N = 17)	5.9%	0.0%
No self-help group participation past 30 days ($N = 18$)	22.2%	33.3%
No family support for recovery past 30 days (N = 20)	20.0%	15.0%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =32)	78.1%	62.5%
Biomedical Conditions and Complications $(N = 32)$	37.5%	28.1%
Emotional/Behavioral/ Cognitive Problem (N = 32)	84.4%	75.0%
Resistance to Change ($N = 32$)	46.9%	78.1%
Relapse/Continued Use Potential (N = 32)	90.6%	75.0%
Unsupportive Recovery Environment (N = 31)	80.6%	54.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2007 and whose discharge data were submitted to DHS by September 1, 2008.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Chemical dependency treatment providers with insufficient data for reporting

Provider Name	Location
Provider Name A Woman's Way CDC Centers Anchorage Anishinaabe-Miikana Gidamaajitaamin-Bois Forte Anishinaabe-Miikana Gidamaajitaamin-Bois Forte CD Avalon - Crow Wing County Jail Bemidji Area Program for Recovery Clinicare Corporation Eau Claire Academy Counseling Resources Dakota County Jail Treatment Program Drake Counseling Services, Inc. Drake Residential Treatment Center Drifens Franciscan Skemp Healthcare Scarseth House Franciscan Skemp Healthcare Scarseth House Franciscan Skemp Healthcare Villa Succes Glenmore Recovery - Baudette Glenmore Recovery Center Northwest Regional Corrections Center Hope Unit St. Francis Mille Lacs Band Outpatient Program Mille Lacs Band Outpatient Program	Location Burnsville, MN Moorhead, MN Nett Lake, MN Tower, MN Brainerd, MN Bemidji, MN Eau Claire, WI Worthington, MN Hastings, MN Fargo, ND Detriot Lakes, MN Detroit Lakes, MN Cochester, MN La Crosse, WI Paririe du Chien, WI Baudette, MN Crookston, MN Breckenridge, MN Onamia, MN McGregor, MN Hinckley, MN Sandstone, MN Minneapolis, MN Elk River, MN Richfield, MN Morris, MN Maplewood, MN Detroit Lakes, MN Owatonna, MN Rush City, MN Brooklyn Center, MN Woodbury, MN
Wenden Recovery Services of Preston Zumbro Valley Mental Health Center Pasos ala Serenidad	Preston, MN Rochester, MN