Chemical Dependency Provider Performance Measures 2008

Chemical Health Division Minnesota Department of Human Services



Table of Contents

Introduction	1
Statewide	3
1025 Outpatient Treatment	5
3 R's Nuway Counseling Center	7
A Woman's Way CDC Centers	
A.d.a.p.t of Minnesota	11
AA Alternatives of Minnesota, Inc	13
Addiction Counseling Treatment Services	15
Addiction Recovery Technologies of Rochester	
Addiction Recovery Technology of Mankato	19
Adolescent Substance Abuse Program at Woodland Hills	
Adolescent Treatment Center of Winnebago	
African American Family Services, Inc	
African American Family Services, Inc	27
Ahnji-be-mah-diz Center Leech Lake Halfway House	
Alliance Clinic LLC	
Amethyst Outpatient C.D. Program	33
Anchorage	
Anishinaabe-Miikana Gidamaajitaamin-Bois Forte	
Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD	
Anthony Louis Center	
Anthony Louis Center North	
Anthony Louis Center of Woodbury	
ARK Counseling	
Arrowhead Center, Inc.	49
Ashley House, Inc. d.b.a. Road to Recovery	51
Austin Medical-Mayo Health System	
Avalon - Crow Wing County Jail	
Avalon - Pine City	
Avalon Programs LLC Eagan	59
Avalon Programs LLC of Cottage Grove	
Avalon Programs LLC Stillwater	63
Avalon Programs LLC-Ramsey County Correctional Facility	
Avalon Prospect Park	
Avalon-Aitkin County	69
Avalon-Midway	
Bachmann and Associates, Inc	
Bell Hill Recovery Center	
Beltrami County Jail	
Bethel Port Rehabilitation Center	
Boys Totem Town St. Joseph's CD	
Cardinal Recovery Center SOS-Willmar RTC	83
Cedar Ridge	
Center for Solutions Towner County Medical Center	87

Central Minnesota Mental Health Center of Buffalo	89
Central Minnesota Mental Health Center of Monticello	91
Central Minnesota Mental Health Center of St. Cloud	93
Chrysalis: A Center for Women	95
Clara's House	97
Clinicare Corporation Eau Claire Academy	99
Club Recovery	
Communidades Latinas Unidas En Sericio	103
Community Addiction Recovery Enterprise of Anoka	105
Community Addiction Recovery Enterprise of Carlton	107
Community Addiction Recovery Enterprise of Fergus Falls	109
Community Addiction Recovery Enterprise of St. Peter	111
Community Addiction Recovery Enterprise of Willmar	113
Community Addiction Recovery Enterprise of Willmar Jail Outpatient	115
Community Addiction Recovery Enterprises of Brainerd	117
Community Drug and Alcohol Servic, Inc	
Community Drug and Alcohol Services, Inc	121
Cook County Wilderness Outpatient Treatment Program	123
Correctional Transition Services, Inc	125
Corrections Recovery Services	127
Counseling Clinic La Crescent	129
Counseling Resources	131
Courage Center-Vinland National Center	133
CRC Wisconsin RD LLC	135
CREATE	137
CREATE-South	139
Dakota County Jail Treatment Program	141
Dakota County Receiving Center, Inc.	143
Dakota Treatment Center	145
Dellwood Recovery Center	
Dimensions in Recovery Maple Lake Recovery Center, Inc	149
Douglas Place, Inc	151
Drake Counseling	153
Drake Counseling Services	155
Drake Counseling Services, Inc	157
Drake Residential Treatment Center	159
Drifens	
Effective Living Center, Inc	163
Effective Living Center, Inc.	
EmPower CTC	
Endeavor Place, LLC	169
Evergreen Youth Recovery House	
Fairview Health Services Minneapolis - MICD Program	
Fairview Health Services Minneapolis Adult CD Programs	
Fairview Recovery Services - Edina Outpatient	177
Fairview Recovery Services Adult Outpatient ProgramCrystal	179

Fairview Recovery Services Crystal Outpatient	181
Fairview Recovery Services Deaf and Hard of Hearing Program	
Fairview Recovery Services Elk River Outpatient	
Fairview Recovery Services Maplewood Outpatient	
Fairview Recovery Services of Chisago City	
Fairview Recovery Services of Forest Lake	
Fairview Recovery Services-Burnsville Outpatient	
Faith Family Recovery Center LLC	
Faribault Family Focus-Immanuel St. Joseph's Mayo Health System	
First Nation Recovery Program	
First Step	
First Step Recovery PLLP	
First Step Walker	
Five Stars Recovery Center	
Focus Unit St. Joseph's Medical Center	
Focus XII	
Fond Du Lac Human Services	
Fountain Center of Albert Lea	
Fountain Center of Fairmont	
Fountain Center of Rochester	219
Fountain Centers Recovery House of Rochester	
Franciscan Skemp Healthcare Scarseth House	
Glenmore of Thief River Falls	
Glenmore Recovery	227
Glenmore Recovery - Baudette	
Glenmore Recovery Center	
Glenmore Recovery Center Northwest Regional Corrections Center	
Glenmore-Roseau	
Golden Living Center Wabasso	237
Grace Counseling Services	
Guest House	241
Gundersen Lutheran Unity House for Men	243
Gundersen Lutheran Unity House for Women	
H.V.M.H.C. Wabasha County Outpatient C.D. Program	
Hanson and Hanson Addiction Specialist, Inc	
Haven Road Recovery Center LLC	
Haven Road Recovery Center LLC Outlook Jail Program	
Haven Road Recovery Center Todd County	255
Hazelden Center for Youth & Families	257
Hazelden Fellowship Club	259
Hazelden Recovery Services	261
Health Recovery Center	
Hennepin Faculty Associates Addiction Medicine Program	
HFA Addiction Medicine Program	
Hiawatha Valley Mental Health	
Hoffe Counseling, Inc.	271

Hoffe Counseling, Inc.	273
Hope House of Itasca County	
Hope Unit St. Francis	
House of Charity Day by Day Program	279
House of Hope	
House of Hope, Inc.	
Howard Friese Halfway House	285
Hutchinson Health Care	
Journey Counseling Services	289
Journey Home	
Juel Fairbanks Chemical Dependency Services	293
Keystone Treatment Center Inpatient Program	
Keystone Treatment Outpatient	
Kinnic Falls Alcohol and Drug Abuse Services	299
Lake Region Halfway Homes, Inc	
Lake Superior Treatment Center	
Lake View Memorial Hospital Outpatient CD Treatment Program	
Lakeland Mental Health Center Outpatient C.D. Program	
Lakeplace Retreat Center, Inc	
Lakes Counseling Center	311
Lakes Region Chemical Dependency	313
Lakes Region Chemical Dependency	315
Lakes Region Chemical Dependency LLC Northwestern Juvenile Center	317
Lakes Regions Chemical Dependency Clearwater County Jail Program	
Leech Lake Opiate Treatment Program	
Leech Lake Outpatient Program	323
Leech Lake Womens Outpatient Program	325
Lifehouse LLC, MN	
Lifestyle Counseling of Mound	329
Lifestyle Counseling of Richfield/Bloomington	331
Lifestyle Counseling Services	333
Living Free Recovery Services	335
Lower Sioux Chemical and Mental Health Services	337
Mahnomen County Human Services	339
Mankato Family Focus-Immanuel St. Joseph's Mayo Health System	341
Maple Lake Recovery Center, Inc.	
Margaret's House	345
Marty Mann Halfway House for Women	347
Mash Ka Wisen Treatment Center Inpatient Program	349
Mayo Clinic Addiction Services Generose IB	351
MCF - Togo	353
Meadow Creek	355
Mens Laar House	357
Mille Lacs Band Outpatient Program	359
Mille Lacs Band Outpatient Program	361
Mille Lacs Band Outpatient Program	

Mille Lacs Band Outpatient Program Aazhoomog Clinic	365
Miller Dwan Medical Center	
Minnesota Teen Challenge Men's Program	369
Minnesota Teen Challenge Women's Program	
Morgan Treatment Center	373
My Home, Inc	375
My Home, Inc	377
Nehemiah Family Services	379
Neighborhood Counseling Chemical Dependency Progra	381
New Beginnings at Litchfield	383
New Beginnings at St. Peter	385
New Beginnings at Waverly	387
New Beginnings Jail Program at Elk River	389
New Choices for Recovery Cottage Grove	391
New Choices for Recovery Stillwater	393
New Choices for Recovery Washington County Jail	395
New Connection Program of Eden Prairie	397
New Connections Program-Hastings	399
New Guidance Counseling	
New Life Treatment Center	403
New Perspectives, LLC	405
New Ulm Medical Center Substance Abuse Treatment Service	407
New Ulm Medical Center-Drug Court Treatment	409
New Visions Center	411
New Visions Center	
New Visions Center of Morris	415
Next Step	417
Next Step	419
North East Regional Corrections Center	421
North Homes Inc. Outpatient Chemical Dependency	423
Northern Lakes Clinic, Inc.	425
Northland Recovery Center	427
Northland Recovery Center Adolescent Unit	429
Northland Recovery Womens Center	431
Northwest Recovery Center, Inc. Thief River Falls	433
Nuway II	435
Nuway House, Inc.	437
Nystrom and Associates, LTD	439
Odyssey-Dakota County Juvenile Service Center	441
Omada Behavioral Health-Downtown Northfield	443
Omegon, Inc.	445
On-Belay House	
Oosh-Kii-Mii-Kah-Nah Halfway House	449
Owatonna Family Focus Immanuel St. Joseph's Mayo Health	451
Park Avenue Center	453
Passages	455

Pathway House	457
Pathway House	459
Paul's Place	461
Pear Lake Women's Program	463
People Incorporated ISN, Huss Recovery Services	465
Perkins Counseling Center	467
Phoenix Adolescent Outpatient Treatment	469
Phoenix Adolescent Outpatient Treatment	471
Phoenix Group Homes Inc	473
Pine Manors, Inc	475
Pineview Recovery Center	477
Prairie Center for the Family, LLC	479
Prairie House Recovery	481
Pride Institute, Inc	483
Pride Institute, Inc	485
Prodigal House	487
Professional Counseling Center of Buffalo	489
Professional Counseling Center of Delano	491
Progress Valley I	493
Progress Valley II	495
Project Turnabout	
Project Turnabout Chemical Dependency Treatment Center of Redwood Falls	499
Project Turnabout Halfway House-Marshall	
Project Turnabout of Granite Falls	503
Rainbow Behavioral Health Services Chartered	505
Range Treatment Center	507
Rapids Counseling Services, Inc	509
Rational Alternatives	
Rays of Hope Unlimited	513
Rebecca Residence of Scandia	
Recovery Plus Adult Program St. Cloud Hospital	
Recovery Resource Center	519
Recovery Resources of Winsted	521
Recovery Works Minimum Security Program	523
Recovery Works/BC Jail House Program	525
Red Lake CD Outpatient Program	527
Red Lake Group Home	
Red Lake Treatment Center	531
Red River Recovery Center	
Regions Hospital Alcohol and Drug Abuse Program	535
Regions Hospital/New Connection Programs	537
Regions Hospital/New Connection Programs	539
Rewind, Inc.	
River Ridge Treatment Center Burnsville	
River Ridge Treatment Center Minnetonka	545
Riverplace Counseling Center of Elk River, Inc	547

Riverplace Counseling Center-Anoka	549
Rochester Behavioral Health Service	551
Rochester Metro Treatment Center	553
RS Eden/Eden House	555
RS Eden/Eden House	557
Salvation Army Beacon Matrix Program in Caver County	559
Salvation Army Harbor Light Center	
Sanford Hospital Luverne Outpatient CD Program	
Senior Recovery Program	
Sentirse Bien, Feeling Healthy	
Share House - Stepping Stones	569
Share House Inc	571
Share House Wellness Center	573
Sisters Path	575
South Central Human Relations Dual Recovery Program	577
South Metro Human Services	
Specialized Treatment Services, Inc	581
Spirit River Recovery Services of Rum River Health Services Inc	583
St Josephs Hospital CD Service Coordination	585
St. Cloud Metro Treatment	587
St. Johns Hospital - Healtheast CD Program	589
St. Joseph's Hospital Inpatient Chemical Dependency Program	591
St. Paul Metro Treatment Center	593
Stellher Human Services, Inc. Bagley School District #162	595
Stellher Human Services, Inc. La Porte School District # 306	
Stellher Human Services, Inc. Nevis School District # 308	599
Stellher Human Services, Inc. Park Rapids School District # 309	601
Tapestry, LLC	603
Teen Focus Recovery Center	605
Telesis - Hennepin County Workhouse	607
Temporary Living Center, TLC	609
The 1402 Treatment Program	611
The Counseling Clinic Inc	613
The Gables	
The Haven Halfway House, LLC	617
The Haven in Cloquet	619
The Haven in Shakopee	621
The Haven in Waconia	623
The Haven in Woodbury	
The Micah Halfway House	627
The Range Treatment Center	
The Wayside House Inc	
Thunderbird and Wren Halfway House	
Transformation House	
Transformation House I	
Transformation House II	630

Tri County Community Corrections	641
Turning Point, Inc	643
Turning Point, Inc	
Twin Town Treatment Center	
Unity Hospital Substance Abuse Services	649
Unity Hospital Substance Abuse Services	651
Upper Mississippi Mental Health Center	653
Upper Mississippi Mental Health Center	655
Valhalla Place Inc	657
Vinland National Center	659
Way 12 Halfway House	661
We Care Counseling Center	663
Wellcome Manor Family Services	665
Wenden Recovery Service of Winona	667
Wenden Recovery Services of Preston	669
Wenden Recovery Services, Inc	671
West Hills Lodge, Inc	673
White Earth CD Treatment Program Outpatient Program	675
WINGS	677
Winona Counseling Clinic, Inc.	
Womens LAAR House	681
Women's Recovery Center	683
Women's Wellbriety Center	685
Woodland Centers Outpatient Chemical DependencyTreatment Program	687
Zumbro Valley Mental Health Center Pacing Recovery Effectively Program	689
Zumbro Valley Mental Health Center Pasos ala Serenidad	691
Zumbro Valley Mental Health Center Recovery Basics Outpatient Program	693
Zumbro Valley Mental Health Center Recovery Partners	695
Zumbro Valley Mental Health Center Right to Recovery	697

Introduction

In conjunction with national efforts to increase the availability of addiction treatment outcomes, the Chemical Health Division of the Minnesota Department of Human Services provides the following treatment outcome measures for the entire state of Minnesota and for individual treatment providers licensed under state Rule 31. This report will be updated annually.

The measures fall into four categories. (1) The **Patient Profile** presents background information about patients obtained at admission to treatment. (2) **Outcomes** describe the situation in which the patient leaves treatment. (3) **National Outcomes Measures (NOMS)** are prescribed by the Substance Abuse and Mental Health Services Administration (SAMHSA) and provide information at admission and discharge on patients' status in seven critical domains of living. (4) **Barriers to Recovery** are similar to measures developed by the American Society of Addiction Medicine and provide information at admission and discharge on six dimensions of addiction.

The **Patient Profile** presents the percentages of patients in categories of gender, race, age, primary substance, source of income, and sources of referral to treatment. These are obviously not measures of performance but rather provide a picture of the mix of patients seen statewide and by different providers. Since patients can have two sources of referral, the percentages for this measure do not sum to 100.

The only measure under **Outcomes** is discharge status. Considerable research demonstrates that completing treatment is associated with post-treatment abstinence.

The **NOMS** attempt to capture meaningful, real life outcomes for people who are striving to attain and sustain recovery and participate fully in their communities in the wake of receiving treatment for an active addiction to drugs or alcohol. They include: rates of homelessness, unemployment, arrest, alcohol and drug use, involvement in self-help groups, and family support for recovery. Since these measures are coded so that higher percentages indicate more people having trouble in that domain, declines in the percentages from admission to discharge indicate success. Details on NOMS are available at http://nationaloutcomemeasures.samhsa.gov/welcome.asp.

Barriers to Recovery show the percentages of patients with serious problems in six dimensions at admission and discharge. The severity levels within each dimension range from no problem (0) to extreme problem (4). The dimensions are:

- 1. Acute Intoxication/Withdrawal ranges from (0) patients who exhibit no intoxication or withdrawal symptoms to (4) those with symptoms so severe that the patient is a threat to self or others.
- 2. Biomedical Conditions and Complications range from (0) patients who are fully functional to (4) those with severe physical problems or conditions that require immediate medical intervention.
- 3. Emotional/Behavioral/Cognitive Problem ranges from (0) patients with good coping skills and impulse control to (4) those with such severe emotional or behavioral symptoms that they are unable to participate in treatment.
- 4. Resistance to Change ranges from (0) patients who admit problems and are committed to change to (4) those who are in denial and unwilling to change.

- 5. Relapse/Continued Use Potential ranges from (0) patients who recognize risk and are able to manage potential problems to (4) those who have no understanding of relapse issues and display high vulnerability for further substance use disorders.
- 6. Unsupportive Recovery Environment ranges from (0) environments that are supportive of recovery to (4) environments that are antagonistic to recovery.

The numbers shown in the tables are the percentages with (2) moderate, (3) severe or (4) extreme problems in a dimension. Declines in the percentages from admission to discharge indicate success.

All data are obtained from The Drug and Alcohol Abuse Normative Evaluation System (DAANES), which is administered by the Performance Measurement and Quality Improvement Division of the Department of Human Services in order to monitor treatment services for substance abuse in Minnesota. DAANES data are collected by providers as clients enter and leave episodes of treatment. All of these measures are based on episodes of treatment that began in 2008 and are accompanied by discharge data submitted by November 5, 2009. For all tables, data are presented only when there are at least 10 observations for the measure.

Statewide

County: Statewide

Provider Website:

Patient Profile

Gender (N = 46570)

Male: 66.9% Female: 33.1%

Race (N = 46570)

White: 75.1% Black: 10.8%

American Indian: 7.8%

Hispanic: 3.6%

Asian/Pacific Islander: 0.8%

Other: 1.9%

Primary Substance

(N = 46092)

Alcohol: 57.3%

Methamphetamine: 7.3%

Marijuana: 17.4% Heroin: 3.2% Cocaine: 7.8% Other opiates: 5.4%

Other drugs: 1.5%

Source of Income

(N = 46570)Job: 36.3%

Retirement/savings: 3.6%

Family/friends: 19.7% No income: 14.5%

Public sources: 16.5% Other sources: 9.3%

Age (N = 46570)

Under 18: 8.6% 18 to 25: 23.5%

26 to 34: 21.9% 35 and older: 46.0%

Source of Referral

(N = 46570) .

Self/family/relative/ friends: 48.2%

Employer/school: 2.7% Criminal justice: 36.7%

Professional: 24.4% County social

service agency: 30.3%

Other community resources: 11.8%

AA: 0.2% Tribal: 1.6%

Outcomes

Discharge Status

(N = 46570)

Completed program: 62.7%

Patient left without staff approval: 18.8% Staff requested/judged inappropriate: 8.6%

Death/other: 9.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Statewide

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 44813)	6.8%	3.8%
Not employed/student ^{‡‡} (N = 42570)	56.0%	52.6%
Arrests past 30 days (N = 44367)	12.4%	4.7%
Alcohol use past 30 days (N = 44083)	48.8%	14.6%
Drug use past 30 days ($N = 44112$)	37.6%	13.8%
No self-help group participation past 30 days ($N = 41041$)	59.8%	20.8%
No family support for recovery past 30 days ($N = 39754$)	15.1%	9.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 9.2%	<u>Discharge</u> 4.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 43927) Biomedical Conditions and	9.2%	4.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 43927) Biomedical Conditions and Complications (N = 44243) Emotional/Behavioral/	9.2%	4.9% 10.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 43927) Biomedical Conditions and Complications (N = 44243) Emotional/Behavioral/ Cognitive Problem (N = 44256)	9.2% 14.7% 59.9%	4.9% 10.1% 44.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

1025 Outpatient Treatment

1025 London Road Duluth, MN 55812

Provider Website: www.cadt.org

Patient Profile

 Gender (N = 590)
 Race (N = 590)

 Male: 63.4%
 White: 80.8%

 Female: 36.6%
 Black: 6.6%

American Indian: 7.0% 26 to 34: 24.6% Hispanic: 2.7% 35 and older: 45.4%

Asian/Pacific Islander: 0.3%

Other: 2.5%

Primary Substance Source of Income

(N = 589) Alcohol: 72.3% (N = 590) Job: 48.3%

Methamphetamine: 4.4%
Marijuana: 14.3%
Heroin: 0.2%
Cocaine: 4.1%

Retirement/savings: 4.4%
Family/friends: 6.1%
No income: 12.9%
Public sources: 22.7%

Other opiates: 4.4% Other sources: 5.6%

(N = 590) .
Self/family/relative/
friends: 28.8%
Employer/school: 2.5%

Employer/school: 2.5% Criminal justice: 45.9% Professional: 17.6%

County social

County: St. Louis

Age (N = 590)

Under 18: 0.0%

18 to 25: 30.0%

Source of Referral

service agency: 10.2%

Other community resources: 3.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 590)

Other drugs: 0.3%

Completed program: 71.5%

Patient left without staff approval: 14.1% Staff requested/judged inappropriate: 5.4%

Death/other: 9.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

1025 Outpatient Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 578)	1.9%	1.4%
Not employed/student ^{‡‡} (N = 566)	44.0%	41.7%
Arrests past 30 days (N = 547)	8.6%	4.2%
Alcohol use past 30 days (N = 537)	37.2%	11.7%
Drug use past 30 days (N = 544)	20.6%	4.4%
No self-help group participation past 30 days ($N = 506$)	58.7%	52.8%
No family support for recovery past 30 days (N = 535)	4.3%	9.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =584)	3.3%	2.2%
Biomedical Conditions and Complications $(N = 590)$	7.5%	4.2%
	7.5% 24.7%	4.2% 10.7%
Complications (N = 590) Emotional/Behavioral/		
Complications (N = 590) Emotional/Behavioral/ Cognitive Problem (N = 590)	24.7%	10.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

3 R's Nuway Counseling Center

2220 Central Avenue NE Minneapolis, MN 55418

Provider Website:

Patient Profile

 Gender (N = 83)
 Race (N = 83)

 Male: 79.5%
 White: 74.7%

 Female: 20.5%
 Black: 14.5%

American Indian: 3.6% 26 to 34: 34.9% Hispanic: 2.4% 35 and older: 45.8%

Asian/Pacific Islander: 0.0%

Other: 4.8%

Primary Substance

(N = 83)Alcohol: 68.7%

Methamphetamine: 1.2% Marijuana: 27.7%

Heroin: 1.2% Cocaine: 1.2% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 83)Job: 75.9%

> Retirement/savings: 2.4% Family/friends: 2.4% No income: 6.0% Public sources: 6.0%

Other sources: 7.2%

Source of Referral

(N = 83) .

County: Hennepin

Age (N = 83)

Under 18: 0.0%

18 to 25: 19.3%

Self/family/relative/ friends: 30.1%

Employer/school: 13.3% Criminal justice: 61.4% Professional: 12.0%

County social

service agency: 32.5%

Other community resources: 25.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 83)

Completed program: 71.1%

Patient left without staff approval: 15.7% Staff requested/judged inappropriate: 4.8%

Death/other: 8.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

3 R's Nuway Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 81)	1.2%	0.0%
Not employed/student ^{‡‡} (N = 80)	18.8%	21.3%
Arrests past 30 days (N = 77)	9.1%	2.6%
Alcohol use past 30 days (N = 75)	22.7%	1.3%
Drug use past 30 days (N = 76)	13.2%	5.3%
No self-help group participation past 30 days $(N = 68)$	69.1%	1.5%
No family support for recovery past 30 days $(N = 61)$	3.3%	1.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 19.7%	<u>Discharge</u> 18.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 76) Biomedical Conditions and	19.7%	18.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 76) Biomedical Conditions and Complications (N = 78) Emotional/Behavioral/	19.7% 14.1%	18.4% 5.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 76) Biomedical Conditions and Complications (N = 78) Emotional/Behavioral/ Cognitive Problem (N = 75)	19.7% 14.1% 61.3%	18.4% 5.1% 22.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

A Woman's Way CDC Centers

720 15 1st Street E Burnsville, MN 55337

Provider Website:

Patient Profile

 Gender (N = 63)
 Race (N = 63)

 Male: 0.0%
 White: 88.9%

 Female: 100.0%
 Black: 4.8%

American Indian: 1.6% 26 to 34: 19.0% Hispanic: 3.2% 35 and older: 61.9%

Asian/Pacific Islander: 1.6%

Other: 0.0%

Primary Substance

(N = 63) Alcohol: 82.5%

Methamphetamine: 4.8% Marijuana: 3.2%

Heroin: 0.0% Cocaine: 4.8% Other opiates: 1.6%

Other drugs: 3.2%

Source of Income

 $\frac{(N = 63)}{\text{Job: } 34.9\%}$

Retirement/savings: 3.2% Family/friends: 9.5% No income: 1.6% Public sources: 7.9%

Other sources: 42.9%

Age (N = 63)

Under 18: 0.0%

18 to 25: 19.0%

County: Dakota

Source of Referral

(N = 63) .

Self/family/relative/ friends: 55.6% Employer/school: 6.4% Criminal justice: 9.5% Professional: 49.2%

County social

service agency: 25.4%

Other community resources: 20.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 63)

Completed program: 73.0%

Patient left without staff approval: 17.5% Staff requested/judged inappropriate: 4.8%

Death/other: 4.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

A Woman's Way CDC Centers

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 61)	3.3%	1.6%
Not employed/student ^{‡‡} (N = 43)	51.2%	53.5%
Arrests past 30 days (N = 56)	0.0%	0.0%
Alcohol use past 30 days (N = 63)	88.9%	22.2%
Drug use past 30 days (N = 63)	30.2%	14.3%
No self-help group participation past 30 days ($N = 44$)	63.6%	15.9%
No family support for recovery past 30 days $(N = 47)$	6.4%	8.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 3.2%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and	3.2%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/	3.2% 27.4%	0.0% 12.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/ Cognitive Problem (N = 62)	3.2% 27.4% 93.5%	0.0% 12.9% 85.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

A.d.a.p.t of Minnesota

324 South 5th Street Brainerd, MN 56401

Provider Website: www.holisticpsychological.com

Patient Profile

Gender (N = 103) Race (N = 103)Age (N = 103)Male: 76.7% White: 95.1% Female: 23.3% Black: 0.0%

> American Indian: 2.9% 26 to 34: 25.2% 35 and older: 42.7%

Hispanic: 1.9%

County: Crow Wing

Under 18: 2.9%

18 to 25: 29.1%

Source of Referral

Self/family/relative/ friends: 51.5%

Employer/school: 2.9%

Criminal justice: 55.3%

resources: 3.9%

(N = 103) .

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 103)(N = 103)Alcohol: 70.9% Job: 58.3%

Methamphetamine: 5.8% Retirement/savings: 3.9% Marijuana: 17.5% Family/friends: 10.7% Heroin: 1.0% No income: 8.7% Public sources: 10.7%

Professional: 6.8% Cocaine: 1.0% County social Other opiates: 3.9% Other sources: 7.8%

Other drugs: 0.0% service agency: 38.8% Other community

> AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 103)

Completed program: 65.0%

Patient left without staff approval: 28.2% Staff requested/judged inappropriate: 1.0%

Death/other: 5.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

A.d.a.p.t of Minnesota

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 102)	1.0%	0.0%
Not employed/student ^{‡‡} (N = 103)	46.6%	37.9%
Arrests past 30 days (N = 103)	7.8%	3.9%
Alcohol use past 30 days (N = 103)	20.4%	8.7%
Drug use past 30 days (N = 103)	11.7%	7.8%
No self-help group participation past 30 days ($N = 101$)	65.3%	68.3%
No family support for recovery past 30 days (N = 102)	14.7%	8.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 1.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 103) Biomedical Conditions and	0.0%	1.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =103) Biomedical Conditions and Complications (N = 103) Emotional/Behavioral/	0.0% 99.0%	1.9% 93.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 103) Biomedical Conditions and Complications (N = 103) Emotional/Behavioral/ Cognitive Problem (N = 103)	0.0% 99.0% 100.0%	1.9% 93.2% 85.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

AA Alternatives of Minnesota, Inc.

366 Prior Ave N.

County: Ramsey St. Paul, MN 55104

Provider Website: www.aa-alternatives.com

Patient Profile

Gender (N = 5)Race (N = 5)Age (N = 5)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Source of Referral **Primary Substance** Source of Income

(N = 5)(N = 5)(N = 5) . Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: *

Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

service agency: * Other community resources: *

AA: * Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 5)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

AA Alternatives of Minnesota, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 5)	*	*
Not employed/student 11 (N = 5)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days (N = 5)	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days $(N = 5)$	*	*
No family support for recovery past 30 days $(N = 5)$	*	*
D · · · D		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Counseling Treatment Services

112 5th Street Building Gaylord, MN 55334

Provider Website:

Patient Profile

 Gender (N = 66)
 Race (N = 66)

 Male: 81.8%
 White: 87.9%

 Female: 18.2%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 22.7% Hispanic: 12.1% 35 and older: 36.4%

County: Sibley

Age (N = 66)

Under 18: 7.6%

18 to 25: 33.3%

Source of Referral

Self/family/relative/

(N = 66) .

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 66) Alcohol: 53.0% (N = 66) Job: 50.0%

Methamphetamine: 12.1% Retirement/savings: 0.0% Family/friends: 27.3% Heroin: 0.0% No income: 9.1% Cocaine: 3.0% Public sources: 3.0%

Retirement/savings: 0.0% friends: 50.0% Family/friends: 27.3% Employer/school: 1.5% No income: 9.1% Criminal justice: 66.7% Public sources: 3.0% Professional: 3.0% Other sources: 10.6% County social service agency: 59.1%

Other community resources: 4.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other opiates: 1.5%

Other drugs: 1.5%

(N = 66)

Completed program: 59.1%

Patient left without staff approval: 22.7% Staff requested/judged inappropriate: 7.6%

Death/other: 10.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Addiction Counseling Treatment Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 65)	1.5%	0.0%
Not employed/student ‡ (N = 63)	42.9%	34.9%
Arrests past 30 days (N = 60)	18.3%	1.7%
Alcohol use past 30 days (N = 64)	21.9%	7.8%
Drug use past 30 days (N = 64)	18.8%	10.9%
No self-help group participation past 30 days $(N = 56)$	64.3%	35.7%
No family support for recovery past 30 days ($N = 55$)	7.3%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 65) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 65) Biomedical Conditions and Complications (N = 65) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 65) Biomedical Conditions and Complications (N = 65) Emotional/Behavioral/ Cognitive Problem (N = 65)	0.0% 0.0% 4.6%	0.0% 0.0% 7.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Recovery Technologies of Rochester

903 West Center Street Rochester, MN 55902

Provider Website:

Patient Profile

 Gender (N = 34)
 Race (N = 34)

 Male: 64.7%
 White: 88.2%

 Female: 35.3%
 Black: 0.0%

American Indian: 2.9% 26 to 34: 0.0% Hispanic: 2.9% 35 and older: 0.0%

Asian/Pacific Islander: 2.9%

Other: 2.9%

Primary Substance Source of Income

(N = 34) Alcohol: 32.4% (N = 34) Job: 17.6%

Methamphetamine: 5.9% Retirement/savings: 0.0% Family/friends: 79.4% No income: 0.0% Cocaine: 2.9% Public sources: 0.0%

Other opiates: 0.0%

Other sources: 2.9%

(N = 34) . Self/family/relative/

Source of Referral

friends: 38.2% Employer/school: 0.0% Criminal justice: 52.9% Professional: 41.2%

County social

County: Olmsted

Age (N = 34)

Under 18: 88.2%

18 to 25: 11.8%

service agency: 26.5%

Other community resources: 5.9%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 2.9%

(N = 34)

Completed program: 32.4%

Patient left without staff approval: 20.6% Staff requested/judged inappropriate: 8.8%

Death/other: 38.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Addiction Recovery Technologies of Rochester

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 34)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 33)	0.0%	0.0%
Arrests past 30 days (N = 34)	2.9%	5.9%
Alcohol use past 30 days (N = 34)	29.4%	50.0%
Drug use past 30 days (N = 34)	47.1%	64.7%
No self-help group participation past 30 days $(N = 34)$	52.9%	47.1%
No family support for recovery past 30 days $(N = 34)$	29.4%	38.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
		<u>Biodrial go</u>
Acute Intoxication/ Withdrawal (N = 34)	8.8%	29.4%
Withdrawal (N = 34) Biomedical Conditions and	8.8%	29.4%
Withdrawal (N = 34) Biomedical Conditions and Complications (N = 34) Emotional/Behavioral/	8.8% 2.9%	29.4%
Withdrawal (N = 34) Biomedical Conditions and Complications (N = 34) Emotional/Behavioral/ Cognitive Problem (N = 34)	8.8% 2.9% 85.3%	29.4% 5.9% 85.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Recovery Technology of Mankato

12 Civic Center Plaza Mankato, MN 56001

Provider Website:

Patient Profile

 Gender (N = 176)
 Race (N = 176)

 Male: 74.4%
 White: 83.0%

 Female: 25.6%
 Black: 6.8%

American Indian: 1.1% 26 to 34: 25.6% Hispanic: 8.0% 35 and older: 22.7%

Asian/Pacific Islander: 1.1%

Other: 0.0%

Primary Substance Source of Income

(N = 176) Alcohol: 55.1% (N = 176) Job: 42.0%

Methamphetamine: 2.8% Retirement/savings: 2.8% Marijuana: 30.1% Family/friends: 37.5% Heroin: 0.0% No income: 2.3% Cocaine: 5.1% Public sources: 11.4%

No income: 2.3% Criminal justice: 59.7% Public sources: 11.4% Professional: 33.5% County social service agency: 29.0% Other community resources: 11.4%

AA: 0.0% Tribal: 0.0%

County: Blue Earth

Age (N = 176)

Under 18: 26.7%

18 to 25: 25.0%

Source of Referral

Self/family/relative/

friends: 36.4%

Employer/school: 4.0%

(N = 176) .

Outcomes

Discharge Status (N = 176)

Other opiates: 2.8%

Other drugs: 4.0%

Completed program: 60.2%

Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 3.4%

Death/other: 18.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Addiction Recovery Technology of Mankato

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 171)	0.6%	0.6%
Not employed/student ^{‡‡} (N = 167)	22.2%	27.5%
Arrests past 30 days (N = 176)	4.0%	5.7%
Alcohol use past 30 days (N = 174)	25.3%	11.5%
Drug use past 30 days (N = 172)	16.9%	15.1%
No self-help group participation past 30 days ($N = 152$)	54.6%	32.9%
No family support for recovery past 30 days (N = 148)	14.2%	4.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 1.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 169) Biomedical Conditions and	0.0%	1.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 169) Biomedical Conditions and Complications (N = 169) Emotional/Behavioral/	0.0% 5.3%	1.8% 5.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 169) Biomedical Conditions and Complications (N = 169) Emotional/Behavioral/ Cognitive Problem (N = 170)	0.0% 5.3% 17.1%	1.8% 5.3% 28.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Adolescent Substance Abuse Program at Woodland Hills

110 West Red Wing Street Duluth, MN 55803

Provider Website:

Patient Profile

 Gender (N = 79)
 Race (N = 79)

 Male: 70.9%
 White: 50.6%

 Female: 29.1%
 Black: 21.5%

American Indian: 5.1% 26 to 34: 0.0% Hispanic: 15.2% 35 and older: 0.0%

Asian/Pacific Islander: 5.1%

Other: 2.5%

Primary Substance Source of Income

(N = 79) (N = 79) Alcohol: 13.9% Job: 1.3%

Methamphetamine: 1.3% Retirement/savings: 2.

Marijuana: 77.2% Family/friends: 72.2% Heroin: 0.0% No income: 7.6%
Cocaine: 5.1% Public sources: 0.0%
Other opiates: 2.5% Other sources: 16.5%

N = 79)

Job: 1.3%

Retirement/savings: 2.5%
Family/friends: 72.2%

No income: 7.6%
Public sources: 0.0%
Other sources: 16.5%

(N = 79)
Self/family/relative/
friends: 2.5%
Employer/school: 1.3%
Criminal justice: 88.6%
Professional: 0.0%
County social
service agency: 8.9%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: St. Louis

Age (N = 79)

Under 18: 86.1%

18 to 25: 13.9%

Source of Referral

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 79)

Completed program: 89.9%

Patient left without staff approval: 5.1% Staff requested/judged inappropriate: 5.1%

Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Adolescent Substance Abuse Program at Woodland Hills

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 78)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 76)	1.3%	6.6%
Arrests past 30 days (N = 77)	3.9%	2.6%
Alcohol use past 30 days (N = 76)	5.3%	0.0%
Drug use past 30 days (N = 76)	4.0%	2.6%
No self-help group participation past 30 days $(N = 78)$	64.1%	35.9%
No family support for recovery past 30 days $(N = 78)$	6.4%	2.6%
Parriare to Descuery		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 79) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 79) Biomedical Conditions and Complications (N = 79) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 79) Biomedical Conditions and Complications (N = 79) Emotional/Behavioral/ Cognitive Problem (N = 79)	0.0% 0.0% 11.4%	0.0% 1.3% 5.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Adolescent Treatment Center of Winnebago

550 Cleveland Ave. W. Winnebago, MN 56098

Provider Website:

Patient Profile

 Gender (N = 121)
 Race (N = 121)

 Male: 74.4%
 White: 82.6%

 Female: 25.6%
 Black: 1.7%

American Indian: 1.7% 26 to 34: 0.0% Hispanic: 11.6% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 2.5%

Primary Substance Source of Income

(N = 121) Alcohol: 15.7% (N = 121) Job: 14.9%

Methamphetamine: 2.5% Retirement/savings: 0.0% Family/friends: 77.7% No income: 2.5% Public sources: 3.3%

Other opiates: 0.0% Other sources: 1.7%

(N = 121) ... Self/family/relative/ friends: 43.0% Employer/school: 0.8%

Source of Referral

Employer/school: 0.8% Criminal justice: 66.1% Professional: 12.4%

County social

County: Faribault

Age (N = 121)

Under 18: 97.5%

18 to 25: 2.5%

service agency: 33.1%

Other community resources: 8.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 8.3%

(N = 121)

Completed program: 77.7%

Patient left without staff approval: 3.3% Staff requested/judged inappropriate: 11.6%

Death/other: 7.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Adolescent Treatment Center of Winnebago

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 120)	0.0%	0.0%
Not employed/student ‡ (N = 121)	4.1%	4.1%
Arrests past 30 days (N = 120)	26.7%	1.7%
Alcohol use past 30 days (N = 121)	47.9%	0.8%
Drug use past 30 days (N = 121)	75.2%	3.3%
No self-help group participation past 30 days ($N = 121$)	74.4%	80.2%
No family support for recovery past 30 days (N = 121)	2.5%	2.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.8%	<u>Discharge</u> 0.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 121) Biomedical Conditions and	0.8%	0.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 121) Biomedical Conditions and Complications (N = 121) Emotional/Behavioral/	0.8% 6.6%	0.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 121) Biomedical Conditions and Complications (N = 121) Emotional/Behavioral/ Cognitive Problem (N = 121)	0.8% 6.6% 52.9%	0.8% 0.8% 89.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

African American Family Services, Inc.

1041 Selby Ave St. Paul, MN 55408

St. Paul, MN 55408 County: Ramsey

Provider Website: www.aafs.net

Patient Profile

 Gender (N = 67)
 Race (N = 67)
 Age (N = 67)

 Male: 70.1%
 White: 7.5%
 Under 18: 9.0%

 Female: 29.9%
 Black: 86.6%
 18 to 25: 22.4%

American Indian: 0.0% 26 to 34: 28.4% Hispanic: 4.5% 35 and older: 40.3%

Asian/Pacific Islander: 0.0%

Other: 1.5%

Primary Substance Source of Income

(N = 67) (N = 67) Alcohol: 40.3% Job: 9.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 46.3% Family/friends: 13.4% No income: 41.8% Cocaine: 11.9% Public sources: 25.4%

Other opiates: 1.5% Other sources: 10.4%

(N = 67) . Self/family/relative/

Source of Referral

friends: 22.4%
Employer/school: 1.5%
Criminal justice: 73.1%
Professional: 3.0%

County social

service agency: 82.1%

Other community resources: 1.5%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 67)

Completed program: 55.2%

Patient left without staff approval: 34.3% Staff requested/judged inappropriate: 4.5%

Death/other: 6.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

African American Family Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 66)	10.6%	4.6%
Not employed/student ^{‡‡} (N = 65)	76.9%	63.1%
Arrests past 30 days (N = 66)	9.1%	6.1%
Alcohol use past 30 days (N = 67)	52.2%	16.4%
Drug use past 30 days (N = 67)	62.7%	29.9%
No self-help group participation past 30 days $(N = 65)$	78.5%	21.5%
No family support for recovery past 30 days $(N = 65)$	73.8%	26.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Marrission	<u>Discriarge</u>
Acute Intoxication/ Withdrawal (N =67)	7.5%	4.5%
Acute Intoxication/		_
Acute Intoxication/ Withdrawal (N =67) Biomedical Conditions and	7.5%	4.5%
Acute Intoxication/ Withdrawal (N = 67) Biomedical Conditions and Complications (N = 67) Emotional/Behavioral/	7.5% 3.0%	4.5% 0.0%
Acute Intoxication/ Withdrawal (N = 67) Biomedical Conditions and Complications (N = 67) Emotional/Behavioral/ Cognitive Problem (N = 67)	7.5% 3.0% 14.9%	4.5% 0.0% 11.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

African American Family Services, Inc.

2616 Nicollet Avenue South Minneapolis, MN 55411

Provider Website: www.aafs.net

Patient Profile

Gender (N = 182) Race (N = 182)Male: 80.8% White: 0.5% Female: 19.2% Black: 95.1%

18 to 25: 34.1% American Indian: 0.5% 26 to 34: 25.8%

Hispanic: 1.1% 35 and older: 35.2%

County: Hennepin

Age (N = 182)

Under 18: 5.0%

Asian/Pacific Islander: 0.0%

Other: 2.8%

Primary Substance Source of Income Source of Referral (N = 182)(N = 182)(N = 182) .

Alcohol: 24.2% Job: 13.7% Self/family/relative/ friends: 11.0% Methamphetamine: 0.0% Retirement/savings: 0.0%

Marijuana: 62.1% Family/friends: 11.0% Employer/school: 2.8% Heroin: 0.5% No income: 44.5% Criminal justice: 80.2% Cocaine: 13.2% Public sources: 28.6% Professional: 6.6%

Other opiates: 0.0% Other sources: 2.2% County social

Other drugs: 0.0% service agency: 85.2%

Other community resources: 0.5%

> AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 182)

Completed program: 39.0%

Patient left without staff approval: 31.3% Staff requested/judged inappropriate: 6.0%

Death/other: 23.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

African American Family Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 178)	2.3%	2.3%
Not employed/student ^{‡‡} (N = 180)	76.1%	71.1%
Arrests past 30 days (N = 177)	15.3%	11.9%
Alcohol use past 30 days (N = 179)	45.8%	12.8%
Drug use past 30 days (N = 179)	58.1%	38.5%
No self-help group participation past 30 days $(N = 178)$	90.4%	28.1%
No family support for recovery past 30 days $(N = 179)$	80.4%	28.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =180)	1.1%	1.7%
Biomedical Conditions and Complications $(N = 180)$	2.2%	1.7%
	2.2% 8.3%	1.7% 8.3%
Complications (N = 180) Emotional/Behavioral/		
Complications (N = 180) Emotional/Behavioral/ Cognitive Problem (N = 180)	8.3%	8.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Ahnji-be-mah-diz Center Leech Lake Halfway House

16427 69th Avenue N.W. Cass Lake, MN 56633

Provider Website:

Patient Profile

 Gender (N = 17)
 Race (N = 17)

 Male: 100.0%
 White: 0.0%

 Female: 0.0%
 Black: 0.0%

American Indian: 100.0% 26 to 34: 23.5% Hispanic: 0.0% 35 and older: 70.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 17) Alcohol: 94.1% Methamphetamine: 0.0%

Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 5.9%

Other drugs: 0.0%

Source of Income

(N = 17)Job: 11.8%

Retirement/savings: 0.0% Family/friends: 0.0% No income: 11.8% Public sources: 52.9% Other sources: 23.5% Source of Referral

(N = 17) .

Age (N = 17)

Under 18: 0.0%

18 to 25: 5.9%

County: Cass

Self/family/relative/ friends: 29.4% Employer/school: 0.0% Criminal justice: 58.8% Professional: 29.4%

County social

service agency: 5.9% Other community resources: 29.4%

AA: 0.0% Tribal: 35.3%

Outcomes

Discharge Status

(N = 17)

Completed program: 29.4%

Patient left without staff approval: 47.1% Staff requested/judged inappropriate: 11.8%

Death/other: 11.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Ahnji-be-mah-diz Center Leech Lake Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 13)	38.5%	15.4%
Not employed/student ^{‡‡} (N = 16)	75.0%	62.5%
Arrests past 30 days (N = 14)	42.9%	7.1%
Alcohol use past 30 days (N = 16)	31.3%	25.0%
Drug use past 30 days (N = 14)	28.6%	0.0%
No self-help group participation past 30 days $(N = 16)$	18.8%	6.3%
No family support for recovery past 30 days $(N = 15)$	20.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =17)	11.8%	17.6%
Biomedical Conditions and Complications $(N = 17)$	29.4%	23.5%
Emotional/Behavioral/ Cognitive Problem (N = 17)	52.9%	47.1%
Resistance to Change $(N = 17)$	41.2%	52.9%
Relapse/Continued Use Potential (N = 17)	58.8%	35.3%
Unsupportive Recovery Environment (N = 17)	52.9%	52.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Alliance Clinic LLC

3329 University Aveune SE Minneapolis, MN 55414

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 74)
 Race (N = 74)

 Male: 71.6%
 White: 50.0%

 Female: 28.4%
 Black: 36.5%

American Indian: 2.7% 26 to 34: 17.6% Hispanic: 2.7% 35 and older: 70.3%

Asian/Pacific Islander: 5.4%

Other: 2.7%

Primary Substance Source of Income

(N = 67) Alcohol: 0.0% (N = 74) Job: 24.3%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 0.0% Family/friends: 2.7% No income: 10.8% Cocaine: 0.0% Public sources: 39.2%

Other opiates: 23.9% Other sources: 23.0%

Source of Referral

County: Hennepin

Age (N = 74)

Under 18: 0.0%

18 to 25: 12.2%

___(N = 74) __.
Self/family/relative/
friends: 71.6%
Employer/school: 0.0%
Criminal justice: 4.1%
Professional: 24.3%

County social

service agency: 55.4%

Other community resources: 20.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 74)

Completed program: 9.5%

Patient left without staff approval: 28.4% Staff requested/judged inappropriate: 18.9%

Death/other: 43.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Alliance Clinic LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 66)	9.1%	9.1%
Not employed/student ^{‡‡} (N = 59)	79.7%	74.6%
Arrests past 30 days (N = 70)	5.7%	14.3%
Alcohol use past 30 days (N = 66)	30.3%	4.6%
Drug use past 30 days (N = 67)	76.1%	40.3%
No self-help group participation past 30 days ($N = 23$)	60.9%	56.5%
No family support for recovery past 30 days $(N = 46)$	23.9%	15.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 78.9%	<u>Discharge</u> 78.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =71) Biomedical Conditions and	78.9%	78.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 71) Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/	78.9% 23.9%	78.9% 26.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 71) Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/ Cognitive Problem (N = 71)	78.9% 23.9% 60.6%	78.9% 26.8% 63.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Amethyst Outpatient C.D. Program

1405 Silver Lake Road New Brighton, MN 55112

Provider Website:

Patient Profile

Gender (N = 104) Race (N = 104)Male: 74.0% White: 89.4% Female: 26.0% Black: 3.9%

> American Indian: 1.0% 26 to 34: 36.5% Hispanic: 1.0% 35 and older: 45.2%

Asian/Pacific Islander: 1.9%

Other: 2.9%

Primary Substance Source of Income

(N = 104)(N = 104)Alcohol: 67.3% Job: 73.1%

Methamphetamine: 11.5% Retirement/savings: 1.9% Marijuana: 14.4% Family/friends: 15.4% Heroin: 0.0% No income: 1.9% Cocaine: 5.8% Public sources: 2.9%

Other opiates: 1.0% Other sources: 4.8% Source of Referral

Age (N = 104)

Under 18: 0.0%

18 to 25: 18.3%

County: Ramsey

 $(N_{\underline{}} = 104)$. Self/family/relative/ friends: 41.3%

Employer/school: 18.3% Criminal justice: 63.5% Professional: 22.1%

County social

service agency: 18.3%

Other community resources: 11.5%

AA: 5.8% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 104)

Completed program: 60.6%

Patient left without staff approval: 6.7% Staff requested/judged inappropriate: 25.0%

Death/other: 7.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Amethyst Outpatient C.D. Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 104)	1.0%	0.0%
Not employed/student ^{‡‡} (N = 101)	20.8%	20.8%
Arrests past 30 days (N = 104)	14.4%	4.8%
Alcohol use past 30 days (N = 104)	56.7%	16.3%
Drug use past 30 days (N = 104)	30.8%	15.4%
No self-help group participation past 30 days (N = 103)	65.0%	9.7%
No family support for recovery past 30 days (N = 102)	4.9%	6.9%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 1.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 103) Biomedical Conditions and	0.0%	1.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 103) Biomedical Conditions and Complications (N = 104) Emotional/Behavioral/	0.0% 7.7%	1.9% 4.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 103) Biomedical Conditions and Complications (N = 104) Emotional/Behavioral/ Cognitive Problem (N = 104)	0.0% 7.7% 98.1%	1.9% 4.8% 91.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anchorage

810 4th Street

Moorhead, MN 56560 County: Clay

Provider Website:

Patient Profile

 Gender (N = 40)
 Race (N = 40)

 Male: 67.5%
 White: 72.5%

 Female: 32.5%
 Black: 7.5%

male: 32.5% Black: 7.5% 18 to 25: 25.0% American Indian: 17.5% 26 to 34: 12.5%

Hispanic: 0.0% 35 and older: 62.5%

Age (N = 40)

Under 18: 0.0%

Source of Referral

AA: 0.0%

Asian/Pacific Islander: 0.0%

Other: 2.5%

Primary Substance Source of Income

(N = 37) (N = 40) (N = 40) . Self/family/relative/

Methamphetamine: 2.7% Retirement/savings: 0.0% friends: 15.0% Marijuana: 5.4% Family/friends: 0.0% Employer/school: 0.0% Heroin: 0.0% No income: 7.5% Criminal justice: 27.5% Public sources: 52.5% Professional: 20.0%

Cocaine: 0.0% Public sources: 52.5% Professional: 20.0% Other opiates: 10.8% Other sources: 22.5% County social

Other drugs: 0.0% service agency: 67.5% Other community resources: 10.0%

Tribal: 0.0%

Outcomes

Discharge Status

(N = 40)

Completed program: 50.0%

Patient left without staff approval: 30.0% Staff requested/judged inappropriate: 7.5%

Death/other: 12.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Anchorage

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 35)	28.6%	14.3%
Not employed/student ^{‡‡} (N = 30)	73.3%	80.0%
Arrests past 30 days (N = 35)	8.6%	8.6%
Alcohol use past 30 days (N = 36)	44.4%	11.1%
Drug use past 30 days (N = 36)	25.0%	11.1%
No self-help group participation past 30 days $(N = 26)$	34.6%	7.7%
No family support for recovery past 30 days (N = 22)	18.2%	13.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 2.8%	<u>Discharge</u> 2.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and	2.8%	2.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and Complications (N = 37) Emotional/Behavioral/	2.8% 48.6%	2.8% 43.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and Complications (N = 37) Emotional/Behavioral/ Cognitive Problem (N = 37)	2.8% 48.6% 81.1%	2.8% 43.2% 67.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anishinaabe-Miikana Gidamaajitaamin-Bois Forte

13090 Westley Drive #B Nett Lake, MN 55771

Provider Website:

Patient Profile

 Gender (N = 15)
 Race (N = 15)

 Male: 46.7%
 White: 0.0%

 Female: 53.3%
 Black: 0.0%

Black: 0.0% 18 to 25: 33.3% American Indian: 100.0% 26 to 34: 20.0% Hispanic: 0.0% 35 and older: 46.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 15) Alcohol: 93.3% (N = 15) Job: 40.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 6.7% Family/friends: 6.7% No income: 20.0% Cocaine: 0.0% Public sources: 20.0%

Other opiates: 0.0%

Other sources: 13.3%

Source of Referral (N = 15).

County: St. Louis

Age (N = 15)

Under 18: 0.0%

Self/family/relative/ friends: 46.7% Employer/school: 0.0% Criminal justice: 53.3% Professional: 46.7%

County social

service agency: 6.7% Other community resources: 6.7%

AA: 6.7% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 15)

Completed program: 80.0%

Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 0.0%

Death/other: 6.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Anishinaabe-Miikana Gidamaajitaamin-Bois Forte

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 13)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 13)	61.5%	46.2%
Arrests past 30 days (N = 14)	7.1%	0.0%
Alcohol use past 30 days (N = 14)	14.3%	7.1%
Drug use past 30 days (N = 14)	0.0%	0.0%
No self-help group participation past 30 days ($N = 13$)	53.8%	46.2%
No family support for recovery past 30 days $(N = 12)$	8.3%	8.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =14)	14.3%	0.0%
Biomedical Conditions and Complications $(N = 14)$	21.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 14)	28.6%	14.3%
Resistance to Change $(N = 14)$	42.9%	21.4%
Relapse/Continued Use		00 (0)
Potential (N = 14)	57.1%	28.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD

1610 Farm Road South Tower, MN 55790

Provider Website:

Patient Profile

 Gender (N = 12)
 Race (N = 12)

 Male: 41.7%
 White: 16.7%

 Female: 58.3%
 Black: 0.0%

American Indian: 75.0% 26 to 34: 41.7% Hispanic: 8.3% 35 and older: 25.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 12)Alcohol: 75.0%

Methamphetamine: 0.0% Marijuana: 8.3%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 16.7% Other drugs: 0.0% Source of Income

(N = 12)Job: 25.0%

> Retirement/savings: 0.0% Family/friends: 25.0% No income: 25.0% Public sources: 16.7% Other sources: 8.3%

Source of Referral

(N = 12) .

County: St. Louis

Age (N = 12)

Under 18: 0.0%

18 to 25: 33.3%

Self/family/relative/ friends: 33.3% Employer/school: 0.0% Criminal justice: 66.7% Professional: 16.7%

County social

service agency: 8.3% Other community resources: 0.0%

AA: 0.0% Tribal: 33.3%

Outcomes

Discharge Status

(N = 12)

Completed program: 75.0%

Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 11)	0.0%	0.0%
Not employed/student ‡ (N = 12)	83.3%	75.0%
Arrests past 30 days (N = 12)	16.7%	8.3%
Alcohol use past 30 days (N = 12)	25.0%	8.3%
Drug use past 30 days (N = 12)	25.0%	8.3%
No self-help group participation past 30 days (N = 11)	27.3%	18.2%
No family support for recovery past 30 days $(N = 11)$	0.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 16.7%	<u>Discharge</u> 16.7%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 12) Biomedical Conditions and	16.7%	16.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 12) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/	16.7% 16.7%	16.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 12) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/ Cognitive Problem (N = 12)	16.7% 16.7% 58.3%	16.7% 0.0% 50.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center

1517 East Highway 13 Burnsville, MN 55337

Provider Website: www.anthonylouiscenter.com

Patient Profile

 Gender (N = 90)
 Race (N = 90)

 Male: 67.8%
 White: 77.8%

 Female: 32.2%
 Black: 7.8%

American Indian: 1.1% 26 to 34: 0.0% Hispanic: 1.1% 35 and older: 0.0%

Asian/Pacific Islander: 3.3%

Other: 8.9%

Primary Substance Source of Income

(N = 90) (N = 90) Alcohol: 13.3% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 95.6% No income: 1.1% Public sources: 0.0%

Other opiates: 0.0%

Other sources: 3.3%

(N = 90) Self/family/relative/ friends: 92.2% Employer/school: 35.6%

Source of Referral

Employer/school: 35.6% Criminal justice: 14.4% Professional: 44.4%

County social

County: Dakota

Age (N = 90)

Under 18: 94.4%

18 to 25: 5.6%

service agency: 2.2% Other community resources: 3.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 4.4%

(N = 90)

Completed program: 50.0%

Patient left without staff approval: 12.2% Staff requested/judged inappropriate: 8.9%

Death/other: 28.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Anthony Louis Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 90)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 90)	0.0%	0.0%
Arrests past 30 days (N = 74)	1.4%	1.4%
Alcohol use past 30 days (N = 89)	47.2%	14.6%
Drug use past 30 days (N = 90)	88.9%	50.0%
No self-help group participation past 30 days $(N = 25)$	48.0%	20.0%
No family support for recovery past 30 days $(N = 46)$	17.4%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 90) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 90) Biomedical Conditions and Complications (N = 90) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 90) Biomedical Conditions and Complications (N = 90) Emotional/Behavioral/ Cognitive Problem (N = 90)	0.0% 1.1% 85.6%	0.0% 1.1% 78.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center North

1000 Paul Parkway Blaine, MN 55434

Provider Website:

Patient Profile

 Gender (N = 82)
 Race (N = 82)

 Male: 62.2%
 White: 76.8%

 Female: 37.8%
 Black: 4.9%

Female: 37.8% Black: 4.9% 18 to 25: 4.9% American Indian: 3.7% 26 to 34: 0.0% Hispanic: 11.0% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 3.7%

Primary Substance Source of Income

(N = 82) (N = 82) Alcohol: 9.8% Job: 0.0%

Methamphetamine: 4.9% Retirement/savings: 0.0% Marijuana: 74.4% Family/friends: 90.2% No income: 9.8% Cocaine: 1.2% Public sources: 0.0%

Other opiates: 1.2% Public sources: 0.0% Other sources: 0.0%

(N = 82) .
Self/family/relative/
friends: 29.3%
Employer/school: 6.1%

Source of Referral

Employer/school: 6.1% Criminal justice: 53.7% Professional: 23.2%

County social

County: Anoka

Age (N = 82)

Under 18: 95.1%

service agency: 26.8%

Other community resources: 6.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 7.3%

(N = 82)

Completed program: 29.3%

Patient left without staff approval: 9.8% Staff requested/judged inappropriate: 11.0%

Death/other: 50.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Anthony Louis Center North

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 82)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 81)	1.2%	0.0%
Arrests past 30 days (N = 82)	34.1%	6.1%
Alcohol use past 30 days (N = 82)	52.4%	3.7%
Drug use past 30 days ($N = 82$)	82.9%	18.3%
No self-help group participation past 30 days $(N = 72)$	87.5%	29.2%
No family support for recovery past 30 days $(N = 79)$	36.7%	22.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =82)	4.9%	1.2%
	4.9% 6.1%	1.2% 1.2%
Withdrawal (N =82) Biomedical Conditions and		
Withdrawal (N = 82) Biomedical Conditions and Complications (N = 82) Emotional/Behavioral/	6.1%	1.2%
Withdrawal (N = 82) Biomedical Conditions and Complications (N = 82) Emotional/Behavioral/ Cognitive Problem (N = 82)	6.1% 95.1%	1.2% 73.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center of Woodbury

7700 Hudson Road Woodbury, MN 55125

Provider Website:

Patient Profile

 Gender (N = 88)
 Race (N = 88)

 Male: 75.0%
 White: 87.5%

 Female: 25.0%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 0.0% Hispanic: 5.7% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 6.8%

Primary Substance

(N = 88) Alcohol: 26.1%

Methamphetamine: 0.0% Marijuana: 70.5%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.1%

Other drugs: 2.3%

Source of Income

(N = 88)Job: 0.0%

Retirement/savings: 0.0% Family/friends: 100.0%

No income: 0.0% Public sources: 0.0% Other sources: 0.0%

County: Washington

Age (N = 88)

Under 18: 94.3%

18 to 25: 5.7%

Source of Referral (N = 88) .

Self/family/relative/ friends: 85.2%

Employer/school: 14.8% Criminal justice: 23.9% Professional: 38.6%

County social

service agency: 1.1% Other community resources: 13.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 88)

Completed program: 59.1%

Patient left without staff approval: 5.7% Staff requested/judged inappropriate: 12.5%

Death/other: 22.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Anthony Louis Center of Woodbury

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 88)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 88)	0.0%	0.0%
Arrests past 30 days (N = 87)	1.2%	2.3%
Alcohol use past 30 days (N = 88)	56.8%	28.4%
Drug use past 30 days (N = 88)	75.0%	48.9%
No self-help group participation past 30 days $(N = 86)$	90.7%	75.6%
No family support for recovery past 30 days $(N = 87)$	14.9%	9.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 88) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 88) Biomedical Conditions and Complications (N = 88) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 88) Biomedical Conditions and Complications (N = 88) Emotional/Behavioral/ Cognitive Problem (N = 88)	0.0% 3.4% 93.2%	0.0% 1.1% 64.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

ARK Counseling

1884 Berkshire Lane Plymouth, MN 55411

Provider Website: www.ark-lifestyle.com

Patient Profile

Gender (N = 145) Race (N = 145)Age (N = 145)Male: 79.3% White: 76.6% Under 18: 0.0% Female: 20.7% Black: 13.1% 18 to 25: 30.3%

American Indian: 1.4% 26 to 34: 22.1%

Hispanic: 6.9% 35 and older: 47.6%

County: Hennepin

Asian/Pacific Islander: 2.1%

Other: 0.0%

Primary Substance Source of Income Source of Referral

(N = 144)(N = 145) $(N_{\underline{}} = 145)$. Alcohol: 81.3% Job: 70.3% Self/family/relative/

Retirement/savings: 0.7% friends: 19.3% Methamphetamine: 2.8% Marijuana: 9.7% Family/friends: 8.3% Employer/school: 2.8% Heroin: 0.0% No income: 5.5% Criminal justice: 81.4%

Cocaine: 3.5% Public sources: 5.5% Professional: 5.5% County social Other opiates: 1.4% Other sources: 9.7%

Other drugs: 1.4% service agency: 53.1%

Other community resources: 7.6%

AA: 0.7% Tribal: 0.0%

Outcomes

Discharge Status

(N = 145)

Completed program: 64.1%

Patient left without staff approval: 23.4% Staff requested/judged inappropriate: 4.1%

Death/other: 8.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

ARK Counseling

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 139)	0.7%	0.0%
Not employed/student ^{‡‡} (N = 133)	29.3%	36.1%
Arrests past 30 days (N = 140)	8.6%	3.6%
Alcohol use past 30 days (N = 145)	27.6%	8.3%
Drug use past 30 days (N = 139)	15.1%	6.5%
No self-help group participation past 30 days ($N = 133$)	81.2%	39.8%
No family support for recovery past 30 days $(N = 115)$	39.1%	25.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 2.8%	<u>Discharge</u> 2.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 144) Biomedical Conditions and	2.8%	2.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 144) Biomedical Conditions and Complications (N = 144) Emotional/Behavioral/	2.8%	2.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 144) Biomedical Conditions and Complications (N = 144) Emotional/Behavioral/ Cognitive Problem (N = 144)	2.8% 16.0% 81.9%	2.8% 7.6% 34.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Arrowhead Center, Inc.

505 12th Avenue West Virginia, MN 55792

Provider Website:

Patient Profile

 Gender (N = 153)
 Race (N = 153)

 Male: 77.8%
 White: 88.2%

 Female: 22.2%
 Black: 1.3%

American Indian: 9.2% 26 to 34: 22.2% Hispanic: 0.7% 35 and older: 39.2%

Asian/Pacific Islander: 0.7%

Other: 0.0%

Primary Substance Source of Income

(N = 153) Alcohol: 64.7% (N = 153) Job: 47.7%

Methamphetamine: 5.9% Retirement/savings: 3.3% Marijuana: 25.5% Family/friends: 18.3% Heroin: 0.0% No income: 5.9% Cocaine: 0.7% Public sources: 19.0%

Other opiates: 3.3% Other sources: 5.9%

Source of Referral (N = 153) .

County: St. Louis

Age (N = 153)

Under 18: 9.8%

18 to 25: 28.8%

Self/family/relative/ friends: 17.0% Employer/school: 4.6% Criminal justice: 75.2% Professional: 18.3%

County social

service agency: 18.3%

Other community resources: 3.9%

AA: 0.0% Tribal: 0.7%

Outcomes

Discharge Status (N = 153)

Other drugs: 0.0%

Completed program: 54.2%

Patient left without staff approval: 18.3% Staff requested/judged inappropriate: 9.2%

Death/other: 18.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Arrowhead Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 151)	0.7%	0.7%
Not employed/student ^{‡‡} (N = 146)	39.7%	40.4%
Arrests past 30 days (N = 139)	9.4%	7.9%
Alcohol use past 30 days (N = 134)	30.6%	6.0%
Drug use past 30 days (N = 132)	21.2%	6.8%
No self-help group participation past 30 days ($N = 133$)	64.7%	7.5%
No family support for recovery past 30 days ($N = 134$)	28.4%	6.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =131) Biomedical Conditions and	0.0%	1.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =131) Biomedical Conditions and Complications (N = 151) Emotional/Behavioral/	0.0%	1.5% 5.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =131) Biomedical Conditions and Complications (N = 151) Emotional/Behavioral/ Cognitive Problem (N = 147)	0.0% 3.3% 17.7%	1.5% 5.3% 25.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Ashley House, Inc. d.b.a. Road to Recovery

308 West Ashley Street Jackson, MN 56143

Provider Website:

Patient Profile

 Gender (N = 30)
 Race (N = 30)

 Male: 70.0%
 White: 83.3%

 Female: 30.0%
 Black: 0.0%

American Indian: 3.3% 26 to 34: 30.0% Hispanic: 10.0% 35 and older: 26.7%

Asian/Pacific Islander: 0.0%

Other: 3.3%

Primary Substance Source of Income

(N = 30) Alcohol: 70.0% (N = 30) Job: 60.0%

Methamphetamine: 13.3% Retirement/savings: 6.7% Marijuana: 10.0% Family/friends: 16.7% Heroin: 0.0% No income: 10.0% Cocaine: 0.0% Public sources: 6.7%

Other opiates: 0.0%

Other sources: 0.0%

Source of Referral

County: Jackson

Age (N = 30)

Under 18: 6.7%

18 to 25: 36.7%

(N = 30) Self/family/relative/ friends: 6.7%

Employer/school: 3.3% Criminal justice: 43.3% Professional: 16.7%

County social

service agency: 70.0%

Other community resources: 23.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 6.7%

(N = 30)

Completed program: 73.3%

Patient left without staff approval: 26.7% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Ashley House, Inc. d.b.a. Road to Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 30)	0.0%	0.0%
Not employed/student ‡ (N = 30)	33.3%	33.3%
Arrests past 30 days (N = 29)	0.0%	0.0%
Alcohol use past 30 days (N = 30)	10.0%	3.3%
Drug use past 30 days (N = 30)	10.0%	0.0%
No self-help group participation past 30 days $(N = 30)$	43.3%	50.0%
No family support for recovery past 30 days $(N = 30)$	6.7%	6.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 6.7%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 30) Biomedical Conditions and	0.0%	6.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 30) Biomedical Conditions and Complications (N = 30) Emotional/Behavioral/	0.0%	6.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 30) Biomedical Conditions and Complications (N = 30) Emotional/Behavioral/ Cognitive Problem (N = 30)	0.0% 0.0% 13.3%	6.7% 3.3% 6.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Austin Medical-Mayo Health System

101 14th Street NW Austin, MN 55912

Provider Website: www.mayohealthsystem.org

Patient Profile

 Gender (N = 139)
 Race (N = 139)

 Male: 67.6%
 White: 84.9%

 Female: 32.4%
 Black: 2.2%

American Indian: 0.0% 26 to 34: 23.0% Hispanic: 9.4% 35 and older: 33.8%

Asian/Pacific Islander: 2.2%

Other: 1.4%

Primary Substance Source of Income

(N = 139) Alcohol: 71.2% (N = 139) Job: 50.4%

Methamphetamine: 7.9% Retirement/savings: 2.9% Marijuana: 14.4% Family/friends: 10.8% Heroin: 0.0% No income: 16.5% Cocaine: 0.7% Public sources: 9.4%

Other opiates: 3.6% Other sources: 10.1%

Source of Referral (N = 139).

Age (N = 139)

Under 18: 12.2%

18 to 25: 30.9%

County: Mower

Self/family/relative/ friends: 36.7% Employer/school: 1.4% Criminal justice: 58.3% Professional: 37.4%

County social

service agency: 10.1%

Other community resources: 10.8%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 2.2%

(N = 139)

Completed program: 62.6%

Patient left without staff approval: 19.4% Staff requested/judged inappropriate: 5.0%

Death/other: 12.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Austin Medical-Mayo Health System

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 117)	0.0%	0.9%
Not employed/student ^{‡‡} (N = 104)	29.8%	26.9%
Arrests past 30 days (N = 139)	10.1%	7.2%
Alcohol use past 30 days (N = 110)	29.1%	10.0%
Drug use past 30 days (N = 110)	10.9%	10.0%
No self-help group participation past 30 days $(N = 97)$	59.8%	21.6%
No family support for recovery past 30 days (N = 98)	27.6%	8.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =111) Biomedical Conditions and	0.0%	1.8%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N =111) Biomedical Conditions and Complications (N = 111) Emotional/Behavioral/	0.0% 2.7%	1.8% 1.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 111) Biomedical Conditions and Complications (N = 111) Emotional/Behavioral/ Cognitive Problem (N = 111)	0.0% 2.7% 36.0%	1.8% 1.8% 16.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon - Crow Wing County Jail

313 Laurel Street Brainerd, MN 56401

Provider Website:

Patient Profile

 Gender (N = 29)
 Race (N = 29)

 Male: 86.2%
 White: 89.7%

 Female: 13.8%
 Black: 6.9%

American Indian: 3.5% 26 to 34: 34.5% Hispanic: 0.0% 35 and older: 34.5%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 29) Alcohol: 51.7% (N = 29) Job: 69.0%

Methamphetamine: 24.1% Retirement/savings: 0.0% Marijuana: 20.7% Family/friends: 3.5% No income: 13.8% Cocaine: 0.0% Public sources: 6.9%

Other opiates: 3.5% Other sources: 6.9%

Source of Referral

County: Crow Wing

Age (N = 29)

Under 18: 0.0%

18 to 25: 31.0%

___(N = 29) __.
Self/family/relative/
friends: 79.3%
Employer/school: 0.0%
Criminal justice: 27.6%
Professional: 0.0%

County social

service agency: 86.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 3.5%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 29)

Completed program: 72.4%

Patient left without staff approval: 10.3% Staff requested/judged inappropriate: 6.9%

Death/other: 10.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon - Crow Wing County Jail

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 29)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 29)	58.6%	58.6%
Arrests past 30 days (N = 29)	51.7%	0.0%
Alcohol use past 30 days (N = 29)	34.5%	0.0%
Drug use past 30 days (N = 29)	20.7%	0.0%
No self-help group participation past 30 days $(N = 28)$	42.9%	7.1%
No family support for recovery past 30 days $(N = 28)$	28.6%	3.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and Complications (N = 29) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and Complications (N = 29) Emotional/Behavioral/ Cognitive Problem (N = 29)	0.0% 0.0% 24.1%	0.0% 0.0% 10.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon - Pine City

645 3rd Ave SW Pine City, MN 55063

Provider Website:

Patient Profile

 Gender (N = 108)
 Race (N = 108)

 Male: 66.7%
 White: 92.6%

 Female: 33.3%
 Black: 1.9%

American Indian: 2.8% 26 to 34: 31.5% Hispanic: 0.0% 35 and older: 37.0%

County: Pine

Age (N = 108)

Under 18: 0.0%

18 to 25: 31.5%

Asian/Pacific Islander: 0.9%

Other: 1.9%

Primary Substance Source of Income

(N = 108) Alcohol: 54.6% (N = 108) Job: 44.4%

Methamphetamine: 24.1% Retirement/savings: 2.8% Marijuana: 18.5% Family/friends: 7.4% No income: 21.3% Cocaine: 1.9% Public sources: 16.7%

Other opiates: 0.9% Other sources: 7.4%

 $\frac{(N = 108)}{\text{Self/family/relative/}}$

Source of Referral

friends: 38.0% Employer/school: 0.9% Criminal justice: 78.7% Professional: 33.3%

County social

service agency: 5.6% Other community resources: 4.6%

AA: 0.0% Tribal: 0.9%

Outcomes

Discharge Status (N = 108)

Other drugs: 0.0%

Completed program: 62.0%

Patient left without staff approval: 28.7% Staff requested/judged inappropriate: 2.8%

Death/other: 6.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon - Pine City

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 105)	1.0%	1.0%
Not employed/student ^{‡‡} (N = 103)	59.2%	45.6%
Arrests past 30 days (N = 108)	11.1%	9.3%
Alcohol use past 30 days (N = 108)	20.4%	5.6%
Drug use past 30 days (N = 108)	16.7%	8.3%
No self-help group participation past 30 days $(N = 78)$	66.7%	61.5%
No family support for recovery past 30 days (N = 59)	3.4%	3.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 108) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 108) Biomedical Conditions and Complications (N = 108) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 108) Biomedical Conditions and Complications (N = 108) Emotional/Behavioral/ Cognitive Problem (N = 108)	0.0% 1.9% 12.0%	0.0% 0.9% 8.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC Eagan

1230 Eagan Industrial Blvd. Eagan, MN 55121

Provider Website:

Patient Profile

 Gender (N = 167)
 Race (N = 167)

 Male: 69.5%
 White: 83.8%

 Female: 30.5%
 Black: 5.4%

American Indian: 0.6% 26 to 34: 28.7% Hispanic: 4.2% 35 and older: 41.9%

County: Dakota

Age (N = 167)

Under 18: 0.0%

18 to 25: 29.3%

Source of Referral

Asian/Pacific Islander: 0.6%

Other: 5.4%

Primary Substance Source of Income

(N = 167) Alcohol: 71.3% (N = 167) Job: 59.3%

Methamphetamine: 7.2% Retirement/savings: 1.2% Marijuana: 12.0% Family/friends: 15.0% Heroin: 0.6% No income: 5.4% Cocaine: 5.4% Public sources: 8.4% Other opiates: 2.4% Other sources: 10.8%

(N = 167)
Self/family/relative/
friends: 71.3%
Employer/school: 6.0%
Criminal justice: 24.0%
Professional: 19.2%
County social

service agency: 14.4% Other community resources: 32.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 167)

Other drugs: 1.2%

Completed program: 49.1%

Patient left without staff approval: 32.9% Staff requested/judged inappropriate: 9.0%

Death/other: 9.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon Programs LLC Eagan

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 128)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 114)	30.7%	27.2%
Arrests past 30 days (N = 166)	10.8%	1.2%
Alcohol use past 30 days (N = 164)	51.2%	8.5%
Drug use past 30 days (N = 164)	28.7%	5.5%
No self-help group participation past 30 days ($N = 85$)	63.5%	34.1%
No family support for recovery past 30 days $(N = 31)$	3.2%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =166)	5.4%	3.0%
Biomedical Conditions and Complications $(N = 166)$	13.9%	11.4%
Emotional/Behavioral/ Cognitive Problem (N = 166)	58.4%	38.6%
Resistance to Change ($N = 166$)	49.4%	39.8%
Resistance to Change (N = 166) Relapse/Continued Use Potential (N = 166)	49.4% 92.2%	39.8% 57.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC of Cottage Grove

7501 80th Street South #6 Cottage Grove, MN 55016

Provider Website:

Patient Profile

 Gender (N = 68)
 Race (N = 68)

 Male: 82.4%
 White: 94.1%

 Female: 17.6%
 Black: 1.5%

American Indian: 0.0% 26 to 34: 23.5% Hispanic: 4.4% 35 and older: 54.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 68)Alcohol: 72.1%

Methamphetamine: 5.9% Marijuana: 13.2%

Heroin: 0.0% Cocaine: 4.4% Other opiates: 2.9%

Other drugs: 1.5%

Source of Income

(N = 68)Job: 54.4%

> Retirement/savings: 1.5% Family/friends: 32.4% No income: 0.0%

Public sources: 2.9% Other sources: 8.8%

Source of Referral

(N = 68) .

County: Washington

Age (N = 68)

Under 18: 0.0%

18 to 25: 22.1%

Self/family/relative/ friends: 70.6% Employer/school: 4.4% Criminal justice: 42.6% Professional: 22.1%

County social

service agency: 22.1%

Other community resources: 19.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 68)

Completed program: 57.4%

Patient left without staff approval: 22.1% Staff requested/judged inappropriate: 11.8%

Death/other: 8.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon Programs LLC of Cottage Grove

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 65)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 45)	15.6%	24.4%
Arrests past 30 days (N = 68)	4.4%	0.0%
Alcohol use past 30 days ($N = 68$)	52.9%	5.9%
Drug use past 30 days (N = 68)	17.6%	5.9%
No self-help group participation past 30 days ($N = 44$)	50.0%	4.6%
No family support for recovery past 30 days $(N = 59)$	1.7%	6.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =50)	2.0%	4.0%
Biomedical Conditions and Complications $(N = 57)$	15.8%	8.8%
Emotional/Behavioral/ Cognitive Problem (N = 57)	52.6%	17.5%
Resistance to Change (N = 56)	5.4%	16.1%
Relapse/Continued Use Potential (N = 53)		
()	96.2%	22.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC Stillwater

1825 Curve Crest Blvd West Stillwater, MN 55082

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 57)
 Race (N = 57)

 Male: 77.2%
 White: 89.5%

 Female: 22.8%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 10.5% Hispanic: 1.8% 35 and older: 54.4%

Asian/Pacific Islander: 5.3%

Other: 3.5%

Primary Substance Source of Income

(N = 57) Alcohol: 45.6% (N = 57) Job: 68.4%

Methamphetamine: 10.5% Retirement/savings: 0.0% Marijuana: 29.8% Family/friends: 15.8% No income: 1.8%

Cocaine: 5.3% Public sources: 7.0% Other opiates: 7.0% Other sources: 7.0%

= 57) (N = 57) .

Self/family/relative/
friends: 61.4%

mily/friends: 15.89/
Employer/school, 5.39/

ily/friends: 15.8% Employer/school: 5.3% come: 1.8% Criminal justice: 28.1% fic sources: 7.0% Professional: 33.3%

County social

service agency: 29.8% Other community

resources: 14.0%

AA: 0.0% Tribal: 0.0%

County: Washington

Age (N = 57)

Under 18: 0.0%

18 to 25: 35.1%

Source of Referral

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 57)

Completed program: 54.4%

Patient left without staff approval: 14.0% Staff requested/judged inappropriate: 15.8%

Death/other: 15.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon Programs LLC Stillwater

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 56)	1.8%	0.0%
Not employed/student ^{‡‡} (N = 52)	30.8%	21.2%
Arrests past 30 days (N = 52)	9.6%	9.6%
Alcohol use past 30 days (N = 51)	41.2%	5.9%
Drug use past 30 days (N = 51)	29.4%	0.0%
No self-help group participation past 30 days $(N = 49)$	49.0%	8.2%
No family support for recovery past 30 days $(N = 48)$	14.6%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 5.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and	0.0%	5.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 49) Emotional/Behavioral/	0.0% 4.1%	5.4% 6.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 49) Emotional/Behavioral/ Cognitive Problem (N = 52)	0.0% 4.1% 55.8%	5.4% 6.1% 36.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC-Ramsey County Correctional Facility

297 Century Avenue Maplewood, MN 55119

Provider Website:

Patient Profile

 Gender (N = 131)
 Race (N = 131)

 Male: 88.5%
 White: 39.7%

 Female: 11.5%
 Black: 39.7%

American Indian: 4.6% 26 to 34: 35.9% Hispanic: 6.9% 35 and older: 30.5%

County: Ramsey

Age (N = 131)

Under 18: 0.0%

18 to 25: 33.6%

Source of Referral

Asian/Pacific Islander: 2.3%

Other: 6.9%

Primary Substance Source of Income

(N = 130) Alcohol: 47.7% (N = 131) Job: 46.6%

Methamphetamine: 15.4% Retirement/savings: 0.8% Marijuana: 23.8% Family/friends: 6.9% No income: 8.4%

Cocaine: 10.0% Public sources: 13.0% Other opiates: 0.0% Other sources: 24.4%

(N = 131) .
Self/family/relative/
friends: 13.7%
Employer/school: 0.8%
Criminal justice: 89.3%

Professional: 0.8%

County social

service agency: 78.6% Other community

resources: 2.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 131)

Other drugs: 0.8%

Completed program: 61.1%

Patient left without staff approval: 19.1% Staff requested/judged inappropriate: 7.6%

Death/other: 12.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon Programs LLC-Ramsey County Correctional Facility

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 106)	1.9%	0.9%
Not employed/student ^{‡‡} (N = 86)	86.0%	41.9%
Arrests past 30 days (N = 124)	25.8%	8.9%
Alcohol use past 30 days (N = 127)	32.3%	5.5%
Drug use past 30 days (N = 128)	30.5%	7.8%
No self-help group participation past 30 days $(N = 92)$	44.6%	9.8%
No family support for recovery past 30 days $(N = 99)$	13.1%	4.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 126) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 126) Biomedical Conditions and Complications (N = 129) Emotional/Behavioral/	0.0% 1.6%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 126) Biomedical Conditions and Complications (N = 129) Emotional/Behavioral/ Cognitive Problem (N = 129)	0.0% 1.6% 24.8%	0.0% 0.0% 16.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Prospect Park

2800 University Ave SE Mpls, MN 55414

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 83)
 Race (N = 83)

 Male: 95.2%
 White: 86.7%

 Female: 4.8%
 Black: 3.6%

American Indian: 6.0% 26 to 34: 24.1% Hispanic: 0.0% 35 and older: 56.6%

Asian/Pacific Islander: 1.2%

Other: 2.4%

Primary Substance Source of Income

(N = 83) Alcohol: 57.8% (N = 83) Job: 32.5%

Methamphetamine: 7.2% Retirement/savings: 9.6% Family/friends: 12.0% No income: 10.8% Cocaine: 13.3% Public sources: 21.7%

Cocaine: 13.3% Public sources: 21.7% Other opiates: 4.8% Other sources: 13.3%

Professional: 72.3% County social service agency: 4.8%

Employer/school: 2.4%

Criminal justice: 25.3%

Other community resources: 6.0%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Age (N = 83)

Under 18: 0.0%

18 to 25: 19.3%

Source of Referral

Self/family/relative/

friends: 19.3%

(N = 83) .

Outcomes

Discharge Status

Other drugs: 1.2%

(N = 83)

Completed program: 38.6%

Patient left without staff approval: 37.3% Staff requested/judged inappropriate: 20.5%

Death/other: 3.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon Prospect Park

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 64)	10.9%	10.9%
Not employed/student ^{‡‡} (N = 63)	58.7%	65.1%
Arrests past 30 days (N = 74)	4.1%	2.7%
Alcohol use past 30 days (N = 81)	35.8%	11.1%
Drug use past 30 days (N = 79)	21.5%	3.8%
No self-help group participation past 30 days $(N = 38)$	57.9%	31.6%
No family support for recovery past 30 days $(N = 43)$	4.7%	2.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 5.1%	Discharge 1.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 78) Biomedical Conditions and	5.1%	1.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 78) Biomedical Conditions and Complications (N = 80) Emotional/Behavioral/	5.1%	1.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 78) Biomedical Conditions and Complications (N = 80) Emotional/Behavioral/ Cognitive Problem (N = 80)	5.1% 13.8% 73.8%	1.3% 11.3% 52.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Aitkin County

3 3rd Street N.E. Aitkin, MN 56431

County: Aitkin

Provider Website:

Patient Profile

 Gender (N = 21)
 Race (N = 21)

 Male: 66.7%
 White: 90.5%

 Female: 33.3%
 Black: 0.0%

American Indian: 4.8% 26 to 34: 33.3% Hispanic: 4.8% 35 and older: 42.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 21)Alcohol: 76.2%

Methamphetamine: 0.0% Marijuana: 23.8%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 21)}{\text{Job: } 38.1\%}$

Retirement/savings: 4.8% Family/friends: 38.1%

No income: 0.0% Public sources: 19.0% Other sources: 0.0% Source of Referral

(N = 21) .

Age (N = 21)

Under 18: 0.0%

18 to 25: 23.8%

Self/family/relative/ friends: 28.6% Employer/school: 4.8% Criminal justice: 61.9% Professional: 4.8%

County social

service agency: 90.5%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 21)

Completed program: 57.1%

Patient left without staff approval: 19.0% Staff requested/judged inappropriate: 0.0%

Death/other: 23.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon-Aitkin County

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 21)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 21)	71.4%	47.6%
Arrests past 30 days (N = 21)	28.6%	9.5%
Alcohol use past 30 days (N = 20)	55.0%	20.0%
Drug use past 30 days (N = 20)	35.0%	10.0%
No self-help group participation past 30 days $(N = 20)$	55.0%	25.0%
No family support for recovery past 30 days $(N = 20)$	5.0%	10.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =21)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 21)$	0.0%	4.8%
Emotional/Behavioral/ Cognitive Problem (N = 21)	33.3%	14.3%
Resistance to Change $(N = 21)$	90.5%	33.3%
Relapse/Continued Use Potential (N = 21)	90.5%	38.1%
Unsupportive Recovery Environment (N = 21)	100.0%	47.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Midway

1885 University Ave. St. Paul, MN 55104

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 155)
 Race (N = 155)
 Age (N = 155)

 Male: 0.6%
 White: 56.1%
 Under 18: 0.0%

 Female: 99.4%
 Black: 17.4%
 18 to 25: 24.5%

American Indian: 5.8% 26 to 34: 25.8% Hispanic: 6.5% 35 and older: 49.7%

County: Ramsey

Asian/Pacific Islander: 4.5%

Other: 9.7%

Primary Substance Source of Income Source of Referral

(N = 155) (N = 155) (N = 155) . Self/family/relative/

Methamphetamine: 11.6% Retirement/savings: 0.0% friends: 44.5% Marijuana: 10.3% Family/friends: 13.5% Employer/school: 0.6% Heroin: 1.3% No income: 14.8% Criminal justice: 26.5% Cocaine: 12.3% Public sources: 36.8% Professional: 26.5%

Other opiates: 3.2% Public sources: 36.8% Professional: 26.5% County social

Other drugs: 0.6% service agency: 35.5% Other community

resources: 16.8%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 155)

Completed program: 33.5%

Patient left without staff approval: 31.0% Staff requested/judged inappropriate: 27.1%

Death/other: 8.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Avalon-Midway

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 154)	10.4%	6.5%
Not employed/student ^{‡‡} (N = 144)	68.1%	65.3%
Arrests past 30 days (N = 155)	14.2%	1.3%
Alcohol use past 30 days (N = 155)	43.9%	11.6%
Drug use past 30 days (N = 155)	31.0%	7.1%
No self-help group participation past 30 days (N = 103)	49.5%	41.7%
No family support for recovery past 30 days ($N = 119$)	8.4%	14.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =131)	0.8%	1.5%
Biomedical Conditions and		
Complications ($N = 153$)	8.5%	10.5%
Complications (N = 153) Emotional/Behavioral/ Cognitive Problem (N = 155)	8.5% 75.5%	10.5% 52.9%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 155)	75.5%	52.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bachmann and Associates, Inc.

8669 Eagle Point Blvd. Lake Elmo, MN 55042

County: Washington

AA: *
Tribal: *

Provider Website:

Patient Profile

 Gender (N = 6)
 Race (N = 6)
 Age (N = 6)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Heroin: * No income: * Criminal justice: *

Cocaine: * Public sources: * Professional: *

Other opiates: * County social

Other drugs: *

Service agency: *

Other community
resources: *

Outcomes

Discharge Status

(N = 6)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Bachmann and Associates, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 6)	*	*
Not employed/student ^{‡‡} (N = 6)	*	*
Arrests past 30 days (N = 6)	*	*
Alcohol use past 30 days $(N = 6)$	*	*
Drug use past 30 days (N = 6)	*	*
No self-help group participation past 30 days $(N = 5)$	*	*
No family support for recovery past 30 days (N = 3)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bell Hill Recovery Center

12214 200th Street Wadena, MN 56482

Provider Website:

Patient Profile

 Gender (N = 62)
 Race (N = 62)

 Male: 96.8%
 White: 67.7%

 Female: 3.2%
 Black: 16.1%

American Indian: 12.9% 26 to 34: 3.2% Hispanic: 1.6% 35 and older: 91.9%

County: Wadena

Age (N = 62)

Under 18: 0.0%

18 to 25: 4.8%

Source of Referral

Asian/Pacific Islander: 0.0%

Other: 1.6%

Primary Substance Source of Income

(N = 62) Alcohol: 87.1% (N = 62) Job: 11.3%

Methamphetamine: 1.6% Retirement/savings: 1.

Marijuana: 0.0% Family/friends: 0.0%

Heroin: 0.0% No income: 6.5%

Cocaine: 9.7% Public sources: 80.6%

Other opiates: 0.0% Other sources: 0.0%

N = 62)

Job: 11.3%

Retirement/savings: 1.6%
Family/friends: 0.0%
No income: 6.5%
Public sources: 80.6%
Other sources: 0.0%

No income: 6.5%

Public sources: 80.6%
Other sources: 0.0%

CN = 62)

Self/family/relative/

friends: 17.7%

Employer/school: 0.0%

Criminal justice: 37.1%

Professional: 9.7%

County social

service agency: 79.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.6%

(N = 62)

Completed program: 77.4%

Patient left without staff approval: 11.3% Staff requested/judged inappropriate: 1.6%

Death/other: 9.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Bell Hill Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 57)	21.1%	0.0%
Not employed/student ^{‡‡} (N = 49)	95.9%	95.9%
Arrests past 30 days (N = 59)	18.6%	0.0%
Alcohol use past 30 days $(N = 62)$	64.5%	8.1%
Drug use past 30 days (N = 61)	29.5%	3.3%
No self-help group participation past 30 days $(N = 59)$	57.6%	5.1%
No family support for recovery past 30 days ($N = 53$)	26.4%	3.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =62)	35.5%	1.6%
Biomedical Conditions and Complications ($N = 62$)	88.7%	48.4%
Emotional/Behavioral/ Cognitive Problem ($N = 62$)	96.8%	98.4%
Resistance to Change (N = 62)	100.0%	93.5%
Relapse/Continued Use Potential (N = 62)	100.0%	100.0%
Unsupportive Recovery Environment (N = 62)		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Beltrami County Jail

626 Minnesota Ave Bemidji, MN 56601

Provider Website:

Patient Profile

Gender (N = 10)Race (N = 10)Male: 90.0% White: 60.0% Female: 10.0% Black: 0.0%

> American Indian: 40.0% 26 to 34: 20.0% Hispanic: 0.0% 35 and older: 30.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 10)(N = 10)Alcohol: 70.0% Job: 10.0%

Methamphetamine: 20.0% Retirement/savings: 0.0% Marijuana: 10.0% Family/friends: 10.0% No income: 30.0% Heroin: 0.0% Public sources: 10.0%

Cocaine: 0.0% Other opiates: 0.0% Other sources: 40.0% Source of Referral

County: Beltrami

Age (N = 10)

Under 18: 0.0%

18 to 25: 50.0%

(N = 10) . Self/family/relative/ friends: 70.0% Employer/school: 0.0% Criminal justice: 80.0% Professional: 0.0% County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 10)

Completed program: 70.0%

Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 0.0%

Death/other: 20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Beltrami County Jail

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 9)	*	*
Not employed/student ^{‡‡} ($N = 7$)	*	*
Arrests past 30 days (N = 10)	90.0%	80.0%
Alcohol use past 30 days (N = 10)	10.0%	0.0%
Drug use past 30 days (N = 10)	10.0%	0.0%
No self-help group participation past 30 days $(N = 6)$	*	*
No family support for recovery past 30 days $(N = 7)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =7)	*	*
Biomedical Conditions and Complications $(N = 7)$	*	*
Emotional/Behavioral/ Cognitive Problem (N = 7)	*	*
Resistance to Change $(N = 7)$	*	*
Relapse/Continued Use Potential (N = 7)	*	*
Unsupportive Recovery Environment $(N = 7)$	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bethel Port Rehabilitation Center

23 Mesaba Avenue Duluth, MN 55806

County: St. Louis

Age (N = 228)

Under 18: 0.0%

Provider Website:

Patient Profile

 Gender (N = 228)
 Race (N = 228)

 Male: 77.2%
 White: 82.0%

 Female: 22.8%
 Black: 4.0%

Black: 4.0% 18 to 25: 28.1% American Indian: 11.4% 26 to 34: 23.2% Hispanic: 0.4% 35 and older: 48.7%

Asian/Pacific Islander: 0.9%

Other: 1.3%

Primary Substance Source of Income

(N = 225) Alcohol: 64.4% (N = 228) Job: 49.1%

Methamphetamine: 11.1% Retirement/savings: 2.2% Marijuana: 14.7% Family/friends: 6.6% No income: 12.7% Cocaine: 5.3% Public sources: 18.9%

Other opiates: 0.9% Other sources: 10.5%

(N = 228) . Self/family/relative/

Source of Referral

friends: 14.0% Employer/school: 0.9% Criminal justice: 75.0% Professional: 18.9%

County social

service agency: 49.6%

Other community resources: 5.3%

AA: 0.0% Tribal: 0.9%

Outcomes

Discharge Status (N = 228)

Other drugs: 2.2%

Completed program: 63.6%

Patient left without staff approval: 20.6% Staff requested/judged inappropriate: 2.6%

Death/other: 13.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Bethel Port Rehabilitation Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 209)	1.9%	1.9%
Not employed/student ^{‡‡} (N = 203)	52.7%	48.8%
Arrests past 30 days (N = 205)	14.6%	7.3%
Alcohol use past 30 days (N = 217)	21.2%	5.1%
Drug use past 30 days (N = 217)	15.2%	3.7%
No self-help group participation past 30 days (N = 189)	42.9%	27.5%
No family support for recovery past 30 days ($N = 191$)	8.4%	12.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =226)	0.4%	4.9%
Biomedical Conditions and Complications ($N = 227$)	7.1%	6.2%
Emotional/Behavioral/ Cognitive Problem (N = 227)	31.3%	30.4%
Resistance to Change (N = 226)	59.3%	36.7%
Relapse/Continued Use Potential (N = 226)	86.7%	58.4%
Unsupportive Recovery Environment (N = 226)	72.6%	52.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Boys Totem Town St. Joseph's CD

398 Totem Road St. Paul, MN 55119

Provider Website:

Patient Profile

Gender (N = 32)Race (N = 32)Male: 100.0% White: 40.6% Female: 0.0% Black: 40.6%

> American Indian: 3.1% 26 to 34: 0.0% Hispanic: 3.1% 35 and older: 0.0%

County: Ramsey

Age (N = 32)

Under 18: 81.3%

18 to 25: 18.8%

Source of Referral

Self/family/relative/

friends: 87.5%

(N = 32) .

Asian/Pacific Islander: 6.3%

Other: 6.3%

Primary Substance Source of Income

(N = 32)(N = 32)Alcohol: 6.3% Job: 0.0%

Retirement/savings: 0.0% Methamphetamine: 0.0% Marijuana: 87.5% Family/friends: 100.0% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 0.0%

Employer/school: 0.0% Criminal justice: 31.3% Professional: 9.4% Other opiates: 0.0% Other sources: 0.0% County social Other drugs: 6.3% service agency: 59.4%

Other community resources: 3.1%

> AA: 0.0% Tribal: 3.1%

Outcomes

Discharge Status

(N = 32)

Completed program: 65.6%

Patient left without staff approval: 28.1% Staff requested/judged inappropriate: 0.0%

Death/other: 6.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Boys Totem Town St. Joseph's CD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 32)	0.0%	0.0%
Not employed/student ‡ (N = 27)	0.0%	11.1%
Arrests past 30 days (N = 28)	0.0%	0.0%
Alcohol use past 30 days (N = 31)	0.0%	6.5%
Drug use past 30 days (N = 32)	0.0%	9.4%
No self-help group participation past 30 days ($N = 27$)	74.1%	0.0%
No family support for recovery past 30 days ($N = 28$)	3.6%	3.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 32) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 32) Biomedical Conditions and Complications (N = 32) Emotional/Behavioral/	0.0% 9.4%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 32) Biomedical Conditions and Complications (N = 32) Emotional/Behavioral/ Cognitive Problem (N = 32)	0.0% 9.4% 71.9%	0.0% 0.0% 28.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cardinal Recovery Center SOS-Willmar RTC

316 Becker Avenue Willmar, MN 56201

Provider Website:

Patient Profile

 Gender (N = 145)
 Race (N = 145)

 Male: 64.1%
 White: 75.9%

 Female: 35.9%
 Black: 1.4%

American Indian: 4.8% 26 to 34: 15.2% Hispanic: 16.6% 35 and older: 20.0%

Asian/Pacific Islander: 0.0%

Other: 1.4%

Primary Substance Source of Income

(N = 144) Alcohol: 42.4% (N = 145) Job: 23.4%

Methamphetamine: 7.6% Retirement/savings: 1.4% Marijuana: 41.0% Family/friends: 28.3% Heroin: 2.1% No income: 31.7% Cocaine: 3.5% Public sources: 11.0%

Other opiates: 3.5% Other sources: 4.1%

Source of Referral (N = 145).

County: Kandiyohi

Age (N = 145)

Under 18: 44.1%

18 to 25: 20.7%

Self/family/relative/ friends: 26.9% Employer/school: 2.1% Criminal justice: 64.1% Professional: 10.3%

County social

service agency: 53.8%

Other community resources: 12.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 145)

Completed program: 52.4%

Patient left without staff approval: 13.1% Staff requested/judged inappropriate: 5.5%

Death/other: 29.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Cardinal Recovery Center SOS-Willmar RTC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 141)	3.6%	2.1%
Not employed/student ^{‡‡} (N = 132)	25.0%	27.3%
Arrests past 30 days (N = 140)	21.4%	2.9%
Alcohol use past 30 days (N = 141)	17.7%	3.6%
Drug use past 30 days (N = 140)	17.9%	4.3%
No self-help group participation past 30 days ($N = 118$)	60.2%	28.8%
No family support for recovery past 30 days (N = 102)	30.4%	21.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 12.2%	<u>Discharge</u> 9.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 139) Biomedical Conditions and	12.2%	9.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 139) Biomedical Conditions and Complications (N = 138) Emotional/Behavioral/	12.2% 8.7%	9.4% 6.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 139) Biomedical Conditions and Complications (N = 138) Emotional/Behavioral/ Cognitive Problem (N = 139)	12.2% 8.7% 20.9%	9.4% 6.5% 22.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cedar Ridge

11400 Julianne Avenue North Stillwater, MN 55082

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 430)
 Race (N = 430)
 Age (N = 430)

 Male: 100.0%
 White: 81.2%
 Under 18: 0.0%

 Female: 0.0%
 Black: 11.4%
 18 to 25: 26.3%

American Indian: 2.8% 26 to 34: 24.4% Hispanic: 1.9% 35 and older: 49.3%

Asian/Pacific Islander: 0.9%

Other: 1.9%

Primary Substance Source of Income

(N = 414) Alcohol: 56.0% (N = 430) Job: 23.0%

Methamphetamine: 7.3% Retirement/savings: 7.0% Marijuana: 13.0% Family/friends: 10.2% No income: 22.6% Cocaine: 10.6% Public sources: 23.5%

Other opiates: 4.8% Other sources: 13.7%

(N = 430) . Self/family/relative/ friends: 40.0%

Source of Referral

friends: 40.0% Employer/school: 0.9% Criminal justice: 22.1% Professional: 23.3%

County social

County: Washington

service agency: 20.7%

Other community resources: 39.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 430)

Other drugs: 3.1%

Completed program: 71.4%

Patient left without staff approval: 15.6% Staff requested/judged inappropriate: 4.7%

Death/other: 8.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Cedar Ridge

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 397)	8.8%	1.3%
Not employed/student ^{‡‡} (N = 395)	79.5%	79.7%
Arrests past 30 days (N = 397)	13.9%	2.5%
Alcohol use past 30 days (N = 403)	71.7%	9.4%
Drug use past 30 days (N = 403)	51.4%	8.9%
No self-help group participation past 30 days ($N = 396$)	65.4%	11.1%
No family support for recovery past 30 days (N = 393)	22.1%	8.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =408)	6.9%	0.7%
Biomedical Conditions and Complications ($N = 407$)	19.7%	10.6%
Emotional/Behavioral/ Cognitive Problem (N = 406)	93.3%	74.6%
Resistance to Change (N = 407)	20.1%	19.7%
Dalamaa /Cantinus d Haa		
Relapse/Continued Use Potential (N = 407)	99.8%	89.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Center for Solutions Towner County Medical Center

7448 68th Avenue Northeast Cando, ND 58324

Provider Website:

Patient Profile

 Gender (N = 13)
 Race (N = 13)

 Male: 23.1%
 White: 69.2%

 Female: 76.9%
 Black: 0.0%

American Indian: 23.1% 26 to 34: 7.7% Hispanic: 7.7% 35 and older: 53.8%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Source of Income

Primary Substance

(N = 13) Alcohol: 69.2% (N = 13) Job: 23.1%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 38.5% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 23.1% Other opiates: 30.8% Other sources: 15.4%

(N = 13) .
Self/family/relative/
friends: 69.2%
Employer/school: 0.0%
Criminal justice: 15.4%
Professional: 0.0%
County social

County: North Dakota

Age (N = 13)

Under 18: 15.4%

18 to 25: 23.1%

Source of Referral

service agency: 92.3%

Other community resources: 15.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 13)

Completed program: 92.3%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0%

Death/other: 7.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Center for Solutions Towner County Medical Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 13)	0.0%	0.0%
Not employed/student ‡ (N = 13)	69.2%	69.2%
Arrests past 30 days (N = 13)	15.4%	0.0%
Alcohol use past 30 days (N = 13)	38.5%	0.0%
Drug use past 30 days (N = 13)	23.1%	0.0%
No self-help group participation past 30 days ($N = 12$)	75.0%	91.7%
No family support for recovery past 30 days $(N = 13)$	23.1%	15.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =13)	15.4%	0.0%
Biomedical Conditions and		
Complications $(N = 13)$	15.4%	15.4%
Emotional/Behavioral/ Cognitive Problem (N = 13)	15.4% 100.0%	15.4% 53.8%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 13)	100.0%	53.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of Buffalo

308 12th Avenue South Buffalo, MN 55313

Provider Website:

Patient Profile

 Gender (N = 42)
 Race (N = 42)

 Male: 66.7%
 White: 100.0%

 Female: 33.3%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 16.7% Hispanic: 0.0% 35 and older: 28.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 42) Alcohol: 66.7% (N = 42) Job: 42.9%

Methamphetamine: 2.4% Retirement/savings: 2.4% Family/friends: 47.6% Heroin: 0.0% No income: 0.0% Cocaine: 4.8% Public sources: 2.4%

Cocaine: 4.8% Public sources: 2.4% Professional: 16.7% Other opiates: 4.8% Other sources: 4.8% County social service agency: 9.5% Other community

resources: 19.0% AA: 0.0% Tribal: 0.0%

County: Wright

Age (N = 42)

Under 18: 35.7%

18 to 25: 19.0%

Source of Referral

Self/family/relative/

friends: 59.5%

Employer/school: 0.0%

Criminal justice: 64.3%

(N = 42) .

Outcomes

Discharge Status

(N = 42)

Completed program: 61.9%

Patient left without staff approval: 23.8% Staff requested/judged inappropriate: 2.4%

Death/other: 11.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Central Minnesota Mental Health Center of Buffalo

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 42)	0.0%	0.0%
Not employed/student ‡ (N = 41)	24.4%	24.4%
Arrests past 30 days (N = 42)	0.0%	0.0%
Alcohol use past 30 days (N = 42)	2.4%	16.7%
Drug use past 30 days ($N = 42$)	0.0%	11.9%
No self-help group participation past 30 days ($N = 41$)	61.0%	9.8%
No family support for recovery past 30 days (N = 37)	0.0%	8.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 42$)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 42)$	2.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 42)	57.1%	35.7%
Resistance to Change $(N = 42)$	11.9%	35.7%
Relapse/Continued Use Potential (N = 42)	90.5%	42.9%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of Monticello

407 Washington Street Monticello, MN 55362

Provider Website:

Patient Profile

 Gender (N = 70)
 Race (N = 70)

 Male: 65.7%
 White: 100.0%

 Female: 34.3%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 22.9% Hispanic: 0.0% 35 and older: 51.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 70)Alcohol: 80.0%

Methamphetamine: 0.0% Marijuana: 12.9%

Heroin: 0.0% Cocaine: 1.4% Other opiates: 5.7%

Other drugs: 0.0%

Source of Income

(N = 70)Job: 75.7%

Retirement/savings: 1.4% Family/friends: 14.3% No income: 0.0%

Public sources: 8.6% Other sources: 0.0%

Source of Referral

(N = 70) .

Age (N = 70)

Under 18: 0.0%

18 to 25: 25.7%

County: Wright

Self/family/relative/ friends: 27.1% Employer/school: 1.4% Criminal justice: 82.9% Professional: 17.1%

County social

service agency: 2.9% Other community resources: 2.9%

AA: 1.4% Tribal: 0.0%

Outcomes

Discharge Status

(N = 70)

Completed program: 75.7%

Patient left without staff approval: 8.6% Staff requested/judged inappropriate: 4.3%

Death/other: 11.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Central Minnesota Mental Health Center of Monticello

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 70)	0.0%	1.4%
Not employed/student ^{‡‡} (N = 69)	17.4%	23.2%
Arrests past 30 days (N = 64)	4.7%	6.3%
Alcohol use past 30 days (N = 70)	30.0%	10.0%
Drug use past 30 days (N = 70)	7.1%	5.7%
No self-help group participation past 30 days $(N = 66)$	74.2%	13.6%
No family support for recovery past 30 days $(N = 67)$	34.3%	16.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 68$)	0.0%	0.0%
Biomedical Conditions and		
Complications $(N = 70)$	2.9%	1.4%
Complications (N = 70) Emotional/Behavioral/ Cognitive Problem (N = 70)	2.9% 81.4%	1.4% 24.3%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 70)	81.4%	24.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of St. Cloud

1321 13th Street North St. Cloud, MN 56303

Provider Website:

Patient Profile

 Gender (N = 94)
 Race (N = 94)

 Male: 70.2%
 White: 81.9%

 Female: 29.8%
 Black: 5.3%

American Indian: 5.3% 26 to 34: 26.6% Hispanic: 6.4% 35 and older: 43.6%

County: Stearns

Age (N = 94)

Under 18: 0.0%

18 to 25: 29.8%

Source of Referral

Asian/Pacific Islander: 0.0%

Other: 1.1%

Primary Substance Source of Income

(N = 94) Alcohol: 70.2% (N = 94) Job: 57.4%

Methamphetamine: 6.4%
Marijuana: 19.1%
Heroin: 0.0%
Cocaine: 2.1%
Other opiates: 1.1%

Retirement/savings: 3.
Family/friends: 9.6%
No income: 6.4%
Public sources: 14.9%
Other sources: 8.5%

N = 94)

Job: 57.4%

Retirement/savings: 3.2%
Family/friends: 9.6%
No income: 6.4%
Public sources: 14.9%
Other sources: 8.5%

(N = 94)
Self/family/relative/
friends: 43.6%
Employer/school: 4.3%
Criminal justice: 69.1%
Professional: 12.8%
County social
service agency: 9.6%

Other community resources: 6.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.1%

(N = 94)

Completed program: 54.3%

Patient left without staff approval: 16.0% Staff requested/judged inappropriate: 16.0%

Death/other: 13.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Central Minnesota Mental Health Center of St. Cloud

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 89)	1.1%	1.1%
Not employed/student ^{‡‡} (N = 81)	37.0%	37.0%
Arrests past 30 days (N = 94)	2.1%	6.4%
Alcohol use past 30 days (N = 94)	33.0%	18.1%
Drug use past 30 days (N = 94)	16.0%	11.7%
No self-help group participation past 30 days $(N = 77)$	72.7%	40.3%
No family support for recovery past 30 days $(N = 73)$	17.8%	12.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =79)	3.8%	1.3%
Biomedical Conditions and Complications $(N = 79)$	10.1%	5.1%
	10.1% 48.8%	5.1% 33.8%
Complications (N = 79) Emotional/Behavioral/		
Complications (N = 79) Emotional/Behavioral/ Cognitive Problem (N = 80)	48.8%	33.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Chrysalis: A Center for Women

4432 Chicago Avenue South Minneapolis, MN 55407

Provider Website: www.chrysaliswomen.org

Patient Profile

Gender (N = 246) Race (N = 246)Age (N = 246)Male: 0.4% White: 56.5% Under 18: 0.0% Female: 99.6% Black: 22.4% 18 to 25: 20.3%

American Indian: 8.1% 26 to 34: 31.7%

Hispanic: 7.3% 35 and older: 48.0%

County: Hennepin

Source of Referral

 $(N_{\underline{}} = 246)$.

Asian/Pacific Islander: 0.8%

Other: 4.9%

Primary Substance Source of Income

(N = 245)(N = 246)Alcohol: 51.0% Job: 26.0%

Self/family/relative/ friends: 41.9% Methamphetamine: 5.3% Retirement/savings: 2.4% Marijuana: 13.9% Family/friends: 19.5% Employer/school: 2.0% Heroin: 5.3% No income: 5.7% Criminal justice: 22.0%

Cocaine: 18.0% Public sources: 42.3% Professional: 35.8% Other opiates: 5.3% Other sources: 4.1% County social

Other drugs: 1.2% service agency: 21.1% Other community

resources: 8.5% AA: 1.6% Tribal: 0.0%

Outcomes

Discharge Status (N = 246)

Completed program: 34.6%

Patient left without staff approval: 28.0% Staff requested/judged inappropriate: 6.5%

Death/other: 30.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Chrysalis: A Center for Women

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 192)	7.8%	6.3%
Not employed/student ^{‡‡} (N = 159)	57.9%	54.1%
Arrests past 30 days (N = 171)	4.7%	5.9%
Alcohol use past 30 days (N = 182)	45.1%	20.3%
Drug use past 30 days (N = 182)	39.6%	20.9%
No self-help group participation past 30 days ($N = 142$)	50.0%	19.0%
No family support for recovery past 30 days (N = 134)	9.7%	7.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 6.3%	Discharge 7.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 205) Biomedical Conditions and	6.3%	7.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 205) Biomedical Conditions and Complications (N = 210) Emotional/Behavioral/	6.3%	7.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 205) Biomedical Conditions and Complications (N = 210) Emotional/Behavioral/ Cognitive Problem (N = 211)	6.3% 25.7% 79.1%	7.3% 22.4% 65.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Clara's House

1564 Co. Rd 134 St. Cloud, MN 56303

Provider Website:

Patient Profile

 Gender (N = 74)
 Race (N = 74)

 Male: 55.4%
 White: 90.5%

 Female: 44.6%
 Black: 4.1%

American Indian: 0.0% 26 to 34: 0.0% Hispanic: 2.7% 35 and older: 0.0%

County: Stearns

Age (N = 74)

Under 18: 97.3%

18 to 25: 2.7%

Asian/Pacific Islander: 1.4%

Other: 1.4%

Primary Substance Source of Income

(N = 74) (N = 74) Alcohol: 12.2% Job: 5.4%

Methamphetamine: 6.8% Retirement/savings: 1.4% Marijuana: 75.7% Family/friends: 85.1% Heroin: 0.0% No income: 1.4% Cocaine: 0.0% Public sources: 5.4% Other opiates: 0.0% Other sources: 1.4%

Source of Referral
(N = 74)
.
Self/family/relative/
friends: 35.1%
Employer/school: 32.4%
Criminal justice: 58.1%
Professional: 28.4%
County social

service agency: 20.3%

Other community resources: 2.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 5.4%

(N = 74)

Completed program: 62.2%

Patient left without staff approval: 16.2% Staff requested/judged inappropriate: 14.9%

Death/other: 6.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Clara's House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 74)	1.4%	1.4%
Not employed/student ‡ (N = 73)	0.0%	0.0%
Arrests past 30 days (N = 71)	8.5%	1.4%
Alcohol use past 30 days (N = 74)	43.2%	9.5%
Drug use past 30 days (N = 74)	64.9%	21.6%
No self-help group participation past 30 days $(N = 74)$	86.5%	18.9%
No family support for recovery past 30 days $(N = 74)$	14.9%	4.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.4%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =71) Biomedical Conditions and	1.4%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 71) Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/	1.4% 4.2%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 71) Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/ Cognitive Problem (N = 71)	1.4% 4.2% 95.8%	0.0% 4.2% 95.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Clinicare Corporation Eau Claire Academy

550 N Dewey Street Eau Claire, WI 54702

Provider Website:

Patient Profile

 Gender (N = 2)
 Race (N = 2)
 Age (N = 2)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income

(N = 2)
Alcohol: *

Methamphetamine: *

Marijuana: *

Heroin: *

Consider *

(N = 2)

Job: *

Retirement/savings: *

Family/friends: *

No income: *

Cocaine: * Public sources: *
Other opiates: *
Other drugs: *

Source of Referral

(N = 2).

County: Wisconsin

Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: *

Other community resources: *
AA: *

Tribal: *

Outcomes

Discharge Status

(N = 2)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Clinicare Corporation Eau Claire Academy

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 2)	*	*
Not employed/student 11 (N = 2)	*	*
Arrests past 30 days (N = 2)	*	*
Alcohol use past 30 days ($N = 2$)	*	*
Drug use past 30 days (N = 2)	*	*
No self-help group participation past 30 days $(N = 2)$	*	*
No family support for recovery past 30 days $(N = 2)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/ Cognitive Problem (N = 2)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Club Recovery

6550 York Ave South Minneapolis, MN 55435

Provider Website: www.clubrecoveryllc.com

Patient Profile

 Gender (N = 254)
 Race (N = 254)

 Male: 65.0%
 White: 84.6%

 Female: 35.0%
 Black: 4.3%

American Indian: 1.6% 26 to 34: 24.0% Hispanic: 3.9% 35 and older: 55.5%

Asian/Pacific Islander: 2.4%

Other: 3.2%

Primary Substance Source of Income

(N = 253) Alcohol: 84.6% (N = 254) Job: 74.0%

Methamphetamine: 2.4% Retirement/savings: 3.2% Marijuana: 5.1% Family/friends: 9.8% No income: 2.8% Cocaine: 4.7% Public sources: 4.7%

Other opiates: 2.4% Other sources: 5.5%

(N = 254) . Self/family/relative/ friends: 61.8%

Source of Referral

% Employer/school: 3.5% Criminal justice: 40.2% Professional: 19.7%

County: Hennepin

Age (N = 254)

Under 18: 0.0%

18 to 25: 20.5%

service agency: 3.9% Other community resources: 28.3%

AA: 2.0% Tribal: 0.0%

County social

Outcomes

Discharge Status (N = 254)

Other drugs: 0.4%

Completed program: 57.5%

Patient left without staff approval: 24.4% Staff requested/judged inappropriate: 2.0%

Death/other: 16.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Club Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 237)	1.7%	0.8%
Not employed/student ^{‡‡} (N = 216)	22.7%	19.9%
Arrests past 30 days (N = 233)	15.0%	2.2%
Alcohol use past 30 days (N = 253)	57.3%	13.4%
Drug use past 30 days (N = 253)	22.9%	5.1%
No self-help group participation past 30 days (N = 110)	59.1%	39.1%
No family support for recovery past 30 days $(N = 147)$	19.7%	4.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 219)	0.5%	6.4%
Biomedical Conditions and Complications $(N = 214)$	3.3%	4.2%
Emotional/Behavioral/ Cognitive Problem (N = 220)	73.6%	27.3%
Resistance to Change ($N = 237$)	70.9%	31.6%
Relapse/Continued Use Potential (N = 234)	97.4%	34.6%
Unsupportive Recovery Environment (N = 231)	67.1%	28.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Communidades Latinas Unidas En Sericio

797 East 7th Street St. Paul, MN 55105

Provider Website: www.clues.org

Patient Profile

 Gender (N = 63)
 Race (N = 63)

 Male: 87.3%
 White: 25.4%

 Female: 12.7%
 Black: 20.6%

American Indian: 1.6% 26 to 34: 30.2% Hispanic: 52.4% 35 and older: 39.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 63) Alcohol: 50.8% (N = 63) Job: 36.5%

Methamphetamine: 9.5% Retirement/savings: 1.6% Family/friends: 28.6% No income: 9.5% Cocaine: 7.9% Public sources: 11.1%

Other opiates: 0.0% Other sources: 12.7%

Source of Referral (N = 63).

County: Ramsey

Age (N = 63)

Under 18: 0.0%

18 to 25: 30.2%

Job: 36.5%

Retirement/savings: 1.6%
Family/friends: 28.6%
No income: 9.5%
Public sources: 11.1%

Self/family/relative/
friends: 39.7%
Employer/school: 1.6%
Criminal justice: 65.1%
Professional: 3.2%

County social service agency: 6.4%

Other community resources: 7.9%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 63)

Completed program: 47.6%

Patient left without staff approval: 41.3% Staff requested/judged inappropriate: 0.0%

Death/other: 11.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Communidades Latinas Unidas En Sericio

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 60)	0.0%	1.7%
Not employed/student ^{‡‡} (N = 63)	76.2%	61.9%
Arrests past 30 days (N = 62)	12.9%	11.3%
Alcohol use past 30 days (N = 63)	57.1%	15.9%
Drug use past 30 days (N = 62)	41.9%	30.6%
No self-help group participation past 30 days $(N = 56)$	64.3%	17.9%
No family support for recovery past 30 days $(N = 54)$	22.2%	3.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =63) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 63) Biomedical Conditions and Complications (N = 63) Emotional/Behavioral/	0.0% 4.8%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 63) Biomedical Conditions and Complications (N = 63) Emotional/Behavioral/ Cognitive Problem (N = 63)	0.0% 4.8% 38.1%	0.0% 0.0% 20.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Anoka

3301 7th Avenue Anoka, MN 55303

County: Anoka

Age (N = 304)

Under 18: 0.0%

18 to 25: 13.8%

Provider Website:

Patient Profile

 Gender (N = 304)
 Race (N = 304)

 Male: 69.4%
 White: 78.9%

 Female: 30.6%
 Black: 7.9%

American Indian: 8.9% 26 to 34: 28.9% Hispanic: 3.0% 35 and older: 57.2%

Asian/Pacific Islander: 0.7%

Other: 0.7%

Primary Substance Source of Income

(N = 303) Alcohol: 70.6% (N = 304) Job: 35.2%

Methamphetamine: 7.9% Retirement/savings: 7.2% Marijuana: 6.9% Family/friends: 11.5% No income: 13.2% Cocaine: 8.3% Public sources: 25.0% Other opiates: 2.3% Other sources: 7.9%

Source of Referral

(N = 304)

Self/family/relative/
friends: 18.1%

Employer/school: 0.3%

Criminal justice: 37.8%

Professional: 3.6%

County social

service agency: 55.9% Other community resources: 41.4%

AA: 0.0% Tribal: 0.7%

Outcomes

Discharge Status (N = 304)

Other drugs: 0.7%

Completed program: 85.5%

Patient left without staff approval: 3.6% Staff requested/judged inappropriate: 2.3%

Death/other: 8.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Addiction Recovery Enterprise of Anoka

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 296)	8.1%	0.7%
Not employed/student ^{‡‡} (N = 281)	70.1%	74.4%
Arrests past 30 days (N = 291)	10.3%	2.4%
Alcohol use past 30 days (N = 294)	44.2%	2.4%
Drug use past 30 days (N = 292)	17.8%	2.1%
No self-help group participation past 30 days ($N = 260$)	46.5%	10.0%
No family support for recovery past 30 days (N = 270)	8.2%	1.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =301)	11.3%	2.0%
Biomedical Conditions and Complications $(N = 299)$	35.1%	23.4%
Emotional/Behavioral/ Cognitive Problem (N = 300)	61.7%	46.7%
Resistance to Change ($N = 298$)	64.8%	43.6%
Relapse/Continued Use Potential ($N = 300$)	84.3%	59.3%
Unsupportive Recovery Environment ($N = 296$)	65.5%	52.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Carlton

810 3d Street

County: Carlton Carlton, MN 55718

Provider Website:

Patient Profile

Gender (N = 234) Race (N = 234)Male: 2.1% White: 77.8% Female: 97.9% Black: 3.4%

18 to 25: 26.9% American Indian: 15.4% 26 to 34: 28.2%

Hispanic: 2.1% 35 and older: 44.9%

Asian/Pacific Islander: 1.3%

Other: 0.0%

Primary Substance Source of Income

(N = 234)(N = 234)Alcohol: 51.3% Job: 11.1%

Methamphetamine: 10.7% Retirement/savings: 2.1% Marijuana: 7.3% Family/friends: 9.8% Heroin: 2.6% No income: 39.7%

Cocaine: 10.3% Public sources: 29.1% Other opiates: 16.7% Other sources: 8.1%

 $(N_{\underline{}} = 234)$. Self/family/relative/ friends: 22.2% Employer/school: 0.0% Criminal justice: 34.2% Professional: 6.8%

Source of Referral

County social

Age (N = 234)

Under 18: 0.0%

service agency: 79.1%

Other community resources: 0.9%

AA: 0.0% Tribal: 3.0%

Outcomes

Discharge Status (N = 234)

Other drugs: 1.3%

Completed program: 68.4%

Patient left without staff approval: 20.9% Staff requested/judged inappropriate: 5.1%

Death/other: 5.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Addiction Recovery Enterprise of Carlton

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 226)	8.4%	2.2%
Not employed/student ^{‡‡} (N = 221)	84.2%	90.0%
Arrests past 30 days (N = 230)	20.0%	3.0%
Alcohol use past 30 days (N = 234)	43.6%	3.0%
Drug use past 30 days (N = 234)	37.2%	2.1%
No self-help group participation past 30 days ($N = 215$)	47.0%	2.8%
No family support for recovery past 30 days ($N = 180$)	25.0%	4.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 23.2%	<u>Discharge</u> 7.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 233) Biomedical Conditions and	23.2%	7.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 233) Biomedical Conditions and Complications (N = 233) Emotional/Behavioral/	23.2% 54.9%	7.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =233) Biomedical Conditions and Complications (N = 233) Emotional/Behavioral/ Cognitive Problem (N = 233)	23.2% 54.9% 86.7%	7.3% 33.9% 85.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Fergus Falls

1174 Western Avenue Fergus Falls, MN 56537

Provider Website:

Patient Profile

 Gender (N = 526)
 Race (N = 526)

 Male: 65.6%
 White: 75.7%

 Female: 34.4%
 Black: 2.7%

American Indian: 15.6% 26 to 34: 16.9% Hispanic: 2.7% 35 and older: 43.2%

Asian/Pacific Islander: 1.3%

Other: 2.1%

Primary Substance Source of Income

(N = 520) Alcohol: 62.7% (N = 526) Job: 23.6%

Methamphetamine: 4.6% Retirement/savings: 2.5% Marijuana: 21.3% Family/friends: 11.8% No income: 19.8% Cocaine: 3.5% Public sources: 33.1%

Cocaine: 3.5% Public sources: 33.19
Other opiates: 4.8% Other sources: 9.3%
Other drugs: 2.3%

Source of Referral

County: Otter Tail

Age (N = 526)

Under 18: 16.9%

18 to 25: 23.0%

__(N = 526) Self/family/relative/ friends: 18.1% Employer/school: 1.1% Criminal justice: 63.7% Professional: 13.1%

County social

service agency: 79.5%

Other community resources: 8.2%

AA: 0.0% Tribal: 3.0%

Outcomes

Discharge Status (N = 526)

Completed program: 63.1%

Patient left without staff approval: 10.6% Staff requested/judged inappropriate: 9.5%

Death/other: 16.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Addiction Recovery Enterprise of Fergus Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 502)	8.4%	4.6%
Not employed/student ^{‡‡} (N = 475)	67.2%	65.9%
Arrests past 30 days (N = 485)	15.5%	7.6%
Alcohol use past 30 days (N = 509)	36.3%	9.4%
Drug use past 30 days (N = 506)	22.3%	7.5%
No self-help group participation past 30 days ($N = 466$)	68.0%	56.9%
No family support for recovery past 30 days ($N = 458$)	24.2%	19.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 8.0%	<u>Discharge</u> 10.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 516) Biomedical Conditions and	8.0%	10.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 516) Biomedical Conditions and Complications (N = 515) Emotional/Behavioral/	8.0% 33.0%	10.1% 32.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 516) Biomedical Conditions and Complications (N = 515) Emotional/Behavioral/ Cognitive Problem (N = 513)	8.0% 33.0% 78.4%	10.1% 32.2% 73.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of St. Peter

1703 County Road 15 St. Peter, MN 56082

County: Nicollet

Age (N = 368)

Under 18: 0.0%

18 to 25: 21.2%

Provider Website:

Patient Profile

 Gender (N = 368)
 Race (N = 368)

 Male: 67.4%
 White: 85.3%

 Female: 32.6%
 Black: 8.4%

American Indian: 1.1% 26 to 34: 23.9% Hispanic: 4.1% 35 and older: 54.9%

Asian/Pacific Islander: 0.8%

Other: 0.3%

Primary Substance Source of Income

(N = 365) Alcohol: 55.3% (N = 368) Job: 21.2%

Methamphetamine: 7.7% Retirement/savings: 3.8% Marijuana: 16.4% Family/friends: 12.0% No income: 22.0% Cocaine: 9.9% Public sources: 33.4%

Other opiates: 3.8% Public sources: 33.49
Other sources: 7.6%

(N = 368) .
Self/family/relative/
friends: 21.7%

Source of Referral

Employer/school: 0.5% Criminal justice: 58.4% Professional: 7.1%

County social

service agency: 91.8%

Other community resources: 1.6%

AA: 0.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 368)

Other drugs: 4.9%

Completed program: 67.7%

Patient left without staff approval: 15.5% Staff requested/judged inappropriate: 6.0%

Death/other: 10.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Addiction Recovery Enterprise of St. Peter

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 361)	8.9%	3.6%
Not employed/student ^{‡‡} (N = 361)	86.1%	94.2%
Arrests past 30 days (N = 358)	19.6%	3.4%
Alcohol use past 30 days (N = 357)	58.0%	5.3%
Drug use past 30 days (N = 356)	35.1%	6.2%
No self-help group participation past 30 days ($N = 351$)	55.8%	38.2%
No family support for recovery past 30 days $(N = 341)$	18.8%	39.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 1.6%	<u>Discharge</u> 1.6%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 365) Biomedical Conditions and	1.6%	1.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 365) Biomedical Conditions and Complications (N = 366) Emotional/Behavioral/	1.6% 15.8%	1.6% 5.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 365) Biomedical Conditions and Complications (N = 366) Emotional/Behavioral/ Cognitive Problem (N = 366)	1.6% 15.8% 47.5%	1.6% 5.2% 60.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Willmar

1705 16th Street NE Willmar, MN 56201

Provider Website:

Patient Profile

 Gender (N = 354)
 Race (N = 354)

 Male: 65.0%
 White: 74.0%

 Female: 35.0%
 Black: 8.8%

American Indian: 6.5% 26 to 34: 25.1% Hispanic: 5.9% 35 and older: 51.7%

Asian/Pacific Islander: 0.8%

Other: 4.0%

Primary Substance Source of Income

(N = 353) Alcohol: 41.6% (N = 354) Job: 24.0%

Methamphetamine: 4.3% Retirement/savings: 1.7% Marijuana: 11.3% Family/friends: 11.3% No income: 16.9% Cocaine: 6.0% Public sources: 37.3%

Other opiates: 18.1% Other sources: 8.8%

Source of Referral

County: Kandiyohi

Age (N = 354)

Under 18: 0.3%

18 to 25: 22.9%

__(N = 354)__.
Self/family/relative/
friends: 47.7%
Employer/school: 0.8%
Criminal justice: 29.7%
Professional: 16.9%

County social

service agency: 63.3%

Other community resources: 12.4%

AA: 0.0% Tribal: 1.7%

Outcomes

Discharge Status (N = 354)

Other drugs: 3.7%

Completed program: 59.6%

Patient left without staff approval: 21.5% Staff requested/judged inappropriate: 6.2%

Death/other: 12.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Addiction Recovery Enterprise of Willmar

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 340)	10.6%	1.8%
Not employed/student ^{‡‡} (N = 323)	81.7%	93.8%
Arrests past 30 days (N = 342)	13.7%	3.8%
Alcohol use past 30 days (N = 341)	46.6%	5.9%
Drug use past 30 days (N = 338)	51.8%	11.8%
No self-help group participation past 30 days ($N = 334$)	56.0%	14.1%
No family support for recovery past 30 days ($N = 319$)	24.5%	15.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 51.4%	<u>Discharge</u> 21.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 352) Biomedical Conditions and	51.4%	21.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 352) Biomedical Conditions and Complications (N = 353) Emotional/Behavioral/	51.4% 67.4%	21.0% 47.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 352) Biomedical Conditions and Complications (N = 353) Emotional/Behavioral/ Cognitive Problem (N = 354)	51.4% 67.4% 88.1%	21.0% 47.0% 69.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Willmar Jail Outpatient

2200 23rd Street NE Willman MN 56201

Willmar, MN 56201 County: Kandiyohi

Provider Website:

Patient Profile

 Gender (N = 2)
 Race (N = 2)
 Age (N = 2)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

service agency: *
Other community
resources: *

AA: * Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 2)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Addiction Recovery Enterprise of Willmar Jail Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 2)	*	*
Not employed/student ^{‡‡} (N = 2)	*	*
Arrests past 30 days $(N = 2)$	*	*
Alcohol use past 30 days $(N = 2)$	*	*
Drug use past 30 days $(N = 2)$	*	*
No self-help group participation past 30 days $(N = 2)$	*	*
No family support for recovery past 30 days $(N = 2)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/ Cognitive Problem (N = 2)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprises of Brainerd

11600 State Ave. Brainerd, MN 56401

Provider Website:

Patient Profile

Gender (N = 519) Race (N = 519)Male: 69.2% White: 54.3% Female: 30.8% Black: 0.8%

> American Indian: 41.8% Hispanic: 1.9%

Asian/Pacific Islander: 0.4%

Other: 0.8%

Primary Substance (N = 514)

Alcohol: 54.5% Job: 17.0% Methamphetamine: 7.2%

Marijuana: 30.0% Heroin: 0.6% Cocaine: 3.5% Other opiates: 3.5%

Other drugs: 0.8%

Source of Income (N = 519)

Retirement/savings: 1.9%

Family/friends: 25.6% No income: 26.2% Public sources: 15.8% Other sources: 13.5%

Age (N = 519)

County: Crow Wing

Under 18: 28.7% 18 to 25: 23.5% 26 to 34: 18.5%

35 and older: 29.3%

Source of Referral

(N = 519) . Self/family/relative/

friends: 36.4% Employer/school: 0.0% Criminal justice: 47.2% Professional: 9.3%

County social

service agency: 84.6%

Other community resources: 2.9%

AA: 0.0% Tribal: 7.9%

Outcomes

Discharge Status (N = 519)

Completed program: 57.2%

Patient left without staff approval: 25.2% Staff requested/judged inappropriate: 10.4%

Death/other: 7.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Addiction Recovery Enterprises of Brainerd

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 493)	7.5%	3.7%
Not employed/student ^{‡‡} (N = 476)	55.7%	55.5%
Arrests past 30 days (N = 498)	27.1%	7.0%
Alcohol use past 30 days (N = 505)	59.6%	19.6%
Drug use past 30 days (N = 504)	46.8%	19.0%
No self-help group participation past 30 days ($N = 480$)	78.3%	24.4%
No family support for recovery past 30 days $(N = 459)$	35.5%	18.1%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 487)	Admission 9.9%	Discharge 4.3%
Acute Intoxication/		_
Acute Intoxication/ Withdrawal (N = 487) Biomedical Conditions and	9.9%	4.3%
Acute Intoxication/ Withdrawal (N = 487) Biomedical Conditions and Complications (N = 488) Emotional/Behavioral/	9.9%	4.3% 12.3%
Acute Intoxication/ Withdrawal (N = 487) Biomedical Conditions and Complications (N = 488) Emotional/Behavioral/ Cognitive Problem (N = 485)	9.9% 13.1% 66.0%	4.3% 12.3% 49.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Drug and Alcohol Servic, Inc.

1600 University Ave St. Paul, MN 55104

County: Ramsey

Age (N = 66)

Under 18: 97.0%

18 to 25: 3.0%

Provider Website:

Patient Profile

 Gender (N = 66)
 Race (N = 66)

 Male: 83.3%
 White: 39.4%

 Female: 16.7%
 Black: 39.4%

American Indian: 3.0% 26 to 34: 0.0% Hispanic: 9.1% 35 and older: 0.0%

Asian/Pacific Islander: 1.5%

Other: 7.6%

Primary Substance

(N = 66)Alcohol: 13.6%

Methamphetamine: 0.0% Marijuana: 83.3%

Heroin: 0.0% Cocaine: 1.5% Other opiates: 1.5%

Other drugs: 0.0%

Source of Income

(N = 66)Job: 3.0%

> Retirement/savings: 0.0% Family/friends: 74.2% No income: 12.1% Public sources: 0.0% Other sources: 10.6%

Source of Referral

(N = 66) . Self/family/relative/ friends: 9.1%

Employer/school: 9.1% Criminal justice: 69.7% Professional: 22.7%

County social

service agency: 6.1% Other community resources: 7.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 66)

Completed program: 24.2%

Patient left without staff approval: 28.8% Staff requested/judged inappropriate: 18.2%

Death/other: 28.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Drug and Alcohol Servic, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 63)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 54)	7.4%	3.7%
Arrests past 30 days (N = 66)	25.8%	13.6%
Alcohol use past 30 days (N = 65)	38.5%	18.5%
Drug use past 30 days (N = 65)	63.1%	56.9%
No self-help group participation past 30 days $(N = 61)$	86.9%	93.4%
No family support for recovery past 30 days (N = 55)	23.6%	38.2%
Danwiana ta Danassans		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =65) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 65) Biomedical Conditions and Complications (N = 65) Emotional/Behavioral/	0.0% 1.5%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 65) Biomedical Conditions and Complications (N = 65) Emotional/Behavioral/ Cognitive Problem (N = 65)	0.0% 1.5% 96.9%	0.0% 1.5% 93.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Drug and Alcohol Services, Inc.

501 Hwy 13 E

Burnsville, MN 55337 County: Dakota

Provider Website:

Patient Profile

 Gender (N = 92)
 Race (N = 92)

 Male: 56.5%
 White: 79.3%

 Female: 43.5%
 Black: 4.4%

emale: 43.5% Black: 4.4% 18 to 25: 10.9% American Indian: 2.2% 26 to 34: 0.0% Hispanic: 7.6% 35 and older: 0.0%

Hispanic: 7.6% 35 and older: 0.0 Asian/Pacific Islander: 2.2%

Other: 4.4%

Primary Substance Source of Income

(N = 92) (N = 92) Job: 1.1%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 98.9% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 0.0%

Family/friends: 98.9% Employer/school: 6.5%
No income: 0.0% Criminal justice: 20.7%
Public sources: 0.0% Professional: 52.2%
Other sources: 0.0% County social
service agency: 19.6%

Other community resources: 19.6%

AA: 0.0% Tribal: 1.1%

Age (N = 92)

Under 18: 89.1%

Source of Referral

Self/family/relative/ friends: 60.9%

(N = 92) .

Outcomes

Discharge Status

Other opiates: 0.0%

Other drugs: 1.1%

(N = 92)

Completed program: 19.6%

Patient left without staff approval: 34.8% Staff requested/judged inappropriate: 16.3%

Death/other: 29.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Community Drug and Alcohol Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 92)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 91)	4.4%	1.1%
Arrests past 30 days (N = 90)	13.3%	2.2%
Alcohol use past 30 days (N = 92)	48.9%	25.0%
Drug use past 30 days (N = 92)	68.5%	44.6%
No self-help group participation past 30 days ($N = 77$)	96.1%	90.9%
No family support for recovery past 30 days (N = 81)	80.2%	66.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =91)	0.0%	1.1%
Biomedical Conditions and Complications $(N = 92)$	1.1%	5.4%
	1.170	0.170
Emotional/Behavioral/ Cognitive Problem (N = 92)	98.9%	92.4%
Cognitive Problem $(N = 92)$	98.9%	92.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cook County Wilderness Outpatient Treatment Program

411 West 2nd Street Grand Marais, MN 55604

Provider Website:

Patient Profile

 Gender (N = 20)
 Race (N = 20)

 Male: 80.0%
 White: 80.0%

 Female: 20.0%
 Black: 0.0%

American Indian: 5.0% 26 to 34: 20.0% Hispanic: 10.0% 35 and older: 50.0%

County: Cook

Age (N = 20)

Under 18: 5.0%

18 to 25: 25.0%

Source of Referral

friends: 70.0%

Professional: 25.0%

resources: 0.0%

Employer/school: 5.0%

Criminal justice: 70.0%

(N = 20) . Self/family/relative/

Asian/Pacific Islander: 0.0%

Other: 5.0%

Primary Substance Source of Income

(N = 20) Alcohol: 80.0% (N = 20) Job: 60.0%

Methamphetamine: 5.0% Retirement/savings: 5.0% Marijuana: 10.0% Family/friends: 5.0% No income: 5.0% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 5.0% Other sources: 25.0% County social service agency: 10.0% Other community

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 20)

Completed program: 80.0%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 15.0%

Death/other: 5.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Cook County Wilderness Outpatient Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 20)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 16)	37.5%	31.3%
Arrests past 30 days (N = 17)	11.8%	0.0%
Alcohol use past 30 days (N = 18)	11.1%	0.0%
Drug use past 30 days (N = 19)	15.8%	0.0%
No self-help group participation past 30 days $(N = 17)$	41.2%	0.0%
No family support for recovery past 30 days $(N = 16)$	12.5%	6.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 20) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 20) Biomedical Conditions and Complications (N = 20) Emotional/Behavioral/	0.0% 15.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 20) Biomedical Conditions and Complications (N = 20) Emotional/Behavioral/ Cognitive Problem (N = 20)	0.0% 15.0% 25.0%	0.0% 0.0% 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Correctional Transition Services, Inc.

1901 44th Ave N Minneapolis, MN 55412

Provider Website:

Patient Profile

 Gender (N = 116)
 Race (N = 116)
 Age (N = 116)

 Male: 87.9%
 White: 30.2%
 Under 18: 0.0%

 Female: 12.1%
 Black: 54.3%
 18 to 25: 20.7%

emale: 12.1% Black: 54.3% 18 to 25: 20.7% American Indian: 3.5% 26 to 34: 27.6%

Hispanic: 1.7% 35 and older: 51.7%

County: Hennepin

Source of Referral

Self/family/relative/

(N = 116) .

Asian/Pacific Islander: 1.7%

Other: 8.6%

Primary Substance Source of Income

(N = 115) Alcohol: 36.5% (N = 116) Job: 4.3%

Methamphetamine: 6.1%Retirement/savings: 1.7%friends: 27.6%Marijuana: 25.2%Family/friends: 8.6%Employer/school: 1.7%Heroin: 5.2%No income: 44.0%Criminal justice: 69.8%

Cocaine: 23.5% Public sources: 30.2% Professional: 1.7% Other opiates: 2.6% Other sources: 11.2% County social

Other drugs: 0.9% service agency: 44.0% Other community resources: 6.0%

AA: 1.7% Tribal: 0.0%

Outcomes

Discharge Status (N = 116)

Completed program: 31.9%

Patient left without staff approval: 37.9% Staff requested/judged inappropriate: 12.9%

Death/other: 17.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Correctional Transition Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 107)	36.4%	68.2%
Not employed/student ^{‡‡} (N = 100)	86.0%	90.0%
Arrests past 30 days (N = 105)	29.5%	10.5%
Alcohol use past 30 days (N = 108)	31.5%	21.3%
Drug use past 30 days (N = 108)	39.8%	30.6%
No self-help group participation past 30 days $(N = 69)$	68.1%	27.5%
No family support for recovery past 30 days $(N = 90)$	27.8%	2.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 1.2%	<u>Discharge</u> 1.2%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and	1.2%	1.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and Complications (N = 85) Emotional/Behavioral/	1.2% 23.5%	1.2% 5.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and Complications (N = 85) Emotional/Behavioral/ Cognitive Problem (N = 85)	1.2% 23.5% 71.8%	1.2% 5.9% 41.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Corrections Recovery Services

2116 South East Campus Drive Rochester, MN 55904

Provider Website:

Patient Profile

 Gender (N = 77)
 Race (N = 77)

 Male: 89.6%
 White: 81.8%

 Female: 10.4%
 Black: 11.7%

American Indian: 1.3% 26 to 34: 33.8% Hispanic: 2.6% 35 and older: 32.5%

County: Olmsted

Age (N = 77)

Under 18: 0.0%

18 to 25: 33.8%

Source of Referral

Self/family/relative/ friends: 13.0%

Employer/school: 0.0%

Criminal justice: 84.4%

Professional: 10.4%

(N = 77) .

Asian/Pacific Islander: 1.3%

Other: 1.3%

Primary Substance Source of Income

(N = 74) Alcohol: 67.6% (N = 77) Job: 72.7%

Methamphetamine: 13.5% Retirement/savings: 0.0% Marijuana: 6.8% Family/friends: 6.5% No income: 6.5% Cocaine: 10.8% Public sources: 5.2%

Other opiates: 1.4% Other sources: 9.1% County social service agency: 3.9% Other community

resources: 6.5% AA: 1.3%

Tribal: 0.0%

Outcomes

Discharge Status

(N = 77)

Completed program: 87.0%

Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 0.0%

Death/other: 3.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Corrections Recovery Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 72)	0.0%	0.0%
Not employed/student ‡ (N = 69)	37.7%	33.3%
Arrests past 30 days (N = 77)	13.0%	7.8%
Alcohol use past 30 days (N = 76)	9.2%	9.2%
Drug use past 30 days (N = 77)	2.6%	3.9%
No self-help group participation past 30 days $(N = 69)$	56.5%	56.5%
No family support for recovery past 30 days $(N = 63)$	25.4%	28.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.3%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 77) Biomedical Conditions and	1.3%	1.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 77) Biomedical Conditions and Complications (N = 77) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 77) Biomedical Conditions and Complications (N = 77) Emotional/Behavioral/ Cognitive Problem (N = 77)	1.3% 0.0% 29.9%	1.3% 0.0% 14.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Counseling Clinic La Crescent

33 South Walnut Street La Crescent, MN 55947

Provider Website:

Patient Profile

 Gender (N = 63)
 Race (N = 63)

 Male: 69.8%
 White: 95.2%

 Female: 30.2%
 Black: 3.2%

American Indian: 0.0% Hispanic: 1.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 63) Alcohol: 77.8%

Methamphetamine: 0.0% Marijuana: 9.5% Heroin: 0.0%

Cocaine: 4.8% Other opiates: 4.8% Other drugs: 3.2% Source of Income (N = 63)

Job: 69.8%

Retirement/savings: 1.6% Family/friends: 11.1% No income: 0.0% Public sources: 15.9% Other sources: 1.6% $\underline{Age (N = 63)}$

County: Houston

Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 17.5%

35 and older: 49.2%

Source of Referral

(N = 63) .

Self/family/relative/ friends: 23.8% Employer/school: 4.8% Criminal justice: 60.3% Professional: 6.4%

County social

service agency: 38.1%

Other community resources: 1.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 63)

Completed program: 60.3%

Patient left without staff approval: 34.9% Staff requested/judged inappropriate: 3.2%

Death/other: 1.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Counseling Clinic La Crescent

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 44)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 44)	38.6%	29.5%
Arrests past 30 days (N = 62)	12.9%	1.6%
Alcohol use past 30 days (N = 62)	35.5%	0.0%
Drug use past 30 days (N = 62)	21.0%	0.0%
No self-help group participation past 30 days $(N = 42)$	78.6%	28.6%
No family support for recovery past 30 days $(N = 42)$	4.8%	2.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =62) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/ Cognitive Problem (N = 62)	0.0% 0.0% 1.6%	0.0% 3.2% 4.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Counseling Resources

419 9th Street Worthington, MN 56187

Provider Website:

Patient Profile

 Gender (N = 11)
 Race (N = 11)

 Male: 63.6%
 White: 81.8%

 Female: 36.4%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 0.0% Hispanic: 18.2% 35 and older: 63.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 11)
Alcohol: 100.0%
Methamphetamine: 0.0%

Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income

 $\frac{(N = 11)}{\text{Job: } 63.6\%}$

Retirement/savings: 9.1% Family/friends: 9.1% No income: 0.0% Public sources: 9.1% Other sources: 9.1%

Age (N = 11)

Under 18: 0.0%

18 to 25: 36.4%

County: Nobles

Source of Referral

(N = 11) .

Self/family/relative/ friends: 18.2% Employer/school: 0.0% Criminal justice: 81.8% Professional: 0.0%

County social

service agency: 9.1% Other community resources: 9.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 11)

Completed program: 90.9%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0%

Death/other: 9.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Counseling Resources

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 11)	0.0%	0.0%
Not employed/student ‡ (N = 10)	10.0%	20.0%
Arrests past 30 days (N = 11)	0.0%	0.0%
Alcohol use past 30 days ($N = 11$)	18.2%	0.0%
Drug use past 30 days (N = 11)	9.1%	9.1%
No self-help group participation past 30 days (N = 11)	81.8%	54.5%
No family support for recovery past 30 days ($N = 10$)	30.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> [§]	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 11) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =11) Biomedical Conditions and Complications (N = 11) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 11) Biomedical Conditions and Complications (N = 11) Emotional/Behavioral/ Cognitive Problem (N = 11)	0.0% 0.0% 18.2%	0.0% 0.0% 9.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Courage Center-Vinland National Center

3915 Golden Valley Road Golden Valley, MN 55422

Provider Website:

Patient Profile

 Gender (N = 84)
 Race (N = 84)

 Male: 69.0%
 White: 57.1%

 Female: 31.0%
 Black: 39.3%

American Indian: 3.6% 26 to 34: 15.5% Hispanic: 0.0% 35 and older: 70.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 84) Alcohol: 54.8% (N = 84) Job: 3.6%

Methamphetamine: 3.6% Retirement/savings: 2.4% Marijuana: 19.0% Family/friends: 11.9% No income: 3.6% Cocaine: 15.5% Public sources: 77.4%

Other opiates: 2.4% Other sources: 1.2%

Source of Referral

County: Hennepin

Age (N = 84)

Under 18: 0.0%

18 to 25: 14.3%

__(N = 84) __.
Self/family/relative/
friends: 33.3%
Employer/school: 1.2%
Criminal justice: 34.5%
Professional: 58.3%

County social

service agency: 22.6%

Other community resources: 6.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 2.4%

(N = 84)

Completed program: 57.1%

Patient left without staff approval: 20.2% Staff requested/judged inappropriate: 8.3%

Death/other: 14.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Courage Center-Vinland National Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 83)	4.8%	2.4%
Not employed/student ^{‡‡} (N = 81)	84.0%	65.4%
Arrests past 30 days (N = 82)	9.8%	9.8%
Alcohol use past 30 days (N = 83)	42.2%	8.4%
Drug use past 30 days (N = 83)	32.5%	12.0%
No self-help group participation past 30 days $(N = 79)$	57.0%	38.0%
No family support for recovery past 30 days $(N = 79)$	26.6%	26.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 8.3%	<u>Discharge</u> 14.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =84) Biomedical Conditions and	8.3%	14.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =84) Biomedical Conditions and Complications (N = 84) Emotional/Behavioral/	8.3% 40.5%	14.3% 19.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 84) Biomedical Conditions and Complications (N = 84) Emotional/Behavioral/ Cognitive Problem (N = 84)	8.3% 40.5% 97.6%	14.3% 19.0% 47.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CRC Wisconsin RD LLC

615 Old Mill Road Hudson, WI 54016

Provider Website:

Patient Profile

 Gender (N = 393)
 Race (N = 393)

 Male: 71.5%
 White: 77.1%

 Female: 28.5%
 Black: 13.2%

American Indian: 2.0% 26 to 34: 24.7% Hispanic: 2.8% 35 and older: 53.4%

Asian/Pacific Islander: 0.5%

Other: 4.3%

Primary Substance Source of Income

(N = 392) Alcohol: 59.7% (N = 393) Job: 18.6%

Methamphetamine: 5.4% Retirement/savings: 3.6% Marijuana: 14.0% Family/friends: 14.8% No income: 17.3% Cocaine: 14.0% Public sources: 38.9%

Other opiates: 1.0%
Other sources: 6.9%
Other drugs: 3.8%

(N = 393) Self/family/relative/ friends: 54.7%

Source of Referral

Employer/school: 0.5% Criminal justice: 21.9% Professional: 53.4%

County social

County: Wisconsin

Age (N = 393)

Under 18: 0.0%

18 to 25: 21.9%

service agency: 34.1%

Other community resources: 21.6%

AA: 1.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 393)

Completed program: 75.1%

Patient left without staff approval: 12.7% Staff requested/judged inappropriate: 10.9%

Death/other: 1.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

CRC Wisconsin RD LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 384)	24.2%	8.3%
Not employed/student ^{‡‡} (N = 342)	82.2%	85.7%
Arrests past 30 days (N = 391)	11.8%	3.3%
Alcohol use past 30 days (N = 391)	79.8%	5.6%
Drug use past 30 days (N = 391)	53.7%	5.1%
No self-help group participation past 30 days (N = 377)	55.4%	14.3%
No family support for recovery past 30 days ($N = 372$)	18.0%	11.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =391)	7.4%	1.3%
Biomedical Conditions and Complications ($N = 390$)	28.2%	15.9%
	28.2% 97.7%	15.9% 68.7%
Complications (N = 390) Emotional/Behavioral/		
Complications (N = 390) Emotional/Behavioral/ Cognitive Problem (N = 390)	97.7%	68.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CREATE

1911 Pleasant Avenue South Minneapolis, MN 55403

Provider Website:

Patient Profile

 Gender (N = 229)
 Race (N = 229)

 Male: 75.1%
 White: 61.1%

 Female: 24.9%
 Black: 25.3%

American Indian: 3.9% 26 to 34: 32.8% Hispanic: 3.1% 35 and older: 40.2%

Asian/Pacific Islander: 2.6%

Other: 3.9%

Primary Substance Source of Income (N = 229) (N = 229)

Alcohol: 78.2% Job: 58.5%

Methamphetamine: 3.1% Retirement/savings: 2.

Marijuana: 10.5% Family/friends: 10.5%

Heroin: 0.4% No income: 7.0%

Cocaine: 6.6% Public sources: 10.0%

Other opiates: 0.4% Other sources: 11.4%

Job: 58.5%

Retirement/savings: 2.6%
Family/friends: 10.5%
No income: 7.0%
Public sources: 10.0%
Other sources: 11.4%

Self/family/relative/
friends: 38.4%
Employer/school: 4.4%
Criminal justice: 79.0%
Professional: 13.5%
County social
service agency: 19.2%

Other community resources: 9.2%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Age (N = 229)

Under 18: 0.4%

18 to 25: 26.6%

Source of Referral

(N = 229) .

Outcomes

Discharge Status (N = 229)

Other drugs: 0.9%

Completed program: 69.9%

Patient left without staff approval: 17.5% Staff requested/judged inappropriate: 3.9%

Death/other: 8.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

CREATE

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 225)	1.8%	0.9%
Not employed/student ^{‡‡} (N = 195)	37.4%	29.7%
Arrests past 30 days (N = 229)	11.4%	2.2%
Alcohol use past 30 days (N = 229)	34.1%	9.6%
Drug use past 30 days (N = 229)	15.3%	6.1%
No self-help group participation past 30 days ($N = 182$)	79.1%	75.8%
No family support for recovery past 30 days $(N = 170)$	9.4%	22.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 1.0%	<u>Discharge</u> 2.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 210) Biomedical Conditions and	1.0%	2.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 210) Biomedical Conditions and Complications (N = 210) Emotional/Behavioral/	1.0% 3.3%	2.9% 4.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 210) Biomedical Conditions and Complications (N = 210) Emotional/Behavioral/ Cognitive Problem (N = 208)	1.0% 3.3% 46.2%	2.9% 4.8% 25.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CREATE-South

15025 Glazier Avenue Apple Valley, MN 55124

Provider Website: www.chemicalhealth.org

Patient Profile

 Gender (N = 98)
 Race (N = 98)

 Male: 71.4%
 White: 86.7%

 Female: 28.6%
 Black: 7.1%

American Indian: 1.0% 26 to 34: 25.5% Hispanic: 3.1% 35 and older: 37.8%

Asian/Pacific Islander: 1.0%

Other: 1.0%

Primary Substance Source of Income

(N = 98) Alcohol: 81.6% (N = 98) Job: 70.4%

Methamphetamine: 5.1% Retirement/savings: 2.0% Marijuana: 11.2% Family/friends: 18.4% Heroin: 0.0% No income: 3.1% Cocaine: 1.0% Public sources: 2.0%

Other opiates: 1.0%

Other sources: 4.1%

Source of Referral (N = 98).

County: Dakota

Age (N = 98)

Under 18: 2.0%

18 to 25: 34.7%

Self/family/relative/ friends: 44.9% Employer/school: 1.0% Criminal justice: 77.6% Professional: 12.2%

County social

service agency: 49.0%

Other community resources: 4.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 98)

Completed program: 89.8%

Patient left without staff approval: 3.1% Staff requested/judged inappropriate: 3.1%

Death/other: 4.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

CREATE-South

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 98)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 95)	24.2%	15.8%
Arrests past 30 days (N = 98)	3.1%	4.1%
Alcohol use past 30 days (N = 98)	30.6%	9.2%
Drug use past 30 days (N = 98)	13.3%	3.1%
No self-help group participation past 30 days ($N = 92$)	78.3%	47.8%
No family support for recovery past 30 days ($N = 85$)	7.1%	10.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.0%	<u>Discharge</u> 2.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 96) Biomedical Conditions and	1.0%	2.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 96) Biomedical Conditions and Complications (N = 97) Emotional/Behavioral/	1.0% 8.3%	2.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 96) Biomedical Conditions and Complications (N = 97) Emotional/Behavioral/ Cognitive Problem (N = 97)	1.0% 8.3% 62.9%	2.1% 2.1% 10.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota County Jail Treatment Program

1580 Highway 55 West Hastings, MN 55033

Provider Website:

Patient Profile

 Gender (N = 23)
 Race (N = 23)

 Male: 100.0%
 White: 60.9%

 Female: 0.0%
 Black: 30.4%

American Indian: 0.0% 26 to 34: 13.0% Hispanic: 8.7% 35 and older: 43.5%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 23) (N = 23) Alcohol: 52.2% Job: 4.4%

Methamphetamine: 21.7% Retirement/savings: 4.4% Marijuana: 8.7% Family/friends: 13.0% Heroin: 0.0% No income: 65.2% Cocaine: 4.4% Public sources: 0.0%

Cocaine: 4.4% Public sources: 0.0% Other opiates: 0.0% Other drugs: 13.0%

Source of Referral

County: Dakota

Age (N = 23)

Under 18: 0.0%

18 to 25: 43.5%

__(N = 23) __.
Self/family/relative/
friends: 13.0%
Employer/school: 0.0%
Criminal justice: 87.0%
Professional: 0.0%
County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 23)

Completed program: 26.1%

Patient left without staff approval: 13.0% Staff requested/judged inappropriate: 13.0%

Death/other: 47.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Dakota County Jail Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 23)	91.3%	73.9%
Not employed/student ‡ (N = 22)	100.0%	86.4%
Arrests past 30 days (N = 21)	19.0%	9.5%
Alcohol use past 30 days ($N = 23$)	0.0%	8.7%
Drug use past 30 days (N = 23)	0.0%	8.7%
No self-help group participation past 30 days (N = 23)	26.1%	13.0%
No family support for recovery past 30 days $(N = 22)$	22.7%	13.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 23) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 23) Emotional/Behavioral/ Cognitive Problem (N = 23)	0.0% 0.0% 60.9%	0.0% 4.4% 47.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota County Receiving Center, Inc.

1294 East 18th Street Hasting, MN 55033

Provider Website: www.detoxone.org

Patient Profile

Gender (N = 359) Race (N = 359)White: 79.4% Male: 83.3% Female: 16.7% Black: 6.1%

18 to 25: 33.1% American Indian: 6.7% 26 to 34: 25.9% Hispanic: 4.5% 35 and older: 40.9%

Asian/Pacific Islander: 0.8%

Other: 2.5%

Primary Substance Source of Income

(N = 351)(N = 359)Alcohol: 46.4% Job: 15.9%

Methamphetamine: 12.8% Marijuana: 20.2% Family/friends: 6.4% Heroin: 3.7% No income: 21.4% Cocaine: 9.1%

Other opiates: 4.3% Other sources: 14.2%

(N = 359) . Self/family/relative/ friends: 59.3% Retirement/savings: 3.6%

Employer/school: 0.6% Criminal justice: 48.2% Public sources: 38.4% Professional: 42.9%

County social

County: Dakota

Age (N = 359)

Under 18: 0.0%

Source of Referral

service agency: 27.3%

Other community resources: 3.6%

AA: 0.3% Tribal: 0.8%

Outcomes

Discharge Status (N = 359)

Other drugs: 3.4%

Completed program: 56.5%

Patient left without staff approval: 18.9% Staff requested/judged inappropriate: 13.6%

Death/other: 10.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Chemical Dependency Provider Outcome Measures in Calendar Year $\mathbf{2008}^{\dagger}$

Dakota County Receiving Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 345)	19.4%	25.2%
Not employed/student ^{‡‡} (N = 330)	86.4%	73.9%
Arrests past 30 days (N = 315)	12.1%	7.3%
Alcohol use past 30 days (N = 323)	27.9%	16.1%
Drug use past 30 days (N = 321)	18.1%	13.1%
No self-help group participation past 30 days ($N = 348$)	13.5%	1.7%
No family support for recovery past 30 days (N = 287)	9.8%	8.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.1%	<u>Discharge</u> 11.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 351) Biomedical Conditions and	1.1%	11.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 351) Biomedical Conditions and Complications (N = 353) Emotional/Behavioral/	1.1% 18.1%	11.1% 8.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 351) Biomedical Conditions and Complications (N = 353) Emotional/Behavioral/ Cognitive Problem (N = 353)	1.1% 18.1% 73.7%	11.1% 8.8% 45.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota Treatment Center

11939 West River Hills Drive Burnsville, MN 55337

Provider Website: www.methadonetreatment.com

Patient Profile

 Gender (N = 105)
 Race (N = 105)
 Age (N = 105)

 Male: 56.2%
 White: 89.5%
 Under 18: 0.0%

 Female: 43.8%
 Black: 2.9%
 18 to 25: 17.1%

American Indian: 1.9% 26 to 34: 36.2%

Hispanic: 1.0% 35 and older: 46.7%

County: Dakota

Asian/Pacific Islander: 0.0%

Other: 4.8%

Primary Substance Source of Income Source of Referral

(N = 104) (N = 105) (N = 105) . Self/family/relative/

Methamphetamine: 0.0% Retirement/savings: 1.9% friends: 98.1%

Marijuana: 0.0% Family/friends: 22.9% Employer/school: 1.0%

Heroin: 38.5% No income: 0.0% Criminal justice: 1.9%

Consider 0.0% Public on 10.5%

Cocaine: 0.0% Public sources: 10.5% Professional: 10.5% Other opiates: 61.5% Other sources: 14.3% County social

Other drugs: 0.0%

Service agency: 0.0%

Other community

resources: 18.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 105)

Completed program: 2.9%

Patient left without staff approval: 53.3% Staff requested/judged inappropriate: 0.0%

Death/other: 43.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Dakota Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 91)	9.9%	8.8%
Not employed/student ^{‡‡} (N = 86)	41.9%	46.5%
Arrests past 30 days (N = 93)	4.3%	5.4%
Alcohol use past 30 days (N = 102)	32.4%	14.7%
Drug use past 30 days (N = 102)	87.3%	47.1%
No self-help group participation past 30 days $(N = 67)$	83.6%	68.7%
No family support for recovery past 30 days $(N = 72)$	33.3%	27.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 56.7%	<u>Discharge</u> 36.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 97) Biomedical Conditions and	56.7%	36.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 97) Biomedical Conditions and Complications (N = 97) Emotional/Behavioral/	56.7% 15.5%	36.1% 15.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 97) Biomedical Conditions and Complications (N = 97) Emotional/Behavioral/ Cognitive Problem (N = 97)	56.7% 15.5% 48.5%	36.1% 15.5% 44.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

701 South Dellwood Avenue Cambridge, MN 55008

Provider Website: www.allina.com

Patient Profile

Gender (N = 670)Race (N = 670)Age (N = 670)Male: 67.5%White: 91.8%Under 18: 17.2%Female: 32.5%Black: 2.2%18 to 25: 22.1%

American Indian: 1.6% 26 to 34: 20.7% Hispanic: 2.5% 35 and older: 40.0%

Asian/Pacific Islander: 0.3%

Other: 1.5%

Primary Substance Source of Income

(N = 668) Alcohol: 52.4% (N = 670) Job: 41.6%

Methamphetamine: 11.2% Retirement/savings: 2.1% Family/friends: 31.3% No income: 9.9% Cocaine: 3.3% Public sources: 6.6%

Other opiates: 5.8% Other sources: 8.5%

(N = 670) .
Self/family/relative/
friends: 65.1%
Employer/school: 3.9%

Source of Referral

Employer/school: 3.9% Criminal justice: 46.3% Professional: 20.4%

County social

County: Isanti

service agency: 12.4%

Other community resources: 11.3%

AA: 0.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 670)

Other drugs: 1.8%

Completed program: 71.2%

Patient left without staff approval: 11.0% Staff requested/judged inappropriate: 9.4%

Death/other: 8.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Dellwood Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 664)	5.7%	3.8%
Not employed/student ^{‡‡} (N = 645)	42.9%	40.8%
Arrests past 30 days (N = 668)	12.1%	4.6%
Alcohol use past 30 days (N = 668)	54.3%	25.0%
Drug use past 30 days (N = 668)	43.4%	21.3%
No self-help group participation past 30 days ($N = 631$)	59.4%	14.1%
No family support for recovery past 30 days (N = 623)	15.7%	10.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 13.5%	Discharge 3.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =631) Biomedical Conditions and	13.5%	3.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =631) Biomedical Conditions and Complications (N = 636) Emotional/Behavioral/	13.5% 22.0%	3.0% 10.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =631) Biomedical Conditions and Complications (N = 636) Emotional/Behavioral/ Cognitive Problem (N = 635)	13.5% 22.0% 83.3%	3.0% 10.5% 62.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dimensions in Recovery Maple Lake Recovery Center, Inc.

33 Birch Ave

County: Wright Maple Lake, MN 55358

Provider Website:

Patient Profile

Gender $(N = 1)$	<u>Race (N = 1)</u>	<u>Age (N = 1)</u>
Male: *	White: *	Under 18: *
Female: *	Black: *	18 to 25: *
	American Indian: *	26 to 34: *
	Hispanic: *	35 and older: *
	Asian/Pacific Islander: *	
	Other: *	

Primary Substance	Source of Income	Source of Referral
(N = 1)	(N = 1)	(N = 1)
Alcohol: *	Job: *	Self/family/relative/
Methamphetamine: *	Retirement/savings: *	friends: *
Marijuana: *	Family/friends: *	Employer/school: *
Heroin: *	No income: *	Criminal justice: *
Cocaine: *	Public sources: *	Professional: *
Other opiates: *	Other sources: *	County social
Other drugs: *		service agency: *
		Other community
		resources: *
		AA: *

Tribal: *

Outcomes

Discharge Status

(N = 1)

Completed program: *

Patient left without staff approval: *

Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Dimensions in Recovery Maple Lake Recovery Center, Inc.

<u>Admission</u>	<u>Discharge</u>
*	*
*	*
*	*
*	*
*	*
*	*
*	*
<u>Admission</u>	<u>Discharge</u>
*	*
*	*
*	*
*	*
	* * * * * * * * * * Admission

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Douglas Place, Inc.

1111 Gateway Drive NE East Grand Forks, MN 56721

Provider Website:

Patient Profile

 Gender (N = 261)
 Race (N = 261)

 Male: 83.5%
 White: 60.5%

 Female: 16.5%
 Black: 2.3%

American Indian: 32.2% 26 to 34: 22.6% Hispanic: 4.2% 35 and older: 51.7%

County: Polk

Age (N = 261)

Under 18: 0.0%

18 to 25: 25.7%

Asian/Pacific Islander: 0.8%

Other: 0.0%

Primary Substance Source of Income

(N = 261) (N = 261) Alcohol: 81.2% Job: 9.2%

Methamphetamine: 5.4% Retirement/savings: 0.8% Marijuana: 5.8% Family/friends: 3.8% No income: 69.7% Cocaine: 3.5% Public sources: 15.3%

Other opiates: 2.7% Other sources: 1.2%

(N = 261) .
Self/family/relative/
friends: 46.0%
Employer/school: 0.0%

Source of Referral

Employer/school: 0.0% Criminal justice: 31.4% Professional: 33.0%

County social

service agency: 73.2%

Other community resources: 1.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 261)

Other drugs: 0.0%

Completed program: 33.3%

Patient left without staff approval: 29.9% Staff requested/judged inappropriate: 27.6%

Death/other: 9.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Douglas Place, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 261)	16.1%	0.0%
Not employed/student ^{‡‡} (N = 249)	95.2%	63.1%
Arrests past 30 days (N = 261)	8.4%	10.0%
Alcohol use past 30 days (N = 261)	24.9%	29.1%
Drug use past 30 days (N = 261)	10.3%	4.6%
No self-help group participation past 30 days ($N = 261$)	70.9%	29.5%
No family support for recovery past 30 days ($N = 259$)	18.9%	0.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 6.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 261) Biomedical Conditions and	0.0%	6.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 261) Biomedical Conditions and Complications (N = 261) Emotional/Behavioral/	0.0% 21.8%	6.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 261) Biomedical Conditions and Complications (N = 261) Emotional/Behavioral/ Cognitive Problem (N = 261)	0.0% 21.8% 69.7%	6.1% 18.4% 55.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Counseling

1202 23rd Street South Fargo, ND 58103

Provider Website:

Patient Profile

 Gender (N = 22)
 Race (N = 22)

 Male: 68.2%
 White: 50.0%

 Female: 31.8%
 Black: 0.0%

American Indian: 27.3% 26 to 34: 4.6% Hispanic: 13.6% 35 and older: 4.6%

Asian/Pacific Islander: 0.0%

Other: 9.1%

Primary Substance Source of Income

(N = 22) (N = 22) Alcohol: 54.5% Job: 4.6%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 86.4% No income: 0.0% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 0.0% Other sources: 9.1%

Source of Referral

County: North Dakota

Age (N = 22)

Under 18: 77.3%

18 to 25: 13.6%

(N = 22) . Self/family/relative/ friends: 9.1%

Employer/school: 4.6% Criminal justice: 86.4% Professional: 13.6%

County social

service agency: 68.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 22)

Completed program: 63.6%

Patient left without staff approval: 13.6% Staff requested/judged inappropriate: 0.0%

Death/other: 22.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Drake Counseling

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 22)	0.0%	0.0%
Not employed/student ‡ (N = 19)	15.8%	5.3%
Arrests past 30 days (N = 22)	18.2%	4.6%
Alcohol use past 30 days ($N = 22$)	36.4%	9.1%
Drug use past 30 days (N = 22)	31.8%	0.0%
No self-help group participation past 30 days ($N = 22$)	95.5%	27.3%
No family support for recovery past 30 days $(N = 22)$	81.8%	36.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/ Cognitive Problem (N = 22)	0.0% 0.0% 72.7%	0.0% 0.0% 59.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Counseling Services

1451 44th Ave. South Grand Forks, ND 58201

Provider Website:

Patient Profile

 Gender (N = 2)
 Race (N = 2)
 Age (N = 2)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income (N = 2) (N = 2)

Alcohol: * Job: *

Methamphetamine: * Retirement/savings: *

Marijuana: * Family/friends: *

Heroin: * No income: *

Cocaine: * Public sources: * Other sources: * Other drugs: *

Source of Referral

County: North Dakota

(N = 2) .
Self/family/relative/
friends: *
Employer/school: *

Employer/school: *
Criminal justice: *
Professional: *
County social
service agency: *
Other community

resources: *
AA: *
Tribal: *

Outcomes

Discharge Status

(N = 2)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Drake Counseling Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 2)	*	*
Not employed/student ^{‡‡} (N = 2)	*	*
Arrests past 30 days (N = 2)	*	*
Alcohol use past 30 days $(N = 2)$	*	*
Drug use past 30 days $(N = 2)$	*	*
No self-help group participation past 30 days $(N = 2)$	*	*
No family support for recovery past 30 days $(N = 2)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 2)	*	*
Biomedical Conditions and Complications $(N = 2)$	*	*
Emotional/Behavioral/ Cognitive Problem (N = 2)	*	*
Resistance to Change $(N = 2)$	*	*
Relapse/Continued Use Potential (N = 2)	*	*

Unsupportive Recovery Environment (N = 2)

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Counseling Services, Inc.

115 Willow Street West Detroit Lakes, MN 56501

Provider Website:

Patient Profile

 Gender (N = 45)
 Race (N = 45)

 Male: 57.8%
 White: 75.6%

 Female: 42.2%
 Black: 0.0%

American Indian: 13.3% 26 to 34: 26.7% Hispanic: 8.9% 35 and older: 37.8%

Asian/Pacific Islander: 0.0%

Other: 2.2%

Primary Substance

(N = 45) Alcohol: 68.9%

Methamphetamine: 4.4% Marijuana: 22.2% Heroin: 0.0%

Cocaine: 4.4% Other opiates: 0.0% Other drugs: 0.0% Source of Income

(N = 45)Job: 44.4%

Retirement/savings: 2.2% Family/friends: 26.7%

No income: 0.0% Public sources: 22.2% Other sources: 4.4%

Age (N = 45)

Under 18: 11.1%

18 to 25: 24.4%

County: Becker

Source of Referral (N = 45).

Self/family/relative/ friends: 22.2%

Employer/school: 8.9% Criminal justice: 51.1% Professional: 17.8%

County social

service agency: 46.7%

Other community resources: 4.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 45)

Completed program: 42.2%

Patient left without staff approval: 17.8% Staff requested/judged inappropriate: 0.0%

Death/other: 40.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Drake Counseling Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 43)	0.0%	0.0%
Not employed/student ‡ (N = 44)	36.4%	20.5%
Arrests past 30 days (N = 35)	2.9%	2.9%
Alcohol use past 30 days (N = 45)	48.9%	22.2%
Drug use past 30 days (N = 45)	33.3%	8.9%
No self-help group participation past 30 days ($N = 45$)	68.9%	60.0%
No family support for recovery past 30 days ($N = 44$)	9.1%	15.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 45) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 45) Biomedical Conditions and Complications (N = 45) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 45) Biomedical Conditions and Complications (N = 45) Emotional/Behavioral/ Cognitive Problem (N = 45)	0.0% 11.1% 55.6%	0.0% 13.3% 48.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Residential Treatment Center

28579 Hwy 10 E.

Detroit Lakes, MN 56501 County: Becker

Provider Website:

Patient Profile

Gender (N = 17)Race (N = 17)Age (N = 17)Male: 35.3%White: 76.5%Under 18: 82.4%Female: 64.7%Black: 0.0%18 to 25: 17.6%

American Indian: 23.5% 26 to 34: 0.0%

Hispanic: 0.0% 35 and older: 0.0%

Source of Referral

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 0.0% Retirement/savings: 0.0% friends: 35.3% Marijuana: 76.5% Family/friends: 88.2% Employer/school: 23.5% Heroin: 0.0% No income: 0.0% Criminal justice: 47.1% Public sources: 0.0% Professional: 29.4%

Other opiates: 5.9% Other sources: 0.0% County social

Other drugs: 0.0% service agency: 47.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 17)

Completed program: 76.5%

Patient left without staff approval: 23.5% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Drake Residential Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 17)	0.0%	0.0%
Not employed/student ‡ (N = 17)	0.0%	5.9%
Arrests past 30 days (N = 17)	0.0%	0.0%
Alcohol use past 30 days (N = 17)	35.3%	11.8%
Drug use past 30 days (N = 17)	52.9%	17.6%
No self-help group participation past 30 days ($N = 17$)	82.4%	58.8%
No family support for recovery past 30 days ($N = 17$)	5.9%	5.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 17) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 17) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 17) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/ Cognitive Problem (N = 17)	0.0% 17.6% 94.1%	0.0% 11.8% 82.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drifens

3716 Mayowood Road SW Rochester, MN 55902

Provider Website:

Patient Profile

Gender (N = 2)Race (N = 2)Age (N = 2)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: *

Other: *

Source of Referral **Primary Substance** Source of Income

(N = 2)(N = 2)(N = 2). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: *

Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

Other drugs: * service agency: * Other community resources: *

AA: * Tribal: *

County: Olmsted

Outcomes

Discharge Status

(N = 2)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Drifens

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 2)	*	*
Not employed/student 11 (N = 2)	*	*
Arrests past 30 days (N = 2)	*	*
Alcohol use past 30 days (N = 2)	*	*
Drug use past 30 days (N = 2)	*	*
No self-help group participation past 30 days $(N = 2)$	*	*
No family support for recovery past 30 days $(N = 2)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/ Cognitive Problem (N = 2)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Effective Living Center, Inc.

821 West St. Germain St. Cloud, MN 56301

Provider Website:

Patient Profile

 Gender (N = 287)
 Race (N = 287)

 Male: 69.3%
 White: 84.7%

 Female: 30.7%
 Black: 10.5%

American Indian: 1.4% 26 to 34: 22.3% Hispanic: 2.8% 35 and older: 41.8%

County: Stearns

Age (N = 287)

Under 18: 2.4%

18 to 25: 33.4%

Asian/Pacific Islander: 0.0%

Other: 0.7%

Primary Substance Source of Income

(N = 287) Alcohol: 63.1% (N = 287) Job: 56.1%

Methamphetamine: 11.1% Retirement/savings: 0.7% Marijuana: 21.3% Family/friends: 10.1% No income: 12.5% Cocaine: 2.4% Public sources: 13.2%

Other opiates: 1.7% Other sources: 7.3%

(N = 287) .
Self/family/relative/
friends: 63.4%

Source of Referral

Employer/school: 3.1% Criminal justice: 70.7% Professional: 0.7%

service agency: 9.8% Other community resources: 5.6%

AA: 0.0% Tribal: 0.0%

County social

Outcomes

Discharge Status (N = 287)

Other drugs: 0.3%

Completed program: 44.9%

Patient left without staff approval: 28.9% Staff requested/judged inappropriate: 11.8%

Death/other: 14.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Effective Living Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 284)	0.0%	0.7%
Not employed/student ^{‡‡} (N = 248)	39.1%	31.9%
Arrests past 30 days (N = 284)	6.7%	9.2%
Alcohol use past 30 days (N = 286)	35.3%	17.8%
Drug use past 30 days (N = 286)	24.8%	16.8%
No self-help group participation past 30 days ($N = 214$)	79.0%	45.8%
No family support for recovery past 30 days (N = 204)	13.7%	21.6%
Barriers to Recovery		
Dimensions of Chemical Health	<u>Admission</u>	<u>Discharge</u>
	Admission 1.7%	<u>Discharge</u> 0.7%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 287) Biomedical Conditions and	1.7%	0.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 287) Biomedical Conditions and Complications (N = 286) Emotional/Behavioral/	1.7% 6.3%	0.7% 5.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 287) Biomedical Conditions and Complications (N = 286) Emotional/Behavioral/ Cognitive Problem (N = 287)	1.7% 6.3% 32.1%	0.7% 5.9% 29.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Effective Living Center, Inc.

103 6th Street NE Little Falls, MN 56345

Provider Website:

Patient Profile

 Gender (N = 72)
 Race (N = 72)

 Male: 80.6%
 White: 95.8%

 Female: 19.4%
 Black: 1.4%

American Indian: 0.0% 26 to 34: 20.8% Hispanic: 1.4% 35 and older: 37.5%

Asian/Pacific Islander: 0.0%

Other: 1.4%

Primary Substance

(N = 72)Alcohol: 62.5%

Methamphetamine: 9.7% Marijuana: 26.4%

Heroin: 0.0% Cocaine: 1.4% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 72)Job: 52.8%

Retirement/savings: 4.2% Family/friends: 20.8% No income: 2.8%

Public sources: 12.5% Other sources: 6.9% Source of Referral

(N = 72) .

County: Morrison

Age (N = 72)

Under 18: 8.3%

18 to 25: 33.3%

Self/family/relative/ friends: 25.0% Employer/school: 2.8% Criminal justice: 81.9% Professional: 5.6%

County social

service agency: 18.1%

Other community resources: 4.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 72)

Completed program: 37.5%

Patient left without staff approval: 41.7% Staff requested/judged inappropriate: 4.2%

Death/other: 16.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Effective Living Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 72)	1.4%	0.0%
Not employed/student ‡ (N = 72)	40.3%	44.4%
Arrests past 30 days (N = 72)	4.2%	2.8%
Alcohol use past 30 days $(N = 72)$	37.5%	12.5%
Drug use past 30 days (N = 72)	23.6%	18.1%
No self-help group participation past 30 days ($N = 72$)	68.1%	29.2%
No family support for recovery past 30 days $(N = 72)$	20.8%	16.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =72)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 72)$	15.3%	8.3%
Emotional/Behavioral/ Cognitive Problem $(N = 72)$	38.9%	27.8%
Resistance to Change $(N = 72)$	55.6%	52.8%
Relapse/Continued Use Potential ($N = 72$)	80.6%	58.3%
Unsupportive Recovery Environment (N = 72)	50.0%	43.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

EmPower CTC

602 11th Ave NW Rochester, MN 55901

Provider Website:

Patient Profile

 Gender (N = 163)
 Race (N = 163)

 Male: 73.6%
 White: 89.0%

 Female: 26.4%
 Black: 8.6%

American Indian: 1.2% 26 to 34: 28.8% Hispanic: 0.0% 35 and older: 35.6%

Asian/Pacific Islander: 1.2%

Other: 0.0%

Primary Substance Source of Income

(N = 162) Alcohol: 69.1% (N = 163) Job: 55.2%

Methamphetamine: 4.9% Retirement/savings: 0.6% Marijuana: 14.8% Family/friends: 14.1% No income: 2.5%

Cocaine: 8.0% Public sources: 22.7% Other opiates: 1.9% Other sources: 4.9%

Source of Referral
(N = 163)
Self/family/relative/
friends: 12.9%
Employer/school: 2.5%
Criminal justice: 72.4%
Professional: 15.3%

County social

County: Olmsted

Age (N = 163)

Under 18: 0.0%

18 to 25: 35.6%

service agency: 18.4%

Other community resources: 6.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.6%

(N = 163)

Completed program: 65.0%

Patient left without staff approval: 20.9% Staff requested/judged inappropriate: 4.3%

Death/other: 9.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

EmPower CTC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 162)	4.3%	3.1%
Not employed/student ^{‡‡} (N = 160)	47.5%	38.8%
Arrests past 30 days (N = 163)	9.2%	6.8%
Alcohol use past 30 days (N = 163)	29.4%	4.9%
Drug use past 30 days (N = 163)	19.0%	9.8%
No self-help group participation past 30 days (N = 113)	71.7%	62.8%
No family support for recovery past 30 days $(N = 70)$	11.4%	7.1%
Darriara ta Dagayary		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.6%	<u>Discharge</u> 0.6%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =162) Biomedical Conditions and	0.6%	0.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 162) Biomedical Conditions and Complications (N = 162) Emotional/Behavioral/	0.6% 5.6%	0.6% 3.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 162) Biomedical Conditions and Complications (N = 162) Emotional/Behavioral/ Cognitive Problem (N = 161)	0.6% 5.6% 35.4%	0.6% 3.7% 19.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Endeavor Place, LLC

21539 120th Street Verndale, MN 56481

Provider Website:

Patient Profile

 Gender (N = 22)
 Race (N = 22)

 Male: 100.0%
 White: 86.4%

 Female: 0.0%
 Black: 0.0%

American Indian: 9.1% 26 to 34: 0.0% Hispanic: 4.6% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 22) (I Alcohol: 22.7%

Methamphetamine: 4.6% Marijuana: 63.6% Heroin: 0.0%

Cocaine: 4.6% Other opiates: 0.0%

Other drugs: 4.6%

Source of Income

(N = 22)Job: 4.6%

> Retirement/savings: 0.0% Family/friends: 90.9% No income: 0.0%

Public sources: 0.0% Other sources: 4.6% Source of Referral

(N = 22) .

County: Wadena

Age (N = 22)

Under 18: 77.3%

18 to 25: 22.7%

Self/family/relative/ friends: 18.2% Employer/school: 0.0% Criminal justice: 72.7%

Professional: 72.7%

County social

service agency: 27.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 22)

Completed program: 63.6%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 13.6%

Death/other: 22.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Endeavor Place, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 22)	0.0%	0.0%
Not employed/student ‡ (N = 22)	0.0%	0.0%
Arrests past 30 days (N = 21)	14.3%	0.0%
Alcohol use past 30 days (N = 22)	9.1%	0.0%
Drug use past 30 days (N = 22)	18.2%	0.0%
No self-help group participation past 30 days ($N = 22$)	50.0%	0.0%
No family support for recovery past 30 days ($N = 22$)	4.6%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.6%	Discharge 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and	4.6%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/	4.6% 27.3%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/ Cognitive Problem (N = 22)	4.6% 27.3% 95.5%	0.0% 13.6% 36.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Evergreen Youth Recovery House

820 Beltrami Avenue Bemidji, MN 56601

Provider Website: www.evergreenhouse.org

Patient Profile

Race (N = 17)Gender (N = 17)Male: 100.0% White: 17.6% Female: 0.0% Black: 5.9%

> American Indian: 58.8% 26 to 34: 0.0% Hispanic: 11.8% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 5.9%

Primary Substance

(N = 17)Alcohol: 11.8%

Methamphetamine: 0.0% Marijuana: 64.7% Heroin: 0.0% Cocaine: 5.9%

Other opiates: 11.8% Other drugs: 5.9%

Source of Income

(N = 17)Job: 11.8%

> Retirement/savings: 0.0% Family/friends: 70.6% No income: 5.9% Public sources: 11.8%

Other sources: 0.0%

Source of Referral

County: Beltrami

Age (N = 17)

Under 18: 88.2%

18 to 25: 11.8%

(N = 17) . Self/family/relative/

friends: 23.5% Employer/school: 0.0% Criminal justice: 47.1% Professional: 88.2%

County social

service agency: 23.5%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 17)

Completed program: 47.1%

Patient left without staff approval: 29.4% Staff requested/judged inappropriate: 17.6%

Death/other: 5.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Evergreen Youth Recovery House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 17)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 17)	17.6%	11.8%
Arrests past 30 days (N = 17)	17.6%	5.9%
Alcohol use past 30 days (N = 17)	17.6%	5.9%
Drug use past 30 days (N = 17)	17.6%	23.5%
No self-help group participation past 30 days $(N = 17)$	29.4%	0.0%
No family support for recovery past 30 days $(N = 17)$	5.9%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =15) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 15) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/	0.0%	0.0% 5.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 15) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/ Cognitive Problem (N = 17)	0.0% 0.0% 76.5%	0.0% 5.9% 64.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Health Services Minneapolis - MICD Program

2450 Riverside Ave Minneapolis, MN 55454

Minneapolis, MN 55454 County: Hennepin

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 108)
 Race (N = 108)
 Age (N = 108)

 Male: 54.6%
 White: 79.6%
 Under 18: 0.0%

 Female: 45.4%
 Black: 13.9%
 18 to 25: 25.9%

emale: 45.4% Black: 13.9% 18 to 25: 25.9% American Indian: 3.7% 26 to 34: 25.9%

Hispanic: 1.9% 35 and older: 48.1%

Asian/Pacific Islander: 0.0%

Other: 0.9%

Primary Substance Source of Income Source of Referral

(N = 108) (N = 108) (N = 108) . Self/family/relative/

Methamphetamine: 1.9% Retirement/savings: 1.9% friends: 7.4% Marijuana: 22.2% Family/friends: 28.7% Employer/school: 0.9% Heroin: 0.9% No income: 1.9% Criminal justice: 4.6% Public sources: 48.1% Professional: 75.0%

Octaine: 9.3% Public sources: 48.1% Professional: 75.0% Other opiates: 6.5% Other sources: 3.7% County social

Other drugs: 3.7% service agency: 2.8% Other community resources: 18.5%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 108)

Completed program: 34.3%

Patient left without staff approval: 31.5% Staff requested/judged inappropriate: 18.5%

Death/other: 15.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Health Services Minneapolis - MICD Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 107)	4.7%	0.9%
Not employed/student ^{‡‡} (N = 105)	71.4%	64.8%
Arrests past 30 days (N = 108)	2.8%	2.8%
Alcohol use past 30 days (N = 104)	49.0%	26.9%
Drug use past 30 days (N = 104)	37.5%	24.0%
No self-help group participation past 30 days ($N = 105$)	65.7%	57.1%
No family support for recovery past 30 days $(N = 96)$	8.3%	5.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =106)	2.8%	10.4%
Biomedical Conditions and Complications $(N = 108)$	4.6%	5.6%
Emotional/Behavioral/ Cognitive Problem (N = 107)	42.1%	23.4%
Resistance to Change $(N = 107)$	25.2%	49.5%
Relapse/Continued Use Potential (N = 108)	98.1%	63.9%
Unsupportive Recovery Environment (N = 107)	53.3%	37.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Health Services Minneapolis Adult CD Programs

2450 Riverside Ave Minneapolis, MN 55454

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 1442)
 Race (N = 1442)
 Age (N = 1442)

 Male: 65.2%
 White: 82.4%
 Under 18: 0.0%

Female: 34.8% Black: 10.0% 18 to 25: 15.8% American Indian: 2.6% 26 to 34: 19.9%

Hispanic: 1.7% 35 and older: 64.3%

Asian/Pacific Islander: 1.2%

Other: 2.2%

Primary Substance Source of Income Source of Referral (N = 1437) (N = 1442) (N = 1442).

Alcohol: 65.8%

Job: 42.2%

Methamphetamine: 2.7%

Retirement/savings: 8.0%

friends: 82.8%

Methamphetamine: 2.7% Retirement/savings: 8.0% friends: 82.8% Marijuana: 6.5% Family/friends: 14.4% Employer/school: 0.8% Heroin: 8.4% No income: 11.3% Criminal justice: 3.8% Cocaine: 6.7% Public sources: 19.0% Professional: 38.9%

Other opiates: 8.4% Other sources: 5.2% Professional: 38.9% County social

Other drugs: 1.5% service agency: 0.8% Other community resources: 33.8%

AA: 0.1% Tribal: 0.2%

County: Hennepin

Outcomes

Discharge Status (N = 1442)

Completed program: 64.9%

Patient left without staff approval: 21.4% Staff requested/judged inappropriate: 5.1%

Death/other: 8.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Health Services Minneapolis Adult CD Programs

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 1403)	3.9%	3.1%
Not employed/student ^{‡‡} (N = 1358)	57.0%	57.1%
Arrests past 30 days (N = 1398)	9.0%	1.4%
Alcohol use past 30 days (N = 1247)	79.1%	12.3%
Drug use past 30 days (N = 1270)	53.1%	9.3%
No self-help group participation past 30 days (N = 1233)	73.9%	9.2%
No family support for recovery past 30 days ($N = 1295$)	14.6%	3.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 37.9%	<u>Discharge</u> 2.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1434) Biomedical Conditions and	37.9%	2.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1434) Biomedical Conditions and Complications (N = 1437) Emotional/Behavioral/	37.9% 17.5%	2.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1434) Biomedical Conditions and Complications (N = 1437) Emotional/Behavioral/ Cognitive Problem (N = 1435)	37.9% 17.5% 53.7%	2.4% 3.4% 33.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services - Edina Outpatient

3400 W 66th Street Edina, MN 55435

Edina, MN 55435 County: Hennepin

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 229)
 Race (N = 229)
 Age (N = 229)

 Male: 64.6%
 White: 86.0%
 Under 18: 0.0%

 Female: 35.4%
 Black: 6.6%
 18 to 25: 15.7%

Pale: 35.4% Black: 6.6% 18 to 25: 15.7% American Indian: 0.9% 26 to 34: 14.0%

Hispanic: 3.1% 35 and older: 70.3%

Asian/Pacific Islander: 1.3%

Other: 2.2%

Primary Substance Source of Income Source of Referral (N = 226) (N = 229) (N = 229) .

Methamphetamine: 0.0% Retirement/savings: 16.6% friends: 46.7% Marijuana: 4.4% Family/friends: 10.9% Employer/school: 3.1% Cocaine: 2.7% Public sources: 7.4% Professional: 39.7%

Cocaine: 2.7% Public sources: 7.4% Professional: 39.7% Other opiates: 4.0% Other sources: 5.2% County social

Other drugs: 1.3% service agency: 1.3% Other community resources: 25.8%

AA: 1.3% Tribal: 0.4%

Outcomes

Discharge Status (N = 229)

Completed program: 63.3%

Patient left without staff approval: 21.8% Staff requested/judged inappropriate: 5.7%

Death/other: 9.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services - Edina Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 219)	0.5%	0.5%
Not employed/student ^{‡‡} (N = 213)	32.9%	36.2%
Arrests past 30 days (N = 205)	14.1%	2.9%
Alcohol use past 30 days (N = 198)	52.0%	8.6%
Drug use past 30 days (N = 197)	16.8%	3.6%
No self-help group participation past 30 days ($N = 203$)	58.1%	28.6%
No family support for recovery past 30 days (N = 208)	22.6%	7.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 12.3%	<u>Discharge</u> 2.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 211) Biomedical Conditions and	12.3%	2.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 211) Biomedical Conditions and Complications (N = 212) Emotional/Behavioral/	12.3% 13.2%	2.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 211) Biomedical Conditions and Complications (N = 212) Emotional/Behavioral/ Cognitive Problem (N = 213)	12.3% 13.2% 44.1%	2.8% 6.6% 19.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Adult Outpatient Program--Crystal

2960 Winnetka Ave N Crystal, MN 55427

rystal, MN 55427 County: Hennepin

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 94)
 Race (N = 94)
 Age (N = 94)

 Male: 43.6%
 White: 87.2%
 Under 18: 1.1%

 Female: 56.4%
 Black: 7.5%
 18 to 25: 14.9%

emale: 56.4% Black: 7.5% 18 to 25: 14.9% American Indian: 1.1% 26 to 34: 22.3% Historic: 3.2% 35 and older: 61.7%

Hispanic: 3.2% 35 and older: 61.7%

Asian/Pacific Islander: 0.0%

Other: 1.1%

Primary Substance Source of Income

(N = 94) (N = 94) (N = 94) . Self/family/relative/

Methamphetamine: 1.1% Retirement/savings: 6.4% friends: 43.6% Marijuana: 7.5% Family/friends: 7.5% Employer/school: 3.2% Heroin: 0.0% No income: 1.1% Criminal justice: 34.0% Cocaine: 4.3% Public sources: 9.6% Professional: 48.9%

Cocaine: 4.3% Public sources: 9.6% Professional: 48.9% Other opiates: 3.2% Other sources: 10.6% County social

Other drugs: 0.0% service agency: 5.3% Other community resources: 28.7%

AA: 2.1% Tribal: 0.0%

Source of Referral

Outcomes

Discharge Status

(N = 94)

Completed program: 73.4%

Patient left without staff approval: 17.0% Staff requested/judged inappropriate: 3.2%

Death/other: 6.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services Adult Outpatient Program--Crystal

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 91)	1.1%	0.0%
Not employed/student ^{‡‡} (N = 90)	31.1%	21.1%
Arrests past 30 days (N = 84)	19.0%	0.0%
Alcohol use past 30 days (N = 73)	69.9%	8.2%
Drug use past 30 days (N = 72)	13.9%	0.0%
No self-help group participation past 30 days ($N = 79$)	58.2%	16.5%
No family support for recovery past 30 days (N = 84)	9.5%	4.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =94)	8.5%	3.2%
Biomedical Conditions and Complications $(N = 94)$	2.1%	1.1%
Emotional/Behavioral/ Cognitive Problem (N = 94)	20.2%	24.5%
Resistance to Change ($N = 94$)	68.1%	28.7%
Relapse/Continued Use Potential ($N = 94$)	95.7%	28.7%
Unsupportive Recovery Environment (N = 93)	34.4%	35.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Crystal Outpatient

2960 Winnetka Avenue North Crystal, MN 55427

Provider Website: www.fairview.org

Patient Profile

Gender (N = 111) Race (N = 111)Age (N = 111)Male: 36.0% White: 72.1% Under 18: 98.2% Female: 64.0% Black: 5.4% 18 to 25: 1.8%

American Indian: 2.7% 26 to 34: 0.0%

Hispanic: 8.1% 35 and older: 0.0% Asian/Pacific Islander: 3.6%

Other: 8.1%

Primary Substance Source of Income Source of Referral (N = 108)(N = 111)(N = 111) .

Alcohol: 23.1% Job: 0.0% Self/family/relative/

Retirement/savings: 0.0% friends: 35.1% Methamphetamine: 1.9% Marijuana: 65.7% Family/friends: 94.6% Employer/school: 0.0% Heroin: 1.9% No income: 0.9% Criminal justice: 10.8% Public sources: 4.5% Professional: 85.6% Cocaine: 1.9%

Other opiates: 0.9% Other sources: 0.0% County social

Other drugs: 4.6% service agency: 4.5% Other community resources: 22.5%

> AA: 0.0% Tribal: 0.0%

County: Hennepin

Outcomes

Discharge Status (N = 111)

Completed program: 72.1%

Patient left without staff approval: 7.2% Staff requested/judged inappropriate: 10.8%

Death/other: 9.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services Crystal Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 111)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 109)	0.0%	0.0%
Arrests past 30 days (N = 111)	14.4%	3.6%
Alcohol use past 30 days (N = 92)	69.6%	17.4%
Drug use past 30 days (N = 93)	88.2%	20.4%
No self-help group participation past 30 days (N = 109)	69.7%	21.1%
No family support for recovery past 30 days ($N = 104$)	6.7%	2.9%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =111) Biomedical Conditions and	0.0%	0.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 111) Biomedical Conditions and Complications (N = 111) Emotional/Behavioral/	0.0%	0.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 111) Biomedical Conditions and Complications (N = 111) Emotional/Behavioral/ Cognitive Problem (N = 111)	0.0% 0.9% 36.9%	0.9% 1.8% 32.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Hennepin

Age (N = 51)

Under 18: 2.0%

Source of Referral

Self/family/relative/ friends: 96.1%

Employer/school: 2.0%

resources: 13.7%

(N = 51) .

Fairview Recovery Services Deaf and Hard of Hearing Program

Fairview University Medical Center Minneapolis, MN 55454

Provider Website: www.mncddeaf.org

Patient Profile

 Gender (N = 51)
 Race (N = 51)

 Male: 66.7%
 White: 78.4%

 Female: 33.3%
 Black: 9.8%

emale: 33.3% Black: 9.8% 18 to 25: 7.8% American Indian: 3.9% 26 to 34: 37.3% Hispanic: 5.9% 35 and older: 52.9%

Hispanic: 5.9% 35 Asian/Pacific Islander: 0.0%

Other: 2.0%

Primary Substance Source of Income

(N = 51) Alcohol: 47.1% (N = 51) Job: 21.6%

Methamphetamine: 3.9% Retirement/savings: 0.0% Marijuana: 7.8% Family/friends: 5.9% No income: 0.0%

Heroin: 3.9% No income: 0.0% Criminal justice: 13.7% Cocaine: 23.5% Public sources: 72.5% Professional: 25.5% Other opiates: 13.7% Other sources: 0.0% County social

Other drugs: 0.0% service agency: 23.5% Other community

AA: 0.0% Tribal: 3.9%

Outcomes

Discharge Status

(N = 51)

Completed program: 96.1%

Patient left without staff approval: 2.0% Staff requested/judged inappropriate: 2.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services Deaf and Hard of Hearing Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 51)	5.9%	0.0%
Not employed/student ‡ (N = 51)	78.4%	76.5%
Arrests past 30 days (N = 51)	15.7%	0.0%
Alcohol use past 30 days (N = 51)	68.6%	3.9%
Drug use past 30 days (N = 51)	62.7%	5.9%
No self-help group participation past 30 days $(N = 51)$	92.2%	88.2%
No family support for recovery past 30 days $(N = 51)$	3.9%	3.9%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =51) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 51) Biomedical Conditions and Complications (N = 51) Emotional/Behavioral/	0.0% 5.9%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 51) Biomedical Conditions and Complications (N = 51) Emotional/Behavioral/ Cognitive Problem (N = 51)	0.0% 5.9% 94.1%	0.0% 3.9% 56.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Elk River Outpatient

1230 School Street Elk River, MN 55330

Elk River, MN 55330 County: Sherburne

Provider Website: www.fairviewbehavioral.org

Patient Profile

 Gender (N = 71)
 Race (N = 71)

 Male: 70.4%
 White: 91.5%

 Female: 29.6%
 Black: 1.4%

American Indian: 0.0% 26 to 34: 0.0% Hispanic: 2.8% 35 and older: 0.0%

Asian/Pacific Islander: 1.4%

Other: 2.8%

Primary Substance Source of Income

(N = 71) (N = 71) Alcohol: 31.0% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 98.6% No income: 0.0% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 0.0% Other sources: 1.4%

(N = 71) .
Self/family/relative/
friends: 70.4%
Employer/school: 16.9%

Source of Referral

Employer/school: 16.9% Criminal justice: 40.8% Professional: 56.3%

County social

Age (N = 71)

Under 18: 91.5%

18 to 25: 8.5%

service agency: 5.6% Other community resources: 2.8%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 5.6%

(N = 71)

Completed program: 57.7%

Patient left without staff approval: 11.3% Staff requested/judged inappropriate: 7.0%

Death/other: 23.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services Elk River Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 71)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 71)	0.0%	1.4%
Arrests past 30 days (N = 70)	11.4%	2.9%
Alcohol use past 30 days (N = 71)	42.3%	25.4%
Drug use past 30 days (N = 71)	57.7%	23.9%
No self-help group participation past 30 days $(N = 71)$	73.2%	15.5%
No family support for recovery past 30 days $(N = 71)$	1.4%	2.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =71)	0.0%	0.0%
Biomedical Conditions and		
Complications $(N = 71)$	0.0%	0.0%
Complications (N = 71) Emotional/Behavioral/ Cognitive Problem (N = 71)	0.0% 7.0%	0.0% 12.7%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 71)	7.0%	12.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Maplewood Outpatient

2355 Ariel Street

Maplewood, MN 55109 County: Ramsey

Provider Website:

Patient Profile

 Gender (N = 88)
 Race (N = 88)
 Age (N = 88)

 Male: 71.6%
 White: 84.1%
 Under 18: 95.5%

 Female: 28.4%
 Black: 2.3%
 18 to 25: 4.6%

American Indian: 2.3% 26 to 34: 0.0%

Hispanic: 5.7% 35 and older: 0.0%

Asian/Pacific Islander: 2.3% Other: 3.4%

Ott101. 0. 1

Primary Substance Source of Income Source of Referral

Marijuana: 71.6% Family/friends: 96.6% Employer/school: 9.1% Heroin: 0.0% No income: 1.1% Criminal justice: 31.8% Cocaine: 2.3% Public sources: 1.1% Professional: 86.4% Other opiates: 1.1% Other sources: 0.0% County social

Other drugs: 4.6% service agency: 3.4%

Other community
resources: 2.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 88)

Completed program: 50.0%

Patient left without staff approval: 19.3% Staff requested/judged inappropriate: 9.1%

Death/other: 21.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services Maplewood Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 87)	0.0%	2.3%
Not employed/student ^{‡‡} (N = 88)	1.1%	1.1%
Arrests past 30 days (N = 81)	17.3%	11.1%
Alcohol use past 30 days $(N = 87)$	32.2%	19.5%
Drug use past 30 days (N = 87)	48.3%	33.3%
No self-help group participation past 30 days $(N = 83)$	57.8%	37.3%
No family support for recovery past 30 days $(N = 79)$	16.5%	12.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.1%	<u>Discharge</u> 4.6%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 88) Biomedical Conditions and	1.1%	4.6%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 88) Biomedical Conditions and Complications (N = 88) Emotional/Behavioral/	0.0%	4.6% 1.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 88) Biomedical Conditions and Complications (N = 88) Emotional/Behavioral/ Cognitive Problem (N = 88)	1.1% 0.0% 42.0%	4.6% 1.1% 43.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services of Chisago City

11725 Stinson Ave Chisago City, MN 55013

Provider Website:

Patient Profile

 Gender (N = 129)
 Race (N = 129)

 Male: 100.0%
 White: 87.6%

 Female: 0.0%
 Black: 2.3%

American Indian: 0.0% 26 to 34: 0.0% Hispanic: 3.1% 35 and older: 0.0%

Asian/Pacific Islander: 1.6%

Other: 5.4%

Primary Substance

(N = 129)Alcohol: 14.0%

Methamphetamine: 3.1% Marijuana: 68.2%

Heroin: 1.6% Cocaine: 4.7% Other opiates: 3.1%

Other drugs: 5.4%

Source of Income

(N = 129)

Job: 0.8%

Retirement/savings: 0.0% Family/friends: 96.1% No income: 1.6% Public sources: 0.8%

Other sources: 0.8%

Source of Referral

(N = 129) .

Age (N = 129)

Under 18: 92.2%

18 to 25: 7.8%

County: Chisago

Self/family/relative/ friends: 82.2%

Employer/school: 11.6% Criminal justice: 44.2% Professional: 28.7%

County social

service agency: 0.8% Other community resources: 4.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 129)

Completed program: 73.6%

Patient left without staff approval: 10.1% Staff requested/judged inappropriate: 10.1%

Death/other: 6.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services of Chisago City

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 129)	0.0%	3.1%
Not employed/student ^{‡‡} (N = 128)	0.0%	0.8%
Arrests past 30 days (N = 123)	26.8%	13.0%
Alcohol use past 30 days (N = 125)	64.0%	16.8%
Drug use past 30 days (N = 128)	87.5%	36.7%
No self-help group participation past 30 days ($N = 124$)	66.9%	33.1%
No family support for recovery past 30 days (N = 127)	6.3%	1.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =129)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 129)$	0.8%	3.1%
Emotional/Behavioral/ Cognitive Problem (N = 129)	41.9%	42.6%
Resistance to Change ($N = 129$)	59.7%	44.2%
Relapse/Continued Use Potential (N = 129)	99.2%	65.9%
Unsupportive Recovery Environment (N = 129)	98.4%	69.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services of Forest Lake

20 N Lake Drive, Suite 210 Forest Lake, MN 55025

Provider Website: www.fairview.org

Patient Profile

Female: 35.6% Black: 1.2% 18 to 25: 24.5% American Indian: 0.6% 26 to 34: 23.3%

Hispanic: 4.9% 35 and older: 52.1%

County: Washington

County social

Asian/Pacific Islander: 0.0%

Other: 1.2%

Primary Substance Source of Income Source of Referral

(N = 163) (N = 163) (N = 163) . Self/family/relative/

Other sources: 3.7%

Methamphetamine: 8.0% Retirement/savings: 5.5% friends: 47.2% Marijuana: 14.1% Family/friends: 11.0% Employer/school: 5.5% Heroin: 0.6% No income: 9.2% Criminal justice: 43.6%

Heroin: 0.6% No income: 9.2% Criminal justice: 43.6% Cocaine: 1.2% Public sources: 7.4% Professional: 17.8%

Other drugs: 0.0% service agency: 7.4%

Other community resources: 26.4%

AA: 0.6% Tribal: 1.8%

Outcomes

Discharge Status

Other opiates: 6.8%

(N = 163)

Completed program: 57.7%

Patient left without staff approval: 31.3% Staff requested/judged inappropriate: 1.8%

Death/other: 9.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services of Forest Lake

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 134)	1.5%	0.7%
Not employed/student ^{‡‡} (N = 142)	35.2%	24.6%
Arrests past 30 days (N = 120)	15.0%	5.8%
Alcohol use past 30 days (N = 124)	44.4%	4.0%
Drug use past 30 days (N = 124)	25.0%	5.7%
No self-help group participation past 30 days ($N = 130$)	64.6%	29.2%
No family support for recovery past 30 days ($N = 130$)	14.6%	6.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 6.2%	<u>Discharge</u> 1.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 146) Biomedical Conditions and	6.2%	1.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 146) Biomedical Conditions and Complications (N = 146) Emotional/Behavioral/	6.2% 4.8%	1.4% 2.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 146) Biomedical Conditions and Complications (N = 146) Emotional/Behavioral/ Cognitive Problem (N = 151)	6.2% 4.8% 9.3%	1.4% 2.1% 11.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services-Burnsville Outpatient

156 Cobblestone Lane Burnsville, MN 55337

County: Dakota

Provider Website: www.fairview.org

Patient Profile

Gender (N = 130) Race (N = 130)Age (N = 130)Male: 63.1% White: 87.7% Under 18: 0.0% Female: 36.9% Black: 4.6% 18 to 25: 22.3%

> American Indian: 2.3% 26 to 34: 15.4% Hispanic: 0.8%

35 and older: 62.3%

Asian/Pacific Islander: 0.0%

Other: 4.6%

Primary Substance Source of Income

(N = 126)(N = 130)(N = 130) . Alcohol: 82.5% Job: 66.2% Self/family/relative/

friends: 53.1% Methamphetamine: 3.2% Retirement/savings: 6.9% Marijuana: 4.8% Family/friends: 10.0% Employer/school: 2.3% Heroin: 0.0% No income: 7.7% Criminal justice: 45.4% Public sources: 3.9% Professional: 25.4% Cocaine: 2.4%

Other opiates: 4.0% Other sources: 5.4% County social

Other drugs: 3.2% service agency: 0.8% Other community resources: 10.8%

> AA: 0.8% Tribal: 0.0%

Source of Referral

Outcomes

Discharge Status (N = 130)

Completed program: 57.7%

Patient left without staff approval: 27.7% Staff requested/judged inappropriate: 3.9%

Death/other: 10.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fairview Recovery Services-Burnsville Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 122)	0.0%	1.6%
Not employed/student ^{‡‡} (N = 126)	33.3%	28.6%
Arrests past 30 days (N = 119)	15.1%	2.5%
Alcohol use past 30 days (N = 102)	47.1%	7.8%
Drug use past 30 days (N = 104)	23.1%	2.9%
No self-help group participation past 30 days ($N = 120$)	62.5%	35.0%
No family support for recovery past 30 days $(N = 118)$	20.3%	5.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =122)	9.8%	4.9%
Biomedical Conditions and Complications $(N = 123)$	10.6%	13.0%
Emotional/Behavioral/ Cognitive Problem (N = 123)	43.9%	43.1%
Resistance to Change ($N = 122$)	53.3%	32.8%
Relapse/Continued Use Potential (N = 122)	92.6%	39.3%
Unsupportive Recovery Environment (N = 121)	52.1%	33.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Faith Family Recovery Center LLC

1303 South Frontage Road Hastings, MN 55033

Provider Website:

Patient Profile

 Gender (N = 50)
 Race (N = 50)

 Male: 56.0%
 White: 92.0%

 Female: 44.0%
 Black: 2.0%

American Indian: 4.0% 26 to 34: 22.0% Hispanic: 2.0% 35 and older: 38.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 50) Alcohol: 60.0% (N = 50) Job: 58.0%

Methamphetamine: 16.0% Retirement/savings: 4.0% Marijuana: 14.0% Family/friends: 28.0% Heroin: 0.0% No income: 4.0% Cocaine: 6.0% Public sources: 6.0%

Other opiates: 4.0% Other sources: 0.0%

Source of Referral (N = 50).

County: Dakota

Age (N = 50)

Under 18: 2.0%

18 to 25: 38.0%

Self/family/relative/ friends: 34.0% Employer/school: 0.0% Criminal justice: 52.0% Professional: 0.0% County social

service agency: 16.0%

Other community resources: 34.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 50)

Completed program: 66.0%

Patient left without staff approval: 16.0% Staff requested/judged inappropriate: 8.0%

Death/other: 10.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Faith Family Recovery Center LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 50)	6.0%	2.0%
Not employed/student ^{‡‡} (N = 50)	34.0%	42.0%
Arrests past 30 days (N = 50)	8.0%	4.0%
Alcohol use past 30 days (N = 46)	39.1%	23.9%
Drug use past 30 days (N = 46)	19.6%	15.2%
No self-help group participation past 30 days ($N = 49$)	63.3%	49.0%
No family support for recovery past 30 days $(N = 47)$	19.1%	14.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =49)	4.1%	0.0%
Biomedical Conditions and Complications $(N = 50)$		
	4.0%	6.0%
Emotional/Behavioral/ Cognitive Problem (N = 50)	4.0% 86.0%	38.0%
Cognitive Problem (N = 50)	86.0%	38.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Faribault Family Focus-Immanuel St. Joseph's Mayo Health System

2301 NW 4th Street Faribault, MN 55021

County: Rice

Provider Website: www.mayohealthsystem.org

Patient Profile

 Gender (N = 110)
 Race (N = 110)

 Male: 76.4%
 White: 93.6%

 Female: 23.6%
 Black: 3.6%

American Indian: 0.0% 26 to 34: 32.7% Hispanic: 0.9% 35 and older: 49.1%

Asian/Pacific Islander: 0.0%

Other: 1.8%

Primary Substance Source of Income

(N = 110) Alcohol: 75.5% (N = 110) Job: 58.2%

Methamphetamine: 9.1% Retirement/savings: 1.8% Marijuana: 8.2% Family/friends: 18.2% No income: 2.7% Cocaine: 7.3% Public sources: 14.5%

Other opiates: 0.0% Other sources: 4.6%

(N = 110) .
Self/family/relative/

Source of Referral

Age (N = 110)

Under 18: 0.0%

18 to 25: 18.2%

friends: 40.9% Employer/school: 5.5% Criminal justice: 61.8% Professional: 10.9%

County social

service agency: 10.9%

Other community resources: 25.5%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 110)

Other drugs: 0.0%

Completed program: 73.6%

Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 10.0%

Death/other: 6.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Faribault Family Focus-Immanuel St. Joseph's Mayo Health System

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 110)	0.9%	0.9%
Not employed/student ^{‡‡} (N = 110)	45.5%	32.7%
Arrests past 30 days (N = 109)	11.9%	3.7%
Alcohol use past 30 days (N = 105)	36.2%	12.4%
Drug use past 30 days (N = 105)	21.0%	10.5%
No self-help group participation past 30 days ($N = 109$)	72.5%	40.4%
No family support for recovery past 30 days (N = 109)	29.4%	22.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =106)	0.9%	6.6%
Biomedical Conditions and Complications $(N = 110)$	4.6%	7.3%
Emotional/Behavioral/ Cognitive Problem (N = 110)	61.8%	29.1%
Resistance to Change (N = 110)	55.5%	34.5%
Relapse/Continued Use Potential (N = 110)	86.4%	50.0%
Unsupportive Recovery Environment ($N = 110$)	73.6%	55.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Nation Recovery Program

2020 Bloomington Ave So Minneapolis, MN 55404

Provider Website:

Patient Profile

 Gender (N = 82)
 Race (N = 82)

 Male: 43.9%
 White: 1.2%

 Female: 56.1%
 Black: 0.0%

American Indian: 87.8% 26 to 34: 36.6% Hispanic: 7.3% 35 and older: 45.1%

Asian/Pacific Islander: 1.2%

Other: 2.4%

Primary Substance Source of Income

(N = 82) Alcohol: 73.2% (N = 82) Job: 12.2%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 6.1% No income: 18.3% Cocaine: 9.8% Public sources: 46.3%

Other opiates: 2.4% Other sources: 17.1%

Source of Referral (N = 82).

County: Hennepin

Age (N = 82)

Under 18: 0.0%

18 to 25: 18.3%

Self/family/relative/ friends: 35.4% Employer/school: 0.0% Criminal justice: 30.5% Professional: 19.5%

County social

service agency: 30.5%

Other community resources: 50.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 82)

Completed program: 39.0%

Patient left without staff approval: 37.8% Staff requested/judged inappropriate: 4.9%

Death/other: 18.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

First Nation Recovery Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 77)	24.7%	9.1%
Not employed/student ^{‡‡} (N = 68)	77.9%	83.8%
Arrests past 30 days (N = 75)	20.0%	4.0%
Alcohol use past 30 days (N = 74)	37.8%	9.5%
Drug use past 30 days (N = 74)	32.4%	4.1%
No self-help group participation past 30 days $(N = 66)$	56.1%	43.9%
No family support for recovery past 30 days $(N = 67)$	16.4%	10.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 2.7%	<u>Discharge</u> 4.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 73) Biomedical Conditions and	2.7%	4.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 73) Biomedical Conditions and Complications (N = 76) Emotional/Behavioral/	2.7% 11.8%	4.1% 25.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 73) Biomedical Conditions and Complications (N = 76) Emotional/Behavioral/ Cognitive Problem (N = 76)	2.7% 11.8% 38.2%	4.1% 25.0% 47.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step

518 2nd Ave NE Staples, MN 56479

Provider Website:

Patient Profile

 Gender (N = 8)
 Race (N = 8)
 Age (N = 8)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

service agency: *
Other community
resources: *

AA: *
Tribal: *

County: Todd

Outcomes

Discharge Status

Other drugs: *

(N = 8)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

First Step

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 8)	*	*
Not employed/student 11 (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days $(N = 8)$	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days $(N = 5)$	*	*
No family support for recovery past 30 days (N = 8)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step Recovery PLLP

409 7th Street South Fargo, ND 58103

Provider Website:

Patient Profile

 Gender (N = 57)
 Race (N = 57)

 Male: 66.7%
 White: 98.2%

 Female: 33.3%
 Black: 1.8%

American Indian: 0.0% 26 to 34: 26.3% Hispanic: 0.0% 35 and older: 43.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

 $\frac{(N = 57)}{\text{Alcohol: } 82.5\%}$

Methamphetamine: 3.5% Marijuana: 8.8% Heroin: 0.0%

Cocaine: 0.0% Other opiates: 3.5% Other drugs: 1.8% Source of Income

(N = 57)Job: 80.7%

Retirement/savings: 0.0% Family/friends: 17.5% No income: 0.0% Public sources: 1.8%

Other sources: 0.0%

Source of Referral

(N = 57) .

County: North Dakota

Age (N = 57)

Under 18: 1.8%

18 to 25: 28.1%

Self/family/relative/ friends: 73.7%

Employer/school: 24.6% Criminal justice: 29.8% Professional: 38.6%

County social

service agency: 5.3% Other community resources: 14.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 57)

Completed program: 71.9%

Patient left without staff approval: 26.3% Staff requested/judged inappropriate: 0.0%

Death/other: 1.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

First Step Recovery PLLP

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 57)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 57)	12.3%	12.3%
Arrests past 30 days (N = 57)	17.5%	0.0%
Alcohol use past 30 days (N = 57)	77.2%	10.5%
Drug use past 30 days (N = 57)	17.5%	0.0%
No self-help group participation past 30 days ($N = 47$)	89.4%	12.8%
No family support for recovery past 30 days $(N = 45)$	35.6%	8.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =50)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 57)$	12.3%	5.3%
Emotional/Behavioral/ Cognitive Problem (N = 55)	54.5%	32.7%
D 11 (1) (1) (2)		
Resistance to Change $(N = 57)$	71.9%	38.6%
Resistance to Change (N = 57) Relapse/Continued Use Potential (N = 55)	71.9% 89.1%	38.6% 38.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step Walker

211 South 6th Street Walker, MN 56484

County: Cass

Age (N = 20)

Under 18: 65.0%

Provider Website:

Patient Profile

Gender (N = 20)Race (N = 20)White: 5.0% Male: 40.0% Female: 60.0% Black: 0.0%

18 to 25: 5.0% American Indian: 90.0% 26 to 34: 10.0% 35 and older: 20.0%

Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 5.0%

Primary Substance Source of Income

(N = 20)(N = 20)Alcohol: 35.0% Job: 5.0%

Retirement/savings: 0.0% Methamphetamine: 0.0% Marijuana: 50.0% Family/friends: 90.0% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 5.0%

Other opiates: 15.0% Other sources: 0.0% Source of Referral (N = 20) .

Self/family/relative/ friends: 5.0% Employer/school: 0.0% Criminal justice: 40.0% Professional: 0.0%

County social

service agency: 5.0% Other community resources: 0.0%

AA: 0.0% Tribal: 95.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 20)

Completed program: 5.0%

Patient left without staff approval: 55.0% Staff requested/judged inappropriate: 10.0%

Death/other: 30.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

First Step Walker

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 18)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 18)	11.1%	33.3%
Arrests past 30 days (N = 20)	0.0%	20.0%
Alcohol use past 30 days (N = 20)	10.0%	40.0%
Drug use past 30 days (N = 20)	40.0%	35.0%
No self-help group participation past 30 days ($N = 18$)	55.6%	27.8%
No family support for recovery past 30 days (N = 13)	7.7%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =20)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 20)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 20)	100.0%	100.0%
Resistance to Change ($N = 20$)	100.0%	100.0%
Relapse/Continued Use Potential ($N = 20$)	100.0%	100.0%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Five Stars Recovery Center

212 North Walnut Street Chaska, MN 55318

Provider Website:

Patient Profile

 Gender (N = 54)
 Race (N = 54)

 Male: 66.7%
 White: 87.0%

 Female: 33.3%
 Black: 3.7%

American Indian: 3.7% 26 to 34: 25.9% Hispanic: 5.6% 35 and older: 37.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 54) Alcohol: 72.2%

Methamphetamine: 3.7% Marijuana: 14.8% Heroin: 0.0%

Cocaine: 7.4% Other opiates: 1.9% Other drugs: 0.0% Source of Income

(N = 54)Job: 51.9%

Retirement/savings: 3.7% Family/friends: 29.6% No income: 0.0% Public sources: 11.1%

Other sources: 3.7%

Age (N = 54)

Under 18: 5.6%

18 to 25: 31.5%

County: Carver

Source of Referral

(N = 54) .

Self/family/relative/ friends: 29.6% Employer/school: 0.0% Criminal justice: 77.8%

Professional: 11.1% County social

service agency: 37.0%

Other community resources: 9.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 54)

Completed program: 55.6%

Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 22.2%

Death/other: 5.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Five Stars Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 53)	1.9%	1.9%
Not employed/student ^{‡‡} (N = 51)	37.3%	35.3%
Arrests past 30 days (N = 54)	16.7%	16.7%
Alcohol use past 30 days ($N = 54$)	42.6%	18.5%
Drug use past 30 days (N = 54)	16.7%	11.1%
No self-help group participation past 30 days ($N = 54$)	57.4%	7.4%
No family support for recovery past 30 days $(N = 52)$	5.8%	13.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =53)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 53)$	3.8%	1.9%
Emotional/Behavioral/ Cognitive Problem (N = 53)	18.9%	24.5%
Resistance to Change ($N = 53$)	81.1%	45.3%
Resistance to Change (N = 53) Relapse/Continued Use Potential (N = 53)	81.1% 96.2%	45.3% 54.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Focus Unit St. Joseph's Medical Center

523 North 3rd Street Brainerd, MN 56401

Provider Website: www.sjmcmn.org

Patient Profile

 Gender (N = 274)
 Race (N = 274)

 Male: 62.4% White: 96.0%

Female: 37.6% Black: 0.4% 18 to 25: 21.9% American Indian: 1.8% 26 to 34: 21.2% Hispanic: 1.8% 35 and older: 56.9%

Hispanic: 1.8% 35 and older: 5 Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 274) Alcohol: 75.2% (N = 274) Job: 51.5%

Methamphetamine: 6.2% Retirement/savings: 7.7% Marijuana: 12.0% Family/friends: 21.9% No income: 0.7% Cocaine: 1.1% Public sources: 14.6%

Other opiates: 4.0% Other sources: 3.7% Co

(N = 274) .
Self/family/relative/

Source of Referral

County: Crow Wing

Age (N = 274)

Under 18: 0.0%

friends: 66.1% Employer/school: 2.9% Criminal justice: 25.9% Professional: 43.8%

County social

service agency: 26.6% Other community resources: 10.9%

AA: 0.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 274)

Other drugs: 0.4%

Completed program: 63.1%

Patient left without staff approval: 22.3% Staff requested/judged inappropriate: 12.8%

Death/other: 1.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Focus Unit St. Joseph's Medical Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 273)	0.4%	0.7%
Not employed/student ^{‡‡} (N = 271)	55.4%	57.6%
Arrests past 30 days (N = 274)	8.8%	3.3%
Alcohol use past 30 days (N = 274)	44.2%	9.5%
Drug use past 30 days (N = 274)	19.0%	4.7%
No self-help group participation past 30 days ($N = 269$)	58.4%	11.5%
No family support for recovery past 30 days (N = 272)	4.0%	4.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
_	Admission 15.0%	<u>Discharge</u> 1.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 274) Biomedical Conditions and	15.0%	1.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 274) Biomedical Conditions and Complications (N = 274) Emotional/Behavioral/	15.0% 29.6%	1.5% 14.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 274) Biomedical Conditions and Complications (N = 274) Emotional/Behavioral/ Cognitive Problem (N = 274)	15.0% 29.6% 49.6%	1.5% 14.6% 28.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Focus XII

3220 8th Street North St. Cloud, MN 56303

Provider Website:

Patient Profile

 Gender (N = 66)
 Race (N = 66)

 Male: 100.0%
 White: 77.3%

 Female: 0.0%
 Black: 15.2%

American Indian: 3.0% 26 to 34: 18.2% Hispanic: 3.0% 35 and older: 56.1%

Asian/Pacific Islander: 0.0%

Other: 1.5%

Primary Substance

(N = 66)Alcohol: 68.2%

Methamphetamine: 10.6% Marijuana: 7.6% Heroin: 0.0%

Cocaine: 9.1% Other opiates: 4.6% Other drugs: 0.0% Source of Income

(N = 66)Job: 33.3%

Retirement/savings: 0.0% Family/friends: 1.5% No income: 27.3%

Public sources: 12.1% Other sources: 25.8%

Source of Referral

(N = 66) .

Age (N = 66)

Under 18: 0.0%

18 to 25: 25.8%

County: Stearns

Self/family/relative/ friends: 51.5% Employer/school: 0.0% Criminal justice: 13.6% Professional: 57.6%

County social

service agency: 28.8%

Other community resources: 21.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 66)

Completed program: 40.9%

Patient left without staff approval: 22.7% Staff requested/judged inappropriate: 31.8%

Death/other: 4.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Focus XII

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 64)	1.6%	0.0%
Not employed/student ^{‡‡} (N = 62)	82.3%	62.9%
Arrests past 30 days (N = 64)	1.6%	6.3%
Alcohol use past 30 days (N = 66)	6.1%	22.7%
Drug use past 30 days (N = 66)	7.6%	9.1%
No self-help group participation past 30 days $(N = 61)$	11.5%	9.8%
No family support for recovery past 30 days $(N = 56)$	7.1%	5.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =63)	0.0%	12.7%
Biomedical Conditions and Complications $(N = 63)$	4.8%	15.9%
Emotional/Behavioral/ Cognitive Problem (N = 63)	36.5%	34.9%
Resistance to Change $(N = 63)$	23.8%	68.3%
Relapse/Continued Use Potential (N = 63)	95.2%	77.8%
Unsupportive Recovery Environment $(N = 63)$	82.5%	73.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fond Du Lac Human Services

927 Trettel Lane Cloquet, MN 55720

Provider Website:

Patient Profile

 Gender (N = 36)
 Race (N = 36)

 Male: 41.7%
 White: 5.6%

 Female: 58.3%
 Black: 0.0%

American Indian: 94.4% 26 to 34: 16.7% Hispanic: 0.0% 35 and older: 52.8%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 36) Alcohol: 75.0% (N = 36) Job: 30.6%

Methamphetamine: 2.8%

Marijuana: 11.1%

Heroin: 0.0%

Cocaine: 0.0%

Retirement/savings: 2.8%

Family/friends: 11.1%

No income: 2.8%

Public sources: 11.1%

Other opiates: 11.1% Other sources: 41.7%

Source of Referral

County: Carlton

Age (N = 36)

Under 18: 0.0%

18 to 25: 30.6%

(N = 36) . Self/family/relative/ friends: 47.2%

Employer/school: 8.3% Criminal justice: 55.6% Professional: 2.8%

County social

service agency: 13.9%

Other community resources: 0.0%

AA: 0.0% Tribal: 47.2%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 36)

Completed program: 44.4%

Patient left without staff approval: 27.8% Staff requested/judged inappropriate: 16.7%

Death/other: 11.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fond Du Lac Human Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 36)	11.1%	0.0%
Not employed/student ii (N = 35)	60.0%	57.1%
Arrests past 30 days (N = 36)	11.1%	11.1%
Alcohol use past 30 days (N = 36)	33.3%	19.4%
Drug use past 30 days (N = 36)	22.2%	22.2%
No self-help group participation past 30 days $(N = 34)$	73.5%	47.1%
No family support for recovery past 30 days $(N = 34)$	17.6%	5.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N $=$ 36)	13.9%	13.9%
Withdrawal (N = 36) Biomedical Conditions and Complications (N = 36)	13.9% 38.9%	13.9% 22.2%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 36) Emotional/Behavioral/	38.9%	22.2%
Biomedical Conditions and Complications (N = 36) Emotional/Behavioral/ Cognitive Problem (N = 36)	38.9% 86.1%	22.2% 58.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Albert Lea

408 Fountain Street Albert Lea, MN 56007

Provider Website: www.fountaincenters.org

Patient Profile

 Gender (N = 819)
 Race (N = 819)

 Male: 69.4%
 White: 82.3%

 Female: 30.6%
 Black: 4.0%

emale: 30.6% Black: 4.0% 18 to 25: 25.4% American Indian: 0.5% 26 to 34: 19.9% Hispanic: 11.0% 35 and older: 38.8%

Asian/Pacific Islander: 0.6%

Other: 1.6%

Primary Substance Source of Income

(N = 819) Alcohol: 52.1% (N = 819) Job: 46.3%

Methamphetamine: 8.6% Retirement/savings: 2.8% Marijuana: 27.8% Family/friends: 26.1% No income: 9.7% Cocaine: 7.2% Public sources: 8.9%

Other opiates: 2.3%

Other sources: 6.2%

Source of Referral (N = 819). Self/family/relative/

County: Freeborn

Age (N = 819)

Under 18: 15.9%

Self/family/relative/ friends: 47.3% Employer/school: 3.1% Criminal justice: 37.1% Professional: 33.6%

County social

service agency: 55.3%

Other community resources: 12.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 819)

Other drugs: 1.5%

Completed program: 78.4%

Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 6.4%

Death/other: 4.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fountain Center of Albert Lea

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 804)	2.5%	6.3%
Not employed/student ^{‡‡} (N = 795)	45.7%	60.4%
Arrests past 30 days (N = 812)	16.5%	6.9%
Alcohol use past 30 days (N = 816)	63.5%	27.5%
Drug use past 30 days (N = 815)	53.7%	28.0%
No self-help group participation past 30 days ($N = 785$)	61.9%	8.8%
No family support for recovery past 30 days (N = 778)	8.9%	12.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 5.1%	<u>Discharge</u> 1.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 806) Biomedical Conditions and	5.1%	1.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =806) Biomedical Conditions and Complications (N = 809) Emotional/Behavioral/	5.1% 6.4%	1.1% 4.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 806) Biomedical Conditions and Complications (N = 809) Emotional/Behavioral/ Cognitive Problem (N = 806)	5.1% 6.4% 94.8%	1.1% 4.9% 82.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Fairmont

828 N North Ave Fairmont, MN 56031

Provider Website:

Patient Profile

 Gender (N = 120)
 Race (N = 120)

 Male: 75.8%
 White: 90.8%

 Female: 24.2%
 Black: 2.5%

American Indian: 0.8% 26 to 34: 27.5% Hispanic: 5.8% 35 and older: 30.8%

County: Martin

Age (N = 120)

Under 18: 15.0%

18 to 25: 26.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 120) Alcohol: 53.3% (N = 120) Job: 40.8%

Methamphetamine: 9.2% Retirement/savings: 1.7% Marijuana: 31.7% Family/friends: 30.8% Heroin: 0.0% No income: 1.7% Cocaine: 2.5% Public sources: 23.3%

Other opiates: 1.7%

Other sources: 1.7%

(N = 120) .
Self/family/relative/

Source of Referral

friends: 26.7% Employer/school: 5.0% Criminal justice: 58.3% Professional: 15.8%

County social

service agency: 76.7%

Other community resources: 1.7%

AA: 0.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 120)

Other drugs: 1.7%

Completed program: 65.0%

Patient left without staff approval: 17.5% Staff requested/judged inappropriate: 11.7%

Death/other: 5.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fountain Center of Fairmont

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 120)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 119)	46.2%	33.6%
Arrests past 30 days (N = 120)	10.0%	9.2%
Alcohol use past 30 days (N = 120)	32.5%	9.2%
Drug use past 30 days (N = 120)	27.5%	8.3%
No self-help group participation past 30 days (N = 119)	66.4%	11.8%
No family support for recovery past 30 days ($N = 116$)	52.6%	9.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission	<u>Discriarye</u>
Acute Intoxication/ Withdrawal (N =120)	0.0%	1.7%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 120) Biomedical Conditions and	0.0%	1.7%
Acute Intoxication/ Withdrawal (N = 120) Biomedical Conditions and Complications (N = 120) Emotional/Behavioral/	0.0% 5.0%	1.7% 5.0%
Acute Intoxication/ Withdrawal (N = 120) Biomedical Conditions and Complications (N = 120) Emotional/Behavioral/ Cognitive Problem (N = 120)	0.0% 5.0% 65.8%	1.7% 5.0% 43.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Rochester

4122 18th Avenue NW Rochester, MN 55901

Provider Website: www.fountaincenters.org

Patient Profile

 Gender (N = 136)
 Race (N = 136)
 Age (N = 136)

 Male: 71.3%
 White: 86.0%
 Under 18: 24.3%

 Female: 28.7%
 Black: 5.2%
 18 to 25: 28.7%

American Indian: 0.7% 26 to 34: 20.6% Hispanic: 2.2% 35 and older: 26.5%

County: Olmsted

Source of Referral

Asian/Pacific Islander: 1.5%

Other: 4.4%

Primary Substance Source of Income

(N = 136) (N = 136) (N = 136) . Self/family/relati

Alcohol: 57.4%

Methamphetamine: 3.7%

Marijuana: 23.5%

Heroin: 0.7%

No income: 0.0%

Self/family/relative/
friends: 78.7%

Employer/school: 2.2%

Criminal justice: 42.6%

Cocaine: 11.8% Public sources: 2.2% Professional: 30.1% Other opiates: 0.7% Other sources: 4.4% County social

Other drugs: 2.2% service agency: 18.4% Other community

resources: 12.5% AA: 0.0%

Tribal: 0.0%

Outcomes

Discharge Status (N = 136)

Completed program: 52.2%

Patient left without staff approval: 21.3% Staff requested/judged inappropriate: 15.4%

Death/other: 11.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fountain Center of Rochester

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 135)	0.7%	0.7%
Not employed/student ^{‡‡} (N = 132)	29.5%	23.5%
Arrests past 30 days (N = 136)	5.2%	4.4%
Alcohol use past 30 days (N = 135)	37.0%	12.6%
Drug use past 30 days (N = 135)	31.9%	19.3%
No self-help group participation past 30 days (N = 119)	58.8%	7.6%
No family support for recovery past 30 days $(N = 69)$	10.1%	1.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =136)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 136)$	0.7%	2.2%
	0.7% 80.9%	2.2% 64.0%
Complications (N = 136) Emotional/Behavioral/		
Complications (N = 136) Emotional/Behavioral/ Cognitive Problem (N = 136)	80.9%	64.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Centers Recovery House of Rochester

1623 4th Street NW Rochester, MN 55901

Provider Website:

Patient Profile

Gender (N = 79)Race (N = 79)Male: 64.6% White: 88.6% Female: 35.4% Black: 1.3%

> American Indian: 1.3% 26 to 34: 29.1% Hispanic: 8.9% 35 and older: 38.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 79)Alcohol: 39.2%

Marijuana: 11.4% Heroin: 2.5% Cocaine: 12.7%

Methamphetamine: 29.1%

Other opiates: 3.8% Other drugs: 1.3%

Source of Income

(N = 79)Job: 19.0%

> Retirement/savings: 6.3% Family/friends: 24.1% No income: 26.6% Public sources: 10.1% Other sources: 13.9%

Source of Referral

County: Olmsted

Age (N = 79)

Under 18: 0.0%

18 to 25: 32.9%

(N = 79) . Self/family/relative/ friends: 13.9% Employer/school: 0.0% Criminal justice: 24.1%

Professional: 93.7%

County social

service agency: 67.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 79)

Completed program: 53.2%

Patient left without staff approval: 10.1% Staff requested/judged inappropriate: 32.9%

Death/other: 3.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Fountain Centers Recovery House of Rochester

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 79)	2.5%	0.0%
Not employed/student ^{‡‡} (N = 78)	96.2%	48.7%
Arrests past 30 days (N = 79)	1.3%	10.1%
Alcohol use past 30 days $(N = 79)$	1.3%	3.8%
Drug use past 30 days (N = 79)	2.5%	2.5%
No self-help group participation past 30 days $(N = 79)$	0.0%	0.0%
No family support for recovery past 30 days $(N = 77)$	0.0%	2.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 78) Biomedical Conditions and	0.0%	1.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 78) Biomedical Conditions and Complications (N = 78) Emotional/Behavioral/	0.0%	1.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 78) Biomedical Conditions and Complications (N = 78) Emotional/Behavioral/ Cognitive Problem (N = 78)	0.0% 6.4% 100.0%	1.3% 1.3% 64.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Franciscan Skemp Healthcare Scarseth House

535 South 17th Street La Crosse, WI 54601

County: Wisconsin

Provider Website:

Patient Profile

 Gender (N = 2)
 Race (N = 2)
 Age (N = 2)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Source of Referral **Primary Substance** Source of Income (N = 2)(N = 2)(N = 2). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: *

> Other community resources: * AA: * Tribal: *

Outcomes

Discharge Status

(N = 2)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Franciscan Skemp Healthcare Scarseth House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 2)	*	*
Not employed/student 11 (N = 2)	*	*
Arrests past 30 days $(N = 2)$	*	*
Alcohol use past 30 days $(N = 2)$	*	*
Drug use past 30 days $(N = 2)$	*	*
No self-help group participation past 30 days $(N = 2)$	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 2)	*	*
	*	*
Withdrawal (N =2) Biomedical Conditions and		
Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/	*	*
Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/ Cognitive Problem (N = 2)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore of Thief River Falls

621 Labree Ave N
Thief River Falls MN 56701

Thief River Falls, MN 56701 County: Pennington

Provider Website: www.riverviewhealth.org

Patient Profile

 Gender (N = 54)
 Race (N = 54)
 Age (N = 54)

 Male: 57.4%
 White: 75.9%
 Under 18: 0.0%

 Female: 42.6%
 Plants: 3.7%

Female: 42.6% Black: 3.7% 18 to 25: 20.4% American Indian: 13.0% 26 to 34: 29.6%

Hispanic: 5.6% 35 and older: 50.0%

Asian/Pacific Islander: 0.0%

Other: 1.9%

Primary Substance Source of Income Source of Referral

Marijuana: 13.0% Family/friends: 14.8% Employer/school: 0.0% Heroin: 0.0% No income: 14.8% Criminal justice: 55.6% Cocaine: 1.9% Public sources: 11.1% Professional: 5.6% Other opiates: 0.0% Other sources: 7.4% County social

Other drugs: 1.9% service agency: 50.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 54)

Completed program: 51.9%

Patient left without staff approval: 31.5% Staff requested/judged inappropriate: 7.4%

Death/other: 9.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Glenmore of Thief River Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 54)	1.9%	0.0%
Not employed/student ^{‡‡} (N = 52)	51.9%	34.6%
Arrests past 30 days (N = 54)	9.3%	3.7%
Alcohol use past 30 days $(N = 54)$	22.2%	9.3%
Drug use past 30 days (N = 54)	11.1%	7.4%
No self-help group participation past 30 days ($N = 45$)	42.2%	13.3%
No family support for recovery past 30 days $(N = 43)$	4.7%	4.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =54)	0.0%	3.7%
Biomedical Conditions and Complications $(N = 54)$	3.7%	13.0%
Emotional/Behavioral/ Cognitive Problem (N = 54)	48.1%	51.9%
Resistance to Change $(N = 54)$	88.9%	70.4%
Relapse/Continued Use Potential (N = 54)	88.9%	87.0%
Unsupportive Recovery Environment (N = 54)	90.7%	72.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery

1424 Central Ave N.E.

East Grand Forks, MN 56721 County: Polk

Provider Website: www.riverviewhealth.org

Patient Profile

 Gender (N = 31)
 Race (N = 31)
 Age (N = 31)

 Male: 77.4%
 White: 64.5%
 Under 18: 0.0%

 Female: 22.6%
 Black: 3.2%
 18 to 25: 12.9%

American Indian: 9.7% 26 to 34: 29.0% Hispanic: 19.4% 35 and older: 58.1%

Asian/Pacific Islander: 0.0%

Other: 3.2%

Primary Substance Source of Income (N = 31) (N = 31)

Methamphetamine: 6.5%Retirement/savings: 0.0%friends: 29.0%Marijuana: 6.5%Family/friends: 12.9%Employer/school: 3.2%Heroin: 0.0%No income: 16.1%Criminal justice: 61.3%Cocaine: 0.0%Public sources: 6.5%Professional: 9.7%

Other opiates: 0.0% Other sources: 9.7% County social

Other drugs: 0.0% service agency: 35.5%

Other community resources: 3.2%

AA: 0.0% Tribal: 0.0%

Source of Referral

Outcomes

Discharge Status

(N = 31)

Completed program: 61.3%

Patient left without staff approval: 19.4% Staff requested/judged inappropriate: 9.7%

Death/other: 9.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Glenmore Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 29)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 29)	27.6%	24.1%
Arrests past 30 days (N = 31)	0.0%	6.5%
Alcohol use past 30 days (N = 31)	32.3%	19.4%
Drug use past 30 days (N = 31)	6.5%	3.2%
No self-help group participation past 30 days ($N = 27$)	66.7%	33.3%
No family support for recovery past 30 days $(N = 27)$	29.6%	14.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =31)	3.2%	0.0%
Biomedical Conditions and Complications $(N = 31)$	3.2%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 31)	25.8%	29.0%
Resistance to Change $(N = 31)$	83.9%	48.4%
Relapse/Continued Use Potential (N = 31)	100.0%	67.7%
Unsupportive Recovery Environment (N = 31)	71.0%	61.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery - Baudette

206 8th Ave SE Baudette, MN 56623

Provider Website:

Patient Profile

 Gender (N = 13)
 Race (N = 13)

 Male: 84.6%
 White: 92.3%

 Female: 15.4%
 Black: 0.0%

American Indian: 7.7% 26 to 34: 30.8% Hispanic: 0.0% 35 and older: 61.5%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance So

(N = 13) Alcohol: 100.0% Methamphetamine: 0.0%

Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 13)}{\text{Job: } 69.2\%}$

Retirement/savings: 0.0% Family/friends: 7.7% No income: 7.7% Public sources: 15.4% Other sources: 0.0% Source of Referral

County: Lake of the Woods

Age (N = 13)

Under 18: 0.0%

18 to 25: 7.7%

__(N = 13) __.
Self/family/relative/
friends: 46.2%
Employer/school: 0.0%
Criminal justice: 53.8%
Professional: 0.0%

County social

service agency: 76.9%

Other community resources: 7.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 13)

Completed program: 92.3%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0%

Death/other: 7.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Glenmore Recovery - Baudette

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 13)	0.0%	0.0%
Not employed/student ‡ (N = 13)	30.8%	23.1%
Arrests past 30 days (N = 13)	7.7%	0.0%
Alcohol use past 30 days (N = 13)	15.4%	0.0%
Drug use past 30 days (N = 13)	23.1%	0.0%
No self-help group participation past 30 days $(N = 13)$	69.2%	7.7%
No family support for recovery past 30 days $(N = 13)$	15.4%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 13) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =13) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/	0.0% 8.3%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 13) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/ Cognitive Problem (N = 12)	0.0% 8.3% 33.3%	0.0% 16.7% 25.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center

23616 US HWY 2 SW Crookston, MN 56716

Provider Website: www.riverviewhealth.org

Patient Profile

 Gender (N = 271)
 Race (N = 271)

 Male: 72.7%
 White: 69.4%

 Female: 27.3%
 Black: 1.1%

American Indian: 24.0% 26 to 34: 21.8% Hispanic: 4.4% 35 and older: 57.9%

Asian/Pacific Islander: 0.4%

Other: 0.7%

Primary Substance Source of Income

(N = 268) (N = 271) Alcohol: 76.5% Job: 54.6%

Methamphetamine: 3.4% Retirement/savings: 2.6% Marijuana: 11.2% Family/friends: 10.3% No income: 7.8% Cocaine: 2.6% Public sources: 15.1%

Other opiates: 6.0% Public sources: 15.19
Other sources: 9.6%

(N = 271) .
Self/family/relative/
friends: 73.8%
Employer/school: 1 9%

Source of Referral

Employer/school: 1.9% Criminal justice: 30.3% Professional: 10.7%

County social

Age (N = 271)

Under 18: 0.4%

18 to 25: 19.9%

County: Polk

service agency: 26.9%

Other community resources: 21.4%

AA: 0.4% Tribal: 6.6%

Outcomes

Discharge Status

Other drugs: 0.4%

(N = 271)

Completed program: 79.0%

Patient left without staff approval: 11.8% Staff requested/judged inappropriate: 3.0%

Death/other: 6.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Glenmore Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 258)	7.0%	3.1%
Not employed/student ^{‡‡} (N = 234)	49.6%	54.3%
Arrests past 30 days (N = 268)	16.8%	4.9%
Alcohol use past 30 days (N = 268)	61.2%	9.3%
Drug use past 30 days (N = 268)	29.5%	6.7%
No self-help group participation past 30 days ($N = 256$)	67.2%	14.8%
No family support for recovery past 30 days $(N = 241)$	12.4%	5.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 20.0%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 270) Biomedical Conditions and	20.0%	13.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 270) Biomedical Conditions and Complications (N = 270) Emotional/Behavioral/	20.0%	13.7% 21.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 270) Biomedical Conditions and Complications (N = 270) Emotional/Behavioral/ Cognitive Problem (N = 270)	20.0% 29.3% 63.7%	13.7% 21.1% 45.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center Northwest Regional Corrections Center

816 Marin Ave

Crookston, MN 56726 County: Polk

Provider Website:

Patient Profile

 Gender (N = 7)
 Race (N = 7)
 Age (N = 7)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Source of Referral **Primary Substance** Source of Income (N = 7)(N = 7)(N = 7). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: *

ner sources: * County social service agency: * Other community resources: *

AA: *
Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Glenmore Recovery Center Northwest Regional Corrections Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 6)	*	*
Not employed/student 11 (N = 4)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days $(N = 7)$	*	*
Drug use past 30 days $(N = 7)$	*	*
No self-help group participation past 30 days $(N = 5)$	*	*
No family support for recovery past 30 days $(N = 5)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		*
Withdrawal (N = 7)	*	
	*	*
Withdrawal (N = 7) Biomedical Conditions and		*
Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	
Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore-Roseau

216 Center Street W Roseau, MN 56751

Provider Website: www.riverviewhealth.org

Patient Profile

 Gender (N = 48)
 Race (N = 48)

 Male: 81.3%
 White: 91.7%

 Female: 18.8%
 Black: 0.0%

American Indian: 2.1% 26 to 34: 31.3% Hispanic: 2.1% 35 and older: 39.6%

Asian/Pacific Islander: 0.0%

Other: 4.2%

Primary Substance Source of Income

(N = 48) Alcohol: 87.5% (N = 48) Job: 68.8%

Methamphetamine: 8.3% Retirement/savings: 2.1% Marijuana: 4.2% Family/friends: 2.1% No income: 16.7% Coccine: 0.0% Rublic sources: 4.2%

Cocaine: 0.0% Public sources: 6.3% Other opiates: 0.0% Other sources: 4.2%

Source of Referral (N = 48).

County: Roseau

Age (N = 48)

Under 18: 0.0%

18 to 25: 29.2%

Self/family/relative/ friends: 25.0% Employer/school: 2.1% Criminal justice: 81.3%

Professional: 0.0%

County social

service agency: 41.7% Other community

resources: 8.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 48)

Completed program: 83.3%

Patient left without staff approval: 6.3% Staff requested/judged inappropriate: 4.2%

Death/other: 6.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Glenmore-Roseau

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 48)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 48)	31.3%	27.1%
Arrests past 30 days (N = 48)	10.4%	0.0%
Alcohol use past 30 days (N = 48)	27.1%	8.3%
Drug use past 30 days (N = 48)	4.2%	0.0%
No self-help group participation past 30 days ($N = 45$)	64.4%	55.6%
No family support for recovery past 30 days $(N = 41)$	39.0%	24.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =47)	0.0%	2.1%
Biomedical Conditions and Complications ($N = 47$)	2.1%	4.3%
Emotional/Behavioral/ Cognitive Problem (N = 47)	21.3%	12.8%
Resistance to Change $(N = 48)$	77.1%	31.3%
Relapse/Continued Use Potential ($N = 48$)	95.8%	56.3%
Unsupportive Recovery Environment ($N = 48$)	89.6%	47.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Golden Living Center Wabasso

660 Maple Street Wabasso, MN 56293

Provider Website:

Patient Profile

Gender (N = 22)Race (N = 22)Male: 72.7% White: 95.5% Female: 27.3% Black: 0.0%

18 to 25: 0.0% American Indian: 4.6% 26 to 34: 0.0% 35 and older: 100.0%

Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 22)Alcohol: 100.0% Methamphetamine: 0.0%

Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 22)Job: 0.0%

> Retirement/savings: 22.7% Family/friends: 4.6% No income: 0.0% Public sources: 63.6%

Other sources: 9.1%

Source of Referral

(N = 22) .

County: Redwood

Age (N = 22)

Under 18: 0.0%

Self/family/relative/ friends: 4.6%

Employer/school: 0.0% Criminal justice: 0.0% Professional: 86.4%

County social

service agency: 77.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 22)

Completed program: 72.7%

Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 4.6%

Death/other: 4.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Golden Living Center Wabasso

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 21)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 22)	100.0%	100.0%
Arrests past 30 days (N = 22)	0.0%	0.0%
Alcohol use past 30 days (N = 22)	22.7%	4.6%
Drug use past 30 days (N = 22)	0.0%	0.0%
No self-help group participation past 30 days ($N = 22$)	40.9%	22.7%
No family support for recovery past 30 days (N = 20)	10.0%	10.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 21$)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 21)$	9.5%	4.8%
Emotional/Behavioral/ Cognitive Problem (N = 21)	4.8%	4.8%
Resistance to Change ($N = 21$)	14.3%	9.5%
Resistance to Change (N = 21) Relapse/Continued Use Potential (N = 21)		9.5% 23.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Grace Counseling Services

16525 Hwy 65 NE Ham Lake, MN 55304

Provider Website:

Patient Profile

 Gender (N = 124)
 Race (N = 124)

 Male: 79.8%
 White: 100.0%

 Female: 20.2%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 19.4% Hispanic: 0.0% 35 and older: 34.7%

County: Anoka

Age (N = 124)

Under 18: 0.8%

18 to 25: 45.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 124) Alcohol: 54.8% (N = 124) Job: 70.2%

Methamphetamine: 12.9% Retirement/savings: 0.8% Marijuana: 26.6% Family/friends: 0.0% No income: 21.8% Cocaine: 5.7% Public sources: 0.0%

Other opiates: 0.0% Other sources: 7.3%

(N = 124)Self/family/relative/

Source of Referral

friends: 40.3%
Employer/school: 0.8%
Criminal justice: 70.2%
Professional: 0.8%
County social

service agency: 1.6% Other community resources: 46.0%

AA: 1.6% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 124)

Completed program: 75.0%

Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Grace Counseling Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 124)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 113)	23.0%	23.9%
Arrests past 30 days (N = 69)	0.0%	0.0%
Alcohol use past 30 days (N = 124)	1.6%	0.0%
Drug use past 30 days (N = 124)	0.0%	0.0%
No self-help group participation past 30 days $(N = 0)$	*	*
No family support for recovery past 30 days $(N = 0)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =124)	0.0%	0.0%

Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =124)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 124$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 124)	0.0%	0.0%
Resistance to Change (N = 124)	0.0%	0.0%
Relapse/Continued Use Potential (N = 124)	0.0%	0.0%
Unsupportive Recovery Environment (N = 124)	0.0%	1.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Guest House

4800 48th Street NE Rochester, MN 55906

Provider Website: www.guesthouse.org

Patient Profile

 Gender (N = 68)
 Race (N = 68)

 Male: 100.0%
 White: 88.2%

 Female: 0.0%
 Black: 2.9%

Black: 2.9% 18 to 25: 0.0% American Indian: 0.0% 26 to 34: 1.5% Hispanic: 5.9% 35 and older: 98.5%

Asian/Pacific Islander: 1.5%

Other: 1.5%

Primary Substance Source of Income

(N = 67) Alcohol: 94.0% (N = 68) Job: 88.2%

Methamphetamine: 0.0% Retirement/savings: 8.8% Marijuana: 1.5% Family/friends: 0.0% No income: 0.0% Cocaine: 1.5% Public sources: 0.0%

Other opiates: 0.0%

Other sources: 2.9%

(N = 68) . Self/family/relative/ friends: 16.2%

friends: 16.2%
Employer/school: 79.4%
Criminal justice: 0.0%
Professional: 2.9%
County social

Source of Referral

County: Olmsted

Age (N = 68)

Under 18: 0.0%

service agency: 0.0% Other community resources: 20.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 3.0%

(N = 68)

Completed program: 75.0%

Patient left without staff approval: 8.8% Staff requested/judged inappropriate: 2.9%

Death/other: 13.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Guest House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 68)	0.0%	0.0%
Not employed/student ‡ (N = 67)	22.4%	29.9%
Arrests past 30 days (N = 68)	5.9%	0.0%
Alcohol use past 30 days (N = 67)	85.1%	4.5%
Drug use past 30 days (N = 67)	11.9%	0.0%
No self-help group participation past 30 days $(N = 67)$	68.7%	7.5%
No family support for recovery past 30 days $(N = 67)$	20.9%	3.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 11.8%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 68) Biomedical Conditions and	11.8%	1.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 68) Biomedical Conditions and Complications (N = 68) Emotional/Behavioral/	11.8% 32.4%	1.5% 25.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 68) Biomedical Conditions and Complications (N = 68) Emotional/Behavioral/ Cognitive Problem (N = 68)	11.8% 32.4% 57.4%	1.5% 25.0% 35.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Gundersen Lutheran Unity House for Men

1922 Miller Street La Crosse, WI 54601

Provider Website:

Patient Profile

 Gender (N = 28)
 Race (N = 28)

 Male: 100.0%
 White: 100.0%

 Female: 0.0%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 10.7% Hispanic: 0.0% 35 and older: 50.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 28)
Alcohol: 64.3%
Methamphetamine: 3.6%

Marijuana: 28.6% Heroin: 0.0% Cocaine: 3.6% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 28)Job: 28.6%

> Retirement/savings: 3.6% Family/friends: 53.6% No income: 0.0% Public sources: 0.0% Other sources: 14.3%

Source of Referral

(N = 28) . Self/family/relative/

County: Wisconsin

Age (N = 28)

Under 18: 0.0%

18 to 25: 39.3%

friends: 25.0% Employer/school: 3.6% Criminal justice: 3.6% Professional: 64.3%

County social

service agency: 75.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 28)

Completed program: 75.0%

Patient left without staff approval: 3.6% Staff requested/judged inappropriate: 3.6%

Death/other: 17.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Gundersen Lutheran Unity House for Men

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 28)	3.6%	0.0%
Not employed/student ^{‡‡} (N = 28)	71.4%	50.0%
Arrests past 30 days (N = 28)	3.6%	0.0%
Alcohol use past 30 days (N = 28)	82.1%	7.1%
Drug use past 30 days (N = 28)	46.4%	3.6%
No self-help group participation past 30 days ($N = 28$)	60.7%	0.0%
No family support for recovery past 30 days (N = 28)	32.1%	3.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =27)	14.8%	0.0%
Biomedical Conditions and Complications $(N = 28)$	21.4%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 28)	92.9%	67.9%
Resistance to Change ($N = 28$)	100.0%	85.7%
Relapse/Continued Use		
Potential $(N = 28)$	100.0%	89.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Gundersen Lutheran Unity House for Women

1312 5th Ave S La Crosse, WI 54601

Provider Website:

Patient Profile

 Gender (N = 43)
 Race (N = 43)

 Male: 0.0%
 White: 86.0%

 Female: 100.0%
 Black: 2.3%

American Indian: 7.0% 26 to 34: 18.6% Hispanic: 2.3% 35 and older: 48.8%

Asian/Pacific Islander: 0.0%

Other: 2.3%

Primary Substance Source of Income

(N = 43) Alcohol: 72.1% (N = 43) Job: 53.5%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 9.3% Family/friends: 11.6% No income: 4.7% Cocaine: 7.0% Public sources: 11.6% Other opiates: 9.3% Other sources: 18.6%

Source of Referral
(N = 43)
Self/family/relative/
friends: 65.1%
Employer/school: 0.0%
Criminal justice: 9.3%
Professional: 65.1%
County social

County: Wisconsin

Age (N = 43)

Under 18: 0.0%

18 to 25: 32.6%

service agency: 9.3% Other community resources: 16.3%

AA: 2.3% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 2.3%

(N = 43)

Completed program: 41.9%

Patient left without staff approval: 18.6% Staff requested/judged inappropriate: 11.6%

Death/other: 27.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Gundersen Lutheran Unity House for Women

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 42)	0.0%	0.0%
Not employed/student ‡ (N = 33)	51.5%	45.5%
Arrests past 30 days (N = 41)	19.5%	7.3%
Alcohol use past 30 days (N = 41)	87.8%	12.2%
Drug use past 30 days (N = 40)	47.5%	17.5%
No self-help group participation past 30 days ($N = 43$)	65.1%	0.0%
No family support for recovery past 30 days $(N = 40)$	12.5%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 43$)	46.5%	9.3%
Biomedical Conditions and Complications $(N = 43)$	39.5%	27.9%
Emotional/Behavioral/ Cognitive Problem (N = 43)	86.0%	79.1%
Resistance to Change $(N = 42)$	22.201	66.7%
	92.9%	00.770
Relapse/Continued Use Potential (N = 43)	92.9% 100.0%	100.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

H.V.M.H.C. Wabasha County Outpatient C.D. Program

611 Broadway, Suite 100 Wabasha, MN 55981

Provider Website: www.hvmhc.org

Patient Profile

 Gender (N = 20)
 Race (N = 20)

 Male: 85.0%
 White: 85.0%

 Female: 15.0%
 Black: 5.0%

American Indian: 0.0% 26 to 34: 25.0% Hispanic: 10.0% 35 and older: 55.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 20) Alcohol: 75.0% (N = 20) Job: 55.0%

Methamphetamine: 5.0% Retirement/savings: 10.0% Family/friends: 25.0% Heroin: 0.0% No income: 0.0% Cocaine: 5.0% Public sources: 5.0%

Other opiates: 0.0% Other sources: 5.0%

(N = 20) .
Self/family/relative/
friends: 20.0%
Employer/school: 0.0%

Source of Referral

Employer/school: 0.0% Criminal justice: 80.0% Professional: 80.0%

County social

County: Wabasha

Age (N = 20)

Under 18: 0.0%

18 to 25: 20.0%

service agency: 5.0% Other community resources: 5.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 20)

Completed program: 65.0%

Patient left without staff approval: 15.0% Staff requested/judged inappropriate: 10.0%

Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

H.V.M.H.C. Wabasha County Outpatient C.D. Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 20)	0.0%	0.0%
Not employed/student ‡ (N = 20)	45.0%	30.0%
Arrests past 30 days (N = 20)	5.0%	15.0%
Alcohol use past 30 days (N = 20)	15.0%	10.0%
Drug use past 30 days $(N = 20)$	10.0%	15.0%
No self-help group participation past 30 days $(N = 19)$	42.1%	15.8%
No family support for recovery past 30 days $(N = 19)$	21.1%	10.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 20) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 20) Biomedical Conditions and Complications (N = 20) Emotional/Behavioral/	0.0%	0.0% 5.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 20) Biomedical Conditions and Complications (N = 20) Emotional/Behavioral/ Cognitive Problem (N = 20)	0.0% 0.0% 10.0%	0.0% 5.0% 5.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hanson and Hanson Addiction Specialist, Inc

223 Sibley Street Hastings, MN 55033

Provider Website:

Patient Profile

 Gender (N = 21)
 Race (N = 21)

 Male: 85.7%
 White: 90.5%

 Female: 14.3%
 Black: 0.0%

American Indian: 4.8% 26 to 34: 19.0% Hispanic: 4.8% 35 and older: 42.9%

County: Dakota

Age (N = 21)

Under 18: 9.5%

18 to 25: 28.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 21) Alcohol: 66.7% (N = 21) Job: 71.4%

Methamphetamine: 4.8% Retirement/savings: 0.0% Marijuana: 19.0% Family/friends: 9.5% Heroin: 0.0% No income: 9.5% Cocaine: 4.8% Public sources: 9.5% Other opiates: 4.8% Other sources: 0.0%

Source of Referral

(N = 21)

Self/family/relative/
friends: 85.7%

Employer/school: 4.8%

Criminal justice: 57.1%

Professional: 0.0%

County social

service agency: 19.0% Other community

resources: 19.0% AA: 4.8% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 21)

Completed program: 76.2%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 23.8%

Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hanson and Hanson Addiction Specialist, Inc

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 21)	4.8%	4.8%
Not employed/student ^{‡‡} (N = 21)	19.0%	19.0%
Arrests past 30 days (N = 21)	23.8%	0.0%
Alcohol use past 30 days (N = 21)	76.2%	9.5%
Drug use past 30 days (N = 21)	42.9%	9.5%
No self-help group participation past 30 days $(N = 19)$	73.7%	21.1%
No family support for recovery past 30 days (N = 19)	26.3%	15.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 9.5%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 21) Biomedical Conditions and	9.5%	14.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 21) Biomedical Conditions and Complications (N = 21) Emotional/Behavioral/	9.5%	14.3% 9.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 21) Biomedical Conditions and Complications (N = 21) Emotional/Behavioral/ Cognitive Problem (N = 21)	9.5% 14.3% 38.1%	9.5% 23.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC

16403 Haven Road Little Falls, MN 56345

Provider Website:

Patient Profile

 Gender (N = 103)
 Race (N = 103)

 Male: 70.9%
 White: 95.1%

 Female: 29.1%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 21.4% Hispanic: 1.0% 35 and older: 42.7%

Asian/Pacific Islander: 0.0%

Other: 3.9%

Primary Substance Source of Income

(N = 103) Alcohol: 73.8% (N = 103) Job: 52.4%

Methamphetamine: 7.8% Retirement/savings: 1.9% Marijuana: 17.5% Family/friends: 16.5% No income: 3.9% Cocaine: 0.0% Public sources: 15.5%

Other opiates: 1.0% Other sources: 9.7%

(N = 103) .
Self/family/relative/
friends: 26.2%
Employer/school: 3.9%

Source of Referral

Employer/school: 3.9% Criminal justice: 71.8% Professional: 12.6%

County social

County: Morrison

Age (N = 103)

Under 18: 1.0%

18 to 25: 35.0%

service agency: 11.7%

Other community resources: 14.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 103)

Other drugs: 0.0%

Completed program: 47.6%

Patient left without staff approval: 15.5% Staff requested/judged inappropriate: 21.4%

Death/other: 15.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Haven Road Recovery Center LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 95)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 89)	47.2%	41.6%
Arrests past 30 days (N = 100)	4.0%	3.0%
Alcohol use past 30 days (N = 96)	21.9%	4.2%
Drug use past 30 days (N = 97)	15.5%	4.1%
No self-help group participation past 30 days $(N = 74)$	64.9%	18.9%
No family support for recovery past 30 days ($N = 84$)	6.0%	1.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =97)	0.0%	1.0%
Biomedical Conditions and Complications ($N = 97$)	8.3%	7.2%
Emotional/Behavioral/ Cognitive Problem ($N = 97$)	62.9%	39.2%
	62.9% 55.7%	39.2% 37.1%
Cognitive Problem $(N = 97)$		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC Outlook Jail Program

213 SE 1st Avenue Little Falls, MN 56345

Provider Website:

Patient Profile

 Gender (N = 22)
 Race (N = 22)

 Male: 95.5%
 White: 77.3%

 Female: 4.6%
 Black: 13.6%

American Indian: 0.0% 26 to 34: 13.6% Hispanic: 4.6% 35 and older: 45.5%

Asian/Pacific Islander: 0.0%

Other: 4.6%

Primary Substance Source of Income

(N = 22) Alcohol: 59.1% (N = 22) Job: 50.0%

Methamphetamine: 13.6% Retirement/savings: 0
Marijuana: 18.2% Family/friends: 4.6%
Heroin: 0.0% No income: 36.4%
Cocaine: 9.1% Public sources: 4.6%
Other opiates: 0.0% Other sources: 4.6%

N = 22)

Job: 50.0%

Retirement/savings: 0.0%

Family/friends: 4.6%

No income: 36.4%

Public sources: 4.6%

Other sources: 4.6%

(N = 22)

Self/family/relative/
friends: 95.5%

Employer/school: 0.0%

Criminal justice: 13.6%

Professional: 0.0%

County social

service agency: 86.4% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

County: Morrison

Age (N = 22)

Under 18: 0.0%

18 to 25: 40.9%

Source of Referral

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 22)

Completed program: 9.1%

Patient left without staff approval: 27.3% Staff requested/judged inappropriate: 4.6%

Death/other: 59.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Haven Road Recovery Center LLC Outlook Jail Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 20)	5.0%	10.0%
Not employed/student ^{‡‡} (N = 17)	94.1%	82.4%
Arrests past 30 days (N = 21)	38.1%	14.3%
Alcohol use past 30 days (N = 20)	10.0%	10.0%
Drug use past 30 days (N = 19)	15.8%	10.5%
No self-help group participation past 30 days ($N = 17$)	29.4%	23.5%
No family support for recovery past 30 days (N = 17)	11.8%	17.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =21)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 21)$	28.6%	23.8%
Emotional/Behavioral/ Cognitive Problem (N = 21)	57.1%	52.4%
Resistance to Change $(N = 21)$	47.6%	42.9%
Relapse/Continued Use Potential (N = 21)	95.2%	61.9%
Unsupportive Recovery Environment ($N = 21$)	90.5%	95.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center Todd County

17 2nd Street North Long Prairie, MN 56345

Provider Website:

Patient Profile

 Gender (N = 71)
 Race (N = 71)

 Male: 69.0%
 White: 90.1%

 Female: 31.0%
 Black: 0.0%

American Indian: 1.4% 26 to 34: 26.8% Hispanic: 7.0% 35 and older: 52.1%

County: Todd

Asian/Pacific Islander: 0.0%

Other: 1.4%

Primary Substance

(N = 71) Alcohol: 85.9%

Methamphetamine: 7.0% Marijuana: 5.6%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.4%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 71)}{\text{Job: } 45.1\%}$

Retirement/savings: 1.4% Family/friends: 29.6% No income: 1.4% Public sources: 14.1%

Other sources: 8.5%

Source of Referral

(N = 71) . Self/family/relative/

Age (N = 71)

Under 18: 0.0%

18 to 25: 21.1%

friends: 26.8% Employer/school: 4.2% Criminal justice: 47.9% Professional: 14.1%

County social

service agency: 56.3%

Other community resources: 11.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 71)

Completed program: 57.7%

Patient left without staff approval: 18.3% Staff requested/judged inappropriate: 15.5%

Death/other: 8.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Haven Road Recovery Center Todd County

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 62)	1.6%	0.0%
Not employed/student ^{‡‡} (N = 63)	54.0%	46.0%
Arrests past 30 days (N = 70)	1.4%	4.3%
Alcohol use past 30 days $(N = 70)$	28.6%	17.1%
Drug use past 30 days (N = 69)	7.3%	7.3%
No self-help group participation past 30 days ($N = 47$)	70.2%	34.0%
No family support for recovery past 30 days $(N = 40)$	30.0%	27.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	Discharge 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 57) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 57) Biomedical Conditions and Complications (N = 57) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 57) Biomedical Conditions and Complications (N = 57) Emotional/Behavioral/ Cognitive Problem (N = 57)	0.0% 12.3% 45.6%	0.0% 10.5% 21.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Center for Youth & Families

11505 36th Avenue North Plymouth, MN 55441

Provider Website: www.hazelden.org

Patient Profile

 Gender (N = 743)
 Race (N = 743)
 Age (N = 743)

 Male: 75.6%
 White: 90.6%
 Under 18: 40.1%

 Female: 24.4%
 Black: 0.8%
 18 to 25: 59.9%

American Indian: 2.0% 26 to 34: 0.0%

Hispanic: 3.2% 35 and older: 0.0%

Hispanic: 3.2% 35 and older: 0.0% Asian/Pacific Islander: 1.4%

County: Hennepin

Other: 2.0%

Primary Substance Source of Income Source of Referral (N = 703) (N = 743) (N = 743) .

Alcohol: 27.0% Job: 6.6% Self/family/relative/
Methamphetamine: 0.9% Retirement/savings: 0.1% friends: 91.8%
Marijuana: 46.5% Family/friends: 86.1% Employer/school: 0.0%
Heroin: 2.0% No income: 2.0% Criminal justice: 0.1%

Cocaine: 5.6% Public sources: 0.1% Professional: 6.6% Other opiates: 13.4% Other sources: 5.0% County social

Other drugs: 4.7% service agency: 0.0% Other community resources: 16.8%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 743)

Completed program: 70.0%

Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 12.7%

Death/other: 7.4%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hazelden Center for Youth & Families

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 736)	1.0%	1.0%
Not employed/student ^{‡‡} (N = 598)	22.1%	23.7%
Arrests past 30 days (N = 729)	21.0%	5.4%
Alcohol use past 30 days (N = 713)	63.7%	21.3%
Drug use past 30 days (N = 724)	79.3%	37.8%
No self-help group participation past 30 days ($N = 677$)	81.1%	24.5%
No family support for recovery past 30 days (N = 685)	5.7%	10.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 5.4%	<u>Discharge</u> 3.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 480) Biomedical Conditions and	5.4%	3.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 480) Biomedical Conditions and Complications (N = 480) Emotional/Behavioral/	5.4% 3.3%	3.5% 2.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 480) Biomedical Conditions and Complications (N = 480) Emotional/Behavioral/ Cognitive Problem (N = 480)	5.4% 3.3% 45.0%	3.5% 2.9% 57.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Fellowship Club

680 Stewart Avenue St. Paul, MN 55102

Provider Website: www.hazelden.org

Patient Profile

 Gender (N = 320)
 Race (N = 320)

 Male: 67.2%
 White: 92.2%

 Female: 32.8%
 Black: 2.5%

American Indian: 1.9% 26 to 34: 26.6% Hispanic: 1.6% 35 and older: 40.0%

County: Ramsey

Age (N = 320)

Under 18: 0.0%

18 to 25: 33.4%

Asian/Pacific Islander: 1.3%

Other: 0.6%

Primary Substance Source of Income

(N = 277) Alcohol: 63.9% (N = 320) Job: 39.7%

Methamphetamine: 5.1% Retirement/savings: 9.1% Marijuana: 7.9% Family/friends: 26.9% No income: 12.5% Cocaine: 8.3% Public sources: 4.1%

Other opiates: 7.6%

Other sources: 7.8%

(N = 320) .
Self/family/relative/
friends: 82.8%
Employer/school: 0.6%

Source of Referral

Employer/school: 0.6% Criminal justice: 0.9% Professional: 10.6% County social

service agency: 0.6% Other community resources: 24.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 320)

Other drugs: 4.7%

Completed program: 64.1%

Patient left without staff approval: 14.4% Staff requested/judged inappropriate: 20.9%

Death/other: 0.6%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hazelden Fellowship Club

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 304)	4.6%	0.0%
Not employed/student ^{‡‡} (N = 274)	43.4%	29.6%
Arrests past 30 days (N = 311)	4.5%	4.2%
Alcohol use past 30 days (N = 309)	32.4%	15.9%
Drug use past 30 days (N = 307)	36.8%	9.8%
No self-help group participation past 30 days ($N = 281$)	32.7%	3.6%
No family support for recovery past 30 days (N = 288)	5.2%	4.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =197)	0.5%	1.5%
Biomedical Conditions and Complications $(N = 197)$	1.0%	3.6%
Emotional/Behavioral/ Cognitive Problem (N = 197)	37.6%	28.4%
Resistance to Change (N = 197)	49.7%	41.1%
Relapse/Continued Use Potential (N = 196)	86.7%	49.0%
Unsupportive Recovery Environment (N = 195)	78.5%	45.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Recovery Services

15245 Pleasant Valley Road Center City, MN 55012

Provider Website: www.hazelden.org

Patient Profile

 Gender (N = 2408)
 Race (N = 2408)
 Age (N = 2408)

 Male: 61.3%
 White: 95.2%
 Under 18: 0.0%

 Female: 38.7%
 Black: 0.7%
 18 to 25: 12.8%

American Indian: 2.0% 26 to 34: 20.3%

Hispanic: 1.0% 35 and older: 66.8%

County: Chisago

Asian/Pacific Islander: 0.5%

Other: 0.5%

Primary Substance Source of Income Source of Referral (N = 2242) (N = 2408) (N = 2408) .

Alcohol: 72.5% Job: 57.6% Self/family/relative/

Methamphetamine: 2.9%Retirement/savings: 9.7%friends: 91.2%Marijuana: 3.1%Family/friends: 19.8%Employer/school: 1.3%Heroin: 1.7%No income: 4.5%Criminal justice: 0.8%Cocaine: 7.3%Public sources: 1.9%Professional: 11.8%

Cocaine: 7.3% Public sources: 1.9% Professional: 11.8% Other opiates: 9.5% Other sources: 6.6% County social

Other drugs: 3.1% service agency: 0.2% Other community resources: 15.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 2408)

Completed program: 87.5%

Patient left without staff approval: 8.9% Staff requested/judged inappropriate: 1.7%

Death/other: 2.0%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hazelden Recovery Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 2335)	0.6%	1.2%
Not employed/student ^{‡‡} (N = 2021)	43.7%	39.3%
Arrests past 30 days (N = 2276)	10.4%	4.1%
Alcohol use past 30 days (N = 2265)	83.9%	17.0%
Drug use past 30 days (N = 2244)	48.4%	10.2%
No self-help group participation past 30 days ($N = 2263$)	57.3%	22.5%
No family support for recovery past 30 days ($N = 2264$)	2.9%	6.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 23.5%	Discharge 4.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1713) Biomedical Conditions and	23.5%	4.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1713) Biomedical Conditions and Complications (N = 1712) Emotional/Behavioral/	23.5% 15.5%	4.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1713) Biomedical Conditions and Complications (N = 1712) Emotional/Behavioral/ Cognitive Problem (N = 1712)	23.5% 15.5% 31.4%	4.3% 6.1% 22.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Health Recovery Center

3255 Hennepin Avenue South Minneapolis, MN 55408

Provider Website:

Patient Profile

Gender (N = 75)Race (N = 75)Male: 58.7% White: 93.3% Female: 41.3% Black: 0.0%

> American Indian: 1.3% 26 to 34: 4.0% Hispanic: 4.0% 35 and older: 77.3%

Asian/Pacific Islander: 0.0%

Other: 1.3%

Primary Substance

(N = 75)Alcohol: 80.0%

Methamphetamine: 0.0%

Marijuana: 9.3% Heroin: 1.3% Cocaine: 2.7% Other opiates: 1.3%

Other drugs: 5.3%

Source of Income

(N = 75)Job: 49.3%

> Retirement/savings: 4.0% Family/friends: 30.7% No income: 2.7% Public sources: 2.7% Other sources: 10.7%

Source of Referral

(N = 75) .

County: Hennepin

Age (N = 75)Under 18: 0.0%

18 to 25: 18.7%

Self/family/relative/ friends: 98.7% Employer/school: 0.0% Criminal justice: 1.3% Professional: 1.3%

County social

service agency: 0.0% Other community resources: 1.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 75)

Completed program: 88.0%

Patient left without staff approval: 10.7% Staff requested/judged inappropriate: 0.0%

Death/other: 1.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Health Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 75)	1.3%	0.0%
Not employed/student ^{‡‡} (N = 65)	43.1%	44.6%
Arrests past 30 days (N = 75)	4.0%	0.0%
Alcohol use past 30 days (N = 75)	78.7%	9.3%
Drug use past 30 days (N = 75)	52.0%	5.3%
No self-help group participation past 30 days $(N = 72)$	84.7%	95.8%
No family support for recovery past 30 days $(N = 74)$	2.7%	1.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 26.7%	<u>Discharge</u> 9.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 75) Biomedical Conditions and	26.7%	9.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 75) Biomedical Conditions and Complications (N = 75) Emotional/Behavioral/	26.7% 74.7%	9.3% 2.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 75) Biomedical Conditions and Complications (N = 75) Emotional/Behavioral/ Cognitive Problem (N = 75)	26.7% 74.7% 78.7%	9.3% 2.7% 12.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hennepin Faculty Associates Addiction Medicine Program

807 Park Ave

Minneapolis, MN 55404 County: Hennepin

Provider Website:

Patient Profile

 Gender (N = 8)
 Race (N = 8)
 Age (N = 8)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * Other sources: * County social
Other drugs: * service agency: *

service agency: *
Other community
resources: *

AA: *
Tribal: *

Outcomes

Discharge Status

(N = 8)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hennepin Faculty Associates Addiction Medicine Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 8)	*	*
Not employed/student ^{‡‡} (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 8)	*	*
Drug use past 30 days $(N = 8)$	*	*
No self-help group participation past 30 days $(N = 7)$	*	*
No family support for recovery past 30 days $(N = 7)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

HFA Addiction Medicine Program

914 South 8th Street Minneapolis, MN 55404

Provider Website: www.hfahealth.com

Patient Profile

 Gender (N = 97)
 Race (N = 97)

 Male: 68.0%
 White: 50.5%

 Female: 32.0%
 Black: 23.7%

Female: 32.0% Black: 23.7% 18 to 25: 12.4% American Indian: 11.3% 26 to 34: 21.6% Hispanic: 7.2% 35 and older: 66.0%

Asian/Pacific Islander: 3.1%

Other: 4.1%

Primary Substance Source of Income

(N = 97) Alcohol: 15.5% (N = 97) Job: 14.4%

Methamphetamine: 0.0% Retirement/savings: 6.2% Marijuana: 0.0% Family/friends: 24.7% No income: 5.2%

Cocaine: 0.0% Public sources: 44.3% Other opiates: 33.0% Other sources: 5.2%

(N = 97) . Self/family/relative/ friends: 81.4%

Source of Referral

Employer/school: 1.0% Criminal justice: 4.1% Professional: 33.0%

County social

County: Hennepin

Age (N = 97)

Under 18: 0.0%

service agency: 49.5%

Other community resources: 8.3%

AA: 0.0% Tribal: 1.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 97)

Completed program: 2.1%

Patient left without staff approval: 47.4% Staff requested/judged inappropriate: 4.1%

Death/other: 46.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

HFA Addiction Medicine Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 72)	4.2%	18.1%
Not employed/student ^{‡‡} (N = 84)	77.4%	81.0%
Arrests past 30 days (N = 64)	10.9%	18.8%
Alcohol use past 30 days ($N = 64$)	32.8%	14.1%
Drug use past 30 days (N = 63)	87.3%	65.1%
No self-help group participation past 30 days ($N = 59$)	81.4%	72.9%
No family support for recovery past 30 days $(N = 49)$	30.6%	20.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =94)	41.5%	54.3%
Biomedical Conditions and Complications $(N = 96)$	40.6%	40.6%
Emotional/Behavioral/ Cognitive Problem (N = 96)	44.8%	49.0%
Resistance to Change (N = 95)	33.7%	72.6%
Relapse/Continued Use Potential ($N = 94$)	84.0%	91.5%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hiawatha Valley Mental Health

166 Main Street Winona, MN 55987

Provider Website: www.hvmhc.org

Patient Profile

 Gender (N = 45)
 Race (N = 45)

 Male: 62.2%
 White: 95.6%

 Female: 37.8%
 Black: 4.4%

American Indian: 0.0% 26 to 34: 11.1% Hispanic: 0.0% 35 and older: 51.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 44) Alcohol: 56.8% (N = 45) Job: 44.4%

Methamphetamine: 2.3% Retirement/savings: 0.0% Family/friends: 13.3% Heroin: 0.0% No income: 4.4% Cocaine: 6.8% Public sources: 35.6%

Other opiates: 4.6%

Other sources: 2.2%

(N = 45) . Self/family/relative/ friends: 48.9%

Source of Referral

friends: 48.9% Employer/school: 6.7% Criminal justice: 51.1% Professional: 35.6%

County social

County: Winona

Age (N = 45)

Under 18: 11.1%

18 to 25: 26.7%

service agency: 13.3%

Other community resources: 20.0%

AA: 0.0% Tribal: 2.2%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 45)

Completed program: 31.1%

Patient left without staff approval: 31.1% Staff requested/judged inappropriate: 6.7%

Death/other: 31.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hiawatha Valley Mental Health

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 44)	0.0%	2.3%
Not employed/student ‡ (N = 41)	46.3%	51.2%
Arrests past 30 days (N = 44)	11.4%	13.6%
Alcohol use past 30 days (N = 41)	46.3%	26.8%
Drug use past 30 days (N = 41)	29.3%	22.0%
No self-help group participation past 30 days (N = 38)	76.3%	55.3%
No family support for recovery past 30 days $(N = 37)$	21.6%	18.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 40) Emotional/Behavioral/	0.0% 17.5%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 40) Emotional/Behavioral/ Cognitive Problem (N = 38)	0.0% 17.5% 50.0%	0.0% 17.5% 44.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hoffe Counseling, Inc.

319 Main Street La Crosse, WI 54601

a Crosse, WI 54601 County: Wisconsin

Provider Website:

Patient Profile

Other: *

Source of Referral **Primary Substance** Source of Income (N = 1)(N = 1)(N = 1). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

ner sources: * County social service agency: *
Other community resources: *

AA: *
Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 1)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hoffe Counseling, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 1)	*	*
Not employed/student ^{‡‡} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days $(N = 1)$	*	*
Drug use past 30 days $(N = 1)$	*	*
No self-help group participation past 30 days $(N = 1)$	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1)	Admission *	<u>Discharge</u> *
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and	*	*
Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hoffe Counseling, Inc.

157 Franklin Street Winona, MN 55987

County: Winona

Provider Website:

Patient Profile

 Gender (N = 9)
 Race (N = 9)
 Age (N = 9)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Primary Substance Source of Income Source of Referral $\frac{(N=9)}{\text{Alcohol: *}}$ Source of Referral $\frac{(N=9)}{\text{Self/family/relative/}}$

Alcohol: * Job: * Self/family/relative/
Methamphetamine: * Retirement/savings: * friends: *
Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * Other sources: * County social

Other sources: * County social service agency: * Other community resources: *

AA: * Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 9)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hoffe Counseling, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 9)	*	*
Not employed/student ^{‡‡} (N = 8)	*	*
Arrests past 30 days (N = 9)	*	*
Alcohol use past 30 days $(N = 8)$	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days $(N = 9)$	*	*
No family support for recovery past 30 days $(N = 9)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 9$)	*	*
·		
Biomedical Conditions and Complications $(N = 9)$	*	*
	*	
Complications (N = 9) Emotional/Behavioral/		*
Complications (N = 9) Emotional/Behavioral/ Cognitive Problem (N = 9)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hope House of Itasca County

604 South Pokegama Avenue Grand Rapids, MN 55744

Provider Website:

Patient Profile

Gender (N = 46)Race (N = 46)Male: 100.0% White: 80.4% Female: 0.0% Black: 0.0%

> American Indian: 15.2% 26 to 34: 21.7% Hispanic: 0.0% 35 and older: 50.0%

County: Itasca

Age (N = 46)

Under 18: 0.0%

18 to 25: 28.3%

Asian/Pacific Islander: 0.0%

Other: 4.4%

Primary Substance Source of Income

(N = 46)(N = 46)Alcohol: 71.7% Job: 10.9%

Methamphetamine: 13.0% Retirement/savings: 4.4% Marijuana: 6.5% Family/friends: 0.0% Heroin: 0.0% No income: 60.9% Public sources: 21.7% Cocaine: 4.4%

Other opiates: 4.4% Other sources: 2.2% (N = 46) . Self/family/relative/ friends: 56.5%

Source of Referral

Employer/school: 0.0% Criminal justice: 15.2% Professional: 60.9%

County social

service agency: 41.3%

Other community resources: 8.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 46)

Completed program: 69.6%

Patient left without staff approval: 15.2% Staff requested/judged inappropriate: 6.5%

Death/other: 8.7%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hope House of Itasca County

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 46)	0.0%	2.2%
Not employed/student ^{‡‡} (N = 44)	90.9%	68.2%
Arrests past 30 days (N = 44)	2.3%	9.1%
Alcohol use past 30 days (N = 44)	18.2%	11.4%
Drug use past 30 days (N = 44)	11.4%	2.3%
No self-help group participation past 30 days ($N = 44$)	18.2%	9.1%
No family support for recovery past 30 days $(N = 46)$	6.5%	10.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 46$)	10.9%	6.5%
Biomedical Conditions and Complications $(N = 45)$	26.7%	4.4%
	26.7% 32.6%	4.4% 28.3%
Complications (N = 45) Emotional/Behavioral/		
Complications (N = 45) Emotional/Behavioral/ Cognitive Problem (N = 46)	32.6%	28.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hope Unit St. Francis

2400 St. Francis Dr. Breckenridge, MN 56520

Provider Website: www.sfcare.org

Patient Profile

 Gender (N = 26)
 Race (N = 26)

 Male: 69.2%
 White: 92.3%

 Female: 30.8%
 Black: 0.0%

American Indian: 3.9% 26 to 34: 19.2%

Hispanic: 3.9% 35 and older: 46.2%

County: Wilken

Age (N = 26)

Under 18: 0.0%

18 to 25: 34.6%

Source of Referral

resources: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

 $\begin{array}{ccc} (N=26) & (N=26) & (N=26) \\ \text{Alcohol: 92.3\%} & \text{Job: 88.5\%} & \text{Self/family/relative/} \end{array}$

Methamphetamine: 0.0% Retirement/savings: 0.0% friends: 3.9% Marijuana: 3.9% Family/friends: 3.9% Employer/school: 7.7% Heroin: 0.0% No income: 0.0% Criminal justice: 84.6% Cocaine: 0.0% Public sources: 3.9% Professional: 11.5%

Other opiates: 3.9% Professional: 11.5% County social

Other drugs: 0.0%

Other drugs: 0.0%

Service agency: 11.5%

Other community

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 26)

Completed program: 84.6%

Patient left without staff approval: 11.5% Staff requested/judged inappropriate: 3.9%

Death/other: 0.0%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hope Unit St. Francis

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 26)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 26)	3.9%	7.7%
Arrests past 30 days (N = 26)	65.4%	3.9%
Alcohol use past 30 days (N = 26)	76.9%	19.2%
Drug use past 30 days (N = 26)	11.5%	3.9%
No self-help group participation past 30 days $(N = 23)$	73.9%	34.8%
No family support for recovery past 30 days $(N = 19)$	21.1%	5.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 26) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 26) Biomedical Conditions and Complications (N = 26) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 26) Biomedical Conditions and Complications (N = 26) Emotional/Behavioral/ Cognitive Problem (N = 26)	0.0% 0.0% 0.0%	0.0% 0.0% 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Charity Day by Day Program

510 South 8th Street Minneapolis, MN 55404

Provider Website: www.houseofcharity.org

Patient Profile

 Gender (N = 106)
 Race (N = 106)

 Male: 84.9%
 White: 40.6%

 Female: 15.1%
 Black: 51.9%

Female: 15.1% Black: 51.9% 18 to 25: 6.6% American Indian: 0.9% 26 to 34: 17.9%

Hispanic: 3.8% 35 and older: 75.5%

Asian/Pacific Islander: 0.0%

Other: 2.8%

Primary Substance Source of Income

(N = 106) Alcohol: 59.4% (N = 106) Job: 1.9%

Methamphetamine: 0.0% Retirement/savings: 0.0% friends: 76.4% Marijuana: 8.5% Family/friends: 4.7% Employer/school: 0.0% Heroin: 7.6% No income: 11.3% Criminal justice: 11.3% Cocaine: 22.6% Public sources: 48.1% Professional: 45.3%

Cocaine: 22.6% Public sources: 48.1% Professional: 45.3% Other opiates: 1.9% Other sources: 34.0% County social

Other drugs: 0.0% service agency: 42.5% Other community resources: 17.0%

AA: 0.9% Tribal: 0.0%

County: Hennepin

Age (N = 106)

Under 18: 0.0%

Source of Referral

Self/family/relative/

 $(N_{\underline{}} = 106)$.

Outcomes

Discharge Status (N = 106)

Completed program: 35.8%

Patient left without staff approval: 34.0% Staff requested/judged inappropriate: 15.1%

Death/other: 15.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

House of Charity Day by Day Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 101)	54.5%	43.6%
Not employed/student ‡ (N = 76)	96.1%	82.9%
Arrests past 30 days (N = 102)	3.9%	10.8%
Alcohol use past 30 days (N = 105)	41.9%	32.4%
Drug use past 30 days (N = 105)	40.0%	41.0%
No self-help group participation past 30 days (N = 88)	43.2%	26.1%
No family support for recovery past 30 days $(N = 79)$	36.7%	22.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 11.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 104) Biomedical Conditions and	0.0%	11.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 104) Biomedical Conditions and Complications (N = 104) Emotional/Behavioral/	0.0%	11.5% 26.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 104) Biomedical Conditions and Complications (N = 104) Emotional/Behavioral/ Cognitive Problem (N = 104)	0.0% 22.1% 73.1%	11.5% 26.9% 69.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Hope

1429 3rd Avenue Mankato, MN 56001

Provider Website: www.houseofhopemn.com

Patient Profile

 Gender (N = 187)
 Race (N = 187)

 Male: 97.9%
 White: 86.1%

 Female: 2.1%
 Black: 5.4%

American Indian: 2.1% 26 to 34: 25.7% Hispanic: 6.4% 35 and older: 49.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 184) Alcohol: 71.2% (N = 187) Job: 51.3%

Methamphetamine: 7.6% Retirement/savings: 1.6% Marijuana: 16.3% Family/friends: 6.4% No income: 13.9% Cocaine: 3.8% Public sources: 16.0%

Other opiates: 0.5% Other sources: 10.7%

(N = 187) .
Self/family/relative/
friends: 17.1%

Source of Referral

Employer/school: 0.5% Criminal justice: 46.0% Professional: 44.9%

County social

County: Blue Earth

Age (N = 187)

Under 18: 0.5%

18 to 25: 24.1%

service agency: 64.7%

Other community resources: 6.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 187)

Other drugs: 0.5%

Completed program: 62.6%

Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 20.9%

Death/other: 7.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

House of Hope

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 184)	3.3%	1.6%
Not employed/student ^{‡‡} (N = 163)	69.3%	54.0%
Arrests past 30 days (N = 181)	2.8%	2.8%
Alcohol use past 30 days (N = 184)	10.9%	8.2%
Drug use past 30 days (N = 183)	5.5%	4.9%
No self-help group participation past 30 days (N = 125)	24.0%	1.6%
No family support for recovery past 30 days ($N = 104$)	13.5%	11.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		0.007
Withdrawal (N =183)	0.5%	3.3%
Withdrawal (N = 183) Biomedical Conditions and Complications (N = 184)	0.5% 13.6%	3.3% 8.2%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 184) Emotional/Behavioral/	13.6%	8.2%
Biomedical Conditions and Complications (N = 184) Emotional/Behavioral/ Cognitive Problem (N = 184)	13.6% 78.8%	8.2% 46.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Hope, Inc.

1614 3rd Avenue Mankato, MN 56001

Provider Website: www.houseofhopemn.com

Patient Profile

 Gender (N = 37)
 Race (N = 37)

 Male: 2.7%
 White: 94.6%

 Female: 97.3%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 37.8% Hispanic: 2.7% 35 and older: 51.4%

Asian/Pacific Islander: 0.0%

Other: 2.7%

Primary Substance Source of Income

(N = 36) Alcohol: 55.6% (N = 37) Job: 29.7%

Methamphetamine: 22.2% Retirement/savings: 0.0% Family/friends: 10.8% No income: 18.9% Cocaine: 5.6% Public sources: 32.4%

Other opiates: 2.8% Other sources: 8.1%

(N = 37) Self/family/relative/ friends: 8.1%

Source of Referral

Employer/school: 0.0% Criminal justice: 18.9% Professional: 78.4%

County social

County: Blue Earth

Age (N = 37)

Under 18: 0.0%

18 to 25: 10.8%

service agency: 89.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 5.6%

(N = 37)

Completed program: 45.9%

Patient left without staff approval: 21.6% Staff requested/judged inappropriate: 29.7%

Death/other: 2.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

House of Hope, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 37)	2.7%	0.0%
Not employed/student ^{‡‡} (N = 35)	100.0%	65.7%
Arrests past 30 days (N = 36)	2.8%	11.1%
Alcohol use past 30 days (N = 36)	2.8%	2.8%
Drug use past 30 days (N = 36)	2.8%	5.6%
No self-help group participation past 30 days $(N = 36)$	0.0%	0.0%
No family support for recovery past 30 days (N = 33)	3.0%	9.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =35)	0.0%	2.9%
Biomedical Conditions and Complications $(N = 36)$	36.1%	27.8%
Emotional/Behavioral/ Cognitive Problem (N = 36)	91.7%	75.0%
Resistance to Change $(N = 36)$	36.1%	66.7%
Relapse/Continued Use Potential (N = 36)	100.0%	86.1%
Unsupportive Recovery Environment (N = 35)		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Howard Friese Halfway House

1520 East 2nd Street Duluth, MN 55812

Provider Website: www.cadt.org

Patient Profile

 Gender (N = 66)
 Race (N = 66)

 Male: 100.0%
 White: 81.8%

 Female: 0.0%
 Black: 4.6%

Female: 0.0% Black: 4.6% 18 to 25: 24.2% American Indian: 9.1% 26 to 34: 25.8% Hispanic: 1.5% 35 and older: 50.0%

Asian/Pacific Islander: 0.0%

Other: 3.0%

Primary Substance Source of Income

(N = 63) Alcohol: 76.2% (N = 66) Job: 13.6%

Methamphetamine: 12.7% Retirement/savings: 4.6% Family/friends: 3.0% No income: 48.5% Cocaine: 1.6% Public sources: 21.2%

Other opiates: 3.2% Other sources: 9.1%

Source of Referral (N = 66).

County: St. Louis

Age (N = 66)

Under 18: 0.0%

Self/family/relative/ friends: 43.9% Employer/school: 0.0% Criminal justice: 21.2% Professional: 47.0%

County social

service agency: 18.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 1.5%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 66)

Completed program: 68.2%

Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 9.1%

Death/other: 6.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Howard Friese Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 65)	1.5%	0.0%
Not employed/student ^{‡‡} (N = 59)	81.4%	61.0%
Arrests past 30 days (N = 61)	8.2%	1.6%
Alcohol use past 30 days (N = 62)	16.1%	9.7%
Drug use past 30 days (N = 62)	6.5%	1.6%
No self-help group participation past 30 days $(N = 65)$	3.1%	0.0%
No family support for recovery past 30 days $(N = 66)$	6.1%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Aumission	<u>Discriarge</u>
Acute Intoxication/ Withdrawal (N =65)	1.5%	3.1%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =65) Biomedical Conditions and	1.5%	3.1%
Acute Intoxication/ Withdrawal (N =65) Biomedical Conditions and Complications (N = 66) Emotional/Behavioral/	1.5% 7.6%	3.1%
Acute Intoxication/ Withdrawal (N =65) Biomedical Conditions and Complications (N = 66) Emotional/Behavioral/ Cognitive Problem (N = 66)	1.5% 7.6% 16.7%	3.1% 1.5% 15.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hutchinson Health Care

1095 Highway 15 South Hutchinson, MN 55350

Provider Website: www.hahc-hmc.com

Patient Profile

 Gender (N = 54)
 Race (N = 54)

 Male: 79.6%
 White: 85.2%

 Female: 20.4%
 Black: 3.7%

American Indian: 0.0% 26 to 34: 38.9% Hispanic: 7.4% 35 and older: 33.3%

Asian/Pacific Islander: 0.0%

Other: 3.7%

Primary Substance Source of Income

(N = 54) Alcohol: 70.4% (N = 54) Job: 72.2%

Methamphetamine: 1.9% Retirement/savings: 3.7% Marijuana: 22.2% Family/friends: 7.4% No income: 3.7% Cocaine: 1.9% Public sources: 3.7%

Cocaine: 1.9% Public sources: 3.7% Other opiates: 1.9% Other sources: 9.3%

Criminal justice: 57.4%
Professional: 20.4%

Employer/school: 1.9%

County social

County: McLeod

Age (N = 54)

Under 18: 1.9%

18 to 25: 25.9%

Source of Referral

Self/family/relative/

friends: 44.4%

(N = 54) .

service agency: 18.5%

Other community resources: 11.1%

AA: 0.0%

Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.9%

(N = 54)

Completed program: 83.3%

Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 3.7%

Death/other: 1.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Hutchinson Health Care

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 50)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 47)	31.9%	23.4%
Arrests past 30 days (N = 53)	3.8%	0.0%
Alcohol use past 30 days (N = 54)	31.5%	5.6%
Drug use past 30 days (N = 54)	22.2%	3.7%
No self-help group participation past 30 days ($N = 33$)	63.6%	12.1%
No family support for recovery past 30 days $(N = 40)$	0.0%	5.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =54)	13.0%	3.7%
Biomedical Conditions and Complications $(N = 54)$	5.6%	7.4%
	5.6% 25.9%	7.4% 16.7%
Complications (N = 54) Emotional/Behavioral/		
Complications (N = 54) Emotional/Behavioral/ Cognitive Problem (N = 54)	25.9%	16.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Journey Counseling Services

821 3rd Street

Farmington, MN 55024 County: Dakota

Provider Website:

Patient Profile

 Gender (N = 184)
 Race (N = 184)
 Age (N = 184)

 Male: 77.7%
 White: 85.3%
 Under 18: 0.0%

 Female: 22.3%
 Black: 6.0%
 18 to 25: 31.0%

American Indian: 1.1% 26 to 34: 27.7%

Hispanic: 6.0% 35 and older: 41.3% Asian/Pacific Islander: 1.1%

Other: 0.5%

Primary Substance Source of Income

(N = 182) Alcohol: 68.1% (N = 184) Job: 56.0%

Methamphetamine: 6.6% Retirement/savings: 4.9% Family/friends: 13.6% No income: 9.2% Cocaine: 1.7% Public sources: 8.2%

Cocaine: 1.7% Public sources: 8.2% Professional: 4.9% Other opiates: 2.2% Other sources: 8.2% County social

Other drugs: 0.0% service agency: 23.4% Other community resources: 3.3%

AA: 1.1% Tribal: 0.0%

Source of Referral

Self/family/relative/

friends: 20.7%

Employer/school: 2.7%

Criminal justice: 69.0%

 $(N_{\underline{}} = 184)$.

Outcomes

Discharge Status (N = 184)

Completed program: 56.0%

Patient left without staff approval: 14.7% Staff requested/judged inappropriate: 20.1%

Death/other: 9.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Journey Counseling Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 177)	1.7%	1.1%
Not employed/student ^{‡‡} (N = 167)	55.1%	42.5%
Arrests past 30 days (N = 157)	10.2%	5.7%
Alcohol use past 30 days (N = 135)	42.2%	8.9%
Drug use past 30 days (N = 135)	27.4%	5.9%
No self-help group participation past 30 days ($N = 162$)	63.6%	16.7%
No family support for recovery past 30 days (N = 150)	8.0%	13.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =172)	0.0%	2.3%
Biomedical Conditions and Complications $(N = 184)$	4.4%	4.9%
Emotional/Behavioral/ Cognitive Problem (N = 183)	35.5%	29.0%
Resistance to Change (N = 182)	69.8%	40.1%
Relapse/Continued Use Potential (N = 180)	98.3%	37.8%
Unsupportive Recovery Environment (N = 182)		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Journey Home

1485 10th Ave NE Sauk Rapids, MN 56379

Provider Website:

Patient Profile

 Gender (N = 132)
 Race (N = 132)

 Male: 0.0%
 White: 67.4%

 Female: 100.0%
 Black: 4.6%

American Indian: 21.2% 26 to 34: 39.4% Hispanic: 3.8% 35 and older: 23.5%

Asian/Pacific Islander: 0.8%

Other: 2.3%

Primary Substance Source of Income

(N = 132) Alcohol: 34.8% (N = 132) Job: 18.2%

Methamphetamine: 25.8% Retirement/savings: 0.0% Marijuana: 17.4% Family/friends: 9.1% No income: 19.7%

Cocaine: 9.1% Public sources: 30.3% Other opiates: 11.4% Other sources: 22.7%

(N = 132) .
Self/family/relative/
friends: 0.0%
Employer/school: 0.0%

he: 19.7% Employer/school: 0.0% Criminal justice: 17.4% Urces: 30.3% Professional: 84.1%

County: Benton

Age (N = 132)Under 18: 0.8%

18 to 25: 36.4%

Source of Referral

County social

service agency: 86.4%

Other community resources: 0.0%

AA: 1.5% Tribal: 1.5%

Outcomes

Discharge Status (N = 132)

Other drugs: 0.0%

Completed program: 56.8%

Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 6.8%

Death/other: 18.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Journey Home

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 132)	93.9%	2.3%
Not employed/student ^{‡‡} (N = 132)	90.9%	45.5%
Arrests past 30 days (N = 128)	1.6%	3.1%
Alcohol use past 30 days (N = 131)	7.6%	3.8%
Drug use past 30 days (N = 130)	6.9%	10.8%
No self-help group participation past 30 days ($N = 132$)	2.3%	1.5%
No family support for recovery past 30 days (N = 127)	11.0%	11.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 131) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 131) Biomedical Conditions and Complications (N = 131) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 131) Biomedical Conditions and Complications (N = 131) Emotional/Behavioral/ Cognitive Problem (N = 131)	0.0% 20.6% 48.1%	0.0% 11.5% 40.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Juel Fairbanks Chemical Dependency Services

806 North Albert Street St. Paul, MN 55104

County: Ramsey

Age (N = 73)

Under 18: 0.0%

Provider Website: www.juelfairbanks.org

Patient Profile

 Gender (N = 73)
 Race (N = 73)

 Male: 46.6%
 White: 41.1%

 Female: 53.4%
 Black: 6.9%

Black: 6.9% 18 to 25: 17.8% American Indian: 45.2% 26 to 34: 27.4% Hispanic: 5.5% 35 and older: 54.8%

Asian/Pacific Islander: 0.0%

Other: 1.4%

Primary Substance Source of Income

(N = 73) (N = 73) Alcohol: 53.4% Job: 5.5%

Methamphetamine: 15.1% Retirement/savings: 1.4% Marijuana: 6.9% Family/friends: 15.1% No income: 24.7% Cocaine: 20.5% Public sources: 32.9%

Other opiates: 1.4% Other sources: 20.5% Other drugs: 0.0%

Source of Referral

___(N = 73) __.
Self/family/relative/
friends: 34.2%
Employer/school: 0.0%
Criminal justice: 26.0%
Professional: 54.8%

County social

service agency: 56.2%

Other community resources: 5.5%

AA: 0.0% Tribal: 8.2%

Outcomes

Discharge Status

(N = 73)

Completed program: 43.8%

Patient left without staff approval: 31.5% Staff requested/judged inappropriate: 19.2%

Death/other: 5.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Juel Fairbanks Chemical Dependency Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 73)	23.3%	13.7%
Not employed/student ‡ (N = 70)	98.6%	68.6%
Arrests past 30 days (N = 72)	2.8%	0.0%
Alcohol use past 30 days (N = 73)	8.2%	8.2%
Drug use past 30 days (N = 73)	5.5%	6.9%
No self-help group participation past 30 days $(N = 71)$	9.9%	12.7%
No family support for recovery past 30 days $(N = 65)$	12.3%	16.9%
.		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 2.8%	<u>Discharge</u> 2.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 72) Biomedical Conditions and	2.8%	2.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 72) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/	2.8% 15.1%	2.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 72) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/ Cognitive Problem (N = 73)	2.8% 15.1% 54.8%	2.8% 12.3% 28.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Keystone Treatment Center Inpatient Program

1010 East 2nd Street Canton, SD 57013

Provider Website:

Patient Profile

Gender (N = 133) Race (N = 133)Male: 57.1% White: 48.1% Female: 42.9% Black: 0.8%

> American Indian: 46.6% 26 to 34: 18.0% Hispanic: 3.0% 35 and older: 21.1%

Asian/Pacific Islander: 0.0%

Other: 1.5%

Primary Substance Source of Income

(N = 133)(N = 133)Alcohol: 63.2% Job: 16.5%

Methamphetamine: 4.5% Retirement/savings: 2.3% Marijuana: 12.8% Family/friends: 48.1% Heroin: 0.8% No income: 1.5% Public sources: 3.8% Cocaine: 1.5%

Other opiates: 11.3% Other sources: 27.8% County social Other drugs: 6.0%

(N = 133) . Self/family/relative/ friends: 47.4% Employer/school: 0.8% Criminal justice: 18.8%

County: South Dakota

Age (N = 133)

Under 18: 31.6%

18 to 25: 29.3%

Source of Referral

Professional: 15.8%

service agency: 33.8%

Other community resources: 5.3%

AA: 0.0% Tribal: 15.8%

Outcomes

Discharge Status (N = 133)

Completed program: 83.5%

Patient left without staff approval: 9.8% Staff requested/judged inappropriate: 6.0%

Death/other: 0.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Keystone Treatment Center Inpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 131)	6.1%	0.0%
Not employed/student ^{‡‡} (N = 122)	50.0%	50.8%
Arrests past 30 days (N = 131)	19.8%	0.0%
Alcohol use past 30 days (N = 132)	72.0%	2.3%
Drug use past 30 days (N = 132)	78.0%	5.3%
No self-help group participation past 30 days ($N = 130$)	95.4%	1.5%
No family support for recovery past 30 days (N = 103)	15.5%	13.6%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
	Admission 47.4%	<u>Discharge</u> 4.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 133) Biomedical Conditions and	47.4%	4.5%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N =133) Biomedical Conditions and Complications (N = 133) Emotional/Behavioral/	47.4% 59.4%	4.5% 28.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 133) Biomedical Conditions and Complications (N = 133) Emotional/Behavioral/ Cognitive Problem (N = 133)	47.4% 59.4% 86.5%	4.5% 28.6% 70.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Keystone Treatment Outpatient

7511 South Louise Ave Sioux Falls, SD 57108

Provider Website:

Patient Profile

Gender (N = 2)Race (N = 2)Age (N = 2)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: *

Other: *

Source of Referral **Primary Substance** Source of Income

(N = 2)(N = 2)(N = 2). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: *

Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

service agency: * Other community resources: *

AA: * Tribal: *

County: South Dakota

Outcomes

Discharge Status

Other drugs: *

(N = 2)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Keystone Treatment Outpatient

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 2)	*	*
Not employed/student 11 (N = 2)	*	*
Arrests past 30 days (N = 2)	*	*
Alcohol use past 30 days $(N = 2)$	*	*
Drug use past 30 days (N = 2)	*	*
No self-help group participation past 30 days $(N = 2)$	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Damiana ta Dagayami		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 0) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 0) Emotional/Behavioral/ Cognitive Problem (N = 0)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Kinnic Falls Alcohol and Drug Abuse Services

900 So. Orange St River Falls, WI 54022

Provider Website:

Patient Profile

 Gender (N = 165)
 Race (N = 165)

 Male: 100.0%
 White: 84.8%

 Female: 0.0%
 Black: 8.5%

American Indian: 3.0% 26 to 34: 23.6% Hispanic: 2.4% 35 and older: 53.3%

Asian/Pacific Islander: 0.0%

Other: 1.2%

Primary Substance Source of Income

(N = 165) Alcohol: 58.2% (N = 165) Job: 52.7%

Methamphetamine: 10.9% Retirement/savings: 4.9% Marijuana: 10.3% Family/friends: 4.2% No income: 21.2%

Cocaine: 13.9% Public sources: 12.1% Other opiates: 2.4% Other sources: 4.9%

Source of Referral
(N = 165)
Self/family/relative/
friends: 3.0%
Employer/school: 0.0%
Criminal justice: 1.2%
Professional: 98.8%

County: Wisconsin

Age (N = 165)

Under 18: 0.0%

18 to 25: 23.0%

County social service agency: 68.5%

Other community resources: 18.8%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 165)

Other drugs: 1.2%

Completed program: 58.2%

Patient left without staff approval: 14.5% Staff requested/judged inappropriate: 25.5%

Death/other: 1.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Kinnic Falls Alcohol and Drug Abuse Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 165)	0.6%	1.8%
Not employed/student ^{‡‡} (N = 156)	95.5%	67.9%
Arrests past 30 days (N = 144)	1.4%	0.0%
Alcohol use past 30 days (N = 161)	3.7%	1.9%
Drug use past 30 days (N = 161)	1.2%	0.6%
No self-help group participation past 30 days (N = 163)	1.2%	0.0%
No family support for recovery past 30 days ($N = 148$)	2.7%	2.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 3.1%	<u>Discharge</u> 3.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 164) Biomedical Conditions and	3.1%	3.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 164) Biomedical Conditions and Complications (N = 163) Emotional/Behavioral/	3.1% 9.8%	3.1% 4.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 164) Biomedical Conditions and Complications (N = 163) Emotional/Behavioral/ Cognitive Problem (N = 165)	3.1% 9.8% 32.7%	3.1% 4.3% 13.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake Region Halfway Homes, Inc.

217 North Union Avenue Fergus Falls, MN 56537

Provider Website:

Patient Profile

Gender (N = 55)Race (N = 55)Male: 100.0% White: 85.5% Female: 0.0% Black: 7.3%

> American Indian: 1.8% 26 to 34: 16.4% Hispanic: 3.6% 35 and older: 50.9%

Asian/Pacific Islander: 0.0%

Other: 1.8%

Primary Substance Source of Income

(N = 55)(N = 55)Alcohol: 60.0% Job: 27.3%

Methamphetamine: 20.0% Retirement/savings: 0.0% Marijuana: 16.4% Family/friends: 7.3% Heroin: 0.0% No income: 36.4% Cocaine: 1.8%

Public sources: 20.0% Other opiates: 0.0% Other sources: 9.1% County social Other drugs: 1.8%

Source of Referral

County: Otter Tail

Age (N = 55)

Under 18: 5.5%

18 to 25: 27.3%

(N = 55) . Self/family/relative/ friends: 9.1% Employer/school: 0.0% Criminal justice: 50.9%

Professional: 40.0%

service agency: 72.7%

Other community resources: 5.5%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 55)

Completed program: 47.3%

Patient left without staff approval: 34.5% Staff requested/judged inappropriate: 14.5%

Death/other: 3.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lake Region Halfway Homes, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 51)	15.7%	2.0%
Not employed/student ^{‡‡} (N = 49)	87.8%	51.0%
Arrests past 30 days (N = 53)	5.7%	5.7%
Alcohol use past 30 days (N = 55)	12.7%	7.3%
Drug use past 30 days (N = 55)	10.9%	7.3%
No self-help group participation past 30 days ($N = 52$)	32.7%	0.0%
No family support for recovery past 30 days (N = 39)	12.8%	28.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =55)	5.5%	9.1%
Biomedical Conditions and Complications $(N = 55)$	14.5%	9.1%
Emotional/Behavioral/ Cognitive Problem (N = 55)	00.007	72.7%
	80.0%	72.770
Resistance to Change $(N = 55)$	80.0% 87.3%	72.7%
Resistance to Change (N = 55) Relapse/Continued Use Potential (N = 55)		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake Superior Treatment Center

14 East Central Entrance Duluth, MN 55811

County: St. Louis

Provider Website: www.methadonetreatment.com

Patient Profile

 Gender (N = 3)
 Race (N = 3)
 Age (N = 3)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Source of Referral **Primary Substance** Source of Income (N = 3)(N = 3)(N = 3) . Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community

> AA: * Tribal: *

resources: *

Outcomes

Discharge Status

(N = 3)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lake Superior Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 3)	*	*
Not employed/student tt (N = 2)	*	*
Arrests past 30 days (N = 0)	*	*
Alcohol use past 30 days ($N = 3$)	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days $(N = 3)$	*	*
No family support for recovery past 30 days $(N = 3)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake View Memorial Hospital Outpatient CD Treatment Program

325 11th Avenue

Two Harbors, MN 55616 County: Lake

Provider Website:

Patient Profile

 Gender (N = 20)
 Race (N = 20)

 Male: 85.0%
 White: 100.0%

 Female: 15.0%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 30.0% Hispanic: 0.0% 35 and older: 35.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 20) Alcohol: 75.0% (N = 20) Job: 45.0%

Methamphetamine: 15.0% Retirement/savings: 5.0% Family/friends: 10.0% No income: 30.0% Cocaine: 0.0% Public sources: 10.0%

Other opiates: 0.0% Other sources: 0.0%

Source of Referral

Age (N = 20)

Under 18: 0.0%

18 to 25: 35.0%

(N = 20) . Self/family/relative/ friends: 5.0%

Employer/school: 5.0% Criminal justice: 90.0% Professional: 5.0%

County social

service agency: 5.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 20)

Completed program: 90.0%

Patient left without staff approval: 5.0% Staff requested/judged inappropriate: 5.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lake View Memorial Hospital Outpatient CD Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 20)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 20)	55.0%	40.0%
Arrests past 30 days (N = 20)	5.0%	0.0%
Alcohol use past 30 days ($N = 20$)	10.0%	0.0%
Drug use past 30 days (N = 20)	10.0%	0.0%
No self-help group participation past 30 days ($N = 20$)	55.0%	5.0%
No family support for recovery past 30 days (N = 20)	30.0%	15.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
		_
Acute Intoxication/ Withdrawal (N =20)	0.0%	0.0%
	0.0% 10.0%	0.0%
Withdrawal (N = 20) Biomedical Conditions and		
Withdrawal (N = 20) Biomedical Conditions and Complications (N = 20) Emotional/Behavioral/	10.0%	0.0%
Withdrawal (N = 20) Biomedical Conditions and Complications (N = 20) Emotional/Behavioral/ Cognitive Problem (N = 20)	10.0% 15.0%	0.0% 5.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakeland Mental Health Center Outpatient C.D. Program

126 East Alcott Avenue Fergus Falls, MN 56537

Provider Website:

Patient Profile

 Gender (N = 53)
 Race (N = 53)

 Male: 52.8%
 White: 86.8%

 Female: 47.2%
 Black: 7.6%

American Indian: 3.8% 26 to 34: 24.5% Hispanic: 1.9% 35 and older: 60.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 53) Alcohol: 88.7% (N = 53) Job: 67.9%

Methamphetamine: 5.7% Retirement/savings: 3.8% Family/friends: 13.2% Heroin: 0.0% No income: 1.9% Cocaine: 0.0% Public sources: 3.8% Other opiates: 1.9% Other sources: 9.4%

Source of Referral

(N = 53)

Self/family/relative/
friends: 35.8%

Employer/school: 7.6%

Criminal justice: 67.9%

Professional: 13.2%

County social

service agency: 34.0%

Other community resources: 1.9%

AA: 1.9% Tribal: 0.0%

County: Otter Tail

Age (N = 53)

Under 18: 3.8%

18 to 25: 11.3%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 53)

Completed program: 58.5%

Patient left without staff approval: 26.4% Staff requested/judged inappropriate: 1.9%

Death/other: 13.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lakeland Mental Health Center Outpatient C.D. Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 53)	1.9%	0.0%
Not employed/student ‡ (N = 53)	30.2%	28.3%
Arrests past 30 days (N = 53)	41.5%	3.8%
Alcohol use past 30 days (N = 53)	43.4%	18.9%
Drug use past 30 days (N = 53)	20.8%	13.2%
No self-help group participation past 30 days $(N = 51)$	76.5%	33.3%
No family support for recovery past 30 days $(N = 38)$	34.2%	7.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	D'a da anna
Dimensions of enermour floaten	AUTHISSIOTI	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =53)	5.7%	Discharge 1.9%
Acute Intoxication/		-
Acute Intoxication/ Withdrawal (N =53) Biomedical Conditions and	5.7%	1.9%
Acute Intoxication/ Withdrawal (N =53) Biomedical Conditions and Complications (N = 53) Emotional/Behavioral/	5.7% 15.1%	1.9% 11.3%
Acute Intoxication/ Withdrawal (N =53) Biomedical Conditions and Complications (N = 53) Emotional/Behavioral/ Cognitive Problem (N = 53)	5.7% 15.1% 49.1%	1.9% 11.3% 30.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakeplace Retreat Center, Inc.

25704 County Road 338 Bovey, MN 55709

Provider Website:

Patient Profile

 Gender (N = 147)
 Race (N = 147)

 Male: 84.4%
 White: 82.3%

 Female: 15.6%
 Black: 6.8%

American Indian: 4.1% 26 to 34: 36.1% Hispanic: 4.8% 35 and older: 36.7%

Asian/Pacific Islander: 0.0%

Other: 2.0%

Primary Substance Source of Income

(N = 147) Alcohol: 55.8% (N = 147) Job: 27.9%

Methamphetamine: 12.2% Retirement/savings: 4.8% Marijuana: 12.2% Family/friends: 17.7% Heroin: 2.7% No income: 30.6% Cocaine: 12.2% Public sources: 9.5%

Other opiates: 2.7% Other sources: 9.5%

Source of Referral

Age (N = 147)

Under 18: 0.0%

18 to 25: 27.2%

County: Itasca

(N = 147) .
Self/family/relative/
friends: 36.7%

Employer/school: 0.7% Criminal justice: 49.7% Professional: 21.1%

County social

service agency: 72.1%

Other community resources: 6.8%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 147)

Other drugs: 2.0%

Completed program: 96.6%

Patient left without staff approval: 2.0% Staff requested/judged inappropriate: 0.0%

Death/other: 1.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lakeplace Retreat Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 147)	8.2%	5.4%
Not employed/student ^{‡‡} (N = 144)	86.1%	81.9%
Arrests past 30 days (N = 147)	3.4%	1.4%
Alcohol use past 30 days (N = 147)	12.2%	3.4%
Drug use past 30 days (N = 147)	10.2%	1.4%
No self-help group participation past 30 days ($N = 147$)	15.0%	1.4%
No family support for recovery past 30 days ($N = 147$)	6.8%	0.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =147)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 147$)	3.4%	4.1%
Emotional/Behavioral/ Cognitive Problem (N = 147)	41.5%	39.5%
Resistance to Change (N = 147)	40.1%	26.5%
Relapse/Continued Use Potential ($N = 147$)	85.7%	81.0%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Counseling Center

1000 8th Street SE

Detroit Lakes, MN 56501 County: Becker

Provider Website: www.lakescounseling.com

Patient Profile

 Gender (N = 150)
 Race (N = 150)
 Age (N = 150)

 Male: 69.3%
 White: 88.7%
 Under 18: 18.7%

Female: 30.7% Black: 0.7% 18 to 25: 22.7% American Indian: 6.0% 26 to 34: 21.3%

Hispanic: 1.3% 35 and older: 37.3%

Asian/Pacific Islander: 0.7% Other: 2.7%

Other. 2.77

Primary Substance Source of Income Source of Referral

(N = 149) (N = 150) (N = 150) . Alcohol: 68.5% Job: 59.3% Self/family/relative/

Methamphetamine: 7.4% Retirement/savings: 2.7% friends: 12.7% Marijuana: 22.8% Family/friends: 22.0% Employer/school: 3.3% Heroin: 0.0% No income: 4.0% Criminal justice: 74.7% Public sources: 7.3% Professional: 14.7%

Cocaine: 0.7% Public sources: 7.3% Professional: 14.7% Other opiates: 0.0% Other sources: 4.7% County social

Other drugs: 0.7% service agency: 56.0%

Other community resources: 6.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 150)

Completed program: 53.3%

Patient left without staff approval: 10.7% Staff requested/judged inappropriate: 14.7%

Death/other: 21.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lakes Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 134)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 133)	25.6%	24.1%
Arrests past 30 days (N = 141)	8.5%	5.7%
Alcohol use past 30 days (N = 140)	35.7%	14.3%
Drug use past 30 days (N = 139)	18.0%	9.4%
No self-help group participation past 30 days ($N = 110$)	60.9%	26.4%
No family support for recovery past 30 days (N = 100)	16.0%	9.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.1%	<u>Discharge</u> 6.2%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 146) Biomedical Conditions and	4.1%	6.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 146) Biomedical Conditions and Complications (N = 146) Emotional/Behavioral/	4.1%	6.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 146) Biomedical Conditions and Complications (N = 146) Emotional/Behavioral/ Cognitive Problem (N = 146)	4.1% 13.0% 75.3%	6.2% 11.6% 52.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency

1510 Bemidji Avenue North Bemidji, MN 56601

Provider Website:

Patient Profile

Gender (N = 147) Race (N = 147)White: 59.2% Male: 66.7% Female: 33.3% Black: 2.0%

American Indian: 33.3% 26 to 34: 16.3% Hispanic: 2.7% 35 and older: 25.2%

Asian/Pacific Islander: 0.0%

Other: 2.7%

Primary Substance Source of Income

(N = 147)(N = 147)Alcohol: 57.1% Job: 40.1%

Methamphetamine: 3.4% Retirement/savings: 2.0% Marijuana: 34.0% Family/friends: 34.0% Heroin: 0.0% No income: 0.7% Cocaine: 1.4%

Criminal justice: 60.5% Public sources: 17.0% Professional: 23.1% Other opiates: 3.4% Other sources: 6.1% County social Other drugs: 0.7% service agency: 61.9%

> resources: 2.0% AA: 0.0% Tribal: 4.1%

Other community

County: Beltrami

Age (N = 147)

Under 18: 27.2%

18 to 25: 31.3%

Source of Referral

Self/family/relative/ friends: 19.0%

Employer/school: 1.4%

(N = 147) .

Outcomes

Discharge Status (N = 147)

Completed program: 62.6%

Patient left without staff approval: 26.5% Staff requested/judged inappropriate: 1.4%

Death/other: 9.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lakes Region Chemical Dependency

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 120)	1.7%	0.8%
Not employed/student ^{‡‡} (N = 120)	29.2%	25.0%
Arrests past 30 days (N = 120)	13.3%	2.5%
Alcohol use past 30 days (N = 115)	28.7%	7.0%
Drug use past 30 days (N = 115)	17.4%	4.4%
No self-help group participation past 30 days (N = 118)	81.4%	68.6%
No family support for recovery past 30 days (N = 119)	5.9%	10.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 119) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 119) Biomedical Conditions and Complications (N = 119) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 119) Biomedical Conditions and Complications (N = 119) Emotional/Behavioral/ Cognitive Problem (N = 119)	0.0% 1.7% 7.6%	0.0% 0.8% 4.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency

16734 Hwy 2 West Bagley, MN 56621

County: Clearwater

Age (N = 23)

Under 18: 0.0%

Provider Website:

Patient Profile

 Gender (N = 23)
 Race (N = 23)

 Male: 82.6%
 White: 82.6%

 Female: 17.4%
 Black: 0.0%

Black: 0.0% 18 to 25: 17.4% American Indian: 17.4% 26 to 34: 26.1% Hispanic: 0.0% 35 and older: 56.5%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance So

(N = 23)Alcohol: 82.6%

Methamphetamine: 0.0% Marijuana: 8.7%

Heroin: 4.4% Cocaine: 0.0% Other opiates: 4.4%

Other drugs: 0.0%

Source of Income

(N = 23)Job: 52.2%

Retirement/savings: 4.4% Family/friends: 8.7% No income: 0.0%

Public sources: 21.7% Other sources: 13.0%

Source of Referral

(N = 23) .

Self/family/relative/ friends: 47.8% Employer/school: 0.0% Criminal justice: 39.1%

Professional: 8.7% County social

service agency: 26.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 23)

Completed program: 73.9%

Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 0.0%

Death/other: 8.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lakes Region Chemical Dependency

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 23)	0.0%	0.0%
Not employed/student ‡ (N = 23)	56.5%	60.9%
Arrests past 30 days (N = 23)	8.7%	4.4%
Alcohol use past 30 days (N = 23)	26.1%	13.0%
Drug use past 30 days (N = 23)	13.0%	0.0%
No self-help group participation past 30 days $(N = 23)$	69.6%	65.2%
No family support for recovery past 30 days $(N = 23)$	4.4%	8.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =23) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =23) Biomedical Conditions and Complications (N = 23) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 23) Biomedical Conditions and Complications (N = 23) Emotional/Behavioral/ Cognitive Problem (N = 23)	0.0% 0.0% 8.7%	0.0% 0.0% 4.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency LLC Northwestern Juvenile Center

1231 5th Street N.W. Bemidji, MN 56601

County: Beltrami

Provider Website:

Patient Profile

 Gender (N = 3)
 Race (N = 3)
 Age (N = 3)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income Source of Referral

Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * Other sources: * County social
Other drugs: * service agency: *

Other community resources: *
AA: *

Tribal: *

Outcomes

Discharge Status

(N = 3)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lakes Region Chemical Dependency LLC Northwestern Juvenile Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 3)	*	*
Not employed/student ^{‡‡} (N = 3)	*	*
Arrests past 30 days $(N = 3)$	*	*
Alcohol use past 30 days $(N = 3)$	*	*
Drug use past 30 days $(N = 3)$	*	*
No self-help group participation past 30 days $(N = 3)$	*	*
No family support for recovery past 30 days $(N = 3)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Regions Chemical Dependency Clearwater County Jail Program

213 Main Avenue North Bagley, MN 56621

agley, MN 56621 County: Clearwater

Provider Website:

Patient Profile

 Gender (N = 1)
 Race (N = 1)
 Age (N = 1)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Source of Referral **Primary Substance** Source of Income (N = 1)(N = 1)(N = 1) . Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: *

Other sources: * County social service agency: * Other community resources: * AA: *

Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 1)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lakes Regions Chemical Dependency Clearwater County Jail Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 0)	*	*
Not employed/student ^{‡‡} (N = 0)	*	*
Arrests past 30 days $(N = 0)$	*	*
Alcohol use past 30 days $(N = 0)$	*	*
Drug use past 30 days $(N = 0)$	*	*
No self-help group participation past 30 days $(N = 0)$	*	*
No family support for recovery past 30 days $(N = 0)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Opiate Treatment Program

110 Balsam Ave NW Cass Lake, MN 56633

Provider Website:

Patient Profile

 Gender (N = 19)
 Race (N = 19)

 Male: 52.6%
 White: 0.0%

 Female: 47.4%
 Black: 5.3%

American Indian: 94.7% 26 to 34: 47.4% Hispanic: 0.0% 35 and older: 10.5%

County: Cass

Age (N = 19)

Under 18: 0.0%

18 to 25: 42.1%

Source of Referral

Self/family/relative/ friends: 100.0%

Employer/school: 0.0%

Criminal justice: 5.3%

Professional: 0.0%

(N = 19) .

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 19) Alcohol: 0.0% (N = 19) Job: 26.3%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 5.3% No income: 0.0% Public sources: 5.3%

Other opiates: 100.0% Other sources: 63.2%

ner sources: 63.2% County social service agency: 5.3% Other community resources: 21.1%

AA: 0.0% Tribal: 15.8%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 19)

Completed program: 0.0%

Patient left without staff approval: 78.9% Staff requested/judged inappropriate: 0.0%

Death/other: 21.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Leech Lake Opiate Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 14)	0.0%	7.1%
Not employed/student 11 (N = 1)	*	*
Arrests past 30 days $(N = 9)$	*	*
Alcohol use past 30 days (N = 18)	16.7%	0.0%
Drug use past 30 days (N = 19)	78.9%	63.2%
No self-help group participation past 30 days $(N = 0)$	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 19$)	31.6%	26.3%
Biomedical Conditions and Complications $(N = 19)$	10.5%	26.3%
Emotional/Behavioral/ Cognitive Problem (N = 19)	47.4%	47.4%
Resistance to Change $(N = 19)$	73.7%	84.2%
Relapse/Continued Use Potential (N = 18)	100.0%	100.0%
Unsupportive Recovery Environment (N = 19)	94.7%	84.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Outpatient Program

115 6th Street N.W. Cass Lake, MN 56633

Provider Website:

Patient Profile

 Gender (N = 57)
 Race (N = 57)

 Male: 80.7%
 White: 0.0%

 Female: 19.3%
 Black: 0.0%

American Indian: 96.5% 26 to 34: 19.3% Hispanic: 1.8% 35 and older: 33.3%

Asian/Pacific Islander: 0.0%

Other: 1.8%

Primary Substance Source of Income

(N = 57) Alcohol: 80.7% (N = 57) Job: 17.5%

Methamphetamine: 1.8% Retirement/savings: 1.8% Marijuana: 12.3% Family/friends: 28.1% Heroin: 0.0% No income: 19.3% Cocaine: 1.8% Public sources: 14.0%

Cocaine: 1.8% Public sources: 14.0% Other opiates: 3.5% Other drugs: 0.0%

Source of Referral

Age (N = 57)

Under 18: 28.1%

18 to 25: 19.3%

County: Cass

(N = 57) ...
Self/family/relative/
friends: 21.1%
Employer/school: 1.8%
Criminal justice: 75.4%
Professional: 22.8%

County social service agency: 1.8%

Other community resources: 7.0%

AA: 0.0% Tribal: 40.4%

Outcomes

Discharge Status

(N = 57)

Completed program: 31.6%

Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 5.3%

Death/other: 29.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Leech Lake Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 40)	5.0%	0.0%
Not employed/student ‡ (N = 35)	42.9%	31.4%
Arrests past 30 days (N = 51)	11.8%	13.7%
Alcohol use past 30 days $(N = 52)$	9.6%	11.5%
Drug use past 30 days (N = 52)	7.7%	7.7%
No self-help group participation past 30 days $(N = 19)$	36.8%	21.1%
No family support for recovery past 30 days $(N = 18)$	0.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 2.2%	<u>Discharge</u> 4.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 46) Biomedical Conditions and	2.2%	4.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 46) Biomedical Conditions and Complications (N = 46) Emotional/Behavioral/	2.2% 15.2%	4.4% 13.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 46) Biomedical Conditions and Complications (N = 46) Emotional/Behavioral/ Cognitive Problem (N = 46)	2.2% 15.2% 32.6%	4.4% 13.0% 30.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Womens Outpatient Program

113 Balsam Ave NW Cass Lake, MN 56633

Provider Website:

Patient Profile

Gender (N = 29)Race (N = 29)Male: 10.3% White: 0.0% Female: 89.7% Black: 3.5%

> American Indian: 96.6% Hispanic: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 29)Alcohol: 72.4%

Methamphetamine: 0.0% Marijuana: 10.3% Heroin: 0.0%

Cocaine: 0.0% Other opiates: 17.2% Other drugs: 0.0%

Source of Income

(N = 29)Job: 13.8%

> Retirement/savings: 0.0% Family/friends: 0.0% No income: 10.3% Public sources: 24.1%

Other sources: 51.7%

Age (N = 29)

County: Cass

Under 18: 0.0% 18 to 25: 24.1% 26 to 34: 17.2%

35 and older: 58.6%

Source of Referral

(N = 29) .

Self/family/relative/ friends: 27.6% Employer/school: 0.0% Criminal justice: 51.7% Professional: 62.1%

County social

service agency: 17.2%

Other community resources: 3.5%

AA: 0.0% Tribal: 3.5%

Outcomes

Discharge Status

(N = 29)

Completed program: 6.9%

Patient left without staff approval: 55.2% Staff requested/judged inappropriate: 3.5%

Death/other: 34.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Leech Lake Womens Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 16)	6.3%	0.0%
Not employed/student ‡ (N = 8)	*	*
Arrests past 30 days (N = 14)	28.6%	14.3%
Alcohol use past 30 days (N = 28)	25.0%	14.3%
Drug use past 30 days (N = 28)	14.3%	10.7%
No self-help group participation past 30 days $(N = 12)$	41.7%	25.0%
No family support for recovery past 30 days (N = 13)	0.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.6%	Discharge 27.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and	4.6%	27.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/	4.6% 40.9%	27.3% 54.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/ Cognitive Problem (N = 22)	4.6% 40.9% 40.9%	27.3% 54.5% 63.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifehouse LLC, MN

31065 Highway 61 Stacy, MN 55079

County: Chisago

Provider Website:

Patient Profile

 Gender (N = 23)
 Race (N = 23)

 Male: 82.6%
 White: 100.0%

 Female: 17.4%
 Black: 0.0%

American Indian: 0.0% 26 to Hispanic: 0.0% 35 a

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 23)Alcohol: 69.6%

Methamphetamine: 4.4% Marijuana: 21.7%

Heroin: 0.0% Cocaine: 4.4% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 23)Job: 26.1%

Retirement/savings: 4.4% Family/friends: 65.2%

No income: 0.0% Public sources: 4.4% Other sources: 0.0% Age (N = 23)

Under 18: 4.4% 18 to 25: 39.1% 26 to 34: 17.4%

35 and older: 39.1%

Source of Referral

(N = 23) .

Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 91.3% Professional: 4.4%

County social

service agency: 0.0% Other community resources: 4.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 23)

Completed program: 82.6%

Patient left without staff approval: 17.4% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lifehouse LLC, MN

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 23)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 23)	65.2%	52.2%
Arrests past 30 days (N = 23)	4.4%	4.4%
Alcohol use past 30 days (N = 23)	8.7%	4.4%
Drug use past 30 days (N = 23)	8.7%	8.7%
No self-help group participation past 30 days ($N = 23$)	73.9%	34.8%
No family support for recovery past 30 days (N = 23)	0.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.8%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =21) Biomedical Conditions and	4.8%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 21) Biomedical Conditions and Complications (N = 21) Emotional/Behavioral/	4.8% 4.8%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 21) Biomedical Conditions and Complications (N = 21) Emotional/Behavioral/ Cognitive Problem (N = 21)	4.8% 4.8% 23.8%	0.0% 0.0% 19.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling of Mound

2389 Blaine Avenue Navarre, MN 55392

Provider Website: www.lifestylecounseling.com

Patient Profile

Gender (N = 5)Race (N = 5)Age (N = 5)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

(N = 5)(N = 5)(N = 5) . Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: *

Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

service agency: * Other community resources: *

AA: * Tribal: *

County: Hennepin

Outcomes

Discharge Status

Other drugs: *

(N = 5)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lifestyle Counseling of Mound

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 5)	*	*
Not employed/student tt (N = 5)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days $(N = 5)$	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days $(N = 5)$	*	*
No family support for recovery past 30 days $(N = 5)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling of Richfield/Bloomington

9613 Girard Avenue South Bloomington, MN 55431

Provider Website: www.ark-lifestyle.com

Patient Profile

 Gender (N = 103)
 Race (N = 103)
 Age (N = 103)

 Male: 76.7%
 White: 68.9%
 Under 18: 0.0%

 Female: 23.3%
 Black: 10.7%
 18 to 25: 29.1%

American Indian: 1.9% 26 to 34: 22.3% Hispanic: 13.6% 35 and older: 48.5%

Asian/Pacific Islander: 1.0%

Other: 3.9%

Primary Substance Source of Income

(N = 101) (N = 103) (N = 104)
Alcohol: 83.2% Job: 54.4% Self/1

Methamphetamine: 2.0% Retirement/savings: 1.9% Marijuana: 8.9% Family/friends: 15.5% Heroin: 0.0% No income: 12.6% Cocaine: 4.0% Public sources: 2.9%

Other opiates: 2.0% Other sources: 12.6%

(N = 103) ...
Self/family/relative/
friends: 18.4%
Employer/school: 3.9%
Criminal justice: 76.7%
Professional: 10.7%

Source of Referral

County social

County: Hennepin

service agency: 48.5%

Other community resources: 8.7%

AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 103)

Other drugs: 0.0%

Completed program: 59.2%

Patient left without staff approval: 32.0% Staff requested/judged inappropriate: 1.9%

Death/other: 6.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lifestyle Counseling of Richfield/Bloomington

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 98)	0.0%	0.0%
Not employed/student ‡ (N = 92)	40.2%	38.0%
Arrests past 30 days (N = 103)	11.7%	1.9%
Alcohol use past 30 days (N = 103)	33.0%	10.7%
Drug use past 30 days (N = 103)	13.6%	9.7%
No self-help group participation past 30 days $(N = 94)$	80.9%	40.4%
No family support for recovery past 30 days $(N = 87)$	50.6%	23.0%
Barriers to Recovery		
Dimensions of Chemical Health §	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 103)	Admission 3.9%	Discharge 4.9%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 103) Biomedical Conditions and	3.9%	4.9%
Acute Intoxication/ Withdrawal (N = 103) Biomedical Conditions and Complications (N = 103) Emotional/Behavioral/	3.9% 25.2%	4.9% 13.6%
Acute Intoxication/ Withdrawal (N = 103) Biomedical Conditions and Complications (N = 103) Emotional/Behavioral/ Cognitive Problem (N = 103)	3.9% 25.2% 66.0%	4.9% 13.6% 29.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling Services

14162 Commerce Ave NE Prior Lake, MN 55372

Provider Website:

Patient Profile

 Gender (N = 129)
 Race (N = 129)

 Male: 72.9%
 White: 89.1%

 Female: 27.1%
 Black: 3.1%

American Indian: 3.1% Hispanic: 0.8%

Asian/Pacific Islander: 1.6%

Other: 2.3%

Primary Substance Source of Income

(N = 128) Alcohol: 78.1% (N = 129) Job: 69.0%

Methamphetamine: 3.1% Retirement/savings: 3.9% Marijuana: 7.8% Family/friends: 10.9% Heroin: 0.8% No income: 2.3% Cocaine: 5.5% Public sources: 8.5%

Other opiates: 3.1% Other sources: 5.4% Other drugs: 1.6%

Age (N = 129)Under 18: 0.0%

County: Scott

Under 18: 0.0% 18 to 25: 27.1% 26 to 34: 20.2%

35 and older: 52.7%

Source of Referral

(N = 129) .

Self/family/relative/ friends: 22.5% Employer/school: 3.9% Criminal justice: 70.5% Professional: 12.4%

County social

service agency: 9.3% Other community resources: 11.6%

AA: 0.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 129)

Completed program: 55.0%

Patient left without staff approval: 31.8% Staff requested/judged inappropriate: 11.6%

Death/other: 1.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lifestyle Counseling Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 114)	0.0%	2.6%
Not employed/student ^{‡‡} (N = 105)	33.3%	31.4%
Arrests past 30 days (N = 100)	12.0%	3.0%
Alcohol use past 30 days (N = 86)	44.2%	4.7%
Drug use past 30 days (N = 88)	13.6%	2.3%
No self-help group participation past 30 days (N = 105)	57.1%	9.5%
No family support for recovery past 30 days ($N = 102$)	12.7%	7.8%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 128)	Admission 0.0%	Discharge 4.7%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 128) Biomedical Conditions and	0.0%	4.7%
Acute Intoxication/ Withdrawal (N = 128) Biomedical Conditions and Complications (N = 129) Emotional/Behavioral/	0.0%	4.7% 13.2%
Acute Intoxication/ Withdrawal (N = 128) Biomedical Conditions and Complications (N = 129) Emotional/Behavioral/ Cognitive Problem (N = 129)	0.0% 3.9% 58.1%	4.7% 13.2% 41.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Living Free Recovery Services

9201 75th Avenue North Brooklyn Park, MN 55428

Provider Website: www.recovery.lwcc.org

Patient Profile

 Gender (N = 130)
 Race (N = 130)
 Age (N = 130)

 Male: 61.5%
 White: 89.2%
 Under 18: 0.0%

 Female: 38.5%
 Black: 10.0%
 18 to 25: 20.0%

American Indian: 0.8% 26 to 34: 20.8% Hispanic: 0.0% 35 and older: 59.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 130) Alcohol: 79.2% (N = 130) Job: 70.8%

Methamphetamine: 3.1% Retirement/savings: 2.3% Marijuana: 5.4% Family/friends: 5.4% No income: 0.0% Cocaine: 3.1% Public sources: 13.1%

Other opiates: 3.9% Other sources: 8.5%

(N = 130) .
Self/family/relative/
friends: 91.5%
Employer/school: 0.0%

Source of Referral

County: Hennepin

Employer/school: 0.0% Criminal justice: 0.0% Professional: 5.4% County social

service agency: 2.3% Other community resources: 83.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 130)

Other drugs: 4.6%

Completed program: 63.1%

Patient left without staff approval: 21.5% Staff requested/judged inappropriate: 0.8%

Death/other: 14.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Living Free Recovery Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 130)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 116)	22.4%	18.1%
Arrests past 30 days (N = 130)	3.9%	3.1%
Alcohol use past 30 days (N = 130)	56.9%	15.4%
Drug use past 30 days (N = 130)	26.9%	3.1%
No self-help group participation past 30 days ($N = 130$)	65.4%	43.1%
No family support for recovery past 30 days $(N = 68)$	25.0%	23.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N $=$ 130)	6.2%	0.8%
Withdrawal (N = 130) Biomedical Conditions and Complications (N = 130)	6.2% 2.3%	0.8%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 130) Emotional/Behavioral/	2.3%	0.8%
Biomedical Conditions and Complications (N = 130) Emotional/Behavioral/ Cognitive Problem (N = 130)	2.3%	0.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lower Sioux Chemical and Mental Health Services

39458 Res. Hwy 1 Morton, MN 56270

County: Redwood

Age (N = 87)

Under 18: 2.3%

18 to 25: 27.6%

Provider Website:

Patient Profile

Gender (N = 87)Race (N = 87)Male: 67.8% White: 4.6% Female: 32.2% Black: 0.0%

> American Indian: 93.1% 26 to 34: 19.5% Hispanic: 1.2% 35 and older: 50.6%

Asian/Pacific Islander: 0.0%

Other: 1.2%

Primary Substance

(N = 87)(N = 87)Alcohol: 77.0%

Marijuana: 9.2% Heroin: 0.0% Cocaine: 3.5% Other opiates: 1.2%

Methamphetamine: 9.2%

Other drugs: 0.0%

Source of Income

Job: 19.5%

Retirement/savings: 0.0% Family/friends: 2.3% No income: 18.4% Public sources: 6.9%

Other sources: 52.9%

Source of Referral

(N = 87) . Self/family/relative/ friends: 67.8% Employer/school: 1.2% Criminal justice: 70.1%

Professional: 4.6% County social

service agency: 8.1% Other community resources: 23.0%

AA: 0.0% Tribal: 4.6%

Outcomes

Discharge Status

(N = 87)

Completed program: 65.5%

Patient left without staff approval: 12.6% Staff requested/judged inappropriate: 9.2%

Death/other: 12.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Lower Sioux Chemical and Mental Health Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 85)	5.9%	0.0%
Not employed/student ‡ (N = 82)	76.8%	76.8%
Arrests past 30 days (N = 87)	13.8%	3.5%
Alcohol use past 30 days (N = 87)	43.7%	10.3%
Drug use past 30 days (N = 87)	29.9%	10.3%
No self-help group participation past 30 days ($N = 85$)	74.1%	11.8%
No family support for recovery past 30 days ($N = 84$)	3.6%	7.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 2.3%	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =87) Biomedical Conditions and	2.3%	1.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 87) Biomedical Conditions and Complications (N = 87) Emotional/Behavioral/	2.3%	1.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 87) Biomedical Conditions and Complications (N = 87) Emotional/Behavioral/ Cognitive Problem (N = 87)	2.3% 10.3% 80.5%	1.2% 13.8% 78.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mahnomen County Human Services

311 N Main Street Mahnomen, MN 56557

Provider Website:

Patient Profile

 Gender (N = 20)
 Race (N = 20)

 Male: 80.0%
 White: 35.0%

 Female: 20.0%
 Black: 0.0%

American Indian: 65.0% 26 to 34: 35.0% Hispanic: 0.0% 35 and older: 50.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 20) Alcohol: 75.0% (N = 20) Job: 35.0%

Methamphetamine: 5.0%Retirement/savings: 0.0%Marijuana: 5.0%Family/friends: 30.0%Heroin: 0.0%No income: 5.0%Cocaine: 0.0%Public sources: 15.0%

Cocaine: 0.0% Public sources: 15.0% Professional: 5.0% Other opiates: 15.0% Other sources: 15.0% County social service agency: 30.0% Other community

AA: 0.0% Tribal: 60.0%

County: Mahonmen

Age (N = 20)

Under 18: 0.0%

18 to 25: 15.0%

Source of Referral

Self/family/relative/

friends: 85.0%

Employer/school: 5.0%

Criminal justice: 10.0%

resources: 0.0%

(N = 20) .

Outcomes

Discharge Status

(N = 20)

Completed program: 70.0%

Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 0.0%

Death/other: 20.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mahnomen County Human Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 19)	5.3%	5.3%
Not employed/student ^{‡‡} (N = 19)	57.9%	31.6%
Arrests past 30 days (N = 20)	5.0%	10.0%
Alcohol use past 30 days (N = 20)	35.0%	20.0%
Drug use past 30 days (N = 20)	10.0%	15.0%
No self-help group participation past 30 days $(N = 17)$	70.6%	58.8%
No family support for recovery past 30 days $(N = 17)$	5.9%	5.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 5.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 17) Biomedical Conditions and	0.0%	5.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 17) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/	0.0% 5.6%	5.9% 11.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 17) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/ Cognitive Problem (N = 18)	0.0% 5.6% 22.2%	5.9% 11.1% 16.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mankato Family Focus-Immanuel St. Joseph's Mayo Health System

309 Holly Lane

Mankato, MN 56001 County: Blue Earth

Provider Website: www.mayohealthsystem.org

Patient Profile

Gender (N = 118) Race (N = 118)Age (N = 118)Male: 71.2% White: 86.4% Under 18: 0.0% Female: 28.8%

Black: 11.0% 18 to 25: 28.8% American Indian: 0.0% 26 to 34: 28.8%

Hispanic: 0.8% 35 and older: 42.4%

Asian/Pacific Islander: 0.0% Other: 1.7%

Primary Substance Source of Income Source of Referral

(N = 118)(N = 118)(N = 118) . Alcohol: 76.3% Job: 66.9% Self/family/relative/

friends: 7.6% Methamphetamine: 3.4% Retirement/savings: 1.7% Marijuana: 15.3% Family/friends: 11.0% Employer/school: 1.7% Heroin: 0.8% No income: 1.7% Criminal justice: 71.2%

Public sources: 14.4% Professional: 14.4% Cocaine: 3.4% Other opiates: 0.8% Other sources: 4.2% County social

Other drugs: 0.0% service agency: 32.2% Other community

resources: 13.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 118)

Completed program: 67.8%

Patient left without staff approval: 4.2% Staff requested/judged inappropriate: 11.0%

Death/other: 16.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mankato Family Focus-Immanuel St. Joseph's Mayo Health System

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 118)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 116)	31.0%	25.9%
Arrests past 30 days (N = 117)	10.3%	2.6%
Alcohol use past 30 days (N = 116)	22.4%	6.0%
Drug use past 30 days (N = 116)	5.2%	1.7%
No self-help group participation past 30 days ($N = 115$)	86.1%	81.7%
No family support for recovery past 30 days (N = 111)	55.9%	44.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 6.3%	<u>Discharge</u> 5.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =112) Biomedical Conditions and	6.3%	5.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =112) Biomedical Conditions and Complications (N = 115) Emotional/Behavioral/	6.3% 7.8%	5.4% 10.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 112) Biomedical Conditions and Complications (N = 115) Emotional/Behavioral/ Cognitive Problem (N = 114)	6.3% 7.8% 68.4%	5.4% 10.4% 42.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Maple Lake Recovery Center, Inc.

207 Division Street Maple Lake, MN 55358

Provider Website: www.mlrecovery.org

Patient Profile

 Gender (N = 57)
 Race (N = 57)

 Male: 100.0%
 White: 75.4%

 Female: 0.0%
 Black: 8.8%

American Indian: 3.5% 26 to 34: 0.0% Hispanic: 5.3% 35 and older: 0.0%

Asian/Pacific Islander: 1.8%

Other: 5.3%

Primary Substance Source of Income

(N = 57) (N = 57) Alcohol: 22.8% Job: 5.3%

Methamphetamine: 0.0% Retirement/savings: 0. Marijuana: 73.7% Family/friends: 93.0% Heroin: 0.0% No income: 0.0% Cocaine: 0.0% Public sources: 0.0% Other opiates: 0.0% Other sources: 1.8%

Job: 5.3% Self/family/relative/
Retirement/savings: 0.0% friends: 45.6%
Family/friends: 93.0% Employer/school: 0.0%
No income: 0.0% Criminal justice: 54.4%
Public sources: 0.0% Professional: 17.5%
Other sources: 1.8% County social

service agency: 35.1% Other community resources: 24.6%

AA: 0.0% Tribal: 0.0%

County: Wright

Age (N = 57)

Under 18: 93.0%

Source of Referral

(N = 57) .

18 to 25: 7.0%

Outcomes

Discharge Status

Other drugs: 3.5%

(N = 57)

Completed program: 64.9%

Patient left without staff approval: 7.0% Staff requested/judged inappropriate: 21.1%

Death/other: 7.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Maple Lake Recovery Center, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 57)	1.8%	0.0%
Not employed/student ^{‡‡} (N = 57)	0.0%	0.0%
Arrests past 30 days (N = 57)	10.5%	1.8%
Alcohol use past 30 days (N = 57)	49.1%	1.8%
Drug use past 30 days (N = 57)	56.1%	1.8%
No self-help group participation past 30 days $(N = 56)$	57.1%	1.8%
No family support for recovery past 30 days $(N = 55)$	5.5%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =57)	0.0%	0.0%
Biomedical Conditions and		
Complications $(N = 57)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 57)	0.0% 87.7%	0.0% 49.1%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 57)	87.7%	49.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Margaret's House

2535 Condon Court Mendota Heights, MN 55120

Provider Website: www.havenchemicalhealth.com

Patient Profile

Female: 100.0% Black: 9.9% 18 to 25: 16.2% American Indian: 2.7% 26 to 34: 25.2%

Hispanic: 1.8% 35 and older: 58.6% Asian/Pacific Islander: 2.7%

County: Dakota

Other: 3.6%

Primary Substance Source of Income

Methamphetamine:11.7%Retirement/savings:2.7%friends:49.5%Marijuana:5.4%Family/friends:26.1%Employer/school:0.0%Heroin:3.6%No income:0.0%Criminal justice:6.3%Cocaine:9.9%Public sources:6.3%Professional:56.8%

Other opiates: 6.3% Other sources: 27.0% County social

Other drugs: 3.6% service agency: 26.1% Other community resources: 39.6%

AA: 0.0% Tribal: 0.0%

Source of Referral

Outcomes

Discharge Status

(N = 111)

Completed program: 69.4%

Patient left without staff approval: 19.8% Staff requested/judged inappropriate: 6.3%

Death/other: 4.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Margaret's House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 110)	5.5%	2.7%
Not employed/student ^{‡‡} (N = 109)	60.6%	64.2%
Arrests past 30 days (N = 111)	11.7%	2.7%
Alcohol use past 30 days (N = 111)	74.8%	36.9%
Drug use past 30 days (N = 111)	53.2%	26.1%
No self-help group participation past 30 days (N = 111)	58.6%	0.0%
No family support for recovery past 30 days $(N = 109)$	1.8%	2.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =111)	0.0%	0.9%
Biomedical Conditions and		
Complications ($N = 111$)	2.7%	0.9%
Complications (N = 111) Emotional/Behavioral/ Cognitive Problem (N = 111)	2.7% 99.1%	0.9% 91.0%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 111)	99.1%	91.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Marty Mann Halfway House for Women

714 North 11th Avenue East Duluth, MN 55805

Provider Website: www.cadt.org

Patient Profile

 Gender (N = 60)
 Race (N = 60)

 Male: 1.7%
 White: 71.7%

 Female: 98.3%
 Black: 8.3%

American Indian: 16.7% 26 to 34: 25.0% Hispanic: 0.0% 35 and older: 40.0%

Asian/Pacific Islander: 0.0%

Other: 3.3%

Primary Substance Source of Income

(N = 60) (N = 60) Alcohol: 58.3% Job: 6.7%

Methamphetamine: 11.7% Retirement/savings: 1.7% Marijuana: 6.7% Family/friends: 18.3% No income: 30.0% Cocaine: 6.7% Public sources: 38.3%

Other opiates: 11.7% Other sources: 5.0%

(N = 60) Self/family/relative/ friends: 18.3% Employer/school: 0.0%

Source of Referral

Employer/school: 0.0% Criminal justice: 36.7% Professional: 50.0%

County social

County: St. Louis

Age (N = 60)

Under 18: 0.0%

18 to 25: 35.0%

service agency: 23.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.7%

(N = 60)

Completed program: 68.3%

Patient left without staff approval: 6.7% Staff requested/judged inappropriate: 15.0%

Death/other: 10.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Marty Mann Halfway House for Women

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 59)	6.8%	1.7%
Not employed/student ^{‡‡} (N = 59)	91.5%	74.6%
Arrests past 30 days (N = 59)	5.1%	0.0%
Alcohol use past 30 days (N = 58)	13.8%	5.2%
Drug use past 30 days (N = 58)	8.6%	3.5%
No self-help group participation past 30 days $(N = 59)$	8.5%	1.7%
No family support for recovery past 30 days (N = 58)	5.2%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =60)	1.7%	1.7%
Biomedical Conditions and Complications $(N = 60)$	5.0%	3.3%
Emotional/Behavioral/ Cognitive Problem (N = 60)	43.3%	21.7%
Resistance to Change $(N = 60)$	40.0%	25.0%
Relapse/Continued Use Potential (N = 60)	95.0%	50.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mash Ka Wisen Treatment Center Inpatient Program

1150 Mission Road Sawyer, MN 55780

Provider Website:

Patient Profile

 Gender (N = 343)
 Race (N = 343)

 Male: 59.8%
 White: 0.0%

 Female: 40.2%
 Black: 0.0%

American Indian: 95.9% 26 to 34: 18.7% Hispanic: 3.8% 35 and older: 21.6%

Asian/Pacific Islander: 0.0%

Other: 0.3%

Primary Substance Source of Income

(N = 340) Alcohol: 51.5% (N = 343) Job: 11.4%

Methamphetamine: 2.4% Retirement/savings: 1.2% Marijuana: 34.7% Family/friends: 35.6% Heroin: 0.9% No income: 20.7% Cocaine: 2.9% Public sources: 9.0%

Other opiates: 6.5% Other sources: 22.2% Co Other drugs: 1.2%

(N = 343) .
Self/family/relative/
friends: 23.0%

Source of Referral

County: Carlton

Age (N = 343)

Under 18: 33.5%

18 to 25: 26.2%

friends: 23.0% Employer/school: 0.3% Criminal justice: 64.7% Professional: 6.4%

County social

service agency: 26.5%

Other community resources: 0.6%

AA: 0.0% Tribal: 73.5%

Outcomes

Discharge Status (N = 343)

Completed program: 73.5%

Patient left without staff approval: 13.7% Staff requested/judged inappropriate: 11.1%

Death/other: 1.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mash Ka Wisen Treatment Center Inpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 340)	8.2%	1.8%
Not employed/student ^{‡‡} (N = 327)	58.4%	60.9%
Arrests past 30 days (N = 340)	33.5%	5.0%
Alcohol use past 30 days (N = 337)	61.7%	8.3%
Drug use past 30 days (N = 336)	62.5%	11.0%
No self-help group participation past 30 days (N = 338)	77.5%	3.3%
No family support for recovery past 30 days (N = 336)	13.7%	6.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 3.6%	<u>Discharge</u> 1.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 331) Biomedical Conditions and	3.6%	1.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 331) Biomedical Conditions and Complications (N = 339) Emotional/Behavioral/	3.6% 10.9%	1.5% 8.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 331) Biomedical Conditions and Complications (N = 339) Emotional/Behavioral/ Cognitive Problem (N = 339)	3.6% 10.9% 78.2%	1.5% 8.0% 67.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mayo Clinic Addiction Services Generose IB

1216 2nd Street SW Rochester, MN 55902

Provider Website: www.mayoclinic.org/chemicaldependency

Patient Profile

 Gender (N = 198)
 Race (N = 198)

 Male: 69.2%
 White: 94.9%

 Female: 30.8%
 Black: 1.5%

American Indian: 1.0% 26 to 34: 10.6% Hispanic: 0.5% 35 and older: 78.8%

County: Olmsted

Age (N = 198)

Under 18: 0.0%

18 to 25: 10.6%

Asian/Pacific Islander: 0.5%

Other: 1.5%

Primary Substance Source of Income

(N = 197) Alcohol: 78.2% (N = 198) Job: 55.6%

Methamphetamine: 1.0% Retirement/savings: 14.1% Marijuana: 5.6% Family/friends: 19.2% No income: 0.5% Cocaine: 4.1% Public sources: 7.6%

Other opiates: 8.1% Other sources: 3.0%

Source of Referral
(N = 198)
Self/family/relative/
friends: 92.4%
Employer/school: 4.6%
Criminal justice: 4.6%
Professional: 37.4%

service agency: 0.5% Other community resources: 1.5%

AA: 0.0% Tribal: 0.0%

County social

Outcomes

Discharge Status (N = 198)

Other drugs: 2.0%

Completed program: 79.8%

Patient left without staff approval: 7.1% Staff requested/judged inappropriate: 6.1%

Death/other: 7.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mayo Clinic Addiction Services Generose IB

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 195)	0.5%	0.0%
Not employed/student ^{‡‡} (N = 196)	36.7%	36.7%
Arrests past 30 days (N = 197)	11.7%	0.0%
Alcohol use past 30 days (N = 198)	78.3%	10.6%
Drug use past 30 days (N = 198)	34.3%	9.6%
No self-help group participation past 30 days (N = 191)	63.9%	6.8%
No family support for recovery past 30 days $(N = 196)$	5.1%	0.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 10.6%	<u>Discharge</u> 2.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 198) Biomedical Conditions and	10.6%	2.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 198) Biomedical Conditions and Complications (N = 198) Emotional/Behavioral/	10.6% 14.6%	2.5% 15.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 198) Biomedical Conditions and Complications (N = 198) Emotional/Behavioral/ Cognitive Problem (N = 198)	10.6% 14.6% 67.7%	2.5% 15.7% 43.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

MCF - Togo

62741 Co. Rd. 551 Togo, MN 55723

Provider Website:

Patient Profile

 Gender (N = 64)
 Race (N = 64)

 Male: 100.0%
 White: 56.3%

 Female: 0.0%
 Black: 6.3%

American Indian: 18.8% 26 to 34: 0.0% Hispanic: 12.5% 35 and older: 0.0%

Asian/Pacific Islander: 4.7%

Other: 1.6%

Primary Substance

(N = 64)Alcohol: 20.3%

Methamphetamine: 0.0% Marijuana: 73.4%

Heroin: 1.6% Cocaine: 1.6% Other opiates: 0.0%

Other drugs: 3.1%

Source of Income

(N = 64)Job: 14.1%

Retirement/savings: 1.6% Family/friends: 73.4%

No income: 4.7% Public sources: 4.7%

Other sources: 1.6%

Source of Referral

(N = 64) .

Age (N = 64)

Under 18: 95.3%

18 to 25: 4.7%

County: Itasca

Self/family/relative/ friends: 0.0%

Employer/school: 0.0% Criminal justice: 95.3% Professional: 0.0%

County social

service agency: 7.8% Other community

resources: 3.1% AA: 0.0% Tribal: 1.6%

Outcomes

Discharge Status

(N = 64)

Completed program: 96.9%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 3.1%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

MCF - Togo

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 62)	1.6%	0.0%
Not employed/student ^{‡‡} (N = 49)	0.0%	2.0%
Arrests past 30 days (N = 60)	36.7%	0.0%
Alcohol use past 30 days (N = 64)	40.6%	0.0%
Drug use past 30 days (N = 64)	39.1%	0.0%
No self-help group participation past 30 days ($N = 62$)	58.1%	100.0%
No family support for recovery past 30 days $(N = 60)$	10.0%	8.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =63)	6.4%	4.8%
Biomedical Conditions and Complications $(N = 63)$	9.5%	9.5%
Emotional/Behavioral/		
Cognitive Problem $(N = 63)$	50.8%	54.0%
Resistance to Change (N = 63)	50.8% 65.1%	54.0% 58.7%
,		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Meadow Creek

17305 Meadow Creek Lane Pine City, MN 55063

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 189)
 Race (N = 189)

 Male: 2.1%
 White: 77.2%

 Female: 97.9%
 Black: 9.5%

American Indian: 4.8% 26 to 34: 29.6% Hispanic: 3.2% 35 and older: 46.6%

County: Pine

Age (N = 189)

Under 18: 0.0%

18 to 25: 23.8%

Asian/Pacific Islander: 1.1%

Other: 4.2%

Primary Substance Source of Income

(N = 183) (N = 189) Alcohol: 42.6% Job: 9.5%

Methamphetamine: 14.8% Retirement/savings: 1.6% Family/friends: 10.6% Heroin: 7.1% No income: 34.9% Cocaine: 17.5% Public sources: 32.8%

Other opiates: 10.4% Other sources: 10.6%

(N = 189) . Self/family/relative/ friends: 66.1%

Source of Referral

Employer/school: 0.5% Criminal justice: 24.3% Professional: 36.5%

County social

service agency: 51.3%

Other community resources: 4.2%

AA: 1.1% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 4.9%

(N = 189)

Completed program: 74.1%

Patient left without staff approval: 15.9% Staff requested/judged inappropriate: 4.2%

Death/other: 5.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Meadow Creek

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 182)	11.5%	1.7%
Not employed/student ^{‡‡} (N = 176)	90.9%	90.9%
Arrests past 30 days (N = 186)	16.7%	4.3%
Alcohol use past 30 days (N = 178)	57.9%	5.1%
Drug use past 30 days (N = 178)	55.6%	5.6%
No self-help group participation past 30 days ($N = 176$)	46.0%	2.3%
No family support for recovery past 30 days (N = 160)	11.9%	7.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =166)	3.6%	0.6%
Biomedical Conditions and Complications $(N = 166)$	13.9%	6.0%
Emotional/Behavioral/ Cognitive Problem (N = 164)	90.9%	49.4%
Resistance to Change (N = 164)	55.5%	30.5%
Relapse/Continued Use Potential (N = 163)	99.4%	55.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mens Laar House

1022 Division Street La Crosse, WI 54601

Provider Website:

Patient Profile

 Gender (N = 10)
 Race (N = 10)

 Male: 100.0%
 White: 100.0%

 Female: 0.0%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 10.0% Hispanic: 0.0% 35 and older: 60.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 10) Alcohol: 70.0%

Methamphetamine: 0.0% Marijuana: 20.0%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 10.0%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 10)}{\text{Job: } 70.0\%}$

Retirement/savings: 0.0% Family/friends: 0.0%

No income: 20.0% Public sources: 10.0% Other sources: 0.0% Source of Referral

(N = 10) .

County: Wisconsin

Age (N = 10)

Under 18: 0.0%

18 to 25: 30.0%

Self/family/relative/ friends: 50.0%

Employer/school: 20.0% Criminal justice: 10.0% Professional: 50.0%

County social

service agency: 40.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 10)

Completed program: 90.0%

Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mens Laar House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 10)	10.0%	0.0%
Not employed/student ‡ (N = 9)	*	*
Arrests past 30 days (N = 10)	10.0%	0.0%
Alcohol use past 30 days (N = 10)	60.0%	10.0%
Drug use past 30 days (N = 10)	50.0%	0.0%
No self-help group participation past 30 days $(N = 10)$	30.0%	0.0%
No family support for recovery past 30 days (N = 10)	0.0%	10.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =10)	0.0%	0.0%
	0.0% 40.0%	0.0%
Withdrawal (N =10) Biomedical Conditions and		
Withdrawal (N = 10) Biomedical Conditions and Complications (N = 10) Emotional/Behavioral/	40.0%	10.0%
Withdrawal (N = 10) Biomedical Conditions and Complications (N = 10) Emotional/Behavioral/ Cognitive Problem (N = 10)	40.0% 50.0%	10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

20849 370th Lane McGregor, MN 55760

Provider Website:

Patient Profile

 Gender (N = 8)
 Race (N = 8)

 Male: *
 White: *

 Female: *
 Black: *

American Indian: * 26 to 34: * Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

 $\frac{(N=8)}{\text{Alcohol: }^*} \qquad \frac{(N=8)}{\text{Job: }^*}$

Methamphetamine: * Retirement/savings: *
Marijuana: * Family/friends: *
Heroin: * No income: *
Cocaine: * Public sources: *

Other opiates: * Other sources: *
Other drugs: *

(N = 8)

County: Aitkin

Age (N = 8)

Under 18: *

18 to 25: *

Self/family/relative/ friends: *

Employer/school: *
Criminal justice: *
Professional: *
County social

service agency: *
Other community
resources: *

AA: * Tribal: *

Outcomes

Discharge Status

(N = 8)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 8)	*	*
Not employed/student tt (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days $(N = 7)$	*	*
No family support for recovery past 30 days $(N = 8)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

38786 Hinckley Road # 110 Hinckley, MN 55037

Provider Website:

Patient Profile

 Gender (N = 10)
 Race (N = 10)

 Male: 70.0%
 White: 10.0%

 Female: 30.0%
 Black: 0.0%

American Indian: 80.0% 26 Hispanic: 10.0% 35

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance S

(N = 10) Alcohol: 80.0% Methamphetamine: 0.0%

Marijuana: 20.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 10)Job: 20.0%

> Retirement/savings: 0.0% Family/friends: 0.0% No income: 10.0% Public sources: 10.0% Other sources: 60.0%

Age (N = 10)

County: Pine

Under 18: 10.0% 18 to 25: 10.0% 26 to 34: 40.0% 35 and older: 40.0%

Source of Referral

(N = 10) . Self/family/relative/

friends: 10.0% Employer/school: 0.0% Criminal justice: 100.0% Professional: 10.0%

County social

service agency: 10.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 10)

Completed program: 60.0%

Patient left without staff approval: 30.0% Staff requested/judged inappropriate: 0.0%

Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 10)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 10)	70.0%	70.0%
Arrests past 30 days (N = 10)	20.0%	10.0%
Alcohol use past 30 days (N = 10)	40.0%	10.0%
Drug use past 30 days (N = 10)	20.0%	20.0%
No self-help group participation past 30 days ($N = 10$)	40.0%	20.0%
No family support for recovery past 30 days $(N = 10)$	0.0%	20.0%
Daming to Danson		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 10) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 10) Biomedical Conditions and Complications (N = 10) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 10) Biomedical Conditions and Complications (N = 10) Emotional/Behavioral/ Cognitive Problem (N = 10)	0.0% 10.0% 30.0%	0.0% 10.0% 40.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

42293 Twilight Rd Onamia, MN 56359

Provider Website:

Patient Profile

 Gender (N = 24)
 Race (N = 24)

 Male: 37.5%
 White: 8.3%

 Female: 62.5%
 Black: 0.0%

American Indian: 91.7% 26 to 34: 12.5% Hispanic: 0.0% 35 and older: 45.8%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 24) Alcohol: 95.8% (N = 24) Job: 20.8%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 4.2% Family/friends: 4.2% No income: 0.0% Cocaine: 0.0% Public sources: 4.2%

Other opiates: 0.0% Other sources: 70.8%

Source of Referral (N = 24).

County: Mille Lacs

Age (N = 24)

Under 18: 0.0%

18 to 25: 41.7%

Self/family/relative/ friends: 4.2% Employer/school: 0.0% Criminal justice: 83.3% Professional: 4.2%

County social

service agency: 45.8%

Other community resources: 4.2%

AA: 0.0% Tribal: 37.5%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 24)

Completed program: 58.3%

Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 0.0%

Death/other: 8.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 23)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 21)	71.4%	76.2%
Arrests past 30 days (N = 24)	4.2%	4.2%
Alcohol use past 30 days (N = 24)	12.5%	12.5%
Drug use past 30 days (N = 24)	8.3%	4.2%
No self-help group participation past 30 days $(N = 21)$	52.4%	38.1%
No family support for recovery past 30 days $(N = 19)$	10.5%	5.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 23) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 23) Biomedical Conditions and Complications (N = 23) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 23) Biomedical Conditions and Complications (N = 23) Emotional/Behavioral/ Cognitive Problem (N = 23)	0.0% 0.0% 13.0%	0.0% 0.0% 13.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program Aazhoomog Clinic

45741 Grace Lake Road Sandstone, MN 55072

County: Pine

AA: *
Tribal: *

Provider Website:

Patient Profile

 Gender (N = 7)
 Race (N = 7)
 Age (N = 7)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Source of Referral **Primary Substance** Source of Income (N = 7)(N = 7)(N = 7). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Mille Lacs Band Outpatient Program Aazhoomog Clinic

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 6)	*	*
Not employed/student ^{‡‡} (N = 6)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days $(N = 7)$	*	*
Drug use past 30 days $(N = 7)$	*	*
No self-help group participation past 30 days $(N = 5)$	*	*
No family support for recovery past 30 days $(N = 5)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Miller Dwan Medical Center

502 East 2nd Street Duluth, MN 55805

Provider Website:

Patient Profile

 Gender (N = 39)
 Race (N = 39)

 Male: 46.2%
 White: 66.7%

 Female: 53.8%
 Black: 0.0%

American Indian: 28.2% 26 to 34: 0.0% Hispanic: 0.0% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 5.1%

Primary Substance Source of Income

(N = 39) (N = 39) Alcohol: 33.3% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 66.7% Family/friends: 94.9% Heroin: 0.0% No income: 2.6% Cocaine: 0.0% Public sources: 0.0% Other opiates: 0.0% Other sources: 2.6%

Source of Referral
(N = 39)
Self/family/relative/
friends: 87.2%
Employer/school: 0.0%
Criminal justice: 43.6%
Professional: 48.7%
County social

County: St. Louis

Age (N = 39)

Under 18: 94.9%

18 to 25: 5.1%

service agency: 5.1% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 39)

Completed program: 56.4%

Patient left without staff approval: 12.8% Staff requested/judged inappropriate: 17.9%

Death/other: 12.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Miller Dwan Medical Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 36)	0.0%	0.0%
Not employed/student ii (N = 39)	0.0%	0.0%
Arrests past 30 days (N = 39)	15.4%	10.3%
Alcohol use past 30 days (N = 39)	56.4%	33.3%
Drug use past 30 days (N = 39)	74.4%	59.0%
No self-help group participation past 30 days (N = 39)	69.2%	61.5%
No family support for recovery past 30 days $(N = 39)$	12.8%	35.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =39)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 39$)	7.7%	5.1%
Emotional/Behavioral/ Cognitive Problem ($N = 39$)	59.0%	53.8%
Resistance to Change (N = 39)	82.1%	61.5%
Relapse/Continued Use Potential (N = 39)	100.0%	79.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge Men's Program

1619 Portland Ave. So. Minneapolis, MN 55404

Provider Website: www.mntc.org

Patient Profile

 Gender (N = 144)
 Race (N = 144)

 Male: 100.0%
 White: 77.1%

 Female: 0.0%
 Black: 16.7%

American Indian: 2.1% 26 to 34: 21.5% Hispanic: 4.2% 35 and older: 44.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 144) Alcohol: 51.4% (N = 144) Job: 28.5%

Methamphetamine: 13.9% Retirement/savings: 0.7% Marijuana: 17.4% Family/friends: 14.6% No income: 34.0% Public sources: 9.0%

Cocaine: 10.4% Public sources: 9.0% Other opiates: 3.5% Other sources: 13.2%

Source of Referral

County: Hennepin

Age (N = 144)

Under 18: 5.6%

18 to 25: 28.5%

(N = 144) .
Self/family/relative/
friends: 74.3%
Employer/school: 6.9%
Criminal justice: 24.3%
Professional: 9.7%

County social

service agency: 12.5%

Other community resources: 31.3%

AA: 2.8% Tribal: 0.7%

Outcomes

Discharge Status

Other drugs: 1.4%

(N = 144)

Completed program: 71.5%

Patient left without staff approval: 16.0% Staff requested/judged inappropriate: 7.6%

Death/other: 4.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Minnesota Teen Challenge Men's Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 127)	22.0%	14.2%
Not employed/student ^{‡‡} (N = 133)	72.2%	79.7%
Arrests past 30 days (N = 132)	12.9%	4.6%
Alcohol use past 30 days (N = 140)	59.3%	7.9%
Drug use past 30 days (N = 140)	47.9%	4.3%
No self-help group participation past 30 days ($N = 130$)	59.2%	26.2%
No family support for recovery past 30 days (N = 138)	10.1%	6.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =124)	2.4%	0.8%
	2.4% 6.5%	0.8% 4.8%
Withdrawal (N = 124) Biomedical Conditions and		
Withdrawal (N = 124) Biomedical Conditions and Complications (N = 124) Emotional/Behavioral/	6.5%	4.8%
Withdrawal (N = 124) Biomedical Conditions and Complications (N = 124) Emotional/Behavioral/ Cognitive Problem (N = 124)	6.5% 83.1%	4.8% 46.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge Women's Program

1717 2nd Ave South Minneapolis, MN 55403

Provider Website: www.mntc.org

Patient Profile

 Gender (N = 65)
 Race (N = 65)

 Male: 6.2%
 White: 89.2%

 Female: 93.8%
 Black: 3.1%

American Indian: 4.6% 26 to 34: 24.6% Hispanic: 0.0% 35 and older: 40.0%

Asian/Pacific Islander: 1.5%

Other: 1.5%

Primary Substance Source of Income

(N = 65) Alcohol: 53.8% (N = 65) Job: 21.5%

Methamphetamine: 15.4% Retirement/savings: 1.5% Marijuana: 4.6% Family/friends: 20.0% No income: 26.2% Cocaine: 15.4% Public sources: 10.8%

Other opiates: 7.7% Other sources: 20.0%

Source of Referral

County: Hennepin

Age (N = 65)

Under 18: 4.6%

18 to 25: 30.8%

(N = 65) .
Self/family/relative/
friends: 81.5%

Employer/school: 1.5% Criminal justice: 12.3% Professional: 6.2%

County social

service agency: 9.2% Other community resources: 43.1%

AA: 3.1% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 65)

Completed program: 72.3%

Patient left without staff approval: 18.5% Staff requested/judged inappropriate: 4.6%

Death/other: 4.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Minnesota Teen Challenge Women's Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 57)	12.3%	8.8%
Not employed/student ^{‡‡} (N = 60)	80.0%	86.7%
Arrests past 30 days (N = 58)	27.6%	1.7%
Alcohol use past 30 days (N = 65)	61.5%	7.7%
Drug use past 30 days (N = 65)	43.1%	9.2%
No self-help group participation past 30 days $(N = 61)$	45.9%	16.4%
No family support for recovery past 30 days $(N = 64)$	7.8%	1.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =59)	5.1%	0.0%
Biomedical Conditions and Complications $(N = 59)$	10.2%	3.4%
Emotional/Behavioral/ Cognitive Problem (N = 59)	81.4%	42.4%
Resistance to Change (N = 59)	84.7%	50.8%
Dolones/Continued Use		
Relapse/Continued Use Potential (N = 59)	86.4%	62.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Morgan Treatment Center

1025 Portland Avenue South Minneapolis, MN 55403

Provider Website:

Patient Profile

Gender (N = 12)Race (N = 12)Male: 100.0% White: 91.7% Female: 0.0% Black: 0.0%

> American Indian: 8.3% 26 to 34: 25.0% Hispanic: 0.0% 35 and older: 58.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 12)Alcohol: 91.7%

Methamphetamine: 8.3% Marijuana: 0.0%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 12)Job: 91.7%

> Retirement/savings: 0.0% Family/friends: 0.0% No income: 0.0% Public sources: 0.0%

Other sources: 8.3%

Source of Referral

(N = 12) .

County: Hennepin

Age (N = 12)

Under 18: 0.0%

18 to 25: 16.7%

Self/family/relative/ friends: 91.7% Employer/school: 0.0% Criminal justice: 33.3% Professional: 0.0%

County social

service agency: 0.0% Other community resources: 50.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 12)

Completed program: 83.3%

Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Morgan Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 12)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 12)	16.7%	25.0%
Arrests past 30 days (N = 12)	0.0%	0.0%
Alcohol use past 30 days (N = 12)	0.0%	0.0%
Drug use past 30 days (N = 12)	0.0%	0.0%
No self-help group participation past 30 days $(N = 12)$	16.7%	25.0%
No family support for recovery past 30 days $(N = 11)$	0.0%	9.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 12) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 12) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 12) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/ Cognitive Problem (N = 12)	0.0% 0.0% 8.3%	0.0% 0.0% 8.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

My Home, Inc.

1010 University Avenue St. Paul, MN 55104

Provider Website:

Patient Profile

 Gender (N = 74)
 Race (N = 74)

 Male: 83.8%
 White: 1.4%

 Female: 16.2%
 Black: 93.2%

American Indian: 1.4% 26 to 34: 41.9% Hispanic: 0.0% 35 and older: 21.6%

Asian/Pacific Islander: 0.0%

Other: 4.1%

Primary Substance

(N = 74)Alcohol: 68.9%

Methamphetamine: 0.0% Marijuana: 21.6% Heroin: 0.0%

Cocaine: 8.1% Other opiates: 0.0% Other drugs: 1.4% Source of Income

(N = 74)Job: 13.5%

> Retirement/savings: 0.0% Family/friends: 0.0% No income: 64.9% Public sources: 5.4%

Public sources: 5.4% Other sources: 16.2% Source of Referral

(N = 74) .

Age (N = 74)

Under 18: 0.0%

18 to 25: 36.5%

County: Ramsey

Self/family/relative/ friends: 16.2% Employer/school: 0.0% Criminal justice: 45.9% Professional: 0.0%

County social

service agency: 93.2%

Other community resources: 28.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 74)

Completed program: 28.4%

Patient left without staff approval: 43.2% Staff requested/judged inappropriate: 1.4%

Death/other: 27.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

My Home, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 61)	1.6%	0.0%
Not employed/student ^{‡‡} (N = 22)	68.2%	63.6%
Arrests past 30 days (N = 70)	5.7%	5.7%
Alcohol use past 30 days ($N = 67$)	29.9%	11.9%
Drug use past 30 days (N = 67)	37.3%	14.9%
No self-help group participation past 30 days ($N = 32$)	78.1%	75.0%
No family support for recovery past 30 days $(N = 20)$	30.0%	10.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =70)	4.3%	1.4%
D' '' 1 0 '''' 1		
Biomedical Conditions and Complications $(N = 71)$	8.5%	2.8%
	8.5% 23.9%	2.8% 21.1%
Complications (N = 71) Emotional/Behavioral/		
Complications (N = 71) Emotional/Behavioral/ Cognitive Problem (N = 71)	23.9%	21.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

My Home, Inc.

420 North 5th Street Minneapolis, MN 55401

Provider Website:

Patient Profile

 Gender (N = 7)
 Race (N = 7)
 Age (N = 7)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income

(N = 7)(N = 7)(N = 7). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: *

Other opiates: * Other sources: * County social
Other drugs: * service agency: *
Other community

resources: *
AA: *
Tribal: *

Source of Referral

County: Hennepin

Outcomes

Discharge Status

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

My Home, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 7)	*	*
Not employed/student ‡ (N = 1)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days $(N = 7)$	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days $(N = 1)$	*	*
No family support for recovery past 30 days $(N = 2)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =7)	*	*
Biomedical Conditions and Complications $(N = 7)$	*	*
Emotional/Behavioral/ Cognitive Problem (N = 7)	*	*
Resistance to Change (N = 7)	*	*
Relapse/Continued Use Potential (N = 7)	*	*
Unsupportive Recovery Environment (N = 6)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nehemiah Family Services

104 1st Street

Dodge Center, MN 55927 County: Dodge

Provider Website:

Patient Profile

 Gender (N = 37)
 Race (N = 37)
 Age (N = 37)

 Male: 83.8%
 White: 89.2%
 Under 18: 0.0%

 Female: 16.2%
 Black: 0.0%
 18 to 25: 35.1%

American Indian: 2.7% 26 to 34: 37.8%

Hispanic: 5.4% 35 and older: 27.0%

Asian/Pacific Islander: 2.7%

Other: 0.0%

Primary Substance Source of Income Source of Referral

Marijuana: 32.4% Family/friends: 8.1% Employer/school: 2.7% Heroin: 0.0% No income: 5.4% Criminal justice: 86.5% Public sources: 5.4% Professional: 2.7% Other opiates: 0.0% Other sources: 5.4% County social

Other drugs: 0.0% service agency: 16.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 37)

Completed program: 73.0%

Patient left without staff approval: 16.2% Staff requested/judged inappropriate: 0.0%

Death/other: 10.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Nehemiah Family Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 37)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 36)	27.8%	25.0%
Arrests past 30 days (N = 37)	5.4%	10.8%
Alcohol use past 30 days (N = 37)	13.5%	8.1%
Drug use past 30 days (N = 37)	10.8%	5.4%
No self-help group participation past 30 days $(N = 37)$	64.9%	43.2%
No family support for recovery past 30 days $(N = 37)$	8.1%	21.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 37) Emotional/Behavioral/	0.0% 5.4%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 37) Emotional/Behavioral/ Cognitive Problem (N = 37)	0.0% 5.4% 43.2%	0.0% 2.7% 10.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Neighborhood Counseling Chemical Dependency Progra

11 2nd Street SW Wadena, MN 56482

Provider Website:

Patient Profile

 Gender (N = 54)
 Race (N = 54)

 Male: 72.2%
 White: 88.9%

 Female: 27.8%
 Black: 5.6%

American Indian: 1.9% 26 to 34: 16.7% Hispanic: 3.7% 35 and older: 48.1%

County: Wadena

Age (N = 54)

Under 18: 0.0%

18 to 25: 35.2%

Source of Referral

Self/family/relative/

friends: 61.1%

Other community resources: 3.7%

Employer/school: 7.4%

Criminal justice: 40.7%

(N = 54) .

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 54) Alcohol: 72.2% (N = 54) Job: 50.0%

Methamphetamine: 5.6% Retirement/savings: 1.9% Marijuana: 18.5% Family/friends: 14.8% Heroin: 0.0% No income: 1.9% Cocaine: 0.0% Public sources: 18.5%

Cocaine: 0.0% Public sources: 18.5% Professional: 22.2% Other opiates: 3.7% Other sources: 13.0% County social service agency: 51.9%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 54)

Completed program: 63.0%

Patient left without staff approval: 25.9% Staff requested/judged inappropriate: 0.0%

Death/other: 11.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Neighborhood Counseling Chemical Dependency Progra

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 47)	0.0%	2.1%
Not employed/student ^{‡‡} (N = 46)	34.8%	30.4%
Arrests past 30 days (N = 41)	0.0%	0.0%
Alcohol use past 30 days (N = 50)	24.0%	16.0%
Drug use past 30 days (N = 50)	14.0%	2.0%
No self-help group participation past 30 days $(N = 35)$	60.0%	42.9%
No family support for recovery past 30 days $(N = 40)$	7.5%	0.0%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 47)	Admission 0.0%	<u>Discharge</u> 0.0%
Acute Intoxication/		_
Acute Intoxication/ Withdrawal (N = 47) Biomedical Conditions and	0.0%	0.0%
Acute Intoxication/ Withdrawal (N = 47) Biomedical Conditions and Complications (N = 48) Emotional/Behavioral/	0.0% 14.6%	0.0% 4.2%
Acute Intoxication/ Withdrawal (N = 47) Biomedical Conditions and Complications (N = 48) Emotional/Behavioral/ Cognitive Problem (N = 48)	0.0% 14.6% 27.1%	0.0% 4.2% 14.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Litchfield

114 N. Holcombe Litchfield, MN 55355

Provider Website:

Patient Profile

 Gender (N = 50)
 Race (N = 50)

 Male: 70.0%
 White: 90.0%

 Female: 30.0%
 Black: 2.0%

American Indian: 2.0% 26 to 34: 22.0% Hispanic: 6.0% 35 and older: 52.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 50) Alcohol: 64.0% (N = 50) Job: 56.0%

Methamphetamine: 14.0% Retirement/savings: 6.0% Marijuana: 16.0% Family/friends: 16.0% No income: 6.0% Cocaine: 2.0% Public sources: 14.0%

Other opiates: 2.0% Other sources: 2.0%

Source of Referral

County: Meeker

Age (N = 50)

Under 18: 2.0%

18 to 25: 24.0%

(N = 50)
Self/family/relative/
friends: 12.0%
Employer/school: 8.0%
Criminal justice: 58.0%
Professional: 10.0%

County social

service agency: 48.0%

Other community resources: 4.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 2.0%

(N = 50)

Completed program: 70.0%

Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 8.0%

Death/other: 2.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Beginnings at Litchfield

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 50)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 50)	46.0%	46.0%
Arrests past 30 days (N = 50)	8.0%	4.0%
Alcohol use past 30 days (N = 50)	26.0%	8.0%
Drug use past 30 days (N = 50)	18.0%	2.0%
No self-help group participation past 30 days $(N = 50)$	62.0%	16.0%
No family support for recovery past 30 days $(N = 50)$	2.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 50) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 50) Biomedical Conditions and Complications (N = 50) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 50) Biomedical Conditions and Complications (N = 50) Emotional/Behavioral/ Cognitive Problem (N = 50)	0.0% 0.0% 24.0%	0.0% 0.0% 14.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at St. Peter

201 W Park Row #B St. Peter, MN 56082

Provider Website: www.newbeginningsatwaverly.com

Patient Profile

 Gender (N = 73)
 Race (N = 73)

 Male: 76.7%
 White: 89.0%

 Female: 23.3%
 Black: 2.7%

American Indian: 2.7% 26 to 34: 17.8% Hispanic: 2.7% 35 and older: 42.5%

Asian/Pacific Islander: 2.7%

Other: 0.0%

Primary Substance Source of Income

(N = 73) Alcohol: 69.9% (N = 73) Job: 63.0%

Methamphetamine: 6.9% Retirement/savings: 2.7% Marijuana: 19.2% Family/friends: 17.8% Heroin: 0.0% No income: 2.7% Cocaine: 4.1% Public sources: 11.0%

Cocaine: 4.1% Public sources: 11.0% Professional: 8.2% Other opiates: 0.0% Other sources: 2.7% County social service agency: 37.0% Other community

AA: 2.7% Tribal: 1.4%

County: Nicollet

Age (N = 73)

Under 18: 0.0%

18 to 25: 39.7%

Source of Referral

Self/family/relative/

friends: 45.2%

Employer/school: 2.7%

Criminal justice: 69.9%

resources: 0.0%

(N = 73) .

Outcomes

Discharge Status

(N = 73)

Completed program: 83.6%

Patient left without staff approval: 5.5% Staff requested/judged inappropriate: 9.6%

Death/other: 1.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Beginnings at St. Peter

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 72)	1.4%	0.0%
Not employed/student ‡ (N = 73)	37.0%	35.6%
Arrests past 30 days (N = 73)	11.0%	0.0%
Alcohol use past 30 days (N = 73)	15.1%	2.7%
Drug use past 30 days (N = 73)	12.3%	0.0%
No self-help group participation past 30 days $(N = 71)$	50.7%	2.8%
No family support for recovery past 30 days $(N = 72)$	5.6%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	0.0%	1.4%
	0.0% 1.4%	1.4% 0.0%
Withdrawal (N =73) Biomedical Conditions and		
Withdrawal (N = 73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/	1.4%	0.0%
Withdrawal (N = 73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/ Cognitive Problem (N = 73)	1.4% 15.1%	0.0% 5.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Waverly

109 North Shore Drive Waverly, MN 55390

Provider Website: www.newbeginningsatwaverly.com

Patient Profile

 Gender (N = 1004)
 Race (N = 1004)
 Age (N = 1004)

 Male: 67.3%
 White: 91.2%
 Under 18: 0.0%

 Female: 32.7%
 Black: 2.9%
 18 to 25: 28.8%

emale: 32.7% Black: 2.9% 18 to 25: 28.8% American Indian: 1.4% 26 to 34: 26.1%

Hispanic: 2.4% 35 and older: 45.1%

County: Wright

Asian/Pacific Islander: 0.7%

Other: 1.4%

Primary Substance Source of Income Source of Referral (N = 1004) (N = 1004) (N = 1004) .

Alcohol: 54.7% Job: 39.2% Self/family/relative/

Methamphetamine: 20.5% Retirement/savings: 12.3% friends: 40.8% Marijuana: 11.1% Family/friends: 25.3% Employer/school: 2.9% Heroin: 1.6% No income: 2.2% Criminal justice: 7.8%

Cocaine: 7.5% Public sources: 6.9% Professional: 20.4% Other opiates: 3.9% Other sources: 14.1% County social

Other drugs: 0.8% service agency: 38.8%

Other community resources: 9.0%

AA: 0.7% Tribal: 0.1%

Outcomes

Discharge Status (N = 1004)

Completed program: 85.1%

Patient left without staff approval: 9.3% Staff requested/judged inappropriate: 4.5%

Death/other: 1.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Beginnings at Waverly

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 1001)	2.8%	0.2%
Not employed/student ^{‡‡} (N = 999)	65.3%	65.1%
Arrests past 30 days (N = 1004)	16.9%	4.5%
Alcohol use past 30 days (N = 1004)	72.9%	17.5%
Drug use past 30 days (N = 1004)	55.2%	18.3%
No self-help group participation past 30 days ($N = 999$)	67.1%	1.4%
No family support for recovery past 30 days ($N = 1002$)	2.8%	0.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.9%	<u>Discharge</u> 0.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1004) Biomedical Conditions and	4.9%	0.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1004) Biomedical Conditions and Complications (N = 1004) Emotional/Behavioral/	4.9% 11.4%	0.3% 9.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1004) Biomedical Conditions and Complications (N = 1004) Emotional/Behavioral/ Cognitive Problem (N = 1004)	4.9% 11.4% 49.9%	0.3% 9.9% 40.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings Jail Program at Elk River

13880 Hwy 10

Elk River, MN 55347 County: Sherburne

Provider Website:

Patient Profile

Gender (N = 45)Race (N = 45)Male: 100.0% White: 82.2% Female: 0.0% Black: 4.4%

> American Indian: 6.7% 26 to 34: 35.6% 35 and older: 42.2%

Hispanic: 6.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 45)(N = 45)Alcohol: 60.0% Job: 22.2%

Methamphetamine: 17.8% Retirement/savings: 2.2% Marijuana: 20.0% Family/friends: 0.0% Heroin: 0.0% No income: 57.8% Public sources: 2.2% Cocaine: 2.2%

Other opiates: 0.0% Other sources: 15.6% Source of Referral

Age (N = 45)

Under 18: 0.0%

18 to 25: 22.2%

(N = 45) . Self/family/relative/ friends: 62.2%

Employer/school: 0.0% Criminal justice: 95.6% Professional: 6.7%

County social

service agency: 6.7% Other community resources: 13.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 45)

Completed program: 82.2%

Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 2.2%

Death/other: 2.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Beginnings Jail Program at Elk River

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 44)	9.1%	0.0%
Not employed/student ^{‡‡} (N = 43)	97.7%	72.1%
Arrests past 30 days (N = 45)	40.0%	4.4%
Alcohol use past 30 days (N = 45)	28.9%	4.4%
Drug use past 30 days (N = 45)	11.1%	2.2%
No self-help group participation past 30 days ($N = 45$)	66.7%	6.7%
No family support for recovery past 30 days $(N = 44)$	15.9%	11.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =45)	0.0%	6.7%
Biomedical Conditions and Complications $(N = 45)$	4.4%	2.2%
E 11 1/D 1 1 1/		
Emotional/Behavioral/ Cognitive Problem (N = 45)	80.0%	53.3%
	80.0% 86.7%	53.3% 51.1%
Cognitive Problem $(N = 45)$		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Cottage Grove

8451 E. Point Douglas Road Cottage Grove, MN 55016

Provider Website: www.hsicares.org

Patient Profile

 Gender (N = 3)
 Race (N = 3)
 Age (N = 3)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

service agency: *
Other community
resources: *

AA: *
Tribal: *

County: Washington

Outcomes

Discharge Status

Other drugs: *

(N = 3)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Choices for Recovery Cottage Grove

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 3)	*	*
Not employed/student 11 (N = 2)	*	*
Arrests past 30 days (N = 3)	*	*
Alcohol use past 30 days (N = 3)	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days $(N = 3)$	*	*
No family support for recovery past 30 days (N = 3)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
3	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Stillwater

375 East Orleans Street Stillwater, MN 55082

Provider Website: www.hsicares.org

Patient Profile

 Gender (N = 75)
 Race (N = 75)

 Male: 58.7%
 White: 84.0%

 Female: 41.3%
 Black: 1.3%

American Indian: 5.3% 26 to 34: 16.0% Hispanic: 4.0% 35 and older: 38.7%

Asian/Pacific Islander: 2.7%

Other: 2.7%

Primary Substance Source of Income

(N = 75) Alcohol: 49.3% (N = 75) Job: 24.0%

Methamphetamine: 10.7% Retirement/savings: 4.0% Family/friends: 50.7% No income: 4.0% Public sources: 8.0%

Cocaine: 4.0% Public sources: 8.0% Other opiates: 2.7% Other sources: 9.3%

Criminal justice: 82.7% Professional: 22.7% County social

Employer/school: 0.0%

service agency: 17.3%

Other community resources: 2.7%

AA: 0.0% Tribal: 0.0%

County: Washington

Age (N = 75)

Under 18: 30.7%

18 to 25: 14.7%

Source of Referral

Self/family/relative/ friends: 20.0%

(N = 75) .

Outcomes

Discharge Status

Other drugs: 1.3%

(N = 75)

Completed program: 40.0%

Patient left without staff approval: 25.3% Staff requested/judged inappropriate: 17.3%

Death/other: 17.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Choices for Recovery Stillwater

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 74)	2.7%	4.1%
Not employed/student ^{‡‡} (N = 71)	43.7%	29.6%
Arrests past 30 days (N = 74)	12.2%	12.2%
Alcohol use past 30 days (N = 75)	32.0%	20.0%
Drug use past 30 days (N = 75)	29.3%	22.7%
No self-help group participation past 30 days $(N = 68)$	58.8%	45.6%
No family support for recovery past 30 days $(N = 69)$	13.0%	5.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 1.4%	<u>Discharge</u> 5.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 74) Biomedical Conditions and	1.4%	5.4%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 74) Biomedical Conditions and Complications (N = 74) Emotional/Behavioral/	1.4%	5.4% 10.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 74) Biomedical Conditions and Complications (N = 74) Emotional/Behavioral/ Cognitive Problem (N = 75)	1.4% 13.5% 61.3%	5.4% 10.8% 64.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Washington County Jail

15015 62nd Street N Stillwater, MN 55082

Provider Website:

Patient Profile

 Gender (N = 73)
 Race (N = 73)

 Male: 75.3%
 White: 79.5%

 Female: 24.7%
 Black: 12.3%

American Indian: 2.7% 26 to 34: 30.1% Hispanic: 1.4% 35 and older: 32.9%

Asian/Pacific Islander: 0.0%

Other: 4.1%

Primary Substance Source of Income

(N = 73) Alcohol: 42.5% (N = 73) Job: 26.0%

Methamphetamine: 35.6% Retirement/savings: 0.0% Family/friends: 11.0% No income: 46.6% Public sources: 6.9%

Other opiates: 1.4% Other sources: 9.6% Other drugs: 0.0%

Source of Referral

County: Washington

Age (N = 73)

Under 18: 0.0%

18 to 25: 37.0%

(N = 73) . Self/family/relative/ friends: 8.2%

Employer/school: 0.0% Criminal justice: 95.9% Professional: 0.0%

County social

service agency: 1.4% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 73)

Completed program: 32.9%

Patient left without staff approval: 17.8% Staff requested/judged inappropriate: 9.6%

Death/other: 39.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Choices for Recovery Washington County Jail

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 73)	5.5%	0.0%
Not employed/student ^{‡‡} (N = 71)	95.8%	74.6%
Arrests past 30 days (N = 73)	37.0%	4.1%
Alcohol use past 30 days (N = 73)	27.4%	2.7%
Drug use past 30 days (N = 73)	28.8%	6.9%
No self-help group participation past 30 days $(N = 67)$	47.8%	22.4%
No family support for recovery past 30 days $(N = 71)$	23.9%	11.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 73)$		0.70/
	4.1%	2.7%
Emotional/Behavioral/ Cognitive Problem (N = 73)	4.1% 43.8%	34.2%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 73)	43.8%	34.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Connection Program of Eden Prairie

6446 City West Parkway Eden Prairie, MN 55344

Provider Website: www.regionshospital.com

Patient Profile

 Gender (N = 54)
 Race (N = 54)

 Male: 68.5%
 White: 81.5%

 Female: 31.5%
 Black: 1.9%

American Indian: 1.9% 26 to 34: 0.0% Hispanic: 5.6% 35 and older: 0.0%

Asian/Pacific Islander: 1.9%

Other: 7.4%

Primary Substance Source of Income

(N = 54) (N = 54) Alcohol: 13.0% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0%

Other opiates: 0.0% Other sources: 0.0%

(N = 54) .
Self/family/relative/

Source of Referral

friends: 96.3% Employer/school: 35.2% Criminal justice: 14.8% Professional: 11.1%

County social

County: Hennepin

Age (N = 54)

Under 18: 94.4%

18 to 25: 5.6%

service agency: 0.0% Other community resources: 25.9%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 3.7%

(N = 54)

Completed program: 79.6%

Patient left without staff approval: 1.9% Staff requested/judged inappropriate: 3.7%

Death/other: 14.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Connection Program of Eden Prairie

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 54)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 54)	0.0%	0.0%
Arrests past 30 days (N = 54)	13.0%	3.7%
Alcohol use past 30 days (N = 53)	41.5%	11.3%
Drug use past 30 days (N = 53)	84.9%	26.4%
No self-help group participation past 30 days ($N = 54$)	75.9%	22.2%
No family support for recovery past 30 days $(N = 54)$	0.0%	13.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =54)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 54)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 54)	63.0%	27.8%
	00.070	
Resistance to Change (N = 54)	51.9%	22.2%
Resistance to Change (N = 54) Relapse/Continued Use Potential (N = 54)		22.2% 44.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Connections Program-Hastings

1250 Highway 55 Hastings, MN 55033

Hastings, MN 55033 County: Dakota

Provider Website: www.regionshospital.com

Patient Profile

Gender (N = 63)Race (N = 63)Age (N = 63)Male: 71.4%White: 85.7%Under 18: 92.1%Female: 28.6%Black: 4.8%18 to 25: 7.9%

American Indian: 1.6% 26 to 34: 0.0% Hispanic: 4.8% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 3.2%

Primary Substance Source of Income

(N = 63) (N = 63) Alcohol: 14.3% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 81.0% Family/friends: 100.0% No income: 0.0%

Cocaine: 1.6% Public sources: 0.0% Other opiates: 0.0% Other sources: 0.0%

her sources: 0.0% County social service agency: 11.1%

Other community resources: 19.0%

AA: 0.0% Tribal: 0.0%

Source of Referral

Self/family/relative/

friends: 87.3%

Professional: 27.0%

Employer/school: 6.4%

Criminal justice: 44.4%

(N = 63) .

Outcomes

Discharge Status

Other drugs: 3.2%

(N = 63)

Completed program: 61.9%

Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 15.9%

Death/other: 11.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Connections Program-Hastings

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 63)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 63)	0.0%	0.0%
Arrests past 30 days (N = 62)	21.0%	12.9%
Alcohol use past 30 days (N = 63)	63.5%	47.6%
Drug use past 30 days (N = 63)	81.0%	65.1%
No self-help group participation past 30 days $(N = 62)$	88.7%	56.5%
No family support for recovery past 30 days $(N = 62)$	53.2%	46.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =63)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 63)$	0.007	0.007
	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 63)	71.4%	49.2%
Cognitive Problem $(N = 63)$	71.4%	49.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Guidance Counseling

8557 Wyoming Ave N Brooklyn Park, MN 55445

Provider Website:

Patient Profile

 Gender (N = 10)
 Race (N = 10)

 Male: 100.0%
 White: 20.0%

 Female: 0.0%
 Black: 70.0%

American Indian: 0.0% 26 to 34: 30.0% Hispanic: 10.0% 35 and older: 40.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 10) Alcohol: 30.0% (N = 10) Job: 30.0%

Methamphetamine: 10.0% Retirement/savings: 0.0% Family/friends: 0.0% Family/friends: 0.0% No income: 70.0% Cocaine: 30.0% Public sources: 0.0% Other opiates: 0.0%

(N = 10) .
Self/family/relative/
friends: 40.0%
Employer/school: 0.0%

Employer/school: 0.0% Criminal justice: 50.0% Professional: 20.0%

County social

County: Hennepin

Age (N = 10)

Under 18: 0.0%

18 to 25: 30.0%

Source of Referral

service agency: 10.0%

Other community resources: 70.0%

AA: 10.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 10)

Completed program: 90.0%

Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Guidance Counseling

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 10)	30.0%	10.0%
Not employed/student ‡ (N = 9)	*	*
Arrests past 30 days (N = 10)	20.0%	0.0%
Alcohol use past 30 days (N = 10)	80.0%	20.0%
Drug use past 30 days (N = 10)	90.0%	40.0%
No self-help group participation past 30 days $(N = 9)$	*	*
No family support for recovery past 30 days $(N = 8)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 10) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 10) Biomedical Conditions and Complications (N = 10) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 10) Biomedical Conditions and Complications (N = 10) Emotional/Behavioral/ Cognitive Problem (N = 10)	0.0% 0.0% 90.0%	0.0% 0.0% 20.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Life Treatment Center

130 Dakota Street Woodstock, MN 56186

Provider Website: www.newlifetreatment.com

Patient Profile

 Gender (N = 238)
 Race (N = 238)
 Age (N = 238)

 Male: 69.3%
 White: 88.2%
 Under 18: 2.1%

 Female: 30.7%
 Black: 2.9%
 18 to 25: 27.3%

American Indian: 1.3% 26 to 34: 20.6%
Hispanic: 4.2% 35 and older: 50.0%

Asian/Pacific Islander: 1.3%

Other: 2.1%

Primary Substance Source of Income Source of Referral

Marijuana: 17.2%Family/friends: 16.0%Employer/school: 2.5%Heroin: 0.0%No income: 14.7%Criminal justice: 6.7%Cocaine: 2.5%Public sources: 13.0%Professional: 10.1%

Other opiates: 1.3% Other sources: 5.5% County social

Other drugs: 1.3% service agency: 45.8%

Other community resources: 5.0%

AA: 0.0% Tribal: 0.0%

County: Pipestone

Outcomes

Discharge Status (N = 238)

Completed program: 84.5%

Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 2.5%

Death/other: 2.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Life Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 238)	6.3%	0.4%
Not employed/student ^{‡‡} (N = 232)	57.8%	58.2%
Arrests past 30 days (N = 238)	18.9%	0.4%
Alcohol use past 30 days (N = 238)	72.7%	0.8%
Drug use past 30 days (N = 238)	37.0%	0.0%
No self-help group participation past 30 days ($N = 238$)	65.1%	0.0%
No family support for recovery past 30 days (N = 237)	9.3%	4.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §		
Dimensions of Chemical Health	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 238)	Admission 2.9%	<u>Discharge</u> 1.3%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 238) Biomedical Conditions and	2.9%	1.3%
Acute Intoxication/ Withdrawal (N = 238) Biomedical Conditions and Complications (N = 238) Emotional/Behavioral/	2.9% 9.2%	1.3% 4.2%
Acute Intoxication/ Withdrawal (N = 238) Biomedical Conditions and Complications (N = 238) Emotional/Behavioral/ Cognitive Problem (N = 238)	2.9% 9.2% 80.3%	1.3% 4.2% 31.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Perspectives, LLC

6425 Nicollet Ave. South Richfield, MN 55423

Provider Website:

Patient Profile

 Gender (N = 66)
 Race (N = 66)

 Male: 97.0%
 White: 13.6%

 Female: 3.0%
 Black: 77.3%

American Indian: 0.0% 26 to 34: 22.7% Hispanic: 1.5% 35 and older: 59.1%

Asian/Pacific Islander: 1.5%

Other: 6.1%

Source of Income

Primary Substance

(N = 66) Alcohol: 45.5% (N = 66) Job: 19.7%

Methamphetamine: 3.0% Retirement/savings: 0.0% Marijuana: 18.2% Family/friends: 10.6% Heroin: 6.1% No income: 25.8% Cocaine: 27.3% Public sources: 30.3% Other opiates: 0.0% Other sources: 13.6%

(N = 66) ...
Self/family/relative/
friends: 68.2%
Employer/school: 3.0%
Criminal justice: 34.8%
Professional: 7.6%
County social

service agency: 19.7% Other community resources: 3.0%

AA: 0.0% Tribal: 0.0%

County: Hennepin

Age (N = 66)

Under 18: 0.0%

18 to 25: 18.2%

Source of Referral

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 66)

Completed program: 50.0%

Patient left without staff approval: 27.3% Staff requested/judged inappropriate: 18.2%

Death/other: 4.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Perspectives, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 54)	9.3%	5.6%
Not employed/student ^{‡‡} (N = 44)	75.0%	63.6%
Arrests past 30 days (N = 37)	18.9%	10.8%
Alcohol use past 30 days $(N = 63)$	63.5%	39.7%
Drug use past 30 days (N = 63)	57.1%	42.9%
No self-help group participation past 30 days ($N = 44$)	70.5%	18.2%
No family support for recovery past 30 days $(N = 49)$	18.4%	22.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 7.6%	<u>Discharge</u> 12.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 66) Biomedical Conditions and	7.6%	12.1%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 66) Biomedical Conditions and Complications (N = 66) Emotional/Behavioral/	7.6%	12.1% 13.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 66) Biomedical Conditions and Complications (N = 66) Emotional/Behavioral/ Cognitive Problem (N = 66)	7.6% 21.2% 65.2%	12.1% 13.6% 48.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Ulm Medical Center Substance Abuse Treatment Service

1324 5th Street North New Ulm, MN 56073

Provider Website:

Patient Profile

Gender (N = 266) Race (N = 266)Male: 72.2% White: 91.4% Female: 27.8% Black: 1.5%

18 to 25: 28.2% American Indian: 1.5% 26 to 34: 18.4% Hispanic: 2.6% 35 and older: 40.6%

Asian/Pacific Islander: 0.4%

Other: 2.6%

Primary Substance Source of Income

(N = 264)(N = 266)Alcohol: 69.7% Job: 46.2%

Methamphetamine: 3.0% Retirement/savings: 4.5% Marijuana: 22.3% Family/friends: 25.9% Heroin: 0.0% No income: 1.1% Public sources: 9.0% Cocaine: 1.1%

Employer/school: 0.8% Criminal justice: 53.8% Professional: 17.7% Other opiates: 2.3% Other sources: 13.2% County social Other drugs: 1.5% service agency: 27.4%

Other community resources: 9.0%

AA: 0.0% Tribal: 0.4%

County: Brown

Age (N = 266)

Under 18: 12.8%

Source of Referral

Self/family/relative/ friends: 53.8%

 $(N_{\underline{}} = 266)$.

Outcomes

Discharge Status (N = 266)

Completed program: 69.2%

Patient left without staff approval: 12.0% Staff requested/judged inappropriate: 5.3%

Death/other: 13.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Ulm Medical Center Substance Abuse Treatment Service

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 261)	2.3%	1.2%
Not employed/student ^{‡‡} (N = 260)	43.5%	39.2%
Arrests past 30 days (N = 260)	21.9%	12.3%
Alcohol use past 30 days (N = 261)	45.2%	20.3%
Drug use past 30 days (N = 261)	26.1%	15.3%
No self-help group participation past 30 days ($N = 154$)	53.2%	21.4%
No family support for recovery past 30 days (N = 130)	26.9%	13.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 10.7%	<u>Discharge</u> 3.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 243) Biomedical Conditions and	10.7%	3.3%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 243) Biomedical Conditions and Complications (N = 261) Emotional/Behavioral/	10.7% 14.2%	3.3%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 243) Biomedical Conditions and Complications (N = 261) Emotional/Behavioral/ Cognitive Problem (N = 261)	10.7% 14.2% 72.8%	3.3% 10.3% 59.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Ulm Medical Center-Drug Court Treatment

410 Jackson Street Mankato, MN 56001

Provider Website:

Patient Profile

 Gender (N = 18)
 Race (N = 18)

 Male: 61.1%
 White: 83.3%

 Female: 38.9%
 Black: 11.1%

American Indian: 0.0% 26 to 34: 38.9% Hispanic: 0.0% 35 and older: 38.9%

Asian/Pacific Islander: 5.6%

Other: 0.0%

Primary Substance Source of Income

(N = 18) Alcohol: 77.8% (N = 18) Job: 50.0%

Methamphetamine: 11.1% Retirement/savings: 0.0% Family/friends: 11.1% No income: 5.6% Cocaine: 0.0% Public sources: 11.1%

Other opiates: 0.0% Other sources: 22.2%

Source of Referral

County: Blue Earth

Age (N = 18)

Under 18: 0.0%

18 to 25: 22.2%

(N = 18) .
Self/family/relative/
friends: 22.2%
Employer/school: 0.0%
Criminal justice: 77.8%
Professional: 11.1%

County social

service agency: 22.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 18)

Completed program: 38.9%

Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 0.0%

Death/other: 44.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Ulm Medical Center-Drug Court Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 18)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 18)	44.4%	50.0%
Arrests past 30 days (N = 18)	27.8%	38.9%
Alcohol use past 30 days (N = 18)	38.9%	33.3%
Drug use past 30 days (N = 18)	27.8%	27.8%
No self-help group participation past 30 days ($N = 18$)	44.4%	33.3%
No family support for recovery past 30 days $(N = 16)$	25.0%	18.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =18)	5.6%	5.6%
	5.6% 22.2%	5.6% 27.8%
Withdrawal (N = 18) Biomedical Conditions and		
Withdrawal (N = 18) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/	22.2%	27.8%
Withdrawal (N = 18) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/ Cognitive Problem (N = 18)	22.2% 83.3%	27.8% 66.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center

222 West 9th Ave. Alexandria, MN 56308

Provider Website: www.newvisionscenter.net

Patient Profile

Gender (N = 203) Race (N = 203)Male: 71.4% White: 94.6% Female: 28.6% Black: 1.5%

18 to 25: 34.0% American Indian: 0.5% 26 to 34: 21.7% Hispanic: 3.0% 35 and older: 43.8%

Asian/Pacific Islander: 0.0%

Other: 0.5%

Primary Substance Source of Income (N = 203)(N = 203)

Alcohol: 67.5% Job: 34.5%

Methamphetamine: 9.4% Retirement/savings: 3.5% Marijuana: 13.3% Family/friends: 10.3% Heroin: 1.0% No income: 23.2% Public sources: 16.3% Cocaine: 3.5%

Other opiates: 3.0% Other sources: 12.3% Other drugs: 2.5%

(N = 203) . Self/family/relative/ friends: 44.3% Employer/school: 1.0% Criminal justice: 39.9% Professional: 15.8%

Source of Referral

County: Douglas

Age (N = 203)

Under 18: 0.5%

County social

service agency: 63.5%

Other community resources: 10.3%

AA: 0.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 203)

Completed program: 68.5%

Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 12.3%

Death/other: 5.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Visions Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 199)	6.5%	3.0%
Not employed/student ^{‡‡} (N = 194)	63.4%	63.4%
Arrests past 30 days (N = 178)	16.9%	4.5%
Alcohol use past 30 days (N = 197)	55.3%	9.1%
Drug use past 30 days (N = 198)	35.4%	7.6%
No self-help group participation past 30 days ($N = 197$)	60.9%	9.6%
No family support for recovery past 30 days $(N = 196)$	10.2%	6.6%
Daming to December		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 10.8%	<u>Discharge</u> 2.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 203) Biomedical Conditions and	10.8%	2.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 203) Biomedical Conditions and Complications (N = 202) Emotional/Behavioral/	10.8% 21.8%	2.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 203) Biomedical Conditions and Complications (N = 202) Emotional/Behavioral/ Cognitive Problem (N = 203)	10.8% 21.8% 81.8%	2.0% 11.9% 68.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center

1700 Broadway Alexandria, MN 56308

slexandria, MN 56308 County: Douglas

Provider Website: www.newvisionscenter.net

Patient Profile

 Gender (N = 125)
 Race (N = 125)
 Age (N = 125)

 Male: 70.4%
 White: 95.2%
 Under 18: 10.4%

 Female: 29.6%
 Black: 0.0%
 18 to 25: 24.8%

American Indian: 1.6% 26 to 34: 20.8%

Hispanic: 3.2% 35 and older: 44.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income Source of Referral

(N = 125) (N = 125) (N = 125) . Self/family/relative/

Methamphetamine: 3.2% Retirement/savings: 2.4% friends: 17.6% Marijuana: 15.2% Family/friends: 22.4% Employer/school: 6.4% Heroin: 0.0% No income: 0.0% Criminal justice: 64.8% Cocaine: 0.8% Public sources: 8.0% Professional: 20.8%

Cocaine: 0.8% Public sources: 8.0% Professional: 20.8% Other opiates: 3.2% Other sources: 2.4% County social

Other drugs: 1.6% service agency: 43.2%

Other community resources: 3.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 125)

Completed program: 55.2%

Patient left without staff approval: 4.0% Staff requested/judged inappropriate: 29.6%

Death/other: 11.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Visions Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 125)	0.8%	0.8%
Not employed/student ‡ (N = 122)	27.0%	22.1%
Arrests past 30 days (N = 123)	7.3%	11.4%
Alcohol use past 30 days (N = 123)	20.3%	18.7%
Drug use past 30 days (N = 123)	13.0%	10.6%
No self-help group participation past 30 days ($N = 118$)	66.9%	65.3%
No family support for recovery past 30 days $(N = 116)$	30.2%	31.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =125)	0.0%	1.6%
Biomedical Conditions and Complications $(N = 125)$	6.4%	4.0%
	6.4% 69.6%	4.0% 68.0%
Complications (N = 125) Emotional/Behavioral/		
Complications (N = 125) Emotional/Behavioral/ Cognitive Problem (N = 125)	69.6%	68.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center of Morris

712 Atlantic Avenue Morris, MN 56267

Provider Website:

Patient Profile

 Gender (N = 55)
 Race (N = 55)

 Male: 72.7%
 White: 83.6%

 Female: 27.3%
 Black: 3.6%

American Indian: 3.6% 26 to 34: 14.5% Hispanic: 7.3% 35 and older: 47.3%

Asian/Pacific Islander: 0.0%

Other: 1.8%

Primary Substance Source of Income

(N = 53) Alcohol: 73.6% (N = 55) Job: 56.4%

Methamphetamine: 3.8% Retirement/savings: 1.8% Marijuana: 15.1% Family/friends: 23.6% Heroin: 0.0% No income: 1.8% Cocaine: 1.9% Public sources: 9.1%

Other opiates: 5.7% Other sources: 7.3%

Source of Referral

County: Stevens

Age (N = 55)

Under 18: 5.5%

18 to 25: 32.7%

__(N = 55) __.
Self/family/relative/
friends: 18.2%
Employer/school: 0.0%
Criminal justice: 74.5%
Professional: 9.1%
County social

service agency: 74.5%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 55)

Completed program: 60.0%

Patient left without staff approval: 7.3% Staff requested/judged inappropriate: 23.6%

Death/other: 9.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

New Visions Center of Morris

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 54)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 54)	27.8%	25.9%
Arrests past 30 days (N = 45)	2.2%	6.7%
Alcohol use past 30 days (N = 55)	18.2%	7.3%
Drug use past 30 days (N = 54)	7.4%	3.7%
No self-help group participation past 30 days $(N = 47)$	68.1%	38.3%
No family support for recovery past 30 days (N = 39)	15.4%	23.1%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =54)	Admission 1.9%	<u>Discharge</u> 3.7%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =54) Biomedical Conditions and	1.9%	3.7%
Acute Intoxication/ Withdrawal (N = 54) Biomedical Conditions and Complications (N = 54) Emotional/Behavioral/	1.9%	3.7% 1.9%
Acute Intoxication/ Withdrawal (N = 54) Biomedical Conditions and Complications (N = 54) Emotional/Behavioral/ Cognitive Problem (N = 54)	1.9% 11.1% 53.7%	3.7% 1.9% 38.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Next Step

201 6th Street NE Staples, MN 56479

Provider Website: www.nextstepgo.com

Patient Profile

 Gender (N = 27)
 Race (N = 27)

 Male: 100.0%
 White: 55.6%

 Female: 0.0%
 Black: 3.7%

American Indian: 25.9% 26 to 34: 0.0% Hispanic: 11.1% 35 and older: 0.0%

County: Todd

Age (N = 27)

Under 18: 88.9%

18 to 25: 11.1%

Source of Referral

Self/family/relative/

friends: 7.4%

Employer/school: 0.0%

Criminal justice: 81.5%

Professional: 40.7%

(N = 27).

Asian/Pacific Islander: 0.0%

Other: 3.7%

Primary Substance Source of Income

(N = 27) (N = 27) Alcohol: 18.5% Job: 0.0%

Methamphetamine: 3.7% Retirement/savings: 0.0% Marijuana: 74.1% Family/friends: 85.2% Heroin: 0.0% No income: 7.4% Cocaine: 0.0% Public sources: 7.4%

Other opiates: 3.7% Other sources: 0.0% County social service agency: 40.7% Other community

resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 27)

Completed program: 29.6%

Patient left without staff approval: 25.9% Staff requested/judged inappropriate: 25.9%

Death/other: 18.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Next Step

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 27)	0.0%	0.0%
Not employed/student ‡ (N = 27)	0.0%	0.0%
Arrests past 30 days (N = 27)	11.1%	0.0%
Alcohol use past 30 days (N = 26)	15.4%	0.0%
Drug use past 30 days (N = 27)	33.3%	0.0%
No self-help group participation past 30 days ($N = 27$)	55.6%	3.7%
No family support for recovery past 30 days $(N = 26)$	15.4%	11.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 27) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 27) Biomedical Conditions and Complications (N = 27) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 27) Biomedical Conditions and Complications (N = 27) Emotional/Behavioral/ Cognitive Problem (N = 27)	0.0% 0.0% 100.0%	0.0% 0.0% 85.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Next Step

201 6th Street N.E. Staples, MN 56479

County: Todd

Provider Website:

Patient Profile

 Gender (N = 8)
 Race (N = 8)
 Age (N = 8)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

service agency: *
Other community
resources: *

AA: *
Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 8)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Dooth other: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Next Step

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 8)	*	*
Not employed/student 11 (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days $(N = 8)$	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days $(N = 8)$	*	*
No family support for recovery past 30 days (N = 7)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

North East Regional Corrections Center

6102 Abrahamson Road Saginaw, MN 55779

Provider Website:

Patient Profile

 Gender (N = 145)
 Race (N = 145)

 Male: 100.0%
 White: 80.0%

 Female: 0.0%
 Black: 6.9%

American Indian: 11.7% 26 to 34: 20.7% Hispanic: 0.7% 35 and older: 38.6%

County: St. Louis

Age (N = 145)

Under 18: 0.0%

18 to 25: 40.7%

Source of Referral

Self/family/relative/ friends: 6.9%

Employer/school: 0.0%

Criminal justice: 96.6%

resources: 0.7%

 $(N_{\underline{}} = 145)$.

Asian/Pacific Islander: 0.0%

Other: 0.7%

Primary Substance Source of Income

(N = 144) Alcohol: 69.4% (N = 145) Job: 36.6%

Methamphetamine: 10.4% Retirement/savings: 0.7% Marijuana: 14.6% Family/friends: 0.7% Heroin: 0.7% No income: 55.9% Cocaine: 0.0% Public sources: 2.1%

Cocaine: 0.0% Public sources: 2.1% Professional: 0.7% Other opiates: 4.9% Other sources: 4.1% County social service agency: 4.8% Other community

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 145)

Completed program: 92.4%

Patient left without staff approval: 2.1% Staff requested/judged inappropriate: 0.7%

Death/other: 4.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

North East Regional Corrections Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 143)	0.0%	1.4%
Not employed/student ^{‡‡} (N = 140)	77.1%	89.3%
Arrests past 30 days (N = 145)	2.8%	2.1%
Alcohol use past 30 days (N = 140)	0.7%	0.0%
Drug use past 30 days (N = 141)	0.7%	1.4%
No self-help group participation past 30 days ($N = 140$)	29.3%	0.7%
No family support for recovery past 30 days ($N = 143$)	7.0%	5.6%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =143)	Admission 0.0%	<u>Discharge</u> 0.0%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 143) Biomedical Conditions and	0.0%	0.0%
Acute Intoxication/ Withdrawal (N = 143) Biomedical Conditions and Complications (N = 145) Emotional/Behavioral/	0.0% 9.0%	0.0% 7.6%
Acute Intoxication/ Withdrawal (N = 143) Biomedical Conditions and Complications (N = 145) Emotional/Behavioral/ Cognitive Problem (N = 145)	0.0% 9.0% 25.5%	0.0% 7.6% 11.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

North Homes Inc. Outpatient Chemical Dependency

1880 River Road

Grand Rapids, MN 55744 County: Itasca

Provider Website:

Patient Profile

 Gender (N = 29)
 Race (N = 29)

 Male: 62.1%
 White: 37.9%

 Female: 37.9%
 Black: 3.5%

American Indian: 48.3% 26 to 34: 0.0%

Hispanic: 10.3% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 29) (N = 29) Alcohol: 37.9% Job: 0.0%

Methamphetamine: 3.5% Retirement/savings: 0.0% Family/friends: 44.8% No income: 0.0% Cocaine: 3.5% Public sources: 55.2%

Other opiates: 0.0%

Other sources: 0.0%

(N = 29) .
Self/family/relative/
friends: 3.5%
Employer/school: 0.0%

Source of Referral

Employer/school: 0.0% Criminal justice: 75.9% Professional: 6.9% County social

service agency: 31.0%

Other community resources: 20.7%

AA: 0.0% Tribal: 0.0%

Age (N = 29)

Under 18: 100.0%

18 to 25: 0.0%

Outcomes

Discharge Status

Other drugs: 6.9%

(N = 29)

Completed program: 51.7%

Patient left without staff approval: 10.3% Staff requested/judged inappropriate: 10.3%

Death/other: 27.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

North Homes Inc. Outpatient Chemical Dependency

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 29)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 29)	0.0%	0.0%
Arrests past 30 days (N = 28)	10.7%	3.6%
Alcohol use past 30 days (N = 29)	6.9%	0.0%
Drug use past 30 days (N = 29)	17.2%	17.2%
No self-help group participation past 30 days $(N = 29)$	96.6%	82.8%
No family support for recovery past 30 days $(N = 26)$	19.2%	0.0%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =29)	Admission 0.0%	<u>Discharge</u> 0.0%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and	0.0%	0.0%
Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and Complications (N = 29) Emotional/Behavioral/	0.0% 3.5%	0.0% 6.9%
Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and Complications (N = 29) Emotional/Behavioral/ Cognitive Problem (N = 29)	0.0% 3.5% 51.7%	0.0% 6.9% 37.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northern Lakes Clinic, Inc.

301 America Ave NW Bemidji, MN 56601

Provider Website:

Patient Profile

 Gender (N = 84)
 Race (N = 84)

 Male: 46.4%
 White: 32.1%

 Female: 53.6%
 Black: 0.0%

American Indian: 64.3% 26 to 34: 36.9% Hispanic: 1.2% 35 and older: 34.5%

County: Beltrami

Age (N = 84)

Under 18: 0.0%

18 to 25: 28.6%

Source of Referral

(N = 84) .

Asian/Pacific Islander: 1.2%

Other: 1.2%

Source of Income

Primary Substance

(N = 84) (N = 84) Alcohol: 6.0% Job: 44.0%

Methamphetamine: 3.6% Retirement/savings: 2.4% Marijuana: 1.2% Family/friends: 16.7% Heroin: 3.6% No income: 7.1% Cocaine: 0.0% Public sources: 17.9% Other opiates: 85.7% Other sources: 11.9%

Self/family/relative/ friends: 89.3% Employer/school: 0.0% Criminal justice: 7.1% Professional: 8.3% County social service agency: 46.4%

Other community resources: 16.7%

AA: 0.0% Tribal: 3.6%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 84)

Completed program: 19.0%

Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 1.2%

Death/other: 71.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Northern Lakes Clinic, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 83)	2.4%	1.2%
Not employed/student ^{‡‡} (N = 81)	51.9%	35.8%
Arrests past 30 days (N = 84)	4.8%	8.3%
Alcohol use past 30 days (N = 84)	27.4%	7.1%
Drug use past 30 days (N = 84)	72.6%	8.3%
No self-help group participation past 30 days $(N = 79)$	89.9%	86.1%
No family support for recovery past 30 days $(N = 54)$	24.1%	9.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 45.2%	<u>Discharge</u> 15.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =84) Biomedical Conditions and	45.2%	15.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =84) Biomedical Conditions and Complications (N = 84) Emotional/Behavioral/	45.2% 15.5%	15.5% 25.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 84) Biomedical Conditions and Complications (N = 84) Emotional/Behavioral/ Cognitive Problem (N = 84)	45.2% 15.5% 48.8%	15.5% 25.0% 50.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Center

1215 SE 7th Avenue Grand Rapids, MN 55744

Provider Website:

Patient Profile

 Gender (N = 398)
 Race (N = 398)

 Male: 74.6%
 White: 74.6%

 Female: 25.4%
 Black: 1.8%

American Indian: 18.8% 26 to 34: 18.6% Hispanic: 1.8% 35 and older: 44.2%

County: Itasca

Age (N = 398)

Under 18: 14.1%

18 to 25: 23.1%

Asian/Pacific Islander: 0.8%

Other: 2.3%

Primary Substance Source of Income (N = 398) (N = 398)

Alcohol: 60.6% Job: 36.9%

Methamphetamine: 6.0% Retirement/savings: 4.5% Marijuana: 21.9% Family/friends: 23.1% No income: 7.3% Cocaine: 2.0% Public sources: 18.8%

Other opiates: 8.0% Other sources: 9.3%

(N = 398) .
Self/family/relative/
friends: 41.7%
Employer/school: 3.0%
Criminal justice: 52.0%

Source of Referral

Professional: 14.1% County social

service agency: 26.6%

Other community resources: 12.3%

AA: 0.0% Tribal: 2.3%

Outcomes

Discharge Status (N = 398)

Other drugs: 1.3%

Completed program: 61.1%

Patient left without staff approval: 16.1% Staff requested/judged inappropriate: 7.8%

Death/other: 15.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Northland Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 387)	2.6%	4.4%
Not employed/student ^{‡‡} (N = 387)	52.7%	49.4%
Arrests past 30 days (N = 389)	19.0%	10.5%
Alcohol use past 30 days (N = 388)	51.8%	17.8%
Drug use past 30 days (N = 389)	37.0%	17.5%
No self-help group participation past 30 days ($N = 377$)	67.1%	24.9%
No family support for recovery past 30 days $(N = 376)$	10.9%	4.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 4.0%	<u>Discharge</u> 1.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 396) Biomedical Conditions and	4.0%	1.5%
Dimensions of Chemical Health ^s Acute Intoxication/ Withdrawal (N = 396) Biomedical Conditions and Complications (N = 397) Emotional/Behavioral/	4.0% 10.6%	1.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 396) Biomedical Conditions and Complications (N = 397) Emotional/Behavioral/ Cognitive Problem (N = 397)	4.0% 10.6% 75.6%	1.5% 6.3% 41.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Center Adolescent Unit

510 Southeast 13th Street Grand Rapids, MN 55744

Provider Website:

Patient Profile

Gender (N = 117) Race (N = 117)White: 59.0% Male: 53.8%

Female: 46.2% Black: 0.9% 18 to 25: 3.4% American Indian: 26.5% 26 to 34: 0.0%

> Hispanic: 12.0% Asian/Pacific Islander: 0.9%

Other: 0.9%

Primary Substance Source of Income

(N = 117)(N = 117)Alcohol: 14.5% Job: 1.7%

Methamphetamine: 1.7% Retirement/savings: 0.0% Marijuana: 74.4% Family/friends: 97.4% Heroin: 0.9% No income: 0.0% Cocaine: 0.0% Public sources: 0.0%

Employer/school: 0.9% Criminal justice: 65.0% Professional: 10.3% Other opiates: 5.1% Other sources: 0.9% County social Other drugs: 3.4% service agency: 12.0%

> Other community resources: 11.1%

AA: 0.0% Tribal: 5.1%

County: Itasca

Age (N = 117)

Under 18: 96.6%

35 and older: 0.0%

Source of Referral

Self/family/relative/ friends: 38.5%

(N = 117) .

Outcomes

Discharge Status (N = 117)

Completed program: 65.0%

Patient left without staff approval: 7.7% Staff requested/judged inappropriate: 21.4%

Death/other: 6.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Northland Recovery Center Adolescent Unit

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 117)	0.9%	0.9%
Not employed/student ^{‡‡} (N = 117)	7.7%	0.0%
Arrests past 30 days (N = 117)	41.0%	15.4%
Alcohol use past 30 days (N = 117)	58.1%	11.1%
Drug use past 30 days (N = 117)	81.2%	22.2%
No self-help group participation past 30 days ($N = 117$)	84.6%	99.1%
No family support for recovery past 30 days (N = 117)	1.7%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =114)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 117)$	0.9%	2.6%
Emotional/Behavioral/ Cognitive Problem (N = 117)	80.3%	46.2%
Resistance to Change $(N = 117)$	78.6%	34.2%
Resistance to Change (N = 117) Relapse/Continued Use Potential (N = 117)	78.6% 100.0%	34.2% 89.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Womens Center

213 SE 11th Street Grand Rapids, MN 55744

Provider Website:

Patient Profile

Gender (N = 98)Race (N = 98)White: 70.4% Male: 1.0% Female: 99.0% Black: 0.0%

> American Indian: 25.5% Hispanic: 0.0% 35 and older: 44.9%

Asian/Pacific Islander: 0.0%

Other: 4.1%

Primary Substance

(N = 98)Alcohol: 52.0%

Methamphetamine: 7.1% Marijuana: 25.5%

Heroin: 0.0% Cocaine: 3.1% Other opiates: 8.2%

Other drugs: 4.1%

Source of Income

(N = 98)Job: 17.3%

Retirement/savings: 1.0%

Family/friends: 22.4% No income: 13.3% Public sources: 30.6%

Other sources: 15.3%

Age (N = 98)

County: Itasca

Under 18: 0.0% 18 to 25: 36.7% 26 to 34: 18.4%

Source of Referral

(N = 98) .

Self/family/relative/ friends: 40.8% Employer/school: 1.0%

Criminal justice: 35.7% Professional: 18.4%

County social

service agency: 49.0%

Other community resources: 7.1%

AA: 0.0% Tribal: 10.2%

Outcomes

Discharge Status

(N = 98)

Completed program: 50.0%

Patient left without staff approval: 23.5% Staff requested/judged inappropriate: 8.2%

Death/other: 18.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Northland Recovery Womens Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 97)	2.1%	0.0%
Not employed/student ‡ (N = 97)	75.3%	76.3%
Arrests past 30 days (N = 98)	25.5%	11.2%
Alcohol use past 30 days (N = 98)	77.6%	29.6%
Drug use past 30 days (N = 98)	57.1%	30.6%
No self-help group participation past 30 days $(N = 98)$	58.2%	5.1%
No family support for recovery past 30 days ($N = 98$)	9.2%	3.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.1%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 98) Biomedical Conditions and	4.1%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 98) Biomedical Conditions and Complications (N = 98) Emotional/Behavioral/	4.1%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 98) Biomedical Conditions and Complications (N = 98) Emotional/Behavioral/ Cognitive Problem (N = 98)	4.1% 16.3% 96.9%	0.0% 12.2% 76.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northwest Recovery Center, Inc. Thief River Falls

115 6th Street West Thief River Falls, MN 56701

Provider Website:

Patient Profile

Gender (N = 88)Race (N = 88)White: 86.4% Male: 83.0% Female: 17.0% Black: 0.0%

> American Indian: 4.6% 26 to 34: 21.6% Hispanic: 4.6% 35 and older: 53.4%

Asian/Pacific Islander: 1.1%

Other: 3.4%

Primary Substance Source of Income

(N = 88)(N = 88)Alcohol: 75.0% Job: 44.3%

Methamphetamine: 6.8% Retirement/savings: 2.3% Marijuana: 10.2% Family/friends: 5.7% Heroin: 0.0% No income: 30.7% Public sources: 4.6% Cocaine: 2.3%

Employer/school: 3.4% Criminal justice: 45.5% Professional: 11.4% Other opiates: 4.6% Other sources: 12.5% County social Other drugs: 1.1% service agency: 75.0%

> Other community resources: 9.1%

AA: 0.0% Tribal: 1.1%

County: Pennington

Age (N = 88)

Under 18: 6.8%

18 to 25: 18.2%

Source of Referral

Self/family/relative/ friends: 25.0%

(N = 88) .

Outcomes

Discharge Status

(N = 88)

Completed program: 67.0%

Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 12.5%

Death/other: 8.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Northwest Recovery Center, Inc. Thief River Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 86)	10.5%	0.0%
Not employed/student ^{‡‡} (N = 71)	49.3%	35.2%
Arrests past 30 days (N = 88)	5.7%	1.1%
Alcohol use past 30 days (N = 87)	59.8%	11.5%
Drug use past 30 days (N = 87)	29.9%	4.6%
No self-help group participation past 30 days ($N = 84$)	53.6%	21.4%
No family support for recovery past 30 days $(N = 75)$	49.3%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =87)	4.6%	9.2%
Biomedical Conditions and Complications $(N = 88)$	11.4%	6.8%
Emotional/Behavioral/ Cognitive Problem (N = 88)	44.3%	23.9%
Resistance to Change $(N = 88)$	100.0%	36.4%
Relapse/Continued Use Potential (N = 88)	96.6%	39.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nuway II

2518 First Avenue South Minneapolis, MN 55404

Provider Website:

Patient Profile

 Gender (N = 131)
 Race (N = 131)

 Male: 100.0%
 White: 80.2%

 Female: 0.0%
 Black: 15.3%

American Indian: 1.5% 26 to 34: 22.1% Hispanic: 2.3% 35 and older: 58.8%

Asian/Pacific Islander: 0.8%

Other: 0.0%

Primary Substance Source of Income

(N = 131) Alcohol: 48.1% (N = 131) Job: 32.1%

Methamphetamine: 9.9% Retirement/savings: 2.3% Marijuana: 9.2% Family/friends: 6.1% No income: 5.3%

Cocaine: 13.7% Public sources: 16.0% Other opiates: 5.3% Other sources: 38.2%

Source of Referral (N = 131).

County: Hennepin

Age (N = 131)

Under 18: 0.0%

18 to 25: 19.1%

Self/family/relative/ friends: 4.6%

Employer/school: 0.0% Criminal justice: 27.5% Professional: 85.5%

County social

service agency: 75.6%

Other community resources: 1.5%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 131)

Completed program: 46.6%

Patient left without staff approval: 29.0% Staff requested/judged inappropriate: 20.6%

Death/other: 3.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Nuway II

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 130)	3.1%	0.0%
Not employed/student ^{‡‡} (N = 127)	85.0%	66.1%
Arrests past 30 days (N = 119)	0.8%	0.8%
Alcohol use past 30 days (N = 130)	8.5%	20.8%
Drug use past 30 days (N = 131)	11.5%	25.2%
No self-help group participation past 30 days (N = 105)	1.9%	0.0%
No family support for recovery past 30 days $(N = 92)$	8.7%	3.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =131)	6.1%	18.3%
Biomedical Conditions and Complications $(N = 131)$	16.0%	4.6%
Emotional/Behavioral/ Cognitive Problem (N = 131)	96.2%	67.2%
Resistance to Change ($N = 131$)	94.7%	64.1%
Relapse/Continued Use Potential (N = 131)	97.7%	67.9%
Unsupportive Recovery Environment (N = 131)	95.4%	61.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nuway House, Inc.

2200 First Avenue South Minneapolis, MN 55404

Provider Website:

Patient Profile

 Gender (N = 122)
 Race (N = 122)

 Male: 100.0%
 White: 53.3%

 Female: 0.0%
 Black: 19.7%

American Indian: 2.5% 26 to 34: 23.8% Hispanic: 24.6% 35 and older: 57.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 122) Alcohol: 59.8% (N = 122) Job: 26.2%

Methamphetamine: 8.2% Retirement/savings: 2.5% Marijuana: 5.7% Family/friends: 0.0% No income: 18.9% Cocaine: 13.1% Public sources: 17.2%

Cocaine: 13.1% Public sources: 17.2% Other opiates: 3.3% Other sources: 35.2%

Source of Referral

Age (N = 122)

Under 18: 0.0%

18 to 25: 18.9%

County: Hennepin

(N = 122) .

Self/family/relative/ friends: 12.3% Employer/school: 0.0% Criminal justice: 32.0% Professional: 82.8%

County social

service agency: 56.6%

Other community resources: 4.9%

AA: 0.0% Tribal: 0.8%

Outcomes

Discharge Status

Other drugs: 0.8%

(N = 122)

Completed program: 50.0%

Patient left without staff approval: 21.3% Staff requested/judged inappropriate: 17.2%

Death/other: 11.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Chemical Dependency Provider Outcome Measures in Calendar Year $\mathbf{2008}^{\dagger}$

Nuway House, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 119)	32.8%	5.9%
Not employed/student ^{‡‡} (N = 113)	83.2%	66.4%
Arrests past 30 days (N = 116)	0.0%	0.9%
Alcohol use past 30 days (N = 119)	16.8%	29.4%
Drug use past 30 days (N = 119)	11.8%	19.3%
No self-help group participation past 30 days ($N = 113$)	6.2%	0.0%
No family support for recovery past 30 days $(N = 93)$	7.5%	5.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =119)	4.2%	21.8%
Biomedical Conditions and Complications $(N = 119)$	13.4%	10.1%
Emotional/Behavioral/ Cognitive Problem (N = 119)	61.3%	52.9%
Resistance to Change ($N = 120$)	85.0%	56.7%
Relapse/Continued Use Potential (N = 120)	100.0%	71.7%
Unsupportive Recovery Environment (N = 119)		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD

1900 Silver Lake Road New Brighton, MN 55112

Provider Website: www.nystromcounseling.com

Patient Profile

 Gender (N = 25)
 Race (N = 25)

 Male: 40.0%
 White: 92.0%

 Female: 60.0%
 Black: 8.0%

American Indian: 0.0% 26 to 34: 8.0% Hispanic: 0.0% 35 and older: 68.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 24) Alcohol: 79.2% (N = 25) Job: 64.0%

Methamphetamine: 4.2% Retirement/savings: 8.0% Family/friends: 4.0% No income: 0.0% Public sources: 16.0%

Other opiates: 4.2%

Other sources: 8.0%

(N = 25) . Self/family/relative/ friends: 68.0%

Source of Referral

Employer/school: 4.0% Criminal justice: 24.0% Professional: 16.0%

County social

County: Ramsey

Age (N = 25)

Under 18: 0.0%

18 to 25: 24.0%

service agency: 16.0%

Other community resources: 12.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 25)

Completed program: 56.0%

Patient left without staff approval: 28.0% Staff requested/judged inappropriate: 8.0%

Death/other: 8.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Nystrom and Associates, LTD

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 23)	0.0%	0.0%
Not employed/student 11 (N = 23)	21.7%	26.1%
Arrests past 30 days (N = 25)	0.0%	0.0%
Alcohol use past 30 days (N = 25)	56.0%	28.0%
Drug use past 30 days (N = 25)	24.0%	12.0%
No self-help group participation past 30 days (N = 17)	64.7%	58.8%
No family support for recovery past 30 days $(N = 16)$	25.0%	31.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =18)	0.0%	0.0%
Biomedical Conditions and		
Complications ($N = 18$)	11.1%	5.6%
Complications (N = 18) Emotional/Behavioral/ Cognitive Problem (N = 17)	11.1% 88.2%	5.6% 35.3%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 17)	88.2%	35.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Odyssey-Dakota County Juvenile Service Center

1600 Hwy 55

Hastings, MN 55033 County: Dakota

Provider Website:

Patient Profile

 Gender (N = 37)
 Race (N = 37)

 Male: 100.0%
 White: 59.5%

 Female: 0.0%
 Black: 21.6%

American Indian: 5.4% 26 to 34: 0.0% Hispanic: 8.1% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 5.4%

Primary Substance Source of Income

(N = 37) Alcohol: 8.1% (N = 37) Job: 10.8%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 40.5% No income: 10.8% Cocaine: 0.0% Public sources: 2.7%

Other opiates: 2.7%

Other sources: 35.1%

Source of Referral

Age (N = 37)

Under 18: 86.5%

18 to 25: 13.5%

(N = 37) . Self/family/relative/ friends: 0.0%

Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0%

County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 2.7%

(N = 37)

Completed program: 51.4%

Patient left without staff approval: 18.9% Staff requested/judged inappropriate: 8.1%

Death/other: 21.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Odyssey-Dakota County Juvenile Service Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 36)	11.1%	0.0%
Not employed/student ‡ (N = 37)	8.1%	29.7%
Arrests past 30 days (N = 37)	43.2%	2.7%
Alcohol use past 30 days (N = 37)	29.7%	21.6%
Drug use past 30 days (N = 37)	51.4%	37.8%
No self-help group participation past 30 days ($N = 36$)	97.2%	91.7%
No family support for recovery past 30 days $(N = 36)$	8.3%	2.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 37) Emotional/Behavioral/	0.0% 2.7%	0.0% 5.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 37) Biomedical Conditions and Complications (N = 37) Emotional/Behavioral/ Cognitive Problem (N = 37)	0.0% 2.7% 75.7%	0.0% 5.4% 70.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Omada Behavioral Health-Downtown Northfield

401 Division St

Northfield, MN 55057 County: Dakota

Provider Website:

Patient Profile

 Gender (N = 24)
 Race (N = 24)

 Male: 70.8%
 White: 95.8%

 Female: 29.2%
 Black: 0.0%

male: 29.2% Black: 0.0% 18 to 25: 33.3% American Indian: 0.0% 26 to 34: 25.0% Hispanic: 4.2% 35 and older: 25.0%

Asian/Pacific Islander: 0.0%

Age (N = 24)

Under 18: 16.7%

Source of Referral

Self/family/relative/

friends: 41.7%

Employer/school: 4.2%

Criminal justice: 16.7%

service agency: 33.3%

(N = 24) .

Other: 0.0%

Primary Substance Source of Income

(N = 24) Alcohol: 50.0% (N = 24) Job: 37.5%

Methamphetamine: 16.7% Retirement/savings: 0.0% Marijuana: 20.8% Family/friends: 50.0% No income: 0.0%

Cocaine: 0.0% Public sources: 12.5% Professional: 8.3% Other opiates: 4.2% Other sources: 0.0% County social

Other community resources: 4.2% AA: 0.0%

Tribal: 0.0%

Outcomes

Discharge Status (N = 24)

Other drugs: 0.0%

Completed program: 62.5%

Patient left without staff approval: 29.2% Staff requested/judged inappropriate: 4.2%

Death/other: 4.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Omada Behavioral Health-Downtown Northfield

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 24)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 23)	39.1%	21.7%
Arrests past 30 days (N = 24)	12.5%	4.2%
Alcohol use past 30 days (N = 24)	45.8%	12.5%
Drug use past 30 days (N = 24)	62.5%	37.5%
No self-help group participation past 30 days $(N = 23)$	91.3%	87.0%
No family support for recovery past 30 days $(N = 9)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 11.1%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 18) Biomedical Conditions and	11.1%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 18) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 18) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/ Cognitive Problem (N = 19)	11.1% 0.0% 42.1%	0.0% 0.0% 31.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Omegon, Inc.

2000 Hopkins Crossroads Minnetonka, MN 55305

Provider Website: www.omegon-mn.org

Patient Profile

Gender (N = 16)Race (N = 16)Male: 43.8% White: 87.5% Female: 56.3% Black: 0.0%

> American Indian: 0.0% 26 to 34: 0.0% Hispanic: 0.0% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 12.5%

Primary Substance

(N = 16)Alcohol: 12.5%

Methamphetamine: 6.3% Marijuana: 62.5%

Heroin: 0.0% Cocaine: 12.5% Other opiates: 0.0%

Other drugs: 6.3%

Source of Income

(N = 16)Job: 0.0%

> Retirement/savings: 0.0% Family/friends: 93.8% No income: 0.0% Public sources: 6.3%

Other sources: 0.0%

Source of Referral

(N = 16) .

County: Hennepin

Age (N = 16)

Under 18: 100.0%

18 to 25: 0.0%

Self/family/relative/ friends: 62.5% Employer/school: 0.0% Criminal justice: 43.8% Professional: 12.5%

County social

service agency: 56.3%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 16)

Completed program: 6.3%

Patient left without staff approval: 6.3% Staff requested/judged inappropriate: 87.5%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Chemical Dependency Provider Outcome Measures in Calendar Year 2008^{\dagger}

Omegon, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 16)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 16)	0.0%	0.0%
Arrests past 30 days (N = 16)	6.3%	12.5%
Alcohol use past 30 days (N = 16)	18.8%	31.3%
Drug use past 30 days (N = 16)	37.5%	31.3%
No self-help group participation past 30 days ($N = 13$)	23.1%	0.0%
No family support for recovery past 30 days (N = 13)	15.4%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =16)	0.0%	25.0%
Biomedical Conditions and Complications $(N = 16)$	12.5%	25.0%
E !! !/D ! ! !/		
Emotional/Behavioral/ Cognitive Problem (N = 16)	100.0%	100.0%
	100.0% 100.0%	100.0% 100.0%
Cognitive Problem $(N = 16)$		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

On-Belay House

115 Forestview Lane North Plymouth, MN 55441

Provider Website:

Patient Profile

Gender (N = 92)Race (N = 92)Male: 48.9% White: 70.7% Female: 51.1% Black: 8.7%

> American Indian: 10.9% 26 to 34: 0.0% Hispanic: 5.4% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 4.4%

Primary Substance Source of Income

(N = 91)(N = 92)Alcohol: 22.0% Job: 0.0%

Retirement/savings: 0.0% Methamphetamine: 3.3% Marijuana: 64.8% Family/friends: 93.5% Heroin: 1.1% No income: 0.0% Public sources: 5.4%

Cocaine: 1.1% Other opiates: 3.3% Other sources: 1.1% Source of Referral

County: Hennepin

Age (N = 92)

Under 18: 94.6%

18 to 25: 5.4%

(N = 92) . Self/family/relative/ friends: 34.8%

Employer/school: 0.0% Criminal justice: 45.7% Professional: 92.4%

County social

service agency: 25.0%

Other community resources: 2.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 4.4%

(N = 92)

Completed program: 43.5%

Patient left without staff approval: 13.0% Staff requested/judged inappropriate: 17.4%

Death/other: 26.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

On-Belay House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 91)	0.0%	0.0%
Not employed/student ii (N = 92)	0.0%	0.0%
Arrests past 30 days (N = 75)	2.7%	4.0%
Alcohol use past 30 days (N = 91)	5.5%	2.2%
Drug use past 30 days (N = 92)	13.0%	5.4%
No self-help group participation past 30 days $(N = 69)$	44.9%	4.4%
No family support for recovery past 30 days $(N = 45)$	8.9%	11.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 91$)	0.0%	0.0%
Timarawar (it 71)	0.070	
Biomedical Conditions and Complications (N = 91)	3.3%	1.1%
Biomedical Conditions and		1.1% 81.3%
Biomedical Conditions and Complications (N = 91) Emotional/Behavioral/	3.3%	
Biomedical Conditions and Complications (N = 91) Emotional/Behavioral/ Cognitive Problem (N = 91)	3.3%	81.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Oosh-Kii-Mii-Kah-Nah Halfway House

P.O. Box 114

Red Lake, MN 56671 County: Beltrami

Provider Website:

Patient Profile

Gender (N = 9)Race (N = 9)Age (N = 9)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: *

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

(N = 9)(N = 9)(N = 9). Self/family/relative/ Alcohol: * Job: *

Retirement/savings: * friends: * Methamphetamine: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

service agency: * Other community resources: *

AA: * Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 9)

Completed program: *

Patient left without staff approval: * Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Oosh-Kii-Mii-Kah-Nah Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 7)	*	*
Not employed/student tt (N = 4)	*	*
Arrests past 30 days (N = 9)	*	*
Alcohol use past 30 days $(N = 9)$	*	*
Drug use past 30 days (N = 9)	*	*
No self-help group participation past 30 days $(N = 9)$	*	*
No family support for recovery past 30 days $(N = 9)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 9) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 9) Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 9) Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/ Cognitive Problem (N = 9)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Owatonna Family Focus Immanuel St. Joseph's Mayo Health

634 West Bridge Street Owatonna, MN 55060

N 55060 County: Steele

Provider Website: www.mayohealthsystem.org

Patient Profile

Female: 22.5% Black: 3.6% 18 to 25: 22.5% American Indian: 1.8% 26 to 34: 36.0%

Hispanic: 8.1% 35 and older: 40.5%

AA: 0.0%

Asian/Pacific Islander: 0.0% Other: 0.9%

Primary Substance Source of Income Source of Referral

(N = 111) (N =

Methamphetamine: 4.5% Retirement/savings: 1.8% friends: 27.0%

Marijuana: 18.9% Family/friends: 12.6% Employer/school: 5.4%

Heroin: 0.0% No income: 3.6% Criminal justice: 58.6%

Public sources: 10.8% Professional: 7.2%

Cocaine: 6.3% Public sources: 10.8% Professional: 7.2% Other opiates: 2.7% Other sources: 1.8% County social

Other drugs: 0.0% service agency: 5.4%

Other community resources: 9.0%

Tribal: 0.0%

Outcomes

Discharge Status

(N = 111)

Completed program: 74.8%

Patient left without staff approval: 12.6% Staff requested/judged inappropriate: 9.9%

Death/other: 2.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Owatonna Family Focus Immanuel St. Joseph's Mayo Health

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 111)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 107)	29.9%	28.0%
Arrests past 30 days (N = 105)	4.8%	2.9%
Alcohol use past 30 days (N = 105)	16.2%	6.7%
Drug use past 30 days (N = 105)	9.5%	4.8%
No self-help group participation past 30 days (N = 105)	66.7%	54.3%
No family support for recovery past 30 days $(N = 96)$	36.5%	27.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 102) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =102) Biomedical Conditions and Complications (N = 110) Emotional/Behavioral/	0.0% 3.6%	0.0% 5.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 102) Biomedical Conditions and Complications (N = 110) Emotional/Behavioral/ Cognitive Problem (N = 110)	0.0% 3.6% 17.3%	0.0% 5.5% 12.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Park Avenue Center

2525 Park Avenue Minneapolis, MN 55404

Provider Website: www.ParkAvenueCenter.com

Patient Profile

 Gender (N = 1422)
 Race (N = 1422)
 Age (N = 1422)

 Male: 69.5%
 White: 48.7%
 Under 18: 0.0%

Female: 30.5% Black: 35.9% 18 to 25: 23.0% American Indian: 7.0% 26 to 34: 28.9%

Hispanic: 2.9% 35 and older: 48.1%

County: Hennepin

Asian/Pacific Islander: 0.9%

Other: 4.5%

Primary Substance Source of Income Source of Referral (N = 1422) (N = 1422) (N = 1422) .

Alcohol: 40.2% Job: 19.3% Self/family/relative/
Methamphetamine: 11.7% Retirement/savings: 1.2% friends: 34.3%

Marijuana: 17.8% Family/friends: 7.9% Employer/school: 1.2% Heroin: 4.4% No income: 48.0% Criminal justice: 51.8% Other opiates: 1.5% Other sources: 3.5% County social

Other drugs: 0.8% service agency: 11.3%

Other community resources: 2.5%

AA: 0.1% Tribal: 0.1%

Outcomes

Discharge Status (N = 1422)

Completed program: 60.6%

Patient left without staff approval: 33.5% Staff requested/judged inappropriate: 3.7%

Death/other: 2.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Park Avenue Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 1406)	19.2%	9.4%
Not employed/student ^{‡‡} (N = 1400)	78.9%	81.7%
Arrests past 30 days (N = 1399)	16.1%	1.4%
Alcohol use past 30 days (N = 1015)	66.4%	9.0%
Drug use past 30 days (N = 1020)	64.9%	11.5%
No self-help group participation past 30 days (N = 1407)	63.2%	12.5%
No family support for recovery past 30 days ($N = 1189$)	17.2%	17.6%
Damiana ta Danassani		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 0.2%	<u>Discharge</u> 0.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1411) Biomedical Conditions and	0.2%	0.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1411) Biomedical Conditions and Complications (N = 1422) Emotional/Behavioral/	0.2%	0.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1411) Biomedical Conditions and Complications (N = 1422) Emotional/Behavioral/ Cognitive Problem (N = 1418)	0.2% 1.1% 48.9%	0.3% 1.8% 35.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Passages

121 Park Ave S St. Cloud, MN 56301

Provider Website: www.centracare.com

Patient Profile

 Gender (N = 90)
 Race (N = 90)

 Male: 100.0%
 White: 81.1%

 Female: 0.0%
 Black: 11.1%

American Indian: 3.3% 26 to 34: 21.1% Hispanic: 3.3% 35 and older: 46.7%

Asian/Pacific Islander: 1.1%

Other: 0.0%

Primary Substance Source of Income

(N = 90) (N = 90) Alcohol: 57.8% Job: 26.7%

Methamphetamine: 14.4% Retirement/savings: 2.2% Marijuana: 16.7% Family/friends: 13.3% Heroin: 1.1% No income: 22.2% Cocaine: 5.6% Public sources: 25.6%

Other opiates: 1.1% Other sources: 10.0%

Source of Referral

County: Benton

Age (N = 90)

Under 18: 1.1%

18 to 25: 31.1%

(N = 90) .
Self/family/relative/
friends: 24.4%
Employer/school: 0.0%
Criminal justice: 32.2%

Professional: 55.6% County social

service agency: 52.2%

Other community resources: 24.4%

AA: 1.1% Tribal: 5.6%

Outcomes

Discharge Status

Other drugs: 3.3%

(N = 90)

Completed program: 61.1%

Patient left without staff approval: 21.1% Staff requested/judged inappropriate: 10.0%

Death/other: 7.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Passages

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 89)	1.1%	0.0%
Not employed/student ^{‡‡} (N = 82)	89.0%	41.5%
Arrests past 30 days (N = 89)	2.3%	3.4%
Alcohol use past 30 days (N = 72)	1.4%	6.9%
Drug use past 30 days (N = 72)	0.0%	4.2%
No self-help group participation past 30 days $(N = 90)$	1.1%	0.0%
No family support for recovery past 30 days $(N = 89)$	2.3%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =90)	5.6%	5.6%
Diamodical Conditions and		
Biomedical Conditions and Complications $(N = 90)$	21.1%	12.2%
	21.1% 75.6%	12.2% 61.1%
Complications (N = 90) Emotional/Behavioral/		
Complications (N = 90) Emotional/Behavioral/ Cognitive Problem (N = 90)	75.6%	61.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pathway House

613 2nd Street SW Rochester, MN 55902

Provider Website: www.pathwayhouse.com

Patient Profile

 Gender (N = 131)
 Race (N = 131)
 Age (N = 131)

 Male: 100.0%
 White: 84.0%
 Under 18: 0.0%

 Female: 0.0%
 Black: 9.2%
 18 to 25: 44.3%

American Indian: 0.8% 26 to 34: 24.4%

Hispanic: 4.6% 35 and older: 31.3%

Hispanic: 4.6% 35 and older: 31.3% Asian/Pacific Islander: 1.5%

County: Olmsted

County social

Other: 0.0%

Primary Substance Source of Income Source of Referral (N = 131) (N = 131) (N = 131) .

Alcohol: 49.6% Job: 27.5% Self/family/relative/
Methamphetamine: 19.1% Retirement/savings: 1.5% friends: 19.1%

Marijuana: 21.4% Family/friends: 7.6% Employer/school: 0.0% Heroin: 1.5% No income: 33.6% Criminal justice: 42.7% Cocaine: 5.3% Public sources: 23.7% Professional: 50.4%

Other drugs: 0.8% service agency: 50.4%

Other sources: 6.1%

Other community resources: 2.3%

AA: 0.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 131)

Other opiates: 2.3%

Completed program: 77.9%

Patient left without staff approval: 9.9% Staff requested/judged inappropriate: 9.2%

Death/other: 3.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Pathway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 130)	1.5%	0.0%
Not employed/student ^{‡‡} (N = 126)	90.5%	33.3%
Arrests past 30 days (N = 129)	1.6%	4.7%
Alcohol use past 30 days (N = 131)	0.8%	0.8%
Drug use past 30 days (N = 131)	0.8%	0.0%
No self-help group participation past 30 days ($N = 131$)	7.6%	6.9%
No family support for recovery past 30 days (N = 124)	1.6%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =130)	0.0%	1.5%
Biomedical Conditions and Complications $(N = 130)$		4.504
	4.6%	1.5%
Emotional/Behavioral/ Cognitive Problem (N = 130)	4.6% 40.0%	1.5%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 130)	40.0%	11.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pathway House

103 6th Avenue SW Rochester, MN 55902

Provider Website: www.pathwayhouse.com

Patient Profile

 Gender (N = 80)
 Race (N = 80)

 Male: 0.0%
 White: 86.3%

 Female: 100.0%
 Black: 3.8%

American Indian: 1.3% 26 to 34: 35.0% Hispanic: 6.3% 35 and older: 32.5%

Asian/Pacific Islander: 0.0%

Other: 2.5%

Primary Substance Source of Income

(N = 80) Alcohol: 42.5% (N = 80) Job: 13.8%

Methamphetamine: 21.3% Retirement/savings: 3.8% Marijuana: 11.3% Family/friends: 11.3% No income: 30.0% Cocaine: 16.3% Public sources: 35.0%

Other opiates: 2.5%

Other sources: 6.3%

(N = 80) . Self/family/relative/

Source of Referral

County: Olmsted

Age (N = 80)

Under 18: 0.0%

18 to 25: 32.5%

Self/family/relative/ friends: 31.3% Employer/school: 1.3% Criminal justice: 16.3% Professional: 65.0%

County social

service agency: 76.3%

Other community resources: 0.0%

AA: 2.5% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.3%

(N = 80)

Completed program: 56.3%

Patient left without staff approval: 33.8% Staff requested/judged inappropriate: 10.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Pathway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 78)	7.7%	0.0%
Not employed/student ‡ (N = 79)	96.2%	35.4%
Arrests past 30 days (N = 80)	7.5%	1.3%
Alcohol use past 30 days (N = 80)	1.3%	0.0%
Drug use past 30 days (N = 80)	3.8%	6.3%
No self-help group participation past 30 days ($N = 79$)	12.7%	0.0%
No family support for recovery past 30 days $(N = 74)$	2.7%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =77)	1.3%	0.0%
Biomedical Conditions and Complications $(N = 77)$	0.0%	2.6%
Emotional/Behavioral/ Cognitive Problem (N = 77)	6.5%	18.2%
Resistance to Change $(N = 77)$	100.0%	53.2%
Relapse/Continued Use Potential (N = 77)		
	100.0%	70.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Dakota

AA: *

Paul's Place

22355 Albatruss Circle Farmington, MN 55024

Provider Website:

Patient Profile

 Gender (N = 3)
 Race (N = 3)
 Age (N = 3)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

ASIAII/FACIIIC ISI

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * Other sources: * County social

Other drugs: *

Other sources: County social

service agency: *

Other community
resources: *

Tribal: *

Outcomes

Discharge Status

(N = 3)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Dooth other: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Paul's Place

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 3)	*	*
Not employed/student ‡ (N = 3)	*	*
Arrests past 30 days (N = 3)	*	*
Alcohol use past 30 days $(N = 3)$	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days $(N = 3)$	*	*
No family support for recovery past 30 days $(N = 3)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pear Lake Women's Program

2086 Ridgeway Drive Grand Rapids, MN 55744

Provider Website:

Patient Profile

 Gender (N = 102)
 Race (N = 102)

 Male: 25.5%
 White: 80.4%

 Female: 74.5%
 Black: 0.0%

American Indian: 16.7% 26 to 34: 17.6% Hispanic: 2.9% 35 and older: 52.9%

County: Itasca

Age (N = 102)

Under 18: 0.0%

18 to 25: 29.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 102) Alcohol: 62.7% (N = 102) Job: 33.3%

Methamphetamine: 17.6% Retirement/savings: 2.0% Marijuana: 12.7% Family/friends: 17.6% Heroin: 0.0% No income: 14.7% Cocaine: 1.0% Public sources: 22.5%

Other opiates: 5.9% Other sources: 9.8%

(N = 102) . Self/family/relative/

Source of Referral

friends: 46.1% Employer/school: 0.0% Criminal justice: 43.1% Professional: 47.1%

County social

service agency: 37.3%

Other community resources: 2.9%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 102)

Other drugs: 0.0%

Completed program: 66.7%

Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 10.8%

Death/other: 5.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Pear Lake Women's Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 102)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 97)	73.2%	61.9%
Arrests past 30 days (N = 98)	4.1%	9.2%
Alcohol use past 30 days (N = 100)	10.0%	10.0%
Drug use past 30 days (N = 100)	9.0%	7.0%
No self-help group participation past 30 days $(N = 98)$	19.4%	2.0%
No family support for recovery past 30 days $(N = 94)$	1.1%	1.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 3.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 101) Biomedical Conditions and	0.0%	3.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =101) Biomedical Conditions and Complications (N = 101) Emotional/Behavioral/	0.0%	3.0% 8.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 101) Biomedical Conditions and Complications (N = 101) Emotional/Behavioral/ Cognitive Problem (N = 101)	0.0% 15.8% 24.8%	3.0% 8.9% 26.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

People Incorporated ISN, Huss Recovery Services

1315 Girard Avenue North Minneapolis, MN 55411

Provider Website: www.peopleIncorporated.org

Patient Profile

Gender (N = 42)Race (N = 42)Male: 45.2% White: 35.7% Female: 54.8% Black: 57.1%

> American Indian: 4.8% 26 to 34: 26.2% Hispanic: 2.4% 35 and older: 66.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 42)(N = 42)Alcohol: 40.5% Job: 2.4%

Methamphetamine: 2.4% Retirement/savings: 0.0% Marijuana: 26.2% Family/friends: 16.7% Heroin: 7.1% No income: 2.4% Public sources: 76.2% Cocaine: 21.4%

Other opiates: 0.0% Other sources: 2.4% (N = 42) . Self/family/relative/

Source of Referral

friends: 19.0% Employer/school: 0.0% Criminal justice: 45.2% Professional: 21.4%

County social

County: Hennepin

Age (N = 42)

Under 18: 0.0%

18 to 25: 7.1%

service agency: 97.6%

Other community resources: 7.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 2.4%

(N = 42)

Completed program: 28.6%

Patient left without staff approval: 26.2% Staff requested/judged inappropriate: 21.4%

Death/other: 23.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

People Incorporated ISN, Huss Recovery Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 42)	23.8%	11.9%
Not employed/student ^{‡‡} (N = 42)	92.9%	78.6%
Arrests past 30 days (N = 38)	5.3%	13.2%
Alcohol use past 30 days (N = 41)	53.7%	53.7%
Drug use past 30 days (N = 41)	51.2%	53.7%
No self-help group participation past 30 days $(N = 37)$	97.3%	70.3%
No family support for recovery past 30 days $(N = 30)$	23.3%	33.3%
Parriare to Descuery		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 5.6%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and	5.6%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and Complications (N = 38) Emotional/Behavioral/	5.6% 21.1%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 36) Biomedical Conditions and Complications (N = 38) Emotional/Behavioral/ Cognitive Problem (N = 40)	5.6% 21.1% 92.5%	0.0% 13.2% 72.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Perkins Counseling Center

1500 1st Ave. NE Rochester, MN 55906

Provider Website:

Patient Profile

Asian/Pacific Islander: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

service agency: *
Other community
resources: *

AA: * Tribal: *

County: Olmsted

Outcomes

Discharge Status

Other drugs: *

(N = 5)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Perkins Counseling Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless tt (N = 5)	*	*
Not employed/student 11 (N = 5)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days $(N = 5)$	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days $(N = 3)$	*	*
No family support for recovery past 30 days $(N = 4)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =5)	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*
Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*
Resistance to Change $(N = 5)$	*	*
Relapse/Continued Use Potential (N = 5)	*	*
Unsupportive Recovery Environment (N = 5)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Phoenix Adolescent Outpatient Treatment

227 E Main Street # 105 Mankato, MN 56001

Provider Website:

Patient Profile

 Gender (N = 8)
 Race (N = 8)
 Age (N = 8)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

service agency: * Other community resources: *

AA: *
Tribal: *

County: Blue Earth

Outcomes

Discharge Status

Other drugs: *

(N = 8)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Phoenix Adolescent Outpatient Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 7)	*	*
Not employed/student tt (N = 6)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days $(N = 6)$	*	*
No family support for recovery past 30 days $(N = 6)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Phoenix Adolescent Outpatient Treatment

2055 White Bear Ave Maplewood, MN 55109

Provider Website:

Patient Profile

 Gender (N = 28)
 Race (N = 28)

 Male: 100.0%
 White: 78.6%

 Female: 0.0%
 Black: 3.6%

American Indian: 10.7% 26 to 34: 0.0% Hispanic: 7.1% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 28) (N = 28) Alcohol: 17.9% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0%

Other opiates: 0.0% Other sources: 0.0%

(N = 28) .
Self/family/relative/
friends: 21 4%

Source of Referral

County: Ramsey

Age (N = 28)

Under 18: 92.9%

18 to 25: 7.1%

friends: 21.4% Employer/school: 0.0% Criminal justice: 71.4% Professional: 71.4%

County social

service agency: 21.4%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 28)

Completed program: 42.9%

Patient left without staff approval: 32.1% Staff requested/judged inappropriate: 21.4%

Death/other: 3.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Phoenix Adolescent Outpatient Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 28)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 26)	3.9%	3.9%
Arrests past 30 days (N = 28)	7.1%	0.0%
Alcohol use past 30 days (N = 28)	3.6%	0.0%
Drug use past 30 days (N = 28)	17.9%	3.6%
No self-help group participation past 30 days $(N = 28)$	10.7%	0.0%
No family support for recovery past 30 days $(N = 27)$	3.7%	11.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/ Cognitive Problem (N = 28)	0.0% 0.0% 17.9%	0.0% 3.6% 21.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Phoenix Group Homes Inc.

601 SE 13th Ave

Minneapolis, MN 55414 County: Hennepin

Provider Website:

Patient Profile

Gender (N = 17)Race (N = 17)Age (N = 17)Male: 100.0%White: 47.1%Under 18: 94.1%Female: 0.0%Black: 11.8%18 to 25: 5.9%

American Indian: 17.6% 26 to 34: 0.0% Hispanic: 11.8% 35 and older: 0.0%

Asian/Pacific Islander: 5.9%

Other: 5.9%

Primary Substance Source of Income

Methamphetamine: 5.9%Retirement/savings: 0.0%friends: 5.9%Marijuana: 76.5%Family/friends: 88.2%Employer/school: 0.0%Heroin: 0.0%No income: 5.9%Criminal justice: 88.2%Cocaine: 0.0%Public sources: 5.9%Professional: 82.4%

Other opiates: 0.0% Public sources: 5.9% Professional: 82.4% Other sources: 0.0% County social

Other drugs: 0.0% service agency: 11.8%

Other community resources: 0.0%

AA: 0.0% Tribal: 11.8%

Source of Referral

Outcomes

Discharge Status

(N = 17)

Completed program: 23.5%

Patient left without staff approval: 29.4% Staff requested/judged inappropriate: 41.2%

Death/other: 5.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Phoenix Group Homes Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 17)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 16)	6.3%	12.5%
Arrests past 30 days (N = 16)	12.5%	6.3%
Alcohol use past 30 days (N = 17)	11.8%	17.6%
Drug use past 30 days (N = 17)	5.9%	17.6%
No self-help group participation past 30 days ($N = 17$)	5.9%	0.0%
No family support for recovery past 30 days (N = 17)	29.4%	11.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 17$)	0.0%	0.0%
Withdrawal (N = 17) Biomedical Conditions and	0.0%	0.0%
Withdrawal (N = 17) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/	0.0%	0.0%
Withdrawal (N = 17) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/ Cognitive Problem (N = 17)	0.0% 0.0% 17.6%	0.0% 0.0% 23.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pine Manors, Inc.

22195 State 34 Nevis, MN 56467

Provider Website:

Patient Profile

Gender (N = 267) Race (N = 267)Male: 71.9% White: 62.9% Female: 28.1% Black: 0.4%

> American Indian: 31.5% 26 to 34: 23.2% Hispanic: 3.4% 35 and older: 49.4%

County: Hubbard

Age (N = 267)

Under 18: 0.0%

18 to 25: 27.3%

Source of Referral

(N = 267) .

Asian/Pacific Islander: 0.4%

Other: 1.5%

Primary Substance Source of Income (N = 267)(N = 267)

Alcohol: 68.5% Job: 47.6%

Marijuana: 17.6% Heroin: 0.4% No income: 13.1% Cocaine: 1.5%

Self/family/relative/ friends: 47.2% Methamphetamine: 7.1% Retirement/savings: 3.0% Family/friends: 14.6% Employer/school: 0.0% Criminal justice: 45.3% Public sources: 14.6% Professional: 6.4% Other opiates: 4.1% Other sources: 7.1% County social Other drugs: 0.7% service agency: 68.2%

Other community resources: 4.9%

AA: 0.0% Tribal: 19.5%

Outcomes

Discharge Status (N = 267)

Completed program: 75.3%

Patient left without staff approval: 14.2% Staff requested/judged inappropriate: 8.6%

Death/other: 1.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Pine Manors, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 267)	0.4%	0.0%
Not employed/student ^{‡‡} (N = 265)	81.1%	89.1%
Arrests past 30 days (N = 267)	10.5%	1.1%
Alcohol use past 30 days (N = 267)	68.5%	10.9%
Drug use past 30 days (N = 267)	46.4%	7.1%
No self-help group participation past 30 days ($N = 267$)	96.6%	2.3%
No family support for recovery past 30 days (N = 267)	0.7%	0.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =267)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 267)$	3.0%	1.1%
Emotional/Behavioral/ Cognitive Problem (N = 267)	91.8%	23.6%
Resistance to Change ($N = 265$)	97.7%	25.3%
Relapse/Continued Use Potential (N = 265)	100.0%	24.9%
Unsupportive Recovery Environment ($N = 266$)	98.9%	23.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pineview Recovery Center

912 Main Street Little Fork, MN 56653

Provider Website: www.littleforkmedicalcenter.com

Patient Profile

 Gender (N = 64)
 Race (N = 64)

 Male: 59.4%
 White: 79.7%

 Female: 40.6%
 Black: 0.0%

Elack: 0.0% 18 to 25: 25.0% American Indian: 20.3% 26 to 34: 15.6% Hispanic: 0.0% 35 and older: 59.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 64) Alcohol: 71.9% (N = 64) Job: 28.1%

Methamphetamine: 12.5% Retirement/savings: 7.8% Marijuana: 1.6% Family/friends: 12.5% No income: 17.2%

Cocaine: 0.0% Public sources: 29.7% Professional: 23.4% Other opiates: 10.9% Other sources: 4.7% County social

Other drugs: 1.6% service agency: 62.5% Other community

resources: 6.3%

AA: 0.0% Tribal: 1.6%

County: Koochiching

Age (N = 64)

Under 18: 0.0%

Source of Referral

Self/family/relative/

friends: 67.2%

Employer/school: 0.0%

Criminal justice: 31.3%

(N = 64) .

Outcomes

Discharge Status

(N = 64)

Completed program: 64.1%

Patient left without staff approval: 1.6% Staff requested/judged inappropriate: 4.7%

Death/other: 29.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Pineview Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 64)	6.3%	0.0%
Not employed/student ‡ (N = 64)	73.4%	73.4%
Arrests past 30 days (N = 64)	17.2%	0.0%
Alcohol use past 30 days (N = 64)	60.9%	1.6%
Drug use past 30 days (N = 64)	31.3%	3.1%
No self-help group participation past 30 days $(N = 64)$	48.4%	1.6%
No family support for recovery past 30 days ($N = 63$)	6.4%	1.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 81.3%	<u>Discharge</u> 50.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 64) Biomedical Conditions and	81.3%	50.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 64) Biomedical Conditions and Complications (N = 64) Emotional/Behavioral/	81.3% 68.8%	50.0% 48.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 64) Biomedical Conditions and Complications (N = 64) Emotional/Behavioral/ Cognitive Problem (N = 64)	81.3% 68.8% 95.3%	50.0% 48.4% 85.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie Center for the Family, LLC

400 East Main Street Marshall, MN 56258

Provider Website:

Patient Profile

 Gender (N = 30)
 Race (N = 30)

 Male: 66.7%
 White: 83.3%

 Female: 33.3%
 Black: 0.0%

American Indian: 3.3% 26 to 34: 0.0% Hispanic: 13.3% 35 and older: 0.0%

County: Lyon

Age (N = 30)

Under 18: 90.0%

18 to 25: 10.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 29) Alcohol: 41.4% (N = 30) Job: 16.7%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 40.0% No income: 40.0% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 0.0%

Other sources: 3.3%

Source of Referral (N = 30).

Self/family/relative/ friends: 23.3% Employer/school: 3.3% Criminal justice: 53.3% Professional: 20.0%

County social

service agency: 43.3%

Other community resources: 3.3%

AA: 0.0% Tribal: 3.3%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 30)

Completed program: 20.0%

Patient left without staff approval: 26.7% Staff requested/judged inappropriate: 26.7%

Death/other: 26.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Prairie Center for the Family, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 30)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 29)	0.0%	0.0%
Arrests past 30 days (N = 27)	7.4%	18.5%
Alcohol use past 30 days ($N = 28$)	35.7%	28.6%
Drug use past 30 days (N = 29)	48.3%	41.4%
No self-help group participation past 30 days $(N = 26)$	61.5%	26.9%
No family support for recovery past 30 days (N = 25)	12.0%	4.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and Complications (N = 29) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 29) Biomedical Conditions and Complications (N = 29) Emotional/Behavioral/ Cognitive Problem (N = 29)	0.0% 3.5% 72.4%	0.0% 3.5% 62.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie House Recovery

305 Prairie Road Monticello, MN 55362

Provider Website: www.mlrecovery.org

Patient Profile

Gender (N = 37)Race (N = 37)Male: 2.7% White: 70.3% Female: 97.3% Black: 2.7%

> American Indian: 16.2% 26 to 34: 0.0% Hispanic: 5.4% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 5.4%

Primary Substance Source of Income

(N = 37)(N = 37)Alcohol: 54.1% Job: 0.0%

Marijuana: 37.8% Heroin: 0.0% No income: 0.0% Cocaine: 2.7% Public sources: 2.7%

Self/family/relative/ Retirement/savings: 0.0% friends: 13.5% Methamphetamine: 5.4% Family/friends: 97.3% Employer/school: 0.0% Criminal justice: 35.1% Professional: 51.4% Other opiates: 0.0% Other sources: 0.0% County social Other drugs: 0.0% service agency: 45.9%

Other community resources: 10.8%

AA: 0.0% Tribal: 0.0%

County: Wright

Age (N = 37)

Under 18: 91.9%

Source of Referral

(N = 37).

18 to 25: 8.1%

Outcomes

Discharge Status

(N = 37)

Completed program: 70.3%

Patient left without staff approval: 5.4% Staff requested/judged inappropriate: 18.9%

Death/other: 5.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Prairie House Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 37)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 36)	0.0%	0.0%
Arrests past 30 days (N = 37)	21.6%	5.4%
Alcohol use past 30 days (N = 37)	43.2%	0.0%
Drug use past 30 days (N = 37)	43.2%	0.0%
No self-help group participation past 30 days ($N = 37$)	56.8%	2.7%
No family support for recovery past 30 days (N = 36)	2.8%	2.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N $=$ 37)	0.0%	0.0%
Withdrawal (N = 37) Biomedical Conditions and Complications (N = 37)	0.0%	0.0%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 37) Emotional/Behavioral/	0.0%	0.0%
Biomedical Conditions and Complications (N = 37) Emotional/Behavioral/ Cognitive Problem (N = 37)	0.0%	0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pride Institute, Inc.

2836 Lyndale Ave. So. Minneapolis, MN 55408

Provider Website: www.pride-institute.com

Patient Profile

 Gender (N = 137)
 Race (N = 137)
 Age (N = 137)

 Male: 86.1%
 White: 88.3%
 Under 18: 0.0%

 Female: 13.9%
 Black: 6.6%
 18 to 25: 9.5%

American Indian: 0.0% 26 to 34: 20.4% Hispanic: 2.9% 35 and older: 70.1%

Hispanic: 2.9% 35 and older: 70.7 Asian/Pacific Islander: 0.0%

Other: 2.2%

Primary Substance Source of Income

(N = 135) Alcohol: 57.0% (N = 137) Job: 40.1%

Methamphetamine: 16.3% Retirement/savings: 10.2%

Marijuana: 3.7% Family/friends: 9.5% Heroin: 2.2% No income: 13.1% Cocaine: 17.0% Public sources: 18.2%

Other opiates: 2.2% Other sources: 8.8%

(N = 137) . Self/family/relative/ friends: 56.2%

Source of Referral

County: Hennepin

Employer/school: 1.5% Criminal justice: 8.0% Professional: 54.0%

County social

service agency: 8.0% Other community resources: 10.2%

AA: 3.7% Tribal: 0.0%

Outcomes

Discharge Status (N = 137)

Other drugs: 1.5%

Completed program: 56.2%

Patient left without staff approval: 14.6% Staff requested/judged inappropriate: 28.5%

Death/other: 0.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Pride Institute, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 126)	2.4%	0.0%
Not employed/student ‡ (N = 55)	45.5%	29.1%
Arrests past 30 days (N = 137)	7.3%	0.0%
Alcohol use past 30 days (N = 135)	38.5%	5.2%
Drug use past 30 days (N = 135)	29.6%	2.2%
No self-help group participation past 30 days ($N = 130$)	29.2%	3.1%
No family support for recovery past 30 days (N = 132)	8.3%	3.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 137) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N =137) Biomedical Conditions and Complications (N = 137) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 137) Biomedical Conditions and Complications (N = 137) Emotional/Behavioral/ Cognitive Problem (N = 137)	0.0% 1.5% 90.5%	0.0% 0.0% 62.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pride Institute, Inc.

14400 Martin Drive Eden Prairie, MN 55344

Provider Website: www.pride-institute.com

Patient Profile

 Gender (N = 386)
 Race (N = 386)
 Age (N = 386)

 Male: 86.3%
 White: 81.1%
 Under 18: 0.0%

 Female: 13.7%
 Black: 8.8%
 18 to 25: 18.7%

American Indian: 2.9% 26 to 34: 24.1%
Hispanic: 4.4% 35 and older: 57.3%

Asian/Pacific Islander: 1.0%

Other: 1.8%

Primary Substance Source of Income Source of Referral

(N = 386) (N = 386) (N = 386) . Self/family/relative/

Methamphetamine: 19.9%Retirement/savings: 3.1%friends: 69.9%Marijuana: 5.2%Family/friends: 10.6%Employer/school: 5.2%Heroin: 3.1%No income: 14.0%Criminal justice: 7.3%Cocaine: 13.0%Public sources: 13.5%Professional: 19.4%

Cocaine: 13.0% Public sources: 13.5% Professional: 19.4% Other opiates: 5.4% Other sources: 18.7% County social

Other drugs: 2.1% service agency: 9.1% Other community resources: 14.8%

AA: 0.5% Tribal: 0.3%

County: Hennepin

Outcomes

Discharge Status (N = 386)

Completed program: 80.6%

Patient left without staff approval: 8.0% Staff requested/judged inappropriate: 6.5%

Death/other: 4.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Pride Institute, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 357)	9.2%	6.2%
Not employed/student ^{‡‡} (N = 277)	51.3%	63.9%
Arrests past 30 days (N = 359)	7.0%	2.2%
Alcohol use past 30 days (N = 382)	71.7%	18.8%
Drug use past 30 days (N = 379)	63.9%	15.6%
No self-help group participation past 30 days ($N = 358$)	54.5%	3.6%
No family support for recovery past 30 days (N = 353)	7.9%	1.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 386)	0.8%	0.3%
Biomedical Conditions and Complications ($N = 385$)	0.0%	0.0%
	0.0% 97.4%	0.0% 64.5%
Complications (N = 385) Emotional/Behavioral/		
Complications (N = 385) Emotional/Behavioral/ Cognitive Problem (N = 386)	97.4%	64.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prodigal House

5103 Minnehaha Ave Minneapolis, MN 55417

Provider Website: www.prodhouse.com

Patient Profile

 Gender (N = 78)
 Race (N = 78)

 Male: 100.0%
 White: 66.7%

 Female: 0.0%
 Black: 24.4%

emale: 0.0% Black: 24.4% 18 to 25: 16.7% American Indian: 2.6% 26 to 34: 23.1% Hispanic: 5.1% 35 and older: 60.3%

Hispanic: 5.1% 35 and older: 60.3%

Asian/Pacific Islander: 1.3%

Other: 0.0%

Primary Substance Source of Income

 $\frac{(N = 78)}{\text{Alcohol: } 47.4\%}$ $\frac{(N = 78)}{\text{Job: } 3.9\%}$

Methamphetamine: 6.4% Retirement/savings: 1.3% Haroin: 6.4% No income: 57.7% Cocaine: 37.2% Public sources: 28.2%

Other opiates: 1.3% Other sources: 7.7% County

Self/family/relative/ friends: 29.5% Employer/school: 0.0% Criminal justice: 23.1% Professional: 51.3%

County social

County: Hennepin

Age (N = 78)

Under 18: 0.0%

Source of Referral

(N = 78) .

service agency: 88.5%

Other community resources: 2.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 78)

Completed program: 62.8%

Patient left without staff approval: 25.6% Staff requested/judged inappropriate: 6.4%

Death/other: 5.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Prodigal House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 77)	6.5%	1.3%
Not employed/student ^{‡‡} (N = 77)	98.7%	94.8%
Arrests past 30 days (N = 76)	2.6%	2.6%
Alcohol use past 30 days (N = 76)	32.9%	4.0%
Drug use past 30 days (N = 76)	23.7%	1.3%
No self-help group participation past 30 days $(N = 76)$	4.0%	4.0%
No family support for recovery past 30 days $(N = 74)$	10.8%	6.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =75)	1.3%	1.3%
Biomedical Conditions and Complications $(N = 75)$		
	30.7%	10.7%
Emotional/Behavioral/ Cognitive Problem (N = 75)	30.7% 92.0%	10.7% 34.7%
Cognitive Problem $(N = 75)$	92.0%	34.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center of Buffalo

7 West Highway 55 Buffalo, MN 55313

County: Wright

Provider Website:

Patient Profile

 Gender (N = 94)
 Race (N = 94)

 Male: 87.2%
 White: 95.7%

 Female: 12.8%
 Black: 2.1%

Black: 2.1% 18 to 25: 38.3% American Indian: 0.0% 26 to 34: 23.4% Hispanic: 2.1% 35 and older: 38.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 94)Alcohol: 80.9%

Methamphetamine: 6.4% Marijuana: 11.7%

Heroin: 1.1% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 94)}{\text{Job: } 64.9\%}$

Retirement/savings: 2.1%

Family/friends: 23.4% No income: 0.0% Public sources: 2.1%

Other sources: 7.5%

Source of Referral

(N = 94) .

Age (N = 94)

Under 18: 0.0%

Self/family/relative/ friends: 25.5% Employer/school: 1.1% Criminal justice: 89.4%

Professional: 1.1%

County social

service agency: 57.4%

Other community resources: 2.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 94)

Completed program: 63.8%

Patient left without staff approval: 13.8% Staff requested/judged inappropriate: 19.1%

Death/other: 3.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Professional Counseling Center of Buffalo

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 94)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 94)	35.1%	24.5%
Arrests past 30 days (N = 94)	9.6%	14.9%
Alcohol use past 30 days (N = 94)	21.3%	17.0%
Drug use past 30 days (N = 94)	10.6%	7.5%
No self-help group participation past 30 days $(N = 94)$	78.7%	34.0%
No family support for recovery past 30 days $(N = 93)$	17.2%	16.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 2.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 94) Biomedical Conditions and	0.0%	2.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 94) Biomedical Conditions and Complications (N = 94) Emotional/Behavioral/	0.0% 1.1%	2.1% 1.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 94) Biomedical Conditions and Complications (N = 94) Emotional/Behavioral/ Cognitive Problem (N = 94)	0.0% 1.1% 36.2%	2.1% 1.1% 26.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center of Delano

620 Hwy 12

Delano, MN 55328 County: Wright

Provider Website:

Patient Profile

 Gender (N = 28)
 Race (N = 28)

 Male: 85.7%
 White: 92.9%

 Female: 14.3%
 Black: 0.0%

American Indian: 0.0% 26 to 34: 28.6% Hispanic: 7.1% 35 and older: 50.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 28) Alcohol: 78.6% (N = 28) Job: 67.9%

Methamphetamine: 7.1% Retirement/savings: 0.0% Marijuana: 14.3% Family/friends: 10.7% No income: 0.0% Cocaine: 0.0% Public sources: 3.6%

Other opiates: 0.0%
Other sources: 17.9%
Other drugs: 0.0%

Source of Referral

Age (N = 28)

Under 18: 0.0%

18 to 25: 21.4%

(N = 28) .
Self/family/relative/
friends: 28.6%
Employer/school: 0.0%

Criminal justice: 78.6% Professional: 3.6%

County social

service agency: 42.9%

Other community resources: 7.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 28)

Completed program: 75.0%

Patient left without staff approval: 7.1% Staff requested/judged inappropriate: 14.3%

Death/other: 3.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Professional Counseling Center of Delano

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 28)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 28)	28.6%	21.4%
Arrests past 30 days (N = 28)	14.3%	7.1%
Alcohol use past 30 days (N = 28)	25.0%	14.3%
Drug use past 30 days (N = 28)	14.3%	0.0%
No self-help group participation past 30 days ($N = 27$)	77.8%	14.8%
No family support for recovery past 30 days (N = 28)	14.3%	7.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/ Cognitive Problem (N = 28)	0.0% 0.0% 46.4%	0.0% 0.0% 10.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Progress Valley I

3033 Garfield Avenue South Minneapolis, MN 55408

Provider Website: www.progressvalley.org

Patient Profile

 Gender (N = 138)
 Race (N = 138)

 Male: 100.0%
 White: 84.8%

 Female: 0.0%
 Black: 7.3%

American Indian: 0.7% 26 to 34: 22.5% Hispanic: 4.4% 35 and older: 45.7%

Asian/Pacific Islander: 0.0%

Other: 2.9%

Primary Substance Source of Income

(N = 137) Alcohol: 58.4% (N = 138) Job: 50.7%

Methamphetamine: 10.2% Retirement/savings: 2.9% Marijuana: 7.3% Family/friends: 18.1% No income: 6.5% Cocaine: 8.8% Public sources: 5.8%

Other opiates: 3.7% Other sources: 15.9%

(N = 138) .
Self/family/relative/
friends: 12.3%

Source of Referral

Employer/school: 0.0% Criminal justice: 1.5% Professional: 86.2%

County social

County: Hennepin

Age (N = 138)

Under 18: 0.0%

18 to 25: 31.9%

service agency: 10.9%

Other community resources: 3.6%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.5%

(N = 138)

Completed program: 42.8%

Patient left without staff approval: 28.3% Staff requested/judged inappropriate: 23.9%

Death/other: 5.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Progress Valley I

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 137)	0.0%	9.5%
Not employed/student ^{‡‡} (N = 132)	84.8%	39.4%
Arrests past 30 days (N = 135)	0.0%	2.2%
Alcohol use past 30 days (N = 137)	23.4%	8.8%
Drug use past 30 days (N = 136)	24.3%	5.2%
No self-help group participation past 30 days ($N = 135$)	4.4%	0.7%
No family support for recovery past 30 days (N = 135)	1.5%	5.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =122)	0.8%	5.7%
Biomedical Conditions and Complications $(N = 123)$	0.0%	1.6%
Emotional/Behavioral/ Cognitive Problem (N = 123)	75.6%	51.2%
Resistance to Change ($N = 123$)	82.1%	60.2%
Relapse/Continued Use Potential (N = 123)	100.0%	77.2%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Progress Valley II

308 East 78th Street Richfield, MN 55423

Provider Website: www.progressvalley.org

Patient Profile

 Gender (N = 129)
 Race (N = 129)

 Male: 0.8%
 White: 80.6%

 Female: 99.2%
 Black: 9.3%

American Indian: 2.3% 26 to 34: 23.3% Hispanic: 2.3% 35 and older: 47.3%

Asian/Pacific Islander: 1.6%

Other: 3.9%

Primary Substance Source of Income

(N = 129) Alcohol: 61.2% (N = 129) Job: 24.8%

Methamphetamine: 10.9% Retirement/savings: 0.8% Family/friends: 4.7% Family/friends: 4.7% No income: 39.5% Cocaine: 10.9% Public sources: 23.3%

Other opiates: 6.2% Other sources: 7.0%

(N = 129) .
Self/family/relative/
friends: 20.9%
Employer/school: 0.0%

Source of Referral

Employer/school: 0.0% Criminal justice: 10.9% Professional: 88.4%

County social

County: Hennepin

Age (N = 129)

Under 18: 0.0%

18 to 25: 29.5%

service agency: 21.7%

Other community resources: 31.8%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 129)

Other drugs: 1.6%

Completed program: 51.9%

Patient left without staff approval: 32.6% Staff requested/judged inappropriate: 12.4%

Death/other: 3.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Progress Valley II

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 129)	2.3%	0.8%
Not employed/student ^{‡‡} (N = 126)	92.9%	45.2%
Arrests past 30 days (N = 123)	3.3%	2.4%
Alcohol use past 30 days (N = 123)	19.5%	9.8%
Drug use past 30 days (N = 126)	14.3%	5.6%
No self-help group participation past 30 days ($N = 124$)	28.2%	0.0%
No family support for recovery past 30 days (N = 113)	5.3%	4.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	<u> </u>	
Acute Intoxication/ Withdrawal (N =129)	0.8%	3.9%
	0.8%	_
Withdrawal (N = 129) Biomedical Conditions and		3.9%
Withdrawal (N = 129) Biomedical Conditions and Complications (N = 129) Emotional/Behavioral/	11.6%	3.9% 11.6%
Withdrawal (N = 129) Biomedical Conditions and Complications (N = 129) Emotional/Behavioral/ Cognitive Problem (N = 129)	11.6% 72.9%	3.9% 11.6% 53.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout

130 Willmar Ave SE Willmar, MN 56201

Provider Website: www.projectturnabout.org

Patient Profile

 Gender (N = 129)
 Race (N = 129)

 Male: 64.3%
 White: 89.9%

 Female: 35.7%
 Black: 0.8%

American Indian: 0.8% 26 to 34: 18.6% Hispanic: 7.8% 35 and older: 52.7%

County: Kandiyohi

Age (N = 129)

Under 18: 3.1%

18 to 25: 25.6%

Source of Referral

Self/family/relative/ friends: 55.0%

Employer/school: 3.1%

Criminal justice: 59.7%

resources: 4.7%

(N = 129) .

Asian/Pacific Islander: 0.8%

Other: 0.0%

Primary Substance Source of Income

(N = 128) Alcohol: 71.1% (N = 129) Job: 52.7%

Methamphetamine: 10.2% Retirement/savings: 4.7% Family/friends: 11.6% No income: 2.3% Cocaine: 1.6% Public sources: 8.5%

Cocaine: 1.6% Public sources: 8.5% Professional: 31.8% Other opiates: 4.7% Other sources: 20.2% County social service agency: 25.6% Other community

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 129)

Completed program: 63.6%

Patient left without staff approval: 7.8% Staff requested/judged inappropriate: 24.0%

Death/other: 4.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Project Turnabout

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 128)	0.0%	0.8%
Not employed/student ^{‡‡} (N = 118)	31.4%	25.4%
Arrests past 30 days (N = 129)	5.4%	5.4%
Alcohol use past 30 days (N = 129)	13.2%	7.0%
Drug use past 30 days (N = 129)	6.2%	8.5%
No self-help group participation past 30 days ($N = 81$)	19.8%	6.2%
No family support for recovery past 30 days $(N = 98)$	4.1%	5.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =129)	0.0%	2.3%
Biomedical Conditions and Complications ($N = 129$)	3.9%	3.1%
Emotional/Behavioral/ Cognitive Problem (N = 129)	92.2%	51.9%
	92.2% 99.2%	51.9% 57.4%
Cognitive Problem (N = 129)		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout Chemical Dependency Treatment Center of Redwood Falls

334 South Jefferson Street Redwood Falls, MN 56283

Provider Website: www.projectturnabout.com

Patient Profile

 Gender (N = 57)
 Race (N = 57)

 Male: 75.4%
 White: 78.9%

 Female: 24.6%
 Black: 1.8%

American Indian: 14.0% 26 to 34: 21.1% Hispanic: 5.3% 35 and older: 33.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 57) Alcohol: 50.9% (N = 57) Job: 35.1%

Methamphetamine: 8.8% Retirement/savings: 0.0% Marijuana: 31.6% Family/friends: 40.4% No income: 5.3% Public sources: 8.8%

Other opiates: 3.5%
Other drugs: 0.0%
Other sources: 10.5%

(N = 57) .
Self/family/relative/
friends: 14.0%

Source of Referral

Employer/school: 1.8% Criminal justice: 59.6% Professional: 35.1%

County social

County: Redwood

Age (N = 57)

Under 18: 24.6%

18 to 25: 21.1%

service agency: 70.2%

Other community resources: 3.5%

AA: 0.0% Tribal: 7.0%

Outcomes

Discharge Status

(N = 57)

Completed program: 45.6%

Patient left without staff approval: 15.8% Staff requested/judged inappropriate: 19.3%

Death/other: 19.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Project Turnabout Chemical Dependency Treatment Center of Redwood Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 57)	3.5%	1.8%
Not employed/student ^{‡‡} (N = 54)	42.6%	35.2%
Arrests past 30 days (N = 57)	5.3%	15.8%
Alcohol use past 30 days (N = 57)	5.3%	14.0%
Drug use past 30 days (N = 57)	15.8%	19.3%
No self-help group participation past 30 days ($N = 55$)	41.8%	20.0%
No family support for recovery past 30 days $(N = 55)$	5.5%	3.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =56)	0.0%	3.6%
Biomedical Conditions and Complications $(N = 54)$	1.9%	3.7%
Emotional/Behavioral/ Cognitive Problem (N = 56)	57.1%	48.2%
Resistance to Change $(N = 56)$	57.1%	58.9%
Relapse/Continued Use Potential ($N = 56$)	98.2%	78.6%
Unsupportive Recovery Environment $(N = 56)$	91.1%	64.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout Halfway House-Marshall

1220 Birch Street Marshall, MN 56258

County: Lyon

Provider Website: www.projectturnabout.com

Patient Profile

 Gender (N = 185)
 Race (N = 185)

 Male: 86.5%
 White: 84.3%

 Female: 13.5%
 Black: 1.6%

American Indian: 6.5% 26 to 34: 23.2% Hispanic: 6.0% 35 and older: 29.2%

Asian/Pacific Islander: 0.5%

Other: 1.1%

Primary Substance Source of Income

(N = 185) Alcohol: 58.4% (N = 185) Job: 46.5%

Methamphetamine: 8.7% Retirement/savings: 2.7% Marijuana: 26.5% Family/friends: 12.4% No income: 10.3% Cocaine: 3.8% Public sources: 7.0%

Other opiates: 1.1%

Other sources: 21.1%

Other sources: 21.1%

Source of Referral (N = 185). Self/family/relative/

Age (N = 185)

Under 18: 6.0%

18 to 25: 41.6%

friends: 9.2% Employer/school: 0.5% Criminal justice: 24.3% Professional: 67.6%

County social

service agency: 90.8%

Other community resources: 2.2%

AA: 0.0% Tribal: 1.6%

Outcomes

Discharge Status (N = 185)

Other drugs: 0.5%

Completed program: 51.9%

Patient left without staff approval: 16.2% Staff requested/judged inappropriate: 24.3%

Death/other: 7.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Project Turnabout Halfway House-Marshall

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 185)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 180)	68.3%	40.0%
Arrests past 30 days (N = 184)	3.3%	9.2%
Alcohol use past 30 days (N = 185)	16.2%	13.5%
Drug use past 30 days (N = 185)	10.8%	10.3%
No self-help group participation past 30 days ($N = 180$)	26.7%	1.7%
No family support for recovery past 30 days (N = 177)	2.8%	1.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 185) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 185) Biomedical Conditions and Complications (N = 185) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 185) Biomedical Conditions and Complications (N = 185) Emotional/Behavioral/ Cognitive Problem (N = 185)	0.0% 0.5% 36.2%	0.0% 2.2% 34.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout of Granite Falls

660 18th Street

Granite Falls, MN 56241 County: Yellow Medicine

Provider Website: www.projectturnabout.com

Patient Profile

Gender (N = 593)Race (N = 593)Age (N = 593)Male: 68.5%White: 85.8%Under 18: 3.9%Female: 31.5%Black: 2.4%18 to 25: 31.5%

American Indian: 5.7% 26 to 34: 22.6% Hispanic: 4.6% 35 and older: 42.0%

Hispanic: 4.6% 35 and older: 42.0% Asian/Pacific Islander: 0.2%

Other: 1.4%

Primary Substance Source of Income Source of Referral

(N = 591) (N = 593) (N = 593) . Self/family/relative/

Methamphetamine: 11.8% Retirement/savings: 4.1% friends: 59.0% Marijuana: 15.6% Family/friends: 18.9% Employer/school: 2.2% Heroin: 2.0% No income: 12.6% Criminal justice: 35.2% Public sources: 7.6% Professional: 23.1%

Other opiates: 5.9% Public sources: 7.6% Professional: 23.1% County social

Other drugs: 1.2% service agency: 46.4% Other community

resources: 12.3%

AA: 1.2% Tribal: 0.5%

Outcomes

Discharge Status (N = 593)

Completed program: 64.4%

Patient left without staff approval: 19.1% Staff requested/judged inappropriate: 8.4%

Death/other: 8.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Project Turnabout of Granite Falls

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 563)	5.9%	0.5%
Not employed/student ^{‡‡} (N = 530)	66.4%	73.2%
Arrests past 30 days (N = 569)	16.9%	6.2%
Alcohol use past 30 days (N = 585)	52.6%	8.9%
Drug use past 30 days (N = 583)	38.6%	5.5%
No self-help group participation past 30 days ($N = 521$)	58.9%	6.3%
No family support for recovery past 30 days $(N = 457)$	21.9%	8.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 14.5%	<u>Discharge</u> 7.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 587) Biomedical Conditions and	14.5%	7.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 587) Biomedical Conditions and Complications (N = 586) Emotional/Behavioral/	14.5% 28.0%	7.0% 25.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 587) Biomedical Conditions and Complications (N = 586) Emotional/Behavioral/ Cognitive Problem (N = 587)	14.5% 28.0% 96.1%	7.0% 25.4% 90.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rainbow Behavioral Health Services Chartered

305 9th Street

Windom, MN 56101 County: CottonWood

Provider Website:

Patient Profile

Gender (N = 62)Race (N = 62)Male: 82.3% White: 87.1% Female: 17.7% Black: 6.5%

> American Indian: 0.0% 26 to 34: 22.6% Hispanic: 6.5% 35 and older: 41.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 62)(N = 62)Alcohol: 71.0% Job: 61.3%

Marijuana: 21.0% Family/friends: 9.7% Heroin: 1.6% No income: 8.1% Cocaine: 0.0%

friends: 12.9% Methamphetamine: 3.2% Retirement/savings: 0.0% Employer/school: 1.6% Criminal justice: 58.1% Public sources: 11.3% Professional: 21.0% Other opiates: 3.2% Other sources: 9.7% County social Other drugs: 0.0% service agency: 77.4%

> Other community resources: 4.8% AA: 0.0%

Tribal: 0.0%

Age (N = 62)

Under 18: 8.1%

18 to 25: 27.4%

Source of Referral

Self/family/relative/

(N = 62) .

Outcomes

Discharge Status

(N = 62)

Completed program: 82.3%

Patient left without staff approval: 3.2% Staff requested/judged inappropriate: 6.5%

Death/other: 8.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Rainbow Behavioral Health Services Chartered

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 62)	0.0%	0.0%
Not employed/student ‡ (N = 61)	26.2%	31.1%
Arrests past 30 days (N = 62)	6.5%	1.6%
Alcohol use past 30 days (N = 62)	14.5%	1.6%
Drug use past 30 days (N = 62)	14.5%	4.8%
No self-help group participation past 30 days ($N = 61$)	49.2%	6.6%
No family support for recovery past 30 days $(N = 60)$	16.7%	3.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 3.2%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and	0.0%	3.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/	0.0%	3.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/ Cognitive Problem (N = 62)	0.0% 0.0% 11.3%	3.2% 0.0% 11.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Range Treatment Center

3203 3rd Aveune West Hibbing, MN 55746

Provider Website:

Patient Profile

 Gender (N = 45)
 Race (N = 45)

 Male: 64.4%
 White: 95.6%

 Female: 35.6%
 Black: 2.2%

American Indian: 2.2% 26 to 34: 20.0% Hispanic: 0.0% 35 and older: 48.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance S

(N = 45) (N = 45) Job

Methamphetamine: 11.1% F
Marijuana: 22.2% F
Heroin: 0.0% N
Cocaine: 0.0% F

Other opiates: 2.2% Other drugs: 2.2%

Source of Income

(N = 45)Job: 62.2%

Retirement/savings: 2.2% Family/friends: 8.9% No income: 6.7%

Public sources: 15.6% Other sources: 4.4%

County: St. Louis

Age (N = 45)

Under 18: 2.2%

18 to 25: 28.9%

Source of Referral (N = 45).

Self/family/relative/ friends: 15.6%

Employer/school: 4.4% Criminal justice: 80.0% Professional: 6.7%

County social

service agency: 8.9% Other community resources: 0.0%

AA: 2.2% Tribal: 0.0%

Outcomes

Discharge Status

(N = 45)

Completed program: 77.8%

Patient left without staff approval: 4.4% Staff requested/judged inappropriate: 8.9%

Death/other: 8.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Range Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 45)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 44)	34.1%	29.5%
Arrests past 30 days (N = 45)	2.2%	4.4%
Alcohol use past 30 days $(N = 45)$	22.2%	0.0%
Drug use past 30 days (N = 45)	17.8%	6.7%
No self-help group participation past 30 days $(N = 44)$	68.2%	13.6%
No family support for recovery past 30 days $(N = 43)$	4.7%	9.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.6%	<u>Discharge</u> 6.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 44) Biomedical Conditions and	4.6%	6.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 44) Biomedical Conditions and Complications (N = 45) Emotional/Behavioral/	4.6%	6.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 44) Biomedical Conditions and Complications (N = 45) Emotional/Behavioral/ Cognitive Problem (N = 45)	4.6% 13.3% 48.9%	6.8% 20.0% 35.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rapids Counseling Services, Inc.

717 NE 4th Street

Grand Rapids, MN 55744 County: Itasca

Provider Website: www.rapidscounseling.com

Patient Profile

Gender (N = 125) Race (N = 125)Age (N = 125)Male: 70.4% White: 95.2% Under 18: 0.8%

Female: 29.6% Black: 1.6% 18 to 25: 23.2% American Indian: 1.6% 26 to 34: 27.2%

Hispanic: 0.8% 35 and older: 48.8%

Asian/Pacific Islander: 0.8%

Other: 0.0%

Primary Substance Source of Income Source of Referral

(N = 124)(N = 125)(N = 125) . Alcohol: 66.9% Job: 60.0% Self/family/relative/ friends: 24.8% Methamphetamine: 4.0% Retirement/savings: 2.4%

Marijuana: 25.0% Family/friends: 16.8% Employer/school: 3.2% Heroin: 0.0% No income: 2.4% Criminal justice: 77.6% Cocaine: 0.8% Public sources: 13.6% Professional: 1.6%

Other opiates: 2.4% Other sources: 4.8% County social

Other drugs: 0.8% service agency: 9.6% Other community resources: 7.2%

> AA: 0.8% Tribal: 0.0%

Outcomes

Discharge Status

(N = 125)

Completed program: 75.2%

Patient left without staff approval: 13.6% Staff requested/judged inappropriate: 0.8%

Death/other: 10.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Chemical Dependency Provider Outcome Measures in Calendar Year 2008^{\dagger}

Rapids Counseling Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 121)	1.7%	0.0%
Not employed/student ^{‡‡} (N = 120)	34.2%	32.5%
Arrests past 30 days (N = 118)	10.2%	5.1%
Alcohol use past 30 days (N = 113)	60.2%	9.7%
Drug use past 30 days (N = 113)	31.9%	6.2%
No self-help group participation past 30 days (N = 111)	67.6%	12.6%
No family support for recovery past 30 days $(N = 104)$	8.7%	12.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 122) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 122) Biomedical Conditions and Complications (N = 122) Emotional/Behavioral/	0.0% 1.6%	0.0% 2.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 122) Biomedical Conditions and Complications (N = 122) Emotional/Behavioral/ Cognitive Problem (N = 122)	0.0% 1.6% 9.0%	0.0% 2.5% 7.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rational Alternatives

206 14th Street East International Falls, MN 56649

Provider Website:

Patient Profile

 Gender (N = 47)
 Race (N = 47)

 Male: 80.9%
 White: 87.2%

 Female: 19.1%
 Black: 0.0%

American Indian: 8.5% 20 Hispanic: 2.1% 3!

Asian/Pacific Islander: 2.1%

Other: 0.0%

Primary Substance Source

(N = 47) Alcohol: 78.7% Methamphetamine: 2.1%

Marijuana: 14.9% Heroin: 0.0% Cocaine: 2.1% Other opiates: 2.1%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 47)}{\text{Job: } 57.4\%}$

Retirement/savings: 4.3% Family/friends: 17.0% No income: 2.1% Public sources: 14.9% Other sources: 4.3% $\underline{Age (N = 47)}$

County: Koochiching

Under 18: 0.0% 18 to 25: 31.9% 26 to 34: 21.3%

35 and older: 46.8%

Source of Referral

(N = 47) .

Self/family/relative/ friends: 36.2% Employer/school: 2.1% Criminal justice: 57.4% Professional: 21.3%

County social

service agency: 57.4%

Other community resources: 6.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 47)

Completed program: 70.2%

Patient left without staff approval: 21.3% Staff requested/judged inappropriate: 0.0%

Death/other: 8.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Rational Alternatives

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 44)	0.0%	2.3%
Not employed/student ^{‡‡} (N = 44)	45.5%	29.5%
Arrests past 30 days (N = 43)	18.6%	4.7%
Alcohol use past 30 days (N = 37)	59.5%	10.8%
Drug use past 30 days (N = 37)	13.5%	2.7%
No self-help group participation past 30 days ($N = 41$)	68.3%	19.5%
No family support for recovery past 30 days $(N = 39)$	12.8%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =46)	6.5%	19.6%
Biomedical Conditions and Complications $(N = 45)$	22.2%	11.1%
Emotional/Behavioral/ Cognitive Problem (N = 45)	55.6%	33.3%
Resistance to Change ($N = 47$)	74.5%	31.9%
Resistance to Change (N = 47) Relapse/Continued Use Potential (N = 47)	74.5% 93.6%	31.9% 38.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rays of Hope Unlimited

118 North Victoria Street St. Paul, MN 55104

County: Ramsey

Provider Website:

Patient Profile

 Gender (N = 7)
 Race (N = 7)
 Age (N = 7)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Source of Referral **Primary Substance** Source of Income (N = 7)(N = 7)(N = 7). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social

Service agency: *
Other community
resources: *

AA: *
Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Rays of Hope Unlimited

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 7)	*	*
Not employed/student 11 (N = 7)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days $(N = 7)$	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days $(N = 7)$	*	*
No family support for recovery past 30 days $(N = 7)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rebecca Residence of Scandia

21077 Penrose Avenue North Scandia, MN 55073

Provider Website: www.havenchemicalhealth.com

Patient Profile

 Gender (N = 130)
 Race (N = 130)

 Male: 1.5%
 White: 94.6%

 Female: 98.5%
 Black: 2.3%

American Indian: 2.3% 26 to 34: 16.9% Hispanic: 0.0% 35 and older: 56.9%

Asian/Pacific Islander: 0.0%

Other: 0.8%

Primary Substance Source of Income

(N = 130) Alcohol: 54.6% (N = 130) Job: 25.4%

Methamphetamine: 24.6% Retirement/savings: 5.4% Marijuana: 4.6% Family/friends: 36.9% Heroin: 0.0% No income: 7.7% Cocaine: 6.9% Public sources: 13.1%

Other opiates: 4.6% Other sources: 11.5%

Source of Referral (N = 130) .

County: Washington

Age (N = 130)

Under 18: 0.8%

18 to 25: 25.4%

Self/family/relative/ friends: 76.9% Employer/school: 0.0% Criminal justice: 13.8% Professional: 40.8%

County social

service agency: 28.5%

Other community resources: 16.9%

AA: 0.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 130)

Other drugs: 4.6%

Completed program: 82.3%

Patient left without staff approval: 13.8% Staff requested/judged inappropriate: 2.3%

Death/other: 1.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Rebecca Residence of Scandia

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 129)	8.5%	0.0%
Not employed/student ‡ (N = 124)	69.4%	76.6%
Arrests past 30 days (N = 130)	20.8%	0.0%
Alcohol use past 30 days (N = 130)	76.2%	4.6%
Drug use past 30 days (N = 130)	43.8%	4.6%
No self-help group participation past 30 days (N = 129)	66.7%	5.4%
No family support for recovery past 30 days ($N = 128$)	36.7%	5.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.5%	<u>Discharge</u> 0.8%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 130) Biomedical Conditions and	1.5%	0.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 130) Biomedical Conditions and Complications (N = 130) Emotional/Behavioral/	1.5% 4.6%	0.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 130) Biomedical Conditions and Complications (N = 130) Emotional/Behavioral/ Cognitive Problem (N = 130)	1.5% 4.6% 98.5%	0.8% 4.6% 90.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Plus Adult Program St. Cloud Hospital

713 Anderson Ave St. Cloud, MN 56303

Provider Website: www.centracare.com

Patient Profile

 Gender (N = 1216)
 Race (N = 1216)
 Age (N = 1216)

 Male: 62.7% White: 84.4% Under 18: 5.9%

Female: 37.3% Black: 4.4% 18 to 25: 27.1% American Indian: 6.5% 26 to 34: 21.5%

Hispanic: 3.1% 35 and older: 45.5%

County: Stearns

Asian/Pacific Islander: 0.5% Other: 1.2%

Primary Substance Source of Income Source of Referral (N = 1216) (N = 1216) (N = 1216) (N = 1216) (N = 1216)

Alcohol: 57.9% Job: 37.7% Self/family/relative/
Methamphetamine: 10.4% Retirement/savings: 5.0% friends: 51.6%

Marijuana: 18.3% Family/friends: 16.4% Employer/school: 3.5% Heroin: 0.3% No income: 16.2% Criminal justice: 25.1% Cocaine: 2.8% Public sources: 18.0% Professional: 26.6%

Other opiates: 7.9% Other sources: 6.7% County social

Other drugs: 2.3% service agency: 25.3% Other community

resources: 4.5%

AA: 0.2% Tribal: 0.2%

Outcomes

Discharge Status (N = 1216)

Completed program: 67.3%

Patient left without staff approval: 13.0% Staff requested/judged inappropriate: 13.2%

Death/other: 6.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Recovery Plus Adult Program St. Cloud Hospital

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 1197)	5.1%	2.1%
Not employed/student ^{‡‡} (N = 1162)	56.4%	62.1%
Arrests past 30 days (N = 1172)	10.6%	3.6%
Alcohol use past 30 days (N = 1110)	55.3%	10.5%
Drug use past 30 days (N = 1109)	39.3%	8.6%
No self-help group participation past 30 days (N = 1165)	59.2%	8.7%
No family support for recovery past 30 days ($N = 1116$)	5.7%	5.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 7.3%	<u>Discharge</u> 4.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1180) Biomedical Conditions and	7.3%	4.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1180) Biomedical Conditions and Complications (N = 1184) Emotional/Behavioral/	7.3% 18.2%	4.9% 12.4%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 1180) Biomedical Conditions and Complications (N = 1184) Emotional/Behavioral/ Cognitive Problem (N = 1184)	7.3% 18.2% 65.5%	4.9% 12.4% 64.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Resource Center

1900 Chicago Avenue South Minneapolis, MN 55404

Provider Website: www.resource-mn.org

Patient Profile

Gender (N = 352)Race (N = 352)Age (N = 352)Male: 64.8%White: 23.6%Under 18: 0.0%Female: 35.2%Black: 66.2%18 to 25: 12.5%

American Indian: 5.1% 26 to 34: 21.3%

Hispanic: 1.7% 35 and older: 66.2%

Hispanic: 1.7% 35 and older: 66.2%

County: Hennepin

Asian/Pacific Islander: 0.6%

Other: 2.8%

Primary Substance Source of Income Source of Referral

Marijuana: 18.5% Family/friends: 0.9% Employer/school: 0.6% Heroin: 5.4% No income: 34.7% Criminal justice: 38.4% Public sources: 58.5% Professional: 7.1% Other opiates: 0.9% Other sources: 2.6% County social

Other drugs: 1.1% service agency: 61.1%

Other community resources: 0.9%

AA: 0.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 352)

Completed program: 63.4%

Patient left without staff approval: 26.4% Staff requested/judged inappropriate: 8.2%

Death/other: 2.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Recovery Resource Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 333)	36.3%	5.1%
Not employed/student ^{‡‡} (N = 320)	97.5%	87.2%
Arrests past 30 days (N = 341)	16.4%	4.4%
Alcohol use past 30 days (N = 309)	46.6%	14.6%
Drug use past 30 days (N = 316)	64.6%	22.2%
No self-help group participation past 30 days ($N = 321$)	63.6%	20.6%
No family support for recovery past 30 days $(N = 304)$	23.7%	11.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 10.0%	<u>Discharge</u> 11.7%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 351) Biomedical Conditions and	10.0%	11.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 351) Biomedical Conditions and Complications (N = 352) Emotional/Behavioral/	10.0% 40.9%	11.7% 14.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 351) Biomedical Conditions and Complications (N = 352) Emotional/Behavioral/ Cognitive Problem (N = 352)	10.0% 40.9% 77.0%	11.7% 14.5% 65.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Resources of Winsted

471 2nd St. No Winsted, MN 55395

Provider Website:

Patient Profile

Gender (N = 93)Race (N = 93)Male: 77.4% White: 92.5% Female: 22.6% Black: 2.2%

> American Indian: 1.1% 26 to 34: 22.6% Hispanic: 4.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 93)Alcohol: 67.7%

Methamphetamine: 5.4% Marijuana: 24.7%

Heroin: 0.0% Cocaine: 1.1% Other opiates: 1.1%

Other drugs: 0.0%

Source of Income

(N = 93)Job: 57.0%

> Retirement/savings: 5.4% Family/friends: 21.5% No income: 5.4% Public sources: 4.3%

Other sources: 6.5%

35 and older: 30.1%

Under 18: 11.8%

18 to 25: 35.5%

Age (N = 93)

County: McLeod

Source of Referral

(N = 93) .

Self/family/relative/ friends: 6.5%

Employer/school: 4.3% Criminal justice: 80.6% Professional: 4.3%

County social

service agency: 18.3%

Other community resources: 6.5%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 93)

Completed program: 66.7%

Patient left without staff approval: 8.6% Staff requested/judged inappropriate: 20.4%

Death/other: 4.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Recovery Resources of Winsted

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 92)	0.0%	1.1%
Not employed/student ^{‡‡} (N = 90)	24.4%	21.1%
Arrests past 30 days (N = 88)	3.4%	3.4%
Alcohol use past 30 days (N = 85)	25.9%	17.6%
Drug use past 30 days (N = 85)	20.0%	9.4%
No self-help group participation past 30 days ($N = 81$)	48.1%	13.6%
No family support for recovery past 30 days $(N = 83)$	1.2%	9.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =93)	5.4%	5.4%
Biomedical Conditions and Complications $(N = 93)$	7.5%	2.2%
	7.5% 76.3%	2.2% 37.6%
Complications (N = 93) Emotional/Behavioral/		
Complications (N = 93) Emotional/Behavioral/ Cognitive Problem (N = 93)	76.3%	37.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Works Minimum Security Program

640 Randolph Road Detroit Lakes, MN 56501

Provider Website:

Patient Profile

 Gender (N = 9)
 Race (N = 9)
 Age (N = 9)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income

(N = 9)(N = 9)(N = 9) . Self/family/relative/ Alcohol: * Job: * Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: *

Other opiates: * Other sources: * County social service agency: * Other community resources: *

AA: * Tribal: *

Source of Referral

County: Becker

Outcomes

Discharge Status

(N = 9)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Recovery Works Minimum Security Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 9)	*	*
Not employed/student ^{‡‡} (N = 9)	*	*
Arrests past 30 days (N = 9)	*	*
Alcohol use past 30 days (N = 9)	*	*
Drug use past 30 days $(N = 9)$	*	*
No self-help group participation past 30 days $(N = 9)$	*	*
No family support for recovery past 30 days $(N = 9)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/	*	*
Withdrawal (N $=$ 9)	^	
Withdrawal (N =9) Biomedical Conditions and Complications (N = 9)	*	*
Biomedical Conditions and		*
Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/	*	
Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/ Cognitive Problem (N = 9)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Works/BC Jail House Program

925 Lake Avenue Detroit Lakes, MN 56502

Provider Website:

Patient Profile

 Gender (N = 23)
 Race (N = 23)

 Male: 91.3%
 White: 60.9%

 Female: 8.7%
 Black: 0.0%

American Indian: 34.8% 26 to 34: 26.1% Hispanic: 4.4% 35 and older: 26.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 23) Alcohol: 43.5% (N = 23) Job: 30.4%

Methamphetamine: 21.7% Retirement/savings: 4.4% Marijuana: 17.4% Family/friends: 43.5% Heroin: 4.4% No income: 13.0% Cocaine: 8.7% Public sources: 8.7%

Cocaine: 8.7% Public sources: 8.7% Other opiates: 4.4% Other sources: 0.0% Other drugs: 0.0%

Source of Referral

County: Becker

Age (N = 23)

Under 18: 0.0%

18 to 25: 47.8%

__(N = 23) __.
Self/family/relative/
friends: 87.0%
Employer/school: 0.0%
Criminal justice: 30.4%
Professional: 4.4%
County social

service agency: 73.9%

Other community resources: 0.0%

AA: 0.0% Tribal: 4.4%

Outcomes

Discharge Status

(N = 23)

Completed program: 30.4%

Patient left without staff approval: 13.0% Staff requested/judged inappropriate: 0.0%

Death/other: 56.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Recovery Works/BC Jail House Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 23)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 22)	90.9%	100.0%
Arrests past 30 days (N = 23)	56.5%	4.4%
Alcohol use past 30 days ($N = 23$)	43.5%	0.0%
Drug use past 30 days (N = 23)	39.1%	4.4%
No self-help group participation past 30 days ($N = 23$)	56.5%	21.7%
No family support for recovery past 30 days (N = 22)	36.4%	18.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =23)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 23)$	13.0%	8.7%
Emotional/Behavioral/ Cognitive Problem (N = 23)	60.9%	39.1%
Resistance to Change (N = 23)	100.0%	91.3%
Relapse/Continued Use Potential (N = 23)	100.0%	100.0%
Unsupportive Recovery Environment ($N = 23$)	100.0%	100.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake CD Outpatient Program

P.O. Box 114

Red Lake, MN 56671 County: Beltrami

Provider Website:

Patient Profile

 Gender (N = 181)
 Race (N = 181)

 Male: 65.2%
 White: 0.0%

 Female: 34.8%
 Black: 0.0%

American Indian: 100.0% 26 to 34: 31.5% Hispanic: 0.0% 35 and older: 38.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 181) Alcohol: 83.4% (N = 181) Job: 27.6%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 14.9% No income: 17.7% Cocaine: 1.1% Public sources: 32.0%

Other opiates: 0.0% Other sources: 7.7%

(N = 181) . Self/family/relative/ friends: 17.7%

Source of Referral

friends: 17.7% Employer/school: 5.0% Criminal justice: 91.7% Professional: 1.7%

County social

Age (N = 181)

Under 18: 6.6%

18 to 25: 23.2%

service agency: 10.5%

Other community resources: 1.1%

AA: 0.0% Tribal: 3.9%

Outcomes

Discharge Status (N = 181)

Other drugs: 0.0%

Completed program: 65.2%

Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 1.1%

Death/other: 20.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Red Lake CD Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 176)	1.7%	0.0%
Not employed/student ^{‡‡} (N = 173)	61.3%	53.8%
Arrests past 30 days (N = 180)	63.3%	7.8%
Alcohol use past 30 days (N = 181)	72.4%	7.2%
Drug use past 30 days (N = 181)	56.9%	13.8%
No self-help group participation past 30 days (N = 177)	96.0%	42.9%
No family support for recovery past 30 days ($N = 177$)	61.6%	13.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =181)	3.9%	2.2%
Biomedical Conditions and		
Complications (N = 181)	5.5%	2.2%
	5.5% 54.7%	2.2% 24.3%
Complications (N = 181) Emotional/Behavioral/		
Complications (N = 181) Emotional/Behavioral/ Cognitive Problem (N = 181)	54.7%	24.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake Group Home

PO Box 114

Redlake, MN 56671 County: Beltrami

Provider Website: www.redlakechemicalhealthprograms.com

Patient Profile

 Gender (N = 7)
 Race (N = 7)
 Age (N = 7)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Primary Substance Source of Income Source of Referral (N = 7) (N = 7) (N = 7) (N = 7) Self/family/relative/Methamphetamine: * Retirement/savings: * friends: *

Other: *

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * Other sources: * County social
Other drugs: *

service agency: *
Other community
resources: *
AA: *

AA: *
Tribal: *

Outcomes

Discharge Status

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Red Lake Group Home

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 5)	*	*
Not employed/student tt (N = 7)	*	*
Arrests past 30 days $(N = 4)$	*	*
Alcohol use past 30 days $(N = 7)$	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days $(N = 5)$	*	*
No family support for recovery past 30 days $(N = 6)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake Treatment Center

PO Box 114

Redlake, MN 56671 County: Beltrami

Provider Website:

Patient Profile

 Gender (N = 28)
 Race (N = 28)

 Male: 60.7%
 White: 0.0%

 Female: 39.3%
 Black: 0.0%

lle: 39.3% Black: 0.0% 18 to 25: 39.3% American Indian: 100.0% 26 to 34: 42.9% Hispanic: 0.0% 35 and older: 17.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 28) Alcohol: 89.3% (N = 28) Job: 28.6%

Methamphetamine: 0.0% Retirement/savings: 0.0% Marijuana: 0.0% Family/friends: 0.0% No income: 25.0%

Cocaine: 7.1% Public sources: 32.1% Other opiates: 3.6% Other sources: 14.3%

(N = 28) .
Self/family/relative/
friends: 10.7%

Source of Referral

Age (N = 28)

Under 18: 0.0%

Employer/school: 0.0% Criminal justice: 75.0% Professional: 21.4%

County social

service agency: 32.1% Other community

resources: 10.7%

AA: 0.0% Tribal: 3.6%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 28)

Completed program: 89.3%

Patient left without staff approval: 10.7% Staff requested/judged inappropriate: 0.0%

Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Red Lake Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 26)	3.9%	3.9%
Not employed/student ‡ (N = 20)	65.0%	75.0%
Arrests past 30 days (N = 28)	60.7%	3.6%
Alcohol use past 30 days (N = 28)	46.4%	0.0%
Drug use past 30 days (N = 28)	14.3%	0.0%
No self-help group participation past 30 days $(N = 28)$	53.6%	3.6%
No family support for recovery past 30 days $(N = 28)$	46.4%	32.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 82.1%	Discharge 10.7%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and	82.1%	10.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/	82.1% 39.3%	10.7% 7.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/ Cognitive Problem (N = 28)	82.1% 39.3% 42.9%	10.7% 7.1% 10.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red River Recovery Center

701 Center Ave. E. Dilworth, MN 56529

Provider Website:

Patient Profile

 Gender (N = 286)
 Race (N = 286)

 Male: 75.5%
 White: 79.4%

 Female: 24.5%
 Black: 2.5%

Female: 24.5% Black: 2.5% 18 to 25: 29.4% American Indian: 15.4% 26 to 34: 22.7% Hispanic: 1.4% 35 and older: 43.0%

Asian/Pacific Islander: 0.7%

Other: 0.7%

Primary Substance Source of Income

(N = 286) Alcohol: 55.6% (N = 286) Job: 51.0%

Methamphetamine: 12.9% Retirement/savings: 2.5% Family/friends: 6.3% Heroin: 1.1% No income: 12.6% Public sources: 17.5%

Other opiates: 6.6% Other sources: 10.1% Other drugs: 0.4%

(N = 286) .
Self/family/relative/
friends: 27.3%
Employer/school: 0.0%

Source of Referral

Employer/school: 0.0% Criminal justice: 21.3% Professional: 55.9%

County social

County: Clay

Age (N = 286)

Under 18: 4.9%

service agency: 61.9%

Other community resources: 0.7%

AA: 0.0% Tribal: 7.0%

Outcomes

Discharge Status (N = 286)

Completed program: 45.8%

Patient left without staff approval: 22.0% Staff requested/judged inappropriate: 23.1%

Death/other: 9.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Red River Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 285)	0.4%	0.4%
Not employed/student ^{‡‡} (N = 284)	86.6%	39.8%
Arrests past 30 days (N = 286)	4.6%	4.9%
Alcohol use past 30 days (N = 285)	18.2%	13.3%
Drug use past 30 days (N = 285)	9.5%	11.2%
No self-help group participation past 30 days (N = 286)	12.6%	1.1%
No family support for recovery past 30 days ($N = 285$)	5.6%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =281)	1.1%	5.7%
Biomedical Conditions and Complications (N = 280)	1.1% 19.6%	5.7% 12.5%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 280) Emotional/Behavioral/	19.6%	12.5%
Biomedical Conditions and Complications (N = 280) Emotional/Behavioral/ Cognitive Problem (N = 283)	19.6% 65.7%	12.5% 42.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital Alcohol and Drug Abuse Program

445 Etna Street St. Paul. MN 55106

St. Paul, MN 55106 County: Ramsey

Provider Website: www.regionshospital.com

Patient Profile

 Gender (N = 1142)
 Race (N = 1142)
 Age (N = 1142)

 Male: 68.7%
 White: 68.5%
 Under 18: 0.0%

Female: 31.3% Black: 20.5% 18 to 25: 19.8% American Indian: 2.8% 26 to 34: 26.4%

Hispanic: 5.0% 35 and older: 53.8%

Asian/Pacific Islander: 1.7%

Other: 1.6%

Primary Substance Source of Income Source of Referral (N = 1141) (N = 1142) (N = 1142) .

Marijuana: 11.9% Family/friends: 14.2% Employer/school: 2.8% Heroin: 1.1% No income: 14.0% Criminal justice: 42.6% Public sources: 24.2% Professional: 50.4%

Other opiates: 1.1% Other sources: 9.9% County social

Other drugs: 1.0% service agency: 36.7%

Other community resources: 3.9%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 1142)

Completed program: 51.1%

Patient left without staff approval: 32.2% Staff requested/judged inappropriate: 11.8%

Death/other: 4.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Regions Hospital Alcohol and Drug Abuse Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 1106)	12.3%	5.5%
Not employed/student ^{‡‡} (N = 1050)	68.9%	66.2%
Arrests past 30 days (N = 1135)	12.2%	5.2%
Alcohol use past 30 days (N = 1108)	59.4%	17.8%
Drug use past 30 days (N = 1108)	47.5%	17.9%
No self-help group participation past 30 days (N = 1033)	66.7%	8.9%
No family support for recovery past 30 days $(N = 928)$	16.4%	7.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.5%	<u>Discharge</u> 1.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1073) Biomedical Conditions and	1.5%	1.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 1073) Biomedical Conditions and Complications (N = 1120) Emotional/Behavioral/	1.5% 11.1%	1.0% 7.5%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 1073) Biomedical Conditions and Complications (N = 1120) Emotional/Behavioral/ Cognitive Problem (N = 1113)	1.5% 11.1% 57.7%	1.0% 7.5% 47.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital/New Connection Programs

445 Etna Street St. Paul, MN 55106

Provider Website:

Patient Profile

 Gender (N = 83)
 Race (N = 83)
 Age (N = 83)

 Male: 68.7%
 White: 37.3%
 Under 18: 91.6%

 Female: 31.3%
 Black: 24.1%
 18 to 25: 8.4%

American Indian: 6.0% 26 to 34: 0.0% Hispanic: 9.6% 35 and older: 0.0%

County: Ramsey

Asian/Pacific Islander: 13.3%

Other: 9.6%

Primary Substance Source of Income

(N = 83) (N = 83) Alcohol: 6.0% Job: 0.0%

Methamphetamine: 2.4% Retirement/savings: 0.0% Marijuana: 89.2% Family/friends: 90.4% No income: 2.4% Cocaine: 1.2% Public sources: 4.8%

Other opiates: 0.0% Other sources: 2.4%

(N = 83) .
Self/family/relative/
friends: 67.5%
Employer/school: 75.9%

Source of Referral

Employer/school: 75.9% Criminal justice: 42.2% Professional: 6.0% County social

service agency: 2.4%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.2%

(N = 83)

Completed program: 55.4%

Patient left without staff approval: 19.3% Staff requested/judged inappropriate: 15.7%

Death/other: 9.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Regions Hospital/New Connection Programs

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 83)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 83)	0.0%	0.0%
Arrests past 30 days (N = 81)	18.5%	7.4%
Alcohol use past 30 days (N = 81)	38.3%	21.0%
Drug use past 30 days (N = 81)	75.3%	39.5%
No self-help group participation past 30 days $(N = 63)$	92.1%	9.5%
No family support for recovery past 30 days $(N = 56)$	87.5%	5.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and Complications (N = 83) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and Complications (N = 83) Emotional/Behavioral/ Cognitive Problem (N = 83)	0.0% 0.0% 66.3%	0.0% 0.0% 50.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital/New Connection Programs

199 Coon Rapids Blvd Coon Rapids, MN 55433

Provider Website: www.regionshospital.com

Patient Profile

 Gender (N = 73)
 Race (N = 73)

 Male: 71.2%
 White: 83.6%

 Female: 28.8%
 Black: 11.0%

American Indian: 2.7% 26 to 34: 0.0% Hispanic: 1.4% 35 and older: 0.0%

County: Anoka

Age (N = 73)

Under 18: 90.4%

18 to 25: 9.6%

Asian/Pacific Islander: 0.0%

Other: 1.4%

Primary Substance Source of Income

(N = 73) (N = 73) Alcohol: 19.2% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 98.6% No income: 0.0% Cocaine: 1.4% Public sources: 1.4%

Other opiates: 0.0%

Other sources: 0.0%

(N = 73) . Self/family/relative/

Source of Referral

friends: 57.5% Employer/school: 28.8% Criminal justice: 53.4% Professional: 17.8%

County social

service agency: 4.1% Other community resources: 13.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.4%

(N = 73)

Completed program: 61.6%

Patient left without staff approval: 5.5% Staff requested/judged inappropriate: 12.3%

Death/other: 20.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Regions Hospital/New Connection Programs

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 73)	0.0%	0.0%
Not employed/student ‡ (N = 72)	1.4%	1.4%
Arrests past 30 days (N = 73)	9.6%	2.7%
Alcohol use past 30 days (N = 69)	40.6%	26.1%
Drug use past 30 days (N = 69)	73.9%	44.9%
No self-help group participation past 30 days $(N = 73)$	94.5%	21.9%
No family support for recovery past 30 days $(N = 73)$	16.4%	6.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =73) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/ Cognitive Problem (N = 73)	0.0% 0.0% 71.2%	0.0% 0.0% 42.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rewind, Inc.

840 East Main Street Perham, MN 56573

Provider Website:

Patient Profile

 Gender (N = 30)
 Race (N = 30)

 Male: 100.0%
 White: 73.3%

 Female: 0.0%
 Black: 0.0%

American Indian: 26.7% 26 to 34: 20.0% Hispanic: 0.0% 35 and older: 33.3%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 30) Alcohol: 86.7% (N = 30) Job: 23.3%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 0.0% Heroin: 3.3% No income: 6.7% Public sources: 6.7%

Other opiates: 0.0% Other sources: 63.3%

(N = 30) .
Self/family/relative/
friends: 13.3%
Employer/school: 0.0%

Source of Referral

Employer/school: 0.0% Criminal justice: 26.7% Professional: 26.7%

County social

County: Otter Tail

Age (N = 30)

Under 18: 0.0%

18 to 25: 46.7%

service agency: 70.0%

Other community resources: 33.3%

AA: 0.0% Tribal: 6.7%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 30)

Completed program: 36.7%

Patient left without staff approval: 26.7% Staff requested/judged inappropriate: 20.0%

Death/other: 16.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Rewind, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 23)	8.7%	0.0%
Not employed/student ^{‡‡} (N = 23)	65.2%	39.1%
Arrests past 30 days (N = 30)	23.3%	13.3%
Alcohol use past 30 days (N = 30)	26.7%	36.7%
Drug use past 30 days (N = 30)	10.0%	20.0%
No self-help group participation past 30 days $(N = 25)$	0.0%	4.0%
No family support for recovery past 30 days $(N = 11)$	9.1%	9.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §		
Difficultions of Chemical Health	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 30)	Admission 3.3%	<u>Discharge</u> 26.7%
Acute Intoxication/		_
Acute Intoxication/ Withdrawal (N = 30) Biomedical Conditions and	3.3%	26.7%
Acute Intoxication/ Withdrawal (N = 30) Biomedical Conditions and Complications (N = 30) Emotional/Behavioral/	3.3% 13.3%	26.7% 16.7%
Acute Intoxication/ Withdrawal (N = 30) Biomedical Conditions and Complications (N = 30) Emotional/Behavioral/ Cognitive Problem (N = 30)	3.3% 13.3% 60.0%	26.7% 16.7% 73.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

River Ridge Treatment Center Burnsville

1510 East 122nd Street Burnsville, MN 55337

Provider Website: www.riverridgetreatmentcenter.com

Patient Profile

 Gender (N = 359)
 Race (N = 359)

 Male: 64.1%
 White: 87.5%

 Female: 35.9%
 Black: 5.3%

American Indian: 2.0% 26 to 34: 22.8% Hispanic: 2.2% 35 and older: 46.2%

County: Dakota

Age (N = 359)

Under 18: 1.7%

18 to 25: 29.2%

Asian/Pacific Islander: 2.0%

Other: 1.1%

Primary Substance Source of Income

(N = 359) Alcohol: 75.5% (N = 359) Job: 61.6%

Methamphetamine: 2.5% Retirement/savings: 1.4% Marijuana: 13.9% Family/friends: 11.7% No income: 0.8% Cocaine: 5.9% Public sources: 6.1%

Other opiates: 0.8% Other sources: 18.4% Other drugs: 1.1%

Source of Referral (N = 359).

Self/family/relative/ friends: 53.2% Employer/school: 8.9% Criminal justice: 48.7% Professional: 17.0%

County social

service agency: 14.8%

Other community resources: 27.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 359)

Completed program: 50.1%

Patient left without staff approval: 24.8% Staff requested/judged inappropriate: 15.0%

Death/other: 10.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

River Ridge Treatment Center Burnsville

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 344)	1.5%	1.2%
Not employed/student ^{‡‡} (N = 321)	26.8%	25.5%
Arrests past 30 days (N = 323)	18.9%	3.7%
Alcohol use past 30 days (N = 347)	47.3%	17.9%
Drug use past 30 days (N = 345)	22.6%	10.1%
No self-help group participation past 30 days ($N = 186$)	53.2%	18.8%
No family support for recovery past 30 days (N = 198)	5.6%	6.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.1%	<u>Discharge</u> 4.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 320) Biomedical Conditions and	4.1%	4.1%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 320) Biomedical Conditions and Complications (N = 328) Emotional/Behavioral/	4.1% 14.0%	4.1% 12.5%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 320) Biomedical Conditions and Complications (N = 328) Emotional/Behavioral/ Cognitive Problem (N = 325)	4.1% 14.0% 79.7%	4.1% 12.5% 55.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

River Ridge Treatment Center Minnetonka

15612 West Highway 7 Minnetonka, MN 55345

Provider Website: www.riverridgetreatmentcenter.com

Patient Profile

 Gender (N = 220)
 Race (N = 220)

 Male: 60.9%
 White: 95.5%

 Female: 39.1%
 Black: 1.8%

American Indian: 0.5% 26 to 34: 18.6% Hispanic: 1.4% 35 and older: 60.0%

Asian/Pacific Islander: 0.5%

Other: 0.5%

Primary Substance Source of Income

(N = 220) Alcohol: 85.0% (N = 220) Job: 76.4%

Methamphetamine: 0.0% Retirement/savings: 2.7% Marijuana: 8.2% Family/friends: 13.2% Heroin: 0.5% No income: 0.0% Cocaine: 3.2% Public sources: 3.2%

Other opiates: 3.2%

Other sources: 4.6%

(N = 220) .
Self/family/relative/
friends: 69.1%
Employer/school: 8.6%
Criminal justice: 40.0%
Professional: 33.6%

Source of Referral

County: Hennepin

Age (N = 220)

Under 18: 0.5%

18 to 25: 20.9%

County social

service agency: 7.7% Other community resources: 27.3%

AA: 0.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 220)

Other drugs: 0.0%

Completed program: 54.1%

Patient left without staff approval: 20.5% Staff requested/judged inappropriate: 14.1%

Death/other: 11.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

River Ridge Treatment Center Minnetonka

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 219)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 213)	19.7%	23.0%
Arrests past 30 days (N = 206)	10.2%	3.4%
Alcohol use past 30 days (N = 216)	62.5%	19.9%
Drug use past 30 days (N = 218)	18.8%	6.0%
No self-help group participation past 30 days ($N = 197$)	77.7%	6.6%
No family support for recovery past 30 days (N = 201)	6.5%	1.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =210)	4.3%	9.1%
Biomedical Conditions and Complications ($N = 214$)	11.2%	9.8%
	11.2% 70.3%	9.8% 39.2%
Complications (N = 214) Emotional/Behavioral/		
Complications (N = 214) Emotional/Behavioral/ Cognitive Problem (N = 212)	70.3%	39.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Riverplace Counseling Center of Elk River, Inc.

9816 NW Highway 10 Elk River, MN 55330

County: Sherburne

Age (N = 460)

Under 18: 0.0%

18 to 25: 26.1%

Provider Website: www.riverplacecenter.com

Patient Profile

 Gender (N = 460)
 Race (N = 460)

 Male: 27.4%
 White: 82.0%

 Female: 72.6%
 Black: 8.5%

American Indian: 4.8% 26 to 34: 26.1% Hispanic: 3.0% 35 and older: 47.8%

Asian/Pacific Islander: 0.4%

Other: 1.3%

Primary Substance Source of Income

(N = 458) Alcohol: 58.7% (N = 460) Job: 34.8%

Methamphetamine: 16.8% Retirement/savings: 2.6% Family/friends: 11.7% No income: 34.1% Retirement/savings: 2.6% Family/friends: 11.7% No income: 34.1% Rublic sources: 11.3%

Cocaine: 10.3% Public sources: 11.3% Other opiates: 4.2% Other sources: 5.4%

(N = 460) .
Self/family/relative/
friends: 51.7%
Employer/school: 2.0%
Criminal justice: 40.0%
Professional: 15.4%

Source of Referral

County social service agency: 47.2%

Other community resources: 14.1%

AA: 0.0% Tribal: 0.4%

Outcomes

Discharge Status (N = 460)

Other drugs: 0.7%

Completed program: 76.7%

Patient left without staff approval: 12.6% Staff requested/judged inappropriate: 8.3%

Death/other: 2.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Riverplace Counseling Center of Elk River, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 458)	5.9%	3.1%
Not employed/student ^{‡‡} (N = 448)	65.8%	66.3%
Arrests past 30 days (N = 459)	8.3%	2.6%
Alcohol use past 30 days ($N = 458$)	48.5%	20.5%
Drug use past 30 days (N = 459)	39.9%	19.4%
No self-help group participation past 30 days ($N = 449$)	64.1%	8.0%
No family support for recovery past 30 days $(N = 448)$	6.9%	4.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =455)	0.2%	0.7%
Biomedical Conditions and Complications $(N = 457)$	6.6%	5.0%
Emotional/Behavioral/ Cognitive Problem (N = 456)	40.6%	30.9%
Resistance to Change ($N = 454$)	94.3%	40.1%
Relapse/Continued Use Potential ($N = 456$)	98.5%	73.5%
Unsupportive Recovery Environment ($N = 455$)	93.4%	69.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Riverplace Counseling Center-Anoka

1814 South Ferry Street Anoka, MN 55303

Provider Website: www.riverplacecenter.com

Patient Profile

 Gender (N = 896)
 Race (N = 896)

 Male: 90.1%
 White: 83.7%

 Female: 9.9%
 Black: 8.6%

American Indian: 2.1% 26 to 34: 24.2% Hispanic: 2.9% 35 and older: 45.2%

Asian/Pacific Islander: 0.7%

Other: 2.0%

Primary Substance Source of Income

(N = 895) Alcohol: 60.3% (N = 896) Job: 40.8%

Methamphetamine: 9.4% Retirement/savings: 4.5% Marijuana: 16.2% Family/friends: 14.6% No income: 26.3% Cocaine: 8.7% Public sources: 6.0%

Other sources: 7.7% County social service agency: 51.6%

Other community resources: 8.8%

County: Anoka

Age (N = 896)

Under 18: 0.0%

18 to 25: 30.6%

Source of Referral

Self/family/relative/

friends: 41.7%

Professional: 15.3%

Employer/school: 1.1%

Criminal justice: 54.2%

(N = 896) .

AA: 0.1% Tribal: 0.0%

Outcomes

Discharge Status (N = 896)

Other opiates: 2.7%

Other drugs: 0.4%

Completed program: 80.7%

Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 7.0%

Death/other: 1.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Riverplace Counseling Center-Anoka

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 893)	12.4%	6.3%
Not employed/student ^{‡‡} (N = 880)	65.3%	63.9%
Arrests past 30 days (N = 896)	11.8%	3.8%
Alcohol use past 30 days (N = 894)	57.4%	17.4%
Drug use past 30 days (N = 896)	39.6%	12.9%
No self-help group participation past 30 days ($N = 886$)	64.4%	7.1%
No family support for recovery past 30 days ($N = 869$)	8.3%	4.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =895)	1.5%	0.0%
Biomedical Conditions and		
Complications (N = 895)	5.6%	4.6%
Complications (N = 895) Emotional/Behavioral/ Cognitive Problem (N = 895)	5.6% 41.3%	4.6% 33.4%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 895)	41.3%	33.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rochester Behavioral Health Service

1027 7th Street Northwest Rochester, MN 55901

Provider Website:

Patient Profile

 Gender (N = 94)
 Race (N = 94)

 Male: 42.6%
 White: 85.1%

 Female: 57.4%
 Black: 7.5%

American Indian: 0.0% 26 to 34: 35.1% Hispanic: 1.1% 35 and older: 28.7%

Asian/Pacific Islander: 6.4%

Other: 0.0%

Primary Substance Source of Income

(N = 89) Alcohol: 39.3% (N = 94) Job: 48.9%

Methamphetamine: 19.1% Retirement/savings: 4.3% Marijuana: 19.1% Family/friends: 21.3% Heroin: 2.3% No income: 7.5% Cocaine: 13.5% Public sources: 9.6% Other opiates: 3.4% Other sources: 8.5%

Source of Referral
(N = 94)
Self/family/relative/
friends: 30.9%
Employer/school: 0.0%
Criminal justice: 62.8%
Professional: 12.8%
County social

County: Olmsted

Age (N = 94)

Under 18: 1.1%

18 to 25: 35.1%

service agency: 8.5% Other community resources: 18.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 3.4%

(N = 94)

Completed program: 60.6%

Patient left without staff approval: 23.4% Staff requested/judged inappropriate: 3.2%

Death/other: 12.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Rochester Behavioral Health Service

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 93)	3.2%	0.0%
Not employed/student ^{‡‡} (N = 83)	41.0%	28.9%
Arrests past 30 days (N = 94)	23.4%	9.6%
Alcohol use past 30 days (N = 91)	23.1%	8.8%
Drug use past 30 days (N = 91)	19.8%	13.2%
No self-help group participation past 30 days $(N = 86)$	61.6%	37.2%
No family support for recovery past 30 days (N = 88)	18.2%	3.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 2.2%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 91) Biomedical Conditions and	0.0%	2.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 91) Biomedical Conditions and Complications (N = 91) Emotional/Behavioral/	0.0% 6.6%	2.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 91) Biomedical Conditions and Complications (N = 91) Emotional/Behavioral/ Cognitive Problem (N = 91)	0.0% 6.6% 22.0%	2.2% 3.3% 15.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rochester Metro Treatment Center

2360 North Broadway Rochester, MN 55906

Provider Website: www.methodonetreatment.com

Patient Profile

 Gender (N = 69)
 Race (N = 69)

 Male: 58.0%
 White: 92.8%

 Female: 42.0%
 Black: 7.3%

American Indian: 0.0% 26 to 34: 23.2% Hispanic: 0.0% 35 and older: 44.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 65) Alcohol: 0.0% (N = 69) Job: 29.0%

Methamphetamine: 0.0% Retirement/savings: 2.9% Marijuana: 0.0% Family/friends: 17.4% Heroin: 24.6% No income: 4.4% Cocaine: 0.0% Public sources: 27.5%

Other opiates: 75.4% Other sources: 18.8%

Source of Referral

County: Olmsted

Age (N = 69)

Under 18: 0.0%

18 to 25: 31.9%

(N = 69) .
Self/family/relative/
friends: 94.2%
Employer/school: 1.5%
Criminal justice: 0.0%

Professional: 10.1% County social

service agency: 2.9%

Other community resources: 39.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 69)

Completed program: 1.5%

Patient left without staff approval: 49.3% Staff requested/judged inappropriate: 2.9%

Death/other: 46.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Rochester Metro Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 49)	0.0%	6.1%
Not employed/student ^{‡‡} (N = 46)	63.0%	73.9%
Arrests past 30 days (N = 56)	5.4%	8.9%
Alcohol use past 30 days $(N = 60)$	18.3%	0.0%
Drug use past 30 days (N = 61)	88.5%	50.8%
No self-help group participation past 30 days $(N = 41)$	68.3%	63.4%
No family support for recovery past 30 days $(N = 42)$	7.1%	7.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 96.7%	Discharge 83.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 60) Biomedical Conditions and	96.7%	83.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 60) Biomedical Conditions and Complications (N = 59) Emotional/Behavioral/	96.7% 15.3%	83.3% 15.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 60) Biomedical Conditions and Complications (N = 59) Emotional/Behavioral/ Cognitive Problem (N = 59)	96.7% 15.3% 45.8%	83.3% 15.3% 47.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

RS Eden/Eden House

1025 Portland Avenue South Minneapolis, MN 55404

Provider Website: www.rseden.org

Patient Profile

 Gender (N = 128)
 Race (N = 128)
 Age (N = 128)

 Male: 100.0%
 White: 39.1%
 Under 18: 0.0%

 Female: 0.0%
 Black: 45.3%
 18 to 25: 25.8%

American Indian: 3.9% 26 to 34: 31.3% Hispanic: 7.0% 35 and older: 43.0%

Asian/Pacific Islander: 0.0%

Other: 4.7%

Primary Substance Source of Income

(N = 127) Alcohol: 31.5% (N = 128) Job: 16.4%

Methamphetamine: 11.0% Retirement/savings: 1.6% Marijuana: 22.0% Family/friends: 8.6% No income: 42.2% Cocaine: 22.0% Public sources: 25.8%

Cocaine: 22.0% Public sources: 25.8% Other opiates: 1.6% Other sources: 5.5%

__(N = 128) __.
Self/family/relative/
friends: 18.8%
Employer/school: 0.0%

Source of Referral

Employer/school: 0.0% Criminal justice: 78.9% Professional: 3.9%

County social

County: Hennepin

service agency: 46.1%

Other community resources: 5.5%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 128)

Other drugs: 0.8%

Completed program: 37.5%

Patient left without staff approval: 35.2% Staff requested/judged inappropriate: 20.3%

Death/other: 7.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

RS Eden/Eden House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 110)	35.5%	19.1%
Not employed/student ^{‡‡} (N = 109)	84.4%	89.0%
Arrests past 30 days (N = 97)	30.9%	12.4%
Alcohol use past 30 days (N = 107)	43.0%	7.5%
Drug use past 30 days (N = 107)	43.9%	12.1%
No self-help group participation past 30 days ($N = 100$)	63.0%	22.0%
No family support for recovery past 30 days (N = 100)	25.0%	25.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 106)	3.8%	0.0%
Biomedical Conditions and Complications $(N = 107)$	4.7%	0.9%
Emotional/Behavioral/ Cognitive Problem (N = 106)	36.8%	22.6%
Resistance to Change (N = 106)	79.2%	67.9%
Relapse/Continued Use Potential (N = 105)	99.0%	77.1%
Unsupportive Recovery Environment (N = 104)	97.1%	78.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

RS Eden/Eden House

1025 Portland Avenue South Minneapolis, MN 55404

Provider Website: www.rseden.org

Patient Profile

 Gender (N = 98)
 Race (N = 98)

 Male: 3.1%
 White: 30.6%

 Female: 96.9%
 Black: 40.8%

American Indian: 14.3% 26 to 34: 33.7%

Hispanic: 9.2% 35 and older: 44.9% Asian/Pacific Islander: 0.0%

County: Hennepin

Age (N = 98)

Under 18: 0.0%

18 to 25: 21.4%

Source of Referral

Tribal: 3.1%

Other: 5.1%

Primary Substance Source of Income

Methamphetamine: 9.2% Retirement/savings: 1.0% friends: 39.8% Marijuana: 11.2% Family/friends: 12.2% Employer/school: 2.0% Heroin: 7.1% No income: 42.9% Criminal justice: 40.8% Public sources: 38.8% Professional: 13.3%

Other opiates: 6.1% Other sources: 2.0% County social

Other drugs: 1.0% service agency: 42.9% Other community

resources: 22.4% AA: 1.0%

Outcomes

Discharge Status

(N = 98)

Completed program: 46.9%

Patient left without staff approval: 39.8% Staff requested/judged inappropriate: 8.2%

Death/other: 5.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

RS Eden/Eden House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 92)	60.9%	12.0%
Not employed/student ^{‡‡} (N = 83)	95.2%	92.8%
Arrests past 30 days (N = 78)	25.6%	9.0%
Alcohol use past 30 days (N = 90)	50.0%	12.2%
Drug use past 30 days (N = 90)	65.6%	17.8%
No self-help group participation past 30 days $(N = 82)$	58.5%	4.9%
No family support for recovery past 30 days $(N = 81)$	12.3%	4.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 8.7%	<u>Discharge</u> 3.3%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 92) Biomedical Conditions and	8.7%	3.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 92) Biomedical Conditions and Complications (N = 92) Emotional/Behavioral/	8.7% 31.5%	3.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 92) Biomedical Conditions and Complications (N = 92) Emotional/Behavioral/ Cognitive Problem (N = 93)	8.7% 31.5% 82.8%	3.3% 29.3% 73.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Salvation Army Beacon Matrix Program in Caver County

11065 Village Road Chaska, MN 55318

County: Carver

Provider Website: www.salarmy.org

Patient Profile

Gender (N = 17)Age (N = 17)Race (N = 17)Male: 76.5% White: 94.1% Female: 23.5% Black: 0.0%

18 to 25: 29.4% American Indian: 5.9% 26 to 34: 52.9% Hispanic: 0.0% 35 and older: 17.6%

Asian/Pacific Islander: 0.0%

Under 18: 0.0%

Source of Referral

Self/family/relative/ friends: 29.4%

Employer/school: 0.0%

Criminal justice: 47.1%

resources: 0.0%

AA: 0.0%

(N = 17) .

Other: 0.0%

Primary Substance Source of Income

(N = 17)(N = 17)Alcohol: 64.7% Job: 5.9%

Methamphetamine: 23.5% Retirement/savings: 0.0% Marijuana: 0.0% Family/friends: 0.0% Heroin: 0.0% No income: 94.1%

Cocaine: 0.0% Public sources: 0.0% Professional: 0.0% Other opiates: 5.9% Other sources: 0.0% County social

Other drugs: 5.9% service agency: 88.2% Other community

Tribal: 0.0%

Outcomes

Discharge Status

(N = 17)

Completed program: 41.2%

Patient left without staff approval: 35.3% Staff requested/judged inappropriate: 17.6%

Death/other: 5.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Salvation Army Beacon Matrix Program in Caver County

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 16)	0.0%	0.0%
Not employed/student ^{‡‡} ($N = 14$)	100.0%	35.7%
Arrests past 30 days (N = 17)	23.5%	0.0%
Alcohol use past 30 days (N = 17)	35.3%	29.4%
Drug use past 30 days (N = 17)	11.8%	5.9%
No self-help group participation past 30 days $(N = 7)$	*	*
No family support for recovery past 30 days $(N = 8)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =17)	0.0%	17.6%
Biomedical Conditions and Complications $(N = 17)$	11.8%	11.8%
Emotional/Behavioral/ Cognitive Problem (N = 17)	64.7%	52.9%
Resistance to Change $(N = 17)$	52.9%	47.1%
Relapse/Continued Use Potential ($N = 17$)	76.5%	52.9%
Unsupportive Recovery Environment (N = 17)	29.4%	47.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Salvation Army Harbor Light Center

1010 Currie Avenue North Minneapolis, MN 55403

Provider Website: www.thesalarmy.com

Patient Profile

<u>Gender (N = 172)</u>
Male: 100.0%

Race (N = 172)
White: 33.1%

Female: 0.0% Black: 60.5% 18 to 25: 7.6% American Indian: 1.7% 26 to 34: 18.6%

Hispanic: 2.3% 35 and older: 73.8%

County: Hennepin

Age (N = 172)

Under 18: 0.0%

Source of Referral

Asian/Pacific Islander: 0.0%

Other: 2.3%

Primary Substance Source of Income

(N = 171) (N = 172) (N = 172) . Self/family/relative/

Methamphetamine: 2.3%Retirement/savings: 0.6%friends: 39.0%Marijuana: 7.0%Family/friends: 0.0%Employer/school: 0.0%Heroin: 5.9%No income: 27.3%Criminal justice: 28.5%

Cocaine: 34.5% Public sources: 55.2% Professional: 29.7%

Other opiates: 0.6% Other sources: 12.2% County social service agency: 44.8%

Other community resources: 22.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 172)

Completed program: 54.7%

Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 14.5%

Death/other: 5.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Salvation Army Harbor Light Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 168)	29.2%	5.4%
Not employed/student ^{‡‡} (N = 161)	92.5%	73.9%
Arrests past 30 days (N = 139)	13.7%	4.3%
Alcohol use past 30 days (N = 169)	37.3%	12.4%
Drug use past 30 days (N = 170)	35.9%	12.4%
No self-help group participation past 30 days ($N = 164$)	47.0%	3.7%
No family support for recovery past 30 days (N = 159)	41.5%	9.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.8%	Discharge 8.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 169) Biomedical Conditions and	1.8%	8.9%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 169) Biomedical Conditions and Complications (N = 169) Emotional/Behavioral/	1.8%	8.9% 9.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 169) Biomedical Conditions and Complications (N = 169) Emotional/Behavioral/ Cognitive Problem (N = 170)	1.8% 12.4% 48.2%	8.9% 9.5% 42.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sanford Hospital Luverne Outpatient CD Program

1600 N Kniss Ave Luverne, MN 56156

County: Rock

Provider Website: www.luvernecommunityhospital.org

Patient Profile

 Gender (N = 46)
 Race (N = 46)

 Male: 71.7%
 White: 89.1%

 Female: 28.3%
 Black: 2.2%

American Indian: 4.4% 26 to 34: 23.9% Hispanic: 2.2% 35 and older: 39.1%

Asian/Pacific Islander: 0.0%

Other: 2.2%

Primary Substance Source of Income

(N = 46) Alcohol: 65.2% (N = 46) Job: 63.0%

Methamphetamine: 6.5% Retirement/savings: 2.2% Marijuana: 23.9% Family/friends: 26.1% No income: 4.4% Cocaine: 0.0% Public sources: 4.4%

Other opiates: 2.2% Other sources: 0.0%

Source of Referral

Age (N = 46)

Under 18: 6.5%

18 to 25: 30.4%

__(N = 46) __.
Self/family/relative/
friends: 15.2%
Employer/school: 4.4%
Criminal justice: 78.3%

Professional: 13.0% County social

service agency: 17.4%

Other community resources: 2.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 2.2%

(N = 46)

Completed program: 91.3%

Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 6.5%

Death/other: 2.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Sanford Hospital Luverne Outpatient CD Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 46)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 46)	34.8%	23.9%
Arrests past 30 days (N = 46)	6.5%	6.5%
Alcohol use past 30 days (N = 46)	37.0%	6.5%
Drug use past 30 days (N = 46)	10.9%	2.2%
No self-help group participation past 30 days $(N = 46)$	78.3%	10.9%
No family support for recovery past 30 days $(N = 45)$	28.9%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 4.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 46) Biomedical Conditions and	0.0%	4.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 46) Biomedical Conditions and Complications (N = 46) Emotional/Behavioral/	0.0%	4.4% 4.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 46) Biomedical Conditions and Complications (N = 46) Emotional/Behavioral/ Cognitive Problem (N = 46)	0.0% 0.0% 26.1%	4.4% 4.4% 10.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Senior Recovery Program

1351 Frost Avenue Maplewood, MN 55109

Provider Website: www.senior-recovery.org

Patient Profile

 Gender (N = 25)
 Race (N = 25)

 Male: 68.0%
 White: 96.0%

 Formula: 32.0%
 Plack: 0.0%

Female: 32.0% Black: 0.0% 18 to 25: 0.0% American Indian: 0.0% 26 to 34: 0.0%

Hispanic: 0.0% 35 and older: 100.0%

Asian/Pacific Islander: 0.0%

Other: 4.0%

Primary Substance Source of Income

(N = 25) Alcohol: 100.0% (N = 25) Job: 16.0%

Methamphetamine: 0.0% Retirement/savings: 64.0% Marijuana: 0.0% Family/friends: 0.0% No income: 4.0% Cocaine: 0.0% Public sources: 12.0%

Other opiates: 0.0%

Other sources: 4.0%

(N = 25) .
Self/family/relative/
friends: 40.0%
Employer/school: 0.0%

Source of Referral

County: Ramsey

Age (N = 25)

Under 18: 0.0%

Employer/school: 0.0% Criminal justice: 12.0% Professional: 68.0%

County social service agency: 8.0%

Other community resources: 28.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 25)

Completed program: 64.0%

Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 4.0%

Death/other: 12.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Senior Recovery Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 25)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 25)	84.0%	96.0%
Arrests past 30 days (N = 25)	4.0%	0.0%
Alcohol use past 30 days (N = 25)	76.0%	16.0%
Drug use past 30 days (N = 25)	0.0%	0.0%
No self-help group participation past 30 days $(N = 25)$	64.0%	16.0%
No family support for recovery past 30 days $(N = 22)$	59.1%	13.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 8.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =25) Biomedical Conditions and	0.0%	8.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 25) Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/	0.0%	8.0% 4.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 25) Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/ Cognitive Problem (N = 25)	0.0% 0.0% 4.0%	8.0% 4.0% 4.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sentirse Bien, Feeling Healthy

720 E Lake St

Minneapolis, MN 55407 County: Hennepin

Provider Website: www.clues.org

Patient Profile

 Gender (N = 42)
 Race (N = 42)
 Age (N = 42)

 Male: 100.0%
 White: 0.0%
 Under 18: 2.4%

 Female: 0.0%
 Black: 0.0%
 18 to 25: 31.0%

American Indian: 0.0% 26 to 34: 31.0% Hispanic: 100.0% 35 and older: 35.7%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 42) (N = 42) (N = 42) . Self/family/relative/

Methamphetamine: 0.0%Retirement/savings: 0.0%friends: 7.1%Marijuana: 9.5%Family/friends: 11.9%Employer/school: 0.0%Heroin: 0.0%No income: 28.6%Criminal justice: 90.5%Cocaine: 2.4%Public sources: 0.0%Professional: 0.0%

Other opiates: 0.0% Other sources: 9.5% County social

Other drugs: 2.4% service agency: 4.8% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Source of Referral

Outcomes

Discharge Status

(N = 42)

Completed program: 54.8%

Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 2.4%

Death/other: 9.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Sentirse Bien, Feeling Healthy

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 27)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 21)	47.6%	28.6%
Arrests past 30 days (N = 40)	17.5%	5.0%
Alcohol use past 30 days (N = 35)	85.7%	17.1%
Drug use past 30 days (N = 35)	20.0%	14.3%
No self-help group participation past 30 days $(N = 26)$	80.8%	38.5%
No family support for recovery past 30 days $(N = 26)$	38.5%	34.6%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 35)	Admission 2.9%	<u>Discharge</u> 11.4%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 35) Biomedical Conditions and	2.9%	11.4%
Acute Intoxication/ Withdrawal (N = 35) Biomedical Conditions and Complications (N = 35) Emotional/Behavioral/	2.9% 2.9%	11.4% 2.9%
Acute Intoxication/ Withdrawal (N = 35) Biomedical Conditions and Complications (N = 35) Emotional/Behavioral/ Cognitive Problem (N = 33)	2.9% 2.9% 69.7%	11.4% 2.9% 36.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House - Stepping Stones

102 Miller Street

New York Mills, MN 56567 County: Otter Tail

Provider Website: sharehouse.org

Patient Profile

<u>Gender (N = 53)</u>
Male: 0.0%

Race (N = 53)
White: 67.9%

Female: 100.0% Black: 1.9% 18 to 25: 28.3% American Indian: 24.5% 26 to 34: 54.7%

Hispanic: 5.7% 35 and older: 17.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 53) (N = 53) Alcohol: 34.0% Job: 9.4%

Methamphetamine: 17.0% Retirement/savings: 0.0% Marijuana: 28.3% Family/friends: 5.7% Heroin: 0.0% No income: 32.1% Cocaine: 7.6% Public sources: 45.3%

Other opiates: 13.2% Other sources: 7.6%

Source of Referral

Age (N = 53)

Under 18: 0.0%

__(N = 53) __.
Self/family/relative/
friends: 20.8%
Employer/school: 0.0%
Criminal justice: 7.6%
Professional: 45.3%

County social

service agency: 67.9%

Other community resources: 7.6%

AA: 0.0% Tribal: 5.7%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 53)

Completed program: 47.2%

Patient left without staff approval: 18.9% Staff requested/judged inappropriate: 11.3%

Death/other: 22.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Share House - Stepping Stones

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 53)	1.9%	0.0%
Not employed/student ^{‡‡} (N = 53)	84.9%	73.6%
Arrests past 30 days (N = 53)	5.7%	0.0%
Alcohol use past 30 days (N = 53)	20.8%	5.7%
Drug use past 30 days (N = 53)	24.5%	5.7%
No self-help group participation past 30 days $(N = 52)$	30.8%	0.0%
No family support for recovery past 30 days (N = 51)	0.0%	2.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N $=53$)	3.8%	3.8%
Biomedical Conditions and Complications (N = 53)	3.8% 37.7%	3.8% 28.3%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 53) Emotional/Behavioral/	37.7%	28.3%
Biomedical Conditions and Complications (N = 53) Emotional/Behavioral/ Cognitive Problem (N = 53)	37.7% 81.1%	28.3% 56.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Inc

4227 9th Avenue South Fargo, ND 58103

Provider Website:

Patient Profile

 Gender (N = 85)
 Race (N = 85)

 Male: 56.5%
 White: 78.8%

 Female: 43.5%
 Black: 2.4%

American Indian: 12.9% 26 to 34: 30.6% Hispanic: 3.5% 35 and older: 42.4%

Asian/Pacific Islander: 1.2%

Other: 1.2%

Primary Substance So

(N = 84)Alcohol: 64.3%

Methamphetamine: 8.3% Marijuana: 10.7%

Heroin: 2.4% Cocaine: 7.1% Other opiates: 4.8%

Other drugs: 2.4%

Source of Income

(N = 85)Job: 64.7%

Retirement/savings: 2.4%

Family/friends: 1.2% No income: 5.9% Public sources: 12.9%

Other sources: 12.9%

Under 18: 0.0%

18 to 25: 27.1%

County: North Dakota

Age (N = 85)

Source of Referral

(N = 85) .

Self/family/relative/ friends: 63.5% Employer/school: 0.0% Criminal justice: 18.8% Professional: 27.1%

County social

service agency: 76.5%

Other community resources: 5.9%

AA: 0.0% Tribal: 1.2%

Outcomes

Discharge Status

(N = 85)

Completed program: 41.2%

Patient left without staff approval: 22.4% Staff requested/judged inappropriate: 12.9%

Death/other: 23.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Share House Inc

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 81)	11.1%	6.2%
Not employed/student ^{‡‡} (N = 77)	90.9%	59.7%
Arrests past 30 days (N = 80)	8.8%	2.5%
Alcohol use past 30 days (N = 83)	57.8%	22.9%
Drug use past 30 days (N = 83)	32.5%	10.8%
No self-help group participation past 30 days ($N = 80$)	42.5%	1.3%
No family support for recovery past 30 days $(N = 64)$	6.3%	7.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =82)		
withurawar (iv =oz)	1.2%	0.0%
Biomedical Conditions and Complications (N = 82)	1.2% 22.0%	0.0%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 82) Emotional/Behavioral/	22.0%	11.0%
Biomedical Conditions and Complications (N = 82) Emotional/Behavioral/ Cognitive Problem (N = 82)	22.0% 78.0%	11.0% 54.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Wellness Center

715 11th Street North Moorhead, MN 56560

D-4!---- D---- C!I--

Patient Profile

 $\frac{\text{Gender (N = 60)}}{\text{Male: 71.7\%}} \qquad \frac{\text{Race (N = 60)}}{\text{White: 68.3\%}}$

Provider Website: www.wellnesscenter-fm.com

Female: 28.3% Black: 3.3% 18 to 25: 31.7% American Indian: 11.7% 26 to 34: 28.3%

Hispanic: 13.3% 35 and older: 28.3%

Asian/Pacific Islander: 0.0%

Other: 3.3%

Primary Substance Source of Income

(N = 60) Alcohol: 63.3% (N = 60) Job: 48.3%

Methamphetamine: 3.3% Retirement/savings: 0.0% Marijuana: 26.7% Family/friends: 13.3%

Heroin: 0.0%

Cocaine: 6.7%

Partify/friends: 13.3%

No income: 3.3%

Public sources: 21.7%

Other opiates: 0.0% Other sources: 13.3% Other drugs: 0.0%

Source of Referral

Age (N = 60)

Under 18: 11.7%

(N = 60) . Self/family/relative/

avings: 0.0% friends: 10.0% ls: 13.3% Employer/school: 1.7% Criminal justice: 80.0%

County: Clay

Professional: 5.0% County social

service agency: 81.7%

Other community resources: 1.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 60)

Completed program: 56.7%

Patient left without staff approval: 26.7% Staff requested/judged inappropriate: 3.3%

Death/other: 13.3%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Share House Wellness Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 56)	1.8%	1.8%
Not employed/student ‡ (N = 57)	31.6%	24.6%
Arrests past 30 days (N = 52)	11.5%	9.6%
Alcohol use past 30 days ($N = 58$)	24.1%	15.5%
Drug use past 30 days (N = 59)	22.0%	3.4%
No self-help group participation past 30 days $(N = 51)$	62.7%	37.3%
No family support for recovery past 30 days ($N = 45$)	13.3%	13.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 60) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 60) Biomedical Conditions and Complications (N = 60) Emotional/Behavioral/	0.0% 15.0%	0.0% 11.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 60) Biomedical Conditions and Complications (N = 60) Emotional/Behavioral/ Cognitive Problem (N = 60)	0.0% 15.0% 53.3%	0.0% 11.7% 43.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sisters Path

4219 9th Avenue South Fargo, ND 58103

Provider Website:

Patient Profile

 Gender (N = 5)
 Race (N = 5)
 Age (N = 5)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

Other drugs: *

Other sources: *

Other community resources: *

AA: * Tribal: *

County: North Dakota

Outcomes

Discharge Status

(N = 5)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Sisters Path

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 5)	*	*
Not employed/student 11 (N = 4)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days $(N = 5)$	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days $(N = 5)$	*	*
No family support for recovery past 30 days $(N = 5)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

South Central Human Relations Dual Recovery Program

610 Florence Ave Owatonna, MN 55060

Provider Website:

Patient Profile

Gender (N = 43)Race (N = 43)Male: 44.2% White: 76.7% Female: 55.8% Black: 4.7%

> American Indian: 0.0% 26 to 34: 11.6% Hispanic: 14.0% 35 and older: 25.6%

Asian/Pacific Islander: 2.3%

Other: 2.3%

Primary Substance Source of Income

(N = 43)(N = 43)Alcohol: 65.1% Job: 9.3%

Retirement/savings: 0.0% Methamphetamine: 4.7% Marijuana: 30.2% Family/friends: 44.2% Heroin: 0.0% No income: 7.0% Cocaine: 0.0%

Public sources: 37.2% Other opiates: 0.0% Other sources: 2.3% Other drugs: 0.0%

Source of Referral

County: Steele

Age (N = 43)

Under 18: 55.8%

18 to 25: 7.0%

(N = 43) . Self/family/relative/ friends: 44.2% Employer/school: 9.3% Criminal justice: 48.8% Professional: 30.2%

County social

service agency: 39.5%

Other community resources: 4.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 43)

Completed program: 27.9%

Patient left without staff approval: 20.9% Staff requested/judged inappropriate: 34.9%

Death/other: 16.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

South Central Human Relations Dual Recovery Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 41)	7.3%	7.3%
Not employed/student ‡ (N = 43)	37.2%	37.2%
Arrests past 30 days (N = 43)	20.9%	14.0%
Alcohol use past 30 days (N = 43)	41.9%	37.2%
Drug use past 30 days (N = 43)	25.6%	27.9%
No self-help group participation past 30 days $(N = 40)$	55.0%	52.5%
No family support for recovery past 30 days $(N = 37)$	48.6%	37.8%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 39)	Admission 0.0%	Discharge 2.6%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 39) Biomedical Conditions and	0.0%	2.6%
Acute Intoxication/ Withdrawal (N = 39) Biomedical Conditions and Complications (N = 42) Emotional/Behavioral/	0.0% 4.8%	2.6%
Acute Intoxication/ Withdrawal (N = 39) Biomedical Conditions and Complications (N = 42) Emotional/Behavioral/ Cognitive Problem (N = 41)	0.0% 4.8% 97.6%	2.6% 11.9% 68.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

South Metro Human Services

400 Sibley Street St. Paul, MN 55101

Provider Website:

Patient Profile

 Gender (N = 13)
 Race (N = 13)

 Male: 53.8%
 White: 69.2%

 Female: 46.2%
 Black: 15.4%

American Indian: 0.0% 26 to 34: 7.7% Hispanic: 7.7% 35 and older: 69.2%

Asian/Pacific Islander: 7.7%

Other: 0.0%

Primary Substance Source of Income

(N = 13) (N = 13) Alcohol: 53.8% Job: 7.7%

Methamphetamine: 15.4% Retirement/savings: 7.7% Marijuana: 0.0% Family/friends: 38.5% Heroin: 0.0% No income: 15.4% Public sources: 15.4%

Other opiates: 7.7% Other sources: 15.4%

(N = 13) . Self/family/relative/ friends: 7.7%

Source of Referral

Employer/school: 0.0% Criminal justice: 61.5% Professional: 38.5%

County social

County: Ramsey

Age (N = 13)

Under 18: 0.0%

18 to 25: 23.1%

service agency: 84.6%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 7.7%

(N = 13)

Completed program: 7.7%

Patient left without staff approval: 23.1% Staff requested/judged inappropriate: 7.7%

Death/other: 61.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

South Metro Human Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 10)	20.0%	10.0%
Not employed/student ‡ (N = 12)	91.7%	75.0%
Arrests past 30 days (N = 13)	0.0%	0.0%
Alcohol use past 30 days (N = 10)	30.0%	20.0%
Drug use past 30 days (N = 10)	40.0%	20.0%
No self-help group participation past 30 days $(N = 7)$	*	*
No family support for recovery past 30 days $(N = 6)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =7)	*	*
Biomedical Conditions and Complications $(N = 8)$	*	*
Emotional/Behavioral/		

Unsupportive Recovery	
Environment $(N = 8)$	*

^{*} Insufficient data, fewer than 10 clients.

Cognitive Problem (N = 9)

Resistance to Change (N = 8)

Relapse/Continued Use Potential (N = 8)

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Specialized Treatment Services, Inc.

1121 Jackson Street NE Minneapolis, MN 55413

Provider Website:

Patient Profile

 Gender (N = 435)
 Race (N = 435)

 Male: 65.3%
 White: 71.3%

 Female: 34.7%
 Black: 22.3%

American Indian: 3.0% 26 to 34: 26.9% Hispanic: 1.6% 35 and older: 46.9%

Asian/Pacific Islander: 0.5%

Other: 1.4%

Primary Substance

(N = 428)Alcohol: 6.5%

Methamphetamine: 0.0% Marijuana: 1.4%

Heroin: 60.7% Cocaine: 2.3% Other opiates: 28.0%

Other drugs: 0.9%

Source of Income

(N = 435)Job: 43.2%

Retirement/savings: 2.5% Family/friends: 10.1%

No income: 10.6% Public sources: 23.9% Other sources: 9.7% Source of Referral

(N = 435) .

Age (N = 435)

Under 18: 0.0%

18 to 25: 26.2%

County: Hennepin

Self/family/relative/ friends: 79.8% Employer/school: 1.2% Criminal justice: 1.6% Professional: 15.9%

County social

service agency: 6.0% Other community resources: 9.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 435)

Completed program: 10.6%

Patient left without staff approval: 46.4% Staff requested/judged inappropriate: 6.0%

Death/other: 37.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Specialized Treatment Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 366)	5.5%	6.0%
Not employed/student ^{‡‡} (N = 352)	57.4%	56.5%
Arrests past 30 days (N = 271)	7.0%	11.8%
Alcohol use past 30 days (N = 187)	41.2%	10.2%
Drug use past 30 days (N = 185)	75.7%	35.1%
No self-help group participation past 30 days ($N = 304$)	71.4%	70.7%
No family support for recovery past 30 days (N = 301)	16.9%	9.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 73.2%	<u>Discharge</u> 76.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 418) Biomedical Conditions and	73.2%	76.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 418) Biomedical Conditions and Complications (N = 415) Emotional/Behavioral/	73.2% 25.3%	76.8% 42.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 418) Biomedical Conditions and Complications (N = 415) Emotional/Behavioral/ Cognitive Problem (N = 416)	73.2% 25.3% 58.2%	76.8% 42.4% 67.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Spirit River Recovery Services of Rum River Health Services Inc.

209 6th Avenue South Princeton, MN 55371

Provider Website:

Patient Profile

 Gender (N = 126)
 Race (N = 126)

 Male: 56.3%
 White: 90.5%

 Female: 43.7%
 Black: 0.8%

American Indian: 7.1% 26 to 34: 30.2% Hispanic: 0.8% 35 and older: 42.9%

Asian/Pacific Islander: 0.0%

Other: 0.8%

Primary Substance Source of Income

(N = 119) Alcohol: 61.3% (N = 126) Job: 42.1%

Methamphetamine: 11.8% Retirement/savings: 8.7% Marijuana: 16.8% Family/friends: 9.5% No income: 9.5% Cocaine: 5.0% Public sources: 17.5%

Other opiates: 4.2% Other sources: 12.7%

(N = 126) .
Self/family/relative/
friends: 42.1%
Employer/school: 1.6%

Source of Referral

Employer/school: 1.6% Criminal justice: 43.7% Professional: 15.9%

County social

County: Mille Lacs

Age (N = 126)

Under 18: 4.0%

18 to 25: 23.0%

service agency: 18.3%

Other community resources: 13.5%

AA: 0.8% Tribal: 0.8%

Outcomes

Discharge Status (N = 126)

Other drugs: 0.0%

Completed program: 69.8%

Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 8.7%

Death/other: 10.3%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Spirit River Recovery Services of Rum River Health Services Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 121)	6.6%	7.4%
Not employed/student ^{‡‡} (N = 113)	46.9%	46.0%
Arrests past 30 days (N = 110)	10.9%	1.8%
Alcohol use past 30 days (N = 117)	28.2%	7.7%
Drug use past 30 days (N = 118)	25.4%	9.3%
No self-help group participation past 30 days (N = 106)	53.8%	6.6%
No family support for recovery past 30 days (N = 107)	20.6%	2.8%
Danwiana ta Danassans		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 4.0%	<u>Discharge</u> 1.6%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 124) Biomedical Conditions and	4.0%	1.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 124) Biomedical Conditions and Complications (N = 124) Emotional/Behavioral/	4.0% 17.7%	1.6% 8.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 124) Biomedical Conditions and Complications (N = 124) Emotional/Behavioral/ Cognitive Problem (N = 124)	4.0% 17.7% 78.2%	1.6% 8.1% 29.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St Josephs Hospital CD Service Coordination

45 West 10th Street St Paul, MN 55102

County: Ramsey

Provider Website:

Patient Profile

 Gender (N = 17)
 Race (N = 17)

 Male: 64.7%
 White: 82.4%

 Female: 35.3%
 Black: 11.8%

American Indian: 5.9% 26 to 34: 0.0% Hispanic: 0.0% 35 and older: 82.4%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 17)Alcohol: 52.9%

Methamphetamine: 5.9%

Marijuana: 17.6% Heroin: 0.0% Cocaine: 17.6% Other opiates: 0.0%

Other drugs: 5.9%

Source of Income

(N = 17)Job: 5.9%

> Retirement/savings: 0.0% Family/friends: 0.0% No income: 5.9%

Public sources: 64.7% Other sources: 23.5% Source of Referral

(N = 17) .

Age (N = 17)

Under 18: 0.0%

18 to 25: 17.6%

Self/family/relative/ friends: 17.6% Employer/school: 0.0% Criminal justice: 17.6% Professional: 11.8%

County social

service agency: 88.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 17)

Completed program: 17.6%

Patient left without staff approval: 5.9% Staff requested/judged inappropriate: 5.9%

Death/other: 70.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

St Josephs Hospital CD Service Coordination

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 13)	30.8%	15.4%
Not employed/student ‡ (N = 10)	80.0%	90.0%
Arrests past 30 days (N = 17)	11.8%	0.0%
Alcohol use past 30 days (N = 17)	82.4%	17.6%
Drug use past 30 days (N = 17)	41.2%	23.5%
No self-help group participation past 30 days $(N = 4)$	*	*
No family support for recovery past 30 days $(N = 6)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =7)	*	*
Biomedical Conditions and Complications $(N = 6)$	*	*
Emotional/Behavioral/ Cognitive Problem (N = 6)	*	*
Resistance to Change $(N = 6)$	*	*
Relapse/Continued Use		ab.

Potential (N = 5)

Unsupportive Recovery Environment (N = 5)

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Cloud Metro Treatment

524 25th Avenue North St. Cloud, MN 56303

Provider Website: www.methadonetreatment.com

Patient Profile

 Gender (N = 44)
 Race (N = 44)

 Male: 61.4%
 White: 68.2%

 Female: 38.6%
 Black: 0.0%

emale: 38.6% Black: 0.0% 18 to 25: 25.0% American Indian: 22.7% 26 to 34: 40.9%

Hispanic: 0.0% 35 and older: 34.1% Asian/Pacific Islander: 2.3%

County: Stearns

Age (N = 44)

Under 18: 0.0%

Source of Referral

Self/family/relative/ friends: 77.3%

Employer/school: 0.0%

Criminal justice: 6.8%

(N = 44) .

Other: 6.8%

Primary Substance Source of Income

(N = 44) Alcohol: 0.0% (N = 44) Job: 18.2%

Methamphetamine: 0.0% Retirement/savings: 4.6% Family/friends: 20.5% No income: 9.1% Cocaine: 2.3% Public sources: 45.5%

Cocaine: 2.3% Public sources: 45.5% Professional: 36.4% Other opiates: 86.4% Other sources: 2.3% County social

Other drugs: 0.0% service agency: 9.1% Other community resources: 22.7%

AA: 0.0% Tribal: 9.1%

Outcomes

Discharge Status

(N = 44)

Completed program: 2.3%

Patient left without staff approval: 56.8% Staff requested/judged inappropriate: 6.8%

Death/other: 34.1%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

St. Cloud Metro Treatment

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 35)	2.9%	2.9%
Not employed/student ^{‡‡} (N = 28)	82.1%	82.1%
Arrests past 30 days (N = 18)	16.7%	16.7%
Alcohol use past 30 days (N = 36)	33.3%	8.3%
Drug use past 30 days (N = 36)	88.9%	8.3%
No self-help group participation past 30 days ($N = 17$)	47.1%	35.3%
No family support for recovery past 30 days $(N = 26)$	0.0%	7.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =42)	97.6%	90.5%
Biomedical Conditions and Complications $(N = 43)$	53.5%	53.5%
Emotional/Behavioral/ Cognitive Problem (N = 42)	92.9%	92.9%
Resistance to Change (N = 42)	61.9%	76.2%
Relapse/Continued Use Potential ($N = 43$)	97.7%	93.0%
Unsupportive Recovery Environment (N = 42)		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Johns Hospital - Healtheast CD Program

1575 Beam Ave

Maplewood, MN 55109 County: Ramsey

Provider Website:

Patient Profile

Gender (N = 88)Race (N = 88)Male: 59.1% White: 90.9% Female: 40.9% Black: 2.3%

> American Indian: 1.1% 26 to 34: 22.7% Hispanic: 3.4% 35 and older: 62.5%

Asian/Pacific Islander: 2.3%

Other: 0.0%

Primary Substance

(N = 88)(N = 88)Alcohol: 69.3%

Methamphetamine: 3.4% Marijuana: 6.8% Heroin: 5.7% Cocaine: 2.3%

Other opiates: 10.2% Other drugs: 2.3%

Source of Income

Job: 37.5%

Retirement/savings: 13.6% Family/friends: 11.4%

No income: 2.3% Public sources: 26.1% Other sources: 9.1%

Source of Referral

(N = 88) .

Age (N = 88)

Under 18: 0.0%

18 to 25: 14.8%

Self/family/relative/ friends: 83.0% Employer/school: 1.1% Criminal justice: 20.5%

Professional: 38.6%

County social

service agency: 23.9%

Other community resources: 22.7%

AA: 0.0% Tribal: 1.1%

Outcomes

Discharge Status

(N = 88)

Completed program: 55.7%

Patient left without staff approval: 20.5% Staff requested/judged inappropriate: 11.4%

Death/other: 12.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

St. Johns Hospital - Healtheast CD Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 88)	1.1%	0.0%
Not employed/student ‡ (N = 85)	64.7%	52.9%
Arrests past 30 days (N = 86)	17.4%	5.8%
Alcohol use past 30 days (N = 88)	70.5%	36.4%
Drug use past 30 days (N = 88)	36.4%	20.5%
No self-help group participation past 30 days $(N = 73)$	60.3%	21.9%
No family support for recovery past 30 days $(N = 78)$	12.8%	10.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.2%	Discharge 12.9%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =85) Biomedical Conditions and	1.2%	12.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =85) Biomedical Conditions and Complications (N = 85) Emotional/Behavioral/	1.2%	12.9% 9.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 85) Biomedical Conditions and Complications (N = 85) Emotional/Behavioral/ Cognitive Problem (N = 85)	1.2% 11.8% 90.6%	12.9% 9.4% 62.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Joseph's Hospital Inpatient Chemical Dependency Program

69 West Exchange Street St. Paul, MN 55102

County: Ramsey

Provider Website: www.healtheast.org

Patient Profile

 Gender (N = 1107)
 Race (N = 1107)
 Age (N = 1107)

 Male: 63.9%
 White: 70.7%
 Under 18: 0.1%

 Female: 36.1%
 Black: 19.3%
 18 to 25: 12.3%

American Indian: 2.7% 26 to 34: 18.2%

Hispanic: 4.3% 35 and older: 69.5%

Asian/Pacific Islander: 1.2%

Other: 1.7%

Primary Substance Source of Income Source of Referral

 (N = 1097)
 (N = 1107)
 (N = 1107)

 Alcohol: 56.0%
 Job: 28.5%
 Self/family/relative/

 Methamphetamine: 3.4%
 Retirement/savings: 6.8%
 friends: 78.1%

Marijuana: 5.4% Family/friends: 12.2% Employer/school: 2.1% Heroin: 12.2% No income: 11.5% Criminal justice: 17.3% Public sources: 28.2% Professional: 33.1%

Other opiates: 11.0% Public sources: 28.2% Professional: 33.1% County social

Other drugs: 1.7% service agency: 30.9%

Other community resources: 12.6%

AA: 0.2% Tribal: 0.2%

Outcomes

Discharge Status (N = 1107)

Completed program: 48.1%

Patient left without staff approval: 23.7% Staff requested/judged inappropriate: 4.3%

Death/other: 23.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

St. Joseph's Hospital Inpatient Chemical Dependency Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 1036)	14.1%	11.3%
Not employed/student ^{‡‡} (N = 1006)	75.2%	72.0%
Arrests past 30 days (N = 1086)	7.5%	4.9%
Alcohol use past 30 days (N = 1090)	68.5%	48.0%
Drug use past 30 days (N = 1090)	54.2%	40.4%
No self-help group participation past 30 days $(N = 923)$	66.7%	21.9%
No family support for recovery past 30 days ($N = 933$)	22.1%	13.1%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 940)	Admission 39.9%	<u>Discharge</u> 9.8%
Acute Intoxication/		_
Acute Intoxication/ Withdrawal (N = 940) Biomedical Conditions and	39.9%	9.8%
Acute Intoxication/ Withdrawal (N = 940) Biomedical Conditions and Complications (N = 953) Emotional/Behavioral/	39.9% 27.4%	9.8% 15.8%
Acute Intoxication/ Withdrawal (N = 940) Biomedical Conditions and Complications (N = 953) Emotional/Behavioral/ Cognitive Problem (N = 979)	39.9% 27.4% 81.4%	9.8% 15.8% 57.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Paul Metro Treatment Center

2311 Woodbridge Street Roseville, MN 55113

Provider Website: www.methadonetreatment.com

Patient Profile

 Gender (N = 51)
 Race (N = 51)

 Male: 58.8%
 White: 72.5%

 Female: 41.2%
 Black: 15.7%

American Indian: 3.9% 26 to 34: 31.4% Hispanic: 7.8% 35 and older: 47.1%

County: Ramsey

Age (N = 51)

Under 18: 0.0%

18 to 25: 21.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 50) Alcohol: 0.0% (N = 51) Job: 37.3%

Methamphetamine: 0.0% Retirement/savings: 3.9% Marijuana: 0.0% Family/friends: 25.5% No income: 2.0% Cocaine: 0.0% Public sources: 17.6%

Other opiates: 46.0% Other sources: 13.7%

(N = 51) .
Self/family/relative/
friends: 88.2%

Source of Referral

Employer/school: 2.0% Criminal justice: 0.0% Professional: 5.9% County social

service agency: 0.0% Other community

Other community resources: 41.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 51)

Completed program: 0.0%

Patient left without staff approval: 64.7% Staff requested/judged inappropriate: 0.0%

Death/other: 35.3%

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

St. Paul Metro Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 47)	2.1%	0.0%
Not employed/student 11 (N = 43)	55.8%	53.5%
Arrests past 30 days (N = 43)	4.7%	11.6%
Alcohol use past 30 days (N = 43)	25.6%	20.9%
Drug use past 30 days (N = 43)	90.7%	72.1%
No self-help group participation past 30 days (N = 39)	84.6%	87.2%
No family support for recovery past 30 days $(N = 37)$	5.4%	5.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =49)	71.4%	53.1%
	71.4% 20.4%	53.1% 12.2%
Withdrawal (N = 49) Biomedical Conditions and		
Withdrawal (N = 49) Biomedical Conditions and Complications (N = 49) Emotional/Behavioral/	20.4%	12.2%
Withdrawal (N = 49) Biomedical Conditions and Complications (N = 49) Emotional/Behavioral/ Cognitive Problem (N = 49)	20.4% 44.9%	12.2% 38.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Stellher Human Services, Inc. Bagley School District #162

202 Bagley Ave. NW Bagley, MN 56621

County: Clearwater

Provider Website:

Patient Profile

 Gender (N = 3)
 Race (N = 3)
 Age (N = 3)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Source of Referral **Primary Substance** Source of Income (N = 3)(N = 3)(N = 3) . Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: *

Other community resources: *

AA: *

AA: *
Tribal: *

Outcomes

Discharge Status

(N = 3)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Stellher Human Services, Inc. Bagley School District #162

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 3)	*	*
Not employed/student 11 (N = 3)	*	*
Arrests past 30 days (N = 3)	*	*
Alcohol use past 30 days $(N = 3)$	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days $(N = 3)$	*	*
No family support for recovery past 30 days $(N = 3)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Stellher Human Services, Inc. La Porte School District # 306

315 Main Street West LaPorte, MN 56619

County: Hubbard

Provider Website:

Patient Profile

 Gender (N = 1)
 Race (N = 1)
 Age (N = 1)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Source of Referral **Primary Substance** Source of Income (N = 1)(N = 1)(N = 1). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: *

Other community resources: *

AA: *

Tribal: *

Outcomes

Discharge Status

(N = 1)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Stellher Human Services, Inc. La Porte School District # 306

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 1)	*	*
Not employed/student tt (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days $(N = 1)$	*	*
Drug use past 30 days $(N = 1)$	*	*
No self-help group participation past 30 days $(N = 1)$	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		d.
Withdrawal (N $=$ 1)	*	*
Biomedical Conditions and Complications $(N = 1)$	*	*
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Stellher Human Services, Inc. Nevis School District # 308

210 Pleasant Street Nevis, MN 56467

is, MN 56467 County: Hubbard

Provider Website:

Patient Profile

 Gender (N = 1)
 Race (N = 1)
 Age (N = 1)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Primary Substance Source of Income Source of Referral (N = 1) (N = 1) (N = 1) (N = 1) Self/family/relative/

Methamphetamine: * Retirement/savings: * friends: *

Marijuana: * Family/friends: * Employer/school: *

Heroin: * No income: * Criminal justice: *

Cocaine: * Public sources: * Professional: *

Other opiates: * Other sources: * County social

ther sources: ^ County social service agency: *
Other community resources: *

AA: *
Tribal: *

Outcomes

Discharge Status

Other drugs: *

(N = 1)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Stellher Human Services, Inc. Nevis School District # 308

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 1)	*	*
Not employed/student ^{‡‡} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days $(N = 1)$	*	*
No self-help group participation past 30 days $(N = 1)$	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
		<u>Discriarye</u>
Acute Intoxication/ Withdrawal (N =1)	*	*
		-
Withdrawal (N =1) Biomedical Conditions and	*	*
Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	*	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Stellher Human Services, Inc. Park Rapids School District # 309

301 Huntsinger Avenue Park Rapids, MN 56470

ark Rapids, MN 56470 County: Hubbard

Provider Website:

Patient Profile

 Gender (N = 9)
 Race (N = 9)
 Age (N = 9)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

ASIAII/PACIIIC ISIAIIUEI:

Other: *

Primary Substance Source of Income Source of Referral

Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * Other sources: * County social
Other drugs: * service agency: *

service agency: * Other community resources: *

AA: *
Tribal: *

Outcomes

Discharge Status

(N = 9)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

* Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Stellher Human Services, Inc. Park Rapids School District # 309

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 9)	*	*
Not employed/student ^{‡‡} (N = 9)	*	*
Arrests past 30 days $(N = 9)$	*	*
Alcohol use past 30 days (N = 9)	*	*
Drug use past 30 days (N = 9)	*	*
No self-help group participation past 30 days $(N = 9)$	*	*
No family support for recovery past 30 days $(N = 7)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 9) Biomedical Conditions and	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 9) Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/	*	*
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 9) Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/ Cognitive Problem (N = 9)	* *	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tapestry, LLC

135 Colorado Street E St. Paul, MN 55107

Provider Website:

Patient Profile

Gender (N = 296) Race (N = 296)White: 72.0% Male: 0.0%

Female: 100.0% Black: 17.9% 18 to 25: 18.6% American Indian: 3.4% 26 to 34: 20.9%

Hispanic: 2.4% 35 and older: 60.1%

Asian/Pacific Islander: 1.0%

Other: 3.4%

Primary Substance Source of Income

(N = 291)(N = 296)Alcohol: 62.2% Job: 16.6%

Methamphetamine: 8.3% Retirement/savings: 1.4% Marijuana: 3.1% Family/friends: 10.1%

Heroin: 1.7% No income: 22.6% Public sources: 36.1% Cocaine: 16.8% Other opiates: 6.5% Other sources: 13.2%

Other drugs: 1.4%

Source of Referral

Age (N = 296)

Under 18: 0.3%

County: Ramsey

(N = 296) .

Self/family/relative/ friends: 38.2% Employer/school: 0.0% Criminal justice: 13.5%

Professional: 36.5% County social

service agency: 45.6%

Other community resources: 5.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 296)

Completed program: 72.0%

Patient left without staff approval: 16.6% Staff requested/judged inappropriate: 4.7%

Death/other: 6.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Tapestry, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 280)	19.6%	5.4%
Not employed/student ^{‡‡} (N = 279)	83.9%	86.4%
Arrests past 30 days (N = 282)	12.1%	4.6%
Alcohol use past 30 days (N = 290)	70.0%	21.7%
Drug use past 30 days (N = 290)	60.3%	20.0%
No self-help group participation past 30 days ($N = 273$)	60.4%	10.3%
No family support for recovery past 30 days $(N = 274)$	14.6%	5.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 3.2%	<u>Discharge</u> 1.1%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 282) Biomedical Conditions and	3.2%	1.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 282) Biomedical Conditions and Complications (N = 282) Emotional/Behavioral/	3.2% 26.6%	1.1%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 282) Biomedical Conditions and Complications (N = 282) Emotional/Behavioral/ Cognitive Problem (N = 283)	3.2% 26.6% 88.0%	1.1% 19.9% 61.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Teen Focus Recovery Center

475 Dana Avenue South Rush City, MN 55069

Provider Website:

Patient Profile

 Gender (N = 36)
 Race (N = 36)

 Male: 77.8%
 White: 75.0%

 Female: 22.2%
 Black: 2.8%

American Indian: 16.7% 26 to 34: 0.0% Hispanic: 2.8% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 2.8%

Primary Substance

(N = 36) Alcohol: 13.9%

Methamphetamine: 2.8% Marijuana: 77.8% Heroin: 0.0%

Cocaine: 0.0%
Other opiates: 0.0%

Other drugs: 5.6%

Source of Income

(N = 36)Job: 27.8%

> Retirement/savings: 0.0% Family/friends: 50.0% No income: 5.6% Public sources: 5.6%

Other sources: 11.1%

Under 18: 75.0% 18 to 25: 25.0% 26 to 34: 0.0%

Age (N = 36)

County: Chisago

Source of Referral

(N = 36) . Self/family/relative/

friends: 36.1%
Employer/school: 0.0%
Criminal justice: 61.1%
Professional: 16.7%

County social

service agency: 8.3% Other community resources: 63.9%

AA: 0.0% Tribal: 8.3%

Outcomes

Discharge Status

(N = 36)

Completed program: 47.2%

Patient left without staff approval: 38.9% Staff requested/judged inappropriate: 5.6%

Death/other: 8.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Teen Focus Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 36)	2.8%	0.0%
Not employed/student ^{‡‡} (N = 35)	2.9%	14.3%
Arrests past 30 days (N = 36)	13.9%	5.6%
Alcohol use past 30 days (N = 36)	16.7%	19.4%
Drug use past 30 days (N = 36)	44.4%	33.3%
No self-help group participation past 30 days ($N = 36$)	91.7%	55.6%
No family support for recovery past 30 days $(N = 36)$	0.0%	2.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =36)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 36)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 36)	50.0%	36.1%
	30.076	
Resistance to Change (N = 36)	80.6%	41.7%
Resistance to Change (N = 36) Relapse/Continued Use Potential (N = 36)		41.7% 69.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Telesis - Hennepin County Workhouse

1145 Shenadoah Lane Plymouth, MN 55447

Provider Website:

Patient Profile

 Gender (N = 254)
 Race (N = 254)

 Male: 87.8%
 White: 26.8%

 Female: 12.2%
 Black: 57.1%

American Indian: 7.1% 26 to 34: 30.3% Hispanic: 3.5% 35 and older: 39.8%

Asian/Pacific Islander: 1.6%

Other: 3.9%

Primary Substance Source of Income

(N = 254) Alcohol: 44.9% (N = 254) Job: 31.9%

Methamphetamine: 2.4% Retirement/savings: 1.2% Marijuana: 31.9% Family/friends: 4.7% No income: 40.2% Cocaine: 15.0% Public sources: 12.6%

Other opiates: 0.4% Other sources: 9.5%

Source of Referral
(N = 254)
Self/family/relative/
friends: 1.2%

County: Hennepin

Age (N = 254)

Under 18: 0.4%

18 to 25: 29.5%

Employer/school: 0.0% Criminal justice: 100.0%

Professional: 0.0% County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 254)

Other drugs: 3.2%

Completed program: 91.3%

Patient left without staff approval: 2.8% Staff requested/judged inappropriate: 3.5%

Death/other: 2.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Telesis - Hennepin County Workhouse

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 254)	0.0%	2.8%
Not employed/student ^{‡‡} (N = 250)	82.4%	80.4%
Arrests past 30 days (N = 254)	8.7%	0.4%
Alcohol use past 30 days (N = 254)	0.8%	0.0%
Drug use past 30 days (N = 254)	0.4%	0.0%
No self-help group participation past 30 days ($N = 253$)	49.0%	27.3%
No family support for recovery past 30 days (N = 252)	32.9%	21.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =254)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 254)$	0.0%	1.2%
Emotional/Behavioral/ Cognitive Problem (N = 254)	98.8%	26.0%
Resistance to Change ($N = 254$)	99.6%	34.3%
Relapse/Continued Use Potential ($N = 254$)	100.0%	94.1%
Unsupportive Recovery Environment (N = 254)	100.0%	86.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Temporary Living Center, TLC

2136 Ford Parkway St Paul, MN 55116

Provider Website: www.tlcgirls.org

Patient Profile

 Gender (N = 12)
 Race (N = 12)

 Male: 0.0%
 White: 58.3%

 Female: 100.0%
 Black: 8.3%

American Indian: 16.7% 26 to 34: 0.0% Hispanic: 0.0% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 16.7%

Primary Substance Source of Income

(N = 12) (N = 12) Alcohol: 66.7% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 91.7% Heroin: 0.0% No income: 0.0% Cocaine: 8.3% Public sources: 0.0%

Other opiates: 0.0%

Other sources: 0.0%

Other sources: 8.3%

Source of Referral

County: Hennepin

Age (N = 12)

Under 18: 100.0%

18 to 25: 0.0%

__(N = 12) __.
Self/family/relative/
friends: 25.0%
Employer/school: 0.0%
Criminal justice: 41.7%
Professional: 100.0%

County social

service agency: 16.7%

Other community resources: 8.3%

AA: 0.0% Tribal: 8.3%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 12)

Completed program: 50.0%

Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 16.7%

Death/other: 25.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Temporary Living Center, TLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 12)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 12)	0.0%	0.0%
Arrests past 30 days (N = 12)	0.0%	0.0%
Alcohol use past 30 days (N = 12)	8.3%	0.0%
Drug use past 30 days (N = 12)	16.7%	0.0%
No self-help group participation past 30 days ($N = 11$)	0.0%	0.0%
No family support for recovery past 30 days $(N = 11)$	0.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =12)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 12)$	0.0%	8.3%
Emotional/Behavioral/ Cognitive Problem (N = 12)	83.3%	58.3%
Resistance to Change $(N = 12)$	75.0%	25.0%
Relapse/Continued Use		
Potential ($N = 12$)	91.7%	66.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The 1402 Treatment Program

1402 East Superior Street Duluth, MN 55812

Provider Website: www.cadt.org

Patient Profile

 Gender (N = 217)
 Race (N = 217)
 Age (N = 217)

 Male: 65.0% White: 70.5% Under 18: 0.0%

Female: 35.0% Black: 11.1% 18 to 25: 24.4% American Indian: 12.9% 26 to 34: 22.6%

Hispanic: 4.2% 35 and older: 53.0%

County: St. Louis

Asian/Pacific Islander: 0.0%

Other: 1.4%

Primary SubstanceSource of IncomeSource of Referral(N = 216)(N = 217)(N = 217)Alcohol: 62.5%Job: 21.2%Self/family/relative/Methamphetamine: 5.1%Retirement/savings: 3.7%friends: 47.5%

Methamphetamine: 5.1%Retirement/savings: 3.7%friends: 47.5%Marijuana: 10.2%Family/friends: 7.8%Employer/school: 0.0%Heroin: 0.9%No income: 26.7%Criminal justice: 22.6%Cocaine: 5.1%Public sources: 32.3%Professional: 23.0%

Other opiates: 15.3% Other sources: 8.3% County social

Other drugs: 0.9% service agency: 19.4% Other community resources: 1.8%

AA: 0.0% Tribal: 0.9%

Outcomes

Discharge Status (N = 217)

Completed program: 69.1%

Patient left without staff approval: 14.7% Staff requested/judged inappropriate: 4.6%

Death/other: 11.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The 1402 Treatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 213)	7.5%	4.2%
Not employed/student ^{‡‡} (N = 199)	75.4%	79.9%
Arrests past 30 days (N = 205)	15.6%	2.0%
Alcohol use past 30 days (N = 201)	65.7%	11.9%
Drug use past 30 days (N = 207)	46.9%	10.6%
No self-help group participation past 30 days ($N = 212$)	66.5%	11.3%
No family support for recovery past 30 days (N = 204)	5.4%	10.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =217)	14.3%	3.2%
Biomedical Conditions and		
Complications (N = 217)	21.2%	5.5%
Complications (N = 217) Emotional/Behavioral/ Cognitive Problem (N = 217)	21.2% 45.6%	5.5% 14.3%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 217)	45.6%	14.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Counseling Clinic Inc

6160 Summit Dr. N

Brooklyn Center, MN 55430 County: Hennepin

Provider Website:

Patient Profile

 Gender (N = 9)
 Race (N = 9)
 Age (N = 9)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income Source of Referral

Marijuana: * Family/friends: * Employer/school: *
Heroin: * No income: * Criminal justice: *
Cocaine: * Public sources: * Professional: *
Other opiates: * County social

Other drugs: *

Other sources: *

Other sources: *

Service agency: *

Other community

resources: *

AA: * Tribal: *

Outcomes

Discharge Status

(N = 9)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Counseling Clinic Inc

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 9)	*	*
Not employed/student 11 (N = 9)	*	*
Arrests past 30 days (N = 9)	*	*
Alcohol use past 30 days $(N = 9)$	*	*
Drug use past 30 days (N = 9)	*	*
No self-help group participation past 30 days $(N = 9)$	*	*
No family support for recovery past 30 days $(N = 7)$	*	*
D · · · D		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/ Cognitive Problem (N = 9)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Gables

604 5th Street SW Rochester, MN 55902

Provider Website:

Patient Profile

 Gender (N = 111)
 Race (N = 111)

 Male: 0.9%
 White: 87.4%

 Female: 99.1%
 Black: 4.5%

American Indian: 3.6% Hispanic: 3.6%

Asian/Pacific Islander: 0.9%

Other: 0.0%

Primary Substance Source of Income

(N = 111) Alcohol: 62.2% (N = 111) Job: 46.8%

Methamphetamine: 6.3% Retirement/savings: 0.0% Marijuana: 10.8% Family/friends: 20.7% No income: 7.2% Cocaine: 10.8% Public sources: 21.6%

Other opiates: 9.0% Other sources: 3.6%

Source of Referral

Age (N = 111)

Under 18: 2.7%

18 to 25: 35.1%

26 to 34: 16.2%

35 and older: 45.9%

County: Olmsted

(N = 111) .

Self/family/relative/ friends: 9.9%

Employer/school: 0.0% Criminal justice: 1.8% Professional: 67.6%

County social

service agency: 85.6%

Other community resources: 20.7%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.9%

(N = 111)

Completed program: 11.7%

Patient left without staff approval: 44.1% Staff requested/judged inappropriate: 14.4%

Death/other: 29.7%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Gables

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 109)	7.3%	0.9%
Not employed/student ^{‡‡} (N = 106)	87.7%	78.3%
Arrests past 30 days (N = 109)	14.7%	5.5%
Alcohol use past 30 days (N = 111)	40.5%	9.0%
Drug use past 30 days (N = 111)	30.6%	2.7%
No self-help group participation past 30 days ($N = 24$)	0.0%	0.0%
No family support for recovery past 30 days (N = 67)	0.0%	1.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =109)	2.8%	0.9%
Biomedical Conditions and Complications $(N = 109)$	40.4%	31.2%
Emotional/Behavioral/ Cognitive Problem (N = 109)	89.0%	84.4%
Resistance to Change (N = 109)	92.7%	88.1%
Relapse/Continued Use Potential (N = 109)	97.2%	93.6%
	77.270	

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven Halfway House, LLC

1425 East St. Germain St. Cloud, MN 56304

Provider Website:

Patient Profile

Gender (N = 116) Race (N = 116)Male: 100.0% White: 83.6% Female: 0.0% Black: 7.8%

> American Indian: 3.5% Hispanic: 4.3%

Asian/Pacific Islander: 0.0%

Other: 0.9%

Primary Substance

(N = 116)Alcohol: 59.5%

Methamphetamine: 13.8% Marijuana: 11.2% Heroin: 2.6%

Cocaine: 8.6% Other opiates: 1.7%

Other drugs: 2.6%

Source of Income

(N = 116)Job: 53.4%

Retirement/savings: 2.6%

Family/friends: 1.7% No income: 6.0% Public sources: 7.8%

Other sources: 28.4%

Age (N = 116)

County: Benton

Under 18: 0.0% 18 to 25: 35.3% 26 to 34: 20.7%

35 and older: 44.0%

Source of Referral

(N = 116) .

Self/family/relative/ friends: 33.6% Employer/school: 0.0% Criminal justice: 2.6% Professional: 75.9%

County social

service agency: 85.3%

Other community resources: 0.9%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 116)

Completed program: 51.7%

Patient left without staff approval: 12.1% Staff requested/judged inappropriate: 28.4%

Death/other: 7.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Haven Halfway House, LLC

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 116)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 114)	88.6%	48.2%
Arrests past 30 days (N = 116)	2.6%	3.5%
Alcohol use past 30 days (N = 116)	6.0%	15.5%
Drug use past 30 days (N = 116)	10.3%	12.1%
No self-help group participation past 30 days (N = 115)	3.5%	1.7%
No family support for recovery past 30 days (N = 114)	2.6%	0.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =116)	0.0%	10.3%
Biomedical Conditions and Complications $(N = 116)$	20.7%	15.5%
Emotional/Behavioral/		
Cognitive Problem (N = 116)	25.0%	36.2%
Cognitive Problem (N = 116) Resistance to Change (N = 116)	25.0% 31.0%	36.2% 44.0%
, ,		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Cloquet

1003 Cloquet Ave Cloquet, MN 55720

Provider Website:

Patient Profile

 Gender (N = 155)
 Race (N = 155)

 Male: 65.2%
 White: 80.6%

 Female: 34.8%
 Black: 1.9%

American Indian: 12.9% 26 to 34: 18.7% Hispanic: 3.2% 35 and older: 42.6%

Asian/Pacific Islander: 0.0%

Other: 1.3%

Primary Substance Source of Income

(N = 155) Alcohol: 71.0% (N = 155) Job: 54.8%

Methamphetamine: 2.6% Retirement/savings: 3.9 Marijuana: 20.0% Family/friends: 21.9% Heroin: 0.0% No income: 6.5% Cocaine: 0.0% Public sources: 6.5% Other opiates: 4.5% Other sources: 6.5%

County: Carlton

Age (N = 155)

Under 18: 16.1%

18 to 25: 22.6%

service agency: 9.0% Other community resources: 10.3%

AA: 0.6% Tribal: 2.6%

Outcomes

Discharge Status (N = 155)

Other drugs: 1.9%

Completed program: 54.2%

Patient left without staff approval: 20.6% Staff requested/judged inappropriate: 6.5%

Death/other: 18.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Haven in Cloquet

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 151)	0.7%	0.0%
Not employed/student ^{‡‡} (N = 148)	24.3%	27.7%
Arrests past 30 days (N = 145)	10.3%	6.9%
Alcohol use past 30 days (N = 145)	42.1%	13.1%
Drug use past 30 days (N = 144)	29.9%	11.1%
No self-help group participation past 30 days ($N = 141$)	57.4%	20.6%
No family support for recovery past 30 days $(N = 137)$	10.9%	13.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 5.3%	<u>Discharge</u> 4.6%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =152) Biomedical Conditions and	5.3%	4.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 152) Biomedical Conditions and Complications (N = 154) Emotional/Behavioral/	5.3%	4.6% 11.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 152) Biomedical Conditions and Complications (N = 154) Emotional/Behavioral/ Cognitive Problem (N = 154)	5.3% 23.4% 67.5%	4.6% 11.7% 39.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Shakopee

275 1st Avenue East Shakopee, MN 55379

Provider Website: www.havenchemicalhealth.com

Patient Profile

 Gender (N = 163)
 Race (N = 163)
 Age (N = 163)

 Male: 69.3%
 White: 83.4%
 Under 18: 17.2%

 Formula: 20.7%
 Plack: 2.5%

Female: 30.7% Black: 2.5% 18 to 25: 21.5% American Indian: 6.1% 26 to 34: 23.9%

Hispanic: 3.1% 35 and older: 37.4%

County: Scott

Asian/Pacific Islander: 3.1%

Other: 1.8%

Primary Substance Source of Income Source of Referral (N = 160) (N = 163) (N = 163) .

Alcohol: 70.0% Job: 49.1% Self/family/relative/
Methamphetamine: 2.5% Retirement/savings: 2.5% friends: 56.4%

Other sources: 5.5%

Marijuana: 18.8% Family/friends: 27.6% Employer/school: 8.6% Heroin: 1.9% No income: 8.6% Criminal justice: 55.2% Cocaine: 3.8% Public sources: 6.8% Professional: 16.6%

Other drugs: 1.3% service agency: 6.1%

Other community resources: 20.9%

AA: 0.6% Tribal: 0.0%

County social

Outcomes

Discharge Status (N = 163)

Other opiates: 1.9%

Completed program: 54.6%

Patient left without staff approval: 16.6% Staff requested/judged inappropriate: 4.3%

Death/other: 24.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Haven in Shakopee

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 147)	2.0%	2.0%
Not employed/student ^{‡‡} (N = 147)	28.6%	25.9%
Arrests past 30 days (N = 131)	16.8%	5.3%
Alcohol use past 30 days (N = 114)	35.1%	6.1%
Drug use past 30 days (N = 117)	15.4%	5.1%
No self-help group participation past 30 days ($N = 141$)	63.1%	12.1%
No family support for recovery past 30 days ($N = 140$)	13.6%	12.1%
Barriers to Recovery		
<u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 162)	Admission 2.5%	<u>Discharge</u> 3.1%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 162) Biomedical Conditions and	2.5%	3.1%
Acute Intoxication/ Withdrawal (N = 162) Biomedical Conditions and Complications (N = 162) Emotional/Behavioral/	2.5% 5.6%	3.1% 6.8%
Acute Intoxication/ Withdrawal (N = 162) Biomedical Conditions and Complications (N = 162) Emotional/Behavioral/ Cognitive Problem (N = 162)	2.5% 5.6% 40.7%	3.1% 6.8% 29.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Waconia

508 Industrial Blvd Waconia, MN 55387

Provider Website: www.havenchemicalhealth.com

Patient Profile

 Gender (N = 122)
 Race (N = 122)
 Age (N = 122)

 Male: 67.2%
 White: 92.6%
 Under 18: 26.2%

 Female: 32.8%
 Black: 1.6%
 18 to 25: 23.0%

American Indian: 1.6% 26 to 34: 18.9% Hispanic: 1.6% 35 and older: 32.0%

County: Carver

Asian/Pacific Islander: 1.6%

Other: 0.8%

Primary Substance Source of Income

(N = 121) (N = 122) (N = 122) . Self/family/relati

Alcohol: 65.3% Job: 42.6% Self/family/relative/
Methamphetamine: 4.1% Retirement/savings: 2.5% friends: 42.6%
Marijuana: 22.3% Family/friends: 36.1% Employer/school: 2.5%
Heroin: 0.0% No income: 5.7% Criminal justice: 35.2%

Cocaine: 2.5% Public sources: 8.2% Professional: 19.7% Other opiates: 5.0% Other sources: 4.9% County social

Other drugs: 0.8% service agency: 13.1% Other community

Other community resources: 41.0%

AA: 0.0% Tribal: 0.0%

Source of Referral

Outcomes

Discharge Status

(N = 122)

Completed program: 46.7%

Patient left without staff approval: 18.0% Staff requested/judged inappropriate: 9.0%

Death/other: 26.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Haven in Waconia

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 121)	0.8%	0.0%
Not employed/student ^{‡‡} (N = 115)	34.8%	27.0%
Arrests past 30 days (N = 122)	10.7%	5.7%
Alcohol use past 30 days (N = 122)	38.5%	12.3%
Drug use past 30 days (N = 122)	27.9%	20.5%
No self-help group participation past 30 days ($N = 116$)	73.3%	27.6%
No family support for recovery past 30 days (N = 115)	8.7%	9.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =120)	0.8%	5.0%
Biomedical Conditions and Complications ($N = 122$)	9.0%	4.9%
Emotional/Behavioral/ Cognitive Problem (N = 121)	47.1%	38.8%
Resistance to Change (N = 122)	67.2%	49.2%
Relapse/Continued Use Potential (N = 122)		
Potential ($N = 122$)	94.3%	57.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Woodbury

2042 Wooddale Drive Woodbury, MN 55125

Provider Website: www.havenchemicalhealthsystems.com

Patient Profile

 Gender (N = 148)
 Race (N = 148)

 Male: 66.2%
 White: 87.8%

 Female: 33.8%
 Black: 4.1%

American Indian: 0.7% 26 to 34: 22.3% Hispanic: 4.1% 35 and older: 36.5%

Asian/Pacific Islander: 2.0%

Other: 1.4%

Primary Substance Source of Income

(N = 145) Alcohol: 66.2% (N = 148) Job: 53.4%

Methamphetamine: 4.1% Retirement/savings: 2.7% Marijuana: 22.1% Family/friends: 25.0% No income: 6.1% Cocaine: 4.8% Public sources: 4.7%

Cocaine: 4.8% Public sources: 4.7% Professional: 21.6% Other opiates: 2.8% Other sources: 8.1% County social

Other drugs: 0.0% service agency: 13.5% Other community resources: 27.0%

AA: 0.0% Tribal: 0.7%

County: Washington

Age (N = 148)

Under 18: 15.5%

18 to 25: 25.7%

Source of Referral

Self/family/relative/ friends: 48.6%

Employer/school: 14.2%

Criminal justice: 29.7%

(N = 148) .

Outcomes

Discharge Status (N = 148)

Completed program: 58.1%

Patient left without staff approval: 18.9% Staff requested/judged inappropriate: 11.5%

Death/other: 11.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Haven in Woodbury

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 132)	0.0%	1.5%
Not employed/student ^{‡‡} (N = 127)	23.6%	18.9%
Arrests past 30 days (N = 128)	11.7%	3.9%
Alcohol use past 30 days (N = 138)	46.4%	8.7%
Drug use past 30 days (N = 135)	27.4%	4.4%
No self-help group participation past 30 days ($N = 103$)	59.2%	10.7%
No family support for recovery past 30 days (N = 106)	15.1%	6.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 2.9%	<u>Discharge</u> 5.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 140) Biomedical Conditions and	2.9%	5.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 140) Biomedical Conditions and Complications (N = 141) Emotional/Behavioral/	2.9%	5.0% 5.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 140) Biomedical Conditions and Complications (N = 141) Emotional/Behavioral/ Cognitive Problem (N = 141)	2.9% 11.3% 77.3%	5.0% 5.7% 38.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Micah Halfway House

3047 5th Avenue South Minneapolis, MN 55408

Provider Website:

Patient Profile

Gender (N = 23)Race (N = 23)Male: 100.0% White: 8.7% Female: 0.0% Black: 91.3%

> American Indian: 0.0% 26 to 34: 13.0% Hispanic: 0.0% 35 and older: 73.9%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 23)Alcohol: 43.5%

Methamphetamine: 0.0% Marijuana: 13.0% Heroin: 13.0%

Cocaine: 30.4% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 23)Job: 17.4%

Retirement/savings: 0.0% Family/friends: 4.4% No income: 43.5%

Public sources: 34.8% Other sources: 0.0%

Under 18: 0.0%

18 to 25: 13.0%

Age (N = 23)

County: Hennepin

Source of Referral

(N = 23) .

Self/family/relative/ friends: 47.8% Employer/school: 0.0%

Criminal justice: 34.8% Professional: 13.0%

County social

service agency: 82.6%

Other community resources: 4.4%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 23)

Completed program: 65.2%

Patient left without staff approval: 13.0% Staff requested/judged inappropriate: 17.4%

Death/other: 4.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Micah Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 23)	8.7%	0.0%
Not employed/student ^{‡‡} (N = 23)	91.3%	34.8%
Arrests past 30 days (N = 20)	10.0%	10.0%
Alcohol use past 30 days (N = 23)	30.4%	34.8%
Drug use past 30 days (N = 23)	30.4%	26.1%
No self-help group participation past 30 days ($N = 22$)	59.1%	4.6%
No family support for recovery past 30 days (N = 22)	59.1%	36.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	A dual a da u	
Difficultions of officiality	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =19)	Admission 0.0%	<u>Discharge</u> 15.8%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 19) Biomedical Conditions and	0.0%	15.8%
Acute Intoxication/ Withdrawal (N = 19) Biomedical Conditions and Complications (N = 19) Emotional/Behavioral/	0.0%	15.8% 21.1%
Acute Intoxication/ Withdrawal (N = 19) Biomedical Conditions and Complications (N = 19) Emotional/Behavioral/ Cognitive Problem (N = 19)	0.0% 21.1% 47.4%	15.8% 21.1% 31.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Range Treatment Center

626 13th Street South Virginia, MN 55792

Provider Website:

Patient Profile

 Gender (N = 115)
 Race (N = 115)

 Male: 70.4%
 White: 82.6%

 Female: 29.6%
 Black: 4.4%

American Indian: 10.4% Hispanic: 1.7%

Asian/Pacific Islander: 0.0%

Other: 0.9%

Primary Substance Source of Income

(N = 111) Alcohol: 56.8% (N = 115) Job: 33.0%

Methamphetamine: 11.7% Retirement/savings: 0.9% Marijuana: 18.0% Family/friends: 6.1% No income: 21.7% Cocaine: 1.8% Public sources: 20.0%

Other opiates: 10.8% Other sources: 18.3%

Age (N = 115)

Under 18: 0.0%

18 to 25: 19.1%

26 to 34: 33.0%

35 and older: 47.8%

Source of Referral

(N = 115) . Self/family/relative/

County: St. Louis

friends: 61.7% Employer/school: 1.7% Criminal justice: 44.3% Professional: 20.0%

County social

service agency: 17.4%

Other community resources: 31.3%

AA: 0.9% Tribal: 2.6%

Outcomes

Discharge Status (N = 115)

Other drugs: 0.9%

Completed program: 71.3%

Patient left without staff approval: 12.2% Staff requested/judged inappropriate: 11.3%

Death/other: 5.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Range Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 104)	6.7%	1.0%
Not employed/student 11 (N = 90)	71.1%	76.7%
Arrests past 30 days (N = 115)	11.3%	0.0%
Alcohol use past 30 days (N = 111)	56.8%	0.0%
Drug use past 30 days (N = 111)	40.5%	3.6%
No self-help group participation past 30 days (N = 110)	65.5%	3.6%
No family support for recovery past 30 days (N = 105)	22.9%	21.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =99)	7.1%	5.1%
Biomedical Conditions and Complications $(N = 99)$		
, , ,	55.6%	38.4%
Emotional/Behavioral/ Cognitive Problem (N = 99)	55.6% 98.0%	38.4% 86.9%
Emotional/Behavioral/		
Emotional/Behavioral/ Cognitive Problem (N = 99)	98.0%	86.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Wayside House Inc

3705 Park Center Boulevard St. Louis Park, MN 55416

Provider Website: www.waysidehouse.org

Patient Profile

 Gender (N = 245)
 Race (N = 245)
 Age (N = 245)

 Male: 0.4%
 White: 62.4%
 Under 18: 0.0%

 Female: 99.6%
 Black: 26.9%
 18 to 25: 21.2%

American Indian: 2.9% 26 to 34: 22.9%

Hispanic: 1.2% 35 and older: 55.9%

County: Hennepin

Asian/Pacific Islander: 0.0%

Other: 6.5%

Primary Substance Source of Income Source of Referral

(N = 245) (N = 245) (N = 245) . Self/family/relative/

Methamphetamine: 11.0%Retirement/savings: 1.6%friends: 0.8%Marijuana: 11.4%Family/friends: 40.4%Employer/school: 0.0%Heroin: 2.9%No income: 4.9%Criminal justice: 11.0%

Cocaine: 27.3% Public sources: 38.0% Professional: 51.0% Other opiates: 2.5% Other sources: 6.1% County social

Other drugs: 0.0% service agency: 41.2%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 245)

Completed program: 50.2%

Patient left without staff approval: 28.6% Staff requested/judged inappropriate: 15.1%

Death/other: 6.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

The Wayside House Inc

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 242)	13.2%	3.3%
Not employed/student ^{‡‡} (N = 225)	94.7%	94.2%
Arrests past 30 days (N = 245)	2.9%	4.9%
Alcohol use past 30 days (N = 245)	50.6%	8.6%
Drug use past 30 days (N = 245)	48.2%	16.3%
No self-help group participation past 30 days ($N = 228$)	56.1%	4.8%
No family support for recovery past 30 days $(N = 195)$	35.9%	11.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.1%	<u>Discharge</u> 2.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 245) Biomedical Conditions and	4.1%	2.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 245) Biomedical Conditions and Complications (N = 245) Emotional/Behavioral/	4.1% 68.2%	2.0% 49.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 245) Biomedical Conditions and Complications (N = 245) Emotional/Behavioral/ Cognitive Problem (N = 245)	4.1% 68.2% 96.3%	2.0% 49.8% 85.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Thunderbird and Wren Halfway House

229 North 4th Avenue West Duluth, MN 55806

Provider Website:

Patient Profile

Gender (N = 71)Race (N = 71)Male: 59.2% White: 0.0% Female: 40.8% Black: 0.0%

> American Indian: 97.2% 26 to 34: 39.4% Hispanic: 1.4% 35 and older: 31.0%

Asian/Pacific Islander: 0.0%

Other: 1.4%

Primary Substance Source of Income

(N = 71)(N = 71)Alcohol: 66.2% Job: 2.8%

Methamphetamine: 5.6% Retirement/savings: 1.4% Marijuana: 5.6% Family/friends: 7.0% No income: 25.4% Heroin: 0.0%

Cocaine: 7.0% Public sources: 42.3% Other opiates: 15.5% Other sources: 21.1% Other drugs: 0.0%

Source of Referral

County: St. Louis

Age (N = 71)

Under 18: 2.8%

18 to 25: 26.8%

(N = 71) . Self/family/relative/ friends: 4.2%

Employer/school: 0.0% Criminal justice: 36.6% Professional: 90.1%

County social

service agency: 26.8%

Other community resources: 2.8%

AA: 0.0% Tribal: 29.6%

Outcomes

Discharge Status

(N = 71)

Completed program: 46.5%

Patient left without staff approval: 26.8% Staff requested/judged inappropriate: 22.5%

Death/other: 4.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Thunderbird and Wren Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 71)	11.3%	0.0%
Not employed/student ^{‡‡} (N = 71)	94.4%	80.3%
Arrests past 30 days (N = 71)	5.6%	0.0%
Alcohol use past 30 days $(N = 68)$	8.8%	5.9%
Drug use past 30 days (N = 68)	2.9%	5.9%
No self-help group participation past 30 days $(N = 71)$	8.5%	0.0%
No family support for recovery past 30 days $(N = 69)$	20.3%	14.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.4%	<u>Discharge</u> 5.7%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 70) Biomedical Conditions and	1.4%	5.7%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 70) Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/	1.4% 14.1%	5.7% 9.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 70) Biomedical Conditions and Complications (N = 71) Emotional/Behavioral/ Cognitive Problem (N = 71)	1.4% 14.1% 85.9%	5.7% 9.9% 63.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House

1410 South Ferry Anoka, MN 55303

Provider Website: www.transformationhouse.com

Patient Profile

 Gender (N = 200)
 Race (N = 200)

 Male: 99.5%
 White: 82.0%

 Female: 0.5%
 Black: 14.5%

emale: 0.5% Black: 14.5% 18 to 25: 28.0% American Indian: 2.0% 26 to 34: 28.0% Hispanic: 1.0% 35 and older: 44.0%

Asian/Pacific Islander: 0.0%

Other: 0.5%

Primary Substance Source of Income

(N = 200) Alcohol: 47.5% (N = 200) Job: 28.5%

Methamphetamine: 19.5% Retirement/savings: 1.5% Marijuana: 13.5% Family/friends: 4.5% No income: 38.5% Cocaine: 10.5% Public sources: 18.5%

Cocaine: 10.5% Public sources: 18.5% Other opiates: 3.5% Other sources: 8.5%

Self/family/relative/ friends: 21.5% Employer/school: 0.5% Criminal justice: 26.5% Professional: 46.0%

Source of Referral

(N = 200) .

County social

County: Anoka

Age (N = 200)

Under 18: 0.0%

service agency: 66.0%

Other community resources: 12.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 200)

Other drugs: 0.0%

Completed program: 58.5%

Patient left without staff approval: 23.0% Staff requested/judged inappropriate: 8.5%

Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Transformation House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 195)	8.7%	1.0%
Not employed/student ^{‡‡} (N = 172)	85.5%	55.8%
Arrests past 30 days (N = 184)	9.2%	4.9%
Alcohol use past 30 days (N = 194)	15.5%	11.9%
Drug use past 30 days (N = 195)	10.3%	5.6%
No self-help group participation past 30 days (N = 173)	21.4%	4.1%
No family support for recovery past 30 days (N = 160)	15.0%	5.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =193)	0.5%	7.3%
Biomedical Conditions and Complications ($N = 195$)	10.8%	11.3%
Emotional/Behavioral/ Cognitive Problem (N = 196)	73.0%	52.6%
Resistance to Change (N = 197)	95.4%	56.3%
Relapse/Continued Use Potential (N = 197)	100.0%	64.5%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House I

2532 N Ferry

Anoka, MN 55303 County: Anoka

Provider Website: www.transformationhouse.com

Patient Profile

 Gender (N = 57)
 Race (N = 57)
 Age (N = 57)

 Male: 0.0%
 White: 66.7%
 Under 18: 0.0%

 Female: 100.0%
 Black: 17.5%
 18 to 25: 17.5%

American Indian: 3.5% 26 to 34: 19.3% Hispanic: 3.5% 35 and older: 63.2%

Asian/Pacific Islander: 0.0%

Source of Referral

Tribal: 0.0%

Other: 8.8%

Primary Substance Source of Income

(N = 57) (N = 57) (N = 57) . Self/family/relative/

Methamphetamine: 22.8%Retirement/savings: 1.8%friends: 35.1%Marijuana: 1.8%Family/friends: 15.8%Employer/school: 0.0%Heroin: 5.3%No income: 35.1%Criminal justice: 22.8%Cocaine: 19.3%Public sources: 35.1%Professional: 36.8%

Other opiates: 5.3% Other sources: 7.0% County social

Other drugs: 1.8% service agency: 64.9% Other community

resources: 24.6% AA: 0.0%

Outcomes

Discharge Status

(N = 57)

Completed program: 45.6%

Patient left without staff approval: 26.3% Staff requested/judged inappropriate: 12.3%

Death/other: 15.8%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Transformation House I

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 52)	7.7%	3.9%
Not employed/student ‡ (N = 49)	98.0%	85.7%
Arrests past 30 days (N = 52)	7.7%	3.9%
Alcohol use past 30 days (N = 55)	27.3%	21.8%
Drug use past 30 days (N = 55)	21.8%	16.4%
No self-help group participation past 30 days $(N = 51)$	11.8%	2.0%
No family support for recovery past 30 days $(N = 49)$	2.0%	8.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 3.6%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 56) Biomedical Conditions and	3.6%	10.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 56) Biomedical Conditions and Complications (N = 54) Emotional/Behavioral/	3.6%	10.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 56) Biomedical Conditions and Complications (N = 54) Emotional/Behavioral/ Cognitive Problem (N = 54)	3.6% 14.8% 38.9%	10.7% 20.4% 53.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House II

351 74th Avenue NE Fridley, MN 55432

County: Anoka

Provider Website: www.transformationhouse.com

Patient Profile

 Gender (N = 119)
 Race (N = 119)
 Age (N = 119)

 Male: 0.0%
 White: 73.9%
 Under 18: 0.0%

 Female: 100.0%
 Black: 14.3%
 18 to 25: 23.5%

American Indian: 2.5% 26 to 34: 31.1% Hispanic: 1.7% 35 and older: 45.4%

Hispanic: 1.7% 35 and older: 45.4%

AA: 0.0% Tribal: 0.0%

Asian/Pacific Islander: 0.8%

Other: 6.7%

Primary Substance Source of Income Source of Referral

(N = 117) (N = 119) (N = 119) . Self/family/relative/

Methamphetamine: 18.8% Retirement/savings: 2.5% friends: 36.1%

Marijuana: 4.3% Family/friends: 16.0% Employer/school: 0.8%

Heroin: 6.8% No income: 23.5% Criminal justice: 19.3%

Cocaine: 20.5% Public sources: 43.7% Professional: 62.2% Other opiates: 6.8% Other sources: 10.9% County social

Other drugs: 0.9% service agency: 30.3%

Other community resources: 9.2%

Outcomes

Discharge Status (N = 119)

Completed program: 45.4%

Patient left without staff approval: 31.9% Staff requested/judged inappropriate: 11.8%

Death/other: 10.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Transformation House II

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 106)	35.8%	45.3%
Not employed/student ‡ (N = 106)	95.3%	79.2%
Arrests past 30 days (N = 110)	4.6%	0.9%
Alcohol use past 30 days (N = 116)	4.3%	9.5%
Drug use past 30 days (N = 115)	6.1%	11.3%
No self-help group participation past 30 days ($N = 100$)	17.0%	19.0%
No family support for recovery past 30 days ($N = 92$)	3.3%	3.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.9%	<u>Discharge</u>
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 104) Biomedical Conditions and	1.9%	1.9%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 104) Biomedical Conditions and Complications (N = 104) Emotional/Behavioral/	1.9% 18.3%	1.9% 19.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 104) Biomedical Conditions and Complications (N = 104) Emotional/Behavioral/ Cognitive Problem (N = 104)	1.9% 18.3% 87.5%	1.9% 19.2% 49.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tri County Community Corrections

816 Marin Ave

Crookston, MN 56716 County: Polk

Provider Website:

Patient Profile

 Gender (N = 34)
 Race (N = 34)

 Male: 61.8%
 White: 55.9%

 Female: 38.2%
 Black: 2.9%

American Indian: 11.8% 26 to 34: 0.0% Hispanic: 29.4% 35 and older: 0.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 34) (N = 34) Alcohol: 26.5% Job: 0.0%

Methamphetamine: 0.0% Retirement/savings: 0.0% Family/friends: 97.1% No income: 2.9% Cocaine: 0.0% Public sources: 0.0%

Other opiates: 0.0% Other sources: 0.0% Other drugs: 2.9%

(N = 34)Self/family/relative/

Source of Referral

Age (N = 34)

Under 18: 94.1%

18 to 25: 5.9%

friends: 23.5%
Employer/school: 8.8%
Criminal justice: 55.9%
Professional: 2.9%
County social

service agency: 73.5%

Other community resources: 5.9%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 34)

Completed program: 52.9%

Patient left without staff approval: 20.6% Staff requested/judged inappropriate: 0.0%

Death/other: 26.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Tri County Community Corrections

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 34)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 34)	0.0%	0.0%
Arrests past 30 days (N = 29)	10.3%	10.3%
Alcohol use past 30 days (N = 33)	30.3%	15.2%
Drug use past 30 days (N = 33)	36.4%	18.2%
No self-help group participation past 30 days ($N = 30$)	100.0%	100.0%
No family support for recovery past 30 days (N = 30)	6.7%	6.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 32)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 32)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 32)	28.1%	15.6%
Resistance to Change (N = 32)	34.4%	34.4%
Relapse/Continued Use Potential ($N = 32$)	100.0%	40.6%
Unsupportive Recovery		

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Turning Point, Inc.

1500 Golden Valley Road Minneapolis, MN 55411

Provider Website: www.ourturningpoint.org

Patient Profile

 Gender (N = 348)
 Race (N = 348)

 Male: 98.3%
 White: 3.2%

 Female: 1.7%
 Black: 92.8%

American Indian: 0.9% 26 to 34: 16.7% Hispanic: 2.0% 35 and older: 71.6%

County: Hennepin

Age (N = 348)

Under 18: 0.0%

18 to 25: 11.8%

Source of Referral

Self/family/relative/

friends: 60.6%

Professional: 10.3%

Employer/school: 0.6%

Criminal justice: 14.9%

(N = 348) .

County social

AA: 0.0%

Asian/Pacific Islander: 0.6%

Other: 0.6%

Primary Substance Source of Income

(N = 346) Alcohol: 24.0% (N = 348) Job: 10.6%

Methamphetamine: 0.3% Retirement/savings: 0.3% Marijuana: 22.8% Family/friends: 0.9% No income: 52.0%

Cocaine: 43.9% Public sources: 29.9% Other opiates: 0.9% Other sources: 6.3%

Other drugs: 0.9% service agency: 33.9% Other community

Other community resources: 4.0%

Tribal: 0.0%

Outcomes

Discharge Status (N = 348)

Completed program: 72.1%

Patient left without staff approval: 17.8% Staff requested/judged inappropriate: 5.2%

Death/other: 4.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Turning Point, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 308)	34.4%	41.9%
Not employed/student ^{‡‡} (N = 300)	90.0%	86.0%
Arrests past 30 days (N = 305)	11.8%	2.0%
Alcohol use past 30 days (N = 329)	65.7%	16.4%
Drug use past 30 days (N = 331)	74.6%	20.8%
No self-help group participation past 30 days $(N = 269)$	91.8%	21.9%
No family support for recovery past 30 days ($N = 260$)	43.1%	18.1%
Dominus to Donovers		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 5.7%	<u>Discharge</u> 1.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 333) Biomedical Conditions and	5.7%	1.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 333) Biomedical Conditions and Complications (N = 333) Emotional/Behavioral/	5.7%	1.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 333) Biomedical Conditions and Complications (N = 333) Emotional/Behavioral/ Cognitive Problem (N = 333)	5.7% 13.2% 37.5%	1.5% 12.0% 36.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Turning Point, Inc.

1105 16th Ave.

Minneapolis, MN 55411 County: Hennepin

Provider Website: www.ourturningpoint.org

Patient Profile

 Gender (N = 132)
 Race (N = 132)
 Age (N = 132)

 Male: 100.0%
 White: 2.3%
 Under 18: 0.0%

 Female: 0.0%
 Black: 92.4%
 18 to 25: 8.3%

American Indian: 0.0% 26 to 34: 12.9%

Hispanic: 3.0% 35 and older: 78.8%

Asian/Pacific Islander: 0.8%

Other: 1.5%

Primary Substance Source of Income Source of Referral

(N = 131) (N = 132) (N = 132) Self/family/relative/

Methamphetamine: 0.8% Retirement/savings: 0.8% friends: 84.8% Employer/school: 0.8% Employer/school: 0.8%

Heroin: 8.4% No income: 12.9% Criminal justice: 5.3% Cocaine: 56.5% Public sources: 70.5% Professional: 3.8%

Other opiates: 0.0% Other sources: 7.6% County social service agency: 9.9%

Other community resources: 2.3%

AA: 0.8% Tribal: 0.0%

Outcomes

Discharge Status

(N = 132)

Completed program: 50.0%

Patient left without staff approval: 40.2% Staff requested/judged inappropriate: 4.6%

Death/other: 5.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Turning Point, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 122)	27.0%	43.4%
Not employed/student ^{‡‡} (N = 96)	85.4%	57.3%
Arrests past 30 days (N = 116)	6.9%	6.9%
Alcohol use past 30 days (N = 122)	14.8%	7.4%
Drug use past 30 days (N = 124)	18.5%	13.7%
No self-help group participation past 30 days ($N = 107$)	26.2%	12.1%
No family support for recovery past 30 days $(N = 98)$	16.3%	12.2%
D D		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 7.2%	<u>Discharge</u> 4.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 125) Biomedical Conditions and	7.2%	4.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 125) Biomedical Conditions and Complications (N = 124) Emotional/Behavioral/	7.2% 14.5%	4.8% 11.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 125) Biomedical Conditions and Complications (N = 124) Emotional/Behavioral/ Cognitive Problem (N = 125)	7.2% 14.5% 31.2%	4.8% 11.3% 27.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Twin Town Treatment Center

1706 University Avenue St. Paul, MN 55104

Provider Website: www.meridiannetwork.com

Patient Profile

Gender (N = 398)Race (N = 398)Age (N = 398)Male: 95.7%White: 65.3%Under 18: 0.5%Female: 4.3%Black: 23.4%18 to 25: 18.3%

American Indian: 1.5% 26 to 34: 25.6% Hispanic: 4.3% 35 and older: 55.5%

Asian/Pacific Islander: 2.3%

Other: 3.3%

Primary Substance Source of Income

(N = 397) Alcohol: 63.2% (N = 398) Job: 36.9%

Methamphetamine: 10.3% Retirement/savings: 3.0% Marijuana: 11.1% Family/friends: 4.8% Heroin: 1.5% No income: 28.6% Cocaine: 12.8% Public sources: 18.6%

Other opiates: 0.8% Other sources: 8.0%

(N = 398) .
Self/family/relative/
friends: 54.3%
Employer/school: 3.3%
Criminal justice: 40.2%
Professional: 17.6%

Source of Referral

County social

County: Ramsey

service agency: 39.7%

Other community

resources: 6.0%

AA: 0.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 398)

Other drugs: 0.3%

Completed program: 54.0%

Patient left without staff approval: 34.4% Staff requested/judged inappropriate: 5.0%

Death/other: 6.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Twin Town Treatment Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 382)	17.0%	8.4%
Not employed/student ^{‡‡} (N = 360)	68.1%	66.1%
Arrests past 30 days (N = 363)	10.7%	8.8%
Alcohol use past 30 days (N = 383)	55.6%	19.6%
Drug use past 30 days (N = 385)	42.1%	17.1%
No self-help group participation past 30 days ($N = 333$)	61.6%	40.2%
No family support for recovery past 30 days (N = 316)	31.6%	20.3%
Barriers to Recovery Dimensions of Chemical Health	Admission	Disabarga
	Aumission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 357)	6.4%	2.5%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N = 357) Biomedical Conditions and	6.4%	2.5%
Acute Intoxication/ Withdrawal (N = 357) Biomedical Conditions and Complications (N = 370) Emotional/Behavioral/	6.4%	2.5% 15.1%
Acute Intoxication/ Withdrawal (N = 357) Biomedical Conditions and Complications (N = 370) Emotional/Behavioral/ Cognitive Problem (N = 369)	6.4% 17.0% 59.9%	2.5% 15.1% 48.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Unity Hospital Substance Abuse Services

550 Osborne Road NE Fridley, MN 55432

Provider Website: www.allina.com

Patient Profile

 Gender (N = 331)
 Race (N = 331)

 Male: 61.0%
 White: 89.7%

 Female: 39.0%
 Black: 6.3%

Black: 6.3% 18 to 25: 9.4%

American Indian: 1.2% 26 to 34: 16.0%

Hispanic: 1.2% 35 and older: 74.3%

Asian/Pacific Islander: 0.0%

Other: 1.5%

Primary Substance Source of Income

(N = 329) Alcohol: 72.3% (N = 331) Job: 33.8%

Methamphetamine: 3.3% Retirement/savings: 6.7% Marijuana: 2.4% Family/friends: 13.9% Heroin: 5.5% No income: 4.5% Cocaine: 3.7% Public sources: 13.3%

Other opiates: 11.6% Other sources: 27.8%

County: Anoka

Age (N = 331)

Under 18: 0.3%

Source of Referral

Family/friends: 13.9% Employer/school: 1.5% No income: 4.5% Criminal justice: 8.8% Public sources: 13.3% Professional: 14.2%

County social

service agency: 3.0% Other community resources: 59.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 331)

Other drugs: 1.2%

Completed program: 46.8%

Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 5.4%

Death/other: 34.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Unity Hospital Substance Abuse Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 311)	12.2%	8.0%
Not employed/student ^{‡‡} (N = 288)	62.5%	61.5%
Arrests past 30 days (N = 298)	4.7%	9.1%
Alcohol use past 30 days (N = 329)	80.2%	78.1%
Drug use past 30 days (N = 328)	39.6%	39.6%
No self-help group participation past 30 days (N = 135)	91.9%	93.3%
No family support for recovery past 30 days ($N = 125$)	43.2%	40.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission 55.8%	<u>Discharge</u> 5.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 326) Biomedical Conditions and	55.8%	5.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 326) Biomedical Conditions and Complications (N = 322) Emotional/Behavioral/	55.8% 55.9%	5.5% 27.3%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 326) Biomedical Conditions and Complications (N = 322) Emotional/Behavioral/ Cognitive Problem (N = 319)	55.8% 55.9% 74.0%	5.5% 27.3% 48.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Unity Hospital Substance Abuse Services

7590 Lyric Lane NE Fridley, MN 55432

County: Anoka

Provider Website:

Patient Profile

 Gender (N = 532)
 Race (N = 532)

 Male: 64.3%
 White: 90.4%

 Female: 35.7%
 Black: 5.3%

American Indian: 1.3% 26 to 34: 21.4% Hispanic: 1.3% 35 and older: 57.1%

Asian/Pacific Islander: 0.9%

Other: 0.8%

Primary Substance

(N = 532)Alcohol: 69.0%

Methamphetamine: 6.4% Marijuana: 13.0%

Heroin: 0.6% Cocaine: 2.8% Other opiates: 5.6%

Other drugs: 2.6%

Source of Income

(N = 532)

Job: 56.2%

Retirement/savings: 3.2% Family/friends: 11.1%

No income: 2.3% Public sources: 10.0% Other sources: 17.3% Source of Referral

(N = 532) .

Age (N = 532)

Under 18: 0.0%

18 to 25: 21.4%

Self/family/relative/ friends: 73.7% Employer/school: 7.0%

Criminal justice: 39.3% Professional: 32.3%

County social

service agency: 13.3%

Other community resources: 8.1%

AA: 0.2% Tribal: 0.0%

Outcomes

Discharge Status (N = 532)

Completed program: 51.1%

Patient left without staff approval: 28.6% Staff requested/judged inappropriate: 9.6%

Death/other: 10.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Unity Hospital Substance Abuse Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 527)	0.0%	0.4%
Not employed/student ^{‡‡} (N = 483)	39.5%	35.4%
Arrests past 30 days (N = 531)	9.8%	2.6%
Alcohol use past 30 days (N = 531)	54.8%	20.3%
Drug use past 30 days (N = 531)	30.7%	16.0%
No self-help group participation past 30 days ($N = 430$)	62.8%	31.2%
No family support for recovery past 30 days (N = 338)	20.7%	12.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	A dusionin a	D
Difficultions of official fourth	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =492)	3.1%	<u>Discharge</u> 4.3%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =492) Biomedical Conditions and	3.1%	4.3%
Acute Intoxication/ Withdrawal (N = 492) Biomedical Conditions and Complications (N = 529) Emotional/Behavioral/	3.1% 16.1%	4.3%
Acute Intoxication/ Withdrawal (N = 492) Biomedical Conditions and Complications (N = 529) Emotional/Behavioral/ Cognitive Problem (N = 529)	3.1% 16.1% 55.8%	4.3% 11.3% 42.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Upper Mississippi Mental Health Center

120 N. Main Street Park Rapids, MN 56470

Provider Website:

Patient Profile

 Gender (N = 27)
 Race (N = 27)

 Male: 74.1%
 White: 92.6%

 Female: 25.9%
 Black: 0.0%

American Indian: 3.7% 26 to 34: 33.3% Hispanic: 0.0% 35 and older: 44.4%

Asian/Pacific Islander: 0.0%

Other: 3.7%

Primary Substance Source of Income

(N = 26) Alcohol: 80.8% (N = 27) Job: 51.9%

Methamphetamine: 3.9% Retirement/savings: 0.0% Marijuana: 15.4% Family/friends: 0.0% Heroin: 0.0% No income: 14.8% Cocaine: 0.0% Public sources: 14.8%

Other opiates: 0.0%

Other sources: 14.8%

Source of Referral

County: Hubbard

Age (N = 27)

Under 18: 0.0%

18 to 25: 22.2%

(N = 27) .
Self/family/relative/
friends: 25.9%
Employer/school: 0.0%
Criminal justice: 66.7%
Professional: 3.7%
County social

service agency: 81.5%

Other community resources: 11.1%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 27)

Completed program: 77.8%

Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 0.0%

Death/other: 11.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Upper Mississippi Mental Health Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 25)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 18)	61.1%	44.4%
Arrests past 30 days (N = 25)	4.0%	4.0%
Alcohol use past 30 days (N = 23)	39.1%	4.4%
Drug use past 30 days (N = 23)	30.4%	4.4%
No self-help group participation past 30 days $(N = 21)$	81.0%	19.0%
No family support for recovery past 30 days $(N = 20)$	20.0%	10.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 4.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 23) Biomedical Conditions and	0.0%	4.4%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 23) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/	0.0%	4.4% 4.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 23) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/ Cognitive Problem (N = 23)	0.0% 0.0% 17.4%	4.4% 4.6% 21.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Upper Mississippi Mental Health Center

722 1st Street Bemidji, MN 56601

Bemidji, MN 56601 County: Beltrami

Provider Website: www.ummhcmn.org

Patient Profile

 Gender (N = 82)
 Race (N = 82)
 Age (N = 82)

 Male: 75.6%
 White: 72.0%
 Under 18: 17.1%

 Female: 24.4%
 Black: 0.0%
 18 to 25: 36.6%

American Indian: 24.4% 26 to 34: 18.3%

Hispanic: 3.7% 35 and older: 28.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income Source of Referral

Marijuana: 23.5% Family/friends: 19.5% Employer/school: 3.7% Heroin: 0.0% No income: 11.0% Criminal justice: 63.4% Cocaine: 1.2% Public sources: 11.0% Professional: 14.6%

Other opiates: 1.2% Other sources: 19.5% County social service agency: 2

ther drugs: 1.2% service agency: 25.6% Other community

resources: 7.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 82)

Completed program: 61.0%

Patient left without staff approval: 22.0% Staff requested/judged inappropriate: 0.0%

Death/other: 17.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Upper Mississippi Mental Health Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 60)	3.3%	1.7%
Not employed/student ^{‡‡} (N = 48)	27.1%	22.9%
Arrests past 30 days (N = 65)	18.5%	4.6%
Alcohol use past 30 days (N = 59)	30.5%	3.4%
Drug use past 30 days (N = 59)	13.6%	5.1%
No self-help group participation past 30 days $(N = 51)$	82.4%	23.5%
No family support for recovery past 30 days $(N = 54)$	61.1%	13.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.7%	<u>Discharge</u> 1.7%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 59) Biomedical Conditions and	1.7%	1.7%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 59) Biomedical Conditions and Complications (N = 58) Emotional/Behavioral/	1.7% 3.5%	1.7% 0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 59) Biomedical Conditions and Complications (N = 58) Emotional/Behavioral/ Cognitive Problem (N = 57)	1.7% 3.5% 26.3%	1.7% 0.0% 14.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Valhalla Place Inc.

6043 Hudson Road Woodbury, MN 55125

Provider Website:

Patient Profile

 Gender (N = 22)
 Race (N = 22)

 Male: 54.5%
 White: 86.4%

 Female: 45.5%
 Black: 4.6%

American Indian: 4.6% 26 to 34: 63.6% Hispanic: 4.6% 35 and older: 13.6%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 22) Alcohol: 0.0% (N = 22) Job: 36.4%

Methamphetamine: 4.6% Retirement/savings: 0.0% Family/friends: 22.7% No income: 4.6% Public sources: 22.7%

Other opiates: 50.0% Other sources: 13.6%

Source of Referral

County: Washington

Age (N = 22)

Under 18: 0.0%

18 to 25: 22.7%

(N = 22) .
Self/family/relative/

friends: 86.4% Employer/school: 4.6% Criminal justice: 0.0% Professional: 36.4%

County social

service agency: 0.0% Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 22)

Completed program: 9.1%

Patient left without staff approval: 22.7% Staff requested/judged inappropriate: 0.0%

Death/other: 68.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Valhalla Place Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 20)	10.0%	5.0%
Not employed/student ‡ (N = 20)	50.0%	65.0%
Arrests past 30 days (N = 22)	4.6%	9.1%
Alcohol use past 30 days (N = 21)	23.8%	9.5%
Drug use past 30 days (N = 22)	81.8%	40.9%
No self-help group participation past 30 days ($N = 20$)	75.0%	70.0%
No family support for recovery past 30 days ($N = 21$)	4.8%	9.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 100.0%	Discharge 36.4%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and	100.0%	36.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/	100.0% 27.3%	36.4% 22.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 22) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/ Cognitive Problem (N = 22)	100.0% 27.3% 77.3%	36.4% 22.7% 59.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Vinland National Center

3675 Ihduhapi Rd Loretto, MN 55357

Provider Website: www.vinlandcenter.org

Patient Profile

 Gender (N = 186)
 Race (N = 186)

 Male: 79.0%
 White: 72.6%

 Female: 21.0%
 Black: 16.1%

American Indian: 4.8% 26 to 34: 22.6% Hispanic: 3.2% 35 and older: 54.8%

County: Hennepin

Age (N = 186)

Under 18: 0.0%

18 to 25: 22.6%

Source of Referral

Self/family/relative/ friends: 12.9%

(N = 186) .

Asian/Pacific Islander: 0.0%

Other: 3.2%

Primary Substance Source of Income

(N = 156) Alcohol: 58.3% (N = 186) Job: 14.5%

Methamphetamine: 5.1% Retirement/savings: 5.4% Marijuana: 14.7% Family/friends: 10.8% No income: 9.7%

Cocaine: 12.8% Public sources: 51.1% Other opiates: 5.1% Other sources: 8.6%

Professional: 38.7% County social service agency: 38.2%

Employer/school: 0.0%

Criminal justice: 30.6%

Other community resources: 1.6%

AA: 0.0% Tribal: 1.6%

Outcomes

Discharge Status (N = 186)

Other drugs: 3.2%

Completed program: 81.2%

Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 6.5%

Death/other: 3.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Vinland National Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 180)	7.8%	7.8%
Not employed/student ^{‡‡} (N = 170)	15.9%	80.6%
Arrests past 30 days (N = 179)	7.3%	11.2%
Alcohol use past 30 days (N = 168)	38.1%	9.5%
Drug use past 30 days (N = 173)	35.3%	11.6%
No self-help group participation past 30 days ($N = 181$)	76.2%	19.9%
No family support for recovery past 30 days (N = 179)	20.7%	30.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.5%	<u>Discharge</u> 6.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 184) Biomedical Conditions and	0.5%	6.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 184) Biomedical Conditions and Complications (N = 184) Emotional/Behavioral/	0.5%	6.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 184) Biomedical Conditions and Complications (N = 184) Emotional/Behavioral/ Cognitive Problem (N = 184)	0.5% 14.1% 85.9%	6.0% 21.2% 85.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Way 12 Halfway House

645 East Wayzata Blvd Wayzata, MN 55391

Provider Website: www.way12.org

Patient Profile

 Gender (N = 14)
 Race (N = 14)
 Age (N = 14)

 Male: 100.0%
 White: 78.6%
 Under 18: 35.7%

 Female: 0.0%
 Black: 0.0%
 18 to 25: 64.3%

American Indian: 0.0% 26 to 34: 0.0% Hispanic: 7.1% 35 and older: 0.0%

County: Hennepin

Source of Referral

County social

Asian/Pacific Islander: 14.3%

Other: 0.0%

Primary Substance Source of Income

Methamphetamine: 0.0%Retirement/savings: 0.0%friends: 35.7%Marijuana: 35.7%Family/friends: 64.3%Employer/school: 0.0%Heroin: 7.1%No income: 14.3%Criminal justice: 35.7%Cocaine: 21.4%Public sources: 0.0%Professional: 85.7%

Other drugs: 7.1% service agency: 7.1%

Other sources: 7.1%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other opiates: 0.0%

(N = 14)

Completed program: 35.7%

Patient left without staff approval: 14.3% Staff requested/judged inappropriate: 50.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Way 12 Halfway House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 14)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 14)	28.6%	14.3%
Arrests past 30 days (N = 14)	0.0%	0.0%
Alcohol use past 30 days (N = 14)	7.1%	0.0%
Drug use past 30 days (N = 14)	7.1%	0.0%
No self-help group participation past 30 days ($N = 14$)	21.4%	0.0%
No family support for recovery past 30 days $(N = 14)$	0.0%	7.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =14)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 14)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 14)	100.0%	100.0%
Resistance to Change (N = 14)	100.0%	100.0%
Relapse/Continued Use Potential ($N = 14$)	100.0%	92.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

We Care Counseling Center

6060 50th Street North Oakdale, MN 55128

Provider Website: www.wecarecd.com

Patient Profile

 Gender (N = 198)
 Race (N = 198)

 Male: 76.8%
 White: 90.4%

 Female: 23.2%
 Black: 2.0%

American Indian: 0.5% 26 to 34: 25.8% Hispanic: 3.5% 35 and older: 43.9%

Asian/Pacific Islander: 2.5%

Other: 1.0%

Primary Substance Source of Income

(N = 198) Alcohol: 73.7% (N = 198) Job: 63.6%

Methamphetamine: 7.6% Retirement/savings: 3.5% Marijuana: 13.6% Family/friends: 6.6% No income: 13.6%

Cocaine: 3.0% Public sources: 5.6% Other opiates: 1.0% Other sources: 7.1%

(N = 198) .
Self/family/relative/
friends: 37.9%
Employer/school: 9.1%

Source of Referral

Employer/school: 9.1% Criminal justice: 52.5% Professional: 12.6%

County social

County: Washington

Age (N = 198)

Under 18: 0.0%

18 to 25: 30.3%

service agency: 10.1%

Other community resources: 12.6%

AA: 1.0% Tribal: 0.5%

Outcomes

Discharge Status (N = 198)

Other drugs: 1.0%

Completed program: 72.2%

Patient left without staff approval: 12.6% Staff requested/judged inappropriate: 9.1%

Death/other: 6.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

We Care Counseling Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 184)	1.1%	0.5%
Not employed/student ^{‡‡} (N = 186)	28.0%	32.8%
Arrests past 30 days (N = 193)	11.4%	3.6%
Alcohol use past 30 days (N = 198)	44.4%	19.7%
Drug use past 30 days (N = 198)	23.2%	10.6%
No self-help group participation past 30 days (N = 180)	65.6%	10.0%
No family support for recovery past 30 days $(N = 169)$	17.2%	4.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.0%	<u>Discharge</u> 2.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 196) Biomedical Conditions and	1.0%	2.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 196) Biomedical Conditions and Complications (N = 195) Emotional/Behavioral/	1.0% 3.1%	2.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 196) Biomedical Conditions and Complications (N = 195) Emotional/Behavioral/ Cognitive Problem (N = 196)	1.0% 3.1% 76.0%	2.0% 3.6% 31.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wellcome Manor Family Services

114 West Pleasant Street Garden City, MN 56034

Provider Website:

Patient Profile

 Gender (N = 75)
 Race (N = 75)

 Male: 0.0%
 White: 78.7%

 Female: 100.0%
 Black: 5.3%

American Indian: 1.3% 26 to 34: 44.0% Hispanic: 12.0% 35 and older: 17.3%

Asian/Pacific Islander: 0.0%

Other: 2.7%

Primary Substance

(N = 75)Alcohol: 33.3%

Methamphetamine: 32.0% Marijuana: 14.7%

Heroin: 2.7% Cocaine: 9.3% Other opiates: 8.0%

Other drugs: 0.0%

Source of Income

(N = 75)Job: 2.7%

Retirement/savings: 0.0%

Family/friends: 9.3% No income: 18.7% Public sources: 42.7%

Other sources: 26.7%

Source of Referral

(N = 75) .

County: Blue Earth

Age (N = 75)

Under 18: 0.0%

18 to 25: 38.7%

Self/family/relative/ friends: 26.7%

Employer/school: 0.0% Criminal justice: 12.0% Professional: 25.3%

County social

service agency: 53.3%

Other community resources: 4.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 75)

Completed program: 38.7%

Patient left without staff approval: 28.0% Staff requested/judged inappropriate: 6.7%

Death/other: 26.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Wellcome Manor Family Services

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 67)	16.4%	17.9%
Not employed/student ^{‡‡} (N = 46)	82.6%	80.4%
Arrests past 30 days (N = 66)	9.1%	1.5%
Alcohol use past 30 days (N = 75)	17.3%	8.0%
Drug use past 30 days (N = 75)	29.3%	12.0%
No self-help group participation past 30 days $(N = 68)$	14.7%	8.8%
No family support for recovery past 30 days $(N = 64)$	15.6%	18.8%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 4.6%	<u>Discharge</u> 1.5%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =65) Biomedical Conditions and	4.6%	1.5%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 65) Biomedical Conditions and Complications (N = 66) Emotional/Behavioral/	4.6% 9.1%	1.5% 3.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 65) Biomedical Conditions and Complications (N = 66) Emotional/Behavioral/ Cognitive Problem (N = 65)	4.6% 9.1% 81.5%	1.5% 3.0% 58.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Service of Winona

69 Lafayette Street Winona, MN 55987

Provider Website:

Patient Profile

Gender (N = 89)Race (N = 89)Male: 78.7% White: 89.9% Female: 21.3% Black: 4.5%

> American Indian: 1.1% Hispanic: 3.4%

Asian/Pacific Islander: 1.1%

Other: 0.0%

Primary Substance

(N = 88)Alcohol: 71.6%

Methamphetamine: 6.8% Marijuana: 12.5%

Heroin: 0.0% Cocaine: 8.0% Other opiates: 1.1%

Other drugs: 0.0%

Source of Income

(N = 89)Job: 61.8%

> Retirement/savings: 1.1% Family/friends: 18.0% No income: 1.1% Public sources: 7.9%

Other sources: 10.1%

Age (N = 89)

County: Winona

Under 18: 0.0% 18 to 25: 34.8% 26 to 34: 27.0%

35 and older: 38.2%

Source of Referral

(N = 89) .

Self/family/relative/ friends: 20.2% Employer/school: 2.3% Criminal justice: 78.7% Professional: 12.4%

County social

service agency: 30.3%

Other community resources: 2.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 89)

Completed program: 73.0%

Patient left without staff approval: 21.3% Staff requested/judged inappropriate: 1.1%

Death/other: 4.5%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Wenden Recovery Service of Winona

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 89)	0.0%	1.1%
Not employed/student ^{‡‡} (N = 87)	44.8%	37.9%
Arrests past 30 days (N = 89)	21.3%	5.6%
Alcohol use past 30 days (N = 88)	31.8%	12.5%
Drug use past 30 days (N = 88)	21.6%	5.7%
No self-help group participation past 30 days $(N = 72)$	69.4%	54.2%
No family support for recovery past 30 days $(N = 81)$	18.5%	16.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 2.3%	<u>Discharge</u> 5.6%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =89) Biomedical Conditions and	2.3%	5.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =89) Biomedical Conditions and Complications (N = 89) Emotional/Behavioral/	2.3%	5.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 89) Biomedical Conditions and Complications (N = 89) Emotional/Behavioral/ Cognitive Problem (N = 89)	2.3% 3.4% 28.1%	5.6% 2.3% 4.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Services of Preston

124 Main Street SW Preston, MN 55965

Provider Website:

Patient Profile

 Gender (N = 28)
 Race (N = 28)

 Male: 85.7%
 White: 96.4%

 Female: 14.3%
 Black: 0.0%

American Indian: 0.0% 26 th Hispanic: 0.0% 35 and the Hispanic of the Hispanic

Asian/Pacific Islander: 0.0%

Other: 3.6%

Primary Substance Source of Income

(N = 28) Alcohol: 53.6% (N = 28) Job: 75.0%

Methamphetamine: 3.6%
Marijuana: 32.1%
Heroin: 0.0%
Cocaine: 10.7%
Retirement/savings: 3.6%
Family/friends: 3.6%
No income: 7.1%
Public sources: 7.1%

Cocaine: 10.7% Public sources: 7.1% Other opiates: 0.0% Other sources: 3.6% Other drugs: 0.0%

 $\underline{\mathsf{Age}\;(\mathsf{N}=28)}$

County: Fillmore

Under 18: 0.0% 18 to 25: 32.1% 26 to 34: 28.6%

35 and older: 39.3%

Source of Referral

__(N = 28) __.
Self/family/relative/
friends: 17.9%
Employer/school: 0.0%
Criminal justice: 75.0%
Professional: 7.1%

County social

service agency: 46.4%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 28)

Completed program: 89.3%

Patient left without staff approval: 3.6% Staff requested/judged inappropriate: 0.0%

Death/other: 7.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Wenden Recovery Services of Preston

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 26)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 26)	30.8%	23.1%
Arrests past 30 days (N = 28)	21.4%	14.3%
Alcohol use past 30 days $(N = 28)$	14.3%	3.6%
Drug use past 30 days (N = 28)	17.9%	7.1%
No self-help group participation past 30 days $(N = 18)$	61.1%	33.3%
No family support for recovery past 30 days $(N = 26)$	19.2%	11.5%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 3.6%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and	0.0%	3.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/	0.0%	3.6%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/ Cognitive Problem (N = 28)	0.0% 3.6% 92.9%	3.6% 0.0% 32.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Services, Inc.

217 Plum Street Red Wing, MN 55066

Provider Website:

Patient Profile

 Gender (N = 144)
 Race (N = 144)

 Male: 75.0%
 White: 82.6%

 Female: 25.0%
 Black: 4.2%

American Indian: 11.1% Hispanic: 2.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 144) Alcohol: 64.6% (N = 144) Job: 49.3%

Methamphetamine: 15.3% Retirement/savings: 6.
Marijuana: 15.3% Family/friends: 25.0%
Heroin: 0.0% No income: 4.2%
Cocaine: 1.4% Public sources: 9.0%

Job: 49.3% Self/family/relative/
Retirement/savings: 6.3% friends: 22.2%
Family/friends: 25.0% Employer/school: 5.6%
No income: 4.2% Criminal justice: 64.6%
Public sources: 9.0% Professional: 48.6%
Other sources: 6.3% County social

service agency: 13.2% Other community resources: 6.9%

AA: 0.0% Tribal: 5.6%

County: Goodhue

Age (N = 144)

Under 18: 0.0%

18 to 25: 36.8%

26 to 34: 25.0%

Source of Referral

 $(N_{\underline{}} = 144)$.

35 and older: 38.2%

Outcomes

Discharge Status (N = 144)

Other opiates: 2.8%

Other drugs: 0.7%

Completed program: 77.1%

Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 6.3%

Death/other: 4.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Chemical Dependency Provider Outcome Measures in Calendar Year 2008^{\dagger}

Wenden Recovery Services, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 135)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 119)	49.6%	42.9%
Arrests past 30 days (N = 144)	19.4%	8.3%
Alcohol use past 30 days (N = 144)	30.6%	9.0%
Drug use past 30 days (N = 144)	18.8%	11.1%
No self-help group participation past 30 days (N = 108)	77.8%	28.7%
No family support for recovery past 30 days (N = 103)	8.7%	2.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.8%	<u>Discharge</u> 0.8%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 131) Biomedical Conditions and	0.8%	0.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N =131) Biomedical Conditions and Complications (N = 131) Emotional/Behavioral/	0.8% 3.1%	0.8%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 131) Biomedical Conditions and Complications (N = 131) Emotional/Behavioral/ Cognitive Problem (N = 130)	0.8% 3.1% 20.0%	0.8% 3.8% 11.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

West Hills Lodge, Inc.

545 Florence Avenue Owatonna, MN 55060

Provider Website:

Patient Profile

 Gender (N = 68)
 Race (N = 68)

 Male: 67.6%
 White: 89.7%

 Female: 32.4%
 Black: 4.4%

American Indian: 2.9% 26 to 3 Hispanic: 2.9% 35 and

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 68)Alcohol: 47.1%

Methamphetamine: 35.3%

Marijuana: 2.9% Heroin: 2.9% Cocaine: 8.8% Other opiates: 2.9%

Other drugs: 0.0%

Source of Income

(N = 68)Job: 52.9%

> Retirement/savings: 1.5% Family/friends: 5.9% No income: 13.2%

Public sources: 13.2% Other sources: 13.2% Age (N = 68)

County: Steele

Under 18: 0.0% 18 to 25: 36.8% 26 to 34: 26.5%

35 and older: 36.8%

Source of Referral

(N = 68) .

Self/family/relative/ friends: 0.0%

Employer/school: 0.0% Criminal justice: 4.4% Professional: 97.1%

County social

service agency: 98.5%

Other community resources: 0.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 68)

Completed program: 48.5%

Patient left without staff approval: 8.8% Staff requested/judged inappropriate: 39.7%

Death/other: 2.9%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

West Hills Lodge, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 68)	0.0%	0.0%
Not employed/student ^{‡‡} (N = 66)	100.0%	48.5%
Arrests past 30 days (N = 68)	5.9%	1.5%
Alcohol use past 30 days $(N = 66)$	4.6%	4.6%
Drug use past 30 days $(N = 65)$	10.8%	3.1%
No self-help group participation past 30 days ($N = 68$)	2.9%	0.0%
No family support for recovery past 30 days (N = 68)	26.5%	7.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =68)	0.0%	1.5%
	0.0% 8.8%	1.5% 2.9%
Withdrawal (N =68) Biomedical Conditions and		
Withdrawal (N = 68) Biomedical Conditions and Complications (N = 68) Emotional/Behavioral/	8.8%	2.9%
Withdrawal (N = 68) Biomedical Conditions and Complications (N = 68) Emotional/Behavioral/ Cognitive Problem (N = 68)	8.8% 30.9%	2.9% 26.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

White Earth CD Treatment Program Outpatient Program

P.O. Box 435

White Earth, MN 56591 County: Becker

Provider Website: www.whiteearth.com

Patient Profile

 Gender (N = 69)
 Race (N = 69)
 Age (N = 69)

 Male: 63.8%
 White: 1.5%
 Under 18: 23.2%

 Female: 36.2%
 Black: 0.0%
 18 to 25: 26.1%

American Indian: 94.2% 26 to 34: 27.5%

Hispanic: 4.4% 35 and older: 23.2%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 68) (N = 69) (N = 69) . Self/family/relative/

Methamphetamine: 0.0%Retirement/savings: 1.5%friends: 30.4%Marijuana: 30.9%Family/friends: 18.8%Employer/school: 1.5%Heroin: 0.0%No income: 26.1%Criminal justice: 73.9%Cocaine: 1.5%Public sources: 20.3%Professional: 4.4%

Other opiates: 13.2% Other sources: 11.6% County social

Other drugs: 0.0% service agency: 8.7% Other community resources: 11.6%

AA: 0.0% Tribal: 14.5%

Source of Referral

Outcomes

Discharge Status

(N = 69)

Completed program: 49.3%

Patient left without staff approval: 30.4% Staff requested/judged inappropriate: 2.9%

Death/other: 17.4%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

White Earth CD Treatment Program Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 60)	1.7%	0.0%
Not employed/student ^{‡‡} (N = 51)	49.0%	41.2%
Arrests past 30 days (N = 61)	8.2%	6.6%
Alcohol use past 30 days (N = 66)	21.2%	9.1%
Drug use past 30 days (N = 66)	37.9%	22.7%
No self-help group participation past 30 days $(N = 49)$	75.5%	75.5%
No family support for recovery past 30 days $(N = 51)$	29.4%	39.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =61)	6.6%	4.9%
	6.6%	4.9% 10.0%
Withdrawal (N =61) Biomedical Conditions and		
Withdrawal (N = 61) Biomedical Conditions and Complications (N = 60) Emotional/Behavioral/	6.7%	10.0%
Withdrawal (N = 61) Biomedical Conditions and Complications (N = 60) Emotional/Behavioral/ Cognitive Problem (N = 61)	6.7% 24.6%	10.0% 27.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

WINGS

1326 East Ripley Street Litchfield, MN 55355

Provider Website:

Patient Profile

 Gender (N = 63)
 Race (N = 63)

 Male: 68.3%
 White: 73.0%

 Female: 31.7%
 Black: 1.6%

American Indian: 3.2% 26 to 34: 0.0% Hispanic: 15.9% 35 and older: 0.0%

Asian/Pacific Islander: 1.6%

Other: 4.8%

Primary Substance Source of Income

(N = 63) (N = 63) Alcohol: 19.0% Job: 6.4%

Methamphetamine: 1.6%
Marijuana: 68.3%
Heroin: 0.0%
Cocaine: 1.6%
Other opiates: 1.6%

Retirement/savings: 0.0%
Family/friends: 92.1%
No income: 0.0%
Public sources: 0.0%
Other sources: 1.6%

(N = 63) .
Self/family/relative/
friends: 60.3%
Employer/school: 1.6%

Source of Referral

Employer/school: 1.6% Criminal justice: 41.3% Professional: 27.0%

County social

County: Meeker

Age (N = 63)

Under 18: 96.8%

18 to 25: 3.2%

service agency: 36.5%

Other community resources: 1.6%

AA: 0.0% Tribal: 1.6%

Outcomes

Discharge Status

Other drugs: 7.9%

(N = 63)

Completed program: 76.2%

Patient left without staff approval: 12.7% Staff requested/judged inappropriate: 9.5%

Death/other: 1.6%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

WINGS

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 62)	0.0%	0.0%
Not employed/student ‡ (N = 60)	1.7%	3.3%
Arrests past 30 days (N = 61)	34.4%	3.3%
Alcohol use past 30 days ($N = 62$)	54.8%	11.3%
Drug use past 30 days (N = 62)	62.9%	9.7%
No self-help group participation past 30 days $(N = 61)$	60.7%	18.0%
No family support for recovery past 30 days ($N = 61$)	9.8%	8.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.6%	Discharge 0.0%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		-
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and	1.6%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/	1.6%	0.0%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/ Cognitive Problem (N = 61)	1.6% 1.6% 90.2%	0.0% 0.0% 44.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Winona Counseling Clinic, Inc.

111 Riverfront Street Winona, MN 55987

Provider Website:

Patient Profile

 Gender (N = 25)
 Race (N = 25)

 Male: 88.0%
 White: 96.0%

 Female: 12.0%
 Black: 0.0%

American Indian: 4.0% 26 to 34: 20.0% Hispanic: 0.0% 35 and older: 68.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 25) (N = 25) Jo

Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 8.0%

Other drugs: 0.0%

Source of Income

(N = 25)Job: 76.0%

Retirement/savings: 8.0% Family/friends: 4.0% No income: 0.0% Public sources: 12.0%

Other sources: 0.0%

Source of Referral

(N = 25) .

Age (N = 25)

Under 18: 0.0%

18 to 25: 12.0%

County: Winona

Self/family/relative/ friends: 68.0%

Employer/school: 12.0% Criminal justice: 20.0% Professional: 8.0%

County social

service agency: 0.0% Other community resources: 56.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 25)

Completed program: 80.0%

Patient left without staff approval: 4.0% Staff requested/judged inappropriate: 0.0%

Death/other: 16.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Winona Counseling Clinic, Inc.

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 24)	0.0%	4.2%
Not employed/student ‡ (N = 23)	17.4%	30.4%
Arrests past 30 days (N = 25)	20.0%	4.0%
Alcohol use past 30 days (N = 25)	36.0%	16.0%
Drug use past 30 days (N = 25)	12.0%	4.0%
No self-help group participation past 30 days $(N = 23)$	60.9%	43.5%
No family support for recovery past 30 days $(N = 22)$	22.7%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §		
Dimensions of Chemical Health	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =25)	Admission 8.0%	<u>Discharge</u> 12.0%
Acute Intoxication/		_
Acute Intoxication/ Withdrawal (N =25) Biomedical Conditions and	8.0%	12.0%
Acute Intoxication/ Withdrawal (N = 25) Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/	8.0% 4.0%	12.0% 0.0%
Acute Intoxication/ Withdrawal (N = 25) Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/ Cognitive Problem (N = 25)	8.0% 4.0% 24.0%	12.0% 0.0% 12.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

County: Wisconsin

resources: *

AA: *
Tribal: *

Womens LAAR House

1005 Jackson Street La Crosse, WI 54601

Provider Website:

Patient Profile

 Gender (N = 7)
 Race (N = 7)
 Age (N = 7)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Source of Referral **Primary Substance** Source of Income (N = 7)(N = 7)(N = 7). Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community

Outcomes

Discharge Status

(N = 7)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Womens LAAR House

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 7)	*	*
Not employed/student 11 (N = 7)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days $(N = 7)$	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days $(N = 7)$	*	*
No family support for recovery past 30 days $(N = 7)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Women's Recovery Center

5100 Hodgson Road St. Paul, MN 55126

Provider Website: www.voamn.org

Patient Profile

 Gender (N = 86)
 Race (N = 86)

 Male: 0.0%
 White: 41.9%

 Female: 100.0%
 Black: 43.0%

American Indian: 10.5% 26 to 34: 29.1% Hispanic: 0.0% 35 and older: 60.5%

Asian/Pacific Islander: 1.2%

Other: 3.5%

Primary Substance Source of Income

(N = 83) (N = 86) Alcohol: 36.1% Job: 3.5%

Methamphetamine: 6.0% Retirement/savings: 1.2% Marijuana: 4.8% Family/friends: 3.5% Heroin: 1.2% No income: 52.3% Cocaine: 50.6% Public sources: 18.6%

Other opiates: 0.0%

Other sources: 20.9%

Source of Referral (N = 86).

County: Ramsey

Age (N = 86)

Under 18: 0.0%

18 to 25: 10.5%

Self/family/relative/ friends: 16.3% Employer/school: 0.0% Criminal justice: 32.6% Professional: 26.7%

County social

service agency: 32.6%

Other community resources: 7.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 1.2%

(N = 86)

Completed program: 55.8%

Patient left without staff approval: 31.4% Staff requested/judged inappropriate: 5.8%

Death/other: 7.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Women's Recovery Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 73)	26.0%	4.1%
Not employed/student ^{‡‡} (N = 75)	94.7%	85.3%
Arrests past 30 days (N = 59)	16.9%	1.7%
Alcohol use past 30 days (N = 76)	44.7%	9.2%
Drug use past 30 days (N = 76)	46.1%	15.8%
No self-help group participation past 30 days $(N = 9)$	*	*
No family support for recovery past 30 days $(N = 9)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 76$)	1.3%	0.0%
Biomedical Conditions and Complications $(N = 76)$	13.2%	7.9%
Emotional/Behavioral/ Cognitive Problem $(N = 76)$	77.6%	42.1%
Resistance to Change $(N = 76)$	69.7%	40.8%

Relapse/Continued Use Potential (N = 76)

Unsupportive Recovery Environment (N = 76)

100.0%

96.1%

72.4%

57.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Women's Wellbriety Center

2388 State Highway 200 Mahnomen, MN 56557

Provider Website:

Patient Profile

 Gender (N = 20)
 Race (N = 20)

 Male: 0.0%
 White: 0.0%

 Female: 100.0%
 Black: 0.0%

American Indian: 100.0% 26 to 34: 35.0% Hispanic: 0.0% 35 and older: 20.0%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance Source of Income

(N = 20) (N = 20) Alcohol: 25.0% Job: 5.0%

Methamphetamine: 5.0% Retirement/savings: 0.0% Marijuana: 50.0% Family/friends: 0.0% No income: 5.0% Cocaine: 5.0% Public sources: 75.0%

Other opiates: 15.0%

Other sources: 15.0%

(N = 20) .
Self/family/relative/
friends: 20.0%
Employer/school: 0.0%
Criminal justice: 20.0%

Criminal justice: 20.0% Professional: 70.0%

County social

County: Mahonmen

Age (N = 20)

Under 18: 0.0%

18 to 25: 45.0%

Source of Referral

service agency: 40.0%

Other community resources: 0.0%

AA: 0.0% Tribal: 45.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 20)

Completed program: 50.0%

Patient left without staff approval: 35.0% Staff requested/judged inappropriate: 15.0%

Death/other: 0.0%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Women's Wellbriety Center

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 20)	10.0%	0.0%
Not employed/student ^{‡‡} (N = 20)	100.0%	100.0%
Arrests past 30 days (N = 20)	15.0%	5.0%
Alcohol use past 30 days (N = 20)	45.0%	20.0%
Drug use past 30 days (N = 20)	60.0%	30.0%
No self-help group participation past 30 days ($N = 20$)	85.0%	10.0%
No family support for recovery past 30 days (N = 20)	35.0%	20.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal ($N = 20$)	15.0%	25.0%
Biomedical Conditions and Complications $(N = 20)$	5.0%	5.0%
Emotional/Behavioral/ Cognitive Problem (N = 20)	40.0%	40.0%
Resistance to Change $(N = 20)$	90.0%	80.0%
Relapse/Continued Use Potential ($N = 20$)	100.0%	95.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Woodland Centers Outpatient Chemical DependencyTreatment Program

1125 S.E. 6th Street Willmar, MN 56201

County: Kandiyohi

Age (N = 46)

Under 18: 0.0%

18 to 25: 37.0%

Provider Website:

Patient Profile

 Gender (N = 46)
 Race (N = 46)

 Male: 78.3%
 White: 82.6%

 Female: 21.7%
 Black: 0.0%

American Indian: 2.2% 26 to 34: 23.9% Hispanic: 15.2% 35 and older: 39.1%

Asian/Pacific Islander: 0.0%

Other: 0.0%

Primary Substance

(N = 46) Alcohol: 73.9% (N = Job:

Methamphetamine: 10.9% Marijuana: 13.0%

Heroin: 0.0% Cocaine: 0.0% Other opiates: 2.2%

Other drugs: 0.0%

Source of Income

 $\frac{(N = 46)}{\text{Job: } 78.3\%}$

Retirement/savings: 0.0% Family/friends: 4.4%

No income: 6.5% Public sources: 4.4% Other sources: 6.5% Source of Referral

(N = 46) . Self/family/relative/

friends: 6.5%

Employer/school: 0.0% Criminal justice: 95.7% Professional: 0.0%

County social

service agency: 0.0% Other community resources: 2.2%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 46)

Completed program: 78.3%

Patient left without staff approval: 8.7% Staff requested/judged inappropriate: 10.9%

Death/other: 2.2%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Woodland Centers Outpatient Chemical DependencyTreatment Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 46)	0.0%	0.0%
Not employed/student ‡ (N = 45)	20.0%	13.3%
Arrests past 30 days (N = 46)	0.0%	0.0%
Alcohol use past 30 days (N = 46)	17.4%	4.4%
Drug use past 30 days (N = 46)	8.7%	4.4%
No self-help group participation past 30 days $(N = 43)$	72.1%	9.3%
No family support for recovery past 30 days $(N = 41)$	24.4%	7.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 2.2%
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		_
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 45) Biomedical Conditions and	0.0%	2.2%
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 45) Biomedical Conditions and Complications (N = 46) Emotional/Behavioral/	0.0%	2.2% 0.0%
Dimensions of Chemical Health§ Acute Intoxication/ Withdrawal (N = 45) Biomedical Conditions and Complications (N = 46) Emotional/Behavioral/ Cognitive Problem (N = 46)	0.0% 2.2% 43.5%	2.2% 0.0% 30.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Pacing Recovery Effectively Program

343 Wood Lake Drive SE Rochester, MN 55904

County: Olmsted

Provider Website:

Patient Profile

 Gender (N = 8)
 Race (N = 8)
 Age (N = 8)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

Other: *

Primary Substance Source of Income Source of Referral

(N = 8)(N = 8)(N = 8)Alcohol: *Job: *Self/family/relative/Methamphetamine: *Retirement/savings: *friends: *Marijuana: *Family/friends: *Employer/school: *Hargin: *No incomo: *Criminal justice: *

Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * County social Other drugs: * Service agency: *

service agency: *
Other community
resources: *

AA: * Tribal: *

Outcomes

Discharge Status

(N = 8)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Dooth /othor: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Zumbro Valley Mental Health Center Pacing Recovery Effectively Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 8)	*	*
Not employed/student ^{‡‡} (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 8)	*	*
Drug use past 30 days $(N = 8)$	*	*
No self-help group participation past 30 days $(N = 7)$	*	*
No family support for recovery past 30 days $(N = 8)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $[\]S$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Pasos ala Serenidad

343 Woodlake Drive SE Rochester, MN 55904

County: Olmsted

Provider Website:

Patient Profile

 Gender (N = 4)
 Race (N = 4)
 Age (N = 4)

 Male: *
 White: *
 Under 18: *

 Female: *
 Black: *
 18 to 25: *

 American Indian: *
 26 to 34: *

 Hispanic: *
 35 and older: *

 Other: *

Primary Substance Source of Income Source of Referral (N = 4)(N = 4)(N = 4) . Alcohol: * Job: * Self/family/relative/ Retirement/savings: * friends: * Methamphetamine: * Family/friends: * Marijuana: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community

resources: *
AA: *
Tribal: *

Outcomes

Discharge Status

(N = 4)

Completed program: *

Patient left without staff approval: *
Staff requested/judged inappropriate: *

Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Zumbro Valley Mental Health Center Pasos ala Serenidad

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 4)	*	*
Not employed/student 11 (N = 4)	*	*
Arrests past 30 days (N = 4)	*	*
Alcohol use past 30 days $(N = 4)$	*	*
Drug use past 30 days (N = 4)	*	*
No self-help group participation past 30 days $(N = 4)$	*	*
No family support for recovery past 30 days $(N = 4)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> § Acute Intoxication/		
Dimensions of Chemical Health Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/ Cognitive Problem (N = 4)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Recovery Basics Outpatient Program

932 North Broadway Rochester, MN 55901

Provider Website:

Patient Profile

Gender (N = 43)Race (N = 43)Male: 69.8% White: 88.4% Female: 30.2% Black: 2.3%

> American Indian: 2.3% 26 to 34: 44.2% Hispanic: 2.3% 35 and older: 25.6%

Asian/Pacific Islander: 4.7%

Other: 0.0%

Primary Substance

(N = 43)(N = 43)Alcohol: 88.4%

Methamphetamine: 2.3% Marijuana: 7.0% Heroin: 0.0% Cocaine: 0.0%

Other opiates: 0.0% Other drugs: 2.3%

Source of Income

Job: 76.7%

Retirement/savings: 4.7% Family/friends: 7.0% No income: 2.3% Public sources: 7.0%

Other sources: 2.3%

Source of Referral

(N = 43) .

County: Olmsted

Age (N = 43)

Under 18: 0.0%

18 to 25: 30.2%

Self/family/relative/ friends: 58.1% Employer/school: 2.3% Criminal justice: 76.7% Professional: 7.0%

County social

service agency: 0.0% Other community resources: 7.0%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 43)

Completed program: 86.0%

Patient left without staff approval: 2.3% Staff requested/judged inappropriate: 7.0%

Death/other: 4.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Zumbro Valley Mental Health Center Recovery Basics Outpatient Program

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ^{‡‡} (N = 43)	2.3%	0.0%
Not employed/student ‡ (N = 43)	25.6%	25.6%
Arrests past 30 days (N = 41)	2.4%	7.3%
Alcohol use past 30 days (N = 43)	25.6%	14.0%
Drug use past 30 days (N = 43)	18.6%	7.0%
No self-help group participation past 30 days ($N = 37$)	73.0%	59.5%
No family support for recovery past 30 days $(N = 40)$	7.5%	5.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =42)	2.4%	0.0%
	2.4% 7.1%	0.0%
Withdrawal (N = 42) Biomedical Conditions and		
Withdrawal (N = 42) Biomedical Conditions and Complications (N = 42) Emotional/Behavioral/	7.1%	2.4%
Withdrawal (N = 42) Biomedical Conditions and Complications (N = 42) Emotional/Behavioral/ Cognitive Problem (N = 42)	7.1% 35.7%	2.4% 19.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Recovery Partners

47 13 1/2 Str NW Rochester, MN 55901

Provider Website: www.zumbromhc.org

Patient Profile

 Gender (N = 19)
 Race (N = 19)
 Age (N = 19)

 Male: 42.1%
 White: 73.7% Under 18: 0.0%

Female: 57.9% Black: 10.5% 18 to 25: 10.5% American Indian: 0.0% 26 to 34: 36.8%

Hispanic: 0.0% 35 and older: 52.6%

County: Olmsted

Asian/Pacific Islander: 15.8%

Other: 0.0%

Primary Substance Source of Income Source of Referral

 $\begin{array}{c|ccccc} (N=19) & & & & & & & & & \\ \hline Alcohol: 73.7\% & & & & & & & \\ Methamphetamine: 5.3\% & & Retirement/savings: 0.0\% & & friends: 68.4\% \\ \hline Matrix and 2.00\% & & & & & \\ \hline \end{array}$

Marijuana: 0.0%Family/friends: 15.8%Employer/school: 0.0%Heroin: 0.0%No income: 10.5%Criminal justice: 21.1%Cocaine: 10.5%Public sources: 57.9%Professional: 42.1%

Other opiates: 10.5%

Other sources: 0.0%

County social

Other drugs: 0.0% service agency: 5.3% Other community resources: 5.3%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

(N = 19)

Completed program: 5.3%

Patient left without staff approval: 68.4% Staff requested/judged inappropriate: 0.0%

Death/other: 26.3%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Zumbro Valley Mental Health Center Recovery Partners

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless ‡ (N = 11)	9.1%	0.0%
Not employed/student ^{‡‡} (N = 12)	83.3%	75.0%
Arrests past 30 days (N = 17)	0.0%	41.2%
Alcohol use past 30 days (N = 19)	21.1%	5.3%
Drug use past 30 days (N = 19)	26.3%	10.5%
No self-help group participation past 30 days $(N = 6)$	*	*
No family support for recovery past 30 days $(N = 10)$	0.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal $(N = 9)$	*	*
Biomedical Conditions and Complications $(N = 9)$	*	*
Emotional/Behavioral/ Cognitive Problem (N = 10)	100.0%	90.0%
Resistance to Change $(N = 9)$	*	*
Relapse/Continued Use Potential ($N = 9$)	*	*
Unsupportive Recovery Environment (N = 9)	*	*

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Right to Recovery

923 North Broadway Rochester, MN 55901

Provider Website:

Patient Profile

 Gender (N = 36)
 Race (N = 36)

 Male: 75.0%
 White: 83.3%

 Female: 25.0%
 Black: 13.9%

Black: 13.9% 18 to 25: 0.0% American Indian: 0.0% 26 to 34: 8.3% Hispanic: 0.0% 35 and older: 91.7%

Asian/Pacific Islander: 2.8%

Other: 0.0%

Primary Substance Source of Income

(N = 36) Alcohol: 80.6% (N = 36) Job: 16.7%

Methamphetamine: 2.8% Retirement/savings: 2.8% Marijuana: 2.8% Family/friends: 0.0% No income: 13.9% Cocaine: 11.1% Public sources: 63.9%

Other opiates: 2.8% Other sources: 2.8%

Source of Referral

County: Olmsted

Age (N = 36)

Under 18: 0.0%

(N = 36) . Self/family/relative/ friends: 55.6%

Employer/school: 0.0% Criminal justice: 38.9% Professional: 22.2%

County social

service agency: 44.4%

Other community resources: 2.8%

AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status

Other drugs: 0.0%

(N = 36)

Completed program: 16.7%

Patient left without staff approval: 47.2% Staff requested/judged inappropriate: 0.0%

Death/other: 36.1%

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

Zumbro Valley Mental Health Center Right to Recovery

National Outcome Measures (NOMS)	<u>Admission</u>	<u>Discharge</u>
Homeless tt (N = 34)	14.7%	2.9%
Not employed/student ^{‡‡} (N = 33)	78.8%	75.8%
Arrests past 30 days (N = 35)	5.7%	17.1%
Alcohol use past 30 days (N = 32)	43.8%	46.9%
Drug use past 30 days (N = 32)	25.0%	15.6%
No self-help group participation past 30 days (N = 31)	41.9%	45.2%
No family support for recovery past 30 days $(N = 31)$	12.9%	12.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =34)	61.8%	55.9%
Biomedical Conditions and Complications $(N = 34)$	23.5%	26.5%
Emotional/Behavioral/ Cognitive Problem (N = 34)	61.8%	50.0%
Resistance to Change $(N = 34)$	50.0%	64.7%
Relapse/Continued Use Potential (N = 34)	91.2%	73.5%
Unsupportive Recovery Environment (N = 34)	85.3%	64.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2008 and whose discharge data were submitted to DHS by November 5, 2009.

^{‡‡} Status at admission and discharge.

 $^{^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.