Chemical Dependency Provider

Performance Measures

2009

Chemical Health Division Minnesota Department of Human Services



Introduction	1
Statewide	
1025 Outpatient Treatment	
3 R's Nuway Counseling Center	7
A.d.a.p.t of Minnesota	
Addiction Counseling Treatment Services	. 11
Addiction Recovery Technologies of Rochester	. 13
Addiction Recovery Technology of Mankato	. 15
Adolescent Substance Abuse Program at Woodland Hills	. 17
Adolescent Treatment Center of Winnebago	. 19
African American Family Services, Inc.	. 21
African American Family Services, Inc	. 23
Ahnji-be-mah-diz Center Leech Lake Halfway House	. 25
Alliance Clinic LLC	
Amethyst Outpatient C.D. Program	. 29
Anchorage	31
ANEWAY	. 33
Anishinaabe-Miikana Gidamaajitaamin-Bois Forte	. 35
Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD	
Anthony Louis Center	. 39
Anthony Louis Center North	41
Anthony Louis Center of Woodbury	
ARK Counseling	
Arrowhead Center, Inc	
Ashley House, Inc. d.b.a. Road to Recovery	. 49
Austin Medical-Mayo Health System	51
Avalon - Crow Wing County Jail	53
Avalon - Pine City	
Avalon Program Sturgeon Lake	. 57
Avalon Programs LLC Eagan	. 59
Avalon Programs LLC of Cottage Grove	61
Avalon Programs LLC Stillwater	. 63
Avalon Programs LLC-Ramsey County Correctional Facility	. 65
Avalon Prospect Park	. 67
Avalon-Aitkin County	. 69
Avalon-Brainerd	.71
Avalon-Midway	.73
Bell Hill Recovery Center	.75
Beltrami County Jail	
Bemidji Area Program for Recovery	
Bethel Port Rehabilitation Center	. 81
Boys Totem Town St. Joseph's CD	
Cardinal Recovery Center SOS-Willmar RTC	
CDC Centers	
Cedar Ridge	. 89
Center for Solutions	
Central Minnesota Mental Health Center of Buffalo	.93

Table of Contents

Central Minnesota Mental Health Center of Monticello	95
Central Minnesota Mental Health Center of St. Cloud	97
Chrysalis: A Center for Women	99
Clara's House	
Clinicare Corporation Eau Claire Academy	103
Club Recovery	
Common Ground	107
Communidades Latinas Unidas En Sericio	109
Community Addiction Recovery Enterprise of Anoka	
Community Addiction Recovery Enterprise of Carlton	113
Community Addiction Recovery Enterprise of Fergus Falls	115
Community Addiction Recovery Enterprise of St. Peter	117
Community Addiction Recovery Enterprise of Willmar	119
Community Addiction Recovery Enterprises of Brainerd	121
Community Drug and Alcohol Servic, Inc.	123
Community Drug and Alcohol Services, Inc.	125
Conceptual Counseling	127
Cook County Wilderness Outpatient Treatment Program	129
Correctional Transition Services, Inc.	
Corrections Recovery Services	133
Counseling Clinic La Crescent	
Counseling Resources	137
Courage Center-Vinland National Center	139
CRC Wisconsin RD LLC	
CREATE	143
CREATE-South	145
Dakota County Jail Treatment Program	147
Dakota County Receiving Center, Inc.	149
Dakota Treatment Center	
Dellwood Recovery Center	153
Dellwood Recovery Center	
Dellwood Recovery Center	
Dellwood Recovery Center	159
Dellwood Recovery Center	
Dimensions in Recovery Maple Lake Recovery Center, Inc	
Divine Hope Counseling	
Douglas Place, Inc.	
Drake Counseling	
Drake Counseling Services	
Drake Counseling Services, Inc.	
Drake Residential Treatment Center	175
Dual Recovery Jail Program South Central Human Relation Center	
Effective Living Center, Inc.	
Effective Living Center, Inc.	
EmPower CTC	
Endeavor Place, LLC	
Evergreen Youth Recovery House	187
Fairview Health Services Minneapolis - MICD Program	

Fairview Health Services Minneapolis Adult CD Programs	. 191
Fairview Recovery Services - Edina Outpatient	. 193
Fairview Recovery Services Adult Outpatient ProgramCrystal	. 195
Fairview Recovery Services Crystal Outpatient	
Fairview Recovery Services Deaf and Hard of Hearing Program	. 199
Fairview Recovery Services Elk River Outpatient	
Fairview Recovery Services Maplewood Outpatient	
Fairview Recovery Services of Chisago City	. 205
Fairview Recovery Services of Forest Lake	. 207
Fairview Recovery Services-Burnsville Outpatient	. 209
Faith Family Recovery Center LLC	. 211
Family Focus	. 213
Family Focus Steele County Detention Center	. 215
Faribault Family Focus-Immanuel St. Joseph's Mayo Health System	
First Nation Recovery Program	
First Step Recovery PLLP	
First Step Walker	
Five Stars Recovery Center	
Focus Unit St. Joseph's Medical Center	
Focus XII	
Fond Du Lac Human Services	
Fountain Center of Albert Lea	
Fountain Center of Fairmont	
Fountain Center of Rochester	
Fountain Center of Waseca	
Fountain Centers Recovery House of Rochester	
Franciscan Skemp Healthcare Scarseth House	
Franciscan Skemp Healthcare Villa Succes	
Glenmore of Thief River Falls	
Glenmore Recovery	
Glenmore Recovery - Baudette	
Glenmore Recovery Center	
Glenmore Recovery Center	
Glenmore Recovery Center Northwest Regional Corrections Center	
Glenmore-Roseau	
Golden Living Center Wabasso	
Grace Counseling Services	
Guest House	
Gundersen Lutheran Unity House for Men	
Gundersen Lutheran Unity House for Women	
H.V.M.H.C. Wabasha County Outpatient C.D. Program	
Haven Road Recovery Center LLC	
Haven Road Recovery Center LLC Outlook Jail Program	
Haven Road Recovery Center Todd County	
Hazelden Center for Youth & Families	
Hazelden Fellowship Club	
Hazelden Recovery Services	
Health Recovery Center	
\mathcal{J} =	

Hennepin Faculty Associates Addiction Medicine Program	
HFA Addiction Medicine Program	289
Hiawatha Valley Mental Health	
Hoffe Counseling, Inc.	
Hope House of Itasca County	
Hope Unit St. Francis	297
House of Charity Day by Day Program	299
House of Hope	
House of Hope, Inc.	
Howard Friese Halfway House	305
Hutchinson Health Care	
Jackson Recovery Centers Women and Children's Center	309
Journey Counseling Services	
Journey Home	313
Juel Fairbanks Chemical Dependency Services	315
Keystone Treatment Center Inpatient Program	317
Kinnic Falls Alcohol and Drug Abuse Services	319
Lake Region Halfway Homes, Inc.	321
Lake Superior Treatment Center	323
Lake View Memorial Hospital Outpatient CD Treatment Program	325
Lakeland Mental Health Center Outpatient C.D. Program	327
Lakeplace Retreat Center, Inc	329
Lakes Counseling Center	331
Lakes Region Chemical Dependency	333
Lakes Region Chemical Dependency	335
Lakes Region Chemical Dependency LLC Northwestern Juvenile Center	337
Lakes Regions Chemical Dependency Clearwater County Jail Program	339
Leech Lake Opiate Treatment Program	341
Leech Lake Outpatient Program	343
Leech Lake Womens Outpatient Program	345
Lifehouse LLC, MN	
Lifestyle Counseling of Mound	349
Lifestyle Counseling of Richfield/Bloomington	351
Lifestyle Counseling Services	353
Living Free Recovery Services	355
Lower Sioux Chemical and Mental Health Services	
Mahnomen County Human Services	359
Maple Lake Recovery Center, Inc.	361
Margaret's House	363
Marty Mann Halfway House for Women	365
Mash Ka Wisen Treatment Center Inpatient Program	367
Mayo Clinic Addiction Services Generose IB	369
MCF - Togo	371
Meadow Creek	373
Mille Lacs Band Halfway House	375
Mille Lacs Band Outpatient Program	377
Mille Lacs Band Outpatient Program	
Mille Lacs Band Outpatient Program	381

Mille Lacs Band Outpatient Program Aazhoomog Clinic	383
Miller Dwan Medical Center	
Minnesota Alternatives LLC.	
Minnesota Teen Challenge Men's Program	
Minnesota Teen Challenge Women's Program	
Morgan Treatment Center	
Morgan Treatment Center	
My Home, Inc.	
Nehemiah Family Services	
Neighborhood Counseling Chemical Dependency Progra	
New Beginnings at Litchfield	
New Beginnings at Olivia Renville County Jail	
New Beginnings at St. Peter	. 403
New Beginnings at Waverly	. 407
New Beginnings at Waverry	
New Beginnings Jail Program at Elk River	
New Beginnings Vomen's Program	
New Choices for Adolescents HSI	
New Choices for Recovery Cottage Grove	
New Choices for Recovery Forest Lake	
•	
New Choices for Recovery Stillwater	
New Choices for Recovery Washington County Jail	
New Connection Program of Eden Prairie	
New Connections Program-Hastings New Life Treatment Center	
New Perspectives, LLC New Ulm Medical Center Substance Abuse Treatment Service	
New Ulm Medical Center-Drug Court Treatment New Visions Center	
New Visions Center	
New Visions Center of Morris	
Next Step	
North East Regional Corrections Center	
North Homes Inc. Outpatient Chemical Dependency	
Northern Lakes Clinic, Inc.	
Northland Recovery Center	
Northland Recovery Center Adolescent Unit	
Northland Recovery Womens Center Northwest Recovery Center, Inc. Thief River Falls	
Nuway II	
•	
Nuway House, Inc.	
Nystrom and Associates, LTD	
Nystrom and Associates, LTD Waterfront Professional Building	
Odyssey-Dakota County Juvenile Service Center Omada Behavioral Health-Downtown Northfield	
On Belay House On-Belay House	
011-Delay 11003e	.4//

Oosh-Kii-Mii-Kah-Nah Halfway House	. 479
Oshki Manidoo New Spirit Center	
Owatonna Family Focus Immanuel St. Joseph's Mayo Health	. 483
Park Avenue Center	. 485
Passages	. 487
Pathway House	. 489
Pathway House	. 491
Paul's Place	. 493
Pear Lake Women's Program	. 495
People Incorporated ISN, Huss Recovery Services	. 497
Perkins Counseling Center	. 499
Phoenix Adolescent Outpatient Treatment	. 501
Phoenix Adolescent Outpatient Treatment	
Pine Manors, Inc.	. 505
Pineview Recovery Center	. 507
Pioneer Recovery Center	. 509
Prairie Center for the Family, LLC	
Prairie House Recovery	
Prairie St. John's	
Pride Institute, Inc.	. 517
Pride Institute, Inc.	. 519
Prodigal House	
Professional Counseling Center of Buffalo	
Professional Counseling Center of Delano	
Progress Valley I	
Progress Valley II	
Project Turnabout	
Project Turnabout Chemical Dependency Treatment Center of Redwood Falls	
Project Turnabout Halfway House-Marshall	
Project Turnabout of Granite Falls	
Rainbow Behavioral Health Services Chartered	
Range Treatment Center	
Rapids Counseling Services, Inc.	
Rational Alternatives	
Rays of Hope Unlimited	
Rebecca Residence of Scandia	
Recovery Plus Adult Program St. Cloud Hospital	
Recovery Resource Center	
Recovery Resources of Winsted	
Recovery Works Minimum Security Program	
Recovery Works/BC Jail House Program.	
Red Lake CD Outpatient Program	
Red Lake Group Home	
Red Lake Treatment Center	
Red River Recovery Center	
Regions Hospital Alcohol and Drug Abuse Program	
Regions Hospital/New Connection Programs	
Regions Hospital/New Connection Programs	
regions mosphus now connection mognums	. 515

Rewind, Inc.	
River Ridge Treatment Center Burnsville	
River Ridge Treatment Center Minnetonka	. 579
Riverplace Counseling Center of Elk River, Inc.	. 581
Riverplace Counseling Center-Anoka	. 583
Rochester Metro Treatment Center	. 585
RS Eden/Eden House	. 587
RS Eden/Eden House	. 589
Salvation Army Beacon Matrix Program in Caver County	. 591
Salvation Army Harbor Light Center	. 593
Sanford Hospital Luverne Outpatient CD Program	. 595
Senior Recovery Program	. 597
Sentirse Bien, Feeling Healthy	. 599
Share House - Stepping Stones	. 601
Share House Genesis	. 603
Share House Inc	. 605
Share House Wellness Center	. 607
Sisters Path	. 609
South Central Human Relations Dual Recovery Program	. 611
South Metro Human Services	
Specialized Treatment Services	
Specialized Treatment Services, Inc.	
Spirit River Recovery Services of Rum River Health Services Inc	
St Josephs Hospital CD Service Coordination	
St. Cloud Metro Treatment	
St. Johns Hospital - Healtheast CD Program	
St. Joseph's Hospital CD Program	. 627
St. Joseph's Hospital Inpatient Chemical Dependency Program	
St. Paul Metro Treatment Center	
Tapestry, LLC	
Teen Focus Recovery Center	
Telesis - Hennepin County Workhouse	
The 1402 Treatment Program	
The Counseling Clinic Inc	
The Gables	
The Haven Halfway House, LLC	
The Haven in Cloquet	
The Haven in Shakopee	
The Haven in Waconia	
The Haven in Woodbury	
The Micah Halfway House	
The Range Treatment Center	
The Wayside House Inc.	
Thunderbird and Wren Halfway House	
Transformation House	
Transformation House I	
Transformation House I	
Tri County Community Corrections	

Turning Point, Inc
Turning Point, Inc
Twin Town Treatment Center
Unity Hospital Substance Abuse Services
Unity Hospital Substance Abuse Services
Upper Mississippi Mental Health Center
Upper Mississippi Mental Health Center
Valhalla Place Inc
Vinland National Center
We Care Counseling Center
Wellcome Manor Family Services
Wenden Recovery Service of Winona
Wenden Recovery Services County Detention Center
Wenden Recovery Services of Preston
Wenden Recovery Services, Inc
West Hills Lodge, Inc
White Earth Substance Abuse Program Outpatient Treatment703
WINGS
Winona Counseling Clinic, Inc
Womens LAAR House
Women's Recovery Center
Women's Wellbriety Center
Woodland Centers Outpatient Chemical DependencyTreatment Program
Zumbro Valley Mental Health Center Pacing Recovery Effectively Program
Zumbro Valley Mental Health Center Recovery Basics Outpatient Program
Zumbro Valley Mental Health Center Recovery Partners
Zumbro Valley Mental Health Center Right to Recovery ll

Introduction

In conjunction with national efforts to increase the availability of addiction treatment outcomes, the Chemical Health Division of the Minnesota Department of Human Services provides the following treatment outcome measures for the entire state of Minnesota and for individual treatment providers licensed under state Rule 31. This report will be updated annually.

The measures fall into four categories. (1) The **Patient Profile** presents background information about patients obtained at admission to treatment. (2) **Outcomes** describe the situation in which the patient leaves treatment. (3) **National Outcomes Measures (NOMS)** are prescribed by the Substance Abuse and Mental Health Services Administration (SAMHSA) and provide information at admission and discharge on patients' status in seven critical domains of living. (4) **Barriers to Recovery** are similar to measures developed by the American Society of Addiction Medicine and provide information at admission at admission and discharge on six dimensions of addiction.

The **Patient Profile** presents the percentages of patients in categories of gender, race, age, primary substance, source of income, and sources of referral to treatment. These are obviously not measures of performance but rather provide a picture of the mix of patients seen statewide and by different providers. Since patients can have two sources of referral, the percentages for this measure do not sum to 100.

The only measure under **Outcomes** is discharge status. Considerable research demonstrates that completing treatment is associated with post-treatment abstinence.

The **NOMS** attempt to capture meaningful, real life outcomes for people who are striving to attain and sustain recovery and participate fully in their communities in the wake of receiving treatment for an active addiction to drugs or alcohol. They include: rates of homelessness, unemployment, arrest, alcohol and drug use, involvement in self-help groups, and family support for recovery. Since these measures are coded so that higher percentages indicate more people having trouble in that domain, declines in the percentages from admission to discharge indicate success. Details on NOMS are available at

http://nationaloutcomemeasures.samhsa.gov/welcome.asp.

Barriers to Recovery show the percentages of patients with serious problems in six dimensions at admission and discharge. The severity levels within each dimension range from no problem (0) to extreme problem (4). The dimensions are:

- 1. Acute Intoxication/Withdrawal ranges from (0) patients who exhibit no intoxication or withdrawal symptoms to (4) those with symptoms so severe that the patient is a threat to self or others.
- Biomedical Conditions and Complications range from (0) patients who are fully functional to (4) those with severe physical problems or conditions that require immediate medical intervention.
- 3. Emotional/Behavioral/Cognitive Problem ranges from (0) patients with good coping skills and impulse control to (4) those with such severe emotional or behavioral symptoms that they are unable to participate in treatment.
- 4. Resistance to Change ranges from (0) patients who admit problems and are committed to change to (4) those who are in denial and unwilling to change.

- 5. Relapse/Continued Use Potential ranges from (0) patients who recognize risk and are able to manage potential problems to (4) those who have no understanding of relapse issues and display high vulnerability for further substance use disorders.
- 6. Unsupportive Recovery Environment ranges from (0) environments that are supportive of recovery to (4) environments that are antagonistic to recovery.

The numbers shown in the tables are the percentages with (2) moderate, (3) severe or (4) extreme problems in a dimension. Declines in the percentages from admission to discharge indicate success.

All data are obtained from The Drug and Alcohol Abuse Normative Evaluation System (DAANES), which is administered by the Performance Measurement and Quality Improvement Division of the Department of Human Services in order to monitor treatment services for substance abuse in Minnesota. DAANES data are collected by providers as clients enter and leave episodes of treatment. All of these measures are based on episodes of treatment that began in 2009 and are accompanied by discharge data submitted by November 30, 2010. For all tables, data are presented only when there are at least 10 observations for the measure.

Statewide

County: Statewide

Provider Website:

Patient Profile

<u>Gender (N = 49610)</u> Male: 67.8% Female: 32.2% Race (N = 49610) White: 73.9% Black: 10.8% American Indian: 8.4% Hispanic: 3.8% Asian/Pacific Islander: 0.9% Other: 2.2% Age (N = 49610) Under 18: 8.9% 18 to 25: 24.4% 26 to 34: 22.7% 35 and older: 44.1%

Primary Substance (N = 49267) Alcohol: 57.1% Methamphetamine: 6.9% Marijuana: 19.0% Heroin: 3.5% Cocaine: 5.1% Other opiates: 6.7% Other drugs: 1.6%

(N = 49610) Job: 31.1% Retirement/savings: 3.3% Family/friends: 19.7% No income: 17.4% Public sources: 17.9% Other sources: 10.7%

Source of Income

Source of Referral

<u>(N = 49610)</u> Self/family/relative/ friends: 48.0% Employer/school: 2.2% Criminal justice: 38.6% Professional: 24.9% County social service agency: 28.7% Other community resources: 6.5% AA: 0.3% Tribal: 1.6%

Outcomes

Discharge Status (N = 49610) Completed program: 61.2% Patient left without staff approval: 19.1% Staff requested/judged inappropriate: 8.6% Death/other: 11.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Statewide

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{**} (N = 47617)	6.9%	4.1%
Not employed/student ^{**} (N = 45679)	59.0%	56.3%
Arrests past 30 days (N = 48174)	11.7%	4.7%
Alcohol use past 30 days (N = 47848)	48.2%	15.2%
Drug use past 30 days (N = 47846)	38.0%	14.7%
No self-help group participation past 30 days (N = 44097)	58.1%	20.7%
No family support for recovery past 30 days (N = 42631)	12.9%	8.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 10.1%	<u>Discharge</u> 5.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =47527) Biomedical Conditions and	10.1%	5.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =47527) Biomedical Conditions and Complications (N = 47864) Emotional/Behavioral/	10.1% 16.2%	5.1% 12.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =47527) Biomedical Conditions and Complications (N = 47864) Emotional/Behavioral/ Cognitive Problem (N = 47878)	10.1% 16.2% 62.5%	5.1% 12.1% 47.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

1025 Outpatient Treatment

1025 London Road Duluth, MN 55812

County: St. Louis

Provider Website: www.cadt.org

Patient Profile

Gender (N = 621) Race (N = 621)Male: 65.5% White: 79.9% Female: 34.5% Black: 8.1% American Indian: 8.9% Hispanic: 1.3% Asian/Pacific Islander: 0.2% Other: 1.8%

Primary Substance (N = 621)Alcohol: 66.7% Methamphetamine: 4.7% Marijuana: 14.8% Heroin: 0.8% Cocaine: 2.4% Other opiates: 9.5% Other drugs: 1.1%

Source of Income

(N = 621)Job: 37.2% Retirement/savings: 3.7% Family/friends: 4.2% No income: 22.9% Public sources: 24.0% Other sources: 8.1%

Age (N = 621)

Under 18: 0.0% 18 to 25: 30.9% 26 to 34: 26.2% 35 and older: 42.8%

Source of Referral

(N = 621). Self/family/relative/ friends: 29.1% Employer/school: 2.7% Criminal justice: 38.5% Professional: 20.1% County social service agency: 17.6% Other community resources: 1.8% AA: 0.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 621)Completed program: 69.7% Patient left without staff approval: 16.9% Staff requested/judged inappropriate: 3.1% Death/other: 10.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

1025 Outpatient Treatment

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 613)	1.5%	2.4%
Not employed/student ^{**} (N = 595)	53.1%	51.4%
Arrests past 30 days (N = 594)	10.6%	4.0%
Alcohol use past 30 days (N = 564)	43.3%	11.0%
Drug use past 30 days (N = 564)	21.3%	7.4%
No self-help group participation past 30 days (N = 551)	52.5%	39.4%
No family support for recovery past 30 days ($N = 570$)	2.8%	2.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
		Discridige
Acute Intoxication/ Withdrawal (N =619)	4.7%	1.8%
Withdrawal (N =619) Biomedical Conditions and	4.7%	1.8%
Withdrawal (N =619) Biomedical Conditions and Complications (N = 621) Emotional/Behavioral/	4.7% 11.9%	1.8% 6.6%
Withdrawal (N = 619) Biomedical Conditions and Complications (N = 621) Emotional/Behavioral/ Cognitive Problem (N = 621)	4.7% 11.9% 39.3%	1.8% 6.6% 18.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

3 R's Nuway Counseling Center

2220 Central Avenue NE Minneapolis, MN 554183708

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 49)</u> Male: 81.6% Female: 18.4% Race (N = 49) White: 73.5% Black: 20.4% American Indian: 2.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 4.1% Age (N = 49) Under 18: 0.0% 18 to 25: 10.2% 26 to 34: 36.7% 35 and older: 53.1%

Primary Substance (N = 48) Alcohol: 75.0% Methamphetamine: 0.0% Marijuana: 18.8% Heroin: 0.0% Cocaine: 6.3% Other opiates: 0.0% Other drugs: 0.0%

(N = 49) Job: 51.0% Retirement/savings: 2.0% Family/friends: 4.1% No income: 16.3% Public sources: 10.2% Other sources: 16.3%

Source of Income

Source of Referral

(N = 49) Self/family/relative/ friends: 22.4% Employer/school: 6.1% Criminal justice: 71.4% Professional: 6.1% County social service agency: 57.1% Other community resources: 2.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 49) Completed program: 75.5% Patient left without staff approval: 20.4% Staff requested/judged inappropriate: 0.0% Death/other: 4.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

3 R's Nuway Counseling Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 46)	2.2%	0.0%
Not employed/student ^{$++$} (N = 41)	43.9%	41.5%
Arrests past 30 days (N = 47)	8.5%	8.5%
Alcohol use past 30 days ($N = 48$)	27.1%	8.3%
Drug use past 30 days (N = 48)	16.7%	4.2%
No self-help group participation past 30 days (N = 41)	68.3%	0.0%
No family support for recovery past 30 days ($N = 41$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =49)	26.5%	20.4%
Biomedical Conditions and Complications ($N = 48$)	12.5%	8.3%
Emotional/Behavioral/ Cognitive Problem (N = 47)	59.6%	34.0%
Resistance to Change ($N = 49$)	40.8%	20.4%
Relapse/Continued Use Potential (N = 49)	77.6%	51.0%
Unsupportive Recovery Environment (N = 47)	72.3%	46.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

A.d.a.p.t of Minnesota

324 South 5th Street Brainerd, MN 56401

County: Crow Wing

Provider Website: www.holisticpsychological.com

Patient Profile

<u>Gender (N = 57)</u> Male: 66.7% Female: 33.3% Race (N = 57) White: 89.5% Black: 3.5% American Indian: 5.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 1.8% <u>Age (N = 57)</u> Under 18: 12.3% 18 to 25: 15.8% 26 to 34: 21.1% 35 and older: 50.9%

Primary Substance (N = 57) Alcohol: 78.9% Methamphetamine: 5.3% Marijuana: 14.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.8% Other drugs: 0.0%

Source of Income

(N = 57) Job: 45.6% Retirement/savings: 3.5% Family/friends: 24.6% No income: 10.5% Public sources: 7.0% Other sources: 8.8%

Source of Referral

(N = 57) Self/family/relative/ friends: 68.4% Employer/school: 1.8% Criminal justice: 29.8% Professional: 14.0% County social service agency: 42.1% Other community resources: 10.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 57) Completed program: 45.6% Patient left without staff approval: 40.4% Staff requested/judged inappropriate: 0.0% Death/other: 14.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

A.d.a.p.t of Minnesota

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 57)	1.8%	1.8%
Not employed/student ^{**} (N = 52)	53.8%	53.8%
Arrests past 30 days (N = 57)	14.0%	8.8%
Alcohol use past 30 days (N = 57)	35.1%	14.0%
Drug use past 30 days (N = 57)	19.3%	12.3%
No self-help group participation past 30 days (N = 56)	66.1%	67.9%
No family support for recovery past 30 days ($N = 55$)	20.0%	18.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =57) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 57) Biomedical Conditions and Complications (N = 57) Emotional/Behavioral/	0.0% 94.7%	0.0% 98.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =57) Biomedical Conditions and Complications (N = 57) Emotional/Behavioral/ Cognitive Problem (N = 57)	0.0% 94.7% 100.0%	0.0% 98.2% 100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Counseling Treatment Services

112 5th Street Building Gaylord, MN 55334

County: Sibley

Provider Website:

Patient Profile

<u>Gender (N = 59)</u> Male: 84.7% Female: 15.3% Race (N = 59) White: 84.7% Black: 0.0% American Indian: 3.4% Hispanic: 11.9% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 59) Under 18: 6.8% 18 to 25: 39.0% 26 to 34: 30.5% 35 and older: 23.7%

Primary Substance (N = 59) Alcohol: 62.7% Methamphetamine: 10.2% Marijuana: 22.0% Heroin: 1.7% Cocaine: 0.0% Other opiates: 1.7% Other drugs: 1.7%

(N = 59) Job: 40.7% Retirement/savings: 5.1% Family/friends: 18.6% No income: 11.9% Public sources: 6.8% Other sources: 16.9%

Source of Income

Source of Referral

(N = 59) Self/family/relative/ friends: 28.8% Employer/school: 1.7% Criminal justice: 61.0% Professional: 15.3% County social service agency: 62.7% Other community resources: 1.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 59) Completed program: 62.7% Patient left without staff approval: 15.3% Staff requested/judged inappropriate: 8.5% Death/other: 13.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Addiction Counseling Treatment Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 59)	5.1%	0.0%
Not employed/student ^{$**$} (N = 59)	64.4%	39.0%
Arrests past 30 days (N = 57)	1.8%	7.0%
Alcohol use past 30 days (N = 59)	23.7%	15.3%
Drug use past 30 days (N = 59)	11.9%	5.1%
No self-help group participation past 30 days (N = 55)	41.8%	3.6%
No family support for recovery past 30 days (N = 55)	7.3%	7.3%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =56) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =56) Biomedical Conditions and Complications (N = 58) Emotional/Behavioral/	0.0%	0.0% 1.7%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N = 56)Biomedical Conditions and Complications (N = 58)Emotional/Behavioral/ Cognitive Problem (N = 58)	0.0% 0.0% 12.1%	0.0% 1.7% 10.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Recovery Technologies of Rochester

903 West Center Street Rochester, MN 55902

County: Olmsted

Provider Website:

Patient Profile

<u>Gender (N = 70)</u> Male: 58.6% Female: 41.4% Race (N = 70) White: 78.6% Black: 4.3% American Indian: 1.4% Hispanic: 2.9% Asian/Pacific Islander: 4.3% Other: 8.6% Age (N = 70) Under 18: 91.4% 18 to 25: 8.6% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 69) Alcohol: 26.1% Methamphetamine: 1.4% Marijuana: 68.1% Heroin: 0.0% Cocaine: 1.4% Other opiates: 0.0% Other drugs: 2.9% Source of Income

(N = 70) Job: 10.0% Retirement/savings: 0.0% Family/friends: 82.9% No income: 1.4% Public sources: 1.4% Other sources: 4.3%

Source of Referral

(N = 70) Self/family/relative/ friends: 28.6% Employer/school: 0.0% Criminal justice: 55.7% Professional: 35.7% County social service agency: 20.0% Other community resources: 7.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 70) Completed program: 25.7% Patient left without staff approval: 15.7% Staff requested/judged inappropriate: 8.6% Death/other: 50.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Addiction Recovery Technologies of Rochester

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 69)	0.0%	0.0%
Not employed/student ^{**} (N = 67)	7.5%	7.5%
Arrests past 30 days (N = 63)	4.8%	12.7%
Alcohol use past 30 days (N = 69)	26.1%	29.0%
Drug use past 30 days (N = 69)	40.6%	43.5%
No self-help group participation past 30 days (N = 59)	55.9%	62.7%
No family support for recovery past 30 days ($N = 64$)	12.5%	10.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
-	Admission 4.3%	<u>Discharge</u> 4.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =70) Biomedical Conditions and	4.3%	4.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =70) Biomedical Conditions and Complications (N = 69) Emotional/Behavioral/	4.3% 0.0%	4.3% 2.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =70) Biomedical Conditions and Complications (N = 69) Emotional/Behavioral/ Cognitive Problem (N = 68)	4.3% 0.0% 95.6%	4.3% 2.9% 88.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Addiction Recovery Technology of Mankato

12 Civic Center Plaza Mankato, MN 560013661

County: Blue Earth

Provider Website:

Patient Profile

<u>Gender (N = 168)</u> Male: 63.7% Female: 36.3% Race (N = 168) White: 88.1% Black: 7.1% American Indian: 0.0% Hispanic: 4.8% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 168) Under 18: 24.4% 18 to 25: 32.7% 26 to 34: 19.6% 35 and older: 23.2%

Primary Substance (N = 168) Alcohol: 53.6% Methamphetamine: 1.2% Marijuana: 37.5% Heroin: 0.6% Cocaine: 3.0% Other opiates: 1.8% Other drugs: 2.4% Source of Income (N = 168)

<u>IN = 108)</u> Job: 30.4% Retirement/savings: 5.4% Family/friends: 38.1% No income: 4.8% Public sources: 15.5% Other sources: 6.0%

Source of Referral

(N = 168) Self/family/relative/ friends: 35.1% Employer/school: 1.8% Criminal justice: 58.9% Professional: 25.6% County social service agency: 33.9% Other community resources: 3.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 168) Completed program: 54.2% Patient left without staff approval: 21.4% Staff requested/judged inappropriate: 3.0% Death/other: 21.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Addiction Recovery Technology of Mankato

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 152)	1.3%	0.7%
Not employed/student ^{**} (N = 166)	36.7%	31.3%
Arrests past 30 days (N = 168)	7.1%	8.3%
Alcohol use past 30 days (N = 168)	36.9%	15.5%
Drug use past 30 days (N = 168)	32.7%	22.6%
No self-help group participation past 30 days (N = 148)	56.1%	25.7%
No family support for recovery past 30 days (N = 151)	7.9%	6.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =162)	0.6%	2.5%
Biomedical Conditions and Complications ($N = 164$)	4.3%	5.5%
Emotional/Behavioral/ Cognitive Problem (N = 166)	33.7%	34.3%
Resistance to Change ($N = 167$)	37.1%	39.5%
Relapse/Continued Use Potential (N = 166)	53.6%	45.2%
Unsupportive Recovery Environment (N = 165)	35.2%	40.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Adolescent Substance Abuse Program at Woodland Hills

110 West Red Wing Street Duluth, MN 55803

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 75)</u> Male: 74.7% Female: 25.3% Race (N = 75) White: 33.3% Black: 32.0% American Indian: 9.3% Hispanic: 9.3% Asian/Pacific Islander: 4.0% Other: 12.0% Age (N = 75) Under 18: 84.0% 18 to 25: 16.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 75) Alcohol: 10.7% Methamphetamine: 0.0% Marijuana: 76.0% Heroin: 0.0% Cocaine: 5.3% Other opiates: 0.0% Other drugs: 8.0%

Source of Income

(N = 75) Job: 4.0% Retirement/savings: 1.3% Family/friends: 82.7% No income: 0.0% Public sources: 1.3% Other sources: 10.7%

Source of Referral

(N = 75) Self/family/relative/ friends: 2.7% Employer/school: 4.0% Criminal justice: 93.3% Professional: 2.7% County social service agency: 6.7% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 75) Completed program: 92.0% Patient left without staff approval: 4.0% Staff requested/judged inappropriate: 1.3% Death/other: 2.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Adolescent Substance Abuse Program at Woodland Hills

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 75)	2.7%	0.0%
Not employed/student ^{**} (N = 75)	1.3%	2.7%
Arrests past 30 days (N = 75)	0.0%	1.3%
Alcohol use past 30 days (N = 73)	5.5%	1.4%
Drug use past 30 days (N = 73)	4.1%	1.4%
No self-help group participation past 30 days (N = 75)	4.0%	0.0%
No family support for recovery past 30 days ($N = 75$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =75) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =75) Biomedical Conditions and Complications (N = 75) Emotional/Behavioral/	0.0% 0.0%	0.0% 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =75) Biomedical Conditions and Complications (N = 75) Emotional/Behavioral/ Cognitive Problem (N = 75)	0.0% 0.0% 10.7%	0.0% 0.0% 4.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Adolescent Treatment Center of Winnebago

550 Cleveland Ave. W. Winnebago, MN 56098

County: Faribault

Provider Website:

Patient Profile

<u>Gender (N = 110)</u> Male: 71.8% Female: 28.2% Race (N = 110) White: 67.3% Black: 3.6% American Indian: 1.8% Hispanic: 21.8% Asian/Pacific Islander: 1.8% Other: 3.6% Age (N = 110) Under 18: 97.3% 18 to 25: 2.7% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 108) Alcohol: 20.4% Methamphetamine: 1.9% Marijuana: 65.7% Heroin: 0.0% Cocaine: 1.9% Other opiates: 0.9% Other drugs: 9.3%

Source of Income

(N = 110) Job: 3.6% Retirement/savings: 0.0% Family/friends: 90.9% No income: 2.7% Public sources: 0.9% Other sources: 1.8%

Source of Referral

(N = 110) Self/family/relative/ friends: 50.0% Employer/school: 6.4% Criminal justice: 69.1% Professional: 11.8% County social service agency: 34.5% Other community resources: 1.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 110)Completed program: 75.5% Patient left without staff approval: 14.5% Staff requested/judged inappropriate: 8.2% Death/other: 1.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Adolescent Treatment Center of Winnebago

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 109)	0.0%	0.0%
Not employed/student ^{**} (N = 108)	10.2%	0.9%
Arrests past 30 days (N = 108)	22.2%	0.0%
Alcohol use past 30 days (N = 108)	50.0%	1.9%
Drug use past 30 days (N = 108)	78.7%	3.7%
No self-help group participation past 30 days (N = 108)	69.4%	14.8%
No family support for recovery past 30 days ($N = 108$)	4.6%	0.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =110)	0.9%	0.0%
Biomedical Conditions and Complications ($N = 110$)	1.8%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 110)	86.4%	57.3%
Resistance to Change ($N = 110$)	83.6%	55.5%
Relapse/Continued Use Potential (N = 110)	100.0%	92.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

African American Family Services, Inc.

2616 Nicollet Avenue South Minneapolis, MN 55411

County: Hennepin

Provider Website: www.aafs.net

Patient Profile

Gender (N = 174)
Male: 82.2%Race (N = 174)
White: 0.6%Age (N = 174)
Under 18: 3.4%Female: 17.8%Black: 92.0%
American Indian: 2.3%
Hispanic: 0.6%18 to 25: 31.0%
26 to 34: 31.0%
35 and older: 34.5%Asian/Pacific Islander: 0.0%
Other: 4.6%Other: 4.6%

Source of Income

Primary Substance (N = 174) Alcohol: 30.5% Methamphetamine: 0.6% Marijuana: 59.8% Heroin: 3.4% Cocaine: 5.2% Other opiates: 0.6% Other drugs: 0.0%

(N = 174) Job: 10.3% Retirement/savings: 0.6% Family/friends: 14.4% No income: 40.2% Public sources: 31.0% Other sources: 3.4%

Source of Referral

(N = 174) Self/family/relative/ friends: 14.4% Employer/school: 0.6% Criminal justice: 78.2% Professional: 5.2% County social service agency: 52.9% Other community resources: 1.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 174) Completed program: 29.3% Patient left without staff approval: 35.6% Staff requested/judged inappropriate: 2.9% Death/other: 32.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

African American Family Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 158)	5.1%	5.7%
Not employed/student ^{$++$} (N = 151)	81.5%	66.9%
Arrests past 30 days (N = 169)	7.7%	8.9%
Alcohol use past 30 days (N = 173)	52.0%	11.6%
Drug use past 30 days (N = 173)	55.5%	31.2%
No self-help group participation past 30 days (N = 148)	93.9%	39.9%
No family support for recovery past 30 days (N = 144)	83.3%	29.9%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =174)	2.3%	1.1%
Biomedical Conditions and Complications ($N = 174$)	8.6%	4.0%
Emotional/Behavioral/ Cognitive Problem (N = 174)	16.1%	16.1%
Resistance to Change ($N = 174$)	43.7%	36.2%
Relapse/Continued Use Potential (N = 174)	98.3%	71.3%
Unsupportive Recovery Environment (N = 174)	50.6%	43.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

African American Family Services, Inc.

1041 Selby Ave St. Paul, MN 554080900

County: Ramsey

Provider Website: www.aafs.net

Patient Profile

Gender (N = 100) Race (N = 100)Age (N = 100)Male: 78.0% White: 0.0% Under 18: 3.0% Female: 22.0% Black: 90.0% 18 to 25: 27.0% American Indian: 0.0% 26 to 34: 29.0% Hispanic: 2.0% 35 and older: 41.0% Asian/Pacific Islander: 1.0% Other: 7.0% Source of Income

Primary Substance (N = 100)Alcohol: 31.0% Methamphetamine: 1.0% Marijuana: 53.0% Heroin: 2.0% Cocaine: 12.0% Other opiates: 0.0% Other drugs: 1.0%

(N = 100)Job: 9.0% Retirement/savings: 0.0% Family/friends: 3.0% No income: 42.0% Public sources: 44.0% Other sources: 2.0%

Source of Referral

(N = 100). Self/family/relative/ friends: 32.0% Employer/school: 2.0% Criminal justice: 69.0% Professional: 5.0% County social service agency: 22.0% Other community resources: 2.0% AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 100)Completed program: 37.0% Patient left without staff approval: 39.0% Staff requested/judged inappropriate: 5.0% Death/other: 19.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

African American Family Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 98)	5.1%	0.0%
Not employed/student ^{$++$} (N = 95)	85.3%	73.7%
Arrests past 30 days (N = 98)	6.1%	4.1%
Alcohol use past 30 days (N = 97)	52.6%	20.6%
Drug use past 30 days (N = 97)	56.7%	38.1%
No self-help group participation past 30 days (N = 92)	92.4%	26.1%
No family support for recovery past 30 days ($N = 88$)	79.5%	21.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =100)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 100$)	2.0%	3.0%
Emotional/Behavioral/ Cognitive Problem (N = 100)	28.0%	17.0%
Resistance to Change ($N = 100$)	48.0%	24.0%
Relapse/Continued Use Potential (N = 100)	88.0%	63.0%
Unsupportive Recovery Environment (N = 100)	70.0%	53.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Ahnji-be-mah-diz Center Leech Lake Halfway House

16427 69th Avenue N.W. Cass Lake, MN 56633

County: Cass

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 15)}}{\text{Male: 100.0\%}}$ Female: 0.0%

Race (N = 15) White: 0.0% Black: 0.0% American Indian: 93.3% Hispanic: 6.7% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 15) Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 33.3% 35 and older: 33.3%

Primary Substance (N = 15) Alcohol: 80.0% Methamphetamine: 0.0% Marijuana: 13.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.7% Other drugs: 0.0%

Source of Income

(N = 15) Job: 0.0% Retirement/savings: 0.0% Family/friends: 0.0% No income: 53.3% Public sources: 40.0% Other sources: 6.7%

Source of Referral

<u>(N = 15)</u>. Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 0.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 100.0%

Outcomes

Discharge Status (N = 15) Completed program: 73.3% Patient left without staff approval: 6.7% Staff requested/judged inappropriate: 13.3% Death/other: 6.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Ahnji-be-mah-diz Center Leech Lake Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 15)	0.0%	0.0%
Not employed/student ^{**} (N = 14)	100.0%	35.7%
Arrests past 30 days (N = 15)	13.3%	0.0%
Alcohol use past 30 days (N = 14)	14.3%	7.1%
Drug use past 30 days (N = 14)	7.1%	0.0%
No self-help group participation past 30 days (N = 15)	0.0%	0.0%
No family support for recovery past 30 days ($N = 13$)	15.4%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =14)	7.1%	0.0%
Biomedical Conditions and Complications $(N = 14)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 14)	42.9%	14.3%
Resistance to Change ($N = 14$)	50.0%	28.6%
Relapse/Continued Use Potential (N = 14)	85.7%	28.6%
Unsupportive Recovery Environment (N = 14)	85.7%	50.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Alliance Clinic LLC

3329 University Aveune SE Minneapolis, MN 55414

County: Hennepin

Provider Website: www.meridiannetwork.com

Patient Profile

<u>Gender (N = 113)</u> Male: 68.1% Female: 31.9% Race (N = 113) White: 61.1% Black: 27.4% American Indian: 7.1% Hispanic: 1.8% Asian/Pacific Islander: 0.9% Other: 1.8% Age (N = 113) Under 18: 0.0% 18 to 25: 20.4% 26 to 34: 25.7% 35 and older: 54.0%

Primary Substance (N = 111)Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 0.9% Heroin: 64.0% Cocaine: 0.9% Other opiates: 33.3%

Other drugs: 0.9%

Source of Income

(N = 113) Job: 14.2% Retirement/savings: 1.8% Family/friends: 2.7% No income: 37.2% Public sources: 24.8% Other sources: 19.5%

Source of Referral

(N = 113) Self/family/relative/ friends: 23.9% Employer/school: 0.0% Criminal justice: 0.9% Professional: 28.3% County social service agency: 76.1% Other community resources: 3.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 113)Completed program: 0.9% Patient left without staff approval: 46.0% Staff requested/judged inappropriate: 18.6% Death/other: 34.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Alliance Clinic LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 95)	5.3%	9.5%
Not employed/student ^{**} (N = 79)	79.7%	69.6%
Arrests past 30 days (N = 111)	8.1%	12.6%
Alcohol use past 30 days (N = 108)	34.3%	8.3%
Drug use past 30 days (N = 108)	83.3%	59.3%
No self-help group participation past 30 days (N = 35)	71.4%	68.6%
No family support for recovery past 30 days ($N = 46$)	65.2%	15.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 85.7%	<u>Discharge</u> 92.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =112) Biomedical Conditions and	85.7%	92.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =112) Biomedical Conditions and Complications (N = 110) Emotional/Behavioral/	85.7% 36.4%	92.0% 33.6%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =112)Biomedical Conditions and Complications (N = 110)Emotional/Behavioral/ Cognitive Problem (N = 111)	85.7% 36.4% 61.3%	92.0% 33.6% 70.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Amethyst Outpatient C.D. Program

1405 Silver Lake Road New Brighton, MN 55112

County: Ramsey

Provider Website:

Patient Profile

<u>Gender (N = 250)</u> Male: 75.6% Female: 24.4% Race (N = 250) White: 86.0% Black: 5.6% American Indian: 1.6% Hispanic: 2.8% Asian/Pacific Islander: 0.0% Other: 4.0%

Age (N = 250) Under 18: 0.0% 18 to 25: 24.8% 26 to 34: 28.4% 35 and older: 46.8%

Primary Substance (N = 250) Alcohol: 69.6% Methamphetamine: 4.8% Marijuana: 17.6% Heroin: 0.8% Cocaine: 2.8% Other opiates: 3.2% Other drugs: 1.2%

(N = 250) Job: 62.4% Retirement/savings: 4.0% Family/friends: 15.2% No income: 4.0% Public sources: 9.6% Other sources: 4.8%

Source of Income

Source of Referral

(N = 250) Self/family/relative/ friends: 46.0% Employer/school: 12.0% Criminal justice: 62.4% Professional: 23.6% County social service agency: 24.4% Other community resources: 4.4% AA: 1.2% Tribal: 0.0%

Outcomes

Discharge Status (N = 250) Completed program: 55.2% Patient left without staff approval: 21.2% Staff requested/judged inappropriate: 18.4% Death/other: 5.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Amethyst Outpatient C.D. Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 250)	0.0%	0.4%
Not employed/student ^{$++$} (N = 248)	38.3%	37.5%
Arrests past 30 days (N = 250)	12.8%	6.4%
Alcohol use past 30 days (N = 250)	51.6%	26.0%
Drug use past 30 days (N = 250)	29.6%	16.0%
No self-help group participation past 30 days (N = 244)	66.8%	9.4%
No family support for recovery past 30 days (N = 249)	2.4%	0.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =248)	0.0%	0.8%
Biomedical Conditions and Complications ($N = 250$)	4.8%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 250)	94.8%	81.2%
Resistance to Change ($N = 250$)	70.8%	55.2%
Relapse/Continued Use Potential (N = 250)	98.0%	84.0%
Unsupportive Recovery Environment (N = 250)	95.2%	78.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anchorage

810 4th Street Moorhead, MN 56560

Provider Website:

Patient Profile

<u>Gender (N = 43)</u> Male: 62.8% Female: 37.2% Race (N = 43) White: 81.4% Black: 4.7% American Indian: 14.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 43) Under 18: 0.0% 18 to 25: 27.9% 26 to 34: 20.9% 35 and older: 51.2%

County: Clay

Primary Substance (N = 43) Alcohol: 83.7% Methamphetamine: 2.3% Marijuana: 4.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 7.0%

Other drugs: 2.3%

Source of Income

(N = 43) Job: 16.3% Retirement/savings: 2.3% Family/friends: 2.3% No income: 23.3% Public sources: 41.9% Other sources: 14.0%

Source of Referral

(N = 43) Self/family/relative/ friends: 14.0% Employer/school: 0.0% Criminal justice: 41.9% Professional: 7.0% County social service agency: 60.5% Other community resources: 4.7% AA: 2.3% Tribal: 0.0%

Outcomes

Discharge Status (N = 43) Completed program: 39.5% Patient left without staff approval: 23.3% Staff requested/judged inappropriate: 25.6% Death/other: 11.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Anchorage

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 43)	20.9%	7.0%
Not employed/student ^{**} (N = 42)	78.6%	73.8%
Arrests past 30 days (N = 43)	14.0%	18.6%
Alcohol use past 30 days (N = 43)	48.8%	30.2%
Drug use past 30 days (N = 43)	25.6%	20.9%
No self-help group participation past 30 days (N = 38)	36.8%	2.6%
No family support for recovery past 30 days ($N = 36$)	25.0%	8.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
-	Admission 2.3%	Discharge 2.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and	2.3%	2.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and Complications (N = 43) Emotional/Behavioral/	2.3% 48.8%	2.3% 41.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =43) Biomedical Conditions and Complications (N = 43) Emotional/Behavioral/ Cognitive Problem (N = 43)	2.3% 48.8% 95.3%	2.3% 41.9% 79.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

ANEWAY

518 2nd Avenue N.E. Staples, MN 56479

Provider Website:

Patient Profile

<u>Gender (N = 29)</u> Male: 55.2% Female: 44.8% Race (N = 29) White: 93.1% Black: 3.4% American Indian: 3.4% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 29)</u> Under 18: 0.0% 18 to 25: 37.9% 26 to 34: 10.3% 35 and older: 51.7%

County: Todd

Primary Substance (N = 29) Alcohol: 79.3% Methamphetamine: 3.4% Marijuana: 10.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.9% Other drugs: 0.0%

Source of Income

(N = 29) Job: 27.6% Retirement/savings: 3.4% Family/friends: 27.6% No income: 6.9% Public sources: 27.6% Other sources: 6.9%

Source of Referral

(N = 29) Self/family/relative/ friends: 3.4% Employer/school: 0.0% Criminal justice: 51.7% Professional: 3.4% County social service agency: 89.7% Other community resources: 3.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 29) Completed program: 75.9% Patient left without staff approval: 10.3% Staff requested/judged inappropriate: 13.8% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

ANEWAY

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 29)	0.0%	0.0%
Not employed/student ^{**} (N = 28)	71.4%	50.0%
Arrests past 30 days (N = 29)	0.0%	3.4%
Alcohol use past 30 days (N = 29)	17.2%	13.8%
Drug use past 30 days (N = 29)	10.3%	10.3%
No self-help group participation past 30 days (N = 24)	58.3%	25.0%
No family support for recovery past 30 days ($N = 24$)	8.3%	16.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	Discharge 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =25) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =25) Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/	0.0% 16.0%	0.0% 8.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =25) Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/ Cognitive Problem (N = 26)	0.0% 16.0% 23.1%	0.0% 8.0% 15.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anishinaabe-Miikana Gidamaajitaamin-Bois Forte

13090 Westley Drive #B Nett Lake, MN 55771

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 30)</u> Male: 43.3% Female: 56.7% Race (N = 30) White: 6.7% Black: 0.0% American Indian: 90.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 3.3% Age (N = 30) Under 18: 3.3% 18 to 25: 40.0% 26 to 34: 13.3% 35 and older: 43.3%

Primary Substance (N = 30) Alcohol: 93.3% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.7% Other drugs: 0.0%

(N = 30) Job: 33.3% Retirement/savings: 3.3% Family/friends: 20.0%

Public sources: 26.7%

Other sources: 3.3%

No income: 13.3%

Source of Income

Source of Referral

(N = 30) Self/family/relative/ friends: 16.7% Employer/school: 6.7% Criminal justice: 76.7% Professional: 46.7% County social service agency: 3.3% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 30) Completed program: 63.3% Patient left without staff approval: 30.0% Staff requested/judged inappropriate: 0.0% Death/other: 6.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Anishinaabe-Miikana Gidamaajitaamin-Bois Forte

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 23)	0.0%	4.3%
Not employed/student ^{**} (N = 23)	56.5%	56.5%
Arrests past 30 days (N = 30)	13.3%	3.3%
Alcohol use past 30 days (N = 30)	26.7%	3.3%
Drug use past 30 days (N = 30)	10.0%	10.0%
No self-help group participation past 30 days (N = 20)	50.0%	10.0%
No family support for recovery past 30 days ($N = 19$)	21.1%	5.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 3.3%	Discharge 3.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =30) Biomedical Conditions and	3.3%	3.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 30) Biomedical Conditions and Complications (N = 30) Emotional/Behavioral/	3.3% 20.0%	3.3% 16.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 30) Biomedical Conditions and Complications (N = 30) Emotional/Behavioral/ Cognitive Problem (N = 30)	3.3% 20.0% 56.7%	3.3% 16.7% 33.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD

1610 Farm Road South Tower, MN 55790

County: St. Louis

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 10)}}{\text{Male: 80.0\%}}$ Female: 20.0% Race (N = 10) White: 10.0% Black: 0.0% American Indian: 90.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 10) Under 18: 10.0% 18 to 25: 20.0% 26 to 34: 40.0% 35 and older: 30.0%

Primary Substance (N = 10) Alcohol: 90.0% Methamphetamine: 0.0% Marijuana: 10.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income

(N = 10) Job: 20.0% Retirement/savings: 0.0% Family/friends: 40.0% No income: 10.0% Public sources: 10.0% Other sources: 20.0%

Source of Referral

(N = 10) Self/family/relative/ friends: 40.0% Employer/school: 10.0% Criminal justice: 90.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 10.0% AA: 0.0% Tribal: 20.0%

Outcomes

Discharge Status (N = 10) Completed program: 70.0% Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 0.0% Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$**$} (N = 9)	*	*
Not employed/student ^{$++$} (N = 8)	*	*
Arrests past 30 days (N = 10)	10.0%	10.0%
Alcohol use past 30 days ($N = 10$)	20.0%	10.0%
Drug use past 30 days (N = 10)	10.0%	10.0%
No self-help group participation past 30 days ($N = 8$)	*	*
No family support for recovery past 30 days ($N = 7$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =10)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 10)$	20.0%	20.0%
Emotional/Behavioral/ Cognitive Problem (N = 10)	90.0%	60.0%
Resistance to Change ($N = 10$)	80.0%	60.0%
Relapse/Continued Use Potential (N = 10)	90.0%	70.0%
Unsupportive Recovery Environment (N = 10)	90.0%	60.0%

Anishinaabe-Miikana-Tower Gidamaaitaamin-Bois Forte CD

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center

1517 East Highway 13 Burnsville, MN 553372917

County: Dakota

Provider Website: www.anthonylouiscenter.com

Patient Profile

<u>Gender (N = 83)</u> Male: 67.5% Female: 32.5% Race (N = 83) White: 80.7% Black: 4.8% American Indian: 1.2% Hispanic: 3.6% Asian/Pacific Islander: 3.6% Other: 6.0% Age (N = 83) Under 18: 96.4% 18 to 25: 3.6% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 83) Alcohol: 15.7% Methamphetamine: 0.0% Marijuana: 81.9% Heroin: 0.0% Cocaine: 1.2% Other opiates: 0.0% Other drugs: 1.2%

Source of Income

(N = 83) Job: 0.0% Retirement/savings: 0.0% Family/friends: 91.6% No income: 3.6% Public sources: 0.0% Other sources: 4.8%

Source of Referral

(N = 83) Self/family/relative/ friends: 94.0% Employer/school: 15.7% Criminal justice: 10.8% Professional: 37.3% County social service agency: 8.4% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 83) Completed program: 61.4% Patient left without staff approval: 12.0% Staff requested/judged inappropriate: 0.0% Death/other: 26.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Anthony Louis Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 83)	0.0%	0.0%
Not employed/student ^{**} (N = 82)	0.0%	0.0%
Arrests past 30 days (N = 83)	4.8%	1.2%
Alcohol use past 30 days ($N = 83$)	62.7%	21.7%
Drug use past 30 days (N = 83)	85.5%	50.6%
No self-help group participation past 30 days (N = 39)	79.5%	35.9%
No family support for recovery past 30 days (N = 51)	3.9%	3.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =83)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 83$)		
Complications (N = 85)	1.2%	1.2%
Emotional/Behavioral/ Cognitive Problem (N = 83)	1.2% 78.3%	1.2% 69.9%
Emotional/Behavioral/	-	-
Emotional/Behavioral/ Cognitive Problem (N = 83)	78.3%	69.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center North

1000 Paul Parkway Blaine, MN 55434

County: Anoka

Provider Website:

Patient Profile

<u>Gender (N = 308)</u> Male: 67.2% Female: 32.8% Race (N = 308) White: 65.6% Black: 16.9% American Indian: 5.8% Hispanic: 7.5% Asian/Pacific Islander: 2.3% Other: 1.9% Age (N = 308) Under 18: 93.5% 18 to 25: 6.5% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 308) Alcohol: 19.8% Methamphetamine: 0.6% Marijuana: 75.0% Heroin: 0.6% Cocaine: 0.3% Other opiates: 1.0% Other drugs: 2.6%

(N = 308) Job: 0.0% Retirement/savings: 0.0% Family/friends: 92.5% No income: 6.5% Public sources: 0.3% Other sources: 0.6%

Source of Income

Source of Referral

(N = 308) Self/family/relative/ friends: 32.1% Employer/school: 4.2% Criminal justice: 51.9% Professional: 36.4% County social service agency: 11.7% Other community resources: 0.3% AA: 0.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 308) Completed program: 41.2% Patient left without staff approval: 4.2% Staff requested/judged inappropriate: 16.6% Death/other: 38.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Anthony Louis Center North

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 308)	0.3%	0.3%
Not employed/student ^{**} (N = 308)	0.3%	0.3%
Arrests past 30 days (N = 308)	27.6%	5.2%
Alcohol use past 30 days (N = 308)	44.2%	7.8%
Drug use past 30 days (N = 308)	80.5%	19.5%
No self-help group participation past 30 days (N = 307)	94.1%	16.3%
No family support for recovery past 30 days ($N = 300$)	32.7%	14.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =308)	3.2%	0.3%
Biomedical Conditions and Complications ($N = 307$)	1.6%	2.3%
Emotional/Behavioral/ Cognitive Problem (N = 308)	90.3%	69.2%
Resistance to Change ($N = 308$)	89.0%	43.8%
Relapse/Continued Use Potential (N = 308)	99.0%	94.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Anthony Louis Center of Woodbury

7700 Hudson Road Woodbury, MN 551251469

County: Washington

Provider Website:

Patient Profile

<u>Gender (N = 99)</u> Male: 73.7% Female: 26.3% Race (N = 99) White: 80.8% Black: 7.1% American Indian: 1.0% Hispanic: 5.1% Asian/Pacific Islander: 2.0% Other: 4.0% Age (N = 99) Under 18: 96.0% 18 to 25: 4.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 99) Alcohol: 20.2% Methamphetamine: 3.0% Marijuana: 69.7% Heroin: 0.0% Cocaine: 1.0% Other opiates: 0.0% Other drugs: 6.1% Source of Income

(N = 99) Job: 0.0% Retirement/savings: 0.0% Family/friends: 99.0% No income: 0.0% Public sources: 0.0% Other sources: 1.0%

Source of Referral

(N = 99) Self/family/relative/ friends: 68.7% Employer/school: 16.2% Criminal justice: 25.3% Professional: 50.5% County social service agency: 5.1% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 99) Completed program: 66.7% Patient left without staff approval: 8.1% Staff requested/judged inappropriate: 4.0% Death/other: 21.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Anthony Louis Center of Woodbury

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 99)	0.0%	0.0%
Not employed/student ^{$++$} (N = 99)	1.0%	1.0%
Arrests past 30 days (N = 99)	1.0%	2.0%
Alcohol use past 30 days (N = 99)	33.3%	17.2%
Drug use past 30 days (N = 99)	61.6%	39.4%
No self-help group participation past 30 days (N = 89)	89.9%	91.0%
No family support for recovery past 30 days ($N = 90$)	16.7%	16.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =99)	0.0%	1.0%
Biomedical Conditions and Complications $(N = 99)$	2.0%	1.0%
Emotional/Behavioral/ Cognitive Problem (N = 99)	89.9%	64.6%
Resistance to Change ($N = 99$)	76.8%	44.4%
Relapse/Continued Use Potential (N = 99)	94.9%	77.8%
Unsupportive Recovery Environment (N = 99)	88.9%	51.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

ARK Counseling

1884 Berkshire Lane Plymouth, MN 55411

County: Hennepin

Provider Website: www.ark-lifestyle.com

Patient Profile

Source of Income

Primary Substance (N = 124) Alcohol: 72.6% Methamphetamine: 3.2% Marijuana: 17.7% Heroin: 0.8% Cocaine: 3.2% Other opiates: 2.4% Other drugs: 0.0%

(N = 124) Job: 51.6% Retirement/savings: 1.6% Family/friends: 16.9% No income: 16.1% Public sources: 8.9% Other sources: 4.8% (N = 124) Self/family/relative/ friends: 32.3% Employer/school: 7.3% Criminal justice: 70.2% Professional: 8.9% County social service agency: 73.4% Other community resources: 2.4% AA: 0.0% Tribal: 0.0%

Source of Referral

Outcomes

Discharge Status (N = 124)Completed program: 58.1% Patient left without staff approval: 29.0% Staff requested/judged inappropriate: 6.5% Death/other: 6.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

ARK Counseling

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 123)	1.6%	0.0%
Not employed/student ^{**} (N = 123)	45.5%	39.0%
Arrests past 30 days (N = 124)	0.8%	2.4%
Alcohol use past 30 days (N = 124)	29.8%	15.3%
Drug use past 30 days (N = 124)	20.2%	8.9%
No self-help group participation past 30 days (N = 119)	73.9%	19.3%
No family support for recovery past 30 days (N = 105)	9.5%	1.9%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =124)	0.8%	1.6%
Biomedical Conditions and Complications ($N = 124$)	3.2%	0.0%
Emotional/Behavioral/		
Cognitive Problem ($N = 124$)	53.2%	44.4%
Cognitive Problem (N = 124) Resistance to Change (N = 124)	53.2% 79.0%	44.4% 43.5%
		11170

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Arrowhead Center, Inc.

505 12th Avenue West Virginia, MN 557923078

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 172)</u> Male: 68.6% Female: 31.4% Race (N = 172) White: 94.8% Black: 0.0% American Indian: 4.7% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.6% <u>Age (N = 172)</u> Under 18: 14.0% 18 to 25: 30.8% 26 to 34: 26.2% 35 and older: 29.1%

Primary Substance (N = 172) Alcohol: 55.2% Methamphetamine: 4.7% Marijuana: 34.3% Heroin: 0.0% Cocaine: 0.6% Other opiates: 5.2% Other drugs: 0.0%

Source of Income

(N = 172) Job: 36.0% Retirement/savings: 5.2% Family/friends: 21.5% No income: 8.7% Public sources: 18.6% Other sources: 9.9%

Source of Referral

(N = 172) Self/family/relative/ friends: 19.2% Employer/school: 0.6% Criminal justice: 78.5% Professional: 20.9% County social service agency: 15.7% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 172) Completed program: 56.4% Patient left without staff approval: 9.9% Staff requested/judged inappropriate: 9.3% Death/other: 24.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Arrowhead Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 169)	1.8%	1.8%
Not employed/student ^{**} (N = 164)	45.1%	45.7%
Arrests past 30 days (N = 164)	7.3%	14.0%
Alcohol use past 30 days (N = 172)	25.0%	4.1%
Drug use past 30 days (N = 172)	20.9%	2.3%
No self-help group participation past 30 days (N = 156)	52.6%	5.1%
No family support for recovery past 30 days (N = 158)	4.4%	1.3%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =136)	0.7%	2.2%
Biomedical Conditions and Complications ($N = 161$)	3.1%	1.2%
Emotional/Behavioral/ Cognitive Problem (N = 160)	19.4%	17.5%
Resistance to Change ($N = 169$)	93.5%	39.1%
Relapse/Continued Use Potential (N = 169)	98.8%	43.8%
Unsupportive Recovery Environment (N = 166)		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Ashley House, Inc. d.b.a. Road to Recovery

308 West Ashley Street Jackson, MN 56143

County: Jackson

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 29)}}{\text{Male: 65.5\%}}$ Female: 34.5% Race (N = 29) White: 82.8% Black: 0.0% American Indian: 0.0% Hispanic: 17.2% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 29)</u> Under 18: 10.3% 18 to 25: 31.0% 26 to 34: 34.5% 35 and older: 24.1%

Primary Substance (N = 28) Alcohol: 67.9% Methamphetamine: 3.6% Marijuana: 25.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 3.6% Other drugs: 0.0%

Source of Income

(N = 29) Job: 72.4% Retirement/savings: 0.0% Family/friends: 10.3% No income: 6.9% Public sources: 6.9% Other sources: 3.4%

Source of Referral

(N = 29) Self/family/relative/ friends: 6.9% Employer/school: 6.9% Criminal justice: 65.5% Professional: 3.4% County social service agency: 65.5% Other community resources: 6.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 29) Completed program: 69.0% Patient left without staff approval: 13.8% Staff requested/judged inappropriate: 3.4% Death/other: 13.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Ashley House, Inc. d.b.a. Road to Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 29)	0.0%	0.0%
Not employed/student ^{**} (N = 29)	20.7%	13.8%
Arrests past 30 days (N = 29)	3.4%	6.9%
Alcohol use past 30 days ($N = 28$)	14.3%	21.4%
Drug use past 30 days (N = 28)	21.4%	10.7%
No self-help group participation past 30 days (N = 26)	61.5%	19.2%
No family support for recovery past 30 days ($N = 26$)	15.4%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =28)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 29)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 29)	13.8%	17.2%
Resistance to Change ($N = 29$)	44.8%	24.1%
Relapse/Continued Use Potential (N = 29)	75.9%	27.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Austin Medical-Mayo Health System

101 14th Street NW Austin, MN 55912

County: Mower

Provider Website: www.mayohealthsystem.org

Patient Profile

Gender (N = 252)
Male: 77.4%Race (N = 252)
White: 82.9%Age (N = 252)
Under 18: 7.1%Female: 22.6%Black: 3.6%
American Indian: 1.2%
Hispanic: 9.9%
Asian/Pacific Islander: 0.8%26 to 34: 31.3%
35 and older: 32.9%
Asian/Pacific Islander: 0.8%

Primary Substance (N = 251) Alcohol: 68.9% Methamphetamine: 10.0% Marijuana: 17.1% Heroin: 0.0% Cocaine: 2.0% Other opiates: 0.8% Other drugs: 1.2%

(N = 252) Job: 57.1% Retirement/savings: 0.4% Family/friends: 8.7% No income: 15.1%

Public sources: 7.5%

Other sources: 11.1%

Source of Income

Source of Referral

(N = 252) . Self/family/relative/ friends: 42.1% Employer/school: 1.2% Criminal justice: 56.7% Professional: 32.1% County social service agency: 6.0% Other community resources: 3.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 252) Completed program: 77.0% Patient left without staff approval: 14.3% Staff requested/judged inappropriate: 3.2% Death/other: 5.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Austin Medical-Mayo Health System

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 238)	0.4%	0.0%
Not employed/student ^{$++$} (N = 234)	38.0%	26.5%
Arrests past 30 days (N = 248)	6.0%	6.5%
Alcohol use past 30 days (N = 229)	16.6%	5.2%
Drug use past 30 days (N = 229)	13.5%	5.2%
No self-help group participation past 30 days (N = 224)	50.9%	20.1%
No family support for recovery past 30 days (N = 228)	21.5%	11.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =229)	0.4%	1.7%
Biomedical Conditions and Complications ($N = 229$)	2.6%	2.2%
Emotional/Behavioral/ Cognitive Problem (N = 229)	24.0%	14.8%
Resistance to Change ($N = 230$)	77.0%	24.3%
Relapse/Continued Use Potential (N = 229)	95.6%	38.0%
Unsupportive Recovery Environment (N = 229)	47.2%	31.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon - Crow Wing County Jail

313 Laurel Street Brainerd, MN 56401

County: Crow Wing

Provider Website:

Patient Profile

<u>Gender (N = 32)</u> Male: 100.0% Female: 0.0% Race (N = 32) White: 78.1% Black: 6.3% American Indian: 3.1% Hispanic: 3.1% Asian/Pacific Islander: 0.0% Other: 9.4% Age (N = 32) Under 18: 0.0% 18 to 25: 34.4% 26 to 34: 34.4% 35 and older: 31.3%

Primary Substance (N = 32) Alcohol: 56.3% Methamphetamine: 28.1% Marijuana: 12.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 3.1% Other drugs: 0.0% Source of Income (N = 32)

Job: 65.6% Retirement/savings: 0.0% Family/friends: 0.0% No income: 25.0% Public sources: 9.4% Other sources: 0.0%

Source of Referral

<u>(N = 32)</u> Self/family/relative/ friends: 96.9% Employer/school: 0.0% Criminal justice: 3.1% Professional: 0.0% County social service agency: 100.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 32) Completed program: 50.0% Patient left without staff approval: 3.1% Staff requested/judged inappropriate: 3.1% Death/other: 43.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon - Crow Wing County Jail

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 32)	0.0%	3.1%
Not employed/student ^{$++$} (N = 32)	96.9%	87.5%
Arrests past 30 days (N = 32)	46.9%	18.8%
Alcohol use past 30 days (N = 32)	31.3%	9.4%
Drug use past 30 days (N = 32)	28.1%	3.1%
No self-help group participation past 30 days (N = 31)	45.2%	16.1%
No family support for recovery past 30 days ($N = 31$)	25.8%	9.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =32)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 32$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 32)	15.6%	9.4%
Resistance to Change ($N = 32$)	71.9%	37.5%
Relapse/Continued Use Potential (N = 32)	100.0%	71.9%
Unsupportive Recovery Environment (N = 32)	93.8%	75.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon - Pine City

645 3rd Ave SW Pine City, MN 55063

Provider Website:

Patient Profile

<u>Gender (N = 119)</u> Male: 72.3% Female: 27.7% Race (N = 119) White: 89.1% Black: 0.0% American Indian: 8.4% Hispanic: 0.0% Asian/Pacific Islander: 2.5% Other: 0.0% Age (N = 119) Under 18: 0.0% 18 to 25: 22.7% 26 to 34: 26.1% 35 and older: 51.3%

County: Pine

Primary Substance (N = 119) Alcohol: 73.1% Methamphetamine: 8.4% Marijuana: 11.8% Heroin: 0.0% Cocaine: 2.5% Other opiates: 4.2% Other drugs: 0.0%

Source of Income

(N = 119) Job: 63.9% Retirement/savings: 0.8% Family/friends: 1.7% No income: 16.8% Public sources: 6.7% Other sources: 10.1%

Source of Referral

(N = 119) Self/family/relative/ friends: 37.0% Employer/school: 0.8% Criminal justice: 62.2% Professional: 36.1% County social service agency: 38.7% Other community resources: 0.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 119)Completed program: 73.1% Patient left without staff approval: 21.0% Staff requested/judged inappropriate: 0.0% Death/other: 5.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon - Pine City

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 118)	0.0%	0.0%
Not employed/student ^{**} (N = 109)	56.0%	51.4%
Arrests past 30 days (N = 119)	5.9%	5.0%
Alcohol use past 30 days (N = 119)	30.3%	6.7%
Drug use past 30 days (N = 119)	17.6%	1.7%
No self-help group participation past 30 days (N = 88)	58.0%	40.9%
No family support for recovery past 30 days ($N = 77$)	2.6%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =119)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 119$)	0.0%	0.8%
Emotional/Behavioral/ Cognitive Problem (N = 119)	6.7%	9.2%
Resistance to Change ($N = 119$)	15.1%	14.3%
Relapse/Continued Use Potential (N = 119)	69.7%	26.1%
Unsupportive Recovery Environment (N = 119)	21.8%	10.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Program Sturgeon Lake

34079 Laketown Road # 7 Sturgeon Lake, MN 55783

County: Pine

AA: * Tribal: *

Provider Website:

Patient Profile

A<u>ge (N = 6)</u> Gender (N = 6) Race (N = 6)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 6)(N = 6)(N = 6). Alcohol: * Self/family/relative/ Job: * friends: * Methamphetamine: * Retirement/savings: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 6) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon Program Sturgeon Lake

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$**$} (N = 5)	*	*
Not employed/student ^{**} (N = 5)	*	*
Arrests past 30 days ($N = 6$)	*	*
Alcohol use past 30 days ($N = 6$)	*	*
Drug use past 30 days (N = 6)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =6)	Admission *	<u>Discharge</u> *
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and	*	*
Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/	*	*
Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6)	* *	* * *

* Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC Eagan

1230 Eagan Industrial Blvd. Eagan, MN 55121

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 110)</u> Male: 57.3% Female: 42.7% Race (N = 110) White: 87.3% Black: 5.5% American Indian: 0.0% Hispanic: 3.6% Asian/Pacific Islander: 0.0% Other: 3.6% Age (N = 110) Under 18: 0.0% 18 to 25: 28.2% 26 to 34: 28.2% 35 and older: 43.6%

Primary Substance (N = 110) Alcohol: 74.5% Methamphetamine: 9.1% Marijuana: 6.4% Heroin: 0.9% Cocaine: 2.7% Other opiates: 4.5% Other drugs: 1.8%

Source of Income

(N = 110) Job: 50.0% Retirement/savings: 2.7% Family/friends: 30.9% No income: 1.8% Public sources: 10.0% Other sources: 4.5%

Source of Referral

(N = 110) Self/family/relative/ friends: 48.2% Employer/school: 5.5% Criminal justice: 50.9% Professional: 18.2% County social service agency: 23.6% Other community resources: 7.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 110) Completed program: 50.0% Patient left without staff approval: 22.7% Staff requested/judged inappropriate: 8.2% Death/other: 19.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon Programs LLC Eagan

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 109)	1.8%	0.9%
Not employed/student ^{**} (N = 108)	39.8%	35.2%
Arrests past 30 days (N = 109)	11.0%	4.6%
Alcohol use past 30 days (N = 110)	49.1%	24.5%
Drug use past 30 days (N = 110)	26.4%	20.9%
No self-help group participation past 30 days (N = 105)	55.2%	22.9%
No family support for recovery past 30 days (N = 106)	11.3%	4.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =100)	0.0%	3.0%
Biomedical Conditions and Complications ($N = 99$)	11.1%	6.1%
Emotional/Behavioral/ Cognitive Problem (N = 100)	62.0%	46.0%
Resistance to Change ($N = 101$)	42.6%	39.6%
Relapse/Continued Use Potential (N = 100)	93.0%	55.0%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC of Cottage Grove

7501 80th Street South #6 Cottage Grove, MN 550163020

County: Washington

Provider Website:

Patient Profile

<u>Gender (N = 67)</u> Male: 71.6% Female: 28.4% Race (N = 67) White: 92.5% Black: 3.0% American Indian: 1.5% Hispanic: 1.5% Asian/Pacific Islander: 1.5% Other: 0.0% Age (N = 67) Under 18: 0.0% 18 to 25: 22.4% 26 to 34: 23.9% 35 and older: 53.7%

Primary Substance (N = 66) Alcohol: 69.7% Methamphetamine: 12.1% Marijuana: 12.1% Heroin: 1.5% Cocaine: 1.5% Other opiates: 3.0% Other drugs: 0.0%

Source of Income

(N = 67) Job: 56.7% Retirement/savings: 3.0% Family/friends: 29.9% No income: 0.0% Public sources: 7.5% Other sources: 3.0%

Source of Referral

<u>(N = 67)</u> Self/family/relative/ friends: 58.2% Employer/school: 9.0% Criminal justice: 38.8% Professional: 20.9% County social service agency: 19.4% Other community resources: 3.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 67) Completed program: 71.6% Patient left without staff approval: 14.9% Staff requested/judged inappropriate: 4.5% Death/other: 9.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon Programs LLC of Cottage Grove

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 65)	0.0%	0.0%
Not employed/student ^{**} (N = 47)	14.9%	12.8%
Arrests past 30 days (N = 67)	13.4%	6.0%
Alcohol use past 30 days ($N = 66$)	34.8%	3.0%
Drug use past 30 days (N = 66)	18.2%	1.5%
No self-help group participation past 30 days (N = 37)	40.5%	18.9%
No family support for recovery past 30 days ($N = 60$)	1.7%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =60)	0.0%	3.3%
Biomedical Conditions and Complications $(N = 62)$	12.9%	9.7%
Emotional/Behavioral/ Cognitive Problem (N = 61)	57.4%	31.1%
Resistance to Change ($N = 63$)	11.1%	15.9%
Relapse/Continued Use Potential (N = 62)	95.2%	46.8%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC Stillwater

1825 Curve Crest Blvd West Stillwater, MN 550826054

County: Washington

Provider Website: www.meridiannetwork.com

Patient Profile

 $\frac{\text{Gender } (N = 18)}{\text{Male: } 50.0\%}$ Female: 50.0% Race (N = 18) White: 100.0% Black: 0.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 18) Under 18: 0.0% 18 to 25: 27.8% 26 to 34: 22.2% 35 and older: 50.0%

Primary Substance (N = 18) Alcohol: 66.7% Methamphetamine: 16.7% Marijuana: 5.6% Heroin: 5.6% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 5.6%

Source of Income

(N = 18) Job: 61.1% Retirement/savings: 0.0% Family/friends: 16.7% No income: 5.6% Public sources: 5.6% Other sources: 11.1%

Source of Referral

(N = 18) Self/family/relative/ friends: 38.9% Employer/school: 5.6% Criminal justice: 27.8% Professional: 33.3% County social service agency: 11.1% Other community resources: 22.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 18) Completed program: 38.9% Patient left without staff approval: 27.8% Staff requested/judged inappropriate: 11.1% Death/other: 22.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon Programs LLC Stillwater

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 18)	0.0%	0.0%
Not employed/student ^{**} (N = 18)	55.6%	55.6%
Arrests past 30 days (N = 18)	11.1%	11.1%
Alcohol use past 30 days (N = 18)	50.0%	11.1%
Drug use past 30 days (N = 18)	44.4%	11.1%
No self-help group participation past 30 days (N = 17)	35.3%	52.9%
No family support for recovery past 30 days ($N = 18$)	11.1%	33.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =17)	11.8%	0.0%
Biomedical Conditions and Complications ($N = 17$)	23.5%	11.8%
Emotional/Behavioral/ Cognitive Problem (N = 17)	52.9%	52.9%
Resistance to Change ($N = 17$)	35.3%	41.2%
Relapse/Continued Use		
Potential (N = 17)	70.6%	58.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Programs LLC-Ramsey County Correctional Facility

297 Century Avenue Maplewood, MN 55119

County: Ramsey

Provider Website:

Patient Profile

<u>Gender (N = 143)</u> Male: 100.0% Female: 0.0% Race (N = 143) White: 36.4% Black: 42.0% American Indian: 3.5% Hispanic: 7.0% Asian/Pacific Islander: 6.3% Other: 4.9% Age (N = 143) Under 18: 0.0% 18 to 25: 41.3% 26 to 34: 28.7% 35 and older: 30.1%

Primary Substance (N = 142) Alcohol: 49.3% Methamphetamine: 10.6% Marijuana: 28.9% Heroin: 2.8% Cocaine: 7.0% Other opiates: 0.7% Other drugs: 0.7%

(N = 143) Job: 38.5% Retirement/savings: 2.1% Family/friends: 10.5% No income: 16.8% Public sources: 15.4% Other sources: 16.8%

Source of Income

Source of Referral

(N = 143) Self/family/relative/ friends: 12.6% Employer/school: 0.0% Criminal justice: 90.2% Professional: 0.0% County social service agency: 94.4% Other community resources: 1.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 143)Completed program: 57.3% Patient left without staff approval: 31.5% Staff requested/judged inappropriate: 4.9% Death/other: 6.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon Programs LLC-Ramsey County Correctional Facility

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 120)	2.5%	0.8%
Not employed/student ^{**} (N = 94)	87.2%	57.4%
Arrests past 30 days (N = 143)	23.1%	9.8%
Alcohol use past 30 days (N = 142)	19.7%	6.3%
Drug use past 30 days (N = 142)	24.6%	10.6%
No self-help group participation past 30 days (N = 91)	36.3%	11.0%
No family support for recovery past 30 days (N = 109)	21.1%	5.5%
Permisers to Deservour		
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =141) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =141) Biomedical Conditions and Complications (N = 141) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =141) Biomedical Conditions and Complications (N = 141) Emotional/Behavioral/ Cognitive Problem (N = 141)	0.0% 0.0% 11.3%	0.0% 0.0% 6.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon Prospect Park

2800 University Ave SE Minneapolis, MN 55414

County: Hennepin

Provider Website: www.meridiannetwork.com

Patient Profile

<u>Gender (N = 99)</u> Male: 100.0% Female: 0.0% Race (N = 99) White: 80.8% Black: 11.1% American Indian: 2.0% Hispanic: 5.1% Asian/Pacific Islander: 1.0% Other: 0.0% Age (N = 99) Under 18: 0.0% 18 to 25: 24.2% 26 to 34: 16.2% 35 and older: 59.6%

Primary Substance (N = 99) Alcohol: 65.7% Methamphetamine: 5.1% Marijuana: 13.1% Heroin: 1.0% Cocaine: 9.1% Other opiates: 4.0%

Other drugs: 2.0%

Source of Income

(N = 99) Job: 50.5% Retirement/savings: 2.0% Family/friends: 3.0% No income: 30.3% Public sources: 12.1% Other sources: 2.0%

Source of Referral

(N = 99) Self/family/relative/ friends: 53.5% Employer/school: 7.1% Criminal justice: 31.3% Professional: 55.6% County social service agency: 5.1% Other community resources: 14.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 99) Completed program: 45.5% Patient left without staff approval: 15.2% Staff requested/judged inappropriate: 1.0% Death/other: 38.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon Prospect Park

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 98)	2.0%	1.0%
Not employed/student ^{$++$} (N = 96)	44.8%	38.5%
Arrests past 30 days (N = 92)	4.3%	3.3%
Alcohol use past 30 days (N = 99)	26.3%	14.1%
Drug use past 30 days (N = 99)	20.2%	9.1%
No self-help group participation past 30 days (N = 86)	47.7%	34.9%
No family support for recovery past 30 days ($N = 92$)	7.6%	1.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =97)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 97$)	18.6%	12.4%
Emotional/Behavioral/ Cognitive Problem (N = 97)	70.1%	44.3%
Resistance to Change ($N = 98$)	22.4%	45.9%
Relapse/Continued Use Potential (N = 97)	90.7%	59.8%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Aitkin County

3 3rd Street N.E. Aitkin, MN 56431

Provider Website:

Patient Profile

<u>Gender (N = 18)</u> Male: 61.1% Female: 38.9% Race (N = 18) White: 94.4% Black: 0.0% American Indian: 5.6% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 18) Under 18: 0.0% 18 to 25: 38.9% 26 to 34: 22.2% 35 and older: 38.9%

County: Aitkin

Primary Substance (N = 18) Alcohol: 55.6% Methamphetamine: 22.2% Marijuana: 22.2% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 18)

<u>IN – 10)</u> Job: 44.4% Retirement/savings: 0.0% Family/friends: 11.1% No income: 33.3% Public sources: 11.1% Other sources: 0.0%

Source of Referral

(N = 18) Self/family/relative/ friends: 16.7% Employer/school: 0.0% Criminal justice: 77.8% Professional: 11.1% County social service agency: 83.3% Other community resources: 0.0% AA: 0.0% Tribal: 5.6%

Outcomes

Discharge Status (N = 18) Completed program: 72.2% Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 0.0% Death/other: 11.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon-Aitkin County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 18)	0.0%	0.0%
Not employed/student ^{**} (N = 18)	72.2%	44.4%
Arrests past 30 days (N = 18)	5.6%	5.6%
Alcohol use past 30 days (N = 18)	5.6%	5.6%
Drug use past 30 days (N = 18)	5.6%	0.0%
No self-help group participation past 30 days (N = 17)	88.2%	17.6%
No family support for recovery past 30 days (N = 17)	11.8%	5.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =18) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =18) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/	0.0%	0.0% 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =18) Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/ Cognitive Problem (N = 18)	0.0% 0.0% 5.6%	0.0% 0.0% 11.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Brainerd

15 Washington Street Brainerd, MN 56401

Provider Website:

Patient Profile

<u>Gender (N = 41)</u> Male: 34.1% Female: 65.9% Race (N = 41) White: 82.9% Black: 7.3% American Indian: 4.9% Hispanic: 2.4% Asian/Pacific Islander: 0.0% Other: 2.4% Age (N = 41) Under 18: 0.0% 18 to 25: 34.1% 26 to 34: 29.3% 35 and older: 36.6%

County: Crow Wing

Primary Substance (N = 41) Alcohol: 70.7% Methamphetamine: 7.3% Marijuana: 19.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 2.4%

Source of Income

(N = 41) Job: 41.5% Retirement/savings: 2.4% Family/friends: 4.9% No income: 12.2% Public sources: 34.1% Other sources: 4.9%

Source of Referral

<u>(N = 41)</u> Self/family/relative/ friends: 48.8% Employer/school: 0.0% Criminal justice: 39.0% Professional: 4.9% County social service agency: 73.2% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 41) Completed program: 68.3% Patient left without staff approval: 22.0% Staff requested/judged inappropriate: 0.0% Death/other: 9.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon-Brainerd

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 41)	0.0%	0.0%
Not employed/student ^{$++$} (N = 41)	56.1%	61.0%
Arrests past 30 days (N = 41)	19.5%	4.9%
Alcohol use past 30 days (N = 41)	34.1%	4.9%
Drug use past 30 days (N = 41)	12.2%	7.3%
No self-help group participation past 30 days ($N = 40$)	55.0%	27.5%
No family support for recovery past 30 days ($N = 41$)	51.2%	26.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =41)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 41$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 41)	14.6%	12.2%
Resistance to Change ($N = 41$)	78.0%	43.9%
Relapse/Continued Use Potential (N = 41)	97.6%	56.1%
Unsupportive Recovery Environment (N = 41)	90.2%	48.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Avalon-Midway

1885 University Ave. St. Paul, MN 55104

County: Ramsey

Provider Website: www.meridiannetwork.com

Patient Profile

<u>Gender (N = 186)</u> Male: 0.0% Female: 100.0% Race (N = 186) White: 54.3% Black: 23.7% American Indian: 9.1% Hispanic: 4.8% Asian/Pacific Islander: 2.2% Other: 5.9% Age (N = 186) Under 18: 0.0% 18 to 25: 23.7% 26 to 34: 29.0% 35 and older: 47.3%

Primary Substance (N = 185) Alcohol: 53.5% Methamphetamine: 15.1% Marijuana: 11.9% Heroin: 2.2% Cocaine: 14.6% Other opiates: 1.6% Other drugs: 1.1%

(N = 186) Job: 17.2% Retirement/savings: 2.7% Family/friends: 17.2% No income: 23.1% Public sources: 31.7% Other sources: 8.1%

Source of Income

Source of Referral

(N = 186) Self/family/relative/ friends: 34.4% Employer/school: 1.1% Criminal justice: 44.1% Professional: 22.0% County social service agency: 37.1% Other community resources: 15.1% AA: 0.0% Tribal: 0.5%

Outcomes

Discharge Status (N = 186) Completed program: 40.9% Patient left without staff approval: 40.9% Staff requested/judged inappropriate: 4.8% Death/other: 13.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Avalon-Midway

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 168)	7.7%	3.6%
Not employed/student ^{**} (N = 146)	67.1%	71.9%
Arrests past 30 days (N = 181)	18.2%	3.3%
Alcohol use past 30 days (N = 180)	32.8%	8.3%
Drug use past 30 days (N = 180)	22.2%	8.3%
No self-help group participation past 30 days (N = 146)	43.2%	27.4%
No family support for recovery past 30 days ($N = 153$)	2.6%	11.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =160)	0.6%	4.4%
Biomedical Conditions and Complications ($N = 163$)	12.9%	8.6%
	1219 /0	01070
Emotional/Behavioral/ Cognitive Problem ($N = 165$)	66.7%	53.3%
Cognitive Problem ($N = 165$)	66.7%	53.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bell Hill Recovery Center

12214 200th Street Wadena, MN 56482

County: Wadena

Provider Website:

Patient Profile

<u>Gender (N = 57)</u> Male: 100.0% Female: 0.0% Race (N = 57) White: 71.9% Black: 12.3% American Indian: 8.8% Hispanic: 5.3% Asian/Pacific Islander: 0.0% Other: 1.8% Age (N = 57) Under 18: 0.0% 18 to 25: 7.0% 26 to 34: 14.0% 35 and older: 78.9%

Primary Substance (N = 57) Alcohol: 84.2% Methamphetamine: 3.5% Marijuana: 1.8% Heroin: 0.0% Cocaine: 7.0% Other opiates: 3.5% Other drugs: 0.0% Source of Income

(N = 57) Job: 0.0% Retirement/savings: 1.8% Family/friends: 0.0% No income: 28.1% Public sources: 54.4% Other sources: 15.8%

Source of Referral

(N = 57) Self/family/relative/ friends: 33.3% Employer/school: 0.0% Criminal justice: 28.1% Professional: 15.8% County social service agency: 78.9% Other community resources: 1.8% AA: 0.0% Tribal: 1.8%

Outcomes

Discharge Status (N = 57) Completed program: 68.4% Patient left without staff approval: 21.1% Staff requested/judged inappropriate: 0.0% Death/other: 10.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Bell Hill Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 55)	25.5%	1.8%
Not employed/student ^{**} (N = 46)	100.0%	93.5%
Arrests past 30 days (N = 54)	14.8%	0.0%
Alcohol use past 30 days (N = 57)	63.2%	17.5%
Drug use past 30 days (N = 57)	22.8%	1.8%
No self-help group participation past 30 days (N = 53)	52.8%	1.9%
No family support for recovery past 30 days ($N = 51$)	15.7%	7.8%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =57)	3.5%	1.8%
Biomedical Conditions and Complications ($N = 56$)	44.6%	14.3%
Emotional/Behavioral/ Cognitive Problem (N = 56)	98.2%	87.5%
Resistance to Change ($N = 56$)	96.4%	82.1%
Relapse/Continued Use Potential (N = 56)	100.0%	94.6%
Unsupportive Recovery Environment (N = 55)	100.0%	94.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Beltrami County Jail

626 Minnesota Ave Bemidji, MN 56601

County: Beltrami

Provider Website:

Patient Profile

Gender (N = 1)Male: * Female: *

Race (N = 1)White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *

Age (N = 1)Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

Tribal: *

Primary Substance	Source of Income	Source of Referral
(N = 1)	(N = 1)	(N = 1).
Alcohol: *	Job: *	Self/family/relative/
Methamphetamine: *	Retirement/savings: *	friends: *
Marijuana: *	Family/friends: *	Employer/school: *
Heroin: *	No income: *	Criminal justice: *
Cocaine: *	Public sources: *	Professional: *
Other opiates: *	Other sources: *	County social
Other drugs: *		service agency: *
		Other community resources: *
		AA: *

Outcomes

Discharge Status (N = 1)Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Beltrami County Jail

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 1)	*	*
Not employed/student ^{**} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bemidji Area Program for Recovery

403 4th St. NW Bemidji, MN 56601

County: Beltrami

Provider Website:

Patient Profile

<u>Gender (N = 112)</u> Male: 64.3% Female: 35.7% Race (N = 112) White: 62.5% Black: 2.7% American Indian: 25.0% Hispanic: 4.5% Asian/Pacific Islander: 0.9% Other: 4.5% <u>Age (N = 112)</u> Under 18: 13.4% 18 to 25: 21.4% 26 to 34: 20.5% 35 and older: 44.6%

Primary Substance (N = 112) Alcohol: 73.2% Methamphetamine: 5.4% Marijuana: 14.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 3.6% Other drugs: 3.6%

Source of Income

(N = 112) Job: 25.9% Retirement/savings: 0.9% Family/friends: 17.0% No income: 7.1% Public sources: 21.4% Other sources: 27.7%

Source of Referral

(N = 112) Self/family/relative/ friends: 13.4% Employer/school: 1.8% Criminal justice: 10.7% Professional: 12.5% County social service agency: 84.8% Other community resources: 1.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 112)Completed program: 52.7% Patient left without staff approval: 42.0% Staff requested/judged inappropriate: 0.0% Death/other: 5.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Bemidji Area Program for Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 109)	3.7%	1.8%
Not employed/student ^{**} (N = 100)	51.0%	53.0%
Arrests past 30 days (N = 112)	23.2%	7.1%
Alcohol use past 30 days (N = 112)	33.9%	8.0%
Drug use past 30 days (N = 112)	19.6%	6.3%
No self-help group participation past 30 days (N = 76)	53.9%	22.4%
No family support for recovery past 30 days ($N = 88$)	33.0%	12.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =112)	1.8%	2.7%
Biomedical Conditions and Complications ($N = 112$)	17.0%	15.2%
Emotional/Behavioral/ Cognitive Problem (N = 112)	74.1%	42.9%
Resistance to Change ($N = 112$)	56.3%	32.1%
Relapse/Continued Use Potential (N = 112)	87.5%	51.8%
Unsupportive Recovery Environment (N = 110)	55.5%	38.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Bethel Port Rehabilitation Center

23 Mesaba Avenue Duluth, MN 55806

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 309)</u> Male: 82.2% Female: 17.8% Race (N = 309) White: 79.6% Black: 7.1% American Indian: 8.7% Hispanic: 1.3% Asian/Pacific Islander: 0.6% Other: 2.6% Age (N = 309) Under 18: 0.0% 18 to 25: 28.8% 26 to 34: 24.3% 35 and older: 46.9%

Primary Substance (N = 309) Alcohol: 61.8% Methamphetamine: 13.6% Marijuana: 15.2% Heroin: 1.0% Cocaine: 3.6% Other opiates: 4.9% Other drugs: 0.0%

(N = 309) Job: 37.9% Retirement/savings: 1.3% Family/friends: 3.9% No income: 24.9%

Public sources: 19.7%

Other sources: 12.3%

Source of Income

Source of Referral

(N = 309) Self/family/relative/ friends: 12.9% Employer/school: 1.6% Criminal justice: 73.5% Professional: 19.7% County social service agency: 56.3% Other community resources: 1.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 309) Completed program: 67.6% Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 7.1% Death/other: 12.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Bethel Port Rehabilitation Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 286)	1.7%	2.1%
Not employed/student ^{**} (N = 269)	60.6%	49.4%
Arrests past 30 days (N = 283)	13.1%	8.1%
Alcohol use past 30 days (N = 309)	23.0%	6.5%
Drug use past 30 days (N = 309)	15.9%	5.5%
No self-help group participation past 30 days (N = 276)	42.0%	17.0%
No family support for recovery past 30 days ($N = 270$)	14.1%	8.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =307)	0.0%	4.2%
Biomedical Conditions and Complications ($N = 307$)	5.9%	9.1%
Emotional/Behavioral/ Cognitive Problem (N = 307)	36.5%	35.2%
Resistance to Change ($N = 307$)	59.9%	32.9%
Relapse/Continued Use Potential (N = 307)	93.5%	68.1%
Unsupportive Recovery Environment (N = 306)	93.1%	64.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Boys Totem Town St. Joseph's CD

398 Totem Road St. Paul, MN 55119

County: Ramsey

Provider Website:

Patient Profile

<u>Gender (N = 33)</u> Male: 100.0% Female: 0.0% Race (N = 33) White: 24.2% Black: 54.5% American Indian: 3.0% Hispanic: 12.1% Asian/Pacific Islander: 3.0% Other: 3.0% Age (N = 33) Under 18: 75.8% 18 to 25: 24.2% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 33) Alcohol: 27.3% Methamphetamine: 3.0% Marijuana: 66.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 3.0% Other drugs: 0.0% Source of Income

(N = 33) Job: 0.0% Retirement/savings: 0.0% Family/friends: 69.7% No income: 27.3% Public sources: 0.0% Other sources: 3.0%

Source of Referral

(N = 33) Self/family/relative/ friends: 93.9% Employer/school: 0.0% Criminal justice: 6.1% Professional: 24.2% County social service agency: 63.6% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 33) Completed program: 60.6% Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 6.1% Death/other: 15.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Boys Totem Town St. Joseph's CD

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 28)	0.0%	0.0%
Not employed/student ^{$++$} (N = 28)	25.0%	28.6%
Arrests past 30 days (N = 33)	3.0%	3.0%
Alcohol use past 30 days (N = 33)	3.0%	9.1%
Drug use past 30 days (N = 33)	3.0%	12.1%
No self-help group participation past 30 days (N = 31)	74.2%	38.7%
No family support for recovery past 30 days (N = 27)	18.5%	18.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =30)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 31)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem ($N = 33$)	78.8%	66.7%
Resistance to Change ($N = 33$)	12.1%	39.4%
Relapse/Continued Use Potential (N = 33)	97.0%	84.8%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cardinal Recovery Center SOS-Willmar RTC

316 Becker Avenue Willmar, MN 56201

County: Kandiyohi

Provider Website:

Patient Profile

<u>Gender (N = 77)</u> Male: 70.1% Female: 29.9% Race (N = 77) White: 57.1% Black: 2.6% American Indian: 6.5% Hispanic: 20.8% Asian/Pacific Islander: 6.5% Other: 6.5% Age (N = 77) Under 18: 67.5% 18 to 25: 9.1% 26 to 34: 7.8% 35 and older: 15.6%

Primary Substance (N = 77) Alcohol: 40.3% Methamphetamine: 5.2% Marijuana: 50.6% Heroin: 1.3% Cocaine: 1.3% Other opiates: 0.0% Other drugs: 1.3%

Source of Income

(N = 77) Job: 15.6% Retirement/savings: 1.3% Family/friends: 24.7% No income: 41.6% Public sources: 7.8% Other sources: 9.1%

Source of Referral

(N = 77) Self/family/relative/ friends: 6.5% Employer/school: 0.0% Criminal justice: 76.6% Professional: 0.0% County social service agency: 77.9% Other community resources: 0.0% AA: 0.0% Tribal: 5.2%

Outcomes

Discharge Status <u>(N = 77)</u> Completed program: 76.6% Patient left without staff approval: 6.5% Staff requested/judged inappropriate: 7.8% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Cardinal Recovery Center SOS-Willmar RTC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 74)	0.0%	0.0%
Not employed/student ^{$++$} (N = 72)	15.3%	15.3%
Arrests past 30 days (N = 76)	30.3%	9.2%
Alcohol use past 30 days (N = 77)	26.0%	3.9%
Drug use past 30 days (N = 77)	26.0%	1.3%
No self-help group participation past 30 days (N = 62)	74.2%	56.5%
No family support for recovery past 30 days (N = 51)	45.1%	35.3%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =77)	2.6%	2.6%
Biomedical Conditions and Complications ($N = 77$)	2.6%	1.3%
Emotional/Behavioral/ Cognitive Problem (N = 77)	32.5%	18.2%
Resistance to Change ($N = 77$)	90.9%	59.7%
Relapse/Continued Use Potential (N = 77)	98.7%	81.8%
Unsupportive Recovery Environment (N = 75)	92.0%	77.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CDC Centers

720 15 1st Street E Burnsville, MN 553066398

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 76)</u> Male: 0.0% Female: 100.0% Race (N = 76) White: 84.2% Black: 7.9% American Indian: 1.3% Hispanic: 1.3% Asian/Pacific Islander: 0.0% Other: 5.3% Age (N = 76) Under 18: 0.0% 18 to 25: 22.4% 26 to 34: 23.7% 35 and older: 53.9%

Primary Substance

(N = 76)Alcohol: 73.7% Methamphetamine: 6.6% Marijuana: 3.9% Heroin: 0.0% Cocaine: 5.3% Other opiates: 7.9% Other drugs: 2.6%

Source of Income

(N = 76) Job: 31.6% Retirement/savings: 2.6% Family/friends: 22.4% No income: 2.6% Public sources: 2.6% Other sources: 38.2%

Source of Referral

(N = 76) Self/family/relative/ friends: 71.1% Employer/school: 2.6% Criminal justice: 3.9% Professional: 61.8% County social service agency: 17.1% Other community resources: 17.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 76) Completed program: 80.3% Patient left without staff approval: 7.9% Staff requested/judged inappropriate: 3.9% Death/other: 7.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

CDC Centers

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 76)	7.9%	1.3%
Not employed/student ^{**} (N = 68)	73.5%	80.9%
Arrests past 30 days (N = 76)	7.9%	2.6%
Alcohol use past 30 days (N = 76)	84.2%	23.7%
Drug use past 30 days (N = 76)	40.8%	11.8%
No self-help group participation past 30 days (N = 67)	73.1%	7.5%
No family support for recovery past 30 days ($N = 66$)	18.2%	4.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
	Admission 5.3%	Discharge 1.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =76) Biomedical Conditions and	5.3%	1.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =76) Biomedical Conditions and Complications (N = 76) Emotional/Behavioral/	5.3% 30.3%	1.3% 17.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =76) Biomedical Conditions and Complications (N = 76) Emotional/Behavioral/ Cognitive Problem (N = 76)	5.3% 30.3% 90.8%	1.3% 17.1% 60.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cedar Ridge

11400 Julianne Avenue North Stillwater, MN 55082

County: Washington

Provider Website: www.meridiannetwork.com

Patient Profile

Gender (N = 382)
Male: 100.0%
Female: 0.0%Race (N = 382)
White: 85.6%
Black: 8.4%
American Indian: 2.6%
Hispanic: 2.4%
Asian/Pacific Islander: 0.5%Age (N = 382)
Under 18: 0.0%
18 to 25: 27.7%
26 to 34: 22.0%
35 and older: 50.3%

Source of Income

Primary Substance (N = 379) Alcohol: 49.6% Methamphetamine: 5.5% Marijuana: 17.4% Heroin: 11.1% Cocaine: 5.5% Other opiates: 9.0% Other drugs: 1.8%

(N = 382) Job: 24.3% Retirement/savings: 3.7% Family/friends: 8.1% No income: 31.2% Public sources: 23.3% Other sources: 9.4%

Source of Referral

(N = 382) Self/family/relative/ friends: 71.2% Employer/school: 1.0% Criminal justice: 24.3% Professional: 25.9% County social service agency: 20.9% Other community resources: 4.2% AA: 2.1% Tribal: 0.0%

Outcomes

Discharge Status (N = 382) Completed program: 74.6% Patient left without staff approval: 16.2% Staff requested/judged inappropriate: 4.2% Death/other: 5.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Cedar Ridge

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 374)	1.9%	0.3%
Not employed/student ^{**} (N = 371)	77.6%	79.2%
Arrests past 30 days (N = 371)	11.9%	0.8%
Alcohol use past 30 days (N = 378)	62.7%	6.6%
Drug use past 30 days (N = 378)	50.5%	6.9%
No self-help group participation past 30 days (N = 367)	51.2%	6.0%
No family support for recovery past 30 days ($N = 369$)	9.8%	4.1%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 10.4%	Discharge 3.2%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =345) Biomedical Conditions and	10.4%	3.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 345) Biomedical Conditions and Complications (N = 345) Emotional/Behavioral/	10.4% 22.9%	3.2% 16.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 345) Biomedical Conditions and Complications (N = 345) Emotional/Behavioral/ Cognitive Problem (N = 345)	10.4% 22.9% 95.7%	3.2% 16.2% 89.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Center for Solutions

7448 68th Avenue Northeast Cando, ND 58324

County: North Dakota

resources: *

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 8)</u> Male: * Female: *	Race (N = 8) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 8) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 8) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 8) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 8) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Center for Solutions

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{**} (N = 7)	*	*
Not employed/student ^{**} (N = 8)	*	*
Arrests past 30 days ($N = 8$)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days ($N = 8$)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days ($N = 6$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =8)Biomedical Conditions and Complications (N = 8)Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of Buffalo

308 12th Avenue South Buffalo, MN 55313

County: Wright

Provider Website:

Patient Profile

<u>Gender (N = 97)</u> Male: 76.3% Female: 23.7% Race (N = 97) White: 89.7% Black: 4.1% American Indian: 0.0% Hispanic: 3.1% Asian/Pacific Islander: 0.0% Other: 3.1% Age (N = 97) Under 18: 35.1% 18 to 25: 17.5% 26 to 34: 15.5% 35 and older: 32.0%

Primary Substance (N = 97) Alcohol: 51.5% Methamphetamine: 2.1% Marijuana: 37.1% Heroin: 1.0% Cocaine: 2.1% Other opiates: 3.1% Other drugs: 3.1% Source of Income

(N = 97) Job: 38.1% Retirement/savings: 1.0% Family/friends: 42.3% No income: 4.1% Public sources: 6.2% Other sources: 8.2%

Source of Referral

(N = 97) Self/family/relative/ friends: 53.6% Employer/school: 2.1% Criminal justice: 73.2% Professional: 18.6% County social service agency: 6.2% Other community resources: 3.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 97) Completed program: 35.1% Patient left without staff approval: 24.7% Staff requested/judged inappropriate: 8.2% Death/other: 32.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Central Minnesota Mental Health Center of Buffalo

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 92)	0.0%	0.0%
Not employed/student ^{**} (N = 86)	23.3%	25.6%
Arrests past 30 days (N = 97)	6.2%	8.2%
Alcohol use past 30 days (N = 97)	21.6%	17.5%
Drug use past 30 days (N = 97)	21.6%	15.5%
No self-help group participation past 30 days (N = 84)	57.1%	26.2%
No family support for recovery past 30 days ($N = 75$)	24.0%	18.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =93)	1.1%	1.1%
Biomedical Conditions and Complications $(N = 94)$	0.0%	3.2%
Emotional/Behavioral/ Cognitive Problem ($N = 94$)	74.5%	60.6%
Resistance to Change (N = 94)		
Resistance to change (N = 34)	36.2%	53.2%
Relapse/Continued Use Potential (N = 94)	36.2% 88.3%	53.2% 63.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of Monticello

407 Washington Street Monticello, MN 55362

County: Wright

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 96)}}{\text{Male: 64.6\%}}$ Female: 35.4% Race (N = 96) White: 96.9% Black: 2.1% American Indian: 0.0% Hispanic: 1.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 96) Under 18: 0.0% 18 to 25: 26.0% 26 to 34: 37.5% 35 and older: 36.5%

Primary Substance (N = 96) Alcohol: 76.0% Methamphetamine: 6.3% Marijuana: 12.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.2% Other drugs: 1.0% Source of Income (N = 96)

Job: 52.1% Retirement/savings: 3.1% Family/friends: 27.1% No income: 0.0% Public sources: 13.5% Other sources: 4.2% Source of Referral

(N = 96) Self/family/relative/ friends: 44.8% Employer/school: 3.1% Criminal justice: 69.8% Professional: 15.6% County social service agency: 7.3% Other community resources: 4.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 96) Completed program: 56.3% Patient left without staff approval: 26.0% Staff requested/judged inappropriate: 4.2% Death/other: 13.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Central Minnesota Mental Health Center of Monticello

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 92)	4.3%	1.1%
Not employed/student ^{**} (N = 86)	48.8%	36.0%
Arrests past 30 days (N = 92)	6.5%	7.6%
Alcohol use past 30 days (N = 96)	37.5%	14.6%
Drug use past 30 days (N = 96)	16.7%	11.5%
No self-help group participation past 30 days (N = 83)	59.0%	16.9%
No family support for recovery past 30 days ($N = 83$)	43.4%	4.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =96)	1.0%	5.2%
Biomedical Conditions and Complications $(N = 96)$	2.1%	1.0%
Emotional/Behavioral/ Cognitive Problem ($N = 96$)	72.9%	32.3%
· · ·	72.9% 55.2%	32.3% 28.1%
Cognitive Problem ($N = 96$)		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Central Minnesota Mental Health Center of St. Cloud

1321 13th Street North St. Cloud, MN 56303

County: Stearns

Provider Website:

Patient Profile

<u>Gender (N = 128)</u> Male: 67.2% Female: 32.8% Race (N = 128) White: 86.7% Black: 7.0% American Indian: 1.6% Hispanic: 3.1% Asian/Pacific Islander: 0.8% Other: 0.8% Age (N = 128) Under 18: 0.0% 18 to 25: 23.4% 26 to 34: 26.6% 35 and older: 50.0%

Primary Substance (N = 128) Alcohol: 67.2% Methamphetamine: 8.6% Marijuana: 22.7% Heroin: 0.0% Cocaine: 1.6% Other opiates: 0.0% Other drugs: 0.0%

(N = 128) Job: 50.0% Retirement/savings: 2.3% Family/friends: 12.5% No income: 3.1% Public sources: 21.1% Other sources: 10.9%

Source of Income

Source of Referral

(N = 128) . Self/family/relative/ friends: 33.6% Employer/school: 3.1% Criminal justice: 78.1% Professional: 25.0% County social service agency: 7.8% Other community resources: 1.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 128) Completed program: 53.9% Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 20.3% Death/other: 12.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Central Minnesota Mental Health Center of St. Cloud

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 120)	0.0%	0.8%
Not employed/student ^{**} (N = 117)	40.2%	37.6%
Arrests past 30 days (N = 126)	4.0%	10.3%
Alcohol use past 30 days (N = 128)	27.3%	25.8%
Drug use past 30 days (N = 128)	18.8%	19.5%
No self-help group participation past 30 days (N = 107)	62.6%	36.4%
No family support for recovery past 30 days ($N = 103$)	5.8%	3.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =112)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 115$)	8.7%	7.8%
Emotional/Behavioral/ Cognitive Problem (N = 115)	60.0%	31.3%
Resistance to Change ($N = 115$)	53.0%	30.4%
Relapse/Continued Use Potential (N = 115)	92.2%	41.7%
Unsupportive Recovery Environment (N = 115)	86.1%	39.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Chrysalis: A Center for Women

4432 Chicago Avenue South Minneapolis, MN 55407

County: Hennepin

Provider Website: www.chrysaliswomen.org

Patient Profile

<u>Gender (N = 229)</u> Male: 0.0% Female: 100.0% Race (N = 229) White: 52.8% Black: 22.3% American Indian: 13.1% Hispanic: 3.5% Asian/Pacific Islander: 0.9% Other: 7.4% <u>Age (N = 229)</u> Under 18: 0.0% 18 to 25: 13.5% 26 to 34: 37.1% 35 and older: 49.3%

Primary Substance (N = 229) Alcohol: 56.3% Methamphetamine: 4.8% Marijuana: 17.5% Heroin: 3.5% Cocaine: 10.0% Other opiates: 7.4% Other drugs: 0.4%

Source of Income

(N = 229) Job: 17.5% Retirement/savings: 2.6% Family/friends: 14.4% No income: 6.6% Public sources: 52.0% Other sources: 7.0%

Source of Referral

(N = 229) Self/family/relative/ friends: 40.6% Employer/school: 0.9% Criminal justice: 14.4% Professional: 40.2% County social service agency: 17.0% Other community resources: 9.6% AA: 1.3% Tribal: 0.0%

Outcomes

Discharge Status (N = 229) Completed program: 39.7% Patient left without staff approval: 25.8% Staff requested/judged inappropriate: 11.8% Death/other: 22.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Chrysalis: A Center for Women

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 185)	2.2%	3.2%
Not employed/student ^{**} (N = 156)	67.9%	72.4%
Arrests past 30 days (N = 197)	4.6%	5.1%
Alcohol use past 30 days (N = 205)	40.0%	15.1%
Drug use past 30 days (N = 205)	30.7%	20.0%
No self-help group participation past 30 days (N = 164)	47.0%	25.6%
No family support for recovery past 30 days (N = 154)	11.0%	9.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 3.2%	<u>Discharge</u> 4.9%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =185) Biomedical Conditions and	3.2%	4.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =185) Biomedical Conditions and Complications (N = 188) Emotional/Behavioral/	3.2% 23.9%	4.9% 25.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =185) Biomedical Conditions and Complications (N = 188) Emotional/Behavioral/ Cognitive Problem (N = 188)	3.2% 23.9% 79.3%	4.9% 25.5% 73.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Clara's House

1564 Co. Rd 134 St. Cloud, MN 56303

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 144)}{\text{Male: } 68.1\%}$ Female: 31.9% Race (N = 144) White: 88.2% Black: 3.5% American Indian: 4.2% Hispanic: 1.4% Asian/Pacific Islander: 0.0% Other: 2.8% <u>Age (N = 144)</u> Under 18: 95.1% 18 to 25: 4.9%

County: Stearns

18 to 25: 4.9% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 144) Alcohol: 16.7% Methamphetamine: 2.1% Marijuana: 73.6% Heroin: 1.4% Cocaine: 1.4% Other opiates: 1.4% Other drugs: 3.5%

Source of Income

(N = 144) Job: 6.3% Retirement/savings: 0.0% Family/friends: 86.8% No income: 3.5% Public sources: 0.0% Other sources: 3.5%

Source of Referral

(N = 144) Self/family/relative/ friends: 47.2% Employer/school: 9.0% Criminal justice: 42.4% Professional: 32.6% County social service agency: 27.1% Other community resources: 2.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 144) Completed program: 61.8% Patient left without staff approval: 10.4% Staff requested/judged inappropriate: 17.4% Death/other: 10.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Clara's House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 144)	0.7%	0.0%
Not employed/student ^{$++$} (N = 141)	0.0%	0.7%
Arrests past 30 days (N = 142)	9.2%	1.4%
Alcohol use past 30 days (N = 144)	52.8%	9.7%
Drug use past 30 days (N = 144)	70.8%	24.3%
No self-help group participation past 30 days (N = 139)	72.7%	6.5%
No family support for recovery past 30 days (N = 142)	2.8%	3.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =142)	0.7%	0.0%
Biomedical Conditions and Complications ($N = 142$)	4.2%	2.8%
Emotional/Behavioral/ Cognitive Problem (N = 142)	90.1%	94.4%
Resistance to Change ($N = 142$)	96.5%	95.8%
Relapse/Continued Use Potential (N = 142)	99.3%	97.9%
Unsupportive Recovery Environment (N = 142)	97.2%	95.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Clinicare Corporation Eau Claire Academy

550 N Dewey Street Eau Claire, WI 54702

County: Wisconsin

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 4)Race (N = 4)Age (N = 4)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 4)(N = 4)(N = 4). Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 4) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Clinicare Corporation Eau Claire Academy

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 3)	*	*
Not employed/student ^{**} (N = 4)	*	*
Arrests past 30 days ($N = 3$)	*	*
Alcohol use past 30 days ($N = 4$)	*	*
Drug use past 30 days (N = 4)	*	*
No self-help group participation past 30 days ($N = 3$)	*	*
No family support for recovery past 30 days ($N = 3$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/ Cognitive Problem (N = 4)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Club Recovery

6550 York Ave South Minneapolis, MN 554352337

County: Hennepin

Provider Website: www.clubrecoveryllc.com

Patient Profile

<u>Gender (N = 252)</u> Male: 63.9% Female: 36.1% Race (N = 252) White: 85.3% Black: 6.0% American Indian: 1.2% Hispanic: 3.2% Asian/Pacific Islander: 0.4% Other: 4.0% Age (N = 252) Under 18: 0.0% 18 to 25: 15.1% 26 to 34: 24.6% 35 and older: 60.3%

Primary Substance (N = 252)

Alcohol: 85.3% Methamphetamine: 1.2% Marijuana: 7.9% Heroin: 0.0% Cocaine: 2.4% Other opiates: 2.8% Other drugs: 0.4%

Source of Income

(N = 252) Job: 70.6% Retirement/savings: 4.4% Family/friends: 8.3% No income: 2.8% Public sources: 7.9% Other sources: 6.0%

Source of Referral

(N = 252) . Self/family/relative/ friends: 51.6% Employer/school: 4.4% Criminal justice: 32.9% Professional: 14.7% County social service agency: 2.4% Other community resources: 12.3% AA: 1.2% Tribal: 0.0%

Outcomes

Discharge Status (N = 252) Completed program: 68.7% Patient left without staff approval: 18.3% Staff requested/judged inappropriate: 0.0% Death/other: 13.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Club Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 201)	1.0%	0.0%
Not employed/student ^{**} (N = 194)	23.7%	21.6%
Arrests past 30 days (N = 242)	16.1%	0.8%
Alcohol use past 30 days (N = 252)	60.7%	4.8%
Drug use past 30 days (N = 252)	19.8%	0.8%
No self-help group participation past 30 days (N = 115)	52.2%	33.9%
No family support for recovery past 30 days (N = 161)	13.7%	4.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
	Admission 3.5%	Discharge 1.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =230) Biomedical Conditions and	3.5%	1.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =230) Biomedical Conditions and Complications (N = 235) Emotional/Behavioral/	3.5% 6.0%	1.3% 5.1%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =230)Biomedical Conditions and Complications (N = 235)Emotional/Behavioral/ Cognitive Problem (N = 234)	3.5% 6.0% 76.1%	1.3% 5.1% 25.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Common Ground

1027 7th Street Northwest Rochester, MN 55901

County: Olmsted

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 139)}{\text{Male: } 64.0\%}$ Female: 36.0% Race (N = 139) White: 77.7% Black: 10.8% American Indian: 0.0% Hispanic: 5.0% Asian/Pacific Islander: 4.3% Other: 2.2% Age (N = 139) Under 18: 2.2% 18 to 25: 28.1% 26 to 34: 28.1% 35 and older: 41.7%

Primary Substance (N = 138) Alcohol: 71.0% Methamphetamine: 10.1% Marijuana: 12.3% Heroin: 1.4% Cocaine: 2.9% Other opiates: 1.4% Other drugs: 0.7%

Source of Income

(N = 139) Job: 58.3% Retirement/savings: 1.4% Family/friends: 12.9% No income: 8.6% Public sources: 14.4% Other sources: 4.3%

Source of Referral

(N = 139) Self/family/relative/ friends: 28.8% Employer/school: 0.7% Criminal justice: 77.7% Professional: 8.6% County social service agency: 5.8% Other community resources: 11.5% AA: 0.7% Tribal: 0.0%

Outcomes

Discharge Status (N = 139) Completed program: 73.4% Patient left without staff approval: 12.9% Staff requested/judged inappropriate: 5.8% Death/other: 7.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Common Ground

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 99)	3.0%	1.0%
Not employed/student ^{**} (N = 89)	39.3%	31.5%
Arrests past 30 days (N = 139)	12.9%	3.6%
Alcohol use past 30 days (N = 138)	22.5%	6.5%
Drug use past 30 days (N = 138)	11.6%	3.6%
No self-help group participation past 30 days (N = 88)	69.3%	40.9%
No family support for recovery past 30 days ($N = 85$)	21.2%	7.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> [§]	Admission	<u>Discharge</u>
	<u>Admission</u> 0.7%	Discharge 2.2%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =137) Biomedical Conditions and	0.7%	2.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =137) Biomedical Conditions and Complications (N = 137) Emotional/Behavioral/	0.7% 2.9%	2.2% 3.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =137) Biomedical Conditions and Complications (N = 137) Emotional/Behavioral/ Cognitive Problem (N = 138)	0.7% 2.9% 18.8%	2.2% 3.6% 16.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Communidades Latinas Unidas En Sericio

797 East 7th Street St. Paul, MN 551055014

County: Ramsey

Provider Website: www.clues.org

Patient Profile

 Gender (N = 98)
 Race (N = 98)

 Male: 90.8%
 White: 13.3%

 Female: 9.2%
 Black: 14.3%

 American Indian: 1.0%
 Hispanic: 65.3%

Age (N = 98) Under 18: 0.0% 18 to 25: 29.6% 26 to 34: 26.5% 35 and older: 43.9%

Primary Substance (N = 98) Alcohol: 59.2% Methamphetamine: 10.2% Marijuana: 24.5% Heroin: 1.0% Cocaine: 5.1% Other opiates: 0.0% Other drugs: 0.0%

(N = 98) Job: 54.1% Retirement/savings: 0.0% Family/friends: 14.3% No income: 12.2% Public sources: 10.2% Other sources: 9.2%

Asian/Pacific Islander: 4.1%

Other: 2.0%

Source of Income

Source of Referral

(N = 98) Self/family/relative/ friends: 46.9% Employer/school: 2.0% Criminal justice: 79.6% Professional: 1.0% County social service agency: 0.0% Other community resources: 1.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 98) Completed program: 56.1% Patient left without staff approval: 26.5% Staff requested/judged inappropriate: 5.1% Death/other: 12.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Communidades Latinas Unidas En Sericio

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 95)	4.2%	1.1%
Not employed/student ^{**} (N = 96)	64.6%	56.3%
Arrests past 30 days (N = 98)	4.1%	10.2%
Alcohol use past 30 days ($N = 96$)	39.6%	14.6%
Drug use past 30 days (N = 96)	27.1%	15.6%
No self-help group participation past 30 days (N = 83)	75.9%	31.3%
No family support for recovery past 30 days ($N = 73$)	4.1%	4.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	Discharge 1.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and	0.0%	1.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and Complications (N = 95) Emotional/Behavioral/	0.0%	1.1% 1.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =94) Biomedical Conditions and Complications (N = 95) Emotional/Behavioral/ Cognitive Problem (N = 95)	0.0% 0.0% 36.8%	1.1% 1.1% 23.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Anoka

3301 7th Avenue Anoka, MN 553031400

County: Anoka

Provider Website:

Patient Profile

<u>Gender (N = 343)</u> Male: 77.6% Female: 22.4% Race (N = 343) White: 81.9% Black: 9.0% American Indian: 6.1% Hispanic: 0.9% Asian/Pacific Islander: 0.9% Other: 1.2% <u>Age (N = 343)</u> Under 18: 0.3% 18 to 25: 22.4% 26 to 34: 23.0% 35 and older: 54.2%

Primary Substance (N = 342) Alcohol: 74.6% Methamphetamine: 8.5% Marijuana: 10.2% Heroin: 1.2% Cocaine: 1.8% Other opiates: 2.0% Other drugs: 1.8%

(N = 343) Job: 27.1% Retirement/savings: 6.4% Family/friends: 13.7% No income: 14.0% Public sources: 30.6% Other sources: 8.2%

Source of Income

Source of Referral

(N = 343) Self/family/relative/ friends: 7.0% Employer/school: 0.6% Criminal justice: 66.2% Professional: 7.0% County social service agency: 42.3% Other community resources: 0.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 343) Completed program: 77.8% Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 6.1% Death/other: 5.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Community Addiction Recovery Enterprise of Anoka

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 330)	6.4%	0.3%
Not employed/student ^{**} (N = 289)	77.9%	83.4%
Arrests past 30 days (N = 339)	7.4%	1.2%
Alcohol use past 30 days (N = 339)	40.7%	1.5%
Drug use past 30 days (N = 339)	19.5%	1.5%
No self-help group participation past 30 days (N = 283)	53.4%	4.9%
No family support for recovery past 30 days ($N = 260$)	11.9%	0.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =334)	10.5%	5.1%
Biomedical Conditions and Complications ($N = 335$)	31.6%	22.1%
Emotional/Behavioral/ Cognitive Problem (N = 334)	71.3%	69.5%
Resistance to Change ($N = 332$)	67.5%	71.4%
Relapse/Continued Use Potential (N = 332)	72.3%	72.9%
Unsupportive Recovery Environment (N = 330)	65.8%	71.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Carlton

810 3d Street Carlton, MN 55718

County: Carlton

Provider Website:

Patient Profile

<u>Gender (N = 232)</u> Male: 0.0% Female: 100.0% Race (N = 232) White: 80.6% Black: 1.3% American Indian: 16.4% Hispanic: 1.3% Asian/Pacific Islander: 0.0% Other: 0.4% Age (N = 232) Under 18: 0.4% 18 to 25: 33.6% 26 to 34: 21.1% 35 and older: 44.8%

Primary Substance (N = 228) Alcohol: 56.6% Methamphetamine: 11.0% Marijuana: 9.6% Heroin: 0.4% Cocaine: 3.1% Other opiates: 17.1% Other drugs: 2.2%

(N = 232) Job: 12.1% Retirement/savings: 2.6% Family/friends: 4.3% No income: 46.1% Public sources: 30.6% Other sources: 4.3%

Source of Income

Source of Referral

(N = 232) Self/family/relative/ friends: 15.5% Employer/school: 0.9% Criminal justice: 45.7% Professional: 7.8% County social service agency: 87.1% Other community resources: 3.0% AA: 0.0% Tribal: 0.9%

Outcomes

Discharge Status (N = 232) Completed program: 61.6% Patient left without staff approval: 30.2% Staff requested/judged inappropriate: 3.4% Death/other: 4.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Community Addiction Recovery Enterprise of Carlton

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 218)	5.5%	0.9%
Not employed/student ^{**} (N = 219)	85.8%	88.6%
Arrests past 30 days (N = 232)	15.9%	2.6%
Alcohol use past 30 days (N = 226)	52.2%	8.0%
Drug use past 30 days (N = 226)	39.4%	7.5%
No self-help group participation past 30 days (N = 209)	63.2%	6.2%
No family support for recovery past 30 days (N = 165)	47.3%	10.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =227)	4.8%	6.2%
Biomedical Conditions and Complications ($N = 228$)	42.5%	33.8%
Emotional/Behavioral/ Cognitive Problem ($N = 227$)	94.3%	88.1%
Resistance to Change ($N = 227$)	89.9%	67.4%
Relapse/Continued Use Potential (N = 227)	100.0%	97.4%
Unsupportive Recovery Environment (N = 228)	98.2%	96.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Fergus Falls

1174 Western Avenue Fergus Falls, MN 56537

County: Otter Tail

Provider Website:

Patient Profile

<u>Gender (N = 543)</u> Male: 64.5% Female: 35.5% Race (N = 543) White: 75.0% Black: 3.9% American Indian: 18.4% Hispanic: 2.4% Asian/Pacific Islander: 0.0% Other: 0.4% Age (N = 543) Under 18: 5.3% 18 to 25: 23.2% 26 to 34: 20.8% 35 and older: 50.6%

Primary Substance (N = 542) Alcohol: 69.7% Methamphetamine: 6.3% Marijuana: 13.7% Heroin: 0.6% Cocaine: 3.5% Other opiates: 5.0% Other drugs: 1.3%

(N = 543) Job: 24.1% Retirement/savings: 2.6% Family/friends: 8.5% No income: 22.7% Public sources: 33.9% Other sources: 8.3%

Source of Income

Source of Referral

(N = 543) Self/family/relative/ friends: 16.8% Employer/school: 0.0% Criminal justice: 65.7% Professional: 11.2% County social service agency: 83.4% Other community resources: 1.3% AA: 0.4% Tribal: 4.1%

Outcomes

Discharge Status (N = 543) Completed program: 64.5% Patient left without staff approval: 11.0% Staff requested/judged inappropriate: 7.2% Death/other: 17.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Community Addiction Recovery Enterprise of Fergus Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 520)	7.9%	1.3%
Not employed/student ^{**} (N = 507)	73.4%	74.4%
Arrests past 30 days (N = 526)	13.1%	5.7%
Alcohol use past 30 days (N = 538)	45.9%	9.1%
Drug use past 30 days (N = 538)	22.1%	2.4%
No self-help group participation past 30 days (N = 494)	69.4%	63.4%
No family support for recovery past 30 days ($N = 468$)	17.9%	12.8%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =533)	5.6%	7.5%
Biomedical Conditions and Complications ($N = 533$)	37.5%	30.2%
Emotional/Behavioral/ Cognitive Problem ($N = 534$)	80.0%	70.4%
Resistance to Change ($N = 533$)	86.7%	78.8%
Relapse/Continued Use Potential (N = 533)	94.6%	89.1%
Unsupportive Recovery Environment (N = 523)	81.8%	69.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of St. Peter

1703 County Road 15 St. Peter, MN 560825382

County: Nicollet

Provider Website:

Patient Profile

<u>Gender (N = 354)</u> Male: 69.8% Female: 30.2% Race (N = 354) White: 85.0% Black: 9.6% American Indian: 1.7% Hispanic: 3.4% Asian/Pacific Islander: 0.3% Other: 0.0% <u>Age (N = 354)</u> Under 18: 0.0% 18 to 25: 28.8% 26 to 34: 28.2% 35 and older: 42.9%

Primary Substance (N = 352) Alcohol: 54.8% Methamphetamine: 7.1% Marijuana: 20.2% Heroin: 1.1% Cocaine: 5.7% Other opiates: 7.4% Other drugs: 3.7%

(N = 354) Job: 19.5% Retirement/savings: 4.8% Family/friends: 9.0% No income: 21.5% Public sources: 35.0% Other sources: 10.2%

Source of Income

Source of Referral

(N = 354) Self/family/relative/ friends: 29.1% Employer/school: 0.0% Criminal justice: 58.2% Professional: 7.9% County social service agency: 89.5% Other community resources: 1.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 354) Completed program: 74.0% Patient left without staff approval: 12.4% Staff requested/judged inappropriate: 4.0% Death/other: 9.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Community Addiction Recovery Enterprise of St. Peter

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 346)	6.4%	3.8%
Not employed/student ^{**} (N = 332)	85.2%	91.3%
Arrests past 30 days (N = 347)	19.9%	1.2%
Alcohol use past 30 days (N = 351)	59.0%	4.6%
Drug use past 30 days (N = 351)	39.0%	6.0%
No self-help group participation past 30 days (N = 329)	58.4%	27.1%
No family support for recovery past 30 days ($N = 294$)	16.3%	28.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =350)	2.3%	1.4%
Biomedical Conditions and Complications ($N = 351$)	9.1%	4.3%
Emotional/Behavioral/ Cognitive Problem (N = 351)	35.3%	84.3%
Resistance to Change ($N = 349$)	90.5%	66.5%
Relapse/Continued Use Potential (N = 349)	97.1%	96.0%
Unsupportive Recovery Environment (N = 349)	97.1%	66.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprise of Willmar

1801 Technology Drive NE Willmar, MN 562011128

County: Kandiyohi

Provider Website:

Patient Profile

<u>Gender (N = 380)</u> Male: 62.6% Female: 37.4% Race (N = 380) White: 76.1% Black: 8.9% American Indian: 8.4% Hispanic: 3.2% Asian/Pacific Islander: 1.1% Other: 2.4% Age (N = 380) Under 18: 4.5% 18 to 25: 30.0% 26 to 34: 30.3% 35 and older: 35.3%

Primary Substance (N = 380) Alcohol: 28.2% Methamphetamine: 4.7% Marijuana: 15.8% Heroin: 17.6% Cocaine: 2.9% Other opiates: 27.1% Other drugs: 3.7%

(N = 380) Job: 15.3% Retirement/savings: 1.1% Family/friends: 12.6% No income: 23.2% Public sources: 33.4% Other sources: 14.5%

Source of Income

Source of Referral

(N = 380) Self/family/relative/ friends: 28.4% Employer/school: 0.5% Criminal justice: 28.9% Professional: 16.1% County social service agency: 61.8% Other community resources: 3.7% AA: 0.0% Tribal: 2.4%

Outcomes

Discharge Status (N = 380) Completed program: 53.9% Patient left without staff approval: 22.6% Staff requested/judged inappropriate: 11.6% Death/other: 11.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Community Addiction Recovery Enterprise of Willmar

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 362)	9.7%	2.5%
Not employed/student ^{**} (N = 317)	81.1%	88.3%
Arrests past 30 days (N = 364)	10.2%	1.9%
Alcohol use past 30 days (N = 376)	38.6%	6.6%
Drug use past 30 days (N = 376)	62.0%	16.2%
No self-help group participation past 30 days (N = 359)	56.3%	21.7%
No family support for recovery past 30 days ($N = 334$)	21.6%	18.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =378)	43.9%	20.1%
Biomedical Conditions and Complications ($N = 378$)	47.9%	33.6%
Emotional/Behavioral/ Cognitive Problem ($N = 377$)	83.3%	69.0%
Resistance to Change ($N = 377$)	85.9%	80.1%
Relapse/Continued Use Potential (N = 376)	96.3%	91.5%
Unsupportive Recovery Environment (N = 244)	85.2%	65.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Addiction Recovery Enterprises of Brainerd

11600 State Ave. Brainerd, MN 56401

County: Crow Wing

Provider Website:

Patient Profile

<u>Gender (N = 454)</u> Male: 68.3% Female: 31.7% Race (N = 454) White: 49.3% Black: 1.1% American Indian: 46.9% Hispanic: 1.3% Asian/Pacific Islander: 0.4% Other: 0.9% <u>Age (N = 454)</u> Under 18: 30.4% 18 to 25: 20.9% 26 to 34: 18.1% 35 and older: 30.6%

Primary Substance (N = 454) Alcohol: 55.3% Methamphetamine: 6.6% Marijuana: 29.3% Heroin: 0.9% Cocaine: 2.0% Other opiates: 4.8% Other drugs: 1.1%

(N = 454) Job: 17.0% Retirement/savings: 0.9% Family/friends: 28.6% No income: 26.9% Public sources: 15.2% Other sources: 11.5%

Source of Income

Source of Referral

(N = 454) Self/family/relative/ friends: 28.0% Employer/school: 0.4% Criminal justice: 54.6% Professional: 5.3% County social service agency: 85.9% Other community resources: 0.4% AA: 0.2% Tribal: 7.3%

Outcomes

Discharge Status (N = 454)Completed program: 59.7% Patient left without staff approval: 22.5% Staff requested/judged inappropriate: 10.6% Death/other: 7.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Community Addiction Recovery Enterprises of Brainerd

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 449)	4.2%	1.3%
Not employed/student ^{**} (N = 439)	55.8%	52.4%
Arrests past 30 days (N = 449)	21.8%	8.5%
Alcohol use past 30 days (N = 454)	47.8%	15.0%
Drug use past 30 days (N = 454)	39.0%	14.8%
No self-help group participation past 30 days (N = 426)	77.0%	33.8%
No family support for recovery past 30 days ($N = 383$)	32.4%	19.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =440)	4.1%	5.7%
Biomedical Conditions and Complications ($N = 443$)	12.6%	11.1%
Emotional/Behavioral/ Cognitive Problem ($N = 445$)	42.7%	37.3%
Resistance to Change ($N = 451$)	85.1%	74.5%
Relapse/Continued Use Potential (N = 450)	97.3%	82.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Drug and Alcohol Servic, Inc.

1600 University Ave St. Paul, MN 55104

County: Ramsey

Provider Website:

Patient Profile

<u>Gender (N = 76)</u> Male: 71.1% Female: 28.9% Race (N = 76) White: 38.2% Black: 26.3% American Indian: 3.9% Hispanic: 17.1% Asian/Pacific Islander: 3.9% Other: 10.5% Age (N = 76) Under 18: 92.1% 18 to 25: 7.9% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 76) Alcohol: 15.8% Methamphetamine: 1.3% Marijuana: 81.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 1.3%

Source of Income

(N = 76) Job: 2.6% Retirement/savings: 0.0% Family/friends: 94.7% No income: 1.3% Public sources: 0.0% Other sources: 1.3%

Source of Referral

(N = 76) Self/family/relative/ friends: 6.6% Employer/school: 7.9% Criminal justice: 64.5% Professional: 18.4% County social service agency: 7.9% Other community resources: 3.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 76) Completed program: 10.5% Patient left without staff approval: 48.7% Staff requested/judged inappropriate: 15.8% Death/other: 25.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Community Drug and Alcohol Servic, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 75)	0.0%	0.0%
Not employed/student ^{**} (N = 70)	2.9%	0.0%
Arrests past 30 days (N = 76)	9.2%	5.3%
Alcohol use past 30 days ($N = 76$)	31.6%	26.3%
Drug use past 30 days (N = 76)	73.7%	53.9%
No self-help group participation past 30 days (N = 71)	97.2%	98.6%
No family support for recovery past 30 days ($N = 69$)	4.3%	13.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =76)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 76)$	2.6%	3.9%
Emotional/Behavioral/ Cognitive Problem (N = 76)	100.0%	92.1%
Resistance to Change ($N = 76$)	100.0%	93.4%
Relapse/Continued Use Potential (N = 76)	100.0%	96.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Community Drug and Alcohol Services, Inc.

501 Hwy 13 E Burnsville, MN 55337

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 79)</u> Male: 73.4% Female: 26.6% Race (N = 79) White: 62.0% Black: 8.9% American Indian: 2.5% Hispanic: 13.9% Asian/Pacific Islander: 0.0% Other: 12.7% Age (N = 79) Under 18: 93.7% 18 to 25: 6.3% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 79) Alcohol: 25.3% Methamphetamine: 0.0% Marijuana: 69.6% Heroin: 0.0% Cocaine: 1.3% Other opiates: 1.3% Other drugs: 2.5%

Source of Income

(N = 79) Job: 2.5% Retirement/savings: 0.0% Family/friends: 94.9% No income: 0.0% Public sources: 1.3% Other sources: 1.3%

Source of Referral

(N = 79) Self/family/relative/ friends: 45.6% Employer/school: 8.9% Criminal justice: 29.1% Professional: 54.4% County social service agency: 10.1% Other community resources: 8.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 79) Completed program: 16.5% Patient left without staff approval: 29.1% Staff requested/judged inappropriate: 7.6% Death/other: 46.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Community Drug and Alcohol Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 78)	0.0%	0.0%
Not employed/student ^{**} (N = 79)	0.0%	0.0%
Arrests past 30 days (N = 79)	17.7%	10.1%
Alcohol use past 30 days (N = 79)	51.9%	29.1%
Drug use past 30 days (N = 79)	69.6%	50.6%
No self-help group participation past 30 days (N = 66)	95.5%	89.4%
No family support for recovery past 30 days ($N = 74$)	62.2%	39.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =79)	0.0%	3.8%
Biomedical Conditions and Complications ($N = 79$)	1.3%	1.3%
Emotional/Behavioral/ Cognitive Problem (N = 79)	100.0%	91.1%
	1001070	
Resistance to Change ($N = 79$)	100.0%	87.3%
Resistance to Change (N = 79) Relapse/Continued Use Potential (N = 78)		87.3% 87.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Conceptual Counseling

287 E. 6th Street St. Paul, MN 551011654

County: Ramsey

Provider Website: www.conceptualcounseling.com

Patient Profile

<u>Gender (N = 36)</u> Male: 86.1% Female: 13.9% Race (N = 36) White: 83.3% Black: 5.6% American Indian: 0.0% Hispanic: 5.6% Asian/Pacific Islander: 0.0% Other: 5.6% <u>Age (N = 36)</u> Under 18: 0.0% 18 to 25: 22.2% 26 to 34: 25.0% 35 and older: 52.8%

Primary Substance (N = 36) Alcohol: 88.9% Methamphetamine: 2.8% Marijuana: 8.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 36) Job: 86.1% Retirement/savings: 2.8% Family/friends: 0.0% No income: 0.0% Public sources: 0.0%

Other sources: 11.1%

Source of Income

Source of Referral

(N = 36) Self/family/relative/ friends: 5.6% Employer/school: 2.8% Criminal justice: 80.6% Professional: 2.8% County social service agency: 2.8% Other community resources: 5.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 36) Completed program: 97.2% Patient left without staff approval: 2.8% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Conceptual Counseling

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 36)	0.0%	0.0%
Not employed/student ^{$++$} (N = 33)	15.2%	9.1%
Arrests past 30 days (N = 36)	5.6%	0.0%
Alcohol use past 30 days (N = 36)	8.3%	2.8%
Drug use past 30 days (N = 36)	11.1%	0.0%
No self-help group participation past 30 days (N = 31)	29.0%	16.1%
No family support for recovery past 30 days ($N = 32$)	3.1%	9.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =36)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 36$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 36)	2.8%	0.0%
Resistance to Change ($N = 36$)	19.4%	2.8%
Relapse/Continued Use Potential (N = 36)	58.3%	2.8%
Unsupportive Recovery Environment (N = 36)	30.6%	2.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Cook County Wilderness Outpatient Treatment Program

411 West 2nd Street Grand Marais, MN 556042307

County: Cook

Provider Website:

Patient Profile

 Gender (N = 17)
 Race (N = 17)
 Age

 Male: 76.5%
 White: 82.4%
 Und

 Female: 23.5%
 Black: 0.0%
 18

 American Indian: 17.6%
 26

 Hispanic: 0.0%
 35

 Asian/Pacific Islander: 0.0%
 Other: 0.0%

Age (N = 17) Under 18: 5.9% 18 to 25: 11.8% 26 to 34: 47.1% 35 and older: 35.3%

Primary Substance (N = 17) Alcohol: 64.7% Methamphetamine: 11.8% Marijuana: 23.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 17) Job: 88.2% Retirement/savings: 0.0% Family/friends: 0.0% No income: 0.0% Public sources: 0.0% Other sources: 11.8%

Source of Referral

(N = 17) Self/family/relative/ friends: 47.1% Employer/school: 0.0% Criminal justice: 64.7% Professional: 11.8% County social service agency: 23.5% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 17) Completed program: 82.4% Patient left without staff approval: 11.8% Staff requested/judged inappropriate: 0.0% Death/other: 5.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Cook County Wilderness Outpatient Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 17)	0.0%	0.0%
Not employed/student ^{**} (N = 16)	31.3%	6.3%
Arrests past 30 days (N = 17)	0.0%	0.0%
Alcohol use past 30 days (N = 17)	29.4%	5.9%
Drug use past 30 days (N = 17)	17.6%	0.0%
No self-help group participation past 30 days (N = 16)	50.0%	6.3%
No family support for recovery past 30 days ($N = 16$)	0.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =17) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =17) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/	0.0% 0.0%	0.0% 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =17) Biomedical Conditions and Complications (N = 17) Emotional/Behavioral/ Cognitive Problem (N = 17)	0.0% 0.0% 35.3%	0.0% 0.0% 0.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Correctional Transition Services, Inc.

1901 44th Ave N Minneapolis, MN 554121209

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 162)</u> Male: 98.1% Female: 1.9% Race (N = 162) White: 26.5% Black: 59.9% American Indian: 5.6% Hispanic: 1.2% Asian/Pacific Islander: 2.5% Other: 4.3% Age (N = 162) Under 18: 0.0% 18 to 25: 26.5% 26 to 34: 29.0% 35 and older: 44.4%

Primary Substance (N = 162) Alcohol: 37.7% Methamphetamine: 9.9% Marijuana: 31.5% Heroin: 3.7% Cocaine: 14.8% Other opiates: 0.6% Other drugs: 1.9%

(N = 162) Job: 9.9% Retirement/savings: 2.5% Family/friends: 10.5% No income: 43.8% Public sources: 24.7%

Other sources: 8.6%

Source of Income

Source of Referral

(N = 162) Self/family/relative/ friends: 55.6% Employer/school: 0.6% Criminal justice: 83.3% Professional: 1.2% County social service agency: 22.2% Other community resources: 0.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 162) Completed program: 30.2% Patient left without staff approval: 49.4% Staff requested/judged inappropriate: 10.5% Death/other: 9.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Correctional Transition Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 159)	6.9%	81.8%
Not employed/student ^{$++$} (N = 156)	87.2%	91.7%
Arrests past 30 days (N = 160)	24.4%	1.9%
Alcohol use past 30 days (N = 162)	35.8%	5.6%
Drug use past 30 days (N = 162)	45.1%	9.3%
No self-help group participation past 30 days (N = 128)	57.8%	52.3%
No family support for recovery past 30 days (N = 151)	5.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =127)	0.0%	0.8%
Biomedical Conditions and Complications ($N = 131$)	26.0%	13.7%
Emotional/Behavioral/ Cognitive Problem (N = 131)	61.8%	35.9%
Resistance to Change ($N = 133$)	76.7%	57.9%
Relapse/Continued Use Potential (N = 130)		
	97.7%	60.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Corrections Recovery Services

2116 South East Campus Drive Rochester, MN 55904

County: Olmsted

Provider Website:

Patient Profile

<u>Gender (N = 62)</u> Male: 90.3% Female: 9.7% Race (N = 62) White: 82.3% Black: 9.7% American Indian: 0.0% Hispanic: 3.2% Asian/Pacific Islander: 3.2% Other: 1.6% Age (N = 62) Under 18: 0.0% 18 to 25: 32.3% 26 to 34: 27.4% 35 and older: 40.3%

Primary Substance (N = 62) Alcohol: 27.4% Methamphetamine: 41.9% Marijuana: 8.1% Heroin: 0.0% Cocaine: 21.0% Other opiates: 0.0% Other drugs: 1.6% Source of Income (N = 62)

Job: 51.6% Retirement/savings: 1.6% Family/friends: 6.5% No income: 3.2% Public sources: 6.5% Other sources: 30.6%

Source of Referral

(N = 62) Self/family/relative/ friends: 22.6% Employer/school: 0.0% Criminal justice: 91.9% Professional: 4.8% County social service agency: 14.5% Other community resources: 1.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 62) Completed program: 82.3% Patient left without staff approval: 11.3% Staff requested/judged inappropriate: 3.2% Death/other: 3.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Corrections Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 59)	1.7%	0.0%
Not employed/student ^{**} (N = 51)	56.9%	58.8%
Arrests past 30 days (N = 62)	43.5%	4.8%
Alcohol use past 30 days ($N = 62$)	25.8%	6.5%
Drug use past 30 days (N = 62)	33.9%	8.1%
No self-help group participation past 30 days (N = 49)	38.8%	20.4%
No family support for recovery past 30 days ($N = 43$)	4.7%	11.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =62)	0.0%	1.6%
Biomedical Conditions and Complications ($N = 62$)	4.8%	1.6%
Emotional/Behavioral/ Cognitive Problem ($N = 62$)	54.8%	32.3%
Resistance to Change ($N = 62$)		
	69.4%	56.5%
Relapse/Continued Use Potential (N = 62)	69.4% 95.2%	56.5% 66.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Counseling Clinic La Crescent

33 South Walnut Street La Crescent, MN 55947

County: Houston

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 61)}{\text{Male: } 72.1\%}$ Female: 27.9% Race (N = 61) White: 93.4% Black: 4.9% American Indian: 1.6% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 61) Under 18: 1.6% 18 to 25: 21.3% 26 to 34: 21.3% 35 and older: 55.7%

Primary Substance (N = 61) Alcohol: 82.0% Methamphetamine: 0.0% Marijuana: 14.8% Heroin: 0.0% Cocaine: 1.6% Other opiates: 1.6% Other drugs: 0.0%

Source of Income

(N = 61) Job: 62.3% Retirement/savings: 4.9% Family/friends: 14.8% No income: 1.6% Public sources: 8.2% Other sources: 8.2%

Source of Referral

<u>(N = 61)</u> Self/family/relative/ friends: 19.7% Employer/school: 6.6% Criminal justice: 32.8% Professional: 18.0% County social service agency: 42.6% Other community resources: 4.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 61) Completed program: 59.0% Patient left without staff approval: 41.0% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Counseling Clinic La Crescent

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 44)	0.0%	0.0%
Not employed/student ^{$++$} (N = 48)	29.2%	22.9%
Arrests past 30 days (N = 60)	3.3%	0.0%
Alcohol use past 30 days ($N = 61$)	39.3%	1.6%
Drug use past 30 days (N = 61)	11.5%	1.6%
No self-help group participation past 30 days ($N = 40$)	67.5%	2.5%
No family support for recovery past 30 days ($N = 40$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =61)	1.6%	0.0%
Biomedical Conditions and Complications $(N = 61)$	3.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 61)	14.8%	16.4%
Resistance to Change ($N = 61$)	21.3%	26.2%
Relapse/Continued Use Potential (N = 61)	59.0%	54.1%
Unsupportive Recovery Environment (N = 61)	62.3%	57.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Counseling Resources

419 9th Street Worthington, MN 56187

County: Nobles

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 15)}}{\text{Male: 100.0\%}}$ Female: 0.0%

Race (N = 15) White: 53.3% Black: 20.0% American Indian: 0.0% Hispanic: 26.7% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 15) Under 18: 0.0% 18 to 25: 20.0% 26 to 34: 26.7% 35 and older: 53.3%

Primary Substance (N = 15) Alcohol: 93.3% Methamphetamine: 0.0% Marijuana: 6.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 15) Job: 66.7% Retirement/savings: 0.0% Family/friends: 20.0% No income: 0.0% Public sources: 6.7% Other sources: 6.7%

Source of Referral

(N = 15) Self/family/relative/ friends: 13.3% Employer/school: 0.0% Criminal justice: 93.3% Professional: 0.0% County social service agency: 6.7% Other community resources: 13.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 15) Completed program: 93.3% Patient left without staff approval: 6.7% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Counseling Resources

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 15)	0.0%	0.0%
Not employed/student ^{**} (N = 15)	26.7%	13.3%
Arrests past 30 days (N = 15)	0.0%	0.0%
Alcohol use past 30 days (N = 15)	13.3%	0.0%
Drug use past 30 days (N = 15)	6.7%	0.0%
No self-help group participation past 30 days (N = 13)	61.5%	0.0%
No family support for recovery past 30 days ($N = 13$)	30.8%	23.1%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =15)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 15)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 15)	6.7%	0.0%
Resistance to Change (N = 15)		
	46.7%	20.0%
Relapse/Continued Use Potential (N = 15)	46.7% 93.3%	20.0% 46.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Courage Center-Vinland National Center

3915 Golden Valley Road Golden Valley, MN 55422

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 94)</u> Male: 63.8% Female: 36.2% Race (N = 94) White: 60.6% Black: 27.7% American Indian: 5.3% Hispanic: 0.0% Asian/Pacific Islander: 2.1% Other: 4.3% Age (N = 94) Under 18: 0.0% 18 to 25: 11.7% 26 to 34: 22.3% 35 and older: 66.0%

Primary Substance (N = 94) Alcohol: 62.8% Methamphetamine: 3.2% Marijuana: 14.9% Heroin: 6.4% Cocaine: 7.4% Other opiates: 4.3% Other drugs: 1.1%

(N = 94) Job: 4.3% Retirement/savings: 5.3% Family/friends: 8.5% No income: 7.4% Public sources: 70.2% Other sources: 4.3%

Source of Income

Source of Referral

(N = 94) Self/family/relative/ friends: 11.7% Employer/school: 3.2% Criminal justice: 38.3% Professional: 71.3% County social service agency: 8.5% Other community resources: 1.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 94) Completed program: 67.0% Patient left without staff approval: 16.0% Staff requested/judged inappropriate: 4.3% Death/other: 12.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Courage Center-Vinland National Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 94)	3.2%	0.0%
Not employed/student ^{$++$} (N = 93)	81.7%	37.6%
Arrests past 30 days (N = 92)	6.5%	1.1%
Alcohol use past 30 days (N = 93)	37.6%	12.9%
Drug use past 30 days (N = 93)	39.8%	5.4%
No self-help group participation past 30 days (N = 94)	47.9%	9.6%
No family support for recovery past 30 days ($N = 93$)	18.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =94)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 94)$	19.1%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 94)	96.8%	26.6%
Resistance to Change ($N = 94$)	62.8%	23.4%
Relapse/Continued Use Potential (N = 94)	100.0%	29.8%
Unsupportive Recovery Environment (N = 94)	91.5%	27.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CRC Wisconsin RD LLC

615 Old Mill Road Hudson, WI 54016

County: Wisconsin

Provider Website:

Patient Profile

<u>Gender (N = 408)</u> Male: 74.0% Female: 26.0% Race (N = 408) White: 75.2% Black: 11.3% American Indian: 5.6% Hispanic: 3.2% Asian/Pacific Islander: 0.5% Other: 4.2% Age (N = 408) Under 18: 0.0% 18 to 25: 21.8% 26 to 34: 24.3% 35 and older: 53.9%

Primary Substance (N = 398) Alcohol: 59.0% Methamphetamine: 11.6% Marijuana: 12.3% Heroin: 1.3% Cocaine: 9.3% Other opiates: 4.0% Other drugs: 2.5%

(N = 408) Job: 15.0% Retirement/savings: 4.2% Family/friends: 14.0% No income: 16.9% Public sources: 34.3% Other sources: 15.7%

Source of Income

Source of Referral

(N = 408) Self/family/relative/ friends: 64.0% Employer/school: 0.5% Criminal justice: 22.3% Professional: 50.0% County social service agency: 25.7% Other community resources: 16.9% AA: 1.2% Tribal: 2.2%

Outcomes

Discharge Status (N = 408) Completed program: 75.7% Patient left without staff approval: 10.8% Staff requested/judged inappropriate: 5.4% Death/other: 8.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

CRC Wisconsin RD LLC

<u>National Outcome Measures (NOMS)</u>	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 382)	25.7%	1.8%
Not employed/student ^{**} (N = 345)	79.1%	85.8%
Arrests past 30 days (N = 408)	16.4%	0.7%
Alcohol use past 30 days (N = 397)	75.8%	4.8%
Drug use past 30 days (N = 397)	55.7%	2.3%
No self-help group participation past 30 days (N = 386)	58.0%	10.4%
No family support for recovery past 30 days (N = 385)	15.3%	5.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 5.8%	<u>Discharge</u> 1.8%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 398) Biomedical Conditions and	5.8%	1.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 398) Biomedical Conditions and Complications (N = 398) Emotional/Behavioral/	5.8% 8.0%	1.8% 7.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 398) Biomedical Conditions and Complications (N = 398) Emotional/Behavioral/ Cognitive Problem (N = 398)	5.8% 8.0% 80.2%	1.8% 7.0% 62.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CREATE

1911 Pleasant Avenue South Minneapolis, MN 55403

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 222)</u> Male: 82.0% Female: 18.0% Race (N = 222) White: 52.3% Black: 32.0% American Indian: 4.5% Hispanic: 4.1% Asian/Pacific Islander: 4.1% Other: 3.2% <u>Age (N = 222)</u> Under 18: 0.0% 18 to 25: 24.8% 26 to 34: 30.6% 35 and older: 44.6%

Primary Substance (N = 222) Alcohol: 66.7% Methamphetamine: 2.7% Marijuana: 18.9% Heroin: 0.9%

Cocaine: 7.2%

Other opiates: 2.7%

Other drugs: 0.9%

Source of Income

(N = 222) Job: 50.5% Retirement/savings: 3.6% Family/friends: 7.2% No income: 20.3% Public sources: 10.8% Other sources: 7.7%

Source of Referral

(N = 222) Self/family/relative/ friends: 25.2% Employer/school: 1.8% Criminal justice: 80.2% Professional: 14.4% County social service agency: 18.9% Other community resources: 7.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 222) Completed program: 73.9% Patient left without staff approval: 17.6% Staff requested/judged inappropriate: 2.7% Death/other: 5.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

CREATE

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 217)	1.4%	0.5%
Not employed/student ^{**} (N = 202)	42.1%	37.1%
Arrests past 30 days (N = 222)	9.5%	5.4%
Alcohol use past 30 days (N = 222)	28.4%	6.8%
Drug use past 30 days (N = 222)	15.3%	3.6%
No self-help group participation past 30 days (N = 186)	72.0%	53.2%
No family support for recovery past 30 days (N = 194)	12.4%	11.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =202)	2.0%	0.0%
Biomedical Conditions and Complications ($N = 202$)		
	5.9%	4.0%
Emotional/Behavioral/ Cognitive Problem (N = 200)	5.9% 50.5%	4.0% 18.0%
Cognitive Problem ($N = 200$)	50.5%	18.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

CREATE-South

15025 Glazier Avenue Apple Valley, MN 55124

County: Dakota

Provider Website: www.chemicalhealth.org

Patient Profile

 Gender (N = 107)
 Race (N = 107)

 Male: 84.1%
 White: 81.3%

 Female: 15.9%
 Black: 6.5%

 American Indian: 2.8%

 Hispanic: 4.7%

 Asian/Pacific Islander: 1.9%

 Other: 2.8%

<u>Age (N = 107)</u> Under 18: 0.0% 18 to 25: 38.3% 26 to 34: 27.1% 35 and older: 34.6%

Primary Substance (N = 107)Alcohol: 81.3% Methamphetamine: 2.8% Marijuana: 14.0% Heroin: 0.0% Cocaine: 1.9% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 107) Job: 50.5% Retirement/savings: 4.7% Family/friends: 15.9% No income: 14.0% Public sources: 4.7% Other sources: 10.3%

Source of Referral

(N = 107) Self/family/relative/ friends: 27.1% Employer/school: 2.8% Criminal justice: 78.5% Professional: 10.3% County social service agency: 59.8% Other community resources: 8.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 107)Completed program: 81.3% Patient left without staff approval: 7.5% Staff requested/judged inappropriate: 7.5% Death/other: 3.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

CREATE-South

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 107)	0.0%	0.0%
Not employed/student ^{**} (N = 106)	36.8%	30.2%
Arrests past 30 days (N = 107)	7.5%	0.0%
Alcohol use past 30 days (N = 107)	33.6%	6.5%
Drug use past 30 days (N = 107)	13.1%	0.9%
No self-help group participation past 30 days (N = 101)	74.3%	47.5%
No family support for recovery past 30 days (N = 103)	10.7%	17.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =101)	1.0%	1.0%
	110 / 0	1.0%
Biomedical Conditions and Complications ($N = 107$)	6.5%	1.9%
Complications (N = 107) Emotional/Behavioral/	6.5%	1.9%
Complications (N = 107) Emotional/Behavioral/ Cognitive Problem (N = 107)	6.5% 40.2%	1.9% 10.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota County Jail Treatment Program

1580 Highway 55 West Hastings, MN 55033

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 77)</u> Male: 89.6% Female: 10.4% Race (N = 77) White: 72.7% Black: 16.9% American Indian: 1.3% Hispanic: 6.5% Asian/Pacific Islander: 1.3% Other: 1.3% Age (N = 77) Under 18: 0.0% 18 to 25: 46.8% 26 to 34: 24.7% 35 and older: 28.6%

Primary Substance (N = 77) Alcohol: 46.8% Methamphetamine: 20.8% Marijuana: 19.5% Heroin: 3.9% Cocaine: 6.5% Other opiates: 1.3% Other drugs: 1.3% Source of Income

(N = 77) Job: 9.1% Retirement/savings: 0.0% Family/friends: 11.7% No income: 67.5% Public sources: 0.0% Other sources: 11.7%

Source of Referral

(N = 77) Self/family/relative/ friends: 5.2% Employer/school: 0.0% Criminal justice: 97.4% Professional: 1.3% County social service agency: 0.0% Other community resources: 2.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 77) Completed program: 32.5% Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 5.2% Death/other: 53.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dakota County Jail Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 75)	65.3%	40.0%
Not employed/student ^{$++$} (N = 75)	94.7%	92.0%
Arrests past 30 days (N = 76)	14.5%	3.9%
Alcohol use past 30 days (N = 76)	2.6%	1.3%
Drug use past 30 days (N = 76)	5.3%	0.0%
No self-help group participation past 30 days (N = 75)	26.7%	10.7%
No family support for recovery past 30 days ($N = 74$)	9.5%	5.4%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =77)	0.0%	0.00/
	0.0%	0.0%
Biomedical Conditions and Complications ($N = 77$)	1.3%	0.0%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 77) Emotional/Behavioral/	1.3%	0.0%
Biomedical Conditions and Complications (N = 77) Emotional/Behavioral/ Cognitive Problem (N = 77)	1.3% 77.9%	0.0% 63.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota County Receiving Center, Inc.

1294 East 18th Street Hasting, MN 55033

County: Dakota

Provider Website: www.detoxone.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 369)} \\ Male: 80.8\% \\ Female: 19.2\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 369)} \\ White: 82.9\% \\ Black: 6.0\% \\ American Indian: 4.9\% \\ Hispanic: 4.1\% \\ Asian/Pacific Islander: 1.1\% \\ Other: 1.1\% \end{array} \qquad \begin{array}{c} \underline{Age (N = 369)} \\ Under 18: 0.0\% \\ 18 to 25: 29.8\% \\ 26 to 34: 26.8\% \\ 35 and older: 43.4\% \\ Asian/Pacific Islander: 1.1\% \\ \end{array}$

Source of Income

Primary Substance (N = 362) Alcohol: 51.4% Methamphetamine: 14.9% Marijuana: 16.6% Heroin: 2.8% Cocaine: 7.2% Other opiates: 5.0% Other drugs: 2.2%

(N = 369) Job: 10.3% Retirement/savings: 1.1% Family/friends: 6.2% No income: 27.9% Public sources: 40.7% Other sources: 13.8%

Source of Referral

(N = 369) Self/family/relative/ friends: 65.6% Employer/school: 0.0% Criminal justice: 42.8% Professional: 45.3% County social service agency: 26.6% Other community resources: 3.0% AA: 0.3% Tribal: 0.5%

Outcomes

Discharge Status (N = 369) Completed program: 63.4% Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 13.6% Death/other: 9.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dakota County Receiving Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 346)	11.8%	32.4%
Not employed/student ^{$++$} (N = 333)	86.2%	73.6%
Arrests past 30 days (N = 356)	7.0%	5.9%
Alcohol use past 30 days (N = 362)	28.7%	14.1%
Drug use past 30 days (N = 362)	21.3%	14.9%
No self-help group participation past 30 days (N = 348)	19.0%	0.9%
No family support for recovery past 30 days (N = 320)	9.4%	3.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =362)	0.8%	9.4%
Biomedical Conditions and Complications ($N = 362$)	19.3%	10.2%
Emotional/Behavioral/ Cognitive Problem (N = 362)	70.2%	47.5%
Resistance to Change ($N = 362$)	87.8%	47.8%
Relapse/Continued Use Potential (N = 362)	99.2%	68.0%
Unsupportive Recovery Environment (N = 360)	99.7%	68.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dakota Treatment Center

11939 West River Hills Drive Burnsville, MN 55337

County: Dakota

Provider Website: www.methadonetreatment.com

Patient Profile

<u>Gender (N = 33)</u> Male: 63.6% Female: 36.4% Race (N = 33) White: 90.9% Black: 0.0% American Indian: 0.0% Hispanic: 6.1% Asian/Pacific Islander: 0.0% Other: 3.0% Age (N = 33) Under 18: 0.0% 18 to 25: 48.5% 26 to 34: 24.2% 35 and older: 27.3%

Primary Substance (N = 32) Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 53.1% Cocaine: 0.0% Other opiates: 46.9% Other drugs: 0.0%

Source of Income

(N = 33) Job: 36.4% Retirement/savings: 6.1% Family/friends: 36.4% No income: 0.0% Public sources: 9.1% Other sources: 12.1%

Source of Referral

<u>(N = 33)</u> Self/family/relative/ friends: 93.9% Employer/school: 0.0% Criminal justice: 0.0% Professional: 18.2% County social service agency: 0.0% Other community resources: 6.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 33) Completed program: 6.1% Patient left without staff approval: 48.5% Staff requested/judged inappropriate: 9.1% Death/other: 36.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dakota Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 31)	0.0%	3.2%
Not employed/student ^{**} (N = 31)	51.6%	54.8%
Arrests past 30 days (N = 30)	3.3%	3.3%
Alcohol use past 30 days ($N = 32$)	31.3%	18.8%
Drug use past 30 days (N = 32)	75.0%	46.9%
No self-help group participation past 30 days (N = 25)	76.0%	76.0%
No family support for recovery past 30 days ($N = 27$)	22.2%	18.5%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =33)	Admission 42.4%	Discharge 36.4%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =33) Biomedical Conditions and	42.4%	36.4%
Acute Intoxication/ Withdrawal (N =33) Biomedical Conditions and Complications (N = 31) Emotional/Behavioral/	42.4% 6.5%	36.4% 9.7%
Acute Intoxication/ Withdrawal (N =33) Biomedical Conditions and Complications (N = 31) Emotional/Behavioral/ Cognitive Problem (N = 29)	42.4% 6.5% 48.3%	36.4% 9.7% 58.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

100 Pine Street Mora, MN 55051

County: Kanabec

Provider Website:

Patient Profile

<u>Gender (N = 41)</u> Male: 75.6% Female: 24.4% Race (N = 41) White: 92.7% Black: 0.0% American Indian: 2.4% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 4.9% Age (N = 41) Under 18: 0.0% 18 to 25: 31.7% 26 to 34: 26.8% 35 and older: 41.5%

Primary Substance (N = 41)Alcohol: 65.9% Methamphetamine: 7.3% Marijuana: 22.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.9% Other drugs: 0.0%

Source of Income

(N = 41) Job: 43.9% Retirement/savings: 2.4% Family/friends: 24.4% No income: 0.0% Public sources: 7.3% Other sources: 22.0%

Source of Referral

<u>(N = 41)</u> Self/family/relative/ friends: 19.5% Employer/school: 0.0% Criminal justice: 80.5% Professional: 22.0% County social service agency: 65.9% Other community resources: 2.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 41) Completed program: 73.2% Patient left without staff approval: 17.1% Staff requested/judged inappropriate: 0.0% Death/other: 9.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dellwood Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 41)	0.0%	0.0%
Not employed/student ^{$++$} (N = 38)	65.8%	63.2%
Arrests past 30 days (N = 40)	2.5%	0.0%
Alcohol use past 30 days (N = 41)	7.3%	4.9%
Drug use past 30 days (N = 41)	14.6%	2.4%
No self-help group participation past 30 days (N = 16)	43.8%	6.3%
No family support for recovery past 30 days (N = 12)	8.3%	8.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =41)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 41)$	12.2%	12.2%
Emotional/Behavioral/ Cognitive Problem (N = 41)	73.2%	34.1%
Resistance to Change ($N = 41$)	46.3%	24.4%
Relapse/Continued Use Potential (N = 41)	90.2%	29.3%
Unsupportive Recovery Environment (N = 41)	100.0%	34.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

701 South Dellwood Avenue Cambridge, MN 55008

County: Isanti

Provider Website: www.allina.com

Patient Profile

<u>Gender (N = 532)</u> Male: 71.6% Female: 28.4% Race (N = 532) White: 94.5% Black: 0.6% American Indian: 1.9% Hispanic: 1.3% Asian/Pacific Islander: 0.4% Other: 1.3% <u>Age (N = 532)</u> Under 18: 1.3% 18 to 25: 27.1% 26 to 34: 25.4% 35 and older: 46.2%

Primary Substance (N = 531) Alcohol: 57.4% Methamphetamine: 14.9% Marijuana: 13.6% Heroin: 2.1% Cocaine: 1.5% Other opiates: 8.5% Other drugs: 2.1%

(N = 532) Job: 37.0% Retirement/savings: 2.3% Family/friends: 21.4% No income: 11.7% Public sources: 11.7% Other sources: 16.0%

Source of Income

Source of Referral

(N = 532) Self/family/relative/ friends: 65.6% Employer/school: 2.6% Criminal justice: 32.5% Professional: 21.6% County social service agency: 11.8% Other community resources: 11.1% AA: 0.6% Tribal: 0.0%

Outcomes

Discharge Status (N = 532) Completed program: 67.9% Patient left without staff approval: 12.2% Staff requested/judged inappropriate: 4.7% Death/other: 15.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dellwood Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 524)	5.2%	4.2%
Not employed/student ^{**} (N = 505)	61.4%	62.6%
Arrests past 30 days (N = 528)	11.2%	5.7%
Alcohol use past 30 days (N = 531)	51.8%	27.5%
Drug use past 30 days (N = 531)	40.3%	21.1%
No self-help group participation past 30 days (N = 481)	52.8%	9.4%
No family support for recovery past 30 days ($N = 459$)	5.4%	5.2%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =471)	12.1%	4.0%
Biomedical Conditions and Complications $(N = 470)$	14.5%	8.7%
Emotional/Behavioral/ Cognitive Problem (N = 472)	84.5%	66.7%
Resistance to Change ($N = 471$)		
	54.4%	36.7%
Relapse/Continued Use Potential (N = 472)	54.4% 97.2%	36.7% 81.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

701 South Dellwood Cambridge, MN 55008

County: Isanti

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 5)Race (N = 5)<u>Age (N = 5)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 5) (N = 5)(N = 5). Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 5) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dellwood Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 5)	*	*
Not employed/student ^{**} (N = 5)	*	*
Arrests past 30 days ($N = 5$)	*	*
Alcohol use past 30 days ($N = 5$)	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days $(N = 4)$	*	*
Barriers to Recovery Dimensions of Chemical Health [®]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =5)	*	*
Biomedical Conditions and Complications $(N = 5)$	*	*
	*	*
Complications (N = 5) Emotional/Behavioral/		
Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	*	*

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

1001 First Ave. N.E. Cambridge, MN 55008

County: Isanti

Provider Website:

Patient Profile

<u>Gender (N = 91)</u> Male: 68.1% Female: 31.9% Race (N = 91) White: 94.5% Black: 0.0% American Indian: 2.2% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 3.3% Age (N = 91) Under 18: 0.0% 18 to 25: 17.6% 26 to 34: 30.8% 35 and older: 51.6%

Primary Substance (N = 91) Alcohol: 59.3% Methamphetamine: 17.6% Marijuana: 17.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.4% Other drugs: 1.1%

(N = 91) Job: 42.9% Retirement/savings: 1.1% Family/friends: 14.3% No income: 18.7% Public sources: 7.7% Other sources: 15.4%

Source of Income

Source of Referral

(N = 91) Self/family/relative/ friends: 63.7% Employer/school: 1.1% Criminal justice: 56.0% Professional: 27.5% County social service agency: 14.3% Other community resources: 1.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 91) Completed program: 59.3% Patient left without staff approval: 25.3% Staff requested/judged inappropriate: 4.4% Death/other: 11.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dellwood Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 85)	1.2%	0.0%
Not employed/student ^{**} (N = 84)	61.9%	51.2%
Arrests past 30 days (N = 91)	13.2%	8.8%
Alcohol use past 30 days (N = 91)	31.9%	19.8%
Drug use past 30 days (N = 91)	22.0%	15.4%
No self-help group participation past 30 days (N = 68)	51.5%	10.3%
No family support for recovery past 30 days ($N = 56$)	8.9%	7.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =87)	1.1%	1.1%
Biomedical Conditions and Complications ($N = 87$)	4.6%	4.6%
Emotional/Behavioral/ Cognitive Problem (N = 87)	71.3%	56.3%
Resistance to Change ($N = 87$)	39.1%	40.2%
Relapse/Continued Use		
Potential (N = 87)	94.3%	58.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dellwood Recovery Center

522 11th Ave. S.W. Cambridge, MN 55008

County: Isanti

Provider Website:

Patient Profile

<u>Gender (N = 20)</u> Male: 45.0% Female: 55.0% Race (N = 20) White: 95.0% Black: 5.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 20) Under 18: 70.0% 18 to 25: 20.0% 26 to 34: 5.0% 35 and older: 5.0%

Primary Substance (N = 20) Alcohol: 5.0% Methamphetamine: 0.0% Marijuana: 75.0% Heroin: 5.0% Cocaine: 0.0% Other opiates: 15.0% Other drugs: 0.0%

Source of Income

(N = 20) Job: 5.0% Retirement/savings: 0.0% Family/friends: 85.0% No income: 0.0% Public sources: 0.0% Other sources: 10.0%

Source of Referral

(N = 20) Self/family/relative/ friends: 70.0% Employer/school: 5.0% Criminal justice: 50.0% Professional: 20.0% County social service agency: 35.0% Other community resources: 10.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 20) Completed program: 45.0% Patient left without staff approval: 15.0% Staff requested/judged inappropriate: 0.0% Death/other: 40.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dellwood Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 20)	0.0%	5.0%
Not employed/student ^{**} (N = 17)	5.9%	5.9%
Arrests past 30 days (N = 20)	5.0%	20.0%
Alcohol use past 30 days (N = 20)	20.0%	30.0%
Drug use past 30 days (N = 20)	50.0%	40.0%
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days ($N = 4$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =20)	0.0%	5.0%
Biomedical Conditions and Complications $(N = 20)$	5.0%	0.0%
Emotional/Behavioral/ Cognitive Problem ($N = 20$)	90.0%	45.0%
Resistance to Change ($N = 20$)	65.0%	75.0%
Relapse/Continued Use Potential (N = 20)	100.0%	75.0%
Unsupportive Recovery Environment (N = 20)	100.0%	75.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dimensions in Recovery Maple Lake Recovery Center, Inc.

33 Birch Ave Maple Lake, MN 55358

County: Wright

Provider Website:

Patient Profile

<u>Gender (N = 19)</u> Male: 84.2% Female: 15.8% Race (N = 19) White: 68.4% Black: 15.8% American Indian: 10.5% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 5.3% Age (N = 19) Under 18: 94.7% 18 to 25: 5.3% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 19) Alcohol: 36.8% Methamphetamine: 0.0% Marijuana: 63.2% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income

(N = 19) Job: 10.5% Retirement/savings: 0.0% Family/friends: 89.5% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral

<u>(N = 19)</u> Self/family/relative/ friends: 42.1% Employer/school: 5.3% Criminal justice: 68.4% Professional: 63.2% County social service agency: 10.5% Other community resources: 5.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 19) Completed program: 36.8% Patient left without staff approval: 15.8% Staff requested/judged inappropriate: 42.1% Death/other: 5.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 19)	0.0%	0.0%
Not employed/student ^{$++$} (N = 19)	5.3%	10.5%
Arrests past 30 days (N = 19)	5.3%	15.8%
Alcohol use past 30 days ($N = 19$)	26.3%	31.6%
Drug use past 30 days (N = 19)	26.3%	47.4%
No self-help group participation past 30 days (N = 19)	36.8%	0.0%
No family support for recovery past 30 days (N = 19)	0.0%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =19)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 19)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 19)	63.2%	68.4%
	05.270	
Resistance to Change ($N = 19$)	26.3%	63.2%
Resistance to Change (N = 19) Relapse/Continued Use Potential (N = 19)		

Dimensions in Recovery Maple Lake Recovery Center, Inc.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Divine Hope Counseling

322 2nd Street Willmar, MN 56201

County: Kandiyohi

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 11)}{\text{Male: } 0.0\%}$ Female: 100.0% Race (N = 11) White: 63.6% Black: 9.1% American Indian: 0.0% Hispanic: 18.2% Asian/Pacific Islander: 0.0% Other: 9.1% Age (N = 11) Under 18: 0.0% 18 to 25: 45.5% 26 to 34: 9.1% 35 and older: 45.5%

Primary Substance (N = 11) Alcohol: 45.5% Methamphetamine: 9.1% Marijuana: 27.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 18.2% Other drugs: 0.0%

Source of Income

(N = 11) Job: 9.1% Retirement/savings: 18.2% Family/friends: 18.2% No income: 0.0% Public sources: 27.3% Other sources: 27.3%

Source of Referral

(N = 11) Self/family/relative/ friends: 90.9% Employer/school: 0.0% Criminal justice: 18.2% Professional: 0.0% County social service agency: 18.2% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 11) Completed program: 45.5% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 9.1% Death/other: 45.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Divine Hope Counseling

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 11)	0.0%	0.0%
Not employed/student ^{**} (N = 10)	70.0%	60.0%
Arrests past 30 days (N = 11)	9.1%	9.1%
Alcohol use past 30 days (N = 11)	36.4%	36.4%
Drug use past 30 days (N = 11)	36.4%	0.0%
No self-help group participation past 30 days (N = 11)	54.5%	18.2%
No family support for recovery past 30 days (N = 11)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 27.3%	<u>Discharge</u> 45.5%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =11) Biomedical Conditions and	27.3%	45.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =11) Biomedical Conditions and Complications (N = 11) Emotional/Behavioral/	27.3% 0.0%	45.5% 36.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =11) Biomedical Conditions and Complications (N = 11) Emotional/Behavioral/ Cognitive Problem (N = 11)	27.3% 0.0% 54.5%	45.5% 36.4% 54.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Douglas Place, Inc.

1111 Gateway Drive NE East Grand Forks, MN 567212620

County: Polk

Provider Website:

Patient Profile

<u>Gender (N = 208)</u> Male: 79.8% Female: 20.2% Race (N = 208) White: 56.3% Black: 1.4% American Indian: 38.5% Hispanic: 3.4% Asian/Pacific Islander: 0.5% Other: 0.0% Age (N = 208) Under 18: 0.0% 18 to 25: 20.2% 26 to 34: 29.3% 35 and older: 50.5%

Primary Substance (N = 208) Alcohol: 85.6% Methamphetamine: 5.3% Marijuana: 4.3% Heroin: 1.0% Cocaine: 1.4% Other opiates: 1.9% Other drugs: 0.5%

(N = 208) Job: 5.8% Retirement/savings: 1.0% Family/friends: 2.9% No income: 74.5% Public sources: 11.1% Other sources: 4.8%

Source of Income

Source of Referral

(N = 208) Self/family/relative/ friends: 30.3% Employer/school: 0.0% Criminal justice: 37.5% Professional: 34.6% County social service agency: 80.3% Other community resources: 1.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 208) Completed program: 23.1% Patient left without staff approval: 50.0% Staff requested/judged inappropriate: 19.2% Death/other: 7.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Douglas Place, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 205)	10.7%	2.0%
Not employed/student ^{**} (N = 204)	97.5%	71.6%
Arrests past 30 days (N = 208)	11.5%	9.1%
Alcohol use past 30 days (N = 208)	21.6%	11.1%
Drug use past 30 days (N = 208)	11.1%	4.8%
No self-help group participation past 30 days (N = 203)	34.0%	3.0%
No family support for recovery past 30 days ($N = 200$)	22.5%	0.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 1.9%	<u>Discharge</u> 3.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =208) Biomedical Conditions and	1.9%	3.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =208) Biomedical Conditions and Complications (N = 208) Emotional/Behavioral/	1.9% 17.3%	3.4% 13.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =208) Biomedical Conditions and Complications (N = 208) Emotional/Behavioral/ Cognitive Problem (N = 208)	1.9% 17.3% 71.2%	3.4% 13.9% 63.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Counseling

1202 23rd Street South Fargo, ND 58103

County: North Dakota

Provider Website:

Patient Profile

<u>Gender (N = 3)</u> Male: * Female: *

Race (N = 3)White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *

Age (N = 3)Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

AA: * Tribal: *

Primary Substance	Source of Income	Source of Referral
(N = 3)	<u>(N = 3)</u>	(N = 3).
Alcohol: *	Job: *	Self/family/relative/
Methamphetamine: *	Retirement/savings: *	friends: *
Marijuana: *	Family/friends: *	Employer/school: *
Heroin: *	No income: *	Criminal justice: *
Cocaine: *	Public sources: *	Professional: *
Other opiates: *	Other sources: *	County social
Other drugs: *		service agency: *
-		Other community
		resources: *

Outcomes

Discharge Status (N = 3)Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Drake Counseling

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{**} (N = 3)	*	*
Not employed/student ^{**} (N = 3)	*	*
Arrests past 30 days ($N = 3$)	*	*
Alcohol use past 30 days ($N = 3$)	*	*
Drug use past 30 days ($N = 3$)	*	*
No self-help group participation past 30 days (N = 3)	*	*
No family support for recovery past 30 days ($N = 3$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Counseling Services

1451 44th Ave. South Grand Forks, ND 58201

County: North Dakota

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Race (N = 1)</u> Gender (N = 1)<u>Age (N = 1)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 1)(N = 1)(N = 1) . Alcohol: * Self/family/relative/ Job: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Drake Counseling Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 1)	*	*
Not employed/student ^{**} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days ($N = 1$)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Counseling Services, Inc.

115 Willow Street West Detroit Lakes, MN 56501

County: Becker

Provider Website:

Patient Profile

<u>Gender (N = 77)</u> Male: 67.5% Female: 32.5% Race (N = 77) White: 84.4% Black: 5.2% American Indian: 3.9% Hispanic: 3.9% Asian/Pacific Islander: 0.0% Other: 2.6% Age (N = 77) Under 18: 9.1% 18 to 25: 36.4% 26 to 34: 16.9% 35 and older: 37.7%

Primary Substance (N = 77) Alcohol: 66.2% Methamphetamine: 7.8% Marijuana: 22.1% Heroin: 0.0% Cocaine: 1.3%

Other opiates: 2.6%

Other drugs: 0.0%

Source of Income

(N = 77) Job: 55.8% Retirement/savings: 3.9% Family/friends: 29.9% No income: 1.3% Public sources: 7.8% Other sources: 1.3%

Source of Referral

(N = 77) Self/family/relative/ friends: 29.9% Employer/school: 3.9% Criminal justice: 59.7% Professional: 14.3% County social service agency: 33.8% Other community resources: 3.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 77) Completed program: 55.8% Patient left without staff approval: 24.7% Staff requested/judged inappropriate: 5.2% Death/other: 14.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Drake Counseling Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 77)	0.0%	0.0%
Not employed/student ^{**} (N = 70)	27.1%	15.7%
Arrests past 30 days (N = 67)	10.4%	6.0%
Alcohol use past 30 days (N = 77)	32.5%	14.3%
Drug use past 30 days (N = 77)	18.2%	6.5%
No self-help group participation past 30 days (N = 69)	65.2%	47.8%
No family support for recovery past 30 days ($N = 71$)	8.5%	15.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	<u>Discharge</u> 5.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =71) Biomedical Conditions and	0.0%	5.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =71) Biomedical Conditions and Complications (N = 72) Emotional/Behavioral/	0.0%	5.6% 9.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =71) Biomedical Conditions and Complications (N = 72) Emotional/Behavioral/ Cognitive Problem (N = 72)	0.0% 13.9% 44.4%	5.6% 9.7% 29.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Drake Residential Treatment Center

28579 Hwy 10 E. Detroit Lakes, MN 56501

County: Becker

Provider Website:

Patient Profile

<u>Gender (N = 60)</u> Male: 65.0% Female: 35.0% Race (N = 60) White: 65.0% Black: 1.7% American Indian: 10.0% Hispanic: 18.3% Asian/Pacific Islander: 0.0% Other: 5.0% Age (N = 60) Under 18: 96.7% 18 to 25: 3.3% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 60) Alcohol: 28.3% Methamphetamine: 1.7% Marijuana: 65.0% Heroin: 0.0% Cocaine: 1.7% Other opiates: 3.3% Other drugs: 0.0%

(N = 60) Job: 10.0% Retirement/savings: 1.7% Family/friends: 80.0% No income: 0.0% Public sources: 6.7% Other sources: 1.7%

Source of Income

Source of Referral

(N = 60) Self/family/relative/ friends: 26.7% Employer/school: 3.3% Criminal justice: 41.7% Professional: 40.0% County social service agency: 35.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 60) Completed program: 73.3% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 15.0% Death/other: 11.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Drake Residential Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 60)	0.0%	0.0%
Not employed/student ^{**} (N = 58)	1.7%	0.0%
Arrests past 30 days (N = 58)	15.5%	3.4%
Alcohol use past 30 days (N = 60)	70.0%	6.7%
Drug use past 30 days (N = 60)	85.0%	10.0%
No self-help group participation past 30 days (N = 59)	69.5%	45.8%
No family support for recovery past 30 days ($N = 60$)	13.3%	5.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
A auto Intoviantian /		
Acute Intoxication/ Withdrawal (N =60)	16.7%	6.7%
	16.7% 13.3%	6.7% 11.7%
Withdrawal (N =60) Biomedical Conditions and		
Withdrawal (N = 60) Biomedical Conditions and Complications (N = 60) Emotional/Behavioral/	13.3%	11.7%
Withdrawal (N = 60) Biomedical Conditions and Complications (N = 60) Emotional/Behavioral/ Cognitive Problem (N = 60)	13.3% 86.7%	11.7% 88.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Dual Recovery Jail Program South Central Human Relation Center

2500 Alexander Stree	t	
Owatonna, MN 5506) Cour	nty: Steele

Provider Website:

Patient Profile

<u>Gender (N = 2)</u> Male: * Female: *	Race (N = 2) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 2) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 2) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 2) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 2) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: *

AA: * Tribal: *

Outcomes

Discharge Status (N = 2)Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Dual Recovery Jail Program South Central Human Relation Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 2)	*	*
Not employed/student ^{$++$} (N = 1)	*	*
Arrests past 30 days ($N = 2$)	*	*
Alcohol use past 30 days ($N = 1$)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days ($N = 2$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	Discharge
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/ Cognitive Problem (N = 2)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Effective Living Center, Inc.

821 West St. Germain St. Cloud, MN 56301

County: Stearns

Provider Website:

Patient Profile

<u>Gender (N = 316)</u> Male: 70.3% Female: 29.7% Race (N = 316) White: 84.5% Black: 9.2% American Indian: 0.9% Hispanic: 2.8% Asian/Pacific Islander: 0.6% Other: 1.9% Age (N = 316) Under 18: 1.3% 18 to 25: 33.5% 26 to 34: 32.0% 35 and older: 33.2%

Primary Substance (N = 316) Alcohol: 63.9% Methamphetamine: 8.9% Marijuana: 20.3% Heroin: 0.3% Cocaine: 3.5% Other opiates: 1.9% Other drugs: 1.3%

(N = 316) Job: 47.8% Retirement/savings: 1.6% Family/friends: 12.0% No income: 12.7% Public sources: 11.4% Other sources: 14.6%

Source of Income

Source of Referral

<u>(N = 316)</u>. Self/family/relative/ friends: 58.9% Employer/school: 1.6% Criminal justice: 73.4% Professional: 1.9% County social service agency: 9.2% Other community resources: 3.2% AA: 0.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 316) Completed program: 46.5% Patient left without staff approval: 19.3% Staff requested/judged inappropriate: 15.2% Death/other: 19.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Effective Living Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 307)	1.0%	1.3%
Not employed/student ^{**} (N = 297)	46.8%	45.1%
Arrests past 30 days (N = 316)	5.7%	12.3%
Alcohol use past 30 days (N = 316)	33.5%	17.1%
Drug use past 30 days (N = 316)	30.7%	21.2%
No self-help group participation past 30 days (N = 267)	68.2%	37.1%
No family support for recovery past 30 days ($N = 253$)	19.4%	22.9%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =316)	Admission 0.6%	Discharge 0.3%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =316) Biomedical Conditions and	0.6%	0.3%
Acute Intoxication/ Withdrawal (N =316) Biomedical Conditions and Complications (N = 316) Emotional/Behavioral/	0.6% 2.2%	0.3% 0.9%
Acute Intoxication/ Withdrawal (N =316) Biomedical Conditions and Complications (N = 316) Emotional/Behavioral/ Cognitive Problem (N = 316)	0.6% 2.2% 22.5%	0.3% 0.9% 16.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Effective Living Center, Inc.

103 6th Street NE Little Falls, MN 563452854

County: Morrison

Provider Website:

Patient Profile

<u>Gender (N = 76)</u> Male: 65.8% Female: 34.2% Race (N = 76) White: 97.4% Black: 1.3% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 1.3% Age (N = 76) Under 18: 13.2% 18 to 25: 28.9% 26 to 34: 19.7% 35 and older: 38.2%

Primary Substance (N = 76) Alcohol: 64.5% Methamphetamine: 10.5% Marijuana: 23.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.3% Other drugs: 0.0% Source of Income

(N = 76) Job: 42.1% Retirement/savings: 3.9% Family/friends: 15.8% No income: 11.8% Public sources: 18.4% Other sources: 7.9%

Source of Referral

(N = 76) Self/family/relative/ friends: 35.5% Employer/school: 1.3% Criminal justice: 67.1% Professional: 6.6% County social service agency: 22.4% Other community resources: 2.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 76) Completed program: 50.0% Patient left without staff approval: 26.3% Staff requested/judged inappropriate: 3.9% Death/other: 19.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Effective Living Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 76)	0.0%	0.0%
Not employed/student ^{**} (N = 76)	51.3%	42.1%
Arrests past 30 days (N = 76)	3.9%	7.9%
Alcohol use past 30 days (N = 76)	26.3%	18.4%
Drug use past 30 days (N = 76)	14.5%	14.5%
No self-help group participation past 30 days (N = 74)	64.9%	27.0%
No family support for recovery past 30 days ($N = 73$)	12.3%	5.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =76) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =76) Biomedical Conditions and Complications (N = 76) Emotional/Behavioral/	0.0% 3.9%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =76) Biomedical Conditions and Complications (N = 76) Emotional/Behavioral/ Cognitive Problem (N = 76)	0.0% 3.9% 19.7%	0.0% 1.3% 9.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

EmPower CTC

602 11th Ave NW Rochester, MN 55901

Provider Website:

Patient Profile

<u>Gender (N = 221)</u> Male: 66.5% Female: 33.5% Race (N = 221) White: 79.2% Black: 14.5% American Indian: 0.9% Hispanic: 1.8% Asian/Pacific Islander: 2.7% Other: 0.9% Age (N = 221) Under 18: 0.0% 18 to 25: 26.2% 26 to 34: 27.6% 35 and older: 46.2%

County: Olmsted

Primary Substance (N = 221) Alcohol: 76.5% Methamphetamine: 2.7% Marijuana: 14.0% Heroin: 1.4% Cocaine: 3.6% Other opiates: 1.4% Other drugs: 0.5%

Source of Income

(N = 221) Job: 52.0% Retirement/savings: 0.0% Family/friends: 10.9% No income: 0.5% Public sources: 36.2% Other sources: 0.5%

Source of Referral

(N = 221) Self/family/relative/ friends: 17.6% Employer/school: 3.6% Criminal justice: 68.8% Professional: 18.1% County social service agency: 26.2% Other community resources: 1.4% AA: 0.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 221) Completed program: 64.7% Patient left without staff approval: 13.1% Staff requested/judged inappropriate: 8.1% Death/other: 14.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

EmPower CTC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 218)	0.9%	2.3%
Not employed/student ^{**} (N = 213)	45.5%	41.8%
Arrests past 30 days (N = 221)	2.3%	8.1%
Alcohol use past 30 days (N = 221)	29.0%	18.1%
Drug use past 30 days (N = 221)	14.9%	8.1%
No self-help group participation past 30 days (N = 180)	63.9%	60.6%
No family support for recovery past 30 days (N = 145)	6.2%	7.6%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 0.0%	Discharge 3.2%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =221) Biomedical Conditions and	0.0%	3.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =221) Biomedical Conditions and Complications (N = 221) Emotional/Behavioral/	0.0% 14.5%	3.2% 9.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =221) Biomedical Conditions and Complications (N = 221) Emotional/Behavioral/ Cognitive Problem (N = 221)	0.0% 14.5% 56.1%	3.2% 9.0% 31.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Endeavor Place, LLC

21539 120th Street Verndale, MN 56481

County: Wadena

Provider Website:

Patient Profile

<u>Gender (N = 28)</u> Male: 100.0% Female: 0.0% Race (N = 28) White: 82.1% Black: 3.6% American Indian: 14.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 28) Under 18: 92.9% 18 to 25: 7.1% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 28) Alcohol: 14.3% Methamphetamine: 3.6% Marijuana: 71.4% Heroin: 3.6% Cocaine: 3.6% Other opiates: 0.0% Other drugs: 3.6%

Source of Income

(N = 28) Job: 3.6% Retirement/savings: 0.0% Family/friends: 89.3% No income: 0.0% Public sources: 0.0% Other sources: 7.1%

Source of Referral

(N = 28) Self/family/relative/ friends: 17.9% Employer/school: 0.0% Criminal justice: 85.7% Professional: 10.7% County social service agency: 7.1% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status <u>(N = 28)</u> Completed program: 46.4% Patient left without staff approval: 7.1% Staff requested/judged inappropriate: 39.3% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Endeavor Place, LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 28)	0.0%	0.0%
Not employed/student ^{**} (N = 28)	0.0%	0.0%
Arrests past 30 days (N = 28)	25.0%	0.0%
Alcohol use past 30 days (N = 28)	28.6%	0.0%
Drug use past 30 days (N = 28)	46.4%	10.7%
No self-help group participation past 30 days (N = 28)	50.0%	0.0%
No family support for recovery past 30 days ($N = 27$)	0.0%	3.7%
Barriers to Recovery Dimensions of Chemical Health [®]	Admission	<u>Discharge</u>
	Admission 14.3%	<u>Discharge</u> 7.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =28) Biomedical Conditions and	14.3%	7.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =28) Biomedical Conditions and Complications (N = 28) Emotional/Behavioral/	14.3% 28.6%	7.1% 25.0%
Dimensions of Chemical HealthsAcute Intoxication/ Withdrawal (N = 28)Biomedical Conditions and Complications (N = 28)Emotional/Behavioral/ Cognitive Problem (N = 28)	14.3% 28.6% 96.4%	7.1% 25.0% 67.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Evergreen Youth Recovery House

820 Beltrami Avenue Bemidji, MN 56601

County: Beltrami

Provider Website: www.evergreenhouse.org

Patient Profile

 Gender (N = 22)
 Race (N = 22)

 Male: 100.0%
 White: 36.4%

 Female: 0.0%
 Black: 0.0%

 American Inc
 Hispanic: 4.5

Race (N = 22) White: 36.4% Black: 0.0% American Indian: 59.1% Hispanic: 4.5% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 22) Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 22)Alcohol: 22.7% Methamphetamine: 0.0% Marijuana: 63.6% Heroin: 0.0% Cocaine: 4.5% Other opiates: 4.5%

Other drugs: 4.5%

Source of Income

(N = 22) Job: 27.3% Retirement/savings: 0.0% Family/friends: 54.5% No income: 9.1% Public sources: 4.5% Other sources: 4.5%

Source of Referral

(N = 22) Self/family/relative/ friends: 13.6% Employer/school: 0.0% Criminal justice: 40.9% Professional: 59.1% County social service agency: 22.7% Other community resources: 0.0% AA: 0.0% Tribal: 4.5%

Outcomes

Discharge Status (N = 22) Completed program: 31.8% Patient left without staff approval: 22.7% Staff requested/judged inappropriate: 31.8% Death/other: 13.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Evergreen Youth Recovery House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 22)	0.0%	0.0%
Not employed/student ^{**} (N = 22)	4.5%	13.6%
Arrests past 30 days (N = 22)	31.8%	18.2%
Alcohol use past 30 days (N = 22)	22.7%	9.1%
Drug use past 30 days (N = 22)	22.7%	18.2%
No self-help group participation past 30 days (N = 22)	63.6%	31.8%
No family support for recovery past 30 days ($N = 22$)	18.2%	13.6%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	Discharge 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =18) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =18) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/	0.0%	0.0% 4.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =18) Biomedical Conditions and Complications (N = 22) Emotional/Behavioral/ Cognitive Problem (N = 22)	0.0% 0.0% 81.8%	0.0% 4.5% 86.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Health Services Minneapolis - MICD Program

2450 Riverside Ave Minneapolis, MN 55454

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

<u>Gender (N = 142)</u> Male: 48.6% Female: 51.4% Race (N = 142) White: 76.1% Black: 11.3% American Indian: 7.0% Hispanic: 3.5% Asian/Pacific Islander: 2.1% Other: 0.0% Age (N = 142) Under 18: 0.0% 18 to 25: 31.0% 26 to 34: 24.6% 35 and older: 44.4%

Primary Substance (N = 133) Alcohol: 56.4% Methamphetamine: 1.5% Marijuana: 18.8% Heroin: 5.3% Cocaine: 9.8% Other opiates: 6.0% Other drugs: 2.3%

Source of Income

(N = 142) Job: 23.9% Retirement/savings: 1.4% Family/friends: 32.4% No income: 1.4% Public sources: 36.6% Other sources: 4.2%

Source of Referral

<u>(N = 142)</u>. Self/family/relative/ friends: 14.8% Employer/school: 0.7% Criminal justice: 1.4% Professional: 66.9% County social service agency: 3.5% Other community resources: 20.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 142) Completed program: 43.7% Patient left without staff approval: 23.9% Staff requested/judged inappropriate: 26.1% Death/other: 6.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Health Services Minneapolis - MICD Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 142)	0.7%	0.0%
Not employed/student ^{**} (N = 141)	66.0%	59.6%
Arrests past 30 days (N = 142)	1.4%	0.7%
Alcohol use past 30 days (N = 119)	58.0%	25.2%
Drug use past 30 days (N = 119)	41.2%	20.2%
No self-help group participation past 30 days (N = 138)	72.5%	48.6%
No family support for recovery past 30 days ($N = 131$)	5.3%	0.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =132)	2.3%	6.1%
Biomedical Conditions and Complications ($N = 141$)	5.7%	9.2%
Emotional/Behavioral/ Cognitive Problem (N = 138)	67.4%	42.0%
Resistance to Change ($N = 142$)	34.5%	46.5%
Relapse/Continued Use Potential (N = 140)	98.6%	71.4%
Unsupportive Recovery Environment (N = 142)	50.0%	43.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Health Services Minneapolis Adult CD Programs

2450 Riverside Ave Minneapolis, MN 55454

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

<u>Gender (N = 1163)</u> Male: 65.6% Female: 34.4% Race (N = 1163) White: 81.9% Black: 10.1% American Indian: 4.0% Hispanic: 1.5% Asian/Pacific Islander: 0.3% Other: 2.3% <u>Age (N = 1163)</u> Under 18: 0.0% 18 to 25: 15.8% 26 to 34: 19.8% 35 and older: 64.4%

Primary Substance (N = 1162) Alcohol: 66.6% Methamphetamine: 2.9% Marijuana: 6.4% Heroin: 7.1% Cocaine: 6.0% Other opiates: 9.0% Other drugs: 2.0%

Source of Income

(N = 1163) Job: 34.3% Retirement/savings: 7.3% Family/friends: 14.9% No income: 13.7% Public sources: 21.3% Other sources: 8.5%

Source of Referral

(N = 1163) Self/family/relative/ friends: 93.2% Employer/school: 0.9% Criminal justice: 3.9% Professional: 21.4% County social service agency: 0.3% Other community resources: 21.2% AA: 0.3% Tribal: 0.1%

Outcomes

Discharge Status (N = 1163)Completed program: 63.9% Patient left without staff approval: 22.8% Staff requested/judged inappropriate: 5.4% Death/other: 7.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Health Services Minneapolis Adult CD Programs

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 1107)	6.1%	2.6%
Not employed/student ^{**} (N = 1075)	61.7%	61.7%
Arrests past 30 days (N = 1073)	10.1%	2.0%
Alcohol use past 30 days (N = 838)	81.1%	16.1%
Drug use past 30 days (N = 838)	48.8%	13.5%
No self-help group participation past 30 days (N = 1028)	72.5%	13.6%
No family support for recovery past 30 days ($N = 1050$)	15.9%	4.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =1107)	41.8%	2.8%
Biomedical Conditions and Complications ($N = 1114$)	17.1%	2.4%
Emotional/Behavioral/ Cognitive Problem (N = 1113)	76.4%	45.5%
Resistance to Change ($N = 1113$)	44.7%	34.2%
Relapse/Continued Use Potential (N = 1112)	99.8%	80.2%
Unsupportive Recovery Environment (N = 1112)	97.2%	79.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services - Edina Outpatient

3400 W 66th Street Edina, MN 55435

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

 Gender (N = 298)
 Race

 Male: 65.1%
 Wh

 Female: 34.9%
 Bla

 Am
 Am

Race (N = 298) White: 85.9% Black: 5.0% American Indian: 2.0% Hispanic: 2.7% Asian/Pacific Islander: 2.3% Other: 2.0% Age (N = 298) Under 18: 0.0% 18 to 25: 11.7% 26 to 34: 19.8% 35 and older: 68.5%

Primary Substance (N = 294) Alcohol: 80.6% Methamphetamine: 1.7% Marijuana: 6.1% Heroin: 2.0% Cocaine: 1.7% Other opiates: 5.1% Other drugs: 2.7%

(N = 298) Job: 56.0% Retirement/savings: 13.1% Family/friends: 7.4% No income: 5.4% Public sources: 12.4% Other sources: 5.7%

Source of Income

Source of Referral

(N = 298) Self/family/relative/ friends: 54.0% Employer/school: 4.0% Criminal justice: 17.8% Professional: 34.2% County social service agency: 2.3% Other community resources: 4.0% AA: 0.7% Tribal: 0.0%

Outcomes

Discharge Status (N = 298) Completed program: 55.7% Patient left without staff approval: 23.8% Staff requested/judged inappropriate: 5.7% Death/other: 14.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services - Edina Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 265)	1.9%	0.8%
Not employed/student ^{**} (N = 254)	40.6%	39.4%
Arrests past 30 days (N = 251)	10.0%	1.6%
Alcohol use past 30 days (N = 225)	70.2%	12.4%
Drug use past 30 days (N = 225)	27.1%	4.0%
No self-help group participation past 30 days (N = 250)	66.4%	32.0%
No family support for recovery past 30 days ($N = 253$)	9.1%	6.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Dischause
	AUTHISSION	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =269)	<u>Admission</u> 13.4%	<u>Discharge</u> 3.7%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =269) Biomedical Conditions and	13.4%	3.7%
Acute Intoxication/ Withdrawal (N =269) Biomedical Conditions and Complications (N = 272) Emotional/Behavioral/	13.4% 11.0%	3.7% 8.5%
Acute Intoxication/ Withdrawal (N =269) Biomedical Conditions and Complications (N = 272) Emotional/Behavioral/ Cognitive Problem (N = 273)	13.4% 11.0% 62.3%	3.7% 8.5% 22.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Adult Outpatient Program--Crystal

2960 Winnetka Ave N Crystal, MN 55427

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

<u>Gender (N = 101)</u> Male: 55.4% Female: 44.6%

Race (N = 101) White: 84.2% Black: 12.9% American Indian: 1.0% Hispanic: 1.0% Asian/Pacific Islander: 0.0% Other: 1.0% Age (N = 101) Under 18: 0.0% 18 to 25: 19.8% 26 to 34: 20.8% 35 and older: 59.4%

Primary Substance (N = 100)Alcohol: 72.0% Methamphetamine: 3.0% Marijuana: 15.0% Heroin: 1.0% Cocaine: 2.0% Other opiates: 6.0% Other drugs: 1.0% Source of Income (N = 101)

<u>IN = 101)</u> Job: 63.4% Retirement/savings: 3.0% Family/friends: 11.9% No income: 10.9% Public sources: 7.9% Other sources: 3.0%

Source of Referral

<u>(N = 101)</u>. Self/family/relative/ friends: 35.6% Employer/school: 5.0% Criminal justice: 37.6% Professional: 27.7% County social service agency: 5.0% Other community resources: 11.9% AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 101) Completed program: 54.5% Patient left without staff approval: 20.8% Staff requested/judged inappropriate: 10.9% Death/other: 13.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services Adult Outpatient Program--Crystal

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 95)	1.1%	0.0%
Not employed/student ^{**} (N = 98)	32.7%	38.8%
Arrests past 30 days (N = 89)	7.9%	4.5%
Alcohol use past 30 days (N = 77)	54.5%	9.1%
Drug use past 30 days (N = 77)	26.0%	10.4%
No self-help group participation past 30 days (N = 85)	56.5%	42.4%
No family support for recovery past 30 days ($N = 83$)	16.9%	20.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =98)	8.2%	7.1%
Biomedical Conditions and Complications ($N = 99$)	10.1%	6.1%
Emotional/Behavioral/ Cognitive Problem ($N = 99$)	25.3%	22.2%
Resistance to Change ($N = 100$)	76.0%	33.0%
Relapse/Continued Use Potential (N = 98)	99.0%	40.8%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Crystal Outpatient

2960 Winnetka Avenue North Crystal, MN 55427

County: Hennepin

Provider Website: www.fairview.org

Patient Profile

<u>Gender (N = 95)</u> Male: 33.7% Female: 66.3% Race (N = 95) White: 71.6% Black: 8.4% American Indian: 1.1% Hispanic: 6.3% Asian/Pacific Islander: 1.1% Other: 11.6%

Age (N = 95) Under 18: 98.9% 18 to 25: 1.1% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 89) Alcohol: 20.2% Methamphetamine: 0.0% Marijuana: 74.2% Heroin: 3.4% Cocaine: 0.0% Other opiates: 1.1% Other drugs: 1.1%

(N = 95) Job: 0.0% Retirement/savings: 0.0% Family/friends: 96.8% No income: 0.0% Public sources: 2.1% Other sources: 1.1%

Source of Income

Source of Referral

(N = 95) Self/family/relative/ friends: 27.4% Employer/school: 2.1% Criminal justice: 23.2% Professional: 73.7% County social service agency: 4.2% Other community resources: 5.3% AA: 0.0% Tribal: 1.1%

Outcomes

Discharge Status (N = 95) Completed program: 69.5% Patient left without staff approval: 9.5% Staff requested/judged inappropriate: 14.7% Death/other: 6.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services Crystal Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 95)	0.0%	0.0%
Not employed/student ^{**} (N = 95)	1.1%	1.1%
Arrests past 30 days (N = 93)	17.2%	8.6%
Alcohol use past 30 days (N = 76)	77.6%	26.3%
Drug use past 30 days (N = 76)	84.2%	35.5%
No self-help group participation past 30 days (N = 94)	73.4%	24.5%
No family support for recovery past 30 days ($N = 91$)	5.5%	3.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =95)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 95)$	0.0%	1.1%
Emotional/Behavioral/ Cognitive Problem ($N = 95$)	50.5%	45.3%
Resistance to Change ($N = 95$)	82.1%	77.9%
Relapse/Continued Use Potential (N = 95)	98.9%	100.0%
Unsupportive Recovery Environment (N = 95)	95.8%	95.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Deaf and Hard of Hearing Program

Fairview University Medical Center Minneapolis, MN 55454

County: Hennepin

Provider Website: www.mncddeaf.org

Patient Profile

<u>Gender (N = 55)</u> Male: 72.7% Female: 27.3% Race (N = 55) White: 74.5% Black: 10.9% American Indian: 1.8% Hispanic: 3.6% Asian/Pacific Islander: 0.0% Other: 9.1% Age (N = 55) Under 18: 0.0% 18 to 25: 7.3% 26 to 34: 43.6% 35 and older: 49.1%

Primary Substance (N = 55) Alcohol: 50.9% Methamphetamine: 9.1% Marijuana: 9.1% Heroin: 0.0% Cocaine: 21.8% Other opiates: 7.3% Other drugs: 1.8%

(N = 55) Job: 16.4% Retirement/savings: 0.0% Family/friends: 0.0% No income: 0.0% Public sources: 83.6% Other sources: 0.0%

Source of Income

Source of Referral

(N = 55) Self/family/relative/ friends: 94.5% Employer/school: 3.6% Criminal justice: 18.2% Professional: 25.5% County social service agency: 14.5% Other community resources: 9.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 55) Completed program: 83.6% Patient left without staff approval: 7.3% Staff requested/judged inappropriate: 5.5% Death/other: 3.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services Deaf and Hard of Hearing Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$**$} (N = 55)	10.9%	1.8%
Not employed/student ^{**} (N = 55)	80.0%	78.2%
Arrests past 30 days (N = 55)	1.8%	0.0%
Alcohol use past 30 days (N = 55)	58.2%	9.1%
Drug use past 30 days (N = 55)	58.2%	16.4%
No self-help group participation past 30 days (N = 54)	72.2%	0.0%
No family support for recovery past 30 days ($N = 54$)	16.7%	0.0%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and Complications (N = 55) Emotional/Behavioral/	0.0% 0.0%	0.0% 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and Complications (N = 55) Emotional/Behavioral/ Cognitive Problem (N = 55)	0.0% 0.0% 80.0%	0.0% 0.0% 23.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Elk River Outpatient

1230 School Street Elk River, MN 55330

County: Sherburne

Provider Website: www.fairviewbehavioral.org

Patient Profile

<u>Gender (N = 93)</u> Male: 83.9% Female: 16.1% Race (N = 93) White: 89.2% Black: 0.0% American Indian: 1.1% Hispanic: 4.3% Asian/Pacific Islander: 1.1% Other: 4.3% Age (N = 93) Under 18: 92.5% 18 to 25: 7.5% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 93) Alcohol: 15.1% Methamphetamine: 0.0% Marijuana: 74.2% Heroin: 0.0% Cocaine: 1.1% Other opiates: 6.5% Other drugs: 3.2%

Source of Income

(N = 93) Job: 0.0% Retirement/savings: 0.0% Family/friends: 98.9% No income: 1.1% Public sources: 0.0% Other sources: 0.0%

Source of Referral

(N = 93) Self/family/relative/ friends: 75.3% Employer/school: 14.0% Criminal justice: 25.8% Professional: 52.7% County social service agency: 9.7% Other community resources: 1.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 93) Completed program: 67.7% Patient left without staff approval: 6.5% Staff requested/judged inappropriate: 3.2% Death/other: 22.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services Elk River Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 93)	0.0%	0.0%
Not employed/student ^{**} (N = 93)	0.0%	0.0%
Arrests past 30 days (N = 93)	8.6%	5.4%
Alcohol use past 30 days ($N = 93$)	44.1%	22.6%
Drug use past 30 days (N = 93)	62.4%	31.2%
No self-help group participation past 30 days (N = 93)	72.0%	10.8%
No family support for recovery past 30 days ($N = 93$)	1.1%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =93)	1.1%	0.0%
Biomedical Conditions and Complications ($N = 93$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem ($N = 93$)	18.3%	14.0%
Resistance to Change ($N = 93$)	82.8%	40.9%
Relapse/Continued Use Potential (N = 93)	100.0%	95.7%
Unsupportive Recovery Environment (N = 93)	91.4%	92.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services Maplewood Outpatient

2355 Ariel Street Maplewood, MN 55109

County: Ramsey

Provider Website:

Patient Profile

<u>Gender (N = 72)</u> Male: 62.5% Female: 37.5% Race (N = 72) White: 70.8% Black: 6.9% American Indian: 0.0% Hispanic: 5.6% Asian/Pacific Islander: 1.4% Other: 15.3% Age (N = 72) Under 18: 98.6% 18 to 25: 1.4% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 72) Alcohol: 15.3% Methamphetamine: 1.4% Marijuana: 75.0% Heroin: 1.4% Cocaine: 1.4% Other opiates: 1.4% Other drugs: 4.2% Source of Income

(N = 72) Job: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral

(N = 72) Self/family/relative/ friends: 70.8% Employer/school: 8.3% Criminal justice: 30.6% Professional: 72.2% County social service agency: 2.8% Other community resources: 1.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 72) Completed program: 61.1% Patient left without staff approval: 9.7% Staff requested/judged inappropriate: 12.5% Death/other: 16.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services Maplewood Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 69)	0.0%	1.4%
Not employed/student ^{**} (N = 72)	1.4%	0.0%
Arrests past 30 days (N = 71)	15.5%	0.0%
Alcohol use past 30 days (N = 72)	31.9%	23.6%
Drug use past 30 days (N = 72)	50.0%	38.9%
No self-help group participation past 30 days (N = 68)	51.5%	30.9%
No family support for recovery past 30 days ($N = 59$)	3.4%	5.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =71)	0.0%	4.2%
Biomedical Conditions and Complications $(N = 71)$	0.0%	0.0%
		••••
Emotional/Behavioral/ Cognitive Problem (N = 71)	60.6%	59.2%
Cognitive Problem ($N = 71$)	60.6%	59.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services of Chisago City

11725 Stinson Ave Chisago City, MN 55013

County: Chisago

Provider Website:

Patient Profile

<u>Gender (N = 124)</u> Male: 98.4% Female: 1.6% Race (N = 124) White: 79.8% Black: 4.8% American Indian: 3.2% Hispanic: 6.5% Asian/Pacific Islander: 0.8% Other: 4.8% Age (N = 124) Under 18: 90.3% 18 to 25: 9.7% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 124) Alcohol: 15.3% Methamphetamine: 0.8% Marijuana: 69.4% Heroin: 5.6% Cocaine: 0.8% Other opiates: 0.8% Other drugs: 7.3%

Source of Income

(N = 124) Job: 2.4% Retirement/savings: 0.0% Family/friends: 96.8% No income: 0.8% Public sources: 0.0% Other sources: 0.0%

Source of Referral

<u>(N = 124)</u>. Self/family/relative/ friends: 85.5% Employer/school: 3.2% Criminal justice: 44.4% Professional: 33.9% County social service agency: 2.4% Other community resources: 0.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 124) Completed program: 71.0% Patient left without staff approval: 8.1% Staff requested/judged inappropriate: 12.9% Death/other: 8.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services of Chisago City

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 124)	0.8%	1.6%
Not employed/student ^{**} (N = 123)	0.8%	0.0%
Arrests past 30 days (N = 120)	22.5%	10.8%
Alcohol use past 30 days (N = 124)	52.4%	6.5%
Drug use past 30 days (N = 124)	89.5%	33.9%
No self-help group participation past 30 days (N = 119)	63.0%	43.7%
No family support for recovery past 30 days (N = 122)	9.8%	6.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =124)	0.0%	1.6%
Biomedical Conditions and Complications ($N = 124$)	0.0%	0.8%
Emotional/Behavioral/ Cognitive Problem (N = 124)	52.4%	50.0%
Resistance to Change ($N = 124$)	88.7%	50.0%
Relapse/Continued Use Potential (N = 124)	100.0%	72.6%
Unsupportive Recovery Environment (N = 124)	99.2%	66.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services of Forest Lake

20 N Lake Drive, Suite 210 Forest Lake, MN 55025

County: Washington

Provider Website: www.fairview.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 147)} & \underline{Race (N = 147)} & \underline{Age (N \\ Male: 63.3\%} & White: 90.5\% & Under \\ Female: 36.7\% & Black: 2.0\% & 18 to \\ & American Indian: 1.4\% & 26 to \\ & Hispanic: 4.8\% & 35 an \\ & Asian/Pacific Islander: 0.0\% \\ & Other: 1.4\% \end{array}$

<u>Age (N = 147)</u> Under 18: 0.0% 18 to 25: 25.2% 26 to 34: 21.1% 35 and older: 53.7%

Primary Substance (N = 146) Alcohol: 71.9% Methamphetamine: 8.9% Marijuana: 13.0% Heroin: 0.0% Cocaine: 1.4% Other opiates: 4.1% Other drugs: 0.7%

Source of Income

(N = 147) Job: 55.1% Retirement/savings: 3.4% Family/friends: 10.9% No income: 9.5% Public sources: 12.2% Other sources: 8.8%

Source of Referral

<u>(N = 147)</u>. Self/family/relative/ friends: 42.9% Employer/school: 2.7% Criminal justice: 54.4% Professional: 18.4% County social service agency: 4.8% Other community resources: 8.2% AA: 0.7% Tribal: 0.0%

Outcomes

Discharge Status (N = 147) Completed program: 70.7% Patient left without staff approval: 22.4% Staff requested/judged inappropriate: 1.4% Death/other: 5.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services of Forest Lake

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 132)	1.5%	0.8%
Not employed/student ^{**} (N = 134)	38.1%	32.1%
Arrests past 30 days (N = 130)	6.9%	2.3%
Alcohol use past 30 days (N = 121)	45.5%	5.8%
Drug use past 30 days (N = 121)	17.4%	3.3%
No self-help group participation past 30 days (N = 133)	60.9%	27.8%
No family support for recovery past 30 days (N = 133)	12.8%	5.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =134)	2.2%	2.2%
Biomedical Conditions and Complications ($N = 133$)	3.8%	2.3%
Emotional/Behavioral/ Cognitive Problem (N = 133)	18.8%	9.8%
Resistance to Change ($N = 142$)	78.9%	23.9%
Relapse/Continued Use		
Potential (N = 140)	96.4%	27.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fairview Recovery Services-Burnsville Outpatient

156 Cobblestone Lane Burnsville, MN 553374578

County: Dakota

Provider Website: www.fairview.org

Patient Profile

<u>Gender (N = 156)</u> Male: 55.1% Female: 44.9% Race (N = 156) White: 82.7% Black: 7.7% American Indian: 4.5% Hispanic: 2.6% Asian/Pacific Islander: 2.6% Other: 0.0% Age (N = 156) Under 18: 0.0% 18 to 25: 22.4% 26 to 34: 26.3% 35 and older: 51.3%

Primary Substance (N = 156) Alcohol: 81.4% Methamphetamine: 1.9% Marijuana: 5.1% Heroin: 1.9% Cocaine: 1.3% Other opiates: 5.1% Other drugs: 3.2%

Source of Income

(N = 156) Job: 61.5% Retirement/savings: 3.8% Family/friends: 17.9% No income: 4.5% Public sources: 4.5% Other sources: 7.7%

Source of Referral

(N = 156) . Self/family/relative/ friends: 52.6% Employer/school: 3.8% Criminal justice: 34.0% Professional: 39.7% County social service agency: 1.9% Other community resources: 3.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 156) Completed program: 48.7% Patient left without staff approval: 26.9% Staff requested/judged inappropriate: 4.5% Death/other: 19.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fairview Recovery Services-Burnsville Outpatient

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 137)	0.7%	0.7%
Not employed/student ^{**} (N = 138)	34.1%	38.4%
Arrests past 30 days (N = 133)	8.3%	2.3%
Alcohol use past 30 days (N = 119)	58.8%	17.6%
Drug use past 30 days (N = 119)	28.6%	7.6%
No self-help group participation past 30 days (N = 129)	58.1%	47.3%
No family support for recovery past 30 days (N = 131)	7.6%	3.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =145)	9.0%	9.0%
Biomedical Conditions and Complications ($N = 147$)	9.5%	13.6%
Emotional/Behavioral/ Cognitive Problem (N = 147)	65.3%	47.6%
Resistance to Change ($N = 147$)	62.6%	30.6%
Relapse/Continued Use Potential (N = 146)	89.0%	42.5%
Unsupportive Recovery Environment (N = 145)	65.5%	42.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Faith Family Recovery Center LLC

1303 South Frontage Road Hastings, MN 55033

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 73)</u> Male: 58.9% Female: 41.1% Race (N = 73) White: 91.8% Black: 4.1% American Indian: 1.4% Hispanic: 1.4% Asian/Pacific Islander: 0.0% Other: 1.4%

Age (N = 73) Under 18: 1.4% 18 to 25: 30.1% 26 to 34: 19.2% 35 and older: 49.3%

Primary Substance (N = 73) Alcohol: 63.0% Methamphetamine: 9.6% Marijuana: 16.4% Heroin: 0.0% Cocaine: 1.4% Other opiates: 8.2% Other drugs: 1.4%

Source of Income

(N = 73) Job: 47.9% Retirement/savings: 6.8% Family/friends: 24.7% No income: 1.4% Public sources: 15.1% Other sources: 4.1%

Source of Referral

(N = 73) Self/family/relative/ friends: 42.5% Employer/school: 0.0% Criminal justice: 46.6% Professional: 11.0% County social service agency: 2.7% Other community resources: 6.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 73) Completed program: 64.4% Patient left without staff approval: 24.7% Staff requested/judged inappropriate: 1.4% Death/other: 9.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Faith Family Recovery Center LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 72)	0.0%	1.4%
Not employed/student ^{**} (N = 73)	47.9%	45.2%
Arrests past 30 days (N = 73)	5.5%	6.8%
Alcohol use past 30 days ($N = 73$)	39.7%	23.3%
Drug use past 30 days (N = 73)	34.2%	19.2%
No self-help group participation past 30 days (N = 71)	53.5%	39.4%
No family support for recovery past 30 days ($N = 71$)	12.7%	8.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =73)	0.0%	1.4%
Biomedical Conditions and Complications $(N = 73)$	12.3%	5.5%
Emotional/Behavioral/ Cognitive Problem (N = 73)	87.7%	27.4%
Resistance to Change ($N = 73$)	26.0%	9.6%
Relapse/Continued Use Potential (N = 73)	97.3%	31.5%
Unsupportive Recovery Environment (N = 73)	54.8%	20.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Family Focus

1400 E Madison Ave Mankato, MN 560016077

County: Blue Earth

Provider Website: www.mayohealthsystem.org

Patient Profile

<u>Gender (N = 130)</u> Male: 80.0% Female: 20.0% Race (N = 130) White: 93.1% Black: 1.5% American Indian: 0.8% Hispanic: 2.3% Asian/Pacific Islander: 0.0% Other: 2.3% Age (N = 130) Under 18: 0.0% 18 to 25: 30.8% 26 to 34: 33.8% 35 and older: 35.4%

Primary Substance (N = 130) Alcohol: 75.4% Methamphetamine: 6.2% Marijuana: 16.2% Heroin: 0.0% Cocaine: 1.5% Other opiates: 0.8%

Other drugs: 0.0%

Source of Income

(N = 130) Job: 66.2% Retirement/savings: 6.2% Family/friends: 10.8% No income: 1.5% Public sources: 7.7% Other sources: 7.7%

Source of Referral

(N = 130) . Self/family/relative/ friends: 35.4% Employer/school: 0.8% Criminal justice: 65.4% Professional: 7.7% County social service agency: 3.1% Other community resources: 6.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 130)Completed program: 41.5% Patient left without staff approval: 5.4% Staff requested/judged inappropriate: 8.5% Death/other: 44.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Family Focus

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 127)	0.0%	0.0%
Not employed/student ^{**} (N = 127)	29.9%	31.5%
Arrests past 30 days (N = 126)	9.5%	4.0%
Alcohol use past 30 days (N = 128)	21.1%	3.9%
Drug use past 30 days (N = 128)	9.4%	3.9%
No self-help group participation past 30 days (N = 122)	62.3%	57.4%
No family support for recovery past 30 days ($N = 119$)	10.1%	8.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 2.4%	Discharge 3.2%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =126) Biomedical Conditions and	2.4%	3.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =126) Biomedical Conditions and Complications (N = 128) Emotional/Behavioral/	2.4% 6.3%	3.2% 7.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =126) Biomedical Conditions and Complications (N = 128) Emotional/Behavioral/ Cognitive Problem (N = 129)	2.4% 6.3% 48.1%	3.2% 7.0% 25.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Family Focus Steele County Detention Center

2500 Alexander Street Owatonna, MN 55060

County: Steele

AA: * Tribal: *

Provider Website:

Patient Profile

Race (N = 1)Gender (N = 1)Age (N = 1)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 1)(N = 1)(N = 1) . Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Family Focus Steele County Detention Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 1)	*	*
Not employed/student ^{**} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days ($N = 1$)	*	*
Drug use past 30 days ($N = 1$)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days ($N = 0$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	Discharge
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* * *

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Faribault Family Focus-Immanuel St. Joseph's Mayo Health System

2301 NW 4th Street Faribault, MN 55021

County: Rice

Provider Website: www.mayohealthsystem.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 123)} \\ Male: 78.0\% \\ Female: 22.0\% \\ \end{array} \begin{array}{c} \underline{Race (N = 123)} \\ White: 93.5\% \\ Black: 1.6\% \\ American Indian: 0.8\% \\ Hispanic: 3.3\% \\ Asian/Pacific Islander: 0.0\% \\ Other: 0.8\% \end{array} \begin{array}{c} \underline{Age (N = 123)} \\ Under 18: 0.0\% \\ 18 to 25: 25.2\% \\ 26 to 34: 30.1\% \\ 35 and older: 44.7\% \\ Asian/Pacific Islander: 0.0\% \end{array}$

Primary Substance (N = 123) Alcohol: 69.9% Methamphetamine: 6.5% Marijuana: 15.4% Heroin: 0.0% Cocaine: 4.9% Other opiates: 2.4% Other drugs: 0.8% Source of Income (N = 123)

Job: 45.5% Retirement/savings: 2.4% Family/friends: 23.6% No income: 7.3% Public sources: 11.4% Other sources: 9.8%

Source of Referral

(N = 123) Self/family/relative/ friends: 45.5% Employer/school: 4.1% Criminal justice: 65.0% Professional: 11.4% County social service agency: 17.1% Other community resources: 13.0% AA: 0.0% Tribal: 0.8%

Outcomes

Discharge Status (N = 123)Completed program: 65.9% Patient left without staff approval: 14.6% Staff requested/judged inappropriate: 14.6% Death/other: 4.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Faribault Family Focus-Immanuel St. Joseph's Mayo Health System

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 123)	0.0%	0.0%
Not employed/student ^{**} (N = 122)	60.7%	44.3%
Arrests past 30 days (N = 123)	5.7%	3.3%
Alcohol use past 30 days (N = 123)	26.0%	17.9%
Drug use past 30 days (N = 123)	15.4%	11.4%
No self-help group participation past 30 days (N = 119)	72.3%	30.3%
No family support for recovery past 30 days (N = 116)	33.6%	15.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =113)	0.0%	2.7%
Biomedical Conditions and Complications ($N = 122$)	2.5%	5.7%
Emotional/Behavioral/ Cognitive Problem (N = 122)	54.1%	27.9%
Resistance to Change ($N = 122$)	64.8%	34.4%
Relapse/Continued Use Potential (N = 122)	91.8%	54.9%
Unsupportive Recovery Environment (N = 122)	87.7%	47.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Nation Recovery Program

2020 Bloomington Ave So Minneapolis, MN 55404

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 21)</u> Male: 57.1% Female: 42.9% Race (N = 21) White: 0.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 21) Under 18: 0.0% 18 to 25: 9.5% 26 to 34: 42.9% 35 and older: 47.6%

Primary Substance (N = 21) Alcohol: 66.7% Methamphetamine: 0.0% Marijuana: 19.0% Heroin: 0.0% Cocaine: 9.5% Other opiates: 4.8% Other drugs: 0.0%

Source of Income

(N = 21) Job: 4.8% Retirement/savings: 9.5% Family/friends: 9.5% No income: 0.0% Public sources: 61.9% Other sources: 14.3%

Source of Referral

(N = 21) Self/family/relative/ friends: 52.4% Employer/school: 0.0% Criminal justice: 42.9% Professional: 14.3% County social service agency: 14.3% Other community resources: 4.8% AA: 0.0% Tribal: 4.8%

Outcomes

Discharge Status (N = 21) Completed program: 28.6% Patient left without staff approval: 38.1% Staff requested/judged inappropriate: 9.5% Death/other: 23.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

First Nation Recovery Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 20)	5.0%	0.0%
Not employed/student ^{**} (N = 15)	93.3%	80.0%
Arrests past 30 days (N = 21)	9.5%	14.3%
Alcohol use past 30 days ($N = 21$)	33.3%	23.8%
Drug use past 30 days (N = 21)	52.4%	19.0%
No self-help group participation past 30 days (N = 20)	40.0%	0.0%
No family support for recovery past 30 days ($N = 20$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =21)	4.8%	9.5%
Biomedical Conditions and Complications $(N = 21)$	19.0%	28.6%
Emotional/Behavioral/ Cognitive Problem ($N = 21$)	52.4%	52.4%
Resistance to Change ($N = 21$)	61.9%	52.4%
Relapse/Continued Use Potential (N = 21)	100.0%	66.7%
Unsupportive Recovery Environment (N = 21)	71.4%	52.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step Recovery PLLP

409 7th Street South Fargo, ND 58103

County: North Dakota

Provider Website:

Patient Profile

<u>Gender (N = 64)</u> Male: 68.8% Female: 31.3% Race (N = 64) White: 95.3% Black: 0.0% American Indian: 1.6% Hispanic: 3.1% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 64) Under 18: 0.0% 18 to 25: 31.3% 26 to 34: 17.2% 35 and older: 51.6%

Primary Substance (N = 64) Alcohol: 79.7% Methamphetamine: 0.0% Marijuana: 15.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.7% Other drugs: 0.0%

Source of Income

(N = 64) Job: 76.6% Retirement/savings: 3.1% Family/friends: 15.6% No income: 1.6% Public sources: 3.1% Other sources: 0.0%

Source of Referral

<u>(N = 64)</u> Self/family/relative/ friends: 59.4% Employer/school: 14.1% Criminal justice: 23.4% Professional: 42.2% County social service agency: 10.9% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 64) Completed program: 67.2% Patient left without staff approval: 14.1% Staff requested/judged inappropriate: 14.1% Death/other: 4.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

First Step Recovery PLLP

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 64)	0.0%	0.0%
Not employed/student ^{**} (N = 64)	17.2%	20.3%
Arrests past 30 days (N = 64)	15.6%	0.0%
Alcohol use past 30 days ($N = 64$)	70.3%	12.5%
Drug use past 30 days (N = 64)	25.0%	7.8%
No self-help group participation past 30 days (N = 50)	84.0%	16.0%
No family support for recovery past 30 days ($N = 51$)	2.0%	3.9%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =59)	1.7%	1.7%
Biomedical Conditions and Complications ($N = 63$)	14.3%	9.5%
Emotional/Behavioral/ Cognitive Problem (N = 63)	68.3%	49.2%
Resistance to Change ($N = 63$)	68.3%	39.7%
Relapse/Continued Use Potential (N = 63)		
	90.5%	41.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

First Step Walker

211 South 6th Street Walker, MN 56484

Provider Website:

Patient Profile

<u>Gender (N = 50)</u> Male: 54.0% Female: 46.0% Race (N = 50) White: 26.0% Black: 0.0% American Indian: 68.0% Hispanic: 2.0% Asian/Pacific Islander: 0.0% Other: 4.0% Age (N = 50) Under 18: 42.0% 18 to 25: 28.0% 26 to 34: 16.0% 35 and older: 14.0%

County: Cass

Primary Substance (N = 50) Alcohol: 38.0% Methamphetamine: 0.0% Marijuana: 52.0% Heroin: 2.0% Cocaine: 0.0% Other opiates: 8.0% Other drugs: 0.0%

(N = 50) Job: 18.0% Retirement/savings: 2.0% Family/friends: 50.0% No income: 18.0% Public sources: 4.0% Other sources: 8.0%

Source of Income

Source of Referral

(N = 50) Self/family/relative/ friends: 4.0% Employer/school: 4.0% Criminal justice: 64.0% Professional: 14.0% County social service agency: 44.0% Other community resources: 0.0% AA: 0.0% Tribal: 34.0%

Outcomes

Discharge Status (N = 50) Completed program: 20.0% Patient left without staff approval: 28.0% Staff requested/judged inappropriate: 0.0% Death/other: 52.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

First Step Walker

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 35)	2.9%	0.0%
Not employed/student ^{**} (N = 33)	48.5%	36.4%
Arrests past 30 days (N = 48)	8.3%	2.1%
Alcohol use past 30 days ($N = 37$)	18.9%	29.7%
Drug use past 30 days (N = 37)	43.2%	35.1%
No self-help group participation past 30 days (N = 32)	65.6%	9.4%
No family support for recovery past 30 days ($N = 26$)	3.8%	7.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =36)	0.0%	0.00/
	0.070	0.0%
Biomedical Conditions and Complications ($N = 37$)	8.1%	0.0% 8.1%
Complications (N = 37) Emotional/Behavioral/	8.1%	8.1%
Complications (N = 37) Emotional/Behavioral/ Cognitive Problem (N = 38)	8.1% 84.2%	8.1% 71.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Five Stars Recovery Center

212 North Walnut Street Chaska, MN 553182044

County: Carver

Provider Website:

Patient Profile

<u>Gender (N = 52)</u> Male: 71.2% Female: 28.8% Race (N = 52) White: 82.7% Black: 1.9% American Indian: 3.8% Hispanic: 11.5% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 52) Under 18: 11.5% 18 to 25: 44.2% 26 to 34: 17.3% 35 and older: 26.9%

Primary Substance (N = 52) Alcohol: 71.2% Methamphetamine: 5.8% Marijuana: 21.2% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.9% Other drugs: 0.0%

Source of Income

(N = 52) Job: 34.6% Retirement/savings: 0.0% Family/friends: 38.5% No income: 0.0% Public sources: 15.4% Other sources: 11.5%

Source of Referral

(N = 52) Self/family/relative/ friends: 25.0% Employer/school: 0.0% Criminal justice: 73.1% Professional: 3.8% County social service agency: 65.4% Other community resources: 1.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 52) Completed program: 55.8% Patient left without staff approval: 7.7% Staff requested/judged inappropriate: 30.8% Death/other: 5.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Five Stars Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 50)	4.0%	2.0%
Not employed/student ^{**} (N = 48)	47.9%	43.8%
Arrests past 30 days (N = 52)	13.5%	9.6%
Alcohol use past 30 days ($N = 52$)	36.5%	30.8%
Drug use past 30 days (N = 52)	26.9%	23.1%
No self-help group participation past 30 days (N = 50)	50.0%	4.0%
No family support for recovery past 30 days ($N = 46$)	6.5%	4.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
-	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =52) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 52) Biomedical Conditions and Complications (N = 52) Emotional/Behavioral/	0.0%	0.0% 1.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =52) Biomedical Conditions and Complications (N = 52) Emotional/Behavioral/ Cognitive Problem (N = 51)	0.0% 0.0% 27.5%	0.0% 1.9% 39.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Focus Unit St. Joseph's Medical Center

523 North 3rd Street Brainerd, MN 56401

County: Crow Wing

Provider Website: www.sjmcmn.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender \ (N = 200)} \\ Male: \ 71.5\% \\ Female: \ 28.5\% \end{array} \qquad \begin{array}{c} \underline{Race \ (N = 200)} \\ White: \ 89.0\% \\ Black: \ 3.5\% \\ American \ Indian: \ 7.0\% \\ Hispanic: \ 0.5\% \\ Asian/Pacific \ Islander: \ 0.0\% \end{array} \qquad \begin{array}{c} \underline{Age \ (N = 200)} \\ Under \ 18: \ 0.0\% \\ 18 \ to \ 25: \ 25.0\% \\ 26 \ to \ 34: \ 24.5\% \\ 35 \ and \ older: \ 50.5\% \\ Asian/Pacific \ Islander: \ 0.0\% \end{array}$

Primary Substance (N = 200) Alcohol: 74.5% Methamphetamine: 4.0% Marijuana: 14.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 7.5% Other drugs: 0.0%

Source of Income (N = 200)

Job: 37.0% Retirement/savings: 5.0% Family/friends: 33.5% No income: 3.0% Public sources: 15.0% Other sources: 6.5%

Source of Referral

(N = 200) Self/family/relative/ friends: 61.5% Employer/school: 2.0% Criminal justice: 36.0% Professional: 32.0% County social service agency: 32.5% Other community resources: 5.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 200) Completed program: 65.0% Patient left without staff approval: 16.0% Staff requested/judged inappropriate: 10.0% Death/other: 9.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Focus Unit St. Joseph's Medical Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 200)	3.0%	1.5%
Not employed/student ^{$++$} (N = 200)	66.0%	59.0%
Arrests past 30 days (N = 200)	14.5%	4.0%
Alcohol use past 30 days (N = 200)	62.5%	12.0%
Drug use past 30 days (N = 200)	31.5%	6.5%
No self-help group participation past 30 days (N = 199)	75.9%	15.6%
No family support for recovery past 30 days (N = 198)	4.0%	2.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =200)	12.5%	1.5%
Biomedical Conditions and Complications ($N = 200$)	34.0%	17.0%
Emotional/Behavioral/ Cognitive Problem ($N = 200$)	46.0%	29.5%
Resistance to Change ($N = 200$)	82.5%	49.0%
Relapse/Continued Use Potential (N = 200)	92.0%	53.0%
Unsupportive Recovery Environment (N = 200)	87.0%	48.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Focus XII

3220 8th Street North St. Cloud, MN 56303

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 84)}}{\text{Male: 100.0\%}}$ Female: 0.0% Race (N = 84) White: 89.3% Black: 6.0% American Indian: 1.2% Hispanic: 2.4% Asian/Pacific Islander: 1.2% Other: 0.0% Age (N = 84) Under 18: 0.0% 18 to 25: 36.9% 26 to 34: 23.8% 35 and older: 39.3%

County: Stearns

Primary Substance (N = 84) Alcohol: 56.0% Methamphetamine: 17.9% Marijuana: 10.7% Heroin: 6.0% Cocaine: 3.6% Other opiates: 4.8% Other drugs: 1.2%

(N = 84) Job: 17.9% Retirement/savings: 2.4% Family/friends: 3.6% No income: 50.0% Public sources: 11.9% Other sources: 14.3%

Source of Income

Source of Referral

(N = 84) Self/family/relative/ friends: 64.3% Employer/school: 0.0% Criminal justice: 34.5% Professional: 26.2% County social service agency: 7.1% Other community resources: 4.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 84) Completed program: 50.0% Patient left without staff approval: 17.9% Staff requested/judged inappropriate: 26.2% Death/other: 6.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Focus XII

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 83)	0.0%	0.0%
Not employed/student ^{**} (N = 83)	80.7%	43.4%
Arrests past 30 days (N = 84)	3.6%	2.4%
Alcohol use past 30 days ($N = 84$)	13.1%	21.4%
Drug use past 30 days (N = 84)	16.7%	11.9%
No self-help group participation past 30 days (N = 82)	6.1%	0.0%
No family support for recovery past 30 days ($N = 83$)	3.6%	1.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =82)	1.2%	1.2%
Biomedical Conditions and Complications $(N = 82)$	11.0%	8.5%
Emotional/Behavioral/ Cognitive Problem (N = 82)	75.6%	70.7%
Resistance to Change ($N = 82$)	75.6%	57.3%
Relapse/Continued Use Potential (N = 82)	92.7%	69.5%
Unsupportive Recovery Environment (N = 82)	91.5%	76.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fond Du Lac Human Services

927 Trettel Lane Cloquet, MN 55720

County: Carlton

Provider Website:

Patient Profile

<u>Gender (N = 65)</u> Male: 61.5% Female: 38.5% Race (N = 65) White: 4.6% Black: 0.0% American Indian: 93.8% Hispanic: 1.5% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 65) Under 18: 0.0% 18 to 25: 23.1% 26 to 34: 26.2% 35 and older: 50.8%

Primary Substance (N = 65) Alcohol: 69.2% Methamphetamine: 3.1% Marijuana: 13.8% Heroin: 1.5% Cocaine: 1.5% Other opiates: 10.8% Other drugs: 0.0%

Source of Income

(N = 65) Job: 27.7% Retirement/savings: 0.0% Family/friends: 3.1% No income: 10.8% Public sources: 26.2% Other sources: 32.3%

Source of Referral

(N = 65) Self/family/relative/ friends: 40.0% Employer/school: 3.1% Criminal justice: 58.5% Professional: 6.2% County social service agency: 13.8% Other community resources: 4.6% AA: 0.0% Tribal: 26.2%

Outcomes

Discharge Status (N = 65) Completed program: 35.4% Patient left without staff approval: 30.8% Staff requested/judged inappropriate: 29.2% Death/other: 4.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fond Du Lac Human Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 62)	8.1%	3.2%
Not employed/student ^{$++$} (N = 60)	73.3%	58.3%
Arrests past 30 days (N = 65)	23.1%	9.2%
Alcohol use past 30 days (N = 65)	32.3%	21.5%
Drug use past 30 days (N = 65)	36.9%	32.3%
No self-help group participation past 30 days (N = 52)	55.8%	32.7%
No family support for recovery past 30 days (N = 56)	12.5%	23.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 4.6%	<u>Discharge</u> 13.8%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =65) Biomedical Conditions and	4.6%	13.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =65) Biomedical Conditions and Complications (N = 65) Emotional/Behavioral/	4.6% 32.3%	13.8% 16.9%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =65)Biomedical Conditions and Complications (N = 65)Emotional/Behavioral/ Cognitive Problem (N = 65)	4.6% 32.3% 89.2%	13.8% 16.9% 70.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Albert Lea

408 Fountain Street Albert Lea, MN 56007

County: Freeborn

Provider Website: www.fountaincenters.org

Patient Profile

Gender (N = 763)
Male: 71.4%Race (N = 763)
White: 84.9%Age (N = 763)
Under 18: 14.7%Female: 28.6%Black: 3.1%
American Indian: 0.9%
Hispanic: 10.0%
Asian/Pacific Islander: 0.5%Age (N = 763)
Under 18: 14.7%
26 to 34: 19.5%
35 and older: 41.3%

Source of Income

Primary Substance (N = 763) Alcohol: 55.2% Methamphetamine: 7.3% Marijuana: 26.3% Heroin: 1.8% Cocaine: 4.1% Other opiates: 3.4% Other drugs: 1.8%

(N = 763) Job: 40.5% Retirement/savings: 3.3% Family/friends: 26.2% No income: 13.4% Public sources: 10.6% Other sources: 6.0%

Source of Referral

(N = 763) Self/family/relative/ friends: 48.0% Employer/school: 1.6% Criminal justice: 35.9% Professional: 36.3% County social service agency: 53.6% Other community resources: 10.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 763) Completed program: 78.5% Patient left without staff approval: 10.9% Staff requested/judged inappropriate: 5.6% Death/other: 5.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fountain Center of Albert Lea

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 757)	3.2%	5.9%
Not employed/student ^{**} (N = 744)	50.0%	60.1%
Arrests past 30 days (N = 757)	18.0%	4.4%
Alcohol use past 30 days (N = 761)	64.8%	24.3%
Drug use past 30 days (N = 761)	51.9%	21.6%
No self-help group participation past 30 days (N = 717)	63.6%	2.5%
No family support for recovery past 30 days ($N = 721$)	6.8%	11.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =753)	3.1%	0.9%
Biomedical Conditions and Complications ($N = 753$)	3.9%	3.1%
Freetievel/Deberrievel/		
Emotional/Behavioral/ Cognitive Problem (N = 752)	85.4%	60.2%
	85.4% 93.1%	60.2% 66.5%
Cognitive Problem ($N = 752$)		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Fairmont

828 N North Ave Fairmont, MN 560311605

County: Martin

Provider Website:

Patient Profile

<u>Gender (N = 126)</u> Male: 66.7% Female: 33.3% Race (N = 126) White: 89.7% Black: 2.4% American Indian: 1.6% Hispanic: 5.6% Asian/Pacific Islander: 0.8% Other: 0.0% Age (N = 126) Under 18: 14.3% 18 to 25: 29.4% 26 to 34: 22.2% 35 and older: 34.1%

Primary Substance (N = 126) Alcohol: 52.4% Methamphetamine: 9.5% Marijuana: 35.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.6% Other drugs: 0.8%

Source of Income

(N = 126) Job: 33.3% Retirement/savings: 2.4% Family/friends: 32.5% No income: 0.8% Public sources: 24.6% Other sources: 6.3%

Source of Referral

(N = 126) Self/family/relative/ friends: 18.3% Employer/school: 1.6% Criminal justice: 57.1% Professional: 16.7% County social service agency: 85.7% Other community resources: 0.8% AA: 0.0% Tribal: 0.8%

Outcomes

Discharge Status (N = 126) Completed program: 67.5% Patient left without staff approval: 12.7% Staff requested/judged inappropriate: 11.9% Death/other: 7.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fountain Center of Fairmont

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 126)	0.0%	0.0%
Not employed/student ^{**} (N = 126)	50.0%	40.5%
Arrests past 30 days (N = 126)	15.1%	9.5%
Alcohol use past 30 days (N = 126)	28.6%	11.9%
Drug use past 30 days (N = 126)	26.2%	10.3%
No self-help group participation past 30 days (N = 124)	64.5%	12.9%
No family support for recovery past 30 days (N = 122)	54.9%	5.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =126)	0.0%	0.8%
Biomedical Conditions and Complications ($N = 126$)	4.8%	4.8%
Emotional/Behavioral/ Cognitive Problem (N = 126)	57.9%	38.1%
Resistance to Change ($N = 126$)	51.6%	29.4%
Relapse/Continued Use Potential (N = 126)	94.4%	46.8%
Unsupportive Recovery Environment (N = 126)	78.6%	46.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Rochester

4122 18th Avenue NW Rochester, MN 55901

County: Olmsted

Provider Website: www.fountaincenters.org

Patient Profile

Gender (N = 130) Race (N = 130)Male: 75.4% White: 79.2% Under 18: 18.5% Female: 24.6% Black: 11.5% 18 to 25: 22.3% American Indian: 0.0% 26 to 34: 16.9% Hispanic: 3.8% Asian/Pacific Islander: 1.5% Other: 3.8%

Primary Substance (N = 130)Alcohol: 62.3% Methamphetamine: 3.8% Marijuana: 26.9% Heroin: 0.8% Cocaine: 6.2% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 130)

Job: 36.9% Retirement/savings: 4.6% Family/friends: 36.9% No income: 0.0% Public sources: 12.3% Other sources: 9.2%

Age (<u>N = 130)</u>

35 and older: 42.3%

Source of Referral

(N = 130). Self/family/relative/ friends: 52.3% Employer/school: 0.8% Criminal justice: 56.2% Professional: 41.5% County social service agency: 23.8% Other community resources: 2.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 130)Completed program: 52.3% Patient left without staff approval: 20.8% Staff requested/judged inappropriate: 13.8% Death/other: 13.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fountain Center of Rochester

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 129)	0.8%	0.8%
Not employed/student ^{**} (N = 130)	43.1%	38.5%
Arrests past 30 days (N = 130)	6.2%	10.0%
Alcohol use past 30 days (N = 130)	26.9%	16.2%
Drug use past 30 days (N = 130)	20.0%	20.0%
No self-help group participation past 30 days (N = 115)	47.0%	5.2%
No family support for recovery past 30 days (N = 104)	5.8%	1.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =130)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 130$)	0.0%	0.8%
Emotional/Behavioral/ Cognitive Problem (N = 130)	30.8%	23.1%
Resistance to Change ($N = 130$)	73.8%	48.5%
Relapse/Continued Use Potential (N = 130)	100.0%	63.8%
Unsupportive Recovery Environment (N = 130)	99.2%	78.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Center of Waseca

505 S State Street Waseca, MN 56093

County: Waseca

Provider Website:

Patient Profile

Gender (N = 44) Male: 70.5% Female: 29.5%

Race (N = 44)White: 95.5% Black: 2.3% American Indian: 0.0% Hispanic: 2.3% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 44)Under 18: 0.0% 18 to 25: 18.2% 26 to 34: 34.1% 35 and older: 47.7%

Primary Substance (N = 44)Alcohol: 63.6% Methamphetamine: 4.5% Marijuana: 22.7% Heroin: 0.0% Cocaine: 4.5% Other opiates: 4.5% Other drugs: 0.0%

(N = 44)Job: 36.4%

Source of Income

Retirement/savings: 4.5% Family/friends: 40.9% No income: 0.0% Public sources: 6.8% Other sources: 11.4%

Source of Referral

(N = 44). Self/family/relative/ friends: 75.0% Employer/school: 2.3% Criminal justice: 52.3% Professional: 13.6% County social service agency: 25.0% Other community resources: 4.5% AA: 2.3% Tribal: 0.0%

Outcomes

Discharge Status (N = 44)Completed program: 59.1% Patient left without staff approval: 18.2% Staff requested/judged inappropriate: 13.6% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fountain Center of Waseca

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 44)	0.0%	0.0%
Not employed/student ^{**} (N = 44)	52.3%	45.5%
Arrests past 30 days (N = 44)	4.5%	4.5%
Alcohol use past 30 days (N = 44)	29.5%	11.4%
Drug use past 30 days (N = 44)	25.0%	15.9%
No self-help group participation past 30 days (N = 40)	77.5%	17.5%
No family support for recovery past 30 days ($N = 30$)	36.7%	10.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	Discharge 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =44) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =44) Biomedical Conditions and Complications (N = 44) Emotional/Behavioral/	0.0% 9.1%	0.0% 6.8%
Dimensions of Chemical HealthsAcute Intoxication/ Withdrawal (N =44)Biomedical Conditions and Complications (N = 44)Emotional/Behavioral/ Cognitive Problem (N = 44)	0.0% 9.1% 72.7%	0.0% 6.8% 59.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Fountain Centers Recovery House of Rochester

1623 4th Street NW Rochester, MN 55901

County: Olmsted

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 17)}{\text{Male: } 64.7\%}$ Female: 35.3% Race (N = 17) White: 82.4% Black: 0.0% American Indian: 5.9% Hispanic: 5.9% Asian/Pacific Islander: 0.0% Other: 5.9% Age (N = 17) Under 18: 0.0% 18 to 25: 47.1% 26 to 34: 47.1% 35 and older: 5.9%

Primary Substance (N = 17) Alcohol: 35.3% Methamphetamine: 35.3% Marijuana: 17.6% Heroin: 0.0% Cocaine: 5.9% Other opiates: 5.9% Other drugs: 0.0% Source of Income

(N = 17) Job: 41.2% Retirement/savings: 5.9% Family/friends: 11.8% No income: 17.6% Public sources: 17.6% Other sources: 5.9%

Source of Referral

<u>(N = 17)</u> Self/family/relative/ friends: 11.8% Employer/school: 0.0% Criminal justice: 41.2% Professional: 100.0% County social service agency: 41.2% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 17) Completed program: 35.3% Patient left without staff approval: 17.6% Staff requested/judged inappropriate: 41.2% Death/other: 5.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Fountain Centers Recovery House of Rochester

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 17)	0.0%	0.0%
Not employed/student ^{**} (N = 17)	94.1%	58.8%
Arrests past 30 days (N = 17)	0.0%	5.9%
Alcohol use past 30 days (N = 17)	0.0%	0.0%
Drug use past 30 days (N = 17)	0.0%	5.9%
No self-help group participation past 30 days (N = 17)	0.0%	0.0%
No family support for recovery past 30 days (N = 17)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =17)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 17$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 17)	94.1%	52.9%
Resistance to Change ($N = 17$)	100.0%	88.2%
Relapse/Continued Use Potential (N = 17)	100.0%	100.0%
Unsupportive Recovery Environment (N = 17)	100.0%	100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Franciscan Skemp Healthcare Scarseth House

535 South 17th Street La Crosse, WI 54601

County: Wisconsin

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 6)A<u>ge (N = 6)</u> Race (N = 6)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 6)(N = 6)(N = 6). Alcohol: * Self/family/relative/ Job: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 6) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Franciscan Skemp Healthcare Scarseth House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 6)	*	*
Not employed/student ^{**} (N = 6)	*	*
Arrests past 30 days ($N = 6$)	*	*
Alcohol use past 30 days ($N = 6$)	*	*
Drug use past 30 days (N = 6)	*	*
No self-help group participation past 30 days (N = 6)	*	*
No family support for recovery past 30 days ($N = 6$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	Discharge
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/	*	*
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N = 6)Biomedical Conditions and Complications (N = 6)Emotional/Behavioral/ Cognitive Problem (N = 6)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Franciscan Skemp Healthcare Villa Succes

121 South Prairie Street Paririe du Chien, WI 53821

County: Wisconsin

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 2)Age (N = 2)Race (N = 2)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 2)(N = 2)(N = 2). Alcohol: * Job: * Self/family/relative/ friends: * Methamphetamine: * Retirement/savings: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 2) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Franciscan Skemp Healthcare Villa Succes

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 2)	*	*
Not employed/student ^{**} (N = 2)	*	*
Arrests past 30 days ($N = 2$)	*	*
Alcohol use past 30 days ($N = 2$)	*	*
Drug use past 30 days ($N = 2$)	*	*
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days ($N = 2$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/ Cognitive Problem (N = 2)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore of Thief River Falls

621 Labree Ave N Thief River Falls, MN 56701

County: Pennington

Provider Website: www.riverviewhealth.org

Patient Profile

<u>Gender (N = 77)</u> Male: 77.9% Female: 22.1% Race (N = 77) White: 74.0% Black: 6.5% American Indian: 14.3% Hispanic: 5.2% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 77) Under 18: 0.0% 18 to 25: 27.3% 26 to 34: 22.1% 35 and older: 50.6%

Primary Substance

(N = 77)Alcohol: 75.3% Methamphetamine: 5.2% Marijuana: 9.1% Heroin: 0.0% Cocaine: 2.6% Other opiates: 7.8% Other drugs: 0.0%

Source of Income

(N = 77) Job: 44.2% Retirement/savings: 2.6% Family/friends: 14.3% No income: 10.4% Public sources: 18.2% Other sources: 10.4%

Source of Referral

(N = 77) Self/family/relative/ friends: 26.0% Employer/school: 1.3% Criminal justice: 70.1% Professional: 10.4% County social service agency: 42.9% Other community resources: 5.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 77) Completed program: 68.8% Patient left without staff approval: 16.9% Staff requested/judged inappropriate: 1.3% Death/other: 13.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Glenmore of Thief River Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 76)	2.6%	0.0%
Not employed/student ^{**} (N = 77)	62.3%	40.3%
Arrests past 30 days (N = 77)	1.3%	10.4%
Alcohol use past 30 days (N = 77)	11.7%	9.1%
Drug use past 30 days (N = 77)	5.2%	1.3%
No self-help group participation past 30 days (N = 74)	27.0%	6.8%
No family support for recovery past 30 days (N = 71)	9.9%	1.4%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =77)	0.0%	2.6%
Biomedical Conditions and Complications $(N = 77)$	9.1%	6.5%
Emotional/Behavioral/ Cognitive Problem ($N = 77$)	40.3%	19.5%
Resistance to Change ($N = 77$)	90.9%	54.5%
Relapse/Continued Use Potential (N = 77)	100.0%	89.6%
Unsupportive Recovery Environment (N = 76)	96.1%	44.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery

1424 Central Ave N.E. East Grand Forks, MN 56721

County: Polk

Provider Website: www.riverviewhealth.org

Patient Profile

Race (N = 43)Gender (N = 43) Age (N = 43)Male: 72.1% White: 76.7% Under 18: 0.0% Female: 27.9% Black: 2.3% American Indian: 11.6% Hispanic: 9.3% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 43)Alcohol: 67.4% Methamphetamine: 11.6% Marijuana: 18.6% Heroin: 0.0% Cocaine: 2.3% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 43)Job: 53.5% Retirement/savings: 4.7% Family/friends: 9.3% No income: 7.0% Public sources: 23.3% Other sources: 2.3%

18 to 25: 27.9% 26 to 34: 16.3% 35 and older: 55.8%

Source of Referral

(N = 43). Self/family/relative/ friends: 39.5% Employer/school: 4.7% Criminal justice: 74.4% Professional: 2.3% County social service agency: 4.7% Other community resources: 7.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 43)Completed program: 83.7% Patient left without staff approval: 7.0% Staff requested/judged inappropriate: 0.0% Death/other: 9.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Glenmore Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 42)	0.0%	0.0%
Not employed/student ^{**} (N = 35)	42.9%	22.9%
Arrests past 30 days (N = 43)	4.7%	2.3%
Alcohol use past 30 days ($N = 43$)	23.3%	4.7%
Drug use past 30 days (N = 43)	9.3%	2.3%
No self-help group participation past 30 days (N = 43)	58.1%	34.9%
No family support for recovery past 30 days ($N = 42$)	2.4%	4.8%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =43)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 43)$	4.7%	7.0%
Emotional/Behavioral/ Cognitive Problem ($N = 43$)	18.6%	11.6%
Resistance to Change ($N = 43$)	51.2%	11.6%
Relapse/Continued Use Potential (N = 43)	90.7%	39.5%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery - Baudette

206 8th Ave SE Baudette, MN 56623

County: Lake of the Woods

Provider Website:

Patient Profile

<u>Gender (N = 27)</u> Male: 77.8% Female: 22.2% Race (N = 27) White: 85.2% Black: 0.0% American Indian: 7.4% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 7.4% Age (N = 27) Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 14.8% 35 and older: 51.9%

Primary Substance (N = 27) Alcohol: 88.9% Methamphetamine: 3.7% Marijuana: 3.7% Heroin: 0.0% Cocaine: 0.0%

Other opiates: 3.7%

Other drugs: 0.0%

Source of Income

(N = 27) Job: 59.3% Retirement/savings: 0.0% Family/friends: 11.1% No income: 22.2% Public sources: 7.4% Other sources: 0.0%

Source of Referral

<u>(N = 27)</u> Self/family/relative/ friends: 7.4% Employer/school: 3.7% Criminal justice: 85.2% Professional: 0.0% County social service agency: 88.9% Other community resources: 7.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 27) Completed program: 74.1% Patient left without staff approval: 3.7% Staff requested/judged inappropriate: 0.0% Death/other: 22.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Glenmore Recovery - Baudette

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 24)	0.0%	0.0%
Not employed/student ^{$++$} (N = 22)	40.9%	36.4%
Arrests past 30 days (N = 27)	3.7%	0.0%
Alcohol use past 30 days (N = 27)	7.4%	11.1%
Drug use past 30 days (N = 27)	11.1%	3.7%
No self-help group participation past 30 days ($N = 23$)	47.8%	39.1%
No family support for recovery past 30 days ($N = 22$)	13.6%	18.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =20)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 20$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 20)	0.0%	0.0%
Resistance to Change ($N = 23$)	91.3%	60.9%
Relapse/Continued Use Potential (N = 20)	95.0%	85.0%
Unsupportive Recovery Environment (N = 20)	85.0%	65.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center

23616 US HWY 2 SW Crookston, MN 567160497

County: Polk

Provider Website: www.riverviewhealth.org

Patient Profile

<u>Gender (N = 312)</u> Male: 66.3% Female: 33.7% Race (N = 312) White: 67.6% Black: 1.3% American Indian: 24.4% Hispanic: 5.4% Asian/Pacific Islander: 0.0% Other: 1.3% Age (N = 312) Under 18: 0.0% 18 to 25: 27.2% 26 to 34: 22.1% 35 and older: 50.6%

Primary Substance (N = 311) Alcohol: 69.8% Methamphetamine: 3.9% Marijuana: 10.3% Heroin: 0.6% Cocaine: 0.6% Other opiates: 13.8% Other drugs: 1.0%

Source of Income

(N = 312) Job: 33.7% Retirement/savings: 2.6% Family/friends: 9.3% No income: 22.8% Public sources: 20.8% Other sources: 10.9%

Source of Referral

(N = 312) Self/family/relative/ friends: 71.5% Employer/school: 2.9% Criminal justice: 35.6% Professional: 13.5% County social service agency: 32.7% Other community resources: 9.6% AA: 0.0% Tribal: 2.2%

Outcomes

Discharge Status (N = 312) Completed program: 74.4% Patient left without staff approval: 10.6% Staff requested/judged inappropriate: 4.5% Death/other: 10.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Glenmore Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 306)	7.8%	4.2%
Not employed/student ^{**} (N = 286)	72.4%	68.9%
Arrests past 30 days (N = 312)	16.0%	7.1%
Alcohol use past 30 days (N = 311)	56.3%	12.9%
Drug use past 30 days (N = 311)	36.3%	8.7%
No self-help group participation past 30 days (N = 281)	57.7%	14.9%
No family support for recovery past 30 days ($N = 276$)	19.9%	8.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 2.9%	<u>Discharge</u> 0.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =311) Biomedical Conditions and	2.9%	0.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 311) Biomedical Conditions and Complications (N = 309) Emotional/Behavioral/	2.9% 12.0%	0.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =311) Biomedical Conditions and Complications (N = 309) Emotional/Behavioral/ Cognitive Problem (N = 308)	2.9% 12.0% 47.7%	0.6% 3.2% 19.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center

2020 East Greenwood Street Thief River Falls, MN 56701

County: Pennington

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 3)Age <u>(N = 3)</u> Race (N = 3)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 3)(N = 3)(N = 3). Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 3) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Glenmore Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$**$} (N = 3)	*	*
Not employed/student ^{**} (N = 3)	*	*
Arrests past 30 days ($N = 3$)	*	*
Alcohol use past 30 days ($N = 3$)	*	*
Drug use past 30 days ($N = 3$)	*	*
No self-help group participation past 30 days ($N = 3$)	*	*
No family support for recovery past 30 days ($N = 3$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* * *	* * *

Environment (N = 3)

*

*

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore Recovery Center Northwest Regional Corrections Center

816 Marin Ave Crookston, MN 56726

County: Polk

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 42)}{\text{Male: } 100.0\%}$ Female: 0.0% Race (N = 42) White: 64.3% Black: 4.8% American Indian: 0.0% Hispanic: 28.6% Asian/Pacific Islander: 0.0% Other: 2.4% Age (N = 42) Under 18: 0.0% 18 to 25: 35.7% 26 to 34: 38.1% 35 and older: 26.2%

Primary Substance (N = 42) Alcohol: 66.7% Methamphetamine: 2.4% Marijuana: 23.8% Heroin: 0.0% Cocaine: 2.4% Other opiates: 4.8% Other drugs: 0.0% Source of Income (N = 42)Job: 16.7% Retirement/savings: 0.0% Family/friends: 0.0% No income: 59.5% Public sources: 16.7% Other sources: 7.1%

Source of Referral

<u>(N = 42)</u> Self/family/relative/ friends: 57.1% Employer/school: 0.0% Criminal justice: 83.3% Professional: 0.0% County social service agency: 11.9% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 42) Completed program: 38.1% Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 16.7% Death/other: 28.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Glenmore Recovery Center Northwest Regional Corrections Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 38)	2.6%	0.0%
Not employed/student ^{**} (N = 34)	94.1%	55.9%
Arrests past 30 days (N = 42)	33.3%	14.3%
Alcohol use past 30 days (N = 42)	16.7%	7.1%
Drug use past 30 days (N = 42)	11.9%	4.8%
No self-help group participation past 30 days (N = 34)	76.5%	50.0%
No family support for recovery past 30 days ($N = 32$)	31.3%	12.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =41)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 41)$	4.9%	2.4%
Emotional/Behavioral/ Cognitive Problem (N = 41)	68.3%	34.1%
Resistance to Change ($N = 41$)	92.7%	61.0%
Relapse/Continued Use Potential (N = 40)	100.0%	82.5%
Unsupportive Recovery Environment (N = 38)	97.4%	78.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Glenmore-Roseau

216 Center Street W Roseau, MN 567511494

County: Roseau

Provider Website: www.riverviewhealth.org

Patient Profile

<u>Gender (N = 30)</u> Male: 70.0% Female: 30.0% Race (N = 30) White: 90.0% Black: 3.3% American Indian: 6.7% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 30) Under 18: 0.0% 18 to 25: 23.3% 26 to 34: 20.0% 35 and older: 56.7%

Primary Substance (N = 30)Alcohol: 80.0% Methamphetamine: 3.3% Marijuana: 10.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.7% Other drugs: 0.0%

Source of Income

(N = 30) Job: 80.0% Retirement/savings: 3.3% Family/friends: 0.0% No income: 6.7% Public sources: 6.7% Other sources: 3.3%

Source of Referral

(N = 30) Self/family/relative/ friends: 20.0% Employer/school: 0.0% Criminal justice: 76.7% Professional: 0.0% County social service agency: 70.0% Other community resources: 23.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 30) Completed program: 80.0% Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 0.0% Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Glenmore-Roseau

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 27)	0.0%	0.0%
Not employed/student ^{$++$} (N = 29)	31.0%	24.1%
Arrests past 30 days (N = 30)	6.7%	3.3%
Alcohol use past 30 days ($N = 30$)	16.7%	0.0%
Drug use past 30 days (N = 30)	6.7%	3.3%
No self-help group participation past 30 days (N = 27)	74.1%	59.3%
No family support for recovery past 30 days (N = 26)	26.9%	30.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =25)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 25)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 25)	4.0%	0.0%
Resistance to Change ($N = 26$)	96.2%	53.8%
Relapse/Continued Use Potential (N = 25)	92.0%	80.0%
Unsupportive Recovery Environment (N = 25)	96.0%	76.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Golden Living Center Wabasso

660 Maple Street Wabasso, MN 56293

County: Redwood

Provider Website:

Patient Profile

<u>Gender (N = 27)</u> Male: 66.7% Female: 33.3% Race (N = 27) White: 88.9% Black: 3.7% American Indian: 3.7% Hispanic: 0.0% Asian/Pacific Islander: 3.7% Other: 0.0% Age (N = 27) Under 18: 0.0% 18 to 25: 0.0% 26 to 34: 3.7% 35 and older: 96.3%

Primary Substance (N = 27) Alcohol: 96.3% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 3.7%

Source of Income

(N = 27) Job: 11.1% Retirement/savings: 11.1% Family/friends: 0.0% No income: 0.0% Public sources: 74.1% Other sources: 3.7%

Source of Referral

(N = 27) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 11.1% Professional: 74.1% County social service agency: 77.8% Other community resources: 0.0% AA: 0.0% Tribal: 3.7%

Outcomes

Discharge Status (N = 27) Completed program: 63.0% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 7.4% Death/other: 18.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Golden Living Center Wabasso

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 27)	0.0%	0.0%
Not employed/student ^{**} (N = 27)	85.2%	92.6%
Arrests past 30 days (N = 27)	0.0%	0.0%
Alcohol use past 30 days (N = 27)	22.2%	7.4%
Drug use past 30 days (N = 27)	0.0%	0.0%
No self-help group participation past 30 days (N = 27)	22.2%	7.4%
No family support for recovery past 30 days ($N = 26$)	19.2%	11.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =27)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 27$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 27)	7.4%	11.1%
Resistance to Change ($N = 27$)	22.2%	11.1%
Relapse/Continued Use Potential (N = 27)	100.0%	33.3%
Unsupportive Recovery Environment (N = 27)	100.0%	55.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Grace Counseling Services

16525 Hwy 65 NE Ham Lake, MN 55304

County: Anoka

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 51)}{\text{Male: } 80.4\%}$ Female: 19.6% $\frac{\text{Race (N = 51)}}{\text{White: 100.0\%}}$ Black: 0.0%
American Indian: 0.0%
Hispanic: 0.0%
Asian/Pacific Islander: 0.0%
Other: 0.0%

Age (N = 51) Under 18: 0.0% 18 to 25: 41.2% 26 to 34: 19.6% 35 and older: 39.2%

Primary Substance (N = 50) Alcohol: 76.0% Methamphetamine: 8.0% Marijuana: 16.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 51) Job: 41.2% Retirement/savings: 0.0% Family/friends: 0.0% No income: 47.1% Public sources: 0.0% Other sources: 11.8%

Source of Referral

(N = 51) Self/family/relative/ friends: 13.7% Employer/school: 0.0% Criminal justice: 92.2% Professional: 2.0% County social service agency: 0.0% Other community resources: 27.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 51) Completed program: 72.5% Patient left without staff approval: 25.5% Staff requested/judged inappropriate: 0.0% Death/other: 2.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Grace Counseling Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 51)	0.0%	0.0%
Not employed/student ^{**} (N = 44)	54.5%	54.5%
Arrests past 30 days (N = 51)	0.0%	0.0%
Alcohol use past 30 days ($N = 50$)	0.0%	0.0%
Drug use past 30 days (N = 50)	0.0%	0.0%
No self-help group participation past 30 days ($N = 0$)	*	*
No family support for recovery past 30 days $(N = 0)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =51)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 51)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 51)	2.0%	2.0%
Resistance to Change ($N = 51$)	0.0%	0.0%
Relapse/Continued Use Potential (N = 51)	0.0%	0.0%
Unsupportive Recovery Environment (N = 51)	3.9%	2.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Guest House

4800 48th Street NE Rochester, MN 55906

County: Olmsted

Provider Website: www.guesthouse.org

Patient Profile

<u>Gender (N = 77)</u> Male: 100.0% Female: 0.0% Race (N = 77) White: 89.6% Black: 0.0% American Indian: 0.0% Hispanic: 1.3% Asian/Pacific Islander: 7.8% Other: 1.3% <u>Age (N = 77)</u> Under 18: 0.0%

18 to 25: 0.0% 26 to 34: 1.3% 35 and older: 98.7%

Primary Substance

(N = 76)Alcohol: 94.7% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 1.3% Cocaine: 0.0% Other opiates: 1.3% Other drugs: 2.6%

Source of Income

(N = 77) Job: 72.7% Retirement/savings: 14.3% Family/friends: 0.0% No income: 0.0% Public sources: 2.6% Other sources: 10.4%

Source of Referral

(N = 77) Self/family/relative/ friends: 26.0% Employer/school: 87.0% Criminal justice: 1.3% Professional: 9.1% County social service agency: 0.0% Other community resources: 5.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 77) Completed program: 70.1% Patient left without staff approval: 3.9% Staff requested/judged inappropriate: 5.2% Death/other: 20.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Guest House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 77)	0.0%	0.0%
Not employed/student ^{$++$} (N = 75)	28.0%	37.3%
Arrests past 30 days (N = 77)	5.2%	1.3%
Alcohol use past 30 days (N = 76)	75.0%	11.8%
Drug use past 30 days (N = 76)	9.2%	2.6%
No self-help group participation past 30 days (N = 76)	76.3%	7.9%
No family support for recovery past 30 days ($N = 76$)	9.2%	2.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =76)	15.8%	5.3%
Biomedical Conditions and Complications $(N = 76)$	59.2%	27.6%
Emotional/Behavioral/ Cognitive Problem ($N = 76$)	82.9%	52.6%
Resistance to Change ($N = 76$)	75.0%	26.3%
Relapse/Continued Use Potential (N = 75)	92.0%	30.7%
Unsupportive Recovery Environment (N = 68)	70.6%	16.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Gundersen Lutheran Unity House for Men

1922 Miller Street 1La Crosse, WI 54601

County: Wisconsin

Provider Website:

Patient Profile

<u>Gender (N = 29)</u> Male: 100.0% Female: 0.0% Race (N = 29) White: 86.2% Black: 3.4% American Indian: 6.9% Hispanic: 3.4% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 29) Under 18: 0.0% 18 to 25: 10.3% 26 to 34: 24.1% 35 and older: 65.5%

Primary Substance (N = 29) Alcohol: 86.2% Methamphetamine: 0.0% Marijuana: 3.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 10.3% Other drugs: 0.0% Source of Income

(N = 29) Job: 37.9% Retirement/savings: 10.3% Family/friends: 17.2% No income: 0.0% Public sources: 10.3% Other sources: 24.1%

Source of Referral

(N = 29) Self/family/relative/ friends: 10.3% Employer/school: 0.0% Criminal justice: 6.9% Professional: 51.7% County social service agency: 44.8% Other community resources: 3.4% AA: 0.0% Tribal: 3.4%

Outcomes

Discharge Status (N = 29) Completed program: 75.9% Patient left without staff approval: 6.9% Staff requested/judged inappropriate: 3.4% Death/other: 13.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Gundersen Lutheran Unity House for Men

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 29)	0.0%	0.0%
Not employed/student ^{$++$} (N = 25)	48.0%	44.0%
Arrests past 30 days (N = 29)	24.1%	3.4%
Alcohol use past 30 days (N = 29)	93.1%	10.3%
Drug use past 30 days (N = 29)	34.5%	6.9%
No self-help group participation past 30 days (N = 25)	72.0%	0.0%
No family support for recovery past 30 days (N = 25)	36.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =27)	14.8%	0.0%
Biomedical Conditions and Complications ($N = 28$)	25.0%	3.6%
Emotional/Behavioral/ Cognitive Problem (N = 29)	100.0%	72.4%
Resistance to Change ($N = 29$)	100.0%	82.8%
Relapse/Continued Use Potential (N = 29)	100.0%	89.7%
Unsupportive Recovery Environment (N = 23)	87.0%	34.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Gundersen Lutheran Unity House for Women

1312 5th Ave S La Crosse, WI 54601

County: Wisconsin

Provider Website:

Patient Profile

<u>Gender (N = 35)</u> Male: 2.9% Female: 97.1% Race (N = 35) White: 85.7% Black: 2.9% American Indian: 0.0% Hispanic: 5.7% Asian/Pacific Islander: 0.0% Other: 5.7% Age (N = 35) Under 18: 0.0% 18 to 25: 22.9% 26 to 34: 37.1% 35 and older: 40.0%

Primary Substance (N = 34) Alcohol: 61.8% Methamphetamine: 2.9% Marijuana: 5.9% Heroin: 2.9% Cocaine: 5.9% Other opiates: 20.6% Other drugs: 0.0%

Source of Income

(N = 35) Job: 25.7% Retirement/savings: 2.9% Family/friends: 25.7% No income: 2.9% Public sources: 25.7% Other sources: 17.1%

Source of Referral

(N = 35) Self/family/relative/ friends: 65.7% Employer/school: 0.0% Criminal justice: 8.6% Professional: 71.4% County social service agency: 25.7% Other community resources: 5.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 35) Completed program: 42.9% Patient left without staff approval: 31.4% Staff requested/judged inappropriate: 8.6% Death/other: 17.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Gundersen Lutheran Unity House for Women

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 34)	0.0%	0.0%
Not employed/student ^{**} (N = 30)	80.0%	80.0%
Arrests past 30 days (N = 32)	6.3%	3.1%
Alcohol use past 30 days ($N = 34$)	79.4%	14.7%
Drug use past 30 days (N = 34)	50.0%	11.8%
No self-help group participation past 30 days (N = 31)	48.4%	3.2%
No family support for recovery past 30 days ($N = 32$)	6.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =34)	5.9%	0.0%
Biomedical Conditions and Complications ($N = 29$)	37.9%	31.0%
Emotional/Behavioral/ Cognitive Problem ($N = 34$)	76.5%	55.9%
Resistance to Change ($N = 34$)	85.3%	55.9%
Relapse/Continued Use Potential (N = 34)	100.0%	85.3%
Unsupportive Recovery Environment (N = 23)	100.0%	73.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

H.V.M.H.C. Wabasha County Outpatient C.D. Program

611 Broadway, Suite 100 Wabasha, MN 55981

County: Wabasha

Tribal: *

Provider Website: www.hvmhc.org

Patient Profile

Gender (N = 3)Age (N = 3) Race (N = 3)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 3)(N = 3)(N = 3). Job: * Self/family/relative/ Alcohol: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 3) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

H.V.M.H.C. Wabasha County Outpatient C.D. Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 3)	*	*
Not employed/student ^{**} (N = 3)	*	*
Arrests past 30 days ($N = 3$)	*	*
Alcohol use past 30 days (N = 3)	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days ($N = 3$)	*	*
No family support for recovery past 30 days ($N = 3$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC

16403 Haven Road Little Falls, MN 56345

County: Morrison

Provider Website:

Patient Profile

<u>Gender (N = 76)</u> Male: 77.6% Female: 22.4% Race (N = 76) White: 92.1% Black: 2.6% American Indian: 1.3% Hispanic: 1.3% Asian/Pacific Islander: 0.0% Other: 2.6% Age (N = 76) Under 18: 0.0% 18 to 25: 30.3% 26 to 34: 31.6% 35 and older: 38.2%

Primary Substance (N = 76) Alcohol: 63.2% Methamphetamine: 15.8% Marijuana: 13.2% Heroin: 0.0% Cocaine: 2.6% Other opiates: 3.9% Other drugs: 1.3%

Source of Income

(N = 76) Job: 42.1% Retirement/savings: 5.3% Family/friends: 11.8% No income: 10.5% Public sources: 7.9% Other sources: 22.4%

Source of Referral

(N = 76) Self/family/relative/ friends: 42.1% Employer/school: 5.3% Criminal justice: 69.7% Professional: 14.5% County social service agency: 19.7% Other community resources: 2.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 76) Completed program: 52.6% Patient left without staff approval: 17.1% Staff requested/judged inappropriate: 17.1% Death/other: 13.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Haven Road Recovery Center LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 73)	0.0%	1.4%
Not employed/student ^{$++$} (N = 72)	56.9%	44.4%
Arrests past 30 days (N = 76)	5.3%	3.9%
Alcohol use past 30 days (N = 74)	21.6%	18.9%
Drug use past 30 days (N = 74)	13.5%	5.4%
No self-help group participation past 30 days (N = 66)	69.7%	12.1%
No family support for recovery past 30 days ($N = 60$)	0.0%	1.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =74)	0.0%	2.7%
Biomedical Conditions and Complications $(N = 74)$	6.8%	9.5%
Emotional/Behavioral/ Cognitive Problem (N = 74)	40.5%	32.4%
Resistance to Change ($N = 74$)	39.2%	29.7%
Relapse/Continued Use Potential (N = 74)	87.8%	48.6%
Unsupportive Recovery Environment (N = 74)	93.2%	78.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center LLC Outlook Jail Program

213 SE 1st Avenue Little Falls, MN 56345

County: Morrison

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 13)}{\text{Male: } 100.0\%}$ Female: 0.0% Race (N = 13) White: 92.3% Black: 0.0% American Indian: 7.7% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 13)</u> Under 18: 0.0% 18 to 25: 30.8% 26 to 34: 30.8% 35 and older: 38.5%

Primary Substance (N = 13) Alcohol: 76.9% Methamphetamine: 7.7% Marijuana: 7.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 7.7% Other drugs: 0.0%

Source of Income

(N = 13) Job: 30.8% Retirement/savings: 0.0% Family/friends: 0.0% No income: 46.2% Public sources: 0.0% Other sources: 23.1%

Source of Referral

(N = 13) Self/family/relative/ friends: 76.9% Employer/school: 0.0% Criminal justice: 38.5% Professional: 0.0% County social service agency: 53.8% Other community resources: 7.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 13) Completed program: 0.0% Patient left without staff approval: 7.7% Staff requested/judged inappropriate: 0.0% Death/other: 92.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Haven Road Recovery Center LLC Outlook Jail Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 11)	0.0%	0.0%
Not employed/student ^{**} (N = 5)	*	*
Arrests past 30 days (N = 13)	23.1%	0.0%
Alcohol use past 30 days (N = 13)	7.7%	0.0%
Drug use past 30 days (N = 13)	7.7%	0.0%
No self-help group participation past 30 days (N = 13)	46.2%	53.8%
No family support for recovery past 30 days ($N = 13$)	23.1%	7.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =13)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 13)$	15.4%	7.7%
Emotional/Behavioral/ Cognitive Problem ($N = 13$)	46.2%	23.1%
Resistance to Change ($N = 13$)	61.5%	30.8%
Relapse/Continued Use Potential (N = 13)	100.0%	84.6%
Unsupportive Recovery Environment (N = 13)	100.0%	100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Haven Road Recovery Center Todd County

17 2nd Street North Long Prairie, MN 56345

County: Todd

Provider Website:

Patient Profile

<u>Gender (N = 52)</u> Male: 69.2% Female: 30.8% Race (N = 52) White: 92.3% Black: 3.8% American Indian: 0.0% Hispanic: 1.9% Asian/Pacific Islander: 0.0% Other: 1.9% Age (N = 52) Under 18: 0.0% 18 to 25: 30.8% 26 to 34: 26.9% 35 and older: 42.3%

Primary Substance (N = 52) Alcohol: 76.9% Methamphetamine: 7.7% Marijuana: 15.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 52) Job: 50.0% Retirement/savings: 1.9% Family/friends: 19.2% No income: 3.8% Public sources: 17.3% Other sources: 7.7%

Source of Referral

(N = 52) Self/family/relative/ friends: 28.8% Employer/school: 3.8% Criminal justice: 55.8% Professional: 9.6% County social service agency: 51.9% Other community resources: 3.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 52) Completed program: 53.8% Patient left without staff approval: 19.2% Staff requested/judged inappropriate: 17.3% Death/other: 9.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Haven Road Recovery Center Todd County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 49)	0.0%	0.0%
Not employed/student ^{$++$} (N = 45)	53.3%	46.7%
Arrests past 30 days (N = 52)	1.9%	9.6%
Alcohol use past 30 days (N = 50)	24.0%	14.0%
Drug use past 30 days (N = 50)	10.0%	4.0%
No self-help group participation past 30 days ($N = 37$)	64.9%	37.8%
No family support for recovery past 30 days ($N = 39$)	12.8%	7.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =42)	0.0%	4.8%
Biomedical Conditions and Complications ($N = 42$)	9.5%	2.4%
Emotional/Behavioral/ Cognitive Problem ($N = 42$)	19.0%	9.5%
Resistance to Change ($N = 42$)	40.5%	31.0%
Relapse/Continued Use Potential (N = 42)	92.9%	50.0%
Unsupportive Recovery Environment (N = 42)	66.7%	40.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Center for Youth & Families

11505 36th Avenue North Plymouth, MN 55441

County: Hennepin

Provider Website: www.hazelden.org

Patient Profile

<u>Gender (N = 771)</u> Male: 75.7% Female: 24.3% Race (N = 771) White: 89.4% Black: 1.3% American Indian: 0.8% Hispanic: 3.4% Asian/Pacific Islander: 1.9% Other: 3.2% <u>Age (N = 771)</u> Under 18: 35.7% 18 to 25: 64.3%

26 to 34: 0.0% 35 and older: 0.0%

Primary Substance

(N = 747)Alcohol: 27.3% Methamphetamine: 0.5% Marijuana: 43.6% Heroin: 1.9% Cocaine: 3.2% Other opiates: 20.3% Other drugs: 3.1%

Source of Income

(N = 771) Job: 4.2% Retirement/savings: 0.6% Family/friends: 85.7% No income: 3.9% Public sources: 0.4% Other sources: 5.2%

Source of Referral

<u>(N = 771)</u>. Self/family/relative/ friends: 90.9% Employer/school: 0.6% Criminal justice: 0.1% Professional: 8.0% County social service agency: 0.0% Other community resources: 17.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 771) Completed program: 71.9% Patient left without staff approval: 10.8% Staff requested/judged inappropriate: 8.2% Death/other: 9.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hazelden Center for Youth & Families

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 754)	1.9%	1.2%
Not employed/student ^{$++$} (N = 722)	18.1%	29.1%
Arrests past 30 days (N = 771)	16.5%	4.5%
Alcohol use past 30 days (N = 771)	69.3%	18.8%
Drug use past 30 days (N = 771)	83.0%	35.9%
No self-help group participation past 30 days (N = 720)	80.8%	30.8%
No family support for recovery past 30 days (N = 725)	8.8%	15.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =697)	10.8%	1.4%
Biomedical Conditions and Complications ($N = 697$)	7.2%	1.9%
Emotional/Behavioral/ Cognitive Problem (N = 696)	85.2%	94.5%
Resistance to Change ($N = 698$)	87.0%	84.4%
Relapse/Continued Use Potential (N = 698)	99.6%	96.4%
Unsupportive Recovery Environment (N = 698)	99.6%	98.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Fellowship Club

680 Stewart Avenue St. Paul, MN 55102

County: Ramsey

Provider Website: www.hazelden.org

Patient Profile

Primary Substance (N = 447) Alcohol: 61.5% Methamphetamine: 3.6% Marijuana: 10.5% Heroin: 1.6% Cocaine: 3.4% Other opiates: 12.5% Other drugs: 6.9% Source of Income (N = 463)Job: 40.0% Retirement/savings: 5.6% Family/friends: 30.5% No income: 11.0% Public sources: 4.1% Other sources: 8.9%

Source of Referral

(N = 463) Self/family/relative/ friends: 91.8% Employer/school: 0.9% Criminal justice: 2.4% Professional: 22.0% County social service agency: 0.4% Other community resources: 17.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 463) Completed program: 70.8% Patient left without staff approval: 11.2% Staff requested/judged inappropriate: 17.5% Death/other: 0.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hazelden Fellowship Club

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 445)	2.0%	1.1%
Not employed/student ^{$++$} (N = 404)	42.1%	35.9%
Arrests past 30 days (N = 463)	5.2%	3.2%
Alcohol use past 30 days (N = 463)	45.8%	13.4%
Drug use past 30 days (N = 463)	29.8%	6.5%
No self-help group participation past 30 days (N = 415)	32.3%	2.9%
No family support for recovery past 30 days (N = 429)	4.4%	1.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =412)	1.0%	3.9%
Biomedical Conditions and Complications ($N = 412$)	6.8%	3.4%
Emotional/Behavioral/ Cognitive Problem (N = 409)	43.8%	31.1%
Resistance to Change ($N = 409$)	60.9%	43.5%
Relapse/Continued Use Potential (N = 412)	88.6%	52.9%
Unsupportive Recovery Environment (N = 411)	81.0%	56.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hazelden Recovery Services

15245 Pleasant Valley Road Center City, MN 55012

County: Chisago

Provider Website: www.hazelden.org

Patient Profile

<u>Gender (N = 2379)</u> Male: 61.0% Female: 39.0% Race (N = 2379) White: 95.9% Black: 0.9% American Indian: 0.9% Hispanic: 0.8% Asian/Pacific Islander: 0.5% Other: 1.1% <u>Age (N = 2379)</u> Under 18: 0.0% 18 to 25: 12.9% 26 to 34: 21.1% 35 and older: 66.1%

Primary Substance

(N = 2267)Alcohol: 74.2% Methamphetamine: 2.3% Marijuana: 3.2% Heroin: 1.5% Cocaine: 4.3% Other opiates: 10.9% Other drugs: 3.5%

Source of Income

(N = 2379) Job: 57.4% Retirement/savings: 8.5% Family/friends: 19.0% No income: 4.7% Public sources: 2.0% Other sources: 8.5%

Source of Referral

(N = 2379) Self/family/relative/ friends: 93.3% Employer/school: 1.4% Criminal justice: 1.7% Professional: 34.8% County social service agency: 0.4% Other community resources: 19.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 2379) Completed program: 87.8% Patient left without staff approval: 8.7% Staff requested/judged inappropriate: 1.8% Death/other: 1.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hazelden Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 2337)	0.7%	0.9%
Not employed/student ^{**} (N = 2326)	47.5%	47.2%
Arrests past 30 days (N = 2379)	10.3%	2.5%
Alcohol use past 30 days (N = 2379)	82.0%	20.5%
Drug use past 30 days (N = 2379)	45.5%	9.4%
No self-help group participation past 30 days (N = 2288)	54.2%	18.5%
No family support for recovery past 30 days (N = 2303)	1.6%	3.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 27.3%	<u>Discharge</u> 6.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2189) Biomedical Conditions and	27.3%	6.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2189) Biomedical Conditions and Complications (N = 2192) Emotional/Behavioral/	27.3% 28.0%	6.3% 43.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2189) Biomedical Conditions and Complications (N = 2192) Emotional/Behavioral/ Cognitive Problem (N = 2191)	27.3% 28.0% 58.4%	6.3% 43.5% 65.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Health Recovery Center

3255 Hennepin Avenue South Minneapolis, MN 55408

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 64)</u> Male: 65.6% Female: 34.4% Race (N = 64) White: 96.9% Black: 0.0% American Indian: 0.0% Hispanic: 1.6% Asian/Pacific Islander: 1.6% Other: 0.0% Age (N = 64) Under 18: 3.1% 18 to 25: 18.8% 26 to 34: 23.4% 35 and older: 54.7%

Primary Substance (N = 64) Alcohol: 81.3% Methamphetamine: 0.0% Marijuana: 3.1% Heroin: 1.6% Cocaine: 1.6% Other opiates: 6.3% Other drugs: 6.3%

Source of Income

(N = 64) Job: 54.7% Retirement/savings: 0.0% Family/friends: 17.2% No income: 0.0% Public sources: 0.0% Other sources: 28.1%

Source of Referral

(N = 64) Self/family/relative/ friends: 90.6% Employer/school: 0.0% Criminal justice: 4.7% Professional: 0.0% County social service agency: 0.0% Other community resources: 7.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 64) Completed program: 85.9% Patient left without staff approval: 10.9% Staff requested/judged inappropriate: 0.0% Death/other: 3.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Health Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 64)	0.0%	0.0%
Not employed/student ^{**} (N = 45)	17.8%	17.8%
Arrests past 30 days (N = 64)	0.0%	0.0%
Alcohol use past 30 days ($N = 63$)	65.1%	7.9%
Drug use past 30 days (N = 63)	23.8%	1.6%
No self-help group participation past 30 days (N = 55)	98.2%	98.2%
No family support for recovery past 30 days ($N = 63$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =64)	25.0%	1.6%
Biomedical Conditions and Complications $(N = 64)$	73.4%	0.0%
Emotional/Behavioral/		
Cognitive Problem ($N = 64$)	90.6%	1.6%
Cognitive Problem (N = 64) Resistance to Change (N = 64)	90.6% 31.3%	1.6% 1.6%
2		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hennepin Faculty Associates Addiction Medicine Program

807 Park Ave Minneapolis, MN 55404

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 53)</u> Male: 49.1% Female: 50.9% Race (N = 53) White: 43.4% Black: 26.4% American Indian: 15.1% Hispanic: 1.9% Asian/Pacific Islander: 13.2% Other: 0.0% <u>Age (N = 53)</u> Under 18: 0.0% 18 to 25: 11.3% 26 to 34: 26.4% 35 and older: 62.3%

Primary Substance (N = 53) Alcohol: 13.2% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 49.1% Cocaine: 0.0% Other opiates: 37.7% Other drugs: 0.0%

(N = 53) Job: 15.1% Retirement/savings: 1.9% Family/friends: 9.4% No income: 15.1% Public sources: 45.3% Other sources: 13.2%

Source of Income

Source of Referral

(N = 53) Self/family/relative/ friends: 62.3% Employer/school: 0.0% Criminal justice: 7.5% Professional: 35.8% County social service agency: 56.6% Other community resources: 3.8% AA: 0.0% Tribal: 1.9%

Outcomes

Discharge Status (N = 53) Completed program: 5.7% Patient left without staff approval: 41.5% Staff requested/judged inappropriate: 7.5% Death/other: 45.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hennepin Faculty Associates Addiction Medicine Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 44)	11.4%	9.1%
Not employed/student ^{**} (N = 47)	83.0%	87.2%
Arrests past 30 days (N = 43)	9.3%	16.3%
Alcohol use past 30 days ($N = 47$)	29.8%	10.6%
Drug use past 30 days (N = 47)	74.5%	63.8%
No self-help group participation past 30 days (N = 43)	65.1%	74.4%
No family support for recovery past 30 days ($N = 29$)	37.9%	41.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =52)	59.6%	61.5%
Biomedical Conditions and Complications ($N = 52$)	44.2%	40.4%
Emotional/Behavioral/ Cognitive Problem ($N = 52$)	55.8%	57.7%
Resistance to Change ($N = 52$)	28.8%	73.1%
Relapse/Continued Use Potential (N = 51)	100.0%	92.2%
Unsupportive Recovery Environment (N = 50)	56.0%	64.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

HFA Addiction Medicine Program

914 South 8th Street Minneapolis, MN 55404

County: Hennepin

Provider Website: www.hfahealth.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 41)} & \underline{Race (N = 41)} & \underline{Age (N = 41)} \\ Male: 43.9\% & White: 61.0\% & Under 18 \\ Female: 56.1\% & Black: 14.6\% & 18 to 25 \\ American Indian: 7.3\% & 26 to 34 \\ Hispanic: 4.9\% & 35 and c \\ Asian/Pacific Islander: 7.3\% \\ Other: 4.9\% \end{array}$

Age (N = 41) Under 18: 0.0% 18 to 25: 9.8% 26 to 34: 29.3% 35 and older: 61.0%

Primary Substance (N = 41)Alcohol: 12.2% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 51.2% Cocaine: 2.4% Other opiates: 34.1% Other drugs: 0.0%

Source of Income

(N = 41) Job: 17.1% Retirement/savings: 4.9% Family/friends: 29.3% No income: 0.0% Public sources: 41.5% Other sources: 7.3%

Source of Referral

<u>(N = 41)</u> Self/family/relative/ friends: 78.0% Employer/school: 0.0% Criminal justice: 4.9% Professional: 31.7% County social service agency: 53.7% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 41) Completed program: 4.9% Patient left without staff approval: 41.5% Staff requested/judged inappropriate: 7.3% Death/other: 46.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

HFA Addiction Medicine Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 31)	6.5%	9.7%
Not employed/student ^{$++$} (N = 33)	87.9%	84.8%
Arrests past 30 days (N = 28)	3.6%	21.4%
Alcohol use past 30 days (N = 29)	48.3%	10.3%
Drug use past 30 days (N = 29)	86.2%	62.1%
No self-help group participation past 30 days (N = 27)	63.0%	70.4%
No family support for recovery past 30 days ($N = 22$)	22.7%	36.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =36)	72.2%	80.6%
Biomedical Conditions and Complications ($N = 37$)	48.6%	40.5%
	40.070	-0.J70
Emotional/Behavioral/ Cognitive Problem ($N = 37$)	62.2%	64.9%
Cognitive Problem ($N = 37$)	62.2%	64.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hiawatha Valley Mental Health

166 Main Street Winona, MN 55987

County: Winona

Provider Website: www.hvmhc.org

Patient Profile

Race (N = 21)Gender (N = 21) Male: 76.2% White: 85.7% Under 18: 57.1% Black: 4.8% Female: 23.8% 18 to 25: 14.3% American Indian: 0.0% 26 to 34: 4.8% Hispanic: 0.0% Asian/Pacific Islander: 9.5% Other: 0.0%

Primary Substance (N = 21)Alcohol: 23.8% Methamphetamine: 0.0% Marijuana: 76.2% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 21)Job: 33.3% Retirement/savings: 4.8% Family/friends: 47.6% No income: 0.0% Public sources: 9.5% Other sources: 4.8%

Age (N = 21)

35 and older: 23.8%

Source of Referral

(N = 21). Self/family/relative/ friends: 66.7% Employer/school: 0.0% Criminal justice: 57.1% Professional: 38.1% County social service agency: 14.3% Other community resources: 9.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 21)Completed program: 19.0% Patient left without staff approval: 9.5% Staff requested/judged inappropriate: 0.0% Death/other: 71.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hiawatha Valley Mental Health

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 21)	0.0%	0.0%
Not employed/student ^{**} (N = 20)	25.0%	45.0%
Arrests past 30 days (N = 20)	15.0%	0.0%
Alcohol use past 30 days (N = 20)	20.0%	20.0%
Drug use past 30 days (N = 20)	25.0%	20.0%
No self-help group participation past 30 days (N = 17)	47.1%	41.2%
No family support for recovery past 30 days ($N = 20$)	5.0%	15.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =21)	0.0%	9.5%
Biomedical Conditions and Complications $(N = 21)$	9.5%	14.3%
Emotional/Behavioral/ Cognitive Problem (N = 21)	19.0%	42.9%
Resistance to Change ($N = 21$)	52.4%	52.4%
Relapse/Continued Use Potential (N = 21)	81.0%	76.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hoffe Counseling, Inc.

319 Main Street La Crosse, WI 54601

County: Wisconsin

Provider Website:

Patient Profile

Gender (N = 4) Male: * Female: *

Race (N = 4) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: * Age (N = 4) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

AA: * Tribal: *

Primary Substance (N = 4) Alcohol: * Methamphetamine: * Marijuana: * Heroin: *	Source of Income (N = 4) Job: * Retirement/savings: * Family/friends: * No income: *	Source of Referral (N = 4) Self/family/relative/ friends: * Employer/school: * Crimal justice: *
Cocaine: *	Public sources: * Other sources: *	Professional: *
Other opiates: * Other drugs: *	Other sources.	County social service agency: * Other community resources: *

Outcomes

Discharge Status (N = 4) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hoffe Counseling, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 4)	*	*
Not employed/student ^{**} (N = 4)	*	*
Arrests past 30 days ($N = 4$)	*	*
Alcohol use past 30 days ($N = 4$)	*	*
Drug use past 30 days (N = 4)	*	*
No self-help group participation past 30 days (N = 4)	*	*
No family support for recovery past 30 days $(N = 4)$	*	*
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/ Cognitive Problem (N = 4)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hope House of Itasca County

604 South Pokegama Avenue Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 47)}}{\text{Male: 100.0\%}}$ Female: 0.0%

Race (N = 47) White: 68.1% Black: 8.5% American Indian: 21.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 2.1% Age (N = 47) Under 18: 0.0% 18 to 25: 29.8% 26 to 34: 29.8% 35 and older: 40.4%

Primary Substance (N = 47) Alcohol: 48.9% Methamphetamine: 10.6% Marijuana: 21.3% Heroin: 0.0% Cocaine: 6.4% Other opiates: 8.5% Other drugs: 4.3%

(N = 47) Job: 6.4% Retirement/savings: 2.1% Family/friends: 0.0% No income: 59.6% Public sources: 25.5% Other sources: 6.4%

Source of Income

Source of Referral

<u>(N = 47)</u> Self/family/relative/ friends: 40.4% Employer/school: 0.0% Criminal justice: 17.0% Professional: 76.6% County social service agency: 19.1% Other community resources: 2.1% AA: 0.0% Tribal: 4.3%

Outcomes

Discharge Status (N = 47) Completed program: 48.9% Patient left without staff approval: 25.5% Staff requested/judged inappropriate: 17.0% Death/other: 8.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hope House of Itasca County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 47)	8.5%	4.3%
Not employed/student ^{**} (N = 44)	84.1%	63.6%
Arrests past 30 days (N = 46)	10.9%	6.5%
Alcohol use past 30 days (N = 47)	19.1%	10.6%
Drug use past 30 days (N = 47)	17.0%	6.4%
No self-help group participation past 30 days (N = 47)	34.0%	10.6%
No family support for recovery past 30 days ($N = 46$)	6.5%	10.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =47)	4.3%	2.1%
Biomedical Conditions and Complications $(N = 41)$	56.1%	2.4%
Emotional/Behavioral/ Cognitive Problem (N = 43)	83.7%	51.2%
Resistance to Change ($N = 39$)	84.6%	53.8%
Relapse/Continued Use Potential (N = 42)	92.9%	54.8%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hope Unit St. Francis

2400 St. Francis Dr. Breckenridge, MN 56520

County: Wilken

Provider Website: www.sfcare.org

Patient Profile

<u>Gender (N = 61)</u> Male: 77.0% Female: 23.0% Race (N = 61) White: 95.1% Black: 0.0% American Indian: 4.9% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 61) Under 18: 0.0% 18 to 25: 41.0% 26 to 34: 23.0% 35 and older: 36.1%

Primary Substance (N = 61) Alcohol: 90.2% Methamphetamine: 3.3% Marijuana: 6.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

(N = 61) Job: 68.9% Retirement/savings: 1.6% Family/friends: 9.8% No income: 1.6% Public sources: 6.6% Other sources: 11.5%

Source of Referral

(N = 61) Self/family/relative/ friends: 9.8% Employer/school: 1.6% Criminal justice: 82.0% Professional: 26.2% County social service agency: 6.6% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 61) Completed program: 80.3% Patient left without staff approval: 13.1% Staff requested/judged inappropriate: 0.0% Death/other: 6.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hope Unit St. Francis

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 60)	1.7%	0.0%
Not employed/student ^{**} (N = 57)	17.5%	15.8%
Arrests past 30 days (N = 61)	42.6%	8.2%
Alcohol use past 30 days ($N = 61$)	54.1%	3.3%
Drug use past 30 days (N = 61)	9.8%	0.0%
No self-help group participation past 30 days (N = 59)	79.7%	22.0%
No family support for recovery past 30 days ($N = 33$)	9.1%	9.1%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =61)	Admission 0.0%	<u>Discharge</u> 0.0%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =61) Biomedical Conditions and	0.0%	0.0%
Acute Intoxication/ Withdrawal (N =61) Biomedical Conditions and Complications (N = 61) Emotional/Behavioral/	0.0%	0.0%
Acute Intoxication/ Withdrawal (N =61) Biomedical Conditions and Complications (N = 61) Emotional/Behavioral/ Cognitive Problem (N = 61)	0.0% 1.6% 9.8%	0.0% 0.0% 3.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Charity Day by Day Program

510 South 8th Street Minneapolis, MN 55404

County: Hennepin

Provider Website: www.houseofcharity.org

Patient Profile

Gender (N = 86) Race (N = 86)Age (N = 86)Male: 89.5% White: 37.2% Under 18: 0.0% Female: 10.5% Black: 46.5% 18 to 25: 10.5% American Indian: 4.7% 26 to 34: 14.0% Hispanic: 5.8% Asian/Pacific Islander: 0.0% Other: 5.8%

Source of Income

Primary Substance (N = 86) Alcohol: 52.3% Methamphetamine: 8.1% Marijuana: 11.6% Heroin: 8.1% Cocaine: 15.1% Other opiates: 4.7% Other drugs: 0.0%

(N = 86)Job: 0.0% Retirement/savings: 0.0% Family/friends: 7.0% No income: 51.2% Public sources: 34.9% Other sources: 7.0%

35 and older: 75.6%

Source of Referral (N = 86). Self/family/relative/ friends: 76.7% Employer/school: 0.0% Criminal justice: 26.7% Professional: 55.8% County social service agency: 7.0% Other community resources: 8.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 86)Completed program: 23.3% Patient left without staff approval: 29.1% Staff requested/judged inappropriate: 16.3% Death/other: 31.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

House of Charity Day by Day Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 85)	82.4%	69.4%
Not employed/student ^{**} (N = 79)	96.2%	86.1%
Arrests past 30 days (N = 86)	10.5%	8.1%
Alcohol use past 30 days (N = 86)	61.6%	39.5%
Drug use past 30 days (N = 86)	46.5%	36.0%
No self-help group participation past 30 days (N = 80)	60.0%	26.3%
No family support for recovery past 30 days ($N = 76$)	48.7%	38.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =84)	0.0%	4.8%
		1.0 /0
Biomedical Conditions and Complications ($N = 85$)	5.9%	14.1%
	5.9% 75.3%	
Complications (N = 85) Emotional/Behavioral/		14.1%
Complications (N = 85) Emotional/Behavioral/ Cognitive Problem (N = 85)	75.3%	14.1% 70.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Hope

1429 3rd Avenue Mankato, MN 56001

County: Blue Earth

Provider Website: www.houseofhopemn.com

Patient Profile

Gender (N = 179) Race (N = 179)Male: 98.3% White: 80.4% Under 18: 0.0% Black: 7.8% Female: 1.7% American Indian: 2.8% Hispanic: 7.8% Asian/Pacific Islander: 0.0% Other: 1.1%

Primary Substance (N = 177)Alcohol: 56.5% Methamphetamine: 9.6% Marijuana: 24.9% Heroin: 1.1% Cocaine: 4.0% Other opiates: 1.7% Other drugs: 2.3%

Source of Income

(N = 179)Job: 33.5% Retirement/savings: 2.8% Family/friends: 11.7% No income: 24.0% Public sources: 16.2% Other sources: 11.7%

Age (<u>N = 179)</u>

18 to 25: 44.7% 26 to 34: 20.7% 35 and older: 34.6%

Source of Referral

(N = 179). Self/family/relative/ friends: 31.8% Employer/school: 0.0% Criminal justice: 48.0% Professional: 43.0% County social service agency: 55.9% Other community resources: 5.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 179)Completed program: 50.8% Patient left without staff approval: 17.9% Staff requested/judged inappropriate: 25.1% Death/other: 6.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

House of Hope

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 176)	4.0%	1.7%
Not employed/student ^{**} (N = 150)	80.0%	64.7%
Arrests past 30 days (N = 178)	4.5%	5.6%
Alcohol use past 30 days (N = 177)	5.6%	9.0%
Drug use past 30 days (N = 177)	2.8%	5.6%
No self-help group participation past 30 days (N = 151)	14.6%	2.0%
No family support for recovery past 30 days (N = 145)	7.6%	3.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =177)	0.0%	1.7%
	0.0% 10.8%	1.7% 6.3%
Withdrawal (N = 177) Biomedical Conditions and		
Withdrawal (N = 177) Biomedical Conditions and Complications (N = 176) Emotional/Behavioral/	10.8%	6.3%
Withdrawal (N = 177) Biomedical Conditions and Complications (N = 176) Emotional/Behavioral/ Cognitive Problem (N = 176)	10.8% 84.1%	6.3% 56.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

House of Hope, Inc.

1614 3rd Avenue Mankato, MN 56001

County: Blue Earth

Provider Website: www.houseofhopemn.com

Patient Profile

<u>Gender (N = 35)</u> Male: 2.9% Female: 97.1%

Race (N = 35) White: 85.7% Black: 2.9% American Indian: 5.7% Hispanic: 5.7% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 35)</u> Under 18: 0.0% 18 to 25: 22.9% 26 to 34: 8.6% 35 and older: 68.6%

Primary Substance (N = 35) Alcohol: 65.7% Methamphetamine: 11.4% Marijuana: 8.6% Heroin: 0.0% Cocaine: 8.6% Other opiates: 2.9% Other drugs: 2.9%

Source of Income (N = 35)

Job: 11.4% Retirement/savings: 0.0% Family/friends: 31.4% No income: 28.6% Public sources: 28.6% Other sources: 0.0%

Source of Referral

(N = 35) Self/family/relative/ friends: 25.7% Employer/school: 0.0% Criminal justice: 17.1% Professional: 82.9% County social service agency: 71.4% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 35) Completed program: 48.6% Patient left without staff approval: 25.7% Staff requested/judged inappropriate: 22.9% Death/other: 2.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

House of Hope, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 35)	0.0%	0.0%
Not employed/student ^{**} (N = 35)	100.0%	80.0%
Arrests past 30 days (N = 35)	2.9%	11.4%
Alcohol use past 30 days ($N = 35$)	8.6%	11.4%
Drug use past 30 days (N = 35)	2.9%	2.9%
No self-help group participation past 30 days (N = 34)	0.0%	0.0%
No family support for recovery past 30 days ($N = 34$)	2.9%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =35)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 35)$	31.4%	22.9%
Emotional/Behavioral/ Cognitive Problem (N = 35)	85.7%	74.3%
Resistance to Change ($N = 35$)	42.9%	60.0%
Relapse/Continued Use Potential (N = 35)	100.0%	97.1%
Unsupportive Recovery Environment (N = 35)	100.0%	94.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Howard Friese Halfway House

1520 East 2nd Street Duluth, MN 55812

County: St. Louis

Provider Website: www.cadt.org

Patient Profile

<u>Gender (N = 74)</u> Male: 100.0% Female: 0.0% Race (N = 74) White: 82.4% Black: 6.8% American Indian: 8.1% Hispanic: 2.7% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 74) Under 18: 0.0% 18 to 25: 23.0% 26 to 34: 32.4% 35 and older: 44.6%

Primary Substance (N = 74) Alcohol: 66.2% Methamphetamine: 5.4% Marijuana: 8.1% Heroin: 4.1% Cocaine: 5.4% Other opiates: 10.8% Other drugs: 0.0% Source of Income (N = 74)

Job: 10.8% Retirement/savings: 1.4% Family/friends: 2.7% No income: 45.9% Public sources: 32.4% Other sources: 6.8%

Source of Referral

(N = 74) Self/family/relative/ friends: 68.9% Employer/school: 0.0% Criminal justice: 28.4% Professional: 59.5% County social service agency: 8.1% Other community resources: 0.0% AA: 1.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 74) Completed program: 68.9% Patient left without staff approval: 23.0% Staff requested/judged inappropriate: 5.4% Death/other: 2.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Howard Friese Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 74)	5.4%	1.4%
Not employed/student ^{$++$} (N = 70)	84.3%	60.0%
Arrests past 30 days (N = 74)	5.4%	0.0%
Alcohol use past 30 days (N = 73)	30.1%	8.2%
Drug use past 30 days (N = 73)	21.9%	5.5%
No self-help group participation past 30 days (N = 74)	20.3%	4.1%
No family support for recovery past 30 days ($N = 69$)	10.1%	2.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =74)	1.4%	1.4%
Biomedical Conditions and Complications $(N = 74)$	25.7%	2.7%
Emotional/Behavioral/ Cognitive Problem (N = 74)	37.8%	23.0%
Resistance to Change ($N = 74$)	13.5%	32.4%
Relapse/Continued Use Potential (N = 74)	100.0%	77.0%
Unsupportive Recovery Environment (N = 74)	98.6%	45.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Hutchinson Health Care

1095 Highway 15 South Hutchinson, MN 55350

County: McLeod

Provider Website: www.hahc-hmc.com

Patient Profile

 Gender (N = 41)
 Race (N = 41)

 Male: 68.3%
 White: 87.8%

 Female: 31.7%
 Black: 0.0%

 American Indian: 2.4%
 Hispanic: 9.8%

 Asian/Pacific Islander: 0.0%

Age (N = 41) Under 18: 2.4% 18 to 25: 46.3% 26 to 34: 9.8% 35 and older: 41.5%

Primary Substance (N = 41) Alcohol: 75.6% Methamphetamine: 4.9% Marijuana: 19.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0%

Other drugs: 0.0%

Source of Income

Other: 0.0%

(N = 41) Job: 41.5% Retirement/savings: 7.3% Family/friends: 26.8% No income: 9.8% Public sources: 0.0% Other sources: 14.6%

Source of Referral

<u>(N = 41)</u> Self/family/relative/ friends: 31.7% Employer/school: 0.0% Criminal justice: 61.0% Professional: 14.6% County social service agency: 26.8% Other community resources: 7.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 41) Completed program: 58.5% Patient left without staff approval: 19.5% Staff requested/judged inappropriate: 19.5% Death/other: 2.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Hutchinson Health Care

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 38)	0.0%	0.0%
Not employed/student ^{**} (N = 34)	55.9%	35.3%
Arrests past 30 days (N = 41)	0.0%	2.4%
Alcohol use past 30 days (N = 41)	17.1%	7.3%
Drug use past 30 days (N = 41)	12.2%	4.9%
No self-help group participation past 30 days (N = 35)	62.9%	11.4%
No family support for recovery past 30 days ($N = 34$)	5.9%	8.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 2.4%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =41) Biomedical Conditions and	2.4%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =41) Biomedical Conditions and Complications (N = 41) Emotional/Behavioral/	2.4% 0.0%	0.0% 2.4%
Dimensions of Chemical HealthsAcute Intoxication/ Withdrawal (N =41)Biomedical Conditions and Complications (N = 41)Emotional/Behavioral/ Cognitive Problem (N = 41)	2.4% 0.0% 4.9%	0.0% 2.4% 12.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Jackson Recovery Centers Women and Children's Center

3200 W 4th Street Sioux City, IA 51101

County:

Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 2)</u> Male: * Female: *	Race (N = 2) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 2) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 2) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 2) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 2) . Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 2) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Jackson Recovery Centers Women and Children's Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 2)	*	*
Not employed/student ^{**} (N = 2)	*	*
Arrests past 30 days ($N = 2$)	*	*
Alcohol use past 30 days ($N = 2$)	*	*
Drug use past 30 days (N = 2)	*	*
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days ($N = 2$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	Discharge
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 2) Biomedical Conditions and Complications (N = 2) Emotional/Behavioral/ Cognitive Problem (N = 2)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Journey Counseling Services

821 3rd Street Farmington, MN 55024

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 203)</u> Male: 76.8% Female: 23.2% Race (N = 203) White: 90.6% Black: 5.4% American Indian: 0.5% Hispanic: 3.0% Asian/Pacific Islander: 0.5% Other: 0.0% Age (N = 203) Under 18: 0.5% 18 to 25: 34.5% 26 to 34: 25.6% 35 and older: 39.4%

Primary Substance (N = 201) Alcohol: 70.6% Methamphetamine: 10.4% Marijuana: 14.9% Heroin: 0.5% Cocaine: 1.5% Other opiates: 1.5% Other drugs: 0.5%

(N = 203) Job: 43.8% Retirement/savings: 3.0% Family/friends: 20.2% No income: 10.8% Public sources: 13.3% Other sources: 8.9%

Source of Income

Source of Referral

(N = 203) Self/family/relative/ friends: 37.9% Employer/school: 3.9% Criminal justice: 75.4% Professional: 3.9% County social service agency: 24.6% Other community resources: 3.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 203) Completed program: 64.5% Patient left without staff approval: 19.2% Staff requested/judged inappropriate: 6.4% Death/other: 9.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Journey Counseling Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 188)	0.5%	1.1%
Not employed/student ^{**} (N = 185)	53.5%	40.5%
Arrests past 30 days (N = 167)	12.0%	5.4%
Alcohol use past 30 days (N = 148)	34.5%	4.7%
Drug use past 30 days (N = 148)	19.6%	6.1%
No self-help group participation past 30 days (N = 178)	64.6%	13.5%
No family support for recovery past 30 days (N = 162)	21.0%	16.7%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =171)	0.6%	0.6%
Discussed in a life of the second		
Biomedical Conditions and Complications ($N = 202$)	6.4%	6.4%
	6.4% 83.7%	6.4% 36.0%
Complications (N = 202) Emotional/Behavioral/		
Complications (N = 202) Emotional/Behavioral/ Cognitive Problem (N = 203)	83.7%	36.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Journey Home

1485 10th Ave NE Sauk Rapids, MN 563799838

County: Benton

Provider Website:

Patient Profile

<u>Gender (N = 149)</u> Male: 0.0% Female: 100.0% Race (N = 149) White: 73.2% Black: 5.4% American Indian: 14.1% Hispanic: 2.7% Asian/Pacific Islander: 1.3% Other: 3.4% Age (N = 149) Under 18: 4.7% 18 to 25: 34.9% 26 to 34: 39.6% 35 and older: 20.8%

Primary Substance (N = 149) Alcohol: 28.9% Methamphetamine: 27.5% Marijuana: 18.1% Heroin: 0.0% Cocaine: 7.4% Other opiates: 13.4% Other drugs: 4.7%

(N = 149) Job: 18.8% Retirement/savings: 0.0% Family/friends: 6.7% No income: 19.5% Public sources: 32.2% Other sources: 22.8%

Source of Income

Source of Referral

(N = 149) Self/family/relative/ friends: 21.5% Employer/school: 0.0% Criminal justice: 18.1% Professional: 88.6% County social service agency: 58.4% Other community resources: 1.3% AA: 0.0% Tribal: 1.3%

Outcomes

Discharge Status (N = 149) Completed program: 51.7% Patient left without staff approval: 22.1% Staff requested/judged inappropriate: 8.7% Death/other: 17.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Journey Home

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 148)	47.3%	2.7%
Not employed/student ^{$++$} (N = 146)	43.2%	13.7%
Arrests past 30 days (N = 147)	4.1%	2.0%
Alcohol use past 30 days (N = 149)	3.4%	7.4%
Drug use past 30 days (N = 149)	4.0%	8.1%
No self-help group participation past 30 days (N = 144)	2.8%	0.0%
No family support for recovery past 30 days (N = 142)	13.4%	7.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =146)	0.7%	0.7%
Biomedical Conditions and Complications ($N = 148$)	29.7%	19.6%
	29.7% 75.0%	
Complications (N = 148) Emotional/Behavioral/		19.6%
Complications (N = 148) Emotional/Behavioral/ Cognitive Problem (N = 148)	75.0%	19.6% 54.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Juel Fairbanks Chemical Dependency Services

806 North Albert Street St. Paul, MN 55104

County: Ramsey

Provider Website: www.juelfairbanks.org

Patient Profile

 Gender (N = 155)
 Race (N = 155)

 Male: 53.5%
 White: 40.6%

 Female: 46.5%
 Black: 10.3%

 American Indian: 45.8%
 Hispanic: 3.2%

 Asian/Pacific Islander: 0.0%
 Other: 0.0%

Age (N = 155) Under 18: 0.0% 18 to 25: 25.2% 26 to 34: 23.9% 35 and older: 51.0%

Primary Substance
<u>(N = 155)</u>
Alcohol: 60.6%
Methamphetamine: 10.3%
Marijuana: 10.3%
Heroin: 5.2%
Cocaine: 7.7%
Other opiates: 5.2%
Other drugs: 0.6%

(N = 155) Job: 3.9% Retirement/savings: 0.0% Family/friends: 8.4% No income: 32.9% Public sources: 36.8% Other sources: 18.1%

Source of Income

Source of Referral

(N = 155) Self/family/relative/ friends: 42.6% Employer/school: 0.0% Criminal justice: 29.7% Professional: 45.8% County social service agency: 36.1% Other community resources: 5.8% AA: 0.0% Tribal: 5.8%

Outcomes

Discharge Status (N = 155) Completed program: 39.4% Patient left without staff approval: 26.5% Staff requested/judged inappropriate: 27.1% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Juel Fairbanks Chemical Dependency Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 154)	13.6%	4.5%
Not employed/student ^{**} (N = 139)	90.6%	76.3%
Arrests past 30 days (N = 153)	1.3%	3.3%
Alcohol use past 30 days (N = 155)	10.3%	8.4%
Drug use past 30 days (N = 155)	9.0%	11.0%
No self-help group participation past 30 days (N = 125)	10.4%	7.2%
No family support for recovery past 30 days (N = 134)	9.7%	9.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =154)	3.2%	5.8%
Biomedical Conditions and Complications ($N = 154$)	17.5%	13.6%
Emotional/Behavioral/ Cognitive Problem (N = 154)	70.8%	52.6%
Resistance to Change ($N = 154$)	37.0%	37.7%
Relapse/Continued Use Potential (N = 154)	90.9%	68.2%
Unsupportive Recovery Environment (N = 152)	84.9%	65.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Keystone Treatment Center Inpatient Program

1010 East 2nd Street Canton, SD 57013

County: South Dakota

Provider Website:

Patient Profile

<u>Gender (N = 115)</u> Male: 51.3% Female: 48.7% Race (N = 115) White: 33.0% Black: 0.9% American Indian: 60.9% Hispanic: 2.6% Asian/Pacific Islander: 0.0% Other: 2.6% <u>Age (N = 115)</u> Under 18: 36.5% 18 to 25: 25.2% 26 to 34: 13.0% 35 and older: 25.2%

Primary Substance (N = 115) Alcohol: 73.9% Methamphetamine: 1.7% Marijuana: 10.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 11.3% Other drugs: 2.6%

Source of Income

(N = 115) Job: 15.7% Retirement/savings: 0.9% Family/friends: 41.7% No income: 0.0% Public sources: 7.8% Other sources: 33.9%

Source of Referral

(N = 115) Self/family/relative/ friends: 32.2% Employer/school: 0.0% Criminal justice: 27.8% Professional: 4.3% County social service agency: 27.0% Other community resources: 3.5% AA: 0.0% Tribal: 28.7%

Outcomes

Discharge Status (N = 115) Completed program: 86.1% Patient left without staff approval: 4.3% Staff requested/judged inappropriate: 8.7% Death/other: 0.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Keystone Treatment Center Inpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 115)	0.9%	0.0%
Not employed/student ^{**} (N = 107)	47.7%	48.6%
Arrests past 30 days (N = 115)	26.1%	0.0%
Alcohol use past 30 days (N = 115)	61.7%	2.6%
Drug use past 30 days (N = 115)	74.8%	3.5%
No self-help group participation past 30 days (N = 115)	96.5%	0.0%
No family support for recovery past 30 days ($N = 79$)	15.2%	21.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =115)	16.5%	0.0%
Biomedical Conditions and Complications ($N = 115$)	25.2%	16.5%
Emotional/Behavioral/ Cognitive Problem (N = 115)	75.7%	39.1%
Resistance to Change ($N = 115$)	100.0%	88.7%
Relapse/Continued Use Potential (N = 115)	100.0%	96.5%
Unsupportive Recovery Environment (N = 115)	100.0%	96.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Kinnic Falls Alcohol and Drug Abuse Services

900 So. Orange St River Falls, WI 54022

County: Wisconsin

Provider Website:

Patient Profile

<u>Gender (N = 150)</u> Male: 100.0% Female: 0.0% Race (N = 150) White: 89.3% Black: 4.7% American Indian: 0.7% Hispanic: 2.7% Asian/Pacific Islander: 0.0% Other: 2.7% Age (N = 150) Under 18: 0.0% 18 to 25: 25.3% 26 to 34: 26.7% 35 and older: 48.0%

Primary Substance (N = 150) Alcohol: 64.7% Methamphetamine: 16.0% Marijuana: 6.7% Heroin: 4.0% Cocaine: 4.7% Other opiates: 2.0% Other drugs: 2.0% Source of Income

(N = 150) Job: 39.3% Retirement/savings: 4.0% Family/friends: 0.7% No income: 36.0% Public sources: 16.7% Other sources: 3.3%

Source of Referral

(N = 150) Self/family/relative/ friends: 6.7% Employer/school: 0.0% Criminal justice: 3.3% Professional: 95.3% County social service agency: 64.7% Other community resources: 2.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 150)Completed program: 60.0% Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 19.3% Death/other: 4.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Kinnic Falls Alcohol and Drug Abuse Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 147)	1.4%	2.7%
Not employed/student ^{**} (N = 143)	96.5%	86.0%
Arrests past 30 days (N = 135)	0.7%	1.5%
Alcohol use past 30 days (N = 150)	0.0%	0.7%
Drug use past 30 days (N = 150)	2.0%	1.3%
No self-help group participation past 30 days (N = 147)	0.7%	1.4%
No family support for recovery past 30 days (N = 142)	4.9%	0.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =137)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 137$)	10.9%	3.6%
Emotional/Behavioral/ Cognitive Problem (N = 137)	45.3%	16.8%
Resistance to Change ($N = 140$)	50.7%	18.6%
Relapse/Continued Use Potential (N = 139)	95.7%	40.3%
Unsupportive Recovery Environment (N = 124)	93.5%	32.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake Region Halfway Homes, Inc.

217 North Union Avenue Fergus Falls, MN 56537

County: Otter Tail

Provider Website:

Patient Profile

 Gender (N = 55)
 Race (N = 55)
 Age (I

 Male: 100.0%
 White: 80.0%
 Under

 Female: 0.0%
 Black: 1.8%
 18 to

 American Indian: 9.1%
 26 to

 Hispanic: 1.8%
 35 ar

 Asian/Pacific Islander: 3.6%
 Other: 3.6%

Age (N = 55) Under 18: 1.8% 18 to 25: 40.0% 26 to 34: 21.8% 35 and older: 36.4%

Primary Substance (N = 55) Alcohol: 67.3% Methamphetamine: 12.7% Marijuana: 12.7% Heroin: 1.8% Cocaine: 3.6% Other opiates: 1.8% Other drugs: 0.0%

(N = 55) Job: 30.9% Retirement/savings: 1.8% Family/friends: 5.5% No income: 34.5% Public sources: 25.5% Other sources: 1.8%

Source of Income

Source of Referral

(N = 55) Self/family/relative/ friends: 29.1% Employer/school: 0.0% Criminal justice: 43.6% Professional: 38.2% County social service agency: 56.4% Other community resources: 1.8% AA: 1.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 55) Completed program: 45.5% Patient left without staff approval: 16.4% Staff requested/judged inappropriate: 16.4% Death/other: 21.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lake Region Halfway Homes, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 55)	10.9%	1.8%
Not employed/student ^{**} (N = 50)	84.0%	60.0%
Arrests past 30 days (N = 50)	8.0%	10.0%
Alcohol use past 30 days (N = 55)	10.9%	12.7%
Drug use past 30 days (N = 55)	10.9%	3.6%
No self-help group participation past 30 days (N = 49)	20.4%	6.1%
No family support for recovery past 30 days ($N = 35$)	2.9%	2.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =54)	1.9%	13.0%
Biomedical Conditions and Complications $(N = 54)$	7.4%	13.0%
Emotional/Behavioral/ Cognitive Problem (N = 54)	63.0%	61.1%
Resistance to Change ($N = 54$)	100.0%	68.5%
Relapse/Continued Use Potential (N = 54)	100.0%	98.1%
Unsupportive Recovery Environment (N = 54)	100.0%	94.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake Superior Treatment Center

14 East Central Entrance Duluth, MN 55811

County: St. Louis

AA: * Tribal: *

Provider Website: www.methadonetreatment.com

Patient Profile

Gender (N = 9)Race (N = 9)Age (N = 9)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 9) (N = 9)(N = 9). Job: * Self/family/relative/ Alcohol: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 9) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lake Superior Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 7)	*	*
Not employed/student ^{**} (N = 7)	*	*
Arrests past 30 days ($N = 6$)	*	*
Alcohol use past 30 days ($N = 7$)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days ($N = 3$)	*	*
No family support for recovery past 30 days ($N = 3$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
-	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* * *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lake View Memorial Hospital Outpatient CD Treatment Program

325 11th Avenue Two Harbors, MN 55616

County: Lake

Provider Website:

Patient Profile

<u>Gender (N = 16)</u> Male: 75.0% Female: 25.0% Race (N = 16) White: 100.0% Black: 0.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 16) Under 18: 0.0% 18 to 25: 31.3% 26 to 34: 18.8% 35 and older: 50.0%

Primary Substance (N = 16) Alcohol: 62.5% Methamphetamine: 6.3% Marijuana: 31.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income (N = 16)

Job: 31.3% Retirement/savings: 6.3% Family/friends: 31.3% No income: 0.0% Public sources: 12.5% Other sources: 18.8%

Source of Referral

(N = 16) Self/family/relative/ friends: 6.3% Employer/school: 6.3% Criminal justice: 68.8% Professional: 6.3% County social service agency: 12.5% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 16) Completed program: 81.3% Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 0.0% Death/other: 6.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lake View Memorial Hospital Outpatient CD Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 16)	0.0%	0.0%
Not employed/student ^{**} (N = 16)	68.8%	62.5%
Arrests past 30 days (N = 16)	0.0%	0.0%
Alcohol use past 30 days (N = 16)	31.3%	6.3%
Drug use past 30 days (N = 16)	18.8%	6.3%
No self-help group participation past 30 days (N = 16)	93.8%	12.5%
No family support for recovery past 30 days ($N = 16$)	43.8%	12.5%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =16)	0.0%	6.3%
Biomedical Conditions and Complications ($N = 16$)	6.3%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 16)	50.0%	43.8%
Resistance to Change ($N = 16$)	31.3%	6.3%
Relapse/Continued Use Potential (N = 16)	100.0%	43.8%
Unsupportive Recovery Environment (N = 16)	93.8%	87.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakeland Mental Health Center Outpatient C.D. Program

21081 County Highway 1 Fergus Falls, MN 56537

County: Otter Tail

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 40)}}{\text{Male: 70.0\%}}$ Female: 30.0% Race (N = 40) White: 95.0% Black: 2.5% American Indian: 0.0% Hispanic: 2.5% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 40) Under 18: 0.0% 18 to 25: 15.0% 26 to 34: 20.0% 35 and older: 65.0%

Primary Substance (N = 40) Alcohol: 85.0% Methamphetamine: 0.0% Marijuana: 7.5% Heroin: 0.0% Cocaine: 2.5% Other opiates: 5.0% Other drugs: 0.0%

(N = 40) Job: 60.0% Retirement/savings: 7.5% Family/friends: 10.0% No income: 5.0% Public sources: 12.5% Other sources: 5.0%

Source of Income

Source of Referral

(N = 40) Self/family/relative/ friends: 45.0% Employer/school: 2.5% Criminal justice: 57.5% Professional: 20.0% County social service agency: 47.5% Other community resources: 5.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 40) Completed program: 60.0% Patient left without staff approval: 22.5% Staff requested/judged inappropriate: 0.0% Death/other: 17.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lakeland Mental Health Center Outpatient C.D. Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 40)	0.0%	0.0%
Not employed/student ^{**} (N = 39)	46.2%	51.3%
Arrests past 30 days (N = 40)	15.0%	0.0%
Alcohol use past 30 days ($N = 40$)	37.5%	27.5%
Drug use past 30 days (N = 40)	12.5%	7.5%
No self-help group participation past 30 days (N = 40)	70.0%	27.5%
No family support for recovery past 30 days ($N = 36$)	55.6%	13.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =39)	0.0%	7.7%
	0.070	7.770
Biomedical Conditions and Complications $(N = 40)$	22.5%	27.5%
Complications (N = 40) Emotional/Behavioral/	22.5%	27.5%
Complications (N = 40) Emotional/Behavioral/ Cognitive Problem (N = 40)	22.5% 50.0%	27.5% 35.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakeplace Retreat Center, Inc.

25704 County Road 338 Bovey, MN 55709

County: Itasca

Provider Website:

Patient Profile

<u>Gender (N = 141)</u> Male: 74.5% Female: 25.5% Race (N = 141) White: 94.3% Black: 2.1% American Indian: 0.7% Hispanic: 2.8% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 141) Under 18: 0.0% 18 to 25: 26.2% 26 to 34: 19.1% 35 and older: 54.6%

Primary Substance (N = 141) Alcohol: 63.1% Methamphetamine: 9.2% Marijuana: 15.6% Heroin: 0.7% Cocaine: 2.8% Other opiates: 8.5% Other drugs: 0.0%

Source of Income

(N = 141) Job: 17.7% Retirement/savings: 7.1% Family/friends: 14.9% No income: 31.2% Public sources: 19.1% Other sources: 9.9%

Source of Referral

(N = 141) Self/family/relative/ friends: 39.0% Employer/school: 0.0% Criminal justice: 19.1% Professional: 17.0% County social service agency: 74.5% Other community resources: 2.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 141) Completed program: 73.0% Patient left without staff approval: 9.9% Staff requested/judged inappropriate: 12.8% Death/other: 4.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lakeplace Retreat Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 140)	5.7%	1.4%
Not employed/student ^{$++$} (N = 137)	81.8%	77.4%
Arrests past 30 days (N = 141)	17.7%	2.1%
Alcohol use past 30 days (N = 141)	56.7%	7.1%
Drug use past 30 days (N = 141)	34.0%	4.3%
No self-help group participation past 30 days (N = 141)	44.7%	0.0%
No family support for recovery past 30 days (N = 138)	2.9%	5.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 4.3%	<u>Discharge</u> 0.7%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =141) Biomedical Conditions and	4.3%	0.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =141) Biomedical Conditions and Complications (N = 141) Emotional/Behavioral/	4.3% 15.6%	0.7% 5.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =141) Biomedical Conditions and Complications (N = 141) Emotional/Behavioral/ Cognitive Problem (N = 141)	4.3% 15.6% 52.5%	0.7% 5.0% 19.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Counseling Center

1000 8th Street SE Detroit Lakes, MN 56501

County: Becker

Provider Website: www.lakescounseling.com

Patient Profile

<u>Gender (N = 162)</u> Male: 67.3% Female: 32.7% Race (N = 162) White: 85.2% Black: 1.2% American Indian: 8.0% Hispanic: 1.9% Asian/Pacific Islander: 0.6% Other: 3.1% <u>Age (N = 162)</u> Under 18: 24.1% 18 to 25: 23.5% 26 to 34: 22.2% 35 and older: 30.2%

Primary Substance (N = 160) Alcohol: 64.4% Methamphetamine: 3.1% Marijuana: 31.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.3% Other drugs: 0.0%

Source of Income

(N = 162) Job: 46.3% Retirement/savings: 6.2% Family/friends: 20.4% No income: 9.9% Public sources: 9.3% Other sources: 8.0%

Source of Referral

(N = 162) Self/family/relative/ friends: 21.0% Employer/school: 5.6% Criminal justice: 70.4% Professional: 19.1% County social service agency: 49.4% Other community resources: 1.9% AA: 0.0% Tribal: 1.2%

Outcomes

Discharge Status (N = 162) Completed program: 37.7% Patient left without staff approval: 23.5% Staff requested/judged inappropriate: 15.4% Death/other: 23.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lakes Counseling Center

<u>National Outcome Measures (NOMS)</u>	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 139)	2.2%	0.7%
Not employed/student ^{**} (N = 136)	30.9%	26.5%
Arrests past 30 days (N = 125)	5.6%	9.6%
Alcohol use past 30 days (N = 108)	31.5%	17.6%
Drug use past 30 days (N = 108)	20.4%	11.1%
No self-help group participation past 30 days (N = 123)	67.5%	32.5%
No family support for recovery past 30 days ($N = 98$)	15.3%	4.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =147)	4.8%	4.1%
•	4.8% 16.2%	4.1% 11.5%
Withdrawal (N $=$ 147) Biomedical Conditions and		-
Withdrawal (N = 147) Biomedical Conditions and Complications (N = 148) Emotional/Behavioral/	16.2%	11.5%
Withdrawal (N = 147) Biomedical Conditions and Complications (N = 148) Emotional/Behavioral/ Cognitive Problem (N = 147)	16.2% 68.0%	11.5% 57.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency

1510 Bemidji Avenue North Bemidji, MN 56601

County: Beltrami

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 120)}}{\text{Male: 60.0\%}}$ Female: 40.0% Race (N = 120) White: 57.5% Black: 1.7% American Indian: 36.7% Hispanic: 1.7% Asian/Pacific Islander: 0.8% Other: 1.7% Age (N = 120) Under 18: 20.8% 18 to 25: 22.5% 26 to 34: 21.7% 35 and older: 35.0%

Primary Substance (N = 120)Alcohol: 68.3% Methamphetamine: 5.8% Marijuana: 22.5% Heroin: 0.0% Cocaine: 0.8% Other opiates: 2.5% Other drugs: 0.0%

Source of Income

(N = 120) Job: 44.2% Retirement/savings: 3.3% Family/friends: 30.8% No income: 2.5% Public sources: 15.8% Other sources: 3.3%

Source of Referral

(N = 120) Self/family/relative/ friends: 40.0% Employer/school: 0.8% Criminal justice: 53.3% Professional: 20.0% County social service agency: 54.2% Other community resources: 2.5% AA: 0.0% Tribal: 4.2%

Outcomes

Discharge Status (N = 120) Completed program: 69.2% Patient left without staff approval: 18.3% Staff requested/judged inappropriate: 0.8% Death/other: 11.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lakes Region Chemical Dependency

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 106)	0.0%	0.9%
Not employed/student ^{$++$} (N = 107)	43.9%	37.4%
Arrests past 30 days (N = 103)	13.6%	9.7%
Alcohol use past 30 days (N = 104)	32.7%	16.3%
Drug use past 30 days (N = 104)	12.5%	8.7%
No self-help group participation past 30 days (N = 103)	68.0%	64.1%
No family support for recovery past 30 days (N = 103)	2.9%	4.9%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =108)	1.9%	0.9%
Biomedical Conditions and Complications ($N = 108$)	3.7%	2.8%
Emotional/Behavioral/ Cognitive Problem (N = 108)	12.0%	8.3%
Resistance to Change ($N = 108$)	9.3%	11.1%
Relapse/Continued Use Potential (N = 108)	78.7%	33.3%
Unsupportive Recovery Environment (N = 108)	11.1%	10.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency

16734 Hwy 2 West Bagley, MN 56621

County: Clearwater

Provider Website:

Patient Profile

 Gender (N = 14)
 Race (N = 14)

 Male: 92.9%
 White: 71.4%

 Female: 7.1%
 Black: 0.0%

 American Indian: 21.4%
 Hispanic: 0.0%

 Asian/Pacific Islander: 7.1%

<u>Age (N = 14)</u> Under 18: 0.0% 18 to 25: 21.4% 26 to 34: 42.9% 35 and older: 35.7%

Primary Substance (N = 14) Alcohol: 85.7% Methamphetamine: 0.0% Marijuana: 14.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

Other: 0.0%

(N = 14) Job: 28.6% Retirement/savings: 14.3% Family/friends: 14.3% No income: 0.0% Public sources: 35.7% Other sources: 7.1%

Source of Referral

<u>(N = 14)</u> Self/family/relative/ friends: 21.4% Employer/school: 0.0% Criminal justice: 42.9% Professional: 14.3% County social service agency: 57.1% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 14) Completed program: 64.3% Patient left without staff approval: 21.4% Staff requested/judged inappropriate: 0.0% Death/other: 14.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lakes Region Chemical Dependency

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 14)	0.0%	0.0%
Not employed/student ^{**} (N = 14)	78.6%	85.7%
Arrests past 30 days (N = 14)	7.1%	0.0%
Alcohol use past 30 days (N = 14)	28.6%	21.4%
Drug use past 30 days (N = 14)	7.1%	7.1%
No self-help group participation past 30 days (N = 14)	78.6%	71.4%
No family support for recovery past 30 days ($N = 14$)	0.0%	7.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 14)	0.0%	7.1%
Biomedical Conditions and Complications $(N = 14)$	7 10/	7 10/
	7.1%	7.1%
Emotional/Behavioral/ Cognitive Problem (N = 14)	7.1%	7.1%
· · ·	-	-
Cognitive Problem ($N = 14$)	7.1%	7.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Region Chemical Dependency LLC Northwestern Juvenile Center

1231 5th Street N.W. Bemidji, MN 56601

County: Beltrami

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 15)}}{\text{Male: 60.0\%}}$ Female: 40.0% Race (N = 15) White: 33.3% Black: 0.0% American Indian: 53.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 13.3% Age (N = 15) Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 15) Alcohol: 13.3% Methamphetamine: 6.7% Marijuana: 53.3% Heroin: 6.7% Cocaine: 0.0% Other opiates: 20.0% Other drugs: 0.0%

Source of Income

(N = 15) Job: 6.7% Retirement/savings: 0.0% Family/friends: 46.7% No income: 26.7% Public sources: 13.3% Other sources: 6.7%

Source of Referral

(N = 15) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 93.3% Professional: 6.7% County social service agency: 40.0% Other community resources: 0.0% AA: 0.0% Tribal: 13.3%

Outcomes

Discharge Status (N = 15) Completed program: 86.7% Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lakes Region Chemical Dependency LLC Northwestern Juvenile Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 14)	0.0%	0.0%
Not employed/student ^{**} (N = 13)	0.0%	0.0%
Arrests past 30 days (N = 13)	7.7%	0.0%
Alcohol use past 30 days (N = 13)	15.4%	0.0%
Drug use past 30 days (N = 13)	7.7%	7.7%
No self-help group participation past 30 days (N = 14)	85.7%	21.4%
No family support for recovery past 30 days (N = 14)	7.1%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =14)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 14)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 14)	28.6%	21.4%
Resistance to Change ($N = 14$)	35.7%	14.3%
Relapse/Continued Use Potential (N = 14)	100.0%	64.3%
Unsupportive Recovery Environment (N = 14)	28.6%	0.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lakes Regions Chemical Dependency Clearwater County Jail Program

213 Main Avenue North Bagley, MN 56621

County: Clearwater

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 3)Race (N = 3)<u>Age (N = 3)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 3)(N = 3)(N = 3). Job: * Self/family/relative/ Alcohol: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 3) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lakes Regions Chemical Dependency Clearwater County Jail Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 3)	*	*
Not employed/student ^{**} (N = 2)	*	*
Arrests past 30 days ($N = 3$)	*	*
Alcohol use past 30 days ($N = 3$)	*	*
Drug use past 30 days ($N = 3$)	*	*
No self-help group participation past 30 days ($N = 3$)	*	*
No family support for recovery past 30 days ($N = 3$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Opiate Treatment Program

110 Balsam Ave NW Cass Lake, MN 56633

County: Cass

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 17)}}{\text{Male: 29.4\%}}$ Female: 70.6% Race (N = 17) White: 0.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 17) Under 18: 0.0% 18 to 25: 29.4% 26 to 34: 52.9% 35 and older: 17.6%

Primary Substance (N = 17) Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 100.0% Other drugs: 0.0%

Source of Income

(N = 17) Job: 23.5% Retirement/savings: 0.0% Family/friends: 0.0% No income: 11.8% Public sources: 17.6% Other sources: 47.1%

Source of Referral

(N = 17) Self/family/relative/ friends: 88.2% Employer/school: 0.0% Criminal justice: 5.9% Professional: 11.8% County social service agency: 11.8% Other community resources: 5.9% AA: 0.0% Tribal: 11.8%

Outcomes

Discharge Status (N = 17) Completed program: 0.0% Patient left without staff approval: 82.4% Staff requested/judged inappropriate: 0.0% Death/other: 17.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Leech Lake Opiate Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 13)	0.0%	0.0%
Not employed/student ^{**} (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 17)	5.9%	0.0%
Drug use past 30 days (N = 17)	94.1%	70.6%
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 17)	41.2%	11.8%
Biomedical Conditions and Complications ($N = 17$)	29.4%	35.3%
Emotional/Behavioral/ Cognitive Problem (N = 17)	70.6%	47.1%
Resistance to Change ($N = 17$)	82.4%	76.5%
Relapse/Continued Use Potential (N = 17)	100.0%	100.0%
Unsupportive Recovery Environment (N = 17)	94.1%	94.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Outpatient Program

115 6th Street N.W. Cass Lake, MN 56633

County: Cass

Provider Website:

Patient Profile

Gender (N = 119)Race (NMale: 81.5%White:Female: 18.5%Black:AmericHispart

Race (N = 119) White: 0.0% Black: 0.0% American Indian: 98.3% Hispanic: 0.0% Asian/Pacific Islander: 1.7% Other: 0.0% <u>Age (N = 119)</u> Under 18: 25.2%

18 to 25: 21.8% 26 to 34: 16.8% 35 and older: 36.1%

Primary Substance (N = 117) Alcohol: 53.8% Methamphetamine: 1.7% Marijuana: 31.6% Heroin: 1.7% Cocaine: 0.9% Other opiates: 10.3%

Other drugs: 0.0%

Source of Income

(N = 119) Job: 33.6% Retirement/savings: 0.0% Family/friends: 26.1% No income: 5.9% Public sources: 20.2% Other sources: 14.3%

Source of Referral

(N = 119) Self/family/relative/ friends: 14.3% Employer/school: 6.7% Criminal justice: 71.4% Professional: 29.4% County social service agency: 12.6% Other community resources: 6.7% AA: 0.8% Tribal: 27.7%

Outcomes

Discharge Status (N = 119)Completed program: 27.7% Patient left without staff approval: 43.7% Staff requested/judged inappropriate: 6.7% Death/other: 21.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Leech Lake Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 99)	4.0%	2.0%
Not employed/student ^{**} (N = 87)	27.6%	21.8%
Arrests past 30 days (N = 92)	9.8%	17.4%
Alcohol use past 30 days (N = 106)	15.1%	26.4%
Drug use past 30 days (N = 106)	24.5%	29.2%
No self-help group participation past 30 days (N = 82)	59.8%	45.1%
No family support for recovery past 30 days ($N = 80$)	1.3%	2.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =112)	0.9%	2.7%
Biomedical Conditions and Complications ($N = 112$)	7.1%	10.7%
Emotional/Behavioral/ Cognitive Problem (N = 112)	28.6%	42.0%
Resistance to Change ($N = 112$)	75.0%	62.5%
Relapse/Continued Use Potential (N = 112)	96.4%	75.9%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Leech Lake Womens Outpatient Program

113 Balsam Ave NW Cass Lake, MN 56633

County: Cass

Provider Website:

Patient Profile

 Gender (N = 42)
 Race (N = 42)
 Male: 0.0%

 Male: 0.0%
 White: 0.0%
 Black: 2.4%

 Female: 100.0%
 Black: 2.4%
 American Indian: 97.6%

 Hispanic: 0.0%
 Asian/Pacific Islander: 0.0%
 Other: 0.0%

Age (N = 42) Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 23.8% 35 and older: 42.9%

Primary Substance (N = 42) Alcohol: 64.3% Methamphetamine: 7.1% Marijuana: 9.5% Heroin: 0.0% Cocaine: 7.1% Other opiates: 11.9% Other drugs: 0.0% Source of Income (N = 42) Job: 19.0% Retirement/savings: 0.0% Family/friends: 4.8% No income: 31.0% Public sources: 21.4%

Other sources: 23.8%

Source of Referral

(N = 42) Self/family/relative/ friends: 11.9% Employer/school: 0.0% Criminal justice: 52.4% Professional: 73.8% County social service agency: 11.9% Other community resources: 7.1% AA: 0.0% Tribal: 21.4%

Outcomes

Discharge Status (N = 42) Completed program: 2.4% Patient left without staff approval: 54.8% Staff requested/judged inappropriate: 7.1% Death/other: 35.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Leech Lake Womens Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 25)	0.0%	0.0%
Not employed/student ^{$++$} (N = 18)	72.2%	83.3%
Arrests past 30 days (N = 25)	12.0%	16.0%
Alcohol use past 30 days (N = 35)	8.6%	28.6%
Drug use past 30 days (N = 35)	8.6%	11.4%
No self-help group participation past 30 days (N = 21)	14.3%	19.0%
No family support for recovery past 30 days (N = 21)	0.0%	4.8%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =40)	2.5%	22.5%
Biomedical Conditions and Complications $(N = 40)$	7.5%	37.5%
Emotional/Behavioral/ Cognitive Problem ($N = 40$)	45.0%	60.0%
Resistance to Change ($N = 40$)	55.0%	65.0%
Relapse/Continued Use Potential (N = 41)	90.2%	90.2%
Unsupportive Recovery Environment (N = 39)	89.7%	89.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifehouse LLC, MN

31065 Highway 61 Stacy, MN 55079

Provider Website:

Patient Profile

<u>Gender (N = 27)</u> Male: 81.5% Female: 18.5% Race (N = 27) White: 100.0% Black: 0.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 27) Under 18: 0.0% 18 to 25: 40.7% 26 to 34: 33.3% 35 and older: 25.9%

County: Chisago

Primary Substance (N = 27) Alcohol: 37.0% Methamphetamine: 33.3% Marijuana: 29.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 27) Job: 25.9% Retirement/savings: 0.0% Family/friends: 70.4% No income: 0.0% Public sources: 3.7% Other sources: 0.0%

Source of Referral

(N = 27) Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 27) Completed program: 77.8% Patient left without staff approval: 22.2% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lifehouse LLC, MN

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 27)	0.0%	0.0%
Not employed/student ^{**} (N = 27)	70.4%	74.1%
Arrests past 30 days (N = 27)	0.0%	3.7%
Alcohol use past 30 days (N = 27)	7.4%	3.7%
Drug use past 30 days (N = 27)	7.4%	0.0%
No self-help group participation past 30 days (N = 27)	92.6%	59.3%
No family support for recovery past 30 days ($N = 27$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	
Dimensions of Chemical Health	AUTTISSION	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =24)	<u>Admission</u> 0.0%	Discharge 4.2%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =24) Biomedical Conditions and	0.0%	4.2%
Acute Intoxication/ Withdrawal (N =24) Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/	0.0%	4.2% 8.0%
Acute Intoxication/ Withdrawal (N =24) Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/ Cognitive Problem (N = 25)	0.0% 0.0% 24.0%	4.2% 8.0% 20.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling of Mound

2389 Blaine Avenue Navarre, MN 553920011

County: Hennepin

AA: * Tribal: *

Provider Website: www.lifestylecounseling.com

Patient Profile

Race (N = 1)Gender (N = 1)Age (N = 1)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 1)(N = 1)(N = 1) . Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lifestyle Counseling of Mound

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 1)	*	*
Not employed/student ^{**} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling of Richfield/Bloomington

9613 Girard Avenue South Bloomington, MN 55431

County: Hennepin

Provider Website: www.ark-lifestyle.com

Patient Profile

<u>Gender (N = 90)</u> Male: 82.2% Female: 17.8% Race (N = 90) White: 76.7% Black: 12.2% American Indian: 3.3% Hispanic: 3.3% Asian/Pacific Islander: 3.3% Other: 1.1% <u>Age (N = 90)</u> Under 18: 0.0% 18 to 25: 26.7% 26 to 34: 31.1% 35 and older: 42.2%

Primary Substance (N = 90) Alcohol: 76.7% Methamphetamine: 2.2% Marijuana: 12.2% Heroin: 1.1% Cocaine: 5.6% Other opiates: 2.2% Other drugs: 0.0%

Source of Income (N = 90)

Job: 44.4% Retirement/savings: 1.1% Family/friends: 14.4% No income: 20.0% Public sources: 16.7% Other sources: 3.3%

Source of Referral

(N = 90) Self/family/relative/ friends: 26.7% Employer/school: 1.1% Criminal justice: 77.8% Professional: 20.0% County social service agency: 70.0% Other community resources: 2.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 90) Completed program: 62.2% Patient left without staff approval: 20.0% Staff requested/judged inappropriate: 3.3% Death/other: 14.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lifestyle Counseling of Richfield/Bloomington

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 87)	0.0%	1.1%
Not employed/student ^{**} (N = 83)	49.4%	48.2%
Arrests past 30 days (N = 90)	0.0%	0.0%
Alcohol use past 30 days ($N = 90$)	24.4%	4.4%
Drug use past 30 days (N = 90)	10.0%	8.9%
No self-help group participation past 30 days (N = 83)	65.1%	24.1%
No family support for recovery past 30 days ($N = 79$)	7.6%	10.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 1.1%	Discharge 1.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =90) Biomedical Conditions and	1.1%	1.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =90) Biomedical Conditions and Complications (N = 90) Emotional/Behavioral/	1.1% 10.0%	1.1% 4.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =90) Biomedical Conditions and Complications (N = 90) Emotional/Behavioral/ Cognitive Problem (N = 90)	1.1% 10.0% 50.0%	1.1% 4.4% 28.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lifestyle Counseling Services

14162 Commerce Ave NE Prior Lake, MN 553721487

County: Scott

Provider Website:

Patient Profile

<u>Gender (N = 109)</u> Male: 81.7% Female: 18.3% Race (N = 109) White: 89.0% Black: 0.9% American Indian: 6.4% Hispanic: 0.0% Asian/Pacific Islander: 3.7% Other: 0.0% Age (N = 109) Under 18: 0.0% 18 to 25: 26.6% 26 to 34: 27.5% 35 and older: 45.9%

Primary Substance (N = 107)Alcohol: 73.8% Methamphetamine: 5.6% Marijuana: 12.1% Heroin: 1.9% Cocaine: 3.7% Other opiates: 1.9% Other drugs: 0.9%

Source of Income

(N = 109) Job: 57.8% Retirement/savings: 4.6% Family/friends: 11.0% No income: 4.6% Public sources: 10.1% Other sources: 11.9%

Source of Referral

(N = 109) Self/family/relative/ friends: 29.4% Employer/school: 6.4% Criminal justice: 74.3% Professional: 5.5% County social service agency: 23.9% Other community resources: 7.3% AA: 0.0% Tribal: 2.8%

Outcomes

Discharge Status (N = 109) Completed program: 59.6% Patient left without staff approval: 24.8% Staff requested/judged inappropriate: 13.8% Death/other: 1.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lifestyle Counseling Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 104)	0.0%	0.0%
Not employed/student ^{**} (N = 101)	39.6%	40.6%
Arrests past 30 days (N = 87)	12.6%	6.9%
Alcohol use past 30 days (N = 76)	28.9%	10.5%
Drug use past 30 days (N = 76)	22.4%	10.5%
No self-help group participation past 30 days (N = 89)	52.8%	19.1%
No family support for recovery past 30 days ($N = 90$)	17.8%	13.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 4.6%	<u>Discharge</u> 4.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =108) Biomedical Conditions and	4.6%	4.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =108) Biomedical Conditions and Complications (N = 109) Emotional/Behavioral/	4.6% 6.4%	4.6% 11.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =108) Biomedical Conditions and Complications (N = 109) Emotional/Behavioral/ Cognitive Problem (N = 108)	4.6% 6.4% 65.7%	4.6% 11.0% 38.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Living Free Recovery Services

9201 75th Avenue North Brooklyn Park, MN 554281031

County: Hennepin

Provider Website: www.recovery.lwcc.org

Patient Profile

<u>Gender (N = 112)</u> Male: 69.6% Female: 30.4% Race (N = 112) White: 87.5% Black: 10.7% American Indian: 0.0% Hispanic: 1.8% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 112)</u> Under 18: 0.0% 18 to 25: 17.9% 26 to 34: 21.4% 35 and older: 60.7%

Primary Substance (N = 112) Alcohol: 70.5% Methamphetamine: 0.9% Marijuana: 11.6% Heroin: 0.9% Cocaine: 8.9% Other opiates: 6.3%

Other drugs: 0.9%

Source of Income

(N = 112) Job: 50.0% Retirement/savings: 0.0% Family/friends: 1.8% No income: 0.0% Public sources: 7.1% Other sources: 41.1%

Source of Referral

<u>(N = 112)</u>. Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 0.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 67.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 112) Completed program: 57.1% Patient left without staff approval: 26.8% Staff requested/judged inappropriate: 0.0% Death/other: 16.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Living Free Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 112)	0.0%	0.0%
Not employed/student ^{**} (N = 103)	43.7%	41.7%
Arrests past 30 days (N = 111)	9.0%	1.8%
Alcohol use past 30 days (N = 112)	57.1%	8.0%
Drug use past 30 days (N = 112)	26.8%	4.5%
No self-help group participation past 30 days (N = 103)	76.7%	57.3%
No family support for recovery past 30 days ($N = 77$)	46.8%	45.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =111)	5.4%	1.8%
Biomedical Conditions and Complications ($N = 111$)	7.2%	3.6%
Emotional/Behavioral/ Cognitive Problem (N = 111)	31.5%	18.0%
Resistance to Change ($N = 111$)	22.5%	20.7%
Relapse/Continued Use Potential (N = 111)	92.8%	40.5%
Unsupportive Recovery Environment (N = 111)	59.5%	24.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Lower Sioux Chemical and Mental Health Services

39458 Res. Hwy 1 Morton, MN 56270

County: Redwood

Provider Website:

Patient Profile

<u>Gender (N = 49)</u> Male: 79.6% Female: 20.4% Race (N = 49) White: 2.0% Black: 2.0% American Indian: 87.8% Hispanic: 8.2% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 49) Under 18: 12.2% 18 to 25: 32.7% 26 to 34: 26.5% 35 and older: 28.6%

Primary Substance (N = 49) Alcohol: 87.8% Methamphetamine: 0.0% Marijuana: 10.2% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 2.0%

(N = 49) Job: 28.6% Retirement/savings: 0.0% Family/friends: 16.3% No income: 8.2% Public sources: 12.2% Other sources: 34.7%

Source of Income

Source of Referral

(N = 49) Self/family/relative/ friends: 79.6% Employer/school: 0.0% Criminal justice: 75.5% Professional: 12.2% County social service agency: 12.2% Other community resources: 4.1% AA: 0.0% Tribal: 2.0%

Outcomes

Discharge Status (N = 49) Completed program: 46.9% Patient left without staff approval: 30.6% Staff requested/judged inappropriate: 4.1% Death/other: 18.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Lower Sioux Chemical and Mental Health Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 32)	3.1%	3.1%
Not employed/student ^{**} (N = 26)	76.9%	76.9%
Arrests past 30 days (N = 49)	18.4%	4.1%
Alcohol use past 30 days ($N = 48$)	31.3%	18.8%
Drug use past 30 days (N = 48)	25.0%	10.4%
No self-help group participation past 30 days (N = 28)	39.3%	7.1%
No family support for recovery past 30 days ($N = 30$)	6.7%	13.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =49)	2.0%	2.0%
Biomedical Conditions and Complications $(N = 49)$	14.3%	12.2%
Emotional/Behavioral/ Cognitive Problem (N = 49)	79.6%	71.4%
Resistance to Change ($N = 49$)	95.9%	89.8%
Relapse/Continued Use Potential (N = 49)	98.0%	95.9%
Unsupportive Recovery Environment (N = 49)	91.8%	93.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mahnomen County Human Services

311 N Main Street Mahnomen, MN 56557

County: Mahonmen

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 8)Ag<u>e (N = 8)</u> Race (N = 8)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 8)(N = 8)(N = 8). Alcohol: * Self/family/relative/ Job: * friends: * Methamphetamine: * Retirement/savings: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Mahnomen County Human Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 8)	*	*
Not employed/student ^{**} (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days ($N = 8$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Maple Lake Recovery Center, Inc.

207 Division Street Maple Lake, MN 55358

County: Wright

Provider Website: www.mlrecovery.org

Patient Profile

 Gender (N = 80)
 Race (N = 80)
 Age (N

 Male: 100.0%
 White: 76.3%
 Unde

 Female: 0.0%
 Black: 13.8%
 18 to

 American Indian: 3.8%
 26 to

 Hispanic: 6.3%
 35 an

 Asian/Pacific Islander: 0.0%
 Other: 0.0%

Age (N = 80) Under 18: 96.3% 18 to 25: 3.8% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 80) Alcohol: 13.8% Methamphetamine: 2.5% Marijuana: 75.0% Heroin: 0.0% Cocaine: 2.5% Other opiates: 0.0% Other drugs: 6.3% Source of Income

(N = 80) Job: 0.0% Retirement/savings: 0.0% Family/friends: 97.5% No income: 1.3% Public sources: 0.0% Other sources: 1.3%

Source of Referral

(N = 80) Self/family/relative/ friends: 76.3% Employer/school: 2.5% Criminal justice: 78.8% Professional: 15.0% County social service agency: 13.8% Other community resources: 1.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 80) Completed program: 48.8% Patient left without staff approval: 17.5% Staff requested/judged inappropriate: 28.8% Death/other: 5.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Maple Lake Recovery Center, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 79)	2.5%	0.0%
Not employed/student ^{**} (N = 79)	0.0%	0.0%
Arrests past 30 days (N = 80)	10.0%	5.0%
Alcohol use past 30 days ($N = 80$)	35.0%	3.8%
Drug use past 30 days (N = 80)	66.3%	11.3%
No self-help group participation past 30 days (N = 76)	60.5%	5.3%
No family support for recovery past 30 days ($N = 61$)	1.6%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =78)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 78)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 78)	94.9%	48.7%
Resistance to Change ($N = 78$)	93.6%	43.6%
Relapse/Continued Use Potential (N = 78)	100.0%	94.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Margaret's House

2535 Condon Court Mendota Heights, MN 55120

County: Dakota

Provider Website: www.havenchemicalhealth.com

Patient Profile

<u>Gender (N = 117)</u> Male: 0.0% Female: 100.0% Race (N = 117) White: 88.0% Black: 6.0% American Indian: 0.9% Hispanic: 0.9% Asian/Pacific Islander: 0.0% Other: 4.3%

<u>Age (N = 117)</u> Under 18: 0.0% 18 to 25: 17.1% 26 to 34: 25.6% 35 and older: 57.3%

Primary Substance (N = 117) Alcohol: 63.2% Methamphetamine: 11.1% Marijuana: 10.3% Heroin: 0.9% Cocaine: 4.3% Other opiates: 8.5%

Other drugs: 1.7%

Source of Income

(N = 117) Job: 20.5% Retirement/savings: 1.7% Family/friends: 15.4% No income: 1.7% Public sources: 0.0% Other sources: 60.7%

Source of Referral

(N = 117) Self/family/relative/ friends: 19.7% Employer/school: 0.0% Criminal justice: 2.6% Professional: 57.3% County social service agency: 22.2% Other community resources: 14.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 117) Completed program: 70.9% Patient left without staff approval: 17.1% Staff requested/judged inappropriate: 7.7% Death/other: 4.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Margaret's House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 113)	5.3%	0.0%
Not employed/student ^{**} (N = 86)	75.6%	74.4%
Arrests past 30 days (N = 117)	12.0%	3.4%
Alcohol use past 30 days (N = 117)	67.5%	18.8%
Drug use past 30 days (N = 117)	46.2%	18.8%
No self-help group participation past 30 days (N = 116)	39.7%	0.9%
No family support for recovery past 30 days (N = 115)	2.6%	1.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =117)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 117$)	0.9%	2.6%
Emotional/Behavioral/ Cognitive Problem (N = 117)	100.0%	97.4%
Resistance to Change ($N = 117$)	4.3%	13.7%
Relapse/Continued Use Potential (N = 116)		
	100.0%	100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Marty Mann Halfway House for Women

714 North 11th Avenue East Duluth, MN 55805

County: St. Louis

Provider Website: www.cadt.org

Patient Profile

<u>Gender (N = 67)</u> Male: 1.5% Female: 98.5% Race (N = 67) White: 79.1% Black: 7.5% American Indian: 10.4% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 3.0% Age (N = 67) Under 18: 0.0% 18 to 25: 29.9% 26 to 34: 22.4% 35 and older: 47.8%

Primary Substance (N = 67) Alcohol: 53.7% Methamphetamine: 16.4% Marijuana: 6.0% Heroin: 0.0% Cocaine: 7.5% Other opiates: 16.4% Other drugs: 0.0%

Source of Income

(N = 67) Job: 7.5% Retirement/savings: 1.5% Family/friends: 10.4% No income: 28.4% Public sources: 46.3% Other sources: 6.0%

Source of Referral

<u>(N = 67)</u> Self/family/relative/ friends: 49.3% Employer/school: 1.5% Criminal justice: 44.8% Professional: 44.8% County social service agency: 23.9% Other community resources: 1.5% AA: 1.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 67) Completed program: 67.2% Patient left without staff approval: 17.9% Staff requested/judged inappropriate: 10.4% Death/other: 4.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Marty Mann Halfway House for Women

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$**$} (N = 67)	19.4%	4.5%
Not employed/student ^{$++$} (N = 66)	93.9%	83.3%
Arrests past 30 days (N = 66)	3.0%	1.5%
Alcohol use past 30 days (N = 67)	20.9%	10.4%
Drug use past 30 days (N = 67)	9.0%	4.5%
No self-help group participation past 30 days (N = 67)	16.4%	1.5%
No family support for recovery past 30 days (N = 67)	1.5%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =67)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 67$)	7.5%	4.5%
Emotional/Behavioral/ Cognitive Problem (N = 67)	9.0%	6.0%
Resistance to Change ($N = 67$)	29.9%	29.9%
Relapse/Continued Use Potential (N = 67)	100.0%	40.3%
Unsupportive Recovery Environment (N = 67)	100.0%	40.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mash Ka Wisen Treatment Center Inpatient Program

1150 Mission Road Sawyer, MN 55780

County: Carlton

Provider Website:

Patient Profile

<u>Gender (N = 332)</u> Male: 63.0% Female: 37.0% Race (N = 332) White: 0.6% Black: 0.0% American Indian: 96.7% Hispanic: 1.5% Asian/Pacific Islander: 0.3% Other: 0.9% Age (N = 332) Under 18: 25.9% 18 to 25: 28.0% 26 to 34: 22.6% 35 and older: 23.5%

Primary Substance (N = 330) Alcohol: 46.1% Methamphetamine: 3.3% Marijuana: 37.3% Heroin: 0.9% Cocaine: 2.7% Other opiates: 9.4% Other drugs: 0.3% Source of Income

(N = 332) Job: 10.2% Retirement/savings: 1.5% Family/friends: 25.3% No income: 24.4% Public sources: 17.2% Other sources: 21.4%

Source of Referral

(N = 332) Self/family/relative/ friends: 30.4% Employer/school: 0.9% Criminal justice: 56.3% Professional: 6.3% County social service agency: 33.7% Other community resources: 0.6% AA: 0.0% Tribal: 66.9%

Outcomes

Discharge Status (N = 332) Completed program: 70.8% Patient left without staff approval: 15.7% Staff requested/judged inappropriate: 12.7% Death/other: 0.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Mash Ka Wisen Treatment Center Inpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 328)	7.6%	1.2%
Not employed/student ^{**} (N = 321)	62.0%	69.5%
Arrests past 30 days (N = 328)	27.4%	5.2%
Alcohol use past 30 days (N = 330)	59.7%	11.8%
Drug use past 30 days (N = 330)	65.8%	13.6%
No self-help group participation past 30 days (N = 326)	68.1%	3.7%
No family support for recovery past 30 days ($N = 325$)	11.1%	5.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =330)	3.3%	1.5%
Biomedical Conditions and Complications ($N = 330$)	9.1%	10.3%
Emotional/Behavioral/ Cognitive Problem ($N = 330$)	91.2%	89.1%
Resistance to Change ($N = 330$)	98.8%	96.7%
Relapse/Continued Use Potential (N = 330)	100.0%	99.7%
Unsupportive Recovery Environment (N = 330)	100.0%	100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mayo Clinic Addiction Services Generose IB

1216 2nd Street SW Rochester, MN 55902

County: Olmsted

Provider Website: www.mayoclinic.org/chemicaldependency

Patient Profile

<u>Gender (N = 211)</u> Male: 64.0% Female: 36.0% Race (N = 211) White: 98.6% Black: 0.0% American Indian: 0.5% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.9% Age (N = 211) Under 18: 0.0% 18 to 25: 13.3% 26 to 34: 18.0% 35 and older: 68.7%

Primary Substance (N = 211)Alcohol: 82.0% Methamphetamine: 1.9% Marijuana: 4.7% Heroin: 0.5% Cocaine: 2.8% Other opiates: 5.7% Other drugs: 2.4%

Source of Income

(N = 211) Job: 49.8% Retirement/savings: 14.2% Family/friends: 19.0% No income: 1.9% Public sources: 8.5% Other sources: 6.6%

Source of Referral

<u>(N = 211)</u>. Self/family/relative/ friends: 85.8% Employer/school: 2.4% Criminal justice: 6.6% Professional: 51.2% County social service agency: 0.5% Other community resources: 1.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 211)Completed program: 78.2% Patient left without staff approval: 7.6% Staff requested/judged inappropriate: 5.7% Death/other: 8.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Mayo Clinic Addiction Services Generose IB

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 203)	0.0%	0.0%
Not employed/student ^{$++$} (N = 206)	42.2%	44.2%
Arrests past 30 days (N = 211)	5.7%	0.5%
Alcohol use past 30 days (N = 211)	75.4%	14.2%
Drug use past 30 days (N = 211)	28.9%	11.8%
No self-help group participation past 30 days (N = 201)	69.7%	4.0%
No family support for recovery past 30 days (N = 202)	1.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =210)	14.3%	4.8%
Biomedical Conditions and Complications ($N = 209$)	21.1%	23.0%
Emotional/Behavioral/ Cognitive Problem ($N = 209$)	72.7%	50.2%
Resistance to Change ($N = 208$)	91.8%	39.4%
Relapse/Continued Use Potential (N = 208)	99.5%	89.4%
Unsupportive Recovery Environment (N = 208)	97.1%	77.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

MCF - Togo

62741 Co. Rd. 551 Togo, MN 55723

Provider Website:

Patient Profile

<u>Gender (N = 61)</u> Male: 100.0% Female: 0.0% Race (N = 61) White: 67.2% Black: 3.3% American Indian: 19.7% Hispanic: 3.3% Asian/Pacific Islander: 3.3% Other: 3.3% Age (N = 61) Under 18: 95.1% 18 to 25: 4.9% 26 to 34: 0.0% 35 and older: 0.0%

County: Itasca

Primary Substance (N = 61) Alcohol: 11.5% Methamphetamine: 3.3% Marijuana: 75.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.6% Other drugs: 3.3%

Source of Income

(N = 61) Job: 9.8% Retirement/savings: 0.0% Family/friends: 82.0% No income: 1.6% Public sources: 4.9% Other sources: 1.6%

Source of Referral

(N = 61) Self/family/relative/ friends: 1.6% Employer/school: 0.0% Criminal justice: 93.4% Professional: 1.6% County social service agency: 9.8% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 61) Completed program: 100.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

MCF - Togo

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 61)	4.9%	0.0%
Not employed/student ^{**} (N = 57)	3.5%	12.3%
Arrests past 30 days (N = 61)	50.8%	0.0%
Alcohol use past 30 days (N = 61)	41.0%	1.6%
Drug use past 30 days (N = 61)	59.0%	1.6%
No self-help group participation past 30 days (N = 55)	80.0%	18.2%
No family support for recovery past 30 days ($N = 59$)	15.3%	8.5%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 3.3%	<u>Discharge</u> 3.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =61) Biomedical Conditions and	3.3%	3.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =61) Biomedical Conditions and Complications (N = 61) Emotional/Behavioral/	3.3% 4.9%	3.3% 13.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =61) Biomedical Conditions and Complications (N = 61) Emotional/Behavioral/ Cognitive Problem (N = 61)	3.3% 4.9% 42.6%	3.3% 13.1% 32.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Meadow Creek

17305 Meadow Creek Lane Pine City, MN 55063

County: Pine

Provider Website: www.meridiannetwork.com

Patient Profile

<u>Gender (N = 189)</u> Male: 0.0% Female: 100.0% Race (N = 189) White: 78.8% Black: 10.1% American Indian: 3.7% Hispanic: 3.2% Asian/Pacific Islander: 0.0% Other: 4.2% Age (N = 189) Under 18: 0.0% 18 to 25: 19.0% 26 to 34: 31.2% 35 and older: 49.7%

Primary Substance (N = 188) Alcohol: 42.6% Methamphetamine: 16.5% Marijuana: 8.5% Heroin: 4.3% Cocaine: 14.9% Other opiates: 10.6% Other drugs: 2.7%

Source of Income

(N = 189) Job: 12.7% Retirement/savings: 0.5% Family/friends: 10.1% No income: 28.6% Public sources: 35.4% Other sources: 12.7%

Source of Referral

(N = 189) Self/family/relative/ friends: 62.4% Employer/school: 0.5% Criminal justice: 15.9% Professional: 36.0% County social service agency: 61.9% Other community resources: 6.9% AA: 0.5% Tribal: 0.5%

Outcomes

Discharge Status (N = 189) Completed program: 80.4% Patient left without staff approval: 14.3% Staff requested/judged inappropriate: 0.0% Death/other: 5.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Meadow Creek

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 183)	14.8%	0.5%
Not employed/student ^{**} (N = 188)	83.0%	86.2%
Arrests past 30 days (N = 189)	15.3%	0.5%
Alcohol use past 30 days (N = 188)	64.9%	6.9%
Drug use past 30 days (N = 188)	58.0%	8.5%
No self-help group participation past 30 days (N = 184)	39.7%	3.3%
No family support for recovery past 30 days (N = 176)	6.8%	5.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =185)	6.5%	1.1%
Biomedical Conditions and Complications ($N = 185$)	12.4%	4.3%
Emotional/Behavioral/ Cognitive Problem (N = 185)	99.5%	93.0%
Resistance to Change ($N = 185$)		
Resistance to change (N = 105)	56.8%	40.0%
Relapse/Continued Use Potential (N = 185)	56.8% 100.0%	40.0% 96.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Halfway House

17222 Ataage Drive Onamia, MN 56359

County: Mille Lacs

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 8)Ag<u>e (N = 8)</u> Race (N = 8)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 8)(N = 8)(N = 8). Alcohol: * Self/family/relative/ Job: * friends: * Methamphetamine: * Retirement/savings: * Marijuana: * Family/friends: * Employer/school: * No income: * Heroin: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Mille Lacs Band Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 8)	*	*
Not employed/student ^{**} (N = 8)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days ($N = 8$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

42293 Twilight Rd Onamia, MN 56359

County: Mille Lacs

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 20)}{\text{Male: } 85.0\%}$ Female: 15.0% Race (N = 20) White: 5.0% Black: 0.0% American Indian: 95.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 20) Under 18: 0.0% 18 to 25: 25.0% 26 to 34: 45.0% 35 and older: 30.0%

Primary Substance (N = 20) Alcohol: 100.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 20) Job: 0.0% Retirement/savings: 0.0% Family/friends: 0.0% No income: 5.0% Public sources: 0.0% Other sources: 95.0%

Source of Referral

(N = 20) Self/family/relative/ friends: 5.0% Employer/school: 0.0% Criminal justice: 75.0% Professional: 10.0% County social service agency: 80.0% Other community resources: 0.0% AA: 0.0% Tribal: 10.0%

Outcomes

Discharge Status (N = 20) Completed program: 75.0% Patient left without staff approval: 25.0% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 20)	0.0%	0.0%
Not employed/student ^{**} (N = 17)	70.6%	58.8%
Arrests past 30 days (N = 20)	10.0%	5.0%
Alcohol use past 30 days (N = 20)	10.0%	10.0%
Drug use past 30 days (N = 20)	5.0%	10.0%
No self-help group participation past 30 days (N = 18)	27.8%	5.6%
No family support for recovery past 30 days (N = 18)	0.0%	5.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =20)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 19$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 20)	10.0%	0.0%
Resistance to Change ($N = 20$)	35.0%	25.0%
Relapse/Continued Use Potential (N = 20)	90.0%	55.0%
Unsupportive Recovery Environment (N = 20)	85.0%	50.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

38786 Hinckley Road # 110 Hinckley, MN 55037

County: Pine

Provider Website:

Patient Profile

Race (N = 18)Gender (N = 18) Male: 77.8% White: 0.0% Black: 0.0% Female: 22.2% American Indian: 94.4% Hispanic: 5.6% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 18)Alcohol: 61.1% Methamphetamine: 0.0% Marijuana: 33.3% Heroin: 0.0% Cocaine: 5.6% Other opiates: 0.0% Other drugs: 0.0%

Source of Income (N = 18)

Job: 16.7% Retirement/savings: 0.0% Family/friends: 11.1% No income: 38.9% Public sources: 0.0% Other sources: 33.3%

Age (<u>N = 18)</u>

Under 18: 27.8% 18 to 25: 33.3% 26 to 34: 11.1% 35 and older: 27.8%

Source of Referral

(N = 18). Self/family/relative/ friends: 33.3% Employer/school: 22.2% Criminal justice: 77.8% Professional: 0.0% County social service agency: 5.6% Other community resources: 5.6% AA: 0.0% Tribal: 5.6%

Outcomes

Discharge Status (N = 18)Completed program: 38.9% Patient left without staff approval: 44.4% Staff requested/judged inappropriate: 0.0% Death/other: 16.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 18)	0.0%	0.0%
Not employed/student ^{**} (N = 15)	26.7%	20.0%
Arrests past 30 days (N = 18)	5.6%	16.7%
Alcohol use past 30 days (N = 18)	11.1%	27.8%
Drug use past 30 days (N = 18)	16.7%	33.3%
No self-help group participation past 30 days (N = 17)	58.8%	52.9%
No family support for recovery past 30 days (N = 16)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =18)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 18$)	5.6%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 18)	22.2%	16.7%
Resistance to Change ($N = 18$)	77.8%	55.6%
Relapse/Continued Use Potential (N = 18)	100.0%	61.1%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program

20849 370th Lane McGregor, MN 55760

County: Aitkin

Provider Website:

Patient Profile

<u>Gender (N = 18)</u> Male: 27.8% Female: 72.2% Race (N = 18) White: 0.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 18) Under 18: 5.6% 18 to 25: 11.1% 26 to 34: 27.8% 35 and older: 55.6%

Primary Substance (N = 18) Alcohol: 72.2% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 27.8% Other drugs: 0.0%

Source of Income

(N = 18) Job: 16.7% Retirement/savings: 0.0% Family/friends: 11.1% No income: 5.6% Public sources: 11.1% Other sources: 55.6%

Source of Referral

<u>(N = 18)</u> Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 50.0% Professional: 0.0% County social service agency: 16.7% Other community resources: 0.0% AA: 0.0% Tribal: 5.6%

Outcomes

Discharge Status (N = 18) Completed program: 33.3% Patient left without staff approval: 44.4% Staff requested/judged inappropriate: 0.0% Death/other: 22.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Mille Lacs Band Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 18)	0.0%	5.6%
Not employed/student ^{$++$} (N = 17)	82.4%	70.6%
Arrests past 30 days (N = 18)	38.9%	27.8%
Alcohol use past 30 days (N = 18)	72.2%	55.6%
Drug use past 30 days (N = 18)	50.0%	38.9%
No self-help group participation past 30 days (N = 18)	22.2%	38.9%
No family support for recovery past 30 days (N = 18)	5.6%	16.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =18)	0.0%	5.6%
Biomedical Conditions and Complications $(N = 18)$	0.0%	5.6%
Emotional/Behavioral/ Cognitive Problem (N = 18)	5.6%	22.2%
Resistance to Change ($N = 18$)	66.7%	38.9%
Relapse/Continued Use Potential (N = 18)	100.0%	55.6%
Unsupportive Recovery Environment (N = 18)	100.0%	38.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Mille Lacs Band Outpatient Program Aazhoomog Clinic

45741 Grace Lake Road Sandstone, MN 55072

County: Pine

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 11)}}{\text{Male: 72.7\%}}$ Female: 27.3% Race (N = 11) White: 0.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 11) Under 18: 9.1% 18 to 25: 27.3% 26 to 34: 9.1% 35 and older: 54.5%

Primary Substance (N = 11) Alcohol: 72.7% Methamphetamine: 0.0% Marijuana: 27.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 11) Job: 18.2% Retirement/savings: 0.0% Family/friends: 9.1% No income: 18.2% Public sources: 0.0% Other sources: 54.5%

Source of Referral

<u>(N = 11)</u> Self/family/relative/ friends: 9.1% Employer/school: 9.1% Criminal justice: 54.5% Professional: 36.4% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 81.8%

Outcomes

Discharge Status (N = 11) Completed program: 18.2% Patient left without staff approval: 81.8% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Mille Lacs Band Outpatient Program Aazhoomog Clinic

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 11)	0.0%	0.0%
Not employed/student ^{**} (N = 11)	72.7%	54.5%
Arrests past 30 days (N = 11)	18.2%	27.3%
Alcohol use past 30 days (N = 11)	36.4%	36.4%
Drug use past 30 days (N = 11)	18.2%	9.1%
No self-help group participation past 30 days (N = 9)	*	*
No family support for recovery past 30 days ($N = 7$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =11)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 11)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem ($N = 11$)	18.2%	45.5%
Resistance to Change ($N = 11$)	27.3%	72.7%
Relapse/Continued Use Potential (N = 11)	90.9%	81.8%
Unsupportive Recovery Environment (N = 11)	100.0%	81.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Miller Dwan Medical Center

502 East 2nd Street Duluth, MN 55805

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 60)</u> Male: 56.7% Female: 43.3% Race (N = 60) White: 71.7% Black: 8.3% American Indian: 11.7% Hispanic: 1.7% Asian/Pacific Islander: 5.0% Other: 1.7% Age (N = 60) Under 18: 96.7% 18 to 25: 3.3% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 60) Alcohol: 23.3% Methamphetamine: 0.0% Marijuana: 73.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.7% Other drugs: 1.7% Source of Income (N = 60)

Job: 0.0% Retirement/savings: 0.0% Family/friends: 95.0% No income: 0.0% Public sources: 3.3% Other sources: 1.7% Source of Referral

(N = 60) Self/family/relative/ friends: 70.0% Employer/school: 5.0% Criminal justice: 51.7% Professional: 48.3% County social service agency: 8.3% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 60) Completed program: 28.3% Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 45.0% Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Miller Dwan Medical Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 59)	0.0%	0.0%
Not employed/student ^{**} (N = 60)	1.7%	1.7%
Arrests past 30 days (N = 60)	13.3%	5.0%
Alcohol use past 30 days ($N = 59$)	49.2%	37.3%
Drug use past 30 days (N = 59)	57.6%	61.0%
No self-help group participation past 30 days (N = 60)	50.0%	60.0%
No family support for recovery past 30 days ($N = 60$)	13.3%	48.3%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	<u>Discharge</u> 1.7%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =60) Biomedical Conditions and	0.0%	1.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =60) Biomedical Conditions and Complications (N = 60) Emotional/Behavioral/	0.0%	1.7% 1.7%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =60)Biomedical Conditions and Complications (N = 60)Emotional/Behavioral/ Cognitive Problem (N = 60)	0.0% 3.3% 83.3%	1.7% 1.7% 65.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Alternatives LLC

4200 Central Ave NE Columbia Heights, MN 55421

County: Anoka

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 18)}{\text{Male: } 55.6\%}$ Female: 44.4% Race (N = 18) White: 88.9% Black: 5.6% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 5.6%

Age (N = 18) Under 18: 0.0% 18 to 25: 11.1% 26 to 34: 22.2% 35 and older: 66.7%

Primary Substance (N = 18) Alcohol: 72.2% Methamphetamine: 0.0% Marijuana: 5.6% Heroin: 0.0% Cocaine: 16.7% Other opiates: 5.6% Other drugs: 0.0%

Source of Income

(N = 18) Job: 11.1% Retirement/savings: 5.6% Family/friends: 5.6% No income: 22.2% Public sources: 33.3% Other sources: 22.2%

Source of Referral

(N = 18) Self/family/relative/ friends: 50.0% Employer/school: 0.0% Criminal justice: 50.0% Professional: 5.6% County social service agency: 27.8% Other community resources: 5.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 18) Completed program: 50.0% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 11.1% Death/other: 27.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Minnesota Alternatives LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 18)	5.6%	5.6%
Not employed/student ^{**} (N = 17)	70.6%	52.9%
Arrests past 30 days (N = 18)	27.8%	11.1%
Alcohol use past 30 days (N = 18)	61.1%	61.1%
Drug use past 30 days (N = 18)	27.8%	22.2%
No self-help group participation past 30 days (N = 17)	82.4%	47.1%
No family support for recovery past 30 days ($N = 18$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 17)	0.0%	17.00/
	0.070	17.6%
Biomedical Conditions and Complications ($N = 18$)	5.6%	17.6%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/	5.6%	16.7%
Biomedical Conditions and Complications (N = 18) Emotional/Behavioral/ Cognitive Problem (N = 18)	5.6% 88.9%	16.7% 61.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge Men's Program

1619 Portland Ave. So. Minneapolis, MN 55404

County: Hennepin

Provider Website: www.mntc.org

Patient Profile

Gender (N = 244) Race (N = 244) Male: 100.0% White: 79.5% Female: 0.0% Black: 10.7% American Indian: 1.2% Hispanic: 4.9% Asian/Pacific Islander: 0.8% Other: 2.9%

Primary Substance (N = 242)Alcohol: 47.9% Methamphetamine: 15.7% Marijuana: 15.7% Heroin: 5.4% Cocaine: 9.5% Other opiates: 3.7% Other drugs: 2.1%

(N = 244)Job: 16.0% Retirement/savings: 1.6% Family/friends: 7.8% No income: 58.6% Public sources: 5.7% Other sources: 10.2%

Source of Income

Age (N = 244)

Under 18: 5.3% 18 to 25: 30.3% 26 to 34: 24.2% 35 and older: 40.2%

Source of Referral

(N = 244). Self/family/relative/ friends: 85.7% Employer/school: 2.9% Criminal justice: 28.7% Professional: 5.7% County social service agency: 2.0% Other community resources: 14.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 244)Completed program: 66.4% Patient left without staff approval: 23.4% Staff requested/judged inappropriate: 4.1% Death/other: 6.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Minnesota Teen Challenge Men's Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 240)	11.7%	3.3%
Not employed/student ^{**} (N = 228)	84.6%	90.4%
Arrests past 30 days (N = 228)	10.5%	0.4%
Alcohol use past 30 days (N = 237)	59.1%	9.3%
Drug use past 30 days (N = 237)	49.4%	11.8%
No self-help group participation past 30 days (N = 229)	78.2%	15.7%
No family support for recovery past 30 days ($N = 232$)	6.0%	6.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =241)	1.2%	0.0%
Biomedical Conditions and Complications ($N = 241$)	5.4%	5.0%
Emotional/Behavioral/ Cognitive Problem (N = 241)	57.3%	41.9%
Resistance to Change ($N = 242$)	91.3%	62.0%
Relapse/Continued Use Potential (N = 241)	100.0%	92.1%
Unsupportive Recovery Environment (N = 241)	98.8%	90.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Minnesota Teen Challenge Women's Program

1717 2nd Ave South Minneapolis, MN 55403

County: Hennepin

Provider Website: www.mntc.org

Patient Profile

<u>Gender (N = 109)</u> Male: 6.4% Female: 93.6% Race (N = 109) White: 83.5% Black: 11.0% American Indian: 2.8% Hispanic: 0.0% Asian/Pacific Islander: 0.9% Other: 1.8% <u>Age (N = 109)</u> Under 18: 6.4% 18 to 25: 31.2% 26 to 34: 25.7% 35 and older: 36.7%

Primary Substance (N = 107) Alcohol: 53.3% Methamphetamine: 17.8% Marijuana: 14.0% Heroin: 2.8% Cocaine: 4.7% Other opiates: 4.7% Other drugs: 2.8%

Source of Income

(N = 109) Job: 17.4% Retirement/savings: 0.0% Family/friends: 17.4% No income: 49.5% Public sources: 8.3% Other sources: 7.3%

Source of Referral

<u>(N = 109)</u>. Self/family/relative/ friends: 88.1% Employer/school: 4.6% Criminal justice: 11.0% Professional: 3.7% County social service agency: 1.8% Other community resources: 19.3% AA: 0.9% Tribal: 0.0%

Outcomes

Discharge Status (N = 109) Completed program: 75.2% Patient left without staff approval: 14.7% Staff requested/judged inappropriate: 1.8% Death/other: 8.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Minnesota Teen Challenge Women's Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 105)	6.7%	1.0%
Not employed/student ^{**} (N = 103)	78.6%	89.3%
Arrests past 30 days (N = 102)	8.8%	1.0%
Alcohol use past 30 days (N = 107)	67.3%	5.6%
Drug use past 30 days (N = 107)	48.6%	5.6%
No self-help group participation past 30 days (N = 105)	68.6%	10.5%
No family support for recovery past 30 days (N = 103)	6.8%	3.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =106)	0.9%	1.9%
Biomedical Conditions and Complications ($N = 107$)	4.7%	6.5%
Emotional/Behavioral/ Cognitive Problem (N = 106)	70.8%	39.6%
Resistance to Change ($N = 107$)	93.5%	51.4%
Relapse/Continued Use Potential (N = 107)	99.1%	86.9%
Unsupportive Recovery Environment (N = 107)	100.0%	86.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Morgan Treatment Center

1025 Portland Avenue South Minneapolis, MN 55403

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 12)</u> Male: 100.0% Female: 0.0% Race (N = 12) White: 83.3% Black: 8.3% American Indian: 8.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 12) Under 18: 0.0% 18 to 25: 16.7% 26 to 34: 16.7% 35 and older: 66.7%

Primary Substance (N = 12) Alcohol: 91.7% Methamphetamine: 0.0% Marijuana: 8.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 12) Job: 75.0% Retirement/savings: 0.0% Family/friends: 0.0% No income: 8.3% Public sources: 8.3% Other sources: 8.3%

Source of Referral

(N = 12) Self/family/relative/ friends: 91.7% Employer/school: 0.0% Criminal justice: 16.7% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 12) Completed program: 91.7% Patient left without staff approval: 8.3% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Morgan Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 12)	0.0%	0.0%
Not employed/student ^{**} (N = 12)	16.7%	8.3%
Arrests past 30 days (N = 12)	8.3%	8.3%
Alcohol use past 30 days (N = 12)	8.3%	0.0%
Drug use past 30 days (N = 12)	0.0%	0.0%
No self-help group participation past 30 days (N = 12)	33.3%	8.3%
No family support for recovery past 30 days (N = 12)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	<u>Admission</u> 0.0%	Discharge 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =12) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =12) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =12) Biomedical Conditions and Complications (N = 12) Emotional/Behavioral/ Cognitive Problem (N = 12)	0.0% 0.0% 8.3%	0.0% 0.0% 8.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

My Home, Inc.

1010 University Avenue St. Paul, MN 55104

Provider Website:

Patient Profile

<u>Gender (N = 75)</u> Male: 80.0% Female: 20.0% Race (N = 75) White: 2.7% Black: 94.7% American Indian: 0.0% Hispanic: 1.3% Asian/Pacific Islander: 0.0% Other: 1.3% Age (N = 75) Under 18: 0.0% 18 to 25: 37.3% 26 to 34: 42.7% 35 and older: 20.0%

County: Ramsey

Primary Substance (N = 75) Alcohol: 68.0% Methamphetamine: 0.0% Marijuana: 30.7% Heroin: 0.0% Cocaine: 1.3% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 75) Job: 5.3% Retirement/savings: 0.0% Family/friends: 0.0% No income: 84.0% Public sources: 9.3% Other sources: 1.3%

Source of Referral

<u>(N = 75)</u> Self/family/relative/ friends: 2.7% Employer/school: 0.0% Criminal justice: 72.0% Professional: 0.0% County social service agency: 100.0% Other community resources: 22.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 75) Completed program: 32.0% Patient left without staff approval: 41.3% Staff requested/judged inappropriate: 1.3% Death/other: 25.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

My Home, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 74)	2.7%	4.1%
Not employed/student ^{**} (N = 33)	93.9%	81.8%
Arrests past 30 days (N = 75)	0.0%	6.7%
Alcohol use past 30 days (N = 75)	18.7%	9.3%
Drug use past 30 days (N = 75)	33.3%	17.3%
No self-help group participation past 30 days (N = 34)	85.3%	91.2%
No family support for recovery past 30 days ($N = 33$)	6.1%	6.1%
Barriers to Recovery <u>Dimensions of Chemical Health</u> [§]	Admission	<u>Discharge</u>
	Admission 1.4%	<u>Discharge</u> 1.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =73) Biomedical Conditions and	1.4%	1.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/	1.4% 5.5%	1.4% 2.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/ Cognitive Problem (N = 73)	1.4% 5.5% 17.8%	1.4% 2.7% 31.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

My Home, Inc.

420 North 5th Street Minneapolis, MN 55401

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 10)}{\text{Male: } 90.0\%}$ Female: 10.0% $\frac{\text{Race (N = 10)}}{\text{White: 10.0\%}}$ $\frac{\text{Black: 70.0\%}}{\text{American Indian: 0.0\%}}$ $\frac{\text{Hispanic: 0.0\%}}{\text{Asian/Pacific Islander: 0.0\%}}$ $\frac{\text{Other: 20.0\%}}{\text{Other: 20.0\%}}$

Age (N = 10) Under 18: 0.0% 18 to 25: 40.0% 26 to 34: 30.0% 35 and older: 30.0%

County: Hennepin

Primary Substance (N = 10) Alcohol: 70.0% Methamphetamine: 0.0% Marijuana: 20.0% Heroin: 10.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 10) Job: 30.0% Retirement/savings: 0.0% Family/friends: 0.0% No income: 70.0% Public sources: 0.0% Other sources: 0.0%

Source of Income

Source of Referral

(N = 10) Self/family/relative/ friends: 10.0% Employer/school: 0.0% Criminal justice: 70.0% Professional: 0.0% County social service agency: 100.0% Other community resources: 10.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 10) Completed program: 40.0% Patient left without staff approval: 50.0% Staff requested/judged inappropriate: 0.0% Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

My Home, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 10)	0.0%	0.0%
Not employed/student ^{**} (N = 5)	*	*
Arrests past 30 days (N = 10)	0.0%	10.0%
Alcohol use past 30 days (N = 10)	40.0%	10.0%
Drug use past 30 days (N = 10)	30.0%	10.0%
No self-help group participation past 30 days (N = 7)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =9)	*	*
Biomedical Conditions and Complications $(N = 9)$	*	*
Emotional/Behavioral/ Cognitive Problem ($N = 9$)	*	*
Resistance to Change ($N = 9$)	*	*
Relapse/Continued Use Potential (N = 9)	*	*
Unsupportive Recovery Environment (N = 8)	*	*

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nehemiah Family Services

104 1st Street Dodge Center, MN 55927

County: Dodge

Provider Website:

Patient Profile

<u>Gender (N = 91)</u> Male: 92.3% Female: 7.7% Race (N = 91) White: 86.8% Black: 3.3% American Indian: 4.4% Hispanic: 4.4% Asian/Pacific Islander: 0.0% Other: 1.1% Age (N = 91) Under 18: 2.2% 18 to 25: 28.6% 26 to 34: 34.1% 35 and older: 35.2%

Primary Substance (N = 91) Alcohol: 61.5% Methamphetamine: 11.0% Marijuana: 22.0% Heroin: 0.0% Cocaine: 5.5% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 91) Job: 67.0% Retirement/savings: 2.2% Family/friends: 6.6% No income: 7.7% Public sources: 11.0% Other sources: 5.5%

Source of Referral

(N = 91) Self/family/relative/ friends: 96.7% Employer/school: 1.1% Criminal justice: 90.1% Professional: 2.2% County social service agency: 3.3% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 91) Completed program: 76.9% Patient left without staff approval: 17.6% Staff requested/judged inappropriate: 0.0% Death/other: 5.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Nehemiah Family Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 91)	0.0%	0.0%
Not employed/student ^{**} (N = 91)	35.2%	38.5%
Arrests past 30 days (N = 91)	6.6%	3.3%
Alcohol use past 30 days ($N = 91$)	18.7%	4.4%
Drug use past 30 days (N = 91)	12.1%	2.2%
No self-help group participation past 30 days (N = 89)	66.3%	33.7%
No family support for recovery past 30 days ($N = 89$)	2.2%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =91)	1.1%	1.1%
Biomedical Conditions and Complications ($N = 91$)	1.1%	2.2%
Emotional/Behavioral/ Cognitive Problem (N = 91)	5.5%	3.3%
Resistance to Change ($N = 91$)	60.4%	19.8%
Resistance to Change (N = 91) Relapse/Continued Use Potential (N = 91)	60.4% 79.1%	19.8% 20.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Neighborhood Counseling Chemical Dependency Progra

11 2nd Street SW Wadena, MN 56482

County: Wadena

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 81)}}{\text{Male: 74.1\%}}$ Female: 25.9% Race (N = 81) White: 88.9% Black: 3.7% American Indian: 2.5% Hispanic: 1.2% Asian/Pacific Islander: 0.0% Other: 3.7% Age (N = 81) Under 18: 0.0% 18 to 25: 33.3% 26 to 34: 23.5% 35 and older: 43.2%

Primary Substance (N = 81) Alcohol: 82.7% Methamphetamine: 6.2% Marijuana: 7.4% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.2% Other drugs: 2.5% Source of Income

(N = 81) Job: 37.0% Retirement/savings: 1.2% Family/friends: 8.6% No income: 11.1% Public sources: 16.0% Other sources: 25.9%

Source of Referral

(N = 81) Self/family/relative/ friends: 33.3% Employer/school: 0.0% Criminal justice: 50.6% Professional: 24.7% County social service agency: 71.6% Other community resources: 6.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 81) Completed program: 60.5% Patient left without staff approval: 16.0% Staff requested/judged inappropriate: 1.2% Death/other: 22.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Neighborhood Counseling Chemical Dependency Progra

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 67)	0.0%	1.5%
Not employed/student ^{**} (N = 64)	60.9%	54.7%
Arrests past 30 days (N = 63)	3.2%	4.8%
Alcohol use past 30 days (N = 57)	22.8%	3.5%
Drug use past 30 days (N = 57)	5.3%	3.5%
No self-help group participation past 30 days (N = 59)	59.3%	66.1%
No family support for recovery past 30 days ($N = 61$)	14.8%	3.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =74) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =74) Biomedical Conditions and Complications (N = 74) Emotional/Behavioral/	0.0% 24.3%	0.0% 13.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =74) Biomedical Conditions and Complications (N = 74) Emotional/Behavioral/ Cognitive Problem (N = 74)	0.0% 24.3% 51.4%	0.0% 13.5% 31.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Litchfield

114 N. Holcombe Litchfield, MN 55355

County: Meeker

Provider Website:

Patient Profile

<u>Gender (N = 59)</u> Male: 72.9% Female: 27.1% Race (N = 59) White: 91.5% Black: 0.0% American Indian: 1.7% Hispanic: 5.1% Asian/Pacific Islander: 0.0% Other: 1.7% <u>Age (N = 59)</u> Under 18: 0.0% 18 to 25: 28.8% 26 to 34: 22.0% 35 and older: 49.2%

Primary Substance (N = 59) Alcohol: 62.7% Methamphetamine: 13.6% Marijuana: 20.3% Heroin: 0.0% Cocaine: 1.7% Other opiates: 1.7% Other drugs: 0.0% Source of Income (N = 59)

Job: 47.5% Retirement/savings: 6.8% Family/friends: 11.9% No income: 3.4% Public sources: 27.1% Other sources: 3.4% Source of Referral

(N = 59) Self/family/relative/ friends: 16.9% Employer/school: 1.7% Criminal justice: 61.0% Professional: 6.8% County social service agency: 64.4% Other community resources: 3.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 59) Completed program: 76.3% Patient left without staff approval: 8.5% Staff requested/judged inappropriate: 15.3% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Beginnings at Litchfield

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 59)	0.0%	0.0%
Not employed/student ^{**} (N = 59)	64.4%	55.9%
Arrests past 30 days (N = 59)	3.4%	5.1%
Alcohol use past 30 days ($N = 59$)	22.0%	8.5%
Drug use past 30 days (N = 59)	13.6%	1.7%
No self-help group participation past 30 days (N = 59)	44.1%	3.4%
No family support for recovery past 30 days ($N = 59$)	6.8%	1.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =59)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 59)$	0.0%	3.4%
Emotional/Behavioral/ Cognitive Problem ($N = 59$)	15.3%	13.6%
Resistance to Change ($N = 59$)	86.4%	30.5%
Relapse/Continued Use Potential (N = 59)	100.0%	64.4%
Unsupportive Recovery Environment (N = 59)	93.2%	37.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Olivia Renville County Jail

105 5th Street Olivia, MN 56277

County: Renville

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 22)}}{\text{Male: 100.0\%}}$ Female: 0.0% Race (N = 22) White: 72.7% Black: 4.5% American Indian: 9.1% Hispanic: 13.6% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 22) Under 18: 0.0% 18 to 25: 22.7% 26 to 34: 45.5% 35 and older: 31.8%

Primary Substance (N = 22) Alcohol: 77.3% Methamphetamine: 4.5% Marijuana: 13.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.5% Other drugs: 0.0%

Source of Income

(N = 22) Job: 45.5% Retirement/savings: 0.0% Family/friends: 9.1% No income: 40.9% Public sources: 0.0% Other sources: 4.5%

Source of Referral

(N = 22) Self/family/relative/ friends: 9.1% Employer/school: 0.0% Criminal justice: 90.9% Professional: 0.0% County social service agency: 63.6% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 22) Completed program: 81.8% Patient left without staff approval: 4.5% Staff requested/judged inappropriate: 4.5% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Beginnings at Olivia Renville County Jail

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 22)	18.2%	0.0%
Not employed/student ^{**} (N = 22)	90.9%	95.5%
Arrests past 30 days (N = 22)	45.5%	0.0%
Alcohol use past 30 days (N = 22)	40.9%	4.5%
Drug use past 30 days (N = 22)	22.7%	4.5%
No self-help group participation past 30 days (N = 22)	81.8%	0.0%
No family support for recovery past 30 days ($N = 22$)	13.6%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =22)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 22)$	13.6%	18.2%
Emotional/Behavioral/ Cognitive Problem (N = 22)	50.0%	40.9%
Resistance to Change ($N = 22$)	27.3%	50.0%
Relapse/Continued Use Potential (N = 22)	100.0%	95.5%
Unsupportive Recovery Environment (N = 22)	100.0%	86.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at St. Peter

201 W Park Row #B St. Peter, MN 56082

County: Nicollet

Provider Website: www.newbeginningsatwaverly.com

Patient Profile

<u>Gender (N = 64)</u> Male: 73.4% Female: 26.6% Race (N = 64) White: 81.3% Black: 7.8% American Indian: 6.3% Hispanic: 3.1% Asian/Pacific Islander: 0.0% Other: 1.6% <u>Age (N = 64)</u> Under 18: 0.0% 18 to 25: 28.1% 26 to 34: 31.3% 35 and older: 40.6%

Primary Substance (N = 64) Alcohol: 60.9% Methamphetamine: 9.4% Marijuana: 21.9% Heroin: 0.0% Cocaine: 3.1% Other opiates: 3.1% Other drugs: 1.6%

(N = 64) Job: 46.9% Retirement/savings: 0.0% Family/friends: 28.1% No income: 1.6% Public sources: 18.8% Other sources: 4.7%

Source of Income

Source of Referral

<u>(N = 64)</u> Self/family/relative/ friends: 29.7% Employer/school: 0.0% Criminal justice: 79.7% Professional: 14.1% County social service agency: 34.4% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 64) Completed program: 78.1% Patient left without staff approval: 3.1% Staff requested/judged inappropriate: 12.5% Death/other: 6.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Beginnings at St. Peter

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 64)	0.0%	0.0%
Not employed/student ^{$++$} (N = 64)	50.0%	50.0%
Arrests past 30 days (N = 64)	10.9%	3.1%
Alcohol use past 30 days ($N = 64$)	21.9%	7.8%
Drug use past 30 days (N = 64)	10.9%	6.3%
No self-help group participation past 30 days ($N = 64$)	39.1%	1.6%
No family support for recovery past 30 days (N = 64)	6.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =64)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 64$)	9.4%	3.1%
Emotional/Behavioral/ Cognitive Problem (N = 64)	23.4%	9.4%
Resistance to Change ($N = 64$)	46.9%	18.8%
Relapse/Continued Use Potential (N = 64)	98.4%	21.9%
Unsupportive Recovery Environment (N = 64)	79.7%	21.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Waverly

109 North Shore Drive Waverly, MN 553909743

County: Wright

Provider Website: www.newbeginningsatwaverly.com

Patient Profile

<u>Gender (N = 900)</u> Male: 75.6% Female: 24.4% Race (N = 900) White: 92.7% Black: 2.0% American Indian: 1.6% Hispanic: 2.0% Asian/Pacific Islander: 0.3% Other: 1.4%

<u>Age (N = 900)</u> Under 18: 0.0% 18 to 25: 31.4% 26 to 34: 25.7% 35 and older: 42.9%

Primary Substance (N = 900) Alcohol: 57.4% Methamphetamine: 19.8% Marijuana: 10.3% Heroin: 3.7% Cocaine: 2.2% Other opiates: 5.0% Other drugs: 1.6%

(N = 900) Job: 31.3% Retirement/savings: 10.2% Family/friends: 22.7% No income: 13.1% Public sources: 9.1% Other sources: 13.6%

Source of Income

Source of Referral

(N = 900) Self/family/relative/ friends: 54.7% Employer/school: 3.4% Criminal justice: 11.6% Professional: 19.1% County social service agency: 39.8% Other community resources: 7.9% AA: 2.3% Tribal: 0.0%

Outcomes

Discharge Status (N = 900) Completed program: 83.7% Patient left without staff approval: 12.1% Staff requested/judged inappropriate: 2.7% Death/other: 1.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Beginnings at Waverly

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 895)	5.4%	0.3%
Not employed/student ^{**} (N = 898)	69.6%	70.4%
Arrests past 30 days (N = 900)	17.3%	1.8%
Alcohol use past 30 days (N = 900)	70.2%	27.6%
Drug use past 30 days (N = 900)	54.3%	23.6%
No self-help group participation past 30 days (N = 900)	68.7%	3.0%
No family support for recovery past 30 days ($N = 900$)	1.7%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/		
Withdrawal (N =900)	8.1%	0.6%
Withdrawal (N =900) Biomedical Conditions and Complications (N = 900)	8.1% 14.1%	0.6% 9.0%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 900) Emotional/Behavioral/	14.1%	9.0%
Biomedical Conditions and Complications (N = 900) Emotional/Behavioral/ Cognitive Problem (N = 900)	14.1% 57.0%	9.0% 41.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings at Worthington Prairie Justice Center

1680 Airport RoadCounty: NoblesWorthington, MN56182

Provider Website:

Patient Profile

Gender (N = 4)Race (N = 4)Age (N = 4)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 4)(N = 4)(N = 4). Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Public sources: * Cocaine: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 4) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: * AA: * Tribal: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Beginnings at Worthington Prairie Justice Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 4)	*	*
Not employed/student ^{**} (N = 4)	*	*
Arrests past 30 days ($N = 4$)	*	*
Alcohol use past 30 days ($N = 4$)	*	*
Drug use past 30 days ($N = 4$)	*	*
No self-help group participation past 30 days (N = 4)	*	*
No family support for recovery past 30 days ($N = 4$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 4) Emotional/Behavioral/ Cognitive Problem (N = 4)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings Jail Program at Elk River

13880 Hwy 10 Elk River, MN 55347

County: Sherburne

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 51)}}{\text{Male: 100.0\%}}$ Female: 0.0%

Race (N = 51) White: 78.4% Black: 13.7% American Indian: 5.9% Hispanic: 2.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 51)</u> Under 18: 0.0% 18 to 25: 43.1% 26 to 34: 25.5% 35 and older: 31.4%

Primary Substance (N = 51) Alcohol: 49.0% Methamphetamine: 15.7% Marijuana: 27.5% Heroin: 3.9% Cocaine: 3.9% Other opiates: 0.0%

Source of Income

(N = 51) Job: 7.8% Retirement/savings: 0.0% Family/friends: 2.0% No income: 84.3% Public sources: 3.9% Other sources: 2.0%

Source of Referral

(N = 51) Self/family/relative/ friends: 51.0% Employer/school: 0.0% Criminal justice: 76.5% Professional: 7.8% County social service agency: 3.9% Other community resources: 2.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 51) Completed program: 72.5% Patient left without staff approval: 9.8% Staff requested/judged inappropriate: 17.6% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Beginnings Jail Program at Elk River

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$**$} (N = 50)	12.0%	0.0%
Not employed/student ^{$++$} (N = 51)	92.2%	78.4%
Arrests past 30 days (N = 51)	31.4%	3.9%
Alcohol use past 30 days (N = 51)	29.4%	5.9%
Drug use past 30 days (N = 51)	25.5%	9.8%
No self-help group participation past 30 days (N = 51)	52.9%	5.9%
No family support for recovery past 30 days (N = 51)	17.6%	0.0%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =51) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =51) Biomedical Conditions and Complications (N = 51) Emotional/Behavioral/	0.0%	0.0% 3.9%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =51)Biomedical Conditions and Complications (N = 51)Emotional/Behavioral/ Cognitive Problem (N = 51)	0.0% 0.0% 94.1%	0.0% 3.9% 58.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Beginnings Women's Program

7300 Estes Avenue Waverly, MN 55390

County: Wright

Provider Website:

Patient Profile

<u>Gender (N = 116)</u> Male: 0.9% Female: 99.1% Race (N = 116) White: 84.5% Black: 4.3% American Indian: 2.6% Hispanic: 3.4% Asian/Pacific Islander: 0.0% Other: 5.2% Age (N = 116) Under 18: 0.0% 18 to 25: 28.4% 26 to 34: 23.3% 35 and older: 48.3%

Primary Substance (N = 116) Alcohol: 53.4% Methamphetamine: 25.0% Marijuana: 3.4% Heroin: 3.4% Cocaine: 5.2% Other opiates: 8.6% Other drugs: 0.9% Source of Income

(N = 116) Job: 24.1% Retirement/savings: 6.0% Family/friends: 21.6% No income: 31.0% Public sources: 10.3% Other sources: 6.9%

Source of Referral

(N = 116) Self/family/relative/ friends: 64.7% Employer/school: 2.6% Criminal justice: 10.3% Professional: 25.9% County social service agency: 27.6% Other community resources: 8.6% AA: 1.7% Tribal: 0.0%

Outcomes

Discharge Status (N = 116) Completed program: 75.9% Patient left without staff approval: 20.7% Staff requested/judged inappropriate: 2.6% Death/other: 0.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Beginnings Women's Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 114)	9.6%	0.0%
Not employed/student ^{$++$} (N = 115)	73.9%	75.7%
Arrests past 30 days (N = 116)	13.8%	2.6%
Alcohol use past 30 days (N = 116)	70.7%	37.1%
Drug use past 30 days (N = 116)	54.3%	33.6%
No self-help group participation past 30 days (N = 116)	63.8%	2.6%
No family support for recovery past 30 days (N = 116)	3.4%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =116)	6.9%	0.0%
Biomedical Conditions and Complications ($N = 116$)	11.2%	4.3%
Emotional/Behavioral/ Cognitive Problem (N = 116)	59.5%	58.6%
Resistance to Change ($N = 116$)	21.6%	25.9%
Relapse/Continued Use Potential (N = 116)	99.1%	99.1%
Unsupportive Recovery Environment (N = 116)	98.3%	100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Adolescents HSI

7565 4th Avenue Lino Lakes, MN 55014

County: Anoka

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 11)}{\text{Male: } 81.8\%}$ Female: 18.2% Race (N = 11) White: 54.5% Black: 18.2% American Indian: 27.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 11) Under 18: 90.9% 18 to 25: 9.1% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 11) Alcohol: 27.3% Methamphetamine: 9.1% Marijuana: 63.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 11) Job: 9.1% Retirement/savings: 0.0% Family/friends: 81.8% No income: 0.0% Public sources: 0.0% Other sources: 9.1%

Source of Referral

(N = 11) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 11) Completed program: 72.7% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 27.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Choices for Adolescents HSI

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 11)	0.0%	0.0%
Not employed/student ^{**} (N = 11)	0.0%	0.0%
Arrests past 30 days (N = 10)	100.0%	10.0%
Alcohol use past 30 days (N = 11)	72.7%	27.3%
Drug use past 30 days (N = 11)	81.8%	27.3%
No self-help group participation past 30 days (N = 10)	40.0%	80.0%
No family support for recovery past 30 days (N = 11)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =11)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 11)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 11)	90.9%	90.9%
Resistance to Change ($N = 11$)	90.9%	18.2%
Relapse/Continued Use Potential (N = 11)	100.0%	100.0%
Unsupportive Recovery Environment (N = 11)	100.0%	81.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Cottage Grove

8451 E. Point Douglas Road Cottage Grove, MN 55016

County: Washington

AA: * Tribal: *

Provider Website: www.hsicares.org

Patient Profile

Gender (N = 9)Race (N = 9)Age (N = 9) Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 9) (N = 9)(N = 9). Job: * Self/family/relative/ Alcohol: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 9) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Choices for Recovery Cottage Grove

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 7)	*	*
Not employed/student ^{**} (N = 7)	*	*
Arrests past 30 days (N = 9)	*	*
Alcohol use past 30 days ($N = 9$)	*	*
Drug use past 30 days (N = 9)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days $(N = 7)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
-	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =9) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =9) Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =9) Biomedical Conditions and Complications (N = 9) Emotional/Behavioral/ Cognitive Problem (N = 9)	* * *	* * *

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Forest Lake

121 11th Ave S.E. Forest Lake, MN 55025

County: Washington

AA: * Tribal: *

Provider Website: www.hsicares.org

Patient Profile

Gender (N = 5)Race (N = 5)<u>Age (N = 5)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 5) (N = 5)(N = 5). Self/family/relative/ Alcohol: * Job: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 5) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Choices for Recovery Forest Lake

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$**$} (N = 5)	*	*
Not employed/student ^{**} (N = 5)	*	*
Arrests past 30 days (N = 5)	*	*
Alcohol use past 30 days ($N = 5$)	*	*
Drug use past 30 days (N = 5)	*	*
No self-help group participation past 30 days (N = 4)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =5)Biomedical Conditions and Complications (N = 5)Emotional/Behavioral/ Cognitive Problem (N = 5)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Stillwater

375 East Orleans Street Stillwater, MN 55082

County: Washington

Provider Website: www.hsicares.org

Patient Profile

Gender (N = 79) Race (N = 79)Age (N = 79)Male: 72.2% White: 87.3% Under 18: 13.9% Female: 27.8% Black: 0.0% 18 to 25: 26.6% American Indian: 2.5% 26 to 34: 20.3% Hispanic: 7.6% Asian/Pacific Islander: 1.3% Other: 1.3%

Primary Substance (N = 79) Alcohol: 53.2% Methamphetamine: 12.7% Marijuana: 25.3% Heroin: 1.3% Cocaine: 1.3% Other opiates: 3.8% Other drugs: 2.5%

Source of Income (N = 79)

Job: 32.9% Retirement/savings: 5.1% Family/friends: 17.7% No income: 22.8% Public sources: 12.7% Other sources: 8.9%

35 and older: 39.2%

Source of Referral

(N = 79). Self/family/relative/ friends: 21.5% Employer/school: 0.0% Criminal justice: 78.5% Professional: 3.8% County social service agency: 11.4% Other community resources: 2.5% AA: 2.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 79) Completed program: 55.7% Patient left without staff approval: 10.1% Staff requested/judged inappropriate: 3.8% Death/other: 30.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Choices for Recovery Stillwater

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 77)	0.0%	0.0%
Not employed/student ^{**} (N = 75)	46.7%	40.0%
Arrests past 30 days (N = 78)	16.7%	10.3%
Alcohol use past 30 days (N = 79)	26.6%	19.0%
Drug use past 30 days (N = 79)	12.7%	16.5%
No self-help group participation past 30 days (N = 73)	57.5%	32.9%
No family support for recovery past 30 days ($N = 75$)	8.0%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =77)	0.0%	2.6%
Biomedical Conditions and Complications $(N = 79)$	19.0%	20.3%
Emotional/Behavioral/ Cognitive Problem (N = 77)	63.6%	42.9%
Resistance to Change ($N = 76$)	81.6%	36.8%
Relapse/Continued Use Potential (N = 77)	97.4%	55.8%
Unsupportive Recovery Environment (N = 77)	93.5%	68.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Choices for Recovery Washington County Jail

15015 62nd Street N Stillwater, MN 55082

County: Washington

Provider Website:

Patient Profile

 Gender (N = 96)
 Race (N = 96)

 Male: 84.4%
 White: 76.0%

 Female: 15.6%
 Black: 4.2%

 American Indian: 3.1%
 Hispanic: 9.4%

 Asian/Pacific Islander: 2.1%
 Other: 5.2%

Age (N = 96) Under 18: 0.0% 18 to 25: 35.4% 26 to 34: 29.2% 35 and older: 35.4%

Primary Substance (N = 96) Alcohol: 37.5% Methamphetamine: 32.3% Marijuana: 18.8% Heroin: 2.1% Cocaine: 9.4% Other opiates: 0.0% Other drugs: 0.0%

(N = 96) Job: 19.8% Retirement/savings: 0.0% Family/friends: 8.3% No income: 61.5% Public sources: 4.2% Other sources: 6.3%

Source of Income

Source of Referral

(N = 96) Self/family/relative/ friends: 27.1% Employer/school: 0.0% Criminal justice: 85.4% Professional: 2.1% County social service agency: 1.0% Other community resources: 1.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 96) Completed program: 46.9% Patient left without staff approval: 18.8% Staff requested/judged inappropriate: 4.2% Death/other: 30.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Choices for Recovery Washington County Jail

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 92)	2.2%	0.0%
Not employed/student ^{**} (N = 92)	94.6%	80.4%
Arrests past 30 days (N = 96)	22.9%	5.2%
Alcohol use past 30 days (N = 96)	13.5%	4.2%
Drug use past 30 days (N = 96)	13.5%	3.1%
No self-help group participation past 30 days (N = 87)	35.6%	42.5%
No family support for recovery past 30 days ($N = 91$)	16.5%	15.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =96)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 96)$	5.2%	3.1%
Emotional/Behavioral/ Cognitive Problem ($N = 96$)	72.9%	44.8%
Resistance to Change ($N = 96$)	99.0%	31.3%
Relapse/Continued Use Potential (N = 96)	100.0%	77.1%
Unsupportive Recovery Environment (N = 96)	99.0%	82.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Connection Program of Eden Prairie

6754 Shady Oak Road Eden Prairie, MN 55344

County: Hennepin

Provider Website: www.regionshospital.com

Patient Profile

 $\frac{\text{Gender (N = 62)}}{\text{Male: 64.5\%}}$ Female: 35.5% Race (N = 62) White: 79.0% Black: 6.5% American Indian: 1.6% Hispanic: 3.2% Asian/Pacific Islander: 1.6% Other: 8.1% Age (N = 62) Under 18: 90.3% 18 to 25: 9.7% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 62) Alcohol: 24.2% Methamphetamine: 3.2% Marijuana: 69.4% Heroin: 0.0% Cocaine: 1.6% Other opiates: 0.0% Other drugs: 1.6%

Source of Income

(N = 62) Job: 0.0% Retirement/savings: 0.0% Family/friends: 95.2% No income: 3.2% Public sources: 1.6% Other sources: 0.0%

Source of Referral

(N = 62) Self/family/relative/ friends: 93.5% Employer/school: 29.0% Criminal justice: 16.1% Professional: 33.9% County social service agency: 0.0% Other community resources: 1.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 62) Completed program: 50.0% Patient left without staff approval: 27.4% Staff requested/judged inappropriate: 6.5% Death/other: 16.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Connection Program of Eden Prairie

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 62)	0.0%	0.0%
Not employed/student ^{$++$} (N = 62)	1.6%	0.0%
Arrests past 30 days (N = 62)	9.7%	4.8%
Alcohol use past 30 days (N = 62)	53.2%	27.4%
Drug use past 30 days (N = 62)	77.4%	40.3%
No self-help group participation past 30 days ($N = 60$)	80.0%	31.7%
No family support for recovery past 30 days ($N = 60$)	3.3%	8.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	<u></u>	Discharge
Acute Intoxication/ Withdrawal (N =62)	0.0%	0.0%
•		
Withdrawal (N = 62) Biomedical Conditions and	0.0%	0.0%
Withdrawal (N =62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/	0.0%	0.0%
Withdrawal (N = 62) Biomedical Conditions and Complications (N = 62) Emotional/Behavioral/ Cognitive Problem (N = 62)	0.0% 0.0% 40.3%	0.0% 0.0% 38.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Connections Program-Hastings

1250 Highway 55 Hastings, MN 55033

County: Dakota

Provider Website: www.regionshospital.com

Patient Profile

Race (N = 73)Gender (N = 73) Age (N = 73)Male: 82.2% White: 91.8% Under 18: 91.8% Female: 17.8% Black: 1.4% 18 to 25: 8.2% American Indian: 1.4% 26 to 34: 0.0% Hispanic: 4.1% Asian/Pacific Islander: 0.0% Other: 1.4%

Primary Substance (N = 73) Alcohol: 15.1% Methamphetamine: 1.4% Marijuana: 65.8% Heroin: 8.2% Cocaine: 0.0% Other opiates: 6.8% Other drugs: 2.7%

Source of Income (N = 73)

Job: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

35 and older: 0.0%

Source of Referral

(N = 73). Self/family/relative/ friends: 74.0% Employer/school: 9.6% Criminal justice: 42.5% Professional: 43.8% County social service agency: 8.2% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 73)Completed program: 60.3% Patient left without staff approval: 6.8% Staff requested/judged inappropriate: 8.2% Death/other: 24.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Connections Program-Hastings

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 73)	0.0%	0.0%
Not employed/student ^{**} (N = 73)	1.4%	0.0%
Arrests past 30 days (N = 72)	18.1%	4.2%
Alcohol use past 30 days (N = 73)	58.9%	37.0%
Drug use past 30 days (N = 73)	71.2%	54.8%
No self-help group participation past 30 days (N = 73)	74.0%	49.3%
No family support for recovery past 30 days ($N = 73$)	26.0%	19.2%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =73)	0.0%	1.4%
•	0.0% 0.0%	1.4% 0.0%
Withdrawal (N =73) Biomedical Conditions and		
Withdrawal (N = 73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/	0.0%	0.0%
Withdrawal (N = 73) Biomedical Conditions and Complications (N = 73) Emotional/Behavioral/ Cognitive Problem (N = 73)	0.0% 67.1%	0.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Life Treatment Center

130 Dakota Street Woodstock, MN 56186

County: Pipestone

Provider Website: www.newlifetreatment.com

Patient Profile

Gender (N = 263) Race (N = 263)Age (N = 263)Male: 72.6% White: 83.7% Under 18: 1.1% Female: 27.4% Black: 4.2% 18 to 25: 28.1% American Indian: 4.2% 26 to 34: 22.1% Hispanic: 4.9% 35 and older: 48.7% Asian/Pacific Islander: 1.5% Other: 1.5%

Primary Substance (N = 263)Alcohol: 66.2% Methamphetamine: 11.8% Marijuana: 17.1% Heroin: 0.8% Cocaine: 0.8% Other opiates: 1.5% Other drugs: 1.9%

Source of Income (N = 263)Job: 41.8% Retirement/savings: 3.0% Family/friends: 17.9% No income: 13.3% Public sources: 14.4% Other sources: 9.5%

Source of Referral (N = 263).

Self/family/relative/ friends: 43.0% Employer/school: 0.8% Criminal justice: 8.0% Professional: 10.6% County social service agency: 57.0% Other community resources: 8.4% AA: 0.0% Tribal: 0.8%

Outcomes

Discharge Status (N = 263)Completed program: 87.5% Patient left without staff approval: 8.0% Staff requested/judged inappropriate: 3.0% Death/other: 1.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Life Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 263)	7.2%	0.0%
Not employed/student ^{**} (N = 260)	60.0%	64.2%
Arrests past 30 days (N = 263)	14.1%	0.8%
Alcohol use past 30 days (N = 263)	64.6%	1.1%
Drug use past 30 days (N = 263)	37.3%	0.4%
No self-help group participation past 30 days (N = 263)	65.4%	0.4%
No family support for recovery past 30 days ($N = 263$)	9.5%	1.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =263)	0.0%	0.0%
•	0.0% 7.2%	0.0% 3.8%
Withdrawal (N = 263) Biomedical Conditions and		
Withdrawal (N = 263) Biomedical Conditions and Complications (N = 263) Emotional/Behavioral/	7.2%	3.8%
Withdrawal (N = 263) Biomedical Conditions and Complications (N = 263) Emotional/Behavioral/ Cognitive Problem (N = 263)	7.2% 71.9%	3.8% 22.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Perspectives, LLC

6425 Nicollet Ave. South Richfield, MN 55423

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 70)</u> Male: 100.0% Female: 0.0% Race (N = 70) White: 5.7% Black: 90.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 1.4% Other: 2.9% Age (N = 70) Under 18: 0.0% 18 to 25: 25.7% 26 to 34: 15.7% 35 and older: 58.6%

Primary Substance (N = 70) Alcohol: 38.6% Methamphetamine: 1.4% Marijuana: 32.9% Heroin: 1.4% Cocaine: 24.3% Other opiates: 0.0% Other drugs: 1.4%

Source of Income

(N = 70) Job: 20.0% Retirement/savings: 1.4% Family/friends: 4.3% No income: 37.1% Public sources: 28.6% Other sources: 8.6%

Source of Referral

(N = 70) Self/family/relative/ friends: 58.6% Employer/school: 0.0% Criminal justice: 50.0% Professional: 5.7% County social service agency: 4.3% Other community resources: 4.3% AA: 1.4% Tribal: 0.0%

Outcomes

Discharge Status (N = 70) Completed program: 35.7% Patient left without staff approval: 25.7% Staff requested/judged inappropriate: 31.4% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Perspectives, LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 68)	11.8%	5.9%
Not employed/student ^{**} (N = 59)	71.2%	74.6%
Arrests past 30 days ($N = 54$)	7.4%	7.4%
Alcohol use past 30 days (N = 70)	65.7%	17.1%
Drug use past 30 days (N = 70)	75.7%	25.7%
No self-help group participation past 30 days (N = 65)	78.5%	43.1%
No family support for recovery past 30 days ($N = 60$)	16.7%	33.3%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 1.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =70) Biomedical Conditions and	0.0%	1.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =70) Biomedical Conditions and Complications (N = 70) Emotional/Behavioral/	0.0%	1.4% 4.3%
Dimensions of Chemical HealthsAcute Intoxication/ Withdrawal (N =70)Biomedical Conditions and Complications (N = 70)Emotional/Behavioral/ Cognitive Problem (N = 70)	0.0% 7.1% 47.1%	1.4% 4.3% 42.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Ulm Medical Center Substance Abuse Treatment Service

1324 5th Street North New Ulm, MN 56073

County: Brown

Provider Website:

Patient Profile

<u>Gender (N = 259)</u> Male: 68.3% Female: 31.7% Race (N = 259) White: 85.7% Black: 2.3% American Indian: 3.9% Hispanic: 6.6% Asian/Pacific Islander: 0.0% Other: 1.5% Age (N = 259) Under 18: 9.3% 18 to 25: 30.5% 26 to 34: 18.9% 35 and older: 41.3%

Primary Substance (N = 259) Alcohol: 71.4% Methamphetamine: 2.7% Marijuana: 19.3% Heroin: 0.4% Cocaine: 3.1% Other opiates: 2.3% Other drugs: 0.8%

(N = 259) Job: 44.4% Retirement/savings: 3.1% Family/friends: 22.0% No income: 1.5% Public sources: 13.9% Other sources: 15.1%

Source of Income

Source of Referral

(N = 259) Self/family/relative/ friends: 44.8% Employer/school: 1.5% Criminal justice: 57.1% Professional: 18.1% County social service agency: 28.2% Other community resources: 3.9% AA: 0.0% Tribal: 0.4%

Outcomes

Discharge Status (N = 259) Completed program: 58.7% Patient left without staff approval: 16.2% Staff requested/judged inappropriate: 9.3% Death/other: 15.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Ulm Medical Center Substance Abuse Treatment Service

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 256)	2.7%	2.0%
Not employed/student ^{$++$} (N = 252)	50.0%	47.6%
Arrests past 30 days (N = 259)	17.8%	13.9%
Alcohol use past 30 days (N = 259)	44.0%	27.0%
Drug use past 30 days (N = 259)	31.7%	21.6%
No self-help group participation past 30 days (N = 153)	62.7%	35.9%
No family support for recovery past 30 days (N = 114)	42.1%	25.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =226)	8.8%	5.3%
Biomedical Conditions and Complications ($N = 249$)	16.1%	10.8%
Emotional/Behavioral/ Cognitive Problem (N = 253)	72.7%	54.5%
Resistance to Change ($N = 259$)	48.6%	45.2%
Relapse/Continued Use Potential (N = 259)	99.2%	84.6%
Unsupportive Recovery Environment (N = 257)	86.8%	74.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Ulm Medical Center-Drug Court Treatment

410 Jackson Street Mankato, MN 56001

County: Blue Earth

Provider Website:

Patient Profile

<u>Gender (N = 51)</u> Male: 84.3% Female: 15.7% Race (N = 51) White: 82.4% Black: 9.8% American Indian: 0.0% Hispanic: 7.8% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 51)</u> Under 18: 2.0% 18 to 25: 21.6% 26 to 34: 29.4% 35 and older: 47.1%

Primary Substance (N = 51) Alcohol: 66.7% Methamphetamine: 11.8% Marijuana: 15.7% Heroin: 0.0% Cocaine: 2.0% Other opiates: 2.0% Other drugs: 2.0%

Source of Income

(N = 51) Job: 27.5% Retirement/savings: 0.0% Family/friends: 19.6% No income: 13.7% Public sources: 31.4% Other sources: 7.8%

Source of Referral

(N = 51) Self/family/relative/ friends: 23.5% Employer/school: 0.0% Criminal justice: 62.7% Professional: 15.7% County social service agency: 51.0% Other community resources: 5.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 51) Completed program: 23.5% Patient left without staff approval: 23.5% Staff requested/judged inappropriate: 2.0% Death/other: 51.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Ulm Medical Center-Drug Court Treatment

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 39)	5.1%	2.6%
Not employed/student ^{**} (N = 36)	75.0%	55.6%
Arrests past 30 days (N = 51)	15.7%	13.7%
Alcohol use past 30 days (N = 51)	37.3%	23.5%
Drug use past 30 days (N = 51)	11.8%	13.7%
No self-help group participation past 30 days (N = 30)	36.7%	26.7%
No family support for recovery past 30 days ($N = 28$)	14.3%	10.7%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =51)	2.0%	2.0%
Biomedical Conditions and Complications $(N = 51)$	25.5%	31.4%
Emotional/Behavioral/ Cognitive Problem (N = 51)	74.5%	52.9%
Resistance to Change ($N = 51$)	47.1%	47.1%
Relapse/Continued Use Potential (N = 51)	98.0%	80.4%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center

222 West 9th Ave. Alexandria, MN 56308

County: Douglas

Provider Website: www.newvisionscenter.net

Patient Profile

Gender (N = 183) Race (N = 183)Male: 79.2% White: 93.4% Under 18: 0.0% Female: 20.8% Black: 2.7% 18 to 25: 33.9% American Indian: 1.1% 26 to 34: 24.6% Hispanic: 2.2% Asian/Pacific Islander: 0.0% Other: 0.5%

Primary Substance (N = 183)Alcohol: 62.3% Methamphetamine: 11.5% Marijuana: 15.3% Heroin: 0.5% Cocaine: 1.6% Other opiates: 6.0% Other drugs: 2.7%

Source of Income (N = 183)

Job: 28.4% Retirement/savings: 2.7% Family/friends: 12.0% No income: 30.1% Public sources: 16.4% Other sources: 10.4%

Age (<u>N = 183)</u>

35 and older: 41.5%

Source of Referral

(N = 183). Self/family/relative/ friends: 47.0% Employer/school: 0.5% Criminal justice: 21.9% Professional: 23.0% County social service agency: 56.8% Other community resources: 2.7% AA: 0.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 183)Completed program: 53.0% Patient left without staff approval: 18.6% Staff requested/judged inappropriate: 13.7% Death/other: 14.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Visions Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 180)	6.1%	1.7%
Not employed/student ^{$++$} (N = 180)	70.6%	66.1%
Arrests past 30 days (N = 179)	14.0%	2.2%
Alcohol use past 30 days (N = 183)	55.7%	15.3%
Drug use past 30 days (N = 183)	36.1%	17.5%
No self-help group participation past 30 days (N = 176)	55.7%	8.5%
No family support for recovery past 30 days (N = 176)	9.1%	4.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 3.8%	Discharge 3.3%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =183) Biomedical Conditions and	3.8%	3.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =183) Biomedical Conditions and Complications (N = 183) Emotional/Behavioral/	3.8% 13.1%	3.3% 6.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =183) Biomedical Conditions and Complications (N = 183) Emotional/Behavioral/ Cognitive Problem (N = 182)	3.8% 13.1% 62.6%	3.3% 6.0% 34.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center

1700 Broadway Alexandria, MN 56308

County: Douglas

Provider Website: www.newvisionscenter.net

Patient Profile

Gender (N = 112) Race (N = 112)Male: 73.2% White: 94.6% Under 18: 16.1% Female: 26.8% Black: 2.7% 18 to 25: 29.5% American Indian: 0.9% 26 to 34: 25.0% Hispanic: 1.8% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 112)Alcohol: 76.8% Methamphetamine: 4.5% Marijuana: 14.3% Heroin: 0.0% Cocaine: 1.8% Other opiates: 2.7% Other drugs: 0.0%

Source of Income

(N = 112)Job: 54.5% Retirement/savings: 0.0% Family/friends: 30.4% No income: 0.0% Public sources: 8.0% Other sources: 7.1%

Age (N = 112)

35 and older: 29.5%

Source of Referral

(N = 112). Self/family/relative/ friends: 20.5% Employer/school: 0.9% Criminal justice: 71.4% Professional: 23.2% County social service agency: 49.1% Other community resources: 2.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 112)Completed program: 49.1% Patient left without staff approval: 18.8% Staff requested/judged inappropriate: 14.3% Death/other: 17.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Visions Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 112)	0.0%	0.0%
Not employed/student ^{**} (N = 111)	27.9%	27.9%
Arrests past 30 days (N = 111)	6.3%	12.6%
Alcohol use past 30 days (N = 111)	35.1%	29.7%
Drug use past 30 days (N = 111)	14.4%	18.9%
No self-help group participation past 30 days (N = 110)	66.4%	58.2%
No family support for recovery past 30 days (N = 111)	19.8%	19.8%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	<u>Admission</u> 0.0%	<u>Discharge</u> 0.9%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =109) Biomedical Conditions and	0.0%	0.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =109) Biomedical Conditions and Complications (N = 112) Emotional/Behavioral/	0.0% 4.5%	0.9% 1.8%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =109)Biomedical Conditions and Complications (N = 112)Emotional/Behavioral/ Cognitive Problem (N = 112)	0.0% 4.5% 45.5%	0.9% 1.8% 53.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

New Visions Center of Morris

712 Atlantic Avenue Morris, MN 56267

County: Stevens

Provider Website:

Patient Profile

<u>Gender (N = 38)</u> Male: 73.7% Female: 26.3% Race (N = 38) White: 97.4% Black: 2.6% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 38) Under 18: 5.3% 18 to 25: 21.1% 26 to 34: 28.9% 35 and older: 44.7%

Primary Substance (N = 38) Alcohol: 81.6% Methamphetamine: 2.6% Marijuana: 7.9% Heroin: 0.0% Cocaine: 0.0% Other opiates: 2.6% Other drugs: 5.3%

(N = 38) Job: 60.5% Retirement/savings: 2.6% Family/friends: 15.8% No income: 0.0% Public sources: 10.5% Other sources: 10.5%

Source of Income

Source of Referral

(N = 38) Self/family/relative/ friends: 47.4% Employer/school: 2.6% Criminal justice: 52.6% Professional: 21.1% County social service agency: 15.8% Other community resources: 2.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 38) Completed program: 63.2% Patient left without staff approval: 10.5% Staff requested/judged inappropriate: 13.2% Death/other: 13.2%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

New Visions Center of Morris

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 38)	0.0%	0.0%
Not employed/student ^{$++$} (N = 38)	36.8%	31.6%
Arrests past 30 days (N = 37)	18.9%	0.0%
Alcohol use past 30 days (N = 38)	47.4%	2.6%
Drug use past 30 days (N = 38)	7.9%	0.0%
No self-help group participation past 30 days (N = 37)	45.9%	21.6%
No family support for recovery past 30 days ($N = 38$)	10.5%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =38)	2.6%	0.0%
Biomedical Conditions and Complications ($N = 38$)	10.5%	13.2%
Emotional/Behavioral/ Cognitive Problem ($N = 38$)	47.4%	42.1%
Resistance to Change ($N = 38$)	68.4%	65.8%
Relapse/Continued Use Potential (N = 38)	97.4%	81.6%
Unsupportive Recovery Environment (N = 38)	97.4%	68.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Next Step

201 6th Street N.E. Staples, MN 56479

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 40)}}{\text{Male: 100.0\%}}$ Female: 0.0% Race (N = 40) White: 75.0% Black: 0.0% American Indian: 5.0% Hispanic: 15.0% Asian/Pacific Islander: 2.5% Other: 2.5% Age (N = 40) Under 18: 87.5% 18 to 25: 12.5% 26 to 34: 0.0% 35 and older: 0.0%

County: Todd

Primary Substance (N = 40) Alcohol: 17.5% Methamphetamine: 2.5% Marijuana: 72.5% Heroin: 5.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 2.5%

(N = 40) Job: 0.0% Retirement/savings: 2.5% Family/friends: 85.0%

No income: 10.0%

Public sources: 2.5%

Other sources: 0.0%

Source of Income

Source of Referral

(N = 40) Self/family/relative/ friends: 30.0% Employer/school: 0.0% Criminal justice: 57.5% Professional: 52.5% County social service agency: 47.5% Other community resources: 5.0% AA: 0.0% Tribal: 2.5%

Outcomes

Discharge Status (N = 40) Completed program: 72.5% Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 12.5% Death/other: 5.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Next Step

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 39)	2.6%	0.0%
Not employed/student ^{**} (N = 40)	2.5%	0.0%
Arrests past 30 days (N = 38)	13.2%	5.3%
Alcohol use past 30 days ($N = 40$)	32.5%	10.0%
Drug use past 30 days (N = 40)	37.5%	12.5%
No self-help group participation past 30 days (N = 39)	33.3%	0.0%
No family support for recovery past 30 days ($N = 39$)	2.6%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =40)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 40)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 40)	90.0%	67.5%
Resistance to Change ($N = 40$)	100.0%	70.0%
Relapse/Continued Use Potential (N = 40)	100.0%	100.0%
Unsupportive Recovery Environment (N = 40)	100.0%	97.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

North East Regional Corrections Center

6102 Abrahamson Road Saginaw, MN 55779

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 156)</u> Male: 100.0% Female: 0.0% Race (N = 156) White: 80.1% Black: 7.7% American Indian: 12.2% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 156) Under 18: 0.0% 18 to 25: 32.7% 26 to 34: 32.1% 35 and older: 35.3%

Primary Substance (N = 156) Alcohol: 71.2% Methamphetamine: 7.1% Marijuana: 14.1% Heroin: 0.0% Cocaine: 1.9% Other opiates: 5.8% Other drugs: 0.0%

Source of Income

(N = 156) Job: 33.3% Retirement/savings: 0.6% Family/friends: 0.0% No income: 55.8% Public sources: 6.4% Other sources: 3.8%

Source of Referral

(N = 156) Self/family/relative/ friends: 3.2% Employer/school: 0.6% Criminal justice: 98.1% Professional: 0.6% County social service agency: 32.7% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 156) Completed program: 94.9% Patient left without staff approval: 1.3% Staff requested/judged inappropriate: 0.6% Death/other: 3.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

North East Regional Corrections Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 156)	0.0%	0.0%
Not employed/student ^{$++$} (N = 154)	68.2%	94.2%
Arrests past 30 days (N = 156)	2.6%	1.3%
Alcohol use past 30 days (N = 156)	0.0%	1.9%
Drug use past 30 days (N = 156)	0.6%	1.9%
No self-help group participation past 30 days (N = 153)	54.9%	2.0%
No family support for recovery past 30 days (N = 156)	3.8%	3.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =155)	0.6%	0.0%
Biomedical Conditions and Complications ($N = 156$)	3.8%	5.1%
Emotional/Behavioral/ Cognitive Problem (N = 156)	34.0%	15.4%
Resistance to Change ($N = 156$)	68.6%	13.5%
Relapse/Continued Use Potential (N = 156)	96.8%	78.2%
Unsupportive Recovery Environment (N = 156)	95.5%	66.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

North Homes Inc. Outpatient Chemical Dependency

1880 River Road Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 41)}}{\text{Male: 56.1\%}}$ Female: 43.9% Race (N = 41) White: 68.3% Black: 7.3% American Indian: 17.1% Hispanic: 2.4% Asian/Pacific Islander: 0.0% Other: 4.9% Age (N = 41) Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 41) Alcohol: 14.6% Methamphetamine: 2.4% Marijuana: 68.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 2.4% Other drugs: 12.2% Source of Income

(N = 41) Job: 2.4% Retirement/savings: 0.0% Family/friends: 51.2% No income: 0.0% Public sources: 43.9% Other sources: 2.4%

Source of Referral

(N = 41) Self/family/relative/ friends: 2.4% Employer/school: 0.0% Criminal justice: 70.7% Professional: 2.4% County social service agency: 34.1% Other community resources: 4.9% AA: 0.0% Tribal: 2.4%

Outcomes

Discharge Status (N = 41) Completed program: 56.1% Patient left without staff approval: 7.3% Staff requested/judged inappropriate: 2.4% Death/other: 34.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

North Homes Inc. Outpatient Chemical Dependency

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 41)	0.0%	0.0%
Not employed/student ^{**} (N = 41)	7.3%	14.6%
Arrests past 30 days (N = 41)	4.9%	4.9%
Alcohol use past 30 days (N = 41)	4.9%	12.2%
Drug use past 30 days (N = 41)	12.2%	12.2%
No self-help group participation past 30 days (N = 41)	95.1%	90.2%
No family support for recovery past 30 days ($N = 40$)	2.5%	17.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =41) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =41) Biomedical Conditions and Complications (N = 41) Emotional/Behavioral/	0.0% 2.4%	0.0% 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =41) Biomedical Conditions and Complications (N = 41) Emotional/Behavioral/ Cognitive Problem (N = 41)	0.0% 2.4% 48.8%	0.0% 0.0% 43.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northern Lakes Clinic, Inc.

301 America Ave NW Bemidji, MN 56601

County: Beltrami

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 15)}}{\text{Male: 40.0\%}}$ Female: 60.0% Race (N = 15) White: 26.7% Black: 0.0% American Indian: 73.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 15)</u> Under 18: 0.0% 18 to 25: 13.3% 26 to 34: 33.3% 35 and older: 53.3%

Primary Substance (N = 15) Alcohol: 6.7% Methamphetamine: 0.0% Marijuana: 6.7% Heroin: 6.7% Cocaine: 0.0% Other opiates: 80.0% Other drugs: 0.0%

Source of Income

(N = 15) Job: 26.7% Retirement/savings: 0.0% Family/friends: 33.3% No income: 6.7% Public sources: 33.3% Other sources: 0.0%

Source of Referral

(N = 15) Self/family/relative/ friends: 93.3% Employer/school: 6.7% Criminal justice: 0.0% Professional: 6.7% County social service agency: 13.3% Other community resources: 53.3% AA: 0.0% Tribal: 13.3%

Outcomes

Discharge Status (N = 15) Completed program: 0.0% Patient left without staff approval: 6.7% Staff requested/judged inappropriate: 0.0% Death/other: 93.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Northern Lakes Clinic, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 15)	0.0%	0.0%
Not employed/student ^{**} (N = 15)	60.0%	60.0%
Arrests past 30 days (N = 15)	6.7%	0.0%
Alcohol use past 30 days (N = 15)	13.3%	13.3%
Drug use past 30 days (N = 15)	80.0%	46.7%
No self-help group participation past 30 days (N = 15)	93.3%	93.3%
No family support for recovery past 30 days (N = 15)	0.0%	6.7%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
-	<u>Admission</u> 66.7%	<u>Discharge</u> 46.7%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =15) Biomedical Conditions and	66.7%	46.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =15) Biomedical Conditions and Complications (N = 15) Emotional/Behavioral/	66.7% 46.7%	46.7% 46.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =15) Biomedical Conditions and Complications (N = 15) Emotional/Behavioral/ Cognitive Problem (N = 15)	66.7% 46.7% 80.0%	46.7% 46.7% 73.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Center

1215 SE 7th Avenue Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

<u>Gender (N = 368)</u> Male: 75.0% Female: 25.0% Race (N = 368) White: 74.7% Black: 1.4% American Indian: 16.8% Hispanic: 2.4% Asian/Pacific Islander: 1.9% Other: 2.7% <u>Age (N = 368)</u> Under 18: 18.5% 18 to 25: 18.8% 26 to 34: 24.2% 35 and older: 38.6%

Primary Substance (N = 368) Alcohol: 58.4% Methamphetamine: 4.9% Marijuana: 27.2% Heroin: 0.3% Cocaine: 0.8% Other opiates: 6.5% Other drugs: 1.9%

(N = 368) Job: 29.9% Retirement/savings: 3.5% Family/friends: 21.5% No income: 10.6% Public sources: 23.4% Other sources: 11.1%

Source of Income

Source of Referral

(N = 368) Self/family/relative/ friends: 38.6% Employer/school: 4.3% Criminal justice: 51.9% Professional: 14.1% County social service agency: 23.4% Other community resources: 21.2% AA: 0.0% Tribal: 3.0%

Outcomes

Discharge Status (N = 368) Completed program: 58.2% Patient left without staff approval: 17.7% Staff requested/judged inappropriate: 10.1% Death/other: 14.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Northland Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 359)	3.6%	1.7%
Not employed/student ^{$++$} (N = 354)	53.1%	50.6%
Arrests past 30 days (N = 368)	22.6%	8.4%
Alcohol use past 30 days (N = 368)	51.1%	14.7%
Drug use past 30 days (N = 368)	34.8%	13.0%
No self-help group participation past 30 days (N = 349)	72.2%	24.6%
No family support for recovery past 30 days ($N = 349$)	16.3%	5.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =368)	3.5%	1.6%
Biomedical Conditions and Complications ($N = 368$)	10.6%	6.0%
Emotional/Behavioral/ Cognitive Problem (N = 368)	75.0%	45.9%
Resistance to Change ($N = 368$)	29.3%	27.4%
Relapse/Continued Use Potential (N = 367)	95.1%	64.6%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Center Adolescent Unit

510 Southeast 13th Street Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

<u>Gender (N = 96)</u> Male: 64.6% Female: 35.4% Race (N = 96) White: 65.6% Black: 3.1% American Indian: 19.8% Hispanic: 4.2% Asian/Pacific Islander: 2.1% Other: 5.2% Age (N = 96) Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 96) Alcohol: 14.6% Methamphetamine: 1.0% Marijuana: 67.7% Heroin: 1.0% Cocaine: 0.0% Other opiates: 9.4% Other drugs: 6.3% Source of Income

(N = 96) Job: 0.0% Retirement/savings: 0.0% Family/friends: 99.0% No income: 0.0% Public sources: 0.0% Other sources: 1.0%

Source of Referral

(N = 96) Self/family/relative/ friends: 41.7% Employer/school: 1.0% Criminal justice: 68.8% Professional: 17.7% County social service agency: 22.9% Other community resources: 10.4% AA: 0.0% Tribal: 5.2%

Outcomes

Discharge Status (N = 96) Completed program: 77.1% Patient left without staff approval: 12.5% Staff requested/judged inappropriate: 4.2% Death/other: 6.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Northland Recovery Center Adolescent Unit

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 96)	0.0%	0.0%
Not employed/student ^{$++$} (N = 96)	8.3%	1.0%
Arrests past 30 days (N = 95)	31.6%	7.4%
Alcohol use past 30 days (N = 96)	59.4%	5.2%
Drug use past 30 days (N = 96)	75.0%	13.5%
No self-help group participation past 30 days (N = 96)	79.2%	100.0%
No family support for recovery past 30 days (N = 96)	2.1%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =95)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 96$)	1.0%	1.0%
Emotional/Behavioral/ Cognitive Problem (N = 96)	79.2%	49.0%
Resistance to Change ($N = 96$)	75.0%	35.4%
Relapse/Continued Use Potential (N = 96)	100.0%	97.9%
Unsupportive Recovery Environment (N = 93)	98.9%	88.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northland Recovery Womens Center

213 SE 11th Street Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 105)}}{\text{Male: 1.0\%}}$ Female: 99.0% Race (N = 105) White: 66.7% Black: 0.0% American Indian: 23.8% Hispanic: 1.9% Asian/Pacific Islander: 1.0% Other: 6.7% Age (N = 105) Under 18: 0.0% 18 to 25: 26.7% 26 to 34: 28.6% 35 and older: 44.8%

Primary Substance (N = 105) Alcohol: 55.2% Methamphetamine: 5.7% Marijuana: 21.9% Heroin: 0.0% Cocaine: 1.9% Other opiates: 14.3% Other drugs: 1.0%

(N = 105) Job: 18.1% Retirement/savings: 1.9% Family/friends: 17.1% No income: 17.1% Public sources: 36.2% Other sources: 9.5%

Source of Income

Source of Referral

(N = 105) Self/family/relative/ friends: 41.9% Employer/school: 1.9% Criminal justice: 47.6% Professional: 17.1% County social service agency: 32.4% Other community resources: 15.2% AA: 0.0% Tribal: 6.7%

Outcomes

Discharge Status (N = 105)Completed program: 55.2% Patient left without staff approval: 27.6% Staff requested/judged inappropriate: 9.5% Death/other: 7.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Northland Recovery Womens Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 105)	2.9%	0.0%
Not employed/student ^{**} (N = 103)	74.8%	76.7%
Arrests past 30 days (N = 105)	25.7%	2.9%
Alcohol use past 30 days (N = 105)	61.0%	19.0%
Drug use past 30 days (N = 105)	46.7%	21.0%
No self-help group participation past 30 days (N = 105)	50.5%	16.2%
No family support for recovery past 30 days ($N = 102$)	12.7%	10.8%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	<u>Admission</u> 1.9%	Discharge 1.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =105) Biomedical Conditions and	1.9%	1.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =105) Biomedical Conditions and Complications (N = 105) Emotional/Behavioral/	1.9% 19.0%	1.0% 9.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =105) Biomedical Conditions and Complications (N = 105) Emotional/Behavioral/ Cognitive Problem (N = 105)	1.9% 19.0% 93.3%	1.0% 9.5% 53.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Northwest Recovery Center, Inc. Thief River Falls

115 6th Street West Thief River Falls, MN 56701

County: Pennington

Provider Website:

Patient Profile

 Gender (N = 45)
 Race (N = 45)

 Male: 73.3%
 White: 84.4%

 Female: 26.7%
 Black: 0.0%

 American Indian: 8.9%
 Hispanic: 6.7%

 Asian/Pacific Islander: 0.0%

<u>Age (N = 45)</u> Under 18: 4.4% 18 to 25: 22.2% 26 to 34: 20.0% 35 and older: 53.3%

Primary Substance (N = 45) Alcohol: 84.4% Methamphetamine: 4.4% Marijuana: 2.2% Heroin: 0.0% Cocaine: 4.4% Other opiates: 4.4% Other drugs: 0.0%

Source of Income

Other: 0.0%

(N = 45) Job: 53.3% Retirement/savings: 0.0% Family/friends: 6.7% No income: 20.0% Public sources: 8.9% Other sources: 11.1%

Source of Referral

(N = 45) Self/family/relative/ friends: 15.6% Employer/school: 0.0% Criminal justice: 64.4% Professional: 20.0% County social service agency: 82.2% Other community resources: 6.7% AA: 0.0% Tribal: 2.2%

Outcomes

Discharge Status (N = 45) Completed program: 62.2% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 13.3% Death/other: 13.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Northwest Recovery Center, Inc. Thief River Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 45)	2.2%	2.2%
Not employed/student ^{**} (N = 37)	43.2%	40.5%
Arrests past 30 days (N = 45)	11.1%	2.2%
Alcohol use past 30 days (N = 45)	42.2%	11.1%
Drug use past 30 days (N = 45)	11.1%	6.7%
No self-help group participation past 30 days (N = 44)	68.2%	25.0%
No family support for recovery past 30 days ($N = 41$)	34.1%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =44)	2.3%	4.5%
Biomedical Conditions and Complications $(N = 45)$	15.6%	8.9%
	15.6% 31.1%	8.9% 26.7%
Complications (N = 45) Emotional/Behavioral/		
Complications (N = 45) Emotional/Behavioral/ Cognitive Problem (N = 45)	31.1%	26.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nuway II

2518 First Avenue South Minneapolis, MN 55404

County: Hennepin

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 116)}{\text{Male: } 100.0\%}$ Female: 0.0% Race (N = 116) White: 76.7% Black: 14.7% American Indian: 3.4% Hispanic: 2.6% Asian/Pacific Islander: 0.9% Other: 1.7% Age (N = 116) Under 18: 0.0% 18 to 25: 12.9% 26 to 34: 21.6% 35 and older: 65.5%

Primary Substance (N = 116) Alcohol: 57.8% Methamphetamine: 6.0% Marijuana: 0.9% Heroin: 13.8% Cocaine: 12.9% Other opiates: 8.6% Other drugs: 0.0%

Source of Income

(N = 116) Job: 12.1% Retirement/savings: 3.4% Family/friends: 1.7% No income: 14.7% Public sources: 44.8% Other sources: 23.3%

Source of Referral

(N = 116) Self/family/relative/ friends: 0.9% Employer/school: 0.0% Criminal justice: 23.3% Professional: 79.3% County social service agency: 64.7% Other community resources: 2.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 116) Completed program: 59.5% Patient left without staff approval: 19.8% Staff requested/judged inappropriate: 17.2% Death/other: 3.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Nuway II

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 114)	4.4%	7.0%
Not employed/student ^{**} (N = 105)	93.3%	63.8%
Arrests past 30 days (N = 114)	1.8%	2.6%
Alcohol use past 30 days (N = 116)	6.0%	11.2%
Drug use past 30 days (N = 116)	8.6%	19.8%
No self-help group participation past 30 days (N = 109)	7.3%	0.0%
No family support for recovery past 30 days (N = 101)	5.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =116)	4.3%	17.2%
Biomedical Conditions and Complications ($N = 116$)	19.8%	13.8%
Emotional/Behavioral/ Cognitive Problem (N = 116)	98.3%	58.6%
Resistance to Change ($N = 116$)	91.4%	50.9%
Relapse/Continued Use Potential (N = 116)	97.4%	66.4%
Unsupportive Recovery Environment (N = 115)	100.0%	64.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nuway House, Inc.

2200 First Avenue South Minneapolis, MN 55404

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 123)}{\text{Male: } 100.0\%}$ Female: 0.0% Race (N = 123) White: 56.9% Black: 12.2% American Indian: 2.4% Hispanic: 28.5% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 123)</u> Under 18: 0.0% 18 to 25: 24.4% 26 to 34: 22.0%

County: Hennepin

35 and older: 53.7%

Primary Substance (N = 123) Alcohol: 56.9% Methamphetamine: 4.1% Marijuana: 9.8% Heroin: 11.4% Cocaine: 9.8% Other opiates: 7.3%

Other drugs: 0.8%

Source of Income

(N = 123) Job: 30.9% Retirement/savings: 0.8% Family/friends: 3.3% No income: 17.1% Public sources: 7.3% Other sources: 40.7%

Source of Referral

(N = 123) Self/family/relative/ friends: 19.5% Employer/school: 0.0% Criminal justice: 23.6% Professional: 57.7% County social service agency: 57.7% Other community resources: 15.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 123) Completed program: 46.3% Patient left without staff approval: 30.1% Staff requested/judged inappropriate: 20.3% Death/other: 3.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Nuway House, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 122)	27.9%	7.4%
Not employed/student ^{**} (N = 111)	92.8%	76.6%
Arrests past 30 days (N = 115)	3.5%	2.6%
Alcohol use past 30 days (N = 122)	30.3%	31.1%
Drug use past 30 days (N = 122)	23.0%	21.3%
No self-help group participation past 30 days (N = 92)	26.1%	8.7%
No family support for recovery past 30 days ($N = 87$)	33.3%	16.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 0.8%	<u>Discharge</u> 11.5%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =122) Biomedical Conditions and	0.8%	11.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =122) Biomedical Conditions and Complications (N = 122) Emotional/Behavioral/	0.8% 8.2%	11.5% 5.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =122) Biomedical Conditions and Complications (N = 122) Emotional/Behavioral/ Cognitive Problem (N = 122)	0.8% 8.2% 76.2%	11.5% 5.7% 61.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD

1900 Silver Lake Road New Brighton, MN 55112

County: Ramsey

Provider Website: www.nystromcounseling.com

Patient Profile

<u>Gender (N = 57)</u> Male: 61.4% Female: 38.6% Race (N = 57) White: 91.2% Black: 1.8% American Indian: 0.0% Hispanic: 3.5% Asian/Pacific Islander: 3.5% Other: 0.0% Age (N = 57) Under 18: 0.0% 18 to 25: 22.8% 26 to 34: 26.3% 35 and older: 50.9%

Primary Substance (N = 57) Alcohol: 73.7% Methamphetamine: 8.8% Marijuana: 7.0% Heroin: 1.8% Cocaine: 1.8% Other opiates: 5.3% Other drugs: 1.8% Source of Income

(N = 57) Job: 50.9% Retirement/savings: 3.5% Family/friends: 15.8% No income: 5.3% Public sources: 22.8% Other sources: 1.8%

Source of Referral

(N = 57) Self/family/relative/ friends: 40.4% Employer/school: 1.8% Criminal justice: 15.8% Professional: 29.8% County social service agency: 15.8% Other community resources: 17.5% AA: 1.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 57) Completed program: 70.2% Patient left without staff approval: 15.8% Staff requested/judged inappropriate: 7.0% Death/other: 7.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Nystrom and Associates, LTD

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 56)	0.0%	5.4%
Not employed/student ^{$++$} (N = 55)	43.6%	43.6%
Arrests past 30 days (N = 55)	5.5%	3.6%
Alcohol use past 30 days ($N = 57$)	40.4%	7.0%
Drug use past 30 days (N = 57)	17.5%	8.8%
No self-help group participation past 30 days (N = 54)	59.3%	48.1%
No family support for recovery past 30 days (N = 55)	3.6%	5.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 57)	5.3%	3.5%
Biomedical Conditions and Complications ($N = 57$)	26.3%	17.5%
Emotional/Behavioral/ Cognitive Problem (N = 57)	73.7%	35.1%
Resistance to Change ($N = 57$)	64.9%	24.6%
Relapse/Continued Use Potential (N = 57)	96.5%	31.6%
Unsupportive Recovery Environment (N = 57)	82.5%	29.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD

7300 W. 147th Street Apple Valley, MN 55124

County: Dakota

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 5)Race (N = 5)<u>Age (N = 5)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 5) (N = 5)(N = 5). Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * No income: * Heroin: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 5) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Nystrom and Associates, LTD

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 5)	*	*
Not employed/student ^{**} (N = 5)	*	*
Arrests past 30 days ($N = 3$)	*	*
Alcohol use past 30 days ($N = 5$)	*	*
Drug use past 30 days ($N = 5$)	*	*
No self-help group participation past 30 days ($N = 5$)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 5)	* *	* * *

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Nystrom and Associates, LTD Waterfront Professional Building

9075 Quaday Ave. NE Otsego, MN 55330

County: Wright

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Race (N</u> = 6) Gender (N = 6) <u>Age (N = 6)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 6)(N = 6)(N = 6). Self/family/relative/ Alcohol: * Job: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 6) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Nystrom and Associates, LTD Waterfront Professional Building

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$**$} (N = 5)	*	*
Not employed/student ^{**} (N = 5)	*	*
Arrests past 30 days ($N = 5$)	*	*
Alcohol use past 30 days ($N = 6$)	*	*
Drug use past 30 days (N = 6)	*	*
No self-help group participation past 30 days ($N = 4$)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =6) Biomedical Conditions and Complications (N = 6) Emotional/Behavioral/ Cognitive Problem (N = 6)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Odyssey-Dakota County Juvenile Service Center

1600 Hwy 55 Hastings, MN 55033

County: Dakota

Provider Website:

Patient Profile

<u>Gender (N = 36)</u> Male: 97.2% Female: 2.8% Race (N = 36) White: 47.2% Black: 22.2% American Indian: 5.6% Hispanic: 11.1% Asian/Pacific Islander: 0.0% Other: 13.9% Age (N = 36) Under 18: 88.9% 18 to 25: 11.1% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 36) Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 91.7% Heroin: 2.8% Cocaine: 2.8% Other opiates: 0.0% Other drugs: 2.8%

(N = 36) Job: 2.8% Retirement/savings: 0.0% Family/friends: 36.1% No income: 33.3%

Public sources: 0.0%

Other sources: 27.8%

Source of Income

Source of Referral

(N = 36) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 2.8% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 36) Completed program: 50.0% Patient left without staff approval: 11.1% Staff requested/judged inappropriate: 5.6% Death/other: 33.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Odyssey-Dakota County Juvenile Service Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 35)	2.9%	0.0%
Not employed/student ^{$++$} (N = 35)	5.7%	17.1%
Arrests past 30 days (N = 36)	33.3%	8.3%
Alcohol use past 30 days (N = 36)	27.8%	11.1%
Drug use past 30 days (N = 36)	50.0%	36.1%
No self-help group participation past 30 days ($N = 36$)	100.0%	91.7%
No family support for recovery past 30 days (N = 36)	27.8%	30.6%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =36)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 36)$	2.8%	2.8%
Emotional/Behavioral/ Cognitive Problem ($N = 36$)	77.8%	66.7%
Resistance to Change ($N = 36$)	91.7%	66.7%
Relapse/Continued Use Potential (N = 36)	97.2%	83.3%
Unsupportive Recovery Environment (N = 36)	100.0%	83.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Omada Behavioral Health-Downtown Northfield

401 Division St Northfield, MN 55057

County: Dakota

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 10)}}{\text{Male: 70.0\%}}$ Female: 30.0% Race (N = 10) White: 100.0% Black: 0.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 10) Under 18: 10.0% 18 to 25: 30.0% 26 to 34: 20.0% 35 and older: 40.0%

Primary Substance (N = 10) Alcohol: 90.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 10.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 10) Job: 40.0% Retirement/savings: 0.0% Family/friends: 30.0% No income: 0.0% Public sources: 30.0% Other sources: 0.0%

Source of Referral

<u>(N = 10)</u> Self/family/relative/ friends: 40.0% Employer/school: 0.0% Criminal justice: 40.0% Professional: 10.0% County social service agency: 20.0% Other community resources: 10.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 10) Completed program: 80.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 20.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Omada Behavioral Health-Downtown Northfield

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 10)	0.0%	0.0%
Not employed/student ^{**} (N = 10)	50.0%	40.0%
Arrests past 30 days (N = 10)	30.0%	0.0%
Alcohol use past 30 days (N = 10)	40.0%	10.0%
Drug use past 30 days (N = 10)	20.0%	0.0%
No self-help group participation past 30 days (N = 10)	80.0%	70.0%
No family support for recovery past 30 days ($N = 1$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =10)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 10)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 10)	80.0%	20.0%
Resistance to Change ($N = 10$)	10.0%	10.0%
Relapse/Continued Use Potential (N = 10)	80.0%	20.0%
Unsupportive Recovery Environment (N = 10)	80.0%	40.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

On Belay House

7170 Bryant Lake Drive Eden Prairie, MN 55344

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 67)}{\text{Male: } 0.0\%}$ Female: 100.0% Race (N = 67) White: 59.7% Black: 6.0% American Indian: 17.9% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 16.4% Age (N = 67) Under 18: 92.5% 18 to 25: 7.5% 26 to 34: 0.0% 35 and older: 0.0%

County: Hennepin

Primary Substance (N = 67) Alcohol: 26.9% Methamphetamine: 7.5% Marijuana: 55.2% Heroin: 1.5% Cocaine: 3.0% Other opiates: 1.5% Other drugs: 4.5%

Source of Income

(N = 67) Job: 4.5% Retirement/savings: 0.0% Family/friends: 43.3% No income: 10.4% Public sources: 0.0% Other sources: 41.8%

Source of Referral

<u>(N = 67)</u> Self/family/relative/ friends: 17.9% Employer/school: 0.0% Criminal justice: 13.4% Professional: 76.1% County social service agency: 23.9% Other community resources: 0.0% AA: 0.0% Tribal: 4.5%

Outcomes

Discharge Status (N = 67) Completed program: 43.3% Patient left without staff approval: 16.4% Staff requested/judged inappropriate: 13.4% Death/other: 26.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

On Belay House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 66)	0.0%	0.0%
Not employed/student ^{**} (N = 66)	0.0%	0.0%
Arrests past 30 days (N = 67)	1.5%	3.0%
Alcohol use past 30 days (N = 67)	22.4%	9.0%
Drug use past 30 days (N = 67)	34.3%	14.9%
No self-help group participation past 30 days (N = 37)	40.5%	18.9%
No family support for recovery past 30 days ($N = 37$)	5.4%	5.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	Discharge 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =67) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =67) Biomedical Conditions and Complications (N = 67) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical HealthsAcute Intoxication/ Withdrawal (N =67)Biomedical Conditions and Complications (N = 67)Emotional/Behavioral/ Cognitive Problem (N = 67)	0.0% 1.5% 97.0%	0.0% 0.0% 94.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

On-Belay House

115 Forestview Lane North Plymouth, MN 554415910

Provider Website:

Patient Profile

<u>Gender (N = 96)</u> Male: 89.6% Female: 10.4% Race (N = 96) White: 69.8% Black: 5.2% American Indian: 8.3% Hispanic: 10.4% Asian/Pacific Islander: 3.1% Other: 3.1% Age (N = 96) Under 18: 94.8% 18 to 25: 5.2% 26 to 34: 0.0% 35 and older: 0.0%

County: Hennepin

Primary Substance (N = 96) Alcohol: 11.5% Methamphetamine: 1.0% Marijuana: 81.3% Heroin: 1.0% Cocaine: 2.1% Other opiates: 2.1% Other drugs: 1.0%

Source of Income

(N = 96) Job: 0.0% Retirement/savings: 0.0% Family/friends: 96.9% No income: 2.1% Public sources: 1.0% Other sources: 0.0%

Source of Referral

(N = 96) Self/family/relative/ friends: 25.0% Employer/school: 0.0% Criminal justice: 66.7% Professional: 70.8% County social service agency: 15.6% Other community resources: 1.0% AA: 0.0% Tribal: 1.0%

Outcomes

Discharge Status <u>(N = 96)</u> Completed program: 43.8% Patient left without staff approval: 19.8% Staff requested/judged inappropriate: 12.5% Death/other: 24.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

On-Belay House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 96)	1.0%	0.0%
Not employed/student ^{$++$} (N = 96)	0.0%	1.0%
Arrests past 30 days (N = 96)	18.8%	4.2%
Alcohol use past 30 days (N = 96)	28.1%	5.2%
Drug use past 30 days (N = 96)	52.1%	12.5%
No self-help group participation past 30 days (N = 80)	77.5%	7.5%
No family support for recovery past 30 days (N = 66)	12.1%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =96)	0.0%	1.0%
Biomedical Conditions and Complications ($N = 96$)	2.1%	3.1%
Emotional/Behavioral/ Cognitive Problem (N = 96)	94.8%	86.5%
Resistance to Change ($N = 96$)	95.8%	58.3%
Relapse/Continued Use Potential (N = 96)	100.0%	99.0%
Unsupportive Recovery Environment (N = 96)	100.0%	97.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Oosh-Kii-Mii-Kah-Nah Halfway House

P.O. Box 114 Red Lake, MN 56671

County: Beltrami

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 8)Age (N = 8)Race (N = 8)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 8)(N = 8)(N = 8). Alcohol: * Self/family/relative/ Job: * friends: * Methamphetamine: * Retirement/savings: * Marijuana: * Family/friends: * Employer/school: * No income: * Heroin: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Oosh-Kii-Mii-Kah-Nah Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 7)	*	*
Not employed/student ^{**} (N = 7)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days ($N = 7$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Oshki Manidoo New Spirit Center

1741 15th Street N.W. Bemidji, MN 56601

County: Beltrami

Provider Website:

Patient Profile

<u>Gender (N = 70)</u> Male: 57.1% Female: 42.9% Race (N = 70) White: 0.0% Black: 0.0% American Indian: 94.3% Hispanic: 2.9% Asian/Pacific Islander: 0.0% Other: 2.9% Age (N = 70) Under 18: 98.6% 18 to 25: 1.4% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 70) Alcohol: 11.4% Methamphetamine: 0.0% Marijuana: 81.4% Heroin: 0.0% Cocaine: 1.4% Other opiates: 1.4% Other drugs: 4.3% Source of Income

(N = 70) Job: 0.0% Retirement/savings: 0.0% Family/friends: 85.7% No income: 0.0% Public sources: 12.9% Other sources: 1.4%

Source of Referral

(N = 70) Self/family/relative/ friends: 21.4% Employer/school: 4.3% Criminal justice: 51.4% Professional: 4.3% County social service agency: 25.7% Other community resources: 0.0% AA: 0.0% Tribal: 71.4%

Outcomes

Discharge Status (N = 70) Completed program: 60.0% Patient left without staff approval: 30.0% Staff requested/judged inappropriate: 5.7% Death/other: 4.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Oshki Manidoo New Spirit Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 69)	2.9%	1.4%
Not employed/student ^{**} (N = 69)	0.0%	0.0%
Arrests past 30 days (N = 64)	43.8%	6.3%
Alcohol use past 30 days (N = 70)	44.3%	4.3%
Drug use past 30 days (N = 70)	70.0%	30.0%
No self-help group participation past 30 days (N = 66)	80.3%	16.7%
No family support for recovery past 30 days ($N = 56$)	44.6%	35.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =70) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =70) Biomedical Conditions and Complications (N = 70) Emotional/Behavioral/	0.0%	0.0% 8.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =70) Biomedical Conditions and Complications (N = 70) Emotional/Behavioral/ Cognitive Problem (N = 70)	0.0% 2.9% 58.6%	0.0% 8.6% 47.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Owatonna Family Focus Immanuel St. Joseph's Mayo Health

134 Southview Street Owatonna, MN 55060

County: Steele

Provider Website: www.mayohealthsystem.org

Patient Profile

 $\frac{\text{Gender } (N = 76)}{\text{Male: } 78.9\%}$ Female: 21.1% Race (N = 76) White: 82.9% Black: 9.2% American Indian: 0.0% Hispanic: 7.9% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 76)</u> Under 18: 0.0% 18 to 25: 22.4% 26 to 34: 36.8% 35 and older: 40.8%

Primary Substance (N = 76) Alcohol: 65.8% Methamphetamine: 6.6% Marijuana: 19.7% Heroin: 0.0% Cocaine: 2.6% Other opiates: 3.9% Other drugs: 1.3%

Source of Income

(N = 76) Job: 52.6% Retirement/savings: 3.9% Family/friends: 11.8% No income: 6.6% Public sources: 10.5% Other sources: 14.5%

Source of Referral

(N = 76) Self/family/relative/ friends: 42.1% Employer/school: 2.6% Criminal justice: 55.3% Professional: 10.5% County social service agency: 2.6% Other community resources: 5.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 76) Completed program: 76.3% Patient left without staff approval: 7.9% Staff requested/judged inappropriate: 10.5% Death/other: 5.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Owatonna Family Focus Immanuel St. Joseph's Mayo Health

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 76)	2.6%	0.0%
Not employed/student ^{**} (N = 76)	38.2%	39.5%
Arrests past 30 days (N = 74)	10.8%	2.7%
Alcohol use past 30 days (N = 76)	25.0%	5.3%
Drug use past 30 days (N = 76)	17.1%	5.3%
No self-help group participation past 30 days (N = 64)	60.9%	65.6%
No family support for recovery past 30 days ($N = 34$)	26.5%	14.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =67)	0.0%	1.5%
Biomedical Conditions and Complications $(N = 75)$	5.3%	2.7%
Emotional/Behavioral/ Cognitive Problem ($N = 74$)	21.6%	25.7%
Resistance to Change ($N = 71$)	52.1%	23.9%
Relapse/Continued Use Potential (N = 71)	98.6%	74.6%
Unsupportive Recovery Environment (N = 73)	90.4%	67.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Park Avenue Center

2525 Park Avenue Minneapolis, MN 55404

County: Hennepin

Provider Website: www.ParkAvenueCenter.com

Patient Profile

Race (N = 1442)Gender (N = 1442) Age (N = 1442)Male: 70.7% White: 47.0% Under 18: 0.0% Black: 36.0% Female: 29.3% 18 to 25: 23.9% American Indian: 7.9% 26 to 34: 29.4% Hispanic: 3.2% Asian/Pacific Islander: 1.5% Other: 4.4%

Primary Substance (N = 1441)Alcohol: 43.9% Methamphetamine: 9.1% Marijuana: 24.1% Heroin: 4.5% Cocaine: 16.4% Other opiates: 1.3% Other drugs: 0.7%

Source of Income (N = 1442)Job: 16.7%

Retirement/savings: 1.6% Family/friends: 9.7% No income: 40.6% Public sources: 27.0% Other sources: 4.4%

35 and older: 46.7%

Source of Referral

(N = 1442). Self/family/relative/ friends: 35.1% Employer/school: 1.0% Criminal justice: 58.3% Professional: 5.5% County social service agency: 7.1% Other community resources: 0.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 1442)Completed program: 53.1% Patient left without staff approval: 35.9% Staff requested/judged inappropriate: 8.2% Death/other: 2.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Park Avenue Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 1422)	18.4%	3.4%
Not employed/student ^{**} (N = 1421)	82.5%	88.2%
Arrests past 30 days (N = 1436)	19.9%	0.5%
Alcohol use past 30 days (N = 1438)	76.7%	7.3%
Drug use past 30 days (N = 1438)	65.6%	10.1%
No self-help group participation past 30 days (N = 1431)	64.3%	11.3%
No family support for recovery past 30 days (N = 1047)	10.4%	4.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 0.3%	Discharge 0.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1438) Biomedical Conditions and	0.3%	0.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 1438) Biomedical Conditions and Complications (N = 1438) Emotional/Behavioral/	0.3% 0.6%	0.1% 1.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1438) Biomedical Conditions and Complications (N = 1438) Emotional/Behavioral/ Cognitive Problem (N = 1438)	0.3% 0.6% 47.9%	0.1% 1.5% 32.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Passages

121 Park Ave S St. Cloud, MN 563013780

County: Benton

Provider Website: www.centracare.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 143)} \\ Male: 100.0\% \\ Female: 0.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Race (N = 143)} \\ White: 90.9\% \\ Black: 2.8\% \\ American Indian: 3.5\% \\ Hispanic: 2.1\% \\ Asian/Pacific Islander: 0.0\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 143)} \\ Under 18: 2.1\% \\ 18 to 25: 35.7\% \\ 26 to 34: 22.4\% \\ 35 and older: 39.9\% \\ Asian/Pacific Islander: 0.0\% \\ \end{array}$

Primary Substance (N = 143) Alcohol: 62.2% Methamphetamine: 10.5% Marijuana: 14.7% Heroin: 1.4% Cocaine: 2.8% Other opiates: 8.4% Other drugs: 0.0%

Source of Income

(N = 143) Job: 45.5% Retirement/savings: 3.5% Family/friends: 9.1% No income: 14.7% Public sources: 16.1% Other sources: 11.2%

Source of Referral

(N = 143) Self/family/relative/ friends: 33.6% Employer/school: 0.0% Criminal justice: 35.0% Professional: 80.4% County social service agency: 44.1% Other community resources: 0.7% AA: 0.7% Tribal: 0.7%

Outcomes

Discharge Status (N = 143) Completed program: 51.0% Patient left without staff approval: 14.0% Staff requested/judged inappropriate: 21.7% Death/other: 13.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Passages

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 142)	0.7%	0.0%
Not employed/student ^{**} (N = 140)	86.4%	58.6%
Arrests past 30 days (N = 141)	0.0%	7.8%
Alcohol use past 30 days (N = 121)	2.5%	14.0%
Drug use past 30 days (N = 121)	1.7%	6.6%
No self-help group participation past 30 days (N = 140)	10.0%	7.1%
No family support for recovery past 30 days ($N = 138$)	10.9%	9.4%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =143)	9.8%	3.5%
Biomedical Conditions and Complications ($N = 143$)	33.6%	24.5%
Emotional/Behavioral/ Cognitive Problem (N = 143)	83.2%	68.5%
Resistance to Change ($N = 143$)	95.1%	67.1%
Relapse/Continued Use Potential (N = 143)	100.0%	79.7%
Unsupportive Recovery Environment (N = 143)	98.6%	84.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pathway House

103 6th Avenue SW Rochester, MN 55902

County: Olmsted

Provider Website: www.pathwayhouse.com

Patient Profile

Gender (N = 100) Race (N = 100)Age (N = 100)Male: 3.0% White: 83.0% Under 18: 0.0% Female: 97.0% Black: 8.0% 18 to 25: 33.0% American Indian: 4.0% 26 to 34: 23.0% Hispanic: 4.0% Asian/Pacific Islander: 0.0% Other: 1.0%

Primary Substance (N = 99)Alcohol: 53.5% Methamphetamine: 15.2% Marijuana: 9.1% Heroin: 4.0% Cocaine: 5.1% Other opiates: 10.1% Other drugs: 3.0%

Source of Income

(N = 100)Job: 13.0% Retirement/savings: 0.0% Family/friends: 13.0% No income: 35.0% Public sources: 30.0% Other sources: 9.0%

35 and older: 44.0%

Source of Referral

(N = 100). Self/family/relative/ friends: 33.0% Employer/school: 0.0% Criminal justice: 35.0% Professional: 55.0% County social service agency: 30.0% Other community resources: 2.0% AA: 2.0% Tribal: 1.0%

Outcomes

Discharge Status (N = 100)Completed program: 43.0% Patient left without staff approval: 31.0% Staff requested/judged inappropriate: 5.0% Death/other: 21.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Pathway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 87)	13.8%	0.0%
Not employed/student ^{$++$} (N = 85)	84.7%	49.4%
Arrests past 30 days (N = 97)	7.2%	2.1%
Alcohol use past 30 days (N = 97)	10.3%	5.2%
Drug use past 30 days (N = 97)	8.2%	2.1%
No self-help group participation past 30 days (N = 98)	26.5%	0.0%
No family support for recovery past 30 days ($N = 98$)	3.1%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =99)	0.0%	3.0%
Biomedical Conditions and Complications ($N = 99$)	0.0%	2.0%
Emotional/Behavioral/ Cognitive Problem ($N = 99$)	3.0%	13.1%
Resistance to Change ($N = 99$)	99.0%	62.6%
Relapse/Continued Use Potential (N = 99)	99.0%	85.9%
Unsupportive Recovery Environment (N = 99)	100.0%	85.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pathway House

613 2nd Street SW Rochester, MN 55902

County: Olmsted

Provider Website: www.pathwayhouse.com

Patient Profile

 Gender (N = 171)
 Race (N = 171)

 Male: 99.4%
 White: 81.9%

 Female: 0.6%
 Black: 10.5%

 American Indian: 3.5%
 Hispanic: 2.9%

 Asian/Pacific Islander: 0.6%
 Other: 0.6%

<u>Age (N = 171)</u> Under 18: 0.0% 18 to 25: 36.3% 26 to 34: 32.2% 35 and older: 31.6%

Primary Substance (N = 168) Alcohol: 51.8% Methamphetamine: 11.9% Marijuana: 23.2% Heroin: 1.8% Cocaine: 4.8% Other opiates: 3.0% Other drugs: 3.6%

Source of Income

(N = 171) Job: 24.0% Retirement/savings: 1.2% Family/friends: 2.9% No income: 39.8% Public sources: 20.5% Other sources: 11.7%

Source of Referral

(N = 171) Self/family/relative/ friends: 33.3% Employer/school: 0.6% Criminal justice: 42.1% Professional: 50.9% County social service agency: 29.8% Other community resources: 2.3% AA: 1.2% Tribal: 0.0%

Outcomes

Discharge Status (N = 171)Completed program: 49.7% Patient left without staff approval: 29.2% Staff requested/judged inappropriate: 17.5% Death/other: 3.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Pathway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 170)	2.4%	0.0%
Not employed/student ^{$++$} (N = 146)	93.8%	50.0%
Arrests past 30 days (N = 169)	2.4%	8.3%
Alcohol use past 30 days (N = 166)	1.8%	1.2%
Drug use past 30 days (N = 166)	2.4%	3.6%
No self-help group participation past 30 days ($N = 166$)	3.0%	0.0%
No family support for recovery past 30 days (N = 160)	1.9%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =163)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 162$)	7.4%	6.8%
Emotional/Behavioral/ Cognitive Problem (N = 162)	34.0%	27.8%
Resistance to Change ($N = 162$)	93.8%	51.2%
Relapse/Continued Use Potential (N = 162)	99.4%	54.9%
Unsupportive Recovery Environment (N = 162)	98.8%	54.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Paul's Place

22355 Albatruss Circle Farmington, MN 55024

Provider Website:

Patient Profile

Gender (N = 55) Male: 100.0% Female: 0.0%

Race (N = 55)White: 90.9% Black: 5.5% American Indian: 0.0% Hispanic: 3.6% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (<u>N = 55)</u> Under 18: 0.0% 18 to 25: 25.5% 26 to 34: 23.6% 35 and older: 50.9%

County: Dakota

Primary Substance (N = 55) Alcohol: 56.4% Methamphetamine: 14.5% Marijuana: 12.7% Heroin: 3.6% Cocaine: 9.1% Other opiates: 3.6% Other drugs: 0.0%

(N = 55)Job: 34.5%

Source of Income

Retirement/savings: 5.5% Family/friends: 30.9% No income: 7.3% Public sources: 7.3% Other sources: 14.5%

Source of Referral

(N = 55). Self/family/relative/ friends: 89.1% Employer/school: 1.8% Criminal justice: 10.9% Professional: 45.5% County social service agency: 29.1% Other community resources: 16.4% AA: 1.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 55)Completed program: 85.5% Patient left without staff approval: 9.1% Staff requested/judged inappropriate: 1.8% Death/other: 3.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Paul's Place

<u>National Outcome Measures (NOMS)</u>	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 54)	3.7%	0.0%
Not employed/student ^{**} (N = 53)	62.3%	71.7%
Arrests past 30 days (N = 54)	13.0%	9.3%
Alcohol use past 30 days (N = 55)	80.0%	27.3%
Drug use past 30 days (N = 55)	58.2%	25.5%
No self-help group participation past 30 days (N = 54)	51.9%	0.0%
No family support for recovery past 30 days ($N = 54$)	3.7%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 21.8%	Discharge 1.8%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and	21.8%	1.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and Complications (N = 55) Emotional/Behavioral/	21.8% 18.2%	1.8% 16.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =55) Biomedical Conditions and Complications (N = 55) Emotional/Behavioral/ Cognitive Problem (N = 55)	21.8% 18.2% 96.4%	1.8% 16.4% 65.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pear Lake Women's Program

2086 Ridgeway Drive Grand Rapids, MN 55744

County: Itasca

Provider Website:

Patient Profile

 Gender (N = 89)
 Race (N = 89)
 Age (I)

 Male: 21.3%
 White: 79.8%
 Under

 Female: 78.7%
 Black: 0.0%
 18 to

 American Indian: 15.7%
 26 to

 Hispanic: 0.0%
 35 ar

 Asian/Pacific Islander: 0.0%
 Other: 4.5%

Age (N = 89) Under 18: 0.0% 18 to 25: 38.2% 26 to 34: 20.2% 35 and older: 41.6%

Primary Substance (N = 89) Alcohol: 41.6% Methamphetamine: 11.2% Marijuana: 19.1% Heroin: 2.2% Cocaine: 3.4% Other opiates: 20.2% Other drugs: 2.2%

(N = 89) Job: 32.6% Retirement/savings: 0.0% Family/friends: 12.4% No income: 11.2% Public sources: 30.3% Other sources: 13.5%

Source of Income

Source of Referral

(N = 89) Self/family/relative/ friends: 32.6% Employer/school: 0.0% Criminal justice: 34.8% Professional: 61.8% County social service agency: 36.0% Other community resources: 2.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 89) Completed program: 68.5% Patient left without staff approval: 16.9% Staff requested/judged inappropriate: 10.1% Death/other: 4.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Pear Lake Women's Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 84)	0.0%	0.0%
Not employed/student ^{$++$} (N = 76)	72.4%	69.7%
Arrests past 30 days (N = 87)	6.9%	4.6%
Alcohol use past 30 days (N = 89)	11.2%	18.0%
Drug use past 30 days (N = 89)	7.9%	10.1%
No self-help group participation past 30 days (N = 84)	15.5%	0.0%
No family support for recovery past 30 days ($N = 84$)	2.4%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =89)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 89$)	11.2%	5.6%
Emotional/Behavioral/ Cognitive Problem (N = 89)	69.7%	25.8%
Resistance to Change ($N = 89$)	80.9%	31.5%
Relapse/Continued Use Potential (N = 89)	88.8%	34.8%
Unsupportive Recovery Environment (N = 85)	49.4%	27.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

People Incorporated ISN, Huss Recovery Services

1315 Girard Avenue North Minneapolis, MN 55411

County: Hennepin

Provider Website: www.peopleIncorporated.org

Patient Profile

<u>Gender (N = 48)</u> Male: 39.6% Female: 60.4% Race (N = 48) White: 29.2% Black: 62.5% American Indian: 2.1% Hispanic: 0.0% Asian/Pacific Islander: 2.1% Other: 4.2% Age (N = 48) Under 18: 0.0% 18 to 25: 18.8% 26 to 34: 20.8% 35 and older: 60.4%

Primary Substance (N = 48) Alcohol: 35.4% Methamphetamine: 2.1% Marijuana: 33.3% Heroin: 8.3% Cocaine: 20.8% Other opiates: 0.0% Other drugs: 0.0% Source of Income

(N = 48) Job: 8.3% Retirement/savings: 0.0% Family/friends: 10.4% No income: 4.2% Public sources: 75.0% Other sources: 2.1%

Source of Referral

(N = 48) Self/family/relative/ friends: 8.3% Employer/school: 0.0% Criminal justice: 50.0% Professional: 43.8% County social service agency: 87.5% Other community resources: 4.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 48) Completed program: 37.5% Patient left without staff approval: 31.3% Staff requested/judged inappropriate: 14.6% Death/other: 16.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

People Incorporated ISN, Huss Recovery Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 48)	6.3%	4.2%
Not employed/student ^{**} (N = 47)	87.2%	87.2%
Arrests past 30 days (N = 48)	4.2%	18.8%
Alcohol use past 30 days ($N = 48$)	54.2%	62.5%
Drug use past 30 days (N = 48)	54.2%	54.2%
No self-help group participation past 30 days (N = 45)	82.2%	57.8%
No family support for recovery past 30 days ($N = 40$)	37.5%	35.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =48)	4.2%	0.0%
Biomedical Conditions and Complications $(N = 48)$	18.8%	8.3%
Emotional/Behavioral/ Cognitive Problem (N = 48)	58.3%	52.1%
Resistance to Change ($N = 48$)	89.6%	66.7%
Relapse/Continued Use Potential (N = 48)	100.0%	72.9%
Unsupportive Recovery Environment (N = 48)	97.9%	77.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Perkins Counseling Center

1500 1st Ave. NE Rochester, MN 55906

County: Olmsted

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 1)Race (N = 1)<u>Age (N = 1)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 1)(N = 1)(N = 1) . Alcohol: * Self/family/relative/ Job: * friends: * Methamphetamine: * Retirement/savings: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Perkins Counseling Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 1)	*	*
Not employed/student ^{**} (N = 1)	*	*
Arrests past 30 days (N = 1)	*	*
Alcohol use past 30 days (N = 1)	*	*
Drug use past 30 days (N = 1)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Phoenix Adolescent Outpatient Treatment

2055 White Bear Ave Maplewood, MN 55109

County: Ramsey

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 56)}}{\text{Male: 100.0\%}}$ Female: 0.0% Race (N = 56) White: 60.7% Black: 5.4% American Indian: 7.1% Hispanic: 10.7% Asian/Pacific Islander: 3.6% Other: 12.5% Age (N = 56) Under 18: 89.3% 18 to 25: 10.7% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 56) Alcohol: 16.1% Methamphetamine: 0.0% Marijuana: 80.4% Heroin: 0.0% Cocaine: 1.8% Other opiates: 1.8% Other drugs: 0.0% Source of Income

(N = 56) Job: 0.0% Retirement/savings: 0.0% Family/friends: 92.9% No income: 0.0% Public sources: 5.4% Other sources: 1.8%

Source of Referral

(N = 56) Self/family/relative/ friends: 10.7% Employer/school: 1.8% Criminal justice: 73.2% Professional: 62.5% County social service agency: 17.9% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 56) Completed program: 51.8% Patient left without staff approval: 10.7% Staff requested/judged inappropriate: 35.7% Death/other: 1.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Phoenix Adolescent Outpatient Treatment

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 56)	3.6%	0.0%
Not employed/student ^{**} (N = 56)	0.0%	8.9%
Arrests past 30 days (N = 56)	10.7%	7.1%
Alcohol use past 30 days (N = 56)	14.3%	5.4%
Drug use past 30 days (N = 56)	23.2%	16.1%
No self-help group participation past 30 days (N = 54)	29.6%	0.0%
No family support for recovery past 30 days (N = 51)	5.9%	7.8%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =55)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 55$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 55)	58.2%	41.8%
Resistance to Change ($N = 55$)	98.2%	41.8%
Relapse/Continued Use Potential (N = 55)	100.0%	72.7%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Phoenix Adolescent Outpatient Treatment

227 E Main Street # 105 Mankato, MN 56001

County: Blue Earth

Provider Website:

Patient Profile

<u>Gender (N = 43)</u> Male: 97.7% Female: 2.3% Race (N = 43) White: 81.4% Black: 2.3% American Indian: 0.0% Hispanic: 9.3% Asian/Pacific Islander: 0.0% Other: 7.0% Age (N = 43) Under 18: 95.3% 18 to 25: 4.7% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 43) Alcohol: 11.6% Methamphetamine: 0.0% Marijuana: 83.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 2.3% Other drugs: 2.3%

Source of Income

(N = 43) Job: 0.0% Retirement/savings: 0.0% Family/friends: 95.3% No income: 0.0% Public sources: 2.3% Other sources: 2.3%

Source of Referral

<u>(N = 43)</u> Self/family/relative/ friends: 25.6% Employer/school: 0.0% Criminal justice: 79.1% Professional: 48.8% County social service agency: 30.2% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 43) Completed program: 20.9% Patient left without staff approval: 16.3% Staff requested/judged inappropriate: 9.3% Death/other: 53.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Phoenix Adolescent Outpatient Treatment

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 42)	0.0%	0.0%
Not employed/student ^{$++$} (N = 42)	4.8%	2.4%
Arrests past 30 days (N = 43)	2.3%	11.6%
Alcohol use past 30 days (N = 43)	23.3%	20.9%
Drug use past 30 days (N = 43)	32.6%	32.6%
No self-help group participation past 30 days (N = 38)	55.3%	23.7%
No family support for recovery past 30 days ($N = 36$)	13.9%	8.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =42)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 42)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem ($N = 42$)	57.1%	61.9%
Resistance to Change ($N = 42$)	88.1%	85.7%
Relapse/Continued Use Potential (N = 42)		
	97.6%	97.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pine Manors, Inc.

22195 State 34 Nevis, MN 56467

Provider Website:

Patient Profile

<u>Gender (N = 285)</u> Male: 76.8% Female: 23.2% Race (N = 285) White: 66.3% Black: 1.1% American Indian: 27.4% Hispanic: 2.1% Asian/Pacific Islander: 0.4% Other: 2.8% <u>Age (N = 285)</u> Under 18: 0.0% 18 to 25: 25.6% 26 to 34: 24.6% 35 and older: 49.8%

County: Hubbard

Primary Substance (N = 285) Alcohol: 67.4% Methamphetamine: 5.3% Marijuana: 19.6% Heroin: 0.0% Cocaine: 1.1% Other opiates: 6.7% Other drugs: 0.0%

(N = 285) Job: 43.2% Retirement/savings: 3.2% Family/friends: 16.8% No income: 15.1% Public sources: 11.2% Other sources: 10.5%

Source of Income

Source of Referral

(N = 285) Self/family/relative/ friends: 36.5% Employer/school: 0.0% Criminal justice: 56.8% Professional: 6.3% County social service agency: 61.4% Other community resources: 1.4% AA: 0.0% Tribal: 15.4%

Outcomes

Discharge Status (N = 285) Completed program: 75.1% Patient left without staff approval: 16.1% Staff requested/judged inappropriate: 5.6% Death/other: 3.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Pine Manors, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 285)	0.0%	0.0%
Not employed/student ^{**} (N = 285)	85.6%	84.6%
Arrests past 30 days (N = 285)	16.5%	2.5%
Alcohol use past 30 days (N = 285)	64.9%	11.2%
Drug use past 30 days (N = 285)	48.4%	10.5%
No self-help group participation past 30 days (N = 285)	98.9%	6.3%
No family support for recovery past 30 days ($N = 285$)	0.4%	5.6%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
A auto Tata diastica /		
Acute Intoxication/ Withdrawal (N =285)	0.4%	0.4%
•	0.4% 9.1%	0.4% 1.4%
Withdrawal (N = 285) Biomedical Conditions and		
Withdrawal (N = 285) Biomedical Conditions and Complications (N = 285) Emotional/Behavioral/	9.1%	1.4%
Withdrawal (N = 285) Biomedical Conditions and Complications (N = 285) Emotional/Behavioral/ Cognitive Problem (N = 285)	9.1% 93.7%	1.4% 17.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pineview Recovery Center

912 Main Street Little Fork, MN 56653

County: Koochiching

Provider Website: www.littleforkmedicalcenter.com

Patient Profile

<u>Gender (N = 44)</u> Male: 68.2% Female: 31.8% Race (N = 44) White: 77.3% Black: 0.0% American Indian: 20.5% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 2.3%

Age (N = 44) Under 18: 0.0% 18 to 25: 18.2% 26 to 34: 22.7% 35 and older: 59.1%

Primary Substance (N = 44) Alcohol: 72.7% Methamphetamine: 6.8% Marijuana: 13.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 6.8% Other drugs: 0.0%

Source of Income

(N = 44) Job: 25.0% Retirement/savings: 4.5% Family/friends: 13.6% No income: 13.6% Public sources: 29.5% Other sources: 13.6%

Source of Referral

(N = 44) Self/family/relative/ friends: 68.2% Employer/school: 0.0% Criminal justice: 31.8% Professional: 15.9% County social service agency: 56.8% Other community resources: 2.3% AA: 0.0% Tribal: 4.5%

Outcomes

Discharge Status (N = 44) Completed program: 61.4% Patient left without staff approval: 15.9% Staff requested/judged inappropriate: 9.1% Death/other: 13.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Pineview Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 44)	9.1%	0.0%
Not employed/student ^{**} (N = 44)	77.3%	81.8%
Arrests past 30 days (N = 44)	25.0%	4.5%
Alcohol use past 30 days ($N = 44$)	75.0%	20.5%
Drug use past 30 days (N = 44)	50.0%	15.9%
No self-help group participation past 30 days (N = 43)	58.1%	4.7%
No family support for recovery past 30 days ($N = 42$)	4.8%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> [§]	Admission	<u>Discharge</u>
	Admission 86.4%	<u>Discharge</u> 50.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =44) Biomedical Conditions and	86.4%	50.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =44) Biomedical Conditions and Complications (N = 44) Emotional/Behavioral/	86.4% 75.0%	50.0% 61.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =44) Biomedical Conditions and Complications (N = 44) Emotional/Behavioral/ Cognitive Problem (N = 44)	86.4% 75.0% 100.0%	50.0% 61.4% 88.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pioneer Recovery Center

5388 Road 37 Aurora, MN 55705

County: St. Louis

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 30)}{\text{Male: } 0.0\%}$ Female: 100.0% Race (N = 30) White: 46.7% Black: 0.0% American Indian: 50.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 3.3% Age (N = 30) Under 18: 0.0% 18 to 25: 23.3% 26 to 34: 30.0% 35 and older: 46.7%

Primary Substance (N = 30) Alcohol: 53.3% Methamphetamine: 6.7% Marijuana: 16.7% Heroin: 0.0% Cocaine: 6.7% Other opiates: 16.7% Other drugs: 0.0%

Source of Income

(N = 30) Job: 6.7% Retirement/savings: 6.7% Family/friends: 26.7% No income: 3.3% Public sources: 26.7% Other sources: 30.0%

Source of Referral

(N = 30) Self/family/relative/ friends: 26.7% Employer/school: 0.0% Criminal justice: 40.0% Professional: 20.0% County social service agency: 70.0% Other community resources: 3.3% AA: 0.0% Tribal: 16.7%

Outcomes

Discharge Status (N = 30) Completed program: 70.0% Patient left without staff approval: 16.7% Staff requested/judged inappropriate: 3.3% Death/other: 10.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Pioneer Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 29)	3.4%	0.0%
Not employed/student ^{$++$} (N = 27)	88.9%	85.2%
Arrests past 30 days (N = 30)	20.0%	6.7%
Alcohol use past 30 days (N = 30)	46.7%	10.0%
Drug use past 30 days (N = 30)	46.7%	20.0%
No self-help group participation past 30 days (N = 29)	44.8%	3.4%
No family support for recovery past 30 days ($N = 28$)	3.6%	7.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =30)	3.3%	3.3%
Biomedical Conditions and Complications $(N = 30)$	20.0%	16.7%
Emotional/Behavioral/ Cognitive Problem ($N = 30$)	66.7%	53.3%
Resistance to Change ($N = 30$)	43.3%	26.7%
Relapse/Continued Use Potential (N = 30)	96.7%	60.0%
Unsupportive Recovery Environment ($N = 30$)	96.7%	66.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie Center for the Family, LLC

400 East Main Street Marshall, MN 562582665

County: Lyon

Provider Website:

Patient Profile

Gender (N = 14) Race (N = 14)Age (N = 14)Male: 57.1% White: 71.4% Under 18: 92.9% Black: 0.0% Female: 42.9% 18 to 25: 7.1% American Indian: 0.0% 26 to 34: 0.0% Hispanic: 28.6% 35 and older: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0%

Primary Substance (N = 14)Alcohol: 42.9% Methamphetamine: 0.0% Marijuana: 50.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 7.1% Other drugs: 0.0%

(N = 14)Job: 14.3% Retirement/savings: 0.0% Family/friends: 50.0% No income: 28.6% Public sources: 0.0% Other sources: 7.1%

Source of Income

Source of Referral (N = 14). Self/family/relative/ friends: 7.1% Employer/school: 7.1% Criminal justice: 42.9% Professional: 35.7% County social service agency: 78.6% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 14)Completed program: 7.1% Patient left without staff approval: 21.4% Staff requested/judged inappropriate: 57.1% Death/other: 14.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Prairie Center for the Family, LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 14)	0.0%	0.0%
Not employed/student ^{**} (N = 14)	0.0%	0.0%
Arrests past 30 days (N = 13)	0.0%	0.0%
Alcohol use past 30 days (N = 14)	14.3%	21.4%
Drug use past 30 days (N = 14)	42.9%	35.7%
No self-help group participation past 30 days (N = 13)	76.9%	46.2%
No family support for recovery past 30 days $(N = 9)$	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N = 14)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 14)$	7.1%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 14)	92.9%	78.6%
Resistance to Change ($N = 14$)	92.9%	92.9%
Relapse/Continued Use Potential (N = 14)	92.9%	100.0%
Unsupportive Recovery Environment (N = 14)	92.9%	100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie House Recovery

305 Prairie Road Monticello, MN 55362

County: Wright

Provider Website: www.mlrecovery.org

Patient Profile

<u>Gender (N = 34)</u> Male: 0.0% Female: 100.0% Race (N = 34) White: 58.8% Black: 2.9% American Indian: 11.8% Hispanic: 23.5% Asian/Pacific Islander: 0.0% Other: 2.9% Age (N = 34) Under 18: 94.1% 18 to 25: 5.9% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 34) Alcohol: 41.2% Methamphetamine: 2.9% Marijuana: 47.1% Heroin: 0.0% Cocaine: 0.0% Other opiates: 2.9% Other drugs: 5.9%

Source of Income

(N = 34) Job: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral

(N = 34) Self/family/relative/ friends: 14.7% Employer/school: 0.0% Criminal justice: 8.8% Professional: 47.1% County social service agency: 32.4% Other community resources: 2.9% AA: 0.0% Tribal: 2.9%

Outcomes

Discharge Status (N = 34) Completed program: 64.7% Patient left without staff approval: 17.6% Staff requested/judged inappropriate: 8.8% Death/other: 8.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Prairie House Recovery

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 34)	0.0%	0.0%
Not employed/student ^{$++$} (N = 34)	0.0%	0.0%
Arrests past 30 days (N = 34)	17.6%	8.8%
Alcohol use past 30 days ($N = 34$)	32.4%	5.9%
Drug use past 30 days (N = 34)	44.1%	5.9%
No self-help group participation past 30 days (N = 34)	41.2%	5.9%
No family support for recovery past 30 days ($N = 34$)	2.9%	5.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =34)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 34)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem ($N = 34$)	94.1%	26.5%
Resistance to Change ($N = 34$)	94.1%	29.4%
	100.0%	100.0%
Relapse/Continued Use Potential (N = 34)		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prairie St. John's

510 4th Street South Fargo, ND 58103

County: North Dakota

Provider Website:

Patient Profile

<u>Gender (N = 9)</u> Male: * Female: *

Race (N = 9)White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *

Age (N = 9)Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

AA: * Tribal: *

Primary Substance	Source of Income	Source of Referral
(N = 9)	(N = 9)	(N = 9)
Alcohol: *	Job: *	Self/family/relative/
Methamphetamine: *	Retirement/savings: *	friends: *
Marijuana: *	Family/friends: *	Employer/school: *
Heroin: *	No income: *	Criminal justice: *
Cocaine: *	Public sources: *	Professional: *
Other opiates: *	Other sources: *	County social
Other opiates: * Other drugs: *	Other sources: *	County social service agency: * Other community resources: *

Outcomes

Discharge Status (N = 9)Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Prairie St. John's

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{**} (N = 8)	*	*
Not employed/student ^{**} (N = 7)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days ($N = 7$)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days ($N = 7$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =8)Biomedical Conditions and Complications (N = 8)Emotional/Behavioral/ Cognitive Problem (N = 8)	* * *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pride Institute, Inc.

2110 Lyndale Ave. So. Minneapolis, MN 55405

County: Hennepin

Provider Website: www.pride-institute.com

Patient Profile

Age (<u>N = 155)</u> Gender (N = 155) Race (N = 155)Male: 78.7% White: 85.2% Under 18: 0.6% Female: 21.3% Black: 9.7% 18 to 25: 23.9% American Indian: 1.3% 26 to 34: 27.1% Hispanic: 1.9% Asian/Pacific Islander: 0.6% Other: 1.3%

Source of Income

Primary Substance (N = 154)Alcohol: 63.0% Methamphetamine: 18.8% Marijuana: 5.2% Heroin: 1.3% Cocaine: 3.9% Other opiates: 2.6% Other drugs: 5.2%

(N = 155)Job: 36.1% Retirement/savings: 8.4% Family/friends: 14.2% No income: 3.9% Public sources: 21.9% Other sources: 15.5%

35 and older: 48.4%

Source of Referral

(N = 155). Self/family/relative/ friends: 41.3% Employer/school: 0.6% Criminal justice: 11.0% Professional: 60.6% County social service agency: 3.2% Other community resources: 10.3% AA: 1.9% Tribal: 0.0%

Outcomes

Discharge Status (N = 155)Completed program: 55.5% Patient left without staff approval: 16.8% Staff requested/judged inappropriate: 20.6% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Pride Institute, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 135)	0.7%	2.2%
Not employed/student ^{**} (N = 82)	43.9%	26.8%
Arrests past 30 days (N = 137)	1.5%	2.9%
Alcohol use past 30 days (N = 148)	31.8%	4.7%
Drug use past 30 days (N = 148)	17.6%	3.4%
No self-help group participation past 30 days (N = 121)	24.8%	3.3%
No family support for recovery past 30 days (N = 125)	8.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =155)	0.6%	1.3%
•	0.6% 2.6%	1.3% 1.3%
Withdrawal (N =155) Biomedical Conditions and		
Withdrawal (N = 155) Biomedical Conditions and Complications (N = 155) Emotional/Behavioral/	2.6%	1.3%
Withdrawal (N = 155) Biomedical Conditions and Complications (N = 155) Emotional/Behavioral/ Cognitive Problem (N = 155)	2.6% 80.0%	1.3% 44.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Pride Institute, Inc.

14400 Martin Drive Eden Prairie, MN 55344

County: Hennepin

Provider Website: www.pride-institute.com

Patient Profile

Gender (N = 380) Race (N = 380)Age (N = 380)Male: 80.0% White: 78.4% Under 18: 0.0% Female: 20.0% Black: 9.7% 18 to 25: 23.7% American Indian: 2.4% 26 to 34: 26.6% Hispanic: 5.0% Asian/Pacific Islander: 0.8% Other: 3.7%

Primary Substance (N = 377) Alcohol: 56.0% Methamphetamine: 21.8% Marijuana: 8.2% Heroin: 1.3% Cocaine: 6.1% Other opiates: 3.2% Other drugs: 3.4%

Source of Income (N = 380)Job: 36.8% Retirement/savings: 4.7% Family/friends: 11.1% No income: 15.8% Public sources: 18.4% Other sources: 13.2%

35 and older: 49.7%

Source of Referral (N = 380).

Self/family/relative/ friends: 67.4% Employer/school: 4.2% Criminal justice: 5.0% Professional: 17.1% County social service agency: 11.8% Other community resources: 11.6% AA: 2.9% Tribal: 1.1%

Outcomes

Discharge Status (N = 380)Completed program: 79.7% Patient left without staff approval: 7.4% Staff requested/judged inappropriate: 8.4% Death/other: 4.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Pride Institute, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 358)	10.1%	2.0%
Not employed/student ^{$++$} (N = 314)	58.3%	64.6%
Arrests past 30 days (N = 375)	8.5%	1.9%
Alcohol use past 30 days (N = 371)	81.9%	20.2%
Drug use past 30 days (N = 371)	60.9%	15.1%
No self-help group participation past 30 days (N = 344)	48.8%	1.5%
No family support for recovery past 30 days (N = 359)	6.1%	1.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =379)	3.7%	0.3%
Diamodical Conditions and		
Biomedical Conditions and Complications ($N = 378$)	21.7%	1.3%
	21.7% 87.0%	1.3% 36.0%
Complications (N = 378) Emotional/Behavioral/	-	
Complications (N = 378) Emotional/Behavioral/ Cognitive Problem (N = 378)	87.0%	36.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Prodigal House

5103 Minnehaha Ave Minneapolis, MN 55417

County: Hennepin

Provider Website: www.prodhouse.com

Patient Profile

 Gender (N = 83)
 Ra

 Male: 100.0%
 V

 Female: 0.0%
 E

Race (N = 83) White: 67.5% Black: 26.5% American Indian: 1.2% Hispanic: 3.6% Asian/Pacific Islander: 1.2% Other: 0.0% Age (N = 83) Under 18: 0.0% 18 to 25: 13.3% 26 to 34: 27.7% 35 and older: 59.0%

Primary Substance (N = 83) Alcohol: 59.0% Methamphetamine: 2.4% Marijuana: 8.4% Heroin: 6.0% Cocaine: 18.1% Other opiates: 4.8% Other drugs: 1.2%

Source of Income

(N = 83) Job: 4.8% Retirement/savings: 0.0% Family/friends: 7.2% No income: 65.1% Public sources: 14.5% Other sources: 8.4%

Source of Referral

(N = 83) Self/family/relative/ friends: 49.4% Employer/school: 0.0% Criminal justice: 25.3% Professional: 31.3% County social service agency: 88.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 83) Completed program: 45.8% Patient left without staff approval: 26.5% Staff requested/judged inappropriate: 19.3% Death/other: 8.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Prodigal House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 83)	14.5%	0.0%
Not employed/student ^{**} (N = 83)	100.0%	97.6%
Arrests past 30 days (N = 81)	7.4%	4.9%
Alcohol use past 30 days ($N = 83$)	49.4%	14.5%
Drug use past 30 days (N = 83)	33.7%	14.5%
No self-help group participation past 30 days (N = 81)	12.3%	1.2%
No family support for recovery past 30 days ($N = 81$)	6.2%	3.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =82)	1.2%	8.5%
Biomedical Conditions and Complications $(N = 81)$	17.3%	12.3%
Emotional/Behavioral/ Cognitive Problem (N = 81)	92.6%	49.4%
Resistance to Change ($N = 82$)	96.3%	58.5%
Relapse/Continued Use Potential (N = 81)	100.0%	61.7%
Unsupportive Recovery Environment (N = 80)	100.0%	68.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center of Buffalo

7 West Highway 55 Buffalo, MN 55313

County: Wright

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 71)}}{\text{Male: 84.5\%}}$ Female: 15.5% Race (N = 71) White: 98.6% Black: 1.4% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 71) Under 18: 0.0% 18 to 25: 31.0% 26 to 34: 26.8% 35 and older: 42.3%

Primary Substance (N = 71)Alcohol: \$1.7%Methamphetamine: 2.8% Marijuana: 14.1% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.4% Other drugs: 0.0%

Source of Income

(N = 71) Job: 59.2% Retirement/savings: 2.8% Family/friends: 23.9% No income: 1.4% Public sources: 1.4% Other sources: 11.3%

Source of Referral

<u>(N = 71)</u> Self/family/relative/ friends: 19.7% Employer/school: 0.0% Criminal justice: 91.5% Professional: 0.0% County social service agency: 45.1% Other community resources: 2.8% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 71) Completed program: 84.5% Patient left without staff approval: 2.8% Staff requested/judged inappropriate: 11.3% Death/other: 1.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Professional Counseling Center of Buffalo

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 71)	0.0%	0.0%
Not employed/student ^{$++$} (N = 71)	39.4%	31.0%
Arrests past 30 days (N = 71)	2.8%	4.2%
Alcohol use past 30 days (N = 71)	14.1%	7.0%
Drug use past 30 days (N = 71)	7.0%	4.2%
No self-help group participation past 30 days (N = 71)	59.2%	21.1%
No family support for recovery past 30 days ($N = 70$)	1.4%	5.7%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =71)	0.0%	1.4%
Biomedical Conditions and Complications $(N = 71)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 71)	18.3%	7.0%
Resistance to Change ($N = 71$)	78.9%	18.3%
Relapse/Continued Use Potential (N = 71)	93.0%	18.3%
Unsupportive Recovery Environment (N = 71)	80.3%	18.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Professional Counseling Center of Delano

620 Hwy 12 Delano, MN 55328

County: Wright

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 31)}}{\text{Male: 74.2\%}}$ Female: 25.8% Race (N = 31) White: 90.3% Black: 6.5% American Indian: 3.2% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 31) Under 18: 0.0% 18 to 25: 25.8% 26 to 34: 32.3% 35 and older: 41.9%

Primary Substance (N = 31) Alcohol: 77.4% Methamphetamine: 6.5% Marijuana: 16.1% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 31) Job: 58.1% Retirement/savings: 0.0% Family/friends: 22.6% No income: 0.0% Public sources: 3.2% Other sources: 16.1%

Source of Referral

(N = 31) Self/family/relative/ friends: 22.6% Employer/school: 3.2% Criminal justice: 80.6% Professional: 9.7% County social service agency: 45.2% Other community resources: 3.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 31) Completed program: 87.1% Patient left without staff approval: 6.5% Staff requested/judged inappropriate: 3.2% Death/other: 3.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Professional Counseling Center of Delano

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 31)	0.0%	0.0%
Not employed/student ^{$++$} (N = 31)	38.7%	29.0%
Arrests past 30 days (N = 31)	9.7%	3.2%
Alcohol use past 30 days (N = 31)	16.1%	6.5%
Drug use past 30 days (N = 31)	9.7%	0.0%
No self-help group participation past 30 days (N = 31)	77.4%	32.3%
No family support for recovery past 30 days ($N = 31$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =31)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 31)$	3.2%	3.2%
Emotional/Behavioral/ Cognitive Problem ($N = 31$)	16.1%	3.2%
Resistance to Change ($N = 31$)	93.5%	9.7%
Relapse/Continued Use Potential (N = 31)	90.3%	9.7%
Unsupportive Recovery Environment (N = 31)	100.0%	9.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Progress Valley I

3033 Garfield Avenue South Minneapolis, MN 55408

County: Hennepin

Provider Website: www.progressvalley.org

Patient Profile

 $\frac{\text{Gender (N = 140)}}{\text{Male: 100.0\%}}$ Female: 0.0% Race (N = 140) White: 75.0% Black: 10.0% American Indian: 2.9% Hispanic: 8.6% Asian/Pacific Islander: 1.4% Other: 2.1% Age (N = 140) Under 18: 0.0% 18 to 25: 36.4% 26 to 34: 30.7% 35 and older: 32.9%

Primary Substance (N = 140) Alcohol: 56.4% Methamphetamine: 12.9% Marijuana: 10.0% Heroin: 12.1% Cocaine: 5.0% Other opiates: 2.1% Other drugs: 1.4%

Source of Income

(N = 140) Job: 42.9% Retirement/savings: 4.3% Family/friends: 12.1% No income: 5.7% Public sources: 13.6% Other sources: 21.4%

Source of Referral

(N = 140) Self/family/relative/ friends: 17.9% Employer/school: 0.0% Criminal justice: 2.9% Professional: 74.3% County social service agency: 15.7% Other community resources: 1.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 140) Completed program: 40.7% Patient left without staff approval: 26.4% Staff requested/judged inappropriate: 22.1% Death/other: 10.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Progress Valley I

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 139)	4.3%	24.5%
Not employed/student ^{$++$} (N = 133)	87.2%	42.1%
Arrests past 30 days (N = 139)	2.9%	2.9%
Alcohol use past 30 days (N = 138)	24.6%	10.1%
Drug use past 30 days (N = 138)	21.0%	10.9%
No self-help group participation past 30 days (N = 138)	15.2%	2.9%
No family support for recovery past 30 days (N = 134)	6.7%	11.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =132)	1.5%	6.1%
Biomedical Conditions and Complications ($N = 132$)	6.1%	5.3%
	6.1% 72.7%	
Complications (N = 132) Emotional/Behavioral/		5.3%
Complications (N = 132) Emotional/Behavioral/ Cognitive Problem (N = 132)	72.7%	5.3% 46.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Progress Valley II

308 East 78th Street Richfield, MN 55423

County: Hennepin

Provider Website: www.progressvalley.org

Patient Profile

Gender (N = 138) Race (N = 138)Male: 0.0% White: 74.6% Under 18: 0.0% Female: 100.0% Black: 11.6% 18 to 25: 26.8% American Indian: 7.2% 26 to 34: 20.3% Hispanic: 3.6% Asian/Pacific Islander: 0.7% Other: 2.2%

Primary Substance (N = 138)Alcohol: 59.4% Methamphetamine: 12.3% Marijuana: 2.9% Heroin: 4.3% Cocaine: 10.9% Other opiates: 7.2% Other drugs: 2.9%

Source of Income (N = 138)Job: 28.3% Retirement/savings: 6.5% Family/friends: 20.3% No income: 10.1% Public sources: 21.7%

Other sources: 13.0%

Age (N = 138)

35 and older: 52.9%

Source of Referral

(N = 138). Self/family/relative/ friends: 55.8% Employer/school: 0.0% Criminal justice: 12.3% Professional: 75.4% County social service agency: 13.8% Other community resources: 6.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 138)Completed program: 44.2% Patient left without staff approval: 30.4% Staff requested/judged inappropriate: 15.9% Death/other: 9.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Progress Valley II

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 135)	3.0%	3.0%
Not employed/student ^{**} (N = 133)	91.7%	49.6%
Arrests past 30 days (N = 132)	0.8%	3.8%
Alcohol use past 30 days (N = 137)	27.0%	11.7%
Drug use past 30 days (N = 137)	17.5%	5.1%
No self-help group participation past 30 days (N = 135)	9.6%	1.5%
No family support for recovery past 30 days (N = 128)	3.9%	5.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 0.0%	<u>Discharge</u> 4.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =136) Biomedical Conditions and	0.0%	4.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =136) Biomedical Conditions and Complications (N = 137) Emotional/Behavioral/	0.0% 24.8%	4.4% 15.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =136) Biomedical Conditions and Complications (N = 137) Emotional/Behavioral/ Cognitive Problem (N = 137)	0.0% 24.8% 83.2%	4.4% 15.3% 62.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout

130 Willmar Ave SE Willmar, MN 562013485

County: Kandiyohi

Provider Website: www.projectturnabout.org

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 135)} \\ Male: 70.4\% \\ Female: 29.6\% \end{array} \qquad \begin{array}{c} \underline{Race (N = 135)} \\ White: 77.8\% \\ Black: 6.7\% \\ American Indian: 0.7\% \\ Hispanic: 13.3\% \\ Asian/Pacific Islander: 0.7\% \\ Other: 0.7\% \end{array} \qquad \begin{array}{c} \underline{Age (N = 135)} \\ Under 18: 2.2\% \\ 18 to 25: 31.9\% \\ 26 to 34: 28.1\% \\ 35 and older: 37.8\% \\ Asian/Pacific Islander: 0.7\% \end{array}$

Primary Substance (N = 135) Alcohol: 68.1% Methamphetamine: 10.4% Marijuana: 18.5% Heroin: 0.0% Cocaine: 1.5% Other opiates: 0.0% Other drugs: 1.5%

Source of Income

(N = 135) Job: 28.1% Retirement/savings: 3.0% Family/friends: 8.9% No income: 3.7% Public sources: 7.4% Other sources: 48.9%

Source of Referral

(N = 135) Self/family/relative/ friends: 16.3% Employer/school: 2.2% Criminal justice: 74.1% Professional: 5.9% County social service agency: 36.3% Other community resources: 3.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 135) Completed program: 51.9% Patient left without staff approval: 13.3% Staff requested/judged inappropriate: 31.9% Death/other: 3.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Project Turnabout

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 131)	0.0%	0.8%
Not employed/student ^{**} (N = 118)	48.3%	34.7%
Arrests past 30 days (N = 135)	6.7%	6.7%
Alcohol use past 30 days (N = 135)	12.6%	14.1%
Drug use past 30 days (N = 135)	8.9%	11.9%
No self-help group participation past 30 days (N = 96)	28.1%	11.5%
No family support for recovery past 30 days ($N = 73$)	31.5%	8.2%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =135)	0.7%	0.7%
Biomedical Conditions and Complications ($N = 135$)	10.4%	5.2%
	10.470	5.270
Emotional/Behavioral/ Cognitive Problem (N = 135)	59.3%	28.1%
Cognitive Problem ($N = 135$)	59.3%	28.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout Chemical Dependency Treatment Center of Redwood Falls

334 South Jefferson Street Redwood Falls, MN 562831762

County: Redwood

Provider Website: www.projectturnabout.com

Patient Profile

 Gender (N = 51)
 Race (N = 51)
 Addition

 Male: 72.5%
 White: 62.7%
 U

 Female: 27.5%
 Black: 2.0%
 1

 American Indian: 25.5%
 2

 Hispanic: 9.8%
 3

 Asian/Pacific Islander: 0.0%
 0

<u>Age (N = 51)</u> Under 18: 21.6% 18 to 25: 21.6% 26 to 34: 25.5% 35 and older: 31.4%

Primary Substance (N = 51) Alcohol: 58.8% Methamphetamine: 5.9% Marijuana: 27.5% Heroin: 3.9% Cocaine: 2.0% Other opiates: 0.0% Other drugs: 2.0%

Source of Income

(N = 51) Job: 19.6% Retirement/savings: 2.0% Family/friends: 49.0% No income: 5.9% Public sources: 9.8% Other sources: 13.7%

Source of Referral

(N = 51) Self/family/relative/ friends: 23.5% Employer/school: 0.0% Criminal justice: 39.2% Professional: 35.3% County social service agency: 82.4% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 51) Completed program: 49.0% Patient left without staff approval: 13.7% Staff requested/judged inappropriate: 23.5% Death/other: 13.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Project Turnabout Chemical Dependency Treatment Center of Redwood Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 51)	0.0%	0.0%
Not employed/student ^{**} (N = 51)	56.9%	37.3%
Arrests past 30 days (N = 51)	7.8%	15.7%
Alcohol use past 30 days (N = 51)	19.6%	23.5%
Drug use past 30 days (N = 51)	19.6%	13.7%
No self-help group participation past 30 days (N = 51)	47.1%	13.7%
No family support for recovery past 30 days ($N = 51$)	7.8%	7.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =51)	0.0%	3.9%
Biomedical Conditions and Complications $(N = 51)$	0.0%	3.9%
Emotional/Behavioral/ Cognitive Problem ($N = 51$)	64.7%	52.9%
Resistance to Change ($N = 51$)	68.6%	52.9%
Relapse/Continued Use Potential (N = 51)	100.0%	70.6%
Unsupportive Recovery Environment (N = 51)	92.2%	62.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout Halfway House-Marshall

1220 Birch Street Marshall, MN 562581500

County: Lyon

Provider Website: www.projectturnabout.com

Patient Profile

<u>Gender (N = 216)</u> Male: 81.0% Female: 19.0% Race (N = 216) White: 80.6% Black: 3.7% American Indian: 3.2% Hispanic: 9.7% Asian/Pacific Islander: 0.9% Other: 1.9% <u>Age (N = 216)</u> Under 18: 11.6% 18 to 25: 28.2% 26 to 34: 25.5% 35 and older: 34.7%

Primary Substance (N = 216) Alcohol: 65.3% Methamphetamine: 6.0% Marijuana: 22.2% Heroin: 0.5% Cocaine: 2.3% Other opiates: 2.8%

Other drugs: 0.9%

Source of Income

(N = 216) Job: 36.6% Retirement/savings: 0.5% Family/friends: 19.0% No income: 23.1% Public sources: 12.5% Other sources: 8.3%

Source of Referral

(N = 216) Self/family/relative/ friends: 13.4% Employer/school: 0.5% Criminal justice: 20.8% Professional: 67.1% County social service agency: 88.0% Other community resources: 0.9% AA: 0.0% Tribal: 0.9%

Outcomes

Discharge Status (N = 216) Completed program: 54.2% Patient left without staff approval: 21.3% Staff requested/judged inappropriate: 17.1% Death/other: 7.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Project Turnabout Halfway House-Marshall

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 216)	0.0%	0.0%
Not employed/student ^{$++$} (N = 213)	64.8%	51.2%
Arrests past 30 days (N = 216)	2.8%	9.3%
Alcohol use past 30 days (N = 216)	12.5%	13.4%
Drug use past 30 days (N = 216)	10.2%	11.1%
No self-help group participation past 30 days (N = 211)	23.2%	7.1%
No family support for recovery past 30 days (N = 207)	6.3%	4.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =216)	0.0%	1.9%
Biomedical Conditions and Complications ($N = 216$)	4.6%	4.2%
Emotional/Behavioral/ Cognitive Problem (N = 216)	40.7%	26.9%
Resistance to Change ($N = 216$)	59.7%	42.1%
Relapse/Continued Use Potential (N = 216)	99.5%	81.9%
Unsupportive Recovery Environment (N = 216)	94.4%	73.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Project Turnabout of Granite Falls

660 18th Street Granite Falls, MN 562411099

County: Yellow Medicine

Provider Website: www.projectturnabout.com

Patient Profile

Gender (N = 579) Race (N = 579)Male: 69.8% White: 85.1% Under 18: 1.9% Female: 30.2% Black: 2.1% American Indian: 4.8% Hispanic: 5.4% Asian/Pacific Islander: 0.9% Other: 1.7%

Primary Substance (N = 578)Alcohol: 62.5% Methamphetamine: 7.3% Marijuana: 19.4% Heroin: 1.6% Cocaine: 1.9% Other opiates: 5.9% Other drugs: 1.6%

Source of Income (N = 579)Job: 33.2% Retirement/savings: 3.8% Family/friends: 14.7% No income: 17.4% Public sources: 11.2% Other sources: 19.7%

Age (N = 579)

18 to 25: 29.9% 26 to 34: 23.5% 35 and older: 44.7%

Source of Referral

(N = 579). Self/family/relative/ friends: 53.5% Employer/school: 1.2% Criminal justice: 38.7% Professional: 19.0% County social service agency: 40.9% Other community resources: 4.8% AA: 1.7% Tribal: 0.9%

Outcomes

Discharge Status (N = 579)Completed program: 66.1% Patient left without staff approval: 17.6% Staff requested/judged inappropriate: 9.5% Death/other: 6.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Project Turnabout of Granite Falls

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 539)	8.7%	0.2%
Not employed/student ^{$++$} (N = 541)	73.4%	76.2%
Arrests past 30 days (N = 566)	14.0%	5.3%
Alcohol use past 30 days (N = 578)	53.6%	7.8%
Drug use past 30 days (N = 578)	36.5%	8.0%
No self-help group participation past 30 days (N = 479)	55.7%	9.0%
No family support for recovery past 30 days ($N = 438$)	13.0%	13.2%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	Discharge
Acute Intoxication/ Withdrawal (N =575)	56.5%	21.2%
Biomedical Conditions and Complications ($N = 576$)	71.7%	44.8%
Emotional/Behavioral/ Cognitive Problem (N = 571)	98.1%	76.5%
Resistance to Change ($N = 571$)	99.1%	74.8%
Relapse/Continued Use Potential (N = 571)	99.8%	81.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rainbow Behavioral Health Services Chartered

305 9th Street Windom, MN 56101

County: CottonWood

Provider Website:

Patient Profile

<u>Gender (N = 65)</u> Male: 67.7% Female: 32.3% Race (N = 65) White: 83.1% Black: 3.1% American Indian: 4.6% Hispanic: 7.7% Asian/Pacific Islander: 1.5% Other: 0.0% Age (N = 65) Under 18: 10.8% 18 to 25: 23.1% 26 to 34: 18.5% 35 and older: 47.7%

Primary Substance (N = 65) Alcohol: 69.2% Methamphetamine: 7.7% Marijuana: 18.5% Heroin: 0.0% Cocaine: 0.0% Other opiates: 4.6% Other drugs: 0.0%

Source of Income

(N = 65) Job: 44.6% Retirement/savings: 3.1% Family/friends: 24.6% No income: 6.2% Public sources: 13.8% Other sources: 7.7%

Source of Referral

(N = 65) Self/family/relative/ friends: 16.9% Employer/school: 0.0% Criminal justice: 53.8% Professional: 27.7% County social service agency: 70.8% Other community resources: 6.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 65) Completed program: 72.3% Patient left without staff approval: 13.8% Staff requested/judged inappropriate: 4.6% Death/other: 9.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Rainbow Behavioral Health Services Chartered

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 62)	0.0%	0.0%
Not employed/student ^{**} (N = 57)	36.8%	28.1%
Arrests past 30 days (N = 62)	3.2%	1.6%
Alcohol use past 30 days ($N = 60$)	13.3%	0.0%
Drug use past 30 days (N = 60)	10.0%	5.0%
No self-help group participation past 30 days (N = 50)	50.0%	4.0%
No family support for recovery past 30 days ($N = 53$)	9.4%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =63)	0.0%	3.2%
Biomedical Conditions and Complications $(N = 64)$	4.7%	1.6%
Emotional/Behavioral/ Cognitive Problem (N = 64)	14.1%	20.3%
Resistance to Change ($N = 64$)	26.6%	14.1%
Relapse/Continued Use Potential (N = 64)	79.7%	23.4%
Unsupportive Recovery Environment (N = 64)	95.3%	35.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Range Treatment Center

3203 3rd Aveune West Hibbing, MN 55746

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 72)</u> Male: 65.3% Female: 34.7% Race (N = 72) White: 95.8% Black: 4.2% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 72) Under 18: 0.0% 18 to 25: 23.6% 26 to 34: 34.7% 35 and older: 41.7%

Primary Substance (N = 72) Alcohol: 68.1% Methamphetamine: 6.9% Marijuana: 22.2% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.4% Other drugs: 1.4%

Source of Income

(N = 72) Job: 34.7% Retirement/savings: 2.8% Family/friends: 11.1% No income: 20.8% Public sources: 16.7% Other sources: 13.9%

Source of Referral

(N = 72) Self/family/relative/ friends: 23.6% Employer/school: 1.4% Criminal justice: 90.3% Professional: 4.2% County social service agency: 2.8% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 72) Completed program: 73.6% Patient left without staff approval: 4.2% Staff requested/judged inappropriate: 4.2% Death/other: 18.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Range Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 72)	1.4%	2.8%
Not employed/student ^{**} (N = 70)	62.9%	55.7%
Arrests past 30 days (N = 72)	6.9%	2.8%
Alcohol use past 30 days ($N = 72$)	16.7%	5.6%
Drug use past 30 days (N = 72)	19.4%	4.2%
No self-help group participation past 30 days (N = 68)	76.5%	7.4%
No family support for recovery past 30 days ($N = 66$)	7.6%	6.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =70)	1.4%	1.4%
Biomedical Conditions and Complications $(N = 72)$	5.6%	4.2%
Emotional/Behavioral/ Cognitive Problem (N = 72)	26.4%	19.4%
Resistance to Change ($N = 72$)	90.3%	37.5%
Relapse/Continued Use Potential (N = 72)	98.6%	44.4%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rapids Counseling Services, Inc.

717 NE 4th Street Grand Rapids, MN 55744

County: Itasca

Provider Website: www.rapidscounseling.com

Patient Profile

<u>Gender (N = 185)</u> Male: 69.2% Female: 30.8% Race (N = 185) White: 91.9% Black: 1.1% American Indian: 4.3% Hispanic: 2.2% Asian/Pacific Islander: 0.0% Other: 0.5% Age (N = 185) Under 18: 0.5% 18 to 25: 23.8% 26 to 34: 22.7% 35 and older: 53.0%

Primary Substance (N = 185) Alcohol: 74.1% Methamphetamine: 2.7% Marijuana: 16.8% Heroin: 0.0% Cocaine: 1.1% Other opiates: 4.3% Other drugs: 1.1%

<u>(N = 185)</u> Job: 49.2%

Source of Income

Retirement/savings: 2.7% Family/friends: 9.7% No income: 14.6% Public sources: 15.1% Other sources: 8.6%

Source of Referral

<u>(N = 185)</u>. Self/family/relative/ friends: 25.9% Employer/school: 5.9% Criminal justice: 74.1% Professional: 9.7% County social service agency: 4.9% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 185) Completed program: 60.0% Patient left without staff approval: 22.2% Staff requested/judged inappropriate: 2.2% Death/other: 15.7%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Rapids Counseling Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 177)	3.4%	1.1%
Not employed/student ^{**} (N = 176)	47.7%	42.0%
Arrests past 30 days (N = 174)	13.2%	8.0%
Alcohol use past 30 days (N = 163)	23.9%	12.9%
Drug use past 30 days (N = 163)	19.0%	8.0%
No self-help group participation past 30 days (N = 169)	56.8%	11.2%
No family support for recovery past 30 days (N = 167)	7.8%	12.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 1.1%	<u>Discharge</u> 3.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =175) Biomedical Conditions and	1.1%	3.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =175) Biomedical Conditions and Complications (N = 175) Emotional/Behavioral/	1.1% 8.0%	3.4% 8.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =175) Biomedical Conditions and Complications (N = 175) Emotional/Behavioral/ Cognitive Problem (N = 175)	1.1% 8.0% 16.0%	3.4% 8.0% 18.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rational Alternatives

206 14th Street East International Falls, MN 566490229

County: Koochiching

Provider Website:

Patient Profile

<u>Gender (N = 66)</u> Male: 80.3% Female: 19.7% Race (N = 66) White: 86.4% Black: 1.5% American Indian: 9.1% Hispanic: 1.5% Asian/Pacific Islander: 0.0% Other: 1.5% Age (N = 66) Under 18: 1.5% 18 to 25: 39.4% 26 to 34: 22.7% 35 and older: 36.4%

Primary Substance (N = 66) Alcohol: 65.2% Methamphetamine: 4.5% Marijuana: 19.7% Heroin: 0.0% Cocaine: 4.5% Other opiates: 6.1% Other drugs: 0.0%

Source of Income

(N = 66) Job: 53.0% Retirement/savings: 1.5% Family/friends: 15.2% No income: 13.6% Public sources: 12.1% Other sources: 4.5%

Source of Referral

(N = 66) Self/family/relative/ friends: 28.8% Employer/school: 6.1% Criminal justice: 65.2% Professional: 24.2% County social service agency: 40.9% Other community resources: 1.5% AA: 3.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 66) Completed program: 59.1% Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 1.5% Death/other: 6.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Rational Alternatives

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 59)	3.4%	5.1%
Not employed/student ^{**} (N = 56)	57.1%	32.1%
Arrests past 30 days (N = 63)	22.2%	9.5%
Alcohol use past 30 days (N = 65)	41.5%	1.5%
Drug use past 30 days (N = 65)	29.2%	0.0%
No self-help group participation past 30 days (N = 57)	70.2%	38.6%
No family support for recovery past 30 days ($N = 49$)	8.2%	12.2%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
-	Admission 12.9%	Discharge 22.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =62) Biomedical Conditions and	12.9%	22.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =62) Biomedical Conditions and Complications (N = 63) Emotional/Behavioral/	12.9% 15.9%	22.6% 9.5%
Dimensions of Chemical HealthsAcute Intoxication/ Withdrawal (N = 62)Biomedical Conditions and Complications (N = 63)Emotional/Behavioral/ Cognitive Problem (N = 63)	12.9% 15.9% 58.7%	22.6% 9.5% 41.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rays of Hope Unlimited

118 North Victoria Street St. Paul, MN 55104

County: Ramsey

resources: *

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 8)Age <u>(N = 8)</u> Race (N = 8)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 8)(N = 8)(N = 8). Alcohol: * Self/family/relative/ Job: * friends: * Methamphetamine: * Retirement/savings: * Marijuana: * Family/friends: * Employer/school: * No income: * Heroin: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Rays of Hope Unlimited

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{**} (N = 7)	*	*
Not employed/student ^{**} (N = 8)	*	*
Arrests past 30 days ($N = 8$)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days ($N = 8$)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days ($N = 6$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rebecca Residence of Scandia

21077 Penrose Avenue North Scandia, MN 55073

County: Washington

Provider Website: www.havenchemicalhealth.com

Patient Profile

<u>Gender (N = 126)</u> Male: 0.0% Female: 100.0% Race (N = 126) White: 93.7% Black: 2.4% American Indian: 0.0% Hispanic: 3.2% Asian/Pacific Islander: 0.0% Other: 0.8% Age (N = 126) Under 18: 0.8% 18 to 25: 29.4% 26 to 34: 18.3% 35 and older: 51.6%

Primary Substance (N = 126) Alcohol: 53.2% Methamphetamine: 17.5% Marijuana: 9.5% Heroin: 4.8% Cocaine: 2.4% Other opiates: 8.7% Other drugs: 4.0%

(N = 126) Job: 18.3% Retirement/savings: 7.1% Family/friends: 41.3% No income: 14.3% Public sources: 9.5% Other sources: 9.5%

Source of Income

Source of Referral

(N = 126) Self/family/relative/ friends: 92.1% Employer/school: 1.6% Criminal justice: 11.9% Professional: 36.5% County social service agency: 23.8% Other community resources: 2.4% AA: 0.8% Tribal: 0.0%

Outcomes

Discharge Status (N = 126) Completed program: 73.0% Patient left without staff approval: 18.3% Staff requested/judged inappropriate: 0.8% Death/other: 7.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Rebecca Residence of Scandia

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 126)	28.6%	3.2%
Not employed/student ^{**} (N = 117)	76.1%	75.2%
Arrests past 30 days (N = 126)	14.3%	1.6%
Alcohol use past 30 days (N = 126)	65.1%	8.7%
Drug use past 30 days (N = 126)	51.6%	8.7%
No self-help group participation past 30 days (N = 123)	50.4%	4.1%
No family support for recovery past 30 days (N = 119)	10.1%	4.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =126)	1.6%	0.0%
Biomedical Conditions and Complications ($N = 126$)	5.6%	5.6%
Emotional/Behavioral/ Cognitive Problem (N = 126)	96.0%	92.1%
Resistance to Change ($N = 126$)	5.6%	9.5%
Relapse/Continued Use Potential (N = 126)	99.2%	100.0%
Unsupportive Recovery Environment (N = 126)	100.0%	98.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Plus Adult Program St. Cloud Hospital

713 Anderson Ave St. Cloud, MN 56303

County: Stearns

Provider Website: www.centracare.com

Patient Profile

<u>Gender (N = 1178)</u> Male: 65.2% Female: 34.8% Race (N = 1178) White: 85.5% Black: 5.5% American Indian: 5.0% Hispanic: 2.5% Asian/Pacific Islander: 0.5% Other: 0.9% Age (N = 1178) Under 18: 0.6% 18 to 25: 30.6% 26 to 34: 25.9% 35 and older: 42.9%

Primary Substance (N = 1177) Alcohol: 57.1% Methamphetamine: 9.3% Marijuana: 17.9% Heroin: 1.7% Cocaine: 2.4% Other opiates: 9.8%

Other drugs: 1.8%

Source of Income

(N = 1178) Job: 33.8% Retirement/savings: 6.7% Family/friends: 10.8% No income: 23.7% Public sources: 19.9% Other sources: 5.1%

Source of Referral

(N = 1178) Self/family/relative/ friends: 54.8% Employer/school: 2.0% Criminal justice: 20.5% Professional: 24.3% County social service agency: 29.0% Other community resources: 2.6% AA: 0.2% Tribal: 0.2%

Outcomes

Discharge Status (N = 1178) Completed program: 66.6% Patient left without staff approval: 15.9% Staff requested/judged inappropriate: 10.8% Death/other: 6.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Recovery Plus Adult Program St. Cloud Hospital

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 1166)	2.8%	2.4%
Not employed/student ^{**} (N = 1142)	63.2%	68.2%
Arrests past 30 days (N = 1136)	12.4%	4.3%
Alcohol use past 30 days (N = 1063)	59.2%	10.0%
Drug use past 30 days (N = 1063)	41.5%	8.7%
No self-help group participation past 30 days (N = 1134)	65.7%	12.9%
No family support for recovery past 30 days (N = 1097)	3.6%	6.0%
Pauriana ta Dagangan		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 14.6%	<u>Discharge</u> 6.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1075) Biomedical Conditions and	14.6%	6.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1075) Biomedical Conditions and Complications (N = 1074) Emotional/Behavioral/	14.6% 33.0%	6.0% 20.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1075) Biomedical Conditions and Complications (N = 1074) Emotional/Behavioral/ Cognitive Problem (N = 1077)	14.6% 33.0% 76.9%	6.0% 20.3% 67.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Resource Center

1900 Chicago Avenue South Minneapolis, MN 55404

County: Hennepin

Provider Website: www.resource-mn.org

Patient Profile

<u>Gender (N = 368)</u> Male: 70.9% Female: 29.1% Race (N = 368) White: 24.5% Black: 62.2% American Indian: 5.7% Hispanic: 2.2% Asian/Pacific Islander: 0.5% Other: 4.9% Age (N = 368) Under 18: 0.0% 18 to 25: 18.5% 26 to 34: 20.1% 35 and older: 61.4%

Primary Substance (N = 366) Alcohol: 36.9% Methamphetamine: 4.9% Marijuana: 21.9% Heroin: 6.0% Cocaine: 28.7% Other opiates: 1.4% Other drugs: 0.3%

(N = 368) Job: 1.4% Retirement/savings: 0.3% Family/friends: 0.5% No income: 45.1% Public sources: 50.3% Other sources: 2.4%

Source of Income

Source of Referral

(N = 368) Self/family/relative/ friends: 51.4% Employer/school: 0.0% Criminal justice: 48.1% Professional: 2.7% County social service agency: 54.6% Other community resources: 0.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 368) Completed program: 60.6% Patient left without staff approval: 24.7% Staff requested/judged inappropriate: 9.8% Death/other: 4.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Recovery Resource Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 332)	45.8%	4.8%
Not employed/student ^{$++$} (N = 311)	97.1%	92.6%
Arrests past 30 days (N = 289)	10.0%	7.3%
Alcohol use past 30 days (N = 258)	43.4%	8.9%
Drug use past 30 days (N = 258)	47.3%	13.6%
No self-help group participation past 30 days (N = 299)	56.5%	17.1%
No family support for recovery past 30 days ($N = 295$)	11.2%	3.1%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 11.4%	<u>Discharge</u> 16.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 368) Biomedical Conditions and	11.4%	16.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 368) Biomedical Conditions and Complications (N = 368) Emotional/Behavioral/	11.4% 53.0%	16.6% 20.4%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N = 368)Biomedical Conditions and Complications (N = 368)Emotional/Behavioral/ Cognitive Problem (N = 368)	11.4% 53.0% 80.7%	16.6% 20.4% 62.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Resources of Winsted

471 2nd St. No Winsted, MN 55395

County: McLeod

Provider Website:

Patient Profile

<u>Gender (N = 141)</u> Male: 70.2% Female: 29.8% Race (N = 141) White: 90.8% Black: 1.4% American Indian: 1.4% Hispanic: 6.4% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 141) Under 18: 7.8% 18 to 25: 30.5% 26 to 34: 25.5% 35 and older: 36.2%

Primary Substance (N = 141) Alcohol: 71.6% Methamphetamine: 6.4% Marijuana: 19.9% Heroin: 0.0% Cocaine: 0.7% Other opiates: 1.4% Other drugs: 0.0%

Source of Income

(N = 141) Job: 53.2% Retirement/savings: 3.5% Family/friends: 4.3% No income: 32.6% Public sources: 3.5% Other sources: 2.8%

Source of Referral

(N = 141) Self/family/relative/ friends: 6.4% Employer/school: 0.0% Criminal justice: 78.7% Professional: 4.3% County social service agency: 22.0% Other community resources: 7.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 141)Completed program: 71.6% Patient left without staff approval: 7.1% Staff requested/judged inappropriate: 13.5% Death/other: 7.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Recovery Resources of Winsted

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 138)	0.0%	0.7%
Not employed/student ^{$++$} (N = 138)	39.1%	29.0%
Arrests past 30 days (N = 139)	2.9%	2.9%
Alcohol use past 30 days (N = 135)	23.0%	12.6%
Drug use past 30 days (N = 135)	12.6%	11.9%
No self-help group participation past 30 days (N = 131)	58.8%	16.8%
No family support for recovery past 30 days (N = 129)	4.7%	10.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =139)	4.3%	2.9%
Biomedical Conditions and Complications ($N = 140$)	2.9%	4.3%
Emotional/Behavioral/ Cognitive Problem (N = 140)	94.3%	32.9%
Resistance to Change ($N = 139$)	92.1%	37.4%
Relapse/Continued Use Potential (N = 139)	96.4%	43.2%
Unsupportive Recovery Environment (N = 138)	94.9%	40.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Works Minimum Security Program

640 Randolph Road Detroit Lakes, MN 56501

County: Becker

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 20)}{\text{Male: } 100.0\%}$ Female: 0.0% Race (N = 20) White: 70.0% Black: 5.0% American Indian: 20.0% Hispanic: 5.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 20) Under 18: 0.0% 18 to 25: 40.0% 26 to 34: 25.0% 35 and older: 35.0%

Primary Substance (N = 20) Alcohol: 60.0% Methamphetamine: 0.0% Marijuana: 40.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 20) Job: 65.0% Retirement/savings: 0.0% Family/friends: 20.0% No income: 0.0% Public sources: 5.0% Other sources: 10.0%

Source of Referral

(N = 20) Self/family/relative/ friends: 40.0% Employer/school: 0.0% Criminal justice: 75.0% Professional: 5.0% County social service agency: 70.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 20) Completed program: 60.0% Patient left without staff approval: 5.0% Staff requested/judged inappropriate: 0.0% Death/other: 35.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Recovery Works Minimum Security Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 20)	0.0%	0.0%
Not employed/student ^{**} (N = 20)	85.0%	60.0%
Arrests past 30 days (N = 20)	30.0%	10.0%
Alcohol use past 30 days (N = 20)	45.0%	5.0%
Drug use past 30 days (N = 20)	5.0%	0.0%
No self-help group participation past 30 days (N = 20)	70.0%	10.0%
No family support for recovery past 30 days ($N = 20$)	40.0%	10.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =20)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 20)$	15.0%	10.0%
Emotional/Behavioral/ Cognitive Problem ($N = 20$)	50.0%	25.0%
Resistance to Change ($N = 20$)	100.0%	65.0%
Relapse/Continued Use Potential (N = 20)	100.0%	85.0%
Unsupportive Recovery Environment (N = 20)	100.0%	95.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Recovery Works/BC Jail House Program

925 Lake Avenue Detroit Lakes, MN 56502

County: Becker

Provider Website:

Patient Profile

<u>Gender (N = 17)</u> Male: 88.2% Female: 11.8% Race (N = 17) White: 64.7% Black: 0.0% American Indian: 29.4% Hispanic: 5.9% Asian/Pacific Islander: 0.0% Other: 0.0%

<u>Age (N = 17)</u> Under 18: 0.0% 18 to 25: 41.2% 26 to 34: 41.2% 35 and older: 17.6%

Primary Substance (N = 17) Alcohol: 35.3% Methamphetamine: 17.6% Marijuana: 35.3% Heroin: 0.0% Cocaine: 11.8% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 17) Job: 29.4% Retirement/savings: 0.0% Family/friends: 5.9% No income: 23.5% Public sources: 29.4% Other sources: 11.8%

Source of Referral

<u>(N = 17)</u> Self/family/relative/ friends: 70.6% Employer/school: 0.0% Criminal justice: 47.1% Professional: 0.0% County social service agency: 82.4% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 17) Completed program: 23.5% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 76.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Recovery Works/BC Jail House Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 17)	0.0%	0.0%
Not employed/student ^{$++$} (N = 17)	88.2%	100.0%
Arrests past 30 days (N = 17)	58.8%	5.9%
Alcohol use past 30 days (N = 17)	64.7%	5.9%
Drug use past 30 days (N = 17)	47.1%	0.0%
No self-help group participation past 30 days (N = 17)	47.1%	23.5%
No family support for recovery past 30 days (N = 17)	35.3%	17.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =17)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 17$)	17.6%	5.9%
Emotional/Behavioral/ Cognitive Problem (N = 17)	58.8%	58.8%
Resistance to Change ($N = 17$)	100.0%	64.7%
Relapse/Continued Use Potential (N = 17)	100.0%	94.1%
Unsupportive Recovery Environment (N = 17)	100.0%	94.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake CD Outpatient Program

P.O. Box 114 Red Lake, MN 56671

County: Beltrami

Provider Website:

Patient Profile

<u>Gender (N = 221)</u> Male: 62.9% Female: 37.1% Race (N = 221) White: 1.4% Black: 0.0% American Indian: 98.6% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 221) Under 18: 4.5% 18 to 25: 30.3% 26 to 34: 29.4% 35 and older: 35.7%

Primary Substance (N = 221) Alcohol: 67.9% Methamphetamine: 1.4% Marijuana: 29.4% Heroin: 0.0% Cocaine: 0.9% Other opiates: 0.5% Other drugs: 0.0%

Source of Income

(N = 221) Job: 30.3% Retirement/savings: 0.9% Family/friends: 7.7% No income: 30.8% Public sources: 25.8% Other sources: 4.5%

Source of Referral

<u>(N = 221)</u>. Self/family/relative/ friends: 16.7% Employer/school: 5.0% Criminal justice: 92.8% Professional: 1.4% County social service agency: 9.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 221) Completed program: 76.9% Patient left without staff approval: 6.3% Staff requested/judged inappropriate: 0.9% Death/other: 15.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Red Lake CD Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 221)	0.9%	0.5%
Not employed/student ^{$++$} (N = 210)	59.0%	48.1%
Arrests past 30 days (N = 215)	51.6%	3.3%
Alcohol use past 30 days (N = 221)	73.3%	6.3%
Drug use past 30 days (N = 221)	60.6%	10.9%
No self-help group participation past 30 days (N = 206)	96.6%	29.6%
No family support for recovery past 30 days (N = 198)	49.5%	18.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =221)	0.5%	0.0%
Biomedical Conditions and Complications ($N = 221$)	1.8%	1.4%
Emotional/Behavioral/ Cognitive Problem (N = 221)	34.4%	17.2%
Resistance to Change ($N = 221$)	86.0%	25.8%
Relapse/Continued Use Potential (N = 221)	95.5%	27.6%
Unsupportive Recovery Environment (N = 221)	93.7%	23.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake Group Home

PO Box 114 Redlake, MN 56671

County: Beltrami

Provider Website: www.redlakechemicalhealthprograms.com

Patient Profile

<u>Gender (N = 13)</u> Male: 46.2% Female: 53.8% Race (N = 13) White: 0.0% Black: 0.0% American Indian: 92.3% Hispanic: 7.7% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 13) Under 18: 100.0% 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 13)Alcohol: 15.4% Methamphetamine: 0.0% Marijuana: 84.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 13) Job: 0.0% Retirement/savings: 0.0% Family/friends: 76.9% No income: 7.7% Public sources: 15.4% Other sources: 0.0%

Source of Referral

(N = 13) Self/family/relative/ friends: 15.4% Employer/school: 0.0% Criminal justice: 92.3% Professional: 7.7% County social service agency: 30.8% Other community resources: 15.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 13) Completed program: 76.9% Patient left without staff approval: 7.7% Staff requested/judged inappropriate: 0.0% Death/other: 15.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Red Lake Group Home

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 12)	0.0%	0.0%
Not employed/student ^{**} (N = 13)	0.0%	0.0%
Arrests past 30 days (N = 11)	81.8%	9.1%
Alcohol use past 30 days (N = 13)	61.5%	0.0%
Drug use past 30 days (N = 13)	76.9%	0.0%
No self-help group participation past 30 days (N = 13)	76.9%	0.0%
No family support for recovery past 30 days (N = 11)	18.2%	0.0%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 15.4%	<u>Discharge</u> 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =13) Biomedical Conditions and	15.4%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =13) Biomedical Conditions and Complications (N = 13) Emotional/Behavioral/	15.4% 23.1%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =13) Biomedical Conditions and Complications (N = 13) Emotional/Behavioral/ Cognitive Problem (N = 13)	15.4% 23.1% 38.5%	0.0% 0.0% 15.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red Lake Treatment Center

PO Box 114 Redlake, MN 56671

County: Beltrami

Provider Website:

Patient Profile

<u>Gender (N = 64)</u> Male: 67.2% Female: 32.8% Race (N = 64) White: 0.0% Black: 0.0% American Indian: 100.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 64) Under 18: 3.1% 18 to 25: 40.6% 26 to 34: 28.1% 35 and older: 28.1%

Primary Substance (N = 64) Alcohol: 89.1% Methamphetamine: 0.0% Marijuana: 1.6% Heroin: 0.0% Cocaine: 3.1% Other opiates: 6.3% Other drugs: 0.0%

Source of Income

(N = 64) Job: 4.7% Retirement/savings: 0.0% Family/friends: 1.6% No income: 34.4% Public sources: 26.6% Other sources: 32.8%

Source of Referral

(N = 64) Self/family/relative/ friends: 20.3% Employer/school: 0.0% Criminal justice: 79.7% Professional: 3.1% County social service agency: 6.3% Other community resources: 1.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 64) Completed program: 62.5% Patient left without staff approval: 29.7% Staff requested/judged inappropriate: 7.8% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Red Lake Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 56)	1.8%	1.8%
Not employed/student ^{**} (N = 43)	83.7%	81.4%
Arrests past 30 days (N = 63)	66.7%	1.6%
Alcohol use past 30 days ($N = 64$)	71.9%	7.8%
Drug use past 30 days (N = 64)	40.6%	3.1%
No self-help group participation past 30 days (N = 58)	96.6%	6.9%
No family support for recovery past 30 days ($N = 45$)	68.9%	20.0%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 1.6%	Discharge 3.1%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =64) Biomedical Conditions and	1.6%	3.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =64) Biomedical Conditions and Complications (N = 64) Emotional/Behavioral/	1.6% 1.6%	3.1% 1.6%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N = 64)Biomedical Conditions and Complications (N = 64)Emotional/Behavioral/ Cognitive Problem (N = 64)	1.6% 1.6% 9.4%	3.1% 1.6% 1.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Red River Recovery Center

701 Center Ave. E. Dilworth, MN 56529

County: Clay

Provider Website:

Patient Profile

<u>Gender (N = 267)</u> Male: 83.9% Female: 16.1% Race (N = 267) White: 73.4% Black: 2.2% American Indian: 18.4% Hispanic: 3.4% Asian/Pacific Islander: 0.0% Other: 2.6% <u>Age (N = 267)</u> Under 18: 2.2% 18 to 25: 30.3% 26 to 34: 24.0% 35 and older: 43.4%

Primary Substance (N = 267) Alcohol: 56.2% Methamphetamine: 15.7% Marijuana: 15.4% Heroin: 1.1% Cocaine: 3.0% Other opiates: 7.5% Other drugs: 1.1%

Source of Income

(N = 267) Job: 44.2% Retirement/savings: 1.1% Family/friends: 5.6% No income: 17.6% Public sources: 19.1% Other sources: 12.4%

Source of Referral

(N = 267) Self/family/relative/ friends: 21.3% Employer/school: 0.0% Criminal justice: 24.7% Professional: 51.3% County social service agency: 60.3% Other community resources: 0.4% AA: 0.0% Tribal: 4.1%

Outcomes

Discharge Status (N = 267) Completed program: 49.8% Patient left without staff approval: 21.0% Staff requested/judged inappropriate: 21.7% Death/other: 7.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Red River Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 267)	5.2%	0.4%
Not employed/student ^{**} (N = 265)	89.1%	49.1%
Arrests past 30 days (N = 267)	6.0%	9.7%
Alcohol use past 30 days (N = 267)	18.0%	15.4%
Drug use past 30 days (N = 267)	12.0%	12.4%
No self-help group participation past 30 days (N = 267)	15.0%	0.0%
No family support for recovery past 30 days ($N = 264$)	4.9%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =257)	0.8%	6.2%
Biomedical Conditions and Complications ($N = 257$)	22.2%	14.0%
Emotional/Behavioral/ Cognitive Problem ($N = 258$)	61.2%	40.3%
Resistance to Change ($N = 258$)		
Resistance to enange (N = 250)	83.7%	48.1%
Relapse/Continued Use Potential (N = 259)	83.7% 98.8%	48.1% 71.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital Alcohol and Drug Abuse Program

445 Etna Street St. Paul, MN 55106

County: Ramsey

Provider Website: www.regionshospital.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 1059)} \\ Male: 72.5\% \\ Female: 27.5\% \\ Female: 27.5\% \\ American Indian: 2.3\% \\ Hispanic: 7.3\% \\ Asian/Pacific Islander: 2.2\% \\ Other: 2.8\% \\ \end{array} \qquad \begin{array}{c} \underline{Age (N = 1059)} \\ Under 18: 0.0\% \\ 18 to 25: 21.7\% \\ 26 to 34: 23.6\% \\ 35 and older: 54.7\% \\ 35 and older: 54.7\% \\ \end{array}$

Source of Income

Primary Substance (N = 1058) Alcohol: 59.9% Methamphetamine: 10.6% Marijuana: 16.3% Heroin: 1.9% Cocaine: 8.9% Other opiates: 1.9% Other drugs: 0.6%

(N = 1059) Job: 29.4% Retirement/savings: 3.6% Family/friends: 14.4% No income: 14.3% Public sources: 27.7%

Other sources: 10.7%

Source of Referral

(N = 1059) Self/family/relative/ friends: 38.1% Employer/school: 2.4% Criminal justice: 50.2% Professional: 41.7% County social service agency: 44.8% Other community resources: 2.7% AA: 0.1% Tribal: 0.1%

Outcomes

Discharge Status (N = 1059)Completed program: 47.0% Patient left without staff approval: 35.8% Staff requested/judged inappropriate: 13.6% Death/other: 3.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Regions Hospital Alcohol and Drug Abuse Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 1013)	13.5%	4.8%
Not employed/student ^{**} (N = 935)	67.5%	67.0%
Arrests past 30 days (N = 1059)	8.9%	5.9%
Alcohol use past 30 days (N = 954)	58.5%	18.0%
Drug use past 30 days (N = 954)	43.9%	19.5%
No self-help group participation past 30 days (N = 881)	72.6%	12.9%
No family support for recovery past 30 days ($N = 751$)	9.3%	9.2%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =912)	0.4%	1.2%
Biomedical Conditions and Complications ($N = 1014$)	13.6%	8.5%
Emotional/Behavioral/ Cognitive Problem (N = 1020)	54.8%	52.2%
Resistance to Change ($N = 1044$)	91.2%	66.7%
Relapse/Continued Use Potential (N = 1039)	98.3%	73.7%
Unsupportive Recovery Environment (N = 984)	89.4%	64.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital/New Connection Programs

445 Etna Street St. Paul, MN 551065848

County: Ramsey

Provider Website:

Patient Profile

<u>Gender (N = 140)</u> Male: 80.7% Female: 19.3% Race (N = 140) White: 31.4% Black: 31.4% American Indian: 2.9% Hispanic: 10.7% Asian/Pacific Islander: 17.9% Other: 5.7% Age (N = 140) Under 18: 95.7% 18 to 25: 4.3% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 140)Alcohol: 10.7% Methamphetamine: 0.0% Marijuana: 82.9% Heroin: 0.7% Cocaine: 0.0% Other opiates: 0.7% Other drugs: 5.0%

Source of Income

(N = 140) Job: 0.7% Retirement/savings: 0.0% Family/friends: 92.9% No income: 0.7% Public sources: 3.6% Other sources: 2.1%

Source of Referral

(N = 140) Self/family/relative/ friends: 40.0% Employer/school: 54.3% Criminal justice: 54.3% Professional: 12.9% County social service agency: 3.6% Other community resources: 2.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 140) Completed program: 36.4% Patient left without staff approval: 19.3% Staff requested/judged inappropriate: 32.9% Death/other: 11.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Regions Hospital/New Connection Programs

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 137)	0.0%	0.0%
Not employed/student ^{**} (N = 139)	0.0%	0.0%
Arrests past 30 days (N = 138)	13.8%	8.7%
Alcohol use past 30 days (N = 140)	33.6%	22.1%
Drug use past 30 days (N = 140)	65.7%	42.1%
No self-help group participation past 30 days (N = 109)	74.3%	22.0%
No family support for recovery past 30 days ($N = 98$)	48.0%	13.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =140)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 140$)	0.0%	1.4%
	0.0% 40.7%	1.4% 53.6%
Complications (N = 140) Emotional/Behavioral/		-
Complications (N = 140) Emotional/Behavioral/ Cognitive Problem (N = 140)	40.7%	53.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Regions Hospital/New Connection Programs

199 Coon Rapids Blvd Coon Rapids, MN 55433

County: Anoka

Provider Website: www.regionshospital.com

Patient Profile

<u>Gender (N = 91)</u> Male: 68.1% Female: 31.9% Race (N = 91) White: 87.9% Black: 5.5% American Indian: 0.0% Hispanic: 4.4% Asian/Pacific Islander: 1.1% Other: 1.1% Age (N = 91) Under 18: 96.7% 18 to 25: 3.3% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 91) Alcohol: 13.2% Methamphetamine: 0.0% Marijuana: 85.7% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.1% Other drugs: 0.0%

Source of Income

(N = 91) Job: 0.0% Retirement/savings: 0.0% Family/friends: 98.9% No income: 0.0% Public sources: 0.0% Other sources: 1.1%

Source of Referral

(N = 91) Self/family/relative/ friends: 53.8% Employer/school: 25.3% Criminal justice: 58.2% Professional: 14.3% County social service agency: 4.4% Other community resources: 1.1% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 91) Completed program: 56.0% Patient left without staff approval: 5.5% Staff requested/judged inappropriate: 12.1% Death/other: 26.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Regions Hospital/New Connection Programs

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 91)	0.0%	0.0%
Not employed/student ^{$++$} (N = 91)	0.0%	0.0%
Arrests past 30 days (N = 91)	5.5%	9.9%
Alcohol use past 30 days (N = 91)	37.4%	24.2%
Drug use past 30 days (N = 91)	54.9%	31.9%
No self-help group participation past 30 days ($N = 91$)	84.6%	16.5%
No family support for recovery past 30 days ($N = 90$)	22.2%	6.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =91)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 91)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 91)	58.2%	51.6%
Resistance to Change ($N = 91$)	85.7%	60.4%
Relapse/Continued Use Potential (N = 91)	98.9%	92.3%
Unsupportive Recovery Environment (N = 91)	95.6%	93.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rewind, Inc.

840 East Main Street Perham, MN 56573

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 32)}}{\text{Male: 100.0\%}}$ Female: 0.0% Race (N = 32) White: 93.8% Black: 6.3% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 32) Under 18: 0.0% 18 to 25: 6.3% 26 to 34: 37.5% 35 and older: 56.3%

County: Otter Tail

Primary Substance (N = 32) Alcohol: 78.1% Methamphetamine: 18.8% Marijuana: 0.0% Heroin: 0.0% Cocaine: 3.1% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 32) Job: 6.3% Retirement/savings: 0.0% Family/friends: 0.0% No income: 9.4% Public sources: 12.5% Other sources: 71.9%

Source of Referral

(N = 32) Self/family/relative/ friends: 3.1% Employer/school: 0.0% Criminal justice: 9.4% Professional: 65.6% County social service agency: 93.8% Other community resources: 6.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 32) Completed program: 56.3% Patient left without staff approval: 18.8% Staff requested/judged inappropriate: 9.4% Death/other: 15.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Rewind, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 32)	25.0%	0.0%
Not employed/student ^{**} (N = 26)	100.0%	57.7%
Arrests past 30 days (N = 32)	6.3%	6.3%
Alcohol use past 30 days (N = 32)	15.6%	25.0%
Drug use past 30 days (N = 32)	18.8%	9.4%
No self-help group participation past 30 days (N = 29)	10.3%	0.0%
No family support for recovery past 30 days ($N = 20$)	10.0%	10.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =32)	0.0%	18.8%
	0.0% 18.8%	18.8% 15.6%
Withdrawal (N = 32) Biomedical Conditions and		
Withdrawal (N = 32) Biomedical Conditions and Complications (N = 32) Emotional/Behavioral/	18.8%	15.6%
Withdrawal (N = 32) Biomedical Conditions and Complications (N = 32) Emotional/Behavioral/ Cognitive Problem (N = 32)	18.8% 59.4%	15.6% 50.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

River Ridge Treatment Center Burnsville

14750 Lac Lavon Drive Burnsville, MN 553066398

County: Dakota

Provider Website: www.riverridgetreatmentcenter.com

Patient Profile

<u>Gender (N = 399)</u> Male: 58.6% Female: 41.4% Race (N = 399) White: 87.2% Black: 4.8% American Indian: 2.3% Hispanic: 1.8% Asian/Pacific Islander: 1.0% Other: 3.0% <u>Age (N = 399)</u> Under 18: 1.0% 18 to 25: 28.1% 26 to 34: 29.6% 35 and older: 41.4%

Primary Substance (N = 399) Alcohol: 85.7% Methamphetamine: 2.5% Marijuana: 7.0% Heroin: 0.5% Cocaine: 1.5% Other opiates: 2.5% Other drugs: 0.3%

(N = 399) Job: 66.4% Retirement/savings: 1.3% Family/friends: 2.8% No income: 3.3% Public sources: 4.3% Other sources: 22.1%

Source of Income

Source of Referral

(N = 399) Self/family/relative/ friends: 60.2% Employer/school: 4.8% Criminal justice: 34.1% Professional: 32.3% County social service agency: 25.1% Other community resources: 7.3% AA: 1.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 399) Completed program: 53.9% Patient left without staff approval: 22.6% Staff requested/judged inappropriate: 15.5% Death/other: 8.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

River Ridge Treatment Center Burnsville

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 370)	0.8%	1.4%
Not employed/student ^{$++$} (N = 344)	27.0%	26.7%
Arrests past 30 days (N = 387)	5.4%	1.0%
Alcohol use past 30 days (N = 397)	40.1%	21.9%
Drug use past 30 days (N = 396)	13.6%	12.9%
No self-help group participation past 30 days (N = 256)	28.5%	12.5%
No family support for recovery past 30 days (N = 255)	9.8%	9.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =379)	1.3%	3.4%
Biomedical Conditions and Complications ($N = 387$)	9.8%	9.0%
Emotional/Behavioral/ Cognitive Problem (N = 391)	45.8%	51.7%
Resistance to Change ($N = 396$)	31.1%	39.1%
Relapse/Continued Use Potential (N = 395)	68.4%	50.9%
Unsupportive Recovery Environment (N = 389)	44.2%	37.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

River Ridge Treatment Center Minnetonka

15612 West Highway 7 Minnetonka, MN 55345

County: Hennepin

Provider Website: www.riverridgetreatmentcenter.com

Patient Profile

<u>Gender (N = 209)</u> Male: 54.5% Female: 45.5% Race (N = 209) White: 94.7% Black: 2.4% American Indian: 0.5% Hispanic: 1.4% Asian/Pacific Islander: 0.0% Other: 1.0% <u>Age (N = 209)</u> Under 18: 0.0% 18 to 25: 20.1% 26 to 34: 17.2% 35 and older: 62.7%

Primary Substance (N = 209) Alcohol: 86.1% Methamphetamine: 0.0% Marijuana: 5.3% Heroin: 1.4% Cocaine: 2.4% Other opiates: 3.8% Other drugs: 1.0%

Source of Income

(N = 209) Job: 70.3% Retirement/savings: 2.4% Family/friends: 7.7% No income: 1.9% Public sources: 1.0% Other sources: 16.7%

Source of Referral

(N = 209) Self/family/relative/ friends: 65.1% Employer/school: 6.7% Criminal justice: 21.5% Professional: 43.5% County social service agency: 13.9% Other community resources: 9.6% AA: 1.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 209) Completed program: 51.2% Patient left without staff approval: 21.1% Staff requested/judged inappropriate: 18.7% Death/other: 9.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

River Ridge Treatment Center Minnetonka

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 194)	0.0%	0.5%
Not employed/student ^{$++$} (N = 198)	21.2%	34.3%
Arrests past 30 days (N = 207)	3.4%	2.4%
Alcohol use past 30 days (N = 209)	46.9%	19.6%
Drug use past 30 days (N = 209)	12.9%	11.0%
No self-help group participation past 30 days (N = 134)	25.4%	6.7%
No family support for recovery past 30 days (N = 138)	15.2%	3.6%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =197)	1.0%	3.6%
Biomedical Conditions and Complications ($N = 201$)	9.0%	5.5%
Emotional/Behavioral/ Cognitive Problem (N = 201)	44.8%	41.8%
Resistance to Change ($N = 201$)	29.9%	38.3%
Relapse/Continued Use Potential (N = 202)	67.3%	46.5%
Unsupportive Recovery Environment (N = 201)	47.8%	39.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Riverplace Counseling Center of Elk River, Inc.

9816 NW Highway 10 Elk River, MN 55330

County: Sherburne

Provider Website: www.riverplacecenter.com

Patient Profile

 $\begin{array}{c|c} \underline{Gender (N = 336)} \\ Male: 30.7\% \\ Female: 69.3\% \end{array} \qquad \begin{array}{c} \underline{Race (N = 336)} \\ White: 88.7\% \\ Black: 4.5\% \\ American Indian: 3.3\% \\ Hispanic: 2.1\% \\ Asian/Pacific Islander: 0.3\% \end{array} \qquad \begin{array}{c} \underline{Age (N = 336)} \\ Under 18: 0.0\% \\ 18 to 25: 27.4\% \\ 26 to 34: 27.7\% \\ 35 and older: 44.9\% \\ Other: 1.2\% \end{array}$

Source of Income

Primary Substance (N = 336) Alcohol: 60.7% Methamphetamine: 17.0% Marijuana: 8.0% Heroin: 2.1% Cocaine: 6.5% Other opiates: 5.4% Other drugs: 0.3%

(N = 336) Job: 31.0% Retirement/savings: 1.8% Family/friends: 14.6% No income: 36.0% Public sources: 9.2% Other sources: 7.4%

Source of Referral

(N = 336) Self/family/relative/ friends: 50.6% Employer/school: 2.1% Criminal justice: 34.5% Professional: 12.8% County social service agency: 27.7% Other community resources: 2.7% AA: 0.3% Tribal: 0.3%

Outcomes

Discharge Status (N = 336) Completed program: 71.1% Patient left without staff approval: 14.0% Staff requested/judged inappropriate: 11.9% Death/other: 3.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Riverplace Counseling Center of Elk River, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 336)	8.3%	4.8%
Not employed/student ^{$++$} (N = 334)	66.5%	64.4%
Arrests past 30 days (N = 335)	7.8%	2.1%
Alcohol use past 30 days (N = 336)	48.2%	20.5%
Drug use past 30 days (N = 336)	38.7%	14.9%
No self-help group participation past 30 days ($N = 334$)	65.6%	8.1%
No family support for recovery past 30 days ($N = 332$)	2.1%	0.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =336)	1.8%	0.0%
Biomedical Conditions and Complications ($N = 336$)	3.3%	3.0%
Emotional/Behavioral/ Cognitive Problem ($N = 336$)	34.5%	29.2%
Resistance to Change ($N = 336$)	89.0%	65.5%
Relapse/Continued Use Potential (N = 336)	97.9%	85.7%
Unsupportive Recovery Environment (N = 336)	95.5%	91.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Riverplace Counseling Center-Anoka

1814 South Ferry Street Anoka, MN 55303

County: Anoka

Provider Website: www.riverplacecenter.com

Patient Profile

Age (<u>N = 831)</u> Gender (N = 831) Race (N = 831)Male: 90.5% White: 85.2% Under 18: 0.1% Female: 9.5% Black: 7.9% American Indian: 1.0% Hispanic: 2.9% Asian/Pacific Islander: 0.7% Other: 2.3%

Primary Substance (N = 831)Alcohol: 65.3% Methamphetamine: 9.6% Marijuana: 16.0% Heroin: 1.9% Cocaine: 4.6% Other opiates: 2.0% Other drugs: 0.5%

Source of Income

(N = 831)Job: 31.0% Retirement/savings: 4.7% Family/friends: 14.3% No income: 28.2% Public sources: 11.1% Other sources: 10.7%

18 to 25: 33.5% 26 to 34: 24.3% 35 and older: 42.1%

Source of Referral

(N = 831). Self/family/relative/ friends: 44.9% Employer/school: 1.4% Criminal justice: 55.8% Professional: 24.1% County social service agency: 42.7% Other community resources: 7.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 831)Completed program: 81.8% Patient left without staff approval: 7.1% Staff requested/judged inappropriate: 8.7% Death/other: 2.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Riverplace Counseling Center-Anoka

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 830)	9.9%	8.7%
Not employed/student ^{$++$} (N = 827)	65.9%	67.7%
Arrests past 30 days (N = 831)	10.2%	2.3%
Alcohol use past 30 days (N = 831)	48.1%	14.3%
Drug use past 30 days (N = 831)	38.9%	13.6%
No self-help group participation past 30 days (N = 822)	62.4%	4.1%
No family support for recovery past 30 days ($N = 820$)	4.5%	5.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =831)	1.8%	1.0%
Biomedical Conditions and Complications ($N = 831$)	9.6%	7.0%
Emotional/Behavioral/ Cognitive Problem (N = 831)	49.8%	29.4%
Resistance to Change ($N = 831$)	84.1%	50.9%
Relapse/Continued Use Potential (N = 831)	95.9%	91.1%
Unsupportive Recovery Environment (N = 830)	93.4%	85.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Rochester Metro Treatment Center

2360 North Broadway Rochester, MN 55906

County: Olmsted

Provider Website: www.methodonetreatment.com

Patient Profile

<u>Gender (N = 38)</u> Male: 60.5% Female: 39.5% Race (N = 38) White: 86.8% Black: 5.3% American Indian: 0.0% Hispanic: 2.6% Asian/Pacific Islander: 2.6% Other: 2.6% Age (N = 38) Under 18: 0.0% 18 to 25: 36.8% 26 to 34: 39.5% 35 and older: 23.7%

Primary Substance (N = 38) Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 34.2% Cocaine: 0.0% Other opiates: 63.2% Other drugs: 2.6% Source of Income (N = 38)

Job: 44.7% Retirement/savings: 5.3% Family/friends: 13.2% No income: 5.3% Public sources: 21.1% Other sources: 10.5%

Source of Referral

(N = 38) Self/family/relative/ friends: 100.0% Employer/school: 0.0% Criminal justice: 2.6% Professional: 5.3% County social service agency: 0.0% Other community resources: 2.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 38) Completed program: 10.5% Patient left without staff approval: 57.9% Staff requested/judged inappropriate: 0.0% Death/other: 31.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Rochester Metro Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 33)	0.0%	3.0%
Not employed/student ^{$++$} (N = 33)	45.5%	57.6%
Arrests past 30 days (N = 36)	5.6%	22.2%
Alcohol use past 30 days (N = 36)	30.6%	5.6%
Drug use past 30 days (N = 36)	88.9%	61.1%
No self-help group participation past 30 days (N = 29)	72.4%	58.6%
No family support for recovery past 30 days ($N = 32$)	6.3%	12.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =38)	78.9%	78.9%
Biomedical Conditions and Complications ($N = 37$)	10.8%	18.9%
Emotional/Behavioral/ Cognitive Problem ($N = 37$)	13.5%	51.4%
Resistance to Change ($N = 37$)	13.5%	40.5%
Relapse/Continued Use Potential (N = 38)	92.1%	84.2%
Unsupportive Recovery Environment (N = 37)	16.2%	35.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

RS Eden/Eden House

1025 Portland Avenue South Minneapolis, MN 55404

County: Hennepin

Provider Website: www.rseden.org

Patient Profile

<u>Gender (N = 198)</u> Male: 100.0% Female: 0.0% Race (N = 198) White: 31.8% Black: 49.5% American Indian: 6.1% Hispanic: 7.6% Asian/Pacific Islander: 1.5% Other: 3.5% Age (N = 198) Under 18: 0.0% 18 to 25: 31.8% 26 to 34: 23.7% 35 and older: 44.4%

Primary Substance (N = 197) Alcohol: 33.0% Methamphetamine: 5.1% Marijuana: 26.4% Heroin: 9.1% Cocaine: 20.8% Other opiates: 2.5% Other drugs: 3.0%

Source of Income

(N = 198) Job: 13.1% Retirement/savings: 1.0% Family/friends: 6.1% No income: 54.5% Public sources: 21.2% Other sources: 4.0%

Source of Referral

(N = 198) Self/family/relative/ friends: 24.7% Employer/school: 0.5% Criminal justice: 71.7% Professional: 12.1% County social service agency: 52.0% Other community resources: 9.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 198) Completed program: 40.9% Patient left without staff approval: 39.9% Staff requested/judged inappropriate: 16.2% Death/other: 3.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

RS Eden/Eden House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 188)	45.7%	8.5%
Not employed/student ^{**} (N = 191)	87.4%	90.6%
Arrests past 30 days (N = 190)	23.2%	10.5%
Alcohol use past 30 days (N = 191)	39.3%	9.9%
Drug use past 30 days (N = 191)	53.4%	10.5%
No self-help group participation past 30 days (N = 187)	61.0%	8.6%
No family support for recovery past 30 days (N = 178)	19.7%	24.7%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
	Admission 7.9%	Discharge 2.6%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =190) Biomedical Conditions and	7.9%	2.6%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 190) Biomedical Conditions and Complications (N = 190) Emotional/Behavioral/	7.9% 11.6%	2.6% 5.3%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N = 190)Biomedical Conditions and Complications (N = 190)Emotional/Behavioral/ Cognitive Problem (N = 190)	7.9% 11.6% 70.0%	2.6% 5.3% 42.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

RS Eden/Eden House

1025 Portland Avenue South Minneapolis, MN 55404

County: Hennepin

Provider Website: www.rseden.org

Patient Profile

<u>Gender (N = 113)</u> Male: 5.3% Female: 94.7% Race (N = 113) White: 31.9% Black: 44.2% American Indian: 8.8% Hispanic: 5.3% Asian/Pacific Islander: 0.9% Other: 8.8% Age (N = 113) Under 18: 0.0% 18 to 25: 21.2% 26 to 34: 30.1% 35 and older: 48.7%

Primary Substance (N = 113) Alcohol: 24.8% Methamphetamine: 7.1% Marijuana: 18.6% Heroin: 14.2% Cocaine: 26.5% Other opiates: 8.0% Other drugs: 0.9%

Source of Income

(N = 113) Job: 6.2% Retirement/savings: 0.0% Family/friends: 4.4% No income: 35.4% Public sources: 49.6% Other sources: 4.4%

Source of Referral

(N = 113) Self/family/relative/ friends: 40.7% Employer/school: 0.0% Criminal justice: 38.9% Professional: 15.9% County social service agency: 50.4% Other community resources: 26.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 113) Completed program: 29.2% Patient left without staff approval: 55.8% Staff requested/judged inappropriate: 11.5% Death/other: 3.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

RS Eden/Eden House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 109)	59.6%	25.7%
Not employed/student ^{**} (N = 109)	91.7%	97.2%
Arrests past 30 days (N = 105)	22.9%	16.2%
Alcohol use past 30 days (N = 107)	45.8%	6.5%
Drug use past 30 days (N = 107)	59.8%	16.8%
No self-help group participation past 30 days (N = 101)	62.4%	9.9%
No family support for recovery past 30 days (N = 104)	6.7%	28.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 14.2%	<u>Discharge</u> 8.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =113) Biomedical Conditions and	14.2%	8.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =113) Biomedical Conditions and Complications (N = 113) Emotional/Behavioral/	14.2% 22.1%	8.0% 24.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =113) Biomedical Conditions and Complications (N = 113) Emotional/Behavioral/ Cognitive Problem (N = 113)	14.2% 22.1% 78.8%	8.0% 24.8% 85.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Salvation Army Beacon Matrix Program in Caver County

11065 Village Road Chaska, MN 55318

County: Carver

AA: * Tribal: *

Provider Website: www.salarmy.org

Patient Profile

Gender (N = 8)<u>Race (N</u> = 8) Age (N = 8) Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 8)(N = 8)(N = 8). Alcohol: * Self/family/relative/ Job: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Salvation Army Beacon Matrix Program in Caver County

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 7)	*	*
Not employed/student ^{**} (N = 4)	*	*
Arrests past 30 days (N = 8)	*	*
Alcohol use past 30 days (N = 8)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days ($N = 6$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
<u>Dimensions of Chemical Health</u> [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =5) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* * *

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Salvation Army Harbor Light Center

1010 Currie Avenue North Minneapolis, MN 55403

County: Hennepin

Provider Website: www.thesalarmy.com

Patient Profile

<u>Gender (N = 155)</u> Male: 100.0% Female: 0.0% Race (N = 155) White: 49.7% Black: 42.6% American Indian: 5.2% Hispanic: 1.3% Asian/Pacific Islander: 0.0% Other: 1.3% Age (N = 155) Under 18: 0.0% 18 to 25: 9.7% 26 to 34: 13.5% 35 and older: 76.8%

Primary Substance (N = 155) Alcohol: 54.2% Methamphetamine: 5.8% Marijuana: 12.9% Heroin: 1.9% Cocaine: 21.3% Other opiates: 3.2% Other drugs: 0.6% Source of Income

(N = 155) Job: 3.2% Retirement/savings: 0.0% Family/friends: 0.0% No income: 32.3% Public sources: 61.3% Other sources: 3.2%

Source of Referral

(N = 155) Self/family/relative/ friends: 58.1% Employer/school: 0.6% Criminal justice: 34.2% Professional: 10.3% County social service agency: 71.0% Other community resources: 2.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 155) Completed program: 43.9% Patient left without staff approval: 27.1% Staff requested/judged inappropriate: 21.9% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Salvation Army Harbor Light Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 154)	54.5%	18.8%
Not employed/student ^{$++$} (N = 147)	94.6%	70.1%
Arrests past 30 days (N = 133)	7.5%	0.8%
Alcohol use past 30 days (N = 155)	58.7%	16.1%
Drug use past 30 days (N = 155)	55.5%	12.3%
No self-help group participation past 30 days (N = 153)	85.6%	9.2%
No family support for recovery past 30 days (N = 146)	64.4%	12.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =155)	0.6%	3.2%
Biomedical Conditions and Complications ($N = 155$)	15.5%	12.3%
Emotional/Behavioral/ Cognitive Problem (N = 155)	65.8%	60.0%
Resistance to Change ($N = 155$)	35.5%	58.7%
Relapse/Continued Use Potential (N = 155)	99.4%	82.6%
Unsupportive Recovery Environment (N = 155)	100.0%	80.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sanford Hospital Luverne Outpatient CD Program

1600 N Kniss Ave Luverne, MN 56156

County: Rock

Provider Website: www.luvernecommunityhospital.org

Patient Profile

<u>Gender (N = 49)</u> Male: 71.4% Female: 28.6% Race (N = 49) White: 85.7% Black: 4.1% American Indian: 4.1% Hispanic: 2.0% Asian/Pacific Islander: 2.0% Other: 2.0%

<u>Age (N = 49)</u> Under 18: 0.0% 18 to 25: 32.7% 26 to 34: 34.7% 35 and older: 32.7%

Primary Substance (N = 49) Alcohol: 67.3% Methamphetamine: 6.1% Marijuana: 20.4% Heroin: 0.0% Cocaine: 4.1% Other opiates: 0.0% Other drugs: 2.0%

Source of Income

(N = 49) Job: 77.6% Retirement/savings: 2.0% Family/friends: 10.2% No income: 6.1% Public sources: 2.0% Other sources: 2.0%

Source of Referral

(N = 49) Self/family/relative/ friends: 22.4% Employer/school: 0.0% Criminal justice: 75.5% Professional: 16.3% County social service agency: 24.5% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 49) Completed program: 79.6% Patient left without staff approval: 4.1% Staff requested/judged inappropriate: 4.1% Death/other: 12.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Sanford Hospital Luverne Outpatient CD Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 49)	0.0%	0.0%
Not employed/student ^{**} (N = 49)	40.8%	36.7%
Arrests past 30 days (N = 49)	10.2%	4.1%
Alcohol use past 30 days ($N = 49$)	36.7%	8.2%
Drug use past 30 days (N = 49)	20.4%	12.2%
No self-help group participation past 30 days (N = 49)	65.3%	24.5%
No family support for recovery past 30 days ($N = 47$)	2.1%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =49)	0.0%	2.0%
Biomedical Conditions and Complications $(N = 49)$	6.1%	4.1%
Emotional/Behavioral/ Cognitive Problem (N = 49)	12.2%	8.2%
Resistance to Change ($N = 49$)	49.0%	26.5%
Relapse/Continued Use Potential (N = 49)	87.8%	38.8%
Unsupportive Recovery Environment (N = 49)	85.7%	49.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Senior Recovery Program

2375 Ariel Street North St. Paul, MN 551092248

County: Ramsey

Provider Website: www.senior-recovery.org

Patient Profile

<u>Gender (N = 25)</u> Male: 44.0% Female: 56.0% Race (N = 25) White: 88.0% Black: 12.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% $\frac{\text{Age (N = 25)}}{\text{Under 18: } 0.0\%}$ 18 to 25: 0.0% 26 to 34: 0.0% 35 and older: 100.0%

Primary Substance (N = 25) Alcohol: 100.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 25) Job: 16.0% Retirement/savings: 44.0% Family/friends: 4.0% No income: 4.0% Public sources: 16.0% Other sources: 16.0%

Source of Referral

(N = 25) Self/family/relative/ friends: 40.0% Employer/school: 4.0% Criminal justice: 20.0% Professional: 48.0% County social service agency: 28.0% Other community resources: 16.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 25) Completed program: 60.0% Patient left without staff approval: 24.0% Staff requested/judged inappropriate: 4.0% Death/other: 12.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Senior Recovery Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 23)	0.0%	4.3%
Not employed/student ^{**} (N = 22)	86.4%	86.4%
Arrests past 30 days (N = 25)	12.0%	0.0%
Alcohol use past 30 days (N = 25)	72.0%	28.0%
Drug use past 30 days (N = 25)	0.0%	0.0%
No self-help group participation past 30 days (N = 21)	76.2%	19.0%
No family support for recovery past 30 days ($N = 21$)	33.3%	14.3%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =25)	0.0%	
	0.0%	8.0%
Biomedical Conditions and Complications ($N = 25$)	16.0%	8.0% 24.0%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/	16.0%	24.0%
Biomedical Conditions and Complications (N = 25) Emotional/Behavioral/ Cognitive Problem (N = 25)	16.0% 40.0%	24.0% 44.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sentirse Bien, Feeling Healthy

720 E Lake St Minneapolis, MN 55407

County: Hennepin

Provider Website: www.clues.org

Patient Profile

Age (<u>N = 89)</u> Gender (N = 89) Race (N = 89)Male: 96.6% White: 0.0% Under 18: 0.0% Female: 3.4% Black: 0.0% American Indian: 0.0% Hispanic: 97.8% Asian/Pacific Islander: 0.0% Other: 2.2%

Source of Income

Primary Substance (N = 89) Alcohol: 94.4% Methamphetamine: 0.0% Marijuana: 2.2% Heroin: 0.0% Cocaine: 3.4% Other opiates: 0.0% Other drugs: 0.0%

(N = 89)Job: 55.1% Retirement/savings: 0.0% Family/friends: 4.5% No income: 34.8% Public sources: 0.0% Other sources: 5.6%

18 to 25: 19.1% 26 to 34: 42.7% 35 and older: 38.2%

Source of Referral (N = 89). Self/family/relative/ friends: 5.6% Employer/school: 0.0% Criminal justice: 91.0% Professional: 5.6% County social service agency: 3.4% Other community resources: 2.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 89)Completed program: 74.2% Patient left without staff approval: 16.9% Staff requested/judged inappropriate: 0.0% Death/other: 9.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Sentirse Bien, Feeling Healthy

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 70)	1.4%	0.0%
Not employed/student ^{**} (N = 67)	52.2%	6.0%
Arrests past 30 days (N = 85)	11.8%	2.4%
Alcohol use past 30 days ($N = 74$)	36.5%	6.8%
Drug use past 30 days (N = 74)	6.8%	2.7%
No self-help group participation past 30 days (N = 59)	76.3%	20.3%
No family support for recovery past 30 days ($N = 55$)	52.7%	20.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Dischause
	Aumission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =83)	0.0%	<u>Discharge</u> 3.6%
Acute Intoxication/		_
Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and	0.0%	3.6%
Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and Complications (N = 83) Emotional/Behavioral/	0.0% 0.0%	3.6% 1.2%
Acute Intoxication/ Withdrawal (N =83) Biomedical Conditions and Complications (N = 83) Emotional/Behavioral/ Cognitive Problem (N = 84)	0.0% 0.0% 67.9%	3.6% 1.2% 26.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House - Stepping Stones

102 Miller Street New York Mills, MN 56567

County: Otter Tail

Provider Website: sharehouse.org

Patient Profile

 $\frac{\text{Gender (N = 60)}}{\text{Male: } 0.0\%}$ Female: 100.0% Race (N = 60) White: 53.3% Black: 1.7% American Indian: 36.7% Hispanic: 5.0% Asian/Pacific Islander: 0.0% Other: 3.3% Age (N = 60) Under 18: 0.0% 18 to 25: 63.3% 26 to 34: 26.7% 35 and older: 10.0%

Primary Substance (N = 60) Alcohol: 31.7% Methamphetamine: 25.0% Marijuana: 23.3% Heroin: 0.0% Cocaine: 5.0% Other opiates: 13.3% Other drugs: 1.7%

(N = 60) Job: 10.0% Retirement/savings: 0.0% Family/friends: 3.3% No income: 31.7% Public sources: 46.7% Other sources: 8.3%

Source of Income

Source of Referral

(N = 60) Self/family/relative/ friends: 26.7% Employer/school: 0.0% Criminal justice: 11.7% Professional: 28.3% County social service agency: 56.7% Other community resources: 5.0% AA: 0.0% Tribal: 15.0%

Outcomes

Discharge Status (N = 60) Completed program: 45.0% Patient left without staff approval: 33.3% Staff requested/judged inappropriate: 10.0% Death/other: 11.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Share House - Stepping Stones

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 59)	1.7%	0.0%
Not employed/student ^{$++$} (N = 57)	78.9%	78.9%
Arrests past 30 days (N = 59)	15.3%	3.4%
Alcohol use past 30 days ($N = 60$)	40.0%	13.3%
Drug use past 30 days (N = 60)	45.0%	15.0%
No self-help group participation past 30 days (N = 58)	36.2%	5.2%
No family support for recovery past 30 days ($N = 53$)	7.5%	3.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =59)	13.6%	5.1%
Biomedical Conditions and Complications ($N = 59$)	32.2%	22.0%
Emotional/Behavioral/ Cognitive Problem (N = 59)	72.9%	78.0%
Resistance to Change ($N = 59$)	91.5%	74.6%
Relapse/Continued Use Potential (N = 59)	94.9%	98.3%
Unsupportive Recovery Environment (N = 59)	98.3%	100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Genesis

505 40th Street SW Fargo, ND 58103

County: North Dakota

Provider Website:

Patient Profile

<u>Gender (N = 3)</u> Male: * Female: *

Race (N = 3)White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *

Age (N = 3)Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

AA: * Tribal: *

Primary Substance (N = 3) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 3) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 3) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: *
J		Other community resources: *

Outcomes

Discharge Status (N = 3)Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Share House Genesis

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 2)	*	*
Not employed/student ^{**} (N = 3)	*	*
Arrests past 30 days (N = 3)	*	*
Alcohol use past 30 days (N = 3)	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days (N = 2)	*	*
No family support for recovery past 30 days $(N = 1)$	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Inc

4227 9th Avenue South Fargo, ND 58103

County: North Dakota

Provider Website:

Patient Profile

<u>Gender (N = 115)</u> Male: 50.4% Female: 49.6% Race (N = 115) White: 73.9% Black: 1.7% American Indian: 15.7% Hispanic: 6.1% Asian/Pacific Islander: 0.0% Other: 2.6% Age (N = 115) Under 18: 0.0% 18 to 25: 37.4% 26 to 34: 23.5% 35 and older: 39.1%

Primary Substance (N = 115) Alcohol: 58.3% Methamphetamine: 4.3% Marijuana: 17.4% Heroin: 1.7% Cocaine: 1.7% Other opiates: 13.9% Other drugs: 2.6%

Source of Income

(N = 115) Job: 50.4% Retirement/savings: 0.9% Family/friends: 6.1% No income: 8.7% Public sources: 20.9% Other sources: 13.0%

Source of Referral

(N = 115) Self/family/relative/ friends: 56.5% Employer/school: 0.0% Criminal justice: 20.0% Professional: 41.7% County social service agency: 73.9% Other community resources: 1.7% AA: 0.9% Tribal: 1.7%

Outcomes

Discharge Status (N = 115) Completed program: 45.2% Patient left without staff approval: 19.1% Staff requested/judged inappropriate: 19.1% Death/other: 16.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Share House Inc

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 110)	12.7%	2.7%
Not employed/student ^{**} (N = 104)	80.8%	62.5%
Arrests past 30 days (N = 108)	8.3%	4.6%
Alcohol use past 30 days (N = 115)	50.4%	13.0%
Drug use past 30 days (N = 115)	33.9%	14.8%
No self-help group participation past 30 days (N = 109)	31.2%	1.8%
No family support for recovery past 30 days ($N = 95$)	6.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =110)	3.6%	0.9%
Biomedical Conditions and Complications ($N = 110$)	20.0%	16.4%
Emotional/Behavioral/ Cognitive Problem (N = 109)	69.7%	45.0%
Resistance to Change ($N = 109$)	97.2%	79.8%
Relapse/Continued Use Potential (N = 110)	100.0%	96.4%
Unsupportive Recovery Environment (N = 109)	100.0%	98.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Share House Wellness Center

715 11th Street North Moorhead, MN 56560

County: Clay

Provider Website: www.wellnesscenter-fm.com

Patient Profile

<u>Gender (N = 131)</u> Male: 71.0% Female: 29.0% Race (N = 131) White: 75.6% Black: 3.8% American Indian: 8.4% Hispanic: 9.2% Asian/Pacific Islander: 0.0% Other: 3.1% <u>Age (N = 131)</u> Under 18: 19.1% 18 to 25: 28.2% 26 to 34: 19.1% 35 and older: 33.6%

Primary Substance (N = 131) Alcohol: 61.8% Methamphetamine: 4.6% Marijuana: 30.5% Heroin: 0.0% Cocaine: 0.8% Other opiates: 1.5% Other drugs: 0.8%

Source of Income

(N = 131) Job: 37.4% Retirement/savings: 1.5% Family/friends: 21.4% No income: 3.1% Public sources: 21.4% Other sources: 15.3%

Source of Referral

(N = 131) Self/family/relative/ friends: 17.6% Employer/school: 4.6% Criminal justice: 66.4% Professional: 12.2% County social service agency: 58.0% Other community resources: 1.5% AA: 0.0% Tribal: 0.8%

Outcomes

Discharge Status (N = 131) Completed program: 57.3% Patient left without staff approval: 21.4% Staff requested/judged inappropriate: 2.3% Death/other: 19.1%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Share House Wellness Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 121)	5.8%	4.1%
Not employed/student ^{**} (N = 118)	41.5%	32.2%
Arrests past 30 days (N = 129)	10.9%	10.9%
Alcohol use past 30 days (N = 131)	35.9%	13.0%
Drug use past 30 days (N = 131)	29.0%	13.0%
No self-help group participation past 30 days (N = 106)	58.5%	36.8%
No family support for recovery past 30 days ($N = 87$)	12.6%	8.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/		
Withdrawal (N =131)	0.8%	3.1%
Withdrawal (N = 131) Biomedical Conditions and Complications (N = 131)	0.8% 10.7%	3.1% 10.7%
Biomedical Conditions and		
Biomedical Conditions and Complications (N = 131) Emotional/Behavioral/	10.7%	10.7%
Biomedical Conditions and Complications (N = 131) Emotional/Behavioral/ Cognitive Problem (N = 131)	10.7% 45.0%	10.7% 37.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Sisters Path

4219 9th Avenue South Fargo, ND 58103

County: North Dakota

Provider Website:

Patient Profile

Gender (N = 7)Male: * Female: *

Primary Substance

(N = 7)

Alcohol: *

Heroin: *

Cocaine: *

Marijuana: *

Other opiates: *

Other drugs: *

Race (N = 7)White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *

Ag<u>e (N = 7)</u> Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

Tribal: *

Source of Income Source of Referral (N = 7)(N = 7). Self/family/relative/ Job: * Methamphetamine: * Retirement/savings: * friends: * Family/friends: * Employer/school: * No income: * Criminal justice: * Public sources: * Professional: * Other sources: * County social service agency: * Other community resources: * AA: *

Outcomes

Discharge Status (N = 7)Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Sisters Path

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 7)	*	*
Not employed/student ^{**} (N = 5)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days ($N = 7$)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days (N = 6)	*	*
No family support for recovery past 30 days ($N = 6$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =7) Biomedical Conditions and Complications (N = 7) Emotional/Behavioral/ Cognitive Problem (N = 7)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

South Central Human Relations Dual Recovery Program

610 Florence Ave Owatonna, MN 55060

County: Steele

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 105)}}{\text{Male: 60.0\%}}$ Female: 40.0% Race (N = 105) White: 91.4% Black: 0.0% American Indian: 0.0% Hispanic: 7.6% Asian/Pacific Islander: 0.0% Other: 1.0% Age (N = 105) Under 18: 21.0% 18 to 25: 21.0% 26 to 34: 28.6% 35 and older: 29.5%

Primary Substance (N = 104)Alcohol: 51.0% Methamphetamine: 5.8% Marijuana: 26.9% Heroin: 0.0% Cocaine: 9.6% Other opiates: 4.8% Other drugs: 1.9%

(N = 105) Job: 18.1% Retirement/savings: 2.9% Family/friends: 33.3% No income: 8.6% Public sources: 28.6%

Other sources: 8.6%

Source of Income

Source of Referral

(N = 105) Self/family/relative/ friends: 41.0% Employer/school: 2.9% Criminal justice: 43.8% Professional: 43.8% County social service agency: 41.9% Other community resources: 1.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 105) Completed program: 32.4% Patient left without staff approval: 35.2% Staff requested/judged inappropriate: 13.3% Death/other: 19.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

South Central Human Relations Dual Recovery Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 100)	1.0%	1.0%
Not employed/student ^{**} (N = 101)	57.4%	53.5%
Arrests past 30 days (N = 104)	9.6%	10.6%
Alcohol use past 30 days (N = 81)	25.9%	28.4%
Drug use past 30 days (N = 81)	29.6%	28.4%
No self-help group participation past 30 days (N = 99)	44.4%	45.5%
No family support for recovery past 30 days ($N = 89$)	24.7%	24.7%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =104)	0.0%	5.8%
Biomedical Conditions and Complications ($N = 104$)	16.3%	10.6%
Emotional/Behavioral/ Cognitive Problem ($N = 104$)	91.3%	73.1%
Resistance to Change ($N = 104$)	65.4%	65.4%
Relapse/Continued Use Potential (N = 104)	92.3%	62.5%
Unsupportive Recovery Environment (N = 103)	87.4%	83.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

South Metro Human Services

400 Sibley Street St. Paul, MN 55101

County: Ramsey

AA: * Tribal: *

Provider Website:

Patient Profile

Gender (N = 9)Race (N = 9)Age <u>(N = 9)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Income Source of Referral **Primary Substance** (N = 9) (N = 9)(N = 9). Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 9) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

South Metro Human Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 7)	*	*
Not employed/student ^{**} (N = 7)	*	*
Arrests past 30 days ($N = 9$)	*	*
Alcohol use past 30 days ($N = 7$)	*	*
Drug use past 30 days (N = 7)	*	*
No self-help group participation past 30 days (N = 5)	*	*
No family support for recovery past 30 days ($N = 5$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =4) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 4) Biomedical Conditions and Complications (N = 5) Emotional/Behavioral/ Cognitive Problem (N = 4)	* * *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Specialized Treatment Services

1132 Central Avenue N.E. Minneapolis, MN 55413

County: Hennepin

Provider Website:

Patient Profile

 $\frac{\text{Gender (N = 167)}}{\text{Male: } 60.5\%}$ Female: 39.5% Race (N = 167) White: 73.1% Black: 18.0% American Indian: 5.4% Hispanic: 1.2% Asian/Pacific Islander: 1.2% Other: 1.2% Age (N = 167) Under 18: 0.0% 18 to 25: 19.8% 26 to 34: 30.5% 35 and older: 49.7%

Primary Substance (N = 161) Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 59.6% Cocaine: 0.6% Other opiates: 39.8% Other drugs: 0.0%

Source of Income

(N = 167) Job: 38.9% Retirement/savings: 1.8% Family/friends: 7.8% No income: 10.2% Public sources: 21.6% Other sources: 19.8%

Source of Referral

<u>(N = 167)</u>. Self/family/relative/ friends: 91.0% Employer/school: 1.2% Criminal justice: 2.4% Professional: 18.0% County social service agency: 3.6% Other community resources: 11.4% AA: 0.0% Tribal: 0.6%

Outcomes

Discharge Status (N = 167) Completed program: 3.6% Patient left without staff approval: 55.1% Staff requested/judged inappropriate: 2.4% Death/other: 38.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Specialized Treatment Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 161)	5.6%	6.8%
Not employed/student ^{**} (N = 158)	59.5%	68.4%
Arrests past 30 days (N = 157)	3.2%	14.0%
Alcohol use past 30 days (N = 142)	17.6%	16.2%
Drug use past 30 days (N = 142)	55.6%	47.2%
No self-help group participation past 30 days (N = 153)	69.3%	76.5%
No family support for recovery past 30 days (N = 154)	7.8%	13.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 98.2%	<u>Discharge</u> 98.2%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =163) Biomedical Conditions and	98.2%	98.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =163) Biomedical Conditions and Complications (N = 163) Emotional/Behavioral/	98.2% 51.5%	98.2% 41.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =163) Biomedical Conditions and Complications (N = 163) Emotional/Behavioral/ Cognitive Problem (N = 163)	98.2% 51.5% 78.5%	98.2% 41.7% 73.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Specialized Treatment Services, Inc.

1121 Jackson Street NE Minneapolis, MN 55413

County: Hennepin

Provider Website:

Patient Profile

 Gender (N = 380)
 Race (N = 380)

 Male: 61.6%
 White: 58.2%

 Female: 38.4%
 Black: 23.9%

 American Indian: 13.9%
 Hispanic: 0.8%

 Asian/Pacific Islander: 1.1%

Age (N = 380) Under 18: 0.0% 18 to 25: 15.3% 26 to 34: 30.5% 35 and older: 54.2%

Primary Substance (N = 375) Alcohol: 7.2% Methamphetamine: 0.3% Marijuana: 1.9% Heroin: 53.1% Cocaine: 1.6% Other opiates: 35.7% Other drugs: 0.3%

(N = 380) Job: 31.6% Retirement/savings: 2.4% Family/friends: 9.7% No income: 10.0% Public sources: 33.2% Other sources: 13.2%

Other: 2.1%

Source of Income

Source of Referral

(N = 380) Self/family/relative/ friends: 72.1% Employer/school: 0.5% Criminal justice: 3.2% Professional: 23.2% County social service agency: 9.7% Other community resources: 14.5% AA: 0.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 380) Completed program: 9.7% Patient left without staff approval: 35.3% Staff requested/judged inappropriate: 2.6% Death/other: 52.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Specialized Treatment Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 349)	5.2%	6.6%
Not employed/student ^{**} (N = 321)	61.7%	60.1%
Arrests past 30 days (N = 310)	4.8%	7.1%
Alcohol use past 30 days (N = 287)	31.7%	6.6%
Drug use past 30 days (N = 287)	71.4%	33.1%
No self-help group participation past 30 days (N = 314)	65.3%	70.1%
No family support for recovery past 30 days ($N = 333$)	10.5%	7.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =370)	88.1%	90.3%
Biomedical Conditions and Complications ($N = 370$)	58.9%	60.5%
Emotional/Behavioral/		
Cognitive Problem ($N = 370$)	79.7%	72.2%
	79.7% 71.9%	72.2% 69.7%
Cognitive Problem ($N = 370$)		-

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Spirit River Recovery Services of Rum River Health Services Inc.

209 6th Avenue South Princeton, MN 55371

County: Mille Lacs

Provider Website:

Patient Profile

<u>Gender (N = 117)</u> Male: 47.0% Female: 53.0% Race (N = 117) White: 93.2% Black: 0.0% American Indian: 1.7% Hispanic: 2.6% Asian/Pacific Islander: 1.7% Other: 0.9% <u>Age (N = 117)</u> Under 18: 0.0% 18 to 25: 26.5% 26 to 34: 30.8% 35 and older: 42.7%

Primary Substance (N = 117) Alcohol: 59.8% Methamphetamine: 15.4% Marijuana: 13.7% Heroin: 0.0% Cocaine: 0.9% Other opiates: 4.3% Other drugs: 6.0%

Source of Income

(N = 117) Job: 37.6% Retirement/savings: 1.7% Family/friends: 14.5% No income: 12.8% Public sources: 21.4% Other sources: 12.0%

Source of Referral

(N = 117) Self/family/relative/ friends: 49.6% Employer/school: 2.6% Criminal justice: 32.5% Professional: 30.8% County social service agency: 47.0% Other community resources: 1.7% AA: 0.9% Tribal: 0.9%

Outcomes

Discharge Status (N = 117) Completed program: 70.1% Patient left without staff approval: 13.7% Staff requested/judged inappropriate: 6.8% Death/other: 9.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Spirit River Recovery Services of Rum River Health Services Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 113)	5.3%	3.5%
Not employed/student ^{**} (N = 109)	57.8%	59.6%
Arrests past 30 days (N = 117)	6.8%	4.3%
Alcohol use past 30 days (N = 117)	31.6%	7.7%
Drug use past 30 days (N = 117)	25.6%	12.0%
No self-help group participation past 30 days (N = 110)	40.9%	5.5%
No family support for recovery past 30 days (N = 111)	4.5%	1.8%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =114)	2.6%	7.0%
Biomedical Conditions and Complications ($N = 115$)	24.3%	16.5%
Emotional/Behavioral/ Cognitive Problem (N = 115)	75.7%	34.8%
Resistance to Change ($N = 115$)	58.3%	28.7%
Relapse/Continued Use Potential (N = 115)	94.8%	38.3%
Unsupportive Recovery Environment (N = 115)	88.7%	36.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St Josephs Hospital CD Service Coordination

45 West 10th Street St Paul, MN 55102

County: Ramsey

Provider Website:

Patient Profile

<u>Gender (N = 16)</u> Male: 56.3% Female: 43.8% Race (N = 16) White: 62.5% Black: 12.5% American Indian: 12.5% Hispanic: 12.5% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 16) Under 18: 0.0% 18 to 25: 0.0% 26 to 34: 25.0% 35 and older: 75.0%

Primary Substance (N = 16) Alcohol: 68.8% Methamphetamine: 12.5% Marijuana: 0.0% Heroin: 6.3% Cocaine: 12.5% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 16) Job: 0.0% Retirement/savings: 0.0% Family/friends: 0.0% No income: 18.8% Public sources: 81.3% Other sources: 0.0%

Source of Referral

(N = 16) Self/family/relative/ friends: 25.0% Employer/school: 0.0% Criminal justice: 25.0% Professional: 37.5% County social service agency: 75.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 16) Completed program: 0.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 6.3% Death/other: 93.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

St Josephs Hospital CD Service Coordination

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 14)	21.4%	21.4%
Not employed/student ^{**} (N = 14)	85.7%	85.7%
Arrests past 30 days (N = 16)	6.3%	0.0%
Alcohol use past 30 days (N = 15)	73.3%	53.3%
Drug use past 30 days (N = 15)	60.0%	53.3%
No self-help group participation past 30 days (N = 14)	35.7%	42.9%
No family support for recovery past 30 days (N = 13)	0.0%	30.8%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	Discharge
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =14)	Admission 21.4%	Discharge 50.0%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =14) Biomedical Conditions and	21.4%	50.0%
Acute Intoxication/ Withdrawal (N =14) Biomedical Conditions and Complications (N = 14) Emotional/Behavioral/	21.4% 35.7%	50.0% 42.9%
Acute Intoxication/ Withdrawal (N =14) Biomedical Conditions and Complications (N = 14) Emotional/Behavioral/ Cognitive Problem (N = 14)	21.4% 35.7% 85.7%	50.0% 42.9% 100.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Cloud Metro Treatment

524 25th Avenue North St. Cloud, MN 56303

County: Stearns

Provider Website: www.methadonetreatment.com

Patient Profile

<u>Gender (N = 52)</u> Male: 51.9% Female: 48.1% Race (N = 52) White: 71.2% Black: 3.8% American Indian: 23.1% Hispanic: 1.9% Asian/Pacific Islander: 0.0% Other: 0.0% <u>Age (N = 52)</u> Under 18: 0.0% 18 to 25: 26.9% 26 to 34: 38.5% 35 and older: 34.6%

Primary Substance (N = 52) Alcohol: 0.0% Methamphetamine: 1.9% Marijuana: 1.9% Heroin: 23.1% Cocaine: 1.9% Other opiates: 71.2% Other drugs: 0.0% Source of Income (N = 52)

Job: 36.5% Retirement/savings: 0.0% Family/friends: 17.3% No income: 5.8% Public sources: 30.8% Other sources: 9.6%

Source of Referral

(N = 52) Self/family/relative/ friends: 88.5% Employer/school: 0.0% Criminal justice: 1.9% Professional: 32.7% County social service agency: 5.8% Other community resources: 1.9% AA: 0.0% Tribal: 5.8%

Outcomes

Discharge Status (N = 52) Completed program: 17.3% Patient left without staff approval: 36.5% Staff requested/judged inappropriate: 1.9% Death/other: 44.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

St. Cloud Metro Treatment

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 41)	2.4%	0.0%
Not employed/student ^{$++$} (N = 40)	65.0%	60.0%
Arrests past 30 days (N = 41)	14.6%	14.6%
Alcohol use past 30 days (N = 51)	31.4%	3.9%
Drug use past 30 days (N = 51)	68.6%	13.7%
No self-help group participation past 30 days (N = 20)	25.0%	30.0%
No family support for recovery past 30 days ($N = 31$)	3.2%	0.0%
Barriers to Recovery <u>Dimensions of Chemical Health</u> [§]	Admission	<u>Discharge</u>
-	Admission 88.2%	Discharge 82.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =51) Biomedical Conditions and	88.2%	82.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =51) Biomedical Conditions and Complications (N = 51) Emotional/Behavioral/	88.2% 64.7%	82.4% 47.1%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =51) Biomedical Conditions and Complications (N = 51) Emotional/Behavioral/ Cognitive Problem (N = 51)	88.2% 64.7% 76.5%	82.4% 47.1% 74.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Johns Hospital - Healtheast CD Program

1575 Beam Ave Maplewood, MN 55109

County: Ramsey

Provider Website:

Patient Profile

<u>Gender (N = 133)</u> Male: 60.2% Female: 39.8% Race (N = 133) White: 84.2% Black: 8.3% American Indian: 1.5% Hispanic: 3.0% Asian/Pacific Islander: 2.3% Other: 0.8% Age (N = 133) Under 18: 0.0% 18 to 25: 18.0% 26 to 34: 18.0% 35 and older: 63.9%

Primary Substance (N = 133)Alcohol: 67.7% Methamphetamine: 5.3% Marijuana: 12.0% Heroin: 0.0% Cocaine: 5.3% Other opiates: 6.8% Other drugs: 3.0%

Source of Income

(N = 133) Job: 38.3% Retirement/savings: 6.8% Family/friends: 15.8% No income: 3.8% Public sources: 12.8% Other sources: 22.6%

Source of Referral

(N = 133) Self/family/relative/ friends: 83.5% Employer/school: 3.0% Criminal justice: 33.1% Professional: 45.1% County social service agency: 9.0% Other community resources: 5.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 133) Completed program: 51.9% Patient left without staff approval: 27.1% Staff requested/judged inappropriate: 3.0% Death/other: 18.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

St. Johns Hospital - Healtheast CD Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 131)	1.5%	3.1%
Not employed/student ^{$++$} (N = 119)	57.1%	48.7%
Arrests past 30 days (N = 133)	5.3%	2.3%
Alcohol use past 30 days (N = 133)	60.2%	22.6%
Drug use past 30 days (N = 133)	33.1%	15.8%
No self-help group participation past 30 days (N = 112)	65.2%	33.0%
No family support for recovery past 30 days (N = 113)	5.3%	2.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =119)	0.0%	7.6%
Biomedical Conditions and Complications ($N = 125$)	4.0%	4.8%
Emotional/Behavioral/ Cognitive Problem (N = 122)	73.0%	48.4%
Resistance to Change ($N = 125$)	12.8%	30.4%
Relapse/Continued Use Potential (N = 121)	95.9%	63.6%
Unsupportive Recovery Environment (N = 123)	82.1%	58.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Joseph's Hospital CD Program

14300 County Road 62 Minnetonka, MN 55345

County: Hennepin

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 12)}{\text{Male: } 83.3\%}$ Female: 16.7% Race (N = 12) White: 0.0% Black: 66.7% American Indian: 16.7% Hispanic: 8.3% Asian/Pacific Islander: 0.0% Other: 8.3%

<u>Age (N = 12)</u> Under 18: 91.7% 18 to 25: 8.3% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 12) Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 100.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 12) Job: 0.0% Retirement/savings: 0.0% Family/friends: 25.0% No income: 75.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral

(N = 12) Self/family/relative/ friends: 66.7% Employer/school: 0.0% Criminal justice: 100.0% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 12)Completed program: 100.0% Patient left without staff approval: 0.0% Staff requested/judged inappropriate: 0.0% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

St. Joseph's Hospital CD Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 12)	0.0%	0.0%
Not employed/student ^{$++$} (N = 12)	8.3%	0.0%
Arrests past 30 days (N = 12)	0.0%	0.0%
Alcohol use past 30 days (N = 12)	0.0%	0.0%
Drug use past 30 days (N = 12)	0.0%	0.0%
No self-help group participation past 30 days (N = 12)	75.0%	66.7%
No family support for recovery past 30 days (N = 12)	0.0%	41.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =12)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 12$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 12)	100.0%	66.7%
Resistance to Change ($N = 12$)	25.0%	33.3%
Relapse/Continued Use Potential (N = 12)	100.0%	75.0%
Unsupportive Recovery Environment (N = 12)	100.0%	66.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Joseph's Hospital Inpatient Chemical Dependency Program

69 West Exchange Street St. Paul, MN 55102

County: Ramsey

Provider Website: www.healtheast.org

Patient Profile

Source of Income

Primary Substance (N = 1074) Alcohol: 51.4% Methamphetamine: 2.6% Marijuana: 5.2% Heroin: 16.1% Cocaine: 8.0% Other opiates: 14.1% Other drugs: 2.6%

(N = 1078) Job: 22.9% Retirement/savings: 7.2% Family/friends: 9.6% No income: 15.9% Public sources: 25.7% Other sources: 18.6%

Source of Referral

(N = 1078) Self/family/relative/ friends: 78.3% Employer/school: 1.1% Criminal justice: 18.2% Professional: 25.7% County social service agency: 34.4% Other community resources: 10.6% AA: 0.2% Tribal: 0.1%

Outcomes

Discharge Status (N = 1078) Completed program: 54.5% Patient left without staff approval: 21.1% Staff requested/judged inappropriate: 3.6% Death/other: 20.8%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

St. Joseph's Hospital Inpatient Chemical Dependency Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 1008)	18.5%	15.4%
Not employed/student ^{**} (N = 946)	78.3%	78.9%
Arrests past 30 days (N = 1073)	5.0%	2.7%
Alcohol use past 30 days (N = 1071)	66.8%	43.4%
Drug use past 30 days (N = 1071)	59.3%	44.3%
No self-help group participation past 30 days (N = 924)	51.0%	43.7%
No family support for recovery past 30 days ($N = 934$)	26.3%	22.1%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =976)	43.0%	10.8%
Biomedical Conditions and Complications ($N = 989$)	27.2%	19.7%
Emotional/Behavioral/ Cognitive Problem (N = 991)	70.2%	56.3%
Resistance to Change ($N = 1008$)	15.2%	21.8%
Relapse/Continued Use		
Potential (N = 997)	98.7%	80.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

St. Paul Metro Treatment Center

2311 Woodbridge Street Roseville, MN 55113

County: Ramsey

AA: * Tribal: *

Provider Website: www.methadonetreatment.com

Patient Profile

Gender (N = 9)Race (N = 9)Age <u>(N = 9)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 9) (N = 9)(N = 9). Alcohol: * Job: * Self/family/relative/ Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 9) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

St. Paul Metro Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 8)	*	*
Not employed/student ^{**} (N = 7)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days ($N = 9$)	*	*
Drug use past 30 days (N = 9)	*	*
No self-help group participation past 30 days (N = 7)	*	*
No family support for recovery past 30 days ($N = 8$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =9) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =9) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =9) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tapestry, LLC

135 Colorado Street E St. Paul, MN 551072244

Provider Website:

Patient Profile

<u>Gender (N = 443)</u> Male: 1.1% Female: 98.9% Race (N = 443) White: 67.5% Black: 18.1% American Indian: 6.1% Hispanic: 3.6% Asian/Pacific Islander: 0.9% Other: 3.8% <u>Age (N = 443)</u> Under 18: 0.0% 18 to 25: 19.0% 26 to 34: 23.9% 35 and older: 57.1%

County: Ramsey

Primary Substance (N = 433) Alcohol: 52.7% Methamphetamine: 9.5% Marijuana: 9.5% Heroin: 6.7% Cocaine: 10.9% Other opiates: 8.3% Other drugs: 2.5%

Source of Income

(N = 443) Job: 14.2% Retirement/savings: 1.8% Family/friends: 11.7% No income: 20.8% Public sources: 40.9% Other sources: 10.6%

Source of Referral

(N = 443) Self/family/relative/ friends: 28.0% Employer/school: 0.0% Criminal justice: 25.7% Professional: 37.2% County social service agency: 44.2% Other community resources: 3.2% AA: 0.0% Tribal: 0.2%

Outcomes

Discharge Status (N = 443)Completed program: 68.2% Patient left without staff approval: 23.5% Staff requested/judged inappropriate: 5.4% Death/other: 2.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Tapestry, LLC

<u>National Outcome Measures (NOMS)</u>	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 437)	12.8%	2.3%
Not employed/student ^{**} (N = 423)	85.8%	87.9%
Arrests past 30 days (N = 428)	10.3%	4.9%
Alcohol use past 30 days (N = 432)	66.9%	18.3%
Drug use past 30 days (N = 432)	56.9%	16.4%
No self-help group participation past 30 days (N = 427)	54.1%	5.4%
No family support for recovery past 30 days ($N = 423$)	10.9%	1.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 9.6%	<u>Discharge</u> 3.5%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =426) Biomedical Conditions and	9.6%	3.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =426) Biomedical Conditions and Complications (N = 426) Emotional/Behavioral/	9.6% 43.2%	3.5% 29.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =426) Biomedical Conditions and Complications (N = 426) Emotional/Behavioral/ Cognitive Problem (N = 425)	9.6% 43.2% 96.0%	3.5% 29.8% 84.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Teen Focus Recovery Center

475 Dana Avenue South Rush City, MN 55069

County: Chisago

Provider Website:

Patient Profile

<u>Gender (N = 40)</u> Male: 80.0% Female: 20.0% Race (N = 40) White: 62.5% Black: 5.0% American Indian: 25.0% Hispanic: 5.0% Asian/Pacific Islander: 0.0% Other: 2.5% Age (N = 40) Under 18: 87.5% 18 to 25: 12.5% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 40)Alcohol: 7.5% Methamphetamine: 2.5% Marijuana: 85.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 5.0%

Source of Income

(N = 40) Job: 17.5% Retirement/savings: 0.0% Family/friends: 70.0% No income: 2.5% Public sources: 7.5% Other sources: 2.5%

Source of Referral

(N = 40) Self/family/relative/ friends: 32.5% Employer/school: 2.5% Criminal justice: 45.0% Professional: 35.0% County social service agency: 20.0% Other community resources: 52.5% AA: 0.0% Tribal: 7.5%

Outcomes

Discharge Status (N = 40) Completed program: 37.5% Patient left without staff approval: 22.5% Staff requested/judged inappropriate: 25.0% Death/other: 15.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Teen Focus Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 39)	0.0%	0.0%
Not employed/student ^{**} (N = 40)	2.5%	7.5%
Arrests past 30 days (N = 40)	22.5%	27.5%
Alcohol use past 30 days ($N = 40$)	32.5%	22.5%
Drug use past 30 days (N = 40)	57.5%	62.5%
No self-help group participation past 30 days (N = 40)	47.5%	12.5%
No family support for recovery past 30 days ($N = 40$)	5.0%	7.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
-	Admission 0.0%	Discharge 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =40) Biomedical Conditions and	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =40) Biomedical Conditions and Complications (N = 40) Emotional/Behavioral/	0.0%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =40) Biomedical Conditions and Complications (N = 40) Emotional/Behavioral/ Cognitive Problem (N = 40)	0.0% 0.0% 52.5%	0.0% 0.0% 27.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Telesis - Hennepin County Workhouse

1145 Shenadoah Lane Plymouth, MN 55447

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 269)</u> Male: 81.0% Female: 19.0% Race (N = 269) White: 27.1% Black: 53.2% American Indian: 13.0% Hispanic: 4.1% Asian/Pacific Islander: 1.1% Other: 1.5%

Age (N = 269) Under 18: 0.0% 18 to 25: 37.9% 26 to 34: 27.5% 35 and older: 34.6%

Primary Substance (N = 269) Alcohol: 43.9% Methamphetamine: 3.0% Marijuana: 37.5% Heroin: 3.7% Cocaine: 11.9% Other opiates: 0.0% Other drugs: 0.0%

Source of Income

(N = 269) Job: 23.4% Retirement/savings: 0.4% Family/friends: 5.2% No income: 36.4% Public sources: 10.4% Other sources: 24.2%

Source of Referral

<u>(N = 269)</u> Self/family/relative/ friends: 4.1% Employer/school: 0.0% Criminal justice: 95.9% Professional: 0.0% County social service agency: 0.0% Other community resources: 0.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 269)Completed program: 86.2% Patient left without staff approval: 7.1% Staff requested/judged inappropriate: 4.1% Death/other: 2.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Telesis - Hennepin County Workhouse

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 253)	23.3%	46.6%
Not employed/student ^{$++$} (N = 192)	80.7%	82.8%
Arrests past 30 days (N = 269)	19.3%	0.0%
Alcohol use past 30 days (N = 269)	0.0%	0.4%
Drug use past 30 days (N = 269)	1.1%	0.7%
No self-help group participation past 30 days (N = 243)	41.6%	18.1%
No family support for recovery past 30 days (N = 210)	33.8%	21.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =269)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 269$)	1.1%	1.5%
Emotional/Behavioral/ Cognitive Problem (N = 269)	68.8%	28.3%
Resistance to Change ($N = 269$)	92.9%	46.1%
Relapse/Continued Use Potential (N = 269)	98.9%	92.6%
Unsupportive Recovery Environment (N = 269)	100.0%	92.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The 1402 Treatment Program

1402 East Superior Street Duluth, MN 55812

County: St. Louis

Provider Website: www.cadt.org

Patient Profile

<u>Gender (N = 248)</u> Male: 67.3% Female: 32.7% Race (N = 248) White: 75.4% Black: 6.5% American Indian: 13.3% Hispanic: 2.8% Asian/Pacific Islander: 0.8% Other: 1.2% Age (N = 248) Under 18: 0.0% 18 to 25: 23.4% 26 to 34: 24.2% 35 and older: 52.4%

Primary Substance (N = 248) Alcohol: 58.9% Methamphetamine: 5.6% Marijuana: 9.3% Heroin: 0.8% Cocaine: 3.6% Other opiates: 19.8% Other drugs: 2.0%

(N = 248) Job: 18.1% Retirement/savings: 3.6% Family/friends: 4.0% No income: 35.1% Public sources: 30.6% Other sources: 8.5%

Source of Income

Source of Referral

(N = 248) Self/family/relative/ friends: 60.1% Employer/school: 0.0% Criminal justice: 26.2% Professional: 12.1% County social service agency: 19.8% Other community resources: 1.2% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 248) Completed program: 68.5% Patient left without staff approval: 18.5% Staff requested/judged inappropriate: 7.3% Death/other: 5.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The 1402 Treatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 241)	11.2%	4.6%
Not employed/student ^{**} (N = 226)	77.9%	85.0%
Arrests past 30 days (N = 227)	21.1%	4.0%
Alcohol use past 30 days (N = 228)	68.0%	19.3%
Drug use past 30 days (N = 228)	52.2%	19.3%
No self-help group participation past 30 days (N = 240)	60.0%	3.3%
No family support for recovery past 30 days (N = 227)	3.1%	2.6%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =247)	20.2%	2.8%
Biomedical Conditions and Complications ($N = 247$)	25.5%	6.1%
Emotional/Behavioral/ Cognitive Problem (N = 247)	63.6%	26.7%
Resistance to Change ($N = 247$)	36.0%	24.3%
Relapse/Continued Use Potential (N = 247)	98.0%	100.0%
Unsupportive Recovery Environment (N = 247)	87.9%	90.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Counseling Clinic Inc

6160 Summit Dr. N Brooklyn Center, MN 554302181

County: Hennepin

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Gender (N = 3)</u> Male: * Female: *	Race (N = 3) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: *	Age (N = 3) Under 18: * 18 to 25: * 26 to 34: * 35 and older: *
Primary Substance (N = 3) Alcohol: * Methamphetamine: * Marijuana: * Heroin: * Cocaine: * Other opiates: * Other drugs: *	Source of Income (N = 3) Job: * Retirement/savings: * Family/friends: * No income: * Public sources: * Other sources: *	Source of Referral (N = 3) Self/family/relative/ friends: * Employer/school: * Criminal justice: * Professional: * County social service agency: * Other community resources: *

Outcomes

Discharge Status (N = 3)Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Counseling Clinic Inc

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 3)	*	*
Not employed/student ^{**} (N = 3)	*	*
Arrests past 30 days (N = 3)	*	*
Alcohol use past 30 days (N = 3)	*	*
Drug use past 30 days (N = 3)	*	*
No self-help group participation past 30 days (N = 3)	*	*
No family support for recovery past 30 days ($N = 3$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Gables

604 5th Street SW Rochester, MN 55902

County: Olmsted

Provider Website:

Patient Profile

<u>Gender (N = 104)</u> Male: 0.0% Female: 100.0% Race (N = 104) White: 93.3% Black: 0.0% American Indian: 1.0% Hispanic: 1.0% Asian/Pacific Islander: 0.0% Other: 4.8% Age (N = 104) Under 18: 0.0% 18 to 25: 42.3% 26 to 34: 28.8% 35 and older: 28.8%

Primary Substance (N = 104) Alcohol: 61.5% Methamphetamine: 21.2% Marijuana: 5.8% Heroin: 0.0% Cocaine: 4.8% Other opiates: 4.8% Other drugs: 1.9% Source of Income

(N = 104) Job: 22.1% Retirement/savings: 1.9% Family/friends: 46.2% No income: 2.9% Public sources: 22.1% Other sources: 4.8%

Source of Referral

(N = 104) Self/family/relative/ friends: 10.6% Employer/school: 1.0% Criminal justice: 3.8% Professional: 74.0% County social service agency: 74.0% Other community resources: 1.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 104) Completed program: 16.3% Patient left without staff approval: 55.8% Staff requested/judged inappropriate: 13.5% Death/other: 14.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Gables

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 101)	1.0%	0.0%
Not employed/student ^{**} (N = 98)	90.8%	86.7%
Arrests past 30 days (N = 100)	30.0%	9.0%
Alcohol use past 30 days (N = 104)	33.7%	6.7%
Drug use past 30 days (N = 104)	22.1%	3.8%
No self-help group participation past 30 days (N = 28)	28.6%	0.0%
No family support for recovery past 30 days ($N = 81$)	4.9%	4.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =102)	2.0%	5.9%
Biomedical Conditions and Complications ($N = 102$)	46.1%	33.3%
Emotional/Behavioral/ Cognitive Problem (N = 102)	98.0%	86.3%
Resistance to Change ($N = 102$)	99.0%	83.3%
Relapse/Continued Use Potential (N = 102)	100.0%	93.1%
Unsupportive Recovery Environment (N = 102)	100.0%	90.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven Halfway House, LLC

1425 East St. Germain St. Cloud, MN 56304

County: Benton

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 145)}{\text{Male: } 100.0\%}$ Female: 0.0% Race (N = 145) White: 88.3% Black: 5.5% American Indian: 5.5% Hispanic: 0.7% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 145) Under 18: 0.0% 18 to 25: 42.1% 26 to 34: 22.8% 35 and older: 35.2%

Primary Substance (N = 145) Alcohol: 53.8% Methamphetamine: 15.2% Marijuana: 19.3% Heroin: 5.5% Cocaine: 2.8% Other opiates: 2.8% Other drugs: 0.7%

(N = 145) Job: 38.6% Retirement/savings: 5.5% Family/friends: 11.7% No income: 22.1% Public sources: 17.2% Other sources: 4.8%

Source of Income

Source of Referral

(N = 145) Self/family/relative/ friends: 25.5% Employer/school: 0.7% Criminal justice: 9.7% Professional: 86.2% County social service agency: 75.9% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 145) Completed program: 55.2% Patient left without staff approval: 6.2% Staff requested/judged inappropriate: 30.3% Death/other: 8.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Haven Halfway House, LLC

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 145)	0.0%	0.0%
Not employed/student ^{**} (N = 145)	89.0%	52.4%
Arrests past 30 days (N = 145)	4.1%	6.9%
Alcohol use past 30 days (N = 145)	13.1%	8.3%
Drug use past 30 days (N = 145)	10.3%	6.9%
No self-help group participation past 30 days (N = 145)	10.3%	9.0%
No family support for recovery past 30 days (N = 144)	6.9%	5.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =145)	0.0%	6.2%
Biomedical Conditions and Complications ($N = 145$)	14.5%	12.4%
Emotional/Behavioral/ Cognitive Problem (N = 145)	42.8%	33.8%
Resistance to Change ($N = 145$)	92.4%	54.5%
Relapse/Continued Use Potential (N = 145)	100.0%	55.9%
Unsupportive Recovery Environment (N = 145)	100.0%	59.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Cloquet

1003 Cloquet Ave Cloquet, MN 55720

County: Carlton

Provider Website:

Patient Profile

<u>Gender (N = 164)</u> Male: 70.1% Female: 29.9% Race (N = 164) White: 82.3% Black: 0.6% American Indian: 13.4% Hispanic: 1.2% Asian/Pacific Islander: 0.6% Other: 1.8% Age (N = 164) Under 18: 17.7% 18 to 25: 22.0% 26 to 34: 19.5% 35 and older: 40.9%

Primary Substance (N = 164) Alcohol: 65.9% Methamphetamine: 3.0% Marijuana: 21.3% Heroin: 0.6% Cocaine: 1.2% Other opiates: 7.3% Other drugs: 0.6%

Source of Income

(N = 164) Job: 48.2% Retirement/savings: 2.4% Family/friends: 22.0% No income: 12.8% Public sources: 5.5% Other sources: 9.1%

Source of Referral

(N = 164) Self/family/relative/ friends: 67.7% Employer/school: 10.4% Criminal justice: 51.2% Professional: 21.3% County social service agency: 11.6% Other community resources: 1.8% AA: 0.0% Tribal: 0.6%

Outcomes

Discharge Status (N = 164) Completed program: 63.4% Patient left without staff approval: 14.6% Staff requested/judged inappropriate: 3.0% Death/other: 18.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Haven in Cloquet

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 157)	1.3%	0.6%
Not employed/student ^{**} (N = 159)	36.5%	29.6%
Arrests past 30 days (N = 156)	9.6%	7.7%
Alcohol use past 30 days (N = 162)	47.5%	15.4%
Drug use past 30 days (N = 162)	28.4%	16.7%
No self-help group participation past 30 days (N = 152)	61.8%	16.4%
No family support for recovery past 30 days (N = 146)	6.2%	6.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =163)	10.4%	8.0%
Biomedical Conditions and Complications ($N = 163$)	19.0%	14.7%
	19.0% 65.6%	14.7% 31.3%
Complications (N = 163) Emotional/Behavioral/		-
Complications (N = 163) Emotional/Behavioral/ Cognitive Problem (N = 163)	65.6%	31.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Shakopee

275 1st Avenue East Shakopee, MN 55379

County: Scott

Provider Website: www.havenchemicalhealth.com

Patient Profile

<u>Gender (N = 130)</u> Male: 73.1% Female: 26.9% Race (N = 130) White: 78.5% Black: 5.4% American Indian: 3.1% Hispanic: 7.7% Asian/Pacific Islander: 0.8% Other: 4.6% Age (N = 130) Under 18: 20.8% 18 to 25: 26.2% 26 to 34: 21.5% 35 and older: 31.5%

Primary Substance (N = 120) Alcohol: 63.3% Methamphetamine: 0.8% Marijuana: 28.3% Heroin: 0.0% Cocaine: 1.7% Other opiates: 4.2% Other drugs: 1.7%

(N = 130) Job: 42.3% Retirement/savings: 3.1% Family/friends: 30.8%

Public sources: 8.5%

Other sources: 6.2%

No income: 9.2%

Source of Income

Source of Referral

(N = 130) . Self/family/relative/ friends: 38.5% Employer/school: 6.9% Criminal justice: 62.3% Professional: 15.4% County social service agency: 7.7% Other community resources: 6.2% AA: 1.5% Tribal: 0.0%

Outcomes

Discharge Status (N = 130) Completed program: 56.2% Patient left without staff approval: 10.0% Staff requested/judged inappropriate: 4.6% Death/other: 29.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Haven in Shakopee

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 122)	1.6%	2.5%
Not employed/student ^{**} (N = 126)	35.7%	27.8%
Arrests past 30 days (N = 113)	6.2%	8.8%
Alcohol use past 30 days ($N = 93$)	22.6%	7.5%
Drug use past 30 days (N = 93)	16.1%	4.3%
No self-help group participation past 30 days (N = 125)	60.0%	15.2%
No family support for recovery past 30 days (N = 124)	5.6%	0.8%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =130)	0.8%	3.8%
Biomedical Conditions and Complications ($N = 130$)	3.1%	2.3%
Emotional/Behavioral/ Cognitive Problem (N = 130)	41.5%	24.6%
Resistance to Change ($N = 130$)	60.0%	36.9%
Relapse/Continued Use		42,204
Potential (N = 130)	99.2%	42.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Waconia

508 Industrial Blvd Waconia, MN 55387

County: Carver

Provider Website: www.havenchemicalhealth.com

Patient Profile

Gender (N = 96) Male: 63.5% Female: 36.5%

Race (N = 96) White: 93.8% Black: 3.1% American Indian: 1.0% Hispanic: 2.1% Asian/Pacific Islander: 0.0% Other: 0.0%

Age (N = 96)Under 18: 21.9% 18 to 25: 34.4% 26 to 34: 17.7% 35 and older: 26.0%

Primary Substance Source of Income (N = 96) Alcohol: 58.3% Methamphetamine: 2.1% Marijuana: 33.3% Heroin: 0.0% Cocaine: 1.0% Other opiates: 1.0% Other drugs: 4.2%

(N = 96)Job: 35.4%

Retirement/savings: 3.1% Family/friends: 25.0% No income: 14.6% Public sources: 9.4% Other sources: 12.5%

Source of Referral

(N = 96). Self/family/relative/ friends: 45.8% Employer/school: 2.1% Criminal justice: 21.9% Professional: 25.0% County social service agency: 13.5% Other community resources: 10.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 96)Completed program: 42.7% Patient left without staff approval: 19.8% Staff requested/judged inappropriate: 7.3% Death/other: 30.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Haven in Waconia

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 96)	0.0%	0.0%
Not employed/student ^{**} (N = 94)	36.2%	37.2%
Arrests past 30 days (N = 95)	5.3%	7.4%
Alcohol use past 30 days ($N = 96$)	42.7%	15.6%
Drug use past 30 days (N = 96)	24.0%	13.5%
No self-help group participation past 30 days (N = 89)	65.2%	34.8%
No family support for recovery past 30 days ($N = 92$)	12.0%	7.6%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =90)	1.1%	3.3%
Biomedical Conditions and Complications ($N = 94$)	3.2%	3.2%
Emotional/Behavioral/ Cognitive Problem (N = 94)	51.1%	45.7%
Resistance to Change ($N = 94$)		
	67.0%	52.1%
Relapse/Continued Use Potential (N = 94)	67.0% 96.8%	52.1% 63.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Haven in Woodbury

2042 Wooddale Drive Woodbury, MN 55125

County: Washington

Provider Website: www.havenchemicalhealthsystems.com

Patient Profile

<u>Gender (N = 162)</u> Male: 65.4% Female: 34.6% Race (N = 162) White: 87.7% Black: 4.3% American Indian: 1.2% Hispanic: 4.9% Asian/Pacific Islander: 0.0% Other: 1.9% Age (N = 162) Under 18: 14.2% 18 to 25: 25.3% 26 to 34: 24.1% 35 and older: 36.4%

Primary Substance (N = 162) Alcohol: 62.3% Methamphetamine: 4.3% Marijuana: 18.5% Heroin: 2.5% Cocaine: 4.3% Other opiates: 5.6% Other drugs: 2.5%

Source of Income

(N = 162) Job: 51.9% Retirement/savings: 1.9% Family/friends: 27.2% No income: 4.3% Public sources: 8.0% Other sources: 6.8%

Source of Referral

<u>(N = 162)</u>. Self/family/relative/ friends: 50.0% Employer/school: 8.6% Criminal justice: 32.1% Professional: 26.5% County social service agency: 5.6% Other community resources: 8.0% AA: 3.1% Tribal: 1.2%

Outcomes

Discharge Status (N = 162) Completed program: 53.7% Patient left without staff approval: 23.5% Staff requested/judged inappropriate: 7.4% Death/other: 15.4%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Haven in Woodbury

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 154)	0.6%	0.0%
Not employed/student ^{**} (N = 154)	34.4%	24.0%
Arrests past 30 days (N = 141)	9.9%	2.8%
Alcohol use past 30 days (N = 135)	50.4%	18.5%
Drug use past 30 days (N = 135)	30.4%	11.9%
No self-help group participation past 30 days (N = 145)	53.1%	12.4%
No family support for recovery past 30 days (N = 140)	8.6%	5.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =146)	0.0%	1.4%
Biomedical Conditions and Complications ($N = 156$)	2.6%	5.1%
Emotional/Behavioral/ Cognitive Problem (N = 162)	82.7%	50.0%
Resistance to Change ($N = 162$)		
()	40.7%	38.9%
Relapse/Continued Use Potential (N = 156)	40.7% 98.7%	38.9% 48.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Micah Halfway House

3047 5th Avenue South Minneapolis, MN 55408

County: Hennepin

Provider Website:

Patient Profile

<u>Gender (N = 42)</u> Male: 100.0% Female: 0.0% Race (N = 42) White: 16.7% Black: 59.5% American Indian: 0.0% Hispanic: 23.8% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 42) Under 18: 0.0% 18 to 25: 16.7% 26 to 34: 14.3% 35 and older: 69.0%

Primary Substance (N = 42) Alcohol: 35.7% Methamphetamine: 2.4% Marijuana: 7.1% Heroin: 14.3% Cocaine: 35.7% Other opiates: 4.8% Other drugs: 0.0%

Source of Income

(N = 42) Job: 40.5% Retirement/savings: 0.0% Family/friends: 0.0% No income: 21.4% Public sources: 35.7% Other sources: 2.4%

Source of Referral

<u>(N = 42)</u> Self/family/relative/ friends: 73.8% Employer/school: 0.0% Criminal justice: 28.6% Professional: 26.2% County social service agency: 21.4% Other community resources: 2.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 42) Completed program: 38.1% Patient left without staff approval: 35.7% Staff requested/judged inappropriate: 14.3% Death/other: 11.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Micah Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 37)	67.6%	67.6%
Not employed/student ^{**} (N = 25)	92.0%	72.0%
Arrests past 30 days (N = 39)	17.9%	17.9%
Alcohol use past 30 days ($N = 38$)	50.0%	21.1%
Drug use past 30 days (N = 38)	42.1%	26.3%
No self-help group participation past 30 days (N = 39)	53.8%	15.4%
No family support for recovery past 30 days ($N = 42$)	16.7%	9.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =37)	8.1%	16.2%
Biomedical Conditions and Complications ($N = 37$)	27.0%	24.3%
Emotional/Behavioral/ Cognitive Problem (N = 37)		
	89.2%	62.2%
Resistance to Change ($N = 37$)	89.2% 67.6%	62.2% 67.6%
Resistance to Change (N = 37) Relapse/Continued Use Potential (N = 37)		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Range Treatment Center

626 13th Street South Virginia, MN 55792

County: St. Louis

Provider Website:

Patient Profile

<u>Gender (N = 122)</u> Male: 62.3% Female: 37.7% Race (N = 122) White: 85.2% Black: 1.6% American Indian: 11.5% Hispanic: 0.0% Asian/Pacific Islander: 0.8% Other: 0.8%

<u>Age (N = 122)</u> Under 18: 0.0% 18 to 25: 30.3% 26 to 34: 25.4% 35 and older: 44.3%

Primary Substance (N = 117)Alcohol: 65.8% Methamphetamine: 3.4% Marijuana: 19.7% Heroin: 0.0% Cocaine: 0.9% Other opiates: 8.5% Other drugs: 1.7%

Source of Income

(N = 122) Job: 30.3% Retirement/savings: 1.6% Family/friends: 6.6% No income: 20.5% Public sources: 19.7% Other sources: 21.3%

Source of Referral

(N = 122) Self/family/relative/ friends: 55.7% Employer/school: 0.8% Criminal justice: 43.4% Professional: 18.9% County social service agency: 18.9% Other community resources: 17.2% AA: 0.0% Tribal: 2.5%

Outcomes

Discharge Status (N = 122)Completed program: 81.1% Patient left without staff approval: 10.7% Staff requested/judged inappropriate: 8.2% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Range Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 115)	3.5%	0.0%
Not employed/student ^{$++$} (N = 81)	66.7%	79.0%
Arrests past 30 days (N = 120)	15.0%	0.8%
Alcohol use past 30 days (N = 117)	65.0%	3.4%
Drug use past 30 days (N = 117)	40.2%	5.1%
No self-help group participation past 30 days (N = 114)	61.4%	6.1%
No family support for recovery past 30 days (N = 107)	28.0%	23.4%
Pauriana ta Dagawama		
Barriers to Recovery <u>Dimensions of Chemical Health</u> [§]	Admission	<u>Discharge</u>
-	Admission 2.7%	<u>Discharge</u> 2.7%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =111) Biomedical Conditions and	2.7%	2.7%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =111) Biomedical Conditions and Complications (N = 110) Emotional/Behavioral/	2.7% 37.3%	2.7% 20.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =111) Biomedical Conditions and Complications (N = 110) Emotional/Behavioral/ Cognitive Problem (N = 110)	2.7% 37.3% 97.3%	2.7% 20.9% 74.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

The Wayside House Inc.

3705 Park Center Boulevard St. Louis Park, MN 55416

County: Hennepin

Provider Website: www.waysidehouse.org

Patient Profile

<u>Gender (N = 213)</u> Male: 0.0% Female: 100.0% Race (N = 213) White: 64.3% Black: 24.4% American Indian: 2.8% Hispanic: 1.9% Asian/Pacific Islander: 0.0% Other: 6.6% Age (N = 213) Under 18: 0.0% 18 to 25: 24.9% 26 to 34: 27.7% 35 and older: 47.4%

Primary Substance (N = 213) Alcohol: 43.2% Methamphetamine: 12.2% Marijuana: 11.7% Heroin: 1.9% Cocaine: 21.1% Other opiates: 9.4% Other drugs: 0.5%

Source of Income

(N = 213) Job: 8.9% Retirement/savings: 0.9% Family/friends: 53.1% No income: 4.7% Public sources: 31.0% Other sources: 1.4%

Source of Referral

(N = 213) Self/family/relative/ friends: 5.2% Employer/school: 0.0% Criminal justice: 7.0% Professional: 38.5% County social service agency: 54.9% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 213) Completed program: 28.2% Patient left without staff approval: 31.9% Staff requested/judged inappropriate: 32.4% Death/other: 7.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

The Wayside House Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 207)	16.4%	23.2%
Not employed/student ^{**} (N = 204)	96.6%	85.3%
Arrests past 30 days (N = 213)	5.2%	2.3%
Alcohol use past 30 days (N = 213)	52.1%	7.0%
Drug use past 30 days (N = 213)	51.6%	16.4%
No self-help group participation past 30 days (N = 205)	69.8%	3.4%
No family support for recovery past 30 days (N = 198)	25.8%	3.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 3.8%	<u>Discharge</u> 1.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =213) Biomedical Conditions and	3.8%	1.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =213) Biomedical Conditions and Complications (N = 213) Emotional/Behavioral/	3.8% 46.5%	1.4% 31.9%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =213) Biomedical Conditions and Complications (N = 213) Emotional/Behavioral/ Cognitive Problem (N = 213)	3.8% 46.5% 97.7%	1.4% 31.9% 91.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Thunderbird and Wren Halfway House

229 North 4th Avenue West Duluth, MN 55806

County: St. Louis

Provider Website:

Patient Profile

 Gender (N = 86)
 Race (N = 86)
 A

 Male: 57.0%
 White: 0.0%
 Black: 0.0%

 Female: 43.0%
 Black: 0.0%
 American Indian: 94.2%

 Hispanic: 4.7%
 Asian/Pacific Islander: 1.2%
 Other: 0.0%

<u>Age (N = 86)</u> Under 18: 4.7% 18 to 25: 25.6% 26 to 34: 32.6% 35 and older: 37.2%

Primary Substance (N = 86) Alcohol: 62.8% Methamphetamine: 2.3% Marijuana: 15.1% Heroin: 0.0% Cocaine: 4.7% Other opiates: 15.1% Other drugs: 0.0% Source of Income (N = 86)

<u>IN = 00)</u> Job: 8.1% Retirement/savings: 1.2% Family/friends: 3.5% No income: 34.9% Public sources: 27.9% Other sources: 24.4%

Source of Referral

(N = 86) Self/family/relative/ friends: 3.5% Employer/school: 0.0% Criminal justice: 24.4% Professional: 87.2% County social service agency: 48.8% Other community resources: 0.0% AA: 0.0% Tribal: 33.7%

Outcomes

Discharge Status (N = 86) Completed program: 38.4% Patient left without staff approval: 33.7% Staff requested/judged inappropriate: 25.6% Death/other: 2.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Thunderbird and Wren Halfway House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 86)	10.5%	0.0%
Not employed/student ^{**} (N = 79)	93.7%	82.3%
Arrests past 30 days (N = 86)	8.1%	5.8%
Alcohol use past 30 days (N = 86)	0.0%	9.3%
Drug use past 30 days (N = 86)	2.3%	9.3%
No self-help group participation past 30 days (N = 86)	7.0%	1.2%
No family support for recovery past 30 days ($N = 85$)	15.3%	8.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =86)	8.1%	7.0%
Biomedical Conditions and Complications ($N = 86$)	14.0%	5.8%
Emotional/Behavioral/ Cognitive Problem (N = 86)	70.9%	43.0%
Resistance to Change ($N = 86$)	87.2%	73.3%
Relapse/Continued Use Potential (N = 86)	100.0%	81.4%
Unsupportive Recovery Environment (N = 86)	100.0%	80.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House

1410 South Ferry Anoka, MN 55303

County: Anoka

Provider Website: www.transformationhouse.com

Patient Profile

<u>Gender (N = 164)</u> Male: 100.0% Female: 0.0% Race (N = 164) White: 79.3% Black: 11.0% American Indian: 3.0% Hispanic: 2.4% Asian/Pacific Islander: 1.2% Other: 3.0% <u>Age (N = 164)</u> Under 18: 0.0% 18 to 25: 26.8% 26 to 34: 32.3% 35 and older: 40.9%

Primary Substance (N = 164) Alcohol: 57.3% Methamphetamine: 15.9% Marijuana: 9.1% Heroin: 4.9% Cocaine: 4.3% Other opiates: 7.9% Other drugs: 0.6%

Source of Income

(N = 164) Job: 20.7% Retirement/savings: 3.0% Family/friends: 9.1% No income: 39.6% Public sources: 18.9% Other sources: 8.5%

Source of Referral

(N = 164) Self/family/relative/ friends: 28.0% Employer/school: 0.0% Criminal justice: 30.5% Professional: 50.0% County social service agency: 32.9% Other community resources: 9.1% AA: 0.0% Tribal: 0.6%

Outcomes

Discharge Status (N = 164) Completed program: 48.2% Patient left without staff approval: 22.6% Staff requested/judged inappropriate: 14.0% Death/other: 15.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Transformation House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 156)	4.5%	7.7%
Not employed/student ^{**} (N = 144)	83.3%	64.6%
Arrests past 30 days (N = 158)	5.1%	5.7%
Alcohol use past 30 days (N = 164)	14.0%	10.4%
Drug use past 30 days (N = 164)	14.6%	6.7%
No self-help group participation past 30 days (N = 144)	25.0%	2.8%
No family support for recovery past 30 days (N = 139)	8.6%	5.8%
- · · -		
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 3.8%	Discharge 10.2%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =157) Biomedical Conditions and	3.8%	10.2%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =157) Biomedical Conditions and Complications (N = 157) Emotional/Behavioral/	3.8% 7.0%	10.2% 13.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =157) Biomedical Conditions and Complications (N = 157) Emotional/Behavioral/ Cognitive Problem (N = 157)	3.8% 7.0% 72.6%	10.2% 13.4% 61.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House I

2532 N Ferry Anoka, MN 55303

County: Anoka

Provider Website: www.transformationhouse.com

Patient Profile

 $\frac{\text{Gender (N = 50)}}{\text{Male: } 0.0\%}$ Female: 100.0% Race (N = 50) White: 88.0% Black: 8.0% American Indian: 2.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 2.0% <u>Age (N = 50)</u> Under 18: 0.0% 18 to 25: 28.0% 26 to 34: 18.0% 35 and older: 54.0%

Primary Substance (N = 49) Alcohol: 57.1% Methamphetamine: 6.1% Marijuana: 10.2% Heroin: 10.2% Cocaine: 8.2% Other opiates: 6.1% Other drugs: 2.0%

Source of Income

(N = 50) Job: 8.0% Retirement/savings: 0.0% Family/friends: 8.0% No income: 50.0% Public sources: 26.0% Other sources: 8.0%

Source of Referral

(N = 50) Self/family/relative/ friends: 58.0% Employer/school: 0.0% Criminal justice: 34.0% Professional: 24.0% County social service agency: 40.0% Other community resources: 10.0% AA: 2.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 50) Completed program: 42.0% Patient left without staff approval: 34.0% Staff requested/judged inappropriate: 0.0% Death/other: 24.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Transformation House I

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 47)	14.9%	2.1%
Not employed/student ^{**} (N = 49)	93.9%	81.6%
Arrests past 30 days (N = 50)	8.0%	4.0%
Alcohol use past 30 days ($N = 49$)	55.1%	16.3%
Drug use past 30 days (N = 49)	26.5%	10.2%
No self-help group participation past 30 days (N = 49)	12.2%	0.0%
No family support for recovery past 30 days ($N = 48$)	8.3%	2.1%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =46)	6.5%	19.6%
Biomedical Conditions and Complications ($N = 47$)	29.8%	27.7%
Emotional/Behavioral/ Cognitive Problem (N = 47)	100.0%	100.0%
Resistance to Change ($N = 47$)	100.0%	85.1%
Relapse/Continued Use Potential (N = 47)	100.0%	97.9%
Unsupportive Recovery Environment (N = 46)	97.8%	95.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Transformation House II

351 74th Avenue NE Fridley, MN 55432

County: Anoka

Provider Website: www.transformationhouse.com

Patient Profile

<u>Gender (N = 99)</u> Male: 1.0% Female: 99.0% Race (N = 99) White: 77.8% Black: 12.1% American Indian: 5.1% Hispanic: 1.0% Asian/Pacific Islander: 0.0% Other: 4.0% <u>Age (N = 99)</u> Under 18: 0.0% 18 to 25: 22.2% 26 to 34: 26.3% 35 and older: 51.5%

Primary Substance (N = 99) Alcohol: 44.4% Methamphetamine: 18.2% Marijuana: 6.1% Heroin: 6.1% Cocaine: 13.1% Other opiates: 11.1% Other drugs: 1.0%

(N = 99) Job: 2.0% Retirement/savings: 1.0% Family/friends: 11.1% No income: 30.3% Public sources: 43.4% Other sources: 12.1%

Source of Income

Source of Referral

(N = 99) Self/family/relative/ friends: 58.6% Employer/school: 0.0% Criminal justice: 32.3% Professional: 68.7% County social service agency: 25.3% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 99) Completed program: 35.4% Patient left without staff approval: 34.3% Staff requested/judged inappropriate: 14.1% Death/other: 16.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Transformation House II

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 94)	39.4%	14.9%
Not employed/student ^{**} (N = 79)	97.5%	83.5%
Arrests past 30 days (N = 96)	4.2%	4.2%
Alcohol use past 30 days ($N = 99$)	11.1%	18.2%
Drug use past 30 days (N = 99)	6.1%	13.1%
No self-help group participation past 30 days (N = 86)	33.7%	20.9%
No family support for recovery past 30 days ($N = 81$)	1.2%	1.2%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =90)	3.3%	6.7%
Biomedical Conditions and Complications ($N = 91$)	31.9%	29.7%
Emotional/Behavioral/ Cognitive Problem (N = 91)	92.3%	75.8%
Resistance to Change ($N = 91$)	92.3%	80.2%
Relapse/Continued Use Potential (N = 91)	100.0%	90.1%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Tri County Community Corrections

816 Marin Ave Crookston, MN 567162148

County: Polk

Provider Website:

Patient Profile

<u>Gender (N = 29)</u> Male: 58.6% Female: 41.4% Race (N = 29) White: 48.3% Black: 0.0% American Indian: 13.8% Hispanic: 27.6% Asian/Pacific Islander: 0.0% Other: 10.3% Age (N = 29) Under 18: 93.1% 18 to 25: 6.9% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 29) Alcohol: 34.5% Methamphetamine: 0.0% Marijuana: 62.1% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 3.4% Source of Income

(N = 29) Job: 0.0% Retirement/savings: 0.0% Family/friends: 100.0% No income: 0.0% Public sources: 0.0% Other sources: 0.0%

Source of Referral

(N = 29) Self/family/relative/ friends: 27.6% Employer/school: 6.9% Criminal justice: 58.6% Professional: 27.6% County social service agency: 51.7% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 29) Completed program: 34.5% Patient left without staff approval: 34.5% Staff requested/judged inappropriate: 0.0% Death/other: 31.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Tri County Community Corrections

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 29)	0.0%	3.4%
Not employed/student ^{$++$} (N = 29)	0.0%	3.4%
Arrests past 30 days (N = 29)	17.2%	0.0%
Alcohol use past 30 days (N = 29)	24.1%	17.2%
Drug use past 30 days (N = 29)	31.0%	24.1%
No self-help group participation past 30 days (N = 29)	96.6%	93.1%
No family support for recovery past 30 days (N = 27)	11.1%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =29)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 29)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 29)	24.1%	20.7%
Resistance to Change ($N = 29$)	51.7%	34.5%
Relapse/Continued Use Potential (N = 29)	96.6%	62.1%
Unsupportive Recovery Environment (N = 29)	41.4%	31.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Turning Point, Inc.

1500 Golden Valley Road Minneapolis, MN 55411

County: Hennepin

Provider Website: www.ourturningpoint.org

Patient Profile

<u>Gender (N = 280)</u> Male: 100.0% Female: 0.0% Race (N = 280) White: 3.6% Black: 92.1% American Indian: 0.0% Hispanic: 1.8% Asian/Pacific Islander: 0.0% Other: 2.5% Age (N = 280) Under 18: 0.0% 18 to 25: 12.5% 26 to 34: 19.6% 35 and older: 67.9%

Primary Substance (N = 280)Alcohol: 27.9% Methamphetamine: 0.4% Marijuana: 27.5% Heroin: 8.2% Cocaine: 34.3% Other opiates: 0.4% Other drugs: 1.4%

Source of Income (N = 280)

<u>IN = 280)</u> Job: 15.7% Retirement/savings: 0.7% Family/friends: 1.8% No income: 52.1% Public sources: 26.8% Other sources: 2.9%

Source of Referral

<u>(N = 280)</u>. Self/family/relative/ friends: 55.0% Employer/school: 0.4% Criminal justice: 21.8% Professional: 17.9% County social service agency: 4.3% Other community resources: 3.6% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 280) Completed program: 67.1% Patient left without staff approval: 17.1% Staff requested/judged inappropriate: 8.6% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Turning Point, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 276)	24.6%	57.6%
Not employed/student ^{$++$} (N = 264)	86.0%	86.7%
Arrests past 30 days (N = 268)	10.8%	4.9%
Alcohol use past 30 days (N = 280)	68.9%	12.5%
Drug use past 30 days (N = 280)	72.5%	19.3%
No self-help group participation past 30 days (N = 265)	87.9%	21.5%
No family support for recovery past 30 days (N = 255)	71.0%	13.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	<u>Admission</u> 9.4%	<u>Discharge</u> 0.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =278) Biomedical Conditions and	9.4%	0.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =278) Biomedical Conditions and Complications (N = 278) Emotional/Behavioral/	9.4% 15.5%	0.4% 7.6%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N = 278)Biomedical Conditions and Complications (N = 278)Emotional/Behavioral/ Cognitive Problem (N = 278)	9.4% 15.5% 43.2%	0.4% 7.6% 34.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Turning Point, Inc.

1105 16th Ave. Minneapolis, MN 55411

County: Hennepin

Provider Website: www.ourturningpoint.org

Patient Profile

Primary Substance (N = 125) Alcohol: 36.0% Methamphetamine: 0.0% Marijuana: 12.0% Heroin: 12.0% Cocaine: 37.6% Other opiates: 0.8% Other drugs: 1.6% Source of Income (N = 125)Job: 2.4% Retirement/savings: 0.0% Family/friends: 0.0% No income: 16.8% Public sources: 76.0% Other sources: 4.8% Source of Referral

(N = 125) . Self/family/relative/ friends: 84.0% Employer/school: 0.0% Criminal justice: 15.2% Professional: 5.6% County social service agency: 1.6% Other community resources: 1.6% AA: 1.6% Tribal: 0.0%

Outcomes

Discharge Status (N = 125) Completed program: 59.2% Patient left without staff approval: 13.6% Staff requested/judged inappropriate: 13.6% Death/other: 13.6%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Turning Point, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 124)	22.6%	63.7%
Not employed/student ^{**} (N = 121)	93.4%	79.3%
Arrests past 30 days (N = 121)	3.3%	3.3%
Alcohol use past 30 days (N = 124)	2.4%	10.5%
Drug use past 30 days (N = 124)	4.8%	12.9%
No self-help group participation past 30 days (N = 121)	22.3%	2.5%
No family support for recovery past 30 days (N = 121)	30.6%	3.3%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =123)	<u>Admission</u> 0.8%	<u>Discharge</u> 0.8%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =123) Biomedical Conditions and	0.8%	0.8%
Acute Intoxication/ Withdrawal (N =123) Biomedical Conditions and Complications (N = 123) Emotional/Behavioral/	0.8%	0.8% 4.9%
Acute Intoxication/ Withdrawal (N =123) Biomedical Conditions and Complications (N = 123) Emotional/Behavioral/ Cognitive Problem (N = 123)	0.8% 6.5% 33.3%	0.8% 4.9% 20.3%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Twin Town Treatment Center

1706 University Avenue St. Paul, MN 55104

County: Ramsey

Provider Website: www.meridiannetwork.com

Patient Profile

 Gender (N = 863)
 Race (N =

 Male: 96.2%
 White: 68

 Female: 3.8%
 Black: 19

 American
 Minoprior

Race (N = 863) White: 68.0% Black: 19.5% American Indian: 2.4% Hispanic: 4.3% Asian/Pacific Islander: 3.0% Other: 2.8% <u>Age (N = 863)</u> Under 18: 0.0% 18 to 25: 24.9% 26 to 34: 25.1% 35 and older: 49.9%

Primary Substance (N = 859) Alcohol: 56.5% Methamphetamine: 9.5% Marijuana: 13.7% Heroin: 5.4% Cocaine: 9.3% Other opiates: 4.1% Other drugs: 1.5%

(N = 863) Job: 25.1% Retirement/savings: 1.9% Family/friends: 7.3% No income: 36.2% Public sources: 22.9% Other sources: 6.6%

Source of Income

Source of Referral

(N = 863) Self/family/relative/ friends: 44.7% Employer/school: 1.9% Criminal justice: 44.6% Professional: 27.6% County social service agency: 28.0% Other community resources: 1.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 863) Completed program: 55.9% Patient left without staff approval: 27.6% Staff requested/judged inappropriate: 6.1% Death/other: 10.4%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Twin Town Treatment Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 818)	15.2%	6.1%
Not employed/student ^{**} (N = 802)	72.1%	71.1%
Arrests past 30 days (N = 845)	10.2%	6.0%
Alcohol use past 30 days (N = 857)	52.4%	15.8%
Drug use past 30 days (N = 857)	42.7%	13.0%
No self-help group participation past 30 days (N = 782)	54.7%	32.5%
No family support for recovery past 30 days ($N = 754$)	19.0%	12.3%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =685)	3.2%	2.0%
Biomedical Conditions and Complications ($N = 700$)	19.7%	18.3%
Emotional/Behavioral/ Cognitive Problem (N = 698)	53.7%	45.3%
Resistance to Change ($N = 702$)	62.8%	63.8%
Relapse/Continued Use Potential (N = 702)		
, , , , , , , , , , , , , , , , , , ,	97.2%	87.0%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Unity Hospital Substance Abuse Services

7590 Lyric Lane NE Fridley, MN 55432

County: Anoka

Provider Website:

Patient Profile

<u>Gender (N = 395)</u> Male: 65.3% Female: 34.7% Race (N = 395) White: 89.1% Black: 6.3% American Indian: 1.8% Hispanic: 0.3% Asian/Pacific Islander: 1.0% Other: 1.5%

Age (N = 395) Under 18: 0.0% 18 to 25: 24.1% 26 to 34: 22.5% 35 and older: 53.4%

Primary Substance (N = 394) Alcohol: 69.5% Methamphetamine: 4.1% Marijuana: 14.0% Heroin: 1.3% Cocaine: 2.8% Other opiates: 6.6% Other drugs: 1.8%

(N = 395) Job: 52.9% Retirement/savings: 1.5% Family/friends: 15.4% No income: 2.8% Public sources: 12.9%

Other sources: 14.4%

Source of Income

Source of Referral

(N = 395) . Self/family/relative/ friends: 75.7% Employer/school: 7.3% Criminal justice: 38.7% Professional: 30.4% County social service agency: 8.6% Other community resources: 3.3% AA: 0.0% Tribal: 0.3%

Outcomes

Discharge Status (N = 395) Completed program: 69.9% Patient left without staff approval: 18.0% Staff requested/judged inappropriate: 5.6% Death/other: 6.6%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Unity Hospital Substance Abuse Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 384)	0.5%	0.5%
Not employed/student ^{$++$} (N = 354)	43.8%	42.9%
Arrests past 30 days (N = 393)	8.1%	4.1%
Alcohol use past 30 days (N = 394)	57.6%	14.5%
Drug use past 30 days (N = 394)	33.0%	17.3%
No self-help group participation past 30 days (N = 353)	74.2%	34.3%
No family support for recovery past 30 days (N = 331)	18.4%	11.8%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =387)	1.8%	2.6%
Biomedical Conditions and Complications ($N = 392$)	16.1%	7.7%
Emotional/Behavioral/ Cognitive Problem (N = 392)	55.9%	28.8%
Resistance to Change ($N = 392$)	37.5%	26.0%
Relapse/Continued Use Potential (N = 393)	96.9%	68.4%
Unsupportive Recovery Environment (N = 391)	63.2%	36.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Unity Hospital Substance Abuse Services

550 Osborne Road NE Fridley, MN 55432

County: Anoka

Provider Website: www.allina.com

Patient Profile

 Gender (N = 765)
 Race (N =

 Male: 60.7%
 White: 88.

 Female: 39.3%
 Black: 6.49

 American I
 Hispapic: 1

Race (N = 765) White: 88.1% Black: 6.4% American Indian: 1.2% Hispanic: 1.3% Asian/Pacific Islander: 0.3% Other: 2.7% Age (N = 765) Under 18: 0.0% 18 to 25: 14.6% 26 to 34: 20.1% 35 and older: 65.2%

Primary Substance (N = 764)Alcohol: 68.8% Methamphetamine: 2.1% Marijuana: 2.4% Heroin: 6.3% Cocaine: 2.9% Other opiates: 16.1% Other drugs: 1.4%

Source of Income

(N = 765) Job: 31.5% Retirement/savings: 5.1% Family/friends: 13.2% No income: 2.7% Public sources: 12.7% Other sources: 34.8%

Source of Referral

<u>(N = 765)</u>. Self/family/relative/ friends: 90.1% Employer/school: 1.3% Criminal justice: 3.7% Professional: 17.3% County social service agency: 3.0% Other community resources: 3.8% AA: 0.1% Tribal: 0.1%

Outcomes

Discharge Status (N = 765) Completed program: 56.1% Patient left without staff approval: 9.7% Staff requested/judged inappropriate: 3.8% Death/other: 30.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Unity Hospital Substance Abuse Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 674)	11.1%	7.6%
Not employed/student ^{**} (N = 554)	60.6%	64.6%
Arrests past 30 days (N = 747)	5.9%	4.3%
Alcohol use past 30 days (N = 764)	78.3%	72.9%
Drug use past 30 days (N = 764)	52.4%	47.4%
No self-help group participation past 30 days (N = 356)	93.8%	95.2%
No family support for recovery past 30 days ($N = 237$)	18.1%	43.5%
Barriers to Recovery		
Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 67.6%	<u>Discharge</u> 4.5%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =749) Biomedical Conditions and	67.6%	4.5%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =749) Biomedical Conditions and Complications (N = 743) Emotional/Behavioral/	67.6% 53.8%	4.5% 29.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =749) Biomedical Conditions and Complications (N = 743) Emotional/Behavioral/ Cognitive Problem (N = 739)	67.6% 53.8% 74.7%	4.5% 29.3% 44.7%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Upper Mississippi Mental Health Center

120 N. Main Street Park Rapids, MN 56470

County: Hubbard

Provider Website:

Patient Profile

<u>Gender (N = 57)</u> Male: 68.4% Female: 31.6% Race (N = 57) White: 84.2% Black: 3.5% American Indian: 7.0% Hispanic: 3.5% Asian/Pacific Islander: 0.0% Other: 1.8% <u>Age (N = 57)</u> Under 18: 1.8% 18 to 25: 21.1% 26 to 34: 24.6% 35 and older: 52.6%

Primary Substance (N = 57) Alcohol: 84.2% Methamphetamine: 5.3% Marijuana: 5.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.8% Other drugs: 3.5% Source of Income

(N = 57) Job: 50.9% Retirement/savings: 7.0% Family/friends: 17.5% No income: 0.0% Public sources: 14.0% Other sources: 10.5%

Source of Referral

(N = 57) Self/family/relative/ friends: 24.6% Employer/school: 3.5% Criminal justice: 63.2% Professional: 8.8% County social service agency: 84.2% Other community resources: 7.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 57) Completed program: 68.4% Patient left without staff approval: 26.3% Staff requested/judged inappropriate: 0.0% Death/other: 5.3%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Upper Mississippi Mental Health Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 43)	2.3%	0.0%
Not employed/student ^{$++$} (N = 42)	59.5%	50.0%
Arrests past 30 days (N = 56)	7.1%	0.0%
Alcohol use past 30 days (N = 56)	28.6%	5.4%
Drug use past 30 days (N = 56)	10.7%	0.0%
No self-help group participation past 30 days (N = 35)	68.6%	80.0%
No family support for recovery past 30 days ($N = 41$)	2.4%	4.9%
Barriers to Recovery <u>Dimensions of Chemical Health</u> ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =43)	0.0%	2.3%
Biomedical Conditions and Complications $(N = 43)$	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 44)	25.0%	13.6%
Resistance to Change ($N = 44$)	15.9%	9.1%
Relapse/Continued Use Potential (N = 43)	81.4%	7.0%
Unsupportive Recovery Environment (N = 43)	62.8%	20.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Upper Mississippi Mental Health Center

722 1st Street Bemidji, MN 56601

County: Beltrami

Provider Website: www.ummhcmn.org

Patient Profile

Race (N = 59)Gender (N = 59) Male: 67.8% White: 55.9% Female: 32.2% Black: 1.7% American Indian: 35.6% Hispanic: 1.7% Asian/Pacific Islander: 0.0% Other: 5.1%

Source of Income

Primary Substance (N = 59) Alcohol: 81.4% Methamphetamine: 1.7% Marijuana: 16.9% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0%

(N = 59)Job: 33.9% Retirement/savings: 1.7% Family/friends: 35.6% No income: 1.7% Public sources: 25.4% Other sources: 1.7%

Age (N = 59)

Under 18: 18.6% 18 to 25: 28.8% 26 to 34: 18.6% 35 and older: 33.9%

Source of Referral (N = 59). Self/family/relative/ friends: 18.6% Employer/school: 0.0% Criminal justice: 88.1% Professional: 5.1% County social service agency: 16.9% Other community resources: 1.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 59)Completed program: 40.7% Patient left without staff approval: 32.2% Staff requested/judged inappropriate: 5.1% Death/other: 22.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Upper Mississippi Mental Health Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 56)	1.8%	5.4%
Not employed/student ^{$++$} (N = 54)	38.9%	40.7%
Arrests past 30 days (N = 59)	22.0%	8.5%
Alcohol use past 30 days (N = 58)	51.7%	15.5%
Drug use past 30 days (N = 58)	13.8%	13.8%
No self-help group participation past 30 days (N = 56)	60.7%	69.6%
No family support for recovery past 30 days (N = 54)	29.6%	31.5%
Barriers to Recovery Dimensions of Chemical Health ^s	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =56)	10.7%	7.1%
Biomedical Conditions and Complications ($N = 56$)	14.3%	7.1%
Emotional/Behavioral/ Cognitive Problem (N = 57)	26.3%	45.6%
Resistance to Change ($N = 55$)	54.5%	43.6%
Relapse/Continued Use Potential (N = 57)	61.4%	52.6%
Unsupportive Recovery Environment (N = 56)	57.1%	53.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Valhalla Place Inc.

6043 Hudson Road Woodbury, MN 55125

Provider Website:

Patient Profile

<u>Gender (N = 107)</u> Male: 65.4% Female: 34.6% Race (N = 107) White: 84.1% Black: 3.7% American Indian: 2.8% Hispanic: 6.5% Asian/Pacific Islander: 0.0% Other: 2.8% <u>Age (N = 107)</u> Under 18: 0.0% 18 to 25: 31.8% 26 to 34: 38.3% 35 and older: 29.9%

County: Washington

Primary Substance (N = 106) Alcohol: 0.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 23.6% Cocaine: 0.0% Other opiates: 76.4% Other drugs: 0.0%

Source of Income

(N = 107) Job: 36.4% Retirement/savings: 2.8% Family/friends: 14.0% No income: 3.7% Public sources: 9.3% Other sources: 33.6%

Source of Referral

<u>(N = 107)</u>. Self/family/relative/ friends: 84.1% Employer/school: 0.0% Criminal justice: 0.0% Professional: 15.9% County social service agency: 1.9% Other community resources: 7.5% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 107)Completed program: 4.7% Patient left without staff approval: 47.7% Staff requested/judged inappropriate: 3.7% Death/other: 43.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Valhalla Place Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 75)	0.0%	1.3%
Not employed/student ^{**} (N = 68)	50.0%	48.5%
Arrests past 30 days (N = 72)	5.6%	8.3%
Alcohol use past 30 days (N = 105)	32.4%	14.3%
Drug use past 30 days (N = 105)	93.3%	58.1%
No self-help group participation past 30 days (N = 52)	76.9%	65.4%
No family support for recovery past 30 days ($N = 56$)	7.1%	10.7%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission 63.1%	Discharge 38.8%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =103) Biomedical Conditions and	63.1%	38.8%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =103) Biomedical Conditions and Complications (N = 101) Emotional/Behavioral/	63.1% 24.8%	38.8% 16.8%
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N =103)Biomedical Conditions and Complications (N = 101)Emotional/Behavioral/ Cognitive Problem (N = 102)	63.1% 24.8% 63.7%	38.8% 16.8% 52.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Vinland National Center

3675 Ihduhapi Rd Loretto, MN 55357

County: Hennepin

Provider Website: www.vinlandcenter.org

Patient Profile

Gender (N = 285) Race (N = 285)Age (N = 285)Male: 74.0% White: 77.5% Under 18: 0.0% Female: 26.0% Black: 11.6% 18 to 25: 22.5% American Indian: 5.3% 26 to 34: 16.5% Hispanic: 2.8% 35 and older: 61.1% Asian/Pacific Islander: 0.0% Other: 2.8%

Primary Substance (N = 246)Alcohol: 68.3% Methamphetamine: 6.5% Marijuana: 11.8% Heroin: 2.4% Cocaine: 7.7% Other opiates: 2.0% Other drugs: 1.2%

Source of Income (N = 285)Job: 9.8% Retirement/savings: 4.2% Family/friends: 8.8% No income: 11.9% Public sources: 54.0% Other sources: 11.2%

Source of Referral

(N = 285). Self/family/relative/ friends: 10.2% Employer/school: 0.0% Criminal justice: 30.9% Professional: 32.6% County social service agency: 43.9% Other community resources: 3.5% AA: 0.0% Tribal: 1.4%

Outcomes

Discharge Status (N = 285)Completed program: 79.3% Patient left without staff approval: 8.1% Staff requested/judged inappropriate: 9.1% Death/other: 3.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Vinland National Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 269)	11.9%	4.8%
Not employed/student ^{**} (N = 249)	83.5%	90.4%
Arrests past 30 days (N = 264)	11.7%	15.5%
Alcohol use past 30 days (N = 247)	51.0%	4.0%
Drug use past 30 days (N = 246)	35.0%	2.8%
No self-help group participation past 30 days (N = 270)	63.7%	9.3%
No family support for recovery past 30 days (N = 261)	21.1%	21.5%
Barriers to Recovery		
Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =275)	<u>Admission</u> 0.0%	<u>Discharge</u> 0.0%
Acute Intoxication/		
Acute Intoxication/ Withdrawal (N =275) Biomedical Conditions and	0.0%	0.0%
Acute Intoxication/ Withdrawal (N =275) Biomedical Conditions and Complications (N = 275) Emotional/Behavioral/	0.0% 17.1%	0.0% 17.5%
Acute Intoxication/ Withdrawal (N =275) Biomedical Conditions and Complications (N = 275) Emotional/Behavioral/ Cognitive Problem (N = 276)	0.0% 17.1% 76.4%	0.0% 17.5% 78.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

We Care Counseling Center

6027 Georgia Blvd. North Oakdale, MN 551281908

County: Washington

Provider Website: www.wecarecd.com

Patient Profile

<u>Gender (N = 168)</u> Male: 77.4% Female: 22.6% Race (N = 168) White: 90.5% Black: 1.8% American Indian: 0.6% Hispanic: 6.0% Asian/Pacific Islander: 0.0% Other: 1.2% Age (N = 168) Under 18: 0.0% 18 to 25: 25.6% 26 to 34: 26.2% 35 and older: 48.2%

Primary Substance (N = 168) Alcohol: 72.0% Methamphetamine: 6.5% Marijuana: 15.5% Heroin: 0.0% Cocaine: 3.0% Other opiates: 2.4% Other drugs: 0.6% Source of Income

(N = 168) Job: 58.3% Retirement/savings: 3.6% Family/friends: 13.1% No income: 10.1% Public sources: 6.5% Other sources: 8.3%

Source of Referral

<u>(N = 168)</u> Self/family/relative/ friends: 52.4% Employer/school: 4.8% Criminal justice: 42.9% Professional: 17.3% County social service agency: 8.3% Other community resources: 11.3% AA: 0.6% Tribal: 0.0%

Outcomes

Discharge Status (N = 168) Completed program: 75.0% Patient left without staff approval: 14.3% Staff requested/judged inappropriate: 3.0% Death/other: 7.7%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

We Care Counseling Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 165)	0.6%	0.0%
Not employed/student ^{**} (N = 164)	32.9%	34.1%
Arrests past 30 days (N = 168)	11.3%	3.6%
Alcohol use past 30 days (N = 168)	56.0%	16.7%
Drug use past 30 days (N = 168)	25.6%	7.7%
No self-help group participation past 30 days (N = 161)	61.5%	6.2%
No family support for recovery past 30 days (N = 149)	12.1%	3.4%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =168)	1.2%	4.2%
Biomedical Conditions and Complications ($N = 168$)	0.6%	3.6%
Emotional/Behavioral/ Cognitive Problem (N = 168)	78.0%	39.3%
Resistance to Change ($N = 168$)	56.5%	30.4%
Relapse/Continued Use Potential (N = 168)	91.7%	57.1%
Unsupportive Recovery Environment (N = 168)	50.0%	29.8%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wellcome Manor Family Services

114 West Pleasant Street Garden City, MN 56034

County: Blue Earth

Provider Website:

Patient Profile

<u>Gender (N = 103)</u> Male: 0.0% Female: 100.0% Race (N = 103) White: 71.8% Black: 13.6% American Indian: 6.8% Hispanic: 1.9% Asian/Pacific Islander: 1.0% Other: 4.9% Age (N = 103) Under 18: 0.0% 18 to 25: 38.8% 26 to 34: 41.7% 35 and older: 19.4%

Primary Substance (N = 102) Alcohol: 36.3% Methamphetamine: 20.6% Marijuana: 15.7% Heroin: 0.0% Cocaine: 9.8% Other opiates: 13.7% Other drugs: 3.9% Source of Income

(N = 103) Job: 3.9% Retirement/savings: 0.0% Family/friends: 7.8% No income: 24.3% Public sources: 46.6% Other sources: 17.5%

Source of Referral

(N = 103) Self/family/relative/ friends: 37.9% Employer/school: 1.0% Criminal justice: 14.6% Professional: 35.9% County social service agency: 34.0% Other community resources: 1.9% AA: 0.0% Tribal: 2.9%

Outcomes

Discharge Status (N = 103) Completed program: 22.3% Patient left without staff approval: 31.1% Staff requested/judged inappropriate: 9.7% Death/other: 36.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Wellcome Manor Family Services

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 97)	9.3%	7.2%
Not employed/student ^{**} (N = 82)	86.6%	87.8%
Arrests past 30 days (N = 101)	7.9%	2.0%
Alcohol use past 30 days (N = 102)	40.2%	4.9%
Drug use past 30 days (N = 102)	50.0%	3.9%
No self-help group participation past 30 days (N = 86)	47.7%	17.4%
No family support for recovery past 30 days ($N = 84$)	40.5%	19.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =94)	13.8%	3.2%
Biomedical Conditions and Complications $(N = 94)$	14.9%	9.6%
Emotional/Behavioral/ Cognitive Problem ($N = 94$)	76.6%	67.0%
Resistance to Change ($N = 94$)	72.3%	46.8%
Relapse/Continued Use Potential (N = 92)	100.0%	83.7%
Unsupportive Recovery Environment (N = 91)	96.7%	84.6%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Service of Winona

131 Harriet Street Winona, MN 55987

County: Winona

Provider Website:

Patient Profile

<u>Gender (N = 85)</u> Male: 77.6% Female: 22.4% Race (N = 85) White: 89.4% Black: 3.5% American Indian: 1.2% Hispanic: 4.7% Asian/Pacific Islander: 1.2% Other: 0.0% Age (N = 85) Under 18: 0.0% 18 to 25: 25.9% 26 to 34: 35.3% 35 and older: 38.8%

Primary Substance (N = 85) Alcohol: 70.6% Methamphetamine: 4.7% Marijuana: 14.1% Heroin: 0.0% Cocaine: 3.5% Other opiates: 7.1% Other drugs: 0.0%

(N = 85) Job: 58.8% Retirement/savings: 0.0% Family/friends: 14.1% No income: 7.1% Public sources: 8.2% Other sources: 11.8%

Source of Income

Source of Referral

(N = 85) Self/family/relative/ friends: 29.4% Employer/school: 1.2% Criminal justice: 80.0% Professional: 9.4% County social service agency: 28.2% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 85) Completed program: 80.0% Patient left without staff approval: 11.8% Staff requested/judged inappropriate: 1.2% Death/other: 7.1%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Wenden Recovery Service of Winona

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 83)	1.2%	1.2%
Not employed/student ^{$++$} (N = 80)	52.5%	51.3%
Arrests past 30 days (N = 85)	17.6%	8.2%
Alcohol use past 30 days (N = 85)	34.1%	5.9%
Drug use past 30 days (N = 85)	22.4%	4.7%
No self-help group participation past 30 days (N = 59)	69.5%	59.3%
No family support for recovery past 30 days ($N = 68$)	19.1%	5.9%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =85)	1.2%	0.0%
Biomedical Conditions and Complications ($N = 85$)	11.8%	1.2%
Emotional/Behavioral/ Cognitive Problem (N = 85)	37.6%	8.2%
Resistance to Change ($N = 85$)	44.7%	16.5%
Relapse/Continued Use Potential (N = 85)	85.9%	21.2%
Unsupportive Recovery Environment (N = 85)		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Services County Detention Center

201 West Third Street Winona, MN 55987

County: Winona

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Race (N = 1)</u> Gender (N = 1)Age (N = 1)Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 1)(N = 1)(N = 1) . Alcohol: * Self/family/relative/ Job: * friends: * Methamphetamine: * Retirement/savings: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 1) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Wenden Recovery Services County Detention Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 1)	*	*
Not employed/student ^{**} (N = 1)	*	*
Arrests past 30 days ($N = 1$)	*	*
Alcohol use past 30 days ($N = 1$)	*	*
Drug use past 30 days ($N = 1$)	*	*
No self-help group participation past 30 days (N = 1)	*	*
No family support for recovery past 30 days (N = 1)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =1) Biomedical Conditions and Complications (N = 1) Emotional/Behavioral/ Cognitive Problem (N = 1)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Services of Preston

124 Main Street SW Preston, MN 55965

County: Fillmore

Provider Website:

Patient Profile

<u>Gender (N = 42)</u> Male: 90.5% Female: 9.5% Race (N = 42) White: 95.2% Black: 4.8% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 42) Under 18: 4.8% 18 to 25: 26.2% 26 to 34: 19.0% 35 and older: 50.0%

Primary Substance (N = 42) Alcohol: 57.1% Methamphetamine: 7.1% Marijuana: 21.4% Heroin: 0.0% Cocaine: 7.1% Other opiates: 2.4% Other drugs: 4.8%

Source of Income

(N = 42) Job: 73.8% Retirement/savings: 2.4% Family/friends: 9.5% No income: 0.0% Public sources: 4.8% Other sources: 9.5%

Source of Referral

(N = 42) Self/family/relative/ friends: 14.3% Employer/school: 0.0% Criminal justice: 90.5% Professional: 2.4% County social service agency: 7.1% Other community resources: 2.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 42) Completed program: 71.4% Patient left without staff approval: 4.8% Staff requested/judged inappropriate: 4.8% Death/other: 19.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Wenden Recovery Services of Preston

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 42)	0.0%	0.0%
Not employed/student ^{$++$} (N = 42)	59.5%	47.6%
Arrests past 30 days (N = 42)	14.3%	23.8%
Alcohol use past 30 days (N = 42)	26.2%	16.7%
Drug use past 30 days (N = 42)	28.6%	19.0%
No self-help group participation past 30 days (N = 41)	36.6%	14.6%
No family support for recovery past 30 days ($N = 42$)	0.0%	0.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =42)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 42)$	2.4%	0.0%
Emotional/Behavioral/ Cognitive Problem ($N = 42$)	69.0%	52.4%
Resistance to Change ($N = 42$)	38.1%	33.3%
Relapse/Continued Use Potential (N = 42)	76.2%	64.3%
Unsupportive Recovery Environment (N = 42)	88.1%	71.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Wenden Recovery Services, Inc.

217 Plum Street Red Wing, MN 550662340

County: Goodhue

Provider Website:

Patient Profile

<u>Gender (N = 127)</u> Male: 81.1% Female: 18.9% Race (N = 127) White: 88.2% Black: 3.1% American Indian: 4.7% Hispanic: 2.4% Asian/Pacific Islander: 0.8% Other: 0.8% Age (N = 127) Under 18: 1.6% 18 to 25: 25.2% 26 to 34: 29.9% 35 and older: 43.3%

Primary Substance (N = 127) Alcohol: 74.8% Methamphetamine: 8.7% Marijuana: 10.2% Heroin: 0.8% Cocaine: 4.7% Other opiates: 0.0% Other drugs: 0.8%

Source of Income

(N = 127) Job: 55.1% Retirement/savings: 2.4% Family/friends: 13.4% No income: 10.2% Public sources: 6.3% Other sources: 12.6%

Source of Referral

<u>(N = 127)</u>. Self/family/relative/ friends: 32.3% Employer/school: 2.4% Criminal justice: 70.1% Professional: 12.6% County social service agency: 7.1% Other community resources: 5.5% AA: 1.6% Tribal: 1.6%

Outcomes

Discharge Status (N = 127)Completed program: 83.5% Patient left without staff approval: 5.5% Staff requested/judged inappropriate: 5.5% Death/other: 5.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Wenden Recovery Services, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 90)	1.1%	1.1%
Not employed/student ^{$++$} (N = 86)	26.7%	22.1%
Arrests past 30 days (N = 127)	15.7%	0.8%
Alcohol use past 30 days (N = 127)	29.9%	7.1%
Drug use past 30 days (N = 127)	16.5%	3.9%
No self-help group participation past 30 days ($N = 36$)	55.6%	13.9%
No family support for recovery past 30 days (N = 36)	8.3%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	Discharge
Acute Intoxication/ Withdrawal (N =109)	1.8%	2.8%
Biomedical Conditions and Complications ($N = 109$)	0.9%	0.9%
Emotional/Behavioral/ Cognitive Problem (N = 110)	33.6%	9.1%
Resistance to Change ($N = 110$)	52.7%	10.0%
Relapse/Continued Use Potential (N = 110)	85.5%	27.3%
Unsupportive Recovery Environment (N = 110)	85.5%	34.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

West Hills Lodge, Inc.

545 Florence Avenue Owatonna, MN 55060

County: Steele

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 68)}{\text{Male: } 61.8\%}$ Female: 38.2% Race (N = 68) White: 88.2% Black: 2.9% American Indian: 0.0% Hispanic: 8.8% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 68) Under 18: 0.0% 18 to 25: 32.4% 26 to 34: 32.4% 35 and older: 35.3%

Primary Substance (N = 68) Alcohol: 55.9% Methamphetamine: 17.6% Marijuana: 10.3% Heroin: 1.5% Cocaine: 8.8% Other opiates: 2.9% Other drugs: 2.9%

(N = 68) Job: 50.0% Retirement/savings: 0.0% Family/friends: 5.9% No income: 20.6% Public sources: 14.7% Other sources: 8.8%

Source of Income

Source of Referral

(N = 68) Self/family/relative/ friends: 0.0% Employer/school: 0.0% Criminal justice: 7.4% Professional: 94.1% County social service agency: 94.1% Other community resources: 2.9% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 68) Completed program: 63.2% Patient left without staff approval: 13.2% Staff requested/judged inappropriate: 23.5% Death/other: 0.0%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

West Hills Lodge, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm \pm$} (N = 68)	0.0%	0.0%
Not employed/student ^{$++$} (N = 68)	92.6%	39.7%
Arrests past 30 days (N = 68)	2.9%	1.5%
Alcohol use past 30 days (N = 68)	13.2%	5.9%
Drug use past 30 days (N = 68)	11.8%	5.9%
No self-help group participation past 30 days (N = 68)	2.9%	1.5%
No family support for recovery past 30 days ($N = 67$)	14.9%	3.0%
Barriers to Recovery Dimensions of Chemical Health [§]	<u>Admission</u>	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =68)	0.0%	0.0%
Biomedical Conditions and Complications ($N = 68$)	0.0%	0.0%
Emotional/Behavioral/ Cognitive Problem (N = 68)	19.1%	10.3%
	19.1% 95.6%	10.3% 36.8%
Cognitive Problem ($N = 68$)		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

White Earth Substance Abuse Program Outpatient Treatment

P.O. Box 435 White Earth, MN 56591

County: Becker

Provider Website: www.whiteearth.com

Patient Profile

Gender (N = 154) Race (N = 154)Male: 64.3% White: 2.6% Under 18: 15.6% Female: 35.7% Black: 1.3% American Indian: 93.5% Hispanic: 1.3% Asian/Pacific Islander: 0.0% Other: 1.3%

Source of Income

Primary Substance (N = 154) Alcohol: 61.0% Methamphetamine: 0.6% Marijuana: 29.9% Heroin: 0.0% Cocaine: 0.6% Other opiates: 7.8% Other drugs: 0.0%

(N = 154)Job: 18.8% Retirement/savings: 0.0% Family/friends: 13.0% No income: 25.3% Public sources: 22.1% Other sources: 20.8%

Age (N = 154)

18 to 25: 24.0% 26 to 34: 30.5% 35 and older: 29.9%

Source of Referral

(N = 154). Self/family/relative/ friends: 22.1% Employer/school: 1.3% Criminal justice: 80.5% Professional: 11.0% County social service agency: 3.2% Other community resources: 7.1% AA: 0.0% Tribal: 16.9%

Outcomes

Discharge Status (N = 154)Completed program: 38.3% Patient left without staff approval: 20.1% Staff requested/judged inappropriate: 2.6% Death/other: 39.0%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 90)	1.1%	1.1%
Not employed/student ^{$++$} (N = 70)	50.0%	45.7%
Arrests past 30 days (N = 103)	7.8%	8.7%
Alcohol use past 30 days (N = 139)	25.2%	12.2%
Drug use past 30 days (N = 139)	31.7%	13.7%
No self-help group participation past 30 days (N = 63)	74.6%	63.5%
No family support for recovery past 30 days ($N = 65$)	30.8%	24.6%
Barriers to Recovery <u>Dimensions of Chemical Health</u> ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =105)	5.7%	5.7%
Biomedical Conditions and Complications ($N = 106$)	9.4%	14.2%
Emotional/Behavioral/ Cognitive Problem (N = 107)	32.7%	28.0%
Resistance to Change ($N = 109$)	63.3%	50.5%
Relapse/Continued Use Potential (N = 107)	81.3%	56.1%

White Earth Substance Abuse Program Outpatient Treatment

Unsupportive Recovery Environment (N = 104)

78.8%

51.9%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{‡‡} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

WINGS

1326 East Ripley Street Litchfield, MN 55355

County: Meeker

Provider Website:

Patient Profile

<u>Gender (N = 82)</u> Male: 48.8% Female: 51.2% Race (N = 82) White: 74.4% Black: 6.1% American Indian: 12.2% Hispanic: 6.1% Asian/Pacific Islander: 0.0% Other: 1.2% Age (N = 82) Under 18: 90.2% 18 to 25: 9.8% 26 to 34: 0.0% 35 and older: 0.0%

Primary Substance (N = 82) Alcohol: 25.6% Methamphetamine: 0.0% Marijuana: 68.3% Heroin: 0.0% Cocaine: 0.0% Other opiates: 2.4% Other drugs: 3.7%

Source of Income

(N = 82) Job: 3.7% Retirement/savings: 0.0% Family/friends: 89.0% No income: 1.2% Public sources: 2.4% Other sources: 3.7%

Source of Referral

(N = 82) Self/family/relative/ friends: 41.5% Employer/school: 4.9% Criminal justice: 56.1% Professional: 37.8% County social service agency: 9.8% Other community resources: 14.6% AA: 0.0% Tribal: 3.7%

Outcomes

Discharge Status (N = 82) Completed program: 81.7% Patient left without staff approval: 3.7% Staff requested/judged inappropriate: 9.8% Death/other: 4.9%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

WINGS

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 81)	0.0%	3.7%
Not employed/student ^{**} (N = 82)	0.0%	0.0%
Arrests past 30 days (N = 82)	15.9%	6.1%
Alcohol use past 30 days (N = 82)	52.4%	11.0%
Drug use past 30 days (N = 82)	75.6%	11.0%
No self-help group participation past 30 days (N = 81)	67.9%	4.9%
No family support for recovery past 30 days ($N = 82$)	12.2%	2.4%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
-	Admission 1.2%	Discharge 0.0%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =82) Biomedical Conditions and	1.2%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =82) Biomedical Conditions and Complications (N = 82) Emotional/Behavioral/	1.2% 9.8%	0.0%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =82) Biomedical Conditions and Complications (N = 82) Emotional/Behavioral/ Cognitive Problem (N = 82)	1.2% 9.8% 79.3%	0.0% 1.2% 69.5%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Winona Counseling Clinic, Inc.

111 Riverfront Street Winona, MN 559875532

County: Winona

Provider Website:

Patient Profile

 $\frac{\text{Gender } (N = 21)}{\text{Male: } 85.7\%}$ Female: 14.3% Race (N = 21) White: 100.0% Black: 0.0% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 21) Under 18: 4.8% 18 to 25: 23.8% 26 to 34: 14.3% 35 and older: 57.1%

Primary Substance (N = 21) Alcohol: 100.0% Methamphetamine: 0.0% Marijuana: 0.0% Heroin: 0.0% Cocaine: 0.0% Other opiates: 0.0% Other drugs: 0.0% Source of Income

(N = 21) Job: 47.6% Retirement/savings: 19.0% Family/friends: 9.5% No income: 0.0% Public sources: 14.3% Other sources: 9.5%

Source of Referral

(N = 21) Self/family/relative/ friends: 81.0% Employer/school: 4.8% Criminal justice: 28.6% Professional: 23.8% County social service agency: 0.0% Other community resources: 19.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 21) Completed program: 71.4% Patient left without staff approval: 19.0% Staff requested/judged inappropriate: 0.0% Death/other: 9.5%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Winona Counseling Clinic, Inc.

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 21)	0.0%	0.0%
Not employed/student ^{$++$} (N = 20)	45.0%	25.0%
Arrests past 30 days (N = 21)	4.8%	9.5%
Alcohol use past 30 days (N = 21)	42.9%	28.6%
Drug use past 30 days (N = 21)	4.8%	0.0%
No self-help group participation past 30 days (N = 21)	61.9%	42.9%
No family support for recovery past 30 days ($N = 20$)	15.0%	5.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =21)	33.3%	19.0%
Biomedical Conditions and Complications $(N = 21)$	4.8%	14.3%
Emotional/Behavioral/ Cognitive Problem (N = 21)	38.1%	23.8%
Resistance to Change ($N = 21$)	14.3%	14.3%
Relapse/Continued Use Potential (N = 21)	90.5%	23.8%
Unsupportive Recovery Environment (N = 21)		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Womens LAAR House

1005 Jackson Street La Crosse, WI 54601

County: Wisconsin

Provider Website:

Patient Profile

Gender (N = 8) Male: * Female: *

Race (N = 8) White: * Black: * American Indian: * Hispanic: * Asian/Pacific Islander: * Other: * <u>Age (N = 8)</u> Under 18: * 18 to 25: * 26 to 34: * 35 and older: *

AA: * Tribal: *

Primary Substance (N = 8) Alcohol: * Methamphetamine: * Marijuana: * Heroin: *	Source of Income (N = 8) Job: * Retirement/savings: * Family/friends: * No income: *	Source of Referral (N = 8) Self/family/relative/ friends: * Employer/school: * Criminal justice: *
Cocaine: * Other opiates: * Other drugs: *	Public sources: * Other sources: *	Professional: * County social service agency: *
		Other community resources: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Womens LAAR House

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 8)	*	*
Not employed/student ^{**} (N = 8)	*	*
Arrests past 30 days ($N = 8$)	*	*
Alcohol use past 30 days ($N = 8$)	*	*
Drug use past 30 days (N = 8)	*	*
No self-help group participation past 30 days (N = 8)	*	*
No family support for recovery past 30 days ($N = 8$)	*	*
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =8) Biomedical Conditions and Complications (N = 8) Emotional/Behavioral/	*	*
Dimensions of Chemical HealthAcute Intoxication/ Withdrawal (N = 8)Biomedical Conditions and Complications (N = 8)Emotional/Behavioral/ Cognitive Problem (N = 8)	* *	* * *

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Women's Recovery Center

5100 Hodgson Road St. Paul, MN 55126

County: Ramsey

Provider Website: www.voamn.org

Patient Profile

<u>Gender (N = 88)</u> Male: 0.0% Female: 100.0% Race (N = 88) White: 47.7% Black: 29.5% American Indian: 8.0% Hispanic: 6.8% Asian/Pacific Islander: 2.3% Other: 5.7% Age (N = 88) Under 18: 0.0% 18 to 25: 5.7% 26 to 34: 29.5% 35 and older: 64.8%

Primary Substance (N = 87) Alcohol: 43.7% Methamphetamine: 5.7% Marijuana: 6.9% Heroin: 6.9% Cocaine: 33.3% Other opiates: 2.3% Other drugs: 1.1% Source of Income (N = 88)

Job: 0.0% Retirement/savings: 0.0% Family/friends: 3.4% No income: 36.4% Public sources: 25.0% Other sources: 35.2%

Source of Referral

(N = 88) Self/family/relative/ friends: 23.9% Employer/school: 0.0% Criminal justice: 19.3% Professional: 18.2% County social service agency: 46.6% Other community resources: 10.2% AA: 1.1% Tribal: 0.0%

Outcomes

Discharge Status (N = 88) Completed program: 61.4% Patient left without staff approval: 29.5% Staff requested/judged inappropriate: 6.8% Death/other: 2.3%

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Women's Recovery Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 81)	50.6%	3.7%
Not employed/student ^{$++$} (N = 72)	97.2%	94.4%
Arrests past 30 days (N = 83)	13.3%	4.8%
Alcohol use past 30 days (N = 85)	57.6%	17.6%
Drug use past 30 days (N = 85)	49.4%	17.6%
No self-help group participation past 30 days ($N = 79$)	46.8%	30.4%
No family support for recovery past 30 days (N = 80)	18.8%	2.5%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =84)	2.4%	1.2%
Biomedical Conditions and Complications ($N = 85$)	21.2%	3.5%
Emotional/Behavioral/ Cognitive Problem (N = 85)	96.5%	55.3%
Resistance to Change ($N = 85$)	72.9%	40.0%
Relapse/Continued Use Potential (N = 85)	100.0%	62.4%
Unsupportive Recovery Environment (N = 84)	98.8%	51.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Women's Wellbriety Center

2388 State Highway 200 Mahnomen, MN 56557

County: Mahonmen

Provider Website:

Patient Profile

<u>Gender (N = 29)</u> Male: 0.0% Female: 100.0% Race (N = 29) White: 3.4% Black: 0.0% American Indian: 93.1% Hispanic: 3.4% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 29) Under 18: 0.0% 18 to 25: 41.4% 26 to 34: 44.8% 35 and older: 13.8%

Primary Substance (N = 29) Alcohol: 31.0% Methamphetamine: 3.4% Marijuana: 27.6% Heroin: 0.0% Cocaine: 0.0% Other opiates: 37.9% Other drugs: 0.0%

(N = 29) Job: 0.0% Retirement/savings: 0.0% Family/friends: 3.4% No income: 3.4% Public sources: 82.8%

Other sources: 10.3%

Source of Income

Source of Referral

(N = 29) Self/family/relative/ friends: 31.0% Employer/school: 0.0% Criminal justice: 13.8% Professional: 58.6% County social service agency: 65.5% Other community resources: 0.0% AA: 0.0% Tribal: 17.2%

Outcomes

Discharge Status (N = 29) Completed program: 31.0% Patient left without staff approval: 34.5% Staff requested/judged inappropriate: 17.2% Death/other: 17.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Women's Wellbriety Center

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 27)	7.4%	0.0%
Not employed/student ^{**} (N = 26)	100.0%	100.0%
Arrests past 30 days (N = 29)	17.2%	10.3%
Alcohol use past 30 days (N = 29)	37.9%	10.3%
Drug use past 30 days (N = 29)	55.2%	24.1%
No self-help group participation past 30 days (N = 27)	63.0%	7.4%
No family support for recovery past 30 days ($N = 27$)	33.3%	33.3%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	Discharge
Acute Intoxication/ Withdrawal (N =28)	14.3%	10.7%
Biomedical Conditions and Complications ($N = 29$)	17.2%	13.8%
Emotional/Behavioral/ Cognitive Problem (N = 29)	65.5%	58.6%
Resistance to Change ($N = 29$)	96.6%	82.8%
Relapse/Continued Use Potential (N = 28)	100.0%	96.4%
Unsupportive Recovery		

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

⁺⁺ Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Woodland Centers Outpatient Chemical DependencyTreatment Program

1125 S.E. 6th Street Willmar, MN 56201

County: Kandiyohi

Provider Website:

Patient Profile

<u>Gender (N = 52)</u> Male: 90.4% Female: 9.6% Race (N = 52) White: 75.0% Black: 3.8% American Indian: 0.0% Hispanic: 21.2% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 52) Under 18: 0.0% 18 to 25: 36.5% 26 to 34: 28.8% 35 and older: 34.6%

Primary Substance (N = 52) Alcohol: 71.2% Methamphetamine: 5.8% Marijuana: 21.2% Heroin: 0.0% Cocaine: 0.0% Other opiates: 1.9% Other drugs: 0.0%

(N = 52) Job: 53.8% Retirement/savings: 1.9% Family/friends: 9.6% No income: 15.4% Public sources: 11.5% Other sources: 7.7%

Source of Income

Source of Referral

(N = 52) Self/family/relative/ friends: 13.5% Employer/school: 0.0% Criminal justice: 88.5% Professional: 3.8% County social service agency: 5.8% Other community resources: 0.0% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 52) Completed program: 69.2% Patient left without staff approval: 9.6% Staff requested/judged inappropriate: 17.3% Death/other: 3.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Woodland Centers Outpatient Chemical DependencyTreatment Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 51)	2.0%	0.0%
Not employed/student ^{**} (N = 52)	40.4%	36.5%
Arrests past 30 days (N = 52)	3.8%	11.5%
Alcohol use past 30 days (N = 52)	19.2%	11.5%
Drug use past 30 days (N = 52)	5.8%	7.7%
No self-help group participation past 30 days (N = 47)	57.4%	14.9%
No family support for recovery past 30 days ($N = 42$)	11.9%	9.5%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =52)	1.9%	0.0%
Biomedical Conditions and Complications ($N = 52$)	1.9%	1.9%
Emotional/Behavioral/ Cognitive Problem ($N = 52$)	34.6%	13.5%
Resistance to Change ($N = 52$)	75.0%	36.5%
Relapse/Continued Use Potential (N = 52)	94.2%	46.2%
Unsupportive Recovery Environment (N = 52)	88.5%	51.9%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Pacing Recovery Effectively Program

343 Woodlake Drive SE Rochester, MN 55904

County: Olmsted

AA: * Tribal: *

Provider Website:

Patient Profile

<u>Race (N</u> = 8) Gender (N = 8) <u>Age (N = 8)</u> Male: * White: * Under 18: * Female: * Black: * 18 to 25: * American Indian: * 26 to 34: * Hispanic: * 35 and older: * Asian/Pacific Islander: * Other: * Source of Referral **Primary Substance** Source of Income (N = 7) (N = 8)(N = 8). Alcohol: * Self/family/relative/ Job: * Methamphetamine: * Retirement/savings: * friends: * Marijuana: * Family/friends: * Employer/school: * Heroin: * No income: * Criminal justice: * Cocaine: * Public sources: * Professional: * Other opiates: * Other sources: * County social Other drugs: * service agency: * Other community resources: *

Outcomes

Discharge Status (N = 8) Completed program: * Patient left without staff approval: * Staff requested/judged inappropriate: * Death/other: *

^{*} Insufficient data, fewer than 10 clients.

[†] DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Zumbro Valley Mental Health Center Pacing Recovery Effectively Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 8)	*	*
Not employed/student ^{$++$} (N = 8)	*	*
Arrests past 30 days (N = 7)	*	*
Alcohol use past 30 days ($N = 6$)	*	*
Drug use past 30 days ($N = 6$)	*	*
No self-help group participation past 30 days (N = 6)	*	*
No family support for recovery past 30 days ($N = 6$)	*	*
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission *	<u>Discharge</u> *
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/	*	*
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N = 3) Biomedical Conditions and Complications (N = 3) Emotional/Behavioral/ Cognitive Problem (N = 3)	* *	* * *

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Recovery Basics Outpatient Program

343 Woodlake Drive SE Rochester, MN 55904

County: Olmsted

Provider Website:

Patient Profile

<u>Gender (N = 45)</u> Male: 60.0% Female: 40.0% Race (N = 45) White: 88.9% Black: 6.7% American Indian: 2.2% Hispanic: 2.2% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 45) Under 18: 0.0% 18 to 25: 35.6% 26 to 34: 31.1% 35 and older: 33.3%

Primary Substance (N = 45) Alcohol: 66.7% Methamphetamine: 0.0% Marijuana: 20.0% Heroin: 0.0% Cocaine: 4.4% Other opiates: 8.9% Other drugs: 0.0% Source of Income

(N = 45) Job: 53.3% Retirement/savings: 0.0% Family/friends: 8.9% No income: 4.4% Public sources: 8.9% Other sources: 24.4%

Source of Referral

(N = 45) Self/family/relative/ friends: 60.0% Employer/school: 0.0% Criminal justice: 68.9% Professional: 2.2% County social service agency: 6.7% Other community resources: 4.4% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 45) Completed program: 73.3% Patient left without staff approval: 2.2% Staff requested/judged inappropriate: 22.2% Death/other: 2.2%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Zumbro Valley Mental Health Center Recovery Basics Outpatient Program

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 45)	0.0%	0.0%
Not employed/student ^{**} (N = 45)	44.4%	37.8%
Arrests past 30 days (N = 45)	8.9%	4.4%
Alcohol use past 30 days ($N = 45$)	20.0%	24.4%
Drug use past 30 days (N = 45)	13.3%	13.3%
No self-help group participation past 30 days (N = 45)	71.1%	75.6%
No family support for recovery past 30 days ($N = 40$)	2.5%	5.0%
Barriers to Recovery Dimensions of Chemical Health ^s	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =45)	0.0%	0.0%
Biomedical Conditions and Complications $(N = 45)$	6.7%	2.2%
Emotional/Behavioral/ Cognitive Problem (N = 45)	11.1%	6.7%
Resistance to Change ($N = 45$)	17.8%	20.0%
Relapse/Continued Use Potential (N = 45)	75.6%	33.3%
Unsupportive Recovery Environment (N = 45)	68.9%	42.2%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

 $^{{}^{\}S}$ Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Recovery Partners

343 Woodlake Drive SE Rochester, MN 55904

County: Olmsted

Provider Website: www.zumbromhc.org

Patient Profile

Gender (N = 32) Male: 59.4% Female: 40.6%

Race (N = 32)White: 81.3% Black: 15.6% American Indian: 0.0% Hispanic: 0.0% Asian/Pacific Islander: 3.1% Other: 0.0%

Age (<u>N = 32)</u> Under 18: 0.0% 18 to 25: 9.4% 26 to 34: 21.9% 35 and older: 68.8%

Primary Substance (N = 32)Alcohol: 75.0% Methamphetamine: 6.3% Marijuana: 3.1% Heroin: 3.1% Cocaine: 6.3% Other opiates: 3.1% Other drugs: 3.1%

(N = 32)Job: 3.1%

Source of Income

Retirement/savings: 0.0% Family/friends: 3.1% No income: 15.6% Public sources: 75.0% Other sources: 3.1%

Source of Referral

(N = 32). Self/family/relative/ friends: 68.8% Employer/school: 0.0% Criminal justice: 56.3% Professional: 25.0% County social service agency: 12.5% Other community resources: 6.3% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 32)Completed program: 40.6% Patient left without staff approval: 43.8% Staff requested/judged inappropriate: 3.1% Death/other: 12.5%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Zumbro Valley Mental Health Center Recovery Partners

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$\pm\pm$} (N = 26)	0.0%	0.0%
Not employed/student ^{**} (N = 28)	78.6%	82.1%
Arrests past 30 days (N = 32)	6.3%	6.3%
Alcohol use past 30 days (N = 32)	50.0%	18.8%
Drug use past 30 days (N = 32)	25.0%	3.1%
No self-help group participation past 30 days (N = 12)	33.3%	50.0%
No family support for recovery past 30 days ($N = 21$)	4.8%	0.0%
Barriers to Recovery Dimensions of Chemical Health [§]	Admission	<u>Discharge</u>
Acute Intoxication/ Withdrawal (N =19)	5.3%	10.5%
Biomedical Conditions and Complications ($N = 19$)	31.6%	31.6%
Emotional/Behavioral/ Cognitive Problem (N = 19)	94.7%	84.2%
Resistance to Change ($N = 19$)	42.1%	15.8%
Relapse/Continued Use Potential (N = 19)	89.5%	47.4%
Unsupportive Recovery Environment (N = 19)	84.2%	68.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.

Zumbro Valley Mental Health Center Right to Recovery II

29 7th Street NE Rochester, MN 55906

County: Olmsted

Provider Website:

Patient Profile

<u>Gender (N = 23)</u> Male: 78.3% Female: 21.7% Race (N = 23) White: 65.2% Black: 30.4% American Indian: 4.3% Hispanic: 0.0% Asian/Pacific Islander: 0.0% Other: 0.0% Age (N = 23) Under 18: 0.0% 18 to 25: 8.7% 26 to 34: 13.0% 35 and older: 78.3%

Primary Substance (N = 23) Alcohol: 65.2% Methamphetamine: 4.3% Marijuana: 4.3% Heroin: 13.0% Cocaine: 4.3% Other opiates: 8.7% Other drugs: 0.0%

Source of Income

(N = 23) Job: 4.3% Retirement/savings: 0.0% Family/friends: 8.7% No income: 30.4% Public sources: 47.8% Other sources: 8.7%

Source of Referral

(N = 23) Self/family/relative/ friends: 65.2% Employer/school: 0.0% Criminal justice: 30.4% Professional: 21.7% County social service agency: 30.4% Other community resources: 8.7% AA: 0.0% Tribal: 0.0%

Outcomes

Discharge Status (N = 23) Completed program: 13.0% Patient left without staff approval: 52.2% Staff requested/judged inappropriate: 0.0% Death/other: 34.8%

^{*} Insufficient data, fewer than 10 clients.

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

Zumbro Valley Mental Health Center Right to Recovery II

National Outcome Measures (NOMS)	Admission	<u>Discharge</u>
Homeless ^{$++$} (N = 23)	17.4%	4.3%
Not employed/student ^{**} (N = 18)	88.9%	88.9%
Arrests past 30 days (N = 23)	21.7%	21.7%
Alcohol use past 30 days (N = 23)	39.1%	43.5%
Drug use past 30 days (N = 23)	26.1%	26.1%
No self-help group participation past 30 days (N = 17)	29.4%	47.1%
No family support for recovery past 30 days (N = 15)	40.0%	26.7%
Barriers to Recovery <u>Dimensions of Chemical Health</u> §	Admission	<u>Discharge</u>
	Admission 33.3%	<u>Discharge</u> 52.4%
Dimensions of Chemical Health [§] Acute Intoxication/		
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =21) Biomedical Conditions and	33.3%	52.4%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =21) Biomedical Conditions and Complications (N = 21) Emotional/Behavioral/	33.3% 9.5%	52.4% 33.3%
Dimensions of Chemical Health [§] Acute Intoxication/ Withdrawal (N =21) Biomedical Conditions and Complications (N = 21) Emotional/Behavioral/ Cognitive Problem (N = 21)	33.3% 9.5% 61.9%	52.4% 33.3% 52.4%

⁺ DAANES data are collected by the Minnesota Department of Human Services. All measures are based on DAANES data for patients who were in treatment in CY 2009 and whose discharge data were submitted to DHS by November 30, 2010.

^{##} Status at admission and discharge.

[§] Percentage of clients with a chemical health severity rating of moderate, serious or extreme.