

2003 Minnesota County Health Tables

2003 Minnesota County Health Data

Minnesota Department of Health
Minnesota Center for Health Statistics
PO Box 64882
St. Paul, MN 55164-64882
healthstats@state.mn.us
www.health.state.mn.us/divs/chs

To obtain this information in a different format, email healthstats@state.mn.us.

Section A: Demographics Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2003

State of Minnesota - Population Estimates by Age and Sex, 2003

Age Group	Number		Percent	
	Male	Female	Male	Female
00-04	167,051	158,975	3.3	3.1
05-09	171,120	162,255	3.4	3.2
10-14	187,055	177,877	3.7	3.5
15-17	115,200	109,237	2.3	2.2
18-19	77,823	74,583	1.5	1.5
20-24	188,099	180,194	3.7	3.6
25-29	163,650	158,178	3.2	3.1
30-34	178,572	173,120	3.5	3.4
35-39	190,366	186,825	3.8	3.7
40-44	214,005	211,278	4.2	4.2
45-49	199,753	196,686	3.9	3.9
50-54	170,677	169,641	3.4	3.4
55-59	131,710	134,213	2.6	2.7
60-64	98,491	103,345	1.9	2.0
65-69	74,409	82,409	1.5	1.6
70-74	63,254	75,253	1.3	1.5
75-79	52,692	70,564	1.0	1.4
80-84	36,486	58,972	0.7	1.2
85&up	28,719	66,638	0.6	1.3
Total	2,509,132	2,550,243	49.6	50.4
Total Male/Female	5,059,375			

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Aitkin County - Population Estimates by Age and Sex, 2003

Age Group	Aitkin County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	362	320	1,847	1,688	167,051	158,975
05-09	393	404	2,013	1,992	171,120	162,255
10-14	498	422	2,581	2,349	187,055	177,877
15-17	326	298	1,738	1,575	115,200	109,237
18-19	203	167	1,052	944	77,823	74,583
20-24	515	451	2,710	2,367	188,099	180,194
25-29	336	307	1,590	1,510	163,650	158,178
30-34	351	370	1,779	1,832	178,572	173,120
35-39	434	407	2,091	2,172	190,366	186,825
40-44	569	554	2,759	2,804	214,005	211,278
45-49	568	541	3,038	2,976	199,753	196,686
50-54	525	552	2,897	2,811	170,677	169,641
55-59	523	536	2,382	2,359	131,710	134,213
60-64	556	567	2,181	2,182	98,491	103,345
65-69	559	555	1,854	1,893	74,409	82,409
70-74	472	462	1,630	1,792	63,254	75,253
75-79	337	350	1,294	1,430	52,692	70,564
80-84	230	274	882	1,188	36,486	58,972
85&up	164	324	616	1,267	28,719	66,638
Total	7,921	7,861	36,934	37,131	2,509,132	2,550,243
Total Male/Female	15,782		74,065		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Anoka County - Population Estimates by Age and Sex, 2003

Age Group	Anoka County		Minnesota	
	Male	Female	Male	Female
00-04	11,222	10,598	167,051	158,975
05-09	12,296	11,462	171,120	162,255
10-14	12,856	12,497	187,055	177,877
15-17	7,628	7,303	115,200	109,237
18-19	4,290	3,789	77,823	74,583
20-24	11,429	10,285	188,099	180,194
25-29	9,811	9,411	163,650	158,178
30-34	12,013	11,886	178,572	173,120
35-39	13,663	13,469	190,366	186,825
40-44	15,283	14,725	214,005	211,278
45-49	12,680	12,205	199,753	196,686
50-54	10,176	10,435	170,677	169,641
55-59	8,314	8,398	131,710	134,213
60-64	5,851	5,936	98,491	103,345
65-69	3,802	4,295	74,409	82,409
70-74	2,855	3,231	63,254	75,253
75-79	1,994	2,585	52,692	70,564
80-84	1,086	1,823	36,486	58,972
85&up	698	1,794	28,719	66,638
Total	157,947	156,127	2,509,132	2,550,243
Total Male/Female	314,074		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Becker County - Population Estimates by Age and Sex, 2003

Age Group	Becker County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	913	852	1,270	1,198	167,051	158,975
05-09	985	939	1,431	1,328	171,120	162,255
10-14	1,152	1,126	1,635	1,573	187,055	177,877
15-17	783	732	1,076	1,022	115,200	109,237
18-19	458	444	655	607	77,823	74,583
20-24	1,171	1,031	1,559	1,379	188,099	180,194
25-29	888	813	1,153	1,052	163,650	158,178
30-34	854	817	1,129	1,089	178,572	173,120
35-39	931	942	1,300	1,299	190,366	186,825
40-44	1,202	1,156	1,682	1,619	214,005	211,278
45-49	1,200	1,185	1,689	1,616	199,753	196,686
50-54	1,117	1,079	1,534	1,454	170,677	169,641
55-59	941	915	1,279	1,283	131,710	134,213
60-64	753	765	1,058	1,073	98,491	103,345
65-69	654	726	935	1,023	74,409	82,409
70-74	575	618	832	869	63,254	75,253
75-79	428	533	632	835	52,692	70,564
80-84	320	499	489	731	36,486	58,972
85&up	213	464	320	770	28,719	66,638
Total	15,538	15,636	21,658	21,820	2,509,132	2,550,243
Total Male/Female	31,174		43,478		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Becker, Mahnomen and Norman Counties

Beltrami County - Population Estimates by Age and Sex, 2003

Age Group	Beltrami County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,471	1,348	2,314	2,129	167,051	158,975
05-09	1,448	1,325	2,366	2,174	171,120	162,255
10-14	1,632	1,576	2,764	2,689	187,055	177,877
15-17	1,122	1,033	1,874	1,768	115,200	109,237
18-19	893	899	1,339	1,317	77,823	74,583
20-24	2,168	2,259	3,171	3,214	188,099	180,194
25-29	1,564	1,494	2,272	2,213	163,650	158,178
30-34	1,125	1,204	1,879	1,955	178,572	173,120
35-39	1,164	1,300	2,111	2,209	190,366	186,825
40-44	1,391	1,433	2,605	2,649	214,005	211,278
45-49	1,407	1,451	2,662	2,655	199,753	196,686
50-54	1,305	1,313	2,478	2,437	170,677	169,641
55-59	1,009	990	1,959	1,924	131,710	134,213
60-64	754	796	1,677	1,752	98,491	103,345
65-69	651	670	1,491	1,509	74,409	82,409
70-74	574	611	1,231	1,264	63,254	75,253
75-79	437	541	1,000	1,120	52,692	70,564
80-84	266	455	578	939	36,486	58,972
85&up	227	491	537	1,015	28,719	66,638
Total	20,608	21,189	36,308	36,932	2,509,132	2,550,243
Total Male/Female		41,797		73,240		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Benton County - Population Estimates by Age and Sex, 2003

Age Group	Benton County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,310	1,229	4,214	3,867	167,051	158,975
05-09	1,303	1,178	4,272	4,044	171,120	162,255
10-14	1,345	1,252	4,419	4,128	187,055	177,877
15-17	825	804	2,717	2,544	115,200	109,237
18-19	524	409	1,662	1,333	77,823	74,583
20-24	1,631	1,853	5,120	5,022	188,099	180,194
25-29	1,779	1,739	4,725	4,480	163,650	158,178
30-34	1,507	1,424	4,658	4,490	178,572	173,120
35-39	1,447	1,392	4,738	4,566	190,366	186,825
40-44	1,461	1,382	4,814	4,671	214,005	211,278
45-49	1,240	1,189	3,944	3,699	199,753	196,686
50-54	1,139	1,026	3,269	3,115	170,677	169,641
55-59	808	824	2,376	2,353	131,710	134,213
60-64	574	545	1,730	1,591	98,491	103,345
65-69	456	499	1,248	1,255	74,409	82,409
70-74	396	492	1,000	1,105	63,254	75,253
75-79	281	425	702	970	52,692	70,564
80-84	214	377	496	832	36,486	58,972
85&up	192	454	393	1,030	28,719	66,638
Total	18,432	18,493	56,497	55,095	2,509,132	2,550,243
Total Male/Female		36,925		111,592		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Benton and Sherburne Counties

Age Group	Big Stone County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	127	123	1,196	1,092	167,051	158,975
05-09	160	136	1,438	1,315	171,120	162,255
10-14	223	186	1,735	1,645	187,055	177,877
15-17	143	148	1,155	1,044	115,200	109,237
18-19	89	86	762	642	77,823	74,583
20-24	167	138	1,719	1,297	188,099	180,194
25-29	95	85	1,196	854	163,650	158,178
30-34	101	109	1,357	1,033	178,572	173,120
35-39	153	152	1,734	1,324	190,366	186,825
40-44	234	207	2,045	1,787	214,005	211,278
45-49	202	225	2,103	1,836	199,753	196,686
50-54	206	206	1,784	1,548	170,677	169,641
55-59	149	148	1,342	1,272	131,710	134,213
60-64	145	171	1,121	1,189	98,491	103,345
65-69	143	147	966	1,080	74,409	82,409
70-74	133	162	913	1,148	63,254	75,253
75-79	119	153	878	1,210	52,692	70,564
80-84	92	129	708	1,122	36,486	58,972
85&up	82	179	641	1,430	28,719	66,638
Total	2,763	2,890	24,793	23,868	2,509,132	2,550,243
Total Male/Female		5,653		48,661		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Blue Earth County - Population Estimates by Age and Sex, 2003

Age Group	Blue Earth County		Minnesota	
	Male	Female	Male	Female
00-04	1,650	1,562	167,051	158,975
05-09	1,496	1,434	171,120	162,255
10-14	1,639	1,449	187,055	177,877
15-17	1,076	1,030	115,200	109,237
18-19	1,496	1,713	77,823	74,583
20-24	4,122	4,042	188,099	180,194
25-29	3,170	2,580	163,650	158,178
30-34	1,826	1,611	178,572	173,120
35-39	1,747	1,576	190,366	186,825
40-44	1,844	1,865	214,005	211,278
45-49	1,913	1,851	199,753	196,686
50-54	1,705	1,687	170,677	169,641
55-59	1,265	1,230	131,710	134,213
60-64	984	986	98,491	103,345
65-69	674	783	74,409	82,409
70-74	660	832	63,254	75,253
75-79	543	826	52,692	70,564
80-84	423	749	36,486	58,972
85&up	390	877	28,719	66,638
Total	28,623	28,683	2,509,132	2,550,243
Total Male/Female		57,306		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Brown County - Population Estimates by Age and Sex, 2003

	Brown County	CHS Agency*	Minnesota
--	--------------	-------------	-----------

Age Group	Male	Female	Male	Female	Male	Female
00-04	684	625	1,625	1,518	167,051	158,975
05-09	755	708	1,691	1,539	171,120	162,255
10-14	973	896	2,007	1,865	187,055	177,877
15-17	651	674	1,378	1,325	115,200	109,237
18-19	558	539	1,339	1,453	77,823	74,583
20-24	1,071	941	2,783	2,703	188,099	180,194
25-29	648	528	1,700	1,463	163,650	158,178
30-34	693	634	1,653	1,511	178,572	173,120
35-39	792	791	1,796	1,781	190,366	186,825
40-44	1,075	1,081	2,239	2,230	214,005	211,278
45-49	1,051	1,037	2,181	2,211	199,753	196,686
50-54	915	864	2,004	1,858	170,677	169,641
55-59	730	750	1,560	1,468	131,710	134,213
60-64	580	603	1,127	1,208	98,491	103,345
65-69	495	524	927	1,007	74,409	82,409
70-74	489	558	865	967	63,254	75,253
75-79	426	534	702	938	52,692	70,564
80-84	316	497	496	801	36,486	58,972
85&up	249	570	404	915	28,719	66,638
Total	13,151	13,354	28,477	28,761	2,509,132	2,550,243
Total Male/Female	26,505		57,238		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Carlton County - Population Estimates by Age and Sex, 2003

Age Group	Carlton County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	939	871	6,409	5,826	167,051	158,975
05-09	974	931	6,849	6,357	171,120	162,255
10-14	1,194	1,104	8,033	7,568	187,055	177,877
15-17	790	737	5,349	5,039	115,200	109,237
18-19	472	470	4,735	4,561	77,823	74,583
20-24	1,346	1,151	10,779	10,131	188,099	180,194
25-29	1,026	855	7,300	6,841	163,650	158,178
30-34	1,090	940	6,980	6,453	178,572	173,120
35-39	1,256	1,092	7,579	7,542	190,366	186,825
40-44	1,382	1,300	9,476	9,553	214,005	211,278
45-49	1,364	1,281	10,344	10,405	199,753	196,686
50-54	1,246	1,113	9,836	9,097	170,677	169,641
55-59	932	848	7,390	7,166	131,710	134,213
60-64	701	716	5,540	5,678	98,491	103,345
65-69	604	661	4,403	5,087	74,409	82,409
70-74	529	621	3,991	4,775	63,254	75,253
75-79	413	570	3,468	4,639	52,692	70,564
80-84	291	534	2,456	4,128	36,486	58,972
85&up	208	492	1,973	4,549	28,719	66,638
Total	16,757	16,287	122,890	125,395	2,509,132	2,550,243
Total Male/Female	33,044		248,285		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Carver County - Population Estimates by Age and Sex, 2003

Age Group	Carver County		Minnesota	
	Male	Female	Male	Female
00-04	3,008	2,910	167,051	158,975

2004 Minnesota County Health Tables

05-09	3,324	3,267	171,120	162,255
10-14	3,411	3,227	187,055	177,877
15-17	1,935	1,818	115,200	109,237
18-19	1,122	1,004	77,823	74,583
20-24	2,685	2,705	188,099	180,194
25-29	2,347	2,317	163,650	158,178
30-34	2,679	2,820	178,572	173,120
35-39	3,614	3,779	190,366	186,825
40-44	4,025	3,927	214,005	211,278
45-49	3,352	3,205	199,753	196,686
50-54	2,516	2,314	170,677	169,641
55-59	1,682	1,664	131,710	134,213
60-64	1,258	1,244	98,491	103,345
65-69	793	852	74,409	82,409
70-74	621	719	63,254	75,253
75-79	504	620	52,692	70,564
80-84	329	517	36,486	58,972
85&up	251	595	28,719	66,638
Total	39,456	39,504	2,509,132	2,550,243
Total Male/Female	78,960		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Cass County - Population Estimates by Age and Sex, 2003

Age Group	Cass County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	743	737	2,919	2,745	167,051	158,975
05-09	705	732	3,008	2,898	171,120	162,255
10-14	1,061	1,024	3,766	3,605	187,055	177,877
15-17	673	636	2,518	2,398	115,200	109,237
18-19	452	372	1,550	1,390	77,823	74,583
20-24	924	891	3,795	3,274	188,099	180,194
25-29	682	714	2,550	2,354	163,650	158,178
30-34	723	689	2,623	2,489	178,572	173,120
35-39	783	825	3,034	2,942	190,366	186,825
40-44	1,047	1,034	3,812	3,741	214,005	211,278
45-49	1,054	980	3,796	3,600	199,753	196,686
50-54	961	957	3,385	3,099	170,677	169,641
55-59	886	878	2,753	2,666	131,710	134,213
60-64	925	950	2,582	2,648	98,491	103,345
65-69	859	751	2,221	2,230	74,409	82,409
70-74	642	676	1,898	2,079	63,254	75,253
75-79	513	460	1,571	1,782	52,692	70,564
80-84	303	370	1,035	1,550	36,486	58,972
85&up	209	384	810	1,590	28,719	66,638
Total	14,145	14,060	49,626	49,080	2,509,132	2,550,243
Total Male/Female	28,205		98,706		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Chippewa County - Population Estimates by Age and Sex, 2003

Age Group	Chippewa County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	324	292	1,196	1,092	167,051	158,975
05-09	429	350	1,438	1,315	171,120	162,255
10-14	476	467	1,735	1,645	187,055	177,877
15-17	290	280	1,155	1,044	115,200	109,237
18-19	191	164	762	642	77,823	74,583
20-24	431	377	1,719	1,297	188,099	180,194
25-29	284	246	1,196	854	163,650	158,178
30-34	302	317	1,357	1,033	178,572	173,120
35-39	395	375	1,734	1,324	190,366	186,825
40-44	448	489	2,045	1,787	214,005	211,278
45-49	537	537	2,103	1,836	199,753	196,686
50-54	491	434	1,784	1,548	170,677	169,641
55-59	341	361	1,342	1,272	131,710	134,213
60-64	281	309	1,121	1,189	98,491	103,345
65-69	230	256	966	1,080	74,409	82,409
70-74	242	295	913	1,148	63,254	75,253
75-79	223	344	878	1,210	52,692	70,564
80-84	170	290	708	1,122	36,486	58,972
85&up	154	386	641	1,430	28,719	66,638
Total	6,239	6,569	24,793	23,868	2,509,132	2,550,243
Total Male/Female		12,808		48,661		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Chisago County - Population Estimates by Age and Sex, 2003

Age Group	Chisago County		Minnesota	
	Male	Female	Male	Female
00-04	1,605	1,498	167,051	158,975
05-09	1,698	1,653	171,120	162,255
10-14	2,011	1,782	187,055	177,877
15-17	1,184	1,081	115,200	109,237
18-19	670	549	77,823	74,583
20-24	1,847	1,677	188,099	180,194
25-29	1,563	1,444	163,650	158,178
30-34	1,729	1,747	178,572	173,120
35-39	1,952	1,941	190,366	186,825
40-44	2,183	2,000	214,005	211,278
45-49	1,773	1,708	199,753	196,686
50-54	1,434	1,294	170,677	169,641
55-59	1,104	1,057	131,710	134,213
60-64	842	770	98,491	103,345
65-69	612	609	74,409	82,409
70-74	488	554	63,254	75,253
75-79	383	449	52,692	70,564
80-84	251	372	36,486	58,972
85&up	230	421	28,719	66,638
Total	23,559	22,606	2,509,132	2,550,243
Total Male/Female		46,165		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Clay County - Population Estimates by Age and Sex, 2003

Age Group	Clay County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,274	1,226	1,489	1,402	167,051	158,975
05-09	1,640	1,533	1,857	1,763	171,120	162,255
10-14	1,924	1,747	2,192	2,025	187,055	177,877
15-17	1,208	1,099	1,381	1,293	115,200	109,237
18-19	1,290	1,773	1,379	1,885	77,823	74,583
20-24	2,740	3,301	2,986	3,507	188,099	180,194
25-29	1,720	1,718	1,869	1,843	163,650	158,178
30-34	1,435	1,420	1,616	1,609	178,572	173,120
35-39	1,576	1,620	1,805	1,855	190,366	186,825
40-44	1,885	1,960	2,210	2,245	214,005	211,278
45-49	1,922	1,901	2,239	2,193	199,753	196,686
50-54	1,661	1,575	1,900	1,768	170,677	169,641
55-59	1,190	1,212	1,359	1,399	131,710	134,213
60-64	947	952	1,075	1,131	98,491	103,345
65-69	723	808	873	964	74,409	82,409
70-74	651	811	772	943	63,254	75,253
75-79	563	749	659	846	52,692	70,564
80-84	395	651	446	746	36,486	58,972
85&up	345	838	387	1,017	28,719	66,638
Total	25,089	26,894	28,494	30,434	2,509,132	2,550,243
Total Male/Female	51,983		58,928		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Clearwater County - Population Estimates by Age and Sex, 2003

Age Group	Clearwater County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	271	249	2,314	2,129	167,051	158,975
05-09	259	228	2,366	2,174	171,120	162,255
10-14	311	322	2,764	2,689	187,055	177,877
15-17	201	193	1,874	1,768	115,200	109,237
18-19	123	124	1,339	1,317	77,823	74,583
20-24	307	275	3,171	3,214	188,099	180,194
25-29	224	201	2,272	2,213	163,650	158,178
30-34	227	221	1,879	1,955	178,572	173,120
35-39	258	203	2,111	2,209	190,366	186,825
40-44	310	337	2,605	2,649	214,005	211,278
45-49	316	326	2,662	2,655	199,753	196,686
50-54	302	288	2,478	2,437	170,677	169,641
55-59	242	215	1,959	1,924	131,710	134,213
60-64	227	233	1,677	1,752	98,491	103,345
65-69	186	188	1,491	1,509	74,409	82,409
70-74	150	138	1,231	1,264	63,254	75,253
75-79	142	140	1,000	1,120	52,692	70,564
80-84	81	143	578	939	36,486	58,972
85&up	91	172	537	1,015	28,719	66,638
Total	4,228	4,196	36,308	36,932	2,509,132	2,550,243
Total Male/Female	8,424		73,240		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Cook County - Population Estimates by Age and Sex, 2003

Age Group	Cook County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	105	103	6,409	5,826	167,051	158,975
05-09	110	133	6,849	6,357	171,120	162,255
10-14	185	150	8,033	7,568	187,055	177,877
15-17	98	93	5,349	5,039	115,200	109,237
18-19	65	57	4,735	4,561	77,823	74,583
20-24	147	128	10,779	10,131	188,099	180,194
25-29	126	111	7,300	6,841	163,650	158,178
30-34	129	133	6,980	6,453	178,572	173,120
35-39	159	163	7,579	7,542	190,366	186,825
40-44	222	224	9,476	9,553	214,005	211,278
45-49	236	255	10,344	10,405	199,753	196,686
50-54	227	253	9,836	9,097	170,677	169,641
55-59	225	193	7,390	7,166	131,710	134,213
60-64	191	163	5,540	5,678	98,491	103,345
65-69	105	135	4,403	5,087	74,409	82,409
70-74	125	103	3,991	4,775	63,254	75,253
75-79	79	99	3,468	4,639	52,692	70,564
80-84	55	55	2,456	4,128	36,486	58,972
85&up	43	99	1,973	4,549	28,719	66,638
Total	2,632	2,650	122,890	125,395	2,509,132	2,550,243
Total Male/Female		5,282		248,285		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Cottonwood County - Population Estimates by Age and Sex, 2003

Age Group	Cottonwood County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	367	328	658	567	167,051	158,975
05-09	372	355	691	639	171,120	162,255
10-14	409	425	809	823	187,055	177,877
15-17	303	294	570	535	115,200	109,237
18-19	167	144	324	300	77,823	74,583
20-24	376	312	792	645	188,099	180,194
25-29	258	223	535	464	163,650	158,178
30-34	265	284	575	574	178,572	173,120
35-39	342	338	684	636	190,366	186,825
40-44	412	412	885	851	214,005	211,278
45-49	467	430	933	871	199,753	196,686
50-54	415	396	828	767	170,677	169,641
55-59	322	360	623	653	131,710	134,213
60-64	299	306	558	554	98,491	103,345
65-69	239	289	463	547	74,409	82,409
70-74	221	280	422	526	63,254	75,253
75-79	230	324	426	602	52,692	70,564
80-84	206	272	381	492	36,486	58,972
85&up	193	384	328	658	28,719	66,638
Total	5,863	6,156	11,485	11,704	2,509,132	2,550,243
Total Male/Female		12,019		23,189		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Crow Wing County - Population Estimates by Age and Sex, 2003

Age Group	Crow Wing County		Minnesota	
	Male	Female	Male	Female
00-04	1,765	1,749	167,051	158,975
05-09	1,745	1,681	171,120	162,255
10-14	2,071	1,993	187,055	177,877
15-17	1,218	1,250	115,200	109,237
18-19	804	657	77,823	74,583
20-24	2,216	2,240	188,099	180,194
25-29	1,644	1,644	163,650	158,178
30-34	1,672	1,669	178,572	173,120
35-39	1,837	1,835	190,366	186,825
40-44	2,187	2,236	214,005	211,278
45-49	2,090	2,134	199,753	196,686
50-54	1,957	1,909	170,677	169,641
55-59	1,616	1,654	131,710	134,213
60-64	1,424	1,560	98,491	103,345
65-69	1,273	1,326	74,409	82,409
70-74	1,161	1,308	63,254	75,253
75-79	991	1,115	52,692	70,564
80-84	609	864	36,486	58,972
85&up	399	927	28,719	66,638
Total	28,679	29,751	2,509,132	2,550,243
Total Male/Female	58,430		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Dakota County - Population Estimates by Age and Sex, 2003

Age Group	Dakota County		Minnesota	
	Male	Female	Male	Female
00-04	13,443	12,826	167,051	158,975
05-09	14,587	14,127	171,120	162,255
10-14	15,529	14,773	187,055	177,877
15-17	9,063	8,741	115,200	109,237
18-19	5,055	4,480	77,823	74,583
20-24	11,678	11,492	188,099	180,194
25-29	11,512	12,013	163,650	158,178
30-34	14,188	14,587	178,572	173,120
35-39	15,605	16,120	190,366	186,825
40-44	17,705	17,942	214,005	211,278
45-49	15,349	15,655	199,753	196,686
50-54	12,253	12,848	170,677	169,641
55-59	9,494	9,711	131,710	134,213
60-64	6,557	6,819	98,491	103,345
65-69	4,264	4,681	74,409	82,409
70-74	3,402	3,866	63,254	75,253
75-79	2,407	3,237	52,692	70,564
80-84	1,480	2,356	36,486	58,972
85&up	1,043	2,423	28,719	66,638
Total	184,614	188,697	2,509,132	2,550,243
Total Male/Female	373,311		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Dodge County - Population Estimates by Age and Sex, 2003

Age Group	Dodge County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	587	699	1,761	1,806	167,051	158,975
05-09	710	689	1,962	1,860	171,120	162,255
10-14	776	767	2,088	2,073	187,055	177,877
15-17	473	465	1,343	1,279	115,200	109,237
18-19	296	278	857	795	77,823	74,583
20-24	704	667	1,893	1,805	188,099	180,194
25-29	573	549	1,586	1,535	163,650	158,178
30-34	605	627	1,736	1,726	178,572	173,120
35-39	748	709	2,031	1,988	190,366	186,825
40-44	835	803	2,238	2,245	214,005	211,278
45-49	755	726	2,148	2,020	199,753	196,686
50-54	584	555	1,776	1,700	170,677	169,641
55-59	435	432	1,305	1,307	131,710	134,213
60-64	337	370	988	1,080	98,491	103,345
65-69	265	272	796	912	74,409	82,409
70-74	232	258	700	818	63,254	75,253
75-79	191	241	587	784	52,692	70,564
80-84	150	234	424	689	36,486	58,972
85&up	116	218	339	704	28,719	66,638
Total	9,372	9,559	26,558	27,126	2,509,132	2,550,243
Total Male/Female		18,931		53,684		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Dodge and Steele Counties

Douglas County - Population Estimates by Age and Sex, 2003

Age Group	Douglas County		Minnesota	
	Male	Female	Male	Female
00-04	939	829	167,051	158,975
05-09	941	957	171,120	162,255
10-14	1,162	1,054	187,055	177,877
15-17	737	725	115,200	109,237
18-19	483	400	77,823	74,583
20-24	1,651	1,366	188,099	180,194
25-29	1,026	948	163,650	158,178
30-34	975	939	178,572	173,120
35-39	999	973	190,366	186,825
40-44	1,270	1,241	214,005	211,278
45-49	1,284	1,298	199,753	196,686
50-54	1,145	1,068	170,677	169,641
55-59	938	986	131,710	134,213
60-64	812	834	98,491	103,345
65-69	740	763	74,409	82,409
70-74	638	727	63,254	75,253
75-79	557	693	52,692	70,564
80-84	392	615	36,486	58,972
85&up	354	658	28,719	66,638
Total	17,043	17,074	2,509,132	2,550,243
Total Male/Female		34,117		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Faribault County - Population Estimates by Age and Sex, 2003

Age Group	Faribault County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	403	342	980	936	167,051	158,975
05-09	473	403	1,088	975	171,120	162,255
10-14	571	522	1,331	1,214	187,055	177,877
15-17	421	362	940	866	115,200	109,237
18-19	255	218	588	482	77,823	74,583
20-24	488	429	1,166	1,003	188,099	180,194
25-29	350	288	781	687	163,650	158,178
30-34	342	310	853	807	178,572	173,120
35-39	446	430	1,025	1,008	190,366	186,825
40-44	569	586	1,341	1,439	214,005	211,278
45-49	703	587	1,658	1,484	199,753	196,686
50-54	546	538	1,373	1,333	170,677	169,641
55-59	464	479	1,109	1,065	131,710	134,213
60-64	369	417	858	958	98,491	103,345
65-69	325	364	752	811	74,409	82,409
70-74	339	419	757	937	63,254	75,253
75-79	324	388	651	876	52,692	70,564
80-84	213	381	486	853	36,486	58,972
85&up	216	457	446	1,041	28,719	66,638
Total	7,817	7,920	18,183	18,775	2,509,132	2,550,243
Total Male/Female		15,737		36,958		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Fillmore County - Population Estimates by Age and Sex, 2003

Age Group	Fillmore County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	631	542	1,153	1,045	167,051	158,975
05-09	633	608	1,284	1,210	171,120	162,255
10-14	798	813	1,576	1,594	187,055	177,877
15-17	507	523	1,044	1,045	115,200	109,237
18-19	328	286	630	559	77,823	74,583
20-24	744	633	1,407	1,198	188,099	180,194
25-29	537	504	957	986	163,650	158,178
30-34	588	542	1,119	1,056	178,572	173,120
35-39	657	641	1,245	1,316	190,366	186,825
40-44	813	763	1,656	1,636	214,005	211,278
45-49	828	813	1,682	1,654	199,753	196,686
50-54	736	686	1,497	1,360	170,677	169,641
55-59	579	609	1,153	1,160	131,710	134,213
60-64	488	485	908	877	98,491	103,345
65-69	421	465	797	884	74,409	82,409
70-74	411	439	760	817	63,254	75,253
75-79	356	437	640	827	52,692	70,564
80-84	275	418	476	755	36,486	58,972
85&up	246	531	440	891	28,719	66,638
Total	10,576	10,738	20,424	20,870	2,509,132	2,550,243
Total Male/Female		21,314		41,294		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Freeborn County - Population Estimates by Age and Sex, 2003

Age Group	Freeborn County		Minnesota	
	Male	Female	Male	Female
00-04	901	772	167,051	158,975
05-09	922	869	171,120	162,255
10-14	1,089	1,139	187,055	177,877
15-17	692	624	115,200	109,237
18-19	414	432	77,823	74,583
20-24	1,075	988	188,099	180,194
25-29	783	726	163,650	158,178
30-34	848	766	178,572	173,120
35-39	987	997	190,366	186,825
40-44	1,297	1,285	214,005	211,278
45-49	1,294	1,157	199,753	196,686
50-54	1,106	1,055	170,677	169,641
55-59	1,016	1,000	131,710	134,213
60-64	799	832	98,491	103,345
65-69	663	790	74,409	82,409
70-74	627	704	63,254	75,253
75-79	531	725	52,692	70,564
80-84	419	608	36,486	58,972
85&up	314	715	28,719	66,638
Total	15,777	16,184	2,509,132	2,550,243
Total Male/Female	#		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Goodhue County - Population Estimates by Age and Sex, 2003

Age Group	Goodhue County		Minnesota	
	Male	Female	Male	Female
00-04	1,366	1,165	167,051	158,975
05-09	1,429	1,332	171,120	162,255
10-14	1,672	1,628	187,055	177,877
15-17	1,149	1,053	115,200	109,237
18-19	769	619	77,823	74,583
20-24	1,581	1,501	188,099	180,194
25-29	1,177	1,128	163,650	158,178
30-34	1,294	1,258	178,572	173,120
35-39	1,538	1,541	190,366	186,825
40-44	1,937	1,916	214,005	211,278
45-49	1,873	1,877	199,753	196,686
50-54	1,629	1,531	170,677	169,641
55-59	1,329	1,248	131,710	134,213
60-64	954	977	98,491	103,345
65-69	749	831	74,409	82,409
70-74	710	815	63,254	75,253
75-79	554	796	52,692	70,564
80-84	435	648	36,486	58,972
85&up	331	827	28,719	66,638
Total	22,476	22,691	2,509,132	2,550,243
Total Male/Female	45,167		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Grant County - Population Estimates by Age and Sex, 2003

Age Group	Grant County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	142	137	768	687	167,051	158,975
05-09	164	173	846	780	171,120	162,255
10-14	201	218	1,031	954	187,055	177,877
15-17	143	153	724	734	115,200	109,237
18-19	73	82	629	719	77,823	74,583
20-24	215	184	1,378	1,377	188,099	180,194
25-29	155	138	800	701	163,650	158,178
30-34	153	128	719	633	178,572	173,120
35-39	150	170	787	858	190,366	186,825
40-44	247	235	1,121	1,079	214,005	211,278
45-49	246	225	1,208	1,162	199,753	196,686
50-54	201	204	1,045	940	170,677	169,641
55-59	169	166	794	793	131,710	134,213
60-64	157	149	699	715	98,491	103,345
65-69	150	152	620	722	74,409	82,409
70-74	146	162	645	778	63,254	75,253
75-79	129	180	601	759	52,692	70,564
80-84	99	150	484	680	36,486	58,972
85&up	102	195	411	913	28,719	66,638
Total	3,042	3,201	15,310	15,984	2,509,132	2,550,243
Total Male/Female		6,243		31,294		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Hennepin County - Population Estimates by Age and Sex, 2003

Age Group	Hennepin County		Minnesota	
	Male	Female	Male	Female
00-04	39,403	37,842	167,051	158,975
05-09	36,222	34,615	171,120	162,255
10-14	37,842	36,206	187,055	177,877
15-17	22,338	20,906	115,200	109,237
18-19	14,823	13,860	77,823	74,583
20-24	35,423	33,894	188,099	180,194
25-29	41,282	40,162	163,650	158,178
30-34	48,155	45,605	178,572	173,120
35-39	46,418	44,347	190,366	186,825
40-44	48,892	47,766	214,005	211,278
45-49	45,465	45,326	199,753	196,686
50-54	38,790	40,594	170,677	169,641
55-59	29,327	31,006	131,710	134,213
60-64	20,380	22,249	98,491	103,345
65-69	14,161	16,589	74,409	82,409
70-74	11,875	15,228	63,254	75,253
75-79	10,497	15,015	52,692	70,564
80-84	7,333	12,042	36,486	58,972
85&up	5,395	13,762	28,719	66,638
Total	554,021	567,014	2,509,132	2,550,243
Total Male/Female		1,121,035		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Houston County - Population Estimates by Age and Sex, 2003

Age Group	Houston County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	522	503	1,153	1,045	167,051	158,975
05-09	651	602	1,284	1,210	171,120	162,255
10-14	778	781	1,576	1,594	187,055	177,877
15-17	537	522	1,044	1,045	115,200	109,237
18-19	302	273	630	559	77,823	74,583
20-24	663	565	1,407	1,198	188,099	180,194
25-29	420	482	957	986	163,650	158,178
30-34	531	514	1,119	1,056	178,572	173,120
35-39	588	675	1,245	1,316	190,366	186,825
40-44	843	873	1,656	1,636	214,005	211,278
45-49	854	841	1,682	1,654	199,753	196,686
50-54	761	674	1,497	1,360	170,677	169,641
55-59	574	551	1,153	1,160	131,710	134,213
60-64	420	392	908	877	98,491	103,345
65-69	376	419	797	884	74,409	82,409
70-74	349	378	760	817	63,254	75,253
75-79	284	390	640	827	52,692	70,564
80-84	201	337	476	755	36,486	58,972
85&up	194	360	440	891	28,719	66,638
Total	9,848	10,132	20,424	20,870	2,509,132	2,550,243
Total Male/Female		19,980		41,294		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Hubbard County - Population Estimates by Age and Sex, 2003

Age Group	Hubbard County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	466	464	2,314	2,129	167,051	158,975
05-09	551	501	2,366	2,174	171,120	162,255
10-14	650	618	2,764	2,689	187,055	177,877
15-17	438	426	1,874	1,768	115,200	109,237
18-19	267	229	1,339	1,317	77,823	74,583
20-24	589	582	3,171	3,214	188,099	180,194
25-29	419	428	2,272	2,213	163,650	158,178
30-34	437	446	1,879	1,955	178,572	173,120
35-39	543	569	2,111	2,209	190,366	186,825
40-44	690	689	2,605	2,649	214,005	211,278
45-49	725	697	2,662	2,655	199,753	196,686
50-54	689	674	2,478	2,437	170,677	169,641
55-59	573	592	1,959	1,924	131,710	134,213
60-64	566	592	1,677	1,752	98,491	103,345
65-69	531	541	1,491	1,509	74,409	82,409
70-74	429	416	1,231	1,264	63,254	75,253
75-79	348	355	1,000	1,120	52,692	70,564
80-84	179	263	578	939	36,486	58,972
85&up	161	302	537	1,015	28,719	66,638
Total	9,251	9,384	36,308	36,932	2,509,132	2,550,243
Total Male/Female		18,635		73,240		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Age Group	Isanti County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,044	1,029	1,684	1,704	167,051	158,975
05-09	1,171	1,130	1,923	1,868	171,120	162,255
10-14	1,375	1,300	2,267	2,209	187,055	177,877
15-17	948	899	1,589	1,491	115,200	109,237
18-19	526	497	902	794	77,823	74,583
20-24	1,533	1,485	2,460	2,400	188,099	180,194
25-29	1,177	1,155	1,924	1,863	163,650	158,178
30-34	1,266	1,210	2,002	1,960	178,572	173,120
35-39	1,365	1,344	2,200	2,126	190,366	186,825
40-44	1,601	1,581	2,619	2,562	214,005	211,278
45-49	1,377	1,278	2,260	2,146	199,753	196,686
50-54	1,180	1,101	1,971	1,827	170,677	169,641
55-59	886	902	1,476	1,491	131,710	134,213
60-64	670	728	1,202	1,363	98,491	103,345
65-69	512	506	1,003	989	74,409	82,409
70-74	376	419	775	901	63,254	75,253
75-79	270	375	590	809	52,692	70,564
80-84	217	311	429	654	36,486	58,972
85&up	223	405	433	823	28,719	66,638
Total	17,717	17,655	29,709	29,980	2,509,132	2,550,243
Total Male/Female	35,372		59,689		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Itasca County - Population Estimates by Age and Sex, 2003

Age Group	Itasca County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,115	1,031	1,847	1,688	167,051	158,975
05-09	1,203	1,229	2,013	1,992	171,120	162,255
10-14	1,591	1,458	2,581	2,349	187,055	177,877
15-17	1,087	993	1,738	1,575	115,200	109,237
18-19	664	602	1,052	944	77,823	74,583
20-24	1,757	1,526	2,710	2,367	188,099	180,194
25-29	1,031	969	1,590	1,510	163,650	158,178
30-34	1,082	1,096	1,779	1,832	178,572	173,120
35-39	1,203	1,333	2,091	2,172	190,366	186,825
40-44	1,657	1,689	2,759	2,804	214,005	211,278
45-49	1,840	1,856	3,038	2,976	199,753	196,686
50-54	1,785	1,724	2,897	2,811	170,677	169,641
55-59	1,428	1,382	2,382	2,359	131,710	134,213
60-64	1,243	1,220	2,181	2,182	98,491	103,345
65-69	952	985	1,854	1,893	74,409	82,409
70-74	893	966	1,630	1,792	63,254	75,253
75-79	718	777	1,294	1,430	52,692	70,564
80-84	475	678	882	1,188	36,486	58,972
85&up	346	681	616	1,267	28,719	66,638
Total	22,070	22,195	36,934	37,131	2,509,132	2,550,243
Total Male/Female	44,265		74,065		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Jackson County - Population Estimates by Age and Sex, 2003

Age Group	Jackson County	CHS Agency*	Minnesota
00-04	1,115	1,847	167,051

Age Group	Male	Female	Male	Female	Male	Female
00-04	291	239	658	567	167,051	158,975
05-09	319	284	691	639	171,120	162,255
10-14	400	398	809	823	187,055	177,877
15-17	267	241	570	535	115,200	109,237
18-19	157	156	324	300	77,823	74,583
20-24	416	333	792	645	188,099	180,194
25-29	277	241	535	464	163,650	158,178
30-34	310	290	575	574	178,572	173,120
35-39	342	298	684	636	190,366	186,825
40-44	473	439	885	851	214,005	211,278
45-49	466	441	933	871	199,753	196,686
50-54	413	371	828	767	170,677	169,641
55-59	301	293	623	653	131,710	134,213
60-64	259	248	558	554	98,491	103,345
65-69	224	258	463	547	74,409	82,409
70-74	201	246	422	526	63,254	75,253
75-79	196	278	426	602	52,692	70,564
80-84	175	220	381	492	36,486	58,972
85&up	135	274	328	658	28,719	66,638
Total	5,622	5,548	11,485	11,704	2,509,132	2,550,243
Total Male/Female	11,170		23,189		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Kanabec County - Population Estimates by Age and Sex, 2003

Age Group	Male		Male		Male	
00-04	484	422	1,188	1,186	167,051	158,975
05-09	547	474	1,350	1,212	171,120	162,255
10-14	622	578	1,656	1,543	187,055	177,877
15-17	373	399	1,111	1,039	115,200	109,237
18-19	263	233	707	597	77,823	74,583
20-24	567	579	1,673	1,510	188,099	180,194
25-29	435	452	1,336	1,186	163,650	158,178
30-34	507	495	1,423	1,203	178,572	173,120
35-39	518	484	1,567	1,370	190,366	186,825
40-44	649	634	1,894	1,739	214,005	211,278
45-49	654	620	1,799	1,617	199,753	196,686
50-54	570	505	1,530	1,357	170,677	169,641
55-59	419	424	1,184	1,112	131,710	134,213
60-64	372	379	982	1,093	98,491	103,345
65-69	333	324	966	946	74,409	82,409
70-74	260	275	767	794	63,254	75,253
75-79	202	242	606	643	52,692	70,564
80-84	132	183	383	542	36,486	58,972
85&up	81	177	260	542	28,719	66,638
Total	7,988	7,879	22,382	21,231	2,509,132	2,550,243
Total Male/Female	15,867		43,613		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Kandiyohi County - Population Estimates by Age and Sex, 2003

Age Group	Kandiyohi County		Minnesota	
	Male	Female	Male	Female
00-04	1,237	1,233	167,051	158,975

2004 Minnesota County Health Tables

05-09	1,312	1,221	171,120	162,255
10-14	1,563	1,507	187,055	177,877
15-17	1,039	934	115,200	109,237
18-19	586	542	77,823	74,583
20-24	1,732	1,693	188,099	180,194
25-29	1,131	1,012	163,650	158,178
30-34	1,161	1,093	178,572	173,120
35-39	1,269	1,249	190,366	186,825
40-44	1,472	1,592	214,005	211,278
45-49	1,703	1,710	199,753	196,686
50-54	1,477	1,379	170,677	169,641
55-59	1,094	1,146	131,710	134,213
60-64	847	884	98,491	103,345
65-69	738	812	74,409	82,409
70-74	617	709	63,254	75,253
75-79	564	717	52,692	70,564
80-84	428	662	36,486	58,972
85&up	374	709	28,719	66,638
Total	20,344	20,804	2,509,132	2,550,243
Total Male/Female	41,148		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Kittson County - Population Estimates by Age and Sex, 2003

Age Group	Kittson County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	111	136	1,452	1,342	167,051	158,975
05-09	158	180	1,610	1,563	171,120	162,255
10-14	189	155	1,839	1,649	187,055	177,877
15-17	114	133	1,246	1,207	115,200	109,237
18-19	47	58	734	695	77,823	74,583
20-24	136	93	1,808	1,519	188,099	180,194
25-29	78	69	1,247	1,116	163,650	158,178
30-34	112	107	1,448	1,348	178,572	173,120
35-39	138	115	1,687	1,492	190,366	186,825
40-44	197	186	2,036	1,938	214,005	211,278
45-49	210	220	2,060	1,914	199,753	196,686
50-54	188	173	1,744	1,629	170,677	169,641
55-59	169	136	1,363	1,327	131,710	134,213
60-64	129	117	1,158	1,121	98,491	103,345
65-69	111	113	919	929	74,409	82,409
70-74	98	153	747	901	63,254	75,253
75-79	99	135	709	911	52,692	70,564
80-84	84	98	586	809	36,486	58,972
85&up	80	143	504	931	28,719	66,638
Total	2,448	2,520	24,897	24,341	2,509,132	2,550,243
Total Male/Female	4,968		49,238		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Koochiching County - Population Estimates by Age and Sex, 2003

Age Group	Koochiching County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	370	337	1,847	1,688	167,051	158,975
05-09	417	359	2,013	1,992	171,120	162,255
10-14	492	469	2,581	2,349	187,055	177,877
15-17	325	284	1,738	1,575	115,200	109,237
18-19	185	175	1,052	944	77,823	74,583
20-24	438	390	2,710	2,367	188,099	180,194
25-29	223	234	1,590	1,510	163,650	158,178
30-34	346	366	1,779	1,832	178,572	173,120
35-39	454	432	2,091	2,172	190,366	186,825
40-44	533	561	2,759	2,804	214,005	211,278
45-49	630	579	3,038	2,976	199,753	196,686
50-54	587	535	2,897	2,811	170,677	169,641
55-59	431	441	2,382	2,359	131,710	134,213
60-64	382	395	2,181	2,182	98,491	103,345
65-69	343	353	1,854	1,893	74,409	82,409
70-74	265	364	1,630	1,792	63,254	75,253
75-79	239	303	1,294	1,430	52,692	70,564
80-84	177	236	882	1,188	36,486	58,972
85&up	106	262	616	1,267	28,719	66,638
Total	6,943	7,075	36,934	37,131	2,509,132	2,550,243
Total Male/Female		14,018		74,065		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Lac Qui Parle County - Population Estimates by Age and Sex, 2003

Age Group	Lac Qui Parle County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	151	168	1,196	1,092	167,051	158,975
05-09	226	233	1,438	1,315	171,120	162,255
10-14	284	255	1,735	1,645	187,055	177,877
15-17	203	183	1,155	1,044	115,200	109,237
18-19	128	106	762	642	77,823	74,583
20-24	257	195	1,719	1,297	188,099	180,194
25-29	139	113	1,196	854	163,650	158,178
30-34	146	147	1,357	1,033	178,572	173,120
35-39	215	198	1,734	1,324	190,366	186,825
40-44	299	303	2,045	1,787	214,005	211,278
45-49	369	315	2,103	1,836	199,753	196,686
50-54	288	268	1,784	1,548	170,677	169,641
55-59	245	222	1,342	1,272	131,710	134,213
60-64	189	219	1,121	1,189	98,491	103,345
65-69	171	187	966	1,080	74,409	82,409
70-74	163	195	913	1,148	63,254	75,253
75-79	171	213	878	1,210	52,692	70,564
80-84	147	203	708	1,122	36,486	58,972
85&up	126	227	641	1,430	28,719	66,638
Total	3,917	3,950	24,793	23,868	2,509,132	2,550,243
Total Male/Female		7,867		48,661		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Age Group	Lake County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	244	231	6,409	5,826	167,051	158,975
05-09	293	282	6,849	6,357	171,120	162,255
10-14	329	366	8,033	7,568	187,055	177,877
15-17	255	241	5,349	5,039	115,200	109,237
18-19	147	140	4,735	4,561	77,823	74,583
20-24	375	315	10,779	10,131	188,099	180,194
25-29	264	265	7,300	6,841	163,650	158,178
30-34	262	249	6,980	6,453	178,572	173,120
35-39	292	347	7,579	7,542	190,366	186,825
40-44	475	446	9,476	9,553	214,005	211,278
45-49	487	475	10,344	10,405	199,753	196,686
50-54	466	374	9,836	9,097	170,677	169,641
55-59	350	330	7,390	7,166	131,710	134,213
60-64	297	293	5,540	5,678	98,491	103,345
65-69	286	317	4,403	5,087	74,409	82,409
70-74	296	304	3,991	4,775	63,254	75,253
75-79	241	243	3,468	4,639	52,692	70,564
80-84	135	185	2,456	4,128	36,486	58,972
85&up	86	177	1,973	4,549	28,719	66,638
Total	5,580	5,580	122,890	125,395	2,509,132	2,550,243
Total Male/Female	11,160		248,285		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Lake of the Woods County - Population Estimates by Age and Sex, 2003

Age Group	Lake Of The Woods County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	106	68	2,314	2,129	167,051	158,975
05-09	108	120	2,366	2,174	171,120	162,255
10-14	171	173	2,764	2,689	187,055	177,877
15-17	113	116	1,874	1,768	115,200	109,237
18-19	56	65	1,339	1,317	77,823	74,583
20-24	107	98	3,171	3,214	188,099	180,194
25-29	65	90	2,272	2,213	163,650	158,178
30-34	90	84	1,879	1,955	178,572	173,120
35-39	146	137	2,111	2,209	190,366	186,825
40-44	214	190	2,605	2,649	214,005	211,278
45-49	214	181	2,662	2,655	199,753	196,686
50-54	182	162	2,478	2,437	170,677	169,641
55-59	135	127	1,959	1,924	131,710	134,213
60-64	130	131	1,677	1,752	98,491	103,345
65-69	123	110	1,491	1,509	74,409	82,409
70-74	78	99	1,231	1,264	63,254	75,253
75-79	73	84	1,000	1,120	52,692	70,564
80-84	52	78	578	939	36,486	58,972
85&up	58	50	537	1,015	28,719	66,638
Total	2,221	2,163	36,308	36,932	2,509,132	2,550,243
Total Male/Female	4,384		73,240		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Le Sueur County - Population Estimates by Age and Sex, 2003

2004 Minnesota County Health Statistics	Le Sueur County	CHS Agency*	Minnesota
			A-21

Age Group	Male	Female	Male	Female	Male	Female
00-04	806	777	1,422	1,361	167,051	158,975
05-09	841	856	1,456	1,459	171,120	162,255
10-14	1,005	985	1,703	1,636	187,055	177,877
15-17	675	662	1,141	1,088	115,200	109,237
18-19	408	347	665	603	77,823	74,583
20-24	993	935	1,798	1,552	188,099	180,194
25-29	739	687	1,458	1,167	163,650	158,178
30-34	822	814	1,574	1,333	178,572	173,120
35-39	990	934	1,815	1,539	190,366	186,825
40-44	1,134	1,095	2,018	1,795	214,005	211,278
45-49	1,070	970	1,903	1,722	199,753	196,686
50-54	973	852	1,671	1,506	170,677	169,641
55-59	752	730	1,300	1,176	131,710	134,213
60-64	590	616	938	1,002	98,491	103,345
65-69	472	494	749	813	74,409	82,409
70-74	378	430	622	752	63,254	75,253
75-79	296	401	571	732	52,692	70,564
80-84	240	361	423	614	36,486	58,972
85&up	202	431	350	771	28,719	66,638
Total	13,386	13,377	23,577	22,621	2,509,132	2,550,243
Total Male/Female	26,763		46,198		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Lincoln County - Population Estimates by Age and Sex, 2003

Age Group	Lincoln County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	142	152	1,444	1,387	167,051	158,975
05-09	173	179	1,542	1,485	171,120	162,255
10-14	235	192	1,795	1,710	187,055	177,877
15-17	130	125	1,147	1,091	115,200	109,237
18-19	98	75	829	883	77,823	74,583
20-24	175	157	1,892	1,869	188,099	180,194
25-29	129	135	1,366	1,206	163,650	158,178
30-34	142	146	1,328	1,260	178,572	173,120
35-39	194	171	1,527	1,422	190,366	186,825
40-44	236	197	1,828	1,828	214,005	211,278
45-49	235	202	1,906	1,859	199,753	196,686
50-54	201	186	1,660	1,537	170,677	169,641
55-59	165	162	1,259	1,262	131,710	134,213
60-64	150	167	1,072	1,140	98,491	103,345
65-69	145	177	931	1,037	74,409	82,409
70-74	162	156	871	1,056	63,254	75,253
75-79	137	157	788	1,036	52,692	70,564
80-84	106	167	624	947	36,486	58,972
85&up	96	205	573	1,243	28,719	66,638
Total	3,051	3,108	24,382	25,258	2,509,132	2,550,243
Total Male/Female	6,159		49,640		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Lyon County - Population Estimates by Age and Sex, 2003

Age Group	Lyon County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	783	784	1,444	1,387	167,051	158,975

2004 Minnesota County Health Tables

05-09	837	745	1,542	1,485	171,120	162,255
10-14	864	878	1,795	1,710	187,055	177,877
15-17	551	552	1,147	1,091	115,200	109,237
18-19	473	540	829	883	77,823	74,583
20-24	1,165	1,201	1,892	1,869	188,099	180,194
25-29	830	719	1,366	1,206	163,650	158,178
30-34	728	683	1,328	1,260	178,572	173,120
35-39	783	734	1,527	1,422	190,366	186,825
40-44	878	937	1,828	1,828	214,005	211,278
45-49	951	954	1,906	1,859	199,753	196,686
50-54	805	744	1,660	1,537	170,677	169,641
55-59	566	586	1,259	1,262	131,710	134,213
60-64	487	492	1,072	1,140	98,491	103,345
65-69	372	389	931	1,037	74,409	82,409
70-74	309	409	871	1,056	63,254	75,253
75-79	305	418	788	1,036	52,692	70,564
80-84	249	380	624	947	36,486	58,972
85&up	226	512	573	1,243	28,719	66,638
Total	12,162	12,657	24,382	25,258	2,509,132	2,550,243
Total Male/Female	24,819		49,640		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

McLeod County - Population Estimates by Age and Sex, 2003

Age Group	McLeod County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,213	1,182	2,471	2,289	167,051	158,975
05-09	1,238	1,212	2,569	2,379	171,120	162,255
10-14	1,401	1,279	2,932	2,605	187,055	177,877
15-17	915	869	1,866	1,802	115,200	109,237
18-19	515	466	1,116	989	77,823	74,583
20-24	1,167	1,093	2,505	2,277	188,099	180,194
25-29	1,099	1,003	2,141	1,954	163,650	158,178
30-34	1,298	1,189	2,443	2,222	178,572	173,120
35-39	1,341	1,291	2,572	2,516	190,366	186,825
40-44	1,443	1,429	3,098	2,931	214,005	211,278
45-49	1,247	1,268	2,785	2,678	199,753	196,686
50-54	1,196	1,155	2,557	2,356	170,677	169,641
55-59	968	908	1,976	1,919	131,710	134,213
60-64	696	787	1,535	1,636	98,491	103,345
65-69	604	600	1,307	1,380	74,409	82,409
70-74	455	577	1,155	1,316	63,254	75,253
75-79	452	630	982	1,300	52,692	70,564
80-84	314	548	710	1,141	36,486	58,972
85&up	262	554	592	1,344	28,719	66,638
Total	17,824	18,040	37,312	37,034	2,509,132	2,550,243
Total Male/Female	35,864		74,346		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Mahnomen County - Population Estimates by Age and Sex, 2003

Age Group	Mahnomen County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	179	189	1,270	1,198	167,051	158,975
05-09	206	158	1,431	1,328	171,120	162,255

2004 Minnesota County Health Tables

10-14	217	211	1,635	1,573	187,055	177,877
15-17	123	112	1,076	1,022	115,200	109,237
18-19	84	64	655	607	77,823	74,583
20-24	176	170	1,559	1,379	188,099	180,194
25-29	118	96	1,153	1,052	163,650	158,178
30-34	105	125	1,129	1,089	178,572	173,120
35-39	149	137	1,300	1,299	190,366	186,825
40-44	193	185	1,682	1,619	214,005	211,278
45-49	201	158	1,689	1,616	199,753	196,686
50-54	158	161	1,534	1,454	170,677	169,641
55-59	144	157	1,279	1,283	131,710	134,213
60-64	123	133	1,058	1,073	98,491	103,345
65-69	118	111	935	1,023	74,409	82,409
70-74	93	77	832	869	63,254	75,253
75-79	61	108	632	835	52,692	70,564
80-84	54	78	489	731	36,486	58,972
85&up	50	131	320	770	28,719	66,638
Total	2,552	2,561	21,658	21,820	2,509,132	2,550,243
Total Male/Female		5,113		43,478		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Becker, Mahnommen and Norman Counties

Marshall County - Population Estimates by Age and Sex, 2003

Age Group	Marshall County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	242	248	1,452	1,342	167,051	158,975
05-09	297	280	1,610	1,563	171,120	162,255
10-14	354	305	1,839	1,649	187,055	177,877
15-17	255	255	1,246	1,207	115,200	109,237
18-19	170	144	734	695	77,823	74,583
20-24	345	270	1,808	1,519	188,099	180,194
25-29	230	197	1,247	1,116	163,650	158,178
30-34	258	218	1,448	1,348	178,572	173,120
35-39	350	294	1,687	1,492	190,366	186,825
40-44	380	378	2,036	1,938	214,005	211,278
45-49	448	386	2,060	1,914	199,753	196,686
50-54	373	347	1,744	1,629	170,677	169,641
55-59	299	300	1,363	1,327	131,710	134,213
60-64	257	253	1,158	1,121	98,491	103,345
65-69	208	225	919	929	74,409	82,409
70-74	186	202	747	901	63,254	75,253
75-79	186	229	709	911	52,692	70,564
80-84	153	186	586	809	36,486	58,972
85&up	97	192	504	931	28,719	66,638
Total	5,088	4,909	24,897	24,341	2,509,132	2,550,243
Total Male/Female		9,997		49,238		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Martin County - Population Estimates by Age and Sex, 2003

Age Group	Martin County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	577	594	980	936	167,051	158,975
05-09	615	572	1,088	975	171,120	162,255
10-14	760	692	1,331	1,214	187,055	177,877
15-17	419	405	1,088	1,022	115,200	109,237
18-19	279	218	655	607	77,823	74,583
20-24	571	497	1,559	1,379	188,099	180,194
25-29	353	293	1,153	1,052	163,650	158,178
30-34	300	325	1,129	1,089	178,572	173,120
35-39	408	387	1,300	1,299	190,366	186,825
40-44	541	516	1,682	1,619	214,005	211,278
45-49	579	471	1,689	1,616	199,753	196,686
50-54	441	457	1,534	1,454	170,677	169,641
55-59	353	372	1,279	1,283	131,710	134,213
60-64	290	300	1,058	1,073	98,491	103,345
65-69	221	211	935	1,023	74,409	82,409
70-74	156	137	832	869	63,254	75,253
75-79	156	208	632	835	52,692	70,564
80-84	119	153	489	731	36,486	58,972
85&up	119	301	320	770	28,719	66,638
Total	7,015	6,895	24,897	24,341	2,509,132	2,550,243
Total Male/Female		13,910		49,238		5,059,375

2004 Minnesota County Health Tables

18-19	333	264	588	482	77,823	74,583
20-24	678	574	1,166	1,003	188,099	180,194
25-29	431	399	781	687	163,650	158,178
30-34	511	497	853	807	178,572	173,120
35-39	579	578	1,025	1,008	190,366	186,825
40-44	772	853	1,341	1,439	214,005	211,278
45-49	955	897	1,658	1,484	199,753	196,686
50-54	827	795	1,373	1,333	170,677	169,641
55-59	645	586	1,109	1,065	131,710	134,213
60-64	489	541	858	958	98,491	103,345
65-69	427	447	752	811	74,409	82,409
70-74	418	518	757	937	63,254	75,253
75-79	327	488	651	876	52,692	70,564
80-84	273	472	486	853	36,486	58,972
85&up	230	584	446	1,041	28,719	66,638
Total	10,366	10,855	18,183	18,775	2,509,132	2,550,243
Total Male/Female		21,221		36,958		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Meeker County - Population Estimates by Age and Sex, 2003

Age Group	Meeker County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	783	659	2,471	2,289	167,051	158,975
05-09	785	701	2,569	2,379	171,120	162,255
10-14	876	775	2,932	2,605	187,055	177,877
15-17	582	546	1,866	1,802	115,200	109,237
18-19	383	330	1,116	989	77,823	74,583
20-24	811	722	2,505	2,277	188,099	180,194
25-29	644	582	2,141	1,954	163,650	158,178
30-34	685	603	2,443	2,222	178,572	173,120
35-39	743	722	2,572	2,516	190,366	186,825
40-44	960	906	3,098	2,931	214,005	211,278
45-49	922	866	2,785	2,678	199,753	196,686
50-54	858	756	2,557	2,356	170,677	169,641
55-59	607	631	1,976	1,919	131,710	134,213
60-64	533	487	1,535	1,636	98,491	103,345
65-69	421	469	1,307	1,380	74,409	82,409
70-74	432	428	1,155	1,316	63,254	75,253
75-79	324	403	982	1,300	52,692	70,564
80-84	234	362	710	1,141	36,486	58,972
85&up	195	479	592	1,344	28,719	66,638
Total	11,778	11,427	37,312	37,034	2,509,132	2,550,243
Total Male/Female		23,205		74,346		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Mille Lacs County - Population Estimates by Age and Sex, 2003

Age Group	Mille Lacs County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	640	675	1,684	1,704	167,051	158,975
05-09	752	738	1,923	1,868	171,120	162,255
10-14	892	909	2,267	2,209	187,055	177,877
15-17	641	592	1,589	1,491	115,200	109,237
18-19	376	297	902	794	77,823	74,583
20-24	827	915	2,460	2,400	188,099	180,194

2004 Minnesota County Health Tables

25-29	747	708	1,924	1,863	163,650	158,178
30-34	736	750	2,002	1,960	178,572	173,120
35-39	835	782	2,200	2,126	190,366	186,825
40-44	1,018	981	2,619	2,562	214,005	211,278
45-49	883	868	2,260	2,146	199,753	196,686
50-54	791	726	1,971	1,827	170,677	169,641
55-59	590	589	1,476	1,491	131,710	134,213
60-64	532	635	1,202	1,363	98,491	103,345
65-69	491	483	1,003	989	74,409	82,409
70-74	399	482	775	901	63,254	75,253
75-79	320	434	590	809	52,692	70,564
80-84	212	343	429	654	36,486	58,972
85&up	210	418	433	823	28,719	66,638
Total	11,992	12,325	29,709	29,980	2,509,132	2,550,243
Total Male/Female		24,317		59,689		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Morrison County - Population Estimates by Age and Sex, 2003

Age Group	Morrison County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,086	998	2,919	2,745	167,051	158,975
05-09	1,080	1,020	3,008	2,898	171,120	162,255
10-14	1,253	1,197	3,766	3,605	187,055	177,877
15-17	877	844	2,518	2,398	115,200	109,237
18-19	529	456	1,550	1,390	77,823	74,583
20-24	1,283	1,090	3,795	3,274	188,099	180,194
25-29	915	805	2,550	2,354	163,650	158,178
30-34	934	935	2,623	2,489	178,572	173,120
35-39	1,155	1,042	3,034	2,942	190,366	186,825
40-44	1,305	1,230	3,812	3,741	214,005	211,278
45-49	1,259	1,237	3,796	3,600	199,753	196,686
50-54	1,089	967	3,385	3,099	170,677	169,641
55-59	817	782	2,753	2,666	131,710	134,213
60-64	703	716	2,582	2,648	98,491	103,345
65-69	579	645	2,221	2,230	74,409	82,409
70-74	540	615	1,898	2,079	63,254	75,253
75-79	434	540	1,571	1,782	52,692	70,564
80-84	339	496	1,035	1,550	36,486	58,972
85&up	258	539	810	1,590	28,719	66,638
Total	16,435	16,154	49,626	49,080	2,509,132	2,550,243
Total Male/Female		32,589		98,706		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Mower County - Population Estimates by Age and Sex, 2003

Age Group	Mower County		Minnesota	
	Male	Female	Male	Female
00-04	1,313	1,185	167,051	158,975
05-09	1,234	1,154	171,120	162,255
10-14	1,400	1,354	187,055	177,877
15-17	861	806	115,200	109,237
18-19	591	485	77,823	74,583
20-24	1,461	1,273	188,099	180,194
25-29	1,037	911	163,650	158,178
30-34	1,132	1,052	178,572	173,120

2004 Minnesota County Health Tables

35-39	1,184	1,202	190,366	186,825
40-44	1,488	1,445	214,005	211,278
45-49	1,449	1,362	199,753	196,686
50-54	1,303	1,197	170,677	169,641
55-59	1,011	975	131,710	134,213
60-64	828	911	98,491	103,345
65-69	626	776	74,409	82,409
70-74	706	929	63,254	75,253
75-79	685	840	52,692	70,564
80-84	511	818	36,486	58,972
85&up	404	924	28,719	66,638
Total	19,224	19,599	2,509,132	2,550,243
Total Male/Female	38,823		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Murray County - Population Estimates by Age and Sex, 2003

Age Group	Murray County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	227	209	1,444	1,387	167,051	158,975
05-09	246	266	1,542	1,485	171,120	162,255
10-14	332	302	1,795	1,710	187,055	177,877
15-17	220	204	1,147	1,091	115,200	109,237
18-19	122	120	829	883	77,823	74,583
20-24	252	220	1,892	1,869	188,099	180,194
25-29	191	159	1,366	1,206	163,650	158,178
30-34	223	195	1,328	1,260	178,572	173,120
35-39	261	254	1,527	1,422	190,366	186,825
40-44	327	307	1,828	1,828	214,005	211,278
45-49	349	359	1,906	1,859	199,753	196,686
50-54	362	307	1,660	1,537	170,677	169,641
55-59	284	258	1,259	1,262	131,710	134,213
60-64	228	249	1,072	1,140	98,491	103,345
65-69	216	234	931	1,037	74,409	82,409
70-74	206	248	871	1,056	63,254	75,253
75-79	175	214	788	1,036	52,692	70,564
80-84	119	170	624	947	36,486	58,972
85&up	128	238	573	1,243	28,719	66,638
Total	4,468	4,513	24,382	25,258	2,509,132	2,550,243
Total Male/Female	8,981		49,640		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Nicollet County - Population Estimates by Age and Sex, 2003

Age Group	Nicollet County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	941	893	1,625	1,518	167,051	158,975
05-09	936	831	1,691	1,539	171,120	162,255
10-14	1,034	969	2,007	1,865	187,055	177,877
15-17	727	651	1,378	1,325	115,200	109,237
18-19	781	914	1,339	1,453	77,823	74,583
20-24	1,712	1,762	2,783	2,703	188,099	180,194
25-29	1,052	935	1,700	1,463	163,650	158,178
30-34	960	877	1,653	1,511	178,572	173,120
35-39	1,004	990	1,796	1,781	190,366	186,825
40-44	1,164	1,149	2,239	2,230	214,005	211,278
45-49	1,130	1,174	2,181	2,211	199,753	196,686
50-54	1,089	994	2,004	1,858	170,677	169,641
55-59	830	718	1,560	1,468	131,710	134,213
60-64	547	605	1,127	1,208	98,491	103,345
65-69	432	483	927	1,007	74,409	82,409
70-74	376	409	865	967	63,254	75,253
75-79	276	404	702	938	52,692	70,564
80-84	180	304	496	801	36,486	58,972
85&up	155	345	404	915	28,719	66,638
Total	15,326	15,407	28,477	28,761	2,509,132	2,550,243
Total Male/Female		30,733		57,238		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Nobles County - Population Estimates by Age and Sex, 2003

Age Group	Nobles County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	687	740	954	1,014	167,051	158,975
05-09	709	663	1,027	961	171,120	162,255
10-14	775	685	1,112	1,012	187,055	177,877
15-17	424	473	686	668	115,200	109,237
18-19	297	273	448	417	77,823	74,583
20-24	775	621	1,095	917	188,099	180,194
25-29	540	451	754	674	163,650	158,178
30-34	618	532	880	773	178,572	173,120
35-39	672	625	940	904	190,366	186,825
40-44	775	742	1,133	1,103	214,005	211,278
45-49	875	761	1,238	1,109	199,753	196,686
50-54	663	653	997	970	170,677	169,641
55-59	550	547	843	826	131,710	134,213
60-64	481	469	693	683	98,491	103,345
65-69	376	411	560	614	74,409	82,409
70-74	316	411	463	629	63,254	75,253
75-79	310	384	514	627	52,692	70,564
80-84	259	362	386	576	36,486	58,972
85&up	184	532	265	770	28,719	66,638
Total	10,286	10,335	14,988	15,247	2,509,132	2,550,243
Total Male/Female		20,621		30,235		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Norman County - Population Estimates by Age and Sex, 2003

Age Group	Norman County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	178	157	1,270	1,198	167,051	158,975
05-09	240	231	1,431	1,328	171,120	162,255
10-14	266	236	1,635	1,573	187,055	177,877
15-17	170	178	1,076	1,022	115,200	109,237
18-19	113	99	655	607	77,823	74,583
20-24	212	178	1,559	1,379	188,099	180,194
25-29	147	143	1,153	1,052	163,650	158,178
30-34	170	147	1,129	1,089	178,572	173,120
35-39	220	220	1,300	1,299	190,366	186,825
40-44	287	278	1,682	1,619	214,005	211,278
45-49	288	273	1,689	1,616	199,753	196,686
50-54	259	214	1,534	1,454	170,677	169,641
55-59	194	211	1,279	1,283	131,710	134,213
60-64	182	175	1,058	1,073	98,491	103,345
65-69	163	186	935	1,023	74,409	82,409
70-74	164	174	832	869	63,254	75,253
75-79	143	194	632	835	52,692	70,564
80-84	115	154	489	731	36,486	58,972
85&up	57	175	320	770	28,719	66,638
Total	3,568	3,623	21,658	21,820	2,509,132	2,550,243
Total Male/Female		7,191		43,478		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Becker, Mahnomen and Norman Counties

Olmsted County - Population Estimates by Age and Sex, 2003

Age Group	Olmsted County		Minnesota	
	Male	Female	Male	Female
00-04	4,555	4,564	167,051	158,975
05-09	4,642	4,256	171,120	162,255
10-14	4,885	4,600	187,055	177,877
15-17	3,043	2,904	115,200	109,237
18-19	1,746	1,548	77,823	74,583
20-24	4,311	4,178	188,099	180,194
25-29	4,323	4,590	163,650	158,178
30-34	4,975	4,852	178,572	173,120
35-39	5,155	5,035	190,366	186,825
40-44	5,670	5,909	214,005	211,278
45-49	5,222	5,227	199,753	196,686
50-54	4,086	4,308	170,677	169,641
55-59	3,245	3,514	131,710	134,213
60-64	2,560	2,719	98,491	103,345
65-69	1,972	2,100	74,409	82,409
70-74	1,521	1,775	63,254	75,253
75-79	1,202	1,656	52,692	70,564
80-84	897	1,359	36,486	58,972
85&up	629	1,651	28,719	66,638
Total	64,639	66,745	2,509,132	2,550,243
Total Male/Female		131,384		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Otter Tail County - Population Estimates by Age and Sex, 2003

Age Group	Otter Tail County		Minnesota	
	Male	Female	Male	Female
00-04	1,498	1,413	167,051	158,975
05-09	1,742	1,578	171,120	162,255
10-14	2,131	1,974	187,055	177,877
15-17	1,521	1,347	115,200	109,237
18-19	861	784	77,823	74,583
20-24	2,251	1,981	188,099	180,194
25-29	1,304	1,232	163,650	158,178
30-34	1,424	1,410	178,572	173,120
35-39	1,763	1,735	190,366	186,825
40-44	2,349	2,214	214,005	211,278
45-49	2,408	2,220	199,753	196,686
50-54	2,105	2,033	170,677	169,641
55-59	1,675	1,721	131,710	134,213
60-64	1,512	1,598	98,491	103,345
65-69	1,336	1,514	74,409	82,409
70-74	1,274	1,292	63,254	75,253
75-79	935	1,173	52,692	70,564
80-84	664	989	36,486	58,972
85&up	646	1,240	28,719	66,638
Total	29,399	29,448	2,509,132	2,550,243
Total Male/Female	58,847		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Pennington County - Population Estimates by Age and Sex, 2003

Age Group	Pennington County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	418	393	1,452	1,342	167,051	158,975
05-09	436	363	1,610	1,563	171,120	162,255
10-14	426	418	1,839	1,649	187,055	177,877
15-17	312	286	1,246	1,207	115,200	109,237
18-19	218	200	734	695	77,823	74,583
20-24	619	561	1,808	1,519	188,099	180,194
25-29	438	365	1,247	1,116	163,650	158,178
30-34	442	402	1,448	1,348	178,572	173,120
35-39	393	392	1,687	1,492	190,366	186,825
40-44	515	516	2,036	1,938	214,005	211,278
45-49	521	539	2,060	1,914	199,753	196,686
50-54	481	454	1,744	1,629	170,677	169,641
55-59	356	399	1,363	1,327	131,710	134,213
60-64	306	307	1,158	1,121	98,491	103,345
65-69	255	254	919	929	74,409	82,409
70-74	184	249	747	901	63,254	75,253
75-79	180	253	709	911	52,692	70,564
80-84	137	237	586	809	36,486	58,972
85&up	144	267	504	931	28,719	66,638
Total	6,781	6,855	24,897	24,341	2,509,132	2,550,243
Total Male/Female	13,636		49,238		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Pine County - Population Estimates by Age and Sex, 2003

Age Group	Pine County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	704	764	1,188	1,186	167,051	158,975
05-09	803	738	1,350	1,212	171,120	162,255
10-14	1,034	965	1,656	1,543	187,055	177,877
15-17	738	640	1,111	1,039	115,200	109,237
18-19	444	364	707	597	77,823	74,583
20-24	1,106	931	1,673	1,510	188,099	180,194
25-29	901	734	1,336	1,186	163,650	158,178
30-34	916	708	1,423	1,203	178,572	173,120
35-39	1,049	886	1,567	1,370	190,366	186,825
40-44	1,245	1,105	1,894	1,739	214,005	211,278
45-49	1,145	997	1,799	1,617	199,753	196,686
50-54	960	852	1,530	1,357	170,677	169,641
55-59	765	688	1,184	1,112	131,710	134,213
60-64	610	714	982	1,093	98,491	103,345
65-69	633	622	966	946	74,409	82,409
70-74	507	519	767	794	63,254	75,253
75-79	404	401	606	643	52,692	70,564
80-84	251	359	383	542	36,486	58,972
85&up	179	365	260	542	28,719	66,638
Total	14,394	13,352	22,382	21,231	2,509,132	2,550,243
Total Male/Female	27,746		43,613		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Pipestone County - Population Estimates by Age and Sex, 2003

Age Group	Pipestone County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	292	242	1,444	1,387	167,051	158,975
05-09	286	295	1,542	1,485	171,120	162,255
10-14	364	338	1,795	1,710	187,055	177,877
15-17	246	210	1,147	1,091	115,200	109,237
18-19	136	148	829	883	77,823	74,583
20-24	300	291	1,892	1,869	188,099	180,194
25-29	216	193	1,366	1,206	163,650	158,178
30-34	235	236	1,328	1,260	178,572	173,120
35-39	289	263	1,527	1,422	190,366	186,825
40-44	387	387	1,828	1,828	214,005	211,278
45-49	371	344	1,906	1,859	199,753	196,686
50-54	292	300	1,660	1,537	170,677	169,641
55-59	244	256	1,259	1,262	131,710	134,213
60-64	207	232	1,072	1,140	98,491	103,345
65-69	198	237	931	1,037	74,409	82,409
70-74	194	243	871	1,056	63,254	75,253
75-79	171	247	788	1,036	52,692	70,564
80-84	150	230	624	947	36,486	58,972
85&up	123	288	573	1,243	28,719	66,638
Total	4,701	4,980	24,382	25,258	2,509,132	2,550,243
Total Male/Female	9,681		49,640		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Polk County - Population Estimates by Age and Sex, 2003

Age Group	Polk County		Minnesota	
	Male	Female	Male	Female
00-04	725	757	167,051	158,975
05-09	971	888	171,120	162,255
10-14	1,149	1,118	187,055	177,877
15-17	753	701	115,200	109,237
18-19	586	481	77,823	74,583
20-24	1,394	1,229	188,099	180,194
25-29	785	672	163,650	158,178
30-34	766	762	178,572	173,120
35-39	941	940	190,366	186,825
40-44	1,156	1,179	214,005	211,278
45-49	1,280	1,212	199,753	196,686
50-54	1,067	990	170,677	169,641
55-59	851	839	131,710	134,213
60-64	665	727	98,491	103,345
65-69	580	635	74,409	82,409
70-74	505	574	63,254	75,253
75-79	474	616	52,692	70,564
80-84	344	585	36,486	58,972
85&up	312	696	28,719	66,638
Total	15,304	15,601	2,509,132	2,550,243
Total Male/Female	30,905		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Pope County - Population Estimates by Age and Sex, 2003

Age Group	Pope County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	283	241	768	687	167,051	158,975
05-09	311	269	846	780	171,120	162,255
10-14	428	366	1,031	954	187,055	177,877
15-17	282	268	724	734	115,200	109,237
18-19	171	166	629	719	77,823	74,583
20-24	388	344	1,378	1,377	188,099	180,194
25-29	240	243	800	701	163,650	158,178
30-34	281	261	719	633	178,572	173,120
35-39	305	330	787	858	190,366	186,825
40-44	405	396	1,121	1,079	214,005	211,278
45-49	466	454	1,208	1,162	199,753	196,686
50-54	419	347	1,045	940	170,677	169,641
55-59	315	324	794	793	131,710	134,213
60-64	260	287	699	715	98,491	103,345
65-69	245	290	620	722	74,409	82,409
70-74	232	272	645	778	63,254	75,253
75-79	209	284	601	759	52,692	70,564
80-84	176	245	484	680	36,486	58,972
85&up	124	325	411	913	28,719	66,638
Total	5,540	5,712	15,310	15,984	2,509,132	2,550,243
Total Male/Female	11,252		31,294		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Ramsey County - Population Estimates by Age and Sex, 2003

Age Group	Ramsey County		Minnesota	
	Male	Female	Male	Female
00-04	18,286	17,197	167,051	158,975
05-09	17,525	16,403	171,120	162,255
10-14	18,651	17,676	187,055	177,877
15-17	10,803	10,412	115,200	109,237
18-19	7,621	8,329	77,823	74,583
20-24	17,601	18,381	188,099	180,194
25-29	17,296	18,457	163,650	158,178
30-34	18,541	18,513	178,572	173,120
35-39	18,368	18,342	190,366	186,825
40-44	19,686	20,201	214,005	211,278
45-49	18,509	19,621	199,753	196,686
50-54	16,584	17,568	170,677	169,641
55-59	12,500	13,782	131,710	134,213
60-64	8,941	9,969	98,491	103,345
65-69	6,687	8,105	74,409	82,409
70-74	5,709	7,593	63,254	75,253
75-79	5,016	7,749	52,692	70,564
80-84	3,317	6,435	36,486	58,972
85&up	2,737	7,244	28,719	66,638
Total	244,378	261,977	2,509,132	2,550,243
Total Male/Female	506,355		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Red Lake County - Population Estimates by Age and Sex, 2003

Age Group	Red Lake County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	118	124	1,452	1,342	167,051	158,975
05-09	111	113	1,610	1,563	171,120	162,255
10-14	143	132	1,839	1,649	187,055	177,877
15-17	103	111	1,246	1,207	115,200	109,237
18-19	71	55	734	695	77,823	74,583
20-24	180	150	1,808	1,519	188,099	180,194
25-29	114	98	1,247	1,116	163,650	158,178
30-34	112	113	1,448	1,348	178,572	173,120
35-39	140	115	1,687	1,492	190,366	186,825
40-44	156	163	2,036	1,938	214,005	211,278
45-49	194	165	2,060	1,914	199,753	196,686
50-54	160	142	1,744	1,629	170,677	169,641
55-59	127	111	1,363	1,327	131,710	134,213
60-64	101	104	1,158	1,121	98,491	103,345
65-69	95	91	919	929	74,409	82,409
70-74	74	101	747	901	63,254	75,253
75-79	76	87	709	911	52,692	70,564
80-84	50	83	586	809	36,486	58,972
85&up	48	88	504	931	28,719	66,638
Total	2,173	2,146	24,897	24,341	2,509,132	2,550,243
Total Male/Female	4,319		49,238		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Redwood County - Population Estimates by Age and Sex, 2003

Age Group	Redwood County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	482	417	942	908	167,051	158,975
05-09	509	491	1,060	967	171,120	162,255
10-14	603	553	1,239	1,188	187,055	177,877
15-17	408	410	829	856	115,200	109,237
18-19	302	227	561	480	77,823	74,583
20-24	499	397	1,049	799	188,099	180,194
25-29	366	314	764	643	163,650	158,178
30-34	438	412	872	805	178,572	173,120
35-39	501	462	1,006	971	190,366	186,825
40-44	598	611	1,267	1,270	214,005	211,278
45-49	635	563	1,370	1,215	199,753	196,686
50-54	567	551	1,187	1,071	170,677	169,641
55-59	444	453	893	881	131,710	134,213
60-64	397	407	780	815	98,491	103,345
65-69	339	346	657	711	74,409	82,409
70-74	293	327	630	711	63,254	75,253
75-79	272	383	527	736	52,692	70,564
80-84	231	380	433	764	36,486	58,972
85&up	244	399	442	783	28,719	66,638
Total	8,128	8,103	16,508	16,574	2,509,132	2,550,243
Total Male/Female		16,231		33,082		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Renville County - Population Estimates by Age and Sex, 2003

Age Group	Renville County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	460	491	942	908	167,051	158,975
05-09	551	476	1,060	967	171,120	162,255
10-14	636	635	1,239	1,188	187,055	177,877
15-17	421	446	829	856	115,200	109,237
18-19	259	253	561	480	77,823	74,583
20-24	550	402	1,049	799	188,099	180,194
25-29	398	329	764	643	163,650	158,178
30-34	434	393	872	805	178,572	173,120
35-39	505	509	1,006	971	190,366	186,825
40-44	669	659	1,267	1,270	214,005	211,278
45-49	735	652	1,370	1,215	199,753	196,686
50-54	620	520	1,187	1,071	170,677	169,641
55-59	449	428	893	881	131,710	134,213
60-64	383	408	780	815	98,491	103,345
65-69	318	365	657	711	74,409	82,409
70-74	337	384	630	711	63,254	75,253
75-79	255	353	527	736	52,692	70,564
80-84	202	384	433	764	36,486	58,972
85&up	198	384	442	783	28,719	66,638
Total	8,380	8,471	16,508	16,574	2,509,132	2,550,243
Total Male/Female		16,851		33,082		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Age Group	Rice County		Minnesota	
	Male	Female	Male	Female
00-04	1,870	1,612	167,051	158,975
05-09	1,789	1,800	171,120	162,255
10-14	2,110	2,003	187,055	177,877
15-17	1,387	1,310	115,200	109,237
18-19	1,597	1,714	77,823	74,583
20-24	3,560	3,316	188,099	180,194
25-29	1,886	1,669	163,650	158,178
30-34	1,980	1,645	178,572	173,120
35-39	2,104	1,927	190,366	186,825
40-44	2,453	2,225	214,005	211,278
45-49	2,233	2,111	199,753	196,686
50-54	1,812	1,747	170,677	169,641
55-59	1,422	1,425	131,710	134,213
60-64	1,128	1,127	98,491	103,345
65-69	878	946	74,409	82,409
70-74	769	859	63,254	75,253
75-79	529	715	52,692	70,564
80-84	323	702	36,486	58,972
85&up	318	666	28,719	66,638
Total	30,148	29,519	2,509,132	2,550,243
Total Male/Female	59,667		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Rock County - Population Estimates by Age and Sex, 2003

Age Group	Rock County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	267	274	954	1,014	167,051	158,975
05-09	318	298	1,027	961	171,120	162,255
10-14	337	327	1,112	1,012	187,055	177,877
15-17	262	195	686	668	115,200	109,237
18-19	151	144	448	417	77,823	74,583
20-24	320	296	1,095	917	188,099	180,194
25-29	214	223	754	674	163,650	158,178
30-34	262	241	880	773	178,572	173,120
35-39	268	279	940	904	190,366	186,825
40-44	358	361	1,133	1,103	214,005	211,278
45-49	363	348	1,238	1,109	199,753	196,686
50-54	334	317	997	970	170,677	169,641
55-59	293	279	843	826	131,710	134,213
60-64	212	214	693	683	98,491	103,345
65-69	184	203	560	614	74,409	82,409
70-74	147	218	463	629	63,254	75,253
75-79	204	243	514	627	52,692	70,564
80-84	127	214	386	576	36,486	58,972
85&up	81	238	265	770	28,719	66,638
Total	4,702	4,912	14,988	15,247	2,509,132	2,550,243
Total Male/Female	9,614		30,235		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Roseau County - Population Estimates by Age and Sex, 2003

Age Group	Roseau County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	563	441	1,452	1,342	167,051	158,975
05-09	608	627	1,610	1,563	171,120	162,255
10-14	727	639	1,839	1,649	187,055	177,877
15-17	462	422	1,246	1,207	115,200	109,237
18-19	228	238	734	695	77,823	74,583
20-24	528	445	1,808	1,519	188,099	180,194
25-29	387	387	1,247	1,116	163,650	158,178
30-34	524	508	1,448	1,348	178,572	173,120
35-39	666	576	1,687	1,492	190,366	186,825
40-44	788	695	2,036	1,938	214,005	211,278
45-49	687	604	2,060	1,914	199,753	196,686
50-54	542	513	1,744	1,629	170,677	169,641
55-59	412	381	1,363	1,327	131,710	134,213
60-64	365	340	1,158	1,121	98,491	103,345
65-69	250	246	919	929	74,409	82,409
70-74	205	196	747	901	63,254	75,253
75-79	168	207	709	911	52,692	70,564
80-84	162	205	586	809	36,486	58,972
85&up	135	241	504	931	28,719	66,638
Total	8,407	7,911	24,897	24,341	2,509,132	2,550,243
Total Male/Female		16,318		49,238		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake & Roseau Counties

St. Louis County - Population Estimates by Age and Sex, 2003

Age Group	St. Louis County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	5,121	4,621	6,409	5,826	167,051	158,975
05-09	5,472	5,011	6,849	6,357	171,120	162,255
10-14	6,325	5,948	8,033	7,568	187,055	177,877
15-17	4,206	3,968	5,349	5,039	115,200	109,237
18-19	4,051	3,894	4,735	4,561	77,823	74,583
20-24	8,911	8,537	10,779	10,131	188,099	180,194
25-29	5,884	5,610	7,300	6,841	163,650	158,178
30-34	5,499	5,131	6,980	6,453	178,572	173,120
35-39	5,872	5,940	7,579	7,542	190,366	186,825
40-44	7,397	7,583	9,476	9,553	214,005	211,278
45-49	8,257	8,394	10,344	10,405	199,753	196,686
50-54	7,897	7,357	9,836	9,097	170,677	169,641
55-59	5,883	5,795	7,390	7,166	131,710	134,213
60-64	4,351	4,506	5,540	5,678	98,491	103,345
65-69	3,408	3,974	4,403	5,087	74,409	82,409
70-74	3,041	3,747	3,991	4,775	63,254	75,253
75-79	2,735	3,727	3,468	4,639	52,692	70,564
80-84	1,975	3,354	2,456	4,128	36,486	58,972
85&up	1,636	3,781	1,973	4,549	28,719	66,638
Total	97,921	100,878	122,890	125,395	2,509,132	2,550,243
Total Male/Female		198,799		248,285		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Age Group	Scott County		Minnesota	
	Male	Female	Male	Female
00-04	4,527	4,336	167,051	158,975
05-09	4,659	4,415	171,120	162,255
10-14	4,532	4,308	187,055	177,877
15-17	2,493	2,317	115,200	109,237
18-19	1,387	1,214	77,823	74,583
20-24	3,797	3,786	188,099	180,194
25-29	3,831	4,067	163,650	158,178
30-34	4,780	5,015	178,572	173,120
35-39	5,349	5,342	190,366	186,825
40-44	5,345	5,104	214,005	211,278
45-49	4,138	3,730	199,753	196,686
50-54	2,956	2,843	170,677	169,641
55-59	2,341	2,310	131,710	134,213
60-64	1,635	1,581	98,491	103,345
65-69	995	995	74,409	82,409
70-74	743	795	63,254	75,253
75-79	532	692	52,692	70,564
80-84	344	530	36,486	58,972
85&up	266	548	28,719	66,638
Total	54,650	53,928	2,509,132	2,550,243
Total Male/Female	108,578		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Sherburne County - Population Estimates by Age and Sex, 2003

Age Group	Sherburne County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	2,904	2,638	4,214	3,867	167,051	158,975
05-09	2,969	2,866	4,272	4,044	171,120	162,255
10-14	3,074	2,876	4,419	4,128	187,055	177,877
15-17	1,892	1,740	2,717	2,544	115,200	109,237
18-19	1,138	924	1,662	1,333	77,823	74,583
20-24	3,489	3,169	5,120	5,022	188,099	180,194
25-29	2,946	2,741	4,725	4,480	163,650	158,178
30-34	3,151	3,066	4,658	4,490	178,572	173,120
35-39	3,291	3,174	4,738	4,566	190,366	186,825
40-44	3,353	3,289	4,814	4,671	214,005	211,278
45-49	2,704	2,510	3,944	3,699	199,753	196,686
50-54	2,130	2,089	3,269	3,115	170,677	169,641
55-59	1,568	1,529	2,376	2,353	131,710	134,213
60-64	1,156	1,046	1,730	1,591	98,491	103,345
65-69	792	756	1,248	1,255	74,409	82,409
70-74	604	613	1,000	1,105	63,254	75,253
75-79	421	545	702	970	52,692	70,564
80-84	282	455	496	832	36,486	58,972
85&up	201	576	393	1,030	28,719	66,638
Total	38,065	36,602	56,497	55,095	2,509,132	2,550,243
Total Male/Female	74,667		111,592		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Benton and Sherburne Counties

Sibley County - Population Estimates by Age and Sex, 2003

Age Group	Sibley County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	475	448	2,471	2,289	167,051	158,975
05-09	546	466	2,569	2,379	171,120	162,255
10-14	655	551	2,932	2,605	187,055	177,877
15-17	369	387	1,866	1,802	115,200	109,237
18-19	218	193	1,116	989	77,823	74,583
20-24	527	462	2,505	2,277	188,099	180,194
25-29	398	369	2,141	1,954	163,650	158,178
30-34	460	430	2,443	2,222	178,572	173,120
35-39	488	503	2,572	2,516	190,366	186,825
40-44	695	596	3,098	2,931	214,005	211,278
45-49	616	544	2,785	2,678	199,753	196,686
50-54	503	445	2,557	2,356	170,677	169,641
55-59	401	380	1,976	1,919	131,710	134,213
60-64	306	362	1,535	1,636	98,491	103,345
65-69	282	311	1,307	1,380	74,409	82,409
70-74	268	311	1,155	1,316	63,254	75,253
75-79	206	267	982	1,300	52,692	70,564
80-84	162	231	710	1,141	36,486	58,972
85&up	135	311	592	1,344	28,719	66,638
Total	7,710	7,567	37,312	37,034	2,509,132	2,550,243
Total Male/Female		15,277		74,346		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Stearns County - Population Estimates by Age and Sex, 2003

Age Group	Stearns County		Minnesota	
	Male	Female	Male	Female
00-04	4,259	4,239	167,051	158,975
05-09	4,330	4,104	171,120	162,255
10-14	4,828	4,607	187,055	177,877
15-17	3,189	2,873	115,200	109,237
18-19	3,138	3,352	77,823	74,583
20-24	7,739	7,646	188,099	180,194
25-29	5,689	4,782	163,650	158,178
30-34	4,374	4,066	178,572	173,120
35-39	4,910	4,593	190,366	186,825
40-44	5,198	5,130	214,005	211,278
45-49	4,927	4,667	199,753	196,686
50-54	4,193	4,018	170,677	169,641
55-59	3,076	3,081	131,710	134,213
60-64	2,280	2,405	98,491	103,345
65-69	1,975	2,103	74,409	82,409
70-74	1,704	2,016	63,254	75,253
75-79	1,431	1,729	52,692	70,564
80-84	957	1,439	36,486	58,972
85&up	654	1,448	28,719	66,638
Total	68,851	68,298	2,509,132	2,550,243
Total Male/Female		137,149		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Steele County - Population Estimates by Age and Sex, 2003

Age Group	Steele County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,174	1,107	1,761	1,806	167,051	158,975
05-09	1,252	1,171	1,962	1,860	171,120	162,255
10-14	1,312	1,306	2,088	2,073	187,055	177,877
15-17	870	814	1,343	1,279	115,200	109,237
18-19	561	517	857	795	77,823	74,583
20-24	1,189	1,138	1,893	1,805	188,099	180,194
25-29	1,013	986	1,586	1,535	163,650	158,178
30-34	1,131	1,099	1,736	1,726	178,572	173,120
35-39	1,283	1,279	2,031	1,988	190,366	186,825
40-44	1,403	1,442	2,238	2,245	214,005	211,278
45-49	1,393	1,294	2,148	2,020	199,753	196,686
50-54	1,192	1,145	1,776	1,700	170,677	169,641
55-59	870	875	1,305	1,307	131,710	134,213
60-64	651	710	988	1,080	98,491	103,345
65-69	531	640	796	912	74,409	82,409
70-74	468	560	700	818	63,254	75,253
75-79	396	543	587	784	52,692	70,564
80-84	274	455	424	689	36,486	58,972
85&up	223	486	339	704	28,719	66,638
Total	17,186	17,567	26,558	27,126	2,509,132	2,550,243
Total Male/Female		34,753		53,684		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*CHS Agency- Community Health Services Agency consisting of Dodge and Steele Counties

Stevens County - Population Estimates by Age and Sex, 2003

Age Group	Stevens County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	252	237	768	687	167,051	158,975
05-09	257	221	846	780	171,120	162,255
10-14	255	235	1,031	954	187,055	177,877
15-17	200	227	724	734	115,200	109,237
18-19	332	426	629	719	77,823	74,583
20-24	646	745	1,378	1,377	188,099	180,194
25-29	334	268	800	701	163,650	158,178
30-34	207	172	719	633	178,572	173,120
35-39	232	232	787	858	190,366	186,825
40-44	329	322	1,121	1,079	214,005	211,278
45-49	359	350	1,208	1,162	199,753	196,686
50-54	315	287	1,045	940	170,677	169,641
55-59	219	213	794	793	131,710	134,213
60-64	193	171	699	715	98,491	103,345
65-69	139	172	620	722	74,409	82,409
70-74	160	208	645	778	63,254	75,253
75-79	152	185	601	759	52,692	70,564
80-84	125	191	484	680	36,486	58,972
85&up	98	222	411	913	28,719	66,638
Total	4,804	5,084	15,310	15,984	2,509,132	2,550,243
Total Male/Female		9,888		31,294		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Age Group	Swift County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	260	257	1,196	1,092	167,051	158,975
05-09	310	290	1,438	1,315	171,120	162,255
10-14	374	361	1,735	1,645	187,055	177,877
15-17	226	195	1,155	1,044	115,200	109,237
18-19	183	123	762	642	77,823	74,583
20-24	468	271	1,719	1,297	188,099	180,194
25-29	455	213	1,196	854	163,650	158,178
30-34	553	226	1,357	1,033	178,572	173,120
35-39	687	285	1,734	1,324	190,366	186,825
40-44	643	366	2,045	1,787	214,005	211,278
45-49	540	361	2,103	1,836	199,753	196,686
50-54	436	327	1,784	1,548	170,677	169,641
55-59	319	278	1,342	1,272	131,710	134,213
60-64	255	209	1,121	1,189	98,491	103,345
65-69	203	255	966	1,080	74,409	82,409
70-74	183	256	913	1,148	63,254	75,253
75-79	166	268	878	1,210	52,692	70,564
80-84	154	253	708	1,122	36,486	58,972
85&up	141	306	641	1,430	28,719	66,638
Total	6,556	5,100	24,793	23,868	2,509,132	2,550,243
Total Male/Female	11,656		48,661		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Todd County - Population Estimates by Age and Sex, 2003

Age Group	Todd County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	666	646	2,919	2,745	167,051	158,975
05-09	785	747	3,008	2,898	171,120	162,255
10-14	926	920	3,766	3,605	187,055	177,877
15-17	619	622	2,518	2,398	115,200	109,237
18-19	402	390	1,550	1,390	77,823	74,583
20-24	1,064	846	3,795	3,274	188,099	180,194
25-29	608	530	2,550	2,354	163,650	158,178
30-34	645	575	2,623	2,489	178,572	173,120
35-39	724	700	3,034	2,942	190,366	186,825
40-44	966	965	3,812	3,741	214,005	211,278
45-49	979	905	3,796	3,600	199,753	196,686
50-54	902	752	3,385	3,099	170,677	169,641
55-59	686	669	2,753	2,666	131,710	134,213
60-64	635	630	2,582	2,648	98,491	103,345
65-69	475	501	2,221	2,230	74,409	82,409
70-74	417	448	1,898	2,079	63,254	75,253
75-79	373	428	1,571	1,782	52,692	70,564
80-84	223	373	1,035	1,550	36,486	58,972
85&up	186	381	810	1,590	28,719	66,638
Total	12,281	12,028	49,626	49,080	2,509,132	2,550,243
Total Male/Female	24,309		98,706		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Traverse County - Population Estimates by Age and Sex, 2003

Age Group	Traverse County	CHS Agency*	Minnesota
00-04	666	2,919	167,051

Age Group	Male	Female	Male	Female	Male	Female
00-04	91	72	768	687	167,051	158,975
05-09	114	117	846	780	171,120	162,255
10-14	147	135	1,031	954	187,055	177,877
15-17	99	86	724	734	115,200	109,237
18-19	53	45	629	719	77,823	74,583
20-24	129	104	1,378	1,377	188,099	180,194
25-29	71	52	800	701	163,650	158,178
30-34	78	72	719	633	178,572	173,120
35-39	100	126	787	858	190,366	186,825
40-44	140	126	1,121	1,079	214,005	211,278
45-49	137	133	1,208	1,162	199,753	196,686
50-54	110	102	1,045	940	170,677	169,641
55-59	91	90	794	793	131,710	134,213
60-64	89	108	699	715	98,491	103,345
65-69	86	108	620	722	74,409	82,409
70-74	107	136	645	778	63,254	75,253
75-79	111	110	601	759	52,692	70,564
80-84	84	94	484	680	36,486	58,972
85&up	87	171	411	913	28,719	66,638
Total	1,924	1,987	15,310	15,984	2,509,132	2,550,243
Total Male/Female		3,911		31,294		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Wabasha County - Population Estimates by Age and Sex, 2003

Age Group	Wabasha County		Minnesota	
	Male	Female	Male	Female
00-04	625	613	167,051	158,975
05-09	711	682	171,120	162,255
10-14	863	805	187,055	177,877
15-17	575	559	115,200	109,237
18-19	352	320	77,823	74,583
20-24	812	683	188,099	180,194
25-29	540	532	163,650	158,178
30-34	632	629	178,572	173,120
35-39	768	764	190,366	186,825
40-44	910	913	214,005	211,278
45-49	863	848	199,753	196,686
50-54	795	734	170,677	169,641
55-59	643	625	131,710	134,213
60-64	498	538	98,491	103,345
65-69	425	407	74,409	82,409
70-74	364	369	63,254	75,253
75-79	270	383	52,692	70,564
80-84	268	285	36,486	58,972
85&up	185	356	28,719	66,638
Total	11,099	11,045	2,509,132	2,550,243
Total Male/Female				5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Wadena County - Population Estimates by Age and Sex, 2003

Age Group	Wadena County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	424	364	2,919	2,745	167,051	158,975
05-09	438	399	3,008	2,898	171,120	162,255
10-14	526	464	3,766	3,605	187,055	177,877
15-17	349	296	2,518	2,398	115,200	109,237
18-19	167	172	1,550	1,390	77,823	74,583
20-24	524	447	3,795	3,274	188,099	180,194
25-29	345	305	2,550	2,354	163,650	158,178
30-34	321	290	2,623	2,489	178,572	173,120
35-39	372	375	3,034	2,942	190,366	186,825
40-44	494	512	3,812	3,741	214,005	211,278
45-49	504	478	3,796	3,600	199,753	196,686
50-54	433	423	3,385	3,099	170,677	169,641
55-59	364	337	2,753	2,666	131,710	134,213
60-64	319	352	2,582	2,648	98,491	103,345
65-69	308	333	2,221	2,230	74,409	82,409
70-74	299	340	1,898	2,079	63,254	75,253
75-79	251	354	1,571	1,782	52,692	70,564
80-84	170	311	1,035	1,550	36,486	58,972
85&up	157	286	810	1,590	28,719	66,638
Total	6,765	6,838	49,626	49,080	2,509,132	2,550,243
Total Male/Female		13,603		98,706		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Waseca County - Population Estimates by Age and Sex, 2003

Age Group	Waseca County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	616	584	1,422	1,361	167,051	158,975
05-09	615	603	1,456	1,459	171,120	162,255
10-14	698	651	1,703	1,636	187,055	177,877
15-17	466	426	1,141	1,088	115,200	109,237
18-19	257	256	665	603	77,823	74,583
20-24	805	617	1,798	1,552	188,099	180,194
25-29	719	480	1,458	1,167	163,650	158,178
30-34	752	519	1,574	1,333	178,572	173,120
35-39	825	605	1,815	1,539	190,366	186,825
40-44	884	700	2,018	1,795	214,005	211,278
45-49	833	752	1,903	1,722	199,753	196,686
50-54	698	654	1,671	1,506	170,677	169,641
55-59	548	446	1,300	1,176	131,710	134,213
60-64	348	386	938	1,002	98,491	103,345
65-69	277	319	749	813	74,409	82,409
70-74	244	322	622	752	63,254	75,253
75-79	275	331	571	732	52,692	70,564
80-84	183	253	423	614	36,486	58,972
85&up	148	340	350	771	28,719	66,638
Total	10,191	9,244	23,577	22,621	2,509,132	2,550,243
Total Male/Female		19,435		46,198		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Washington County - Population Estimates by Age and Sex, 2003

Age Group	Washington County		Minnesota	
	Male	Female	Male	Female
00-04	7,171	7,009	167,051	158,975
05-09	8,364	8,066	171,120	162,255
10-14	8,811	8,472	187,055	177,877
15-17	5,264	5,102	115,200	109,237
18-19	3,037	2,691	77,823	74,583
20-24	6,969	6,491	188,099	180,194
25-29	5,888	5,668	163,650	158,178
30-34	7,130	7,532	178,572	173,120
35-39	8,851	9,229	190,366	186,825
40-44	10,091	10,197	214,005	211,278
45-49	8,956	9,184	199,753	196,686
50-54	7,667	7,709	170,677	169,641
55-59	6,154	6,162	131,710	134,213
60-64	4,269	4,215	98,491	103,345
65-69	2,727	2,819	74,409	82,409
70-74	2,007	2,386	63,254	75,253
75-79	1,496	1,800	52,692	70,564
80-84	811	1,312	36,486	58,972
85&up	520	1,337	28,719	66,638
Total	106,183	107,381	2,509,132	2,550,243
Total Male/Female	213,564			

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Watonwan County - Population Estimates by Age and Sex, 2003

Age Group	Watonwan County		Minnesota	
	Male	Female	Male	Female
00-04	451	354	167,051	158,975
05-09	412	410	171,120	162,255
10-14	434	449	187,055	177,877
15-17	271	257	115,200	109,237
18-19	164	158	77,823	74,583
20-24	353	374	188,099	180,194
25-29	284	248	163,650	158,178
30-34	265	287	178,572	173,120
35-39	323	311	190,366	186,825
40-44	415	413	214,005	211,278
45-49	477	466	199,753	196,686
50-54	401	323	170,677	169,641
55-59	272	291	131,710	134,213
60-64	271	270	98,491	103,345
65-69	235	258	74,409	82,409
70-74	216	255	63,254	75,253
75-79	213	279	52,692	70,564
80-84	138	215	36,486	58,972
85&up	139	269	28,719	66,638
Total	5,734	5,887	2,509,132	2,550,243
Total Male/Female	11,621		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Wilkin County - Population Estimates by Age and Sex, 2003

Age Group	Wilkin County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	215	176	1,489	1,402	167,051	158,975
05-09	217	230	1,857	1,763	171,120	162,255
10-14	268	278	2,192	2,025	187,055	177,877
15-17	173	194	1,381	1,293	115,200	109,237
18-19	89	112	1,379	1,885	77,823	74,583
20-24	246	206	2,986	3,507	188,099	180,194
25-29	149	125	1,869	1,843	163,650	158,178
30-34	181	189	1,616	1,609	178,572	173,120
35-39	229	235	1,805	1,855	190,366	186,825
40-44	325	285	2,210	2,245	214,005	211,278
45-49	317	292	2,239	2,193	199,753	196,686
50-54	239	193	1,900	1,768	170,677	169,641
55-59	169	187	1,359	1,399	131,710	134,213
60-64	128	179	1,075	1,131	98,491	103,345
65-69	150	156	873	964	74,409	82,409
70-74	121	132	772	943	63,254	75,253
75-79	96	97	659	846	52,692	70,564
80-84	51	95	446	746	36,486	58,972
85&up	42	179	387	1,017	28,719	66,638
Total	3,405	3,540	28,494	30,434	2,509,132	2,550,243
Total Male/Female		6,945		58,928		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Winona County - Population Estimates by Age and Sex, 2003

Age Group	Winona County		Minnesota	
	Male	Female	Male	Female
00-04	1,317	1,267	167,051	158,975
05-09	1,372	1,288	171,120	162,255
10-14	1,592	1,451	187,055	177,877
15-17	999	962	115,200	109,237
18-19	1,271	1,699	77,823	74,583
20-24	2,967	3,341	188,099	180,194
25-29	1,870	1,683	163,650	158,178
30-34	1,365	1,204	178,572	173,120
35-39	1,409	1,425	190,366	186,825
40-44	1,701	1,725	214,005	211,278
45-49	1,752	1,774	199,753	196,686
50-54	1,637	1,570	170,677	169,641
55-59	1,264	1,180	131,710	134,213
60-64	921	951	98,491	103,345
65-69	766	821	74,409	82,409
70-74	670	785	63,254	75,253
75-79	525	780	52,692	70,564
80-84	402	700	36,486	58,972
85&up	319	757	28,719	66,638
Total	24,119	25,363	2,509,132	2,550,243
Total Male/Female		49,482		5,059,375

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Wright County - Population Estimates by Age and Sex, 2003

Age Group	Wright County		Minnesota	
	Male	Female	Male	Female
00-04	3,755	3,748	167,051	158,975
05-09	4,064	3,825	171,120	162,255
10-14	4,314	4,148	187,055	177,877
15-17	2,560	2,513	115,200	109,237
18-19	1,497	1,318	77,823	74,583
20-24	3,907	3,867	188,099	180,194
25-29	3,467	3,490	163,650	158,178
30-34	4,022	4,011	178,572	173,120
35-39	4,338	4,317	190,366	186,825
40-44	4,672	4,413	214,005	211,278
45-49	3,817	3,496	199,753	196,686
50-54	2,960	2,947	170,677	169,641
55-59	2,399	2,346	131,710	134,213
60-64	1,813	1,754	98,491	103,345
65-69	1,300	1,256	74,409	82,409
70-74	966	1,054	63,254	75,253
75-79	761	962	52,692	70,564
80-84	514	794	36,486	58,972
85&up	347	797	28,719	66,638
Total	51,473	51,056	2,509,132	2,550,243
Total Male/Female	102,529		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Yellow Medicine County - Population Estimates by Age and Sex, 2003

Age Group	Yellow Medicine County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	334	252	1,196	1,092	167,051	158,975
05-09	313	306	1,438	1,315	171,120	162,255
10-14	378	376	1,735	1,645	187,055	177,877
15-17	293	238	1,155	1,044	115,200	109,237
18-19	171	163	762	642	77,823	74,583
20-24	396	316	1,719	1,297	188,099	180,194
25-29	223	197	1,196	854	163,650	158,178
30-34	255	234	1,357	1,033	178,572	173,120
35-39	284	314	1,734	1,324	190,366	186,825
40-44	421	422	2,045	1,787	214,005	211,278
45-49	455	398	2,103	1,836	199,753	196,686
50-54	363	313	1,784	1,548	170,677	169,641
55-59	288	263	1,342	1,272	131,710	134,213
60-64	251	281	1,121	1,189	98,491	103,345
65-69	219	235	966	1,080	74,409	82,409
70-74	192	240	913	1,148	63,254	75,253
75-79	199	232	878	1,210	52,692	70,564
80-84	145	247	708	1,122	36,486	58,972
85&up	138	332	641	1,430	28,719	66,638
Total	5,318	5,359	24,793	23,868	2,509,132	2,550,243
Total Male/Female	10,677		48,661		5,059,375	

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity by State and County, 2003

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,059,375	4,562,664	199,475	57,939	170,482	68,815	164,941
Aitkin	15,782	15,271	51	354	34	72	123
Anoka	314,074	290,913	7,197	2,188	8,387	5,389	6,236
Becker	31,174	27,942	103	2,345	147	637	263
Beltrami	41,797	32,072	177	8,498	339	711	373
Benton	36,925	35,487	470	172	459	337	365
Big Stone	5,653	5,582	11	32	25	3	19
Blue Earth	57,306	54,652	908	138	1,176	432	1,014
Brown	26,505	26,190	61	30	121	103	495
Carlton	33,044	30,357	367	1,747	161	412	289
Carver	78,960	75,958	672	149	1,658	523	2,229
Cass	28,205	24,745	53	2,988	77	342	221
Chippewa	12,808	12,559	25	120	50	54	387
Chisago	46,165	44,740	363	256	473	333	671
Clay	51,983	49,789	312	763	559	560	1,516
Clearwater	8,424	7,540	24	729	28	103	64
Cook	5,282	4,754	19	397	20	92	66
Cottonwood	12,019	11,626	52	29	288	24	409
Crow Wing	58,430	56,997	248	519	221	445	432
Dakota	373,311	340,807	11,181	1,579	13,545	6,199	12,751
Dodge	18,931	18,685	33	31	101	81	568
Douglas	34,117	33,618	85	101	166	147	234
Faribault	15,737	15,544	49	33	65	46	629
Fillmore	21,314	21,135	63	23	36	57	116
Freeborn	31,961	31,432	134	75	177	143	1,965
Goodhue	45,167	43,800	339	480	276	272	644
Grant	6,243	6,183	15	18	10	17	42
Hennepin	1,121,035	916,041	110,308	11,482	61,029	22,175	55,168
Houston	19,980	19,668	93	37	95	87	117
Hubbard	18,635	18,073	28	343	54	137	139
Isanti	35,372	34,416	152	260	191	353	381
Itasca	44,265	41,910	79	1,578	135	563	283
Jackson	11,170	10,938	14	12	187	19	212
Kanabec	15,867	15,461	33	140	76	157	194
Kandiyohi	41,148	40,359	266	172	222	129	3,457
Kittson	4,968	4,903	8	16	24	17	68
Koochiching	14,018	13,468	31	323	46	150	101
Lac Qui Parle	7,867	7,801	13	21	26	6	22
Lake	11,160	10,972	14	84	22	68	58
Lake of the Woods	4,384	4,273	13	60	17	21	29
Le Sueur	26,763	26,399	52	78	110	124	972
Lincoln	6,159	6,118	3	20	17	1	58
Lyon	24,819	23,859	269	88	480	123	935
McLeod	35,864	35,227	103	103	249	182	1,489
Mahnomen	5,113	3,231	7	1,483	2	390	58
Marshall	9,997	9,903	7	38	28	21	380
Martin	21,221	20,968	68	19	115	51	421
Meeker	23,205	22,962	57	41	111	34	577
Mille Lacs	24,317	22,807	84	1,140	74	212	238
Morrison	32,589	32,148	91	106	92	152	232

Mower	38,823	37,447	429	83	595	269	2,002
Murray	8,981	8,893	14	24	25	25	180
Nicollet	30,733	29,759	311	100	401	162	631
Nobles	20,621	19,382	244	91	816	88	2,506
Norman	7,191	6,928	15	151	26	71	245
Olmsted	131,384	118,893	4,114	364	6,643	1,370	3,158
Otter Tail	58,847	57,659	260	312	304	312	938
Pennington	13,636	13,260	40	146	108	82	204
Pine	27,746	26,229	399	797	102	219	470
Pipestone	9,681	9,394	20	162	54	51	82
Polk	30,905	29,923	131	399	147	305	1,309
Pope	11,252	11,141	31	28	41	11	82
Ramsey	506,355	398,236	44,041	4,273	48,165	11,640	28,783
Red Lake	4,319	4,248	9	56	4	2	25
Redwood	16,231	15,255	46	586	249	95	183
Renville	16,851	16,595	16	125	42	73	872
Rice	59,667	56,905	936	259	1,046	521	3,831
Rock	9,614	9,437	56	44	70	7	86
Roseau	16,318	15,598	21	290	319	90	87
St. Louis	198,799	188,809	1,884	4,116	1,499	2,491	1,513
Scott	108,578	100,436	1,509	918	4,256	1,459	3,486
Sherburne	74,667	72,433	704	309	584	637	1,133
Sibley	15,277	15,081	24	47	69	56	858
Stearns	137,149	131,494	1,644	421	2,439	1,151	2,184
Steele	34,753	33,542	703	36	274	198	1,338
Stevens	9,888	9,513	113	93	115	54	88
Swift	11,656	10,525	409	63	510	149	324
Todd	24,309	23,909	36	138	92	134	662
Traverse	3,911	3,760	0	127	16	8	55
Wabasha	22,144	21,855	61	66	119	43	433
Wadena	13,603	13,328	95	106	29	45	125
Waseca	19,435	18,661	486	114	128	46	487
Washington	213,564	197,518	4,974	902	7,212	2,958	4,670
Watsonwan	11,621	11,368	57	39	122	35	1,885
Wilkin	6,945	6,845	15	33	9	43	99
Winona	49,482	47,684	381	109	1,019	289	649
Wright	102,529	100,053	427	337	812	900	1,339
Yellow Medicine	10,677	10,385	15	237	20	20	229

Source: July 1, 2003, US Census

Demographics Table 3: Selected Minnesota Population Statistics by State and County, 2003

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	609,396	12.0	17.8	47.7	1,401,176	29.9	1,093,415
Aitkin	3,727	23.6	38.6	63.4	3,393	24.8	2,554
Anoka	24,163	7.7	11.0	43.4	93,941	32.4	70,868
Becker	5,030	16.1	24.9	54.5	8,384	29.6	5,935
Beltrami	4,923	11.8	17.5	48.9	12,747	31.3	9,622
Benton	3,786	10.3	14.8	44.7	10,179	29.8	9,003
Big Stone	1,339	23.7	39.9	68.3	1,421	28.4	925
Blue Earth	6,757	11.8	16.4	38.7	14,545	22.3	14,417
Brown	4,658	17.6	27.1	54.0	7,063	27.0	5,188
Carlton	4,923	14.9	22.3	49.5	8,482	27.2	6,545
Carver	5,801	7.3	10.7	46.2	25,026	35.4	18,370
Cass	5,167	18.3	28.6	56.4	7,135	27.7	5,161
Chippewa	2,590	20.2	32.9	62.5	3,263	29.7	2,248
Chisago	4,369	9.5	13.8	46.3	13,731	32.5	10,439
Clay	6,534	12.6	18.1	44.0	14,714	25.9	12,891
Clearwater	1,431	17.0	26.7	57.4	2,281	30.6	1,554
Cook	898	17.0	25.0	46.8	1,099	21.8	909
Cottonwood	2,638	21.9	37.0	68.7	3,164	31.7	2,007
Crow Wing	9,973	17.1	26.6	56.0	14,933	29.4	11,531
Dakota	29,159	7.8	11.3	44.2	112,624	32.9	85,375
Dodge	2,177	11.5	17.4	51.1	5,740	33.8	4,098
Douglas	6,137	18.0	27.8	54.4	8,227	26.6	6,592
Faribault	3,426	21.8	35.7	64.0	3,970	28.3	2,623
Fillmore	3,999	18.8	30.1	60.4	5,669	30.3	3,892
Freeborn	6,096	19.1	30.2	58.4	7,854	28.2	5,818
Goodhue	6,696	14.8	22.4	51.2	12,182	28.8	9,016
Grant	1,465	23.5	39.1	66.8	1,486	27.7	1,090
Hennepin	121,897	10.9	15.7	44.3	294,057	28.6	246,540
Houston	3,288	16.5	25.6	55.4	5,471	29.8	3,904
Hubbard	3,525	18.9	29.7	57.1	4,610	27.4	3,369
Isanti	3,614	10.2	14.6	43.2	9,919	28.5	8,171
Itasca	7,471	16.9	25.6	51.8	10,973	26.1	8,208
Jackson	2,207	19.8	31.4	58.8	2,752	27.5	1,998
Kanabec	2,209	13.9	21.0	50.7	4,395	29.7	3,276
Kandiyohi	6,330	15.4	23.7	53.9	11,174	30.2	8,115
Kittson	1,114	22.4	38.1	69.8	1,281	31.8	761
Koochiching	2,648	18.9	29.7	57.0	3,413	27.4	2,442
Lac Qui Parle	1,803	22.9	38.0	65.7	1,937	27.7	1,245
Lake	2,270	20.3	31.8	56.2	2,528	24.4	2,003
Lake of the Woods	805	18.4	28.4	54.7	1,096	26.3	780
Le Sueur	3,705	13.8	20.8	50.5	7,362	29.6	5,474
Lincoln	1,508	24.5	42.1	72.1	1,501	30.0	1,006
Lyon	3,569	14.4	21.8	51.7	7,007	29.9	5,366
McLeod	4,996	13.9	21.4	53.6	10,290	32.2	7,340
Mahnomen	881	17.2	28.7	66.4	1,543	37.8	889
Marshall	1,864	18.6	29.1	56.0	2,550	26.9	1,756
Martin	4,184	19.7	31.6	60.4	5,430	28.8	3,669
Meeker	3,747	16.1	25.2	56.0	6,420	30.8	4,411
Mille Lacs	3,792	15.6	23.8	52.8	6,512	28.9	5,025
Morrison	4,985	15.3	23.8	55.4	9,340	31.6	6,402
Mower	7,219	18.6	30.1	62.0	10,383	31.9	7,174
Murray	1,948	21.7	35.7	64.8	2,248	29.0	1,459
Nicollet	3,364	10.9	15.5	41.2	8,677	25.7	7,278

Nobles	3,545	17.2	27.7	60.9	5,726	33.2	3,717
Norman	1,525	21.2	35.0	65.0	1,868	30.0	1,243
Olmsted	14,762	11.2	16.6	47.4	36,743	30.9	29,016
Otter Tail	11,063	18.8	29.5	57.1	14,849	27.6	10,703
Pennington	2,160	15.8	23.9	51.1	3,470	27.2	2,722
Pine	4,240	15.3	22.9	50.0	7,194	27.1	5,368
Pipestone	2,081	21.5	36.0	67.4	2,557	31.4	1,728
Polk	5,321	17.2	26.6	54.7	8,129	28.1	5,964
Pope	2,402	21.3	34.6	61.9	2,785	27.3	2,008
Ramsey	60,592	12.0	17.8	48.9	142,903	31.1	112,635
Red Lake	793	18.4	28.5	55.1	1,081	26.6	805
Redwood	3,214	19.8	32.3	62.9	4,402	30.7	2,833
Renville	3,180	18.9	30.5	61.7	4,628	31.2	2,991
Rice	6,705	11.2	16.0	42.8	17,192	26.8	13,806
Rock	1,859	19.3	31.3	62.0	2,573	30.7	1,739
Roseau	2,015	12.3	18.8	52.5	4,955	33.7	3,271
St. Louis	31,378	15.8	23.3	47.3	48,617	24.1	40,663
Scott	6,440	5.9	8.5	44.1	34,188	35.5	26,845
Sherburne	5,245	7.0	10.1	43.3	23,021	33.3	18,103
Sibley	2,484	16.3	25.7	58.3	4,308	32.5	2,940
Stearns	15,456	11.3	16.2	43.9	38,919	27.7	32,442
Steele	4,576	13.2	20.0	52.1	10,084	32.0	7,275
Stevens	1,652	16.7	24.4	45.9	2,642	21.5	2,392
Swift	2,185	18.7	28.7	53.0	2,579	24.3	1,679
Todd	3,805	15.7	24.1	53.7	6,723	29.7	4,628
Traverse	1,094	28.0	51.1	82.7	959	31.6	611
Wabasha	3,312	15.0	22.8	52.4	6,105	29.6	4,400
Wadena	2,809	20.6	34.3	66.3	3,599	32.0	2,397
Waseca	2,692	13.9	20.7	49.8	5,172	29.0	3,603
Washington	17,215	8.1	11.6	43.9	63,987	32.3	46,910
Watonwan	2,217	19.1	32.2	68.6	3,360	36.4	2,048
Wilkin	1,119	16.1	25.2	56.3	1,952	31.2	1,346
Winona	6,525	13.2	18.8	42.7	13,218	23.9	12,039
Wright	8,751	8.5	12.5	46.6	31,742	34.1	23,929
Yellow Medicine	2,179	20.4	33.3	63.3	2,824	30.0	1,884

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Elderly Age Dependency Ratio: The number of persons aged 65 or over per 100 persons in the population aged 15 through 64 years.

Percent Elderly: The percent of total population comprised of persons aged 65 and over.

Total Age Dependency Ratio: The number of children under 15 years of age plus the number of persons aged 65 and over per 100 persons in the population aged 15 through 64 years.

Child Age Dependency Ratio: The number of children under 15 years of age per 100 persons in the population aged 15 through 64 years.

Demographics Table 4: Selected Minnesota Demographics by State and County, 2003

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2002-2003
State of Minnesota	5,059,375	79,617	63.5	1,980,014	1.4
Aitkin	15,782	1,819	8.7	6,966	2.5
Anoka	314,074	424	740.7	112,627	1.7
Becker	31,174	1,311	23.8	12,481	2.3
Beltrami	41,797	2,505	16.7	15,179	2.3
Benton	36,925	408	90.5	14,311	2.4
Big Stone	5,653	497	11.4	2,335	-0.2
Blue Earth	57,306	752	76.2	22,039	1.4
Brown	26,505	611	43.4	10,643	0.0
Carlton	33,044	860	38.4	12,768	2.1
Carver	78,960	357	221.2	28,096	5.1
Cass	28,205	2,018	14.0	11,482	1.8
Chippewa	12,808	583	22.0	5,350	-0.5
Chisago	46,165	418	110.4	16,270	3.2
Clay	51,983	1,045	49.7	19,263	0.7
Clearwater	8,424	995	8.5	3,366	0.4
Cook	5,282	1,451	3.6	2,428	1.6
Cottonwood	12,019	640	18.8	4,929	0.0
Crow Wing	58,430	997	58.6	23,851	2.5
Dakota	373,311	570	654.9	139,966	2.0
Dodge	18,931	440	43.0	6,983	2.9
Douglas	34,117	634	53.8	14,137	1.9
Faribault	15,737	714	22.0	6,592	-0.8
Fillmore	21,314	861	24.8	8,446	0.1
Freeborn	31,961	708	45.1	13,418	-0.1
Goodhue	45,167	759	59.5	17,648	1.0
Grant	6,243	547	11.4	2,555	0.2
Hennepin	1,121,035	557	2,012.6	467,760	0.7
Houston	19,980	558	35.8	7,840	0.8
Hubbard	18,635	923	20.2	7,656	1.2
Isanti	35,372	439	80.6	12,867	5.2
Itasca	44,265	2,665	16.6	18,247	0.8
Jackson	11,170	702	15.9	4,590	-0.1
Kanabec	15,867	525	30.2	6,134	2.6
Kandiyohi	41,148	796	51.7	16,227	0.5
Kittson	4,968	1,097	4.5	2,082	-1.8
Koochiching	14,018	3,102	4.5	5,998	0.0
Lac Qui Parle	7,867	765	10.3	3,293	-0.6
Lake	11,160	2,099	5.3	4,741	1.0
Lake of the Woods	4,384	1,297	3.4	1,890	0.1
Le Sueur	26,763	449	59.6	10,245	2.8
Lincoln	6,159	537	11.5	2,598	-1.2
Lyon	24,819	714	34.8	9,786	0.0
McLeod	35,864	492	72.9	14,003	1.6
Mahnomen	5,113	556	9.2	1,974	-0.1
Marshall	9,997	1,772	5.6	4,116	1.1
Martin	21,221	709	29.9	9,019	-0.1
Meeker	23,205	609	38.1	8,903	1.6
Mille Lacs	24,317	575	42.3	9,493	3.4
Morrison	32,589	1,125	29.0	12,410	1.5
Mower	38,823	712	54.5	15,912	0.5
Murray	8,981	705	12.7	3,725	-0.2
Nicollet	30,733	452	68.0	11,283	2.2

Nobles	20,621	716	28.8	7,930	0.6
Norman	7,191	876	8.2	2,962	-0.7
Olmsted	131,384	653	201.2	51,665	2.2
Otter Tail	58,847	1,980	29.7	23,563	1.7
Pennington	13,636	617	22.1	5,633	0.8
Pine	27,746	1,411	19.7	10,576	2.1
Pipestone	9,681	466	20.8	4,052	-1.0
Polk	30,905	1,971	15.7	12,168	-0.1
Pope	11,252	670	16.8	4,624	1.0
Ramsey	506,355	156	3,245.9	204,059	0.3
Red Lake	4,319	432	10.0	1,763	0.9
Redwood	16,231	880	18.4	6,589	-0.8
Renville	16,851	983	17.1	6,778	-0.6
Rice	59,667	498	119.8	20,211	2.8
Rock	9,614	483	19.9	3,883	-0.6
Roseau	16,318	1,663	9.8	6,283	0.8
St. Louis	198,799	6,226	31.9	82,892	-0.3
Scott	108,578	357	304.1	37,489	6.7
Sherburne	74,667	437	170.9	25,272	5.1
Sibley	15,277	589	25.9	5,867	0.1
Stearns	137,149	1,345	102.0	50,286	1.8
Steele	34,753	430	80.8	13,429	1.6
Stevens	9,888	562	17.6	3,757	-0.2
Swift	11,656	744	15.7	4,299	-0.8
Todd	24,309	942	25.8	9,481	0.1
Traverse	3,911	574	6.8	1,656	-0.7
Wabasha	22,144	525	42.2	8,597	1.6
Wadena	13,603	536	25.4	5,490	0.4
Waseca	19,435	423	45.9	7,149	0.4
Washington	213,564	392	544.8	77,456	1.8
Watsonwan	11,621	435	26.7	4,617	-0.4
Wilkin	6,945	752	9.2	2,740	-0.1
Winona	49,482	626	79.0	18,948	0.9
Wright	102,529	661	155.1	36,577	5.3
Yellow Medicine	10,677	758	14.1	4,352	-0.7

Sources: Population - U.S. Census Bureau: 2003 Census Estimates, www.census.gov; Number of Households - Minnesota State Demographer's <http://www.demography.state.mn.us/demogpop.html>

Number of Households: The number of occupied houses, apartments, or other separate living quarters, in which the occupants live and eat separately from other persons in the building and to which they have direct access from outside the building or through a common hall.

Demographics Table 5a: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2002	Est. Median Household Income, 2002	Unemployed Annual Average, 2003		Food Stamp Utilization - Avg Monthly Households, 2003
			Number	Percent	
State of Minnesota	\$33,322	\$50,157	145,399	5.0	111,700
Aitkin	\$23,241	\$31,992	525	7.7	454
Anoka	\$31,385	\$60,344	9,442	5.0	4,736
Becker	\$25,590	\$37,163	1,071	6.6	1,055
Beltrami	\$23,864	\$33,902	1,239	5.6	2,409
Benton	\$26,877	\$43,777	1,246	5.5	666
Big Stone	\$25,072	\$32,430	125	4.3	137
Blue Earth	\$27,763	\$38,945	1,335	3.6	1,069
Brown	..	\$41,659	903	5.9	436
Carlton	\$25,503	\$41,755	1,122	6.7	751
Carver	\$39,611	\$72,945	1,902	4.2	484
Cass	\$26,164	\$36,068	1,070	7.8	840
Chippewa	\$27,925	\$37,822	383	5.3	221
Chisago	\$28,424	\$57,561	1,583	6.8	581
Clay	\$24,470	\$39,873	969	3.1	1,522
Clearwater	\$21,306	\$31,184	544	13.0	335
Cook	\$29,550	\$37,678	146	4.7	62
Cottonwood	\$24,968	\$34,010	301	4.7	256
Crow Wing	\$24,978	\$38,806	1,918	6.0	1,297
Dakota	\$37,289	\$64,989	9,639	4.2	3,803
Dodge	\$28,883	\$52,331	514	5.1	239
Douglas	\$26,594	\$40,401	698	3.6	542
Faribault	\$26,234	\$36,433	444	5.3	311
Fillmore	\$25,713	\$38,651	614	5.9	308
Freeborn	\$25,659	\$37,810	889	5.3	703
Goodhue	\$29,287	\$49,153	1,277	5.3	487
Grant	\$25,766	\$36,960	218	7.6	119
Hennepin	\$44,302	\$53,252	32,383	4.7	33,470
Houston	\$28,071	\$42,764	577	5.0	267
Hubbard	\$23,528	\$35,674	609	6.3	529
Isanti	\$27,546	\$52,802	1,211	6.8	459
Itasca	\$24,056	\$37,800	1,810	8.4	1,052
Jackson	\$24,897	\$37,652	260	3.9	149
Kanabec	\$22,723	\$39,431	733	10.6	374
Kandiyohi	\$29,095	\$41,042	1,061	4.6	1,116
Kittson	\$25,033	\$33,868	223	9.4	75
Koochiching	\$26,848	\$37,470	457	7.1	464
Lac Qui Parle	\$24,782	\$34,775	162	4.2	108
Lake	\$28,465	\$41,897	249	4.2	184
Lake of the Woods	\$20,640	\$33,476	134	5.2	51
Le Sueur	\$28,249	\$47,818	919	5.8	367
Lincoln	\$23,199	\$32,392	114	3.6	93
Lyon	\$28,259	\$40,798	619	4.1	486
McLeod	\$27,224	\$47,286	987	5.0	464
Mahnomen	\$20,547	\$28,466	147	5.8	279
Marshall	\$23,993	\$38,097	501	10.3	174
Martin	\$29,065	\$37,357	554	4.8	535
Meeker	\$25,434	\$42,733	811	7.7	393
Mille Lacs	\$22,570	\$38,274	1,033	9.9	575
Morrison	\$22,142	\$37,949	1,270	7.6	541
Mower	\$27,149	\$37,859	863	4.1	987
Murray	\$24,968	\$36,449	250	5.5	125
Nicollet	\$27,590	\$46,450	676	3.4	473

Nobles	\$25,241	\$36,833	387	3.8	443
Norman	\$23,321	\$33,237	199	5.9	186
Olmsted	\$35,389	\$55,025	3,545	4.2	2,494
Otter Tail	\$24,461	\$36,162	1,665	5.8	1,069
Pennington	\$28,354	\$35,516	507	5.9	337
Pine	\$22,769	\$37,340	1,124	8.5	743
Pipestone	\$27,260	\$35,633	207	3.9	202
Polk	\$24,292	\$35,935	843	4.6	1,021
Pope	\$26,066	\$37,035	246	4.1	182
Ramsey	\$35,304	\$46,327	14,400	4.9	18,086
Red Lake	\$20,667	\$33,651	202	10.6	104
Redwood	\$24,967	\$38,266	408	4.5	278
Renville	\$25,515	\$39,437	517	6.1	351
Rice	\$24,981	\$48,381	1,597	5.1	695
Rock	\$24,974	\$39,245	159	3.3	125
Roseau	\$26,233	\$41,899	952	9.3	137
St. Louis	\$27,879	\$38,639	6,137	5.6	6,895
Scott	\$32,391	\$72,605	2,695	4.4	693
Sherburne	\$25,998	\$61,750	2,259	5.8	621
Sibley	\$23,877	\$41,537	474	6.4	175
Stearns	\$26,559	\$45,023	4,044	4.8	2,188
Steele	\$28,406	\$47,986	1,023	5.1	586
Stevens	\$26,152	\$38,356	179	3.0	122
Swift	\$22,229	\$35,248	240	4.4	229
Todd	\$20,696	\$32,893	668	6.5	620
Traverse	\$24,550	\$32,889	82	4.6	93
Wabasha	\$28,835	\$44,307	568	4.6	251
Wadena	\$21,335	\$31,277	471	6.2	471
Waseca	\$24,759	\$43,028	506	5.1	443
Washington	\$37,679	\$71,148	5,055	4.1	1,874
Watonwan	\$24,049	\$35,694	305	5.3	188
Wilkin	\$23,788	\$39,718	166	4.1	159
Winona	\$25,583	\$38,714	1,345	4.6	838
Wright	\$28,083	\$58,023	3,138	5.7	1,034
Yellow Medicine	\$23,686	\$35,401	349	6.3	160

Sources: Total Per Capita Income - US Department of Commerce, Bureau of Economic Analysis, www.bea.gov/bea/regional/reis/; Estimated Median Household Income - US Census SAIPE Unemployment Annual Average - Minnesota Workforce Center, <http://www.mnwfcc.org/lmi/laus/index.htm>; Food Stamps - Minnesota Department of Human Services

Total Per Capital Income: Computed using Census Bureau midyear population estimates. Estimates for 1990-2002 reflect county population estimates available as of April 2003. Census Bureau midyear population estimates for 1990-2000 reflect

Food Stamps: A Federal program which supplements the food-purchasing ability of low-income households through the distribution of coupons which can be used to purchase food for human consumption.

Demographics Table 5b: Selected Minnesota Socioeconomic Statistics by State and County, 2003

	Total School Enrollment, 12/01/2003	Children Receiving Spec. Ed. Services, 12/01/2003		WIC Participants - Unduplicated Counts, 2003
		Number	Percent	
State of Minnesota	917,478	117,716	12.8	196,518
Aitkin	2,237	331	14.8	737
Anoka	69,641	8,715	12.5	8,718
Becker	4,836	823	17.0	2,619
Beltrami	8,284	1,314	15.9	3,726
Benton	989	135	13.7	1,600
Big Stone	10,777	1,629	15.1	344
Blue Earth	5,618	519	9.2	2,300
Brown	5,618	519	9.2	1,081
Carlton	6,461	808	12.5	1,706
Carver	16,171	1,681	10.4	1,211
Cass	4,737	854	18.0	2,170
Chippewa	2,239	389	17.4	957
Chisago	8,877	946	10.7	1,596
Clay	9,267	1,374	14.8	2,199
Clearwater	1,579	241	15.3	553
Cook	682	86	12.6	191
Cottonwood	2,897	466	16.1	738
Crow Wing	10,179	1,487	14.6	2,763
Dakota	80,162	10,574	13.2	9,052
Dodge	4,075	488	12.0	729
Douglas	5,865	872	14.9	1,376
Faribault	2,627	388	14.8	652
Fillmore	3,116	466	15.0	779
Freeborn	4,518	806	17.8	1,365
Goodhue	7,544	978	13.0	1,411
Grant	1,314	190	14.5	330
Hennepin	174,227	19,998	11.5	39,827
Houston	3,812	438	17.6	526
Hubbard	2,486	479	19.3	930
Isanti	6,176	605	9.8	1,535
Itasca	7,325	1,063	14.5	2,075
Jackson	1,676	248	14.8	382
Kanabec	2,623	279	10.6	826
Kandiyohi	6,384	820	12.8	2,745
Kittson	898	154	17.1	292
Koochiching	2,254	302	13.4	491
Lac Qui Parle	1,981	319	16.1	310
Lake	1,752	239	13.6	368
Lake of the Woods	687	72	10.5	201
Le Sueur	4,972	825	16.6	865
Lincoln	905	137	15.1	88
Lyon	4,946	570	11.5	1,406
McLeod	6,666	681	10.2	1,569
Mahnomen	1,433	266	18.6	556
Marshall	1,548	221	14.3	523
Martin	3,933	569	14.5	1,105
Meeker	6,216	831	13.4	1,154
Mille Lacs	7,171	879	12.3	1,338
Morrison	5,753	881	15.3	1,616

Mower	6,381	883	13.8	2,173
Murray	1,427	181	12.7	326
Nicollet	2,418	380	15.7	1,157
Nobles	3,661	469	12.8	1,574
Norman	1,265	181	14.3	278
Olmsted	24,130	2,668	11.1	4,802
Otter Tail	8,904	1,194	13.4	2,267
Pennington	2,439	366	15.0	1,108
Pine	4,325	430	9.9	1,304
Pipestone	2,075	242	11.7	484
Polk	5,946	816	13.7	1,777
Pope	1,668	286	17.1	529
Ramsey	98,363	13,287	13.5	26,161
Red Lake	783	97	12.4	580
Redwood	2,692	352	13.1	806
Renville	2,461	362	14.7	915
Rice	9,782	1,438	14.7	2,217
Rock	1,585	239	15.1	363
Roseau	3,502	521	14.9	877
St. Louis	29,350	3,861	13.2	7,320
Scott	18,800	1,972	10.5	2,458
Sherburne	17,446	2,207	12.7	2,580
Sibley	2,488	268	10.8	832
Stearns	27,427	3,653	13.3	4,485
Steele	6,931	822	11.9	1,626
Stevens	1,422	230	16.2	439
Swift	1,724	259	15.0	1,052
Todd	4,852	717	14.8	1,398
Traverse	523	79	15.1	219
Wabasha	5,280	738	14.0	747
Wadena	3,168	485	15.3	833
Waseca	4,064	660	16.2	843
Washington	39,254	4,628	11.8	3,951
Watonwan	2,235	290	13.0	856
Wilkin	1,365	194	14.2	337
Winona	7,415	959	12.9	1,296
Wright	21,753	2,749	12.6	3,307
Yellow Medicine	2,043	333	16.3	610

Sources : School Enrollment - Minnesota Department of Children Families and Learning, Children Receiving Special Education Services - Minnesota Department of Children Families and Learning; WIC Unduplicated County Participants - Minnesota Department of Health, WIC Program

Children Receiving Special Education Services: Unduplicated counts of children age 0-20 years receiving special education services provided by the public school system.

WIC Participants - Unduplicated Counts: The total number of pregnant, post-partum and nursing women, infants and children less than 5 years of age who received WIC vouchers. County level data are determined by combining unduplicated participants of all clinics within a county's boundaries. State total does not equal the sum of the counties because participants may move counties during the year.

Demographics Table 6a: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment by State and County, January - December 2003

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	8,019	34,270	45,816	17,627	9,899	32,983	9,986
Aitkin	24	118	158	51	31	116	58
Anoka	362	1,642	2,078	696	404	1,806	429
Becker	76	331	355	155	87	292	113
Beltrami	244	969	1,259	527	299	857	182
Benton	47	198	196	77	45	190	81
Big Stone	6	27	30	13	9	28	13
Blue Earth	101	372	376	132	73	361	120
Brown	30	97	90	65	44	104	27
Carlton	58	218	283	101	58	226	79
Carver	36	168	223	58	32	148	50
Cass	62	312	397	133	78	277	86
Chippewa	19	63	58	17	14	53	17
Chisago	54	160	217	95	54	202	65
Clay	106	439	503	193	99	431	114
Clearwater	25	90	129	54	35	90	28
Cook	2	12	16	5	1	16	6
Cottonwood	18	67	84	41	25	65	28
Crow Wing	76	348	362	144	87	342	108
Dakota	280	1,173	1,387	502	279	1,178	259
Dodge	19	54	64	29	17	52	18
Douglas	26	122	119	43	28	123	49
Faribault	19	80	77	32	19	75	34
Fillmore	15	52	51	26	18	57	37
Freeborn	67	229	270	77	49	218	50
Goodhue	42	171	180	69	41	163	49
Grant	4	25	34	10	4	27	11
Hennepin	2,320	10,302	14,389	5,656	3,146	9,385	3,202
Houston	19	71	112	29	16	95	20
Hubbard	34	158	178	70	34	155	41
Isanti	34	142	183	52	31	149	51
Itasca	68	265	363	152	79	262	124
Jackson	13	41	53	20	10	39	13
Kanabec	22	98	131	57	36	101	36
Kandiyohi	102	348	405	173	105	319	98
Kittson	2	7	18	8	6	16	7
Koochiching	28	84	113	44	16	102	42
Lac Qui Parle	4	21	39	17	9	29	13
Lake	6	39	54	23	17	48	24
Lake of the Woods	6	9	15	9	6	10	4
Le Sueur	25	133	128	50	31	101	42
Lincoln	1	20	25	9	4	13	6
Lyon	38	129	175	65	37	110	42
McLeod	42	170	169	58	39	168	38
Mahnomen	34	122	170	68	38	107	20
Marshall	10	41	50	17	7	44	14
Martin	32	131	129	46	25	121	55
Meeker	30	112	121	48	31	120	42
Mille Lacs	43	196	302	101	53	203	62
Morrison	31	152	154	66	39	145	62

Mower	81	280	268	95	61	236	87
Murray	7	32	42	21	11	27	7
Nicollet	37	169	148	52	35	173	45
Nobles	41	132	141	48	27	114	41
Norman	9	54	63	23	13	49	8
Olmsted	207	742	896	409	210	731	263
Otter Tail	61	234	322	111	63	253	82
Pennington	26	80	97	40	24	87	25
Pine	64	232	302	134	76	248	65
Pipestone	16	58	55	18	9	54	20
Polk	82	274	350	139	90	276	64
Pope	11	27	46	19	9	41	28
Ramsey	1,355	6,336	10,162	4,044	2,211	5,904	1,034
Red Lake	4	14	28	7	4	19	12
Redwood	22	92	115	51	29	80	24
Renville	31	110	152	34	17	100	21
Rice	53	278	308	102	61	229	71
Rock	8	35	36	13	7	35	9
Roseau	14	40	43	15	9	33	12
St. Louis	370	1,640	1,852	662	381	1,673	621
Scott	55	191	264	84	41	198	80
Sherburne	47	211	257	101	58	228	80
Sibley	8	58	89	21	13	57	16
Stearns	154	616	720	265	156	631	234
Steele	58	234	286	125	72	225	51
Stevens	4	13	21	9	3	18	15
Swift	11	39	66	16	10	44	18
Todd	31	120	191	67	42	142	59
Traverse	6	14	30	6	3	15	9
Wabasha	15	73	83	36	23	60	17
Wadena	32	125	159	67	43	127	40
Waseca	32	147	157	60	37	158	31
Washington	139	636	758	268	148	718	118
Watonwan	20	62	83	23	12	48	15
Wilkin	8	40	60	21	12	45	18
Winona	50	182	273	102	48	217	85
Wright	85	291	381	118	76	319	104
Yellow Medicine	6	36	43	18	8	31	11

Source: Minnesota Department of Human Services

MFIP-MA (Minnesota Family Investment Program - Medical Assistance): Medical Assistance eligibility is based on receipt of cash assistance from MFIP. Counts include both fee-for-service and HMO enrollees.

GAMC (General Assistance Medical Care): Most enrollees are eligible on a medical-only basis; fewer than one-third are eligible based on receipt of cash assistance from General Assistance. Counts include both fee-for-service and HMO enrollees.

Demographics Table 6b: Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment by State and County, January - December 2003

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	15,958	43,517	51,893	25,905	58,661	2,589	14,152	32,017	17,478	41,059
Aitkin	62	189	289	151	250	10	67	240	149	289
Anoka	879	2,569	3,070	1,414	3,320	114	646	1,482	734	1,885
Becker	140	428	528	303	497	29	179	391	238	441
Beltrami	149	467	671	373	686	49	252	523	325	713
Benton	147	352	340	172	445	24	113	228	133	365
Big Stone	19	76	105	42	87	4	20	99	65	99
Blue Earth	154	465	529	277	674	40	123	256	160	455
Brown	92	250	348	142	301	6	32	94	70	150
Carlton	124	302	432	259	427	14	84	209	125	340
Carver	121	381	371	193	405	15	126	263	113	329
Cass	102	319	496	245	423	29	171	437	269	497
Chippewa	80	156	204	92	216	8	45	121	63	122
Chisago	118	353	485	226	415	31	165	420	192	473
Clay	145	560	706	310	765	16	124	282	151	396
Clearwater	41	113	173	84	153	14	52	146	94	166
Cook	10	19	22	17	29	9	24	58	29	92
Cottonwood	63	158	242	107	186	9	51	100	63	131
Crow Wing	226	620	748	354	797	73	323	792	423	984
Dakota	866	2,392	2,599	1,091	2,867	119	646	1,446	689	1,893
Dodge	66	175	204	81	180	9	38	94	48	105
Douglas	119	378	389	203	428	23	133	297	209	425
Faribault	62	196	251	100	216	3	35	113	60	147
Fillmore	89	240	224	116	236	10	79	193	120	201
Freeborn	110	324	359	192	417	17	80	202	137	298
Goodhue	102	266	304	155	379	27	95	205	110	297
Grant	29	83	92	37	82	7	34	88	45	106
Hennepin	3,702	9,080	10,102	5,683	13,155	404	2,271	4,662	2,433	6,695
Houston	38	118	181	99	188	3	33	125	76	127
Hubbard	70	189	265	114	248	18	127	325	191	384
Isanti	113	287	337	181	390	29	140	340	171	385
Itasca	150	527	689	350	720	39	229	533	289	759
Jackson	38	112	122	56	126	5	29	99	55	95
Kanabec	61	212	248	118	257	16	81	203	105	229
Kandiyohi	249	648	707	308	715	17	165	381	231	442
Kittson	8	37	52	13	43	6	44	87	29	64
Koochiching	49	128	215	109	243	9	75	186	90	265
Lac Qui Parle	33	94	131	54	107	2	24	93	54	96
Lake	36	113	142	78	141	6	46	83	60	150
Lake of the Woods	14	36	39	28	54	9	28	79	53	108
Le Sueur	82	250	339	153	304	5	44	126	77	152
Lincoln	19	51	65	30	68	5	27	70	50	80
Lyon	112	319	311	144	355	4	54	135	81	181
McLeod	120	334	374	150	364	18	103	191	107	240
Mahnomen	32	86	117	60	94	4	26	52	30	53
Marshall	38	108	140	58	115	5	43	118	77	136
Martin	83	278	363	174	359	6	43	159	88	185
Meeker	81	250	284	142	244	15	105	213	128	238
Mille Lacs	73	231	321	156	345	28	137	310	171	364
Morrison	106	360	418	210	468	40	192	489	308	521
Mower	235	644	677	297	694	14	69	205	127	338
Murray	33	93	94	56	109	8	43	62	50	105

Nicollet	86	259	280	130	314	13	50	77	54	176
Nobles	165	402	360	142	348	4	50	152	85	157
Norman	21	80	120	62	98	5	41	115	74	109
Olmsted	460	1,205	1,207	651	1,567	34	175	464	267	719
Otter Tail	235	612	709	332	701	52	288	703	452	781
Pennington	46	119	154	86	190	14	63	104	85	175
Pine	77	218	320	167	373	31	155	353	192	397
Pipestone	33	115	142	67	126	3	24	83	54	86
Polk	105	321	429	218	480	27	156	388	183	400
Pope	47	89	141	85	133	6	58	191	119	186
Ramsey	1,714	4,372	5,902	3,099	7,274	356	1,760	3,596	1,804	4,027
Red Lake	22	55	66	29	67	4	27	64	48	75
Redwood	63	220	245	127	209	6	58	124	89	133
Renville	70	252	299	119	236	7	46	147	106	163
Rice	181	503	472	232	531	19	129	207	152	321
Rock	31	99	112	49	114	5	21	71	39	77
Roseau	37	134	151	64	116	11	43	99	61	131
St. Louis	540	1,705	2,357	1,302	3,256	118	616	1,464	865	2,418
Scott	234	672	696	273	649	31	208	483	203	541
Sherburne	209	581	635	241	650	49	240	512	230	588
Sibley	68	170	206	86	177	12	39	116	77	132
Stearns	431	1,095	1,265	610	1,468	74	412	841	492	1,277
Steele	144	349	337	182	422	8	70	173	80	182
Stevens	25	69	69	37	98	6	32	53	35	87
Swift	68	166	192	91	157	2	34	143	75	130
Todd	141	342	435	216	398	22	139	444	225	400
Traverse	19	51	90	37	66	3	20	40	39	54
Wabasha	43	131	165	83	180	13	75	146	92	159
Wadena	56	178	256	141	250	17	114	243	124	268
Waseca	70	217	239	127	221	14	55	94	54	142
Washington	294	825	1,182	497	1,240	76	370	809	390	1,022
Watonwan	84	187	210	77	157	4	29	76	50	93
Wilkin	18	60	85	40	82	2	26	52	29	62
Winona	120	383	487	221	557	12	107	239	151	381
Wright	257	722	813	355	838	82	371	769	338	848
Yellow Medicine	55	133	154	73	136	7	51	143	82	140

Source: Minnesota Department of Human Services

Medical Assistance: This category excludes MFIP-MA enrollees. Enrollees over age 21 may be eligible as parents or based on disability. Those eligible as disabled may be SSI recipients. Counts include both fee-for-service and HMO enrollees and non-citizen Medical Assistance recipients.

MinnesotaCare: MinnesotaCare children and pregnant women are Medicaid eligible under a waiver. MinnesotaCare coverage is provided under HMO arrangements.

Section B: Natality Tables

Nativity Table 1: Selected Minnesota Natality Statistics by State and County, 2003

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	70,053	63.9	13.8	37,603	7.4	6.4
Aitkin	144	56.4	9.1	168	10.6	-1.5
Anoka	4,339	61.1	13.8	1,418	4.5	9.3
Becker	413	69.3	13.2	316	10.1	3.1
Beltrami	631	65.2	15.1	335	8.0	7.1
Benton	579	64.3	15.7	296	8.0	7.7
Big Stone	43	46.5	7.6	91	16.1	-8.5
Blue Earth	698	48.3	12.2	440	7.7	4.5
Brown	274	52.8	10.3	282	10.6	-0.3
Carlton	380	58.1	11.5	326	9.9	1.6
Carver	1,182	64.3	15.0	299	3.8	11.2
Cass	303	58.7	10.7	308	10.9	-0.2
Chippewa	165	73.4	12.9	146	11.4	1.5
Chisago	718	68.7	15.6	340	7.4	8.2
Clay	694	53.6	13.4	383	7.4	6.0
Clearwater	129	83.0	15.3	103	12.2	3.1
Cook	46	50.6	8.7	43	8.1	0.6
Cottonwood	130	64.8	10.8	150	12.5	-1.7
Crow Wing	728	63.0	12.5	544	9.3	3.1
Dakota	5,404	63.2	14.5	1,771	4.7	9.7
Dodge	309	75.4	16.3	115	6.1	10.2
Douglas	377	57.2	11.1	327	9.6	1.5
Faribault	168	64.0	10.7	214	13.6	-2.9
Fillmore	284	72.5	13.3	245	11.5	1.8
Freeborn	380	65.0	11.9	350	11.0	0.9
Goodhue	561	62.2	12.4	408	9.0	3.4
Grant	72	66.1	11.5	89	14.3	-2.7
Hennepin	16,440	66.4	14.7	7,752	6.9	7.7
Houston	209	53.0	10.5	159	8.0	2.5
Hubbard	211	62.6	11.3	170	9.1	2.2
Isanti	460	56.2	13.0	262	7.4	5.6
Itasca	488	59.3	11.0	470	10.6	0.4
Jackson	110	55.1	9.8	123	11.0	-1.2
Kanabec	164	50.1	10.3	104	6.6	3.8
Kandiyohi	582	71.5	14.1	384	9.3	4.8
Kittson	34	44.7	6.8	72	14.5	-7.6
Koochiching	126	51.6	9.0	149	10.6	-1.6
Lac Qui Parle	55	44.2	7.0	96	12.2	-5.2
Lake	103	51.4	9.2	148	13.3	-4.0
Lake of the Woods	50	64.1	11.4	48	10.9	0.5
Le Sueur	315	57.4	11.8	212	7.9	3.8
Lincoln	75	74.6	12.2	93	15.1	-2.9
Lyon	292	54.2	11.8	252	10.2	1.6
McLeod	511	69.6	14.2	295	8.2	6.0
Mahnomen	91	102.4	17.8	57	11.1	6.6

Marshall	111	63.2	11.1	98	9.8	1.3
Martin	231	63.0	10.9	235	11.1	-0.2
Meeker	307	69.6	13.2	250	10.8	2.5
Mille Lacs	325	64.7	13.4	264	10.9	2.5
Morrison	408	63.6	12.5	310	9.5	3.0
Mower	536	74.6	13.8	375	9.7	4.1
Murray	81	55.5	9.0	104	11.6	-2.6
Nicollet	368	50.6	12.0	180	5.9	6.1
Nobles	327	87.2	15.9	199	9.7	6.2
Norman	74	59.5	10.3	106	14.7	-4.5
Olmsted	2,082	71.7	15.8	786	6.0	9.9
Otter Tail	614	57.3	10.4	651	11.1	-0.6
Pennington	196	72.0	14.4	167	12.2	2.1
Pine	324	60.2	11.7	240	8.6	3.0
Pipestone	106	61.3	10.9	114	11.8	-0.8
Polk	377	63.0	12.2	395	12.8	-0.6
Pope	133	66.2	11.8	152	13.5	-1.7
Ramsey	7,420	65.6	14.7	3,692	7.3	7.4
Red Lake	57	70.8	13.2	44	10.2	3.0
Redwood	220	77.7	13.6	212	13.1	0.5
Renville	212	70.9	12.6	206	12.2	0.4
Rice	698	50.3	11.7	452	7.6	4.1
Rock	124	71.3	12.9	141	14.7	-1.8
Roseau	245	74.6	15.0	150	9.2	5.8
St. Louis	2,139	52.6	10.8	2,182	11.0	-0.2
Scott	2,052	76.4	18.9	443	4.1	14.8
Sherburne	1,203	66.3	16.1	440	5.9	10.2
Sibley	199	67.7	13.0	124	8.1	4.9
Stearns	1,838	56.6	13.4	751	5.5	7.9
Steele	536	73.3	15.4	306	8.8	6.6
Stevens	106	44.3	10.7	85	8.6	2.1
Swift	132	78.6	11.3	111	9.5	1.8
Todd	300	64.6	12.3	215	8.8	3.5
Traverse	36	58.9	9.2	59	15.1	-5.9
Wabasha	265	60.2	12.0	199	9.0	3.0
Wadena	201	83.9	14.8	213	15.7	-0.9
Waseca	260	71.9	13.4	173	8.9	4.5
Washington	2,930	62.3	13.7	1,097	5.1	8.6
Watonwan	171	83.5	14.7	130	11.2	3.5
Wilkin	86	63.9	12.4	74	10.7	1.7
Winona	498	41.4	10.1	402	8.1	1.9
Wright	1,926	80.3	18.8	570	5.6	13.2
Yellow Medicine	131	69.5	12.3	151	14.1	-1.9

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota by State and County, 2003

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2001-2003	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
MN2004	---	---	---	3.5	---	---
HP2010	---	7.6	---	5.0	0.9	---
State of Minnesota	4,928	8.1	3,146	4.7	0.8	2.9
Aitkin	11	8.7	5	3.6	1.2	2.4
Anoka	313	8.2	186	4.5	0.8	2.9
Becker	22	6.0	15	3.7	0.8	2.5
Beltrami	41	8.1	25	4.1	1.1	2.6
Benton	55	9.8	26	4.6	0.7	3.4
Big Stone	4	9.3	1	2.3	2.5	0.0
Blue Earth	45	7.1	20	3.0	0.6	2.0
Brown	28	10.6	10	3.7	0.6	1.1
Carlton	20	6.2	11	3.0	0.5	1.9
Carver	73	6.8	41	3.6	0.6	2.1
Cass	16	6.0	15	5.1	1.0	4.2
Chippewa	13	8.8	7	4.4	0.3	2.0
Chisago	48	8.0	35	5.1	0.5	2.8
Clay	56	9.2	35	5.2	0.9	3.4
Clearwater	11	9.8	7	5.5	0.9	2.7
Cook	3	6.8	0	0.0	0.0	0.0
Cottonwood	10	8.5	11	8.6	0.2	4.2
Crow Wing	64	9.4	39	5.6	0.8	2.6
Dakota	329	6.9	207	4.0	0.7	2.6
Dodge	24	8.1	12	4.0	0.7	3.4
Douglas	29	8.0	17	4.7	1.1	2.5
Faribault	15	10.6	10	6.4	0.9	5.0
Fillmore	18	7.0	12	4.3	0.8	3.1
Freeborn	22	6.9	17	4.6	0.6	4.4
Goodhue	41	7.9	23	4.3	0.6	2.1
Grant	5	7.1	4	5.7	0.0	0.0
Hennepin	1,121	8.1	807	5.1	1.0	3.1
Houston	15	7.9	9	4.5	1.0	1.6
Hubbard	20	11.0	13	6.3	2.1	2.2
Isanti	44	10.4	26	5.8	1.0	1.4
Itasca	32	7.8	26	5.5	1.0	5.4
Jackson	13	13.3	5	4.6	1.0	6.1
Kanabec	11	8.9	7	4.3	0.6	4.1
Kandiyohi	35	6.5	20	3.6	0.8	2.1
Kittson	2	6.1	4	11.8	0.9	6.1
Koochiching	11	9.6	5	4.0	0.5	4.3
Lac Qui Parle	4	7.4	2	3.6	0.0	1.9
Lake	5	5.6	5	5.2	0.7	1.1
Lake of the Woods	4	10.0	2	4.0	0.0	0.0
Le Sueur	32	11.3	15	4.9	1.0	1.4
Lincoln	5	7.2	5	6.8	1.1	4.4
Lyon	35	13.5	13	4.5	0.8	3.5
McLeod	44	9.2	18	3.6	0.5	3.1
Mahnomen	8	10.7	6	6.9	0.0	6.7
Marshall	12	11.8	5	4.5	1.3	2.0
Martin	25	13.7	15	6.7	0.8	2.2
Meeker	15	5.3	12	4.0	0.3	5.0
Mille Lacs	30	10.4	15	4.7	1.2	2.1

Morrison	23	6.0	13	3.3	1.5	2.1
Mower	39	8.2	19	3.7	0.7	2.3
Murray	8	11.6	4	5.1	1.1	5.8
Nicollet	28	8.2	15	4.2	0.6	3.8
Nobles	32	11.6	23	7.4	1.1	5.1
Norman	9	13.6	4	5.6	0.5	1.5
Olmsted	154	7.8	94	4.7	1.0	3.2
Otter Tail	36	6.3	21	3.5	0.9	3.3
Pennington	17	9.0	8	4.1	0.4	4.3
Pine	26	10.6	13	4.1	1.0	2.9
Pipestone	9	8.7	3	2.9	0.3	1.9
Polk	32	9.4	15	4.1	1.2	2.6
Pope	12	9.7	8	6.4	0.3	6.5
Ramsey	472	8.2	400	5.6	1.1	3.1
Red Lake	2	3.7	4	7.4	0.7	3.7
Redwood	13	7.5	4	1.9	0.8	2.3
Renville	18	9.6	10	4.9	0.9	2.1
Rice	56	8.8	30	4.5	0.8	2.0
Rock	11	9.4	10	8.3	0.8	6.0
Roseau	18	8.0	15	6.2	0.8	2.7
St. Louis	173	8.8	86	4.2	0.7	2.7
Scott	121	6.6	68	3.4	0.6	2.2
Sherburne	77	7.4	40	3.4	0.3	1.9
Sibley	16	9.2	3	1.6	1.3	0.6
Stearns	172	9.8	97	5.5	0.8	2.7
Steele	39	7.9	26	5.0	0.7	3.4
Stevens	6	6.3	4	3.9	1.7	1.1
Swift	7	6.0	6	4.6	0.6	1.7
Todd	20	7.2	9	3.1	0.2	2.5
Traverse	6	16.7	3	8.3	2.1	5.6
Wabasha	14	5.9	11	4.4	1.1	1.7
Wadena	17	9.6	14	7.1	0.8	1.7
Waseca	16	6.8	7	2.8	0.4	2.6
Washington	187	7.8	110	3.9	0.8	2.7
Watonwan	13	9.0	14	8.8	0.7	3.5
Wilkin	7	9.5	5	6.3	0.5	0.0
Winona	38	9.3	25	5.2	0.7	3.2
Wright	132	8.1	68	3.6	0.7	2.5
Yellow Medicine	13	10.9	11	8.5	1.1	4.2

Source: Minnesota Department of Health, Center for Health Statistics.

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

Nativity Table 3: Minnesota Infant Mortality by State and County, 1999 - 2003

	Number of Infant Deaths - 2003	Infant Mortality Rate 1999-2003	Neonatal Mortality Rate 1999-2003	Post-neonatal Mortality Rate 1999- 2003	Fetal Death Rate 1999- 2003	Perinatal Death Rate 1999-2003
MN2004	---	5.0	---	---	---	---
HP2010	---	4.5	2.9	1.2	4.1	---
State of Minnesota	327	5.4	3.6	1.9	5.3	6.1
Aitkin	1	*	*	*	*	*
Anoka	22	4.7	3.3	1.4	5.4	5.6
Becker	0	*	*	*	*	*
Beltrami	3	7.1	*	*	8.1	8.8
Benton	4	*	*	*	*	7.9
Big Stone	1	*	*	0.0	*	*
Blue Earth	2	*	*	*	*	*
Brown	1	*	*	*	*	*
Carlton	3	*	*	*	*	10.8
Carver	0	3.5	*	*	4.3	4.5
Cass	2	*	*	*	*	*
Chippewa	1	*	*	*	*	*
Chisago	4	*	*	*	*	*
Clay	4	8.4	*	*	*	*
Clearwater	0	*	*	*	*	*
Cook	0	*	*	*	*	*
Cottonwood	1	*	*	*	*	*
Crow Wing	5	*	*	*	6.5	6.8
Dakota	37	4.7	3.2	1.6	5.1	5.7
Dodge	0	*	*	0.0	*	*
Douglas	2	*	*	*	*	*
Faribault	1	*	*	*	*	*
Fillmore	1	*	*	*	*	*
Freeborn	2	*	*	*	*	*
Goodhue	1	*	*	*	*	*
Grant	0	0.0	0.0	0.0	*	*
Hennepin	65	5.4	3.6	1.8	6.0	6.1
Houston	1	*	*	*	*	*
Hubbard	2	*	*	*	*	*
Isanti	6	*	*	*	*	*
Itasca	8	*	*	*	*	*
Jackson	0	*	*	*	*	*
Kanabec	0	*	*	0.0	*	*
Kandiyohi	1	*	*	*	*	*
Kittson	0	*	0.0	*	*	*
Koochiching	1	*	*	*	*	*
Lac Qui Parle	0	0.0	0.0	0.0	*	*
Lake	1	*	*	*	*	*
Lake of the Woods	2	*	*	0.0	*	*
Le Sueur	0	*	*	*	*	*
Lincoln	0	*	0.0	*	*	*
Lyon	1	*	*	*	*	*
McLeod	3	*	*	*	*	8.1
Mahnomen	1	*	0.0	*	*	*
Marshall	0	*	*	0.0	*	*
Martin	1	*	*	*	*	*
Meeker	1	*	*	*	*	*
Mille Lacs	3	*	*	*	*	*
Morrison	3	*	*	*	*	*

Mower	1	*	*	*	8.0	8.4
Murray	2	*	*	0.0	*	*
Nicollet	1	*	*	*	*	*
Nobles	2	*	*	*	*	*
Norman	0	*	*	0.0	*	*
Olmsted	6	6.0	4.5	*	6.1	7.4
Otter Tail	4	*	*	*	*	*
Pennington	1	*	*	*	*	*
Pine	3	*	*	*	*	*
Pipestone	0	*	*	*	*	*
Polk	2	*	*	*	*	*
Pope	0	*	*	*	*	*
Ramsey	36	6.9	4.3	2.6	5.5	6.8
Red Lake	1	*	*	*	*	*
Redwood	0	*	*	*	*	*
Renville	0	*	*	*	*	*
Rice	2	6.1	*	*	*	7.2
Rock	2	*	*	*	*	*
Roseau	2	*	*	*	*	*
St. Louis	10	6.3	4.3	2.0	4.8	7.1
Scott	6	2.8	*	*	5.1	4.0
Sherburne	6	4.4	*	*	4.0	4.4
Sibley	0	*	*	*	*	*
Stearns	8	5.4	3.6	*	4.3	6.4
Steele	3	*	*	*	*	*
Stevens	1	*	*	*	*	*
Swift	1	*	*	*	*	*
Todd	1	*	*	*	*	*
Traverse	0	*	0.0	*	*	*
Wabasha	1	*	*	0.0	*	*
Wadena	1	*	*	0.0	*	*
Waseca	0	*	*	*	*	*
Washington	10	4.8	3.3	1.5	4.1	5.3
Watonwan	3	*	*	*	*	*
Wilkin	0	*	*	*	*	*
Winona	4	*	*	*	*	*
Wright	8	3.9	3.0	*	3.8	4.4
Yellow Medicine	1	*	0.0	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics.

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

*Rate not calculated for less than 20 events

Nativity Table 3: Definitions

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

Nativity Table 4: Prenatal Care in Minnesota by State and County, 2003

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
MN2004	90.0	---	---	---
HP2010	90.0	---	---	---
State of Minnesota	86.5	79.1	17.5	3.4
Aitkin	86.4	79.2	18.4	2.4
Anoka	86.9	72.0	23.7	4.2
Becker	83.1	79.7	17.0	3.3
Beltrami	70.2	56.4	34.0	9.6
Benton	90.3	88.7	9.2	2.2
Big Stone	95.2	88.1	11.9	0.0
Blue Earth	90.8	86.6	12.3	1.1
Brown	87.1	83.3	13.3	3.4
Carlton	90.5	82.0	15.5	2.5
Carver	94.4	90.3	8.6	1.1
Cass	77.0	65.3	24.2	10.6
Chippewa	87.8	84.4	14.3	1.4
Chisago	88.3	80.7	16.6	2.7
Clay	88.4	84.3	12.8	2.9
Clearwater	73.0	56.8	35.1	8.1
Cook	78.3	77.3	20.5	2.3
Cottonwood	87.7	87.2	12.8	0.0
Crow Wing	88.0	77.0	19.9	3.1
Dakota	91.0	80.8	17.2	2.1
Dodge	90.3	84.1	13.6	2.4
Douglas	89.4	81.7	16.6	1.7
Faribault	92.8	89.1	8.7	2.2
Fillmore	86.2	76.2	13.9	9.9
Freeborn	92.3	90.9	6.6	2.5
Goodhue	88.4	83.9	12.5	3.7
Grant	94.4	81.4	12.9	5.7
Hennepin	84.7	76.6	18.6	4.8
Houston	86.1	72.3	26.2	1.6
Hubbard	77.3	56.5	35.0	8.5
Isanti	82.7	76.8	19.3	3.8
Itasca	89.4	87.7	10.5	1.8
Jackson	85.5	86.9	10.1	3.0
Kanabec	81.7	75.0	20.2	4.8
Kandiyohi	82.1	79.1	17.9	3.0
Kittson	88.2	84.8	12.1	3.0
Koochiching	77.8	77.7	20.5	1.8
Lac Qui Parle	81.8	79.6	20.4	0.0
Lake	86.4	80.0	15.6	4.4
Lake of the Woods	78.0	52.5	45.0	2.5
Le Sueur	82.7	76.5	19.6	3.9
Lincoln	77.3	73.9	20.3	5.8
Lyon	80.1	66.9	30.0	3.1
McLeod	90.7	85.1	12.8	2.1
Mahnomen	62.5	58.1	23.0	18.9
Marshall	89.0	81.6	18.4	0.0
Martin	85.3	85.1	12.7	2.2
Meeker	83.1	77.7	19.4	2.9
Mille Lacs	87.5	82.3	14.6	3.1
Morrison	91.6	87.9	10.8	1.3
Mower	74.4	70.3	25.3	4.5
Murray	88.9	87.0	11.6	1.4

Nicollet	89.9	84.8	12.8	2.3
Nobles	80.4	79.9	16.2	4.0
Norman	83.8	75.8	22.7	1.5
Olmsted	89.9	82.9	14.0	3.1
Otter Tail	85.2	83.1	15.2	1.8
Pennington	78.1	68.8	28.0	3.2
Pine	82.7	75.6	19.8	4.5
Pipestone	91.5	89.3	9.7	1.0
Polk	86.2	64.0	30.7	5.3
Pope	94.7	85.5	14.5	0.0
Ramsey	80.4	75.0	21.4	3.6
Red Lake	87.7	68.5	25.9	5.6
Redwood	83.6	75.7	21.4	2.9
Renville	83.4	78.7	17.6	3.7
Rice	87.7	80.3	16.7	3.0
Rock	84.7	77.8	21.4	0.9
Roseau	83.8	62.3	34.1	3.6
St. Louis	89.7	84.2	12.6	3.2
Scott	90.4	81.0	16.9	2.1
Sherburne	91.7	84.2	14.3	1.5
Sibley	85.6	84.3	12.8	2.9
Stearns	88.5	85.5	11.8	2.7
Steele	85.9	84.6	12.6	2.9
Stevens	90.5	72.6	26.3	1.1
Swift	85.9	79.8	19.3	0.9
Todd	79.2	69.6	22.7	7.7
Traverse	86.1	86.1	13.9	0.0
Wabasha	87.5	84.7	12.7	2.5
Wadena	86.7	70.1	25.4	4.5
Waseca	88.4	86.4	11.9	1.7
Washington	90.9	86.1	12.4	1.5
Watonwan	84.5	75.0	22.2	2.8
Wilkin	88.4	83.6	15.1	1.4
Winona	89.0	82.8	15.5	1.7
Wright	92.3	82.9	14.5	2.6
Yellow Medicine	86.0	72.9	23.7	3.4

Source: Minnesota Department of Health, Center for Health Statistics

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

Nativity Table 5: Obstetric Procedures in Minnesota by State and County, 2003

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
HP2010	---	---	63.0	---	---
State of Minnesota	23.2	14.4	86.0	78.5	50.5
Aitkin	27.8	17.4	78.9	81.3	76.4
Anoka	21.2	13.3	89.6	55.4	44.7
Becker	23.5	9.9	87.5	86.0	44.6
Beltrami	26.5	14.4	83.5	95.9	83.5
Benton	26.1	16.1	87.9	93.6	97.1
Big Stone	46.5	18.6	85.7	60.5	44.2
Blue Earth	24.8	15.6	91.4	90.7	37.1
Brown	27.0	15.3	88.9	82.8	72.6
Carlton	28.4	18.2	88.6	87.9	54.7
Carver	23.1	13.5	88.3	83.6	60.7
Cass	20.8	11.9	84.4	84.5	79.2
Chippewa	23.6	14.5	78.9	87.3	55.2
Chisago	26.0	14.6	85.4	70.9	68.8
Clay	20.0	11.5	75.6	79.5	20.6
Clearwater	21.7	16.3	100.0	92.2	76.0
Cook	28.3	15.2	66.7	67.4	34.8
Cottonwood	31.5	16.2	100.0	75.4	60.0
Crow Wing	22.5	14.0	77.5	85.7	78.6
Dakota	21.8	13.9	86.1	83.5	32.1
Dodge	19.4	9.4	88.6	97.7	75.1
Douglas	24.4	13.8	83.3	89.7	93.4
Faribault	23.2	12.5	100.0	86.3	72.0
Fillmore	19.7	11.3	77.4	79.2	48.6
Freeborn	21.3	11.3	90.5	93.7	95.3
Goodhue	28.3	17.3	93.9	80.7	42.8
Grant	20.8	11.1	100.0	80.6	86.1
Hennepin	21.9	14.8	84.2	79.8	41.3
Houston	16.7	8.6	81.0	87.1	90.0
Hubbard	28.0	18.5	87.0	59.2	40.8
Isanti	23.5	15.2	80.9	76.7	69.1
Itasca	20.1	11.3	87.8	59.0	66.2
Jackson	15.5	10.9	50.0	91.8	62.7
Kanabec	25.6	11.6	85.2	75.6	86.0
Kandiyohi	24.2	12.4	88.5	95.5	86.6
Kittson	35.3	26.5	75.0	73.5	70.6
Koochiching	31.0	15.1	90.9	53.2	84.9
Lac Qui Parle	40.0	23.6	100.0	58.2	61.8
Lake	38.8	27.2	100.0	89.3	44.7
Lake of the Woods	22.0	16.0	60.0	76.0	56.0
Le Sueur	23.5	12.1	92.3	87.3	44.4
Lincoln	28.0	10.7	86.7	80.0	64.0
Lyon	27.7	15.1	74.0	73.6	55.5
McLeod	23.7	13.9	87.7	87.7	52.1
Mahnomen	24.2	9.9	92.9	84.6	49.5
Marshall	26.1	18.0	75.0	86.5	73.9
Martin	29.9	12.6	95.2	89.6	92.6
Meeker	24.1	12.4	87.8	90.6	50.2
Mille Lacs	27.1	12.9	95.8	69.5	50.8
Morrison	22.3	11.0	85.2	83.6	63.2
Mower	28.4	12.3	96.6	94.8	87.1
Murray	32.1	18.5	73.3	81.5	58.0

Nicollet	21.7	12.5	94.4	90.8	38.0
Nobles	29.4	17.7	80.9	88.7	55.0
Norman	29.7	20.3	77.8	81.1	27.0
Olmsted	21.8	13.4	82.9	96.6	66.7
Otter Tail	20.5	8.8	92.4	75.4	71.3
Pennington	32.1	24.0	84.2	84.2	88.3
Pine	27.5	19.8	89.3	79.0	52.2
Pipestone	21.7	14.2	88.9	84.9	69.8
Polk	22.8	12.7	86.7	84.9	72.7
Pope	26.3	15.8	87.5	84.2	81.2
Ramsey	20.4	14.6	77.0	65.3	46.4
Red Lake	42.1	21.1	92.3	71.9	86.0
Redwood	26.8	11.4	94.4	83.2	52.7
Renville	26.4	10.4	97.1	84.4	44.3
Rice	27.9	15.5	90.6	86.0	54.9
Rock	29.0	20.2	84.6	77.4	37.9
Roseau	33.1	17.1	92.9	77.6	89.4
St. Louis	28.9	19.3	88.4	89.1	46.1
Scott	23.1	13.9	93.6	87.4	35.9
Sherburne	25.9	13.5	93.7	56.2	40.1
Sibley	25.6	14.6	84.6	85.4	53.3
Stearns	25.4	15.1	85.1	89.7	91.3
Steele	31.2	18.8	91.7	97.2	74.3
Stevens	34.0	17.0	94.7	75.5	70.8
Swift	27.3	12.9	90.5	83.3	78.0
Todd	22.7	14.3	75.8	72.3	70.0
Traverse	36.1	13.9	100.0	86.1	69.4
Wabasha	21.9	14.0	75.0	91.3	68.7
Wadena	27.4	14.9	80.6	77.6	53.2
Waseca	28.1	16.5	90.9	92.3	60.8
Washington	23.0	14.8	83.3	69.6	43.1
Watonwan	34.5	16.4	100.0	84.2	39.8
Wilkin	26.7	12.8	92.3	88.4	52.3
Winona	20.1	11.6	91.3	88.2	70.5
Wright	22.8	13.3	88.9	88.9	66.6
Yellow Medicine	34.4	19.1	83.3	75.6	58.8

Source: Minnesota Department of Health, Center for Health Statistics

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

Electronic Fetal Monitoring: The percentage of live births where the health provider indicated on the birth certificate that electronic fetal monitoring was performed during labor and delivery.

Ultrasound: The percentage of live births where the health provider indicated on the birth certificate that ultrasound was performed during labor and delivery.

Nativity Table 6: Fertility and Family Planning in Minnesota by State and County, 2003

	Pregnancies		Abortions			Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate	Ratio		
State of Minnesota	83,292	76.0	12,911	11.7	0.2	4.4	3.9
Aitkin	168	65.8	23	9.0	0.2	7.6	2.4
Anoka	5,186	73.0	821	11.5	0.2	3.7	4.4
Becker	421	70.6	**	*	**	4.6	1.5
Beltrami	688	71.1	50	5.2	0.1	6.5	4.4
Benton	648	72.0	66	7.3	0.1	2.4	4.6
Big Stone	43	46.5	**	0.0	**	7.0	0.0
Blue Earth	831	57.6	131	9.1	0.2	4.7	5.1
Brown	303	58.4	28	5.4	0.1	3.3	3.0
Carlton	447	68.3	62	9.5	0.2	1.9	3.1
Carver	1,325	72.1	135	7.3	0.1	1.9	2.8
Cass	339	65.5	34	6.4	0.1	5.9	3.2
Chippewa	180	80.1	15	*	0.1	4.3	4.5
Chisago	804	76.9	83	8.0	0.1	4.4	4.7
Clay	712	55.0	17	*	0.0	3.2	3.7
Clearwater	133	85.6	**	*	**	5.5	3.8
Cook	59	64.9	13	*	0.3	6.5	3.6
Cottonwood	137	68.3	6	*	0.0	10.0	1.2
Crow Wing	827	71.5	98	8.5	0.1	4.8	2.7
Dakota	6,468	75.6	1,039	12.1	0.2	2.9	4.7
Dodge	331	80.8	20	4.9	0.1	4.2	2.7
Douglas	400	60.5	22	3.2	0.1	4.2	2.8
Faribault	181	69.0	12	*	0.1	4.8	6.4
Fillmore	302	77.1	18	*	0.1	10.3	5.1
Freeborn	426	72.7	40	6.7	0.1	4.2	5.4
Goodhue	626	69.3	64	7.0	0.1	4.1	3.4
Grant	74	67.9	**	*	**	1.4	2.4
Hennepin	21,592	87.2	5,070	20.4	0.3	4.6	4.1
Houston	219	55.6	10	*	0.0	1.9	3.0
Hubbard	218	64.7	6	*	0.0	2.0	3.1
Isanti	525	64.0	61	7.3	0.1	4.8	3.1
Itasca	528	64.2	36	4.4	0.1	3.5	4.1
Jackson	112	56.1	**	*	**	7.3	3.1
Kanabec	179	54.6	15	*	0.1	2.4	1.9
Kandiyohi	626	76.9	41	5.1	0.1	4.3	4.7
Kittson	35	46.0	**	*	**	5.9	0.0
Koochiching	149	61.0	22	9.0	0.2	4.0	1.2
Lac Qui Parle	60	48.2	**	*	**	3.7	0.0
Lake	119	59.4	16	*	0.2	3.9	5.1
Lake of the Woods	52	66.7	**	*	**	8.0	0.0
Le Sueur	344	62.5	29	5.1	0.1	7.0	3.7
Lincoln	75	74.6	**	0.0	**	4.0	4.0
Lyon	316	58.7	22	4.1	0.1	7.9	1.1
McLeod	567	77.2	54	7.4	0.1	3.3	3.0
Mahnomen	92	103.5	**	*	**	7.7	8.1
Marshall	113	64.4	**	0.0	**	4.5	1.4
Martin	243	66.2	12	*	0.1	3.9	2.7
Meeker	322	73.0	14	*	0.0	9.5	2.5
Mille Lacs	355	70.6	30	6.0	0.1	7.4	3.0
Morrison	432	67.3	21	3.3	0.1	5.9	2.7
Mower	591	82.2	48	6.7	0.1	5.6	4.2
Murray	82	56.2	**	*	**	2.5	4.0

Nicollet	424	58.3	52	7.1	0.1	3.0	2.3
Nobles	336	89.6	8	*	0.0	6.4	6.9
Norman	76	61.1	**	*	**	8.1	3.8
Olmsted	2,295	78.9	205	7.0	0.1	4.2	4.1
Otter Tail	628	58.6	14	*	0.0	4.2	3.7
Pennington	196	72.0	**	0.0	**	4.6	0.9
Pine	361	67.1	33	6.1	0.1	5.3	2.8
Pipestone	110	63.7	**	*	**	7.5	4.2
Polk	382	63.9	**	*	**	4.8	4.3
Pope	141	70.2	8	*	0.1	3.0	5.1
Ramsey	9,734	86.0	2,276	20.1	0.3	6.1	4.5
Red Lake	57	70.8	**	0.0	**	8.8	7.5
Redwood	235	83.0	12	*	0.1	7.8	4.0
Renville	228	76.2	16	*	0.1	6.1	2.9
Rice	812	58.6	109	7.9	0.2	3.6	3.1
Rock	125	71.9	**	*	**	2.4	7.4
Roseau	251	76.4	**	*	**	4.9	2.6
St. Louis	2,522	62.0	378	9.3	0.2	3.8	3.0
Scott	2,313	86.2	254	9.5	0.1	2.0	3.5
Sherburne	1,319	72.8	114	6.3	0.1	3.5	3.2
Sibley	205	69.7	6	*	0.0	4.5	2.3
Stearns	2,097	64.5	250	7.6	0.1	5.0	3.6
Steele	587	80.3	50	6.9	0.1	3.5	1.8
Stevens	113	47.2	6	*	0.1	6.7	4.3
Swift	141	84.0	9	*	0.1	4.6	2.1
Todd	316	68.1	15	*	0.1	8.1	1.1
Traverse	37	60.6	**	0.0	**	5.6	4.2
Wabasha	298	67.7	32	7.3	0.1	3.8	7.2
Wadena	204	85.1	**	*	**	9.1	3.0
Waseca	282	78.0	20	5.6	0.1	5.4	4.5
Washington	3,411	72.5	471	10.0	0.2	3.5	3.9
Watonwan	182	88.9	10	*	0.1	4.7	5.9
Wilkin	89	66.1	**	*	**	4.7	7.5
Winona	562	46.6	61	5.0	0.1	4.1	3.9
Wright	2,083	86.8	151	6.2	0.1	4.6	2.6
Yellow Medicine	135	71.7	**	*	**	3.8	3.3

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number or ratio not reported if number of events is less than 6.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Abortion Ratio: Number of abortions/Number of births

Four or More Births: Births to women with four or more previous live births

Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates by State and County, 2001-2003

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
MN2004	---	---	---	26.9	76.7	---
HP2010	---	---	---	43.0	---	---
State of Minnesota	13.8	46.9	27.2	20.0	65.4	38.3
Aitkin	*	63.8	27.8	*	75.4	36.2
Anoka	10.6	49.6	24.0	18.1	73.6	37.1
Becker	17.2	69.3	36.1	17.7	70.1	36.7
Beltrami	31.6	66.1	47.3	33.5	73.0	51.5
Benton	15.9	72.2	36.4	18.9	93.3	46.0
Big Stone	*	*	*	*	*	*
Blue Earth	9.1	20.6	16.3	11.7	28.8	22.3
Brown	12.7	28.9	19.7	16.1	33.9	23.9
Carlton	13.5	54.0	28.6	17.5	65.8	35.4
Carver	9.0	25.0	14.7	12.3	44.8	24.0
Cass	17.3	83.2	40.3	20.4	91.8	45.2
Chippewa	*	72.7	30.1	*	81.8	35.0
Chisago	13.6	53.5	27.2	20.0	71.9	37.7
Clay	9.7	14.7	12.8	10.9	15.8	14.0
Clearwater	*	80.8	42.6	*	80.8	43.6
Cook	*	*	*	*	*	*
Cottonwood	*	58.3	28.8	*	66.7	33.4
Crow Wing	13.8	66.9	33.2	18.4	85.7	43.0
Dakota	8.6	39.2	19.0	14.3	61.5	30.2
Dodge	*	53.6	25.4	14.6	62.3	31.7
Douglas	*	54.1	22.2	*	62.1	27.2
Faribault	*	49.3	25.6	*	53.9	30.1
Fillmore	*	38.7	16.3	*	45.7	21.6
Freeborn	22.9	67.3	39.3	26.6	82.5	47.2
Goodhue	8.5	57.0	25.8	14.5	73.3	35.6
Grant	*	*	*	*	*	*
Hennepin	17.8	55.2	32.6	28.3	90.1	52.8
Houston	*	*	11.9	*	31.4	16.1
Hubbard	*	63.2	31.9	16.2	68.8	34.9
Isanti	13.4	52.4	27.2	19.0	63.3	34.6
Itasca	16.2	60.2	32.7	19.4	70.5	38.6
Jackson	*	*	*	*	*	15.9
Kanabec	16.5	67.3	34.8	18.9	76.0	39.5
Kandiyohi	20.4	76.9	41.1	24.2	91.8	49.0
Kittson	*	*	*	*	*	*
Koochiching	*	57.3	31.9	*	66.5	36.9
Lac Qui Parle	*	*	*	*	*	*
Lake	*	*	21.4	*	*	30.4
Lake of the Woods	*	*	*	*	*	*
Le Sueur	12.6	45.8	24.3	16.7	51.4	28.9
Lincoln	*	*	*	*	*	*
Lyon	11.5	36.9	24.1	12.7	39.3	25.8
McLeod	14.7	73.6	34.6	19.2	90.6	43.3
Mahnomen	*	99.6	75.7	61.7	103.9	79.3
Marshall	*	58.8	26.0	*	58.8	26.0
Martin	*	78.7	35.7	14.0	83.5	38.7
Meeker	13.0	53.7	27.6	14.2	57.9	29.9
Mille Lacs	15.0	56.8	29.7	18.5	69.7	36.4
Morrison	12.1	53.7	26.3	13.3	59.0	28.8
Mower	24.5	82.5	45.7	30.1	97.8	54.9
Murray	*	*	25.8	*	*	26.8

Nicollet	10.8	18.6	15.2	15.7	22.7	19.7
Nobles	24.1	82.7	45.7	24.8	86.3	47.4
Norman	*	*	*	*	*	*
Olmsted	9.8	53.3	25.1	16.2	73.0	36.2
Otter Tail	8.9	52.8	25.0	9.4	54.9	26.1
Pennington	*	61.8	31.8	*	61.8	31.8
Pine	14.0	89.7	39.6	17.1	109.5	48.2
Pipestone	*	64.7	32.5	*	64.7	33.3
Polk	15.9	63.4	35.2	15.9	66.1	36.2
Pope	*	*	17.8	*	*	20.1
Ramsey	22.8	58.6	38.4	32.9	87.8	56.9
Red Lake	*	*	*	*	*	*
Redwood	*	65.0	31.1	*	74.0	35.3
Renville	15.2	50.1	26.9	17.4	53.0	29.3
Rice	15.8	22.7	19.8	20.5	29.7	25.7
Rock	*	59.3	27.0	*	59.3	27.0
Roseau	*	64.6	29.9	*	67.4	30.9
St. Louis	14.0	32.7	23.3	20.8	47.5	34.1
Scott	7.8	38.5	18.3	15.3	57.9	29.8
Sherburne	9.6	45.5	21.9	13.5	59.8	29.4
Sibley	*	62.8	30.0	*	64.5	31.2
Stearns	10.3	25.8	18.5	13.7	34.4	24.7
Steele	20.8	56.5	34.4	24.0	65.6	39.9
Stevens	*	*	*	*	*	*
Swift	*	50.9	28.6	*	58.5	36.5
Todd	11.1	62.3	30.4	13.1	68.2	33.8
Traverse	*	*	*	*	*	*
Wabasha	*	52.1	23.0	*	71.3	31.1
Wadena	*	69.6	34.0	*	75.4	36.1
Waseca	*	62.0	29.4	*	73.6	36.1
Washington	5.9	31.4	14.6	12.8	50.4	25.7
Watonwan	*	104.7	52.6	*	106.7	54.8
Wilkin	*	*	*	*	*	22.1
Winona	9.4	15.5	13.2	11.1	21.2	17.4
Wright	8.9	45.9	21.4	14.1	59.9	29.6
Yellow Medicine	*	62.5	35.6	*	71.1	39.6

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by State and County, 2003

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
HP2010	---	---	1.0	---	---	---
State of Minnesota	27.7	7.5	10.0	9.4	27.2	63.4
Aitkin	36.8	4.1	25.4	12.8	36.2	51.1
Anoka	23.5	5.0	7.5	6.0	28.2	65.8
Becker	38.3	6.3	23.8	9.8	43.4	46.8
Beltrami	49.3	12.4	24.2	16.4	36.7	46.9
Benton	29.5	5.2	16.4	5.4	28.0	66.7
Big Stone	18.6	9.3	7.0	14.0	25.6	60.5
Blue Earth	30.8	7.6	12.4	9.3	20.4	70.3
Brown	24.8	6.2	13.2	6.2	31.0	62.8
Carlton	30.0	6.6	19.6	10.1	22.5	67.4
Carver	11.4	3.0	4.2	4.2	19.2	76.7
Cass	46.5	9.6	31.5	17.1	39.3	43.6
Chippewa	35.8	9.1	19.3	7.0	34.4	58.6
Chisago	23.0	6.0	14.9	5.8	28.5	65.7
Clay	25.4	11.1	14.5	7.7	23.2	69.1
Clearwater	42.6	8.5	28.1	14.8	39.8	45.3
Cook	30.4	6.5	23.9	8.7	30.4	60.9
Cottonwood	33.1	6.2	13.1	19.2	37.7	43.1
Crow Wing	33.1	6.2	22.3	9.1	30.9	60.0
Dakota	20.8	5.2	5.9	5.0	22.6	72.4
Dodge	21.4	5.5	10.1	8.4	26.0	65.6
Douglas	25.5	4.5	17.5	5.1	25.5	69.4
Faribault	33.9	4.8	16.1	11.3	29.2	59.5
Fillmore	19.7	7.0	7.6	8.0	30.0	62.0
Freeborn	39.7	11.6	9.7	16.9	35.1	48.0
Goodhue	30.8	5.0	11.3	7.5	37.6	54.8
Grant	25.0	5.6	13.9	4.2	22.2	73.6
Hennepin	29.9	10.0	4.6	11.7	25.1	63.2
Houston	22.5	22.0	12.5	4.9	26.8	68.3
Hubbard	35.5	9.5	26.5	12.0	36.5	51.4
Isanti	28.3	3.9	17.8	7.8	36.8	55.3
Itasca	40.6	7.0	15.8	10.5	37.4	52.1
Jackson	22.7	3.6	8.3	10.0	25.5	64.5
Kanabec	39.6	9.1	29.4	16.5	34.1	49.4
Kandiyohi	33.5	7.6	8.9	17.7	27.5	54.7
Kittson	17.6	5.9	5.9	2.9	14.7	82.4
Koochiching	35.7	10.3	25.8	12.9	29.8	57.3
Lac Qui Parle	21.8	7.3	7.3	3.6	32.7	63.6
Lake	30.1	4.9	20.4	7.8	35.3	56.9
Lake of the Woods	32.0	2.0	8.0	4.0	36.0	60.0
Le Sueur	28.3	8.3	10.7	11.8	28.8	59.4
Lincoln	20.0	10.7	14.7	6.7	21.3	72.0
Lyon	19.5	7.9	9.3	11.0	20.6	68.4
McLeod	25.6	6.5	10.2	12.2	36.3	51.6
Mahnomen	65.9	5.5	37.5	20.0	43.3	36.7
Marshall	24.3	6.3	16.2	9.0	30.6	60.4
Martin	37.7	4.8	22.5	13.5	33.5	53.0
Meeker	24.8	6.8	16.4	8.5	34.8	56.7
Mille Lacs	27.7	4.0	18.4	8.4	36.8	54.8

Morrison	27.0	3.7	19.6	5.6	41.2	53.2
Mower	35.3	10.1	15.0	21.3	28.6	50.1
Murray	25.9	11.1	16.0	12.3	24.7	63.0
Nicollet	25.5	6.8	9.5	7.7	22.0	70.2
Nobles	40.1	10.4	7.4	32.1	29.1	38.8
Norman	27.0	10.8	24.3	14.9	28.4	56.8
Olmsted	22.0	6.0	7.1	9.4	22.8	67.8
Otter Tail	29.8	5.5	14.7	8.9	32.9	58.2
Pennington	35.7	8.2	20.0	9.3	37.1	53.6
Pine	39.2	8.3	25.7	16.3	35.6	48.1
Pipestone	26.4	11.3	17.0	11.3	36.8	51.9
Polk	32.9	8.5	11.4	10.9	35.5	53.6
Pope	23.3	0.0	20.3	8.3	28.6	63.2
Ramsey	36.4	12.0	8.8	13.0	28.8	58.2
Red Lake	28.1	5.3	23.2	1.8	36.8	61.4
Redwood	27.3	6.4	18.2	10.0	39.1	50.9
Renville	31.6	8.5	14.7	17.9	37.7	44.3
Rice	27.4	6.7	9.8	14.3	37.4	48.3
Rock	22.6	8.1	6.5	10.5	33.9	55.6
Roseau	28.6	6.5	14.3	5.8	35.5	58.7
St. Louis	37.1	7.9	22.4	8.3	28.4	63.3
Scott	14.4	2.9	3.5	4.4	20.6	75.0
Sherburne	19.5	3.3	11.6	4.8	28.4	66.8
Sibley	26.1	4.0	8.8	16.8	35.7	47.4
Stearns	25.2	4.6	13.7	6.9	26.5	66.6
Steele	26.7	6.9	16.5	11.3	33.2	55.5
Stevens	20.8	3.8	8.6	1.9	24.0	74.0
Swift	20.5	7.6	20.2	6.8	29.5	63.6
Todd	30.7	5.0	20.1	21.1	35.6	43.3
Traverse	36.1	13.9	22.2	2.8	27.8	69.4
Wabasha	23.8	6.4	10.2	9.4	30.9	59.6
Wadena	32.3	5.0	26.5	8.6	39.1	52.3
Waseca	25.4	6.9	15.8	8.9	27.0	64.1
Washington	18.1	4.1	7.6	2.9	18.6	78.5
Watonwan	40.4	11.1	12.9	27.6	37.6	34.7
Wilkin	25.6	3.5	11.6	8.1	29.1	62.8
Winona	24.5	9.4	7.8	5.7	23.7	70.6
Wright	15.1	3.8	10.8	4.0	27.7	68.3
Yellow Medicine	26.7	3.8	13.8	7.6	29.8	62.6

Source: Minnesota Department of Health, Center for Health Statistics.

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

Nativity Table 9: Race and Ethnicity of Mother in Minnesota by State and County, 2003

	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White	African American	Native American	Asian	Unknown / Other	Hispanic (any race)	Not Hispanic
State of Minnesota	84.1	7.6	2.0	5.5	0.8	7.2	92.8
Aitkin	94.4	0.7	4.2	0.0	0.7	0.7	99.3
Anoka	89.7	4.6	0.7	4.1	0.9	3.7	96.3
Becker	83.1	0.7	15.0	0.5	0.7	1.6	98.4
Beltrami	62.1	0.3	36.1	0.5	1.0	1.5	98.5
Benton	95.0	2.9	0.5	1.6	0.0	2.1	97.9
Big Stone	100.0	0.0	0.0	0.0	0.0	2.3	97.7
Blue Earth	91.1	5.9	0.4	2.3	0.3	2.3	97.7
Brown	97.8	0.0	0.4	1.5	0.4	6.2	93.8
Carlton	86.8	0.3	11.8	0.5	0.5	0.8	99.2
Carver	95.3	0.8	0.2	3.0	0.7	5.0	95.0
Cass	68.3	0.0	30.4	0.7	0.7	0.3	99.7
Chippewa	96.4	0.6	1.8	0.0	1.2	12.1	87.9
Chisago	95.7	0.7	0.4	1.7	1.5	1.5	98.5
Clay	94.2	1.4	2.4	1.2	0.7	11.1	88.9
Clearwater	83.7	0.0	15.5	0.0	0.8	0.0	100.0
Cook	93.5	0.0	6.5	0.0	0.0	0.0	100.0
Cottonwood	90.0	4.6	0.8	3.8	0.8	9.4	90.6
Crow Wing	95.6	0.8	2.1	0.7	0.8	0.4	99.6
Dakota	88.2	5.5	0.5	5.4	0.5	6.8	93.2
Dodge	98.1	0.3	0.3	1.0	0.3	10.4	89.6
Douglas	97.6	0.5	0.0	1.3	0.5	1.3	98.7
Faribault	99.4	0.0	0.0	0.0	0.6	8.3	91.7
Fillmore	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Freeborn	96.8	1.1	0.0	1.1	1.1	14.5	85.5
Goodhue	95.2	1.1	1.6	1.2	0.9	3.2	96.8
Grant	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Hennepin	70.7	18.0	1.8	8.2	1.3	11.2	88.8
Houston	97.6	1.0	0.5	1.0	0.0	0.0	100.0
Hubbard	95.3	0.0	0.5	0.9	3.3	1.5	98.5
Isanti	98.9	0.4	0.4	0.2	0.0	1.5	98.5
Itasca	92.6	0.0	5.9	0.4	1.0	1.0	99.0
Jackson	96.4	0.0	0.0	3.6	0.0	3.6	96.4
Kanabec	98.2	0.6	1.2	0.0	0.0	0.6	99.4
Kandiyohi	97.8	0.9	0.7	0.3	0.3	22.1	77.9
Kittson	97.1	0.0	0.0	2.9	0.0	0.0	100.0
Koochiching	92.9	0.0	4.0	1.6	1.6	1.6	98.4
Lac Qui Parle	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Lake	98.1	0.0	1.9	0.0	0.0	0.0	100.0
Lake of the Woods	94.0	2.0	4.0	0.0	0.0	0.0	100.0
Le Sueur	97.8	0.6	0.0	0.3	1.3	13.7	86.3
Lincoln	98.7	0.0	1.3	0.0	0.0	2.7	97.3
Lyon	92.8	2.7	0.0	4.1	0.3	7.9	92.1
McLeod	97.5	0.4	0.6	1.0	0.6	9.4	90.6
Mahnomen	46.2	0.0	53.8	0.0	0.0	1.2	98.8
Marshall	95.5	0.0	0.9	0.9	2.7	12.7	87.3
Martin	97.8	0.4	0.0	1.3	0.4	5.2	94.8
Meeker	96.7	1.3	1.3	0.3	0.3	4.2	95.8
Mille Lacs	89.5	0.3	9.2	0.3	0.6	1.6	98.4
Morrison	99.3	0.0	0.2	0.0	0.5	0.5	99.5
Mower	93.1	3.0	0.2	2.4	1.3	17.4	82.6
Murray	98.8	0.0	0.0	0.0	1.2	8.8	91.2
Nicollet	93.8	3.5	0.0	1.6	1.1	4.4	95.6

Nobles	72.2	2.1	1.5	7.6	16.5	35.9	64.1
Norman	97.3	0.0	2.7	0.0	0.0	24.1	75.9
Olmsted	84.9	7.3	0.4	7.3	0.2	4.8	95.2
Otter Tail	95.8	1.3	1.3	0.7	1.0	4.1	95.9
Pennington	93.9	0.5	4.6	1.0	0.0	3.3	96.7
Pine	92.3	0.6	5.2	0.9	0.9	0.0	100.0
Pipestone	95.3	0.9	1.9	0.9	0.9	3.8	96.2
Polk	96.0	0.0	2.1	0.8	1.1	16.5	83.5
Pope	99.2	0.8	0.0	0.0	0.0	0.8	99.2
Ramsey	65.4	16.1	1.5	16.2	0.9	10.7	89.3
Red Lake	98.2	0.0	1.8	0.0	0.0	0.0	100.0
Redwood	85.9	0.5	9.5	4.1	0.0	1.8	98.2
Renville	96.7	0.5	1.9	0.9	0.0	18.4	81.6
Rice	95.3	2.3	0.1	1.4	0.9	16.3	83.7
Rock	96.0	0.0	2.4	1.6	0.0	4.1	95.9
Roseau	93.5	0.4	2.9	2.9	0.4	0.4	99.6
St. Louis	93.0	0.9	4.9	1.0	0.2	1.0	99.0
Scott	91.8	1.5	0.8	5.2	0.7	4.6	95.4
Sherburne	98.0	0.2	0.4	1.2	0.2	1.8	98.2
Sibley	96.5	0.5	1.0	1.5	0.5	13.7	86.3
Stearns	93.7	3.9	0.2	1.8	0.3	4.6	95.4
Steele	95.0	3.9	0.0	0.6	0.6	9.7	90.3
Stevens	93.4	0.9	0.9	3.8	0.9	2.9	97.1
Swift	97.0	0.0	0.8	2.3	0.0	6.1	93.9
Todd	97.7	0.3	0.3	1.0	0.7	12.9	87.1
Traverse	94.4	0.0	5.6	0.0	0.0	3.0	97.0
Wabasha	98.5	0.4	0.4	0.8	0.0	4.9	95.1
Wadena	96.5	1.5	1.0	0.0	1.0	0.5	99.5
Waseca	95.4	3.1	0.0	0.8	0.8	7.3	92.7
Washington	89.7	3.3	0.6	6.0	0.4	2.5	97.5
Watonwan	97.1	0.6	0.0	2.3	0.0	37.4	62.6
Wilkin	98.8	0.0	1.2	0.0	0.0	7.1	92.9
Winona	95.8	0.6	0.2	2.4	1.0	1.8	98.2
Wright	97.0	0.6	0.4	1.8	0.2	1.9	98.1
Yellow Medicine	91.6	1.5	6.9	0.0	0.0	3.1	96.9

Source: Minnesota Department of Health, Center for Health Statistics

Section C: Mortality Tables

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2003

State of Minnesota - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	29	20	4	0	53
Alzheimer's Disease	0	0	0	0	14	63	1,168	1,245
Atherosclerosis	0	0	0	2	5	10	119	136
Cancer	14	20	28	318	2,159	2,169	4,475	9,183
Cirrhosis	0	0	1	34	178	68	60	341
Congenital Anomalies	107	5	7	18	21	10	17	185
Chronic Lower Respiratory Disease	1	1	5	11	162	366	1,283	1,829
Diabetes	1	2	3	43	207	254	766	1,276
Heart Disease	6	4	15	195	1,015	1,095	5,837	8,167
Homicide	8	2	48	39	27	3	3	130
Hypertension	0	0	0	5	54	60	366	485
Nephritis	0	0	2	4	47	77	526	656
Perinatal Conditions	129	1	0	0	0	0	0	130
Pneumonia and Influenza	6	1	1	12	40	69	729	858
Septicemia	2	0	3	4	42	45	191	287
SIDS	26	0	0	0	0	0	0	26
Stroke	2	0	3	45	154	269	2,076	2,549
Suicide	0	7	88	201	139	22	39	496
Unintentional Injury	29	45	251	382	353	139	703	1,902
Other	60	18	61	221	841	883	5,585	7,669
Total	391	106	516	1,563	5,478	5,606	23,943	37,603

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	21	16	44
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	3	5
Diabetes	0	0	0	0	1	2	5	8
Heart Disease	0	0	0	0	6	11	26	43
Homicide	0	0	0	0	0	1	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	1	11	14
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	3	3	3	2	12
Other	0	0	1	0	2	1	25	29
Total	1	0	2	6	23	41	95	168

Source: Minnesota Department of Health, Center for Health Statistics

Anoka County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	1	6	29	36
Atherosclerosis	0	0	0	0	2	0	0	2
Cancer	1	0	0	17	136	92	135	381
Cirrhosis	0	0	0	2	11	4	2	19
Congenital Anomalies	5	0	1	0	1	1	1	9
Chronic Lower Respiratory Disease	0	0	0	1	11	27	45	84
Diabetes	0	0	0	0	14	12	20	46
Heart Disease	0	0	2	17	50	58	137	264
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	1	6	6	19	32
Nephritis	0	0	0	0	3	3	22	28
Perinatal Conditions	9	0	0	0	0	0	0	9
Pneumonia and Influenza	1	0	0	1	1	1	18	22
Septicemia	0	0	0	0	3	4	6	13
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	9	15	55	79
Suicide	0	1	4	16	7	0	2	30
Unintentional Injury	1	2	12	28	24	4	31	102
Other	8	1	4	13	37	35	160	258
Total	27	4	24	97	316	268	682	1,418

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	15	15
Atherosclerosis	0	0	0	0	0	1	1	2
Cancer	0	0	0	4	21	19	30	74
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	1	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	2	2	10	14
Diabetes	0	0	0	1	1	2	6	10
Heart Disease	0	0	0	4	12	17	54	87
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	8	10
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	17	19
Suicide	0	0	0	1	1	0	1	3
Unintentional Injury	0	1	3	4	2	0	4	14
Other	0	0	1	2	8	10	37	58
Total	0	1	4	16	52	54	189	316

Source: Minnesota Department of Health, Center for Health Statistics

Beltrami County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	4	19	15	32	71
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	2	18	23
Diabetes	0	0	0	1	1	4	5	11
Heart Disease	0	1	0	2	13	8	57	81
Homicide	0	0	1	2	0	0	0	3
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	2	1	2	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	14	17
Suicide	0	0	3	1	2	0	0	6
Unintentional Injury	0	0	6	6	1	0	4	17
Other	0	0	0	4	16	8	44	72
Total	3	1	11	20	62	40	198	335

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	9	11
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	3	16	14	30	63
Cirrhosis	0	0	0	0	2	2	0	4
Congenital Anomalies	3	0	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	4	10	14
Diabetes	0	0	0	0	2	3	7	12
Heart Disease	0	0	0	2	8	12	50	72
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	5	6
Nephritis	0	0	0	0	1	0	1	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	29	30
Suicide	0	0	0	1	1	1	1	4
Unintentional Injury	0	1	2	3	4	1	3	14
Other	1	0	0	1	4	9	34	49
Total	5	1	2	10	41	48	189	296

Source: Minnesota Department of Health, Center for Health Statistics

Big Stone County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	6	13	23
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	5	7
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	2	3	15	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	1	0	0	1	3
Other	0	0	0	0	2	1	15	18
Total	1	0	1	3	9	11	66	91

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	3	15	18
Atherosclerosis	0	0	0	0	0	1	5	6
Cancer	0	0	0	1	23	25	38	87
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	6	24	32
Diabetes	0	1	0	0	3	4	11	19
Heart Disease	0	0	0	2	5	11	79	97
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	4	6
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	3	3	7
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	4	29	33
Suicide	0	0	1	2	2	0	0	5
Unintentional Injury	0	1	3	8	3	0	8	23
Other	0	0	1	1	12	10	73	97
Total	2	2	5	15	54	69	293	440

Source: Minnesota Department of Health, Center for Health Statistics

Brown County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	11	14	32	58
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	3	14	18
Diabetes	0	0	0	0	1	6	11	18
Heart Disease	0	0	0	0	7	5	60	72
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	0	1	0	1	1	3
Unintentional Injury	0	0	0	0	3	3	9	15
Other	0	0	1	1	3	5	45	55
Total	1	0	1	4	26	40	210	282

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	5	5
Cancer	0	0	0	1	19	27	36	83
Cirrhosis	0	0	0	0	3	1	0	4
Congenital Anomalies	0	0	0	0	2	2	0	4
Chronic Lower Respiratory Disease	0	0	0	0	2	2	8	12
Diabetes	0	0	0	0	3	1	8	12
Heart Disease	0	0	1	3	8	13	52	77
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	2	0	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	2	1	3	14	20
Suicide	0	0	0	3	1	1	0	5
Unintentional Injury	0	0	3	2	4	0	7	16
Other	1	0	0	3	9	5	45	63
Total	3	0	4	15	52	57	195	326

Source: Minnesota Department of Health, Center for Health Statistics

Carver County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	21	20	35	79
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	5	10	17
Diabetes	0	0	0	0	1	4	5	10
Heart Disease	0	0	0	1	9	8	42	60
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	1	2	2	5
Nephritis	0	0	0	0	1	1	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	1	0	1	0	0	5	7
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	23	25
Suicide	0	0	4	0	1	0	0	5
Unintentional Injury	0	0	8	2	1	2	6	19
Other	1	0	3	0	6	11	38	59
Total	1	1	15	8	47	53	174	299

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	15	26	34	77
Cirrhosis	0	0	0	1	1	1	1	4
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	4	11	18
Diabetes	0	0	0	1	2	0	5	8
Heart Disease	0	0	1	1	6	9	38	55
Homicide	0	0	2	2	0	0	0	4
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	1	0	3	2	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	13	16
Suicide	0	0	1	0	1	1	0	3
Unintentional Injury	0	1	3	6	9	3	10	32
Other	0	1	0	1	10	12	45	69
Total	2	2	7	15	49	61	172	308

Source: Minnesota Department of Health, Center for Health Statistics

Chippewa County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	1	2	11	23	37
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	1	0	2	3
Heart Disease	0	0	0	0	0	4	31	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	9	10
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	0	2	0	4	6
Other	0	0	0	0	1	3	30	34
Total	1	0	0	2	7	19	117	146

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	2	4	18	24	27	75
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	2	15	18
Diabetes	0	0	0	2	1	2	9	14
Heart Disease	0	0	0	0	13	12	50	75
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	1	1	5	7
Nephritis	0	0	0	0	1	1	9	11
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	16	17
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	1	14	16
Suicide	0	1	0	2	3	1	2	9
Unintentional Injury	0	2	1	6	3	1	5	18
Other	0	0	0	2	8	4	50	64
Total	4	3	3	16	53	49	212	340

Source: Minnesota Department of Health, Center for Health Statistics

Clay County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	14	15
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	5	19	18	40	83
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	3	0	0	1	0	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	1	4	16	21
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	17	10	81	108
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	8	9
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	20	26
Suicide	0	0	1	2	1	1	0	5
Unintentional Injury	0	0	1	3	3	1	9	17
Other	0	1	0	1	10	8	53	73
Total	4	1	3	14	55	51	255	383

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	2	15	20
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	6	8
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	3	7	27	37
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	2	0	0	1	1	4
Other	0	0	0	0	3	1	15	19
Total	0	0	2	0	11	13	77	103

Source: Minnesota Department of Health, Center for Health Statistics

Cook County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	4	5	12
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	1	0	2	3
Heart Disease	0	0	0	0	1	1	8	10
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	1	0	0	0	1	2
Other	0	0	0	0	0	1	8	9
Total	0	0	2	0	5	6	30	43

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	6	3	19	31
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	3	1	7
Diabetes	0	0	0	0	1	2	6	9
Heart Disease	0	0	0	1	3	8	32	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	1	0	2	3
Other	0	0	0	1	0	0	30	31
Total	1	0	0	5	16	17	111	150

Source: Minnesota Department of Health, Center for Health Statistics

Crow Wing County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	7	23	42	73	145
Cirrhosis	0	0	0	0	3	0	1	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	7	26	35
Diabetes	0	0	0	0	1	2	6	9
Heart Disease	0	0	0	1	21	23	82	127
Homicide	0	0	1	1	0	0	0	2
Hypertension	0	0	0	0	1	2	4	7
Nephritis	0	0	0	0	1	0	12	13
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	2	0	2	4
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	0	0	1	4	41	46
Suicide	0	0	0	4	7	0	1	12
Unintentional Injury	1	0	4	7	5	4	7	28
Other	3	0	1	1	15	10	65	95
Total	7	0	6	21	83	94	333	544

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	1	0	0	3
Alzheimer's Disease	0	0	0	0	1	3	49	53
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	2	0	24	140	117	196	479
Cirrhosis	0	0	0	2	6	3	2	13
Congenital Anomalies	13	0	0	0	0	0	0	13
Chronic Lower Respiratory Disease	0	0	0	0	10	28	66	104
Diabetes	0	0	1	2	10	9	38	60
Heart Disease	0	1	0	9	59	54	212	335
Homicide	1	0	0	3	0	0	0	4
Hypertension	0	0	0	0	3	6	22	31
Nephritis	0	0	0	0	2	3	19	24
Perinatal Conditions	14	0	0	0	0	0	0	14
Pneumonia and Influenza	0	0	0	1	2	7	30	40
Septicemia	0	0	0	0	4	2	10	16
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	2	15	11	76	104
Suicide	0	0	2	13	8	1	1	25
Unintentional Injury	2	2	12	15	16	3	31	81
Other	11	3	3	15	58	38	241	369
Total	42	8	18	88	335	285	995	1,771

Source: Minnesota Department of Health, Center for Health Statistics

Dodge County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	5	13	21
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	3	3	24	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	2	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	1	2	1	0	0	4
Unintentional Injury	0	0	4	0	1	2	2	9
Other	0	0	1	0	1	1	20	23
Total	0	0	6	3	11	14	81	115

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	12	12
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	1	1	22	16	38	78
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	1	0	0	0	0	0	2	3
Chronic Lower Respiratory Disease	0	0	0	0	3	1	5	9
Diabetes	0	0	0	0	1	0	11	12
Heart Disease	0	0	0	0	3	10	65	78
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	1	2
Nephritis	0	0	0	0	1	1	5	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	6	19	28
Suicide	0	0	0	2	1	1	0	4
Unintentional Injury	0	0	3	2	2	0	7	14
Other	0	0	0	0	5	12	50	67
Total	2	0	4	5	45	48	223	327

Source: Minnesota Department of Health, Center for Health Statistics

Faribault County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	8	24	39
Cirrhosis	0	0	0	0	0	1	2	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	11	12
Diabetes	1	0	0	0	1	1	4	7
Heart Disease	0	0	0	0	10	2	58	70
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	8	8
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	14	16
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	1	2	0	0	5	8
Other	1	0	0	1	1	5	29	37
Total	2	0	2	3	21	20	166	214

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	1	0	0	1	2
Cancer	0	0	0	1	12	9	30	52
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	12	12
Diabetes	0	0	0	0	1	1	4	6
Heart Disease	0	0	0	0	2	8	45	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	8	10
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	1	16	18
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	0	0	0	2	0	4	6
Other	1	0	0	1	1	12	46	61
Total	1	0	0	6	20	35	183	245

Source: Minnesota Department of Health, Center for Health Statistics

Freeborn County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	2	12	19	56	90
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	4	13	18
Diabetes	0	0	0	0	3	1	8	12
Heart Disease	0	0	0	1	5	13	68	87
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	1	0	0	2	3
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	4	37	41
Suicide	0	0	1	1	3	0	0	5
Unintentional Injury	0	0	2	5	5	0	2	14
Other	0	0	0	0	0	13	47	60
Total	2	0	4	10	29	54	251	350

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	4	19	17	51	91
Cirrhosis	0	0	0	0	2	2	1	5
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	4	13	20
Diabetes	0	0	0	0	3	1	10	14
Heart Disease	0	0	0	3	8	6	68	85
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	6	6
Nephritis	0	0	0	0	0	2	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	1	2	14	18
Septicemia	0	0	0	0	0	1	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	21	24
Suicide	0	0	1	2	2	0	1	6
Unintentional Injury	0	0	5	4	4	1	15	29
Other	0	0	2	1	14	8	61	86
Total	1	0	8	15	58	46	280	408

Source: Minnesota Department of Health, Center for Health Statistics

Grant County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	0	3	5	6	14
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	2	4
Diabetes	0	0	0	0	1	0	3	4
Heart Disease	0	0	0	0	2	5	25	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	1	0	2	0	2	6
Other	0	0	0	0	1	1	11	13
Total	0	1	1	0	9	13	65	89

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	13	11	1	0	25
Alzheimer's Disease	0	0	0	0	2	13	261	276
Atherosclerosis	0	0	0	0	0	3	15	18
Cancer	5	5	5	79	451	429	959	1,933
Cirrhosis	0	0	1	11	32	17	16	77
Congenital Anomalies	25	2	1	4	3	2	5	42
Chronic Lower Respiratory Disease	0	0	1	5	33	53	262	354
Diabetes	0	0	1	9	41	50	119	220
Heart Disease	0	1	5	53	198	160	970	1,387
Homicide	3	0	27	16	9	1	1	57
Hypertension	0	0	0	1	13	16	92	122
Nephritis	0	0	0	2	13	17	130	162
Perinatal Conditions	23	0	0	0	0	0	0	23
Pneumonia and Influenza	2	0	0	1	10	18	130	161
Septicemia	0	0	2	2	9	8	49	70
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	9	34	46	408	497
Suicide	0	1	17	34	17	5	8	82
Unintentional Injury	9	5	25	73	59	20	181	372
Other	13	4	14	59	217	188	1,378	1,873
Total	81	18	99	371	1,152	1,047	4,984	7,752

Source: Minnesota Department of Health, Center for Health Statistics

Houston County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	6	13	15	35
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	3	3
Diabetes	0	0	0	0	0	1	4	5
Heart Disease	0	0	0	1	6	2	27	36
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	7	8
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	11	12
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	0	0	2	1	5	8
Other	0	0	1	0	3	2	24	30
Total	1	0	3	3	20	22	110	159

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	0	17	14	12	43
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	0	7	9
Diabetes	0	0	0	0	0	2	3	5
Heart Disease	0	0	1	1	5	11	21	39
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	2	8	12
Suicide	0	0	0	1	0	1	1	3
Unintentional Injury	0	0	1	3	3	0	3	10
Other	1	0	1	1	3	2	19	27
Total	3	1	3	6	34	35	88	170

Source: Minnesota Department of Health, Center for Health Statistics

Isanti County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	15
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	12	25	24	62
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	2	1	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	5	11	18
Diabetes	0	0	0	1	0	2	6	9
Heart Disease	0	0	0	0	7	8	55	70
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	11	13
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	1	1	2	3	4	3	2	16
Other	0	0	0	0	4	7	26	37
Total	7	2	3	6	32	52	160	262

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	19
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	32	27	53	114
Cirrhosis	0	0	0	1	3	0	2	6
Congenital Anomalies	2	0	0	1	1	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	1	9	9	19
Diabetes	0	0	0	0	2	4	7	13
Heart Disease	0	0	0	4	14	18	68	104
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	0	7	9
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	1	0	14	15
Septicemia	0	0	0	0	0	0	5	5
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	1	2	29	33
Suicide	0	1	3	6	0	1	0	11
Unintentional Injury	0	0	5	5	5	1	6	22
Other	0	1	1	3	7	12	63	87
Total	8	2	9	23	69	77	282	470

Source: Minnesota Department of Health, Center for Health Statistics

Jackson County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	6	5	17	30
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	7	8
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	0	0	1	22	23
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	2	1	1	8	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	1	2	1	1	0	1	7
Other	0	1	0	0	0	1	23	25
Total	1	2	2	5	9	10	94	123

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	5	15	29
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	1	0	1	1	3
Heart Disease	0	0	0	0	4	2	11	17
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	6	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	3	1	3	8
Other	0	0	1	2	4	6	12	25
Total	0	0	1	4	24	16	59	104

Source: Minnesota Department of Health, Center for Health Statistics

Kandiyohi County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	15	15
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	1	2	20	22	49	94
Cirrhosis	0	0	0	0	5	0	1	6
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	16	18
Diabetes	0	0	0	0	1	1	8	10
Heart Disease	0	0	0	2	8	14	62	86
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	11	12
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	26	28
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	1	4	5	3	0	7	20
Other	0	0	0	3	6	8	60	77
Total	1	1	6	13	45	50	268	384

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	2	10	12
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	3	2	21	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	10	11
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	1	0	0	0	2	3
Other	0	0	1	0	1	2	7	11
Total	0	0	2	0	5	8	57	72

Source: Minnesota Department of Health, Center for Health Statistics

Koochiching County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	7	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	10	14	18	44
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	11	4	24	39
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	11	14
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	3	3	0	1	8
Other	0	0	0	1	3	1	16	21
Total	1	1	1	5	31	22	88	149

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	1	2
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	0	3	6	13	22
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	2	3	21	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	2	3	6
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	0	3	5
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	2	0	2	2	3	9
Other	0	0	0	2	0	1	12	15
Total	0	0	2	3	11	16	64	96

Source: Minnesota Department of Health, Center for Health Statistics

Lake County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	7	9
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	7	9	18	34
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	9	10
Diabetes	0	0	0	1	1	1	1	4
Heart Disease	1	0	0	2	8	5	19	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	14	15
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	0	0	1	0	3	5
Other	0	0	0	0	4	4	21	29
Total	1	1	0	3	22	24	97	148

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	1	3	3	8
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	1	1	2	8	12
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	0	1	2	0	0	3
Other	0	0	0	0	0	1	5	6
Total	2	0	1	3	7	7	28	48

Source: Minnesota Department of Health, Center for Health Statistics

Le Sueur County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	1	1	0	7	15	28	52
Cirrhosis	0	0	0	0	0	2	0	2
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	0	2	2	4	8
Heart Disease	0	0	0	2	7	6	39	54
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	1	0	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	3	7	11
Suicide	0	0	0	4	0	0	0	4
Unintentional Injury	0	0	3	2	4	0	2	11
Other	0	0	0	2	4	3	29	38
Total	0	1	5	11	25	34	136	212

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	0	6	13	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	0	2	14	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	0	0	6	7
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	0	2	1	0	1	5	10
Other	0	0	0	0	0	2	13	15
Total	1	0	2	4	1	14	71	93

Source: Minnesota Department of Health, Center for Health Statistics

Lyon County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	5	41	56
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	10	14
Diabetes	0	0	0	0	3	1	7	11
Heart Disease	0	1	0	0	5	8	56	70
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	7	7
Nephritis	0	0	1	0	1	0	0	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	22	22
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	1	0	1	1	3	1	4	11
Other	0	0	0	0	6	1	35	42
Total	2	1	3	4	30	22	190	252

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomens County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	1	9	16
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	2	0	1	3
Heart Disease	0	0	0	0	2	2	10	14
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	1	0	0	0	1
Nephritis	0	0	0	0	1	0	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	1	0	0	0	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	1	1
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	1	0	1	0	0	2
Other	0	0	0	0	1	0	6	7
Total	1	0	1	2	16	4	33	57

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	5	4	10	20
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	1	0	0	0	1	4	6
Heart Disease	0	0	0	0	4	3	27	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	1	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	2	3
Suicide	0	0	1	0	0	0	1	2
Unintentional Injury	0	0	0	3	0	1	0	4
Other	0	0	0	0	0	2	13	15
Total	0	1	1	4	10	13	69	98

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	13
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	1	7	11	44	63
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	3	5	9
Diabetes	0	0	0	0	3	2	6	11
Heart Disease	0	0	0	1	9	5	47	62
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	1	0	1	1	1	2	6
Other	0	0	1	0	6	7	29	43
Total	1	1	1	5	29	32	166	235

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	12
Atherosclerosis	0	0	0	0	0	0	0	3
Cancer	1	0	0	2	10	18	36	67
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	0	0	1	8	9
Heart Disease	0	0	0	1	6	9	62	78
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	1	7	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	5	13	21
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	0	2	2	1	0	7	12
Other	1	0	0	1	6	3	44	55
Total	4	0	2	8	29	41	211	295

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	5	5
Cancer	0	0	0	2	11	13	30	56
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	1	0	0	0	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	3	3	7	13
Diabetes	0	0	0	0	0	0	8	8
Heart Disease	0	0	0	3	5	9	39	56
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	0	3	3	0	0	6
Unintentional Injury	1	0	1	3	1	0	3	9
Other	0	1	0	4	11	7	37	60
Total	2	1	1	15	36	36	159	250

Source: Minnesota Department of Health, Center for Health Statistics

Mille Lacs County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	2	0	2	10	22	29	65
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	2	10	13
Diabetes	0	0	0	0	2	3	7	12
Heart Disease	0	0	0	1	3	6	40	50
Homicide	0	0	1	0	1	0	0	2
Hypertension	0	0	0	0	1	1	4	6
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	1	5	7
Septicemia	0	0	0	0	1	0	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	6	11	17
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	6	4	2	1	1	14
Other	0	0	1	1	4	6	42	54
Total	3	2	8	9	30	49	163	264

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	19
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	12	26	39	77
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	0	8	10
Diabetes	0	0	0	0	1	2	5	8
Heart Disease	1	0	0	0	8	11	54	74
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	8	9
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	1	2	1	24	29
Suicide	0	0	1	2	1	0	0	4
Unintentional Injury	0	0	1	3	2	0	8	14
Other	0	0	0	0	5	9	37	51
Total	4	0	4	6	35	51	210	310

Source: Minnesota Department of Health, Center for Health Statistics

Mower County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	10	12
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	4	18	25	58	105
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	4	13	18
Diabetes	0	0	0	1	0	3	8	12
Heart Disease	0	0	0	2	4	10	55	71
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	8	9
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	4	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	29	35
Suicide	0	0	2	1	4	0	0	7
Unintentional Injury	0	0	0	2	0	1	10	13
Other	0	0	0	1	5	14	57	77
Total	1	0	2	11	37	63	261	375

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	7	22	35
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	0	1	4	5
Heart Disease	0	0	0	0	1	3	19	23
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	3	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	4	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	0	0	0	0	2	3	6
Other	0	0	0	0	0	0	10	10
Total	3	0	0	0	9	16	76	104

Source: Minnesota Department of Health, Center for Health Statistics

Nicollet County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	15
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	13	10	26	51
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	9	12
Diabetes	0	0	0	0	2	1	0	3
Heart Disease	0	0	0	2	3	5	27	37
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	18	19
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	0	0	4	1	3	8
Other	1	0	0	0	3	2	16	22
Total	1	0	0	4	30	23	122	180

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	1	1	1	5	8	29	45
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	7	11
Diabetes	0	0	0	0	0	0	6	6
Heart Disease	0	0	0	1	2	4	44	51
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	1	7	8
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	2	13	16
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	1	4	1	0	1	3	10
Other	0	0	0	0	1	5	28	34
Total	2	2	6	4	9	25	151	199

Source: Minnesota Department of Health, Center for Health Statistics

Norman County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	9	17	29
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	2	6	8
Heart Disease	0	0	0	0	4	3	19	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	4	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	1	1	0	0	0	3
Other	0	0	0	2	2	1	16	21
Total	0	1	1	3	11	16	74	106

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	0	0	0	3
Alzheimer's Disease	0	0	0	0	0	1	23	24
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	1	0	11	57	43	93	205
Cirrhosis	0	0	0	1	5	2	0	8
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	1	0	1	9	32	43
Diabetes	0	0	0	2	3	2	6	13
Heart Disease	0	0	1	3	31	29	110	174
Homicide	0	0	1	2	1	0	0	4
Hypertension	0	0	0	0	0	0	8	8
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	2	0	0	0	0	1	17	20
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	2	2	5	41	50
Suicide	0	0	0	5	5	0	1	11
Unintentional Injury	1	0	5	9	4	8	24	51
Other	0	0	0	6	14	14	123	157
Total	7	1	8	44	124	116	486	786

Source: Minnesota Department of Health, Center for Health Statistics

Otter Tail County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	23
Atherosclerosis	0	0	0	0	0	0	1	14
Cancer	0	0	1	2	29	27	55	114
Cirrhosis	0	0	0	1	7	0	2	10
Congenital Anomalies	2	0	0	0	2	0	1	5
Chronic Lower Respiratory Disease	0	0	0	0	1	4	24	29
Diabetes	0	0	0	1	4	7	28	40
Heart Disease	0	0	0	2	18	24	149	193
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	4	5
Nephritis	0	0	0	0	1	1	7	9
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	1	19	21
Septicemia	0	0	0	0	1	2	3	6
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	7	43	52
Suicide	0	0	3	3	0	0	1	7
Unintentional Injury	0	0	4	1	8	4	5	22
Other	0	0	1	2	7	6	82	98
Total	4	0	9	12	82	84	460	651

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	13	18	38
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	1	0	1	4	6
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	2	8	6	28	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	16	17
Suicide	0	0	2	0	0	0	0	2
Unintentional Injury	0	0	0	3	0	0	1	4
Other	0	0	0	1	2	2	33	38
Total	1	0	2	8	19	24	113	167

Source: Minnesota Department of Health, Center for Health Statistics

Pine County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	2	15	22	21	61
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	2	8	11
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	2	7	19	38	66
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	6	8	14
Suicide	0	0	0	1	1	0	1	3
Unintentional Injury	3	2	3	4	4	3	1	20
Other	0	0	2	1	4	3	26	36
Total	6	3	5	10	33	57	126	240

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	4	14	25
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	7	8
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	4	2	18	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	11	11
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	1	0	0	3	4	20	28
Total	0	1	1	1	15	12	84	114

Source: Minnesota Department of Health, Center for Health Statistics

Polk County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	3	0	13	16
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	3	16	14	44	77
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	4	17	23
Diabetes	0	0	0	1	6	2	10	19
Heart Disease	0	0	0	3	10	6	61	80
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	1	1	2	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	3	10	14
Septicemia	0	0	0	0	0	0	4	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	1	33	36
Suicide	0	0	2	1	0	0	0	3
Unintentional Injury	0	0	3	2	3	1	6	15
Other	1	0	2	0	7	5	79	94
Total	3	0	7	11	52	38	284	395

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	12	13
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	0	0	0	7	5	16	28
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	3	4
Diabetes	0	0	0	1	0	0	5	6
Heart Disease	0	0	0	0	6	4	31	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	11	14
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	0	0	0	0	0
Other	0	0	0	1	0	2	25	28
Total	0	0	0	3	17	15	117	152

Source: Minnesota Department of Health, Center for Health Statistics

Ramsey County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	6	3	0	0	9
Alzheimer's Disease	0	0	0	0	0	6	123	129
Atherosclerosis	0	0	0	1	0	0	9	10
Cancer	2	0	4	27	213	206	440	892
Cirrhosis	0	0	0	4	27	2	8	41
Congenital Anomalies	9	0	2	5	2	1	0	19
Chronic Lower Respiratory Disease	1	0	1	2	21	30	97	152
Diabetes	0	0	0	8	35	38	65	146
Heart Disease	1	0	2	19	88	93	499	702
Homicide	3	0	7	4	5	0	1	20
Hypertension	0	0	0	1	8	3	27	39
Nephritis	0	0	0	1	6	14	54	75
Perinatal Conditions	11	0	0	0	0	0	0	11
Pneumonia and Influenza	0	0	0	4	7	7	75	93
Septicemia	1	0	1	0	6	2	17	27
SIDS	6	0	0	0	0	0	0	6
Stroke	1	0	1	7	16	24	193	242
Suicide	0	1	5	18	14	4	2	44
Unintentional Injury	2	5	13	33	32	20	62	167
Other	5	1	5	24	89	105	639	868
Total	42	7	41	164	572	555	2,311	3,692

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	2	7	11
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	1	2	3	7	13
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	1	0	0	0	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	3	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	0	1	1	6	8
Total	1	0	0	2	5	9	27	44

Source: Minnesota Department of Health, Center for Health Statistics

Redwood County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	11	10	28	49
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	1	8	12
Diabetes	0	0	0	0	0	3	4	7
Heart Disease	0	0	0	0	3	4	51	58
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	11	13
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	1	0	2	3	0	4	10
Other	0	0	0	1	2	3	30	36
Total	0	1	1	5	23	25	157	212

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	0	11	6	29	46
Cirrhosis	0	0	0	1	0	0	2	3
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	2	4
Diabetes	0	0	0	0	1	3	9	13
Heart Disease	0	0	0	1	4	6	35	46
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	0	2	4
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	17	18
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	1	2	2	9	15
Other	0	0	1	2	5	4	27	39
Total	0	0	2	6	26	26	146	206

Source: Minnesota Department of Health, Center for Health Statistics

Rice County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	7	9
Atherosclerosis	0	0	0	0	0	0	7	7
Cancer	0	0	0	1	34	28	55	118
Cirrhosis	0	0	0	0	0	2	2	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	1	0	1	1	7	10
Diabetes	0	0	0	0	3	3	7	13
Heart Disease	0	0	0	4	10	10	76	100
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	1	1	7	9
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	1	12	14
Septicemia	0	0	0	0	0	2	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	5	20	29
Suicide	0	0	1	4	0	0	0	5
Unintentional Injury	1	1	4	3	3	1	9	22
Other	1	0	0	5	7	13	75	101
Total	3	1	6	18	64	69	291	452

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	2	21	31
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	0	1	0	2	3
Heart Disease	0	0	0	0	3	5	21	29
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	12	13
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	0	2	3	28	33
Total	2	0	0	0	17	13	109	141

Source: Minnesota Department of Health, Center for Health Statistics

Roseau County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	5	9	18	34
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	1	2	4	7
Heart Disease	0	0	0	0	6	3	34	43
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	6	9
Suicide	0	0	2	0	1	0	0	3
Unintentional Injury	0	0	3	0	3	1	4	11
Other	1	0	0	1	1	5	15	23
Total	2	0	5	3	19	22	99	150

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	2	13
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	1	1	2	7	33	30	50	124
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	1	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	1	0	0	2	4	8	15
Diabetes	0	0	0	0	1	5	12	18
Heart Disease	2	0	0	4	10	17	59	92
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	1	1	4	6
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	1	1	8	10
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	4	5	18	27
Suicide	0	0	3	7	3	0	0	13
Unintentional Injury	0	0	8	7	5	2	4	26
Other	1	0	1	6	13	7	56	84
Total	8	3	14	33	74	75	236	443

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	10	11
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	1	0	1	7	27	18	38	92
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	1	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	3	18	23
Diabetes	0	0	0	1	1	1	9	12
Heart Disease	0	0	1	3	10	11	74	99
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	1	0	4	5
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	1	0	11	12
Septicemia	1	0	0	0	0	2	1	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	5	25	31
Suicide	0	0	4	8	2	0	1	15
Unintentional Injury	0	1	5	10	10	2	7	35
Other	2	0	0	4	11	7	64	88
Total	9	1	13	33	66	52	266	440

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	6	16	27
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	3	5
Diabetes	0	0	0	1	1	2	3	7
Heart Disease	0	0	0	0	1	8	23	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	1	1	0	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	7	8
Suicide	0	0	0	2	0	0	0	2
Unintentional Injury	0	0	1	0	0	0	4	5
Other	0	0	1	0	5	6	17	29
Total	0	0	2	4	12	28	78	124

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	2	69	72
Atherosclerosis	0	0	0	0	1	0	5	6
Cancer	1	1	0	18	123	114	277	534
Cirrhosis	0	0	0	3	21	7	5	36
Congenital Anomalies	3	0	0	2	1	1	2	9
Chronic Lower Respiratory Disease	0	0	0	0	11	28	72	111
Diabetes	0	0	1	2	11	14	47	75
Heart Disease	0	0	1	8	58	69	394	530
Homicide	0	1	0	2	2	1	0	6
Hypertension	0	0	0	0	0	2	19	21
Nephritis	0	0	0	0	2	6	28	36
Perinatal Conditions	3	1	0	0	0	0	0	4
Pneumonia and Influenza	1	0	0	0	0	2	37	40
Septicemia	0	0	0	0	0	2	12	14
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	5	5	14	114	138
Suicide	0	0	7	12	15	0	6	40
Unintentional Injury	1	1	14	27	22	4	33	102
Other	2	2	3	13	38	51	297	406
Total	13	6	26	92	311	317	1,417	2,182

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	14	16
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	2	1	6	45	53	91	198
Cirrhosis	0	0	0	3	5	1	1	10
Congenital Anomalies	3	0	0	1	0	0	0	4
Chronic Lower Respiratory Disease	0	0	1	0	2	12	32	47
Diabetes	0	0	0	0	4	2	19	25
Heart Disease	0	0	0	4	22	20	113	159
Homicide	0	1	1	0	2	0	0	4
Hypertension	0	0	0	0	0	3	6	9
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	1	8	9
Septicemia	0	0	0	0	1	2	4	7
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	2	1	8	45	56
Suicide	0	0	2	4	0	0	0	6
Unintentional Injury	1	0	7	13	14	5	16	56
Other	1	1	0	6	12	24	87	131
Total	10	4	12	39	108	134	444	751

Source: Minnesota Department of Health, Center for Health Statistics

Steele County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	1	16	17	35	70
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	0	0	0	1	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	1	2	14	17
Diabetes	0	0	0	0	1	0	11	12
Heart Disease	0	0	0	0	4	11	75	90
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	1	2
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	17	22
Suicide	0	0	0	0	1	1	0	2
Unintentional Injury	1	1	5	2	2	1	6	18
Other	1	0	0	0	7	9	33	50
Total	3	1	5	4	35	45	213	306

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	4	16	23
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	1	0	0	2	3
Heart Disease	0	0	0	0	2	3	16	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	1	0	2	1	0	5	9
Other	0	0	0	1	2	0	7	10
Total	1	1	0	5	9	7	62	85

Source: Minnesota Department of Health, Center for Health Statistics

Swift County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	1	3	6	13	23
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	6	7
Diabetes	0	0	0	0	1	0	0	1
Heart Disease	0	0	0	1	0	5	26	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	1	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	1	0	1	2	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	2	0	0	9	11
Suicide	0	1	1	0	0	0	1	3
Unintentional Injury	0	0	0	0	2	0	2	4
Other	0	0	0	0	7	2	8	17
Total	1	1	1	5	15	14	74	111

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	1	17	9	30	57
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	6	6
Diabetes	0	0	0	0	2	4	3	9
Heart Disease	0	0	0	0	6	11	35	52
Homicide	0	0	2	0	1	0	0	3
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	1	0	0	0	1	2
Septicemia	0	0	0	0	0	1	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	0	11	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	1	1	2	2	3	10
Other	0	0	1	0	6	8	37	52
Total	1	1	5	2	35	36	135	215

Source: Minnesota Department of Health, Center for Health Statistics

Traverse County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	1	8	11
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	1	1	26	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	3	1	0	1	5
Other	0	0	0	0	0	0	4	4
Total	0	0	0	4	6	4	45	59

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	8	17	31	58
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	2	7	10
Diabetes	0	0	0	1	2	4	8	15
Heart Disease	0	0	0	0	3	5	39	47
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	0	0	6	7
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	3	3	5	1	6	18
Other	0	0	0	1	4	5	18	28
Total	2	0	4	6	25	35	127	199

Source: Minnesota Department of Health, Center for Health Statistics

Wadena County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	12	13
Atherosclerosis	0	0	0	0	0	1	3	4
Cancer	0	0	0	0	11	10	22	43
Cirrhosis	0	0	0	0	1	2	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	10	12
Diabetes	0	0	0	0	2	1	9	12
Heart Disease	0	0	0	1	8	3	49	61
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	1	8	10
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	1	0	2	1	1	2	7
Other	0	0	0	2	5	3	23	33
Total	1	1	0	6	31	25	149	213

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	5	5
Cancer	0	0	1	1	8	12	23	45
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	12	14
Diabetes	0	0	0	0	1	2	10	13
Heart Disease	0	0	0	0	4	4	34	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	4	0	9	13
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	4	1	0	0	4	9
Other	0	0	0	1	0	3	16	20
Total	0	0	5	3	17	23	125	173

Source: Minnesota Department of Health, Center for Health Statistics

Washington County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	3	34	38
Atherosclerosis	0	0	0	0	0	1	1	2
Cancer	0	1	1	17	93	68	130	310
Cirrhosis	0	0	0	0	4	1	1	6
Congenital Anomalies	3	0	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	1	2	24	42	69
Diabetes	0	0	0	3	8	11	22	44
Heart Disease	1	0	0	3	39	31	140	214
Homicide	0	0	0	1	1	0	0	2
Hypertension	0	0	0	0	1	2	8	11
Nephritis	0	0	0	0	1	3	16	20
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	0	3	3	11	17
Septicemia	0	0	0	1	2	3	7	13
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	2	8	16	46	72
Suicide	0	1	1	9	4	1	2	18
Unintentional Injury	0	3	10	5	8	4	9	39
Other	0	0	3	6	23	35	146	213
Total	10	5	15	48	198	206	615	1,097

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	5	16	26
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	1	4	4	22	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	8	8
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	1	2	2	1	1	2	9
Other	0	0	1	1	4	2	18	26
Total	3	1	4	4	15	15	88	130

Source: Minnesota Department of Health, Center for Health Statistics

Wilkin County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	3	7	12
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	2	5
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	0	3	5	13	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	1	2	0	0	0	3
Other	0	0	0	0	2	7	5	14
Total	0	0	2	2	9	19	42	74

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	0	16	16
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	0	1	8	21	18	51	99
Cirrhosis	0	0	0	0	4	1	0	5
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	4	11	16
Diabetes	0	0	0	0	2	1	4	7
Heart Disease	0	0	0	3	5	16	82	106
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	2	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	1	0	0	2	28	31
Suicide	0	0	2	0	3	1	0	6
Unintentional Injury	0	2	3	9	3	2	3	22
Other	1	0	0	1	7	5	58	72
Total	4	2	7	21	47	52	269	402

Source: Minnesota Department of Health, Center for Health Statistics

Wright County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	22	23
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	1	1	0	4	31	45	63	145
Cirrhosis	0	0	0	0	3	2	1	6
Congenital Anomalies	3	0	0	1	1	0	1	6
Chronic Lower Respiratory Disease	0	0	0	1	4	7	20	32
Diabetes	0	0	0	1	1	1	15	18
Heart Disease	0	0	0	5	21	13	71	110
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	2	2	5
Nephritis	0	0	1	0	0	0	8	9
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	0	1	14	15
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	5	5	31	41
Suicide	0	0	1	5	1	0	0	7
Unintentional Injury	0	1	6	8	4	3	14	36
Other	0	0	1	4	16	15	72	108
Total	9	2	9	29	89	95	337	570

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - Leading Causes of Death by Age Group, 2003

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	6	9	15	32
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	6	8
Diabetes	0	0	0	0	1	2	4	7
Heart Disease	0	0	0	1	7	5	21	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	11	13
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	2	4	4	12
Other	1	0	0	0	1	3	16	21
Total	1	0	1	4	19	28	98	151

Source: Minnesota Department of Health, Center for Health Statistics

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 1: Minnesota YPLL to Age 65 and 75
by State and County, 2003**

State of Minnesota - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	1,045.0	1,581.5
Alzheimer's Disease	90.0	583.5
Atherosclerosis	115.0	243.5
Cancer	29,750.0	68,339.0
Cirrhosis	2,935.0	5,545.5
Congenital Anomalies	8,062.5	9,776.5
Chronic Lower Respiratory Disease	1,687.5	5,590.5
Diabetes	3,397.5	7,482.5
Heart Disease	15,510.0	34,500.0
Homicide	4,240.0	5,558.5
Hypertension	575.0	1,524.5
Nephritis	505.0	1,485.0
Perinatal Conditions	8,117.5	9,482.5
Pneumonia and Influenza	1,115.0	2,124.5
Septicemia	770.0	1,553.0
SIDS	1,625.0	1,898.0
Stroke	2,895.0	6,516.5
Suicide	11,765.0	16,453.5
Unintentional Injury	31,027.5	42,922.0
Other	21,565.0	39,032.0
Total	146,792.5	262,192.5

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	65.0	254.0
Cirrhosis	40.0	61.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	15.0	36.5
Heart Disease	50.0	173.5
Homicide	0.0	5.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	50.0	76.5
Suicide	30.0	51.0
Unintentional Injury	175.0	265.0
Other	55.0	92.0
Total	547.5	1,109.0

Source: Minnesota Department of Health, Center for Health Statistics

Anoka County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	15.0	58.5
Atherosclerosis	30.0	51.0
Cancer	1,727.5	3,850.5
Cirrhosis	175.0	333.5
Congenital Anomalies	372.5	451.5
Chronic Lower Respiratory Disease	80.0	354.5
Diabetes	120.0	333.0
Heart Disease	965.0	2,008.5
Homicide	45.0	55.5
Hypertension	75.0	181.5
Nephritis	15.0	63.0
Perinatal Conditions	562.5	657.0
Pneumonia and Influenza	102.5	139.5
Septicemia	35.0	88.5
SIDS	125.0	146.0
Stroke	75.0	252.0
Suicide	770.0	1,064.0
Unintentional Injury	1,872.5	2,598.0
Other	1,395.0	2,249.0
Total	8,582.5	14,970.5

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	275.0	642.0
Cirrhosis	30.0	51.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	40.0	72.0
Heart Disease	190.0	451.5
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	40.0	61.0
Unintentional Injury	360.0	465.0
Other	155.0	325.5
Total	1,125.0	2,188.5

Source: Minnesota Department of Health, Center for Health Statistics

Beltrami County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	300.0	634.5
Cirrhosis	25.0	56.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	57.5
Diabetes	30.0	73.0
Heart Disease	200.0	412.0
Homicide	105.0	136.5
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	30.0	56.5
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	200.0	263.0
Unintentional Injury	455.0	591.5
Other	260.0	514.0
Total	1,817.5	3,056.0

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	205.0	481.5
Cirrhosis	20.0	52.0
Congenital Anomalies	187.5	219.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	10.0	47.5
Heart Disease	120.0	291.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	40.0	66.5
Unintentional Injury	270.0	380.5
Other	127.5	240.0
Total	1,062.5	1,946.0

Source: Minnesota Department of Health, Center for Health Statistics

Big Stone County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	125.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	20.0	57.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	5.0	15.5
Unintentional Injury	80.0	101.0
Other	20.0	46.5
Total	267.5	475.0

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	16.5
Atherosclerosis	0.0	5.5
Cancer	250.0	639.5
Cirrhosis	40.0	61.0
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	10.0	64.0
Diabetes	70.0	134.0
Heart Disease	115.0	249.0
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	32.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	22.0
Suicide	135.0	187.5
Unintentional Injury	475.0	632.5
Other	200.0	402.0
Total	1,445.0	2,643.5

Source: Minnesota Department of Health, Center for Health Statistics

Brown County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	150.0	353.0
Cirrhosis	0.0	0.0
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	15.0	58.5
Heart Disease	55.0	156.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	25.0	41.0
Unintentional Injury	35.0	83.0
Other	95.0	175.0
Total	467.5	1,023.5

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	150.0	508.5
Cirrhosis	15.0	52.0
Congenital Anomalies	20.0	52.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	45.0	82.0
Heart Disease	220.0	417.5
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	11.0
SIDS	62.5	73.0
Stroke	55.0	103.0
Suicide	100.0	147.5
Unintentional Injury	245.0	339.5
Other	222.5	386.5
Total	1,232.5	2,323.0

Source: Minnesota Department of Health, Center for Health Statistics

Carver County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	270.0	632.0
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	58.5
Diabetes	5.0	37.5
Heart Disease	110.0	259.0
Homicide	5.0	15.5
Hypertension	5.0	26.5
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	80.0	101.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	195.0	247.5
Unintentional Injury	425.0	551.5
Other	277.5	443.0
Total	1,447.5	2,495.0

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	165.0	486.5
Cirrhosis	40.0	66.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	25.0	78.5
Diabetes	45.0	76.5
Heart Disease	120.0	253.5
Homicide	150.0	192.0
Hypertension	0.0	0.0
Nephritis	25.0	52.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	56.5
Suicide	60.0	86.5
Unintentional Injury	475.0	691.0
Other	160.0	352.0
Total	1,420.0	2,543.0

Source: Minnesota Department of Health, Center for Health Statistics

Chippewa County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	127.0
Cirrhosis	0.0	5.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	15.5
Heart Disease	0.0	22.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	35.0	45.5
Unintentional Injury	30.0	51.0
Other	5.0	32.0
Total	187.5	397.0

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	350.0	734.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	36.5
Diabetes	65.0	107.5
Heart Disease	135.0	337.5
Homicide	15.0	25.5
Hypertension	5.0	21.0
Nephritis	5.0	21.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	21.0
Suicide	160.0	228.5
Unintentional Injury	370.0	501.5
Other	130.0	257.0
Total	1,515.0	2,614.0

Source: Minnesota Department of Health, Center for Health Statistics

Clay County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	345.0	706.5
Cirrhosis	40.0	66.5
Congenital Anomalies	222.5	264.5
Chronic Lower Respiratory Disease	5.0	37.5
Diabetes	0.0	5.5
Heart Disease	185.0	418.5
Homicide	25.0	35.5
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	53.0
Suicide	100.0	147.5
Unintentional Injury	175.0	254.0
Other	180.0	350.0
Total	1,365.0	2,454.0

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	67.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	0.0
Heart Disease	15.0	85.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	90.0	116.5
Other	45.0	82.0
Total	195.0	403.0

Source: Minnesota Department of Health, Center for Health Statistics

Cook County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	88.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	15.0	25.5
Heart Disease	5.0	21.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	45.0	55.5
Unintentional Injury	45.0	55.5
Other	0.0	5.5
Total	145.0	251.5

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	155.0	266.0
Cirrhosis	0.0	0.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	35.0	83.0
Diabetes	15.0	36.5
Heart Disease	50.0	136.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	25.5
Unintentional Injury	5.0	15.5
Other	35.0	45.5
Total	387.5	712.0

Source: Minnesota Department of Health, Center for Health Statistics

Crow Wing County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	360.0	906.0
Cirrhosis	45.0	76.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	69.5
Diabetes	5.0	26.5
Heart Disease	180.0	537.5
Homicide	70.0	91.0
Hypertension	5.0	26.5
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	20.0	41.0
SIDS	187.5	219.0
Stroke	15.0	47.5
Suicide	215.0	330.5
Unintentional Injury	482.5	683.0
Other	422.5	687.5
Total	2,037.5	3,783.0

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	55.0	86.5
Alzheimer's Disease	5.0	32.0
Atherosclerosis	0.0	0.0
Cancer	1,960.0	4,346.5
Cirrhosis	120.0	220.5
Congenital Anomalies	812.5	949.0
Chronic Lower Respiratory Disease	50.0	309.0
Diabetes	205.0	391.0
Heart Disease	755.0	1,776.5
Homicide	147.5	189.5
Hypertension	15.0	79.5
Nephritis	20.0	57.5
Perinatal Conditions	875.0	1,022.0
Pneumonia and Influenza	35.0	105.0
Septicemia	40.0	93.0
SIDS	62.5	73.0
Stroke	205.0	444.0
Suicide	555.0	802.0
Unintentional Injury	1,370.0	1,880.0
Other	1,982.5	3,136.5
Total	9,270.0	15,993.0

Source: Minnesota Department of Health, Center for Health Statistics

Dodge County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	84.0
Cirrhosis	15.0	31.0
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	15.0	63.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	120.0	162.0
Unintentional Injury	195.0	258.5
Other	50.0	76.5
Total	450.0	737.0

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	260.0	600.0
Cirrhosis	5.0	21.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	25.0	62.0
Diabetes	5.0	15.5
Heart Disease	25.0	111.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	15.0	31.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	25.0	89.5
Suicide	75.0	112.0
Unintentional Injury	215.0	288.5
Other	35.0	153.5
Total	835.0	1,687.0

Source: Minnesota Department of Health, Center for Health Statistics

Faribault County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	172.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	77.5	104.0
Heart Disease	70.0	186.0
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	45.0	55.5
Unintentional Injury	115.0	146.5
Other	102.5	161.5
Total	485.0	889.0

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	25.0	35.5
Cancer	85.0	271.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	15.0	31.0
Heart Disease	10.0	75.0
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	35.0	51.0
Suicide	65.0	96.5
Unintentional Injury	20.0	41.0
Other	102.5	200.0
Total	362.5	838.5

Source: Minnesota Department of Health, Center for Health Statistics

Freeborn County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	195.0	457.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	47.5
Diabetes	15.0	52.0
Heart Disease	60.0	194.5
Homicide	0.0	0.0
Hypertension	25.0	35.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	22.0
Suicide	95.0	147.5
Unintentional Injury	300.0	426.0
Other	0.0	71.5
Total	830.0	1,599.5

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	295.0	630.0
Cirrhosis	30.0	62.0
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	15.0	68.5
Diabetes	35.0	72.0
Heart Disease	145.0	293.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	30.0	62.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	125.0	177.5
Unintentional Injury	395.0	537.0
Other	245.0	467.5
Total	1,387.5	2,501.5

Source: Minnesota Department of Health, Center for Health Statistics

Grant County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	94.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	25.5
Heart Disease	10.0	58.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	130.0	172.0
Other	15.0	31.0
Total	205.0	392.0

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	500.0	757.5
Alzheimer's Disease	10.0	102.5
Atherosclerosis	0.0	16.5
Cancer	6,792.5	14,874.5
Cirrhosis	710.0	1,265.5
Congenital Anomalies	1,882.5	2,261.0
Chronic Lower Respiratory Disease	395.0	1,096.0
Diabetes	685.0	1,495.5
Heart Disease	3,595.0	7,173.5
Homicide	1,987.5	2,570.5
Hypertension	120.0	355.0
Nephritis	145.0	396.0
Perinatal Conditions	1,437.5	1,679.0
Pneumonia and Influenza	250.0	485.5
Septicemia	245.0	425.5
SIDS	62.5	73.0
Stroke	565.0	1,269.5
Suicide	1,945.0	2,697.0
Unintentional Injury	4,782.5	6,688.0
Other	5,582.5	9,840.0
Total	31,692.5	55,521.5

Source: Minnesota Department of Health, Center for Health Statistics

Houston County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	75.0	220.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	85.0	169.5
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	70.0	91.0
Unintentional Injury	30.0	56.5
Other	80.0	133.0
Total	472.5	877.0

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	105.0	360.5
Cirrhosis	30.0	51.0
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	0.0	11.0
Heart Disease	105.0	239.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	10.0	42.0
Suicide	25.0	41.0
Unintentional Injury	155.0	228.5
Other	177.5	251.5
Total	797.5	1,483.5

Source: Minnesota Department of Health, Center for Health Statistics

Isanti County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	125.0	399.0
Cirrhosis	20.0	41.0
Congenital Anomalies	180.0	211.5
Chronic Lower Respiratory Disease	10.0	58.5
Diabetes	35.0	56.5
Heart Disease	65.0	182.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	70.0	91.0
Unintentional Injury	332.5	464.5
Other	30.0	110.5
Total	1,122.5	1,933.5

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	16.5
Atherosclerosis	0.0	0.0
Cancer	330.0	835.5
Cirrhosis	50.0	92.0
Congenital Anomalies	155.0	197.0
Chronic Lower Respiratory Disease	15.0	75.0
Diabetes	10.0	53.0
Heart Disease	240.0	528.0
Homicide	0.0	0.0
Hypertension	30.0	51.0
Nephritis	0.0	0.0
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	40.0	72.0
Suicide	380.0	490.5
Unintentional Injury	435.0	598.0
Other	260.0	452.0
Total	2,325.0	3,914.0

Source: Minnesota Department of Health, Center for Health Statistics

Jackson County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	201.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	75.0	112.0
Suicide	0.0	0.0
Unintentional Injury	247.5	310.5
Other	55.0	71.0
Total	472.5	727.0

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	197.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	25.0	41.0
Heart Disease	40.0	93.0
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	70.0	117.5
Other	115.0	221.5
Total	355.0	747.5

Source: Minnesota Department of Health, Center for Health Statistics

Kandiyohi County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	235.0	597.5
Cirrhosis	55.0	107.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	5.0	21.0
Heart Disease	120.0	302.0
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	70.0	91.0
Unintentional Injury	435.0	571.5
Other	155.0	293.5
Total	1,167.5	2,135.5

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	0.0	11.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	15.0	57.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	45.0	55.5
Other	50.0	82.0
Total	125.0	242.5

Source: Minnesota Department of Health, Center for Health Statistics

Koochiching County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	170.0	373.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	135.0	272.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	0.0	0.0
Unintentional Injury	165.0	238.5
Other	60.0	107.5
Total	632.5	1,163.0

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	5.5
Cancer	25.0	89.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	10.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	26.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	30.0	51.0
Suicide	15.0	25.5
Unintentional Injury	120.0	173.0
Other	50.0	76.5
Total	260.0	516.0

Source: Minnesota Department of Health, Center for Health Statistics

Lake County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	45.0	168.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	30.0	56.5
Heart Disease	162.5	305.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	70.0	91.0
Other	20.0	84.0
Total	332.5	748.0

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	97.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	40.0	72.0
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	30.0	51.0
Unintentional Injury	65.0	96.5
Other	0.0	5.5
Total	360.0	535.0

Source: Minnesota Department of Health, Center for Health Statistics

Le Sueur County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	175.0	352.0
Cirrhosis	0.0	11.0
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	20.0	52.0
Heart Disease	95.0	222.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	62.0
Suicide	130.0	172.0
Unintentional Injury	235.0	329.5
Other	80.0	159.5
Total	820.0	1,448.0

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	104.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	35.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	0.0	0.0
Unintentional Injury	187.5	235.0
Other	0.0	11.0
Total	277.5	438.5

Source: Minnesota Department of Health, Center for Health Statistics

Lyon County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	222.5
Cirrhosis	0.0	5.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	25.0	62.0
Heart Disease	120.0	227.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	60.0	81.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	65.0	96.5
Unintentional Injury	177.5	246.0
Other	80.0	148.5
Total	735.0	1,276.0

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomen County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	108.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	20.0	41.0
Heart Disease	20.0	52.0
Homicide	0.0	0.0
Hypertension	25.0	35.5
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	35.0	45.5
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	30.0	51.0
Unintentional Injury	60.0	81.0
Other	15.0	25.5
Total	337.5	569.5

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	145.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	55.0	71.0
Heart Disease	40.0	98.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	45.0	55.5
Unintentional Injury	85.0	122.0
Other	0.0	11.0
Total	300.0	539.5

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	80.0	224.5
Cirrhosis	0.0	0.0
Congenital Anomalies	77.5	98.5
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	35.0	77.5
Heart Disease	120.0	252.5
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	40.0	61.0
Unintentional Injury	95.0	132.0
Other	105.0	217.0
Total	592.5	1,157.0

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	202.5	438.0
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	5.5
Heart Disease	65.0	188.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	84.0
Suicide	75.0	106.5
Unintentional Injury	165.0	217.5
Other	137.5	238.0
Total	805.0	1,482.0

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	353.0
Cirrhosis	5.0	21.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	63.0
Diabetes	0.0	0.0
Heart Disease	130.0	263.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	130.0	193.0
Unintentional Injury	207.5	270.5
Other	260.0	466.5
Total	970.0	1,745.5

Source: Minnesota Department of Health, Center for Health Statistics

Mille Lacs County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	250.0	518.0
Cirrhosis	10.0	36.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	10.0	47.5
Heart Disease	50.0	125.0
Homicide	60.0	81.0
Hypertension	15.0	31.0
Nephritis	5.0	15.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	21.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	33.0
Suicide	15.0	25.5
Unintentional Injury	390.0	521.5
Other	100.0	196.0
Total	1,142.5	1,958.0

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	329.0
Cirrhosis	0.0	5.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	5.0	26.5
Heart Disease	132.5	287.5
Homicide	45.0	55.5
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	100.0	147.5
Suicide	120.0	162.0
Unintentional Injury	150.0	213.0
Other	25.0	127.0
Total	845.0	1,640.0

Source: Minnesota Department of Health, Center for Health Statistics

Mower County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	270.0	638.5
Cirrhosis	15.0	25.5
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	15.0	47.5
Diabetes	25.0	52.0
Heart Disease	80.0	198.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	53.0
Suicide	185.0	258.5
Unintentional Injury	60.0	86.5
Other	90.0	230.0
Total	822.5	1,704.5

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	141.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	5.0	32.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	0.0	0.0
Unintentional Injury	62.5	84.0
Other	0.0	0.0
Total	252.5	466.5

Source: Minnesota Department of Health, Center for Health Statistics

Nicollet County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	225.0	437.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	36.5
Diabetes	10.0	36.5
Heart Disease	75.0	155.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	20.0	41.0
Unintentional Injury	40.0	87.5
Other	97.5	150.5
Total	492.5	986.5

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	160.0	288.0
Cirrhosis	0.0	0.0
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	0.0
Heart Disease	45.0	98.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	46.5
Suicide	0.0	0.0
Unintentional Injury	260.0	328.5
Other	15.0	53.0
Total	680.0	1,059.0

Source: Minnesota Department of Health, Center for Health Statistics

Norman County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	96.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	11.0
Heart Disease	30.0	88.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	135.0	166.5
Other	80.0	127.5
Total	280.0	536.0

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	75.0	106.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	775.0	1,736.0
Cirrhosis	80.0	154.0
Congenital Anomalies	140.0	171.5
Chronic Lower Respiratory Disease	50.0	120.5
Diabetes	85.0	148.5
Heart Disease	365.0	892.0
Homicide	120.0	162.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	125.0	151.5
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	70.0	139.5
Suicide	210.0	315.0
Unintentional Injury	582.5	826.0
Other	290.0	577.0
Total	3,092.5	5,662.5

Source: Minnesota Department of Health, Center for Health Statistics

Otter Tail County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	300.0	784.5
Cirrhosis	110.0	194.0
Congenital Anomalies	145.0	187.0
Chronic Lower Respiratory Disease	5.0	37.5
Diabetes	55.0	146.0
Heart Disease	190.0	532.0
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	31.0
Septicemia	5.0	26.5
SIDS	62.5	73.0
Stroke	20.0	79.5
Suicide	210.0	273.0
Unintentional Injury	315.0	473.5
Other	160.0	298.0
Total	1,675.0	3,260.5

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	180.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	25.0	41.0
Diabetes	0.0	5.5
Heart Disease	130.0	268.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	90.0	111.0
Unintentional Injury	95.0	126.5
Other	55.0	97.5
Total	527.5	974.5

Source: Minnesota Department of Health, Center for Health Statistics

Pine County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	240.0	550.0
Cirrhosis	0.0	5.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	0.0	5.5
Heart Disease	115.0	314.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	33.0
Suicide	40.0	61.0
Unintentional Injury	582.5	767.0
Other	145.0	235.0
Total	1,320.0	2,232.0

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	140.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	30.0	83.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	80.0	101.0
Unintentional Injury	0.0	0.0
Other	90.0	154.0
Total	250.0	505.0

Source: Minnesota Department of Health, Center for Health Statistics

Polk County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	25.0	56.5
Atherosclerosis	0.0	0.0
Cancer	245.0	521.5
Cirrhosis	0.0	5.5
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	20.0	63.0
Diabetes	75.0	159.5
Heart Disease	175.0	344.5
Homicide	62.5	73.0
Hypertension	5.0	15.5
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	32.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	56.5
Suicide	125.0	156.5
Unintentional Injury	220.0	309.5
Other	197.5	330.0
Total	1,257.5	2,233.0

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	5.0	15.5
Cancer	65.0	166.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	25.0	35.5
Heart Disease	60.0	145.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	25.0	35.5
Unintentional Injury	0.0	0.0
Other	25.0	46.5
Total	230.0	522.5

Source: Minnesota Department of Health, Center for Health Statistics

Ramsey County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	215.0	309.5
Alzheimer's Disease	0.0	33.0
Atherosclerosis	25.0	35.5
Cancer	2,845.0	6,561.0
Cirrhosis	425.0	761.5
Congenital Anomalies	847.5	1,042.0
Chronic Lower Respiratory Disease	292.5	720.0
Diabetes	595.0	1,255.5
Heart Disease	1,497.5	3,164.0
Homicide	677.5	877.0
Hypertension	125.0	236.0
Nephritis	65.0	215.5
Perinatal Conditions	687.5	803.0
Pneumonia and Influenza	165.0	319.0
Septicemia	137.5	232.5
SIDS	375.0	438.0
Stroke	442.5	837.0
Suicide	970.0	1,391.0
Unintentional Injury	2,290.0	3,292.5
Other	1,987.5	3,867.0
Total	14,665.0	26,390.5

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	52.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	55.0	103.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	25.0	35.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	15.0	31.0
Total	177.5	311.0

Source: Minnesota Department of Health, Center for Health Statistics

Redwood County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	255.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	35.0	72.0
Diabetes	0.0	16.5
Heart Disease	45.0	98.5
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	85.0	116.5
Unintentional Injury	160.0	223.0
Other	35.0	83.0
Total	480.0	932.5

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	253.5
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	5.0	32.0
Heart Disease	85.0	170.5
Homicide	0.0	0.0
Hypertension	20.0	41.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	30.0	51.0
Unintentional Injury	90.0	143.0
Other	150.0	256.0
Total	510.0	1,010.0

Source: Minnesota Department of Health, Center for Health Statistics

Rice County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	315.0	836.5
Cirrhosis	0.0	11.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	60.0	86.5
Diabetes	25.0	73.0
Heart Disease	200.0	402.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	11.0
SIDS	0.0	0.0
Stroke	40.0	109.5
Suicide	155.0	207.5
Unintentional Injury	397.5	529.0
Other	262.5	470.5
Total	1,532.5	2,878.0

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	135.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	5.0	15.5
Heart Disease	15.0	74.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	5.0	15.5
Other	10.0	47.5
Total	220.0	491.0

Source: Minnesota Department of Health, Center for Health Statistics

Roseau County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	228.0
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	26.5
Heart Disease	40.0	119.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	105.0	136.5
Unintentional Injury	160.0	228.5
Other	102.5	161.5
Total	600.0	1,025.5

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	677.5	1,304.5
Cirrhosis	0.0	0.0
Congenital Anomalies	117.5	138.5
Chronic Lower Respiratory Disease	65.0	118.5
Diabetes	5.0	43.0
Heart Disease	315.0	576.5
Homicide	25.0	35.5
Hypertension	5.0	21.0
Nephritis	0.0	5.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	5.0	21.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	40.0	109.5
Suicide	375.0	511.5
Unintentional Injury	630.0	851.0
Other	382.5	641.5
Total	2,860.0	4,658.5

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	547.5	1,024.5
Cirrhosis	0.0	5.5
Congenital Anomalies	107.5	128.5
Chronic Lower Respiratory Disease	10.0	47.5
Diabetes	30.0	56.5
Heart Disease	170.0	377.5
Homicide	45.0	55.5
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	15.0	25.5
Septicemia	62.5	84.0
SIDS	0.0	0.0
Stroke	15.0	53.0
Suicide	420.0	567.0
Unintentional Injury	710.0	994.0
Other	330.0	547.0
Total	2,717.5	4,284.5

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	45.0	130.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	40.0	72.0
Heart Disease	5.0	59.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	60.0	81.0
Unintentional Injury	45.0	55.5
Other	70.0	166.0
Total	270.0	613.0

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	26.5
Atherosclerosis	15.0	25.5
Cancer	1,622.5	3,751.0
Cirrhosis	340.0	630.5
Congenital Anomalies	262.5	331.0
Chronic Lower Respiratory Disease	75.0	344.5
Diabetes	190.0	414.0
Heart Disease	795.0	1,878.0
Homicide	135.0	193.0
Hypertension	0.0	11.0
Nephritis	10.0	64.0
Perinatal Conditions	242.5	284.5
Pneumonia and Influenza	62.5	84.0
Septicemia	0.0	11.0
SIDS	125.0	146.0
Stroke	200.0	382.0
Suicide	820.0	1,177.0
Unintentional Injury	1,832.5	2,537.0
Other	1,155.0	2,044.5
Total	7,887.5	14,335.0

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	680.0	1,538.5
Cirrhosis	110.0	199.5
Congenital Anomalies	212.5	254.5
Chronic Lower Respiratory Disease	55.0	152.5
Diabetes	50.0	103.0
Heart Disease	310.0	693.0
Homicide	120.0	162.0
Hypertension	0.0	16.5
Nephritis	0.0	5.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	26.5
SIDS	125.0	146.0
Stroke	65.0	140.5
Suicide	210.0	273.0
Unintentional Injury	912.5	1,307.5
Other	407.5	749.5
Total	3,450.0	6,003.5

Source: Minnesota Department of Health, Center for Health Statistics

Steele County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	217.5	500.0
Cirrhosis	0.0	5.5
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	15.0	25.5
Heart Disease	40.0	142.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	57.5
Suicide	5.0	21.0
Unintentional Injury	432.5	553.5
Other	137.5	271.0
Total	902.5	1,654.0

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	78.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	25.0	35.5
Heart Disease	30.0	67.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	40.0	61.0
Unintentional Injury	130.0	172.0
Other	45.0	76.5
Total	357.5	564.0

Source: Minnesota Department of Health, Center for Health Statistics

Swift County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	125.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	5.0	15.5
Heart Disease	25.0	63.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	25.0	41.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	50.0	71.0
Suicide	100.0	121.0
Unintentional Injury	20.0	41.0
Other	65.0	149.5
Total	412.5	731.0

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	140.0	378.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	20.0	63.0
Heart Disease	50.0	173.5
Homicide	105.0	136.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	45.0	55.5
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	155.0	218.5
Other	105.0	222.5
Total	687.5	1,347.5

Source: Minnesota Department of Health, Center for Health Statistics

Traverse County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	36.5
Cirrhosis	15.0	25.5
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	15.0	31.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	110.0	152.0
Other	0.0	0.0
Total	190.0	317.0

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	120.0	318.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	45.0	98.5
Heart Disease	15.0	74.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	62.5	73.0
Suicide	5.0	15.5
Unintentional Injury	275.0	396.0
Other	45.0	125.0
Total	640.0	1,221.0

Source: Minnesota Department of Health, Center for Health Statistics

Wadena County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	5.5
Cancer	75.0	245.5
Cirrhosis	5.0	26.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	20.0	46.5
Heart Disease	95.0	206.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	41.0
Suicide	20.0	41.0
Unintentional Injury	120.0	167.5
Other	105.0	195.0
Total	532.5	1,079.5

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	140.0	311.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	5.0	26.5
Heart Disease	30.0	94.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	72.0
Suicide	0.0	0.0
Unintentional Injury	205.0	257.5
Other	35.0	62.0
Total	445.0	834.0

Source: Minnesota Department of Health, Center for Health Statistics

Washington County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	32.0
Atherosclerosis	0.0	5.5
Cancer	1,300.0	2,850.0
Cirrhosis	40.0	87.5
Congenital Anomalies	187.5	219.0
Chronic Lower Respiratory Disease	35.0	198.5
Diabetes	155.0	331.0
Heart Disease	522.5	1,144.5
Homicide	40.0	61.0
Hypertension	5.0	26.5
Nephritis	5.0	32.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	25.0	73.0
Septicemia	45.0	93.0
SIDS	0.0	0.0
Stroke	130.0	323.0
Suicide	435.0	598.0
Unintentional Injury	870.0	1,165.0
Other	450.0	978.5
Total	4,625.0	8,656.0

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	45.0	125.0
Cirrhosis	0.0	0.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	65.0	139.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	45.0	55.5
Unintentional Injury	230.0	298.5
Other	130.0	204.0
Total	707.5	1,073.5

Source: Minnesota Department of Health, Center for Health Statistics

Wilkin County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	57.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	0.0	0.0
Heart Disease	35.0	94.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	45.0	55.5
Unintentional Injury	105.0	136.5
Other	10.0	69.5
Total	225.0	466.0

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	15.0	25.5
Cancer	440.0	854.0
Cirrhosis	40.0	87.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	15.0	47.5
Diabetes	10.0	36.5
Heart Disease	150.0	322.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	45.0	66.5
Suicide	115.0	173.0
Unintentional Injury	565.0	754.5
Other	152.5	274.5
Total	1,735.0	2,871.5

Source: Minnesota Department of Health, Center for Health Statistics

Wright County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	462.5	1,098.5
Cirrhosis	45.0	87.5
Congenital Anomalies	237.5	290.0
Chronic Lower Respiratory Disease	55.0	146.0
Diabetes	30.0	56.5
Heart Disease	290.0	634.5
Homicide	0.0	0.0
Hypertension	5.0	26.5
Nephritis	45.0	55.5
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	45.0	125.0
Suicide	195.0	268.5
Unintentional Injury	625.0	841.0
Other	295.0	598.0
Total	2,647.5	4,619.0

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - YPLL to Age 65 and 75, 2003

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	233.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	36.5
Heart Disease	90.0	201.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	0.0	0.0
Unintentional Injury	90.0	154.0
Other	67.5	105.0
Total	392.5	809.0

Source: Minnesota Department of Health, Center for Health Statistics

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2003

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	200	1,702	1,902	29	101	130	45	451	496
Aitkin	0	12	12	0	1	1	0	2	2
Anoka	8	94	102	0	1	1	2	28	30
Becker	2	12	14	0	0	0	0	3	3
Beltrami	2	15	17	1	2	3	2	4	6
Benton	1	13	14	0	0	0	0	4	4
Big Stone	0	3	3	0	0	0	0	1	1
Blue Earth	1	22	23	0	0	0	0	5	5
Brown	0	15	15	0	0	0	0	3	3
Carlton	3	13	16	0	1	1	0	5	5
Carver	6	13	19	0	1	1	3	2	5
Cass	3	29	32	2	2	4	1	2	3
Chippewa	0	6	6	0	0	0	0	1	1
Chisago	3	15	18	0	1	1	1	8	9
Clay	1	16	17	0	1	1	0	5	5
Clearwater	0	4	4	0	0	0	0	1	1
Cook	1	1	2	0	0	0	1	0	1
Cottonwood	0	3	3	0	0	0	0	1	1
Crow Wing	3	25	28	0	2	2	0	12	12
Dakota	7	74	81	1	3	4	1	24	25
Dodge	3	6	9	0	0	0	0	4	4
Douglas	2	12	14	0	0	0	0	4	4
Faribault	0	8	8	0	1	1	1	0	1
Fillmore	0	6	6	0	0	0	0	3	3
Freeborn	0	14	14	0	0	0	0	5	5
Goodhue	3	26	29	0	0	0	1	5	6
Grant	1	5	6	0	0	0	0	0	0
Hennepin	27	345	372	13	44	57	5	77	82
Houston	0	8	8	0	1	1	0	2	2
Hubbard	0	10	10	0	1	1	0	3	3
Isanti	4	12	16	0	0	0	1	1	2
Itasca	2	20	22	0	0	0	3	8	11
Jackson	3	4	7	0	0	0	0	0	0
Kanabec	0	8	8	0	1	1	0	0	0
Kandiyohi	5	15	20	0	0	0	0	2	2
Kittson	1	2	3	0	0	0	0	1	1
Koochiching	0	8	8	0	1	1	0	0	0
Lac Qui Parle	1	8	9	0	0	0	0	1	1
Lake	1	4	5	0	0	0	0	0	0
Lake of the Woods	0	3	3	0	1	1	0	2	2
Le Sueur	1	10	11	0	0	0	0	4	4
Lincoln	3	7	10	0	0	0	0	0	0
Lyon	2	9	11	0	1	1	0	3	3
McLeod	1	11	12	0	0	0	0	3	3
Mahnomen	0	2	2	0	0	0	0	2	2
Marshall	0	4	4	0	0	0	1	1	2
Martin	1	5	6	0	1	1	0	2	2
Meeker	2	7	9	0	0	0	0	6	6
Mille Lacs	5	9	14	0	2	2	0	1	1
Morrison	1	13	14	1	0	1	1	3	4

Mower	0	13	13	0	0	0	1	6	7
Murray	1	5	6	0	0	0	0	0	0
Nicollet	0	8	8	0	0	0	0	2	2
Nobles	4	6	10	0	0	0	0	1	1
Norman	2	1	3	0	0	0	0	0	0
Olmsted	4	47	51	0	4	4	0	11	11
Otter Tail	3	19	22	0	0	0	1	6	7
Pennington	0	4	4	0	0	0	0	2	2
Pine	5	15	20	0	0	0	0	3	3
Pipestone	0	1	1	0	0	0	1	1	2
Polk	1	14	15	1	0	1	1	2	3
Pope	0	0	0	0	0	0	0	1	1
Ramsey	13	154	167	4	16	20	4	40	44
Red Lake	0	1	1	0	0	0	0	0	0
Redwood	1	9	10	0	1	1	1	2	3
Renville	0	15	15	0	0	0	0	2	2
Rice	3	19	22	0	0	0	1	4	5
Rock	0	2	2	0	0	0	0	1	1
Roseau	3	8	11	0	0	0	0	3	3
St. Louis	10	92	102	1	5	6	3	37	40
Scott	2	24	26	0	1	1	1	12	13
Sherburne	3	32	35	1	0	1	2	13	15
Sibley	1	4	5	0	0	0	0	2	2
Stearns	4	52	56	2	2	4	0	6	6
Steele	4	14	18	0	0	0	0	2	2
Stevens	1	8	9	0	0	0	0	2	2
Swift	0	4	4	0	0	0	2	1	3
Todd	1	9	10	2	1	3	0	0	0
Traverse	0	5	5	0	0	0	0	1	1
Wabasha	3	15	18	0	0	0	0	1	1
Wadena	1	6	7	0	0	0	0	2	2
Waseca	1	8	9	0	0	0	0	1	1
Washington	8	31	39	0	2	2	2	16	18
Watonwan	1	8	9	0	0	0	0	1	1
Wilkin	1	2	3	0	0	0	0	1	1
Winona	4	18	22	0	0	0	0	6	6
Wright	5	31	36	0	0	0	1	6	7
Yellow Medicine	0	12	12	0	0	0	0	0	0

Source: Minnesota Department of Health, Center for Health Statistics

ICD-10 Codes:

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2003

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	5	531	536	132	525	657	6	38	44
Aitkin	0	3	3	0	3	3	0	1	1
Anoka	0	29	29	3	33	36	0	2	2
Becker	1	2	3	0	5	5	0	1	1
Beltrami	0	3	3	2	10	12	0	0	0
Benton	0	1	1	1	3	4	0	0	0
Big Stone	0	1	1	0	1	1	0	0	0
Blue Earth	0	1	1	0	9	9	0	0	0
Brown	0	2	2	0	4	4	0	0	0
Carlton	0	4	4	3	2	5	0	0	0
Carver	0	4	4	4	6	10	1	1	2
Cass	0	10	10	1	11	12	0	0	0
Chippewa	0	2	2	0	2	2	0	0	0
Chisago	0	5	5	2	8	10	0	0	0
Clay	0	3	3	0	5	5	0	0	0
Clearwater	0	0	0	0	2	2	0	0	0
Cook	0	0	0	1	0	1	0	0	0
Cottonwood	0	0	0	0	0	0	0	0	0
Crow Wing	0	7	7	3	10	13	0	0	0
Dakota	0	31	31	4	16	20	0	1	1
Dodge	0	1	1	3	2	5	0	0	0
Douglas	0	5	5	2	2	4	0	1	1
Faribault	0	1	1	0	3	3	0	1	1
Fillmore	0	4	4	0	2	2	0	0	0
Freeborn	0	1	1	0	6	6	0	0	0
Goodhue	0	16	16	2	8	10	0	0	0
Grant	0	0	0	0	2	2	0	0	0
Hennepin	2	167	169	13	60	73	0	10	10
Houston	0	4	4	0	1	1	0	0	0
Hubbard	0	3	3	0	2	2	0	1	1
Isanti	0	3	3	3	6	9	1	1	2
Itasca	0	2	2	2	8	10	0	1	1
Jackson	0	1	1	3	1	4	0	0	0
Kanabec	0	1	1	0	2	2	0	0	0
Kandiyohi	0	2	2	4	3	7	0	0	0
Kittson	0	0	0	1	1	2	0	0	0
Koochiching	0	1	1	0	3	3	0	0	0
Lac Qui Parle	0	3	3	1	2	3	0	0	0
Lake	0	1	1	0	0	0	0	0	0
Lake of the Woods	0	0	0	0	2	2	0	0	0
Le Sueur	0	0	0	1	3	4	0	1	1
Lincoln	0	4	4	2	2	4	0	0	0
Lyon	0	5	5	2	2	4	0	0	0
McLeod	0	5	5	1	4	5	0	0	0
Mahnomen	0	0	0	0	2	2	0	0	0
Marshall	0	0	0	0	3	3	0	0	0
Martin	0	2	2	0	1	1	0	0	0
Meeker	0	3	3	1	2	3	0	1	1
Mille Lacs	0	2	2	3	4	7	0	0	0
Morrison	0	2	2	1	4	5	0	0	0

Mower	0	3	3	0	3	3	0	0	0
Murray	0	1	1	1	2	3	0	0	0
Nicollet	0	1	1	0	5	5	0	0	0
Nobles	0	0	0	4	2	6	0	0	0
Norman	0	0	0	2	1	3	0	0	0
Olmsted	0	25	25	2	10	12	0	3	3
Otter Tail	0	4	4	3	8	11	0	0	0
Pennington	0	0	0	0	2	2	0	0	0
Pine	0	4	4	2	9	11	0	0	0
Pipestone	0	1	1	0	0	0	0	0	0
Polk	0	3	3	1	3	4	0	0	0
Pope	0	0	0	0	0	0	0	0	0
Ramsey	1	53	54	7	32	39	1	3	4
Red Lake	0	1	1	0	0	0	0	0	0
Redwood	0	3	3	1	2	3	0	0	0
Renville	0	3	3	0	7	7	0	0	0
Rice	0	9	9	2	9	11	1	0	1
Rock	0	1	1	0	1	1	0	0	0
Roseau	0	1	1	3	4	7	0	0	0
St. Louis	1	12	13	5	23	28	0	3	3
Scott	0	5	5	2	10	12	0	2	2
Sherburne	0	6	6	3	16	19	0	0	0
Sibley	0	3	3	1	1	2	0	0	0
Stearns	0	11	11	3	24	27	0	1	1
Steele	0	2	2	3	6	9	0	0	0
Stevens	0	0	0	1	3	4	0	0	0
Swift	0	1	1	0	0	0	0	0	0
Todd	0	2	2	0	3	3	0	1	1
Traverse	0	2	2	0	2	2	0	1	1
Wabasha	0	3	3	2	10	12	1	0	1
Wadena	0	0	0	0	3	3	0	0	0
Waseca	0	1	1	1	3	4	0	0	0
Washington	0	10	10	5	10	15	1	0	1
Watonwan	0	1	1	1	6	7	0	0	0
Wilkin	0	0	0	1	2	3	0	0	0
Winona	0	2	2	3	12	15	0	1	1
Wright	0	8	8	4	14	18	0	0	0
Yellow Medicine	0	2	2	0	4	4	0	0	0

Source: Minnesota Department of Health Center for Health Statistics

ICD-10 Codes:

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 1999-2001**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	22	0.2	2,084	15.9	1,265	9.1	1,430	10.9
Aitkin	0	0.0	7	10.4	5	7.1	5	7.5
Anoka	0	0.0	94	16.3	52	9.1	61	10.6
Becker	0	0.0	10	11.2	14	10.8	11	12.4
Beltrami	0	0.0	13	12.6	10	8.7	12	11.7
Benton	0	0.0	20	24.1	7	7.7	9	10.8
Big Stone	0	0.0	3	8.8	8	21.1	4	11.8
Blue Earth	0	0.0	24	16.4	7	5.2	11	7.5
Brown	0	0.0	7	7.5	9	8.9	15	16.1
Carlton	0	0.0	18	19.1	8	7.9	7	7.4
Carver	2	1.8	18	15.5	16	14.5	10	8.6
Cass	0	0.0	9	10.2	10	7.8	10	11.4
Chippewa	0	0.0	9	18.4	7	12.7	7	14.3
Chisago	2	1.7	16	14.2	16	13.8	6	5.3
Clay	0	0.0	15	11.9	14	9.6	14	11.1
Clearwater	0	0.0	6	28.6	4	9.8	2	9.5
Cook	0	0.0	3	16.7	1	5.3	2	11.1
Cottonwood	0	0.0	8	15.4	13	26.5	10	19.2
Crow Wing	0	0.0	27	16.6	16	8.1	14	8.6
Dakota	0	0.0	117	17.9	63	9.8	67	10.3
Dodge	0	0.0	6	16.7	8	18.2	3	8.3
Douglas	0	0.0	17	16.2	14	11.7	14	13.3
Faribault	0	0.0	5	9.1	6	8.7	7	12.7
Fillmore	0	0.0	12	16.4	5	6.0	13	17.8
Freeborn	0	0.0	17	14.9	12	10.3	20	17.5
Goodhue	0	0.0	25	17.6	13	9.4	24	16.9
Grant	0	0.0	3	12.0	2	8.3	5	20.0
Hennepin	2	0.1	499	16.9	253	8.9	268	9.1
Houston	0	0.0	6	11.1	5	7.6	4	7.4
Hubbard	0	0.0	7	14.9	9	13.4	3	6.4
Isanti	0	0.0	8	11.4	4	5.3	11	15.7
Itasca	1	0.5	24	14.8	15	7.2	23	14.2
Jackson	0	0.0	5	13.9	6	12.8	4	11.1
Kanabec	0	0.0	7	14.6	4	7.3	9	18.8
Kandiyohi	0	0.0	26	19.8	11	8.3	12	9.2
Kittson	0	0.0	4	19.0	2	11.1	2	9.5
Koochiching	1	1.8	10	16.1	4	7.1	7	11.3
Lac Qui Parle	0	0.0	5	12.5	3	7.3	6	15.0
Lake	0	0.0	5	11.6	4	7.5	10	23.3
Lake of the Woods	0	0.0	1	11.1	2	8.7	1	11.1
Le Sueur	1	0.9	12	16.9	8	7.5	10	14.1
Lincoln	0	0.0	0	0.0	2	6.3	5	20.0
Lyon	0	0.0	9	14.1	4	5.0	9	14.1
McLeod	0	0.0	12	14.3	12	11.8	10	11.9
Mahnomen	0	0.0	8	42.1	2	7.4	1	5.3
Marshall	1	2.8	9	25.0	5	13.9	4	11.1
Martin	0	0.0	13	15.1	5	5.7	11	12.8
Meeker	0	0.0	12	14.6	9	10.5	10	12.2
Mille Lacs	0	0.0	12	13.6	10	9.9	7	8.0
Morrison	0	0.0	8	9.0	16	13.4	6	6.7

Mower	0	0.0	26	15.3	11	6.4	20	11.8
Murray	0	0.0	5	18.5	2	4.3	4	14.8
Nicollet	0	0.0	16	20.8	8	10.5	12	15.6
Nobles	0	0.0	12	18.5	4	5.1	16	24.6
Norman	0	0.0	5	18.5	0	0.0	6	22.2
Olmsted	0	0.0	53	18.9	30	9.2	24	8.5
Otter Tail	2	0.8	28	13.9	25	9.8	31	15.4
Pennington	0	0.0	5	12.5	3	5.6	3	7.5
Pine	0	0.0	9	11.5	7	6.7	7	9.0
Pipestone	0	0.0	4	8.7	4	10.8	7	15.2
Polk	0	0.0	18	16.8	18	14.6	15	14.0
Pope	0	0.0	5	11.6	5	10.0	2	4.7
Ramsey	4	0.3	235	15.9	104	7.4	158	10.7
Red Lake	0	0.0	1	7.1	2	16.7	1	7.1
Redwood	0	0.0	13	18.1	12	17.1	8	11.1
Renville	0	0.0	7	11.7	9	10.7	13	21.7
Rice	0	0.0	21	15.9	11	7.1	23	17.4
Rock	0	0.0	7	19.4	2	5.3	2	5.6
Roseau	0	0.0	9	21.4	8	15.7	6	14.3
St. Louis	2	0.2	98	13.6	74	9.0	70	9.7
Scott	0	0.0	21	13.9	15	10.4	17	11.3
Sherburne	0	0.0	23	18.9	11	8.9	13	10.7
Sibley	1	1.6	10	22.2	9	14.3	8	17.8
Stearns	0	0.0	38	14.8	25	7.2	25	9.8
Steele	0	0.0	14	15.6	9	9.0	8	8.9
Stevens	0	0.0	4	11.8	3	10.3	3	8.8
Swift	0	0.0	6	16.7	3	7.0	6	16.7
Todd	0	0.0	13	18.3	10	13.5	10	14.1
Traverse	0	0.0	7	23.3	4	19.0	5	16.7
Wabasha	0	0.0	9	13.0	10	14.3	13	18.8
Wadena	0	0.0	8	13.3	3	4.7	7	11.7
Waseca	0	0.0	9	17.3	9	12.3	2	3.8
Washington	3	0.8	65	16.5	27	7.5	38	9.7
Watonwan	0	0.0	4	8.2	8	20.5	7	14.3
Wilkin	0	0.0	4	21.1	6	14.6	5	26.3
Winona	0	0.0	22	17.1	14	8.5	18	14.0
Wright	0	0.0	32	17.9	20	11.3	18	10.1
Yellow Medicine	0	0.0	7	17.1	5	9.3	3	7.3

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 1999, 2000 and 2001.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Breast C50.0 - C50.6, C50.8 - C50.9
Colon and Rectum C18 - C20, C26.0

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 1999-2001**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,780	27.2	2,873	21.9	1,761	12.7	0	0.0
Aitkin	23	32.9	25	37.3	6	8.6	0	0.0
Anoka	168	29.3	176	30.4	53	9.2	0	0.0
Becker	36	27.7	19	21.3	22	16.9	0	0.0
Beltrami	38	33.0	30	29.1	11	9.6	0	0.0
Benton	25	27.5	13	15.7	14	15.4	0	0.0
Big Stone	13	34.2	6	17.6	6	15.8	0	0.0
Blue Earth	30	22.4	26	17.8	20	14.9	0	0.0
Brown	18	17.8	10	10.8	16	15.8	0	0.0
Carlton	27	26.7	12	12.8	15	14.9	0	0.0
Carver	23	20.9	22	19.0	18	16.4	0	0.0
Cass	36	27.9	18	20.5	8	6.2	0	0.0
Chippewa	12	21.8	9	18.4	14	25.5	0	0.0
Chisago	33	28.4	21	18.6	9	7.8	0	0.0
Clay	42	28.8	31	24.6	22	15.1	0	0.0
Clearwater	11	26.8	6	28.6	11	26.8	0	0.0
Cook	6	31.6	5	27.8	1	5.3	0	0.0
Cottonwood	9	18.4	7	13.5	6	12.2	0	0.0
Crow Wing	64	32.5	35	21.5	24	12.2	0	0.0
Dakota	172	26.7	136	20.9	59	9.1	0	0.0
Dodge	9	20.5	3	8.3	7	15.9	0	0.0
Douglas	33	27.5	19	18.1	17	14.2	0	0.0
Faribault	16	23.2	10	18.2	10	14.5	0	0.0
Fillmore	26	31.3	9	12.3	15	18.1	0	0.0
Freeborn	31	26.7	14	12.3	16	13.8	0	0.0
Goodhue	33	23.9	26	18.3	19	13.8	0	0.0
Grant	2	8.3	6	24.0	6	25.0	0	0.0
Hennepin	795	28.0	707	23.9	312	11.0	0	0.0
Houston	13	19.7	12	22.2	16	24.2	0	0.0
Hubbard	14	20.9	10	21.3	14	20.9	0	0.0
Isanti	17	22.4	12	17.1	15	19.7	0	0.0
Itasca	59	28.4	39	24.1	33	15.9	0	0.0
Jackson	9	19.1	6	16.7	7	14.9	0	0.0
Kanabec	18	32.7	10	20.8	7	12.7	0	0.0
Kandiyohi	35	26.5	23	17.6	25	18.9	0	0.0
Kittson	6	33.3	6	28.6	4	22.2	0	0.0
Koochiching	11	19.6	21	33.9	8	14.3	0	0.0
Lac Qui Parle	6	14.6	7	17.5	8	19.5	0	0.0
Lake	19	35.8	13	30.2	5	9.4	0	0.0
Lake of the Woods	7	30.4	3	33.3	4	17.4	0	0.0
Le Sueur	43	40.6	14	19.7	12	11.3	0	0.0
Lincoln	9	28.1	2	8.0	6	18.8	0	0.0
Lyon	29	36.3	15	23.4	10	12.5	0	0.0
McLeod	17	16.7	15	17.9	11	10.8	0	0.0
Mahnomen	3	11.1	3	15.8	8	29.6	0	0.0
Marshall	10	27.8	3	8.3	6	16.7	0	0.0
Martin	33	37.9	12	14.0	11	12.6	0	0.0
Meeker	23	26.7	17	20.7	15	17.4	0	0.0
Mille Lacs	30	29.7	21	23.9	16	15.8	0	0.0
Morrison	29	24.4	21	23.6	11	9.2	0	0.0

Mower	63	36.4	39	22.9	16	9.2	0	0.0
Murray	18	38.3	4	14.8	7	14.9	0	0.0
Nicollet	17	22.4	17	22.1	15	19.7	0	0.0
Nobles	15	19.2	9	13.8	13	16.7	0	0.0
Norman	10	32.3	4	14.8	6	19.4	0	0.0
Olmsted	95	29.2	55	19.6	24	7.4	0	0.0
Otter Tail	64	25.2	41	20.4	39	15.4	0	0.0
Pennington	13	24.1	5	12.5	7	13.0	0	0.0
Pine	35	33.7	22	28.2	14	13.5	0	0.0
Pipestone	5	13.5	6	13.0	8	21.6	0	0.0
Polk	33	26.8	25	23.4	23	18.7	0	0.0
Pope	19	38.0	7	16.3	8	16.0	0	0.0
Ramsey	408	29.1	329	22.3	161	11.5	0	0.0
Red Lake	5	41.7	4	28.6	1	8.3	0	0.0
Redwood	14	20.0	13	18.1	11	15.7	0	0.0
Renville	13	15.5	10	16.7	19	22.6	0	0.0
Rice	39	25.3	20	15.2	17	11.0	0	0.0
Rock	6	15.8	4	11.1	8	21.1	0	0.0
Roseau	12	23.5	5	11.9	5	9.8	0	0.0
St. Louis	213	26.0	162	22.5	119	14.5	0	0.0
Scott	38	26.4	43	28.5	16	11.1	0	0.0
Sherburne	32	25.8	28	23.0	12	9.7	0	0.0
Sibley	8	12.7	4	8.9	9	14.3	0	0.0
Stearns	84	24.3	53	20.7	55	15.9	0	0.0
Steele	21	21.0	18	20.0	14	14.0	0	0.0
Stevens	8	27.6	7	20.6	6	20.7	0	0.0
Swift	14	32.6	8	22.2	3	7.0	0	0.0
Todd	18	24.3	9	12.7	7	9.5	0	0.0
Traverse	5	23.8	4	13.3	6	28.6	0	0.0
Wabasha	19	27.1	15	21.7	8	11.4	0	0.0
Wadena	13	20.3	13	21.7	11	17.2	0	0.0
Waseca	17	23.3	10	19.2	5	6.8	0	0.0
Washington	105	29.0	94	23.9	41	11.3	0	0.0
Watonwan	9	23.1	6	12.2	9	23.1	0	0.0
Wilkin	12	29.3	4	21.1	3	7.3	0	0.0
Winona	42	25.5	37	28.7	16	9.7	0	0.0
Wright	53	29.9	44	24.6	21	11.9	0	0.0
Yellow Medicine	14	25.9	9	22.0	9	16.7	0	0.0

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 1999, 2000 and 2001.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 1999-2001**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,053	50.8	6,713	51.2	13,881	100.0	13,100	100.0
Aitkin	36	51.4	30	44.8	70	100.0	67	100.0
Anoka	300	52.4	247	42.7	573	100.0	578	100.0
Becker	58	44.6	49	55.1	130	100.0	89	100.0
Beltrami	56	48.7	48	46.6	115	100.0	103	100.0
Benton	45	49.5	41	49.4	91	100.0	83	100.0
Big Stone	11	28.9	21	61.8	38	100.0	34	100.0
Blue Earth	77	57.5	85	58.2	134	100.0	146	100.0
Brown	58	57.4	61	65.6	101	100.0	93	100.0
Carlton	51	50.5	57	60.6	101	100.0	94	100.0
Carver	51	46.4	66	56.9	110	100.0	116	100.0
Cass	75	58.1	51	58.0	129	100.0	88	100.0
Chippewa	22	40.0	24	49.0	55	100.0	49	100.0
Chisago	56	48.3	70	61.9	116	100.0	113	100.0
Clay	68	46.6	66	52.4	146	100.0	126	100.0
Clearwater	15	36.6	7	33.3	41	100.0	21	100.0
Cook	11	57.9	8	44.4	19	100.0	18	100.0
Cottonwood	21	42.9	27	51.9	49	100.0	52	100.0
Crow Wing	93	47.2	87	53.4	197	100.0	163	100.0
Dakota	351	54.4	332	50.9	645	100.0	652	100.0
Dodge	20	45.5	24	66.7	44	100.0	36	100.0
Douglas	56	46.7	55	52.4	120	100.0	105	100.0
Faribault	37	53.6	33	60.0	69	100.0	55	100.0
Fillmore	37	44.6	39	53.4	83	100.0	73	100.0
Freeborn	57	49.1	63	55.3	116	100.0	114	100.0
Goodhue	73	52.9	67	47.2	138	100.0	142	100.0
Grant	14	58.3	11	44.0	24	100.0	25	100.0
Hennepin	1,475	52.0	1,485	50.2	2,837	100.0	2,959	100.0
Houston	32	48.5	32	59.3	66	100.0	54	100.0
Hubbard	30	44.8	27	57.4	67	100.0	47	100.0
Isanti	40	52.6	39	55.7	76	100.0	70	100.0
Itasca	100	48.1	76	46.9	208	100.0	162	100.0
Jackson	25	53.2	21	58.3	47	100.0	36	100.0
Kanabec	26	47.3	22	45.8	55	100.0	48	100.0
Kandiyohi	61	46.2	70	53.4	132	100.0	131	100.0
Kittson	6	33.3	9	42.9	18	100.0	21	100.0
Koochiching	32	57.1	24	38.7	56	100.0	62	100.0
Lac Qui Parle	24	58.5	22	55.0	41	100.0	40	100.0
Lake	25	47.2	15	34.9	53	100.0	43	100.0
Lake of the Woods	10	43.5	4	44.4	23	100.0	9	100.0
Le Sueur	42	39.6	35	49.3	106	100.0	71	100.0
Lincoln	15	46.9	18	72.0	32	100.0	25	100.0
Lyon	37	46.3	31	48.4	80	100.0	64	100.0
McLeod	62	60.8	47	56.0	102	100.0	84	100.0
Mahnomen	14	51.9	7	36.8	27	100.0	19	100.0
Marshall	14	38.9	20	55.6	36	100.0	36	100.0
Martin	38	43.7	50	58.1	87	100.0	86	100.0
Meeker	39	45.3	43	52.4	86	100.0	82	100.0
Mille Lacs	45	44.6	48	54.5	101	100.0	88	100.0
Morrison	63	52.9	54	60.7	119	100.0	89	100.0

Mower	83	48.0	85	50.0	173	100.0	170	100.0
Murray	20	42.6	14	51.9	47	100.0	27	100.0
Nicollet	36	47.4	32	41.6	76	100.0	77	100.0
Nobles	46	59.0	28	43.1	78	100.0	65	100.0
Norman	15	48.4	12	44.4	31	100.0	27	100.0
Olmsted	176	54.2	149	53.0	325	100.0	281	100.0
Otter Tail	124	48.8	101	50.2	254	100.0	201	100.0
Pennington	31	57.4	27	67.5	54	100.0	40	100.0
Pine	48	46.2	40	51.3	104	100.0	78	100.0
Pipestone	20	54.1	29	63.0	37	100.0	46	100.0
Polk	49	39.8	49	45.8	123	100.0	107	100.0
Pope	18	36.0	29	67.4	50	100.0	43	100.0
Ramsey	726	51.7	752	51.0	1,403	100.0	1,474	100.0
Red Lake	4	33.3	8	57.1	12	100.0	14	100.0
Redwood	33	47.1	38	52.8	70	100.0	72	100.0
Renville	43	51.2	30	50.0	84	100.0	60	100.0
Rice	87	56.5	68	51.5	154	100.0	132	100.0
Rock	22	57.9	23	63.9	38	100.0	36	100.0
Roseau	26	51.0	22	52.4	51	100.0	42	100.0
St. Louis	411	50.2	391	54.2	819	100.0	721	100.0
Scott	75	52.1	70	46.4	144	100.0	151	100.0
Sherburne	69	55.6	58	47.5	124	100.0	122	100.0
Sibley	36	57.1	23	51.1	63	100.0	45	100.0
Stearns	182	52.6	140	54.7	346	100.0	256	100.0
Steele	56	56.0	50	55.6	100	100.0	90	100.0
Stevens	12	41.4	20	58.8	29	100.0	34	100.0
Swift	23	53.5	16	44.4	43	100.0	36	100.0
Todd	39	52.7	39	54.9	74	100.0	71	100.0
Traverse	6	28.6	14	46.7	21	100.0	30	100.0
Wabasha	33	47.1	32	46.4	70	100.0	69	100.0
Wadena	37	57.8	32	53.3	64	100.0	60	100.0
Waseca	42	57.5	31	59.6	73	100.0	52	100.0
Washington	186	51.4	196	49.9	362	100.0	393	100.0
Watonwan	13	33.3	32	65.3	39	100.0	49	100.0
Wilkin	20	48.8	6	31.6	41	100.0	19	100.0
Winona	93	56.4	52	40.3	165	100.0	129	100.0
Wright	83	46.9	85	47.5	177	100.0	179	100.0
Yellow Medicine	26	48.1	22	53.7	54	100.0	41	100.0

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 1999, 2000 and 2001.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death

Section D: Morbidity and Utilization Tables

Morbidity and Utilization Table 1a: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 1999-2001**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	81	0.23	10,792	33.1	3,793	10.7	3,741	11.5
Aitkin	1	0.45	54	35.1	21	9.4	19	12.3
Anoka	3	0.18	467	31.9	159	9.3	148	10.1
Becker	0	0.00	61	30.3	39	12.7	23	11.4
Beltrami	1	0.36	79	29.8	27	9.8	38	14.3
Benton	0	0.00	48	34.5	24	10.9	10	7.2
Big Stone	0	0.00	18	27.3	12	15.2	8	12.1
Blue Earth	0	0.00	122	32.8	41	11.4	56	15.1
Brown	0	0.00	74	33.3	27	10.7	33	14.9
Carlton	1	0.36	75	32.5	35	12.5	20	8.7
Carver	2	0.64	114	33.6	39	12.4	37	10.9
Cass	1	0.34	63	33.9	33	11.3	19	10.2
Chippewa	0	0.00	31	27.9	12	9.8	20	18.0
Chisago	0	0.00	93	34.2	37	12.7	31	11.4
Clay	0	0.00	102	29.5	39	8.9	47	13.6
Clearwater	0	0.00	21	32.3	11	13.1	11	16.9
Cook	0	0.00	17	35.4	6	12.0	5	10.4
Cottonwood	2	1.85	34	30.4	15	13.9	19	17.0
Crow Wing	3	0.52	149	31.0	58	10.0	62	12.9
Dakota	2	0.11	658	34.8	169	9.1	170	9.0
Dodge	0	0.00	34	32.7	6	4.7	15	14.4
Douglas	0	0.00	112	37.5	37	9.8	42	14.0
Faribault	0	0.00	37	27.2	22	13.1	22	16.2
Fillmore	0	0.00	57	30.3	22	11.0	26	13.8
Freeborn	1	0.33	73	28.9	38	12.5	41	16.2
Goodhue	0	0.00	111	32.2	37	10.1	40	11.6
Grant	0	0.00	16	28.1	9	10.8	7	12.3
Hennepin	26	0.36	2,620	34.5	700	9.7	758	10.0
Houston	1	0.65	43	31.4	18	11.8	14	10.2
Hubbard	0	0.00	36	25.5	36	18.1	17	12.1
Isanti	0	0.00	43	29.5	15	8.0	15	10.3
Itasca	1	0.24	97	28.1	46	10.9	48	13.9
Jackson	0	0.00	22	30.1	11	10.0	8	11.0
Kanabec	0	0.00	32	32.0	15	14.9	16	16.0
Kandiyohi	0	0.00	99	33.9	29	8.6	45	15.4
Kittson	0	0.00	18	40.0	6	10.5	5	11.1
Koochiching	2	1.36	33	29.5	16	10.9	11	9.8
Lac Qui Parle	0	0.00	18	29.5	5	6.3	12	19.7
Lake	0	0.00	34	32.4	19	13.5	13	12.4
Lake of the Woods	0	0.00	11	31.4	1	2.5	2	5.7
Le Sueur	0	0.00	50	31.8	24	9.8	18	11.5
Lincoln	0	0.00	24	36.4	10	13.7	11	16.7
Lyon	0	0.00	53	30.1	27	15.0	25	14.2
McLeod	2	0.80	63	29.9	32	12.7	34	16.1
Mahnomen	0	0.00	16	34.0	5	8.1	5	10.6
Marshall	0	0.00	31	43.1	11	11.0	7	9.7
Martin	1	0.44	56	30.3	15	6.7	31	16.8
Meeker	0	0.00	47	33.3	19	10.6	12	8.5
Mille Lacs	1	0.35	63	31.5	33	11.6	23	11.5
Morrison	1	0.30	65	28.5	34	10.3	29	12.7
Mower	1	0.24	99	28.3	36	8.7	50	14.3
Murray	0	0.00	25	32.9	16	18.2	15	19.7

Nicollet	0	0.00	57	32.0	21	10.7	20	11.2
Nobles	0	0.00	47	32.4	26	14.0	20	13.8
Norman	0	0.00	19	31.7	9	10.1	12	20.0
Olmsted	1	0.11	269	34.1	62	6.8	76	9.6
Otter Tail	2	0.31	118	28.6	64	10.0	63	15.3
Pennington	0	0.00	40	32.5	15	15.3	18	14.6
Pine	1	0.36	50	27.5	27	9.9	25	13.7
Pipestone	0	0.00	30	31.3	12	13.3	20	20.8
Polk	0	0.00	76	30.6	55	17.6	33	13.3
Pope	0	0.00	31	30.4	15	12.7	15	14.7
Ramsey	6	0.18	1,206	33.9	324	9.8	383	10.8
Red Lake	0	0.00	10	33.3	5	13.5	2	6.7
Redwood	1	0.61	44	32.4	22	13.4	20	14.7
Renville	0	0.00	45	31.0	17	11.2	20	13.8
Rice	1	0.25	93	26.6	74	18.6	66	18.9
Rock	0	0.00	33	44.6	9	9.4	8	10.8
Roseau	0	0.00	35	37.2	17	17.0	15	16.0
St Louis	4	0.23	541	33.5	222	12.6	205	12.7
Scott	0	0.00	159	36.7	48	11.0	32	7.4
Sherburne	0	0.00	98	31.6	41	9.9	37	11.9
Sibley	0	0.00	27	25.2	21	15.9	15	14.0
Stearns	3	0.31	232	28.9	98	10.0	99	12.3
Steele	2	0.76	64	31.5	40	15.3	32	15.8
Stevens	0	0.00	17	23.6	22	22.0	11	15.3
Swift	0	0.00	38	33.6	9	8.9	12	10.6
Todd	0	0.00	51	29.3	26	10.5	21	12.1
Traverse	0	0.00	13	31.7	6	12.2	9	22.0
Wabasha	0	0.00	62	37.6	33	16.8	19	11.5
Wadena	0	0.00	31	27.2	14	8.8	15	13.2
Waseca	0	0.00	37	30.8	22	14.0	12	10.0
Washington	4	0.36	446	39.2	111	10.1	94	8.3
Watonwan	0	0.00	35	33.0	13	12.4	11	10.4
Wilkin	0	0.00	19	33.3	14	20.3	6	10.5
Winona	1	0.27	114	34.3	47	12.5	43	13.0
Wright	1	0.18	148	32.9	65	11.9	49	10.9
Yellow Medicine	1	0.84	39	38.2	13	10.9	10	9.8

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 1999, 2000 and 2001.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Breast C50.0 - C50.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Colon & Rectum C18.0 - C18.9, C19.9, C20.9, C26.0, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity and Utilization Table 1b: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 1999-2001**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,537	12.7	3,579	11.0	11,862	33.3	0	0.0
Aitkin	35	15.7	25	16.2	73	32.7	0	0.0
Anoka	209	12.3	211	14.4	609	35.8	0	0.0
Becker	39	12.7	20	10.0	110	35.8	0	0.0
Beltrami	40	14.5	30	11.3	90	32.6	0	0.0
Benton	25	11.3	13	9.4	91	41.2	0	0.0
Big Stone	12	15.2	9	13.6	28	35.4	0	0.0
Blue Earth	40	11.1	30	8.1	116	32.3	0	0.0
Brown	18	7.1	9	4.1	92	36.4	0	0.0
Carlton	33	11.8	21	9.1	78	28.0	0	0.0
Carver	31	9.9	28	8.3	110	35.0	0	0.0
Cass	42	14.4	23	12.4	99	33.9	0	0.0
Chippewa	19	15.4	7	6.3	50	40.7	0	0.0
Chisago	36	12.3	28	10.3	102	34.9	0	0.0
Clay	56	12.8	36	10.4	185	42.4	0	0.0
Clearwater	9	10.7	5	7.7	33	39.3	0	0.0
Cook	6	12.0	6	12.5	13	26.0	0	0.0
Cottonwood	9	8.3	10	8.9	44	40.7	0	0.0
Crow Wing	71	12.3	63	13.1	232	40.1	0	0.0
Dakota	221	11.9	182	9.6	575	30.9	0	0.0
Dodge	18	14.2	15	14.4	48	37.8	0	0.0
Douglas	53	14.1	22	7.4	146	38.7	0	0.0
Faribault	24	14.3	16	11.8	55	32.7	0	0.0
Fillmore	26	13.0	22	11.7	57	28.5	0	0.0
Freeborn	31	10.2	22	8.7	115	37.7	0	0.0
Goodhue	36	9.8	28	8.1	131	35.6	0	0.0
Grant	7	8.4	10	17.5	31	37.3	0	0.0
Hennepin	966	13.4	895	11.8	2,175	30.1	0	0.0
Houston	19	12.4	14	10.2	46	30.1	0	0.0
Hubbard	29	14.6	21	14.9	64	32.2	0	0.0
Isanti	26	13.9	14	9.6	72	38.5	0	0.0
Itasca	78	18.4	55	15.9	133	31.4	0	0.0
Jackson	12	10.9	7	9.6	42	38.2	0	0.0
Kanabec	16	15.8	13	13.0	37	36.6	0	0.0
Kandiyohi	46	13.7	22	7.5	120	35.7	0	0.0
Kittson	10	17.5	6	13.3	18	31.6	0	0.0
Koochiching	16	10.9	15	13.4	45	30.6	0	0.0
Lac Qui Parle	10	12.5	2	3.3	31	38.8	0	0.0
Lake	26	18.4	16	15.2	41	29.1	0	0.0
Lake of the Woods	11	27.5	3	8.6	16	40.0	0	0.0
Le Sueur	43	17.6	21	13.4	70	28.7	0	0.0
Lincoln	8	11.0	4	6.1	31	42.5	0	0.0
Lyon	24	13.3	16	9.1	48	26.7	0	0.0
McLeod	15	6.0	19	9.0	91	36.3	0	0.0
Mahnomen	4	6.5	8	17.0	23	37.1	0	0.0
Marshall	10	10.0	8	11.1	37	37.0	0	0.0
Martin	31	13.8	16	8.6	82	36.4	0	0.0
Meeker	21	11.7	17	12.1	61	33.9	0	0.0
Mille Lacs	32	11.3	23	11.5	112	39.4	0	0.0
Morrison	30	9.1	20	8.8	135	40.8	0	0.0
Mower	72	17.4	40	11.4	152	36.8	0	0.0
Murray	17	19.3	4	5.3	27	30.7	0	0.0

Nicollet	24	12.2	17	9.6	52	26.4	0	0.0
Nobles	24	12.9	7	4.8	61	32.8	0	0.0
Norman	9	10.1	2	3.3	39	43.8	0	0.0
Olmsted	110	12.0	78	9.9	304	33.2	0	0.0
Otter Tail	79	12.3	39	9.5	278	43.2	0	0.0
Pennington	12	12.2	8	6.5	28	28.6	0	0.0
Pine	46	16.8	29	15.9	92	33.6	0	0.0
Pipestone	7	7.8	6	6.3	38	42.2	0	0.0
Polk	37	11.9	23	9.3	102	32.7	0	0.0
Pope	15	12.7	6	5.9	34	28.8	0	0.0
Ramsey	465	14.1	438	12.3	1,010	30.5	0	0.0
Red Lake	6	16.2	5	16.7	17	45.9	0	0.0
Redwood	19	11.6	13	9.6	64	39.0	0	0.0
Renville	16	10.5	10	6.9	49	32.2	0	0.0
Rice	50	12.6	34	9.7	132	33.2	0	0.0
Rock	8	8.3	4	5.4	38	39.6	0	0.0
Roseau	12	12.0	3	3.2	30	30.0	0	0.0
St. Louis	233	13.2	195	12.1	559	31.6	0	0.0
Scott	46	10.6	44	10.2	153	35.1	0	0.0
Sherburne	51	12.3	37	11.9	139	33.4	0	0.0
Sibley	11	8.3	3	2.8	47	35.6	0	0.0
Stearns	101	10.3	67	8.4	393	40.1	0	0.0
Steele	27	10.3	25	12.3	82	31.3	0	0.0
Stevens	9	9.0	6	8.3	34	34.0	0	0.0
Swift	23	22.8	12	10.6	29	28.7	0	0.0
Todd	33	13.4	20	11.5	92	37.2	0	0.0
Traverse	3	6.1	4	9.8	21	42.9	0	0.0
Wabasha	19	9.6	21	12.7	53	26.9	0	0.0
Wadena	16	10.0	17	14.9	61	38.1	0	0.0
Waseca	20	12.7	14	11.7	46	29.3	0	0.0
Washington	122	11.1	111	9.7	346	31.6	0	0.0
Watonwan	19	18.1	8	7.5	46	43.8	0	0.0
Wilkin	13	18.8	5	8.8	20	29.0	0	0.0
Winona	59	15.6	36	10.8	111	29.4	0	0.0
Wright	57	10.5	48	10.7	198	36.4	0	0.0
Yellow Medicine	18	15.1	14	13.7	42	35.3	0	0.0

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 1999, 2000 and 2001.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Lung & Bronchus C34.0 - C34.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Prostate C61.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity and Utilization Table 1c: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 1999-2001**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	15,312	43.0	14,502	44.5	35,585	100.0	32,614	100.0
Aitkin	93	41.7	56	36.4	223	100.0	154	100.0
Anoka	721	42.4	639	43.6	1,701	100.0	1,465	100.0
Becker	119	38.8	97	48.3	307	100.0	201	100.0
Beltrami	118	42.8	118	44.5	276	100.0	265	100.0
Benton	81	36.7	68	48.9	221	100.0	139	100.0
Big Stone	27	34.2	31	47.0	79	100.0	66	100.0
Blue Earth	162	45.1	164	44.1	359	100.0	372	100.0
Brown	116	45.8	106	47.7	253	100.0	222	100.0
Carlton	132	47.3	115	49.8	279	100.0	231	100.0
Carver	132	42.0	160	47.2	314	100.0	339	100.0
Cass	117	40.1	81	43.5	292	100.0	186	100.0
Chippewa	42	34.1	53	47.7	123	100.0	111	100.0
Chisago	117	40.1	120	44.1	292	100.0	272	100.0
Clay	156	35.8	161	46.5	436	100.0	346	100.0
Clearwater	31	36.9	28	43.1	84	100.0	65	100.0
Cook	25	50.0	20	41.7	50	100.0	48	100.0
Cottonwood	38	35.2	49	43.8	108	100.0	112	100.0
Crow Wing	214	37.0	207	43.0	578	100.0	481	100.0
Dakota	894	48.0	879	46.5	1,861	100.0	1,889	100.0
Dodge	55	43.3	40	38.5	127	100.0	104	100.0
Douglas	141	37.4	123	41.1	377	100.0	299	100.0
Faribault	67	39.9	61	44.9	168	100.0	136	100.0
Fillmore	95	47.5	83	44.1	200	100.0	188	100.0
Freeborn	120	39.3	117	46.2	305	100.0	253	100.0
Goodhue	164	44.6	166	48.1	368	100.0	345	100.0
Grant	36	43.4	24	42.1	83	100.0	57	100.0
Hennepin	3,357	46.5	3,322	43.7	7,224	100.0	7,595	100.0
Houston	69	45.1	66	48.2	153	100.0	137	100.0
Hubbard	70	35.2	67	47.5	199	100.0	141	100.0
Isanti	74	39.6	74	50.7	187	100.0	146	100.0
Itasca	165	39.0	145	42.0	423	100.0	345	100.0
Jackson	45	40.9	36	49.3	110	100.0	73	100.0
Kanabec	33	32.7	39	39.0	101	100.0	100	100.0
Kandiyohi	141	42.0	126	43.2	336	100.0	292	100.0
Kittson	23	40.4	16	35.6	57	100.0	45	100.0
Koochiching	68	46.3	53	47.3	147	100.0	112	100.0
Lac Qui Parle	34	42.5	29	47.5	80	100.0	61	100.0
Lake	55	39.0	42	40.0	141	100.0	105	100.0
Lake of the Woods	12	30.0	19	54.3	40	100.0	35	100.0
Le Sueur	107	43.9	68	43.3	244	100.0	157	100.0
Lincoln	24	32.9	27	40.9	73	100.0	66	100.0
Lyon	81	45.0	82	46.6	180	100.0	176	100.0
McLeod	111	44.2	95	45.0	251	100.0	211	100.0
Mahnomen	30	48.4	18	38.3	62	100.0	47	100.0
Marshall	42	42.0	26	36.1	100	100.0	72	100.0
Martin	96	42.7	82	44.3	225	100.0	185	100.0
Meeker	79	43.9	65	46.1	180	100.0	141	100.0
Mille Lacs	106	37.3	91	45.5	284	100.0	200	100.0
Morrison	131	39.6	114	50.0	331	100.0	228	100.0
Mower	152	36.8	161	46.0	413	100.0	350	100.0
Murray	28	31.8	32	42.1	88	100.0	76	100.0

Nicollet	100	50.8	84	47.2	197	100.0	178	100.0
Nobles	75	40.3	71	49.0	186	100.0	145	100.0
Norman	32	36.0	27	45.0	89	100.0	60	100.0
Olmsted	440	48.0	365	46.3	917	100.0	788	100.0
Otter Tail	220	34.2	192	46.6	643	100.0	412	100.0
Pennington	43	43.9	57	46.3	98	100.0	123	100.0
Pine	108	39.4	78	42.9	274	100.0	182	100.0
Pipestone	33	36.7	40	41.7	90	100.0	96	100.0
Polk	118	37.8	116	46.8	312	100.0	248	100.0
Pope	54	45.8	50	49.0	118	100.0	102	100.0
Ramsey	1,502	45.4	1,529	43.0	3,307	100.0	3,556	100.0
Red Lake	9	24.3	13	43.3	37	100.0	30	100.0
Redwood	58	35.4	59	43.4	164	100.0	136	100.0
Renville	70	46.1	70	48.3	152	100.0	145	100.0
Rice	141	35.4	156	44.7	398	100.0	349	100.0
Rock	41	42.7	29	39.2	96	100.0	74	100.0
Roseau	41	41.0	41	43.6	100	100.0	94	100.0
St. Louis	750	42.4	673	41.7	1,768	100.0	1,614	100.0
Scott	189	43.3	198	45.7	436	100.0	433	100.0
Sherburne	185	44.5	138	44.5	416	100.0	310	100.0
Sibley	53	40.2	62	57.9	132	100.0	107	100.0
Stearns	384	39.2	404	50.4	979	100.0	802	100.0
Steele	111	42.4	82	40.4	262	100.0	203	100.0
Stevens	35	35.0	38	52.8	100	100.0	72	100.0
Swift	40	39.6	51	45.1	101	100.0	113	100.0
Todd	96	38.9	82	47.1	247	100.0	174	100.0
Traverse	19	38.8	15	36.6	49	100.0	41	100.0
Wabasha	92	46.7	63	38.2	197	100.0	165	100.0
Wadena	69	43.1	51	44.7	160	100.0	114	100.0
Waseca	69	43.9	57	47.5	157	100.0	120	100.0
Washington	513	46.8	488	42.8	1,096	100.0	1,139	100.0
Watonwan	27	25.7	52	49.1	105	100.0	106	100.0
Wilkin	22	31.9	27	47.4	69	100.0	57	100.0
Winona	159	42.2	139	41.9	377	100.0	332	100.0
Wright	223	41.0	205	45.6	544	100.0	450	100.0
Yellow Medicine	45	37.8	39	38.2	119	100.0	102	100.0

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 1999, 2000 and 2001.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Other Cell types M959_ - M998_, and all other Site Codes

Total Includes all microscopically-confirmed or Death-Certificate-Only cancers

(Counts include invasive cancers only, with the exception of cancers of urinary bladder, which include in situ cancers.)

Morbidity and Utilization Table 2: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota by State and County, 2003*

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	1	207	52	55
Aitkin	0	0	0	0
Anoka	0	7	1	1
Becker	0	0	0	0
Beltrami	0	6	0	0
Benton	0	0	0	0
Big Stone	0	0	0	0
Blue Earth	0	0	2	0
Brown	0	0	0	0
Carlton	0	4	0	0
Carver	0	2	3	1
Cass	0	0	0	2
Chippewa	0	1	0	0
Chisago	0	3	1	1
Clay	0	0	0	0
Clearwater	0	0	0	0
Cook	0	0	0	0
Cottonwood	0	0	0	0
Crow Wing	0	0	0	0
Dakota	0	26	3	1
Dodge	0	1	0	0
Douglas	0	0	0	0
Faribault	0	0	0	0
Fillmore	0	1	1	0
Freeborn	0	1	0	0
Goodhue	1	1	0	0
Grant	0	0	0	0
Hennepin	0	68	23	27
Houston	0	5	0	0
Hubbard	0	0	0	0
Isanti	0	0	0	2
Itasca	0	0	0	0
Jackson	0	0	0	0
Kanabec	0	0	0	0
Kandiyohi	0	2	0	0
Kittson	0	0	0	0
Koochiching	0	0	0	0
Lac Qui Parle	0	0	0	0
Lake	0	0	0	0
Lake of the Woods	0	0	0	0
Le Sueur	0	0	1	0
Lincoln	0	0	0	0
Lyon	0	4	0	0
McLeod	0	0	1	0
Mahnomen	0	0	0	0
Marshall	0	0	0	0
Martin	0	0	0	0
Meeker	0	1	0	0
Mille Lacs	0	1	0	0
Morrison	0	0	0	0
Mower	0	4	1	1
Murray	0	0	0	0
Nicollet	0	0	0	0

Nobles	0	0	0	0
Norman	0	0	0	0
Olmsted	0	7	2	0
Otter Tail	0	1	0	1
Pennington	0	0	0	0
Pine	0	2	0	0
Pipestone	0	1	0	0
Polk	0	0	0	0
Pope	0	4	0	0
Ramsey	0	14	2	9
Red Lake	0	1	0	0
Redwood	0	2	0	0
Renville	0	1	0	0
Rice	0	0	2	0
Rock	0	1	0	0
Roseau	0	0	0	0
St. Louis	0	7	0	5
Scott	0	9	1	0
Sherburne	0	3	1	1
Sibley	0	0	0	0
Stearns	0	2	4	1
Steele	0	0	0	0
Stevens	0	0	0	0
Swift	0	1	0	0
Todd	0	0	0	0
Traverse	0	0	0	0
Wabasha	0	0	1	0
Wadena	0	0	0	0
Waseca	0	0	0	0
Washington	0	11	0	0
Watonwan	0	0	0	0
Wilkin	0	0	0	0
Winona	0	1	0	1
Wright	0	1	2	1
Yellow Medicine	0	0	0	0

Source: Minnesota Department of Health - Immunization, TB & International Health Section

*Note: There were no cases of measles, diphtheria, tetanus, rubella or polio in Minnesota in 2003

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Infectious Disease Epidemiology Prevention and Control Division at 612/676-5414 or at 877/676-5414

Morbidity and Utilization Table 3a: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County, 2003

	Chlamydia	Gonorrhea	Primary/Secondary Syphilis	Syphilis - All Stages*	HIV
State of Minnesota	10,714	3,202	47	195	266
Aitkin	14	1	0	0	0
Anoka	495	133	2	8	9
Becker	37	7	0	0	0
Beltrami	99	14	0	0	0
Benton	34	5	0	0	0
Big Stone	0	0	0	0	0
Blue Earth	154	41	0	0	0
Brown	12	2	0	0	1
Carlton	50	10	0	0	0
Carver	43	11	0	1	0
Cass	37	5	0	0	0
Chippewa	16	3	0	0	1
Chisago	55	3	0	1	2
Clay	52	5	0	0	0
Clearwater	5	0	0	0	0
Cook	3	1	0	0	0
Cottonwood	8	2	0	0	0
Crow Wing	67	4	0	1	3
Dakota	621	130	1	5	9
Dodge	24	3	0	0	0
Douglas	20	0	0	0	0
Faribault	11	1	0	0	0
Fillmore	23	1	0	0	0
Freeborn	28	2	0	1	1
Goodhue	49	6	0	1	0
Grant	2	0	0	0	0
Hennepin	4,190	1,751	32	115	157
Houston	17	2	0	0	0
Hubbard	11	0	0	0	0
Isanti	34	9	0	0	2
Itasca	67	8	0	0	0
Jackson	4	0	0	0	0
Kanabec	10	2	0	0	0
Kandiyohi	59	4	0	1	0
Kittson	1	0	0	0	0
Koochiching	11	3	0	0	0
Lac Qui Parle	4	1	0	0	0
Lake	6	2	0	0	0
Lake of the Woods	2	0	0	0	0
Le Sueur	23	3	0	0	0
Lincoln	1	1	0	0	0
Lyon	30	5	0	0	0
McLeod	36	11	0	1	0
Mahnomen	11	3	0	0	0
Marshall	7	1	0	0	0
Martin	14	3	0	2	0
Meeker	15	3	0	0	1
Mille Lacs	13	2	0	0	1
Morrison	21	1	0	0	2
Mower	67	12	0	0	0
Murray	8	0	0	0	0

Nicollet	15	2	0	0	0
Nobles	26	4	0	2	0
Norman	1	0	0	0	0
Olmsted	274	67	2	3	6
Otter Tail	32	7	0	1	0
Pennington	29	5	0	0	1
Pine	16	1	0	0	0
Pipestone	5	0	0	0	0
Polk	36	5	0	0	0
Pope	5	1	0	0	0
Ramsey	2,042	642	7	35	50
Red Lake	3	0	0	0	0
Redwood	13	0	0	0	0
Renville	15	1	0	0	0
Rice	73	9	0	0	2
Rock	5	0	0	0	0
Roseau	14	1	0	0	0
St. Louis	453	74	0	1	3
Scott	114	19	0	1	1
Sherburne	54	7	1	2	0
Sibley	11	1	0	0	0
Stearns	294	35	2	7	1
Steele	52	14	0	1	0
Stevens	8	0	0	0	0
Swift	14	0	0	0	0
Todd	17	0	0	0	0
Traverse	1	0	0	0	0
Wabasha	44	5	0	0	0
Wadena	10	0	0	0	0
Waseca	28	4	0	0	0
Washington	231	52	0	3	6
Watonwan	16	3	0	0	1
Wilkin	3	0	0	0	0
Winona	45	16	0	0	2
Wright	84	8	0	2	0
Yellow Medicine	10	2	0	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

*Neurosyphilis, primary, secondary, early latent, late latent, congenital and other syphilis

** Cases of newly diagnosed HIV infection = Minnesota residents diagnosed with HIV infection (HIV or AIDS at first report) in the time period 1/1/03 - 12/31/03.

HIV Surveillance Reports, MDH www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html

STD Surveillance Reports, MDH: www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 612/676-5414

Morbidity and Utilization Table 3b: Number of Cases of Other Selected Diseases Reported in Minnesota by State and County, 2003

	Campylo- bacteriosis	Giardiasis	Lyme Disease	Rabies in Animals	Salmonellosis	Shigellosis	Tuberculosis
State of Minnesota	937	851	473	48	580	103	214
Aitkin	2	1	9	0	1	0	0
Anoka	34	33	56	0	27	4	8
Becker	7	7	3	0	3	0	1
Beltrami	3	4	1	0	7	1	1
Benton	11	13	3	2	8	0	2
Big Stone	0	0	0	2	1	0	0
Blue Earth	9	9	0	1	7	0	1
Brown	4	3	1	1	3	0	0
Carlton	2	2	8	0	2	0	0
Carver	18	28	6	0	10	0	1
Cass	5	3	13	0	2	0	0
Chippewa	2	3	0	0	0	0	0
Chisago	11	6	16	0	5	0	1
Clay	6	4	1	4	1	0	0
Clearwater	1	0	1	0	1	0	1
Cook	0	0	1	0	0	0	0
Cottonwood	5	3	0	0	2	0	0
Crow Wing	4	12	46	1	4	1	0
Dakota	70	57	24	0	43	8	11
Dodge	4	2	0	0	1	0	0
Douglas	14	4	0	1	5	0	0
Faribault	2	1	0	1	2	0	0
Fillmore	12	9	1	0	1	0	0
Freeborn	5	1	3	2	2	1	0
Goodhue	15	7	5	0	7	0	0
Grant	0	0	0	0	0	0	0
Hennepin	214	224	65	6	118	45	114
Houston	11	4	15	0	5	1	0
Hubbard	3	3	4	0	0	1	0
Isanti	5	3	4	0	3	0	0
Itasca	3	2	4	0	1	0	2
Jackson	1	0	0	0	2	0	0
Kanabec	3	4	4	0	2	0	0
Kandiyohi	15	10	0	0	6	1	1
Kittson	0	0	0	1	0	0	0
Koochiching	2	1	0	0	0	0	0
Lac Qui Parle	1	1	0	2	2	0	0
Lake	0	0	1	0	1	0	0
Lake of the Woods	0	1	0	0	0	0	0
Le Sueur	3	2	0	0	1	0	0
Lincoln	3	1	0	0	1	0	0
Lyon	9	8	0	0	1	0	3
McLeod	8	6	3	0	1	0	0
Mahnomen	0	1	0	0	2	0	0
Marshall	1	0	0	1	0	0	0
Martin	3	1	0	1	0	0	0
Meeker	5	4	1	1	4	0	0
Mille Lacs	1	3	4	0	17	0	0
Morrison	9	4	10	1	3	0	0
Mower	6	7	0	3	1	0	1
Murray	2	1	0	0	0	0	0

Nicollet	2	1	1	0	2	0	0
Nobles	9	1	0	2	7	1	2
Norman	1	0	0	0	0	0	0
Olmsted	39	30	2	0	22	4	22
Otter Tail	15	7	1	2	7	0	0
Pennington	1	0	0	0	0	0	0
Pine	6	6	15	0	0	1	0
Pipestone	7	3	0	1	0	0	0
Polk	4	1	0	0	5	1	0
Pope	6	7	0	0	1	0	0
Ramsey	79	96	42	1	75	18	29
Red Lake	1	0	0	1	0	0	0
Redwood	6	1	0	0	3	0	0
Renville	2	2	0	0	3	0	0
Rice	9	11	1	1	3	1	3
Rock	1	1	0	0	1	0	0
Roseau	3	0	0	0	0	0	0
St. Louis	20	18	7	0	56	0	2
Scott	14	14	5	0	9	2	3
Sherburne	12	13	12	0	16	0	0
Sibley	4	3	0	1	2	0	0
Stearns	44	49	13	0	10	9	1
Steele	7	11	1	0	3	0	0
Stevens	5	2	0	0	2	0	0
Swift	4	1	0	0	0	0	0
Todd	4	2	0	1	2	0	0
Traverse	0	1	0	1	1	0	0
Wabasha	10	7	3	0	3	0	0
Wadena	5	3	0	2	0	0	0
Waseca	2	0	0	2	3	0	0
Washington	18	19	40	0	14	3	3
Watonwan	2	1	1	1	2	0	0
Wilkin	1	0	0	1	0	0	0
Winona	24	8	12	0	2	0	1
Wright	13	21	4	0	6	0	0
Yellow Medicine	3	6	0	0	4	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 612/676-5414.

Morbidity and Utilization Table 4a: Number of Selected Health Care Providers in Minnesota by State and County*

	Dentists 2004	Dental Assistants 2003	Dental Hygienists 2004	Primary Care Physicians 2003	Physicians 2003	Physicians per 10,000 population 2004
State of Minnesota	1,872	4,027	2,724	4,784	9,427	18.6
Aitkin	3	4	2	9	10	6.3
Anoka	106	257	151	189	379	12.1
Becker	5	8	10	23	32	10.3
Beltrami	6	28	15	33	59	14.1
Benton	6	22	10	3	3	0.8
Big Stone	1	3	1	6	6	10.6
Blue Earth	27	66	42	54	133	23.2
Brown	11	10	12	30	38	14.3
Carlton	14	23	14	31	38	11.5
Carver	16	34	33	61	97	12.3
Cass	8	8	2	14	14	5.0
Chippewa	3	9	3	9	10	7.8
Chisago	13	24	18	31	46	10.0
Clay	19	37	33	14	20	3.8
Clearwater	3	2	2	3	4	4.7
Cook	1		1	5	5	9.5
Cottonwood	3	6	2	8	8	6.7
Crow Wing	30	79	36	50	96	16.4
Dakota	136	339	248	214	289	7.7
Dodge	2	5	4	4	4	2.1
Douglas	13	35	22	34	58	17.0
Faribault	4	5	3	7	9	5.7
Fillmore	4	6	7	7	8	3.8
Freeborn	8	17	6	20	39	12.2
Goodhue	19	17	26	32	52	11.5
Grant	1	1	1	1	1	1.6
Hennepin	543	1,069	761	1,530	3,244	28.9
Houston	5	9	6	7	7	3.5
Hubbard	5	6	5	12	18	9.7
Isanti	7	19	14	26	38	10.7
Itasca	15	49	19	34	54	12.2
Jackson	1	4	3	4	4	3.6
Kanabec	5	8	3	11	13	8.2
Kandiyohi	19	40	14	50	92	22.4
Kittson	4	1	1	1	1	2.0
Koochiching	3	6	3	11	16	11.4
Lac Qui Parle	2	2	1	6	6	7.6
Lake	2	3	4	9	11	9.9
Lake of the Woods			1	4	4	9.1
Le Sueur	5	10	8	7	7	2.6
Lincoln	2	3	1	9	9	14.6
Lyon	6	22	10	18	24	9.7
McLeod	17	33	26	37	49	13.7
Mahnomen	0	0	0	3	3	5.9
Marshall	2	1	2	1	1	1.0
Martin	5	12	11	25	41	19.3
Meeker	3	6	8	13	15	6.5
Mille Lacs	4	16	10	25	29	11.9
Morrison	6	18	8	19	26	8.0
Mower	13	16	17	32	52	13.4

Murray	1	0	1	5	5	5.6
Nicollet	10	16	14	10	20	6.5
Nobles	7	16	7	18	22	10.7
Norman	1	4	4	2	2	2.8
Olmsted	61	152	96	451	1,529	116.4
Otter Tail	13	23	26	28	55	9.3
Pennington	5	7	6	17	26	19.1
Pine	3	9	9	9	10	3.6
Pipestone	3	9	1	5	6	6.2
Polk	9	15	17	11	15	4.9
Pope	3	4	2	8	8	7.1
Ramsey	207	494	304	584	1,148	22.7
Red Lake	1	2	1	0	0	0.0
Redwood	3	12	5	8	9	5.5
Renville	4	7	1	6	6	3.6
Rice	21	38	34	47	66	11.1
Rock	3	4	1	6	7	7.3
Roseau	4	5	7	9	9	5.5
St. Louis	97	139	103	207	416	20.9
Scott	24	45	63	59	70	6.4
Sherburne	11	43	24	24	28	3.7
Sibley	5	6	3	5	5	3.3
Stearns	54	157	84	126	272	19.8
Steele	17	31	20	34	50	14.4
Stevens	4	3	4	6	10	10.1
Swift	3	8	6	8	8	6.9
Todd	8	14	6	16	17	7.0
Traverse	1	1	4	1	2	5.1
Wabasha	7	12	14	15	18	8.1
Wadena	1	14	6	10	13	9.6
Waseca	7	11	12	16	16	8.2
Washington	92	217	125	154	210	9.8
Watonwan	2	8	2	7	8	6.9
Wilkin	1	5	6	0	6	8.6
Winona	13	31	20	31	46	9.3
Wright	23	57	42	47	57	5.6
Yellow Medicine	7	10	4	8	10	9.4

Sources: Minnesota Department of Health, Office of Rural Health and Primary Care and US Census

Number of Providers:

The number refers to health professionals who are actively working in the county. Primary care physician refers to a physician with a primary specialty of general practice, family practice, internal medicine, pediatrics, obstetrics, gynecology, or obstetrics/gynecology.

The Office of Rural Health and Primary Care maintains a database of about 110,000 Minnesota medical professionals. Although these health practitioners do not have to complete the surveys to renew licensure or registration, response rates vary between 60% and 90% depending on the position surveyed.

Morbidity and Utilization Table 4b: Number of Selected Health Care Providers in Minnesota by State and County, 2003*

	Physician Assistants 2003	Physical Therapists 2003	Respiratory Care Practitioners 2003
State of Minnesota	658	2,331	1,203
Aitkin	2	5	5
Anoka	33	109	51
Becker	1	8	8
Beltrami	5	21	11
Benton	3	6	2
Big Stone	0	3	2
Blue Earth	10	24	9
Brown	3	13	4
Carlton	3	19	5
Carver	7	36	11
Cass	4	6	0
Chippewa	0	2	0
Chisago	4	16	11
Clay	6	8	0
Clearwater	1	1	1
Cook	0	4	0
Cottonwood	2	3	0
Crow Wing	5	25	12
Dakota	27	103	27
Dodge	0	1	0
Douglas	2	16	8
Faribault	3	3	0
Fillmore	1	3	0
Freeborn	4	11	3
Goodhue	6	14	7
Grant	1	1	0
Hennepin	164	743	338
Houston	2	2	0
Hubbard	3	4	4
Isanti	4	15	7
Itasca	3	24	7
Jackson	2	1	0
Kanabec	1	6	2
Kandiyohi	3	16	13
Kittson	2	0	0
Koochiching	0	4	0
Lac Qui Parle	1	2	0
Lake	0	4	0
Lake of the Woods	0	1	0
Le Sueur	0	1	0
Lincoln	1	3	0
Lyon	4	6	4
McLeod	4	12	1
Mahnomen	3	1	0
Marshall	1	2	0
Martin	7	8	5
Meeker	2	5	0
Mille Lacs	13	13	2
Morrison	4	9	4
Mower	5	12	8

Murray	1	0	2
Nicollet	1	10	0
Nobles	1	6	1
Norman	2	1	0
Olmsted	74	145	142
Otter Tail	5	18	9
Pennington	3	7	3
Pine	0	4	0
Pipestone	2	2	1
Polk	5	11	4
Pope	1	2	0
Ramsey	65	303	283
Red Lake	0	1	0
Redwood	0	4	1
Renville	0	2	0
Rice	3	28	2
Rock	0	5	2
Roseau	2	6	1
St. Louis	31	147	84
Scott	1	24	13
Sherburne	9	10	1
Sibley	0	0	0
Stearns	35	72	39
Steele	2	17	3
Stevens	1	2	1
Swift	0	2	0
Todd	4	7	0
Traverse	3	0	0
Wabasha	2	7	2
Wadena	2	7	4
Waseca	1	3	0
Washington	19	68	16
Watonwan	3	4	0
Wilkin	0	2	1
Winona	3	16	1
Wright	13	28	13
Yellow Medicine	2	5	2

Sources: Minnesota Department of Health, Office of Rural Health and Primary Care and US Census

Number of Providers:

The number refers to health professionals who are actively working in the county. The Office of Rural Health and Primary Care maintains a database of about 110,000 Minnesota medical professionals. Although these health practitioners do not have to complete the surveys to renew licensure or registration, response rates vary between 60% and 90% depending on the position surveyed.

Morbidity and Utilization Table 5a: Minnesota Nonfatal Traumatic Brain Injuries Number and Rate per 100,000 population by State and County, 2001-2003

	2001		2002		2003	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	3,955	80.1	4,150	81.9	4,362	85.2
Aitkin	12	*	12	*	18	*
Anoka	236	91.7	215	74.6	228	78.0
Becker	5	*	11	*	7	*
Beltrami	29	72.9	18	*	22	55.8
Benton	53	156.8	34	93.3	49	135.8
Big Stone	5	*	3	*	5	*
Blue Earth	30	54.0	31	51.9	46	75.1
Brown	14	*	21	72.0	26	84.9
Carlton	30	91.8	28	82.9	34	98.2
Carver	44	73.8	35	48.5	60	83.6
Cass	19	*	27	96.4	30	107.4
Chippewa	9	*	11	*	11	*
Chisago	29	71.5	46	105.7	53	114.4
Clay	5	*	2	*	4	*
Clearwater	2	*	5	*	6	*
Cook	3	*	3	*	12	*
Cottonwood	10	*	4	*	4	*
Crow Wing	64	113.3	55	92.4	44	71.9
Dakota	216	68.2	259	78.2	259	78.5
Dodge	24	133.0	21	106.9	19	*
Douglas	21	58.5	26	71.1	28	73.4
Faribault	28	166.4	19	*	18	*
Fillmore	27	135.9	26	119.4	22	96.7
Freeborn	21	60.9	31	94.6	22	63.3
Goodhue	58	136.3	60	135.4	50	108.6
Grant	2	*	10	*	4	*
Hennepin	1,008	91.8	959	86.8	1,016	91.4
Houston	8	*	5	*	8	*
Hubbard	2	*	5	*	12	*
Isanti	27	91.5	32	95.5	35	94.0
Itasca	44	97.5	30	65.0	45	102.9
Jackson	4	*	3	*	4	*
Kanabec	16	*	16	*	14	*
Kandiyohi	26	60.1	27	63.1	28	68.0
Kittson	0	*	3	*	1	*
Koochiching	8	*	9	*	11	*
Lac Qui Parle	1	*	2	*	10	*
Lake	11	*	6	*	8	*
Lake of the Woods	1	*	4	*	4	*
Le Sueur	26	94.9	30	110.7	34	121.0
Lincoln	3	*	1	*	1	*
Lyon	14	*	11	*	18	*
McLeod	27	76.6	22	59.4	37	95.7
Mahnomen	5	*	0	*	3	*
Marshall	1	*	7	*	0	*
Martin	15	*	16	*	18	*
Meeker	17	*	18	*	14	*
Mille Lacs	37	177.8	42	173.9	49	205.7
Morrison	30	94.6	29	87.9	38	110.1
Mower	35	87.9	45	102.4	34	74.6

Murray	5	*	1	*	3	*
Nicollet	10	*	20	64.1	14	*
Nobles	5	*	4	*	7	*
Norman	2	*	1	*	1	*
Olmsted	142	117.7	185	144.9	97	74.1
Otter Tail	14	*	32	46.1	40	60.1
Pennington	3	*	6	*	1	*
Pine	24	91.2	42	152.2	26	90.4
Pipestone	1	*	1	*	10	*
Polk	2	*	14	*	8	*
Pope	5	*	6	*	9	*
Ramsey	432	84.4	498	96.1	537	104.3
Red Lake	0	*	1	*	1	*
Redwood	11	*	10	*	24	155.6
Renville	12	*	12	*	15	*
Rice	51	88.9	42	65.2	44	70.5
Rock	1	*	1	*	4	*
Roseau	3	*	11	*	1	*
St. Louis	210	100.5	198	92.0	220	104.5
Scott	71	90.8	64	69.4	75	81.1
Sherburne	54	84.8	57	88.2	86	117.2
Sibley	22	130.5	13	*	11	*
Stearns	122	93.7	124	91.2	134	97.8
Steele	24	68.2	44	125.7	32	90.6
Stevens	10	*	11	*	13	*
Swift	10	*	12	*	16	*
Todd	20	80.6	16	*	22	88.3
Traverse	5	*	7	*	1	*
Wabasha	26	119.6	36	162.9	23	107.7
Wadena	9	*	14	*	10	*
Waseca	19	*	14	*	22	111.9
Washington	124	72.6	160	87.7	169	86.6
Watsonwan	6	*	11	*	5	*
Wilkin	3	*	6	*	2	*
Winona	46	90.7	36	73.6	34	62.8
Wright	72	86.9	93	95.6	95	97.6
Yellow Medicine	13	*	7	*	13	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Traumatic Brain Injuries (TBI): Numbers are traumatic brain injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Traumatic Brain Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity and Utilization Table 5b: Minnesota Spinal Cord Injury Number and Annualized Rate per 100,000 population by State and County, 2001-2003

	2001	2002	2003	Annualized Rate 2000-2003
	Number	Number	Number	
State of Minnesota	245	241	242	4.8
Aitkin	2	2	1	*
Anoka	12	17	8	4.0
Becker	0	0	0	*
Beltrami	5	2	0	*
Benton	7	2	4	*
Big Stone	0	0	0	*
Blue Earth	3	3	2	*
Brown	0	2	0	*
Carlton	0	0	1	*
Carver	4	2	3	*
Cass	1	1	4	*
Chippewa	0	0	1	*
Chisago	1	2	2	*
Clay	0	1	0	*
Clearwater	0	0	0	*
Cook	0	0	0	*
Cottonwood	0	0	0	*
Crow Wing	6	3	4	*
Dakota	11	16	10	3.7
Dodge	2	0	1	*
Douglas	2	3	1	*
Faribault	2	1	1	*
Fillmore	1	0	2	*
Freeborn	2	3	1	*
Goodhue	3	4	4	*
Grant	0	0	1	*
Hennepin	68	43	60	5.0
Houston	0	0	0	*
Hubbard	0	0	0	*
Isanti	7	3	4	*
Itasca	5	6	1	*
Jackson	0	1	1	*
Kanabec	1	0	2	*
Kandiyohi	2	0	1	*
Kittson	0	0	0	*
Koochiching	0	0	0	*
Lac Qui Parle	0	4	2	*
Lake	0	0	2	*
Lake of the Woods	0	1	0	*
Le Sueur	2	2	1	*
Lincoln	0	0	0	*
Lyon	3	1	1	*
McLeod	1	1	1	*
Mahnomen	1	0	0	*
Marshall	0	2	0	*
Martin	1	2	0	*
Meeker	1	1	1	*
Mille Lacs	4	8	2	*
Morrison	0	3	0	*
Mower	1	3	1	*

Murray	0	0	0	*
Nicollet	1	1	1	*
Nobles	0	0	0	*
Norman	0	0	0	*
Olmsted	7	2	6	*
Otter Tail	3	1	1	*
Pennington	0	0	1	*
Pine	3	5	4	*
Pipestone	0	0	0	*
Polk	0	1	0	*
Pope	0	0	4	*
Ramsey	26	24	32	5.3
Red Lake	0	0	0	*
Redwood	0	1	4	*
Renville	0	1	0	*
Rice	3	2	2	*
Rock	0	0	0	*
Roseau	0	0	0	*
St. Louis	11	19	11	6.3
Scott	3	8	5	*
Sherburne	5	4	3	*
Sibley	0	1	2	*
Stearns	8	7	8	5.9
Steele	3	0	1	*
Stevens	0	0	0	*
Swift	1	1	0	*
Todd	1	3	2	*
Traverse	0	0	0	*
Wabasha	0	2	4	*
Wadena	1	1	0	*
Waseca	1	0	0	*
Washington	3	7	11	3.6
Watonwan	0	2	0	*
Wilkin	0	0	0	*
Winona	0	2	2	*
Wright	3	1	6	*
Yellow Medicine	0	0	1	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Spinal Cord Injuries (SCI): Numbers are spinal cord injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Spinal Cord Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity and Utilization Tables 5a and b: TBI and SCI Case Report Definitions

Traumatic Brain Injury (TBI)

Cases of traumatic brain injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

310.2 - postconcussion syndrome
348.1 - (when coded with 994.1 or 994.7) - anoxic brain damage
800.0-800.99 - fracture of vault of skull
801.00-801.99 - fracture of base of skull
803.00-803.99 - other and unqualified skull fractures
804.00-804.99 - multiple fractures involving skull or face with other bones
850.0-850.9 - concussion
851.00-851.99 - cerebral laceration and contusion
852.00-852.59 - subarachnoid, subdural, and extradural hemorrhage, following injury
853.00-853.19 - other and unspecified intracranial hemorrhage following injury
854.00-854.19 - intracranial injury of other and unspecified nature
905.0* - late effect of fracture of skull and face bones
907.0* - late effect of intracranial injury without mention of skull fracture
950.0-950.9 - injury to optic nerve and pathways

Out-of-state hospitals are requested to report cases who are Minnesota residents or who were injured in Minnesota.

Do not report patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

Cases should be submitted on the standard case report form, or may be submitted via electronic media.

Spinal Cord Injuries (SCI)

Cases of spinal cord injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

806.00-806.9 - fracture of vertebral column with spinal cord injury
907.2* - late effect of spinal cord injury
952.00-952.9 - spinal cord injury without evidence of spinal bone injury

AND

*the injury occurred on or after January 1, 1993

AND

the patient: was admitted as an inpatient to an acute care hospital, or died (or declared DOA) in the emergency department prior to admission, or was transferred from the emergency department to an out-of-state hospital.

Out-of-state hospitals are requested to report cases who are Minnesota residents or who were injured in Minnesota.

Do not report patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

Cases should be submitted on the standard case report form, or may be submitted via electronic media.

Morbidity and Utilization Table 6a: Diabetes Prevalence in the 65 to 74 year old Minnesota Medicare Population by State and County

	<i>Prevalence</i>			
	Number of People (July 1, 2002 to June 30, 2003)	Percent with Diabetes (April 1, 1998 to March 31, 1999)	Percent with Diabetes (July 1, 2002 to June 30, 2003)	Percent Change over Time
State of Minnesota	24,425	10.4	11.4	9.6
Aitkin	162	11.2	11.1	-0.9
Anoka	1,138	10.5	13.7	30.5
Becker	200	9.9	10.5	6.1
Beltrami	285	13.6	14.6	7.4
Benton	127	12.4	11.7	-5.6
Big Stone	48	6.7	9.7	44.8
Blue Earth	263	9.4	10.1	7.4
Brown	236	11.9	13.5	13.4
Carlton	256	11.0	12.9	17.3
Carver	232	11.4	11.7	2.6
Cass	248	11.0	11.3	2.7
Chippewa	84	9.4	11.4	21.3
Chisago	237	9.6	12.0	25.0
Clay	283	11.0	12.3	11.8
Clearwater	69	11.6	13.3	14.7
Cook	39	9.3	10.7	15.1
Cottonwood	76	9.6	9.2	-4.2
Crow Wing	426	9.1	10.4	14.3
Dakota	942	10.1	10.9	7.9
Dodge	92	10.3	11.7	13.6
Douglas	298	10.1	12.9	27.7
Faribault	150	10.9	12.4	13.8
Fillmore	157	10.4	11.0	5.8
Freeborn	247	10.7	11.8	10.3
Goodhue	256	9.9	10.8	9.1
Grant	70	11.6	13.9	19.8
Hennepin	3,915	9.4	10.4	10.6
Houston	122	10.4	10.5	1.0
Hubbard	166	9.2	11.4	23.9
Isanti	138	9.8	11.1	13.3
Itasca	418	12.4	14.0	12.9
Jackson	71	11.1	11.4	2.7
Kanabec	86	9.7	10.1	4.1
Kandiyohi	262	9.5	11.9	25.3
Kittson	51	11.0	13.8	25.5
Koochiching	105	8.8	9.7	10.2
Lac Qui Parle	66	11.1	12.3	10.8
Lake	74	10.8	8.9	-17.6
Lake of the Woods	38	9.7	12.5	28.9
Le Sueur	168	10.7	10.9	1.9
Lincoln	61	10.4	12.5	20.2
Lyon	162	12.4	12.8	3.2
McLeod	199	10.0	11.5	15.0
Mahnomen	49	16.5	14.6	-11.5
Marshall	88	9.9	12.8	29.3
Martin	190	9.9	13.2	33.3
Meeker	157	12.4	12.1	-2.4
Mille Lacs	169	8.8	10.2	15.9
Morrison	189	9.3	10.4	11.8

Mower	368	11.4	14.5	27.2
Murray	69	8.9	10.3	15.7
Nicollet	112	7.8	12.1	55.1
Nobles	122	10.9	10.1	-7.3
Norman	56	9.2	11.0	19.6
Olmsted	508	9.5	9.6	1.1
Otter Tail	418	11.4	10.6	-7.0
Pennington	114	10.0	15.9	59.0
Pine	233	11.0	13.6	23.6
Pipestone	71	8.0	10.0	25.0
Polk	223	11.7	12.3	5.1
Pope	85	10.8	11.2	3.7
Ramsey	2,501	10.5	11.4	8.6
Red Lake	40	10.5	15.1	43.8
Redwood	124	10.7	12.0	12.1
Renville	119	11.3	11.3	0.0
Rice	283	11.4	11.5	0.9
Rock	75	10.3	13.5	31.1
Roseau	60	8.2	8.8	7.3
St. Louis	1,339	11.5	12.1	5.2
Scott	237	10.3	10.4	1.0
Sherburne	225	10.1	10.9	7.9
Sibley	89	9.2	10.2	10.9
Stearns	691	10.0	11.1	11.0
Steele	210	11.2	12.6	12.5
Stevens	73	10.1	13.4	32.7
Swift	80	11.3	11.4	0.9
Todd	175	11.3	12.5	10.6
Traverse	40	11.6	11.2	-3.4
Wabasha	147	10.4	11.3	8.7
Wadena	107	11.9	10.2	-14.3
Waseca	88	10.1	9.9	-2.0
Washington	533	10.2	10.7	4.9
Watonwan	86	11.1	11.8	6.3
Wilkin	58	11.0	13.4	21.8
Winona	264	11.6	12.0	3.4
Wright	446	10.3	12.8	24.3
Yellow Medicine	93	10.6	11.9	12.3

Source: Medicare Part A (inpatient) and Part B (ambulatory care) data

Number of People is the number of Medicare beneficiaries, ages 65-74, identified as being diagnosed with diabetes who are alive and Minnesota residents as of June 30, 2003. See 'Statistical Considerations' for how the Medicare diabetes population was identified

Percent with Diabetes is the rate of diabetes per 100 Medicare beneficiaries 65 to 74 years of age during the designated time period. In this case, two 12-month periods are presented: April 1, 1998 through March 31, 1999 and July 1, 2002 through June 30, 2003.

Change Over Time represents the percent increase or decrease in the *prevalence rate* from the first 12-month period (April 1, 1998 through March 31, 1999) to the most recent 12-month period (July 1, 2002 through June 30, 2003).

Morbidity and Utilization Table 6b: Diabetes Preventive Care in the 65 to 74 year old Minnesota Medicare Population by State and County

<i>Preventive Care</i>						
	Annual HbA1c Test	Annual Lipid Test	Annual Eye Exam	Combined measure: Annual HbA1c, Annual Lipid Measurement, <i>and</i> Annual Eye Exam		
		Percent		Percent (04/01/98 to 03/31/99)	Percent (07/01/2000 to 06/30/2001)	Percent Change over time
	(July 1, 2000 to June 30, 2001)					
State of Minnesota	88.3	65.8	78.4	38.9	51.8	33.2
Aitkin	91.5	63.5	86.2	32.2	53.1	64.9
Anoka	90.9	68.8	79.0	36.2	55.4	53.0
Becker	90.6	58.2	79.5	34.3	50.7	47.8
Beltrami	75.1	56.5	73.9	40.3	45.8	13.6
Benton	90.0	67.6	81.3	37.1	54.6	47.2
Big Stone	83.5	68.7	82.9	39.2	59.2	51.0
Blue Earth	87.6	61.7	76.7	40.3	45.6	13.2
Brown	92.1	66.5	83.4	38.3	54.1	41.3
Carlton	89.9	66.2	74.8	29.5	47.9	62.4
Carver	82.5	61.1	84.9	34.6	47.9	38.4
Cass	79.5	58.9	80.3	31.5	48.7	54.6
Chippewa	90.7	71.1	73.6	34.1	52.0	52.5
Chisago	90.6	56.8	71.2	23.2	40.0	72.4
Clay	92.6	73.2	79.9	44.0	59.8	35.9
Clearwater	88.7	63.7	73.7	37.1	52.4	41.2
Cook	87.7	67.7	85.0	38.3	58.6	53.0
Cottonwood	92.8	63.7	74.6	41.9	47.2	12.6
Crow Wing	90.3	69.4	83.6	38.7	57.9	49.6
Dakota	89.5	66.8	83.2	39.2	54.5	39.0
Dodge	96.9	85.9	79.9	50.0	67.2	34.4
Douglas	94.5	65.3	74.5	38.2	47.8	25.1
Faribault	83.9	62.2	79.6	33.0	48.0	45.5
Fillmore	91.0	71.7	72.4	46.2	53.2	15.2
Freeborn	78.6	58.9	80.5	36.9	48.8	32.2
Goodhue	92.2	69.4	78.4	41.4	55.0	32.9
Grant	91.1	65.0	68.8	34.1	43.9	28.7
Hennepin	87.2	65.5	81.0	38.6	53.3	38.1
Houston	90.1	71.0	75.2	43.7	52.9	21.1
Hubbard	89.4	60.5	79.1	32.1	48.4	50.8
Isanti	92.5	72.7	74.9	49.7	56.0	12.7
Itasca	89.8	71.6	77.8	39.6	55.4	39.9
Jackson	92.1	80.3	80.2	39.3	65.8	67.4
Kanabec	91.7	62.3	82.8	40.3	56.4	40.0
Kandiyohi	92.2	70.5	71.4	44.6	49.8	11.7
Kittson	88.9	68.6	79.6	24.0	55.6	131.7
Koochiching	84.9	63.7	72.7	27.4	48.8	78.1
Lac Qui Parle	94.1	72.8	81.3	50.7	57.4	13.2
Lake	81.9	65.8	86.3	46.8	55.9	19.4
Lake of the Woods	78.8	55.3	85.9	23.8	43.4	82.4
Le Sueur	91.0	69.4	75.8	45.4	53.8	18.5
Lincoln	89.8	73.4	65.0	46.7	52.9	13.3
Lyon	91.3	59.0	79.3	43.8	43.6	-0.5
McLeod	85.5	63.2	81.1	32.3	49.2	52.3
Mahnomen	59.0	61.7	66.9	13.1	33.8	158.0
Marshall	91.0	69.7	76.3	39.4	54.9	39.3
Martin	93.3	81.5	74.3	51.7	60.9	17.8
Meeker	94.2	69.2	84.7	49.5	59.4	20.0
Mille Lacs	72.2	51.1	81.6	33.2	37.8	13.9
Morrison	91.3	62.5	75.6	39.2	51.1	30.4

Mower	92.0	79.9	76.5	50.5	62.2	23.2
Murray	86.1	70.5	82.7	33.6	55.5	65.2
Nicollet	90.4	76.7	77.5	45.8	57.0	24.5
Nobles	90.2	60.1	69.2	32.5	46.8	44.0
Norman	87.1	60.4	69.7	43.8	42.5	-3.0
Olmsted	91.4	84.7	77.7	52.5	66.4	26.5
Otter Tail	92.0	70.8	79.7	37.4	55.3	47.9
Pennington	89.7	69.7	64.9	45.3	42.7	-5.7
Pine	89.7	63.5	72.2	31.7	46.0	45.1
Pipestone	85.1	59.6	84.9	25.2	46.6	84.9
Polk	88.1	61.7	68.6	30.8	40.4	31.2
Pope	92.9	75.7	70.0	32.7	52.2	59.6
Ramsey	86.7	60.1	78.3	38.2	48.5	27.0
Red Lake	75.1	71.5	86.4	42.8	53.3	24.5
Redwood	87.3	69.8	84.3	45.1	60.3	33.7
Renville	81.9	55.3	77.7	31.4	39.7	26.4
Rice	90.0	51.8	75.9	42.1	42.0	-0.2
Rock	89.7	47.3	66.8	23.0	31.1	35.2
Roseau	88.2	57.5	77.8	23.0	45.7	98.7
St. Louis	88.7	60.7	77.2	37.2	46.0	23.7
Scott	88.4	63.5	76.8	38.3	46.6	21.7
Sherburne	85.3	64.2	77.8	42.8	50.3	17.5
Sibley	85.0	62.9	80.0	30.6	51.5	68.3
Stearns	89.8	71.7	79.6	43.9	56.3	28.2
Steele	90.4	68.0	87.5	38.4	57.8	50.5
Stevens	74.0	62.0	84.4	43.3	44.1	1.8
Swift	95.1	68.3	74.0	41.5	52.0	25.3
Todd	88.5	68.5	75.9	42.7	49.4	15.7
Traverse	86.8	81.9	82.3	45.4	66.2	45.8
Wabasha	90.0	77.8	77.7	37.1	61.2	65.0
Wadena	92.6	71.7	75.9	34.2	55.9	63.5
Waseca	81.2	55.6	78.4	41.7	39.6	-5.0
Washington	84.2	60.0	78.8	36.8	48.5	31.8
Watsonwan	87.1	58.9	77.7	39.0	46.8	20.0
Wilkin	89.8	69.4	81.6	29.1	57.1	96.2
Winona	88.7	73.8	67.3	44.3	52.3	18.1
Wright	85.0	65.3	77.5	40.0	50.8	27.0
Yellow Medicine	85.5	73.2	76.9	36.2	60.2	66.3

Source: Medicare Part B (ambulatory care) data.

Minnesota and county rates (%) are per 100 of the diabetes Medicare population, ages 65-74.

Preventive care indicators describe those of the Medicare diabetes population, ages 65-74, who had a Medicare Part B claim for the given indicator. These indicators are as follows:

Annual HbA1c Test, Annual Eye Exam, Annual Lipid Measurement and the Combined Measure (annual HbA1c, annual eye exam, and annual lipid measurement). The number of Medicare beneficiaries who receive all three recommended services provides a more comprehensive view of preventive measures being received by the Medicare diabetes population. Two 12-month periods are presented: April 1, 1998 through March 31, 1999 and July 1, 2000 through June 30, 2001.

Change Over Time for the **Combined Measure** represents the percent increase or decrease in the rates from the first 12-month period (April 1, 1998 through March 31, 1999) to the most recent 12-month period (July 1, 2000 through June 30, 2001).

Morbidity and Utilization Table 6c: Hospital Discharge Claims in the 65 to 74 year old Minnesota Medicare Diabetes Population by State and County

	<i>All hospital discharge claims (HDC's)</i>		<i>Major Cardiovascular Disease HDC's</i>		<i>Stroke HDC's</i>	
	Number of HDC's	HDC per 1,000 Medicare population	Number of HDC's	HDC per 1,000 Medicare population	Number of HDC's	HDC per 1,000 Medicare population
	(July 1, 2002 to June 30, 2003)		(July 1, 2002 to June 30, 2003)		(July 1, 2002 to June 30, 2003)	
State of Minnesota	15,648	636.1	13,592	550.5	1,350	53.2
Aitkin	159	994.6	135	844.2	13	89.3
Anoka	897	797.0	815	723.0	104	88.2
Becker	102	510.3	83	405.8	NA	24.7
Beltrami	160	543.0	140	470.6	15	42.4
Benton	69	548.1	61	469.2	NA	21.1
Big Stone	26	559.1	23	505.2	NA	68.0
Blue Earth	113	436.4	100	385.0	7	22.1
Brown	125	518.6	108	441.6	10	43.6
Carlton	155	615.8	145	573.3	13	48.0
Carver	183	849.0	166	772.6	20	78.5
Cass	173	658.0	154	605.4	18	71.2
Chippewa	39	395.6	34	343.9	NA	26.2
Chisago	160	646.8	140	563.0	13	47.4
Clay	139	457.7	120	398.4	18	59.3
Clearwater	34	484.7	30	416.2	11	134.2
Cook	39	951.2	29	747.1	0	0.0
Cottonwood	34	395.8	29	317.6	NA	38.2
Crow Wing	293	685.5	266	623.5	17	42.5
Dakota	609	641.6	535	557.4	87	89.4
Dodge	28	286.3	23	238.5	NA	47.8
Douglas	171	591.4	137	466.6	19	60.6
Faribault	101	687.1	93	641.0	NA	24.5
Fillmore	103	651.4	82	529.9	10	69.6
Freeborn	170	710.8	144	598.6	14	59.5
Goodhue	144	581.7	123	499.0	14	54.3
Grant	26	400.5	23	347.6	1	21.2
Hennepin	2,568	660.8	2,280	584.9	231	60.0
Houston	41	341.8	36	297.6	NA	16.7
Hubbard	106	670.4	88	555.5	7	46.6
Isanti	89	602.8	88	596.2	26	151.9
Itasca	236	588.2	208	514.3	21	49.7
Jackson	43	636.7	37	533.4	NA	36.4
Kanabec	50	555.0	42	464.7	NA	38.2
Kandiyohi	145	543.2	121	444.3	10	40.8
Kittson	26	477.9	25	462.4	NA	15.5
Koochiching	96	958.8	82	809.2	7	77.0
Lac Qui Parle	59	824.4	53	743.7	6	80.8
Lake	42	663.0	40	610.6	NA	89.9
Lake of the Woods	22	574.9	18	467.3	0	0.0
Le Sueur	84	486.8	67	391.1	NA	31.2
Lincoln	20	337.1	18	303.4	NA	14.0
Lyon	89	544.1	73	450.6	13	80.5
McLeod	150	744.6	135	659.3	10	46.9
Mahnomen	28	450.5	27	436.8	NA	27.2
Marshall	50	537.7	46	486.1	NA	32.5
Martin	120	615.9	108	549.6	13	67.5
Meeker	70	450.4	60	382.8	NA	15.8
Mille Lacs	146	845.7	116	682.0	14	83.6

Morrison	129	663.0	111	566.2	18	88.2
Mower	241	636.0	223	588.2	11	26.6
Murray	60	862.6	40	569.1	NA	12.1
Nicollet	70	609.6	62	542.0	6	47.3
Nobles	88	729.3	77	634.5	8	68.2
Norman	31	553.2	27	481.9	7	124.6
Olmsted	369	710.4	319	616.8	10	17.1
Otter Tail	212	503.0	182	431.8	28	65.8
Pennington	64	561.6	57	500.3	NA	44.0
Pine	161	709.6	136	595.9	14	58.2
Pipestone	56	734.3	51	642.3	NA	82.1
Polk	143	617.0	112	482.1	9	38.8
Pope	52	602.4	34	387.1	NA	47.1
Ramsey	1,675	665.2	1,439	570.1	122	48.1
Red Lake	12	302.3	11	280.9	NA	21.4
Redwood	52	399.7	49	374.0	9	65.5
Renville	61	523.8	50	432.1	NA	25.8
Rice	191	628.7	159	521.7	NA	15.8
Rock	27	356.6	26	340.4	0	0.0
Roseau	38	545.8	32	461.7	NA	53.5
St. Louis	924	679.4	798	581.7	77	53.0
Scott	169	687.0	140	571.7	21	75.2
Sherburne	165	680.8	144	587.3	31	149.4
Sibley	95	1,089.5	82	948.4	15	134.9
Stearns	394	550.5	344	477.6	21	27.8
Steele	127	624.5	105	522.8	9	37.6
Stevens	46	631.1	37	496.6	7	91.3
Swift	71	850.7	59	703.2	NA	13.8
Todd	124	725.0	102	592.4	8	45.3
Traverse	27	661.6	25	614.3	0	0.0
Wabasha	75	454.7	55	339.3	NA	5.3
Wadena	72	698.0	68	657.9	NA	36.2
Waseca	54	613.0	46	521.0	8	95.8
Washington	309	563.6	248	447.2	16	27.1
Watonwan	58	658.6	53	599.7	8	87.4
Wilkin	43	753.3	40	698.2	NA	53.4
Winona	128	488.3	106	406.7	NA	21.1
Wright	315	677.8	291	618.8	19	37.8
Yellow Medicine	63	694.5	52	571.1	NA	23.0

Source: Medicare Part A (Inpatient) Data

Number of hospital discharge claims (HDC) among the Medicare diabetes population. An individual may have had more than one HDC during this time frame.

The Minnesota and county rates are per 1,000 Medicare beneficiaries with *diabetes*.

Hospital discharge claims (HDC's) are submitted by the provider to Medicare and are categorized as follows:

- All HDC's in the Medicare diabetes population ages 65-74, regardless of whether diabetes was actually listed as a diagnosis on the HDC.
- HDC's in the diabetes population with **major cardiovascular disease (CVD)**
- HDC's in the diabetes population with **stroke**

Morbidity and Utilization Table 6d: Total Reimbursed Charges for Hospital Claims in the 65 to 74 year old Minnesota Medicare Diabetes Population by State and County

	<i>Total Medicare Reimbursed Charges</i>			Change over Time
	April 1, 1998 to March 31, 1999	July 1, 2000 to June 30, 2001	July 1, 2002 to June 30, 2003	
State of Minnesota	\$67,232,387	\$90,666,139	\$118,445,513	76%
Aitkin	\$597,546	\$692,494	\$1,400,061	134%
Anoka	\$3,132,200	\$4,270,554	\$6,485,164	107%
Becker	\$385,165	\$492,755	\$707,317	84%
Beltrami	\$957,456	\$1,068,242	\$1,043,803	9%
Benton	\$485,465	\$307,963	\$488,250	1%
Big Stone	\$82,727	\$185,125	\$157,575	90%
Blue Earth	\$685,169	\$917,336	\$675,694	-1%
Brown	\$485,701	\$555,162	\$954,003	96%
Carlton	\$587,465	\$1,137,597	\$1,247,906	112%
Carver	\$815,528	\$812,873	\$1,332,725	63%
Cass	\$836,563	\$1,002,606	\$1,154,219	38%
Chippewa	\$244,171	\$190,941	\$206,920	-15%
Chisago	\$568,388	\$643,378	\$1,310,765	131%
Clay	\$636,758	\$666,735	\$2,400,336	277%
Clearwater	\$126,431	\$200,022	\$215,219	70%
Cook	\$52,639	\$78,078	\$245,775	367%
Cottonwood	\$253,272	\$224,118	\$202,554	-20%
Crow Wing	\$1,143,516	\$1,506,203	\$2,024,012	77%
Dakota	\$2,390,229	\$3,434,145	\$5,063,800	112%
Dodge	\$227,786	\$272,641	\$255,795	12%
Douglas	\$515,972	\$772,118	\$1,039,313	101%
Faribault	\$540,536	\$651,766	\$660,911	22%
Fillmore	\$425,207	\$413,050	\$806,733	90%
Freeborn	\$484,725	\$936,506	\$1,312,371	171%
Goodhue	\$1,085,402	\$994,967	\$1,001,127	-8%
Grant	\$270,389	\$79,024	\$195,143	-28%
Hennepin	\$12,950,130	\$17,520,137	\$19,888,203	54%
Houston	\$253,792	\$325,495	\$347,954	37%
Hubbard	\$349,998	\$569,068	\$765,694	119%
Isanti	\$407,266	\$472,773	\$703,632	73%
Itasca	\$901,238	\$1,160,017	\$1,966,292	118%
Jackson	\$204,787	\$235,587	\$226,208	10%
Kanabec	\$334,079	\$314,499	\$417,778	25%
Kandiyohi	\$474,263	\$605,071	\$1,033,617	118%
Kittson	\$48,079	\$168,716	\$327,283	581%
Koochiching	\$169,540	\$359,152	\$712,833	320%
Lac Qui Parle	\$193,791	\$197,490	\$372,884	92%
Lake	\$272,824	\$338,003	\$483,327	77%
Lake of the Woods	\$60,332	\$232,356	\$191,295	217%
Le Sueur	\$591,947	\$591,759	\$514,059	-13%
Lincoln	\$54,332	\$222,123	\$93,995	73%
Lyon	\$551,226	\$579,617	\$444,320	-19%
McLeod	\$512,948	\$663,566	\$873,540	70%
Mahnomen	\$95,286	\$519,727	\$131,191	38%
Marshall	\$205,934	\$521,899	\$446,876	117%
Martin	\$509,094	\$541,156	\$987,183	94%
Meeker	\$315,228	\$528,178	\$438,996	39%
Mille Lacs	\$581,010	\$676,448	\$1,269,926	119%
Morrison	\$485,340	\$655,000	\$989,516	104%
Mower	\$1,221,477	\$943,987	\$1,986,107	63%

Murray	\$140,101	\$377,355	\$444,634	217%
Nicollet	\$189,349	\$401,118	\$422,868	123%
Nobles	\$299,386	\$546,585	\$506,501	69%
Norman	\$261,141	\$175,096	\$237,697	-9%
Olmsted	\$1,680,376	\$2,707,480	\$3,086,079	84%
Otter Tail	\$969,206	\$1,059,015	\$1,655,966	71%
Pennington	\$191,349	\$299,913	\$669,053	250%
Pine	\$551,203	\$889,788	\$1,060,415	92%
Pipestone	\$159,847	\$302,316	\$354,130	122%
Polk	\$479,574	\$1,105,455	\$1,064,557	122%
Pope	\$173,751	\$219,685	\$311,452	79%
Ramsey	\$7,314,934	\$10,342,958	\$12,468,375	70%
Red Lake	\$89,714	\$38,307	\$109,897	22%
Redwood	\$125,162	\$357,595	\$303,104	142%
Renville	\$241,255	\$342,616	\$429,280	78%
Rice	\$699,275	\$869,285	\$1,382,949	98%
Rock	\$204,171	\$214,817	\$128,885	-37%
Roseau	\$98,733	\$175,146	\$316,596	221%
St. Louis	\$4,203,830	\$6,202,483	\$7,261,250	73%
Scott	\$833,002	\$848,979	\$1,295,724	56%
Sherburne	\$368,747	\$637,898	\$1,392,010	277%
Sibley	\$181,214	\$125,031	\$628,642	247%
Stearns	\$1,481,323	\$2,109,901	\$2,548,010	72%
Steele	\$542,556	\$662,634	\$1,016,930	87%
Stevens	\$370,625	\$340,288	\$283,611	-23%
Swift	\$186,578	\$289,911	\$324,986	74%
Todd	\$330,633	\$502,870	\$822,081	149%
Traverse	\$82,787	\$241,355	\$222,426	169%
Wabasha	\$433,614	\$588,447	\$757,732	75%
Wadena	\$347,267	\$504,149	\$498,248	43%
Waseca	\$324,693	\$253,614	\$519,820	60%
Washington	\$1,181,194	\$1,855,300	\$2,394,239	103%
Watonwan	\$149,155	\$400,657	\$401,076	169%
Wilkin	\$88,020	\$135,802	\$354,564	303%
Winona	\$805,050	\$1,211,827	\$897,820	12%
Wright	\$675,992	\$907,211	\$2,635,364	290%
Yellow Medicine	\$246,385	\$367,861	\$261,162	6%

Source: Medicare Part A (Inpatient) data.

Total charges reimbursed by Medicare to hospital providers for HDC's among the Medicare diabetes population. These do not include charges associated with outpatient care, such as those for the preventive care measures. Three 12-month periods are presented: April 1, 1998 through March 31, 1999, July 1, 2000 through June 30, 2001, and July 1, 2002 through June 30, 2003.

Change Over Time for the *Total Medicare Reimbursed Charges* represents the percent increase or decrease in the charges from the first 12-month period (April 1, 1998 through March 31, 1999) to the most recent 12-month period (July 1, 2002 through June 30, 2003). **Note:** In counties with a small number of events, one or two expensive hospital discharge claims can result in large changes in the Medicare reimbursed charges over time.

Section D: Morbidity and Utilization Tables

Morbidity and Utilization Table 1a: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 1999-2001**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	81	0.23	10,792	33.1	3,793	10.7	3,741	11.5
Aitkin	1	0.45	54	35.1	21	9.4	19	12.3
Anoka	3	0.18	467	31.9	159	9.3	148	10.1
Becker	0	0.00	61	30.3	39	12.7	23	11.4
Beltrami	1	0.36	79	29.8	27	9.8	38	14.3
Benton	0	0.00	48	34.5	24	10.9	10	7.2
Big Stone	0	0.00	18	27.3	12	15.2	8	12.1
Blue Earth	0	0.00	122	32.8	41	11.4	56	15.1
Brown	0	0.00	74	33.3	27	10.7	33	14.9
Carlton	1	0.36	75	32.5	35	12.5	20	8.7
Carver	2	0.64	114	33.6	39	12.4	37	10.9
Cass	1	0.34	63	33.9	33	11.3	19	10.2
Chippewa	0	0.00	31	27.9	12	9.8	20	18.0
Chisago	0	0.00	93	34.2	37	12.7	31	11.4
Clay	0	0.00	102	29.5	39	8.9	47	13.6
Clearwater	0	0.00	21	32.3	11	13.1	11	16.9
Cook	0	0.00	17	35.4	6	12.0	5	10.4
Cottonwood	2	1.85	34	30.4	15	13.9	19	17.0
Crow Wing	3	0.52	149	31.0	58	10.0	62	12.9
Dakota	2	0.11	658	34.8	169	9.1	170	9.0
Dodge	0	0.00	34	32.7	6	4.7	15	14.4
Douglas	0	0.00	112	37.5	37	9.8	42	14.0
Faribault	0	0.00	37	27.2	22	13.1	22	16.2
Fillmore	0	0.00	57	30.3	22	11.0	26	13.8
Freeborn	1	0.33	73	28.9	38	12.5	41	16.2
Goodhue	0	0.00	111	32.2	37	10.1	40	11.6
Grant	0	0.00	16	28.1	9	10.8	7	12.3
Hennepin	26	0.36	2,620	34.5	700	9.7	758	10.0
Houston	1	0.65	43	31.4	18	11.8	14	10.2
Hubbard	0	0.00	36	25.5	36	18.1	17	12.1
Isanti	0	0.00	43	29.5	15	8.0	15	10.3
Itasca	1	0.24	97	28.1	46	10.9	48	13.9
Jackson	0	0.00	22	30.1	11	10.0	8	11.0
Kanabec	0	0.00	32	32.0	15	14.9	16	16.0
Kandiyohi	0	0.00	99	33.9	29	8.6	45	15.4
Kittson	0	0.00	18	40.0	6	10.5	5	11.1
Koochiching	2	1.36	33	29.5	16	10.9	11	9.8
Lac Qui Parle	0	0.00	18	29.5	5	6.3	12	19.7
Lake	0	0.00	34	32.4	19	13.5	13	12.4
Lake of the Woods	0	0.00	11	31.4	1	2.5	2	5.7
Le Sueur	0	0.00	50	31.8	24	9.8	18	11.5
Lincoln	0	0.00	24	36.4	10	13.7	11	16.7
Lyon	0	0.00	53	30.1	27	15.0	25	14.2
McLeod	2	0.80	63	29.9	32	12.7	34	16.1
Mahnomen	0	0.00	16	34.0	5	8.1	5	10.6
Marshall	0	0.00	31	43.1	11	11.0	7	9.7
Martin	1	0.44	56	30.3	15	6.7	31	16.8
Meeker	0	0.00	47	33.3	19	10.6	12	8.5
Mille Lacs	1	0.35	63	31.5	33	11.6	23	11.5
Morrison	1	0.30	65	28.5	34	10.3	29	12.7
Mower	1	0.24	99	28.3	36	8.7	50	14.3
Murray	0	0.00	25	32.9	16	18.2	15	19.7

Nicollet	0	0.00	57	32.0	21	10.7	20	11.2
Nobles	0	0.00	47	32.4	26	14.0	20	13.8
Norman	0	0.00	19	31.7	9	10.1	12	20.0
Olmsted	1	0.11	269	34.1	62	6.8	76	9.6
Otter Tail	2	0.31	118	28.6	64	10.0	63	15.3
Pennington	0	0.00	40	32.5	15	15.3	18	14.6
Pine	1	0.36	50	27.5	27	9.9	25	13.7
Pipestone	0	0.00	30	31.3	12	13.3	20	20.8
Polk	0	0.00	76	30.6	55	17.6	33	13.3
Pope	0	0.00	31	30.4	15	12.7	15	14.7
Ramsey	6	0.18	1,206	33.9	324	9.8	383	10.8
Red Lake	0	0.00	10	33.3	5	13.5	2	6.7
Redwood	1	0.61	44	32.4	22	13.4	20	14.7
Renville	0	0.00	45	31.0	17	11.2	20	13.8
Rice	1	0.25	93	26.6	74	18.6	66	18.9
Rock	0	0.00	33	44.6	9	9.4	8	10.8
Roseau	0	0.00	35	37.2	17	17.0	15	16.0
St Louis	4	0.23	541	33.5	222	12.6	205	12.7
Scott	0	0.00	159	36.7	48	11.0	32	7.4
Sherburne	0	0.00	98	31.6	41	9.9	37	11.9
Sibley	0	0.00	27	25.2	21	15.9	15	14.0
Stearns	3	0.31	232	28.9	98	10.0	99	12.3
Steele	2	0.76	64	31.5	40	15.3	32	15.8
Stevens	0	0.00	17	23.6	22	22.0	11	15.3
Swift	0	0.00	38	33.6	9	8.9	12	10.6
Todd	0	0.00	51	29.3	26	10.5	21	12.1
Traverse	0	0.00	13	31.7	6	12.2	9	22.0
Wabasha	0	0.00	62	37.6	33	16.8	19	11.5
Wadena	0	0.00	31	27.2	14	8.8	15	13.2
Waseca	0	0.00	37	30.8	22	14.0	12	10.0
Washington	4	0.36	446	39.2	111	10.1	94	8.3
Watonwan	0	0.00	35	33.0	13	12.4	11	10.4
Wilkin	0	0.00	19	33.3	14	20.3	6	10.5
Winona	1	0.27	114	34.3	47	12.5	43	13.0
Wright	1	0.18	148	32.9	65	11.9	49	10.9
Yellow Medicine	1	0.84	39	38.2	13	10.9	10	9.8

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 1999, 2000 and 2001.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Breast C50.0 - C50.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Colon & Rectum C18.0 - C18.9, C19.9, C20.9, C26.0, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity and Utilization Table 1b: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 1999-2001**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,537	12.7	3,579	11.0	11,862	33.3	0	0.0
Aitkin	35	15.7	25	16.2	73	32.7	0	0.0
Anoka	209	12.3	211	14.4	609	35.8	0	0.0
Becker	39	12.7	20	10.0	110	35.8	0	0.0
Beltrami	40	14.5	30	11.3	90	32.6	0	0.0
Benton	25	11.3	13	9.4	91	41.2	0	0.0
Big Stone	12	15.2	9	13.6	28	35.4	0	0.0
Blue Earth	40	11.1	30	8.1	116	32.3	0	0.0
Brown	18	7.1	9	4.1	92	36.4	0	0.0
Carlton	33	11.8	21	9.1	78	28.0	0	0.0
Carver	31	9.9	28	8.3	110	35.0	0	0.0
Cass	42	14.4	23	12.4	99	33.9	0	0.0
Chippewa	19	15.4	7	6.3	50	40.7	0	0.0
Chisago	36	12.3	28	10.3	102	34.9	0	0.0
Clay	56	12.8	36	10.4	185	42.4	0	0.0
Clearwater	9	10.7	5	7.7	33	39.3	0	0.0
Cook	6	12.0	6	12.5	13	26.0	0	0.0
Cottonwood	9	8.3	10	8.9	44	40.7	0	0.0
Crow Wing	71	12.3	63	13.1	232	40.1	0	0.0
Dakota	221	11.9	182	9.6	575	30.9	0	0.0
Dodge	18	14.2	15	14.4	48	37.8	0	0.0
Douglas	53	14.1	22	7.4	146	38.7	0	0.0
Faribault	24	14.3	16	11.8	55	32.7	0	0.0
Fillmore	26	13.0	22	11.7	57	28.5	0	0.0
Freeborn	31	10.2	22	8.7	115	37.7	0	0.0
Goodhue	36	9.8	28	8.1	131	35.6	0	0.0
Grant	7	8.4	10	17.5	31	37.3	0	0.0
Hennepin	966	13.4	895	11.8	2,175	30.1	0	0.0
Houston	19	12.4	14	10.2	46	30.1	0	0.0
Hubbard	29	14.6	21	14.9	64	32.2	0	0.0
Isanti	26	13.9	14	9.6	72	38.5	0	0.0
Itasca	78	18.4	55	15.9	133	31.4	0	0.0
Jackson	12	10.9	7	9.6	42	38.2	0	0.0
Kanabec	16	15.8	13	13.0	37	36.6	0	0.0
Kandiyohi	46	13.7	22	7.5	120	35.7	0	0.0
Kittson	10	17.5	6	13.3	18	31.6	0	0.0
Koochiching	16	10.9	15	13.4	45	30.6	0	0.0
Lac Qui Parle	10	12.5	2	3.3	31	38.8	0	0.0
Lake	26	18.4	16	15.2	41	29.1	0	0.0
Lake of the Woods	11	27.5	3	8.6	16	40.0	0	0.0
Le Sueur	43	17.6	21	13.4	70	28.7	0	0.0
Lincoln	8	11.0	4	6.1	31	42.5	0	0.0
Lyon	24	13.3	16	9.1	48	26.7	0	0.0
McLeod	15	6.0	19	9.0	91	36.3	0	0.0
Mahnomen	4	6.5	8	17.0	23	37.1	0	0.0
Marshall	10	10.0	8	11.1	37	37.0	0	0.0
Martin	31	13.8	16	8.6	82	36.4	0	0.0
Meeker	21	11.7	17	12.1	61	33.9	0	0.0
Mille Lacs	32	11.3	23	11.5	112	39.4	0	0.0
Morrison	30	9.1	20	8.8	135	40.8	0	0.0
Mower	72	17.4	40	11.4	152	36.8	0	0.0
Murray	17	19.3	4	5.3	27	30.7	0	0.0

Nicollet	24	12.2	17	9.6	52	26.4	0	0.0
Nobles	24	12.9	7	4.8	61	32.8	0	0.0
Norman	9	10.1	2	3.3	39	43.8	0	0.0
Olmsted	110	12.0	78	9.9	304	33.2	0	0.0
Otter Tail	79	12.3	39	9.5	278	43.2	0	0.0
Pennington	12	12.2	8	6.5	28	28.6	0	0.0
Pine	46	16.8	29	15.9	92	33.6	0	0.0
Pipestone	7	7.8	6	6.3	38	42.2	0	0.0
Polk	37	11.9	23	9.3	102	32.7	0	0.0
Pope	15	12.7	6	5.9	34	28.8	0	0.0
Ramsey	465	14.1	438	12.3	1,010	30.5	0	0.0
Red Lake	6	16.2	5	16.7	17	45.9	0	0.0
Redwood	19	11.6	13	9.6	64	39.0	0	0.0
Renville	16	10.5	10	6.9	49	32.2	0	0.0
Rice	50	12.6	34	9.7	132	33.2	0	0.0
Rock	8	8.3	4	5.4	38	39.6	0	0.0
Roseau	12	12.0	3	3.2	30	30.0	0	0.0
St. Louis	233	13.2	195	12.1	559	31.6	0	0.0
Scott	46	10.6	44	10.2	153	35.1	0	0.0
Sherburne	51	12.3	37	11.9	139	33.4	0	0.0
Sibley	11	8.3	3	2.8	47	35.6	0	0.0
Stearns	101	10.3	67	8.4	393	40.1	0	0.0
Steele	27	10.3	25	12.3	82	31.3	0	0.0
Stevens	9	9.0	6	8.3	34	34.0	0	0.0
Swift	23	22.8	12	10.6	29	28.7	0	0.0
Todd	33	13.4	20	11.5	92	37.2	0	0.0
Traverse	3	6.1	4	9.8	21	42.9	0	0.0
Wabasha	19	9.6	21	12.7	53	26.9	0	0.0
Wadena	16	10.0	17	14.9	61	38.1	0	0.0
Waseca	20	12.7	14	11.7	46	29.3	0	0.0
Washington	122	11.1	111	9.7	346	31.6	0	0.0
Watonwan	19	18.1	8	7.5	46	43.8	0	0.0
Wilkin	13	18.8	5	8.8	20	29.0	0	0.0
Winona	59	15.6	36	10.8	111	29.4	0	0.0
Wright	57	10.5	48	10.7	198	36.4	0	0.0
Yellow Medicine	18	15.1	14	13.7	42	35.3	0	0.0

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 1999, 2000 and 2001.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Lung & Bronchus C34.0 - C34.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Prostate C61.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity and Utilization Table 1c: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 1999-2001**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	15,312	43.0	14,502	44.5	35,585	100.0	32,614	100.0
Aitkin	93	41.7	56	36.4	223	100.0	154	100.0
Anoka	721	42.4	639	43.6	1,701	100.0	1,465	100.0
Becker	119	38.8	97	48.3	307	100.0	201	100.0
Beltrami	118	42.8	118	44.5	276	100.0	265	100.0
Benton	81	36.7	68	48.9	221	100.0	139	100.0
Big Stone	27	34.2	31	47.0	79	100.0	66	100.0
Blue Earth	162	45.1	164	44.1	359	100.0	372	100.0
Brown	116	45.8	106	47.7	253	100.0	222	100.0
Carlton	132	47.3	115	49.8	279	100.0	231	100.0
Carver	132	42.0	160	47.2	314	100.0	339	100.0
Cass	117	40.1	81	43.5	292	100.0	186	100.0
Chippewa	42	34.1	53	47.7	123	100.0	111	100.0
Chisago	117	40.1	120	44.1	292	100.0	272	100.0
Clay	156	35.8	161	46.5	436	100.0	346	100.0
Clearwater	31	36.9	28	43.1	84	100.0	65	100.0
Cook	25	50.0	20	41.7	50	100.0	48	100.0
Cottonwood	38	35.2	49	43.8	108	100.0	112	100.0
Crow Wing	214	37.0	207	43.0	578	100.0	481	100.0
Dakota	894	48.0	879	46.5	1,861	100.0	1,889	100.0
Dodge	55	43.3	40	38.5	127	100.0	104	100.0
Douglas	141	37.4	123	41.1	377	100.0	299	100.0
Faribault	67	39.9	61	44.9	168	100.0	136	100.0
Fillmore	95	47.5	83	44.1	200	100.0	188	100.0
Freeborn	120	39.3	117	46.2	305	100.0	253	100.0
Goodhue	164	44.6	166	48.1	368	100.0	345	100.0
Grant	36	43.4	24	42.1	83	100.0	57	100.0
Hennepin	3,357	46.5	3,322	43.7	7,224	100.0	7,595	100.0
Houston	69	45.1	66	48.2	153	100.0	137	100.0
Hubbard	70	35.2	67	47.5	199	100.0	141	100.0
Isanti	74	39.6	74	50.7	187	100.0	146	100.0
Itasca	165	39.0	145	42.0	423	100.0	345	100.0
Jackson	45	40.9	36	49.3	110	100.0	73	100.0
Kanabec	33	32.7	39	39.0	101	100.0	100	100.0
Kandiyohi	141	42.0	126	43.2	336	100.0	292	100.0
Kittson	23	40.4	16	35.6	57	100.0	45	100.0
Koochiching	68	46.3	53	47.3	147	100.0	112	100.0
Lac Qui Parle	34	42.5	29	47.5	80	100.0	61	100.0
Lake	55	39.0	42	40.0	141	100.0	105	100.0
Lake of the Woods	12	30.0	19	54.3	40	100.0	35	100.0
Le Sueur	107	43.9	68	43.3	244	100.0	157	100.0
Lincoln	24	32.9	27	40.9	73	100.0	66	100.0
Lyon	81	45.0	82	46.6	180	100.0	176	100.0
McLeod	111	44.2	95	45.0	251	100.0	211	100.0
Mahnomen	30	48.4	18	38.3	62	100.0	47	100.0
Marshall	42	42.0	26	36.1	100	100.0	72	100.0
Martin	96	42.7	82	44.3	225	100.0	185	100.0
Meeker	79	43.9	65	46.1	180	100.0	141	100.0
Mille Lacs	106	37.3	91	45.5	284	100.0	200	100.0
Morrison	131	39.6	114	50.0	331	100.0	228	100.0
Mower	152	36.8	161	46.0	413	100.0	350	100.0
Murray	28	31.8	32	42.1	88	100.0	76	100.0

Nicollet	100	50.8	84	47.2	197	100.0	178	100.0
Nobles	75	40.3	71	49.0	186	100.0	145	100.0
Norman	32	36.0	27	45.0	89	100.0	60	100.0
Olmsted	440	48.0	365	46.3	917	100.0	788	100.0
Otter Tail	220	34.2	192	46.6	643	100.0	412	100.0
Pennington	43	43.9	57	46.3	98	100.0	123	100.0
Pine	108	39.4	78	42.9	274	100.0	182	100.0
Pipestone	33	36.7	40	41.7	90	100.0	96	100.0
Polk	118	37.8	116	46.8	312	100.0	248	100.0
Pope	54	45.8	50	49.0	118	100.0	102	100.0
Ramsey	1,502	45.4	1,529	43.0	3,307	100.0	3,556	100.0
Red Lake	9	24.3	13	43.3	37	100.0	30	100.0
Redwood	58	35.4	59	43.4	164	100.0	136	100.0
Renville	70	46.1	70	48.3	152	100.0	145	100.0
Rice	141	35.4	156	44.7	398	100.0	349	100.0
Rock	41	42.7	29	39.2	96	100.0	74	100.0
Roseau	41	41.0	41	43.6	100	100.0	94	100.0
St. Louis	750	42.4	673	41.7	1,768	100.0	1,614	100.0
Scott	189	43.3	198	45.7	436	100.0	433	100.0
Sherburne	185	44.5	138	44.5	416	100.0	310	100.0
Sibley	53	40.2	62	57.9	132	100.0	107	100.0
Stearns	384	39.2	404	50.4	979	100.0	802	100.0
Steele	111	42.4	82	40.4	262	100.0	203	100.0
Stevens	35	35.0	38	52.8	100	100.0	72	100.0
Swift	40	39.6	51	45.1	101	100.0	113	100.0
Todd	96	38.9	82	47.1	247	100.0	174	100.0
Traverse	19	38.8	15	36.6	49	100.0	41	100.0
Wabasha	92	46.7	63	38.2	197	100.0	165	100.0
Wadena	69	43.1	51	44.7	160	100.0	114	100.0
Waseca	69	43.9	57	47.5	157	100.0	120	100.0
Washington	513	46.8	488	42.8	1,096	100.0	1,139	100.0
Watonwan	27	25.7	52	49.1	105	100.0	106	100.0
Wilkin	22	31.9	27	47.4	69	100.0	57	100.0
Winona	159	42.2	139	41.9	377	100.0	332	100.0
Wright	223	41.0	205	45.6	544	100.0	450	100.0
Yellow Medicine	45	37.8	39	38.2	119	100.0	102	100.0

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 1999, 2000 and 2001.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Other Cell types M959_ - M998_, and all other Site Codes

Total Includes all microscopically-confirmed or Death-Certificate-Only cancers

(Counts include invasive cancers only, with the exception of cancers of urinary bladder, which include in situ cancers.)

Morbidity and Utilization Table 2: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota by State and County, 2003*

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	1	207	52	55
Aitkin	0	0	0	0
Anoka	0	7	1	1
Becker	0	0	0	0
Beltrami	0	6	0	0
Benton	0	0	0	0
Big Stone	0	0	0	0
Blue Earth	0	0	2	0
Brown	0	0	0	0
Carlton	0	4	0	0
Carver	0	2	3	1
Cass	0	0	0	2
Chippewa	0	1	0	0
Chisago	0	3	1	1
Clay	0	0	0	0
Clearwater	0	0	0	0
Cook	0	0	0	0
Cottonwood	0	0	0	0
Crow Wing	0	0	0	0
Dakota	0	26	3	1
Dodge	0	1	0	0
Douglas	0	0	0	0
Faribault	0	0	0	0
Fillmore	0	1	1	0
Freeborn	0	1	0	0
Goodhue	1	1	0	0
Grant	0	0	0	0
Hennepin	0	68	23	27
Houston	0	5	0	0
Hubbard	0	0	0	0
Isanti	0	0	0	2
Itasca	0	0	0	0
Jackson	0	0	0	0
Kanabec	0	0	0	0
Kandiyohi	0	2	0	0
Kittson	0	0	0	0
Koochiching	0	0	0	0
Lac Qui Parle	0	0	0	0
Lake	0	0	0	0
Lake of the Woods	0	0	0	0
Le Sueur	0	0	1	0
Lincoln	0	0	0	0
Lyon	0	4	0	0
McLeod	0	0	1	0
Mahnomen	0	0	0	0
Marshall	0	0	0	0
Martin	0	0	0	0
Meeker	0	1	0	0
Mille Lacs	0	1	0	0
Morrison	0	0	0	0
Mower	0	4	1	1
Murray	0	0	0	0
Nicollet	0	0	0	0

Nobles	0	0	0	0
Norman	0	0	0	0
Olmsted	0	7	2	0
Otter Tail	0	1	0	1
Pennington	0	0	0	0
Pine	0	2	0	0
Pipestone	0	1	0	0
Polk	0	0	0	0
Pope	0	4	0	0
Ramsey	0	14	2	9
Red Lake	0	1	0	0
Redwood	0	2	0	0
Renville	0	1	0	0
Rice	0	0	2	0
Rock	0	1	0	0
Roseau	0	0	0	0
St. Louis	0	7	0	5
Scott	0	9	1	0
Sherburne	0	3	1	1
Sibley	0	0	0	0
Stearns	0	2	4	1
Steele	0	0	0	0
Stevens	0	0	0	0
Swift	0	1	0	0
Todd	0	0	0	0
Traverse	0	0	0	0
Wabasha	0	0	1	0
Wadena	0	0	0	0
Waseca	0	0	0	0
Washington	0	11	0	0
Watonwan	0	0	0	0
Wilkin	0	0	0	0
Winona	0	1	0	1
Wright	0	1	2	1
Yellow Medicine	0	0	0	0

Source: Minnesota Department of Health - Immunization, TB & International Health Section

*Note: There were no cases of measles, diphtheria, tetanus, rubella or polio in Minnesota in 2003

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Infectious Disease Epidemiology Prevention and Control Division at 612/676-5414 or at 877/676-5414

Morbidity and Utilization Table 3a: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County, 2003

	Chlamydia	Gonorrhea	Primary/Secondary Syphilis	Syphilis - All Stages*	HIV
State of Minnesota	10,714	3,202	47	195	266
Aitkin	14	1	0	0	0
Anoka	495	133	2	8	9
Becker	37	7	0	0	0
Beltrami	99	14	0	0	0
Benton	34	5	0	0	0
Big Stone	0	0	0	0	0
Blue Earth	154	41	0	0	0
Brown	12	2	0	0	1
Carlton	50	10	0	0	0
Carver	43	11	0	1	0
Cass	37	5	0	0	0
Chippewa	16	3	0	0	1
Chisago	55	3	0	1	2
Clay	52	5	0	0	0
Clearwater	5	0	0	0	0
Cook	3	1	0	0	0
Cottonwood	8	2	0	0	0
Crow Wing	67	4	0	1	3
Dakota	621	130	1	5	9
Dodge	24	3	0	0	0
Douglas	20	0	0	0	0
Faribault	11	1	0	0	0
Fillmore	23	1	0	0	0
Freeborn	28	2	0	1	1
Goodhue	49	6	0	1	0
Grant	2	0	0	0	0
Hennepin	4,190	1,751	32	115	157
Houston	17	2	0	0	0
Hubbard	11	0	0	0	0
Isanti	34	9	0	0	2
Itasca	67	8	0	0	0
Jackson	4	0	0	0	0
Kanabec	10	2	0	0	0
Kandiyohi	59	4	0	1	0
Kittson	1	0	0	0	0
Koochiching	11	3	0	0	0
Lac Qui Parle	4	1	0	0	0
Lake	6	2	0	0	0
Lake of the Woods	2	0	0	0	0
Le Sueur	23	3	0	0	0
Lincoln	1	1	0	0	0
Lyon	30	5	0	0	0
McLeod	36	11	0	1	0
Mahnomen	11	3	0	0	0
Marshall	7	1	0	0	0
Martin	14	3	0	2	0
Meeker	15	3	0	0	1
Mille Lacs	13	2	0	0	1
Morrison	21	1	0	0	2
Mower	67	12	0	0	0
Murray	8	0	0	0	0

Nicollet	15	2	0	0	0
Nobles	26	4	0	2	0
Norman	1	0	0	0	0
Olmsted	274	67	2	3	6
Otter Tail	32	7	0	1	0
Pennington	29	5	0	0	1
Pine	16	1	0	0	0
Pipestone	5	0	0	0	0
Polk	36	5	0	0	0
Pope	5	1	0	0	0
Ramsey	2,042	642	7	35	50
Red Lake	3	0	0	0	0
Redwood	13	0	0	0	0
Renville	15	1	0	0	0
Rice	73	9	0	0	2
Rock	5	0	0	0	0
Roseau	14	1	0	0	0
St. Louis	453	74	0	1	3
Scott	114	19	0	1	1
Sherburne	54	7	1	2	0
Sibley	11	1	0	0	0
Stearns	294	35	2	7	1
Steele	52	14	0	1	0
Stevens	8	0	0	0	0
Swift	14	0	0	0	0
Todd	17	0	0	0	0
Traverse	1	0	0	0	0
Wabasha	44	5	0	0	0
Wadena	10	0	0	0	0
Waseca	28	4	0	0	0
Washington	231	52	0	3	6
Watonwan	16	3	0	0	1
Wilkin	3	0	0	0	0
Winona	45	16	0	0	2
Wright	84	8	0	2	0
Yellow Medicine	10	2	0	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

*Neurosyphilis, primary, secondary, early latent, late latent, congenital and other syphilis

** Cases of newly diagnosed HIV infection = Minnesota residents diagnosed with HIV infection (HIV or AIDS at first report) in the time period 1/1/03 - 12/31/03.

HIV Surveillance Reports, MDH www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html

STD Surveillance Reports, MDH: www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 612/676-5414

Morbidity and Utilization Table 3b: Number of Cases of Other Selected Diseases Reported in Minnesota by State and County, 2003

	Campylo- bacteriosis	Giardiasis	Lyme Disease	Rabies in Animals	Salmonellosis	Shigellosis	Tuberculosis
State of Minnesota	937	851	473	48	580	103	214
Aitkin	2	1	9	0	1	0	0
Anoka	34	33	56	0	27	4	8
Becker	7	7	3	0	3	0	1
Beltrami	3	4	1	0	7	1	1
Benton	11	13	3	2	8	0	2
Big Stone	0	0	0	2	1	0	0
Blue Earth	9	9	0	1	7	0	1
Brown	4	3	1	1	3	0	0
Carlton	2	2	8	0	2	0	0
Carver	18	28	6	0	10	0	1
Cass	5	3	13	0	2	0	0
Chippewa	2	3	0	0	0	0	0
Chisago	11	6	16	0	5	0	1
Clay	6	4	1	4	1	0	0
Clearwater	1	0	1	0	1	0	1
Cook	0	0	1	0	0	0	0
Cottonwood	5	3	0	0	2	0	0
Crow Wing	4	12	46	1	4	1	0
Dakota	70	57	24	0	43	8	11
Dodge	4	2	0	0	1	0	0
Douglas	14	4	0	1	5	0	0
Faribault	2	1	0	1	2	0	0
Fillmore	12	9	1	0	1	0	0
Freeborn	5	1	3	2	2	1	0
Goodhue	15	7	5	0	7	0	0
Grant	0	0	0	0	0	0	0
Hennepin	214	224	65	6	118	45	114
Houston	11	4	15	0	5	1	0
Hubbard	3	3	4	0	0	1	0
Isanti	5	3	4	0	3	0	0
Itasca	3	2	4	0	1	0	2
Jackson	1	0	0	0	2	0	0
Kanabec	3	4	4	0	2	0	0
Kandiyohi	15	10	0	0	6	1	1
Kittson	0	0	0	1	0	0	0
Koochiching	2	1	0	0	0	0	0
Lac Qui Parle	1	1	0	2	2	0	0
Lake	0	0	1	0	1	0	0
Lake of the Woods	0	1	0	0	0	0	0
Le Sueur	3	2	0	0	1	0	0
Lincoln	3	1	0	0	1	0	0
Lyon	9	8	0	0	1	0	3
McLeod	8	6	3	0	1	0	0
Mahnomen	0	1	0	0	2	0	0
Marshall	1	0	0	1	0	0	0
Martin	3	1	0	1	0	0	0
Meeker	5	4	1	1	4	0	0
Mille Lacs	1	3	4	0	17	0	0
Morrison	9	4	10	1	3	0	0
Mower	6	7	0	3	1	0	1
Murray	2	1	0	0	0	0	0

Nicollet	2	1	1	0	2	0	0
Nobles	9	1	0	2	7	1	2
Norman	1	0	0	0	0	0	0
Olmsted	39	30	2	0	22	4	22
Otter Tail	15	7	1	2	7	0	0
Pennington	1	0	0	0	0	0	0
Pine	6	6	15	0	0	1	0
Pipestone	7	3	0	1	0	0	0
Polk	4	1	0	0	5	1	0
Pope	6	7	0	0	1	0	0
Ramsey	79	96	42	1	75	18	29
Red Lake	1	0	0	1	0	0	0
Redwood	6	1	0	0	3	0	0
Renville	2	2	0	0	3	0	0
Rice	9	11	1	1	3	1	3
Rock	1	1	0	0	1	0	0
Roseau	3	0	0	0	0	0	0
St. Louis	20	18	7	0	56	0	2
Scott	14	14	5	0	9	2	3
Sherburne	12	13	12	0	16	0	0
Sibley	4	3	0	1	2	0	0
Stearns	44	49	13	0	10	9	1
Steele	7	11	1	0	3	0	0
Stevens	5	2	0	0	2	0	0
Swift	4	1	0	0	0	0	0
Todd	4	2	0	1	2	0	0
Traverse	0	1	0	1	1	0	0
Wabasha	10	7	3	0	3	0	0
Wadena	5	3	0	2	0	0	0
Waseca	2	0	0	2	3	0	0
Washington	18	19	40	0	14	3	3
Watonwan	2	1	1	1	2	0	0
Wilkin	1	0	0	1	0	0	0
Winona	24	8	12	0	2	0	1
Wright	13	21	4	0	6	0	0
Yellow Medicine	3	6	0	0	4	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 612/676-5414.

Morbidity and Utilization Table 4a: Number of Selected Health Care Providers in Minnesota by State and County*

	Dentists 2004	Dental Assistants 2003	Dental Hygienists 2004	Primary Care Physicians 2003	Physicians 2003	Physicians per 10,000 population 2004
State of Minnesota	1,872	4,027	2,724	4,784	9,427	18.6
Aitkin	3	4	2	9	10	6.3
Anoka	106	257	151	189	379	12.1
Becker	5	8	10	23	32	10.3
Beltrami	6	28	15	33	59	14.1
Benton	6	22	10	3	3	0.8
Big Stone	1	3	1	6	6	10.6
Blue Earth	27	66	42	54	133	23.2
Brown	11	10	12	30	38	14.3
Carlton	14	23	14	31	38	11.5
Carver	16	34	33	61	97	12.3
Cass	8	8	2	14	14	5.0
Chippewa	3	9	3	9	10	7.8
Chisago	13	24	18	31	46	10.0
Clay	19	37	33	14	20	3.8
Clearwater	3	2	2	3	4	4.7
Cook	1		1	5	5	9.5
Cottonwood	3	6	2	8	8	6.7
Crow Wing	30	79	36	50	96	16.4
Dakota	136	339	248	214	289	7.7
Dodge	2	5	4	4	4	2.1
Douglas	13	35	22	34	58	17.0
Faribault	4	5	3	7	9	5.7
Fillmore	4	6	7	7	8	3.8
Freeborn	8	17	6	20	39	12.2
Goodhue	19	17	26	32	52	11.5
Grant	1	1	1	1	1	1.6
Hennepin	543	1,069	761	1,530	3,244	28.9
Houston	5	9	6	7	7	3.5
Hubbard	5	6	5	12	18	9.7
Isanti	7	19	14	26	38	10.7
Itasca	15	49	19	34	54	12.2
Jackson	1	4	3	4	4	3.6
Kanabec	5	8	3	11	13	8.2
Kandiyohi	19	40	14	50	92	22.4
Kittson	4	1	1	1	1	2.0
Koochiching	3	6	3	11	16	11.4
Lac Qui Parle	2	2	1	6	6	7.6
Lake	2	3	4	9	11	9.9
Lake of the Woods			1	4	4	9.1
Le Sueur	5	10	8	7	7	2.6
Lincoln	2	3	1	9	9	14.6
Lyon	6	22	10	18	24	9.7
McLeod	17	33	26	37	49	13.7
Mahnomen	0	0	0	3	3	5.9
Marshall	2	1	2	1	1	1.0
Martin	5	12	11	25	41	19.3
Meeker	3	6	8	13	15	6.5
Mille Lacs	4	16	10	25	29	11.9
Morrison	6	18	8	19	26	8.0
Mower	13	16	17	32	52	13.4

Murray	1	0	1	5	5	5.6
Nicollet	10	16	14	10	20	6.5
Nobles	7	16	7	18	22	10.7
Norman	1	4	4	2	2	2.8
Olmsted	61	152	96	451	1,529	116.4
Otter Tail	13	23	26	28	55	9.3
Pennington	5	7	6	17	26	19.1
Pine	3	9	9	9	10	3.6
Pipestone	3	9	1	5	6	6.2
Polk	9	15	17	11	15	4.9
Pope	3	4	2	8	8	7.1
Ramsey	207	494	304	584	1,148	22.7
Red Lake	1	2	1	0	0	0.0
Redwood	3	12	5	8	9	5.5
Renville	4	7	1	6	6	3.6
Rice	21	38	34	47	66	11.1
Rock	3	4	1	6	7	7.3
Roseau	4	5	7	9	9	5.5
St. Louis	97	139	103	207	416	20.9
Scott	24	45	63	59	70	6.4
Sherburne	11	43	24	24	28	3.7
Sibley	5	6	3	5	5	3.3
Stearns	54	157	84	126	272	19.8
Steele	17	31	20	34	50	14.4
Stevens	4	3	4	6	10	10.1
Swift	3	8	6	8	8	6.9
Todd	8	14	6	16	17	7.0
Traverse	1	1	4	1	2	5.1
Wabasha	7	12	14	15	18	8.1
Wadena	1	14	6	10	13	9.6
Waseca	7	11	12	16	16	8.2
Washington	92	217	125	154	210	9.8
Watonwan	2	8	2	7	8	6.9
Wilkin	1	5	6	0	6	8.6
Winona	13	31	20	31	46	9.3
Wright	23	57	42	47	57	5.6
Yellow Medicine	7	10	4	8	10	9.4

Sources: Minnesota Department of Health, Office of Rural Health and Primary Care and US Census

Number of Providers:

The number refers to health professionals who are actively working in the county. Primary care physician refers to a physician with a primary specialty of general practice, family practice, internal medicine, pediatrics, obstetrics, gynecology, or obstetrics/gynecology.

The Office of Rural Health and Primary Care maintains a database of about 110,000 Minnesota medical professionals. Although these health practitioners do not have to complete the surveys to renew licensure or registration, response rates vary between 60% and 90% depending on the position surveyed.

Morbidity and Utilization Table 4b: Number of Selected Health Care Providers in Minnesota by State and County, 2003*

	Physician Assistants 2003	Physical Therapists 2003	Respiratory Care Practitioners 2003
State of Minnesota	658	2,331	1,203
Aitkin	2	5	5
Anoka	33	109	51
Becker	1	8	8
Beltrami	5	21	11
Benton	3	6	2
Big Stone	0	3	2
Blue Earth	10	24	9
Brown	3	13	4
Carlton	3	19	5
Carver	7	36	11
Cass	4	6	0
Chippewa	0	2	0
Chisago	4	16	11
Clay	6	8	0
Clearwater	1	1	1
Cook	0	4	0
Cottonwood	2	3	0
Crow Wing	5	25	12
Dakota	27	103	27
Dodge	0	1	0
Douglas	2	16	8
Faribault	3	3	0
Fillmore	1	3	0
Freeborn	4	11	3
Goodhue	6	14	7
Grant	1	1	0
Hennepin	164	743	338
Houston	2	2	0
Hubbard	3	4	4
Isanti	4	15	7
Itasca	3	24	7
Jackson	2	1	0
Kanabec	1	6	2
Kandiyohi	3	16	13
Kittson	2	0	0
Koochiching	0	4	0
Lac Qui Parle	1	2	0
Lake	0	4	0
Lake of the Woods	0	1	0
Le Sueur	0	1	0
Lincoln	1	3	0
Lyon	4	6	4
McLeod	4	12	1
Mahnomen	3	1	0
Marshall	1	2	0
Martin	7	8	5
Meeker	2	5	0
Mille Lacs	13	13	2
Morrison	4	9	4
Mower	5	12	8

Murray	1	0	2
Nicollet	1	10	0
Nobles	1	6	1
Norman	2	1	0
Olmsted	74	145	142
Otter Tail	5	18	9
Pennington	3	7	3
Pine	0	4	0
Pipestone	2	2	1
Polk	5	11	4
Pope	1	2	0
Ramsey	65	303	283
Red Lake	0	1	0
Redwood	0	4	1
Renville	0	2	0
Rice	3	28	2
Rock	0	5	2
Roseau	2	6	1
St. Louis	31	147	84
Scott	1	24	13
Sherburne	9	10	1
Sibley	0	0	0
Stearns	35	72	39
Steele	2	17	3
Stevens	1	2	1
Swift	0	2	0
Todd	4	7	0
Traverse	3	0	0
Wabasha	2	7	2
Wadena	2	7	4
Waseca	1	3	0
Washington	19	68	16
Watonwan	3	4	0
Wilkin	0	2	1
Winona	3	16	1
Wright	13	28	13
Yellow Medicine	2	5	2

Sources: Minnesota Department of Health, Office of Rural Health and Primary Care and US Census

Number of Providers:

The number refers to health professionals who are actively working in the county. The Office of Rural Health and Primary Care maintains a database of about 110,000 Minnesota medical professionals. Although these health practitioners do not have to complete the surveys to renew licensure or registration, response rates vary between 60% and 90% depending on the position surveyed.

Morbidity and Utilization Table 5a: Minnesota Nonfatal Traumatic Brain Injuries Number and Rate per 100,000 population by State and County, 2001-2003

	2001		2002		2003	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	3,955	80.1	4,150	81.9	4,362	85.2
Aitkin	12	*	12	*	18	*
Anoka	236	91.7	215	74.6	228	78.0
Becker	5	*	11	*	7	*
Beltrami	29	72.9	18	*	22	55.8
Benton	53	156.8	34	93.3	49	135.8
Big Stone	5	*	3	*	5	*
Blue Earth	30	54.0	31	51.9	46	75.1
Brown	14	*	21	72.0	26	84.9
Carlton	30	91.8	28	82.9	34	98.2
Carver	44	73.8	35	48.5	60	83.6
Cass	19	*	27	96.4	30	107.4
Chippewa	9	*	11	*	11	*
Chisago	29	71.5	46	105.7	53	114.4
Clay	5	*	2	*	4	*
Clearwater	2	*	5	*	6	*
Cook	3	*	3	*	12	*
Cottonwood	10	*	4	*	4	*
Crow Wing	64	113.3	55	92.4	44	71.9
Dakota	216	68.2	259	78.2	259	78.5
Dodge	24	133.0	21	106.9	19	*
Douglas	21	58.5	26	71.1	28	73.4
Faribault	28	166.4	19	*	18	*
Fillmore	27	135.9	26	119.4	22	96.7
Freeborn	21	60.9	31	94.6	22	63.3
Goodhue	58	136.3	60	135.4	50	108.6
Grant	2	*	10	*	4	*
Hennepin	1,008	91.8	959	86.8	1,016	91.4
Houston	8	*	5	*	8	*
Hubbard	2	*	5	*	12	*
Isanti	27	91.5	32	95.5	35	94.0
Itasca	44	97.5	30	65.0	45	102.9
Jackson	4	*	3	*	4	*
Kanabec	16	*	16	*	14	*
Kandiyohi	26	60.1	27	63.1	28	68.0
Kittson	0	*	3	*	1	*
Koochiching	8	*	9	*	11	*
Lac Qui Parle	1	*	2	*	10	*
Lake	11	*	6	*	8	*
Lake of the Woods	1	*	4	*	4	*
Le Sueur	26	94.9	30	110.7	34	121.0
Lincoln	3	*	1	*	1	*
Lyon	14	*	11	*	18	*
McLeod	27	76.6	22	59.4	37	95.7
Mahnomen	5	*	0	*	3	*
Marshall	1	*	7	*	0	*
Martin	15	*	16	*	18	*
Meeker	17	*	18	*	14	*
Mille Lacs	37	177.8	42	173.9	49	205.7
Morrison	30	94.6	29	87.9	38	110.1
Mower	35	87.9	45	102.4	34	74.6

Murray	5	*	1	*	3	*
Nicollet	10	*	20	64.1	14	*
Nobles	5	*	4	*	7	*
Norman	2	*	1	*	1	*
Olmsted	142	117.7	185	144.9	97	74.1
Otter Tail	14	*	32	46.1	40	60.1
Pennington	3	*	6	*	1	*
Pine	24	91.2	42	152.2	26	90.4
Pipestone	1	*	1	*	10	*
Polk	2	*	14	*	8	*
Pope	5	*	6	*	9	*
Ramsey	432	84.4	498	96.1	537	104.3
Red Lake	0	*	1	*	1	*
Redwood	11	*	10	*	24	155.6
Renville	12	*	12	*	15	*
Rice	51	88.9	42	65.2	44	70.5
Rock	1	*	1	*	4	*
Roseau	3	*	11	*	1	*
St. Louis	210	100.5	198	92.0	220	104.5
Scott	71	90.8	64	69.4	75	81.1
Sherburne	54	84.8	57	88.2	86	117.2
Sibley	22	130.5	13	*	11	*
Stearns	122	93.7	124	91.2	134	97.8
Steele	24	68.2	44	125.7	32	90.6
Stevens	10	*	11	*	13	*
Swift	10	*	12	*	16	*
Todd	20	80.6	16	*	22	88.3
Traverse	5	*	7	*	1	*
Wabasha	26	119.6	36	162.9	23	107.7
Wadena	9	*	14	*	10	*
Waseca	19	*	14	*	22	111.9
Washington	124	72.6	160	87.7	169	86.6
Watsonwan	6	*	11	*	5	*
Wilkin	3	*	6	*	2	*
Winona	46	90.7	36	73.6	34	62.8
Wright	72	86.9	93	95.6	95	97.6
Yellow Medicine	13	*	7	*	13	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Traumatic Brain Injuries (TBI): Numbers are traumatic brain injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Traumatic Brain Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity and Utilization Table 5b: Minnesota Spinal Cord Injury Number and Annualized Rate per 100,000 population by State and County, 2001-2003

	2001	2002	2003	Annualized Rate 2000-2003
	Number	Number	Number	
State of Minnesota	245	241	242	4.8
Aitkin	2	2	1	*
Anoka	12	17	8	4.0
Becker	0	0	0	*
Beltrami	5	2	0	*
Benton	7	2	4	*
Big Stone	0	0	0	*
Blue Earth	3	3	2	*
Brown	0	2	0	*
Carlton	0	0	1	*
Carver	4	2	3	*
Cass	1	1	4	*
Chippewa	0	0	1	*
Chisago	1	2	2	*
Clay	0	1	0	*
Clearwater	0	0	0	*
Cook	0	0	0	*
Cottonwood	0	0	0	*
Crow Wing	6	3	4	*
Dakota	11	16	10	3.7
Dodge	2	0	1	*
Douglas	2	3	1	*
Faribault	2	1	1	*
Fillmore	1	0	2	*
Freeborn	2	3	1	*
Goodhue	3	4	4	*
Grant	0	0	1	*
Hennepin	68	43	60	5.0
Houston	0	0	0	*
Hubbard	0	0	0	*
Isanti	7	3	4	*
Itasca	5	6	1	*
Jackson	0	1	1	*
Kanabec	1	0	2	*
Kandiyohi	2	0	1	*
Kittson	0	0	0	*
Koochiching	0	0	0	*
Lac Qui Parle	0	4	2	*
Lake	0	0	2	*
Lake of the Woods	0	1	0	*
Le Sueur	2	2	1	*
Lincoln	0	0	0	*
Lyon	3	1	1	*
McLeod	1	1	1	*
Mahnomen	1	0	0	*
Marshall	0	2	0	*
Martin	1	2	0	*
Meeker	1	1	1	*
Mille Lacs	4	8	2	*
Morrison	0	3	0	*
Mower	1	3	1	*

Murray	0	0	0	*
Nicollet	1	1	1	*
Nobles	0	0	0	*
Norman	0	0	0	*
Olmsted	7	2	6	*
Otter Tail	3	1	1	*
Pennington	0	0	1	*
Pine	3	5	4	*
Pipestone	0	0	0	*
Polk	0	1	0	*
Pope	0	0	4	*
Ramsey	26	24	32	5.3
Red Lake	0	0	0	*
Redwood	0	1	4	*
Renville	0	1	0	*
Rice	3	2	2	*
Rock	0	0	0	*
Roseau	0	0	0	*
St. Louis	11	19	11	6.3
Scott	3	8	5	*
Sherburne	5	4	3	*
Sibley	0	1	2	*
Stearns	8	7	8	5.9
Steele	3	0	1	*
Stevens	0	0	0	*
Swift	1	1	0	*
Todd	1	3	2	*
Traverse	0	0	0	*
Wabasha	0	2	4	*
Wadena	1	1	0	*
Waseca	1	0	0	*
Washington	3	7	11	3.6
Watonwan	0	2	0	*
Wilkin	0	0	0	*
Winona	0	2	2	*
Wright	3	1	6	*
Yellow Medicine	0	0	1	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Spinal Cord Injuries (SCI): Numbers are spinal cord injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Spinal Cord Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity and Utilization Tables 5a and b: TBI and SCI Case Report Definitions

Traumatic Brain Injury (TBI)

Cases of traumatic brain injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

310.2 - postconcussion syndrome
348.1 - (when coded with 994.1 or 994.7) - anoxic brain damage
800.0-800.99 - fracture of vault of skull
801.00-801.99 - fracture of base of skull
803.00-803.99 - other and unqualified skull fractures
804.00-804.99 - multiple fractures involving skull or face with other bones
850.0-850.9 - concussion
851.00-851.99 - cerebral laceration and contusion
852.00-852.59 - subarachnoid, subdural, and extradural hemorrhage, following injury
853.00-853.19 - other and unspecified intracranial hemorrhage following injury
854.00-854.19 - intracranial injury of other and unspecified nature
905.0* - late effect of fracture of skull and face bones
907.0* - late effect of intracranial injury without mention of skull fracture
950.0-950.9 - injury to optic nerve and pathways

Out-of-state hospitals are requested to report cases who are Minnesota residents or who were injured in Minnesota.

Do not report patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

Cases should be submitted on the standard case report form, or may be submitted via electronic media.

Spinal Cord Injuries (SCI)

Cases of spinal cord injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

806.00-806.9 - fracture of vertebral column with spinal cord injury
907.2* - late effect of spinal cord injury
952.00-952.9 - spinal cord injury without evidence of spinal bone injury

AND

*the injury occurred on or after January 1, 1993

AND

the patient: was admitted as an inpatient to an acute care hospital, or died (or declared DOA) in the emergency department prior to admission, or was transferred from the emergency department to an out-of-state hospital.

Out-of-state hospitals are requested to report cases who are Minnesota residents or who were injured in Minnesota.

Do not report patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

Cases should be submitted on the standard case report form, or may be submitted via electronic media.

Morbidity and Utilization Table 6a: Diabetes Prevalence in the 65 to 74 year old Minnesota Medicare Population by State and County

	<i>Prevalence</i>			
	Number of People (July 1, 2002 to June 30, 2003)	Percent with Diabetes (April 1, 1998 to March 31, 1999)	Percent with Diabetes (July 1, 2002 to June 30, 2003)	Percent Change over Time
State of Minnesota	24,425	10.4	11.4	9.6
Aitkin	162	11.2	11.1	-0.9
Anoka	1,138	10.5	13.7	30.5
Becker	200	9.9	10.5	6.1
Beltrami	285	13.6	14.6	7.4
Benton	127	12.4	11.7	-5.6
Big Stone	48	6.7	9.7	44.8
Blue Earth	263	9.4	10.1	7.4
Brown	236	11.9	13.5	13.4
Carlton	256	11.0	12.9	17.3
Carver	232	11.4	11.7	2.6
Cass	248	11.0	11.3	2.7
Chippewa	84	9.4	11.4	21.3
Chisago	237	9.6	12.0	25.0
Clay	283	11.0	12.3	11.8
Clearwater	69	11.6	13.3	14.7
Cook	39	9.3	10.7	15.1
Cottonwood	76	9.6	9.2	-4.2
Crow Wing	426	9.1	10.4	14.3
Dakota	942	10.1	10.9	7.9
Dodge	92	10.3	11.7	13.6
Douglas	298	10.1	12.9	27.7
Faribault	150	10.9	12.4	13.8
Fillmore	157	10.4	11.0	5.8
Freeborn	247	10.7	11.8	10.3
Goodhue	256	9.9	10.8	9.1
Grant	70	11.6	13.9	19.8
Hennepin	3,915	9.4	10.4	10.6
Houston	122	10.4	10.5	1.0
Hubbard	166	9.2	11.4	23.9
Isanti	138	9.8	11.1	13.3
Itasca	418	12.4	14.0	12.9
Jackson	71	11.1	11.4	2.7
Kanabec	86	9.7	10.1	4.1
Kandiyohi	262	9.5	11.9	25.3
Kittson	51	11.0	13.8	25.5
Koochiching	105	8.8	9.7	10.2
Lac Qui Parle	66	11.1	12.3	10.8
Lake	74	10.8	8.9	-17.6
Lake of the Woods	38	9.7	12.5	28.9
Le Sueur	168	10.7	10.9	1.9
Lincoln	61	10.4	12.5	20.2
Lyon	162	12.4	12.8	3.2
McLeod	199	10.0	11.5	15.0
Mahnomen	49	16.5	14.6	-11.5
Marshall	88	9.9	12.8	29.3
Martin	190	9.9	13.2	33.3
Meeker	157	12.4	12.1	-2.4
Mille Lacs	169	8.8	10.2	15.9
Morrison	189	9.3	10.4	11.8

Mower	368	11.4	14.5	27.2
Murray	69	8.9	10.3	15.7
Nicollet	112	7.8	12.1	55.1
Nobles	122	10.9	10.1	-7.3
Norman	56	9.2	11.0	19.6
Olmsted	508	9.5	9.6	1.1
Otter Tail	418	11.4	10.6	-7.0
Pennington	114	10.0	15.9	59.0
Pine	233	11.0	13.6	23.6
Pipestone	71	8.0	10.0	25.0
Polk	223	11.7	12.3	5.1
Pope	85	10.8	11.2	3.7
Ramsey	2,501	10.5	11.4	8.6
Red Lake	40	10.5	15.1	43.8
Redwood	124	10.7	12.0	12.1
Renville	119	11.3	11.3	0.0
Rice	283	11.4	11.5	0.9
Rock	75	10.3	13.5	31.1
Roseau	60	8.2	8.8	7.3
St. Louis	1,339	11.5	12.1	5.2
Scott	237	10.3	10.4	1.0
Sherburne	225	10.1	10.9	7.9
Sibley	89	9.2	10.2	10.9
Stearns	691	10.0	11.1	11.0
Steele	210	11.2	12.6	12.5
Stevens	73	10.1	13.4	32.7
Swift	80	11.3	11.4	0.9
Todd	175	11.3	12.5	10.6
Traverse	40	11.6	11.2	-3.4
Wabasha	147	10.4	11.3	8.7
Wadena	107	11.9	10.2	-14.3
Waseca	88	10.1	9.9	-2.0
Washington	533	10.2	10.7	4.9
Watonwan	86	11.1	11.8	6.3
Wilkin	58	11.0	13.4	21.8
Winona	264	11.6	12.0	3.4
Wright	446	10.3	12.8	24.3
Yellow Medicine	93	10.6	11.9	12.3

Source: Medicare Part A (inpatient) and Part B (ambulatory care) data

Number of People is the number of Medicare beneficiaries, ages 65-74, identified as being diagnosed with diabetes who are alive and Minnesota residents as of June 30, 2003. See 'Statistical Considerations' for how the Medicare diabetes population was identified

Percent with Diabetes is the rate of diabetes per 100 Medicare beneficiaries 65 to 74 years of age during the designated time period. In this case, two 12-month periods are presented: April 1, 1998 through March 31, 1999 and July 1, 2002 through June 30, 2003.

Change Over Time represents the percent increase or decrease in the *prevalence rate* from the first 12-month period (April 1, 1998 through March 31, 1999) to the most recent 12-month period (July 1, 2002 through June 30, 2003).

Morbidity and Utilization Table 6b: Diabetes Preventive Care in the 65 to 74 year old Minnesota Medicare Population by State and County

<i>Preventive Care</i>						
	Annual HbA1c Test	Annual Lipid Test	Annual Eye Exam	Combined measure: Annual HbA1c, Annual Lipid Measurement, <i>and</i> Annual Eye Exam		
		Percent		Percent (04/01/98 to 03/31/99)	Percent (07/01/2000 to 06/30/2001)	Percent Change over time
	(July 1, 2000 to June 30, 2001)					
State of Minnesota	88.3	65.8	78.4	38.9	51.8	33.2
Aitkin	91.5	63.5	86.2	32.2	53.1	64.9
Anoka	90.9	68.8	79.0	36.2	55.4	53.0
Becker	90.6	58.2	79.5	34.3	50.7	47.8
Beltrami	75.1	56.5	73.9	40.3	45.8	13.6
Benton	90.0	67.6	81.3	37.1	54.6	47.2
Big Stone	83.5	68.7	82.9	39.2	59.2	51.0
Blue Earth	87.6	61.7	76.7	40.3	45.6	13.2
Brown	92.1	66.5	83.4	38.3	54.1	41.3
Carlton	89.9	66.2	74.8	29.5	47.9	62.4
Carver	82.5	61.1	84.9	34.6	47.9	38.4
Cass	79.5	58.9	80.3	31.5	48.7	54.6
Chippewa	90.7	71.1	73.6	34.1	52.0	52.5
Chisago	90.6	56.8	71.2	23.2	40.0	72.4
Clay	92.6	73.2	79.9	44.0	59.8	35.9
Clearwater	88.7	63.7	73.7	37.1	52.4	41.2
Cook	87.7	67.7	85.0	38.3	58.6	53.0
Cottonwood	92.8	63.7	74.6	41.9	47.2	12.6
Crow Wing	90.3	69.4	83.6	38.7	57.9	49.6
Dakota	89.5	66.8	83.2	39.2	54.5	39.0
Dodge	96.9	85.9	79.9	50.0	67.2	34.4
Douglas	94.5	65.3	74.5	38.2	47.8	25.1
Faribault	83.9	62.2	79.6	33.0	48.0	45.5
Fillmore	91.0	71.7	72.4	46.2	53.2	15.2
Freeborn	78.6	58.9	80.5	36.9	48.8	32.2
Goodhue	92.2	69.4	78.4	41.4	55.0	32.9
Grant	91.1	65.0	68.8	34.1	43.9	28.7
Hennepin	87.2	65.5	81.0	38.6	53.3	38.1
Houston	90.1	71.0	75.2	43.7	52.9	21.1
Hubbard	89.4	60.5	79.1	32.1	48.4	50.8
Isanti	92.5	72.7	74.9	49.7	56.0	12.7
Itasca	89.8	71.6	77.8	39.6	55.4	39.9
Jackson	92.1	80.3	80.2	39.3	65.8	67.4
Kanabec	91.7	62.3	82.8	40.3	56.4	40.0
Kandiyohi	92.2	70.5	71.4	44.6	49.8	11.7
Kittson	88.9	68.6	79.6	24.0	55.6	131.7
Koochiching	84.9	63.7	72.7	27.4	48.8	78.1
Lac Qui Parle	94.1	72.8	81.3	50.7	57.4	13.2
Lake	81.9	65.8	86.3	46.8	55.9	19.4
Lake of the Woods	78.8	55.3	85.9	23.8	43.4	82.4
Le Sueur	91.0	69.4	75.8	45.4	53.8	18.5
Lincoln	89.8	73.4	65.0	46.7	52.9	13.3
Lyon	91.3	59.0	79.3	43.8	43.6	-0.5
McLeod	85.5	63.2	81.1	32.3	49.2	52.3
Mahnomen	59.0	61.7	66.9	13.1	33.8	158.0
Marshall	91.0	69.7	76.3	39.4	54.9	39.3
Martin	93.3	81.5	74.3	51.7	60.9	17.8
Meeker	94.2	69.2	84.7	49.5	59.4	20.0
Mille Lacs	72.2	51.1	81.6	33.2	37.8	13.9
Morrison	91.3	62.5	75.6	39.2	51.1	30.4

Mower	92.0	79.9	76.5	50.5	62.2	23.2
Murray	86.1	70.5	82.7	33.6	55.5	65.2
Nicollet	90.4	76.7	77.5	45.8	57.0	24.5
Nobles	90.2	60.1	69.2	32.5	46.8	44.0
Norman	87.1	60.4	69.7	43.8	42.5	-3.0
Olmsted	91.4	84.7	77.7	52.5	66.4	26.5
Otter Tail	92.0	70.8	79.7	37.4	55.3	47.9
Pennington	89.7	69.7	64.9	45.3	42.7	-5.7
Pine	89.7	63.5	72.2	31.7	46.0	45.1
Pipestone	85.1	59.6	84.9	25.2	46.6	84.9
Polk	88.1	61.7	68.6	30.8	40.4	31.2
Pope	92.9	75.7	70.0	32.7	52.2	59.6
Ramsey	86.7	60.1	78.3	38.2	48.5	27.0
Red Lake	75.1	71.5	86.4	42.8	53.3	24.5
Redwood	87.3	69.8	84.3	45.1	60.3	33.7
Renville	81.9	55.3	77.7	31.4	39.7	26.4
Rice	90.0	51.8	75.9	42.1	42.0	-0.2
Rock	89.7	47.3	66.8	23.0	31.1	35.2
Roseau	88.2	57.5	77.8	23.0	45.7	98.7
St. Louis	88.7	60.7	77.2	37.2	46.0	23.7
Scott	88.4	63.5	76.8	38.3	46.6	21.7
Sherburne	85.3	64.2	77.8	42.8	50.3	17.5
Sibley	85.0	62.9	80.0	30.6	51.5	68.3
Stearns	89.8	71.7	79.6	43.9	56.3	28.2
Steele	90.4	68.0	87.5	38.4	57.8	50.5
Stevens	74.0	62.0	84.4	43.3	44.1	1.8
Swift	95.1	68.3	74.0	41.5	52.0	25.3
Todd	88.5	68.5	75.9	42.7	49.4	15.7
Traverse	86.8	81.9	82.3	45.4	66.2	45.8
Wabasha	90.0	77.8	77.7	37.1	61.2	65.0
Wadena	92.6	71.7	75.9	34.2	55.9	63.5
Waseca	81.2	55.6	78.4	41.7	39.6	-5.0
Washington	84.2	60.0	78.8	36.8	48.5	31.8
Watsonwan	87.1	58.9	77.7	39.0	46.8	20.0
Wilkin	89.8	69.4	81.6	29.1	57.1	96.2
Winona	88.7	73.8	67.3	44.3	52.3	18.1
Wright	85.0	65.3	77.5	40.0	50.8	27.0
Yellow Medicine	85.5	73.2	76.9	36.2	60.2	66.3

Source: Medicare Part B (ambulatory care) data.

Minnesota and county rates (%) are per 100 of the diabetes Medicare population, ages 65-74.

Preventive care indicators describe those of the Medicare diabetes population, ages 65-74, who had a Medicare Part B claim for the given indicator. These indicators are as follows:

Annual HbA1c Test, Annual Eye Exam, Annual Lipid Measurement and the Combined Measure (annual HbA1c, annual eye exam, and annual lipid measurement). The number of Medicare beneficiaries who receive all three recommended services provides a more comprehensive view of preventive measures being received by the Medicare diabetes population. Two 12-month periods are presented: April 1, 1998 through March 31, 1999 and July 1, 2000 through June 30, 2001.

Change Over Time for the **Combined Measure** represents the percent increase or decrease in the rates from the first 12-month period (April 1, 1998 through March 31, 1999) to the most recent 12-month period (July 1, 2000 through June 30, 2001).

Morbidity and Utilization Table 6c: Hospital Discharge Claims in the 65 to 74 year old Minnesota Medicare Diabetes Population by State and County

	<i>All hospital discharge claims (HDC's)</i>		<i>Major Cardiovascular Disease HDC's</i>		<i>Stroke HDC's</i>	
	Number of HDC's	HDC per 1,000 Medicare population	Number of HDC's	HDC per 1,000 Medicare population	Number of HDC's	HDC per 1,000 Medicare population
	(July 1, 2002 to June 30, 2003)		(July 1, 2002 to June 30, 2003)		(July 1, 2002 to June 30, 2003)	
State of Minnesota	15,648	636.1	13,592	550.5	1,350	53.2
Aitkin	159	994.6	135	844.2	13	89.3
Anoka	897	797.0	815	723.0	104	88.2
Becker	102	510.3	83	405.8	NA	24.7
Beltrami	160	543.0	140	470.6	15	42.4
Benton	69	548.1	61	469.2	NA	21.1
Big Stone	26	559.1	23	505.2	NA	68.0
Blue Earth	113	436.4	100	385.0	7	22.1
Brown	125	518.6	108	441.6	10	43.6
Carlton	155	615.8	145	573.3	13	48.0
Carver	183	849.0	166	772.6	20	78.5
Cass	173	658.0	154	605.4	18	71.2
Chippewa	39	395.6	34	343.9	NA	26.2
Chisago	160	646.8	140	563.0	13	47.4
Clay	139	457.7	120	398.4	18	59.3
Clearwater	34	484.7	30	416.2	11	134.2
Cook	39	951.2	29	747.1	0	0.0
Cottonwood	34	395.8	29	317.6	NA	38.2
Crow Wing	293	685.5	266	623.5	17	42.5
Dakota	609	641.6	535	557.4	87	89.4
Dodge	28	286.3	23	238.5	NA	47.8
Douglas	171	591.4	137	466.6	19	60.6
Faribault	101	687.1	93	641.0	NA	24.5
Fillmore	103	651.4	82	529.9	10	69.6
Freeborn	170	710.8	144	598.6	14	59.5
Goodhue	144	581.7	123	499.0	14	54.3
Grant	26	400.5	23	347.6	1	21.2
Hennepin	2,568	660.8	2,280	584.9	231	60.0
Houston	41	341.8	36	297.6	NA	16.7
Hubbard	106	670.4	88	555.5	7	46.6
Isanti	89	602.8	88	596.2	26	151.9
Itasca	236	588.2	208	514.3	21	49.7
Jackson	43	636.7	37	533.4	NA	36.4
Kanabec	50	555.0	42	464.7	NA	38.2
Kandiyohi	145	543.2	121	444.3	10	40.8
Kittson	26	477.9	25	462.4	NA	15.5
Koochiching	96	958.8	82	809.2	7	77.0
Lac Qui Parle	59	824.4	53	743.7	6	80.8
Lake	42	663.0	40	610.6	NA	89.9
Lake of the Woods	22	574.9	18	467.3	0	0.0
Le Sueur	84	486.8	67	391.1	NA	31.2
Lincoln	20	337.1	18	303.4	NA	14.0
Lyon	89	544.1	73	450.6	13	80.5
McLeod	150	744.6	135	659.3	10	46.9
Mahnomen	28	450.5	27	436.8	NA	27.2
Marshall	50	537.7	46	486.1	NA	32.5
Martin	120	615.9	108	549.6	13	67.5
Meeker	70	450.4	60	382.8	NA	15.8
Mille Lacs	146	845.7	116	682.0	14	83.6

Morrison	129	663.0	111	566.2	18	88.2
Mower	241	636.0	223	588.2	11	26.6
Murray	60	862.6	40	569.1	NA	12.1
Nicollet	70	609.6	62	542.0	6	47.3
Nobles	88	729.3	77	634.5	8	68.2
Norman	31	553.2	27	481.9	7	124.6
Olmsted	369	710.4	319	616.8	10	17.1
Otter Tail	212	503.0	182	431.8	28	65.8
Pennington	64	561.6	57	500.3	NA	44.0
Pine	161	709.6	136	595.9	14	58.2
Pipestone	56	734.3	51	642.3	NA	82.1
Polk	143	617.0	112	482.1	9	38.8
Pope	52	602.4	34	387.1	NA	47.1
Ramsey	1,675	665.2	1,439	570.1	122	48.1
Red Lake	12	302.3	11	280.9	NA	21.4
Redwood	52	399.7	49	374.0	9	65.5
Renville	61	523.8	50	432.1	NA	25.8
Rice	191	628.7	159	521.7	NA	15.8
Rock	27	356.6	26	340.4	0	0.0
Roseau	38	545.8	32	461.7	NA	53.5
St. Louis	924	679.4	798	581.7	77	53.0
Scott	169	687.0	140	571.7	21	75.2
Sherburne	165	680.8	144	587.3	31	149.4
Sibley	95	1,089.5	82	948.4	15	134.9
Stearns	394	550.5	344	477.6	21	27.8
Steele	127	624.5	105	522.8	9	37.6
Stevens	46	631.1	37	496.6	7	91.3
Swift	71	850.7	59	703.2	NA	13.8
Todd	124	725.0	102	592.4	8	45.3
Traverse	27	661.6	25	614.3	0	0.0
Wabasha	75	454.7	55	339.3	NA	5.3
Wadena	72	698.0	68	657.9	NA	36.2
Waseca	54	613.0	46	521.0	8	95.8
Washington	309	563.6	248	447.2	16	27.1
Watonwan	58	658.6	53	599.7	8	87.4
Wilkin	43	753.3	40	698.2	NA	53.4
Winona	128	488.3	106	406.7	NA	21.1
Wright	315	677.8	291	618.8	19	37.8
Yellow Medicine	63	694.5	52	571.1	NA	23.0

Source: Medicare Part A (Inpatient) Data

Number of hospital discharge claims (HDC) among the Medicare diabetes population. An individual may have had more than one HDC during this time frame.

The Minnesota and county rates are per 1,000 Medicare beneficiaries with *diabetes*.

Hospital discharge claims (HDC's) are submitted by the provider to Medicare and are categorized as follows:

- All HDC's in the Medicare diabetes population ages 65-74, regardless of whether diabetes was actually listed as a diagnosis on the HDC.
- HDC's in the diabetes population with **major cardiovascular disease (CVD)**
- HDC's in the diabetes population with **stroke**

Morbidity and Utilization Table 6d: Total Reimbursed Charges for Hospital Claims in the 65 to 74 year old Minnesota Medicare Diabetes Population by State and County

	<i>Total Medicare Reimbursed Charges</i>			Change over Time
	April 1, 1998 to March 31, 1999	July 1, 2000 to June 30, 2001	July 1, 2002 to June 30, 2003	
State of Minnesota	\$67,232,387	\$90,666,139	\$118,445,513	76%
Aitkin	\$597,546	\$692,494	\$1,400,061	134%
Anoka	\$3,132,200	\$4,270,554	\$6,485,164	107%
Becker	\$385,165	\$492,755	\$707,317	84%
Beltrami	\$957,456	\$1,068,242	\$1,043,803	9%
Benton	\$485,465	\$307,963	\$488,250	1%
Big Stone	\$82,727	\$185,125	\$157,575	90%
Blue Earth	\$685,169	\$917,336	\$675,694	-1%
Brown	\$485,701	\$555,162	\$954,003	96%
Carlton	\$587,465	\$1,137,597	\$1,247,906	112%
Carver	\$815,528	\$812,873	\$1,332,725	63%
Cass	\$836,563	\$1,002,606	\$1,154,219	38%
Chippewa	\$244,171	\$190,941	\$206,920	-15%
Chisago	\$568,388	\$643,378	\$1,310,765	131%
Clay	\$636,758	\$666,735	\$2,400,336	277%
Clearwater	\$126,431	\$200,022	\$215,219	70%
Cook	\$52,639	\$78,078	\$245,775	367%
Cottonwood	\$253,272	\$224,118	\$202,554	-20%
Crow Wing	\$1,143,516	\$1,506,203	\$2,024,012	77%
Dakota	\$2,390,229	\$3,434,145	\$5,063,800	112%
Dodge	\$227,786	\$272,641	\$255,795	12%
Douglas	\$515,972	\$772,118	\$1,039,313	101%
Faribault	\$540,536	\$651,766	\$660,911	22%
Fillmore	\$425,207	\$413,050	\$806,733	90%
Freeborn	\$484,725	\$936,506	\$1,312,371	171%
Goodhue	\$1,085,402	\$994,967	\$1,001,127	-8%
Grant	\$270,389	\$79,024	\$195,143	-28%
Hennepin	\$12,950,130	\$17,520,137	\$19,888,203	54%
Houston	\$253,792	\$325,495	\$347,954	37%
Hubbard	\$349,998	\$569,068	\$765,694	119%
Isanti	\$407,266	\$472,773	\$703,632	73%
Itasca	\$901,238	\$1,160,017	\$1,966,292	118%
Jackson	\$204,787	\$235,587	\$226,208	10%
Kanabec	\$334,079	\$314,499	\$417,778	25%
Kandiyohi	\$474,263	\$605,071	\$1,033,617	118%
Kittson	\$48,079	\$168,716	\$327,283	581%
Koochiching	\$169,540	\$359,152	\$712,833	320%
Lac Qui Parle	\$193,791	\$197,490	\$372,884	92%
Lake	\$272,824	\$338,003	\$483,327	77%
Lake of the Woods	\$60,332	\$232,356	\$191,295	217%
Le Sueur	\$591,947	\$591,759	\$514,059	-13%
Lincoln	\$54,332	\$222,123	\$93,995	73%
Lyon	\$551,226	\$579,617	\$444,320	-19%
McLeod	\$512,948	\$663,566	\$873,540	70%
Mahnomen	\$95,286	\$519,727	\$131,191	38%
Marshall	\$205,934	\$521,899	\$446,876	117%
Martin	\$509,094	\$541,156	\$987,183	94%
Meeker	\$315,228	\$528,178	\$438,996	39%
Mille Lacs	\$581,010	\$676,448	\$1,269,926	119%
Morrison	\$485,340	\$655,000	\$989,516	104%
Mower	\$1,221,477	\$943,987	\$1,986,107	63%

Murray	\$140,101	\$377,355	\$444,634	217%
Nicollet	\$189,349	\$401,118	\$422,868	123%
Nobles	\$299,386	\$546,585	\$506,501	69%
Norman	\$261,141	\$175,096	\$237,697	-9%
Olmsted	\$1,680,376	\$2,707,480	\$3,086,079	84%
Otter Tail	\$969,206	\$1,059,015	\$1,655,966	71%
Pennington	\$191,349	\$299,913	\$669,053	250%
Pine	\$551,203	\$889,788	\$1,060,415	92%
Pipestone	\$159,847	\$302,316	\$354,130	122%
Polk	\$479,574	\$1,105,455	\$1,064,557	122%
Pope	\$173,751	\$219,685	\$311,452	79%
Ramsey	\$7,314,934	\$10,342,958	\$12,468,375	70%
Red Lake	\$89,714	\$38,307	\$109,897	22%
Redwood	\$125,162	\$357,595	\$303,104	142%
Renville	\$241,255	\$342,616	\$429,280	78%
Rice	\$699,275	\$869,285	\$1,382,949	98%
Rock	\$204,171	\$214,817	\$128,885	-37%
Roseau	\$98,733	\$175,146	\$316,596	221%
St. Louis	\$4,203,830	\$6,202,483	\$7,261,250	73%
Scott	\$833,002	\$848,979	\$1,295,724	56%
Sherburne	\$368,747	\$637,898	\$1,392,010	277%
Sibley	\$181,214	\$125,031	\$628,642	247%
Stearns	\$1,481,323	\$2,109,901	\$2,548,010	72%
Steele	\$542,556	\$662,634	\$1,016,930	87%
Stevens	\$370,625	\$340,288	\$283,611	-23%
Swift	\$186,578	\$289,911	\$324,986	74%
Todd	\$330,633	\$502,870	\$822,081	149%
Traverse	\$82,787	\$241,355	\$222,426	169%
Wabasha	\$433,614	\$588,447	\$757,732	75%
Wadena	\$347,267	\$504,149	\$498,248	43%
Waseca	\$324,693	\$253,614	\$519,820	60%
Washington	\$1,181,194	\$1,855,300	\$2,394,239	103%
Watonwan	\$149,155	\$400,657	\$401,076	169%
Wilkin	\$88,020	\$135,802	\$354,564	303%
Winona	\$805,050	\$1,211,827	\$897,820	12%
Wright	\$675,992	\$907,211	\$2,635,364	290%
Yellow Medicine	\$246,385	\$367,861	\$261,162	6%

Source: Medicare Part A (Inpatient) data.

Total charges reimbursed by Medicare to hospital providers for HDC's among the Medicare diabetes population. These do not include charges associated with outpatient care, such as those for the preventive care measures. Three 12-month periods are presented: April 1, 1998 through March 31, 1999, July 1, 2000 through June 30, 2001, and July 1, 2002 through June 30, 2003.

Change Over Time for the *Total Medicare Reimbursed Charges* represents the percent increase or decrease in the charges from the first 12-month period (April 1, 1998 through March 31, 1999) to the most recent 12-month period (July 1, 2002 through June 30, 2003). **Note:** In counties with a small number of events, one or two expensive hospital discharge claims can result in large changes in the Medicare reimbursed charges over time.

**Morbidity and Utilization Table 7: Minnesota Behavioral Risk Factors of Adults -
County Synthetic Estimates and State Estimates, 2003**

Estimated Percent of:						
	Over weight	Current Smokers	Acute Drinking	Chronic Drinking*	Perceiving health status as fair or poor	Reporting limitation in any activities because of any impairment or health problem*
US Median	60.1	22.0	16.5	5.7	14.8	18.3
State of Minnesota	60.4	21.2	20.0	5.6	11.1	23.6
Aitkin	61.5	18.6	16.1	5.2	13.8	26.7
Anoka	60.5	22.0	21.0	5.7	9.8	22.4
Becker	60.4	20.3	18.6	5.5	12.2	25.0
Beltrami	58.1	22.1	21.6	6.0	10.8	23.4
Benton	58.9	22.0	21.8	5.7	10.2	22.2
Big Stone	60.4	18.7	15.9	5.2	14.3	27.3
Blue Earth	56.8	22.9	23.6	6.2	10.4	22.7
Brown	59.6	20.4	18.8	5.6	12.6	25.4
Carlton	60.4	20.7	19.5	5.6	11.7	24.4
Carver	60.1	22.3	21.2	5.8	9.8	22.3
Cass	61.1	19.7	17.6	5.4	12.6	25.5
Chippewa	59.9	19.4	17.2	5.3	13.6	26.5
Chisago	60.1	21.9	21.2	5.7	10.2	22.6
Clay	57.1	22.4	21.9	6.1	10.9	23.5
Clearwater	60.4	20.0	18.3	5.5	12.6	25.4
Cook	61.8	19.5	16.9	5.4	12.5	25.8
Cottonwood	60.1	18.8	16.4	5.2	14.2	27.0
Crow Wing	60.1	20.2	18.4	5.5	12.3	25.0
Dakota	60.4	21.9	20.6	5.7	9.9	22.5
Dodge	59.9	21.5	20.3	5.7	11.0	23.5
Douglas	59.8	20.3	18.8	5.5	12.5	25.2
Faribault	60.3	19.0	16.7	5.3	13.9	26.9
Fillmore	60.2	19.7	17.9	5.4	13.1	25.8
Freeborn	60.4	19.6	17.5	5.4	13.0	25.9
Goodhue	60.2	20.6	18.9	5.6	11.9	24.7
Grant	60.1	18.8	16.6	5.2	14.2	26.8
Hennepin	60.2	21.1	20.0	5.5	10.7	23.1
Houston	60.4	20.2	18.1	5.5	12.5	25.3
Hubbard	61.0	19.5	17.2	5.4	12.8	25.8
Isanti	59.7	21.9	21.0	5.8	10.5	23.0
Itasca	60.6	20.2	18.1	5.6	12.4	25.5
Jackson	60.2	19.7	17.8	5.4	13.2	25.9
Kanabec	60.3	20.9	19.5	5.6	11.5	24.2
Kandiyohi	59.6	20.7	19.2	5.6	12.1	24.9
Kittson	61.1	18.5	15.7	5.2	14.3	27.2
Koochiching	61.0	19.6	17.1	5.4	13.0	26.1
Lac Qui Parle	60.6	18.9	16.3	5.3	14.4	27.4
Lake	61.1	19.5	17.2	5.4	13.1	26.0
Lake of the Woods	61.8	19.5	16.9	5.4	12.9	26.0
Le Sueur	60.3	20.8	19.4	5.6	11.6	24.4
Lincoln	60.5	18.5	16.2	5.1	14.5	27.1
Lyon	58.4	21.4	20.5	5.8	11.7	24.3
McLeod	60.1	20.6	19.2	5.4	11.7	24.2
Mahnomen	60.4	19.9	18.0	5.5	12.9	25.8
Marshall	60.8	19.7	17.8	5.4	13.1	26.0
Martin	60.4	19.4	17.1	5.4	13.4	26.4

**Morbidity and Utilization Table 7: Minnesota Behavioral Risk Factors of Adults -
County Synthetic Estimates and State Estimates, 2003**

	Estimated Percent of:					
	Over weight	Current Smokers	Acute Drinking	Chronic Drinking*	Perceiving health status as fair or poor	Reporting limitation in any activities because of any impairment or health problem*
US Median	60.1	22.0	16.5	5.7	14.8	18.3
State of Minnesota	60.4	21.2	20.0	5.6	11.1	23.6
Meeker	60.4	20.3	18.8	5.5	12.3	25.0
Mille Lacs	59.9	20.6	19.2	5.5	11.9	24.5
Morrison	60.1	20.6	19.3	5.6	12.0	24.7
Mower	59.8	19.9	18.2	5.4	13.0	25.6
Murray	60.9	18.9	16.5	5.3	13.8	26.7
Nicollet	58.0	22.6	22.3	6.2	10.4	23.1
Nobles	60.2	20.0	18.4	5.4	12.7	25.5
Norman	60.7	19.1	16.8	5.3	13.7	26.5
Olmsted	60.1	21.1	19.8	5.5	10.8	23.3
Otter Tail	60.5	19.8	17.8	5.5	12.9	25.8
Pennington	59.4	20.6	19.4	5.6	12.1	24.8
Pine	60.9	20.6	19.6	5.6	11.7	24.3
Pipestone	59.7	19.2	16.9	5.3	13.7	26.4
Polk	59.5	20.5	19.0	5.6	12.6	25.4
Pope	60.0	19.3	17.1	5.3	13.7	26.5
Ramsey	59.3	21.2	20.0	5.6	11.0	23.5
Red Lake	60.3	20.1	18.5	5.5	12.8	25.6
Redwood	60.4	19.4	17.4	5.3	13.5	26.3
Renville	60.6	19.6	17.7	5.4	13.2	26.0
Rice	58.2	22.7	22.6	6.2	10.4	23.1
Rock	59.8	19.6	17.5	5.4	13.3	26.1
Roseau	60.8	21.0	19.5	5.6	11.4	24.1
St. Louis	59.3	20.9	19.5	5.7	12.0	24.9
Scott	60.0	22.6	22.0	5.7	9.2	21.3
Sherburne	59.4	22.7	22.7	5.8	9.4	21.6
Sibley	60.4	20.2	18.7	5.4	12.3	24.9
Stearns	58.2	22.5	22.5	6.0	10.4	22.9
Steele	59.9	21.0	19.6	5.6	11.4	24.0
Stevens	56.1	22.4	22.2	6.3	11.8	24.5
Swift	62.2	19.9	19.9	5.3	12.6	24.8
Todd	60.3	20.6	19.2	5.7	12.2	25.1
Traverse	59.8	18.0	15.3	5.0	15.4	28.1
Wabasha	60.5	20.6	18.8	5.5	12.0	24.8
Wadena	60.0	19.4	17.4	5.4	13.5	26.2
Waseca	60.7	20.8	20.2	5.5	11.6	24.1
Washington	60.7	21.8	20.3	5.7	10.1	22.9
Watonwan	60.0	19.5	17.5	5.4	13.3	26.1
Wilkin	60.5	20.3	18.5	5.5	12.2	25.1
Winona	57.1	22.5	22.2	6.2	10.9	23.5
Wright	59.9	22.1	21.4	5.7	10.0	22.3
Yellow Medicine	60.0	19.5	17.5	5.4	13.6	26.4

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

**Not available

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

Morbidity and Utilization Table 7: Definitions for Behavior Risk Factors of Adults

Behavioral Risk Factor Surveillance System (BRFSS): A continuous monthly telephone survey that monitors health risk behaviors that has impact on chronic diseases and disabilities. Approximately, 4800 interviews of adults 18 years and older are completed yearly.

U.S. Median: The median is the midpoint percentage value for a particular risk behavior.

Smoking: Current regular smoker (ever smoked 100 cigarettes and now smokes every day or some days).

Overweight: The prevalence of overweight is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] greater than or equal to 25 for men and women. Please note that as of 1999, the definition of overweight has changed. The prevalence of overweight was previously defined as a BMI greater than or equal to 27.8 for men and greater than or equal to 27.3 for women.

Acute Drinking: Respondents who report they have consumed five or more drinks on an occasion, one or more times in the month prior to the survey.

Chronic Drinking: Chronic drinking of adults is defined as the percent of male respondents 18 and older who report an average of more than two drinks per day and female respondents 18 and older who report an average of more than one drink per day.

Limitation of Activities: The percent of adults who are limited in any activities because of physical mental or emotional problems, OR those adults who have a health impairment that requires the use of special equipment, such as cane, a wheelchair, a special bed or special telephone.

Section E: Chemical Health Tables

**Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities (edited 11/06)
by State and County, 2001-2003**

	2001			2002			2003			2001-2003 Percent Average Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	568	211	37.1	657	239	36.4	655	255	38.9	37.5
Aitkin	5	1	20.0	5	1	20.0	4	2	50.0	28.6
Anoka	26	8	30.8	24	8	33.3	32	9	28.1	30.5
Becker	2	2	100.0	6	5	83.3	8	6	75.0	81.3
Beltrami	1	0	0.0	5	1	20.0	6	4	66.7	41.7
Benton	9	2	22.2	13	4	30.8	3	0	0.0	24.0
Big Stone	1	1	100.0	1	0	0.0	0	0	0.0	50.0
Blue Earth	3	1	33.3	5	1	20.0	14	7	50.0	40.9
Brown	0	0	0.0	3	0	0.0	3	1	33.3	16.7
Carlton	3	1	33.3	11	4	36.4	6	3	50.0	40.0
Carver	14	10	71.4	14	3	21.4	10	5	50.0	47.4
Cass	14	10	71.4	19	10	52.6	11	6	54.5	59.1
Chippewa	0	0	0.0	5	4	80.0	0	0	0.0	80.0
Chisago	2	0	0.0	11	0	0.0	10	5	50.0	21.7
Clay	9	3	33.3	13	7	53.8	8	4	50.0	46.7
Clearwater	4	3	75.0	4	1	25.0	2	2	100.0	60.0
Cook	1	0	0.0	2	1	50.0	1	0	0.0	25.0
Cottonwood	2	1	50.0	0	0		2	0	0.0	25.0
Crow Wing	12	7	58.3	8	6	75.0	11	6	54.5	61.3
Dakota	30	14	46.7	22	6	27.3	14	5	35.7	37.9
Dodge	5	1	20.0	3	1	33.3	3	1	33.3	27.3
Douglas	4	0	0.0	1	0	0.0	6	1	16.7	9.1
Faribault	2	2	100.0	3	0	0.0	5	3	60.0	50.0
Fillmore	1	0	0.0	2	1	50.0	3	0	0.0	16.7
Freeborn	6	2	33.3	8	3	37.5	7	4	57.1	42.9
Goodhue	12	3	25.0	7	1	14.3	11	2	18.2	20.0
Grant	1	1	100.0	4	2	50.0	1	1	100.0	66.7
Hennepin	67	18	26.9	61	17	27.9	62	23	37.1	30.5
Houston	3	1	33.3	4	0	0.0	3	0	0.0	10.0
Hubbard	10	4	40.0	8	5	62.5	6	2	33.3	45.8
Isanti	4	0	0.0	9	4	44.4	12	2	16.7	24.0
Itasca	10	7	70.0	5	2	40.0	14	10	71.4	65.5
Jackson	1	0	0.0	3	0	0.0	3	1	33.3	14.3
Kanabec	5	1	20.0	8	4	50.0	1	1	100.0	42.9
Kandiyohi	6	0	0.0	9	0	0.0	11	2	18.2	7.7
Kittson	1	0	0.0	3	2	66.7	3	1	33.3	42.9
Koochiching	4	2	50.0	0	0		3	3	100.0	71.4
Lac Qui Parle	1	0	0.0	1	0	0.0	2	1	50.0	25.0
Lake	1	0	0.0	3	1	33.3	3	1	33.3	28.6
Lake of the Woods	1	0	0.0	4	2	50.0	1	0	0.0	33.3
Le Sueur	10	4	40.0	6	2	33.3	2	0	0.0	33.3
Lincoln	1	0	0.0	3	2	66.7	5	3	60.0	55.6
Lyon	5	1	20.0	1	0	0.0	3	1	33.3	22.2
McLeod	2	0	0.0	7	0	0.0	4	3	75.0	23.1
Mahnomen	1	1	100.0	2	1	50.0	5	4	80.0	75.0

	2001			2002			2003			2001-2003 Percent Average Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	568	211	37.1	657	239	36.4	655	255	38.9	37.5
Marshall	3	3	100.0	3	1	33.3	0	0	0.0	66.7
Martin	6	1	16.7	3	0	0.0	2	0	0.0	9.1
Meeker	3	2	66.7	5	3	60.0	7	1	14.3	40.0
Mille Lacs	6	2	33.3	7	2	28.6	5	2	40.0	33.3
Morrison	7	1	14.3	15	11	73.3	10	1	10.0	40.6
Mower	2	1	50.0	7	2	28.6	4	1	25.0	30.8
Murray	1	1	100.0	2	1	50.0	3	1	33.3	50.0
Nicollet	7	1	14.3	0	0		11	5	45.5	33.3
Nobles	6	1	16.7	4	1	25.0	1	0	0.0	18.2
Norman	2	0	0.0	4	2	50.0	3	1	33.3	33.3
Olmsted	12	3	25.0	15	8	53.3	15	3	20.0	33.3
Otter Tail	14	8	57.1	11	3	27.3	10	2	20.0	37.1
Pennington	1	0	0.0	4	0	0.0	1	1	100.0	16.7
Pine	7	1	14.3	9	5	55.6	12	6	50.0	42.9
Pipestone	1	0	0.0	3	2	66.7	0	0	0.0	50.0
Polk	4	2	50.0	6	1	16.7	4	2	50.0	35.7
Pope	3	2	66.7	4	2	50.0	3	0	0.0	40.0
Ramsey	27	13	48.1	36	20	55.6	31	8	25.8	43.6
Red Lake	0	0	0.0	3	3	100.0	0	0	0.0	100.0
Redwood	3	1	33.3	0	0	0.0	1	0	0.0	25.0
Renville	1	1	100.0	5	1	20.0	7	0	0.0	15.4
Rice	13	5	38.5	14	3	21.4	11	5	45.5	34.2
Rock	2	0	0.0	1	1	100.0	0	0	0.0	33.3
Roseau	6	2	33.3	3	2	66.7	3	0	0.0	33.3
St. Louis	27	12	44.4	32	12	37.5	29	12	41.4	40.9
Scott	15	8	53.3	19	8	42.1	18	12	66.7	53.8
Sherburne	10	1	10.0	15	5	33.3	15	5	33.3	27.5
Sibley	1	0	0.0	0	0	0.0	4	0	0.0	0.0
Stearns	19	9	47.4	16	4	25.0	21	12	57.1	44.6
Steele	2	0	0.0	3	1	33.3	7	3	42.9	33.3
Stevens	0	0	0.0	3	1	33.3	2	1	50.0	40.0
Swift	3	2	66.7	2	1	50.0	2	0	0.0	42.9
Todd	5	3	60.0	1	1	100.0	6	1	16.7	41.7
Traverse	1	1	100.0	3	0	0.0	0	0	0.0	25.0
Wabasha	5	0	0.0	5	1	20.0	8	5	62.5	33.3
Wadena	5	1	20.0	2	1	50.0	4	2	50.0	36.4
Waseca	2	0	0.0	4	1	25.0	2	1	50.0	25.0
Washington	13	5	38.5	16	3	18.8	24	9	37.5	32.1
Watsonwan	1	1	100.0	2	0	0.0	3	0	0.0	16.7
Wilkin	3	0	0.0	3	1	33.3	2	1	50.0	25.0
Winona	8	2	25.0	11	6	54.5	15	7	46.7	44.1
Wright	8	3	37.5	17	5	29.4	20	10	50.0	40.0
Yellow Medicine	1	0	0.0	3	2	66.7	5	0	0.0	22.2

Source: Minnesota Department of Public Safety

A **fatality** is considered alcohol-related if the investigating officer suspects alcohol-involvement for any driver, pedestrian or bicyclist involved in the crash. Fatalities are by county of occurrence.

2000-2002 Average: The average is determined by adding up all the events that occurred in the three years and then dividing that sum by three

Chemical Table 2: Minnesota Driving While Impaired Violations - Number & Rate per 10,000 Population by State and County of Occurrence, 1999-2003

	1999		2000		2001		2002		2003		1999-2003
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,096	71.4	34,971	71.1	33,305	67.0	33,032	65.8	32,193	63.6	67.7
Aitkin	173	121.0	219	143.1	229	148.6	245	158.1	199	126.1	139.6
Anoka	2,060	68.9	2,173	72.9	1,855	60.7	1,702	54.9	1,706	54.3	62.2
Becker	400	134.4	540	180.0	415	135.9	461	149.7	333	106.8	141.1
Beltrami	332	84.7	381	96.1	398	98.5	446	108.7	430	102.9	98.3
Benton	261	74.9	265	77.4	246	69.5	275	75.7	273	73.9	74.3
Big Stone	16	**	15	**	31	54.0	40	70.5	40	70.8	49.9
Blue Earth	453	84.1	551	98.5	595	106.4	599	105.6	594	103.7	99.8
Brown	148	55.0	168	62.4	135	50.5	149	55.9	193	72.8	59.3
Carlton	238	75.6	270	85.3	293	91.3	307	94.2	309	93.5	88.1
Carver	280	41.8	256	36.5	303	41.3	335	44.3	339	42.9	41.4
Cass	263	97.3	250	92.1	232	83.9	243	87.3	191	67.7	85.5
Chippewa	71	54.5	68	52.0	79	61.0	99	76.6	108	84.3	65.6
Chisago	332	78.5	311	75.7	362	83.3	297	66.6	321	69.5	74.6
Clay	530	102.5	607	118.5	537	104.1	561	108.0	614	118.1	110.2
Clearwater	146	179.2	100	118.7	86	102.3	73	86.9	66	78.3	112.7
Cook	70	146.7	73	141.3	72	139.3	64	123.2	62	117.4	133.3
Cottonwood	58	48.7	53	43.6	39	32.6	61	50.7	58	48.3	44.8
Crow Wing	460	87.4	520	94.4	465	82.6	414	72.8	432	73.9	82.0
Dakota	2,529	72.4	2,632	74.0	2,751	75.6	2,763	74.9	2,519	67.5	72.8
Dodge	87	50.0	120	67.7	169	92.7	149	80.3	97	51.2	68.5
Douglas	216	69.1	254	77.4	249	74.6	230	68.6	212	62.1	70.3
Faribault	106	65.2	108	66.7	96	60.0	103	64.7	67	42.6	59.9
Fillmore	121	58.5	142	67.2	143	67.1	144	67.2	103	48.3	61.7
Freeborn	300	95.2	285	87.5	299	92.6	280	87.2	224	70.1	86.5
Goodhue	301	69.4	348	78.9	345	77.3	294	65.7	297	65.8	71.4
Grant	29	47.7	27	42.9	22	35.3	32	51.2	46	73.7	50.2
Hennepin	7,286	68.5	6,843	61.3	6,429	57.7	6,656	59.3	7,072	63.1	61.9
Houston	172	88.3	179	90.8	207	103.8	162	81.6	136	68.1	86.5
Hubbard	155	91.0	154	83.8	118	64.0	141	76.5	138	74.1	77.7
Isanti	260	84.2	194	62.0	168	51.3	160	47.3	158	44.7	57.3
Itasca	348	78.8	367	83.4	288	65.4	268	60.7	236	53.3	68.3
Jackson	59	51.9	70	62.1	62	55.6	47	41.7	43	38.5	49.9
Kanabec	105	72.8	170	113.4	109	71.0	102	66.0	100	63.0	77.0
Kandiyohi	265	64.9	273	66.3	272	66.2	282	69.1	244	59.3	65.1
Kittson	32	61.8	21	39.7	11	**	11	**	21	42.3	37.4
Koochiching	122	81.9	106	73.8	83	58.6	126	90.1	96	68.5	74.6
Lac Qui Parle	25	32.0	33	40.9	18	**	33	41.6	27	34.3	34.3
Lake	56	52.0	66	59.7	41	37.0	49	44.2	43	38.5	46.2
Lake of the Woods	51	110.4	30	66.3	30	67.5	26	59.3	74	168.8	94.4
Le Sueur	139	54.6	174	68.4	142	55.2	155	59.6	133	49.7	57.4
Lincoln	21	32.7	11	**	10	**	13	**	8	**	20.0
Lyon	213	87.8	185	72.8	231	91.6	173	68.9	182	73.3	78.8
McLeod	285	82.5	265	75.9	272	77.0	256	72.3	269	75.0	76.5
Mahnomen	150	294.6	120	231.2	119	228.2	127	246.6	108	211.2	242.2
Marshall	30	29.7	32	31.5	34	33.9	36	36.3	38	38.0	33.9
Martin	127	58.3	149	68.3	132	61.3	148	69.7	142	66.9	64.9
Meeker	168	77.2	131	57.9	89	39.0	113	49.4	86	37.1	51.8
Mille Lacs	305	142.9	409	183.2	347	150.6	297	125.7	250	102.8	140.2
Morrison	208	68.1	248	78.2	220	68.3	195	60.3	181	55.5	66.0
Mower	387	104.2	376	97.4	357	92.4	343	88.4	344	88.6	94.1
Murray	42	44.1	30	32.7	35	38.9	41	45.5	39	43.4	40.9
Nicollet	200	68.3	264	88.7	304	101.0	349	115.3	287	93.4	93.5

Chemical Table 2: Minnesota Driving While Impaired Violations - Number & Rate per 10,000 Population by State and County of Occurrence, 1999-2003

	1999		2000		2001		2002		2003		1999-2003
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,096	71.4	34,971	71.1	33,305	67.0	33,032	65.8	32,193	63.6	67.7
Nobles	150	78.5	185	88.8	150	72.6	181	88.5	182	88.3	83.4
Norman	45	59.9	25	33.6	26	35.3	49	67.0	23	32.0	45.6
Olmsted	824	69.2	849	68.3	815	64.5	794	61.6	692	52.7	63.1
Otter Tail	345	62.1	321	56.2	339	58.7	321	55.3	341	57.9	58.0
Pennington	102	75.2	116	85.4	115	85.5	117	86.6	88	64.5	79.4
Pine	195	79.2	249	93.9	281	103.7	228	83.4	248	89.4	90.1
Pipestone	59	59.0	74	74.8	71	72.0	46	47.1	42	43.4	59.4
Polk	324	105.2	315	100.4	309	99.2	295	94.8	308	99.7	99.8
Pope	83	76.2	80	71.2	93	82.9	78	69.7	67	59.5	71.9
Ramsey	2,620	53.9	2,864	56.0	2,830	55.6	2,657	52.0	2,327	46.0	52.7
Red Lake	36	85.7	36	83.7	45	104.8	41	95.1	41	94.9	92.9
Redwood	84	51.2	77	45.8	69	41.6	80	49.2	79	48.7	47.2
Renville	115	68.4	87	50.7	85	50.1	98	57.5	108	64.1	58.1
Rice	460	83.7	532	93.9	447	77.5	413	70.5	417	69.9	78.9
Rock	38	39.5	45	46.3	24	24.7	41	41.9	57	59.3	42.3
Roseau	88	54.7	129	79.0	109	67.4	128	78.9	115	70.5	70.1
St. Louis	1,638	84.7	1,661	82.8	1,457	73.0	1,445	72.3	1,324	66.6	75.8
Scott	757	91.2	699	78.1	740	75.4	661	63.8	679	62.5	73.2
Sherburne	442	69.8	470	73.0	368	53.6	393	55.0	385	51.6	60.1
Sibley	122	82.6	109	71.0	133	86.5	120	78.0	100	65.5	76.7
Stearns	767	59.0	1,026	77.0	875	65.1	763	56.2	930	67.8	65.0
Steele	277	86.4	248	73.6	216	63.3	175	50.9	191	55.0	65.5
Stevens	29	29.1	40	39.8	31	31.5	36	36.4	52	52.6	37.9
Swift	59	52.0	48	40.1	54	46.4	44	37.9	59	50.6	45.4
Todd	149	61.5	159	65.1	142	57.8	149	60.9	111	45.7	58.2
Traverse	17	**	24	58.1	34	85.0	33	83.5	**	46.0	62.5
Wabasha	201	95.1	215	99.5	149	68.6	167	76.2	185	83.5	84.5
Wadena	87	65.7	82	59.8	88	64.5	72	53.0	105	77.2	64.0
Waseca	148	79.7	115	58.9	127	65.1	122	62.8	144	74.1	68.0
Washington	1,449	71.5	1,336	66.4	1,376	66.3	1,389	66.1	1,330	62.3	66.5
Watsonwan	66	57.2	52	43.8	94	79.8	88	75.4	76	65.4	64.3
Wilkin	69	94.7	66	92.5	80	113.7	71	101.9	71	102.2	100.9
Winona	402	84.1	384	76.8	330	66.5	403	81.6	359	72.6	76.3
Wright	560	63.7	522	58.0	542	57.2	580	59.1	569	55.5	58.6
Yellow Medicine	98	86.6	95	85.7	87	79.9	79	73.1	82	76.8	80.5

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while DWI violations that occurred **WITHIN** that county/state each year.

Rate: The number of DWI violations per 10,000 population in the county/state.

Chemical Health Table 3: Minnesota Driving While Impaired Violations - Number & Rate per 10,000 population by State and County of Residence, 1999-2003

	1999		2000		2001		2002		2003		1999-2003
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,096	71.4	34,971	71.1	33,305	67.0	31,388	62.5	32,193	63.6	67.1
Aitkin	122	85.4	136	88.9	133	86.3	135	87.1	130	82.4	86.0
Anoka	2,275	76.1	2,286	76.7	1,967	64.3	1,809	58.4	1,781	56.7	66.3
Becker	339	113.9	402	134.0	325	106.4	348	113.0	258	82.8	109.8
Beltrami	319	81.4	372	93.8	374	92.6	406	99.0	395	94.5	92.3
Benton	226	64.9	289	84.4	231	65.2	224	61.7	232	62.8	67.6
Big Stone	20	35.9	19	**	23	40.1	36	63.4	29	51.3	44.6
Blue Earth	402	74.6	426	76.2	464	83.0	481	84.8	463	80.8	79.9
Brown	161	59.8	169	62.8	140	52.4	163	61.1	164	61.9	59.6
Carlton	211	67.0	229	72.3	235	73.3	243	74.6	262	79.3	73.4
Carver	369	55.1	339	48.3	365	49.7	407	53.8	424	53.7	52.1
Cass	258	95.4	237	87.3	246	89.0	241	86.6	195	69.1	85.4
Chippewa	79	60.6	83	63.4	72	55.6	94	72.7	105	82.0	66.8
Chisago	291	68.8	303	73.7	310	71.3	295	66.2	287	62.2	68.3
Clay	316	61.1	336	65.6	311	60.3	321	61.8	309	59.4	61.6
Clearwater	111	136.3	82	97.4	81	96.3	78	92.9	84	99.7	104.3
Cook	39	81.7	35	67.7	48	92.8	27	52.0	37	70.0	72.7
Cottonwood	66	55.4	59	48.5	50	41.8	58	48.2	51	42.4	47.3
Crow Wing	380	72.2	418	75.9	399	70.8	319	56.1	344	58.9	66.6
Dakota	2,410	69.0	2,332	65.5	2,395	65.8	2,431	65.9	2,368	63.4	65.9
Dodge	127	73.0	140	79.0	173	94.9	158	85.2	115	60.7	78.5
Douglas	194	62.0	213	64.9	199	59.6	209	62.4	196	57.4	61.2
Faribault	107	65.9	119	73.5	97	60.7	109	68.4	95	60.4	65.8
Fillmore	115	55.6	135	63.9	126	59.2	111	51.8	96	45.0	55.1
Freeborn	244	77.5	242	74.3	233	72.1	220	68.6	205	64.1	71.3
Goodhue	304	70.1	306	69.3	313	70.1	294	65.7	277	61.3	67.3
Grant	37	60.9	37	58.8	30	48.1	29	46.4	52	83.3	59.5
Hennepin	7,159	67.3	6,994	62.7	6,717	60.2	6,853	61.1	6,895	61.5	62.5
Houston	118	60.5	129	65.4	144	72.2	131	66.0	99	49.5	62.7
Hubbard	118	69.3	147	80.0	104	56.4	122	66.2	128	68.7	68.1
Isanti	228	73.8	222	71.0	206	62.9	208	61.5	186	52.6	64.0
Itasca	353	79.9	351	79.8	284	64.5	264	59.8	236	53.3	67.5
Jackson	41	36.0	60	53.2	56	50.2	52	46.1	44	39.4	45.0
Kanabec	90	62.4	136	90.7	108	70.4	99	64.1	95	59.9	69.4
Kandiyohi	269	65.9	266	64.6	250	60.8	263	64.4	231	56.1	62.4
Kittson	30	58.0	21	39.7	12	**	18	**	24	48.3	41.0
Koochiching	121	81.2	110	76.6	82	57.9	105	75.1	96	68.5	72.0
Lac Qui Parle	28	35.8	40	49.6	34	42.9	34	42.9	34	43.2	42.9
Lake	57	52.9	62	56.1	48	43.3	60	54.1	46	41.2	49.5
Lake of the Woods	30	64.9	27	59.7	28	63.0	26	59.3	42	95.8	68.4
Le Sueur	198	77.8	206	81.0	189	73.5	186	71.5	179	66.9	74.0
Lincoln	20	31.1	20	31.1	15	**	14	**	11	**	25.3
Lyon	175	72.1	147	57.8	183	72.5	144	57.3	145	58.4	63.6
McLeod	239	69.2	256	73.4	240	67.9	214	60.4	237	66.1	67.4
Mahnomen	108	212.1	95	183.0	88	168.7	80	155.3	77	150.6	173.9
Marshall	57	56.5	53	52.2	55	54.9	61	61.6	54	54.0	55.8
Martin	140	64.2	151	69.3	110	51.1	140	65.9	120	56.5	61.4
Meeker	138	63.4	121	53.4	101	44.2	125	54.6	108	46.5	52.3
Mille Lacs	208	97.4	271	121.4	230	99.8	189	80.0	201	82.7	95.8
Morrison	193	63.2	205	64.6	204	63.3	173	53.5	197	60.4	61.0
Mower	334	89.9	333	86.3	343	88.8	318	82.0	312	80.4	85.4
Murray	42	44.1	31	33.8	39	43.3	37	41.1	32	35.6	39.6

Chemical Health Table 3: Minnesota Driving While Impaired Violations - Number & Rate per 10,000 population by State and County of Residence, 1999-2003

	1999		2000		2001		2002		2003		1999-2003
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,096	71.4	34,971	71.1	33,305	67.0	31,388	62.5	32,193	63.6	67.1
Nicollet	153	52.3	187	62.8	224	74.4	239	79.0	235	76.5	69.1
Nobles	137	71.7	151	72.5	128	62.0	147	71.9	148	71.8	69.9
Norman	51	67.8	37	49.7	39	53.0	55	75.2	40	55.6	60.3
Olmsted	767	64.4	851	68.5	794	62.9	830	64.4	731	55.6	63.1
Otter Tail	357	64.2	362	63.3	319	55.2	338	58.2	342	58.1	59.8
Pennington	85	62.7	108	79.5	94	69.9	113	83.6	83	60.9	71.3
Pine	173	70.3	223	84.1	230	84.9	187	68.4	193	69.6	75.5
Pipestone	46	46.0	53	53.6	54	54.7	40	41.0	35	36.2	46.3
Polk	232	75.4	241	76.8	238	76.4	207	66.5	239	77.3	74.5
Pope	58	53.3	75	66.7	80	71.3	63	56.3	47	41.8	57.9
Ramsey	2,939	60.4	3,154	61.7	3,080	60.6	3,021	59.2	2,712	53.6	59.1
Red Lake	31	73.8	26	60.5	33	76.8	23	53.3	28	64.8	65.8
Redwood	85	51.8	72	42.8	87	52.4	90	55.3	78	48.1	50.0
Renville	130	77.3	117	68.2	106	62.5	113	66.3	107	63.5	67.6
Rice	423	76.9	486	85.8	441	76.5	381	65.0	408	68.4	74.4
Rock	23	23.9	34	35.0	24	24.7	30	30.6	50	52.0	33.2
Roseau	106	65.9	115	70.4	99	61.2	117	72.1	113	69.2	67.8
St. Louis	1,525	78.8	1,521	75.8	1,364	68.4	1,342	67.1	1,272	64.0	70.8
Scott	617	74.3	593	66.3	624	63.6	562	54.2	626	57.7	62.6
Sherburne	392	61.9	433	67.2	384	56.0	415	58.1	409	54.8	59.4
Sibley	130	88.0	103	67.1	126	81.9	105	68.3	99	64.8	73.9
Stearns	789	60.7	985	74.0	843	62.7	794	58.4	879	64.1	64.0
Steele	300	93.6	270	80.2	229	67.1	203	59.0	178	51.2	69.8
Stevens	28	28.1	33	32.8	31	31.5	32	32.4	46	46.5	34.2
Swift	59	52.0	64	53.5	52	44.7	49	42.2	64	54.9	49.5
Todd	144	59.4	170	69.6	163	66.3	151	61.7	121	49.8	61.4
Traverse	15	**	17	**	22	55.0	16	**	21	53.7	45.1
Wabasha	170	80.4	169	78.2	136	62.6	136	62.1	130	58.7	68.3
Wadena	76	57.4	78	56.9	86	63.0	79	58.2	77	56.6	58.4
Waseca	130	70.0	112	57.4	139	71.3	124	63.8	132	67.9	66.0
Washington	1,049	51.8	1,121	55.7	1,138	54.8	1,133	53.9	1,150	53.8	54.0
Watowan	76	65.8	61	51.4	96	81.5	81	69.4	70	60.2	65.7
Wilkin	43	59.0	33	46.2	45	64.0	34	48.8	32	46.1	52.9
Winona	314	65.7	297	59.4	255	51.4	283	57.3	259	52.3	57.2
Wright	609	69.3	604	67.1	591	62.3	620	63.2	548	53.4	62.8
Yellow Medicine	77	68.1	77	69.5	67	61.6	73	67.6	69	64.6	66.3

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while impaired violations by county of residence.

Rate: The number of DWI violations per 10,000 population in the county/state.

Notes about the Chemical Health Indicators

IMPAIRED DRIVING INCIDENTS

Minnesota Motor Vehicle Crash Facts

This category includes data about motor vehicle crashes and violations related to alcohol. The violations' indicators includes violations for both failing and also refusing to take (implied consent law) a test for blood alcohol content.

These indicators include both local law enforcement and State Patrol reports.

Source:

Minnesota Department of Public Safety, 651/296-9489.

Limitations:

Under-reporting

Law enforcement officers at a crash or arrest site may not realize and thus not report that alcohol or other drugs were involved.

Lack of Standard Reporting

The number of reports of alcohol-related crashes or driving while impaired violations are affected by the inconsistency of enforcement of the laws by local law enforcement officials. One community may be very strict in enforcement, or receive specific funds for specific enforcement, while another community may be more lenient.

Section F: Environmental Health Tables

Blood Lead, 2003

Lead poisoning is a significant, preventable environmental health problem among children in the United States. Lead poisoning can cause learning, behavior, and health problems in young children. In adults, lead can cause high blood pressure, kidney damage, and damage to the reproductive organs. Exposure pathways include deteriorating lead paint; soil and dust; drinking water; “take-home lead” by way of parental occupations and hobbies; air; food; and possibly “traditional” medicines.

The Minnesota Department of Health (MDH) maintains an extensive blood lead surveillance system for the purpose of monitoring trends in blood lead levels in Minnesota. Independent laboratories and/or hospitals report blood lead analyses to the MDH. The data are used to help ensure that screening services are provided to high risk groups and that environmental and medical follow-up is provided to children with elevated blood lead levels. Lead program staff advise local health departments of elevated venous blood lead levels that require follow up. Health care providers and public health agencies educate families of children with blood lead levels of 10 micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or greater about the hazards of lead. Homes of children and pregnant women with venous blood lead levels of 20 $\mu\text{g}/\text{dL}$ or greater, or with levels of 15-19 $\mu\text{g}/\text{dL}$ that persist for 90 days, are inspected for lead hazards so that homes can be made lead safe and blood lead levels can be reduced.

In addition, MDH has developed guidelines for case management and clinical treatment in collaboration with local partners and physicians. The case management guidelines are targeted to local public health agencies and others who provide services to provide information on recommended activities related to elevated childhood lead cases. The clinical guidelines provide recommended treatment information to physicians who may not deal with many lead cases in their practice. This information, as well as other information on childhood lead poisoning, may be found at the MDH website at: www.health.state.mn.us/divs/eh/lead.

The results in **Environmental Health Table 1** represent submitted reports of blood lead tests of Minnesota children aged 0-72 months between January 1, 2003 and December 31, 2003. Some results of Minnesota patients tested in 2003 may not have been reported to the MDH. The table below shows the numbers of children 0-72 months of age tested in 2003 according to blood lead level.

For more information contact the Environmental Impacts Analysis Unit, Section of Environmental Surveillance and Assessment: Erik Zabel, 651/215-0967 or erik.zabel@health.state.mn.us.

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter (µg/dL) in 2003 by State and County

	Number of Children (0 to 72 Months)			
	10 to 14.9 µg/dL ²	15 to 19.9 µg/dL ¹	20 µg/dL or Greater ¹	Total Tested ²
State of Minnesota	1,098	157	154	61,710
Aitkin	3	0	0	181
Anoka	21	0	2	3,377
Becker	2	0	0	292
Beltrami	1	0	1	192
Benton	5	1	0	308
Big Stone	2	0	0	54
Blue Earth	5	1	2	589
Brown	6	0	1	344
Carlton	3	0	0	392
Carver	6	0	1	440
Cass	2	1	0	191
Chippewa	3	1	0	166
Chisago	3	0	0	301
Clay	4	0	0	430
Clearwater	0	0	0	32
Cook	1	0	0	50
Cottonwood	4	0	0	105
Crow Wing	2	0	0	582
Dakota	16	2	2	3,072
Dodge	1	0	0	129
Douglas	3	1	0	408
Faribault	3	1	1	177
Fillmore	4	3	1	231
Freeborn	6	3	2	415
Goodhue	8	0	1	383
Grant	0	0	0	78
Hennepin	408	63	69	16,593
Houston	1	1	0	144
Hubbard	0	0	0	80
Isanti	2	2	0	284
Itasca	1	0	0	436
Jackson	1	0	0	75
Kanabec	2	0	0	147
Kandiyohi	12	2	1	785
Kittson	3	0	0	34
Koochiching	3	0	0	107
Lac Qui Parle	3	0	0	133
Lake	1	0	2	153
Lake of the Woods	0	0	0	24
Le Sueur	2	0	1	241
Lincoln	0	0	0	44
Lyon	5	1	0	576
McLeod	6	0	0	389
Mahnomen	0	0	0	78
Marshall	1	0	0	70
Martin	4	0	0	264
Meeker	4	2	0	314
Mille Lacs	3	0	0	251
Morrison	3	1	0	444
Mower	4	2	2	332
Murray	0	0	0	98
Nicollet	2	0	0	340

Nobles	8	1	2	405
Norman	1	1	0	47
Olmsted	14	3	7	808
Otter Tail	8	0	1	408
Pennington	0	0	0	92
Pine	6	0	1	324
Pipestone	0	0	0	46
Polk	1	0	0	123
Pope	1	0	0	121
Ramsey	321	40	43	9,433
Red Lake	0	0	0	19
Redwood	2	1	1	289
Renville	1	3	1	284
Rice	15	1	2	562
Rock	1	0	0	27
Roseau	0	0	0	25
St. Louis	5	0	0	659
Scott	4	0	0	800
Sherburne	5	0	0	196
Sibley	56	11	4	2,643
Stearns	7	0	0	1,117
Steele	5	1	0	596
Stevens	0	0	0	65
Swift	7	0	0	164
Todd	3	0	0	284
Traverse	1	0	0	41
Wabasha	2	0	0	212
Wadena	0	0	0	266
Waseca	3	0	1	268
Washington	13	0	0	1,428
Watonwan	3	1	0	171
Wilkin	1	0	1	51
Winona	12	4	1	420
Wright	3	2	0	1,131
Yellow Medicine	2	0	0	147
Unknown	2	1	0	2,683

Source: Minnesota Department of Health, Environmental Health Division

¹results of venous tests only

²venous, capillary, and unknown test types

Foodborne & Waterborne Disease Outbreaks, 2003

Biological or chemical agents may be present in food and water and can cause illness when ingested. The Minnesota Department of Health (MDH) investigates outbreaks of gastroenteritis, including foodborne and waterborne disease outbreaks. Epidemiologists in the Infectious Disease Epidemiology, Prevention and Control Division collaborate with sanitarians in the Environmental Health Division and with local public health agencies in these investigations.

A confirmed foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after a common food or meal, and epidemiologic evaluation implicates the food or meal as the source of illness. Confirmed outbreaks may or may not be laboratory-confirmed. A probable foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after ingestion of a common food or meal, and a specific food or meal is suspected, but person-to-person transmission or other exposures cannot be ruled out.

Waterborne disease outbreaks are similar to foodborne disease outbreaks, except that epidemiologic analysis implicates drinking water or recreational water as the source of illness. Nonfoodborne/nonwaterborne gastroenteritis outbreaks are related by time and place of exposure, but investigation results suggest that either person-to-person transmission occurred or a vehicle other than food or water (e.g., animal contact) is identified.

Environmental Health Table 2 shows the number of confirmed and probable foodborne outbreaks, waterborne outbreaks, and nonfoodborne/nonwaterborne gastroenteritis outbreaks identified by MDH in 2003. For more information, go to <http://www.health.state.mn.us/divs/idepc/dtopics/foodborne/outbreaksummary.html>, or contact the Acute Disease Investigation and Control Section, Infectious Disease Epidemiology, Prevention and Control Division: Ellen Swanson, 612/676-5414 or ellen.swanson@health.state.mn.us

Environmental Health Table 2: Foodborne and Waterborne Disease Outbreaks in Minnesota by State and County, 2003

	Confirmed Foodborne	Probable Foodborne	Confirmed Waterborne	Probable Waterborne	Nonfoodborne/ Nonwaterborne	Total
State of Minnesota	41*	15	2	0	50	108
Aitkin	0	0	0	0	1	1
Anoka	2	0	0	2	1	5
Becker	1	0	0	0	0	1
Beltrami	1	0	0	0	0	1
Benton	0	0	0	0	0	0
Big Stone	0	0	0	0	0	0
Blue Earth	1	0	0	0	1	2
Brown	0	0	0	0	0	0
Carlton	1	0	0	0	0	1
Carver	3	0	0	0	2	5
Cass	0	0	0	0	1	1
Chippewa	0	0	0	0	0	0
Chisago	0	0	0	0	0	0
Clay	1	0	0	0	2	3
Clearwater	0	0	0	0	0	0
Cook	0	0	0	0	0	0
Cottonwood	0	0	0	0	0	0
Crow Wing	1	0	0	0	2	3
Dakota	1	0	0	1	2	4
Dodge	0	0	0	0	0	0
Douglas	0	0	0	0	0	0
Faribault	0	0	0	0	1	1
Fillmore	0	0	0	0	0	0
Freeborn	0	0	0	0	0	0
Goodhue	0	0	0	0	0	0
Grant	0	0	0	0	0	0
Hennepin	12	0	1	7	16	36
Houston	0	0	0	0	0	0
Hubbard	0	0	0	0	0	0
Isanti	0	0	0	0	0	0
Itasca	1	0	0	0	0	1
Jackson	0	0	0	0	0	0
Kanabec	0	0	0	0	0	0
Kandiyohi	1	0	0	0	2	3
Kittson	0	0	0	0	0	0
Koochiching	1	0	0	0	0	1
Lac Qui Parle	0	0	0	0	0	0
Lake	1	0	0	0	1	2
Lake of the Woods	0	0	0	0	0	0
Le Sueur	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0
Lyon	0	0	0	0	0	0
McLeod	0	0	0	1	1	2
Mahnomen	0	0	0	0	0	0
Marshall	0	0	0	0	0	0
Martin	0	0	0	0	0	0
Meeker	0	0	0	0	0	0
Mille Lacs	1	0	0	0	0	1
Morrison	2	0	0	0	0	2
Mower	1	0	0	0	0	1

Murray	0	0	0	0	0	0
Nicollet	0	0	0	0	0	0
Nobles	0	0	0	0	1	1
Norman	0	0	0	0	0	0
Olmsted	2	0	0	0	0	2
Otter Tail	0	0	0	0	2	2
Pennington	0	0	0	0	0	0
Pine	1	0	0	0	0	1
Pipestone	0	0	0	0	0	0
Polk	0	0	0	0	0	0
Pope	1	0	0	0	0	1
Ramsey	6	0	0	2	3	11
Red Lake	0	0	0	0	0	0
Redwood	0	0	0	0	0	0
Renville	0	0	0	0	0	0
Rice	0	0	0	0	0	0
Rock	0	0	0	0	0	0
Roseau	0	0	0	0	0	0
St. Louis	4	1	1	1	0	7
Scott	0	0	0	0	1	1
Sherburne	1	0	0	1	1	3
Sibley	0	0	0	0	0	0
Stearns	0	0	0	0	1	1
Steele	0	0	0	0	1	1
Stevens	0	0	0	0	1	1
Swift	0	0	0	0	1	1
Todd	1	0	0	0	0	1
Traverse	0	0	0	0	0	0
Wabasha	0	0	0	0	0	0
Wadena	0	0	0	0	0	0
Waseca	0	0	0	0	0	0
Washington	1	0	0	0	2	3
Watonwan	0	0	0	0	0	0
Wilkin	0	0	0	0	1	1
Winona	0	0	0	0	2	2
Wright	1	0	0	0	0	1
Yellow Medicine	0	0	0	0	0	0

Source: Minnesota Department of Health, Infectious Disease Epidemiology, Prevention and Control Division

* Numbers in this column add up to 50 because 3 of the 41 outbreaks involved more than one county.

Hazardous Substances Emergency Events Surveillance, 2003

Hazardous materials are released daily throughout Minnesota as a result of industrial, agricultural, and domestic spills of acids, ammonia, and other chemicals. Many of these releases cause injuries and force evacuations. The Hazardous Substances Emergency Events Surveillance (HSEES) program maintains a database of acute hazardous material releases in Minnesota. The HSEES program is currently active in fourteen other states, and is conducted under a cooperative agreement with the U.S. Agency for Toxic Substances and Disease Registry.

The HSEES program collects data on acute, emergency hazardous material releases, as well as threatened releases that involved a public health action such as evacuation. The program does not include releases that involve petroleum products exclusively, such as diesel fuel or propane, nor does the program include releases permitted by the Minnesota Pollution Control Agency. Chronic releases, such as a several-month leak from an acid holding tank, are also excluded from the program.

The Minnesota Department of Health (MDH) receives reports of hazardous material releases from several sources, including the Minnesota Duty Officer, the United States Coast Guard's National Response Center, and other state agencies. Upon receipt of this initial report, the MDH calls the responsible party and obtains information to complete an extensive questionnaire. Information gathered includes the number of people who were evacuated, injured, or decontaminated; the identity of the materials spilled; and how much was spilled. Data on long-term health effects from chemical exposures are not collected. The MDH follow-up procedure has the advantage of providing more complete and accurate information than may have been available at the time of original notification of the release.

HSEES data identify the chemicals that were released, the day of the week on which the release occurred, the time of day at which the release occurred, and list the number of injuries by chemical and the number of evacuations by chemical. Maps can be generated showing the locations of spills with respect to municipalities; rivers and lakes; and roads.

For the purpose of the HSEES program, a person is considered injured if that person develops symptoms within 24 hours of exposure to a hazardous substance. Symptoms range from minor ailments, such as throat irritation, to death. The program does not differentiate between injuries caused directly by exposure to hazardous materials and injuries caused indirectly by the release, such as burns from a fire caused by the hazardous materials. HSEES data can be used in emergency management planning and training. A region's agricultural and industrial activities determine the types of hazardous material releases which are likely to occur within that region. Thus, regional differences require different strategies for planning and training. Comparisons can be made between a rural county and other rural counties, and between an urban county and other urban counties.

During 2003, a total of 438 events occurred in Minnesota, resulting in 491 chemicals released, 8 threatened releases, 34 evacuations and 83 injured people (i.e., victims). For the nine urban counties, there were 251 events, 272 chemicals released, 7 threatened releases, 37 victims, and 19 evacuations. For the 78 primarily agricultural counties, there were 187 events, 219 chemicals released, 1 threatened release, 46 victims, and 15 evacuations. Environmental Health Table 3 provides the number of hazardous material releases in each county and the average number of events, injuries, evacuations, and chemicals released per event for urban counties and primarily agricultural counties.

For further information contact the Site Assessment and Consultation Unit: Nancy Rice, HSEES Coordinator, 651/215-0918 or SACWeb@health.state.mn.us.

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2003 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number
Urban Counties	27.9	4.1	2.1	1.2
Agricultural Counties	2.4	0.6	0.2	1.2
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	438	83	34	1.1
Aitkin	1	0	0	4.0
Anoka	9	1	1	1.1
Becker	0	0	0	0.0
Beltrami	0	0	0	0.0
Benton	1	0	0	1.0
Big Stone	0	0	0	0.0
Blue Earth	7	0	0	1.1
Brown	3	0	0	1.0
Carlton	10	0	0	2.9
Carver	4	4	1	1.0
Cass	0	0	0	0.0
Chippewa	3	0	0	1.0
Chisago	0	0	0	0.0
Clay	2	0	0	1.5
Clearwater	0	0	0	0.0
Cook	0	0	0	0.0
Cottonwood	1	0	0	1.0
Crow Wing	1	0	1	1.0
Dakota	82	2	6	1.2
Dodge	3	0	0	1.0
Douglas	2	1	0	1.0
Faribault	0	0	0	0.0
Fillmore	2	0	0	1.0
Freeborn	4	3	0	1.0
Goodhue	5	1	2	1.2
Grant	0	0	0	0.0
Hennepin	42	5	3	1.1
Houston	0	0	0	0.0
Hubbard	0	0	0	0.0
Isanti	2	0	0	1.0
Itasca	21	1	1	1.0
Jackson	1	4	0	2.0
Kanabec	0	0	0	0.0
Kandiyohi	8	0	0	1.0
Kittson	7	1	0	1.0
Koochiching	2	0	0	1.0
Lac Qui Parle	0	0	0	0.0
Lake	0	0	0	0.0
Lake of the Woods	0	0	0	0.0
Le Sueur	4	1	1	1.3
Lincoln	0	0	0	0.0
Lyon	9	0	0	1.0
McLeod	8	1	0	1.0
Mahnomen	0	0	0	0.0
Marshall	0	0	0	0.0
Martin	2	0	0	1.0
Meeker	1	0	1	1.0
Mille Lacs	1	0	0	1.0
Morrison	1	0	0	1.0

Mower	2	0	0	1.0
Murray	0	0	0	0.0
Nicollet	1	0	0	1.0
Nobles	1	0	0	1.0
Norman	0	0	0	0.0
Olmsted	28	2	1	1.0
Otter Tail	0	0	0	0.0
Pennington	0	0	0	0.0
Pine	2	0	1	1.0
Pipestone	1	0	1	1.0
Polk	5	2	1	1.2
Pope	1	0	0	4.0
Ramsey	36	0	2	1.0
Red Lake	0	0	0	0.0
Redwood	4	2	1	1.0
Renville	3	0	0	1.0
Rice	3	20	1	1.0
Rock	2	1	0	1.0
Roseau	4	0	0	1.0
St. Louis	6	0	0	1.0
Scott	7	3	2	1.0
Sherburne	7	4	0	1.0
Sibley	2	0	0	1.0
Stearns	6	1	0	1.0
Steele	9	0	1	1.0
Stevens	1	0	0	1.0
Swift	4	2	0	1.5
Todd	3	0	0	1.0
Traverse	0	0	0	0.0
Wabasha	2	0	2	1.0
Wadena	0	0	0	0.0
Waseca	2	0	0	1.0
Washington	37	20	3	1.1
Watonwan	0	0	0	0.0
Wilkin	0	0	0	0.0
Winona	1	0	0	1.0
Wright	7	1	1	1.0
Yellow Medicine	2	0	0	1.0

Source: Minnesota Department of Health, Environmental Health Division

*2003 Preliminary data

Urban counties: Anoka, Carver, Dakota, Hennepin, Olmsted, Ramsey, Scott, St. Louis,
& Washington counties

Agricultural counties: Counties other than urban counties

Radioactivity and Radiation, 1999 - 2003

Median values for strontium-90 in 2002 for samples taken at each of the seven sites did not exceed National Primary Drinking Water Regulations (40 CFR 141) for strontium-90 of 8 pCi per liter (See Table 5). There is no specific standard for strontium-90 in milk, so the standard for strontium-90 in drinking water is used. Median values for strontium-90 also were well within recommended safe levels according to the U.S. Food and Drug Administration (FDA) emergency guidelines for milk. The FDA recommends that during an emergency, protective actions be taken only when levels exceed 4,000 pCi per liter (Accidental Radioactive Contamination of Human Food and Animal Feeds: Recommendations for State and Local Agencies, Food and Drug Administration, August 13, 1998).

Strontium-90 is a fallout product of atmospheric weapons testing. The average strontium-90 level has been fluctuating, but slowly decreasing. The physical half life is 28 years.

For further information contact the Radiation Control Unit, Section of Asbestos, Indoor Air, Lead and Radiation: Tim Donakowski, 651/643-2128 or timothy.donakowski@health.state.mn.us

Environmental Health Table 4: Median Strontium-90 Levels (pCi/L) in Pasteurized Milk by Minnesota Site and Year

	1999	2000	2001	2002	2003
St. Cloud/Little Falls	0.9	1.4	1.8	1.0	1.3
Duluth	1.6	1.8	1.9	1.9	1.6
Bemidji	0.9	0.8	1.0	0.9	1.1
Rochester	0.8	0.8	1.0	0.9	1.0
Hastings	0.9	1.1	1.2	0.9	1.0
Norwood	0.9	0.8	0.8	0.9	<0.8
St. Paul	0.8	1.1	1.1	0.9	1.0
Average (Median)	0.9	1.1	1.1	0.9	1.0

Source: Minnesota Department of Health, Environmental Health Division

Potassium-40 (K-40) was found in all milk samples, ranging from about 1000 to 1500 pCi per liter. Potassium-40 is a naturally occurring radionuclide present at the earth's creation (physical half life of 1.3 billion years). No other nuclides were detected.

Section G: Minnesota Children with Special Health Needs

Introduction

Minnesota Children with Special Health Needs Data

This section of the Minnesota County Health Tables consists of supplemental information related to two programs targeted to improving the health of mothers and children. These data were provided by the Minnesota Department of Health, Family Health Division.

The Children with Special Health Needs component contains five tables. These tables reflect the anticipated number of children with special health needs and the number of these children receiving services from various programs.

Public Health Significance

The presence of a childhood chronic illness or disability has significant physical, emotional and financial impact on the child, family and community. While this population is diverse in age, diagnoses, functional limitations, unmet needs, health status, use of resources, health care coverage and eligibility for public programs, the challenges they face are similar in nature. Public health has a significant role in assuring that :

1. The needs of this population are assessed.
2. Services are provided based on family choices and are flexible, available, and accessible
3. Local and state public policy supports the development of systems to support comprehensive, coordinated, community based, culturally competent and family centered care.
4. Prevention strategies reduce or prevent family stress, out-of-home placement, family disruptions, and secondary complications of the chronic illness or disability.

Source: Minnesota Children With Special Health Needs

HOW TO CONTACT US

Minnesota Children with Special Health Needs
Minnesota Department of Health
85 East Seventh Place / PO Box 64882
St. Paul, MN 55164-0882
Phone: 651-215-8956 OR 1-800-728-5420
E-mail: mn-cshn@health.state.mn.us
FAX: 651-215-9988

<http://www.health.state.mn.us/mcshn>

Children with Special Health Care Needs [CSHCN] Data

A major challenge in planning and implementing programs and services for children with special health care needs is defining the population. Numerous approaches have been used to define the population based on the purpose of a particular program or service. The population includes children to age 21 with physical, developmental, or mental health conditions which are virtually certain to last for at least one year which cause either 1) limitation in function, activity or social role or 2) dependency on medication, special diet, medical technology, assistive device or personal assistance, to compensate for or minimize limitation of function or 3) the need for medical care or related services over and above the usual for child's age.

Importance of the Problem

Children with special needs and their families are uniquely dependent upon the success of the health and community systems to prevent premature death, prevent long-term complications and achieve optimal functioning, thus decreasing the economic burden to the community.

Number of children with special health needs

The National Survey of Children with Special Health Needs conducted by the National Center for Health Statistics, used the operationalized the Maternal and Child Health Bureau definition (above).

Children with Special Health Care Needs Table 1: Minnesota Children with Special Health Care Needs by State and County, 2004

	CYSHCN (0 to 18)	Need Medications	Need for Services	Development, Behavioral or Emotional Needs
State of Minnesota	154,153	117,384	78,673	44,946
Aitkin	385	284	190	109
Anoka	10,604	8,071	5,409	3,091
Becker	951	703	471	269
Beltrami	1,368	1,030	690	394
Benton	1,128	869	582	333
Big Stone	165	117	78	45
Blue Earth	1,385	1,066	714	408
Brown	771	561	376	215
Carlton	954	709	475	271
Carver	2,807	2,153	1,443	824
Cass	812	593	398	227
Chippewa	372	273	183	105
Chisago	1,560	1,176	788	450
Clay	1,490	1,095	734	419
Clearwater	256	191	128	73
Cook	127	92	62	35
Cottonwood	359	268	180	103
Crow Wing	1,676	1,266	849	485
Dakota	12,718	9,690	6,495	3,711
Dodge	643	486	325	186
Douglas	926	690	463	264
Faribault	453	329	220	126
Fillmore	647	475	318	182
Freeborn	884	659	442	252
Goodhue	1,368	1,015	680	389
Grant	174	125	84	48
Hennepin	31,914	24,945	16,719	9,553
Houston	635	460	308	176

Hubbard	527	387	259	148
Isanti	1,134	836	560	320
Itasca	1,246	912	612	349
Jackson	315	229	154	88
Kanabec	495	367	246	140
Kandiyohi	1,264	944	633	362
Kittson	150	111	74	42
Koochiching	388	287	192	110
Lac Qui Parle	224	160	107	61
Lake	289	211	141	81
Lake of the Woods	130	92	61	35
Le Sueur	835	621	416	238
Lincoln	170	125	84	48
Lyon	740	563	378	216
McLeod	1,158	875	586	335
Mahnomen	172	131	88	50
Marshall	288	210	141	80
Martin	611	454	304	174
Meeker	714	536	360	205
Mille Lacs	748	549	368	210
Morrison	1,051	785	526	301
Mower	1,145	875	586	335
Murray	259	189	126	72
Nicollet	869	656	440	251
Nobles	628	485	325	186
Norman	215	156	104	60
Olmsted	4,095	3,144	2,107	1,204
Otter Tail	1,702	1,241	832	475
Pennington	377	287	192	110
Pine	821	600	402	230
Pipestone	288	214	143	82
Polk	910	664	445	254
Pope	319	230	154	88
Ramsey	15,404	11,934	7,998	4,570
Red Lake	121	90	60	34
Redwood	492	364	244	139
Renville	526	387	259	148
Rice	1,737	1,305	875	500
Rock	287	214	144	82
Roseau	570	422	283	162
St. Louis	5,138	3,823	2,562	1,464
Scott	3,789	2,969	1,990	1,137
Sherburne	2,563	1,970	1,320	755
Sibley	492	366	246	140
Stearns	4,016	3,048	2,043	1,167
Steele	1,122	847	567	324
Stevens	235	177	119	68
Swift	288	214	143	82
Todd	761	558	374	214
Traverse	113	81	54	31
Wabasha	696	511	342	196
Wadena	411	306	205	117
Waseca	578	438	294	168
Washington	7,247	5,476	3,670	2,097
Watonwan	373	286	191	109
Wilkin	225	165	110	63
Winona	1,277	963	646	369
Wright	3,567	2,719	1,822	1,041

Yellow Medicine	317	234	157	90
-----------------	-----	-----	-----	----

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

CSHCN (0-18)

Children with Special Health Care Needs (CSHCN) is a sythetic estimate based on the findings of the Minnesota sample of the National Survey of Children with Special Health Care Needs. That survey identified the percentage children in Minnesota have a special health need by age grouping (6.6%-17.4%). The percentages were then applied to the 2003 estimated number of children birth to 18 years of age in each of the age groupings in each county.

Need Medications

Children are found to have a special health care need because they need prescription medications for a health or related condition that has lasted or is expected to last more than one year.

Need for Services

Children who are found to have a special health care need because they need medical care, mental health or educational services for a medical, behavioral or mental health condition that has lasted or is expected to last more than one year.

Developmental, Behavioral or Emotional Needs

Children who have a special health care need because they have an emotional, behavioral or development problem for which they need treatment or counseling.

Children and Youth with Special Health Care Needs By Age Grouping

The National Survey of Children and Youth with Special Health Care Needs Surveyed more than 3,000 Minnesota families to determine the prevalence of special health care needs among children birth to 18 years old in our state. The prevalence of special health care needs varies by age grouping. The overall prevalence of special health care needs was found to be 12.4% of the population. Among children birth to age 6, the prevalence is 6.4%. Among children 6 years of age to age 12, the prevalence is 12.5%. Among youth age 12 to age 18, the prevalence of special health care needs is 17.4%.

Children with Special Health Care Needs Table 2: Prevalence of special health care needs among children and youth in Minnesota by county (estimated).

	Number of children with special health care needs birth to age 6 years	Number of children with special health care needs age 6 to 12 years	Number of youth with special health care needs age 12 to 18 years
State of Minnesota	25,034	51,292	77,827
Aitkin	53	126	207
Anoka	1,691	3,647	5,266
Becker	139	288	525
Beltrami	216	424	728
Benton	196	367	565
Big Stone	19	49	96
Blue Earth	242	437	706
Brown	102	234	435
Carlton	140	301	513
Carver	457	999	1,351
Cass	111	245	456
Chippewa	49	127	197
Chisago	240	521	800
Clay	199	499	792
Clearwater	39	80	137
Cook	16	40	71
Cottonwood	54	115	191
Crow Wing	266	540	870
Dakota	2,041	4,369	6,309
Dodge	99	218	326
Douglas	138	292	497
Faribault	58	140	255
Fillmore	89	203	355
Freeborn	131	282	472
Goodhue	197	438	733
Grant	21	55	99
Hennepin	5,841	10,771	15,302
Houston	80	204	351
Hubbard	73	165	289
Isanti	159	359	616
Itasca	170	385	691
Jackson	41	99	175
Kanabec	69	165	261
Kandiyohi	190	400	673
Kittson	21	48	82
Koochiching	54	128	207
Lac Qui Parle	26	71	128
Lake	38	91	161
Lake of the Woods	14	40	76
Le Sueur	123	265	447
Lincoln	22	57	91

Lyon	121	242	377
McLeod	184	373	601
Mahnomen	28	59	85
Marshall	38	90	160
Martin	90	190	331
Meeker	110	228	375
Mille Lacs	104	229	415
Morrison	159	329	563
Mower	190	374	581
Murray	34	82	143
Nicollet	138	277	453
Nobles	109	208	312
Norman	27	70	118
Olmsted	697	1,345	2,053
Otter Tail	225	532	945
Pennington	62	119	196
Pine	113	247	461
Pipestone	41	93	153
Polk	118	296	495
Pope	41	92	186
Ramsey	2,696	5,235	7,473
Red Lake	18	34	69
Redwood	70	157	266
Renville	73	164	289
Rice	267	562	908
Rock	43	92	152
Roseau	80	187	303
St. Louis	753	1,645	2,740
Scott	684	1,357	1,748
Sherburne	431	877	1,255
Sibley	72	159	261
Stearns	648	1,309	2,059
Steele	175	368	580
Stevens	38	72	125
Swift	41	96	151
Todd	103	241	417
Traverse	14	36	63
Wabasha	94	224	378
Wadena	62	128	221
Waseca	93	185	299
Washington	1,109	2,508	3,630
Watonwan	62	126	184
Wilkin	30	71	124
Winona	200	411	666
Wright	579	1,201	1,788
Yellow Medicine	46	96	175

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

Early Intervention

Early intervention Services are services provided in conformity with an individualized Family Service Plan (IFSP) that is designed to meet the special developmental needs of a child eligible under Part C of the Individuals with Disabilities Education Act (IDEA); and the needs of the child's family related to enhancing the child's development and that are selected in collaboration with the parent. The US Department of Education has established a benchmark of 2% of the birth to three population should be eligible for and receiving early intervention services

Children with Special Health Care Needs Table 3: Number of Minnesota Children (birth to 3) with Special Health Care Needs, Number of Minnesota Children (birth to 3) Receiving Early Intervention Services as of December 1, 2003 by State and County

	Estimated Number of children birth to three with a special health care need ¹	Number in Early Intervention ²	Percentage of the Total Birth to Three Population Served By Early Intervention
State of Minnesota	11,813	3,523	1.79
Aitkin	26	5	1.16
Anoka	776	299	2.31
Becker	63	23	2.18
Beltrami	102	30	1.76
Benton	94	35	2.23
Big Stone	9	5	3.23
Blue Earth	115	71	3.69
Brown	45	21	2.77
Carlton	64	19	1.78
Carver	209	66	1.90
Cass	55	15	1.63
Chippewa	20	5	1.47
Chisago	114	17	0.90
Clay	77	46	3.59
Clearwater	20	3	0.90
Cook	7	0	0.00
Cottonwood	26	13	2.97
Crow Wing	128	44	2.07
Dakota	920	295	1.92
Dodge	45	20	2.64
Douglas	63	24	2.30
Faribault	27	13	2.90
Fillmore	42	7	1.01
Freeborn	58	21	2.16
Goodhue	91	27	1.78
Grant	10	2	1.19
Hennepin	2908	702	1.45
Houston	38	21	3.35
Hubbard	33	15	2.76
Isanti	74	21	1.71
Itasca	76	28	2.22
Jackson	18	6	1.95
Kanabec	34	10	1.78
Kandiyohi	91	18	1.18
Kittson	8	2	1.45
Koochiching	24	5	1.27
Lac Qui Parle	12	7	3.57
Lake	16	5	1.91
Lake of the Woods	6	2	1.89
Le Sueur	60	26	2.59
Lincoln	10	4	2.40

Lyon	57	19	2.01
McLeod	90	27	1.80
Mahnomen	14	4	1.71
Marshall	17	5	1.79
Martin	43	13	1.80
Meeker	53	19	2.14
Mille Lacs	46	24	3.16
Morrison	76	23	1.82
Mower	93	26	1.68
Murray	16	3	1.13
Nicollet	67	29	2.59
Nobles	53	11	1.24
Norman	10	3	1.74
Olmsted	333	75	1.35
Otter Tail	101	30	1.78
Pennington	29	12	2.47
Pine	52	7	0.80
Pipestone	20	9	2.66
Polk	49	22	2.71
Pope	19	5	1.56
Ramsey	1314	362	1.65
Red Lake	9	2	1.38
Redwood	31	4	0.77
Renville	34	7	1.25
Rice	124	45	2.18
Rock	20	3	0.91
Roseau	35	11	1.88
St. Louis	341	70	1.23
Scott	314	91	1.74
Sherburne	201	80	2.38
Sibley	32	14	2.61
Stearns	305	93	1.83
Steele	82	27	1.97
Stevens	17	2	0.72
Swift	18	3	1.03
Todd	47	19	2.43
Traverse	5	1	1.14
Wabasha	47	10	1.27
Wadena	27	11	2.44
Waseca	42	21	2.97
Washington	495	142	1.72
Watonwan	30	12	2.42
Wilkin	13	2	0.95
Winona	91	26	1.72
Wright	266	93	2.10
Yellow Medicine	21	8	2.27

Source: ¹National Survey of Children with Special Health Care Needs. (estimated) ²Minnesota Department of Education, Special Education Policy Division

Follow-Along Program

The Follow-Along Program (FAP) provides a means for counties to track children who may be "At-Risk" for developmental delay due to a number of physical, sociological and environmental factors.

Children with Special Health Care Needs Table 4: Number of Minnesota Children (Birth to Three) Tracked by Follow Along Program through the Minnesota Department of Health on June 30, 2004

	Total birth to three population	Number	Percent
State of Minnesota	196,886	16,622	8.4
Aitkin	432	235	54.4
Anoka	12,929	404	3.1
Becker	1,053	no data available	no data available
Beltrami	1,707	63	3.7
Benton	1,566	234	14.9
Big Stone	155	Included With Chippewa	Included With Chippewa
Blue Earth	1,924	655	34.0
Brown	757	634	83.8
Carlton	1,069	281	26.3
Carver	3,479	169	4.9
Cass	919	59	6.4
Chippewa	339	131	9.8
Chisago	1,894	215	11.4
Clay	1,282	251	19.6
Clearwater	333	81	24.3
Cook	116	not particiapping	0.0
Cottonwood	437	137	18.4
Crow Wing	2,125	355	16.7
Dakota	15,339	575	3.7
Dodge	758	67	8.8
Douglas	1,044	261	25.0
Faribault	448	not particiapping	0.0
Fillmore	696	99	14.2
Freeborn	973	69	7.1
Goodhue	1,518	286	18.8
Grant	168	115	68.5
Hennepin	48,469	827	1.7
Houston	626	183	29.2
Hubbard	543	105	19.3
Isanti	1,230	207	16.8
Itasca	1,264	399	31.6
Jackson	308	Included With Cottonwood	Included With Cottonwood
Kanabec	562	342	60.9
Kandiyohi	1,522	130	8.5
Kittson	138	10	7.2
Koochiching	393	6	1.5
Lac Qui Parle	196	Included With Chippewa	Included With Chippewa
Lake	262	17	6.5
Lake of the Woods	106	80	75.5
Le Sueur	1,002	137	13.7
Lincoln	167	234	30.4
Lyon	943	366	38.8

McLeod	1,501	371	24.7
Mahnomen	234	no data available	no data available
Marshall	279	202	72.4
Martin	723	not participating	0.0
Meeker	886	283	31.9
Mille Lacs	760	192	25.3
Morrison	1,267	433	34.2
Mower	1,550	no data available	no data available
Murray	265	Included with Lincoln	Included with Lincoln
Nicollet	1,120	562	50.2
Nobles	889	264	21.6
Norman	172	no data available	no data available
Olmsted	5,552	251	4.5
Otter Tail	1,681	627	37.3
Pennington	486	124	25.5
Pine	871	162	18.6
Pipestone	338	Included with Lincoln	Included with Lincoln
Polk	812	71	8.7
Pope	321	118	36.8
Ramsey	21,893	no data available	no data available
Red Lake	145	no data available	no data available
Redwood	519	159	30.6
Renville	559	23	4.1
Rice	2,065	505	24.5
Rock	331	Included with Nobles	Included with Nobles
Roseau	585	33	5.6
St. Louis	5,687	207	3.6
Scott	5,232	82	1.6
Sherburne	3,357	331	9.9
Sibley	536	390	72.8
Stearns	5,082	not participating	0.0
Steele	1,373	344	25.1
Stevens	279	188	67.4
Swift	292	Included With Chippewa	Included With Chippewa
Todd	782	279	35.7
Traverse	88	71	80.7
Wabasha	786	303	38.5
Wadena	451	31	6.9
Waseca	706	71	10.1
Washington	8,242	679	8.2
Watonwan	495	265	53.5
Wilkin	210	106	50.5
Winona	1,516	145	9.6
Wright	4,425	178	4.0
Yellow Medicine	352	Included With Chippewa	Included With Chippewa

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

Children Tracked by Follow-Along Programs: A number of procedures (Ages and Stages Questionnaire, phone calls and letters) for maintaining contact with a family with “at-risk” children for monitoring the child’s development and needs of the child and/or family. State total includes Fond Du Lac Human Services Division (n=153)

Maternal and Child Health Tables

Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA)

SSI and TEFRA require the same level of disability for medical eligibility. In addition to meeting medical eligibility criteria, there is financial eligibility criteria which must be met to receive SSI. Changes in the SSI implemented in 1997 decreased the number of children eligible for the program. Revisions in TEFRA eligibility now require that children meet a "level of care" criteria and this has also reduced the number of children eligible for the program

Children with Special Health Care Needs Table 5: Number of Minnesota Children Eligible or on Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA) by State and County

	Children under 18 with a functional limitation as of December, 2003	Children under 18 Years on SSI as of December, 2003	Children under 19 Years on TEFRA as June 30, 2004
State of Minnesota	31,219	9,593	2,478
Aitkin	76	26	3
Anoka	2,147	321	186
Becker	187	73	13
Beltrami	274	173	8
Benton	231	42	34
Big Stone	31	14	1
Blue Earth	283	121	30
Brown	149	32	19
Carlton	189	69	12
Carver	573	30	42
Cass	158	82	4
Chippewa	73	18	5
Chisago	313	52	20
Clay	291	131	26
Clearwater	51	28	2
Cook	24	4	1
Cottonwood	71	29	1
Crow Wing	337	103	25
Dakota	2,577	302	331
Dodge	129	25	4
Douglas	184	58	16
Faribault	87	25	11
Fillmore	126	32	10
Freeborn	175	59	4
Goodhue	270	56	17
Grant	33	6	2
Hennepin	6,634	2,951	411
Houston	122	21	6
Hubbard	103	45	5
Isanti	222	32	12
Itasca	243	93	10
Jackson	61	16	1
Kanabec	97	22	5
Kandiyohi	251	62	23
Kittson	29	5	0

Maternal and Child Health Tables

Koochiching	76	25	4
Lac Qui Parle	43	14	4
Lake	56	9	7
Lake of the Woods	24	4	2
Le Sueur	165	36	21
Lincoln	33	5	0
Lyon	150	48	9
McLeod	233	34	17
Mahnomen	35	8	3
Marshall	56	14	0
Martin	121	65	7
Meeker	143	17	12
Mille Lacs	146	38	15
Morrison	209	40	21
Mower	233	100	18
Murray	50	13	2
Nicollet	175	47	20
Nobles	129	46	15
Norman	41	12	5
Olmsted	836	214	58
Otter Tail	330	93	32
Pennington	76	25	5
Pine	160	44	4
Pipestone	57	16	4
Polk	177	52	10
Pope	61	14	2
Ramsey	3,174	1,789	180
Red Lake	24	3	3
Redwood	97	28	12
Renville	103	26	8
Rice	347	72	33
Rock	57	10	3
Roseau	112	18	4
St. Louis	1,017	479	73
Scott	790	52	112
Sherburne	524	64	55
Sibley	97	18	9
Stearns	811	274	124
Steele	225	51	30
Stevens	47	14	2
Swift	57	19	6
Todd	148	45	11
Traverse	22	4	1
Wabasha	136	22	7
Wadena	82	34	1
Waseca	116	29	10
Washington	1,456	103	111
Watonwan	76	17	3
Wilkin	44	13	2
Winona	256	90	17
Wright	723	96	53
Yellow Medicine	62	22	4

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

Maternal and Child Health Tables

Estimated Number of Children with Functional Limitations: Number of children under the age of 18, based upon the Slaits CSHCN survey Minnesota survey results who are limited or prevented from doing things other children do because of a condition that has lasted or is expected to last more than one year

Children on SSI: Actual number of children under the age of 18 who met both the medical and financial criteria for SSI in December, 2003. Total includes children whose county of residence is not known.

Children on TEFRA: Actual number of children under the age of 19 who were participating in the TEFRA program on June 30, 2004. State total include 7 children out-of-state.

*Includes children whose county of residence is not known.

Long Term Care Table 1: Minnesota Long Term Care Facilities Utilization by State and County, 2003

	Nursing Homes				Boarding Care Homes				Supervised Living Facilities - Licensed Beds
	Licensed Beds	Beds Set Up and Staffed	Admissions	Percent Occupancy*	Licensed Beds	Beds Set Up and Staffed	Admissions	Percent Occupancy*	
State of Minnesota	38,073	37,680	52,914	89.4	2,374	2,244	1,118	85.2	5,906
Aitkin	154	154	92	97.9	6	0	0	0.0	326
Anoka	521	521	921	93.9	0	0	0	0.0	178
Becker	403	399	395	94.0	0	0	0	0.0	16
Beltrami	258	258	331	90.7	0	0	0	0.0	67
Benton	427	427	494	86.3	0	0	0	0.0	61
Big Stone	161	161	91	88.0	0	0	0	0.0	12
Blue Earth	417	417	486	88.4	0	0	0	0.0	96
Brown	364	364	262	96.9	0	0	0	0.0	40
Carlton	278	278	248	98.7	51	51	25	97.5	156
Carver	249	249	301	96.3	4	4	1	47.5	91
Cass	489	301	211	55.2	0	0	0	0.0	0
Chippewa	195	195	133	91.7	0	0	0	0.0	11
Chisago	259	259	299	90.7	0	0	0	0.0	33
Clay	404	343	287	79.9	0	0	0	0.0	36
Clearwater	130	130	117	86.4	0	0	0	0.0	15
Cook	47	47	27	98.1	0	0	0	0.0	0
Cottonwood	209	209	139	95.1	0	0	0	0.0	33
Crow Wing	417	414	610	92.1	0	0	0	0.0	105
Dakota	1,131	1,131	2,188	89.7	200	200	83	80.9	214
Dodge	142	142	170	91.8	0	0	0	0.0	6
Douglas	419	419	463	78.8	0	0	0	0.0	18
Faribault	259	259	215	93.4	0	0	0	0.0	24
Fillmore	413	413	312	86.5	0	0	0	0.0	12
Freeborn	451	451	460	95.2	23	23	3	83.5	120
Goodhue	653	653	670	92.3	0	0	0	0.0	78
Grant	164	164	104	93.3	0	0	0	0.0	0
Hennepin	8,170	8,090	14,947	89.8	1,227	1,141	463	85.2	1,086
Houston	229	229	217	88.3	0	0	0	0.0	21
Hubbard	126	126	142	95.6	0	0	0	0.0	36
Isanti	305	305	433	92.7	0	0	0	0.0	70
Itasca	367	367	566	88.2	0	0	0	0.0	53
Jackson	182	182	135	83.6	0	0	0	0.0	0
Kanabec	80	80	105	90.8	0	0	0	0.0	0
Kandiyohi	451	451	712	95.4	31	31	6	88.1	57
Kittson	132	132	113	89.1	0	0	0	0.0	10
Koochiching	208	198	183	80.7	0	0	0	0.0	10
Lac Qui Parle	161	161	119	86.8	0	0	0	0.0	6
Lake	192	192	134	95.1	0	0	0	0.0	5
Lake of the Woods	50	50	29	91.3	0	0	0	0.0	0
Le Sueur	215	215	162	90.3	0	0	0	0.0	20
Lincoln	156	156	73	89.8	0	0	0	0.0	15
Lyon	314	314	244	87.6	8	0	0	0.0	59
McLeod	318	313	385	91.9	0	0	0	0.0	6
Mahnomen	46	46	30	93.7	0	0	0	0.0	0
Marshall	85	85	58	97.5	0	0	0	0.0	0
Martin	300	300	236	89.5	0	0	0	0.0	34
Meeker	234	234	279	86.5	30	30	11	88.7	30
Mille Lacs	318	318	280	90.8	0	0	0	0.0	0

	Nursing Homes				Boarding Care Homes				Supervised Living Facilities - Licensed Beds
	Licensed Beds	Beds Set Up and Staffed	Admissions	Percent Occupancy*	Licensed Beds	Beds Set Up and Staffed	Admissions	Percent Occupancy*	
State of Minnesota	38,073	37,680	52,914	89.4	2,374	2,244	1,118	85.2	5,906
Morrison	310	310	350	95.2	0	0	0	0.0	13
Mower	349	349	528	93.3	0	0	0	0.0	65
Murray	122	122	63	97.6	0	0	0	0.0	18
Nicollet	145	145	157	94.1	0	0	0	0.0	438
Nobles	227	227	170	90.7	0	0	0	0.0	35
Norman	202	202	125	86.7	0	0	0	0.0	0
Olmsted	637	637	937	73.8	0	0	0	0.0	189
Otter Tail	895	895	826	91.4	0	0	0	0.0	215
Pennington	142	142	168	98.1	72	52	2	99.9	51
Pine	158	148	132	86.2	0	0	0	0.0	24
Pipestone	201	201	104	97.9	0	0	0	0.0	28
Polk	480	480	333	73.8	45	45	24	62.7	49
Pope	211	211	153	96.3	0	0	0	0.0	0
Ramsey	3,924	3,892	9,261	90.9	431	421	352	92.2	561
Red Lake	58	58	73	90.7	0	0	0	0.0	6
Redwood	337	337	341	89.4	26	26	27	81.2	18
Renville	299	299	271	89.7	24	24	11	78.3	10
Rice	440	440	487	88.0	26	26	0	0.0	48
Rock	201	201	132	96.7	4	4	3	85.0	13
Roseau	149	149	122	95.6	20	20	23	82.5	9
Saint Louis	1,893	1,893	2,512	92.2	61	61	29	91.4	283
Scott	381	381	821	90.9	0	0	0	0.0	69
Sherburne	416	416	756	94.0	0	0	0	0.0	30
Sibley	157	157	163	94.2	0	0	0	0.0	15
Stearns	476	476	448	70.7	0	0	0	0.0	76
Steele	271	271	320	88.5	0	0	0	0.0	57
Stevens	104	104	68	92.7	0	0	0	0.0	45
Swift	127	127	130	89.2	26	26	20	78.1	0
Todd	181	181	136	93.3	0	0	0	0.0	10
Traverse	85	85	38	86.0	0	0	0	0.0	0
Wabasha	180	180	147	91.4	38	38	15	96.1	0
Wadena	287	287	234	87.6	0	0	0	0.0	57
Waseca	180	180	153	89.2	0	0	0	0.0	25
Washington	653	653	1,042	92.1	21	21	20	91.4	69
Watsonwan	168	168	103	94.0	0	0	0	0.0	13
Wilkin	120	120	104	93.8	0	0	0	0.0	0
Winona	527	527	692	90.2	0	0	0	0.0	17
Wright	520	520	569	92.8	0	0	0	0.0	58
Yellow Medicine	207	207	137	89.9	0	0	0	0.0	26

Source: Minnesota Department of Health, Facilities and Provider Compliance

*The "Percent Occupancy" is calculated using the average number of licensed beds for the reporting period. This allows for the inclusion of layaway beds for the days during the period they were available for occupancy.

Long Term Care Table 2: Number of Discharged Minnesota Nursing Home Residents by State and County, 2003

	Nursing Homes Discharges to:							Total Discharges
	Homes	Hospitals	Nursing Homes	Boarding Care Homes	Supervised Living Facilities	Deaths	Other	
State of Minnesota	25,158	5,968	3,424	505	2,483	14,491	815	52,844
Aitkin	39	1	3	0	0	52	0	95
Anoka	449	116	67	1	23	240	10	906
Becker	187	18	37	2	10	149	1	404
Beltrami	141	34	23	19	6	106	2	331
Benton	179	31	20	2	67	172	1	472
Big Stone	39	5	7	0	2	52	0	105
Blue Earth	204	28	19	1	40	164	8	464
Brown	75	9	17	0	6	135	2	244
Carlton	82	30	17	2	9	107	0	247
Carver	136	25	11	0	14	86	4	276
Cass	71	16	18	0	16	86	24	231
Chippewa	50	10	6	0	5	71	0	142
Chisago	127	32	17	0	13	119	0	308
Clay	77	24	25	3	22	150	2	303
Clearwater	51	4	12	0	0	55	1	123
Cook	10	8	0	0	0	9	0	27
Cottonwood	38	11	7	1	5	72	0	134
Crow Wing	290	45	31	10	16	221	17	630
Dakota	1,074	228	88	11	179	506	30	2,116
Dodge	90	15	10	4	3	59	0	181
Douglas	228	39	19	0	34	159	1	480
Faribault	69	16	11	4	10	114	0	224
Fillmore	123	16	19	1	23	153	0	335
Freeborn	173	46	27	21	0	193	0	460
Goodhue	348	39	54	32	1	249	0	723
Grant	36	12	9	0	7	44	1	109
Hennepin	8,092	2,147	1,001	140	686	2,848	319	15,233
Houston	69	21	6	2	11	72	23	204
Hubbard	75	15	6	4	0	45	0	145
Isanti	252	54	15	0	24	99	0	444
Itasca	304	31	35	7	29	145	11	562
Jackson	47	5	21	6	12	65	0	156
Kanabec	49	16	5	0	0	34	0	104
Kandiyohi	255	34	37	6	15	154	0	501
Kittson	46	1	5	0	1	51	4	108
Koochiching	82	11	4	0	12	57	4	170
Lac Qui Parle	59	8	6	0	10	52	0	135
Lake	29	8	17	0	15	73	0	142
Lake of the Woods	11	1	2	0	1	11	1	27
Le Sueur	60	12	17	7	7	61	2	166
Lincoln	14	4	8	0	4	39	1	70
Lyon	89	18	26	2	6	115	1	257
McLeod	180	43	9	14	0	147	0	393
Mahnomen	11	3	0	0	0	10	1	25
Marshall	16	9	0	0	0	32	0	57
Martin	78	11	13	2	8	128	1	241
Meeker	129	4	15	1	3	123	0	275
Mille Lacs	144	26	14	0	8	115	0	307

	Nursing Homes Discharges to:							
	Homes	Hospitals	Nursing Homes	Boarding Care Homes	Supervised Living Facilities	Deaths	Other	Total Discharges
State of Minnesota	25,158	5,968	3,424	505	2,483	14,491	815	52,844
Morrison	198	20	8	4	3	124	2	359
Mower	253	42	26	0	42	157	0	520
Murray	20	3	4	0	6	36	0	69
Nicollet	39	19	11	5	7	80	5	166
Nobles	57	21	20	3	4	69	1	175
Norman	44	7	13	0	3	64	1	132
Olmsted	459	115	51	0	70	167	35	897
Otter Tail	332	73	71	3	55	299	4	837
Pennington	83	9	12	0	8	59	0	171
Pine	60	12	5	0	1	61	0	139
Pipestone	35	18	3	0	3	46	1	106
Polk	104	20	34	14	1	175	2	350
Pope	55	10	20	1	10	65	0	161
Ramsey	4,634	1,197	708	37	429	1,709	162	8,876
Red Lake	34	5	8	0	3	26	0	76
Redwood	168	22	29	0	13	130	5	367
Renville	93	25	33	2	15	100	14	282
Rice	216	45	23	26	20	172	1	503
Rock	44	4	15	1	2	68	0	134
Roseau	49	17	14	5	0	60	0	145
Saint Louis	1,102	304	165	35	135	825	24	2,590
Scott	390	66	58	0	39	164	5	722
Sherburne	427	62	30	3	54	184	4	764
Sibley	74	16	8	1	15	51	1	166
Stearns	163	27	24	2	28	178	5	427
Steele	141	28	20	6	8	123	3	329
Stevens	28	9	2	0	1	36	0	76
Swift	55	17	7	11	2	48	0	140
Todd	52	5	12	0	5	60	6	140
Traverse	7	2	2	0	1	26	0	38
Wabasha	51	27	8	1	8	71	0	166
Wadena	80	10	9	0	4	124	2	229
Waseca	62	3	3	1	1	86	0	156
Washington	359	114	34	31	33	292	40	903
Watonwan	32	9	9	0	0	56	0	106
Wilkin	44	5	6	5	3	47	0	110
Winona	293	140	33	0	27	205	14	712
Wright	288	78	42	3	59	194	6	670
Yellow Medicine	56	22	8	0	2	55	0	143

Source: Minnesota Department of Health, Facilities and Provider Compliance

Long Term Care Table 3: Number of Discharged Minnesota Boarding Care Home Residents by State and County, 2003

	Boarding Care Homes Discharges to:							Total Discharges
	Homes	Hospitals	Nursing Homes	Boarding Care Homes	Supervised Living Facilities	Deaths	Other	
State of Minnesota	254	268	311	32	59	97	123	1,144
Aitkin	0	0	0	0	0	0	0	0
Anoka	0	0	0	0	0	0	0	0
Becker	0	0	0	0	0	0	0	0
Beltrami	0	0	0	0	0	0	0	0
Benton	0	0	0	0	0	0	0	0
Big Stone	0	0	0	0	0	0	0	0
Blue Earth	0	0	0	0	0	0	0	0
Brown	0	0	0	0	0	0	0	0
Carlton	3	2	10	0	1	10	0	26
Carver	0	0	0	0	0	1	0	1
Cass	0	0	0	0	0	0	0	0
Chippewa	0	0	0	0	0	0	0	0
Chisago	0	0	0	0	0	0	0	0
Clay	0	0	0	0	0	0	0	0
Clearwater	0	0	0	0	0	0	0	0
Cook	0	0	0	0	0	0	0	0
Cottonwood	0	0	0	0	0	0	0	0
Crow Wing	0	0	0	0	0	0	0	0
Dakota	35	5	12	9	6	3	6	76
Dodge	0	0	0	0	0	0	0	0
Douglas	0	0	0	0	0	0	0	0
Faribault	0	0	0	0	0	0	0	0
Fillmore	0	0	0	0	0	0	0	0
Freeborn	0	0	2	0	0	1	0	3
Goodhue	0	0	0	0	0	0	0	0
Grant	0	0	0	0	0	0	0	0
Hennepin	121	101	126	11	17	53	50	479
Houston	0	0	0	0	0	0	0	0
Hubbard	0	0	0	0	0	0	0	0
Isanti	0	0	0	0	0	0	0	0
Itasca	0	0	0	0	0	0	0	0
Jackson	0	0	0	0	0	0	0	0
Kanabec	0	0	0	0	0	0	0	0
Kandiyohi	0	2	3	0	9	0	0	14
Kittson	0	0	0	0	0	0	0	0
Koochiching	0	0	0	0	0	0	0	0
Lac Qui Parle	0	0	0	0	0	0	0	0
Lake	0	0	0	0	0	0	0	0
Lake of the Woods	0	0	0	0	0	0	0	0
Le Sueur	0	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0	0
Lyon	0	0	0	0	0	0	0	0
McLeod	0	0	0	0	0	0	0	0
Mahnomen	0	0	0	0	0	0	0	0
Marshall	0	0	0	0	0	0	0	0
Martin	0	0	0	0	0	0	0	0
Meeker	0	2	14	0	0	1	0	17
Mille Lacs	0	0	0	0	0	0	0	0

	Boarding Care Homes Discharges to:							
	Homes	Hospitals	Nursing Homes	Boarding Care Homes	Supervised Living Facilities	Deaths	Other	Total Discharges
State of Minnesota	254	268	311	32	59	97	123	1,144
Morrison	0	0	0	0	0	0	0	0
Mower	0	0	0	0	0	0	0	0
Murray	0	0	0	0	0	0	0	0
Nicollet	0	0	0	0	0	0	0	0
Nobles	0	0	0	0	0	0	0	0
Norman	0	0	0	0	0	0	0	0
Olmsted	0	0	0	0	0	0	0	0
Otter Tail	0	0	0	0	0	0	0	0
Pennington	0	9	15	0	1	0	0	25
Pine	0	0	0	0	0	0	0	0
Pipestone	0	0	0	0	0	0	0	0
Polk	6	2	14	1	0	4	0	27
Pope	0	0	0	0	0	0	0	0
Ramsey	67	135	59	7	22	12	39	341
Red Lake	0	0	0	0	0	0	0	0
Redwood	2	0	1	0	0	0	19	22
Renville	0	2	5	2	0	4	0	13
Rice	0	0	0	0	0	0	0	0
Rock	2	0	1	0	0	0	0	3
Roseau	5	2	15	1	0	2	0	25
Saint Louis	2	1	20	0	3	3	1	30
Scott	0	0	0	0	0	0	0	0
Sherburne	0	0	0	0	0	0	0	0
Sibley	0	0	0	0	0	0	0	0
Stearns	0	0	0	0	0	0	0	0
Steele	0	0	0	0	0	0	0	0
Stevens	0	0	0	0	0	0	0	0
Swift	2	0	9	0	0	1	0	12
Todd	0	0	0	0	0	0	0	0
Traverse	0	0	0	0	0	0	0	0
Wabasha	2	2	3	0	0	2	5	14
Wadena	0	0	0	0	0	0	0	0
Waseca	0	0	0	0	0	0	0	0
Washington	7	3	2	1	0	0	3	16
Watsonwan	0	0	0	0	0	0	0	0
Wilkin	0	0	0	0	0	0	0	0
Winona	0	0	0	0	0	0	0	0
Wright	0	0	0	0	0	0	0	0
Yellow Medicine	0	0	0	0	0	0	0	0

Source: Minnesota Department of Health, Facilities and Provider Compliance

Section II: Selected Public Health Data Websites

This section of the Minnesota County Health Tables is a list of selected public health data websites by category. This list is by no means exhaustive.

ACCESS AND SERVICE DELIVERY

ALCOHOL, TOBACCO AND OTHER DRUGS

BIRTHS AND DEATHS

CHILD AND ADOLESCENT HEALTH

CHRONIC CONDITIONS

DEMOGRAPHICS

ENVIRONMENTAL HEALTH

INFECTIOUS DISEASE

VIOLENCE AND UNINTENTIONAL INJURY

MISCELLANEOUS

ACCESS AND SERVICE DELIVERY

MinnesotaCare Coverage – Minnesota Department of Human Services

<http://www.dhs.state.mn.us/HealthCare/programs/minnesotacare.htm>

Minnesota Health Care Program enrollment by month for the state.

Health Economics Program Publications – Minnesota Department of Health

<http://www.health.state.mn.us/divs/hpsc/hep/miscpubs/other.htm>

The Health Economics Program conducts research and applied policy analysis to monitor changes in the health care marketplace; to understand factors influencing health care cost, quality and access; and to provide technical assistance in the development of state health care policy. The information is used to inform policymakers, consumers, and other stakeholders in Minnesota.

Health Economics Program - Issue Briefs

<http://www.health.state.mn.us/divs/hpsc/hep/issbrief/issues.htm>

Issue briefs and issue papers developed by the Health Economics Program of the Minnesota Department of Health including 2001 Health Insurance Coverage for Minnesota Counties.

Workforce Data – Office of Rural Health (MDH)

<http://www.health.state.mn.us/divs/chs/workforce.htm>

Information on the healthcare workforce in Minnesota including workforce profiles by profession and shortage information.

Office of Rural Health Publications (MDH)

<http://www.health.state.mn.us/divs/chs/rhpc.htm>

A listing of publications out of the Office of Rural Health and Primary Care.

ALCOHOL TOBACCO AND OTHER DRUGS

Tobacco Reports – Center for Health Statistics (MDH)

<http://www.health.state.mn.us/divs/hpcd/tpc/TobaccoReports.html>

Minnesota Student Survey – survey of 6th, 9th, and 12th graders (DCFL)

<http://www.mnschoolhealth.com/resources.html?ac=data>

CDC Behavioral Risk Factor Surveillance System

www.cdc.gov/nccdphp/brfss/

State data on adult risk behaviors such as smoking and alcohol use

BIRTHS AND DEATHS

Center for Health Statistics (MDH)

www.health.state.mn.us/divs/chs/top_2.htm

Minnesota Health Statistics Annual Summary (MDH)

www.health.state.mn.us/divs/chs/99annsum/index.htm

Yearly publications on birth and deaths in Minnesota by county and selected cities.

National Center for Health Statistics

www.cdc.gov/nchs/

National data on births and deaths

Minnesota Organization on Adolescent Pregnancy, Prevention and Parenting – Info Exchange

<http://www.moappp.org/resources/statistics.asp>

Statistical reports on adolescent pregnancy and birth.

CHILD AND ADOLESCENT HEALTH

Children’s Report Card (Minnesota Department of Administration)

<http://www.mnplan.state.mn.us/children/>

Minnesota Planning developed the *Children’s Report Card* in 1994 to help the state and its 87 counties gauge the well-being of Minnesota’s children and youth. The site includes state, county and school district data over several years for each of the 31 indicators. Maps and county rankings are some of the features that allow comparisons from county to county and with the state as a whole. Indicators:

Minnesota Student Survey – survey of 6th, 9th, and 12th graders

<http://www.mnschoolhealth.com/resources.html?ac=data>

Results from the 2001 Minnesota Student Survey by state and county.

Data Center – District Information (Minnesota Department of Education)

http://education.state.mn.us/html/intro_data_center.htm

The Data Center provides a repository of information about Minnesota schools. Several years of data have been compiled describing general characteristics of each school district including enrollment, attendance and language.

Minnesota KIDS COUNT - Children's Defense Fund Minnesota

<http://www.cdf-mn.org/kidscount.htm>

Minnesota KIDS COUNT provides county-by-county data on the well-being of Minnesota's children and families. Minnesota KIDS COUNT releases periodic reports and an annual data book to provide a statistical profile of Minnesota's children and suggestions for action on their behalf.

City-County-Community Level Information on Kids System

<http://www.aecf.org/cgi-bin/cliiks.cgi>

This website brings together data on the well-being of children collected by KIDS COUNT grantees from state and local sources. The unique system allows users to access state-specific inventories of data from local sources, such as health departments, human services agencies, and schools. The content of state pages is determined by a participating KIDS COUNT partner using data from local jurisdictions.

Minnesota Children with Special Health Care Needs – Research and Reports (MDH)

<http://www.health.state.mn.us/divs/fh/mcshn/resrept.htm>

CHRONIC CONDITIONS

Minnesota Cancer Surveillance System (MDH)

<http://www.health.state.mn.us/divs/hpcd/cdee/mcss/index.html>

The Minnesota Cancer Surveillance System (MCSS) is the state's cancer registry. It is an ongoing program within the Section of Chronic Disease and Environmental Epidemiology at the Minnesota Department of Health (MDH). The MCSS systematically collects demographic and diagnostic information on all Minnesota residents with newly-diagnosed cancers.

Minnesota Diabetes Program (MDH)

<http://www.health.state.mn.us/diabetes/>

Includes national and state publications on diabetes.

DEMOGRAPHICS

Census 2000 (Minnesota Department of Administration)

<http://www.demography.state.mn.us/Census2000.html>

A compilation of most requested Census 2000 data, issues, links and presentations.

Per Capita Income for previous years by county (1989, 1994-98) (Minnesota Department of Administration)

<http://server.admin.state.mn.us/resource.html?Id=2228>

Annual Population and Household Estimates (Minnesota Department of Administration)

<http://www.lmic.state.mn.us/datanetweb/pop.html>

State Demographic Center (Minnesota Department of Administration)

<http://www.mnplan.state.mn.us/demography/>

The State Demographic Center at Minnesota Planning analyzes and distributes data from state, U.S. Census Bureau and other sources. Data includes population projections and estimates.

Census County Quick Facts (US Census)

<http://quickfacts.census.gov/qfd/states/27000.html>

A summary of often requested census data by county.

Small Area Income and Poverty Estimates

<http://www.census.gov/hhes/www/saipe/>

1989 – 2002 Intercensal Estimates for States, Counties & School Districts of age 0-17 in poverty, age 5-17 in families in poverty, age 5-17 in families in poverty, under age 5 in poverty (Only available for states), median household income

Minnesota Department of Employment and Economic Development - Workforce Data

<http://www.deed.state.mn.us/lmi/Home.htm>

Employment related statistics for the state of Minnesota and its counties.

Bureau of Economic Analysis: Local Data

<http://www.bea.gov/bea/regional/reis/>

Per Capital Income, Personal Income, Population by county

ENVIRONMENTAL HEALTH

Minnesota Pollution Control Agency

<http://www.pca.state.mn.us/>

MPCA has information on air quality, hazardous waste and water quality.

Minnesota Department of Natural Resources

<http://www.dnr.state.mn.us/index.html>

Ground Water

<http://www.dnr.state.mn.us/groundwater/index.html>

Lakes

<http://www.dnr.state.mn.us/lakes/index.html>

Minnesota Department of Agriculture

Water and land quality

<http://www.mda.state.mn.us/waterland.htm>

Minnesota Emergency Response Commission

Toxic Release Inventory (TRI)

<http://www.erc.state.mn.us/>

INFECTIOUS DISEASE

Acute Disease Investigation and Control Section - Publications On-Line (MDH)

<http://www.health.state.mn.us/divs/idepc/dtopics/stds/index.html>

Data on HIV/AIDS, sexually transmitted diseases, other reportable diseases and vaccine preventable diseases.

STD Surveillance Reports (MDH)

<http://www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html>

HIV Surveillance Reports (MDH)

<http://www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html>

VIOLENCE AND UNINTENTIONAL INJURY

Criminal Justice Data

<http://www.lmic.state.mn.us/datanetweb/justice.html>

The Criminal Justice Statistics Center at the Minnesota Department of Administration obtains databases from various state agencies and analyzes them for policy-makers. Updated annually, these databases contain data on criminal offenses, arrests and apprehensions, justice system expenditures, and probation cases.

Traffic Safety – Crash Data Reports – Minnesota Department of Public Safety

<http://www.dps.state.mn.us/ots/crashdata/default.asp>

This website is a link to Minnesota Department of Public Safety reports including the Minnesota Crash Facts.

State Fire Marshal Publications – Minnesota Department of Public Safety

<http://www.dps.state.mn.us/fmarshal/SpecialPublications.html>

This website lists state and national publications on fires.

Injury and Violence Prevention (MDH)

<http://www.health.state.mn.us/injury/pub/index.cfm>

Injury and violence publications on injury-related mortality, intimate partner violence and violence-related injury.

Minnesota Injury Data Access System (MIDAS – MDH)

<http://www.health.state.mn.us/injury/midas/>

To support its mission of preventing injuries in Minnesota, the Minnesota Department of Health has developed MIDAS, the Minnesota Injury Data Access System. It will enable you to more easily learn about the injury and violence data for Minnesotans, whether for a specific county, for a type of injury, or by gender, timeframe, or other factor.

MISCELLANEOUS

Minnesota Department of Human Services (DHS) – www.dhs.state.mn.us

Minnesota Department of Health

Minnesota Department of Health, Health Statistics (Links to selected MDH publications)

www.health.state.mn.us/stats.html

Minnesota Health Profiles

www.mnplan.state.mn.us/datanetweb/health.html

Population Health Assessment Quarterly

<http://www.health.state.mn.us/divs/chs/data/popassess.htm>

Healthy Minnesotans Public Health Goals

<http://www.health.state.mn.us/divs/chs/phg/intro.html>

Centers for Disease Control and Prevention (CDC)

CDC Homepage

www.cdc.gov

CDC Behavioral Risk Factor Surveillance System

<http://www.cdc.gov/brfss/>

State data on adult risk behaviors such as smoking and alcohol use

CDC Wonder

<http://wonder.cdc.gov>

Provides a multitude of public health data such as births, deaths and injury