

2004 Minnesota County Health Tables

2004 Minnesota County Health Data

Minnesota Department of Health
Minnesota Center for Health Statistics
PO Box 64882
St. Paul, MN 55164-64882
healthstats@state.mn.us
www.health.state.mn.us/divs/chs

To obtain this information in a different format, email healthstats@state.mn.us.

Section A: Demographics Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

State of Minnesota - Population Estimates by Age and Sex, 2004

Age Group	Number		Percent	
	Male	Female	Male	Female
00-04	170,444	161,580	3.3	3.2
05-09	167,505	159,712	3.3	3.1
10-14	184,003	174,091	3.6	3.4
15-17	114,257	108,688	2.2	2.1
18-19	78,280	75,458	1.5	1.5
20-24	192,535	184,724	3.8	3.6
25-29	169,580	162,671	3.3	3.2
30-34	175,731	170,497	3.4	3.3
35-39	186,402	183,002	3.7	3.6
40-44	213,723	209,978	4.2	4.1
45-49	203,408	200,932	4.0	3.9
50-54	176,014	174,647	3.5	3.4
55-59	138,012	140,543	2.7	2.8
60-64	102,184	107,178	2.0	2.1
65-69	77,179	84,532	1.5	1.7
70-74	63,036	75,368	1.2	1.5
75-79	52,974	69,894	1.0	1.4
80-84	36,594	57,387	0.7	1.1
85&up	30,057	68,158	0.6	1.3
Total	2,531,918	2,569,040	49.6	50.4
Total Male/Female	5,100,958			

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Aitkin County - Population Estimates by Age and Sex, 2004

Age Group	Aitkin County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	408	315	1,938	1,647	170,444	161,580
05-09	382	369	1,963	1,904	167,505	159,712
10-14	473	439	2,437	2,317	184,003	174,091
15-17	326	283	1,704	1,495	114,257	108,688
18-19	179	181	1,022	916	78,280	75,458
20-24	579	505	2,865	2,601	192,535	184,724
25-29	378	318	1,722	1,555	169,580	162,671
30-34	354	360	1,704	1,768	175,731	170,497
35-39	387	399	1,998	2,044	186,402	183,002
40-44	571	546	2,648	2,723	213,723	209,978
45-49	579	544	3,010	2,965	203,408	200,932
50-54	555	529	2,985	2,862	176,014	174,647
55-59	511	545	2,441	2,420	138,012	140,543
60-64	562	594	2,256	2,292	102,184	107,178
65-69	551	574	1,881	1,903	77,179	84,532
70-74	495	477	1,636	1,789	63,036	75,368
75-79	356	377	1,342	1,468	52,974	69,894
80-84	240	279	890	1,160	36,594	57,387
85&up	171	340	659	1,280	30,057	68,158
Total	8,057	7,974	37,101	37,109	2,531,918	2,569,040
Total Male/Female	16,031		74,210		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Anoka County - Population Estimates by Age and Sex, 2004

Age Group	Anoka County		Minnesota	
	Male	Female	Male	Female
00-04	11,075	10,607	170,444	161,580
05-09	12,076	11,368	167,505	159,712
10-14	12,915	12,521	184,003	174,091
15-17	7,842	7,430	114,257	108,688
18-19	4,320	3,905	78,280	75,458
20-24	12,020	11,041	192,535	184,724
25-29	10,296	9,729	169,580	162,671
30-34	11,746	11,467	175,731	170,497
35-39	13,252	13,143	186,402	183,002
40-44	15,444	14,968	213,723	209,978
45-49	13,430	12,790	203,408	200,932
50-54	10,521	10,576	176,014	174,647
55-59	8,645	8,928	138,012	140,543
60-64	6,343	6,301	102,184	107,178
65-69	4,073	4,586	77,179	84,532
70-74	2,970	3,299	63,036	75,368
75-79	2,062	2,605	52,974	69,894
80-84	1,104	1,841	36,594	57,387
85&up	824	1,887	30,057	68,158
Total	160,958	158,992	2,531,918	2,569,040
Total Male/Female	319,950		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Becker County - Population Estimates by Age and Sex, 2004

Age Group	Becker County		Minnesota	
	Male	Female	Male	Female
00-04	968	885	170,444	161,580
05-09	981	918	167,505	159,712
10-14	1,107	1,057	184,003	174,091
15-17	734	780	114,257	108,688
18-19	473	413	78,280	75,458
20-24	1,263	1,162	192,535	184,724
25-29	967	851	169,580	162,671
30-34	837	823	175,731	170,497
35-39	926	941	186,402	183,002
40-44	1,212	1,139	213,723	209,978
45-49	1,191	1,193	203,408	200,932
50-54	1,149	1,112	176,014	174,647
55-59	998	964	138,012	140,543
60-64	786	764	102,184	107,178
65-69	676	790	77,179	84,532
70-74	605	649	63,036	75,368
75-79	491	552	52,974	69,894
80-84	309	470	36,594	57,387
85&up	217	464	30,057	68,158
Total	15,890	15,927	2,531,918	2,569,040
Total Male/Female	31,817		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Beltrami County - Population Estimates by Age and Sex, 2004

Age Group	Beltrami County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,521	1,405	2,334	2,169	170,444	161,580
05-09	1,427	1,341	2,333	2,147	167,505	159,712
10-14	1,616	1,524	2,716	2,573	184,003	174,091
15-17	1,066	1,010	1,800	1,741	114,257	108,688
18-19	904	898	1,334	1,313	78,280	75,458
20-24	2,060	2,169	3,195	3,259	192,535	184,724
25-29	1,778	1,719	2,532	2,449	169,580	162,671
30-34	1,172	1,227	1,914	1,995	175,731	170,497
35-39	1,114	1,264	1,990	2,140	186,402	183,002
40-44	1,369	1,408	2,572	2,576	213,723	209,978
45-49	1,425	1,480	2,702	2,701	203,408	200,932
50-54	1,322	1,392	2,485	2,560	176,014	174,647
55-59	1,047	1,029	2,063	1,980	138,012	140,543
60-64	792	823	1,723	1,818	102,184	107,178
65-69	635	686	1,499	1,517	77,179	84,532
70-74	590	614	1,287	1,279	63,036	75,368
75-79	452	556	1,010	1,122	52,974	69,894
80-84	269	444	628	928	36,594	57,387
85&up	234	481	562	1,007	30,057	68,158
Total	20,793	21,470	36,679	37,274	2,531,918	2,569,040
Total Male/Female		42,263		73,953		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Benton County - Population Estimates by Age and Sex, 2004

Age Group	Benton County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,432	1,319	.	.	170,444	161,580
05-09	1,298	1,205	.	.	167,505	159,712
10-14	1,346	1,226	.	.	184,003	174,091
15-17	840	834	.	.	114,257	108,688
18-19	527	421	.	.	78,280	75,458
20-24	1,594	1,743	.	.	192,535	184,724
25-29	1,882	1,900	.	.	169,580	162,671
30-34	1,570	1,498	.	.	175,731	170,497
35-39	1,459	1,380	.	.	186,402	183,002
40-44	1,510	1,424	.	.	213,723	209,978
45-49	1,312	1,257	.	.	203,408	200,932
50-54	1,184	1,095	.	.	176,014	174,647
55-59	855	863	.	.	138,012	140,543
60-64	596	600	.	.	102,184	107,178
65-69	487	519	.	.	77,179	84,532
70-74	429	530	.	.	63,036	75,368
75-79	341	417	.	.	52,974	69,894
80-84	207	370	.	.	36,594	57,387
85&up	165	464	.	.	30,057	68,158
Total	19,034	19,065	-	-	2,531,918	2,569,040
Total Male/Female		38,099		-		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Benton and Sherburne Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Big Stone County - Population Estimates by Age and Sex, 2004

Age Group	Big Stone County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	134	145	1,279	1,135	170,444	161,580
05-09	148	130	1,386	1,234	167,505	159,712
10-14	200	180	1,639	1,570	184,003	174,091
15-17	153	116	1,110	1,046	114,257	108,688
18-19	80	92	740	613	78,280	75,458
20-24	181	163	1,854	1,446	192,535	184,724
25-29	93	76	1,187	830	169,580	162,671
30-34	102	104	1,268	969	175,731	170,497
35-39	129	141	1,572	1,266	186,402	183,002
40-44	230	193	1,948	1,708	213,723	209,978
45-49	222	217	2,090	1,861	203,408	200,932
50-54	187	196	1,841	1,574	176,014	174,647
55-59	164	163	1,367	1,344	138,012	140,543
60-64	133	169	1,178	1,187	102,184	107,178
65-69	149	170	966	1,090	77,179	84,532
70-74	130	161	872	1,112	63,036	75,368
75-79	131	153	895	1,158	52,974	69,894
80-84	100	130	686	1,053	36,594	57,387
85&up	83	154	642	1,359	30,057	68,158
Total	2,749	2,853	24,520	23,555	2,531,918	2,569,040
Total Male/Female		5,602		48,075		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Blue Earth County - Population Estimates by Age and Sex, 2004

Age Group	Blue Earth County		Minnesota	
	Male	Female	Male	Female
00-04	1,677	1,585	170,444	161,580
05-09	1,476	1,414	167,505	159,712
10-14	1,587	1,424	184,003	174,091
15-17	1,053	978	114,257	108,688
18-19	1,484	1,730	78,280	75,458
20-24	3,477	3,462	192,535	184,724
25-29	3,810	3,193	169,580	162,671
30-34	1,909	1,656	175,731	170,497
35-39	1,691	1,532	186,402	183,002
40-44	1,856	1,795	213,723	209,978
45-49	1,862	1,888	203,408	200,932
50-54	1,724	1,690	176,014	174,647
55-59	1,364	1,287	138,012	140,543
60-64	943	1,001	102,184	107,178
65-69	761	831	77,179	84,532
70-74	620	811	63,036	75,368
75-79	601	838	52,974	69,894
80-84	416	732	36,594	57,387
85&up	368	883	30,057	68,158
Total	28,679	28,730	2,531,918	2,569,040
Total Male/Female		57,409		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Brown County - Population Estimates by Age and Sex, 2004

Age Group	Brown County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	744	655	1,730	1,524	170,444	161,580
05-09	705	669	1,622	1,498	167,505	159,712
10-14	933	865	1,945	1,798	184,003	174,091
15-17	647	632	1,352	1,254	114,257	108,688
18-19	539	565	1,313	1,470	78,280	75,458
20-24	1,211	1,104	2,849	2,846	192,535	184,724
25-29	681	530	1,910	1,604	169,580	162,671
30-34	687	587	1,632	1,446	175,731	170,497
35-39	768	776	1,722	1,750	186,402	183,002
40-44	1,011	1,015	2,200	2,137	213,723	209,978
45-49	1,074	1,079	2,180	2,234	203,408	200,932
50-54	959	886	2,083	1,933	176,014	174,647
55-59	757	756	1,659	1,510	138,012	140,543
60-64	590	635	1,135	1,249	102,184	107,178
65-69	512	504	948	979	77,179	84,532
70-74	473	575	831	982	63,036	75,368
75-79	421	514	656	893	52,974	69,894
80-84	288	491	469	786	36,594	57,387
85&up	291	634	463	1,000	30,057	68,158
Total	13,291	13,472	28,699	28,893	2,531,918	2,569,040
Total Male/Female	26,763		57,592		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Carlton County - Population Estimates by Age and Sex, 2004

Age Group	Carlton County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	976	920	6,394	5,908	170,444	161,580
05-09	985	945	6,679	6,263	167,505	159,712
10-14	1,133	1,059	7,718	7,227	184,003	174,091
15-17	790	731	5,225	4,877	114,257	108,688
18-19	464	450	4,762	4,655	78,280	75,458
20-24	1,465	1,277	10,662	10,144	192,535	184,724
25-29	1,085	920	8,109	7,435	169,580	162,671
30-34	1,103	931	6,793	6,370	175,731	170,497
35-39	1,225	1,051	7,307	7,198	186,402	183,002
40-44	1,371	1,305	9,168	9,286	213,723	209,978
45-49	1,437	1,297	10,188	10,216	203,408	200,932
50-54	1,241	1,193	10,023	9,603	176,014	174,647
55-59	997	883	7,856	7,458	138,012	140,543
60-64	733	747	5,638	5,876	102,184	107,178
65-69	579	658	4,499	5,083	77,179	84,532
70-74	533	616	3,877	4,741	63,036	75,368
75-79	436	565	3,550	4,542	52,974	69,894
80-84	298	518	2,417	3,934	36,594	57,387
85&up	214	508	2,058	4,571	30,057	68,158
Total	17,065	16,574	122,923	125,387	2,531,918	2,569,040
Total Male/Female	33,639		248,310		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Carver County - Population Estimates by Age and Sex, 2004

Age Group	Carver County		Minnesota	
	Male	Female	Male	Female
00-04	3,059	2,865	170,444	161,580
05-09	3,331	3,262	167,505	159,712
10-14	3,455	3,283	184,003	174,091
15-17	1,980	1,917	114,257	108,688
18-19	1,230	1,067	78,280	75,458
20-24	3,017	3,039	192,535	184,724
25-29	2,577	2,539	169,580	162,671
30-34	2,659	2,758	175,731	170,497
35-39	3,499	3,696	186,402	183,002
40-44	4,174	4,132	213,723	209,978
45-49	3,586	3,430	203,408	200,932
50-54	2,687	2,467	176,014	174,647
55-59	1,815	1,800	138,012	140,543
60-64	1,319	1,303	102,184	107,178
65-69	856	892	77,179	84,532
70-74	679	799	63,036	75,368
75-79	550	661	52,974	69,894
80-84	339	487	36,594	57,387
85&up	268	645	30,057	68,158
Total	41,080	41,042	2,531,918	2,569,040
Total Male/Female		82,122		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Cass County - Population Estimates by Age and Sex, 2004

Age Group	Cass County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	815	749	3,047	2,660	170,444	161,580
05-09	709	719	2,894	2,835	167,505	159,712
10-14	996	957	3,630	3,438	184,003	174,091
15-17	676	653	2,489	2,400	114,257	108,688
18-19	441	357	1,520	1,352	78,280	75,458
20-24	1,038	1,000	4,081	3,687	192,535	184,724
25-29	750	765	2,729	2,430	169,580	162,671
30-34	730	696	2,610	2,475	175,731	170,497
35-39	744	815	2,859	2,808	186,402	183,002
40-44	1,026	1,014	3,753	3,664	213,723	209,978
45-49	1,052	996	3,827	3,654	203,408	200,932
50-54	983	976	3,530	3,272	176,014	174,647
55-59	912	905	2,823	2,775	138,012	140,543
60-64	943	956	2,659	2,655	102,184	107,178
65-69	819	749	2,232	2,279	77,179	84,532
70-74	654	625	1,930	2,050	63,036	75,368
75-79	473	487	1,541	1,827	52,974	69,894
80-84	307	345	1,038	1,471	36,594	57,387
85&up	232	396	885	1,590	30,057	68,158
Total	14,300	14,160	50,077	49,322	2,531,918	2,569,040
Total Male/Female		28,460		99,399		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Chippewa County - Population Estimates by Age and Sex, 2004

Age Group	Chippewa County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	328	310	1,279	1,135	170,444	161,580
05-09	414	337	1,386	1,234	167,505	159,712
10-14	465	434	1,639	1,570	184,003	174,091
15-17	280	304	1,110	1,046	114,257	108,688
18-19	178	159	740	613	78,280	75,458
20-24	460	397	1,854	1,446	192,535	184,724
25-29	291	251	1,187	830	169,580	162,671
30-34	281	299	1,268	969	175,731	170,497
35-39	383	357	1,572	1,266	186,402	183,002
40-44	450	473	1,948	1,708	213,723	209,978
45-49	515	538	2,090	1,861	203,408	200,932
50-54	497	445	1,841	1,574	176,014	174,647
55-59	362	364	1,367	1,344	138,012	140,543
60-64	313	319	1,178	1,187	102,184	107,178
65-69	222	254	966	1,090	77,179	84,532
70-74	219	285	872	1,112	63,036	75,368
75-79	200	327	895	1,158	52,974	69,894
80-84	178	247	686	1,053	36,594	57,387
85&up	164	359	642	1,359	30,057	68,158
Total	6,200	6,459	24,520	23,555	2,531,918	2,569,040
Total Male/Female	12,659		48,075		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Chisago County - Population Estimates by Age and Sex, 2004

Age Group	Chisago County		Minnesota	
	Male	Female	Male	Female
00-04	1,786	1,647	170,444	161,580
05-09	1,664	1,615	167,505	159,712
10-14	1,997	1,773	184,003	174,091
15-17	1,218	1,117	114,257	108,688
18-19	743	594	78,280	75,458
20-24	2,094	1,823	192,535	184,724
25-29	1,808	1,603	169,580	162,671
30-34	1,769	1,744	175,731	170,497
35-39	2,000	1,909	186,402	183,002
40-44	2,250	2,094	213,723	209,978
45-49	1,899	1,783	203,408	200,932
50-54	1,505	1,367	176,014	174,647
55-59	1,151	1,120	138,012	140,543
60-64	901	846	102,184	107,178
65-69	658	613	77,179	84,532
70-74	509	582	63,036	75,368
75-79	389	481	52,974	69,894
80-84	265	366	36,594	57,387
85&up	231	435	30,057	68,158
Total	24,837	23,512	2,531,918	2,569,040
Total Male/Female	48,349		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Clay County - Population Estimates by Age and Sex, 2004

Age Group	Clay County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,398	1,330	1,619	1,455	170,444	161,580
05-09	1,607	1,542	1,813	1,765	167,505	159,712
10-14	1,890	1,663	2,138	1,923	184,003	174,091
15-17	1,203	1,121	1,378	1,315	114,257	108,688
18-19	1,318	1,760	1,406	1,863	78,280	75,458
20-24	2,560	3,017	2,808	3,248	192,535	184,724
25-29	2,162	2,268	2,324	2,384	169,580	162,671
30-34	1,465	1,483	1,627	1,650	175,731	170,497
35-39	1,583	1,582	1,799	1,788	186,402	183,002
40-44	1,883	1,930	2,191	2,210	213,723	209,978
45-49	1,907	1,954	2,233	2,267	203,408	200,932
50-54	1,707	1,655	1,957	1,857	176,014	174,647
55-59	1,230	1,185	1,393	1,374	138,012	140,543
60-64	932	950	1,062	1,118	102,184	107,178
65-69	725	812	864	953	77,179	84,532
70-74	612	797	744	924	63,036	75,368
75-79	574	798	679	902	52,974	69,894
80-84	399	644	468	717	36,594	57,387
85&up	379	880	434	1,039	30,057	68,158
Total	25,534	27,371	28,937	30,752	2,531,918	2,569,040
Total Male/Female		52,905		59,689		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Clearwater County - Population Estimates by Age and Sex, 2004

Age Group	Clearwater County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	256	233	2,334	2,169	170,444	161,580
05-09	259	218	2,333	2,147	167,505	159,712
10-14	294	302	2,716	2,573	184,003	174,091
15-17	203	195	1,800	1,741	114,257	108,688
18-19	110	119	1,334	1,313	78,280	75,458
20-24	329	300	3,195	3,259	192,535	184,724
25-29	243	216	2,532	2,449	169,580	162,671
30-34	226	221	1,914	1,995	175,731	170,497
35-39	243	208	1,990	2,140	186,402	183,002
40-44	310	309	2,572	2,576	213,723	209,978
45-49	318	333	2,702	2,701	203,408	200,932
50-54	289	298	2,485	2,560	176,014	174,647
55-59	268	229	2,063	1,980	138,012	140,543
60-64	221	229	1,723	1,818	102,184	107,178
65-69	204	194	1,499	1,517	77,179	84,532
70-74	145	147	1,287	1,279	63,036	75,368
75-79	152	138	1,010	1,122	52,974	69,894
80-84	90	126	628	928	36,594	57,387
85&up	95	167	562	1,007	30,057	68,158
Total	4,255	4,182	36,679	37,274	2,531,918	2,569,040
Total Male/Female		8,437		73,953		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Cook County - Population Estimates by Age and Sex, 2004

Age Group	Cook County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	97	98	6,394	5,908	170,444	161,580
05-09	127	125	6,679	6,263	167,505	159,712
10-14	167	143	7,718	7,227	184,003	174,091
15-17	99	96	5,225	4,877	114,257	108,688
18-19	61	51	4,762	4,655	78,280	75,458
20-24	151	159	10,662	10,144	192,535	184,724
25-29	123	99	8,109	7,435	169,580	162,671
30-34	136	138	6,793	6,370	175,731	170,497
35-39	140	159	7,307	7,198	186,402	183,002
40-44	213	206	9,168	9,286	213,723	209,978
45-49	229	247	10,188	10,216	203,408	200,932
50-54	229	267	10,023	9,603	176,014	174,647
55-59	234	202	7,856	7,458	138,012	140,543
60-64	189	174	5,638	5,876	102,184	107,178
65-69	137	137	4,499	5,083	77,179	84,532
70-74	125	111	3,877	4,741	63,036	75,368
75-79	88	100	3,550	4,542	52,974	69,894
80-84	48	70	2,417	3,934	36,594	57,387
85&up	49	93	2,058	4,571	30,057	68,158
Total	2,642	2,675	122,923	125,387	2,531,918	2,569,040
Total Male/Female		5,317		248,310		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Cottonwood County - Population Estimates by Age and Sex, 2004

Age Group	Cottonwood County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	402	290	695	521	170,444	161,580
05-09	372	338	673	624	167,505	159,712
10-14	405	426	781	787	184,003	174,091
15-17	282	270	557	513	114,257	108,688
18-19	172	152	318	298	78,280	75,458
20-24	392	372	858	774	192,535	184,724
25-29	292	222	581	462	169,580	162,671
30-34	256	272	571	570	175,731	170,497
35-39	333	335	661	630	186,402	183,002
40-44	412	392	888	804	213,723	209,978
45-49	454	446	912	900	203,408	200,932
50-54	428	396	869	782	176,014	174,647
55-59	348	368	662	675	138,012	140,543
60-64	288	304	536	553	102,184	107,178
65-69	241	267	464	536	77,179	84,532
70-74	227	280	426	514	63,036	75,368
75-79	231	309	433	590	52,974	69,894
80-84	193	264	338	475	36,594	57,387
85&up	183	347	336	628	30,057	68,158
Total	5,911	6,050	11,559	11,636	2,531,918	2,569,040
Total Male/Female		11,961		23,195		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Crow Wing County - Population Estimates by Age and Sex, 2004

Age Group	Crow Wing County		Minnesota	
	Male	Female	Male	Female
00-04	1,823	1,789	170,444	161,580
05-09	1,730	1,639	167,505	159,712
10-14	2,014	1,986	184,003	174,091
15-17	1,268	1,226	114,257	108,688
18-19	759	666	78,280	75,458
20-24	2,320	2,402	192,535	184,724
25-29	1,794	1,737	169,580	162,671
30-34	1,684	1,673	175,731	170,497
35-39	1,789	1,819	186,402	183,002
40-44	2,193	2,204	213,723	209,978
45-49	2,127	2,191	203,408	200,932
50-54	1,981	2,019	176,014	174,647
55-59	1,689	1,662	138,012	140,543
60-64	1,443	1,599	102,184	107,178
65-69	1,320	1,370	77,179	84,532
70-74	1,151	1,283	63,036	75,368
75-79	966	1,137	52,974	69,894
80-84	654	841	36,594	57,387
85&up	465	1,018	30,057	68,158
Total	29,170	30,261	2,531,918	2,569,040
Total Male/Female		59,431		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Dakota County - Population Estimates by Age and Sex, 2004

Age Group	Dakota County		Minnesota	
	Male	Female	Male	Female
00-04	13,533	13,133	170,444	161,580
05-09	14,324	13,988	167,505	159,712
10-14	15,489	14,644	184,003	174,091
15-17	9,170	8,804	114,257	108,688
18-19	5,187	4,722	78,280	75,458
20-24	12,636	12,335	192,535	184,724
25-29	11,618	12,004	169,580	162,671
30-34	13,933	14,270	175,731	170,497
35-39	15,309	15,860	186,402	183,002
40-44	17,805	18,056	213,723	209,978
45-49	15,998	16,229	203,408	200,932
50-54	12,692	13,192	176,014	174,647
55-59	9,928	10,367	138,012	140,543
60-64	6,855	7,149	102,184	107,178
65-69	4,501	4,881	77,179	84,532
70-74	3,447	3,892	63,036	75,368
75-79	2,410	3,274	52,974	69,894
80-84	1,494	2,417	36,594	57,387
85&up	1,083	2,429	30,057	68,158
Total	187,412	191,646	2,531,918	2,569,040
Total Male/Female		379,058		

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Dodge County - Population Estimates by Age and Sex, 2004

Age Group	Dodge County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	673	672	1,834	1,743	170,444	161,580
05-09	671	701	1,883	1,860	167,505	159,712
10-14	791	775	2,097	2,060	184,003	174,091
15-17	471	477	1,316	1,294	114,257	108,688
18-19	284	267	852	777	78,280	75,458
20-24	796	729	2,108	1,994	192,535	184,724
25-29	593	604	1,618	1,605	169,580	162,671
30-34	591	605	1,725	1,674	175,731	170,497
35-39	734	715	1,967	1,984	186,402	183,002
40-44	858	783	2,306	2,251	213,723	209,978
45-49	777	767	2,147	2,071	203,408	200,932
50-54	626	593	1,898	1,812	176,014	174,647
55-59	447	438	1,354	1,350	138,012	140,543
60-64	361	374	1,058	1,110	102,184	107,178
65-69	270	267	833	897	77,179	84,532
70-74	236	274	671	826	63,036	75,368
75-79	193	207	592	725	52,974	69,894
80-84	132	223	408	629	36,594	57,387
85&up	144	236	405	787	30,057	68,158
Total	9,648	9,707	27,072	27,449	2,531,918	2,569,040
Total Male/Female	19,355		54,521		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Dodge and Steele Counties

Douglas County - Population Estimates by Age and Sex, 2004

Age Group	Douglas County		Minnesota	
	Male	Female	Male	Female
00-04	903	842	170,444	161,580
05-09	937	953	167,505	159,712
10-14	1,113	1,016	184,003	174,091
15-17	742	722	114,257	108,688
18-19	471	397	78,280	75,458
20-24	1,641	1,446	192,535	184,724
25-29	1,183	1,036	169,580	162,671
30-34	1,003	948	175,731	170,497
35-39	982	944	186,402	183,002
40-44	1,253	1,223	213,723	209,978
45-49	1,304	1,333	203,408	200,932
50-54	1,196	1,094	176,014	174,647
55-59	939	1,009	138,012	140,543
60-64	855	844	102,184	107,178
65-69	786	795	77,179	84,532
70-74	643	772	63,036	75,368
75-79	546	692	52,974	69,894
80-84	378	623	36,594	57,387
85&up	363	701	30,057	68,158
Total	17,238	17,390	2,531,918	2,569,040
Total Male/Female	34,628		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Faribault County - Population Estimates by Age and Sex, 2004

Age Group	Faribault County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	404	367	967	877	170,444	161,580
05-09	452	390	1,033	947	167,505	159,712
10-14	561	484	1,321	1,172	184,003	174,091
15-17	419	344	914	797	114,257	108,688
18-19	215	211	509	479	78,280	75,458
20-24	560	517	1,337	1,175	192,535	184,724
25-29	332	283	752	657	169,580	162,671
30-34	334	284	831	763	175,731	170,497
35-39	412	409	975	960	186,402	183,002
40-44	563	539	1,297	1,347	213,723	209,978
45-49	685	643	1,607	1,535	203,408	200,932
50-54	584	536	1,448	1,343	176,014	174,647
55-59	488	481	1,149	1,109	138,012	140,543
60-64	356	428	863	942	102,184	107,178
65-69	346	365	796	854	77,179	84,532
70-74	311	405	716	861	63,036	75,368
75-79	326	402	649	914	52,974	69,894
80-84	198	346	488	788	36,594	57,387
85&up	206	456	464	1,050	30,057	68,158
Total	7,752	7,890	18,116	18,570	2,531,918	2,569,040
Total Male/Female	15,642		36,686		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Fillmore County - Population Estimates by Age and Sex, 2004

Age Group	Fillmore County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	660	562	1,188	1,020	170,444	161,580
05-09	602	595	1,197	1,157	167,505	159,712
10-14	775	759	1,533	1,524	184,003	174,091
15-17	494	520	1,010	1,011	114,257	108,688
18-19	311	280	619	548	78,280	75,458
20-24	800	722	1,503	1,375	192,535	184,724
25-29	541	486	1,026	945	169,580	162,671
30-34	575	548	1,072	1,060	175,731	170,497
35-39	619	584	1,194	1,222	186,402	183,002
40-44	794	756	1,597	1,605	213,723	209,978
45-49	839	839	1,702	1,681	203,408	200,932
50-54	758	697	1,541	1,417	176,014	174,647
55-59	612	618	1,184	1,194	138,012	140,543
60-64	518	513	963	912	102,184	107,178
65-69	428	458	776	872	77,179	84,532
70-74	381	466	737	828	63,036	75,368
75-79	370	429	673	824	52,974	69,894
80-84	264	418	470	731	36,594	57,387
85&up	238	492	427	873	30,057	68,158
Total	10,579	10,742	20,412	20,799	2,531,918	2,569,040
Total Male/Female	21,321		41,211		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Freeborn County - Population Estimates by Age and Sex, 2004

Age Group	Freeborn County		Minnesota	
	Male	Female	Male	Female
00-04	945	822	170,444	161,580
05-09	875	858	167,505	159,712
10-14	1,022	1,044	184,003	174,091
15-17	710	658	114,257	108,688
18-19	423	422	78,280	75,458
20-24	1,104	1,046	192,535	184,724
25-29	777	746	169,580	162,671
30-34	882	774	175,731	170,497
35-39	916	953	186,402	183,002
40-44	1,246	1,215	213,723	209,978
45-49	1,314	1,165	203,408	200,932
50-54	1,144	1,103	176,014	174,647
55-59	1,021	990	138,012	140,543
60-64	805	852	102,184	107,178
65-69	693	800	77,179	84,532
70-74	610	733	63,036	75,368
75-79	512	693	52,974	69,894
80-84	441	643	36,594	57,387
85&up	316	698	30,057	68,158
Total	15,756	16,215	2,531,918	2,569,040
Total Male/Female	#		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Goodhue County - Population Estimates by Age and Sex, 2004

Age Group	Goodhue County		Minnesota	
	Male	Female	Male	Female
00-04	1,322	1,241	170,444	161,580
05-09	1,389	1,321	167,505	159,712
10-14	1,583	1,541	184,003	174,091
15-17	1,142	1,028	114,257	108,688
18-19	734	624	78,280	75,458
20-24	1,728	1,621	192,535	184,724
25-29	1,203	1,179	169,580	162,671
30-34	1,269	1,245	175,731	170,497
35-39	1,428	1,449	186,402	183,002
40-44	1,942	1,891	213,723	209,978
45-49	1,919	1,908	203,408	200,932
50-54	1,678	1,610	176,014	174,647
55-59	1,394	1,307	138,012	140,543
60-64	971	1,023	102,184	107,178
65-69	826	856	77,179	84,532
70-74	685	826	63,036	75,368
75-79	597	785	52,974	69,894
80-84	431	623	36,594	57,387
85&up	335	842	30,057	68,158
Total	22,576	22,920	2,531,918	2,569,040
Total Male/Female	45,496		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Grant County - Population Estimates by Age and Sex, 2004

Age Group	Grant County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	157	137	770	719	170,444	161,580
05-09	160	162	824	743	167,505	159,712
10-14	184	204	978	934	184,003	174,091
15-17	139	149	673	681	114,257	108,688
18-19	73	79	658	734	78,280	75,458
20-24	228	200	1,379	1,375	192,535	184,724
25-29	143	140	908	837	169,580	162,671
30-34	148	128	698	630	175,731	170,497
35-39	148	148	752	776	186,402	183,002
40-44	229	226	1,084	1,062	213,723	209,978
45-49	249	230	1,197	1,163	203,408	200,932
50-54	205	208	1,086	987	176,014	174,647
55-59	186	162	850	810	138,012	140,543
60-64	156	164	714	736	102,184	107,178
65-69	129	143	596	687	77,179	84,532
70-74	143	153	609	759	63,036	75,368
75-79	123	172	585	729	52,974	69,894
80-84	104	143	486	654	36,594	57,387
85&up	86	180	415	873	30,057	68,158
Total	2,990	3,128	15,262	15,889	2,531,918	2,569,040
Total Male/Female		6,118		31,151		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Hennepin County - Population Estimates by Age and Sex, 2004

Age Group	Hennepin County		Minnesota	
	Male	Female	Male	Female
00-04	40,214	38,356	170,444	161,580
05-09	35,223	33,965	167,505	159,712
10-14	37,334	35,376	184,003	174,091
15-17	22,020	20,799	114,257	108,688
18-19	15,167	14,236	78,280	75,458
20-24	34,905	33,165	192,535	184,724
25-29	40,040	38,744	169,580	162,671
30-34	47,507	44,977	175,731	170,497
35-39	46,167	44,017	186,402	183,002
40-44	48,948	47,264	213,723	209,978
45-49	45,673	45,716	203,408	200,932
50-54	39,850	41,267	176,014	174,647
55-59	30,744	32,697	138,012	140,543
60-64	21,200	23,157	102,184	107,178
65-69	14,705	17,020	77,179	84,532
70-74	11,644	15,031	63,036	75,368
75-79	10,261	14,544	52,974	69,894
80-84	7,502	11,708	36,594	57,387
85&up	5,643	14,111	30,057	68,158
Total	554,747	566,150	2,531,918	2,569,040
Total Male/Female		1,120,897		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Houston County - Population Estimates by Age and Sex, 2004

Age Group	Houston County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	528	458	1,188	1,020	170,444	161,580
05-09	595	562	1,197	1,157	167,505	159,712
10-14	758	765	1,533	1,524	184,003	174,091
15-17	516	491	1,010	1,011	114,257	108,688
18-19	308	268	619	548	78,280	75,458
20-24	703	653	1,503	1,375	192,535	184,724
25-29	485	459	1,026	945	169,580	162,671
30-34	497	512	1,072	1,060	175,731	170,497
35-39	575	638	1,194	1,222	186,402	183,002
40-44	803	849	1,597	1,605	213,723	209,978
45-49	863	842	1,702	1,681	203,408	200,932
50-54	783	720	1,541	1,417	176,014	174,647
55-59	572	576	1,184	1,194	138,012	140,543
60-64	445	399	963	912	102,184	107,178
65-69	348	414	776	872	77,179	84,532
70-74	356	362	737	828	63,036	75,368
75-79	303	395	673	824	52,974	69,894
80-84	206	313	470	731	36,594	57,387
85&up	189	381	427	873	30,057	68,158
Total	9,833	10,057	20,412	20,799	2,531,918	2,569,040
Total Male/Female	19,890		41,211		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Hubbard County - Population Estimates by Age and Sex, 2004

Age Group	Hubbard County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	469	450	2,334	2,169	170,444	161,580
05-09	545	481	2,333	2,147	167,505	159,712
10-14	647	578	2,716	2,573	184,003	174,091
15-17	423	433	1,800	1,741	114,257	108,688
18-19	262	233	1,334	1,313	78,280	75,458
20-24	676	661	3,195	3,259	192,535	184,724
25-29	437	424	2,532	2,449	169,580	162,671
30-34	433	462	1,914	1,995	175,731	170,497
35-39	510	542	1,990	2,140	186,402	183,002
40-44	691	686	2,572	2,576	213,723	209,978
45-49	740	701	2,702	2,701	203,408	200,932
50-54	684	695	2,485	2,560	176,014	174,647
55-59	606	601	2,063	1,980	138,012	140,543
60-64	578	630	1,723	1,818	102,184	107,178
65-69	540	521	1,499	1,517	77,179	84,532
70-74	457	426	1,287	1,279	63,036	75,368
75-79	337	344	1,010	1,122	52,974	69,894
80-84	216	275	628	928	36,594	57,387
85&up	174	281	562	1,007	30,057	68,158
Total	9,425	9,424	36,679	37,274	2,531,918	2,569,040
Total Male/Female	18,849		73,953		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods
2005 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Isanti County - Population Estimates by Age and Sex, 2004

Age Group	Isanti County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,048	1,096	1,834	1,808	170,444	161,580
05-09	1,166	1,109	1,902	1,855	167,505	159,712
10-14	1,394	1,271	2,289	2,138	184,003	174,091
15-17	911	881	1,546	1,484	114,257	108,688
18-19	552	508	907	822	78,280	75,458
20-24	1,657	1,652	2,692	2,649	192,535	184,724
25-29	1,294	1,262	2,106	2,043	169,580	162,671
30-34	1,282	1,236	2,029	2,002	175,731	170,497
35-39	1,330	1,322	2,155	2,099	186,402	183,002
40-44	1,596	1,609	2,620	2,587	213,723	209,978
45-49	1,474	1,383	2,382	2,334	203,408	200,932
50-54	1,240	1,123	2,062	1,872	176,014	174,647
55-59	950	918	1,586	1,522	138,012	140,543
60-64	721	807	1,283	1,446	102,184	107,178
65-69	544	556	1,014	1,074	77,179	84,532
70-74	392	421	791	904	63,036	75,368
75-79	287	370	640	814	52,974	69,894
80-84	209	328	414	668	36,594	57,387
85&up	228	419	430	822	30,057	68,158
Total	18,275	18,271	30,682	30,943	2,531,918	2,569,040
Total Male/Female		36,546		61,625		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Itasca County - Population Estimates by Age and Sex, 2004

Age Group	Itasca County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,186	1,020	1,938	1,647	170,444	161,580
05-09	1,182	1,178	1,963	1,904	167,505	159,712
10-14	1,474	1,420	2,437	2,317	184,003	174,091
15-17	1,068	954	1,704	1,495	114,257	108,688
18-19	659	558	1,022	916	78,280	75,458
20-24	1,817	1,658	2,865	2,601	192,535	184,724
25-29	1,098	1,006	1,722	1,555	169,580	162,671
30-34	1,037	1,048	1,704	1,768	175,731	170,497
35-39	1,184	1,257	1,998	2,044	186,402	183,002
40-44	1,559	1,644	2,648	2,723	213,723	209,978
45-49	1,818	1,829	3,010	2,965	203,408	200,932
50-54	1,839	1,785	2,985	2,862	176,014	174,647
55-59	1,483	1,422	2,441	2,420	138,012	140,543
60-64	1,295	1,306	2,256	2,292	102,184	107,178
65-69	977	977	1,881	1,903	77,179	84,532
70-74	884	968	1,636	1,789	63,036	75,368
75-79	749	790	1,342	1,468	52,974	69,894
80-84	479	658	890	1,160	36,594	57,387
85&up	372	678	659	1,280	30,057	68,158
Total	22,160	22,156	37,101	37,109	2,531,918	2,569,040
Total Male/Female		44,316		74,210		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Jackson County - Population Estimates by Age and Sex, 2004

Age Group	Jackson County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	293	231	695	521	170,444	161,580
05-09	301	286	673	624	167,505	159,712
10-14	376	361	781	787	184,003	174,091
15-17	275	243	557	513	114,257	108,688
18-19	146	146	318	298	78,280	75,458
20-24	466	402	858	774	192,535	184,724
25-29	289	240	581	462	169,580	162,671
30-34	315	298	571	570	175,731	170,497
35-39	328	295	661	630	186,402	183,002
40-44	476	412	888	804	213,723	209,978
45-49	458	454	912	900	203,408	200,932
50-54	441	386	869	782	176,014	174,647
55-59	314	307	662	675	138,012	140,543
60-64	248	249	536	553	102,184	107,178
65-69	223	269	464	536	77,179	84,532
70-74	199	234	426	514	63,036	75,368
75-79	202	281	433	590	52,974	69,894
80-84	145	211	338	475	36,594	57,387
85&up	153	281	336	628	30,057	68,158
Total	5,648	5,586	11,559	11,636	2,531,918	2,569,040
Total Male/Female	11,234		23,195		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Kanabec County - Population Estimates by Age and Sex, 2004

Age Group	Male		Male		Male	
00-04	455	427	1,200	1,212	170,444	161,580
05-09	539	448	1,311	1,161	167,505	159,712
10-14	603	596	1,605	1,507	184,003	174,091
15-17	384	365	1,088	995	114,257	108,688
18-19	221	226	645	597	78,280	75,458
20-24	637	642	1,853	1,660	192,535	184,724
25-29	457	457	1,447	1,232	169,580	162,671
30-34	495	508	1,382	1,232	175,731	170,497
35-39	496	466	1,509	1,318	186,402	183,002
40-44	614	620	1,855	1,690	213,723	209,978
45-49	691	654	1,874	1,704	203,408	200,932
50-54	583	510	1,564	1,417	176,014	174,647
55-59	458	429	1,254	1,129	138,012	140,543
60-64	359	408	1,000	1,129	102,184	107,178
65-69	363	335	968	969	77,179	84,532
70-74	276	282	790	809	63,036	75,368
75-79	222	248	617	669	52,974	69,894
80-84	136	183	397	545	36,594	57,387
85&up	86	177	272	566	30,057	68,158
Total	8,075	7,981	22,631	21,541	2,531,918	2,569,040
Total Male/Female	16,056		44,172		5,100,958	
Source: U.S. Census Bureau: 2004 C						

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Kandiyohi County - Population Estimates by Age and Sex, 2004

Age Group	Kandiyohi County		Minnesota	
	Male	Female	Male	Female
00-04	1,233	1,294	170,444	161,580
05-09	1,274	1,167	167,505	159,712
10-14	1,488	1,444	184,003	174,091
15-17	1,007	931	114,257	108,688
18-19	577	546	78,280	75,458
20-24	1,831	1,772	192,535	184,724
25-29	1,162	1,020	169,580	162,671
30-34	1,164	1,115	175,731	170,497
35-39	1,208	1,180	186,402	183,002
40-44	1,443	1,520	213,723	209,978
45-49	1,670	1,715	203,408	200,932
50-54	1,507	1,471	176,014	174,647
55-59	1,166	1,168	138,012	140,543
60-64	903	920	102,184	107,178
65-69	718	784	77,179	84,532
70-74	629	728	63,036	75,368
75-79	572	698	52,974	69,894
80-84	354	647	36,594	57,387
85&up	399	766	30,057	68,158
Total	20,305	20,886	2,531,918	2,569,040
Total Male/Female		41,191		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Kittson County - Population Estimates by Age and Sex, 2004

Age Group	Kittson County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	117	105	1,351	1,343	170,444	161,580
05-09	146	173	1,587	1,507	167,505	159,712
10-14	177	157	1,766	1,595	184,003	174,091
15-17	116	124	1,145	1,176	114,257	108,688
18-19	55	59	775	641	78,280	75,458
20-24	138	113	1,923	1,748	192,535	184,724
25-29	64	60	1,231	1,081	169,580	162,671
30-34	103	94	1,423	1,282	175,731	170,497
35-39	133	102	1,582	1,435	186,402	183,002
40-44	181	176	2,012	1,913	213,723	209,978
45-49	198	211	2,030	1,928	203,408	200,932
50-54	206	184	1,820	1,678	176,014	174,647
55-59	169	150	1,442	1,387	138,012	140,543
60-64	128	120	1,179	1,143	102,184	107,178
65-69	120	109	939	990	77,179	84,532
70-74	93	125	703	836	63,036	75,368
75-79	99	137	696	899	52,974	69,894
80-84	63	84	536	744	36,594	57,387
85&up	100	131	544	967	30,057	68,158
Total	2,406	2,414	24,684	24,293	2,531,918	2,569,040
Total Male/Female		4,820		48,977		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Koochiching County - Population Estimates by Age and Sex, 2004

Age Group	Koochiching County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	344	312	1,938	1,647	170,444	161,580
05-09	399	357	1,963	1,904	167,505	159,712
10-14	490	458	2,437	2,317	184,003	174,091
15-17	310	258	1,704	1,495	114,257	108,688
18-19	184	177	1,022	916	78,280	75,458
20-24	469	438	2,865	2,601	192,535	184,724
25-29	246	231	1,722	1,555	169,580	162,671
30-34	313	360	1,704	1,768	175,731	170,497
35-39	427	388	1,998	2,044	186,402	183,002
40-44	518	533	2,648	2,723	213,723	209,978
45-49	613	592	3,010	2,965	203,408	200,932
50-54	591	548	2,985	2,862	176,014	174,647
55-59	447	453	2,441	2,420	138,012	140,543
60-64	399	392	2,256	2,292	102,184	107,178
65-69	353	352	1,881	1,903	77,179	84,532
70-74	257	344	1,636	1,789	63,036	75,368
75-79	237	301	1,342	1,468	52,974	69,894
80-84	171	223	890	1,160	36,594	57,387
85&up	116	262	659	1,280	30,057	68,158
Total	6,884	6,979	37,101	37,109	2,531,918	2,569,040
Total Male/Female	13,863		74,210		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Lac Qui Parle County - Population Estimates by Age and Sex, 2004

Age Group	Lac Qui Parle County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	161	174	1,279	1,135	170,444	161,580
05-09	200	218	1,386	1,234	167,505	159,712
10-14	271	237	1,639	1,570	184,003	174,091
15-17	181	176	1,110	1,046	114,257	108,688
18-19	133	108	740	613	78,280	75,458
20-24	282	226	1,854	1,446	192,535	184,724
25-29	132	108	1,187	830	169,580	162,671
30-34	134	124	1,268	969	175,731	170,497
35-39	192	191	1,572	1,266	186,402	183,002
40-44	289	284	1,948	1,708	213,723	209,978
45-49	361	319	2,090	1,861	203,408	200,932
50-54	316	290	1,841	1,574	176,014	174,647
55-59	236	230	1,367	1,344	138,012	140,543
60-64	205	210	1,178	1,187	102,184	107,178
65-69	184	187	966	1,090	77,179	84,532
70-74	169	192	872	1,112	63,036	75,368
75-79	175	202	895	1,158	52,974	69,894
80-84	128	198	686	1,053	36,594	57,387
85&up	125	208	642	1,359	30,057	68,158
Total	3,874	3,882	24,520	23,555	2,531,918	2,569,040
Total Male/Female	7,756		48,075		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties
2005 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Lake County - Population Estimates by Age and Sex, 2004

Age Group	Lake County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	268	218	6,394	5,908	170,444	161,580
05-09	279	284	6,679	6,263	167,505	159,712
10-14	308	334	7,718	7,227	184,003	174,091
15-17	251	231	5,225	4,877	114,257	108,688
18-19	146	150	4,762	4,655	78,280	75,458
20-24	392	348	10,662	10,144	192,535	184,724
25-29	282	265	8,109	7,435	169,580	162,671
30-34	265	247	6,793	6,370	175,731	170,497
35-39	268	326	7,307	7,198	186,402	183,002
40-44	449	446	9,168	9,286	213,723	209,978
45-49	474	448	10,188	10,216	203,408	200,932
50-54	499	418	10,023	9,603	176,014	174,647
55-59	346	338	7,856	7,458	138,012	140,543
60-64	301	292	5,638	5,876	102,184	107,178
65-69	288	324	4,499	5,083	77,179	84,532
70-74	290	307	3,877	4,741	63,036	75,368
75-79	265	260	3,550	4,542	52,974	69,894
80-84	144	174	2,417	3,934	36,594	57,387
85&up	79	214	2,058	4,571	30,057	68,158
Total	5,594	5,624	122,923	125,387	2,531,918	2,569,040
Total Male/Female		11,218		248,310		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Lake of the Woods County - Population Estimates by Age and Sex, 2004

Age Group	Lake Of The Woods County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	88	81	2,334	2,169	170,444	161,580
05-09	102	107	2,333	2,147	167,505	159,712
10-14	159	169	2,716	2,573	184,003	174,091
15-17	108	103	1,800	1,741	114,257	108,688
18-19	58	63	1,334	1,313	78,280	75,458
20-24	130	129	3,195	3,259	192,535	184,724
25-29	74	90	2,532	2,449	169,580	162,671
30-34	83	85	1,914	1,995	175,731	170,497
35-39	123	126	1,990	2,140	186,402	183,002
40-44	202	173	2,572	2,576	213,723	209,978
45-49	219	187	2,702	2,701	203,408	200,932
50-54	190	175	2,485	2,560	176,014	174,647
55-59	142	121	2,063	1,980	138,012	140,543
60-64	132	136	1,723	1,818	102,184	107,178
65-69	120	116	1,499	1,517	77,179	84,532
70-74	95	92	1,287	1,279	63,036	75,368
75-79	69	84	1,010	1,122	52,974	69,894
80-84	53	83	628	928	36,594	57,387
85&up	59	78	562	1,007	30,057	68,158
Total	2,206	2,198	36,679	37,274	2,531,918	2,569,040
Total Male/Female		4,404		73,953		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Le Sueur County - Population Estimates by Age and Sex, 2004

Age Group	Le Sueur County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	824	757	1,409	1,322	170,444	161,580
05-09	814	809	1,424	1,421	167,505	159,712
10-14	1,001	960	1,653	1,585	184,003	174,091
15-17	651	662	1,113	1,062	114,257	108,688
18-19	403	359	663	593	78,280	75,458
20-24	1,107	1,068	1,904	1,725	192,535	184,724
25-29	797	752	1,547	1,214	169,580	162,671
30-34	804	791	1,530	1,312	175,731	170,497
35-39	972	913	1,753	1,467	186,402	183,002
40-44	1,111	1,105	2,008	1,804	213,723	209,978
45-49	1,101	985	1,914	1,733	203,408	200,932
50-54	995	889	1,743	1,558	176,014	174,647
55-59	785	752	1,358	1,226	138,012	140,543
60-64	642	647	1,002	1,043	102,184	107,178
65-69	474	495	762	802	77,179	84,532
70-74	378	417	619	729	63,036	75,368
75-79	309	412	543	742	52,974	69,894
80-84	220	362	415	612	36,594	57,387
85&up	194	449	340	786	30,057	68,158
Total	13,582	13,584	23,700	22,736	2,531,918	2,569,040
Total Male/Female		27,166		46,436		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Lincoln County - Population Estimates by Age and Sex, 2004

Age Group	Lincoln County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	148	159	1,489	1,375	170,444	161,580
05-09	165	171	1,487	1,409	167,505	159,712
10-14	213	184	1,700	1,658	184,003	174,091
15-17	128	109	1,125	1,026	114,257	108,688
18-19	97	71	804	812	78,280	75,458
20-24	181	181	1,915	1,925	192,535	184,724
25-29	144	127	1,475	1,295	169,580	162,671
30-34	137	148	1,297	1,218	175,731	170,497
35-39	178	164	1,462	1,364	186,402	183,002
40-44	229	200	1,787	1,758	213,723	209,978
45-49	238	189	1,884	1,876	203,408	200,932
50-54	207	200	1,692	1,632	176,014	174,647
55-59	161	149	1,303	1,283	138,012	140,543
60-64	158	166	1,088	1,109	102,184	107,178
65-69	152	196	978	1,041	77,179	84,532
70-74	158	165	845	1,087	63,036	75,368
75-79	151	180	794	1,050	52,974	69,894
80-84	101	171	599	960	36,594	57,387
85&up	96	206	555	1,298	30,057	68,158
Total	3,042	3,136	24,279	25,176	2,531,918	2,569,040
Total Male/Female		6,178		49,455		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Lyon County - Population Estimates by Age and Sex, 2004

Age Group	Lyon County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	798	760	1,489	1,375	170,444	161,580
05-09	819	694	1,487	1,409	167,505	159,712
10-14	837	873	1,700	1,658	184,003	174,091
15-17	531	519	1,125	1,026	114,257	108,688
18-19	453	487	804	812	78,280	75,458
20-24	1,121	1,137	1,915	1,925	192,535	184,724
25-29	920	821	1,475	1,295	169,580	162,671
30-34	713	660	1,297	1,218	175,731	170,497
35-39	754	707	1,462	1,364	186,402	183,002
40-44	874	888	1,787	1,758	213,723	209,978
45-49	931	988	1,884	1,876	203,408	200,932
50-54	809	808	1,692	1,632	176,014	174,647
55-59	594	598	1,303	1,283	138,012	140,543
60-64	507	480	1,088	1,109	102,184	107,178
65-69	396	402	978	1,041	77,179	84,532
70-74	309	432	845	1,087	63,036	75,368
75-79	304	403	794	1,050	52,974	69,894
80-84	227	391	599	960	36,594	57,387
85&up	218	540	555	1,298	30,057	68,158
Total	12,115	12,588	24,279	25,176	2,531,918	2,569,040
Total Male/Female		24,703		49,455		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

McLeod County - Population Estimates by Age and Sex, 2004

Age Group	McLeod County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,238	1,193	2,426	2,338	170,444	161,580
05-09	1,234	1,195	2,538	2,323	167,505	159,712
10-14	1,362	1,253	2,833	2,558	184,003	174,091
15-17	889	842	1,814	1,768	114,257	108,688
18-19	545	479	1,139	975	78,280	75,458
20-24	1,238	1,219	2,714	2,518	192,535	184,724
25-29	1,132	999	2,193	1,940	169,580	162,671
30-34	1,285	1,190	2,364	2,228	175,731	170,497
35-39	1,297	1,251	2,504	2,393	186,402	183,002
40-44	1,477	1,420	3,092	2,953	213,723	209,978
45-49	1,310	1,308	2,854	2,718	203,408	200,932
50-54	1,173	1,163	2,599	2,441	176,014	174,647
55-59	1,024	985	2,090	2,000	138,012	140,543
60-64	739	807	1,600	1,691	102,184	107,178
65-69	578	600	1,311	1,357	77,179	84,532
70-74	449	569	1,077	1,337	63,036	75,368
75-79	437	609	1,007	1,271	52,974	69,894
80-84	312	515	695	1,060	36,594	57,387
85&up	284	590	632	1,346	30,057	68,158
Total	18,003	18,187	37,482	37,215	2,531,918	2,569,040
Total Male/Female		36,190		74,697		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Mahnomen County - Population Estimates by Age and Sex, 2004

Age Group	Mahnomen County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	186	184	387	333	170,444	161,580
05-09	195	163	415	391	167,505	159,712
10-14	213	206	467	442	184,003	174,091
15-17	118	112	303	276	114,257	108,688
18-19	74	53	170	156	78,280	75,458
20-24	195	175	443	372	192,535	184,724
25-29	107	92	256	230	169,580	162,671
30-34	121	124	289	281	175,731	170,497
35-39	136	125	335	313	186,402	183,002
40-44	182	184	466	469	213,723	209,978
45-49	202	165	467	444	203,408	200,932
50-54	176	155	460	373	176,014	174,647
55-59	148	155	349	360	138,012	140,543
60-64	126	140	308	327	102,184	107,178
65-69	105	111	267	285	77,179	84,532
70-74	101	80	238	246	63,036	75,368
75-79	58	98	207	253	52,974	69,894
80-84	50	73	154	209	36,594	57,387
85&up	58	135	122	303	30,057	68,158
Total	2,551	2,530	6,103	6,063	2,531,918	2,569,040
Total Male/Female		5,081		12,166		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Marshall County - Population Estimates by Age and Sex, 2004

Age Group	Marshall County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	248	250	1,351	1,343	170,444	161,580
05-09	287	276	1,587	1,507	167,505	159,712
10-14	353	299	1,766	1,595	184,003	174,091
15-17	214	246	1,145	1,176	114,257	108,688
18-19	167	140	775	641	78,280	75,458
20-24	391	316	1,923	1,748	192,535	184,724
25-29	230	190	1,231	1,081	169,580	162,671
30-34	259	211	1,423	1,282	175,731	170,497
35-39	307	270	1,582	1,435	186,402	183,002
40-44	393	383	2,012	1,913	213,723	209,978
45-49	430	373	2,030	1,928	203,408	200,932
50-54	382	382	1,820	1,678	176,014	174,647
55-59	323	294	1,442	1,387	138,012	140,543
60-64	269	252	1,179	1,143	102,184	107,178
65-69	212	247	939	990	77,179	84,532
70-74	160	197	703	836	63,036	75,368
75-79	190	202	696	899	52,974	69,894
80-84	147	187	536	744	36,594	57,387
85&up	132	206	544	967	30,057	68,158
Total	5,094	4,921	24,684	24,293	2,531,918	2,569,040
Total Male/Female		10,015		48,977		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties
2005 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Martin County - Population Estimates by Age and Sex, 2004

Age Group	Martin County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	563	510	967	877	170,444	161,580
05-09	581	557	1,033	947	167,505	159,712
10-14	760	688	1,321	1,172	184,003	174,091
15-17	495	453	914	797	114,257	108,688
18-19	294	268	509	479	78,280	75,458
20-24	777	658	1,337	1,175	192,535	184,724
25-29	420	374	752	657	169,580	162,671
30-34	497	479	831	763	175,731	170,497
35-39	563	551	975	960	186,402	183,002
40-44	734	808	1,297	1,347	213,723	209,978
45-49	922	892	1,607	1,535	203,408	200,932
50-54	864	807	1,448	1,343	176,014	174,647
55-59	661	628	1,149	1,109	138,012	140,543
60-64	507	514	863	942	102,184	107,178
65-69	450	489	796	854	77,179	84,532
70-74	405	456	716	861	63,036	75,368
75-79	323	512	649	914	52,974	69,894
80-84	290	442	488	788	36,594	57,387
85&up	258	594	464	1,050	30,057	68,158
Total	10,364	10,680	18,116	18,570	2,531,918	2,569,040
Total Male/Female		21,044		36,686		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Meeker County - Population Estimates by Age and Sex, 2004

Age Group	Meeker County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	690	690	2,426	2,338	170,444	161,580
05-09	778	686	2,538	2,323	167,505	159,712
10-14	856	762	2,833	2,558	184,003	174,091
15-17	545	545	1,814	1,768	114,257	108,688
18-19	381	296	1,139	975	78,280	75,458
20-24	900	812	2,714	2,518	192,535	184,724
25-29	661	573	2,193	1,940	169,580	162,671
30-34	647	626	2,364	2,228	175,731	170,497
35-39	729	666	2,504	2,393	186,402	183,002
40-44	947	913	3,092	2,953	213,723	209,978
45-49	927	869	2,854	2,718	203,408	200,932
50-54	895	813	2,599	2,441	176,014	174,647
55-59	658	637	2,090	2,000	138,012	140,543
60-64	539	516	1,600	1,691	102,184	107,178
65-69	444	453	1,311	1,357	77,179	84,532
70-74	382	443	1,077	1,337	63,036	75,368
75-79	359	402	1,007	1,271	52,974	69,894
80-84	234	354	695	1,060	36,594	57,387
85&up	192	457	632	1,346	30,057	68,158
Total	11,764	11,513	37,482	37,215	2,531,918	2,569,040
Total Male/Female		23,277		74,697		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Mille Lacs County - Population Estimates by Age and Sex, 2004

Age Group	Mille Lacs County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	786	712	1,834	1,808	170,444	161,580
05-09	736	746	1,902	1,855	167,505	159,712
10-14	895	867	2,289	2,138	184,003	174,091
15-17	635	603	1,546	1,484	114,257	108,688
18-19	355	314	907	822	78,280	75,458
20-24	1,035	997	2,692	2,649	192,535	184,724
25-29	812	781	2,106	2,043	169,580	162,671
30-34	747	766	2,029	2,002	175,731	170,497
35-39	825	777	2,155	2,099	186,402	183,002
40-44	1,024	978	2,620	2,587	213,723	209,978
45-49	908	951	2,382	2,334	203,408	200,932
50-54	822	749	2,062	1,872	176,014	174,647
55-59	636	604	1,586	1,522	138,012	140,543
60-64	562	639	1,283	1,446	102,184	107,178
65-69	470	518	1,014	1,074	77,179	84,532
70-74	399	483	791	904	63,036	75,368
75-79	353	444	640	814	52,974	69,894
80-84	205	340	414	668	36,594	57,387
85&up	202	403	430	822	30,057	68,158
Total	12,407	12,672	30,682	30,943	2,531,918	2,569,040
Total Male/Female		25,079		61,625		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Morrison County - Population Estimates by Age and Sex, 2004

Age Group	Morrison County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,091	891	3,047	2,660	170,444	161,580
05-09	1,059	1,014	2,894	2,835	167,505	159,712
10-14	1,177	1,180	3,630	3,438	184,003	174,091
15-17	881	792	2,489	2,400	114,257	108,688
18-19	495	470	1,520	1,352	78,280	75,458
20-24	1,368	1,192	4,081	3,687	192,535	184,724
25-29	957	834	2,729	2,430	169,580	162,671
30-34	928	914	2,610	2,475	175,731	170,497
35-39	1,080	975	2,859	2,808	186,402	183,002
40-44	1,305	1,222	3,753	3,664	213,723	209,978
45-49	1,266	1,237	3,827	3,654	203,408	200,932
50-54	1,162	1,047	3,530	3,272	176,014	174,647
55-59	839	819	2,823	2,775	138,012	140,543
60-64	731	714	2,659	2,655	102,184	107,178
65-69	595	669	2,232	2,279	77,179	84,532
70-74	555	610	1,930	2,050	63,036	75,368
75-79	422	597	1,541	1,827	52,974	69,894
80-84	308	455	1,038	1,471	36,594	57,387
85&up	290	548	885	1,590	30,057	68,158
Total	16,509	16,180	50,077	49,322	2,531,918	2,569,040
Total Male/Female		32,689		99,399		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Mower County - Population Estimates by Age and Sex, 2004

Age Group	Mower County		Minnesota	
	Male	Female	Male	Female
00-04	1,413	1,202	170,444	161,580
05-09	1,205	1,099	167,505	159,712
10-14	1,360	1,329	184,003	174,091
15-17	876	813	114,257	108,688
18-19	549	449	78,280	75,458
20-24	1,558	1,355	192,535	184,724
25-29	1,080	959	169,580	162,671
30-34	1,145	1,055	175,731	170,497
35-39	1,125	1,136	186,402	183,002
40-44	1,460	1,449	213,723	209,978
45-49	1,493	1,364	203,408	200,932
50-54	1,303	1,227	176,014	174,647
55-59	1,048	1,013	138,012	140,543
60-64	851	880	102,184	107,178
65-69	645	789	77,179	84,532
70-74	646	901	63,036	75,368
75-79	672	856	52,974	69,894
80-84	512	750	36,594	57,387
85&up	444	987	30,057	68,158
Total	19,385	19,613	2,531,918	2,569,040
Total Male/Female		38,998		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Murray County - Population Estimates by Age and Sex, 2004

Age Group	Murray County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	262	209	1,489	1,375	170,444	161,580
05-09	228	267	1,487	1,409	167,505	159,712
10-14	312	284	1,700	1,658	184,003	174,091
15-17	228	193	1,125	1,026	114,257	108,688
18-19	116	117	804	812	78,280	75,458
20-24	287	267	1,915	1,925	192,535	184,724
25-29	206	156	1,475	1,295	169,580	162,671
30-34	213	190	1,297	1,218	175,731	170,497
35-39	250	226	1,462	1,364	186,402	183,002
40-44	314	298	1,787	1,758	213,723	209,978
45-49	343	352	1,884	1,876	203,408	200,932
50-54	354	321	1,692	1,632	176,014	174,647
55-59	308	272	1,303	1,283	138,012	140,543
60-64	229	247	1,088	1,109	102,184	107,178
65-69	219	212	978	1,041	77,179	84,532
70-74	202	246	845	1,087	63,036	75,368
75-79	167	218	794	1,050	52,974	69,894
80-84	130	174	599	960	36,594	57,387
85&up	125	253	555	1,298	30,057	68,158
Total	4,493	4,502	24,279	25,176	2,531,918	2,569,040
Total Male/Female		8,995		49,455		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Nicollet County - Population Estimates by Age and Sex, 2004

Age Group	Nicollet County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	986	869	1,730	1,524	170,444	161,580
05-09	917	829	1,622	1,498	167,505	159,712
10-14	1,012	933	1,945	1,798	184,003	174,091
15-17	705	622	1,352	1,254	114,257	108,688
18-19	774	905	1,313	1,470	78,280	75,458
20-24	1,638	1,742	2,849	2,846	192,535	184,724
25-29	1,229	1,074	1,910	1,604	169,580	162,671
30-34	945	859	1,632	1,446	175,731	170,497
35-39	954	974	1,722	1,750	186,402	183,002
40-44	1,189	1,122	2,200	2,137	213,723	209,978
45-49	1,106	1,155	2,180	2,234	203,408	200,932
50-54	1,124	1,047	2,083	1,933	176,014	174,647
55-59	902	754	1,659	1,510	138,012	140,543
60-64	545	614	1,135	1,249	102,184	107,178
65-69	436	475	948	979	77,179	84,532
70-74	358	407	831	982	63,036	75,368
75-79	235	379	656	893	52,974	69,894
80-84	181	295	469	786	36,594	57,387
85&up	172	366	463	1,000	30,057	68,158
Total	15,408	15,421	28,699	28,893	2,531,918	2,569,040
Total Male/Female	30,829		57,592		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Nobles County - Population Estimates by Age and Sex, 2004

Age Group	Nobles County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	736	694	1,034	983	170,444	161,580
05-09	687	664	996	954	167,505	159,712
10-14	756	651	1,093	963	184,003	174,091
15-17	433	485	673	695	114,257	108,688
18-19	273	254	430	369	78,280	75,458
20-24	822	680	1,150	993	192,535	184,724
25-29	560	432	781	646	169,580	162,671
30-34	610	521	868	756	175,731	170,497
35-39	665	607	919	870	186,402	183,002
40-44	744	691	1,093	1,054	213,723	209,978
45-49	841	786	1,186	1,135	203,408	200,932
50-54	704	662	1,056	990	176,014	174,647
55-59	560	560	858	838	138,012	140,543
60-64	469	455	689	672	102,184	107,178
65-69	392	398	569	597	77,179	84,532
70-74	297	412	452	632	63,036	75,368
75-79	286	375	458	596	52,974	69,894
80-84	247	334	373	562	36,594	57,387
85&up	197	537	296	777	30,057	68,158
Total	10,279	10,198	14,974	15,082	2,531,918	2,569,040
Total Male/Female	20,477		30,056		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties
2005 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Norman County - Population Estimates by Age and Sex, 2004

Age Group	Norman County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	201	149	387	333	170,444	161,580
05-09	220	228	415	391	167,505	159,712
10-14	254	236	467	442	184,003	174,091
15-17	185	164	303	276	114,257	108,688
18-19	96	103	170	156	78,280	75,458
20-24	248	197	443	372	192,535	184,724
25-29	149	138	256	230	169,580	162,671
30-34	168	157	289	281	175,731	170,497
35-39	199	188	335	313	186,402	183,002
40-44	284	285	466	469	213,723	209,978
45-49	265	279	467	444	203,408	200,932
50-54	284	218	460	373	176,014	174,647
55-59	201	205	349	360	138,012	140,543
60-64	182	187	308	327	102,184	107,178
65-69	162	174	267	285	77,179	84,532
70-74	137	166	238	246	63,036	75,368
75-79	149	155	207	253	52,974	69,894
80-84	104	136	154	209	36,594	57,387
85&up	64	168	122	303	30,057	68,158
Total	3,552	3,533	6,103	6,063	2,531,918	2,569,040
Total Male/Female	7,085		12,166		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Olmsted County - Population Estimates by Age and Sex, 2004

Age Group	Olmsted County		Minnesota	
	Male	Female	Male	Female
00-04	4,729	4,731	170,444	161,580
05-09	4,631	4,366	167,505	159,712
10-14	4,806	4,385	184,003	174,091
15-17	3,001	3,002	114,257	108,688
18-19	1,752	1,556	78,280	75,458
20-24	4,640	4,470	192,535	184,724
25-29	4,396	4,520	169,580	162,671
30-34	4,900	4,956	175,731	170,497
35-39	5,182	4,967	186,402	183,002
40-44	5,661	5,764	213,723	209,978
45-49	5,373	5,414	203,408	200,932
50-54	4,263	4,492	176,014	174,647
55-59	3,348	3,666	138,012	140,543
60-64	2,604	2,779	102,184	107,178
65-69	2,011	2,148	77,179	84,532
70-74	1,514	1,801	63,036	75,368
75-79	1,284	1,618	52,974	69,894
80-84	863	1,318	36,594	57,387
85&up	660	1,712	30,057	68,158
Total	65,618	67,665	2,531,918	2,569,040
Total Male/Female	133,283		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Otter Tail County - Population Estimates by Age and Sex, 2004

Age Group	Otter Tail County		Minnesota	
	Male	Female	Male	Female
00-04	1,430	1,411	170,444	161,580
05-09	1,646	1,485	167,505	159,712
10-14	2,002	1,840	184,003	174,091
15-17	1,417	1,279	114,257	108,688
18-19	867	745	78,280	75,458
20-24	2,382	2,191	192,535	184,724
25-29	1,370	1,229	169,580	162,671
30-34	1,362	1,330	175,731	170,497
35-39	1,604	1,632	186,402	183,002
40-44	2,172	2,075	213,723	209,978
45-49	2,439	2,231	203,408	200,932
50-54	2,093	1,998	176,014	174,647
55-59	1,678	1,725	138,012	140,543
60-64	1,508	1,622	102,184	107,178
65-69	1,363	1,495	77,179	84,532
70-74	1,268	1,331	63,036	75,368
75-79	960	1,179	52,974	69,894
80-84	678	955	36,594	57,387
85&up	650	1,289	30,057	68,158
Total	28,889	29,042	2,531,918	2,569,040
Total Male/Female		57,931		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Pennington County - Population Estimates by Age and Sex, 2004

Age Group	Pennington County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	364	408	1,351	1,343	170,444	161,580
05-09	426	371	1,587	1,507	167,505	159,712
10-14	425	399	1,766	1,595	184,003	174,091
15-17	280	280	1,145	1,176	114,257	108,688
18-19	218	171	775	641	78,280	75,458
20-24	639	612	1,923	1,748	192,535	184,724
25-29	434	360	1,231	1,081	169,580	162,671
30-34	439	382	1,423	1,282	175,731	170,497
35-39	385	393	1,582	1,435	186,402	183,002
40-44	483	486	2,012	1,913	213,723	209,978
45-49	537	544	2,030	1,928	203,408	200,932
50-54	488	465	1,820	1,678	176,014	174,647
55-59	376	419	1,442	1,387	138,012	140,543
60-64	320	311	1,179	1,143	102,184	107,178
65-69	235	279	939	990	77,179	84,532
70-74	181	233	703	836	63,036	75,368
75-79	175	270	696	899	52,974	69,894
80-84	126	212	536	744	36,594	57,387
85&up	130	289	544	967	30,057	68,158
Total	6,661	6,884	24,684	24,293	2,531,918	2,569,040
Total Male/Female		13,545		48,977		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Pine County - Population Estimates by Age and Sex, 2004

Age Group	Pine County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	745	785	1,200	1,212	170,444	161,580
05-09	772	713	1,311	1,161	167,505	159,712
10-14	1,002	911	1,605	1,507	184,003	174,091
15-17	704	630	1,088	995	114,257	108,688
18-19	424	371	645	597	78,280	75,458
20-24	1,216	1,018	1,853	1,660	192,535	184,724
25-29	990	775	1,447	1,232	169,580	162,671
30-34	887	724	1,382	1,232	175,731	170,497
35-39	1,013	852	1,509	1,318	186,402	183,002
40-44	1,241	1,070	1,855	1,690	213,723	209,978
45-49	1,183	1,050	1,874	1,704	203,408	200,932
50-54	981	907	1,564	1,417	176,014	174,647
55-59	796	700	1,254	1,129	138,012	140,543
60-64	641	721	1,000	1,129	102,184	107,178
65-69	605	634	968	969	77,179	84,532
70-74	514	527	790	809	63,036	75,368
75-79	395	421	617	669	52,974	69,894
80-84	261	362	397	545	36,594	57,387
85&up	186	389	272	566	30,057	68,158
Total	14,556	13,560	22,631	21,541	2,531,918	2,569,040
Total Male/Female		28,116		44,172		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Pipestone County - Population Estimates by Age and Sex, 2004

Age Group	Pipestone County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	281	247	1,489	1,375	170,444	161,580
05-09	275	277	1,487	1,409	167,505	159,712
10-14	338	317	1,700	1,658	184,003	174,091
15-17	238	205	1,125	1,026	114,257	108,688
18-19	138	137	804	812	78,280	75,458
20-24	326	340	1,915	1,925	192,535	184,724
25-29	205	191	1,475	1,295	169,580	162,671
30-34	234	220	1,297	1,218	175,731	170,497
35-39	280	267	1,462	1,364	186,402	183,002
40-44	370	372	1,787	1,758	213,723	209,978
45-49	372	347	1,884	1,876	203,408	200,932
50-54	322	303	1,692	1,632	176,014	174,647
55-59	240	264	1,303	1,283	138,012	140,543
60-64	194	216	1,088	1,109	102,184	107,178
65-69	211	231	978	1,041	77,179	84,532
70-74	176	244	845	1,087	63,036	75,368
75-79	172	249	794	1,050	52,974	69,894
80-84	141	224	599	960	36,594	57,387
85&up	116	299	555	1,298	30,057	68,158
Total	4,629	4,950	24,279	25,176	2,531,918	2,569,040
Total Male/Female		9,579		49,455		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Polk County - Population Estimates by Age and Sex, 2004

Age Group	Polk County		Minnesota	
	Male	Female	Male	Female
00-04	837	840	170,444	161,580
05-09	932	899	167,505	159,712
10-14	1,101	1,047	184,003	174,091
15-17	734	700	114,257	108,688
18-19	572	488	78,280	75,458
20-24	1,462	1,313	192,535	184,724
25-29	897	729	169,580	162,671
30-34	730	766	175,731	170,497
35-39	919	892	186,402	183,002
40-44	1,129	1,170	213,723	209,978
45-49	1,256	1,187	203,408	200,932
50-54	1,093	1,070	176,014	174,647
55-59	920	825	138,012	140,543
60-64	650	748	102,184	107,178
65-69	574	641	77,179	84,532
70-74	491	575	63,036	75,368
75-79	441	602	52,974	69,894
80-84	338	563	36,594	57,387
85&up	293	699	30,057	68,158
Total	15,369	15,754	2,531,918	2,569,040
Total Male/Female		31,123		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Pope County - Population Estimates by Age and Sex, 2004

Age Group	Pope County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	284	266	770	719	170,444	161,580
05-09	295	248	824	743	167,505	159,712
10-14	402	357	978	934	184,003	174,091
15-17	264	250	673	681	114,257	108,688
18-19	188	158	658	734	78,280	75,458
20-24	422	403	1,379	1,375	192,535	184,724
25-29	263	243	908	837	169,580	162,671
30-34	261	255	698	630	175,731	170,497
35-39	294	303	752	776	186,402	183,002
40-44	395	400	1,084	1,062	213,723	209,978
45-49	457	448	1,197	1,163	203,408	200,932
50-54	433	376	1,086	987	176,014	174,647
55-59	345	336	850	810	138,012	140,543
60-64	261	286	714	736	102,184	107,178
65-69	253	278	596	687	77,179	84,532
70-74	225	267	609	759	63,036	75,368
75-79	220	264	585	729	52,974	69,894
80-84	163	248	486	654	36,594	57,387
85&up	115	301	415	873	30,057	68,158
Total	5,540	5,687	15,262	15,889	2,531,918	2,569,040
Total Male/Female		11,227		31,151		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Ramsey County - Population Estimates by Age and Sex, 2004

Age Group	Ramsey County		Minnesota	
	Male	Female	Male	Female
00-04	18,271	17,486	170,444	161,580
05-09	16,888	15,723	167,505	159,712
10-14	18,117	16,999	184,003	174,091
15-17	10,581	10,089	114,257	108,688
18-19	7,537	8,349	78,280	75,458
20-24	16,880	17,175	192,535	184,724
25-29	16,636	18,009	169,580	162,671
30-34	17,885	18,006	175,731	170,497
35-39	17,847	17,967	186,402	183,002
40-44	19,422	19,571	213,723	209,978
45-49	18,456	19,576	203,408	200,932
50-54	16,819	17,818	176,014	174,647
55-59	12,969	14,330	138,012	140,543
60-64	9,201	10,274	102,184	107,178
65-69	6,833	8,255	77,179	84,532
70-74	5,713	7,542	63,036	75,368
75-79	4,856	7,490	52,974	69,894
80-84	3,429	6,332	36,594	57,387
85&up	2,858	7,309	30,057	68,158
Total	241,198	258,300	2,531,918	2,569,040
Total Male/Female		499,498		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Red Lake County - Population Estimates by Age and Sex, 2004

Age Group	Red Lake County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	117	96	1,351	1,343	170,444	161,580
05-09	114	110	1,587	1,507	167,505	159,712
10-14	132	128	1,766	1,595	184,003	174,091
15-17	94	113	1,145	1,176	114,257	108,688
18-19	73	50	775	641	78,280	75,458
20-24	198	175	1,923	1,748	192,535	184,724
25-29	114	98	1,231	1,081	169,580	162,671
30-34	124	114	1,423	1,282	175,731	170,497
35-39	121	110	1,582	1,435	186,402	183,002
40-44	157	161	2,012	1,913	213,723	209,978
45-49	189	181	2,030	1,928	203,408	200,932
50-54	173	137	1,820	1,678	176,014	174,647
55-59	137	125	1,442	1,387	138,012	140,543
60-64	100	97	1,179	1,143	102,184	107,178
65-69	92	90	939	990	77,179	84,532
70-74	75	87	703	836	63,036	75,368
75-79	63	78	696	899	52,974	69,894
80-84	52	69	536	744	36,594	57,387
85&up	50	95	544	967	30,057	68,158
Total	2,175	2,114	24,684	24,293	2,531,918	2,569,040
Total Male/Female		4,289		48,977		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Redwood County - Population Estimates by Age and Sex, 2004

Age Group	Redwood County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	509	485	962	968	170,444	161,580
05-09	504	472	1,033	953	167,505	159,712
10-14	593	533	1,220	1,111	184,003	174,091
15-17	378	407	759	828	114,257	108,688
18-19	272	206	519	460	78,280	75,458
20-24	567	462	1,159	942	192,535	184,724
25-29	350	290	732	612	169,580	162,671
30-34	388	405	838	766	175,731	170,497
35-39	526	430	1,001	910	186,402	183,002
40-44	579	599	1,211	1,255	213,723	209,978
45-49	639	563	1,367	1,228	203,408	200,932
50-54	576	575	1,242	1,089	176,014	174,647
55-59	436	474	898	927	138,012	140,543
60-64	425	404	801	813	102,184	107,178
65-69	339	351	663	697	77,179	84,532
70-74	292	323	604	687	63,036	75,368
75-79	297	363	560	724	52,974	69,894
80-84	164	341	370	683	36,594	57,387
85&up	220	464	462	848	30,057	68,158
Total	8,054	8,147	16,401	16,501	2,531,918	2,569,040
Total Male/Female	16,201		32,902		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Renville County - Population Estimates by Age and Sex, 2004

Age Group	Renville County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	453	483	962	968	170,444	161,580
05-09	529	481	1,033	953	167,505	159,712
10-14	627	578	1,220	1,111	184,003	174,091
15-17	381	421	759	828	114,257	108,688
18-19	247	254	519	460	78,280	75,458
20-24	592	480	1,159	942	192,535	184,724
25-29	382	322	732	612	169,580	162,671
30-34	450	361	838	766	175,731	170,497
35-39	475	480	1,001	910	186,402	183,002
40-44	632	656	1,211	1,255	213,723	209,978
45-49	728	665	1,367	1,228	203,408	200,932
50-54	666	514	1,242	1,089	176,014	174,647
55-59	462	453	898	927	138,012	140,543
60-64	376	409	801	813	102,184	107,178
65-69	324	346	663	697	77,179	84,532
70-74	312	364	604	687	63,036	75,368
75-79	263	361	560	724	52,974	69,894
80-84	206	342	370	683	36,594	57,387
85&up	242	384	462	848	30,057	68,158
Total	8,347	8,354	16,401	16,501	2,531,918	2,569,040
Total Male/Female	16,701		32,902		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Rice County - Population Estimates by Age and Sex, 2004

Age Group	Rice County		Minnesota	
	Male	Female	Male	Female
00-04	1,810	1,668	170,444	161,580
05-09	1,803	1,729	167,505	159,712
10-14	2,059	1,992	184,003	174,091
15-17	1,324	1,293	114,257	108,688
18-19	1,605	1,702	78,280	75,458
20-24	3,663	3,416	192,535	184,724
25-29	2,097	1,820	169,580	162,671
30-34	1,978	1,642	175,731	170,497
35-39	2,080	1,848	186,402	183,002
40-44	2,407	2,172	213,723	209,978
45-49	2,310	2,192	203,408	200,932
50-54	1,904	1,815	176,014	174,647
55-59	1,472	1,502	138,012	140,543
60-64	1,166	1,159	102,184	107,178
65-69	883	962	77,179	84,532
70-74	786	851	63,036	75,368
75-79	568	701	52,974	69,894
80-84	339	653	36,594	57,387
85&up	323	724	30,057	68,158
Total	30,577	29,841	2,531,918	2,569,040
Total Male/Female		60,418		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Rock County - Population Estimates by Age and Sex, 2004

Age Group	Rock County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	298	289	1,034	983	170,444	161,580
05-09	309	290	996	954	167,505	159,712
10-14	337	312	1,093	963	184,003	174,091
15-17	240	210	673	695	114,257	108,688
18-19	157	115	430	369	78,280	75,458
20-24	328	313	1,150	993	192,535	184,724
25-29	221	214	781	646	169,580	162,671
30-34	258	235	868	756	175,731	170,497
35-39	254	263	919	870	186,402	183,002
40-44	349	363	1,093	1,054	213,723	209,978
45-49	345	349	1,186	1,135	203,408	200,932
50-54	352	328	1,056	990	176,014	174,647
55-59	298	278	858	838	138,012	140,543
60-64	220	217	689	672	102,184	107,178
65-69	177	199	569	597	77,179	84,532
70-74	155	220	452	632	63,036	75,368
75-79	172	221	458	596	52,974	69,894
80-84	126	228	373	562	36,594	57,387
85&up	99	240	296	777	30,057	68,158
Total	4,695	4,884	14,974	15,082	2,531,918	2,569,040
Total Male/Female		9,579		30,056		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Roseau County - Population Estimates by Age and Sex, 2004

Age Group	Roseau County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	505	484	1,351	1,343	170,444	161,580
05-09	614	577	1,587	1,507	167,505	159,712
10-14	679	612	1,766	1,595	184,003	174,091
15-17	441	413	1,145	1,176	114,257	108,688
18-19	262	221	775	641	78,280	75,458
20-24	557	532	1,923	1,748	192,535	184,724
25-29	389	373	1,231	1,081	169,580	162,671
30-34	498	481	1,423	1,282	175,731	170,497
35-39	636	560	1,582	1,435	186,402	183,002
40-44	798	707	2,012	1,913	213,723	209,978
45-49	676	619	2,030	1,928	203,408	200,932
50-54	571	510	1,820	1,678	176,014	174,647
55-59	437	399	1,442	1,387	138,012	140,543
60-64	362	363	1,179	1,143	102,184	107,178
65-69	280	265	939	990	77,179	84,532
70-74	194	194	703	836	63,036	75,368
75-79	169	212	696	899	52,974	69,894
80-84	148	192	536	744	36,594	57,387
85&up	132	246	544	967	30,057	68,158
Total	8,348	7,960	24,684	24,293	2,531,918	2,569,040
Total Male/Female	16,308		48,977		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake & Roseau Counties

St. Louis County - Population Estimates by Age and Sex, 2004

Age Group	St. Louis County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	5,053	4,672	6,394	5,908	170,444	161,580
05-09	5,288	4,909	6,679	6,263	167,505	159,712
10-14	6,110	5,691	7,718	7,227	184,003	174,091
15-17	4,085	3,819	5,225	4,877	114,257	108,688
18-19	4,091	4,004	4,762	4,655	78,280	75,458
20-24	8,654	8,360	10,662	10,144	192,535	184,724
25-29	6,619	6,151	8,109	7,435	169,580	162,671
30-34	5,289	5,054	6,793	6,370	175,731	170,497
35-39	5,674	5,662	7,307	7,198	186,402	183,002
40-44	7,135	7,329	9,168	9,286	213,723	209,978
45-49	8,048	8,224	10,188	10,216	203,408	200,932
50-54	8,054	7,725	10,023	9,603	176,014	174,647
55-59	6,279	6,035	7,856	7,458	138,012	140,543
60-64	4,415	4,663	5,638	5,876	102,184	107,178
65-69	3,495	3,964	4,499	5,083	77,179	84,532
70-74	2,929	3,707	3,877	4,741	63,036	75,368
75-79	2,761	3,617	3,550	4,542	52,974	69,894
80-84	1,927	3,172	2,417	3,934	36,594	57,387
85&up	1,716	3,756	2,058	4,571	30,057	68,158
Total	97,622	100,514	122,923	125,387	2,531,918	2,569,040
Total Male/Female	198,136		248,310		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties
2005 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Scott County - Population Estimates by Age and Sex, 2004

Age Group	Scott County		Minnesota	
	Male	Female	Male	Female
00-04	4,790	4,664	170,444	161,580
05-09	4,738	4,625	167,505	159,712
10-14	4,767	4,466	184,003	174,091
15-17	2,627	2,459	114,257	108,688
18-19	1,475	1,310	78,280	75,458
20-24	4,209	4,317	192,535	184,724
25-29	4,202	4,368	169,580	162,671
30-34	4,709	5,032	175,731	170,497
35-39	5,466	5,479	186,402	183,002
40-44	5,659	5,419	213,723	209,978
45-49	4,481	4,090	203,408	200,932
50-54	3,232	3,017	176,014	174,647
55-59	2,449	2,440	138,012	140,543
60-64	1,782	1,725	102,184	107,178
65-69	1,086	1,091	77,179	84,532
70-74	746	837	63,036	75,368
75-79	560	720	52,974	69,894
80-84	377	492	36,594	57,387
85&up	251	637	30,057	68,158
Total	57,606	57,188	2,531,918	2,569,040
Total Male/Female	114,794		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Sherburne County - Population Estimates by Age and Sex, 2004

Age Group	Sherburne County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	3,089	2,870	3,089	2,870	170,444	161,580
05-09	3,046	2,873	3,046	2,873	167,505	159,712
10-14	3,181	2,997	3,181	2,997	184,003	174,091
15-17	1,876	1,769	1,876	1,769	114,257	108,688
18-19	1,244	976	1,244	976	78,280	75,458
20-24	3,670	3,376	3,670	3,376	192,535	184,724
25-29	3,269	3,107	3,269	3,107	169,580	162,671
30-34	3,141	3,099	3,141	3,099	175,731	170,497
35-39	3,334	3,236	3,334	3,236	186,402	183,002
40-44	3,562	3,435	3,562	3,435	213,723	209,978
45-49	2,926	2,757	2,926	2,757	203,408	200,932
50-54	2,251	2,164	2,251	2,164	176,014	174,647
55-59	1,738	1,698	1,738	1,698	138,012	140,543
60-64	1,271	1,165	1,271	1,165	102,184	107,178
65-69	906	843	906	843	77,179	84,532
70-74	657	639	657	639	63,036	75,368
75-79	455	602	455	602	52,974	69,894
80-84	304	452	304	452	36,594	57,387
85&up	210	574	210	574	30,057	68,158
Total	40,130	38,632	40,130	38,632	2,531,918	2,569,040
Total Male/Female	78,762		78,762		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Benton and Sherburne Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Sibley County - Population Estimates by Age and Sex, 2004

Age Group	Sibley County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	498	455	2,426	2,338	170,444	161,580
05-09	526	442	2,538	2,323	167,505	159,712
10-14	615	543	2,833	2,558	184,003	174,091
15-17	380	381	1,814	1,768	114,257	108,688
18-19	213	200	1,139	975	78,280	75,458
20-24	576	487	2,714	2,518	192,535	184,724
25-29	400	368	2,193	1,940	169,580	162,671
30-34	432	412	2,364	2,228	175,731	170,497
35-39	478	476	2,504	2,393	186,402	183,002
40-44	668	620	3,092	2,953	213,723	209,978
45-49	617	541	2,854	2,718	203,408	200,932
50-54	531	465	2,599	2,441	176,014	174,647
55-59	408	378	2,090	2,000	138,012	140,543
60-64	322	368	1,600	1,691	102,184	107,178
65-69	289	304	1,311	1,357	77,179	84,532
70-74	246	325	1,077	1,337	63,036	75,368
75-79	211	260	1,007	1,271	52,974	69,894
80-84	149	191	695	1,060	36,594	57,387
85&up	156	299	632	1,346	30,057	68,158
Total	7,715	7,515	37,482	37,215	2,531,918	2,569,040
Total Male/Female	15,230		74,697		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Stearns County - Population Estimates by Age and Sex, 2004

Age Group	Stearns County		Minnesota	
	Male	Female	Male	Female
00-04	4,438	4,347	170,444	161,580
05-09	4,358	4,200	167,505	159,712
10-14	4,787	4,567	184,003	174,091
15-17	3,188	2,933	114,257	108,688
18-19	3,177	3,312	78,280	75,458
20-24	7,398	7,268	192,535	184,724
25-29	6,499	5,791	169,580	162,671
30-34	4,449	4,020	175,731	170,497
35-39	4,872	4,595	186,402	183,002
40-44	5,390	5,269	213,723	209,978
45-49	5,091	4,896	203,408	200,932
50-54	4,429	4,273	176,014	174,647
55-59	3,358	3,292	138,012	140,543
60-64	2,368	2,509	102,184	107,178
65-69	2,074	2,159	77,179	84,532
70-74	1,765	2,067	63,036	75,368
75-79	1,468	1,779	52,974	69,894
80-84	959	1,383	36,594	57,387
85&up	716	1,611	30,057	68,158
Total	70,784	70,271	2,531,918	2,569,040
Total Male/Female	141,055		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Steele County - Population Estimates by Age and Sex, 2004

Age Group	Steele County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,161	1,071	1,834	1,743	170,444	161,580
05-09	1,212	1,159	1,883	1,860	167,505	159,712
10-14	1,306	1,285	2,097	2,060	184,003	174,091
15-17	845	817	1,316	1,294	114,257	108,688
18-19	568	510	852	777	78,280	75,458
20-24	1,312	1,265	2,108	1,994	192,535	184,724
25-29	1,025	1,001	1,618	1,605	169,580	162,671
30-34	1,134	1,069	1,725	1,674	175,731	170,497
35-39	1,233	1,269	1,967	1,984	186,402	183,002
40-44	1,448	1,468	2,306	2,251	213,723	209,978
45-49	1,370	1,304	2,147	2,071	203,408	200,932
50-54	1,272	1,219	1,898	1,812	176,014	174,647
55-59	907	912	1,354	1,350	138,012	140,543
60-64	697	736	1,058	1,110	102,184	107,178
65-69	563	630	833	897	77,179	84,532
70-74	435	552	671	826	63,036	75,368
75-79	399	518	592	725	52,974	69,894
80-84	276	406	408	629	36,594	57,387
85&up	261	551	405	787	30,057	68,158
Total	17,424	17,742	27,072	27,449	2,531,918	2,569,040
Total Male/Female	35,166		54,521		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*CHS Agency- Community Health Services Agency consisting of Dodge and Steele Counties

Stevens County - Population Estimates by Age and Sex, 2004

Age Group	Stevens County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	244	240	770	719	170,444	161,580
05-09	258	225	824	743	167,505	159,712
10-14	258	234	978	934	184,003	174,091
15-17	175	208	673	681	114,257	108,688
18-19	341	445	658	734	78,280	75,458
20-24	580	647	1,379	1,375	192,535	184,724
25-29	434	401	908	837	169,580	162,671
30-34	207	182	698	630	175,731	170,497
35-39	232	219	752	776	186,402	183,002
40-44	321	309	1,084	1,062	213,723	209,978
45-49	352	344	1,197	1,163	203,408	200,932
50-54	326	289	1,086	987	176,014	174,647
55-59	223	219	850	810	138,012	140,543
60-64	205	186	714	736	102,184	107,178
65-69	129	155	596	687	77,179	84,532
70-74	134	210	609	759	63,036	75,368
75-79	149	195	585	729	52,974	69,894
80-84	132	176	486	654	36,594	57,387
85&up	127	224	415	873	30,057	68,158
Total	4,827	5,108	15,262	15,889	2,531,918	2,569,040
Total Male/Female	9,935		31,151		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties
2005 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Swift County - Population Estimates by Age and Sex, 2004

Age Group	Swift County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	314	256	1,279	1,135	170,444	161,580
05-09	316	280	1,386	1,234	167,505	159,712
10-14	351	366	1,639	1,570	184,003	174,091
15-17	230	206	1,110	1,046	114,257	108,688
18-19	184	119	740	613	78,280	75,458
20-24	493	293	1,854	1,446	192,535	184,724
25-29	429	203	1,187	830	169,580	162,671
30-34	513	216	1,268	969	175,731	170,497
35-39	617	293	1,572	1,266	186,402	183,002
40-44	587	350	1,948	1,708	213,723	209,978
45-49	534	362	2,090	1,861	203,408	200,932
50-54	431	336	1,841	1,574	176,014	174,647
55-59	334	291	1,367	1,344	138,012	140,543
60-64	256	223	1,178	1,187	102,184	107,178
65-69	191	249	966	1,090	77,179	84,532
70-74	173	230	872	1,112	63,036	75,368
75-79	173	226	895	1,158	52,974	69,894
80-84	148	261	686	1,053	36,594	57,387
85&up	139	305	642	1,359	30,057	68,158
Total	6,413	5,065	24,520	23,555	2,531,918	2,569,040
Total Male/Female		11,478		48,075		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Todd County - Population Estimates by Age and Sex, 2004

Age Group	Todd County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	744	647	3,047	2,660	170,444	161,580
05-09	711	720	2,894	2,835	167,505	159,712
10-14	951	836	3,630	3,438	184,003	174,091
15-17	581	651	2,489	2,400	114,257	108,688
18-19	396	367	1,520	1,352	78,280	75,458
20-24	1,149	1,030	4,081	3,687	192,535	184,724
25-29	657	509	2,729	2,430	169,580	162,671
30-34	630	577	2,610	2,475	175,731	170,497
35-39	687	654	2,859	2,808	186,402	183,002
40-44	943	938	3,753	3,664	213,723	209,978
45-49	987	936	3,827	3,654	203,408	200,932
50-54	945	802	3,530	3,272	176,014	174,647
55-59	691	706	2,823	2,775	138,012	140,543
60-64	657	640	2,659	2,655	102,184	107,178
65-69	501	508	2,232	2,279	77,179	84,532
70-74	440	479	1,930	2,050	63,036	75,368
75-79	384	403	1,541	1,827	52,974	69,894
80-84	236	367	1,038	1,471	36,594	57,387
85&up	193	394	885	1,590	30,057	68,158
Total	12,483	12,164	50,077	49,322	2,531,918	2,569,040
Total Male/Female		24,647		99,399		5,100,958

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Traverse County - Population Estimates by Age and Sex, 2004

Age Group	Traverse County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	85	76	770	719	170,444	161,580
05-09	111	108	824	743	167,505	159,712
10-14	134	139	978	934	184,003	174,091
15-17	95	74	673	681	114,257	108,688
18-19	56	52	658	734	78,280	75,458
20-24	149	125	1,379	1,375	192,535	184,724
25-29	68	53	908	837	169,580	162,671
30-34	82	65	698	630	175,731	170,497
35-39	78	106	752	776	186,402	183,002
40-44	139	127	1,084	1,062	213,723	209,978
45-49	139	141	1,197	1,163	203,408	200,932
50-54	122	114	1,086	987	176,014	174,647
55-59	96	93	850	810	138,012	140,543
60-64	92	100	714	736	102,184	107,178
65-69	85	111	596	687	77,179	84,532
70-74	107	129	609	759	63,036	75,368
75-79	93	98	585	729	52,974	69,894
80-84	87	87	486	654	36,594	57,387
85&up	87	168	415	873	30,057	68,158
Total	1,905	1,966	15,262	15,889	2,531,918	2,569,040
Total Male/Female	3,871		31,151		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Wabasha County - Population Estimates by Age and Sex, 2004

Age Group	Wabasha County		Minnesota	
	Male	Female	Male	Female
00-04	602	604	170,444	161,580
05-09	665	631	167,505	159,712
10-14	825	793	184,003	174,091
15-17	583	543	114,257	108,688
18-19	330	318	78,280	75,458
20-24	861	747	192,535	184,724
25-29	592	529	169,580	162,671
30-34	578	632	175,731	170,497
35-39	743	707	186,402	183,002
40-44	932	930	213,723	209,978
45-49	876	870	203,408	200,932
50-54	825	733	176,014	174,647
55-59	700	672	138,012	140,543
60-64	499	565	102,184	107,178
65-69	447	424	77,179	84,532
70-74	356	366	63,036	75,368
75-79	277	388	52,974	69,894
80-84	240	283	36,594	57,387
85&up	195	354	30,057	68,158
Total	11,126	11,089	2,531,918	2,569,040
Total Male/Female	22,215		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Wadena County - Population Estimates by Age and Sex, 2004

Age Group	Wadena County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	397	373	3,047	2,660	170,444	161,580
05-09	415	382	2,894	2,835	167,505	159,712
10-14	506	465	3,630	3,438	184,003	174,091
15-17	351	304	2,489	2,400	114,257	108,688
18-19	188	158	1,520	1,352	78,280	75,458
20-24	526	465	4,081	3,687	192,535	184,724
25-29	365	322	2,729	2,430	169,580	162,671
30-34	322	288	2,610	2,475	175,731	170,497
35-39	348	364	2,859	2,808	186,402	183,002
40-44	479	490	3,753	3,664	213,723	209,978
45-49	522	485	3,827	3,654	203,408	200,932
50-54	440	447	3,530	3,272	176,014	174,647
55-59	381	345	2,823	2,775	138,012	140,543
60-64	328	345	2,659	2,655	102,184	107,178
65-69	317	353	2,232	2,279	77,179	84,532
70-74	281	336	1,930	2,050	63,036	75,368
75-79	262	340	1,541	1,827	52,974	69,894
80-84	187	304	1,038	1,471	36,594	57,387
85&up	170	252	885	1,590	30,057	68,158
Total	6,785	6,818	50,077	49,322	2,531,918	2,569,040
Total Male/Female	13,603		99,399		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Waseca County - Population Estimates by Age and Sex, 2004

Age Group	Waseca County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	585	565	1,409	1,322	170,444	161,580
05-09	610	612	1,424	1,421	167,505	159,712
10-14	652	625	1,653	1,585	184,003	174,091
15-17	462	400	1,113	1,062	114,257	108,688
18-19	260	234	663	593	78,280	75,458
20-24	797	657	1,904	1,725	192,535	184,724
25-29	750	462	1,547	1,214	169,580	162,671
30-34	726	521	1,530	1,312	175,731	170,497
35-39	781	554	1,753	1,467	186,402	183,002
40-44	897	699	2,008	1,804	213,723	209,978
45-49	813	748	1,914	1,733	203,408	200,932
50-54	748	669	1,743	1,558	176,014	174,647
55-59	573	474	1,358	1,226	138,012	140,543
60-64	360	396	1,002	1,043	102,184	107,178
65-69	288	307	762	802	77,179	84,532
70-74	241	312	619	729	63,036	75,368
75-79	234	330	543	742	52,974	69,894
80-84	195	250	415	612	36,594	57,387
85&up	146	337	340	786	30,057	68,158
Total	10,118	9,152	23,700	22,736	2,531,918	2,569,040
Total Male/Female	19,270		46,436		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties
2005 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Washington County - Population Estimates by Age and Sex, 2004

Age Group	Washington County		Minnesota	
	Male	Female	Male	Female
00-04	7,501	6,813	170,444	161,580
05-09	8,154	7,895	167,505	159,712
10-14	8,761	8,486	184,003	174,091
15-17	5,333	5,062	114,257	108,688
18-19	3,064	2,823	78,280	75,458
20-24	7,609	7,094	192,535	184,724
25-29	6,000	5,609	169,580	162,671
30-34	6,828	7,106	175,731	170,497
35-39	8,603	8,979	186,402	183,002
40-44	9,944	10,296	213,723	209,978
45-49	9,369	9,461	203,408	200,932
50-54	7,794	7,915	176,014	174,647
55-59	6,523	6,458	138,012	140,543
60-64	4,482	4,485	102,184	107,178
65-69	2,994	3,099	77,179	84,532
70-74	2,138	2,462	63,036	75,368
75-79	1,547	1,903	52,974	69,894
80-84	861	1,374	36,594	57,387
85&up	539	1,296	30,057	68,158
Total	108,044	108,616	2,531,918	2,569,040
Total Male/Female	216,660			

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Watonwan County - Population Estimates by Age and Sex, 2004

Age Group	Watonwan County		Minnesota	
	Male	Female	Male	Female
00-04	405	312	170,444	161,580
05-09	398	401	167,505	159,712
10-14	394	432	184,003	174,091
15-17	268	234	114,257	108,688
18-19	171	161	78,280	75,458
20-24	365	388	192,535	184,724
25-29	261	256	169,580	162,671
30-34	274	264	175,731	170,497
35-39	318	322	186,402	183,002
40-44	379	368	213,723	209,978
45-49	485	466	203,408	200,932
50-54	406	338	176,014	174,647
55-59	295	292	138,012	140,543
60-64	286	269	102,184	107,178
65-69	242	259	77,179	84,532
70-74	207	251	63,036	75,368
75-79	206	262	52,974	69,894
80-84	134	203	36,594	57,387
85&up	145	273	30,057	68,158
Total	5,639	5,751	2,531,918	2,569,040
Total Male/Female	11,390		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Wilkin County - Population Estimates by Age and Sex, 2004

Age Group	Wilkin County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	221	125	1,619	1,455	170,444	161,580
05-09	206	223	1,813	1,765	167,505	159,712
10-14	248	260	2,138	1,923	184,003	174,091
15-17	175	194	1,378	1,315	114,257	108,688
18-19	88	103	1,406	1,863	78,280	75,458
20-24	248	231	2,808	3,248	192,535	184,724
25-29	162	116	2,324	2,384	169,580	162,671
30-34	162	167	1,627	1,650	175,731	170,497
35-39	216	206	1,799	1,788	186,402	183,002
40-44	308	280	2,191	2,210	213,723	209,978
45-49	326	313	2,233	2,267	203,408	200,932
50-54	250	202	1,957	1,857	176,014	174,647
55-59	163	189	1,393	1,374	138,012	140,543
60-64	130	168	1,062	1,118	102,184	107,178
65-69	139	141	864	953	77,179	84,532
70-74	132	127	744	924	63,036	75,368
75-79	105	104	679	902	52,974	69,894
80-84	69	73	468	717	36,594	57,387
85&up	55	159	434	1,039	30,057	68,158
Total	3,403	3,381	28,937	30,752	2,531,918	2,569,040
Total Male/Female	6,784		59,689		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Winona County - Population Estimates by Age and Sex, 2004

Age Group	Winona County		Minnesota	
	Male	Female	Male	Female
00-04	1,297	1,166	170,444	161,580
05-09	1,335	1,266	167,505	159,712
10-14	1,474	1,377	184,003	174,091
15-17	994	925	114,257	108,688
18-19	1,223	1,713	78,280	75,458
20-24	2,652	2,777	192,535	184,724
25-29	2,218	2,232	169,580	162,671
30-34	1,363	1,175	175,731	170,497
35-39	1,326	1,343	186,402	183,002
40-44	1,653	1,680	213,723	209,978
45-49	1,763	1,744	203,408	200,932
50-54	1,637	1,627	176,014	174,647
55-59	1,338	1,274	138,012	140,543
60-64	958	930	102,184	107,178
65-69	825	836	77,179	84,532
70-74	665	806	63,036	75,368
75-79	512	730	52,974	69,894
80-84	424	685	36,594	57,387
85&up	311	792	30,057	68,158
Total	23,968	25,078	2,531,918	2,569,040
Total Male/Female	49,046		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2004

Wright County - Population Estimates by Age and Sex, 2004

Age Group	Wright County		Minnesota	
	Male	Female	Male	Female
00-04	3,975	4,021	170,444	161,580
05-09	4,135	3,896	167,505	159,712
10-14	4,360	4,166	184,003	174,091
15-17	2,635	2,629	114,257	108,688
18-19	1,514	1,370	78,280	75,458
20-24	4,304	4,324	192,535	184,724
25-29	3,780	3,746	169,580	162,671
30-34	3,992	4,019	175,731	170,497
35-39	4,341	4,341	186,402	183,002
40-44	4,881	4,599	213,723	209,978
45-49	4,052	3,738	203,408	200,932
50-54	3,163	3,045	176,014	174,647
55-59	2,528	2,523	138,012	140,543
60-64	1,903	1,888	102,184	107,178
65-69	1,411	1,332	77,179	84,532
70-74	1,008	1,072	63,036	75,368
75-79	743	975	52,974	69,894
80-84	503	807	36,594	57,387
85&up	382	788	30,057	68,158
Total	53,610	53,279	2,531,918	2,569,040
Total Male/Female	106,889		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

Yellow Medicine County - Population Estimates by Age and Sex, 2004

Age Group	Yellow Medicine County		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	342	250	1,279	1,135	170,444	161,580
05-09	308	269	1,386	1,234	167,505	159,712
10-14	352	353	1,639	1,570	184,003	174,091
15-17	266	244	1,110	1,046	114,257	108,688
18-19	165	135	740	613	78,280	75,458
20-24	438	367	1,854	1,446	192,535	184,724
25-29	242	192	1,187	830	169,580	162,671
30-34	238	226	1,268	969	175,731	170,497
35-39	251	284	1,572	1,266	186,402	183,002
40-44	392	408	1,948	1,708	213,723	209,978
45-49	458	425	2,090	1,861	203,408	200,932
50-54	410	307	1,841	1,574	176,014	174,647
55-59	271	296	1,367	1,344	138,012	140,543
60-64	271	266	1,178	1,187	102,184	107,178
65-69	220	230	966	1,090	77,179	84,532
70-74	181	244	872	1,112	63,036	75,368
75-79	216	250	895	1,158	52,974	69,894
80-84	132	217	686	1,053	36,594	57,387
85&up	131	333	642	1,359	30,057	68,158
Total	5,284	5,296	24,520	23,555	2,531,918	2,569,040
Total Male/Female	10,580		48,075		5,100,958	

Source: U.S. Census Bureau: 2004 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity by State and County, 2004

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,100,958	4,583,418	211,628	59,411	174,981	71,520	174,415
Aitkin	16,031	15,518	56	344	37	76	98
Anoka	319,950	293,155	8,670	2,430	9,723	5,972	6,913
Becker	31,817	28,573	115	2,338	156	635	291
Beltrami	42,263	32,508	205	8,456	390	704	481
Benton	38,099	36,527	493	203	524	352	497
Big Stone	5,602	5,531	11	33	26	1	20
Blue Earth	57,409	54,594	989	162	1,223	441	1,072
Brown	26,763	26,461	66	22	131	83	591
Carlton	33,639	30,878	392	1,815	162	392	324
Carver	82,122	78,758	829	184	1,765	586	2,551
Cass	28,460	24,975	42	3,017	97	329	283
Chippewa	12,659	12,384	30	130	53	62	420
Chisago	48,349	46,518	518	273	674	366	748
Clay	52,905	50,534	387	818	592	574	1,779
Clearwater	8,437	7,508	23	774	29	103	83
Cook	5,317	4,804	18	395	18	82	57
Cottonwood	11,961	11,448	140	40	287	46	399
Crow Wing	59,431	57,964	286	527	212	442	533
Dakota	379,058	343,151	13,073	1,596	14,559	6,679	13,648
Dodge	19,355	19,028	61	40	118	108	611
Douglas	34,628	34,147	95	96	159	131	258
Faribault	15,642	15,431	55	38	71	47	608
Fillmore	21,321	21,159	52	22	37	51	140
Freeborn	31,971	31,338	187	80	199	167	1,971
Goodhue	45,496	44,004	396	496	312	288	724
Grant	6,118	6,051	15	18	13	21	46
Hennepin	1,120,897	911,057	114,068	11,793	61,156	22,823	57,693
Houston	19,890	19,579	99	38	86	88	129
Hubbard	18,849	18,194	37	412	60	146	149
Isanti	36,546	35,605	165	200	216	360	425
Itasca	44,316	41,964	94	1,574	125	559	285
Jackson	11,234	10,997	18	12	191	16	261
Kanabec	16,056	15,594	37	169	79	177	157
Kandiyohi	41,191	40,390	297	158	209	137	3,573
Kittson	4,820	4,760	8	17	20	15	67
Koochiching	13,863	13,308	48	322	40	145	114
Lac Qui Parle	7,756	7,685	13	24	26	8	19
Lake	11,218	11,058	13	71	21	55	65
Lake of the Woods	4,404	4,289	13	66	14	22	29
Le Sueur	27,166	26,765	49	90	123	139	1,092
Lincoln	6,178	6,137	3	20	17	1	58
Lyon	24,703	23,790	206	86	508	113	1,003
McLeod	36,190	35,529	112	99	264	186	1,618
Mahnomen	5,081	3,217	10	1,462	7	385	108
Marshall	10,015	9,899	13	37	35	31	350
Martin	21,044	20,761	72	33	117	61	477
Meeker	23,277	23,016	68	42	117	34	588
Mille Lacs	25,079	23,510	104	1,178	64	223	281
Morrison	32,689	32,220	102	104	102	161	250

Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity by State and County, 2004

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,100,958	4,583,418	211,628	59,411	174,981	71,520	174,415
Mower	38,998	37,554	439	89	617	299	2,342
Murray	8,995	8,893	19	23	25	35	175
Nicollet	30,829	29,816	392	77	400	144	702
Nobles	20,477	19,187	286	100	800	104	2,725
Norman	7,085	6,780	17	179	25	84	257
Olmsted	133,283	120,218	4,431	380	6,832	1,422	3,580
Otter Tail	57,931	56,802	230	316	294	289	990
Pennington	13,545	13,122	35	187	108	93	219
Pine	28,116	26,636	438	765	98	179	504
Pipestone	9,579	9,323	22	133	57	44	74
Polk	31,123	30,110	182	399	134	298	1,402
Pope	11,227	11,123	28	27	40	9	76
Ramsey	499,498	390,604	45,393	4,478	47,156	11,867	28,739
Red Lake	4,289	4,217	9	56	4	3	44
Redwood	16,201	15,196	40	597	273	95	185
Renville	16,701	16,454	11	126	49	61	953
Rice	60,418	57,449	1,103	308	1,050	508	4,075
Rock	9,579	9,390	54	47	85	3	105
Roseau	16,308	15,595	27	288	307	91	75
St. Louis	198,136	187,891	1,987	4,248	1,527	2,483	1,615
Scott	114,794	105,263	1,870	890	5,102	1,669	3,755
Sherburne	78,762	76,215	801	349	736	661	1,268
Sibley	15,230	15,029	23	52	68	58	871
Stearns	141,055	134,694	2,053	426	2,657	1,225	2,378
Steele	35,166	33,927	655	47	316	221	1,416
Stevens	9,935	9,548	112	100	127	48	100
Swift	11,478	10,619	408	64	359	28	336
Todd	24,647	24,192	41	149	113	152	763
Traverse	3,871	3,702	0	141	19	9	53
Wabasha	22,215	21,893	61	78	138	45	394
Wadena	13,603	13,395	76	79	29	24	131
Waseca	19,270	18,480	479	129	142	40	595
Washington	216,660	198,677	5,967	932	7,921	3,163	5,034
Watonwan	11,390	11,148	56	44	112	30	1,934
Wilkin	6,784	6,675	16	37	17	39	116
Winona	49,046	47,139	435	110	1,068	294	584
Wright	106,889	103,899	564	375	991	1,060	1,675
Yellow Medicine	10,580	10,292	15	232	21	20	238

Source: July 1, 2003, US Census

Demographics Table 3: Selected Minnesota Population Statistics by State and County, 2004

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	615,179	12.1	17.7	47.1	1,394,018	29.3	1,095,018
Aitkin	3,860	24.1	39.4	63.8	3,355	24.4	2,592
Anoka	25,251	7.9	11.3	42.7	94,059	31.5	71,683
Becker	5,223	16.4	25.3	53.9	8,316	28.6	6,109
Beltrami	4,961	11.7	17.4	48.5	12,712	31.0	9,695
Benton	3,929	10.3	14.9	44.6	10,448	29.7	9,200
Big Stone	1,361	24.3	41.2	69.6	1,378	28.4	885
Blue Earth	6,861	12.0	16.6	38.7	14,408	22.1	14,346
Brown	4,703	17.6	26.9	53.0	6,954	26.1	5,209
Carlton	4,925	14.6	21.7	48.2	8,453	26.5	6,665
Carver	6,176	7.5	10.9	44.9	25,449	34.0	19,148
Cass	5,087	17.9	27.6	54.4	7,072	26.8	5,300
Chippewa	2,455	19.4	31.0	59.9	3,209	28.9	2,240
Chisago	4,529	9.4	13.6	45.0	14,154	31.4	10,884
Clay	6,620	12.5	18.0	43.5	14,832	25.6	13,161
Clearwater	1,458	17.3	26.9	55.8	2,189	28.8	1,568
Cook	958	18.0	26.6	47.6	1,064	21.0	908
Cottonwood	2,542	21.3	35.4	66.4	3,109	31.1	2,015
Crow Wing	10,205	17.2	26.7	55.4	14,900	28.7	11,727
Dakota	29,828	7.9	11.3	43.5	112,994	32.2	86,051
Dodge	2,182	11.3	16.9	50.2	5,782	33.2	4,180
Douglas	6,299	18.2	27.9	53.5	8,096	25.5	6,716
Faribault	3,361	21.5	34.9	62.5	3,847	27.6	2,587
Fillmore	3,944	18.5	29.4	58.8	5,558	29.4	3,896
Freeborn	6,139	19.2	30.3	57.8	7,779	27.5	5,814
Goodhue	6,806	15.0	22.5	50.2	11,925	27.7	9,037
Grant	1,376	22.5	36.8	63.7	1,444	26.9	1,070
Hennepin	122,169	10.9	15.7	44.0	292,690	28.3	243,202
Houston	3,267	16.4	25.2	53.5	5,249	28.3	3,870
Hubbard	3,571	18.9	29.5	55.7	4,521	26.2	3,441
Isanti	3,754	10.3	14.6	42.2	9,936	27.6	8,470
Itasca	7,532	17.0	25.7	51.1	10,699	25.4	8,125
Jackson	2,198	19.6	30.6	56.3	2,658	25.7	2,036
Kanabec	2,308	14.4	21.6	50.3	4,264	28.7	3,284
Kandiyohi	6,295	15.3	23.3	52.6	10,961	29.3	8,084
Kittson	1,061	22.0	36.8	67.1	1,229	30.3	728
Koochiching	2,616	18.9	29.4	56.0	3,289	26.6	2,385
Lac Qui Parle	1,768	22.8	37.4	64.1	1,859	26.7	1,217
Lake	2,345	20.9	32.7	56.2	2,469	23.5	2,013
Lake of the Woods	849	19.3	29.8	54.6	1,038	24.8	769
Le Sueur	3,710	13.7	20.3	48.5	7,240	28.2	5,650
Lincoln	1,576	25.5	44.2	73.4	1,445	29.2	1,000
Lyon	3,622	14.7	22.2	51.6	6,771	29.3	5,219
McLeod	4,943	13.7	20.8	52.2	10,230	31.4	7,400
Mahnomen	869	17.1	28.4	65.8	1,504	37.4	865
Marshall	1,880	18.8	29.3	55.9	2,480	26.7	1,756
Martin	4,219	20.0	32.0	59.8	5,169	27.8	3,591
Meeker	3,720	16.0	24.6	54.2	6,229	29.6	4,431
Mille Lacs	3,817	15.2	23.1	51.8	6,649	28.7	5,216
Morrison	5,049	15.4	23.8	54.0	9,050	30.2	6,399
Mower	7,202	18.5	29.8	61.2	10,295	31.5	7,216
Murray	1,946	21.6	35.5	63.9	2,216	28.5	1,447
Nicollet	3,304	10.7	15.0	40.3	8,552	25.2	7,298

Demographics Table 3: Selected Minnesota Population Statistics by State and County, 2004

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	615,179	12.1	17.7	47.1	1,394,018	29.3	1,095,018
Nobles	3,475	17.0	27.1	59.8	5,633	32.7	3,670
Norman	1,415	20.0	32.3	61.7	1,836	29.4	1,232
Olmsted	14,929	11.2	16.5	46.9	36,959	30.5	29,235
Otter Tail	11,168	19.3	30.2	56.8	14,122	26.6	10,481
Pennington	2,130	15.7	23.6	50.1	3,342	26.5	2,684
Pine	4,294	15.3	22.7	48.8	7,057	26.1	5,440
Pipestone	2,063	21.5	35.7	65.7	2,453	30.0	1,732
Polk	5,217	16.8	25.8	53.7	8,150	27.9	6,058
Pope	2,334	20.8	33.1	59.5	2,712	26.3	2,012
Ramsey	60,617	12.1	18.1	48.9	140,040	30.9	109,166
Red Lake	751	17.5	26.4	51.0	1,027	24.5	821
Redwood	3,154	19.5	31.7	62.8	4,359	31.1	2,799
Renville	3,144	18.8	30.2	60.5	4,454	30.3	2,974
Rice	6,790	11.2	16.0	41.9	16,985	26.0	13,893
Rock	1,837	19.2	31.1	62.2	2,557	31.1	1,713
Roseau	2,032	12.5	18.8	50.9	4,808	32.1	3,287
St. Louis	31,044	15.7	22.9	46.4	47,722	23.4	40,379
Scott	6,797	5.9	8.5	43.6	35,921	35.1	28,384
Sherburne	5,642	7.2	10.2	43.0	23,921	32.8	18,998
Sibley	2,430	16.0	25.0	56.7	4,253	31.7	2,944
Stearns	15,981	11.3	16.2	43.4	39,307	27.1	33,188
Steele	4,591	13.1	19.6	50.4	9,934	30.8	7,399
Stevens	1,631	16.4	23.8	45.1	2,628	21.3	2,411
Swift	2,095	18.3	27.9	53.0	2,622	25.1	1,680
Todd	3,905	15.8	24.2	52.8	6,604	28.6	4,726
Traverse	1,052	27.2	48.6	78.7	930	30.1	602
Wabasha	3,330	15.0	22.6	50.5	5,894	27.9	4,406
Wadena	2,802	20.6	33.9	64.6	3,539	30.7	2,391
Waseca	2,640	13.7	20.3	48.4	5,005	28.1	3,527
Washington	18,213	8.4	12.1	43.6	63,892	31.6	46,969
Watonwan	2,182	19.2	31.8	65.9	3,176	34.1	1,993
Wilkin	1,104	16.3	25.1	54.3	1,843	29.2	1,297
Winona	6,586	13.4	19.1	42.0	12,770	22.9	11,845
Wright	9,021	8.4	12.3	45.8	32,701	33.5	25,028
Yellow Medicine	2,154	20.4	32.9	61.5	2,684	28.6	1,856

Source: U.S. Census Bureau: 2003 Census Estimates, www.census.gov

Elderly Age Dependency Ratio: The number of persons aged 65 or over per 100 persons in the population aged 15 through 64 years.

Percent Elderly: The percent of total population comprised of persons aged 65 and over.

Total Age Dependency Ratio: The number of children under 15 years of age plus the number of persons aged 65 and over per 100 persons in the population aged 15 through 64 years.

Child Age Dependency Ratio: The number of children under 15 years of age per 100 persons in the population aged 15 through 64 years.

Demographics Table 4: Selected Minnesota Demographics by State and County, 2004

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2003-2004
State of Minnesota	5,100,958	79,617	64.1	2,007,587	1.4
Aitkin	16,031	1,819	8.8	7,098	1.9
Anoka	319,950	424	754.6	114,745	1.9
Becker	31,817	1,311	24.3	12,773	2.3
Beltrami	42,263	2,505	16.9	15,436	1.7
Benton	38,099	408	93.4	14,744	3.0
Big Stone	5,602	497	11.3	2,317	-0.8
Blue Earth	57,409	752	76.3	22,445	1.8
Brown	26,763	611	43.8	10,761	1.1
Carlton	33,639	860	39.1	12,994	1.8
Carver	82,122	357	230.0	29,528	5.1
Cass	28,460	2,018	14.1	11,648	1.4
Chippewa	12,659	583	21.7	5,321	-0.5
Chisago	48,349	418	115.7	16,969	4.3
Clay	52,905	1,045	50.6	19,760	2.6
Clearwater	8,437	995	8.5	3,389	0.7
Cook	5,317	1,451	3.7	2,459	1.3
Cottonwood	11,961	640	18.7	4,924	-0.1
Crow Wing	59,431	997	59.6	24,356	2.1
Dakota	379,058	570	665.0	143,484	2.5
Dodge	19,355	440	44.0	7,137	2.2
Douglas	34,628	634	54.6	14,444	2.2
Faribault	15,642	714	21.9	6,569	-0.3
Fillmore	21,321	861	24.8	8,524	0.9
Freeborn	31,971	708	45.2	13,442	0.2
Goodhue	45,496	759	59.9	17,900	1.4
Grant	6,118	547	11.2	2,542	-0.5
Hennepin	1,120,897	557	2,012.4	469,801	0.4
Houston	19,890	558	35.6	7,876	0.5
Hubbard	18,849	923	20.4	7,787	1.7
Isanti	36,546	439	83.2	13,347	3.7
Itasca	44,316	2,665	16.6	18,308	0.3
Jackson	11,234	702	16.0	4,621	0.7
Kanabec	16,056	525	30.6	6,253	1.9
Kandiyohi	41,191	796	51.7	16,344	0.7
Kittson	4,820	1,097	4.4	2,051	-1.5
Koochiching	13,863	3,102	4.5	5,998	0.0
Lac Qui Parle	7,756	765	10.1	3,265	-0.9
Lake	11,218	2,099	5.3	4,791	1.1
Lake of the Woods	4,404	1,297	3.4	1,909	1.0
Le Sueur	27,166	449	60.5	10,617	3.6
Lincoln	6,178	537	11.5	2,613	0.6
Lyon	24,703	714	34.6	9,837	0.5
McLeod	36,190	492	73.6	14,194	1.4
Mahnomen	5,081	556	9.1	1,975	0.1
Marshall	10,015	1,772	5.7	4,128	0.3
Martin	21,044	709	29.7	9,009	-0.1
Meeker	23,277	609	38.2	8,989	1.0
Mille Lacs	25,079	575	43.6	9,813	3.4
Morrison	32,689	1,125	29.1	12,538	1.0
Mower	38,998	712	54.8	15,996	0.5
Murray	8,995	705	12.8	3,752	0.7
Nicollet	30,829	452	68.2	11,448	1.5

Demographics Table 4: Selected Minnesota Demographics by State and County, 2004

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2003-2004
State of Minnesota	5,100,958	79,617	64.1	2,007,587	1.4
Nobles	20,477	716	28.6	7,909	-0.3
Norman	7,085	876	8.1	2,944	-0.6
Olmsted	133,283	653	204.1	52,739	2.1
Otter Tail	57,931	1,980	29.3	23,642	0.3
Pennington	13,545	617	22.0	5,644	0.2
Pine	28,116	1,411	19.9	10,738	1.5
Pipestone	9,579	466	20.6	4,040	-0.3
Polk	31,123	1,971	15.8	12,287	1.0
Pope	11,227	670	16.8	4,643	0.4
Ramsey	499,498	156	3,201.9	204,123	0.0
Red Lake	4,289	432	9.9	1,769	0.3
Redwood	16,201	880	18.4	6,587	0.0
Renville	16,701	983	17.0	6,845	1.0
Rice	60,418	498	121.3	20,612	2.0
Rock	9,579	483	19.8	3,879	-0.1
Roseau	16,308	1,663	9.8	6,318	0.6
St. Louis	198,136	6,226	31.8	83,115	0.3
Scott	114,794	357	321.6	40,021	6.8
Sherburne	78,762	437	180.2	26,776	6.0
Sibley	15,230	589	25.9	5,873	0.1
Stearns	141,055	1,345	104.9	51,702	2.8
Steele	35,166	430	81.8	13,657	1.7
Stevens	9,935	562	17.7	3,774	0.5
Swift	11,478	744	15.4	4,276	-0.5
Todd	24,647	942	26.2	9,661	1.9
Traverse	3,871	574	6.7	1,646	-0.6
Wabasha	22,215	525	42.3	8,681	1.0
Wadena	13,603	536	25.4	5,513	0.4
Waseca	19,270	423	45.6	7,172	0.3
Washington	216,660	392	552.7	79,321	2.4
Watsonwan	11,390	435	26.2	4,593	-0.5
Wilkin	6,784	752	9.0	2,710	-1.1
Winona	49,046	626	78.3	19,038	0.5
Wright	106,889	661	161.7	38,040	4.0
Yellow Medicine	10,580	758	14.0	4,330	-0.5

Sources: Population - U.S. Census Bureau: 2003 Census Estimates, www.census.gov; Number of Households - Minnesota State Demographer's <http://www.demography.state.mn.us/demogpop.html>

Number of Households: The number of occupied houses, apartments, or other separate living quarters, in which the occupants live and eat separately from other persons in the building and to which they have direct access from outside the building or through a common hall.

Demographics Table 5a: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2003	Percent - All Ages in Poverty, 2002	Unemployed Annual Average, 2004		Food Stamp Utilization - Avg Monthly Households, 2004
			Number	Percent	
State of Minnesota	\$34,031	7.5	137,851	4.7	118,337
Aitkin	\$23,176	12.0	532	6.7	479
Anoka	\$32,620	4.8	8,668	4.5	5,125
Becker	\$26,540	10.7	958	5.6	1,129
Beltrami	\$24,157	15.8	1,235	5.7	2,696
Benton	\$27,420	7.1	1,162	5.2	708
Big Stone	\$24,959	10.5	137	4.8	133
Blue Earth	\$28,491	9.7	1,386	3.9	1,115
Brown	\$28,072	6.6	748	4.8	447
Carlton	\$25,272	7.9	1,068	6.3	767
Carver	\$40,807	3.3	1,789	3.9	516
Cass	\$26,631	11.6	1,032	7.0	934
Chippewa	\$27,429	7.9	366	4.9	229
Chisago	\$28,448	5.0	1,398	5.3	623
Clay	\$25,311	9.7	1,116	3.6	1,503
Clearwater	\$21,374	13.4	448	10.9	354
Cook	\$29,301	7.4	152	4.6	58
Cottonwood	\$26,097	9.4	302	4.7	262
Crow Wing	\$24,763	8.9	1,704	5.2	1,323
Dakota	\$38,272	4.2	9,370	4.1	4,210
Dodge	\$29,501	4.9	484	4.3	236
Douglas	\$27,431	7.6	761	3.7	601
Faribault	\$26,609	8.9	477	5.6	306
Fillmore	\$25,790	8.5	583	4.9	313
Freeborn	\$25,606	8.6	897	5.2	731
Goodhue	\$30,266	5.6	1,247	4.8	536
Grant	\$24,943	8.1	186	5.7	135
Hennepin	\$44,924	8.1	30,565	4.5	35,042
Houston	\$28,035	6.7	588	5.1	287
Hubbard	\$23,514	11.1	582	5.8	554
Isanti	\$27,323	5.9	1,062	5.2	499
Itasca	\$24,048	9.6	1,696	7.3	1,178
Jackson	\$26,262	7.9	242	3.6	156
Kanabec	\$22,553	9.3	601	7.5	406
Kandiyohi	\$29,101	9.2	1,078	4.5	1,132
Kittson	\$29,479	8.6	184	6.6	81
Koochiching	\$27,706	10.1	452	6.2	520
Lac Qui Parle	\$23,817	8.0	180	4.3	109
Lake	\$29,664	7.6	288	4.7	205
Lake of the Woods	\$22,920	8.5	121	4.7	56
Le Sueur	\$27,459	6.0	834	5.6	372
Lincoln	\$24,697	9.2	139	4.0	96
Lyon	\$27,958	7.9	570	3.9	496
McLeod	\$27,779	5.9	935	4.6	466
Mahnomen	\$22,331	17.0	157	5.9	311
Marshall	\$28,589	7.8	420	7.5	185
Martin	\$29,634	9.3	570	4.8	550
Meeker	\$24,808	7.4	698	5.5	399
Mille Lacs	\$22,486	8.5	864	7.0	560
Morrison	\$22,479	9.4	1,032	5.8	565
Mower	\$27,807	8.6	917	4.4	1,040
Murray	\$25,890	7.6	242	4.3	131
Nicollet	\$27,360	7.0	692	3.6	534

Demographics Table 5a: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2003	Percent - All Ages in Poverty, 2002	Unemployed Annual Average, 2004		Food Stamp Utilization - Avg Monthly Households, 2004
			Number	Percent	
State of Minnesota	\$34,031	7.5	137,851	4.7	118,337
Nobles	\$26,127	9.5	447	3.9	477
Norman	\$27,973	9.1	192	5.0	194
Olmsted	\$37,124	5.9	3,172	4.0	2,708
Otter Tail	\$25,198	9.8	1,566	5.3	1,076
Pennington	\$30,022	8.9	539	6.5	358
Pine	\$22,718	11.2	1,005	6.6	799
Pipestone	\$28,096	8.7	221	4.2	210
Polk	\$25,738	10.5	901	5.2	1,039
Pope	\$27,733	8.7	252	4.0	197
Ramsey	\$36,760	9.9	13,722	4.7	19,283
Red Lake	\$22,918	8.2	175	7.6	112
Redwood	\$25,029	8.1	388	4.5	273
Renville	\$24,454	8.2	509	5.9	405
Rice	\$25,171	7.3	1,558	4.7	785
Rock	\$26,735	7.3	173	3.3	143
Roseau	\$28,821	6.4	475	4.6	140
St. Louis	\$28,235	10.1	6,101	5.8	7,093
Scott	\$32,870	3.4	2,526	3.8	788
Sherburne	\$26,084	4.2	2,175	4.9	663
Sibley	\$23,922	7.7	454	5.0	193
Stearns	\$27,399	7.4	3,714	4.5	2,314
Steele	\$25,872	6.3	921	4.6	671
Stevens	\$27,138	7.9	219	3.8	126
Swift	\$20,893	9.5	281	5.1	233
Todd	\$20,810	11.9	673	5.2	649
Traverse	\$23,325	9.6	85	4.2	97
Wabasha	\$28,624	6.1	571	4.4	261
Wadena	\$21,244	12.5	436	6.3	508
Waseca	\$25,516	8.0	504	4.6	435
Washington	\$38,787	3.9	5,073	4.0	2,034
Watsonwan	\$26,406	8.5	280	4.6	201
Wilkin	\$25,736	7.2	145	3.9	162
Winona	\$26,281	9.3	1,258	4.4	879
Wright	\$29,039	4.5	2,945	4.9	1,137
Yellow Medicine	\$24,149	8.3	289	5.1	178

Sources: Total Per Capita Income - US Department of Commerce, Bureau of Economic Analysis, www.bea.gov/bea/regional/reis/; All Ages in Poverty - US Census <http://www.census.gov/hhes/www/saibe/county.html>
Unemployment Annual Average - Minnesota Workforce Center, <http://www.mnwf.org/lmi/laus/index.htm>; Food Stamps - Minnesota Department of Human Services

Total Per Capital Income: Computed using Census Bureau midyear population estimates. Estimates for 1990-2002 reflect county population estimates available as of April 2003. Census Bureau midyear population estimates for 1990-2000 reflect

Food Stamps: A Federal program which supplements the food-purchasing ability of low-income households through the distribution of coupons which can be used to purchase food for human consumption.

Demographics Table 5b: Selected Minnesota Socioeconomic Statistics by State and County, 2004

	Total School Enrollment, 12/01/2004	Children Receiving Spec. Ed. Services, 12/01/2004		WIC Participants - Unduplicated Counts, 2004
		Number	Percent	
State of Minnesota	925,735	118,449	12.8	207,555
Aitkin	2,187	323	14.8	759
Anoka	71,063	8,933	12.6	8,989
Becker	4,789	794	16.6	2,592
Beltrami	8,451	1,335	15.8	3,899
Benton	5,594	776	13.9	1,687
Big Stone	924	136	14.7	280
Blue Earth	10,837	1,635	15.1	2,224
Brown	5,513	547	9.9	1,145
Carlton	6,375	775	12.2	1,788
Carver	17,637	1,724	9.8	1,515
Cass	4,625	868	18.8	2,274
Chippewa	2,276	379	16.7	1,101
Chisago	8,892	979	11.0	1,599
Clay	9,619	1,404	14.6	2,272
Clearwater	1,566	241	15.4	583
Cook	687	85	12.4	204
Cottonwood	2,761	456	16.5	770
Crow Wing	10,278	1,547	15.1	2,871
Dakota	80,425	10,596	13.2	10,146
Dodge	4,193	467	11.1	779
Douglas	5,928	921	15.5	1,565
Faribault	2,545	395	15.5	588
Fillmore	3,055	412	13.5	804
Freeborn	4,519	798	17.7	1,542
Goodhue	7,398	842	11.4	1,522
Grant	1,283	186	14.5	316
Hennepin	174,532	20,189	11.6	41,923
Houston	3,605	434	12.0	561
Hubbard	2,417	482	19.9	980
Isanti	6,260	647	10.3	1,620
Itasca	7,305	1,074	14.7	2,175
Jackson	1,714	251	14.6	303
Kanabec	2,603	333	12.8	893
Kandiyohi	6,268	765	12.2	2,844
Kittson	922	152	16.5	353
Koochiching	2,214	287	13.0	566
Lac Qui Parle	1,862	295	15.8	290
Lake	1,724	261	15.1	340
Lake of the Woods	661	74	11.2	222
Le Sueur	5,095	778	15.3	991
Lincoln	867	132	15.2	79
Lyon	4,942	571	11.6	1,470
McLeod	6,576	708	10.8	1,725
Mahnomen	1,446	262	18.1	496
Marshall	1,550	223	14.4	566
Martin	3,916	593	15.1	930
Meeker	6,106	820	13.4	1,214
Mille Lacs	7,273	950	13.1	1,378
Morrison	5,817	845	14.5	1,734

Demographics Table 5b: Selected Minnesota Socioeconomic Statistics by State and County, 2004

	Total School Enrollment, 12/01/2004	Children Receiving Spec. Ed. Services, 12/01/2004		WIC Participants - Unduplicated Counts, 2004
		Number	Percent	
State of Minnesota	925,735	118,449	12.8	207,555
Mower	6,426	852	13.3	2,271
Murray	1,369	190	13.9	328
Nicollet	2,590	407	15.7	1,300
Nobles	3,631	499	13.7	1,667
Norman	1,220	180	14.8	297
Olmsted	24,751	2,623	10.6	5,274
Otter Tail	8,983	1,165	13.0	2,347
Pennington	2,361	347	14.7	1,402
Pine	4,313	439	10.2	1,354
Pipestone	2,023	236	11.7	556
Polk	5,855	808	13.8	1,750
Pope	1,590	305	19.2	557
Ramsey	100,587	13,528	13.4	27,744
Red Lake	748	106	14.2	261
Redwood	2,617	370	14.1	777
Renville	2,411	349	14.5	962
Rice	9,804	1,358	13.9	2,435
Rock	1,624	251	15.5	414
Roseau	3,403	518	15.2	941
St. Louis	29,300	3,780	12.9	7,468
Scott	20,083	2,174	10.8	3,069
Sherburne	18,085	2,260	12.5	2,755
Sibley	2,510	300	12.0	890
Stearns	27,499	3,671	13.3	4,757
Steele	6,961	805	11.6	1,788
Stevens	1,405	217	15.4	447
Swift	1,672	263	15.7	1,087
Todd	4,744	704	14.8	1,325
Traverse	512	82	16.0	232
Wabasha	5,192	686	13.2	802
Wadena	3,089	467	15.1	804
Waseca	3,994	649	16.2	979
Washington	40,075	4,649	11.6	4,249
Watonwan	2,180	281	13.2	855
Wilkin	1,359	202	14.9	369
Winona	7,578	945	12.5	1,485
Wright	22,639	2,776	12.3	3,457
Yellow Medicine	2,023	365	18.0	633

Sources : School Enrollment - Minnesota Department of Children Families and Learning, Children Receiving Special Education Services - Minnesota Department of Children Families and Learning; WIC Unduplicated County Participants - Minnesota Department of Health, WIC Program

Children Receiving Special Education Services: Unduplicated counts of children age 0-20 years receiving special education services provided by the public school system.

WIC Participants - Unduplicated Counts: The total number of pregnant, post-partum and nursing women, infants and children less than 5 years of age who received WIC vouchers. County level data are determined by combining unduplicated participants of all clinics within a county's boundaries. State total does not equal the sum of the counties because participants may move counties during the year.

Demographics Table 6a: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment by State and County, January - December 2004

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	8,701	33,750	44,426	17,856	9,982	32,875	9,560
Aitkin	28	114	141	51	32	101	48
Anoka	377	1,576	2,135	776	438	1,813	509
Becker	88	285	326	141	75	251	102
Beltrami	256	1,006	1,292	569	331	896	204
Benton	47	200	176	82	47	188	69
Big Stone	5	25	26	7	5	23	11
Blue Earth	101	361	355	131	84	352	130
Brown	24	93	112	54	35	107	24
Carlton	49	188	250	89	48	174	75
Carver	26	143	195	56	26	130	57
Cass	88	300	418	151	88	301	92
Chippewa	19	69	61	16	10	50	17
Chisago	33	182	215	107	62	220	74
Clay	104	362	468	160	84	381	108
Clearwater	25	93	122	48	32	97	25
Cook	6	6	15	5	2	11	5
Cottonwood	21	64	71	32	23	69	26
Crow Wing	92	321	357	144	83	350	94
Dakota	323	1,224	1,402	529	284	1,220	272
Dodge	12	57	64	25	15	55	16
Douglas	36	107	123	37	22	118	51
Faribault	16	63	87	28	15	64	24
Fillmore	14	57	44	16	10	52	34
Freeborn	71	207	216	76	49	200	56
Goodhue	51	171	198	67	40	160	55
Grant	9	20	32	13	6	31	12
Hennepin	2,563	10,221	13,721	5,715	3,148	9,234	3,111
Houston	18	81	99	28	18	89	27
Hubbard	41	131	154	57	30	140	41
Isanti	38	152	196	61	39	173	55
Itasca	75	250	343	156	85	253	126
Jackson	9	50	52	20	9	42	12
Kanabec	19	98	162	61	33	129	33
Kandiyohi	91	344	398	159	89	331	88
Kittson	2	8	22	10	4	18	6
Koochiching	24	89	129	43	21	100	48
Lac Qui Parle	5	25	36	14	9	33	12
Lake	8	45	60	19	13	41	25
Lake of the Woods	7	14	11	11	4	13	3
Le Sueur	29	100	99	56	33	94	32
Lincoln	1	17	15	10	5	10	8
Lyon	29	133	186	73	40	118	37
McLeod	41	156	141	49	34	149	39
Mahnomen	30	120	150	54	29	93	24
Marshall	8	41	57	18	6	40	17
Martin	56	134	142	48	29	132	43
Meeker	28	91	120	37	21	103	42
Mille Lacs	42	171	243	93	54	170	50
Morrison	30	125	137	64	35	138	55

Demographics Table 6a: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment by State and County, January - December 2004

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	8,701	33,750	44,426	17,856	9,982	32,875	9,560
Mower	61	245	250	94	58	211	83
Murray	8	22	43	22	11	28	11
Nicollet	53	174	184	59	35	196	39
Nobles	37	139	141	41	24	118	28
Norman	12	39	57	24	10	54	9
Olmsted	208	771	869	412	240	721	263
Otter Tail	67	216	276	97	57	245	91
Pennington	24	83	93	36	25	86	30
Pine	57	199	220	103	64	214	59
Pipestone	11	50	42	19	12	45	20
Polk	80	259	332	125	80	252	66
Pope	14	39	42	24	12	44	21
Ramsey	1,579	6,476	10,073	4,149	2,283	6,201	990
Red Lake	6	20	19	10	6	21	9
Redwood	21	82	129	46	23	77	25
Renville	34	120	165	42	22	113	25
Rice	73	258	278	104	60	218	78
Rock	13	48	40	13	7	42	9
Roseau	13	36	33	18	11	30	11
St. Louis	397	1,584	1,812	697	398	1,635	609
Scott	63	254	304	106	53	233	79
Sherburne	48	202	267	96	52	244	70
Sibley	23	51	90	21	15	65	25
Stearns	164	589	687	254	148	621	229
Steele	60	225	274	116	66	213	41
Stevens	8	11	19	7	4	19	12
Swift	8	40	56	24	13	43	15
Todd	27	109	163	65	35	132	48
Traverse	4	15	15	9	5	12	8
Wabasha	22	81	90	34	20	66	19
Wadena	25	106	139	73	45	98	38
Waseca	46	145	132	56	38	156	32
Washington	153	633	767	297	158	756	109
Watonwan	18	55	77	18	9	39	15
Wilkin	10	29	42	15	8	34	16
Winona	55	170	247	110	56	206	74
Wright	73	265	351	138	79	306	119
Yellow Medicine	7	22	38	17	7	26	13

Source: Minnesota Department of Human Services

MFIP-MA (Minnesota Family Investment Program - Medical Assistance): Medical Assistance eligibility is based on receipt of cash assistance from MFIP. Counts include both fee-for-service and HMO enrollees.

GAMC (General Assistance Medical Care): Most enrollees are eligible on a medical-only basis; fewer than one-third are eligible based on receipt of cash assistance from General Assistance. Counts include both fee-for-service and HMO enrollees.

Demographics Table 6b: Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment by State and County, January - December 2004

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	16,371	45,110	58,130	29,184	64,637	2,557	13,949	29,354	16,261	38,991
Aitkin	57	194	299	176	270	12	60	233	145	258
Anoka	915	2,597	3,535	1,612	3,675	99	658	1,358	698	1,811
Becker	176	456	612	350	597	24	159	368	237	412
Beltrami	147	476	672	455	747	47	243	469	292	638
Benton	143	361	389	181	496	19	117	218	129	359
Big Stone	18	62	109	46	84	0	20	80	68	79
Blue Earth	158	478	594	312	732	34	143	242	147	463
Brown	90	247	386	156	332	4	39	97	61	146
Carlton	127	316	467	277	520	8	76	190	100	297
Carver	141	381	465	197	497	23	132	250	117	313
Cass	115	339	520	284	465	29	162	385	216	461
Chippewa	78	163	232	105	242	7	33	112	57	115
Chisago	126	350	553	258	491	40	155	403	195	457
Clay	182	573	778	357	835	27	111	247	143	377
Clearwater	40	134	186	86	159	12	53	119	76	165
Cook	15	20	24	17	37	4	29	54	28	83
Cottonwood	55	170	268	110	208	8	50	88	62	111
Crow Wing	215	664	829	406	875	62	342	771	410	958
Dakota	967	2,551	2,999	1,271	3,264	126	673	1,348	648	1,881
Dodge	83	178	247	94	195	4	49	73	52	103
Douglas	144	417	461	241	529	15	134	276	198	403
Faribault	63	170	251	137	234	4	39	89	62	133
Fillmore	84	234	282	123	278	4	79	168	95	190
Freeborn	134	336	408	218	487	14	77	176	130	270
Goodhue	111	277	353	171	433	17	94	180	109	268
Grant	17	86	103	34	85	7	41	73	46	101
Hennepin	3,659	9,518	11,043	6,391	14,277	434	2,208	4,304	2,272	6,366
Houston	50	128	232	118	210	7	32	124	69	128
Hubbard	67	227	293	151	300	19	117	300	190	351
Isanti	130	291	385	200	455	28	146	332	168	365
Itasca	176	545	766	385	832	38	220	468	290	663
Jackson	32	124	129	53	135	3	26	83	50	93
Kanabec	72	194	272	132	277	16	75	185	96	226
Kandiyohi	257	669	782	352	768	21	158	350	209	400
Kittson	5	35	65	17	51	5	44	76	40	59
Koochiching	41	135	224	110	255	10	69	167	74	227
Lac Qui Parle	28	80	124	53	96	3	22	75	54	95
Lake	26	109	154	82	150	8	44	85	50	145
Lake of the Woods	21	39	41	28	53	3	31	62	42	97
Le Sueur	90	250	363	158	308	8	36	118	68	151
Lincoln	28	57	79	33	80	5	25	63	49	70
Lyon	96	320	354	152	387	5	49	133	66	172
McLeod	153	347	412	172	395	25	111	202	97	255
Mahnomen	31	83	147	72	118	5	22	46	26	45
Marshall	31	104	157	54	116	10	43	120	67	129
Martin	88	277	419	186	393	6	45	132	90	162
Meeker	80	235	303	128	267	21	115	194	108	228
Mille Lacs	89	260	391	175	405	18	145	287	166	334
Morrison	127	356	471	225	530	29	197	469	281	487
Mower	240	683	779	317	745	15	79	178	118	344
Murray	32	96	116	55	115	5	43	61	38	87

Demographics Table 6b: Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment by State and County, January - December 2004

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	16,371	45,110	58,130	29,184	64,637	2,557	13,949	29,354	16,261	38,991
Nicollet	93	266	287	146	354	7	61	78	42	149
Nobles	194	416	422	153	391	9	48	149	82	135
Norman	20	91	144	65	111	4	40	93	58	92
Olmsted	490	1,321	1,450	773	1,789	35	166	407	237	681
Otter Tail	235	594	802	377	779	56	284	636	394	749
Pennington	54	126	176	102	209	12	63	89	67	165
Pine	77	274	400	216	439	24	163	330	183	380
Pipestone	49	121	186	75	154	7	16	74	39	79
Polk	115	323	494	239	535	28	151	356	169	359
Pope	39	91	153	88	133	12	58	168	99	179
Ramsey	1,598	4,466	6,421	3,546	7,683	336	1,608	3,212	1,683	3,796
Red Lake	17	60	73	31	70	7	21	53	35	65
Redwood	58	192	282	126	222	5	54	124	87	131
Renville	75	238	314	134	249	6	42	126	88	142
Rice	211	559	566	282	647	26	122	207	129	301
Rock	46	96	132	53	115	4	25	68	43	82
Roseau	49	115	181	68	133	5	40	105	52	128
St. Louis	523	1,713	2,550	1,364	3,416	131	591	1,298	789	2,249
Scott	255	689	835	326	739	41	245	463	232	570
Sherburne	200	599	726	275	723	39	248	478	224	570
Sibley	78	178	219	102	192	10	42	92	70	120
Stearns	458	1,162	1,432	659	1,657	79	404	764	456	1,233
Steele	160	446	449	215	495	9	75	154	71	189
Stevens	21	63	80	41	103	12	30	49	35	81
Swift	62	171	222	88	175	2	30	117	64	104
Todd	121	347	441	248	405	29	144	392	202	371
Traverse	18	61	98	42	74	2	20	36	35	40
Wabasha	44	133	171	96	203	14	69	124	93	160
Wadena	55	186	281	148	286	21	109	242	115	249
Waseca	60	221	252	113	237	11	56	93	48	139
Washington	288	887	1,347	603	1,430	74	376	773	371	1,000
Watsonwan	70	198	240	92	178	3	18	64	31	76
Wilkin	29	68	95	43	101	2	20	45	27	57
Winona	142	359	543	259	613	13	87	217	145	343
Wright	274	750	959	445	985	65	412	742	331	861
Yellow Medicine	51	135	177	76	135	4	50	113	74	130

Source: Minnesota Department of Human Services

Medical Assistance: This category excludes MFIP-MA enrollees. Enrollees over age 21 may be eligible as parents or based on disability. Those eligible as disabled may be SSI recipients. Counts include both fee-for-service and HMO enrollees and non-citizen Medical Assistance recipients.

MinnesotaCare: MinnesotaCare children and pregnant women are Medicaid eligible under a waiver. MinnesotaCare coverage is provided under HMO arrangements.

Section B: Natality Tables

Nativity Table 1: Selected Minnesota Natality Statistics by State and County, 2004

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	70,614	64.3	13.8	37,012	7.3	6.6
Aitkin	167	64.4	10.4	164	10.2	0.2
Anoka	4,429	61.7	13.8	1,433	4.5	9.4
Becker	442	72.2	13.9	321	10.1	3.8
Beltrami	632	64.9	15	316	7.5	7.5
Benton	577	62.6	15.1	312	8.2	7.0
Big Stone	53	59.9	9.5	89	15.9	-6.4
Blue Earth	666	46.3	11.6	425	7.4	4.2
Brown	301	57.6	11.2	306	11.4	-0.2
Carlton	407	61.1	12.1	330	9.8	2.3
Carver	1,253	65.3	15.3	337	4.1	11.2
Cass	365	68.7	12.8	289	10.2	2.7
Chippewa	145	64.7	11.5	164	13.0	-1.5
Chisago	689	63.3	14.3	302	6.2	8.0
Clay	654	49.6	12.4	350	6.6	5.7
Clearwater	125	79.7	14.8	98	11.6	3.2
Cook	32	35.2	6.0	43	8.1	-2.1
Cottonwood	156	77.4	13.0	145	12.1	0.9
Crow Wing	749	63.6	12.6	537	9.0	3.6
Dakota	5,537	64.2	14.6	1,797	4.7	9.9
Dodge	285	67.9	14.7	119	6.1	8.6
Douglas	412	61.3	11.9	307	8.9	3.0
Faribault	168	63.8	10.7	189	12.1	-1.3
Fillmore	261	67.0	12.2	241	11.3	0.9
Freeborn	385	66.2	12.0	372	11.6	0.4
Goodhue	579	64.1	12.7	432	9.5	3.2
Grant	63	58.9	10.3	92	15.0	-4.7
Hennepin	16,718	68.5	14.9	7,577	6.8	8.2
Houston	211	54.0	10.6	205	10.3	0.3
Hubbard	212	61.6	11.2	174	9.2	2.0
Isanti	468	55.3	12.8	267	7.3	5.5
Itasca	515	63.1	11.6	480	10.8	0.8
Jackson	114	55.5	10.1	126	11.2	-1.1
Kanabec	186	56.6	11.6	125	7.8	3.8
Kandiyohi	603	74.2	14.6	373	9.1	5.6
Kittson	51	70.1	10.6	72	14.9	-4.4
Koochiching	128	53.2	9.2	142	10.2	-1.0
Lac Qui Parle	73	60.0	9.4	99	12.8	-3.4
Lake	73	36.3	6.5	134	11.9	-5.4
Lake of the Woods	41	53.3	9.3	37	8.4	0.9
Le Sueur	353	62.5	13.0	190	7.0	6.0
Lincoln	72	72.0	11.7	115	18.6	-7.0
Lyon	318	60.5	12.9	227	9.2	3.7
McLeod	551	74.5	15.2	308	8.5	6.7
Mahnomen	81	93.6	15.9	45	8.9	7.1

Natality Table 1: Selected Minnesota Natality Statistics by State and County, 2004

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	70,614	64.3	13.8	37,012	7.3	6.6
Marshall	121	68.9	12.1	80	8.0	4.1
Martin	225	62.4	10.7	197	9.4	1.3
Meeker	295	66.6	12.7	219	9.4	3.3
Mille Lacs	325	62.1	13.0	226	9.0	3.9
Morrison	431	67.4	13.2	309	9.5	3.7
Mower	509	70.4	13.1	391	10.0	3.0
Murray	95	65.7	10.6	108	12.0	-1.4
Nicollet	403	55.1	13.1	185	6.0	7.1
Nobles	337	91.6	16.5	173	8.4	8.0
Norman	75	60.1	10.6	88	12.4	-1.8
Olmsted	2,150	73.3	16.1	797	6.0	10.2
Otter Tail	576	54.9	9.9	612	10.6	-0.6
Pennington	187	69.7	13.8	141	10.4	3.4
Pine	317	58.3	11.3	237	8.4	2.8
Pipestone	125	72.2	13.0	126	13.2	-0.1
Polk	377	61.9	12.1	304	9.8	2.3
Pope	106	52.7	9.4	131	11.7	-2.2
Ramsey	7,272	66.3	14.6	3,811	7.6	6.9
Red Lake	54	65.8	12.6	45	10.5	2.1
Redwood	177	63.2	10.9	200	12.3	-1.4
Renville	201	66.9	12.0	228	13.7	-1.6
Rice	797	57.2	13.2	415	6.9	6.3
Rock	125	72.4	13.0	120	12.5	0.5
Roseau	201	61.1	12.3	135	8.3	4.0
St. Louis	2,104	52.0	10.6	2,117	10.7	-0.1
Scott	2,116	74.4	18.4	458	4.0	14.4
Sherburne	1,229	64.6	15.6	411	5.2	10.4
Sibley	198	67.3	13.0	148	9.7	3.3
Stearns	1,841	55.4	13.1	803	5.7	7.4
Steele	507	68.5	14.4	253	7.2	7.2
Stevens	100	41.5	10.1	64	6.4	3.6
Swift	116	69.0	10.1	115	10.0	0.1
Todd	278	58.2	11.3	222	9.0	2.3
Traverse	37	61.5	9.6	56	14.5	-4.9
Wabasha	260	58.8	11.7	206	9.3	2.4
Wadena	153	64.0	11.2	193	14.2	-2.9
Waseca	270	76.6	14.0	191	9.9	4.1
Washington	2,856	60.7	13.2	1,068	4.9	8.3
Watonwan	137	68.7	12.0	106	9.3	2.7
Wilkin	82	63.2	12.1	74	10.9	1.2
Winona	551	46.4	11.2	382	7.8	3.4
Wright	1,888	75.4	17.7	548	5.1	12.5
Yellow Medicine	110	58.7	10.4	110	10.4	0.0

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

Natality Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota by State and County, 2004

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2002-2004	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
MN2004	---	---	---	3.5	---	---
HP2010	---	7.6	---	5.0	0.9	---
State of Minnesota	5,137	8.4	3,324	4.8	0.8	3.0
Aitkin	14	10.1	4	2.5	1.1	3.6
Anoka	344	8.7	206	4.8	0.7	2.8
Becker	32	8.4	21	5.0	0.9	2.1
Beltrami	36	7.2	31	5.0	0.8	2.6
Benton	53	9.6	34	6.1	0.9	3.4
Big Stone	4	8.0	1	2.0	1.9	0.0
Blue Earth	50	8.3	24	3.7	0.7	2.6
Brown	16	5.5	10	3.4	1.1	2.4
Carlton	33	9.7	15	3.8	0.3	2.1
Carver	90	8.3	45	3.8	0.5	2.0
Cass	26	8.6	19	5.4	1.1	5.0
Chippewa	11	8.9	7	4.9	0.5	2.4
Chisago	55	9.4	30	4.5	0.7	1.4
Clay	65	10.5	37	5.7	0.8	4.0
Clearwater	8	7.8	7	5.7	1.2	2.9
Cook	2	7.7	1	3.6	0.0	7.7
Cottonwood	15	10.1	7	4.7	0.2	2.7
Crow Wing	51	7.1	42	5.8	0.9	4.3
Dakota	362	7.5	227	4.3	0.7	2.5
Dodge	22	8.4	14	5.2	0.5	4.2
Douglas	38	9.8	17	4.4	0.9	2.1
Faribault	6	4.5	8	5.0	0.4	6.8
Fillmore	23	9.6	16	6.4	0.9	4.2
Freeborn	25	8.0	16	4.4	0.6	3.5
Goodhue	64	12.0	28	5.0	0.9	2.3
Grant	2	3.3	2	3.3	0.0	0.0
Hennepin	1,210	8.5	861	5.4	1.0	3.3
Houston	10	5.1	7	3.4	1.0	3.6
Hubbard	12	6.7	3	1.5	1.7	2.2
Isanti	43	10.1	28	6.2	1.1	4.0
Itasca	33	9.0	17	3.5	0.8	2.2
Jackson	14	13.3	7	6.4	1.2	2.9
Kanabec	11	10.2	7	3.9	0.2	3.7
Kandiyohi	32	5.8	23	4.0	0.7	2.5
Kittson	1	2.1	1	2.0	0.0	2.1
Koochiching	9	8.3	5	4.0	0.5	4.6
Lac Qui Parle	6	9.8	6	9.0	0.0	6.6
Lake	4	5.7	4	5.5	0.4	0.0
Lake of the Woods	3	7.9	2	4.9	0.0	5.4
Le Sueur	29	9.1	20	5.8	1.3	2.8
Lincoln	6	9.0	2	2.9	0.5	3.0
Lyon	25	9.1	13	4.2	0.5	4.3
McLeod	32	6.6	26	4.9	0.5	3.7
Mahnomen	3	4.6	1	1.3	0.0	0.0
Marshall	10	8.5	3	2.5	1.2	1.7
Martin	13	7.6	9	4.3	0.8	3.5
Meeker	19	7.1	14	4.9	0.5	2.6
Mille Lacs	25	8.5	9	2.8	1.1	2.0

Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota by State and County, 2004

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2002-2004	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
MN2004	---	---	---	3.5	---	---
HP2010	---	7.6	---	5.0	0.9	---
State of Minnesota	5,137	8.4	3,324	4.8	0.8	3.0
Morrison	45	10.9	29	6.9	1.0	2.9
Mower	29	6.5	22	4.5	0.7	2.5
Murray	5	5.4	3	3.2	1.1	8.6
Nicollet	32	8.7	12	3.1	0.6	1.9
Nobles	34	11.3	20	6.1	1.2	2.3
Norman	7	10.6	3	4.1	0.9	1.5
Olmsted	165	8.2	103	5.0	0.9	3.9
Otter Tail	46	8.5	27	4.8	0.9	3.0
Pennington	14	8.2	10	5.5	0.4	3.5
Pine	19	8.2	15	4.8	1.2	2.1
Pipestone	11	8.9	10	8.0	0.3	6.5
Polk	32	9.1	26	7.0	1.2	3.7
Pope	4	4.2	4	4.2	0.0	6.3
Ramsey	454	8.2	409	5.8	1.0	4.0
Red Lake	4	7.7	4	7.4	0.7	1.9
Redwood	13	8.8	8	4.7	0.5	2.0
Renville	22	12.1	11	5.6	1.0	2.2
Rice	59	8.2	37	4.8	0.9	3.3
Rock	10	8.5	5	4.1	0.3	3.4
Roseau	21	11.5	14	7.0	0.9	3.8
St. Louis	167	8.6	89	4.4	0.7	2.9
Scott	147	7.7	72	3.6	0.7	2.2
Sherburne	91	8.4	45	3.8	0.3	2.1
Sibley	17	9.2	12	6.2	1.6	3.8
Stearns	186	10.6	89	5.0	0.8	2.6
Steele	30	7.1	20	4.2	0.5	1.7
Stevens	1	1.0	4	4.1	1.3	5.2
Swift	4	3.7	4	3.5	0.8	1.9
Todd	15	6.0	13	4.9	0.7	2.4
Traverse	0	0.0	3	8.1	1.9	5.7
Wabasha	24	9.8	7	2.7	0.3	2.0
Wadena	20	13.6	15	9.9	1.4	3.4
Waseca	20	8.3	16	6.1	1.0	2.9
Washington	200	8.6	117	4.3	0.7	2.6
Watsonwan	13	10.3	6	4.5	1.2	0.8
Wilkin	11	14.3	8	10.0	2.3	2.6
Winona	31	7.1	21	3.9	0.7	4.4
Wright	125	8.0	69	3.8	0.8	1.9
Yellow Medicine	12	13.6	5	4.6	0.6	0.0

Source: Minnesota Department of Health, Center for Health Statistics.

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

Nativity Table 3: Minnesota Infant Mortality by State and County, 2000 - 2004

	Number of Infant Deaths - 2004	Infant Mortality Rate 2000-2004	Neonatal Mortality Rate 2000-2004	Post-neonatal Mortality Rate 2000- 2004	Fetal Death Rate 2000-2004	Perinatal Death Rate 2000-2004
MN2004	---	5.0	---	---	---	---
HP2010	---	4.5	2.9	1.2	4.1	---
State of Minnesota	331	5.1	3.4	1.7	5.1	6.1
Aitkin	0	*	*	0.0	*	*
Anoka	20	4.6	3.3	1.3	5.1	5.9
Becker	0	*	*	*	*	*
Beltrami	3	6.6	*	*	7.6	8.9
Benton	3	*	*	*	*	8.4
Big Stone	0	*	*	0.0	*	*
Blue Earth	3	*	*	*	*	*
Brown	2	*	*	*	*	*
Carlton	1	*	*	*	*	*
Carver	2	*	*	*	4.2	4.2
Cass	3	*	*	*	*	*
Chippewa	0	*	*	0.0	*	*
Chisago	1	*	*	*	*	*
Clay	1	*	*	*	*	*
Clearwater	2	*	*	*	*	*
Cook	0	*	*	*	*	*
Cottonwood	0	*	*	*	*	*
Crow Wing	4	*	*	*	*	7.0
Dakota	29	5.0	3.4	1.6	4.7	5.8
Dodge	2	*	*	0.0	*	*
Douglas	4	*	*	*	*	*
Faribault	0	*	*	*	*	*
Fillmore	1	*	*	*	*	*
Freeborn	2	*	*	*	*	*
Goodhue	3	*	*	*	*	*
Grant	0	0.0	0.0	0.0	*	*
Hennepin	90	5.2	3.5	1.7	5.7	6.2
Houston	1	*	*	*	*	*
Hubbard	0	*	*	*	*	*
Isanti	0	*	*	0.0	*	*
Itasca	2	*	*	*	*	*
Jackson	1	*	*	*	*	*
Kanabec	1	*	*	*	*	*
Kandiyohi	2	*	*	*	*	*
Kittson	0	*	0.0	*	*	*
Koochiching	0	*	*	*	*	*
Lac Qui Parle	1	*	*	0.0	*	*
Lake	1	*	*	*	*	*
Lake of the Woods	0	*	*	0.0	*	*
Le Sueur	2	*	*	*	*	*
Lincoln	0	*	0.0	*	*	*
Lyon	1	*	*	*	*	*
McLeod	1	*	*	*	*	*
Mahnomen	1	*	*	*	*	*
Marshall	1	*	*	0.0	*	*
Martin	0	*	*	*	*	*
Meeker	3	*	*	*	*	*
Mille Lacs	1	*	*	*	*	*
Morrison	2	*	*	*	*	*

Nativity Table 3: Minnesota Infant Mortality by State and County, 2000 - 2004

	Number of Infant Deaths - 2004	Infant Mortality Rate 2000-2004	Neonatal Mortality Rate 2000-2004	Post-neonatal Mortality Rate 2000- 2004	Fetal Death Rate 2000-2004	Perinatal Death Rate 2000-2004
MN2004	---	5.0	---	---	---	---
HP2010	---	4.5	2.9	1.2	4.1	---
State of Minnesota	331	5.1	3.4	1.7	5.1	6.1
Mower	3	*	*	*	9.7	8.6
Murray	1	*	*	0.0	*	*
Nicollet	3	*	*	0.0	*	*
Nobles	1	*	*	*	*	*
Norman	0	*	*	0.0	*	*
Olmsted	7	5.2	3.8	*	5.5	6.6
Otter Tail	2	*	*	*	*	*
Pennington	2	*	*	*	*	*
Pine	3	*	*	*	*	*
Pipestone	0	*	*	0.0	*	*
Polk	2	*	*	*	*	*
Pope	0	*	*	*	*	*
Ramsey	40	5.8	3.6	2.2	5.4	6.2
Red Lake	0	*	*	*	*	*
Redwood	0	*	*	*	*	*
Renville	3	*	*	*	*	*
Rice	4	6.7	*	*	5.8	8.0
Rock	0	*	*	*	*	*
Roseau	2	*	*	*	*	*
St. Louis	10	5.7	4.2	*	4.9	7.3
Scott	5	2.8	*	*	4.7	4.2
Sherburne	6	4.1	*	*	3.9	4.4
Sibley	0	*	*	*	*	*
Stearns	6	4.7	2.9	*	4.5	6.5
Steele	2	*	*	*	*	*
Stevens	0	*	*	*	*	*
Swift	1	*	*	0.0	*	*
Todd	0	*	*	*	*	*
Traverse	0	*	0.0	*	*	*
Wabasha	1	*	*	*	*	*
Wadena	2	*	*	*	*	*
Waseca	4	*	*	*	*	*
Washington	12	4.6	3.1	1.5	5.0	6.4
Watsonwan	1	*	*	*	*	*
Wilkin	1	*	*	*	*	*
Winona	2	*	*	*	*	8.0
Wright	8	4.0	3.1	*	3.7	4.5
Yellow Medicine	0	*	0.0	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics.

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

*Rate not calculated for less than 20 events

Nativity Table 3: Minnesota Infant Mortality by State and County, 2000 - 2004

	Number of Infant Deaths - 2004	Infant Mortality Rate 2000-2004	Neonatal Mortality Rate 2000-2004	Post-neonatal Mortality Rate 2000- 2004	Fetal Death Rate 2000-2004	Perinatal Death Rate 2000-2004
MN2004	---	5.0	---	---	---	---
HP2010	---	4.5	2.9	1.2	4.1	---
State of Minnesota	331	5.1	3.4	1.7	5.1	6.1

Nativity Table 3: Definitions

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

Nativity Table 4: Prenatal Care in Minnesota by State and County, 2004

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
MN2004	90.0	---	---	---
HP2010	90.0	---	---	---
State of Minnesota	86.4	78.7	17.8	3.4
Aitkin	82.5	67.2	24.1	8.8
Anoka	85.9	73.1	23.0	3.8
Becker	84.0	75.5	20.7	3.7
Beltrami	76.9	66.0	26.9	7.1
Benton	89.8	84.4	14.2	1.5
Big Stone	75.5	78.0	16.0	6.0
Blue Earth	89.7	86.6	11.6	1.8
Brown	91.4	90.7	7.6	1.7
Carlton	92.0	80.3	16.8	2.9
Carver	92.3	87.2	11.8	1.0
Cass	78.4	61.7	29.7	8.6
Chippewa	84.1	79.5	16.2	4.3
Chisago	91.3	85.4	13.5	1.1
Clay	87.0	79.7	15.3	5.0
Clearwater	77.2	70.6	19.6	9.8
Cook	75.0	61.5	26.9	11.5
Cottonwood	92.8	85.5	13.1	1.4
Crow Wing	87.9	72.2	24.9	2.9
Dakota	90.7	83.0	14.5	2.4
Dodge	90.5	84.4	11.8	3.8
Douglas	88.5	76.5	20.9	2.6
Faribault	91.0	91.6	6.1	2.3
Fillmore	80.7	73.4	16.3	10.3
Freeborn	91.1	90.5	6.3	3.2
Goodhue	92.0	88.2	9.2	2.6
Grant	88.9	81.7	16.7	1.7
Hennepin	83.7	75.8	19.7	4.4
Houston	85.2	72.6	21.8	5.6
Hubbard	78.2	61.7	30.9	7.4
Isanti	85.3	78.2	18.0	3.8
Itasca	88.8	78.6	19.6	1.8
Jackson	90.0	84.3	14.7	1.0
Kanabec	85.4	78.5	20.6	0.9
Kandiyohi	84.0	77.8	19.7	2.5
Kittson	78.4	63.0	28.3	8.7
Koochiching	79.4	70.8	26.4	2.8
Lac Qui Parle	87.7	82.0	14.8	3.3
Lake	83.6	71.4	24.3	4.3
Lake of the Woods	74.4	59.5	32.4	8.1
Le Sueur	88.4	81.2	16.9	1.9
Lincoln	85.9	80.3	15.2	4.5
Lyon	83.9	68.2	30.3	1.5
McLeod	89.1	84.5	13.9	1.7
Mahnomen	75.9	61.9	30.2	7.9
Marshall	90.0	82.9	15.4	1.7
Martin	94.2	92.3	7.7	0.0
Meeker	81.1	75.1	21.1	3.8
Mille Lacs	87.6	83.4	12.5	4.1
Morrison	91.4	85.5	13.3	1.2
Mower	72.3	72.0	26.2	1.8
Murray	88.0	80.0	17.8	2.2

Natality Table 4: Prenatal Care in Minnesota by State and County, 2004

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
MN2004	90.0	---	---	---
HP2010	90.0	---	---	---
State of Minnesota	86.4	78.7	17.8	3.4
Nicollet	88.8	86.8	11.3	1.9
Nobles	78.6	77.0	19.9	3.0
Norman	79.5	69.7	25.8	4.5
Olmsted	92.5	86.8	10.6	2.6
Otter Tail	89.0	84.9	11.3	3.9
Pennington	82.4	74.1	21.8	4.1
Pine	78.2	72.2	21.7	6.1
Pipestone	88.8	85.5	12.9	1.6
Polk	86.4	64.1	31.6	4.3
Pope	80.2	69.5	28.4	2.1
Ramsey	80.6	74.0	21.7	4.3
Red Lake	79.6	56.9	37.3	5.9
Redwood	86.4	76.7	19.2	4.1
Renville	86.9	83.9	13.3	2.8
Rice	86.3	78.4	18.8	2.8
Rock	87.2	81.2	18.8	0.0
Roseau	86.4	70.4	27.9	1.7
St. Louis	87.7	81.1	14.5	4.4
Scott	91.5	80.2	17.8	2.0
Sherburne	89.4	79.8	17.1	3.1
Sibley	86.3	81.6	16.8	1.6
Stearns	88.7	84.4	13.0	2.6
Steele	85.0	80.6	17.2	2.2
Stevens	91.8	78.9	20.0	1.1
Swift	87.1	81.7	12.8	5.5
Todd	78.5	66.5	25.2	8.3
Traverse	83.8	82.4	14.7	2.9
Wabasha	90.7	86.9	9.0	4.1
Wadena	81.5	61.0	32.9	6.2
Waseca	90.2	88.2	10.1	1.7
Washington	91.7	86.4	11.8	1.8
Watsonwan	88.3	82.5	13.5	4.0
Wilkin	86.6	76.3	19.7	3.9
Winona	87.8	83.8	14.6	1.6
Wright	89.6	81.3	16.1	2.5
Yellow Medicine	85.3	79.3	20.7	0.0

Source: Minnesota Department of Health, Center for Health Statistics

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

Natality Table 5: Obstetric Procedures in Minnesota by State and County, 2004

corrected 01/09/08*

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
HP2010	---	---	63.0	---	---
State of Minnesota	24.4	15.0	88.4	80.4	53.3
Aitkin	25.1	13.2	87.0	80.2	76.0
Anoka	23.9	14.8	93.7	65.1	54.8
Becker	21.9	12.4	87.5	82.1	45.7
Beltrami	26.9	14.1	87.1	96.8	89.1
Benton	22.2	13.3	87.9	93.1	96.0
Big Stone	37.7	22.6	88.9	60.4	35.8
Blue Earth	28.1	15.8	93.2	90.4	42.6
Brown	30.2	14.6	92.2	81.1	73.4
Carlton	28.5	17.9	87.8	85.3	49.6
Carver	24.9	15.3	88.9	85.0	65.0
Cass	21.1	13.2	78.4	87.4	84.7
Chippewa	31.7	19.3	94.7	75.2	56.6
Chisago	26.3	14.5	90.0	77.4	73.3
Clay	19.4	9.8	95.5	60.2	13.6
Clearwater	24.8	10.4	90.0	88.0	82.4
Cook	43.8	28.1	100.0	81.3	65.6
Cottonwood	34.0	16.7	93.1	77.6	59.6
Crow Wing	23.2	12.7	81.4	88.1	82.4
Dakota	23.2	15.2	88.2	84.5	32.4
Dodge	22.8	15.4	100.0	95.4	74.7
Douglas	25.7	15.3	82.7	95.4	93.4
Faribault	26.2	19.0	92.3	82.7	69.6
Fillmore	23.8	15.3	81.5	82.4	51.7
Freeborn	26.2	15.3	89.4	95.6	76.6
Goodhue	28.7	16.2	88.0	77.4	41.6
Grant	23.8	11.1	88.9	87.3	87.3
Hennepin	23.2	15.2	86.0	81.8	43.4
Houston	19.0	10.9	85.0	92.4	90.5
Hubbard	29.2	15.6	85.3	50.5	42.0
Isanti	22.6	15.0	78.3	78.4	74.4
Itasca	27.0	14.6	97.0	49.9	67.6
Jackson	28.1	16.7	86.7	82.5	69.3
Kanabec	21.5	14.0	93.3	78.0	79.6
Kandiyohi	21.2	12.3	87.1	96.0	94.2
Kittson	35.3	17.6	100.0	62.7	84.3
Koochiching	40.6	23.4	100.0	65.6	78.9
Lac Qui Parle	30.1	15.1	84.6	64.4	65.8
Lake	34.2	21.9	100.0	91.8	68.5
Lake of the Woods	46.3	22.0	100.0	65.9	58.5
Le Sueur	22.4	14.4	96.6	92.4	49.6
Lincoln	44.4	22.2	88.9	83.3	66.7
Lyon	28.3	16.0	83.0	76.7	63.2
McLeod	26.5	14.3	85.9	87.1	48.1
Mahnomen	22.2	7.4	92.3	87.7	39.5
Marshall	25.6	13.2	93.8	83.5	79.3
Martin	29.8	15.1	94.3	94.7	93.8
Meeker	27.5	14.9	88.1	92.2	55.3
Mille Lacs	23.7	15.1	93.3	72.6	56.6
Morrison	27.6	16.5	82.8	83.8	60.8
Mower	31.8	16.9	93.8	92.7	85.3
Murray	21.1	11.6	90.0	86.3	71.6

Natality Table 5: Obstetric Procedures in Minnesota by State and County, 2004

corrected 01/09/08*

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
HP2010	---	---	63.0	---	---
State of Minnesota	24.4	15.0	88.4	80.4	53.3
Nicollet	26.8	15.1	97.9	91.1	40.4
Nobles	25.2	12.8	85.7	86.6	53.4
Norman	20.0	10.7	63.6	80.0	21.3
Olmsted	25.6	15.9	88.5	96.6	68.0
Otter Tail	19.1	11.1	90.2	84.5	76.4
Pennington	36.9	23.0	92.9	81.3	94.7
Pine	24.9	12.9	84.4	79.8	56.5
Pipestone	29.6	16.0	81.0	88.8	69.6
Polk	34.2	18.6	96.7	87.8	72.4
Pope	29.2	13.2	89.5	87.7	88.7
Ramsey	19.9	14.0	79.7	67.3	46.9
Red Lake	35.2	22.2	87.5	81.5	90.7
Redwood	37.9	22.0	82.4	80.8	57.1
Renville	30.8	19.4	85.2	94.5	55.7
Rice	26.1	13.6	91.7	93.7	63.6
Rock	28.8	16.0	100.0	77.6	43.2
Roseau	32.8	13.9	95.0	79.6	93.5
St. Louis	30.8	19.1	90.4	88.4	56.0
Scott	23.5	14.7	92.5	88.5	46.9
Sherburne	28.0	14.7	94.8	64.1	48.5
Sibley	31.8	17.2	93.8	85.9	50.5
Stearns	22.1	12.0	93.5	91.7	92.4
Steele	36.1	22.3	94.6	96.8	84.6
Stevens	33.0	18.0	78.9	79.0	76.0
Swift	25.0	10.3	100.0	86.2	80.2
Todd	24.5	14.0	74.4	70.9	71.9
Traverse	24.3	10.8	100.0	86.5	70.3
Wabasha	25.4	10.4	92.9	88.5	66.2
Wadena	21.6	13.1	68.4	75.8	45.1
Waseca	33.0	18.5	95.1	91.5	60.0
Washington	25.0	15.1	87.4	72.8	44.5
Watonwan	27.7	18.2	92.9	93.4	52.6
Wilkin	22.0	9.8	76.9	87.8	64.6
Winona	18.7	9.8	83.1	87.5	73.7
Wright	27.3	16.0	94.3	70.3	30.3
Yellow Medicine	38.2	24.5	88.2	71.8	72.7

Source: Minnesota Department of Health, Center for Health Statistics

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

Electronic Fetal Monitoring: The percentage of live births where the health provider indicated on the birth certificate that electronic fetal monitoring was performed during labor and delivery.

Ultrasound: The percentage of live births where the health provider indicated on the birth certificate that ultrasound was performed during labor and delivery.

*State of Minnesota data incorrect

Nativity Table 6: Fertility and Family Planning in Minnesota by State and County, 2004

	Pregnancies		Abortions			Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate	Ratio		
State of Minnesota	83,707	76.2	12,743	11.6	0.2	4.6	4.1
Aitkin	189	72.9	22	8.5	0.1	6.7	3.9
Anoka	5,285	73.5	829	11.5	0.2	3.4	4.2
Becker	452	73.8	8	*	0.0	7.5	6.6
Beltrami	682	70.0	47	4.8	0.1	7.0	5.2
Benton	644	69.9	67	7.3	0.1	4.5	4.8
Big Stone	53	59.9	**	0.0	**	7.5	2.9
Blue Earth	796	55.3	128	8.9	0.2	4.4	3.2
Brown	323	61.8	21	4.0	0.1	3.3	2.5
Carlton	459	68.9	52	7.8	0.1	2.2	5.0
Carver	1,389	72.3	133	6.8	0.1	3.6	4.9
Cass	403	75.8	37	7.0	0.1	8.8	6.9
Chippewa	160	71.4	14	*	0.1	2.8	2.3
Chisago	763	70.1	71	6.5	0.1	4.0	3.2
Clay	665	50.5	11	*	0.0	3.2	3.9
Clearwater	127	81.0	**	0.0	**	9.6	1.2
Cook	40	44.1	8	*	0.3	3.1	12.5
Cottonwood	159	78.4	**	*	**	7.1	1.9
Crow Wing	856	72.6	105	8.8	0.1	4.1	2.3
Dakota	6,585	76.3	1,020	11.8	0.2	3.0	4.5
Dodge	314	74.9	29	6.9	0.1	2.5	4.1
Douglas	433	64.5	18	*	0.0	2.9	5.6
Faribault	180	68.4	12	*	0.1	4.2	4.3
Fillmore	272	69.8	10	*	0.0	10.8	2.5
Freeborn	423	72.8	36	6.2	0.1	6.0	4.8
Goodhue	647	71.6	67	7.4	0.1	4.1	4.4
Grant	63	58.9	**	0.0	**	3.2	2.6
Hennepin	21,765	89.1	4,964	20.3	0.3	4.8	4.5
Houston	225	57.6	14	*	0.1	2.4	2.3
Hubbard	216	62.8	**	*	**	3.8	6.3
Isanti	538	63.5	64	7.6	0.1	4.3	2.6
Itasca	548	67.2	33	4.1	0.1	5.9	4.4
Jackson	116	56.5	**	*	**	6.1	2.7
Kanabec	210	63.9	23	7.0	0.1	5.4	1.9
Kandiyohi	654	80.4	46	5.6	0.1	6.5	4.8
Kittson	52	71.4	**	*	**	9.8	2.6
Koochiching	145	60.4	16	*	0.1	3.9	4.2
Lac Qui Parle	75	61.6	**	*	**	8.2	6.9
Lake	88	43.7	15	*	0.2	1.4	0.0
Lake of the Woods	43	55.9	**	*	**	2.4	0.0
Le Sueur	377	66.7	22	3.9	0.1	4.0	4.5
Lincoln	73	73.0	**	*	**	6.9	4.1
Lyon	335	63.8	16	*	0.1	5.0	2.0
McLeod	583	78.8	30	4.1	0.1	4.0	3.2
Mahnomen	83	96.0	**	*	**	13.6	7.4
Marshall	122	69.5	**	*	**	0.8	1.3
Martin	245	67.9	18	*	0.1	3.1	6.8
Meeker	313	70.6	17	*	0.1	7.5	4.1
Mille Lacs	362	69.2	35	6.7	0.1	5.2	2.0
Morrison	456	71.3	22	3.4	0.1	7.4	3.0
Mower	578	79.7	63	8.5	0.1	5.7	3.6
Murray	96	66.3	**	*	**	3.2	1.8

Nativity Table 6: Fertility and Family Planning in Minnesota by State and County, 2004

	Pregnancies		Abortions			Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate	Ratio		
State of Minnesota	83,707	76.2	12,743	11.6	0.2	4.6	4.1
Nicollet	447	61.1	40	5.5	0.1	4.0	4.3
Nobles	345	93.7	8	*	0.0	7.4	4.1
Norman	75	60.1	**	0.0	**	5.3	4.1
Olmsted	2,455	83.6	295	10.0	0.1	4.8	4.5
Otter Tail	588	56.0	9	*	0.0	5.7	3.2
Pennington	191	71.2	**	*	**	2.7	3.6
Pine	357	65.6	36	6.6	0.1	6.7	3.1
Pipestone	131	75.6	6	*	0.0	4.8	2.6
Polk	384	63.1	7	*	0.0	5.3	2.1
Pope	109	54.2	**	*	**	6.6	7.4
Ramsey	9,499	86.6	2,195	20.0	0.3	6.0	4.3
Red Lake	54	65.8	**	0.0	**	5.6	0.0
Redwood	191	68.2	14	*	0.1	7.3	5.6
Renville	216	72.0	14	*	0.1	6.5	2.6
Rice	882	63.2	79	5.6	0.1	3.5	2.7
Rock	125	72.4	**	0.0	**	1.6	2.7
Roseau	206	62.7	**	*	**	5.0	3.0
St. Louis	2,504	61.7	388	9.5	0.2	4.1	4.3
Scott	2,368	83.3	242	8.5	0.1	2.8	3.8
Sherburne	1,387	72.9	153	8.1	0.1	4.1	2.8
Sibley	208	70.7	9	*	0.0	5.1	4.1
Stearns	2,105	63.3	256	7.7	0.1	4.2	3.7
Steele	557	75.1	48	6.4	0.1	4.3	4.9
Stevens	107	44.4	6	*	0.1	1.0	1.7
Swift	126	75.0	10	*	0.1	6.9	3.0
Todd	290	60.7	9	*	0.0	9.6	5.5
Traverse	37	61.5	**	0.0	**	8.1	0.0
Wabasha	292	66.0	30	6.8	0.1	5.4	2.6
Wadena	157	65.7	**	*	**	10.2	2.0
Waseca	291	82.5	20	5.7	0.1	3.4	2.5
Washington	3,325	70.6	449	9.5	0.2	2.9	3.9
Watonwan	145	72.8	7	*	0.1	8.8	2.5
Wilkin	83	64.0	**	*	**	3.7	3.6
Winona	618	52.0	61	5.1	0.1	4.3	3.0
Wright	2,070	82.6	170	6.8	0.1	5.7	3.6
Yellow Medicine	122	65.2	12	*	0.1	3.6	4.3

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number or ratio not reported if number of events is less than 6.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Abortion Ratio: Number of abortions/Number of births

Four or More Births: Births to women with four or more previous live births

Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates by State and County, 2002-2004

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
MN2004	---	---	---	26.9	76.7	---
HP2010	---	---	---	43.0	---	---
State of Minnesota	13.7	46.3	26.9	19.8	63.6	37.5
Aitkin	*	77.5	36.7	*	87.2	43.0
Anoka	10.3	45.6	22.4	17.9	68.8	35.4
Becker	13.6	64.2	32.0	13.6	65.0	32.3
Beltrami	30.5	68.8	48.1	32.7	77.2	53.2
Benton	14.0	77.0	35.6	18.6	92.9	44.0
Big Stone	*	*	*	*	*	*
Blue Earth	9.8	22.4	17.7	13.0	31.7	24.7
Brown	*	32.1	18.9	10.5	38.1	23.0
Carlton	12.1	56.7	29.1	17.4	71.3	38.0
Carver	7.9	22.2	13.0	12.1	38.2	21.5
Cass	20.1	93.2	46.1	23.7	101.6	51.4
Chippewa	*	74.7	33.0	*	90.4	40.2
Chisago	11.7	55.3	26.6	16.7	74.4	36.4
Clay	10.1	16.4	14.0	11.6	17.5	15.3
Clearwater	*	69.3	36.2	*	69.3	37.3
Cook	*	*	*	*	*	*
Cottonwood	*	47.3	23.9	*	53.8	27.7
Crow Wing	14.6	68.2	33.6	17.5	88.4	42.6
Dakota	7.5	39.4	18.4	13.2	59.1	28.9
Dodge	*	61.9	26.7	*	66.8	31.2
Douglas	*	49.5	21.0	*	55.2	24.6
Faribault	*	49.8	28.4	20.3	57.6	34.2
Fillmore	*	35.8	15.5	*	41.6	18.8
Freeborn	22.2	75.4	42.5	28.2	86.7	50.5
Goodhue	12.2	54.7	27.8	18.4	69.8	37.3
Grant	*	*	*	*	*	*
Hennepin	17.6	54.2	32.2	28.1	86.3	51.3
Houston	*	30.3	15.2	*	37.5	19.4
Hubbard	*	63.9	30.0	*	65.3	31.5
Isanti	13.8	52.0	27.5	19.0	62.0	34.4
Itasca	18.5	59.8	34.0	20.2	70.4	39.0
Jackson	*	*	*	*	*	16.6
Kanabec	17.2	53.9	30.8	20.6	67.1	37.8
Kandiyohi	23.3	89.3	47.3	26.9	96.7	52.2
Kittson	*	*	*	*	*	*
Koochiching	*	55.9	29.5	*	67.0	36.1
Lac Qui Parle	*	*	*	*	*	*
Lake	*	*	19.4	*	*	27.3
Lake of the Woods	*	*	*	*	*	*
Le Sueur	12.6	46.9	24.5	16.6	50.6	28.5
Lincoln	*	*	*	*	*	*
Lyon	12.7	29.2	20.9	14.6	32.3	23.3
McLeod	15.3	65.9	32.9	19.1	84.5	41.8
Mahnomen	*	153.1	84.1	*	153.1	86.0
Marshall	*	54.8	25.5	*	54.8	25.5
Martin	*	67.6	31.4	*	74.9	34.1
Meeker	*	57.8	28.0	12.1	62.0	30.3
Mille Lacs	15.2	60.7	31.0	18.0	75.6	38.0
Morrison	12.0	50.6	25.6	13.2	55.7	28.2
Mower	26.7	73.3	43.7	32.0	90.3	53.4
Murray	*	*	25.6	*	*	26.6

Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates by State and County, 2002-2004

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
MN2004	---	---	---	26.9	76.7	---
HP2010	---	---	---	43.0	---	---
State of Minnesota	13.7	46.3	26.9	19.8	63.6	37.5
Nicollet	*	20.2	15.8	15.3	25.0	21.0
Nobles	25.4	85.7	46.8	26.1	90.7	49.0
Norman	*	*	*	*	*	*
Olmsted	10.2	55.7	26.0	15.2	73.9	35.6
Otter Tail	9.7	53.0	25.7	10.2	54.7	26.6
Pennington	*	66.5	34.2	*	66.5	34.9
Pine	13.9	89.6	40.4	18.5	103.0	48.1
Pipestone	*	64.7	34.0	*	64.7	34.0
Polk	20.1	66.6	39.1	20.1	68.0	39.6
Pope	*	40.6	18.5	*	42.6	20.0
Ramsey	23.7	55.7	37.8	33.2	83.1	55.3
Red Lake	*	*	*	*	*	*
Redwood	*	54.5	23.2	*	63.6	27.4
Renville	15.1	60.5	31.4	18.1	65.9	35.2
Rice	12.9	24.7	19.6	17.8	32.1	25.9
Rock	*	*	23.9	*	*	23.9
Roseau	*	63.9	30.2	*	68.2	31.7
St. Louis	15.3	32.4	23.8	22.2	44.3	33.2
Scott	8.7	36.8	18.4	13.5	56.8	28.5
Sherburne	6.9	41.1	18.8	10.7	53.3	25.6
Sibley	*	66.9	31.6	*	68.6	33.3
Stearns	9.9	26.1	18.5	12.7	35.4	24.8
Steele	19.1	57.1	33.7	23.5	65.5	39.7
Stevens	*	*	*	*	*	*
Swift	*	58.2	31.3	*	66.1	38.4
Todd	14.5	66.6	34.0	17.6	73.5	38.5
Traverse	*	*	*	*	*	*
Wabasha	*	41.0	21.9	13.7	55.1	28.4
Wadena	*	66.3	33.0	*	70.3	34.4
Waseca	*	62.4	30.2	*	67.7	34.2
Washington	6.2	32.0	15.2	12.9	50.1	25.9
Watonwan	26.1	81.1	47.7	27.5	87.2	50.9
Wilkin	*	*	*	*	*	*
Winona	10.3	14.8	13.2	12.8	20.7	17.8
Wright	8.5	43.5	20.4	13.5	59.5	29.1
Yellow Medicine	*	49.9	26.7	*	62.9	34.3

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by State and County, 2004

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
HP2010	---	---	1.0	---	---	---
State of Minnesota	29.0	8.1	9.1	9.6	26.9	63.5
Aitkin	44.9	8.4	33.3	17.5	33.7	48.8
Anoka	24.8	5.0	6.7	6.7	28.1	65.2
Becker	35.7	11.5	22.6	12.8	32.6	54.6
Beltrami	52.2	15.5	29.1	14.6	38.9	46.5
Benton	29.1	5.5	16.8	6.3	24.5	69.3
Big Stone	13.2	3.8	9.4	14.0	18.0	68.0
Blue Earth	29.1	6.6	11.1	8.0	20.6	71.4
Brown	25.2	6.6	14.3	9.0	27.8	63.2
Carlton	34.2	4.4	20.4	6.7	34.2	59.1
Carver	13.6	3.3	4.8	4.6	20.4	75.1
Cass	52.6	15.3	32.3	13.1	39.7	47.2
Chippewa	42.8	9.0	21.7	10.6	39.7	49.6
Chisago	20.8	5.5	11.3	3.8	27.5	68.7
Clay	26.3	7.8	16.2	8.5	22.6	68.9
Clearwater	35.2	6.4	21.8	14.5	39.5	46.0
Cook	34.4	9.4	18.8	15.6	18.8	65.6
Cottonwood	24.4	2.6	12.3	13.5	34.6	51.9
Crow Wing	34.0	6.7	20.6	8.1	30.0	61.9
Dakota	22.2	6.0	5.6	6.3	20.9	72.9
Dodge	23.2	4.6	9.1	9.2	25.8	65.0
Douglas	26.9	4.9	14.8	5.6	24.6	69.8
Faribault	31.0	6.5	12.0	12.6	28.7	58.7
Fillmore	18.8	6.1	12.1	12.3	27.5	60.2
Freeborn	35.8	9.4	14.0	15.1	35.2	49.7
Goodhue	28.5	3.5	11.1	8.3	34.4	57.3
Grant	30.2	7.9	14.5	4.8	21.0	74.2
Hennepin	31.0	10.6	4.7	12.1	25.5	62.4
Houston	28.4	28.0	11.9	5.3	23.7	71.0
Hubbard	33.5	9.4	29.7	11.0	39.5	49.5
Isanti	31.8	5.3	20.8	5.4	38.8	55.8
Itasca	36.3	7.2	22.2	8.0	35.5	56.4
Jackson	18.4	4.4	11.6	1.8	28.3	69.9
Kanabec	35.5	7.5	26.5	10.2	36.6	53.2
Kandiyohi	35.0	9.8	9.5	20.7	27.0	52.3
Kittson	13.7	3.9	9.8	2.0	27.5	70.6
Koochiching	35.2	10.2	16.7	6.3	29.1	64.6
Lac Qui Parle	15.1	8.2	1.4	8.2	16.4	75.3
Lake	38.4	4.1	23.3	11.0	37.0	52.1
Lake of the Woods	41.5	9.8	24.4	7.3	41.5	51.2
Le Sueur	29.2	7.4	10.9	11.6	28.3	60.1
Lincoln	12.5	5.6	12.5	1.4	27.1	71.4
Lyon	21.4	6.3	12.3	7.3	24.8	67.8
McLeod	27.2	6.4	11.7	9.5	34.0	56.5
Mahnomen	63.0	11.1	38.8	24.7	43.2	32.1
Marshall	19.0	5.0	12.4	3.4	25.2	71.4
Martin	32.9	4.0	19.1	9.8	39.7	50.4
Meeker	24.4	5.1	19.0	6.1	35.6	58.3
Mille Lacs	36.6	8.6	18.8	14.5	32.1	53.4

Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by State and County, 2004

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
HP2010	---	---	1.0	---	---	---
State of Minnesota	29.0	8.1	9.1	9.6	26.9	63.5
Morrison	31.8	3.9	21.8	6.5	37.0	56.5
Mower	38.5	10.6	12.6	23.6	24.2	52.3
Murray	25.3	7.4	15.1	5.3	25.3	69.5
Nicollet	23.6	6.9	10.9	8.0	20.5	71.5
Nobles	46.0	10.7	3.6	34.9	30.1	34.9
Norman	32.0	6.7	18.7	9.3	37.3	53.3
Olmsted	23.1	6.6	8.1	8.8	22.7	68.5
Otter Tail	30.0	6.4	12.3	10.8	27.6	61.6
Pennington	32.6	6.4	22.5	7.5	36.4	56.1
Pine	40.7	5.4	25.4	15.6	38.7	45.7
Pipestone	33.6	7.2	21.6	14.5	37.1	48.4
Polk	34.0	6.6	12.0	9.3	30.4	60.3
Pope	23.6	3.8	13.2	4.7	23.6	71.7
Ramsey	40.5	15.2	7.8	13.4	30.5	56.1
Red Lake	27.8	3.7	7.5	1.9	42.6	55.6
Redwood	21.5	2.3	14.1	6.8	36.7	56.5
Renville	34.8	7.0	14.0	17.9	33.3	48.8
Rice	32.0	7.0	12.6	13.1	35.8	51.1
Rock	17.6	5.6	7.3	6.6	28.1	65.3
Roseau	33.8	3.5	16.9	6.0	40.5	53.5
St. Louis	37.7	9.4	22.2	8.5	27.6	63.9
Scott	14.8	3.6	3.7	4.5	17.9	77.6
Sherburne	18.1	3.3	8.3	4.2	26.6	69.3
Sibley	25.8	6.6	11.7	15.2	35.0	49.7
Stearns	25.6	4.7	12.5	7.2	24.4	68.4
Steele	28.6	6.5	13.3	14.1	27.6	58.3
Stevens	17.0	4.0	6.0	2.0	28.3	69.7
Swift	25.9	4.3	16.5	7.0	27.2	65.8
Todd	29.5	3.9	15.7	22.9	36.5	40.6
Traverse	27.0	5.4	18.9	13.5	21.6	64.9
Wabasha	30.0	8.1	16.2	7.4	30.6	62.0
Wadena	32.0	9.2	22.9	9.3	37.1	53.6
Waseca	35.2	8.5	18.5	10.0	29.4	60.6
Washington	20.2	5.3	7.3	3.4	20.3	76.3
Watonwan	35.0	8.0	11.8	24.6	29.1	46.3
Wilkin	26.8	2.4	19.5	7.3	24.4	68.3
Winona	23.8	9.8	9.1	5.8	30.1	64.1
Wright	15.8	3.8	9.3	4.3	27.0	68.7
Yellow Medicine	27.3	6.4	14.8	7.3	26.6	66.1

Source: Minnesota Department of Health, Center for Health Statistics.

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

Nativity Table 9: Race and Ethnicity of Mother in Minnesota by State and County, 2004**

	Race of Mother - Percent**					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
State of Minnesota	77.3	8.0	1.9	5.8	7.0	7.7	92.3
Aitkin	88.6	0.0	9.6	0.0	1.8	1.2	98.8
Anoka	84.6	4.7	0.9	5.6	4.2	4.5	95.5
Becker	80.3	0.7	15.2	0.7	3.2	1.8	98.2
Beltrami	61.2	0.5	35.9	0.9	1.4	0.6	99.4
Benton	95.7	2.1	0.3	1.2	0.7	2.8	97.2
Big Stone	96.2	1.9	0.0	1.9	0.0	0.0	100.0
Blue Earth	90.1	4.1	0.0	1.8	4.1	2.9	97.1
Brown	94.4	0.0	0.3	0.7	4.7	5.0	95.0
Carlton	90.7	0.0	7.9	0.7	0.7	1.5	98.5
Carver	90.3	1.1	0.6	2.6	5.3	5.1	94.9
Cass	64.4	0.5	31.2	0.3	3.6	0.3	99.7
Chippewa	88.3	0.7	1.4	0.0	9.7	10.4	89.6
Chisago	95.4	0.3	0.3	1.0	3.0	1.7	98.3
Clay	86.4	0.6	3.1	0.5	9.5	7.4	92.6
Clearwater	85.6	0.8	10.4	0.0	3.2	0.0	100.0
Cook	84.4	0.0	12.5	3.1	0.0	9.4	90.6
Cottonwood	86.5	1.9	0.0	3.2	8.3	9.6	90.4
Crow Wing	95.3	0.1	2.4	0.9	1.2	0.4	99.6
Dakota	80.2	6.2	0.5	5.5	7.6	8.1	91.9
Dodge	95.1	0.0	0.4	0.7	3.9	8.1	91.9
Douglas	97.6	0.0	0.5	1.2	0.7	0.5	99.5
Faribault	89.9	0.0	0.0	0.6	9.5	10.8	89.2
Fillmore	99.6	0.0	0.0	0.4	0.0	0.0	100.0
Freeborn	84.9	0.8	0.3	0.3	13.8	14.1	85.9
Goodhue	90.2	1.6	2.2	0.5	5.5	6.1	93.9
Grant	98.4	0.0	1.6	0.0	0.0	0.0	100.0
Hennepin	59.6	18.2	1.7	8.3	12.1	12.1	87.9
Houston	98.1	1.4	0.0	0.5	0.0	0.0	100.0
Hubbard	91.5	0.0	1.9	0.9	5.7	3.4	96.6
Isanti	95.9	0.4	0.6	1.5	1.5	1.7	98.3
Itasca	92.0	0.2	5.8	0.4	1.6	1.2	98.8
Jackson	93.9	0.9	0.0	2.6	2.6	2.6	97.4
Kanabec	97.8	0.5	1.6	0.0	0.0	1.6	98.4
Kandiyohi	95.4	2.0	0.3	0.5	1.8	24.6	75.4
Kittson	92.2	2.0	2.0	0.0	3.9	2.0	98.0
Koochiching	93.0	1.6	1.6	0.8	3.1	2.4	97.6
Lac Qui Parle	98.6	0.0	0.0	0.0	1.4	5.6	94.4
Lake	97.3	0.0	1.4	0.0	1.4	1.4	98.6
Lake of the Woods	90.2	2.4	7.3	0.0	0.0	0.0	100.0
Le Sueur	85.8	0.6	0.8	1.1	11.6	11.1	88.9
Lincoln	95.8	1.4	0.0	1.4	1.4	0.0	100.0
Lyon	88.7	1.9	0.0	4.1	5.3	5.7	94.3
McLeod	89.7	0.4	0.2	1.3	8.5	10.2	89.8
Mahnomen	37.0	0.0	61.7	0.0	1.2	2.5	97.5
Marshall	95.0	0.0	1.7	1.7	1.7	0.8	99.2
Martin	92.9	0.4	0.0	2.7	4.0	4.1	95.9
Meeker	94.2	0.0	0.0	1.0	4.7	5.1	94.9
Mille Lacs	89.2	0.3	9.5	0.6	0.3	1.2	98.8
Morrison	97.4	0.5	0.0	0.9	1.2	1.9	98.1
Mower	75.2	2.0	0.2	3.1	19.4	20.0	80.0
Murray	94.7	0.0	0.0	2.1	3.2	2.1	97.9
Nicollet	88.3	3.5	0.2	2.0	6.0	5.0	95.0

Nativity Table 9: Race and Ethnicity of Mother in Minnesota by State and County, 2004**

	Race of Mother - Percent**					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
State of Minnesota	77.3	8.0	1.9	5.8	7.0	7.7	92.3
Nobles	53.1	2.4	0.9	5.0	38.6	39.0	61.0
Norman	90.7	0.0	2.7	0.0	6.7	6.7	93.3
Olmsted	80.7	7.9	0.3	8.1	3.0	5.9	94.1
Otter Tail	92.0	1.4	1.2	0.9	4.5	4.7	95.3
Pennington	92.0	1.1	3.2	1.1	2.7	2.7	97.3
Pine	89.9	0.3	6.6	1.3	1.9	1.0	99.0
Pipestone	91.2	0.8	0.8	1.6	5.6	4.8	95.2
Polk	83.8	0.8	2.7	0.5	12.2	10.6	89.4
Pope	96.2	0.0	0.0	1.9	1.9	1.9	98.1
Ramsey	54.2	17.6	1.1	17.2	9.8	11.4	88.6
Red Lake	92.6	0.0	3.7	0.0	3.7	3.7	96.3
Redwood	91.0	1.1	5.1	1.7	1.1	1.7	98.3
Renville	90.0	1.0	2.5	0.5	6.0	15.5	84.5
Rice	83.2	1.5	0.1	1.3	13.9	14.7	85.3
Rock	95.2	0.8	0.8	0.0	3.2	2.5	97.5
Roseau	93.5	0.0	2.5	3.5	0.5	0.5	99.5
St. Louis	91.6	1.9	4.1	1.1	1.2	1.1	98.9
Scott	85.5	2.1	1.2	6.0	5.2	4.6	95.4
Sherburne	95.3	0.7	0.5	1.7	1.8	2.2	97.8
Sibley	87.4	0.5	0.0	1.5	10.6	14.7	85.3
Stearns	90.5	4.6	0.2	2.2	2.6	3.2	96.8
Steele	81.5	5.5	0.2	2.6	10.3	11.5	88.5
Stevens	96.0	1.0	1.0	1.0	1.0	1.0	99.0
Swift	95.7	0.0	0.9	0.9	2.6	6.9	93.1
Todd	95.7	0.4	0.7	0.7	2.5	14.2	85.8
Traverse	78.4	0.0	13.5	0.0	8.1	2.7	97.3
Wabasha	94.2	0.8	0.0	0.8	4.2	5.0	95.0
Wadena	97.4	0.0	0.0	0.7	2.0	0.0	100.0
Waseca	91.5	2.2	0.0	1.1	5.2	6.4	93.6
Washington	85.5	4.7	0.6	6.5	2.8	3.3	96.7
Watonwan	67.2	0.0	0.7	0.7	31.4	34.6	65.4
Wilkin	97.6	1.2	0.0	0.0	1.2	4.9	95.1
Winona	95.1	0.5	0.0	2.5	1.8	2.6	97.4
Wright	95.9	1.0	0.2	1.5	1.5	1.7	98.3
Yellow Medicine	93.6	0.0	3.6	0.0	2.7	6.5	93.5

Source: Minnesota Department of Health, Center for Health Statistics

**Because the race coding of 2004 data was done by the National Center for Health Statistics rather than in-house, a significant difference is seen in the 'Other' race category for birth records and impacts the reported number of births to White mothers. Prior to 2004, when coding a record where a Hispanic ethnicity was entered in the race field (in addition to the separate Hispanic ethnicity field), that record was coded as White. In 2004, however, those records were coded as 'Other', thus greatly increasing that category and reducing the number of White births. This was the case in over 4,200 birth records.

Section CHS: Natality Tables by CHS Agency

Nativity Table 1: Selected Minnesota Natality Statistics by CHS Agency, 2004

CHS Agency	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
Aitkin, Itasca, Koochiching	810	61.6	10.9	786	10.6	0.3
Mahnomen, Norman	156	73.9	12.8	133	10.9	1.9
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,010	65.1	13.7	625	8.5	5.2
Benton, Sherburne	1,229	64.6	15.6	411	5.2	10.4
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	497	63.0	10.3	577	12.0	-1.7
Brown, Nicollet	704	56.1	12.2	491	8.5	3.7
Carlton, Cook, Lake, St. Louis	2,616	52.3	10.5	2,624	10.6	0.0
Cass, Morrison, Todd, Wadena	1,227	65.0	12.3	1,013	10.2	2.2
Clay, Wilkin	736	50.8	12.3	424	7.1	5.2
Cottonwood, Jackson	270	66.4	11.6	271	11.7	0.0
Dodge, Steele	792	68.3	14.5	372	6.8	7.7
Grant, Pope, Traverse, Stevens	306	50.2	9.8	343	11.0	-1.2
Faribault, Martin	393	63.0	10.7	386	10.5	0.2
Houston, Fillmore	472	60.5	11.5	446	10.8	0.6
Isanti, Mille Lacs	793	57.9	12.9	493	8.0	4.9
Kanabec, Pine	503	57.7	11.4	362	8.2	3.2
Kittson, Marshall, Pennington, Red Lake, Roseau	614	66.2	12.5	473	9.7	2.9
Le Sueur, Waseca	623	67.9	13.4	381	8.2	5.2
Lincoln, Lyon, Murray, Pipestone	610	64.7	12.3	576	11.7	0.7
Meeker, McLeod, Sibley	1,044	70.7	14.0	675	9.0	4.9
Nobles, Rock	462	85.5	15.4	293	9.8	5.6
Redwood, Renville	378	65.1	11.5	428	13.0	-1.5

Source: Minnesota Department of Health, Center for Health Statistics and the US Census

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota by CHS Agency, 2004

CHS Agency	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2001-2003	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
Aitkin, Itasca, Koochiching	56	9.1	26	3.4	0.8	2.9
Mahnomen, Norman	10	7.6	4	2.7	1.0	0.8
Beltrami, Clearwater, Hubbard, Lake of the Woods	59	7.2	43	4.4	1.0	2.7
Benton, Sherburne,	91	8.4	45	3.8	0.4	2.1
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	37	8.6	23	4.8	0.7	2.1
Brown, Nicollet	48	7.3	22	3.2	0.8	2.2
Carlton, Cook, Lake, St. Louis	206	8.7	109	4.3	0.6	2.7
Cass, Morrison, Todd, Wadena	106	9.5	76	6.4	1.0	3.4
Clay, Wilkin	76	10.9	45	6.2	1.0	3.9
Cottonwood, Jackson	29	11.5	14	5.4	0.7	2.8
Dodge, Steele	52	7.6	34	4.6	0.5	2.6
Grant, Pope, Traverse, Stevens	7	2.5	13	4.5	0.7	4.6
Faribault, Martin	19	6.3	17	4.6	0.6	5.0
Houston, Fillmore	33	7.6	23	5.0	1.0	3.9
Isanti, Mille Lacs	68	9.4	37	4.8	1.1	3.2
Kanabec, Pine	30	8.8	22	4.4	0.8	2.6
Kittson, Marshall, Pennington, Red Lake, Roseau	50	8.8	32	5.3	0.7	3.0
Le Sueur, Waseca	49	8.8	36	5.9	1.1	2.9
Lincoln, Lyon, Murray, Pipestone	47	8.4	28	4.7	0.6	5.4
Meeker, McLeod, Sibley	68	7.2	52	5.2	0.7	3.4
Nobles, Rock	44	10.5	25	5.6	0.9	2.6
Redwood, Renville	35	10.6	19	5.2	0.8	2.1

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

Natality Table 3: Minnesota Infant Mortality by CHS Agency, 2000-2004

CHS Agency	Number of Infant Deaths 2004	Infant Mortality Rate 2000-2004	Neonatal Mortality Rate 2000-2004	Post-neonatal Mortality Rate 2000-2004	Fetal Death Rate 2000-2004	Perinatal Death Rate 2000-2004
Aitkin, Itasca, Koochiching	2	6.7	*	*	*	6.1
Mahnomen, Norman	1	*	*	*	*	*
Beltrami, Clearwater, Hubbard, Lake of the Woods	5	7.4	4.6	*	7.3	9.6
Benton, Sherburne,	6	4.1	*	*	3.9	4.4
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	2	*	*	*	*	*
Brown, Nicollet	5	*	*	*	*	6.5
Carlton, Cook, Lake, St. Louis	12	6.0	4.4	1.6	4.8	7.2
Cass, Morrison, Todd, Wadena	7	6.8	3.9	*	5.2	6.6
Clay, Wilkin	2	6.8	*	*	*	*
Cottonwood, Jackson	1	*	*	*	*	*
Dodge, Steele	4	6.5	*	*	*	6.8
Grant, Pope, Traverse, Stevens	0	*	*	*	*	*
Faribault, Martin	0	*	*	*	*	*
Houston, Fillmore	2	*	*	*	*	*
Isanti, Mille Lacs	1	*	*	*	7.3	7.6
Kanabec, Pine	4	*	*	*	*	*
Kittson, Marshall, Pennington, Red Lake, Roseau	5	8.5	*	*	*	7.4
Le Sueur, Waseca	6	*	*	*	*	*
Lincoln, Lyon, Murray, Pipestone	2	6.7	*	*	*	*
Meeker, McLeod, Sibley	4	4.6	*	*	5.6	5.8
Nobles, Rock	1	*	*	*	*	*
Redwood, Renville	3	*	*	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics.

MN2004: Healthy Minnesotans: Public Health Improvement Goals (Fall, 1998)

HP2010: Healthy People 2010 Goals (U.S. Public Health Service)

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

Nativity Table 4: Prenatal Care in Minnesota by CHS Agency, 2004

CHS Agency	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
Aitkin, Itasca, Koochiching	85.9	74.4	21.9	3.6
Mahnomen, Norman	77.6	65.9	27.9	6.2
Beltrami, Clearwater, Hubbard, Lake of the Woods	77.1	65.4	27.1	7.5
Benton, Sherburne,	89.4	79.9	17.1	3.1
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	84.7	80.2	16.0	3.8
Brown, Nicollet	89.9	88.5	9.7	1.8
Carlton, Cook, Lake, St. Louis	88.1	80.5	15.2	4.2
Cass, Morrison, Todd, Wadena	83.4	71.5	23.0	5.5
Clay, Wilkin	86.9	79.3	15.8	4.9
Cottonwood, Jackson	91.6	85.0	13.8	1.2
Dodge, Steele	87.0	82.1	15.2	2.8
Grant, Pope, Traverse, Stevens	86.2	76.8	21.5	1.8
Faribault, Martin	92.9	92.0	7.0	1.0
Houston, Fillmore	82.8	73.0	18.8	8.1
Isanti, Mille Lacs	86.2	80.3	15.8	3.9
Kanabec, Pine	80.9	74.2	21.4	4.5
Kittson, Marshall, Pennington, Red Lake, Roseau	84.6	72.3	24.3	3.4
Le Sueur, Waseca	89.2	84.2	14.0	1.8
Lincoln, Lyon, Murray, Pipestone	85.8	75.5	22.6	2.0
Meeker, McLeod, Sibley	86.3	81.2	16.5	2.3
Nobles, Rock	81.0	78.2	19.6	2.2
Redwood, Renville	86.7	80.7	16.0	3.4

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

Nativity Table 5: Obstetric Procedures in Minnesota by CHS Agency, 2004

CHS Agency	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
Aitkin, Itasca, Koochiching	28.8	15.7	95.5	58.6	71.1
Mahnomen, Norman	21.2	9.0	79.2	84.0	30.8
Beltrami, Clearwater, Hubbard, Lake of the Woods	27.9	14.3	87.9	84.8	77.1
Benton, Sherburne,	28.0	14.7	94.8	64.1	48.5
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	32.0	18.1	92.0	73.8	64.8
Brown, Nicollet	28.3	14.9	95.0	86.8	54.6
Carlton, Cook, Lake, St. Louis	30.7	19.1	90.4	87.9	55.5
Cass, Morrison, Todd, Wadena	24.2	14.5	77.8	80.9	68.5
Clay, Wilkin	19.7	9.8	92.4	63.3	19.3
Cottonwood, Jackson	31.5	16.7	90.9	79.6	63.7
Dodge, Steele	31.3	19.8	95.8	96.3	81.1
Grant, Pope, Traverse, Stevens	28.8	14.1	86.5	84.6	82.0
Faribault, Martin	28.2	16.8	93.8	89.6	83.5
Houston, Fillmore	21.6	13.4	83.0	86.9	69.1
Isanti, Mille Lacs	23.1	15.0	84.2	76.0	67.1
Kanabec, Pine	23.7	13.3	86.7	79.1	65.0
Kittson, Marshall, Pennington, Red Lake, Roseau	33.1	17.6	94.1	79.6	90.1
Le Sueur, Waseca	27.0	16.2	95.7	92.0	54.1
Lincoln, Lyon, Murray, Pipestone	29.3	16.1	84.4	81.5	66.2
Meeker, McLeod, Sibley	27.8	15.0	88.2	88.3	50.6
Nobles, Rock	26.2	13.6	89.2	84.2	50.7
Redwood, Renville	34.1	20.6	83.6	88.1	56.4

Source: Minnesota Department of Health, Center for Health Statistics

Electronic Fetal Monitoring: The percentage of live births where the health provider indicated on the birth certificate that electronic fetal monitoring was performed during labor and delivery.

Ultrasound: The percentage of live births where the health provider indicated on the birth certificate that ultrasound was performed during labor and delivery.

Nativity Table 6: Fertility and Family Planning in Minnesota by CHS Agency, 2004

	Pregnancies		Abortions			Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate	Ratio		
Aitkin, Itasca, Koochiching	882	67.1	71	5.4	0.09	5.7	4.3
Mahnomen, Norman	158	74.9	**	*	**	9.6	5.8
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,068	68.8	52	3.4	0.05	6.5	4.7
Benton, Sherburne,	1,387	72.9	153	8.1	0.12	4.1	2.8
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	536	67.9	38	4.8	0.08	5.3	3.8
Brown, Nicollet	770	61.4	61	4.9	0.09	3.7	3.5
Carlton, Cook, Lake, St. Louis	3,091	61.6	463	9.2	0.18	3.7	4.4
Cass, Morrison, Todd, Wadena	1,306	69.2	**	3.8	**	8.7	4.6
Clay, Wilkin	748	51.7	**	*	**	3.3	3.9
Cottonwood, Jackson	275	67.4	**	*	**	6.7	2.3
Dodge, Steele	871	75.1	77	6.6	0.10	3.7	4.6
Grant, Pope, Traverse, Stevens	316	51.9	**	*	**	4.3	3.7
Faribault, Martin	425	68.2	30	4.9	0.08	3.6	5.9
Houston, Fillmore	497	63.7	24	3.1	0.05	7.0	2.4
Isanti, Mille Lacs	900	65.7	99	7.2	0.12	4.7	2.3
Kanabec, Pine	567	65.0	59	6.8	0.12	6.2	2.7
Kittson, Marshall, Pennington, Red Lake, Roseau	625	67.4	**	*	**	3.9	2.5
Le Sueur, Waseca	668	72.8	42	4.6	0.07	3.7	3.6
Lincoln, Lyon, Murray, Pipestone	635	67.4	**	2.6	**	4.9	2.4
Meeker, McLeod, Sibley	1,104	74.7	56	3.8	0.05	5.2	3.7
Nobles, Rock	470	86.9	**	*	**	5.8	3.7
Redwood, Renville	407	70.2	28	4.9	0.07	6.9	4.1

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number, rate or ratio not reported if number of events is less than 6 for one of the counties.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Abortion Ratio: Number of abortions/Number of births

Four or More Births: Births to women with four or more previous live births

Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates by CHS Agency, 2002-2004

CHS Agency	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
Aitkin, Itasca, Koochiching	16.4	62.3	33.7	19.0	72.8	39.3
Mahnomen, Norman	15.1	70.7	35.3	15.4	71.2	35.7
Beltrami, Clearwater, Hubbard, Lake of the Woods	22.9	67.2	41.6	24.8	73.3	45.3
Benton, Sherburne,	9.2	52.3	24.1	13.2	65.6	31.4
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	9.0	55.2	26.4	12.2	65.5	32.3
Brown, Nicollet	8.9	24.7	17.2	12.9	30.0	21.9
Carlton, Cook, Lake, St. Louis	14.5	35.1	24.3	21.2	47.1	33.5
Cass, Morrison, Todd, Wadena	15.1	68.2	34.2	17.3	74.5	37.9
Clay, Wilkin	10.1	17.6	14.5	11.4	18.8	15.8
Cottonwood, Jackson	*	40.7	20.0	*	45.0	22.4
Dodge, Steele	14.6	58.7	31.2	19.0	66.0	36.6
Grant, Pope, Traverse, Stevens	*	22.8	14.2	*	23.3	14.9
Faribault, Martin	13.0	59.8	30.1	15.0	67.3	34.1
Houston, Fillmore	*	33.1	15.4	8.0	39.6	19.1
Isanti, Mille Lacs	14.4	55.4	28.9	18.6	67.2	35.8
Kanabec, Pine	15.1	75.5	36.7	19.3	88.8	44.2
Kittson, Marshall, Pennington, Red Lake, Roseau	10.9	58.7	28.3	11.2	60.1	29.0
Le Sueur, Waseca	12.0	53.3	26.8	15.7	57.7	30.7
Lincoln, Lyon, Murray, Pipestone	11.9	37.2	23.2	13.1	39.1	24.7
Meeker, McLeod, Sibley	13.5	63.5	31.1	16.1	74.0	36.5
Nobles, Rock	20.6	73.6	39.8	21.1	77.0	41.3
Redwood, Renville	10.9	57.7	27.5	13.3	64.8	31.5

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by CHS Agency, 2004

CHS Agency	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
Aitkin, Itasca, Koochiching	37.9	7.9	23.7	9.7	34.2	56.2
Mahnomen, Norman	48.1	9.0	29.0	17.3	40.4	42.3
Beltrami, Clearwater, Hubbard, Lake of the Woods	45.7	12.9	28.1	13.6	39.2	47.3
Benton, Sherburne,	18.1	3.3	8.4	4.2	26.6	69.3
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	28.2	6.6	14.7	9.0	28.1	62.8
Brown, Nicollet	24.3	6.8	12.4	8.4	23.6	68.0
Carlton, Cook, Lake, St. Louis	37.1	8.5	21.9	8.4	28.8	62.8
Cass, Morrison, Todd, Wadena	37.5	8.0	23.7	12.5	37.7	49.8
Clay, Wilkin	26.4	7.2	16.6	8.4	22.8	68.9
Cottonwood, Jackson	21.9	3.3	12.0	8.6	32.0	59.5
Dodge, Steele	26.6	5.8	11.8	12.3	26.9	60.7
Grant, Pope, Traverse, Stevens	23.2	4.9	11.8	4.9	24.3	70.7
Faribault, Martin	32.1	5.1	16.1	11.0	35.0	54.0
Houston, Fillmore	23.1	15.9	12.0	9.1	25.7	65.2
Isanti, Mille Lacs	33.8	6.7	20.0	9.1	36.1	54.8
Kanabec, Pine	38.8	6.2	25.8	13.6	37.9	48.5
Kittson, Marshall, Pennington, Red Lake, Roseau	28.3	4.7	16.3	5.2	35.4	59.4
Le Sueur, Waseca	31.8	7.9	14.2	10.9	28.8	60.3
Lincoln, Lyon, Murray, Pipestone	23.4	6.6	14.6	7.8	27.7	64.5
Meeker, McLeod, Sibley	26.2	6.0	13.8	9.6	34.7	55.7
Nobles, Rock	38.3	9.3	4.6	27.4	29.6	43.1
Redwood, Renville	28.6	4.8	14.1	12.7	34.9	52.4

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

Nativity Table 9: Race and Ethnicity of Mother in Minnesota by CHS Agency, 2004

CHS Agency	Race** of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
Aitkin, Itasca, Koochiching	91.5	0.4	5.9	0.4	1.9	1.4	98.6
Mahnomen, Norman	62.8		33.3		3.9	4.5	95.5
Beltrami, Clearwater, Hubbard, Lake of the Woods	71.8	0.5	24.5	0.8	2.5	1.1	98.9
Benton, Sherburne,	95.3	0.7	0.5	1.7	1.8	2.2	97.8
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	93.6	0.4	1.4	0.4	4.2	6.9	93.1
Brown, Nicollet	90.9	2.0	0.3	1.4	5.4	5.0	95.0
Carlton, Cook, Lake, St. Louis	91.6	1.6	4.7	1.0	1.2	1.2	98.8
Cass, Morrison, Todd, Wadena	87.2	0.4	9.5	0.7	2.3	3.9	96.1
Clay, Wilkin	87.6	0.7	2.7	0.4	8.6	7.1	92.9
Cottonwood, Jackson	89.6	1.5		3.0	5.9	6.7	93.3
Dodge, Steele	86.4	3.5	0.3	1.9	8.0	10.3	89.7
Grant, Pope, Traverse, Stevens	94.4	0.3	2.3	1.0	2.0	1.3	98.7
Faribault, Martin	91.6	0.3		1.8	6.4	7.0	93.0
Houston, Fillmore	98.9	0.6		0.4			100.0
Isanti, Mille Lacs	93.2	0.4	4.3	1.1	1.0	1.5	98.5
Kanabec, Pine	92.8	0.4	4.8	0.8	1.2	1.2	98.8
Kittson, Marshall, Pennington, Red Lake, Roseau	93.2	0.5	2.6	1.8	2.0	1.6	98.4
Le Sueur, Waseca	88.3	1.3	0.5	1.1	8.8	9.1	90.9
Lincoln, Lyon, Murray, Pipestone	91.0	1.3	0.2	3.0	4.6	4.3	95.7
Meeker, McLeod, Sibley	90.5	0.3	0.1	1.3	7.9	9.6	90.4
Nobles, Rock	64.5	2.0	0.9	3.7	29.0	29.3	70.7
Redwood, Renville	90.5	1.1	3.7	1.1	3.7	9.0	91.0

**Because the race coding of 2004 data was done by the National Center for Health Statistics rather than in-house, a significant difference is seen in the 'Other' race category for birth records and impacts the reported number of births to White mothers. Prior to 2004, when coding a record where a Hispanic ethnicity was entered in the race field (in addition to the separate Hispanic ethnicity field), that record was coded as White. In 2004, however, those records were coded as 'Other', thus greatly increasing that category and reducing the number of White births. This was the case in over 4,200 birth records.

Section C: Mortality Tables

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

State of Minnesota - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	1	26	22	2	0	51
Alzheimer's Disease	0	0	0	0	15	55	1,161	1,231
Atherosclerosis	0	0	0	0	6	15	109	130
Cancer	8	13	28	250	2,172	2,171	4,449	9,091
Cirrhosis	0	0	1	42	166	58	61	328
Congenital Anomalies	96	7	7	17	37	13	19	196
Chronic Lower Respiratory Disease	2	2	1	15	175	397	1,246	1,838
Diabetes	0	0	1	33	202	195	700	1,131
Heart Disease	9	2	15	158	1,019	950	5,735	7,888
Homicide	11	3	43	49	20	4	1	131
Hypertension	0	0	0	5	39	63	368	475
Nephritis	3	1	0	9	35	84	538	670
Perinatal Conditions	142	2	0	1	1	1	0	147
Pneumonia and Influenza	2	1	0	12	38	56	643	752
Septicemia	1	1	1	9	44	50	164	270
SIDS	24	0	0	0	0	0	0	24
Stroke	3	1	3	25	192	261	2,055	2,540
Suicide	0	7	84	209	166	17	39	522
Unintentional Injury	46	44	187	337	389	121	735	1,859
Other	51	18	40	279	900	898	5,552	7,738
Total	398	102	412	1,476	5,638	5,411	23,575	37,012

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	13	21	44
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	3	4	8
Diabetes	0	0	0	0	3	0	3	6
Heart Disease	0	0	0	0	6	4	26	36
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	6	8
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	7	9
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	3	4	1	1	10
Other	0	1	0	0	6	10	17	34
Total	0	1	1	4	31	34	93	164

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Anoka County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	2	1	17	20
Atherosclerosis	0	0	0	0	0	1	4	5
Cancer	0	1	3	20	128	115	140	407
Cirrhosis	0	0	0	4	10	7	4	25
Congenital Anomalies	6	0	0	0	2	0	0	8
Chronic Lower Respiratory Disease	0	0	0	1	7	17	51	76
Diabetes	0	0	0	3	11	10	21	45
Heart Disease	0	0	2	4	67	43	166	282
Homicide	1	0	2	3	2	0	0	8
Hypertension	0	0	0	1	1	3	16	21
Nephritis	0	0	0	1	1	1	15	18
Perinatal Conditions	10	0	0	0	0	0	0	10
Pneumonia and Influenza	0	0	0	1	2	2	15	20
Septicemia	0	0	0	1	5	3	6	15
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	18	9	48	76
Suicide	0	0	3	12	9	1	1	26
Unintentional Injury	4	2	10	20	25	10	34	105
Other	0	0	2	17	46	41	157	263
Total	23	3	22	89	337	264	695	1,433

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	8	9
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	3	16	14	35	68
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	0	13	14
Diabetes	0	0	0	0	2	1	5	8
Heart Disease	0	0	0	3	10	18	57	88
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	2	0	12	14
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	3	24	28
Suicide	0	0	3	4	2	0	0	9
Unintentional Injury	0	0	2	3	3	0	3	11
Other	1	0	0	1	8	10	40	60
Total	1	0	5	17	45	50	203	321

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2004**

ICD-10 Codes on Page C-45

Beltrami County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	6	7
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	17	21	31	69
Cirrhosis	0	0	0	0	5	0	0	5
Congenital Anomalies	1	1	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	2	14	18
Diabetes	0	0	0	0	3	2	6	11
Heart Disease	1	0	1	2	8	4	41	57
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	1	6	8
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	10	10
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	17	20
Suicide	0	1	5	0	4	0	0	10
Unintentional Injury	1	1	3	9	4	2	6	26
Other	0	0	2	6	12	8	38	66
Total	4	3	12	17	57	43	180	316

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	1	0	23	17	29	70
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	5	10	15
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	1	6	16	53	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	1	0	28	30
Suicide	0	0	1	3	1	0	0	5
Unintentional Injury	0	0	1	5	1	0	6	13
Other	0	0	1	2	8	5	49	65
Total	4	0	5	12	43	46	202	312

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Big Stone County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	3	11	18
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	2	0	2
Heart Disease	0	0	0	0	2	4	28	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	2	1	0	0	0	3
Unintentional Injury	0	0	2	0	0	0	3	5
Other	0	0	1	0	0	1	10	12
Total	0	0	5	1	6	13	64	89

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	22	22
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	1	19	21	37	78
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	1	1	5	13	20
Diabetes	0	0	0	0	4	1	8	13
Heart Disease	0	0	0	1	13	8	72	94
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	1	0	0	10	11
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	1	8	9
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	3	22	28
Suicide	0	0	1	1	3	1	0	6
Unintentional Injury	0	0	0	3	3	2	4	12
Other	0	0	0	6	13	15	82	116
Total	3	0	1	15	60	57	289	425

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Brown County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	12	24	49	87
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	1	0	1	4	8	14
Diabetes	0	0	0	1	2	0	0	9
Heart Disease	0	0	0	2	4	7	55	68
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	1	7
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	0	2
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	20	22
Suicide	0	0	2	1	1	0	0	4
Unintentional Injury	0	1	0	1	0	1	11	14
Other	1	0	0	1	5	7	46	60
Total	3	1	3	8	26	47	218	306

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	6	6
Cancer	0	0	0	3	14	21	59	97
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	13	15
Diabetes	0	0	0	0	2	4	6	12
Heart Disease	0	0	0	0	8	15	52	75
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	1	1	0	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	5	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	18	21
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	1	0	2	6	0	0	6	15
Other	1	0	2	3	8	8	40	62
Total	2	0	4	14	35	57	218	330

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Carver County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	9	10
Atherosclerosis	0	0	0	0	0	0	6	6
Cancer	0	0	0	3	29	23	36	91
Cirrhosis	0	0	0	1	3	1	0	5
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	1	0	3	4	8
Diabetes	0	0	0	0	1	2	5	8
Heart Disease	0	0	1	1	9	11	48	70
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	5	2	11	18
Suicide	0	0	0	4	1	0	0	5
Unintentional Injury	1	0	2	3	4	0	11	21
Other	1	0	0	3	12	9	52	77
Total	3	0	3	16	66	53	196	337

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	1	14	36	32	83
Cirrhosis	0	0	0	0	5	0	2	7
Congenital Anomalies	2	1	0	0	1	0	0	4
Chronic Lower Respiratory Disease	0	0	0	2	2	4	8	16
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	10	12	39	61
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	1	0	3
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	9	10	20
Suicide	0	0	0	1	0	0	1	2
Unintentional Injury	1	0	2	4	5	1	0	13
Other	1	0	0	1	9	11	44	66
Total	4	1	2	9	49	76	148	289

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Chippewa County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	1	1	2
Cancer	0	0	0	0	6	5	26	37
Cirrhosis	0	0	0	0	0	0	4	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	1	6	9
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	0	4	24	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	17	17
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	2	1	1	2	0	5	11
Other	0	0	1	1	3	2	24	31
Total	0	2	2	2	13	15	130	164

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	14	15
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	2	23	23	29	77
Cirrhosis	0	0	0	1	0	0	1	2
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	4	5	10	19
Diabetes	0	0	0	0	1	3	7	11
Heart Disease	0	0	0	0	8	7	41	56
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	0	4	6
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	12	16
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	0	0	4	6	1	5	16
Other	0	0	0	2	7	8	47	64
Total	1	1	0	11	53	54	182	302

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Clay County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	11	12
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	0	0	4	20	23	46	93
Cirrhosis	0	0	0	2	3	0	1	6
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	4	2	10	17
Diabetes	0	0	0	0	2	1	7	10
Heart Disease	0	0	1	1	7	7	59	75
Homicide	0	0	1	1	0	0	0	2
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	1	7	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	2	0	10	12
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	21	23
Suicide	0	0	0	3	3	0	0	6
Unintentional Injury	2	0	1	1	4	2	4	14
Other	1	0	2	1	9	7	46	66
Total	3	0	5	14	56	46	226	350

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	7	12	22
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	6	6
Diabetes	0	0	0	1	0	0	2	3
Heart Disease	0	0	0	0	3	7	20	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	1	2
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	2	0	1	1	4
Other	0	1	0	0	1	3	12	17
Total	2	1	0	4	9	19	63	98

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Cook County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	4	0	7
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	2	4
Diabetes	0	0	0	0	0	0	0	3
Heart Disease	0	0	0	1	1	1	5	8
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	3	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	1	0	2
Other	0	0	0	0	0	0	5	5
Total	0	0	0	1	7	4	31	43

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	1	0	0	0	3	6	22	32
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	2	3
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	0	1	5	35	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	2	12	16
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	7	8
Other	0	0	0	0	4	1	17	22
Total	1	0	0	0	13	16	115	145

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Crow Wing County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	24	32	80	139
Cirrhosis	0	0	0	0	1	2	3	6
Congenital Anomalies	0	0	0	0	0	2	1	3
Chronic Lower Respiratory Disease	0	0	0	0	2	12	19	33
Diabetes	0	0	0	0	3	0	6	9
Heart Disease	0	0	0	1	21	14	67	103
Homicide	0	0	2	1	0	0	0	3
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	1	1	5	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	9	32	43
Suicide	0	0	1	3	6	1	2	13
Unintentional Injury	0	0	0	3	9	6	18	36
Other	1	0	0	3	5	20	76	105
Total	4	0	3	14	75	101	340	537

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	1	0	0	2
Alzheimer's Disease	0	0	0	0	0	1	46	47
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	1	3	27	143	136	172	482
Cirrhosis	0	0	0	1	11	5	0	17
Congenital Anomalies	8	1	3	2	1	0	2	17
Chronic Lower Respiratory Disease	0	0	0	1	7	21	54	83
Diabetes	0	0	0	3	12	12	34	61
Heart Disease	1	0	3	11	50	36	250	351
Homicide	0	0	1	4	0	1	0	6
Hypertension	0	0	0	0	5	2	15	22
Nephritis	1	0	0	0	2	5	21	29
Perinatal Conditions	15	0	0	0	0	0	0	15
Pneumonia and Influenza	0	0	0	0	2	3	15	20
Septicemia	0	0	0	1	3	3	9	16
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	2	10	16	100	128
Suicide	0	0	7	17	11	1	2	38
Unintentional Injury	3	6	12	16	17	5	44	103
Other	5	1	2	17	53	52	227	357
Total	34	9	31	103	328	299	993	1,797

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Dodge County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	1	2	8	4	11	27
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	1	7	6	21	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	1	1	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	5	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	2	1	0	2	5
Other	0	0	0	0	2	2	18	22
Total	3	0	1	5	19	18	73	119

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	8	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	4	9	24	39	76
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	1	13	17
Diabetes	0	0	0	0	1	0	6	7
Heart Disease	0	0	0	1	11	5	71	88
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	1	7	8
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	3	15	21
Suicide	0	0	0	3	2	0	1	6
Unintentional Injury	0	0	2	4	2	2	5	15
Other	1	1	0	1	4	6	33	46
Total	4	1	2	14	36	44	206	307

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Faribault County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	10	9	26	46
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	8	5	44	57
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	12	14
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	0	0	1	0	4	5
Other	0	1	0	0	2	2	31	36
Total	0	1	0	1	25	20	142	189

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	10	11	36	57
Cirrhosis	0	0	0	0	0	0	2	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	14	18
Diabetes	0	0	0	0	3	0	5	8
Heart Disease	0	0	0	0	4	5	37	46
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	7	7
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	10	11
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	4	4	0	5	13
Other	0	0	1	1	7	3	48	60
Total	1	0	1	5	30	23	181	241

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Freeborn County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	23	24
Atherosclerosis	0	0	0	0	1	1	5	7
Cancer	0	0	0	1	16	13	38	68
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	6	18	26
Diabetes	0	0	0	0	1	1	5	7
Heart Disease	0	0	0	3	7	12	78	100
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	1	0	0	0	0	8	9
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	2	25	27
Suicide	0	0	1	3	2	0	2	8
Unintentional Injury	0	1	3	1	3	1	6	15
Other	0	0	0	0	8	5	60	73
Total	2	2	4	8	42	42	272	372

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	11	12
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	0	1	2	23	18	47	91
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	1	0	0	0	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	2	5	19	26
Diabetes	0	0	0	0	3	2	13	18
Heart Disease	0	0	0	0	10	11	76	97
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	6	8
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	1	13	15
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	3	24	30
Suicide	0	0	0	2	0	0	0	2
Unintentional Injury	0	0	5	5	6	0	14	30
Other	1	0	0	2	7	9	70	89
Total	3	0	6	11	57	52	303	432

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Grant County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	1	1	2
Cancer	0	0	0	0	3	4	12	19
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	6	6
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	1	2	27	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	2	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	0	0
Other	0	0	0	1	1	3	16	21
Total	0	0	0	1	5	14	72	92

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	1	16	11	0	0	28
Alzheimer's Disease	0	0	0	0	3	12	211	226
Atherosclerosis	0	0	0	0	0	1	15	16
Cancer	0	5	2	47	500	423	889	1,866
Cirrhosis	0	0	0	15	43	9	10	77
Congenital Anomalies	24	1	0	4	8	3	4	44
Chronic Lower Respiratory Disease	1	0	0	2	36	83	282	404
Diabetes	0	0	0	9	45	32	125	211
Heart Disease	3	0	4	33	202	136	932	1,310
Homicide	1	0	24	25	9	0	0	59
Hypertension	0	0	0	2	20	15	96	133
Nephritis	0	0	0	2	8	18	109	137
Perinatal Conditions	43	0	0	1	1	1	0	46
Pneumonia and Influenza	1	0	0	3	8	9	120	141
Septicemia	0	0	1	3	9	7	30	50
SIDS	2	0	0	0	0	0	0	2
Stroke	1	0	1	6	45	48	411	512
Suicide	0	1	16	39	30	5	5	96
Unintentional Injury	11	2	20	68	67	21	192	381
Other	13	3	8	81	220	190	1,323	1,838
Total	100	12	77	356	1,265	1,013	4,754	7,577

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Houston County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	8	9	27	45
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	1	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	0	5	6
Diabetes	0	0	0	0	1	0	9	10
Heart Disease	0	0	0	2	6	3	27	38
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	10	13
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	3	3	1	7	16
Other	0	0	0	4	4	3	35	46
Total	1	1	2	10	28	21	142	205

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	1	10	19	18	48
Cirrhosis	0	0	0	0	0	2	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	6	10
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	1	7	13	22	43
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	12	15
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	1	2	2	1	0	4	10
Other	0	0	0	0	3	5	16	24
Total	0	1	3	5	23	46	96	174

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Isanti County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	21	22
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	20	10	30	60
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	4	6	10
Diabetes	0	0	0	1	0	1	2	4
Heart Disease	0	0	0	1	9	8	37	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	1	1	12	15
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	21	23
Suicide	0	0	0	2	2	0	0	4
Unintentional Injury	0	0	3	5	2	0	4	14
Other	0	0	1	1	5	5	37	49
Total	0	0	4	12	41	32	178	267

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	2	11	13
Atherosclerosis	0	0	0	0	1	0	4	5
Cancer	0	0	0	3	27	28	69	127
Cirrhosis	0	0	0	0	4	0	0	4
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	4	14	21
Diabetes	0	0	0	0	5	6	10	21
Heart Disease	0	0	0	2	14	12	86	114
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	7	7
Nephritis	0	0	0	0	1	1	8	10
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	6	8
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	27	30
Suicide	0	0	0	1	2	0	0	3
Unintentional Injury	1	0	0	6	5	2	5	19
Other	0	1	1	3	12	15	61	93
Total	2	1	1	16	77	74	309	480

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Jackson County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	5
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	1	4	6	13	24
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	1	0	2	3
Heart Disease	0	0	0	0	4	5	30	39
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	0	0	0	5	5
Other	0	0	0	1	3	3	18	25
Total	1	0	0	3	13	18	91	126

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	13	10	14	37
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	3	5
Diabetes	0	0	0	0	1	1	1	3
Heart Disease	0	0	0	0	2	3	18	23
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	1	0	1	1	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	1	3	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	2	7	9
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	1	1	3	0	0	5
Other	0	0	0	0	1	1	20	22
Total	1	0	3	3	20	21	77	125

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2004**

Kandiyohi County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	12	13
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	1	1	0	12	20	50	84
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	1	0	0	1	2	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	0	3	15	18
Diabetes	0	0	0	0	1	1	7	9
Heart Disease	0	0	0	1	10	7	55	73
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	13	14
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	5	27	33
Suicide	0	0	2	1	1	0	0	4
Unintentional Injury	0	1	2	4	4	4	10	25
Other	0	0	0	1	12	6	61	80
Total	2	2	5	8	43	49	264	373

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	2	8	13
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	4	2	14	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	1	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	0	1	3	0	2	6
Other	0	0	0	0	0	1	15	16
Total	0	0	0	1	10	7	54	72

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Koochiching County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	8	9	25	44
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	1	2	0	5	8
Diabetes	0	0	0	0	2	0	0	2
Heart Disease	0	0	0	3	7	8	17	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	5	10
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	0	1	1	3	0	0	5
Other	1	0	0	1	4	2	15	23
Total	1	0	2	10	30	25	74	142

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	6	12	24
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	3	3	29	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	2	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	2	1	0	3	7
Other	0	1	1	0	0	4	13	19
Total	1	1	2	2	10	15	68	99

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Lake County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	11	11	25
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	2	3	6
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	4	7	19	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	10	12
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	4	0	0	0	0	4
Other	0	0	0	0	1	4	30	35
Total	1	0	5	0	12	26	90	134

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	1	6	10
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	2	1	7	10
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	3	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	0	0	0	1
Other	0	0	0	1	1	0	4	6
Total	0	0	1	1	7	3	25	37

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Le Sueur County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	15	13	19	48
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	2	0	0	0	0	0	1	3
Chronic Lower Respiratory Disease	0	0	0	0	1	0	8	9
Diabetes	0	0	0	0	3	0	3	6
Heart Disease	0	0	0	0	4	8	36	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	2	5	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	1	0	3	4	1	2	11
Other	0	0	0	1	8	4	21	34
Total	2	1	0	7	38	29	113	190

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	5	4	15	25
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	1	1	0	2
Heart Disease	0	0	0	0	3	2	25	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	8	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	2	1	3	7
Other	0	0	0	2	3	3	22	30
Total	0	0	2	2	15	13	83	115

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Lyon County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	10	17	30	59
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	6	8
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	0	0	0	0	5	8	42	55
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	13	14
Suicide	0	0	0	4	1	0	0	5
Unintentional Injury	0	1	0	2	2	0	5	10
Other	0	1	0	0	3	5	35	44
Total	1	2	1	9	24	32	158	227

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomen County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	2	4	8
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	1	0	0	1
Heart Disease	0	0	0	0	0	3	8	11
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	1	0	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	3	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	0	2	1	0	0	0	4
Other	0	0	0	1	1	2	4	8
Total	2	0	2	3	5	10	23	45

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2004**

Marshall County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	0	4	3	11	18
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	4	6
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	3	3	17	23
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	0	0	0	0	2	2
Other	0	0	0	1	3	2	6	12
Total	1	0	1	1	13	11	53	80

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	5	6
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	0	4	6	39	49
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	4	6	10
Diabetes	0	0	0	0	1	0	2	3
Heart Disease	0	0	0	2	5	3	54	64
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	5	6
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	0	2	2	1	0	2	7
Other	0	0	0	1	0	2	29	32
Total	0	0	3	6	17	16	155	197

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

McLeod County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	1	2	3
Cancer	0	0	0	3	11	10	37	61
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	2	1	4	7
Diabetes	0	0	0	0	0	4	9	13
Heart Disease	0	0	0	2	5	5	56	68
Homicide	0	1	0	1	0	0	0	2
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	0	2	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	5	6
Septicemia	0	0	0	0	2	1	2	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	3	23	27
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	0	1	3	0	12	16
Other	0	0	1	1	7	8	51	68
Total	1	1	2	10	32	36	226	308

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	1	0	0	2	9	10	21	43
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	1	8	9
Diabetes	0	0	0	0	0	1	8	9
Heart Disease	0	0	0	2	9	2	30	43
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	0	0	2	3
Septicemia	0	0	0	0	1	1	0	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	2	18	20
Suicide	0	0	1	1	1	1	0	4
Unintentional Injury	0	0	4	4	6	0	4	18
Other	0	0	0	0	3	6	40	49
Total	4	0	5	11	30	26	143	219

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Mille Lacs County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	1	13	16	22	52
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	2	5	10
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	0	0	0	4	5	7	34	50
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	1	1	2	4
Nephritis	0	0	0	0	0	2	2	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	9	10
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	12	14
Suicide	0	0	0	1	2	0	0	3
Unintentional Injury	1	2	2	2	4	1	2	14
Other	0	0	0	0	4	9	34	47
Total	2	2	2	9	38	39	134	226

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	18	18
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	2	13	13	35	64
Cirrhosis	0	0	0	0	0	2	1	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	5	12	17
Diabetes	0	0	0	0	2	2	4	8
Heart Disease	0	0	0	1	7	14	61	83
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	1	9	11
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	20	25
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	1	3	4	4	3	5	20
Other	0	0	0	0	2	8	37	47
Total	2	2	4	9	32	52	208	309

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Mower County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	11	12
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	3	22	20	62	107
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	1	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	6	2	19	27
Diabetes	0	0	0	1	0	2	7	10
Heart Disease	0	0	0	2	5	7	70	84
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	1	0	8	9
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	21	23
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	2	2	2	2	6	1	9	24
Other	0	0	0	1	7	9	58	75
Total	4	2	3	10	52	42	278	391

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	7	10	19	37
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	4	2	25	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	5	6
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	2	1	0	1	2	2	8
Other	0	0	0	0	1	3	5	9
Total	1	2	1	1	16	21	66	108

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2004**

Nicollet County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	3	16	10	27	57
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	2	5	7
Diabetes	0	0	0	0	2	0	3	5
Heart Disease	0	0	0	1	3	3	37	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	6	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	4	7
Suicide	0	0	2	1	2	0	1	6
Unintentional Injury	0	0	1	0	2	0	3	6
Other	0	0	1	1	5	5	14	26
Total	3	0	5	6	32	24	115	185

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	6	27	37
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	1	5	9
Diabetes	0	0	0	0	1	2	2	5
Heart Disease	0	1	0	1	6	7	40	55
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	10	12
Suicide	0	0	0	0	1	0	1	2
Unintentional Injury	0	0	1	2	1	1	2	7
Other	0	0	0	1	4	5	18	28
Total	1	1	1	5	19	25	121	173

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Norman County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	4	8	17
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	1	1	5	7
Heart Disease	0	0	0	0	3	0	16	19
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	2	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	0	0	2	0	0	1	4
Other	0	0	0	0	2	3	15	20
Total	1	0	0	3	11	10	63	88

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	1	0	0	3
Alzheimer's Disease	0	0	0	0	0	2	20	22
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	9	60	49	99	218
Cirrhosis	0	0	0	0	3	0	1	4
Congenital Anomalies	1	0	0	1	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	11	22	36
Diabetes	0	0	0	0	1	5	2	8
Heart Disease	0	0	0	4	22	21	125	172
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	0	4	11	15
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	1	0	0	0	0	1	16	18
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	6	4	39	49
Suicide	0	0	5	5	5	1	3	19
Unintentional Injury	3	1	4	8	10	2	17	45
Other	2	2	1	6	19	18	126	174
Total	9	3	11	35	131	120	488	797

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Otter Tail County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	22	22
Atherosclerosis	0	0	0	0	0	1	6	7
Cancer	0	0	0	3	22	36	90	151
Cirrhosis	0	0	0	0	5	0	2	7
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	6	21	30
Diabetes	0	0	0	1	4	2	18	25
Heart Disease	0	0	0	1	19	14	107	141
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	1	14	15
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	6	13	19
Septicemia	0	0	0	0	1	1	5	7
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	3	4	38	46
Suicide	0	1	2	1	3	0	1	8
Unintentional Injury	1	0	3	5	4	1	6	20
Other	1	0	0	3	14	8	81	107
Total	4	2	5	15	78	80	428	612

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	6	7	19	33
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	6	8
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	0	2	4	32	38
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	1	5	7
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	0	2	0	0	3
Other	0	0	0	0	6	7	17	30
Total	2	0	1	2	18	22	96	141

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Pine County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	18	19	27	66
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	2	6
Diabetes	0	0	0	0	0	4	1	5
Heart Disease	0	0	0	3	12	12	30	57
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	7	8
Septicemia	0	0	0	0	0	0	2	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	5	9	16
Suicide	0	0	0	7	1	0	1	9
Unintentional Injury	0	1	0	2	3	0	4	10
Other	1	0	1	4	3	7	28	44
Total	3	1	1	18	42	52	120	237

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	3	1	20	26
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	9	10
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	0	0	2	22	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	1	1	0	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	1	1	0	1	0	3
Unintentional Injury	0	0	1	3	0	0	3	7
Other	0	0	0	1	2	4	16	23
Total	0	0	2	8	8	10	98	126

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Polk County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	17
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	0	0	1	9	12	34	56
Cirrhosis	0	0	0	2	0	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	3	10	15
Diabetes	0	0	0	0	1	2	7	10
Heart Disease	0	0	0	0	6	4	55	65
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	1	0	0	0	0	0	6	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	2	3	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	25	28
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	1	1	3	1	0	3	9
Other	0	0	0	2	10	14	51	77
Total	2	1	1	8	32	39	221	304

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	6	19	30
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	1	0	0	0	0	1	4	6
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	1	6	19	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	10	10
Suicide	0	1	1	0	0	0	0	2
Unintentional Injury	0	1	2	1	1	1	2	8
Other	0	1	0	0	1	6	27	35
Total	1	3	3	1	9	20	94	131

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Ramsey County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	2	0	0	5
Alzheimer's Disease	0	0	0	0	1	4	129	134
Atherosclerosis	0	0	0	0	1	1	5	7
Cancer	0	2	2	28	226	229	436	923
Cirrhosis	0	0	0	10	18	11	9	48
Congenital Anomalies	9	0	1	3	3	2	2	20
Chronic Lower Respiratory Disease	0	1	0	0	25	44	121	191
Diabetes	0	0	0	6	28	27	87	148
Heart Disease	2	0	2	18	88	84	469	663
Homicide	3	1	6	6	4	1	0	21
Hypertension	0	0	0	0	1	5	33	39
Nephritis	1	1	0	1	7	17	48	75
Perinatal Conditions	17	1	0	0	0	0	0	18
Pneumonia and Influenza	0	0	0	2	4	2	68	76
Septicemia	1	0	0	3	7	11	21	43
SIDS	1	0	0	0	0	0	0	1
Stroke	1	1	1	5	29	37	179	253
Suicide	0	2	3	19	20	1	5	50
Unintentional Injury	3	2	16	27	36	10	51	145
Other	6	2	4	30	105	95	709	951
Total	44	13	35	161	605	581	2,372	3,811

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	3	8	13
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	1	2	6	9
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	0	2
Suicide	0	0	0	1	0	0	1	2
Unintentional Injury	0	0	1	0	0	1	1	3
Other	0	0	1	0	1	3	7	12
Total	0	0	2	1	6	10	26	45

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Redwood County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	8	13	28	50
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	7	8
Diabetes	0	0	0	1	0	0	6	7
Heart Disease	0	0	0	0	1	4	50	55
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	1	0	0	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	15	18
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	0	1	2	1	2	6
Other	0	0	0	0	2	1	31	34
Total	0	0	1	6	17	23	153	200

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	10	11
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	1	0	0	1	6	13	32	53
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	2	1	8	11
Heart Disease	0	0	0	1	4	8	48	61
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	2	2
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	1	3	15	19
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	2	2	5	11
Other	1	1	0	2	3	7	27	41
Total	4	1	1	5	18	37	162	228

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Rice County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	2	0	0	2
Alzheimer's Disease	0	0	0	0	0	0	15	15
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	1	0	0	2	29	18	53	103
Cirrhosis	0	0	0	0	2	1	1	4
Congenital Anomalies	1	0	1	0	2	1	1	6
Chronic Lower Respiratory Disease	0	0	0	0	3	3	24	30
Diabetes	0	0	0	0	2	2	8	12
Heart Disease	0	0	0	1	15	10	70	96
Homicide	0	0	0	0	0	1	0	1
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	1	1	10	12
Septicemia	0	0	0	0	1	2	2	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	21	22
Suicide	0	0	2	1	4	0	0	7
Unintentional Injury	1	0	0	0	4	0	11	16
Other	0	0	0	4	10	7	54	75
Total	6	0	3	8	76	47	275	415

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	5	12	19
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	4	6
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	2	6	35	43
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	11	11
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	1	1	3	0	0	0	5
Other	0	0	0	0	1	2	13	16
Total	0	1	1	3	6	14	95	120

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Roseau County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	6	17	28
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	1	2	1	4	8
Heart Disease	0	0	0	0	6	4	25	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	0	0	8	9
Suicide	0	0	1	2	0	0	0	3
Unintentional Injury	0	0	1	1	3	0	2	7
Other	0	0	0	0	3	3	15	21
Total	2	0	2	5	20	16	90	135

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	3	8	11
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	8	35	25	48	116
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	3	0	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	7	17	27
Diabetes	0	0	0	0	3	4	12	19
Heart Disease	0	0	0	2	15	10	77	104
Homicide	0	0	0	0	0	1	0	1
Hypertension	0	0	0	0	0	1	6	7
Nephritis	0	0	0	0	2	2	8	12
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	5	24	31
Suicide	0	0	0	4	2	1	3	10
Unintentional Injury	1	1	5	4	5	1	7	24
Other	1	1	0	7	12	10	48	79
Total	6	2	5	25	82	71	267	458

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Sherburne County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	12
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	1	5	23	21	39	89
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	7	15	23
Diabetes	0	0	0	1	1	6	11	19
Heart Disease	0	0	0	4	13	8	61	86
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	1	1	1	2	5
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	4	31	36
Suicide	0	0	2	5	2	1	0	10
Unintentional Injury	1	3	4	8	6	1	7	30
Other	0	0	0	3	9	6	64	82
Total	6	3	7	27	59	58	251	411

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	10	15	35
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	2	2
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	0	0	5	2	34	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	13	17
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	0	0	2	1	0	3
Other	0	0	0	3	1	3	13	20
Total	0	0	0	3	20	23	102	148

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

St. Louis County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	1	0	2
Alzheimer's Disease	0	0	0	0	2	5	75	82
Atherosclerosis	0	0	0	0	0	2	6	8
Cancer	1	0	2	7	104	111	298	523
Cirrhosis	0	0	0	3	13	4	1	21
Congenital Anomalies	5	0	0	1	3	1	3	13
Chronic Lower Respiratory Disease	0	0	0	0	10	28	58	96
Diabetes	0	0	1	1	11	11	36	60
Heart Disease	0	0	0	10	61	64	389	524
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	2	3	18	23
Nephritis	0	0	0	0	3	0	31	34
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	1	3	33	37
Septicemia	0	1	0	0	4	2	15	22
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	7	12	106	125
Suicide	0	1	3	9	10	0	2	25
Unintentional Injury	0	2	6	15	27	8	38	96
Other	2	0	1	14	58	46	298	419
Total	14	4	13	62	316	301	1,407	2,117

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	19	21
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	1	1	2	4	42	48	97	195
Cirrhosis	0	0	1	0	1	2	1	5
Congenital Anomalies	0	0	0	0	2	0	0	2
Chronic Lower Respiratory Disease	0	1	0	0	6	8	32	47
Diabetes	0	0	0	1	2	4	8	15
Heart Disease	1	0	0	7	27	21	146	202
Homicide	0	0	0	1	0	0	1	2
Hypertension	0	0	0	0	0	4	11	15
Nephritis	0	0	0	0	1	1	8	10
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	2	1	1	10	14
Septicemia	0	0	0	0	0	0	8	8
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	5	4	48	58
Suicide	0	0	6	5	2	0	3	16
Unintentional Injury	1	2	10	7	12	4	11	47
Other	2	0	0	8	21	17	93	141
Total	8	4	19	36	123	115	498	803

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Steele County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	0	0	1	15	17	38	71
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	3	9	12
Diabetes	0	0	0	0	0	1	7	8
Heart Disease	0	0	0	0	4	6	45	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	1	0	3	2	6
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	19	21
Suicide	0	0	0	2	0	0	1	3
Unintentional Injury	1	1	3	0	2	3	10	20
Other	0	0	0	2	2	8	29	41
Total	2	1	3	6	24	43	174	253

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	4	15	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	1	0	14	15
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	5	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	0	0	0	9	9
Total	0	0	0	0	7	4	53	64

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Swift County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	3	19	30
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	3	6	9
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	2	6	23	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	12	13
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	0	0	1	2
Other	0	0	0	1	0	0	17	18
Total	1	0	1	1	11	12	89	115

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	1	19	17	28	65
Cirrhosis	0	0	0	0	1	1	2	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	6	8
Diabetes	0	0	0	0	3	4	8	15
Heart Disease	0	0	0	1	5	9	34	49
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	2	1	4
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	2	10	13
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	4	5	0	2	4	15
Other	0	0	0	1	5	2	27	35
Total	0	0	4	9	39	41	129	222

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Traverse County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	3	8	17
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	0	0	1
Heart Disease	0	0	0	0	0	2	19	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	0	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	0	0	0	1
Other	0	0	0	0	0	0	5	5
Total	0	0	1	0	6	6	43	56

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	10	14	23	49
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	1	1	0	2
Chronic Lower Respiratory Disease	0	0	0	1	2	3	2	8
Diabetes	0	0	0	1	1	2	6	10
Heart Disease	0	0	0	0	9	7	39	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	0	2	15	18
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	3	0	0	2	0	1	5	11
Other	0	0	0	0	2	4	30	36
Total	4	0	0	7	26	34	135	206

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Wadena County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	11	12
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	1	3	13	17	35
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	5	7
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	0	5	12	39	56
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	10	10
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	19	21
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	0	1	2	4
Other	0	0	1	1	4	5	21	32
Total	2	0	2	3	15	35	136	193

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	7	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	10	10	25	47
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	0	8	8
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	2	5	6	36	49
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	2	0	0	17	19
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	1	0	0	1	3	5
Other	0	0	0	0	7	0	24	31
Total	4	0	2	5	24	22	134	191

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2004**

ICD-10 Codes on Page C-45

Washington County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	2	49	52
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	1	1	7	75	65	96	245
Cirrhosis	0	0	0	1	4	2	0	7
Congenital Anomalies	2	0	1	0	2	0	0	5
Chronic Lower Respiratory Disease	0	0	0	1	6	10	41	58
Diabetes	0	0	0	1	10	9	25	45
Heart Disease	1	0	1	6	28	33	133	202
Homicide	1	0	1	1	0	0	0	3
Hypertension	0	0	0	0	1	2	11	14
Nephritis	0	0	0	0	2	5	15	22
Perinatal Conditions	7	0	0	0	0	0	0	7
Pneumonia and Influenza	0	0	0	1	0	3	8	12
Septicemia	0	0	0	1	2	1	4	8
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	2	4	62	69
Suicide	0	0	3	8	5	0	1	17
Unintentional Injury	0	1	8	11	20	3	18	61
Other	5	0	3	7	28	32	162	237
Total	18	2	18	46	186	171	627	1,068

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	8	12	24
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	4	5
Diabetes	0	0	0	0	0	2	3	5
Heart Disease	0	0	0	1	3	3	25	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	9	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	0	0	3	4
Other	0	0	0	0	0	2	15	17
Total	1	0	1	2	8	16	78	106

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2004

Wilkin County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	0	0	0	3	2	13	18
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	4	5
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	2	1	17	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	0	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	1	0	0	0	0	1
Other	0	0	0	0	2	2	11	15
Total	1	0	2	0	8	7	56	74

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	18	19
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	3	22	23	50	99
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	4	10	17
Diabetes	0	0	0	0	1	2	8	11
Heart Disease	0	0	0	1	11	4	80	96
Homicide	0	1	0	1	1	0	0	3
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	2	1	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	1	0	0	3	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	1	19	23
Suicide	0	0	0	3	3	0	0	6
Unintentional Injury	0	0	1	1	2	1	9	14
Other	0	0	0	1	2	8	66	77
Total	2	2	2	11	50	45	270	382

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2004**

Wright County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	20	21
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	1	0	0	6	34	26	71	138
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	3	0	0	0	4	0	0	7
Chronic Lower Respiratory Disease	0	0	0	1	0	9	20	30
Diabetes	0	0	0	0	3	2	13	18
Heart Disease	0	1	0	3	20	23	70	117
Homicide	0	0	1	1	0	0	0	2
Hypertension	0	0	0	0	1	1	5	7
Nephritis	0	0	0	0	0	1	7	8
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	12	13
Septicemia	0	0	0	0	0	0	7	7
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	2	0	26	28
Suicide	0	0	0	7	3	0	0	10
Unintentional Injury	1	1	3	10	9	2	15	41
Other	2	0	1	6	8	9	64	90
Total	11	2	5	36	87	74	333	548

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - Leading Causes of Death by Age Group, 2004

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	1	13	12	27
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	3	5
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	2	1	1	24	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	11	13
Suicide	0	0	1	2	0	0	0	3
Unintentional Injury	0	0	1	0	1	0	3	5
Other	0	0	0	1	0	1	12	14
Total	0	0	3	5	5	19	78	110

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2004**

ICD-10 Codes on Page C-45

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

State of Minnesota - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	1,045.0	1,570.5
Alzheimer's Disease	95.0	555.0
Atherosclerosis	40.0	185.5
Cancer	27,255.0	65,141.0
Cirrhosis	2,845.0	5,358.5
Congenital Anomalies	7,570.0	9,363.5
Chronic Lower Respiratory Disease	1,850.0	6,081.0
Diabetes	2,630.0	6,180.5
Heart Disease	14,742.5	32,599.0
Homicide	4,552.5	5,897.5
Hypertension	440.0	1,248.5
Nephritis	782.5	1,748.5
Perinatal Conditions	9,025.0	10,563.5
Pneumonia and Influenza	840.0	1,704.5
Septicemia	857.5	1,720.5
SIDS	1,500.0	1,752.0
Stroke	2,822.5	6,610.0
Suicide	12,180.0	17,166.5
Unintentional Injury	27,950.0	39,147.0
Other	21,862.5	40,325.5
Total	140,885.0	254,918.5

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	236.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	52.0
Diabetes	25.0	56.5
Heart Disease	40.0	125.0
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	0.0	0.0
Unintentional Injury	200.0	289.5
Other	115.0	243.5
Total	485.0	1,060.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Anoka County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	10.0	36.5
Atherosclerosis	0.0	5.5
Cancer	1,700.0	3,928.5
Cirrhosis	230.0	415.5
Congenital Anomalies	395.0	479.0
Chronic Lower Respiratory Disease	60.0	237.5
Diabetes	160.0	362.0
Heart Disease	875.0	1,878.0
Homicide	247.5	331.5
Hypertension	50.0	87.5
Nephritis	40.0	66.5
Perinatal Conditions	625.0	730.0
Pneumonia and Influenza	45.0	87.5
Septicemia	70.0	149.5
SIDS	125.0	146.0
Stroke	235.0	484.0
Suicide	600.0	857.5
Unintentional Injury	1,705.0	2,400.5
Other	965.0	1,873.0
Total	8,152.5	14,581.5

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	195.0	471.5
Cirrhosis	10.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	35.5
Diabetes	10.0	36.5
Heart Disease	165.0	400.5
Homicide	25.0	35.5
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	20.0	41.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	25.0	52.0
Suicide	275.0	369.5
Unintentional Injury	220.0	304.0
Other	147.5	307.5
Total	1,117.5	2,106.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Beltrami County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	165.0	459.0
Cirrhosis	35.0	87.5
Congenital Anomalies	117.5	138.5
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	15.0	57.5
Heart Disease	227.5	375.5
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	340.0	445.0
Unintentional Injury	547.5	747.5
Other	340.0	594.0
Total	1,915.0	3,128.0

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	280.0	625.5
Cirrhosis	20.0	41.0
Congenital Anomalies	160.0	191.5
Chronic Lower Respiratory Disease	0.0	27.5
Diabetes	0.0	5.5
Heart Disease	85.0	246.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	50.0	71.0
Suicide	145.0	197.5
Unintentional Injury	195.0	268.5
Other	165.0	308.0
Total	1,230.0	2,155.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Big Stone County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	98.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	11.0
Heart Disease	20.0	63.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	125.0	156.5
Unintentional Injury	90.0	111.0
Other	45.0	61.0
Total	320.0	517.5

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	170.0	495.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	40.0	88.5
Diabetes	30.0	77.5
Heart Disease	140.0	331.0
Homicide	15.0	25.5
Hypertension	25.0	35.5
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	45.0	93.0
Suicide	105.0	163.0
Unintentional Injury	110.0	184.0
Other	285.0	567.0
Total	1,157.5	2,300.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Brown County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	130.0	409.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	50.0	93.0
Diabetes	55.0	86.5
Heart Disease	100.0	201.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	140.0	182.0
Unintentional Injury	90.0	116.5
Other	132.5	244.5
Total	837.5	1,526.5

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	175.0	469.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	10.0	53.0
Heart Disease	60.0	226.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	30.0	51.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	50.0	71.0
Unintentional Injury	342.5	437.0
Other	327.5	518.5
Total	1,010.0	1,901.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Carver County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	320.0	782.5
Cirrhosis	70.0	117.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	25.0	52.0
Diabetes	5.0	26.5
Heart Disease	135.0	311.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	65.0	128.5
Suicide	125.0	177.5
Unintentional Injury	277.5	382.5
Other	247.5	465.0
Total	1,342.5	2,558.0

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	500.5
Cirrhosis	45.0	97.5
Congenital Anomalies	195.0	237.0
Chronic Lower Respiratory Disease	70.0	134.0
Diabetes	0.0	5.5
Heart Disease	110.0	281.0
Homicide	0.0	0.0
Hypertension	10.0	36.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	65.0
Suicide	35.0	45.5
Unintentional Injury	307.5	439.0
Other	172.5	348.5
Total	1,095.0	2,195.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Chippewa County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	40.0	130.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	5.5
Heart Disease	0.0	22.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	190.0	253.0
Other	105.0	168.5
Total	345.0	627.0

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	5.5
Cancer	255.0	644.0
Cirrhosis	25.0	35.5
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	30.0	99.5
Diabetes	5.0	32.0
Heart Disease	70.0	192.5
Homicide	0.0	0.0
Hypertension	10.0	31.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	42.0
Suicide	65.0	96.5
Unintentional Injury	220.0	330.5
Other	125.0	263.5
Total	937.5	1,927.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Clay County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	5.0	15.5
Cancer	280.0	658.5
Cirrhosis	85.0	137.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	55.0	118.5
Diabetes	20.0	46.5
Heart Disease	135.0	268.0
Homicide	70.0	91.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	10.0	31.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	100.0	163.0
Unintentional Injury	235.0	330.0
Other	252.5	427.5
Total	1,252.5	2,324.5

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	95.0
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	25.0	35.5
Heart Disease	25.0	95.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	35.0	45.5
Unintentional Injury	60.0	86.5
Other	60.0	97.5
Total	375.0	647.5

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75 by State and County, 2004

Cook County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	92.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	0.0
Heart Disease	50.0	76.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	5.0	21.0
Other	0.0	0.0
Total	110.0	216.0

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	87.5	162.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	0.0	0.0
Heart Disease	15.0	53.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	20.0	52.0
Suicide	0.0	0.0
Unintentional Injury	5.0	15.5
Other	40.0	87.5
Total	187.5	422.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Crow Wing County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	255.0	714.5
Cirrhosis	15.0	36.5
Congenital Anomalies	0.0	11.0
Chronic Lower Respiratory Disease	10.0	97.0
Diabetes	35.0	66.5
Heart Disease	220.0	528.0
Homicide	115.0	146.5
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	5.0	15.5
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	20.0	90.5
Suicide	220.0	330.5
Unintentional Injury	210.0	369.0
Other	182.5	387.0
Total	1,480.0	3,043.5

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	30.0	51.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	2,170.0	4,745.0
Cirrhosis	120.0	273.5
Congenital Anomalies	765.0	922.5
Chronic Lower Respiratory Disease	80.0	279.5
Diabetes	165.0	388.5
Heart Disease	892.5	1,773.0
Homicide	175.0	233.0
Hypertension	45.0	108.5
Nephritis	72.5	131.5
Perinatal Conditions	937.5	1,095.0
Pneumonia and Influenza	10.0	47.5
Septicemia	70.0	128.5
SIDS	62.5	73.0
Stroke	150.0	364.0
Suicide	925.0	1,298.0
Unintentional Injury	1,712.5	2,307.0
Other	1,447.5	2,552.5
Total	9,830.0	16,777.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Dodge County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	237.5	385.5
Cirrhosis	0.0	0.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	80.0	197.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	55.0	86.5
Other	10.0	42.0
Total	512.5	905.5

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	155.0	423.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	52.0
Diabetes	15.0	25.5
Heart Disease	120.0	273.5
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	25.0	73.0
Suicide	105.0	157.5
Unintentional Injury	260.0	355.0
Other	182.5	289.0
Total	1,095.0	1,935.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Faribault County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	105.0	270.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	80.0	191.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	10.0	31.0
Unintentional Injury	5.0	15.5
Other	65.0	107.5
Total	275.0	668.5

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	245.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	15.0	46.5
Heart Disease	40.0	109.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	25.5
Unintentional Injury	140.0	224.0
Other	115.0	226.0
Total	472.5	987.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Freeborn County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	5.0	21.0
Cancer	165.0	415.0
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	10.0	64.0
Diabetes	15.0	31.0
Heart Disease	120.0	291.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	55.0	65.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	11.0
Suicide	150.0	213.0
Unintentional Injury	260.0	349.5
Other	60.0	171.5
Total	985.0	1,825.0

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	15.0	25.5
Cancer	330.0	702.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	20.0	68.5
Diabetes	25.0	67.5
Heart Disease	100.0	265.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	63.0
Suicide	60.0	81.0
Unintentional Injury	460.0	628.0
Other	167.5	322.0
Total	1,327.5	2,422.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Grant County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	35.0	88.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	5.0	26.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	50.0	87.5
Total	90.0	230.0

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	640.0	934.0
Alzheimer's Disease	15.0	112.5
Atherosclerosis	0.0	5.5
Cancer	5,980.0	14,123.5
Cirrhosis	840.0	1,498.5
Congenital Anomalies	1,765.0	2,170.0
Chronic Lower Respiratory Disease	342.5	1,208.5
Diabetes	630.0	1,373.0
Heart Disease	3,122.5	6,411.5
Homicide	2,052.5	2,672.0
Hypertension	200.0	513.5
Nephritis	140.0	344.0
Perinatal Conditions	2,727.5	3,205.5
Pneumonia and Influenza	227.5	403.0
Septicemia	225.0	400.0
SIDS	125.0	146.0
Stroke	682.5	1,503.0
Suicide	2,190.0	3,120.5
Unintentional Injury	4,512.5	6,392.0
Other	5,712.5	10,170.0
Total	32,130.0	56,706.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Houston County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	105.0	249.0
Cirrhosis	30.0	51.0
Congenital Anomalies	70.0	91.0
Chronic Lower Respiratory Disease	15.0	25.5
Diabetes	5.0	15.5
Heart Disease	130.0	230.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	0.0	0.0
Unintentional Injury	220.0	309.5
Other	130.0	230.5
Total	787.5	1,344.0

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	165.0	385.0
Cirrhosis	0.0	11.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	0.0
Heart Disease	90.0	245.5
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	35.0	45.5
Unintentional Injury	210.0	273.0
Other	15.0	74.0
Total	570.0	1,159.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Isanti County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	150.0	415.0
Cirrhosis	15.0	25.5
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	25.0	41.0
Heart Disease	130.0	279.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	50.0	76.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	100.0	142.0
Unintentional Injury	300.0	405.0
Other	125.0	226.0
Total	935.0	1,709.5

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	5.0	15.5
Cancer	280.0	749.0
Cirrhosis	30.0	72.0
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	15.0	68.5
Diabetes	45.0	130.5
Heart Disease	200.0	434.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	31.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	55.0	86.5
Unintentional Injury	287.5	424.5
Other	275.0	536.0
Total	1,330.0	2,755.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Jackson County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	45.0	130.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	30.0	99.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	40.0	61.0
Unintentional Injury	0.0	0.0
Other	40.0	98.5
Total	222.5	500.0

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	296.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	31.0
Heart Disease	10.0	47.5
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	35.0	51.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	0.0	11.0
Suicide	70.0	91.0
Unintentional Injury	95.0	147.5
Other	5.0	21.0
Total	442.5	841.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Kandiyohi County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	200.0	457.0
Cirrhosis	0.0	0.0
Congenital Anomalies	117.5	159.5
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	5.0	21.0
Heart Disease	85.0	239.0
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	53.0
Suicide	140.0	182.0
Unintentional Injury	295.0	432.5
Other	145.0	314.5
Total	1,065.0	1,964.5

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	77.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	20.0	73.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	50.0	92.0
Other	0.0	5.5
Total	105.0	259.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Koochiching County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	120.0	274.5
Cirrhosis	5.0	15.5
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	35.0	66.5
Diabetes	20.0	41.0
Heart Disease	160.0	309.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	10.0	47.5
Suicide	55.0	86.5
Unintentional Injury	95.0	147.5
Other	127.5	201.5
Total	672.5	1,261.5

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	166.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	45.0	93.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	100.0	142.0
Other	100.0	143.0
Total	377.5	628.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Lake County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	127.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	36.5
Diabetes	0.0	0.0
Heart Disease	30.0	110.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	60.0	81.0
Unintentional Injury	180.0	222.0
Other	15.0	47.5
Total	417.5	749.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	62.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	10.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	0.0	0.0
Unintentional Injury	45.0	55.5
Other	30.0	51.0
Total	125.0	236.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Le Sueur County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	130.0	369.5
Cirrhosis	5.0	15.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	25.0	56.5
Heart Disease	20.0	106.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	26.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	75.0	106.5
Unintentional Injury	210.0	299.5
Other	85.0	201.5
Total	685.0	1,348.5

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	165.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	15.0	31.0
Heart Disease	15.0	57.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	0.0	0.0
Unintentional Injury	65.0	102.0
Other	85.0	154.0
Total	265.0	536.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Lyon County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	150.0	369.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	5.0	15.5
Heart Disease	45.0	141.5
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	45.5
Suicide	125.0	177.5
Unintentional Injury	125.0	177.5
Other	80.0	149.5
Total	672.5	1,237.0

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomen County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	62.0
Cirrhosis	0.0	5.5
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	15.5
Heart Disease	0.0	16.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	177.5	219.5
Other	30.0	62.0
Total	345.0	526.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Marshall County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	30.0	88.5
Cirrhosis	0.0	5.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	25.0	73.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	50.0	71.0
Unintentional Injury	0.0	0.0
Other	40.0	93.0
Total	217.5	446.0

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	20.0	95.0
Cirrhosis	20.0	41.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	5.0	15.5
Heart Disease	115.0	205.0
Homicide	5.0	15.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	75.0	106.5
Unintentional Injury	155.0	207.5
Other	25.0	46.5
Total	440.0	801.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

McLeod County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	150.0	352.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	22.0
Heart Disease	105.0	206.0
Homicide	90.0	111.0
Hypertension	0.0	5.5
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	10.0	36.5
SIDS	0.0	0.0
Stroke	25.0	52.0
Suicide	80.0	101.0
Unintentional Injury	50.0	92.0
Other	155.0	293.5
Total	757.5	1,438.5

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	177.5	358.5
Cirrhosis	5.0	21.0
Congenital Anomalies	160.0	191.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	145.0	271.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	35.5
Septicemia	5.0	21.0
SIDS	62.5	73.0
Stroke	0.0	11.0
Suicide	85.0	122.0
Unintentional Injury	380.0	527.0
Other	15.0	79.5
Total	1,060.0	1,728.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Mille Lacs County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	35.0	45.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	345.0
Cirrhosis	20.0	41.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	57.5
Diabetes	15.0	25.5
Heart Disease	145.0	278.0
Homicide	62.5	73.0
Hypertension	15.0	31.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	45.0	76.5
Unintentional Injury	352.5	473.5
Other	20.0	111.5
Total	870.0	1,641.0

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	200.0	439.5
Cirrhosis	0.0	11.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	27.5
Diabetes	30.0	62.0
Heart Disease	60.0	221.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	31.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	57.5
Suicide	65.0	96.5
Unintentional Injury	350.0	492.5
Other	10.0	75.0
Total	920.0	1,720.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Mower County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	285.0	657.5
Cirrhosis	0.0	0.0
Congenital Anomalies	92.5	124.0
Chronic Lower Respiratory Disease	30.0	104.0
Diabetes	25.0	46.5
Heart Disease	115.0	227.0
Homicide	45.0	55.5
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	5.0	15.5
Unintentional Injury	455.0	607.5
Other	90.0	223.5
Total	1,235.0	2,211.5

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	229.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	40.0	93.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	25.5
Unintentional Injury	160.0	213.0
Other	15.0	42.0
Total	392.5	728.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Nicollet County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	260.0	525.0
Cirrhosis	5.0	15.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	20.0	41.0
Heart Disease	40.0	98.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	135.0	187.5
Unintentional Injury	55.0	86.5
Other	145.0	246.0
Total	862.5	1,477.5

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	135.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	52.0
Diabetes	5.0	26.5
Heart Disease	150.0	272.5
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	15.0	25.5
Unintentional Injury	120.0	167.5
Other	65.0	145.0
Total	492.5	913.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Norman County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	119.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	21.0
Heart Disease	15.0	46.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	132.5	164.0
Other	30.0	67.5
Total	232.5	445.0

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	55.0	86.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	820.0	1,824.5
Cirrhosis	35.0	66.5
Congenital Anomalies	102.5	134.0
Chronic Lower Respiratory Disease	25.0	117.0
Diabetes	5.0	43.0
Heart Disease	270.0	658.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	22.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	62.5	78.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	40.0	125.0
Suicide	445.0	608.0
Unintentional Injury	792.5	1,076.5
Other	645.0	1,059.0
Total	3,422.5	6,067.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Otter Tail County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	245.0	705.5
Cirrhosis	55.0	107.5
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	25.0	89.5
Diabetes	65.0	128.5
Heart Disease	200.0	487.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	33.0
Septicemia	15.0	31.0
SIDS	125.0	146.0
Stroke	40.0	104.0
Suicide	215.0	288.5
Unintentional Injury	382.5	524.5
Other	257.5	490.5
Total	1,680.0	3,212.0

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	65.0	177.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	0.0
Heart Disease	20.0	63.0
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	15.0	31.0
Suicide	50.0	71.0
Unintentional Injury	65.0	96.5
Other	50.0	151.5
Total	390.0	752.5

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75 by State and County, 2004

Pine County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	190.0	504.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	22.0
Heart Disease	175.0	398.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	20.0	68.5
Suicide	210.0	294.0
Unintentional Injury	130.0	193.0
Other	232.5	365.5
Total	1,117.5	2,086.0

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	143.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	40.0	61.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	70.0	96.5
Unintentional Injury	130.0	172.0
Other	45.0	98.5
Total	390.0	634.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Polk County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	110.0	281.0
Cirrhosis	50.0	71.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	47.5
Diabetes	5.0	26.5
Heart Disease	50.0	135.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	62.5	73.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	11.0
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	15.0	25.5
Unintentional Injury	200.0	263.0
Other	170.0	373.0
Total	745.0	1,421.5

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	130.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	62.5	78.5
Diabetes	15.0	25.5
Heart Disease	15.0	58.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	100.0	121.0
Unintentional Injury	185.0	243.0
Other	60.0	114.0
Total	482.5	771.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Ramsey County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	105.0	157.5
Alzheimer's Disease	5.0	37.5
Atherosclerosis	5.0	21.0
Cancer	2,840.0	6,808.5
Cirrhosis	450.0	804.5
Congenital Anomalies	747.5	926.5
Chronic Lower Respiratory Disease	300.0	815.0
Diabetes	430.0	935.5
Heart Disease	1,535.0	3,152.0
Homicide	752.5	968.0
Hypertension	5.0	43.0
Nephritis	207.5	406.0
Perinatal Conditions	1,117.5	1,306.5
Pneumonia and Influenza	90.0	164.0
Septicemia	222.5	398.5
SIDS	62.5	73.0
Stroke	572.5	1,164.5
Suicide	1,010.0	1,477.5
Unintentional Injury	2,242.5	3,179.5
Other	2,400.0	4,466.0
Total	15,100.0	27,304.5

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	47.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	5.0	26.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	35.0	45.5
Unintentional Injury	45.0	61.0
Other	60.0	97.5
Total	185.0	334.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Redwood County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	241.0
Cirrhosis	40.0	61.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	25.0	35.5
Heart Disease	5.0	37.5
Homicide	15.0	25.5
Hypertension	0.0	5.5
Nephritis	25.0	35.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	80.0	101.0
Unintentional Injury	55.0	92.0
Other	30.0	56.5
Total	360.0	738.5

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	137.5	293.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	20.0	46.5
Heart Disease	75.0	171.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	5.0	32.0
Suicide	0.0	0.0
Unintentional Injury	90.0	143.0
Other	192.5	304.5
Total	645.0	1,153.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Rice County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	30.0	51.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	5.0	15.5
Cancer	347.5	782.5
Cirrhosis	30.0	56.5
Congenital Anomalies	117.5	165.0
Chronic Lower Respiratory Disease	15.0	63.0
Diabetes	10.0	42.0
Heart Disease	160.0	383.0
Homicide	0.0	5.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	5.0	21.0
Septicemia	15.0	36.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	175.0	248.5
Unintentional Injury	112.5	165.0
Other	200.0	385.5
Total	1,410.0	2,645.0

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	68.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	10.0	64.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	195.0	247.5
Other	15.0	36.5
Total	245.0	437.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Roseau County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	140.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	45.0	82.0
Heart Disease	60.0	145.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	25.0	35.5
Suicide	105.0	136.5
Unintentional Injury	105.0	157.5
Other	25.0	73.0
Total	550.0	942.5

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	16.5
Atherosclerosis	0.0	0.0
Cancer	435.0	1,024.0
Cirrhosis	35.0	66.5
Congenital Anomalies	187.5	219.0
Chronic Lower Respiratory Disease	15.0	85.0
Diabetes	35.0	88.5
Heart Disease	175.0	408.5
Homicide	0.0	5.5
Hypertension	0.0	5.5
Nephritis	10.0	42.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	30.0	78.5
Suicide	150.0	218.5
Unintentional Injury	537.5	711.0
Other	402.5	678.0
Total	2,075.0	3,725.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Sherburne County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	395.0	815.0
Cirrhosis	5.0	15.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	54.0
Diabetes	30.0	84.0
Heart Disease	225.0	447.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	30.0	56.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	15.0	47.5
Suicide	275.0	375.0
Unintentional Injury	697.5	934.0
Other	150.0	309.0
Total	2,145.0	3,535.0

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	250.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	25.5
Heart Disease	55.0	118.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	0.0	5.5
Unintentional Injury	20.0	46.5
Other	110.0	168.5
Total	295.0	663.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

St. Louis County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	35.0	51.0
Alzheimer's Disease	20.0	68.5
Atherosclerosis	0.0	11.0
Cancer	1,197.5	3,005.0
Cirrhosis	220.0	410.0
Congenital Anomalies	362.5	462.5
Chronic Lower Respiratory Disease	50.0	309.0
Diabetes	165.0	362.0
Heart Disease	765.0	1,862.5
Homicide	35.0	45.5
Hypertension	10.0	47.5
Nephritis	15.0	46.5
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	5.0	32.0
Septicemia	95.0	158.5
SIDS	62.5	73.0
Stroke	45.0	184.5
Suicide	545.0	786.5
Unintentional Injury	1,160.0	1,729.0
Other	1,150.0	2,190.5
Total	6,250.0	12,200.0

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	597.5	1,386.5
Cirrhosis	60.0	92.0
Congenital Anomalies	10.0	31.0
Chronic Lower Respiratory Disease	85.0	202.5
Diabetes	45.0	98.5
Heart Disease	542.5	1,025.5
Homicide	35.0	45.5
Hypertension	0.0	22.0
Nephritis	5.0	21.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	65.0	102.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	70.0	155.0
Suicide	445.0	581.5
Unintentional Injury	927.5	1,285.5
Other	550.0	969.0
Total	3,630.0	6,257.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Steele County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	190.0	451.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	0.0	5.5
Heart Disease	30.0	105.0
Homicide	0.0	0.0
Hypertension	25.0	52.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	60.0	81.0
Unintentional Injury	262.5	352.5
Other	70.0	156.0
Total	715.0	1,329.5

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	63.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	15.5
Heart Disease	5.0	15.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	0.0	0.0
Unintentional Injury	15.0	25.5
Other	0.0	0.0
Total	65.0	160.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Swift County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	140.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	0.0	0.0
Heart Disease	10.0	64.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	45.0	55.5
Other	35.0	45.5
Total	197.5	410.5

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	190.0	493.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	41.0
Diabetes	15.0	68.5
Heart Disease	70.0	182.5
Homicide	0.0	0.0
Hypertension	5.0	26.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	56.5
Suicide	20.0	41.0
Unintentional Injury	315.0	420.5
Other	60.0	134.0
Total	740.0	1,511.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Traverse County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	129.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	45.0	55.5
Other	0.0	0.0
Total	95.0	201.5

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	140.0	343.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	21.0
Chronic Lower Respiratory Disease	35.0	83.0
Diabetes	40.0	72.0
Heart Disease	55.0	188.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	62.5	84.0
Suicide	50.0	71.0
Unintentional Injury	247.5	305.5
Other	10.0	53.0
Total	645.0	1,220.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Wadena County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	95.0	219.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	5.5
Heart Disease	25.0	143.5
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	0.0	0.0
Unintentional Injury	25.0	41.0
Other	110.0	200.5
Total	395.0	818.5

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	160.0	341.0
Cirrhosis	5.0	21.0
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	85.0	191.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	50.0	71.0
Suicide	0.0	5.5
Unintentional Injury	45.0	61.0
Other	85.0	158.5
Total	685.0	1,173.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Washington County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	36.5
Atherosclerosis	0.0	0.0
Cancer	900.0	2,139.5
Cirrhosis	85.0	148.5
Congenital Anomalies	190.0	242.5
Chronic Lower Respiratory Disease	85.0	213.5
Diabetes	85.0	250.0
Heart Disease	537.5	1,097.0
Homicide	142.5	174.0
Hypertension	5.0	26.5
Nephritis	20.0	68.5
Perinatal Conditions	437.5	511.0
Pneumonia and Influenza	25.0	52.0
Septicemia	45.0	82.0
SIDS	125.0	146.0
Stroke	35.0	88.5
Suicide	460.0	628.0
Unintentional Injury	920.0	1,356.5
Other	822.5	1,450.0
Total	4,935.0	8,710.5

Source: Minnesota Department of Health, Center for Health Statistics

Watsonwan County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	126.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	0.0	11.0
Heart Disease	50.0	108.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	45.0	55.5
Other	0.0	11.0
Total	217.5	431.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Wilkin County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	67.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	0.0	0.0
Heart Disease	10.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	45.0	55.5
Unintentional Injury	45.0	55.5
Other	30.0	62.0
Total	222.5	376.5

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	330.0	729.5
Cirrhosis	10.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	68.5
Diabetes	5.0	26.5
Heart Disease	140.0	288.0
Homicide	105.0	136.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	180.0	211.5
Pneumonia and Influenza	25.0	35.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	72.0
Suicide	110.0	173.0
Unintentional Injury	90.0	137.5
Other	55.0	130.5
Total	1,100.0	2,051.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

Wright County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	482.5	1,056.0
Cirrhosis	45.0	76.5
Congenital Anomalies	227.5	301.0
Chronic Lower Respiratory Disease	25.0	85.0
Diabetes	35.0	77.5
Heart Disease	320.0	698.5
Homicide	70.0	91.0
Hypertension	15.0	31.0
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	20.0	41.0
Suicide	240.0	345.0
Unintentional Injury	637.5	900.5
Other	400.0	628.0
Total	2,797.5	4,685.0

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - YPLL to Age 65 and 75, 2004

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	142.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	55.0	92.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	105.0	136.5
Unintentional Injury	60.0	81.0
Other	25.0	41.0
Total	305.0	546.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Years of Potential Life Lost to Age 65 & 75
by State and County, 2004**

ICD-10 Codes on Page C-90

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2004

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	185	1,674	1,859	29	102	131	44	478	522
Aitkin	0	10	10	0	0	0	0	0	0
Anoka	14	91	105	2	6	8	1	25	26
Becker	1	10	11	0	1	1	1	8	9
Beltrami	2	24	26	1	0	1	5	5	10
Benton	0	13	13	0	0	0	0	5	5
Big Stone	0	5	5	0	0	0	1	2	3
Blue Earth	0	12	12	0	1	1	0	6	6
Brown	1	13	14	0	0	0	0	4	4
Carlton	2	13	15	0	0	0	0	2	2
Carver	1	20	21	0	0	0	0	5	5
Cass	2	11	13	0	0	0	0	2	2
Chippewa	2	9	11	0	0	0	0	0	0
Chisago	0	16	16	0	0	0	0	3	3
Clay	2	12	14	0	2	2	0	6	6
Clearwater	0	4	4	0	0	0	0	1	1
Cook	0	2	2	0	0	0	0	0	0
Cottonwood	0	8	8	0	0	0	0	0	0
Crow Wing	0	36	36	1	2	3	0	13	13
Dakota	17	86	103	1	5	6	3	35	38
Dodge	0	5	5	0	0	0	0	0	0
Douglas	1	14	15	0	1	1	0	6	6
Faribault	0	5	5	0	0	0	0	2	2
Fillmore	0	13	13	0	0	0	0	1	1
Freeborn	3	12	15	0	0	0	0	8	8
Goodhue	3	27	30	0	0	0	0	2	2
Grant	0	0	0	0	0	0	0	0	0
Hennepin	21	360	381	8	51	59	8	88	96
Houston	2	14	16	0	0	0	0	0	0
Hubbard	2	8	10	0	1	1	0	1	1
Isanti	2	12	14	0	0	0	0	4	4
Itasca	1	18	19	0	0	0	0	3	3
Jackson	0	5	5	0	0	0	0	2	2
Kanabec	0	5	5	1	0	1	0	2	2
Kandiyohi	2	23	25	1	0	1	1	3	4
Kittson	0	6	6	0	0	0	0	1	1
Koochiching	1	4	5	0	0	0	0	3	3
Lac Qui Parle	0	7	7	0	0	0	0	0	0
Lake	3	1	4	0	0	0	1	1	2
Lake of the Woods	1	0	1	0	0	0	0	0	0
Le Sueur	1	10	11	0	0	0	0	3	3
Lincoln	0	7	7	0	0	0	0	0	0
Lyon	1	9	10	0	1	1	0	5	5
McLeod	0	16	16	1	1	2	0	2	2
Mahnomen	2	2	4	0	0	0	0	0	0
Marshall	0	2	2	0	0	0	1	1	2
Martin	1	6	7	0	1	1	0	3	3
Meeker	2	16	18	0	0	0	0	4	4
Mille Lacs	5	9	14	1	0	1	0	3	3
Morrison	3	17	20	0	1	1	0	3	3

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2004

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	185	1,674	1,859	29	102	131	44	478	522
Mower	5	19	24	0	1	1	0	1	1
Murray	2	6	8	0	0	0	0	1	1
Nicollet	1	5	6	0	0	0	0	6	6
Nobles	1	6	7	1	0	1	0	2	2
Norman	1	3	4	0	0	0	0	0	0
Olmsted	6	39	45	0	0	0	3	16	19
Otter Tail	2	18	20	0	0	0	1	7	8
Pennington	1	2	3	1	0	1	0	2	2
Pine	1	9	10	0	1	1	0	9	9
Pipestone	1	6	7	0	0	0	1	2	3
Polk	2	7	9	0	0	0	0	1	1
Pope	2	6	8	0	0	0	1	1	2
Ramsey	11	134	145	7	14	21	3	47	50
Red Lake	1	2	3	0	0	0	0	2	2
Redwood	0	6	6	0	1	1	1	1	2
Renville	1	10	11	0	0	0	0	0	0
Rice	1	15	16	0	1	1	2	5	7
Rock	1	4	5	0	0	0	0	1	1
Roseau	0	7	7	0	0	0	0	3	3
St. Louis	5	91	96	0	1	1	2	23	25
Scott	6	18	24	0	1	1	0	10	10
Sherburne	7	23	30	0	0	0	2	8	10
Sibley	0	3	3	0	0	0	0	1	1
Stearns	7	40	47	0	2	2	1	15	16
Steele	5	15	20	0	0	0	0	3	3
Stevens	0	2	2	0	0	0	0	0	0
Swift	1	1	2	0	0	0	0	0	0
Todd	0	15	15	0	0	0	0	2	2
Traverse	0	1	1	0	0	0	0	0	0
Wabasha	3	8	11	0	0	0	0	2	2
Wadena	0	4	4	1	0	1	0	0	0
Waseca	1	4	5	0	0	0	0	1	1
Washington	5	56	61	1	2	3	3	14	17
Watowan	1	3	4	0	0	0	0	0	0
Wilkin	0	1	1	0	0	0	1	0	1
Winona	0	14	14	1	2	3	0	6	6
Wright	3	38	41	0	2	2	0	10	10
Yellow Medicine	0	5	5	0	0	0	1	2	3

Source: Minnesota Department of Health, Center for Health Statistics

ICD-10 Codes:

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2004

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	3	543	546	111	499	610	8	31	39
Aitkin	0	0	0	0	5	5	0	0	0
Anoka	0	32	32	7	24	31	2	4	6
Becker	0	2	2	1	3	4	0	1	1
Beltrami	0	4	4	1	11	12	0	0	0
Benton	0	3	3	0	3	3	0	0	0
Big Stone	0	1	1	0	2	2	0	0	0
Blue Earth	0	1	1	0	5	5	0	0	0
Brown	0	4	4	1	2	3	0	0	0
Carlton	0	1	1	1	5	6	0	2	2
Carver	0	11	11	0	5	5	0	0	0
Cass	0	1	1	0	6	6	0	1	1
Chippewa	0	3	3	0	3	3	0	0	0
Chisago	0	5	5	0	7	7	0	0	0
Clay	0	2	2	2	3	5	0	0	0
Clearwater	0	0	0	0	2	2	0	0	0
Cook	0	0	0	0	1	1	0	0	0
Cottonwood	0	5	5	0	1	1	0	0	0
Crow Wing	0	18	18	0	11	11	0	0	0
Dakota	0	31	31	11	22	33	2	2	4
Dodge	0	1	1	0	4	4	0	0	0
Douglas	0	1	1	1	6	7	0	0	0
Faribault	0	1	1	0	2	2	0	0	0
Fillmore	0	7	7	0	4	4	0	0	0
Freeborn	0	4	4	3	6	9	0	0	0
Goodhue	0	11	11	2	8	10	0	1	1
Grant	0	0	0	0	0	0	0	0	0
Hennepin	0	190	190	6	57	63	1	8	9
Houston	0	6	6	1	4	5	0	1	1
Hubbard	0	4	4	1	3	4	0	0	0
Isanti	0	3	3	2	6	8	0	0	0
Itasca	0	6	6	0	10	10	0	0	0
Jackson	0	2	2	0	1	1	0	0	0
Kanabec	0	1	1	0	4	4	0	0	0
Kandiyohi	0	5	5	1	7	8	0	0	0
Kittson	0	0	0	0	3	3	0	0	0
Koochiching	0	1	1	1	3	4	0	0	0
Lac Qui Parle	0	1	1	0	2	2	0	0	0
Lake	1	0	1	2	1	3	0	0	0
Lake of the Woods	0	0	0	1	0	1	0	0	0
Le Sueur	0	2	2	0	5	5	0	1	1
Lincoln	0	2	2	0	3	3	0	0	0
Lyon	0	4	4	1	3	4	0	0	0
McLeod	0	7	7	0	3	3	0	0	0
Mahnomen	0	0	0	2	2	4	0	0	0
Marshall	0	1	1	0	1	1	0	0	0
Martin	0	1	1	1	2	3	0	1	1
Meeker	0	1	1	2	9	11	0	0	0
Mille Lacs	0	3	3	2	3	5	0	0	0
Morrison	1	2	3	1	6	7	0	0	0

**Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries
in Minnesota by State and County, 2004**

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	3	543	546	111	499	610	8	31	39
Mower	0	8	8	3	5	8	0	0	0
Murray	0	0	0	1	3	4	0	0	0
Nicollet	0	2	2	1	0	1	0	0	0
Nobles	0	0	0	1	6	7	0	0	0
Norman	0	0	0	0	3	3	0	0	0
Olmsted	1	15	16	2	7	9	0	2	2
Otter Tail	0	1	1	2	10	12	0	0	0
Pennington	0	0	0	1	0	1	0	0	0
Pine	0	2	2	1	4	5	0	0	0
Pipestone	0	0	0	0	3	3	0	0	0
Polk	0	1	1	2	2	4	0	0	0
Pope	0	1	1	2	4	6	0	1	1
Ramsey	0	28	28	7	29	36	1	3	4
Red Lake	0	1	1	1	1	2	0	0	0
Redwood	0	2	2	0	1	1	0	0	0
Renville	0	1	1	1	5	6	0	0	0
Rice	0	6	6	1	5	6	0	0	0
Rock	0	0	0	1	2	3	0	0	0
Roseau	0	0	0	0	2	2	0	0	0
St. Louis	0	19	19	4	23	27	1	1	2
Scott	0	4	4	3	10	13	0	0	0
Sherburne	0	3	3	4	9	13	0	0	0
Sibley	0	0	0	0	0	0	0	0	0
Stearns	0	12	12	6	18	24	0	0	0
Steele	0	5	5	3	3	6	0	0	0
Stevens	0	1	1	0	0	0	0	0	0
Swift	0	0	0	1	1	2	0	0	0
Todd	0	1	1	0	10	10	0	0	0
Traverse	0	0	0	0	1	1	0	0	0
Wabasha	0	2	2	0	2	2	0	0	0
Wadena	0	2	2	0	2	2	0	0	0
Waseca	0	2	2	1	1	2	0	0	0
Washington	0	15	15	4	19	23	1	0	1
Watonwan	0	0	0	1	0	1	0	1	1
Wilkin	0	0	0	0	1	1	0	0	0
Winona	0	6	6	0	4	4	0	1	1
Wright	0	11	11	3	12	15	0	0	0
Yellow Medicine	0	1	1	0	2	2	0	0	0

Source: Minnesota Department of Health Center for Health Statistics

ICD-10 Codes:

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2000-2002**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	20	0.1%	2,054	15.5%	1,290	9.2%	1,436	10.8%
Aitkin	0	0.0%	6	9.1%	6	7.7%	6	9.1%
Anoka	0	0.0%	111	17.4%	60	9.9%	70	11.0%
Becker	0	0.0%	6	7.3%	10	8.5%	10	12.2%
Beltrami	0	0.0%	12	11.8%	12	10.5%	11	10.8%
Benton	0	0.0%	20	23.5%	8	8.4%	6	7.1%
Big Stone	0	0.0%	5	13.9%	6	15.0%	4	11.1%
Blue Earth	0	0.0%	28	18.3%	7	4.6%	16	10.5%
Brown	0	0.0%	7	8.3%	10	9.1%	14	16.7%
Carlton	0	0.0%	17	16.0%	8	7.7%	5	4.7%
Carver	2	1.9%	17	15.2%	12	11.7%	15	13.4%
Cass	0	0.0%	9	8.8%	10	8.4%	14	13.7%
Chippewa	0	0.0%	4	9.1%	6	9.4%	7	15.9%
Chisago	2	1.5%	17	15.9%	19	13.9%	12	11.2%
Clay	0	0.0%	12	8.9%	10	7.2%	16	11.9%
Clearwater	0	0.0%	3	12.0%	5	11.6%	3	12.0%
Cook	0	0.0%	2	10.5%	2	10.0%	1	5.3%
Cottonwood	0	0.0%	9	17.6%	9	21.4%	6	11.8%
Crow Wing	0	0.0%	28	15.5%	11	5.5%	19	10.5%
Dakota	0	0.0%	126	19.1%	65	9.6%	59	8.9%
Dodge	0	0.0%	7	17.1%	5	12.8%	3	7.3%
Douglas	0	0.0%	16	14.0%	15	12.2%	17	14.9%
Faribault	0	0.0%	8	11.4%	8	13.3%	11	15.7%
Fillmore	0	0.0%	10	14.5%	5	5.9%	9	13.0%
Freeborn	0	0.0%	19	16.8%	11	9.2%	13	11.5%
Goodhue	0	0.0%	23	16.7%	10	7.3%	24	17.4%
Grant	0	0.0%	0	0.0%	3	12.5%	7	30.4%
Hennepin	2	0.1%	458	15.4%	244	8.8%	274	9.2%
Houston	0	0.0%	4	8.9%	5	7.0%	6	13.3%
Hubbard	0	0.0%	9	16.1%	10	14.3%	5	8.9%
Isanti	0	0.0%	8	11.9%	5	6.4%	9	13.4%
Itasca	1	0.5%	24	14.5%	14	6.7%	21	12.7%
Jackson	0	0.0%	5	11.6%	7	13.2%	6	14.0%
Kanabec	0	0.0%	7	12.7%	6	13.3%	11	20.0%
Kandiyohi	0	0.0%	27	21.4%	10	7.5%	12	9.5%
Kittson	0	0.0%	4	21.1%	4	19.0%	4	21.1%
Koochiching	1	1.5%	8	16.0%	6	9.2%	7	14.0%
Lac Qui Parle	0	0.0%	3	10.3%	2	5.0%	7	24.1%
Lake	0	0.0%	6	16.2%	6	10.9%	6	16.2%
Lake of the Woods	0	0.0%	1	7.7%	0	0.0%	1	7.7%
Le Sueur	1	0.9%	12	15.8%	7	6.5%	11	14.5%
Lincoln	0	0.0%	1	3.4%	3	8.1%	5	17.2%
Lyon	0	0.0%	8	12.9%	8	9.5%	8	12.9%
McLeod	0	0.0%	8	10.7%	11	10.5%	9	12.0%
Mahnomen	0	0.0%	2	12.5%	1	3.4%	1	6.3%
Marshall	1	2.5%	8	20.0%	5	12.5%	5	12.5%
Martin	0	0.0%	16	16.3%	6	6.1%	11	11.2%
Meeker	0	0.0%	12	14.8%	7	8.1%	10	12.3%
Mille Lacs	0	0.0%	8	10.8%	8	9.2%	6	8.1%
Morrison	0	0.0%	7	6.8%	15	11.9%	14	13.6%

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2000-2002**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	20	0.1%	2,054	15.5%	1,290	9.2%	1,436	10.8%
Mower	0	0.0%	23	14.5%	11	7.6%	12	7.5%
Murray	0	0.0%	10	30.3%	5	11.4%	4	12.1%
Nicollet	0	0.0%	19	23.5%	8	9.6%	11	13.6%
Nobles	0	0.0%	15	20.8%	5	7.1%	17	23.6%
Norman	0	0.0%	6	18.2%	1	3.4%	7	21.2%
Olmsted	0	0.0%	46	17.0%	34	10.3%	28	10.3%
Otter Tail	2	0.7%	29	14.6%	31	11.6%	30	15.1%
Pennington	0	0.0%	6	14.6%	4	7.4%	3	7.3%
Pine	0	0.0%	9	11.4%	8	7.8%	9	11.4%
Pipestone	0	0.0%	3	6.8%	5	12.8%	6	13.6%
Polk	0	0.0%	26	23.6%	16	13.7%	13	11.8%
Pope	0	0.0%	6	14.6%	5	8.9%	3	7.3%
Ramsey	3	0.2%	222	15.1%	104	7.6%	147	10.0%
Red Lake	0	0.0%	1	10.0%	4	28.6%	0	0.0%
Redwood	0	0.0%	12	17.9%	8	10.7%	12	17.9%
Renville	0	0.0%	8	13.1%	9	10.3%	12	19.7%
Rice	0	0.0%	17	12.3%	14	8.0%	27	19.6%
Rock	0	0.0%	10	23.8%	0	0.0%	3	7.1%
Roseau	0	0.0%	8	23.5%	7	12.3%	4	11.8%
St. Louis	2	0.2%	114	16.2%	74	9.1%	68	9.7%
Scott	0	0.0%	21	14.5%	14	8.7%	14	9.7%
Sherburne	0	0.0%	23	17.3%	15	10.9%	8	6.0%
Sibley	1	1.5%	8	20.5%	12	17.6%	6	15.4%
Stearns	1	0.3%	41	14.8%	26	7.5%	29	10.5%
Steele	0	0.0%	20	21.5%	10	10.1%	7	7.5%
Stevens	0	0.0%	2	5.9%	3	9.4%	3	8.8%
Swift	0	0.0%	6	15.4%	5	9.8%	6	15.4%
Todd	0	0.0%	16	20.8%	9	10.5%	9	11.7%
Traverse	0	0.0%	7	25.0%	5	26.3%	5	17.9%
Wabasha	0	0.0%	7	9.9%	11	14.5%	8	11.3%
Wadena	0	0.0%	8	13.8%	5	8.3%	7	12.1%
Waseca	0	0.0%	10	19.2%	6	8.1%	3	5.8%
Washington	1	0.2%	60	15.3%	32	7.6%	41	10.4%
Watonwan	0	0.0%	4	7.8%	8	25.8%	5	9.8%
Wilkin	0	0.0%	2	6.7%	4	14.3%	6	20.0%
Winona	0	0.0%	28	21.5%	16	9.6%	14	10.8%
Wright	0	0.0%	28	15.3%	28	14.7%	18	9.8%
Yellow Medicine	0	0.0%	5	11.6%	5	10.4%	4	9.3%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2000, 2001 and 2002.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Breast C50.0 - C50.6, C50.8 - C50.9
 Colon and Rectum C18 - C20, C26.0

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2000-2002**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,748	26.7%	3,033	22.9%	1,797	12.8%	0	0.0%
Aitkin	24	30.8%	23	34.8%	7	9.0%	0	0.0%
Anoka	180	29.8%	186	29.2%	56	9.3%	0	0.0%
Becker	38	32.5%	19	23.2%	18	15.4%	0	0.0%
Beltrami	37	32.5%	26	25.5%	12	10.5%	0	0.0%
Benton	24	25.3%	11	12.9%	16	16.8%	0	0.0%
Big Stone	14	35.0%	6	16.7%	4	10.0%	0	0.0%
Blue Earth	31	20.5%	23	15.0%	19	12.6%	0	0.0%
Brown	20	18.2%	10	11.9%	17	15.5%	0	0.0%
Carlton	26	25.0%	19	17.9%	14	13.5%	0	0.0%
Carver	21	20.4%	22	19.6%	17	16.5%	0	0.0%
Cass	33	27.7%	19	18.6%	11	9.2%	0	0.0%
Chippewa	19	29.7%	7	15.9%	14	21.9%	0	0.0%
Chisago	38	27.7%	19	17.8%	10	7.3%	0	0.0%
Clay	42	30.4%	29	21.5%	22	15.9%	0	0.0%
Clearwater	13	30.2%	9	36.0%	15	34.9%	0	0.0%
Cook	6	30.0%	7	36.8%	2	10.0%	0	0.0%
Cottonwood	9	21.4%	8	15.7%	7	16.7%	0	0.0%
Crow Wing	65	32.5%	39	21.5%	28	14.0%	0	0.0%
Dakota	169	25.1%	162	24.5%	64	9.5%	0	0.0%
Dodge	10	25.6%	6	14.6%	5	12.8%	0	0.0%
Douglas	37	30.1%	23	20.2%	14	11.4%	0	0.0%
Faribault	14	23.3%	16	22.9%	8	13.3%	0	0.0%
Fillmore	25	29.4%	11	15.9%	15	17.6%	0	0.0%
Freeborn	36	30.3%	17	15.0%	9	7.6%	0	0.0%
Goodhue	34	24.8%	23	16.7%	20	14.6%	0	0.0%
Grant	3	12.5%	8	34.8%	5	20.8%	0	0.0%
Hennepin	731	26.3%	747	25.1%	330	11.9%	0	0.0%
Houston	16	22.5%	11	24.4%	17	23.9%	0	0.0%
Hubbard	15	21.4%	12	21.4%	11	15.7%	0	0.0%
Isanti	15	19.2%	12	17.9%	11	14.1%	0	0.0%
Itasca	63	30.3%	43	25.9%	35	16.8%	0	0.0%
Jackson	8	15.1%	10	23.3%	10	18.9%	0	0.0%
Kanabec	19	42.2%	10	18.2%	6	13.3%	0	0.0%
Kandiyohi	30	22.4%	19	15.1%	29	21.6%	0	0.0%
Kittson	8	38.1%	5	26.3%	3	14.3%	0	0.0%
Koochiching	16	24.6%	9	18.0%	8	12.3%	0	0.0%
Lac Qui Parle	9	22.5%	1	3.4%	6	15.0%	0	0.0%
Lake	21	38.2%	10	27.0%	7	12.7%	0	0.0%
Lake of the Woods	4	21.1%	7	53.8%	4	21.1%	0	0.0%
Le Sueur	38	35.2%	17	22.4%	9	8.3%	0	0.0%
Lincoln	12	32.4%	5	17.2%	6	16.2%	0	0.0%
Lyon	27	32.1%	16	25.8%	14	16.7%	0	0.0%
McLeod	16	15.2%	11	14.7%	11	10.5%	0	0.0%
Mahnomen	2	6.9%	4	25.0%	8	27.6%	0	0.0%
Marshall	8	20.0%	6	15.0%	6	15.0%	0	0.0%
Martin	34	34.3%	18	18.4%	13	13.1%	0	0.0%
Meeker	26	30.2%	15	18.5%	15	17.4%	0	0.0%
Mille Lacs	29	33.3%	20	27.0%	16	18.4%	0	0.0%
Morrison	26	20.6%	19	18.4%	13	10.3%	0	0.0%

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2000-2002**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,748	26.7%	3,033	22.9%	1,797	12.8%	0	0.0%
Mower	44	30.3%	39	24.5%	18	12.4%	0	0.0%
Murray	14	31.8%	4	12.1%	7	15.9%	0	0.0%
Nicollet	19	22.9%	16	19.8%	12	14.5%	0	0.0%
Nobles	15	21.4%	10	13.9%	14	20.0%	0	0.0%
Norman	6	20.7%	4	12.1%	7	24.1%	0	0.0%
Olmsted	92	27.8%	57	21.0%	32	9.7%	0	0.0%
Otter Tail	66	24.7%	37	18.6%	36	13.5%	0	0.0%
Pennington	10	18.5%	5	12.2%	7	13.0%	0	0.0%
Pine	30	29.1%	24	30.4%	13	12.6%	0	0.0%
Pipestone	5	12.8%	6	13.6%	8	20.5%	0	0.0%
Polk	36	30.8%	23	20.9%	18	15.4%	0	0.0%
Pope	16	28.6%	6	14.6%	8	14.3%	0	0.0%
Ramsey	409	29.7%	370	25.2%	159	11.6%	0	0.0%
Red Lake	4	28.6%	3	30.0%	1	7.1%	0	0.0%
Redwood	18	24.0%	11	16.4%	10	13.3%	0	0.0%
Renville	12	13.8%	12	19.7%	20	23.0%	0	0.0%
Rice	42	24.1%	25	18.1%	25	14.4%	0	0.0%
Rock	11	25.0%	8	19.0%	6	13.6%	0	0.0%
Roseau	14	24.6%	3	8.8%	6	10.5%	0	0.0%
St. Louis	210	25.9%	152	21.7%	110	13.5%	0	0.0%
Scott	43	26.7%	40	27.6%	18	11.2%	0	0.0%
Sherburne	40	29.0%	32	24.1%	13	9.4%	0	0.0%
Sibley	8	11.8%	5	12.8%	9	13.2%	0	0.0%
Stearns	88	25.5%	53	19.1%	51	14.8%	0	0.0%
Steele	21	21.2%	21	22.6%	15	15.2%	0	0.0%
Stevens	8	25.0%	7	20.6%	5	15.6%	0	0.0%
Swift	19	37.3%	7	17.9%	3	5.9%	0	0.0%
Todd	23	26.7%	14	18.2%	9	10.5%	0	0.0%
Traverse	3	15.8%	4	14.3%	4	21.1%	0	0.0%
Wabasha	17	22.4%	19	26.8%	9	11.8%	0	0.0%
Wadena	11	18.3%	14	24.1%	13	21.7%	0	0.0%
Waseca	16	21.6%	9	17.3%	6	8.1%	0	0.0%
Washington	119	28.4%	103	26.2%	50	11.9%	0	0.0%
Watsonwan	6	19.4%	9	17.6%	7	22.6%	0	0.0%
Wilkin	7	25.0%	12	40.0%	3	10.7%	0	0.0%
Winona	46	27.7%	33	25.4%	17	10.2%	0	0.0%
Wright	49	25.8%	50	27.3%	20	10.5%	0	0.0%
Yellow Medicine	10	20.8%	11	25.6%	11	22.9%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2000, 2001 and 2002.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2000-2002**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,194	51.2%	6,731	50.8%	14,049	100%	13,254	100%
Aitkin	41	52.6%	31	47.0%	78	100%	66	100%
Anoka	309	51.1%	271	42.5%	605	100%	638	100%
Becker	51	43.6%	47	57.3%	117	100%	82	100%
Beltrami	53	46.5%	53	52.0%	114	100%	102	100%
Benton	47	49.5%	48	56.5%	95	100%	85	100%
Big Stone	16	40.0%	21	58.3%	40	100%	36	100%
Blue Earth	94	62.3%	86	56.2%	151	100%	153	100%
Brown	63	57.3%	53	63.1%	110	100%	84	100%
Carlton	56	53.8%	65	61.3%	104	100%	106	100%
Carver	51	49.5%	58	51.8%	103	100%	112	100%
Cass	65	54.6%	60	58.8%	119	100%	102	100%
Chippewa	25	39.1%	26	59.1%	64	100%	44	100%
Chisago	68	49.6%	59	55.1%	137	100%	107	100%
Clay	64	46.4%	78	57.8%	138	100%	135	100%
Clearwater	10	23.3%	10	40.0%	43	100%	25	100%
Cook	10	50.0%	9	47.4%	20	100%	19	100%
Cottonwood	17	40.5%	28	54.9%	42	100%	51	100%
Crow Wing	96	48.0%	95	52.5%	200	100%	181	100%
Dakota	376	55.8%	314	47.5%	674	100%	661	100%
Dodge	19	48.7%	25	61.0%	39	100%	41	100%
Douglas	57	46.3%	58	50.9%	123	100%	114	100%
Faribault	30	50.0%	35	50.0%	60	100%	70	100%
Fillmore	40	47.1%	39	56.5%	85	100%	69	100%
Freeborn	63	52.9%	64	56.6%	119	100%	113	100%
Goodhue	73	53.3%	68	49.3%	137	100%	138	100%
Grant	13	54.2%	8	34.8%	24	100%	23	100%
Hennepin	1,474	53.0%	1,494	50.3%	2,781	100%	2,973	100%
Houston	33	46.5%	24	53.3%	71	100%	45	100%
Hubbard	34	48.6%	30	53.6%	70	100%	56	100%
Isanti	47	60.3%	38	56.7%	78	100%	67	100%
Itasca	95	45.7%	78	47.0%	208	100%	166	100%
Jackson	28	52.8%	22	51.2%	53	100%	43	100%
Kanabec	14	31.1%	27	49.1%	45	100%	55	100%
Kandiyohi	65	48.5%	68	54.0%	134	100%	126	100%
Kittson	6	28.6%	6	31.6%	21	100%	19	100%
Koochiching	34	52.3%	26	52.0%	65	100%	50	100%
Lac Qui Parle	23	57.5%	18	62.1%	40	100%	29	100%
Lake	21	38.2%	15	40.5%	55	100%	37	100%
Lake of the Woods	11	57.9%	4	30.8%	19	100%	13	100%
Le Sueur	53	49.1%	36	47.4%	108	100%	76	100%
Lincoln	16	43.2%	18	62.1%	37	100%	29	100%
Lyon	35	41.7%	30	48.4%	84	100%	62	100%
McLeod	67	63.8%	47	62.7%	105	100%	75	100%
Mahnomen	18	62.1%	9	56.3%	29	100%	16	100%
Marshall	20	50.0%	21	52.5%	40	100%	40	100%
Martin	46	46.5%	53	54.1%	99	100%	98	100%
Meeker	38	44.2%	44	54.3%	86	100%	81	100%
Mille Lacs	34	39.1%	40	54.1%	87	100%	74	100%
Morrison	72	57.1%	63	61.2%	126	100%	103	100%

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2000-2002**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,194	51.2%	6,731	50.8%	14,049	100%	13,254	100%
Mower	72	49.7%	85	53.5%	145	100%	159	100%
Murray	18	40.9%	15	45.5%	44	100%	33	100%
Nicollet	44	53.0%	35	43.2%	83	100%	81	100%
Nobles	36	51.4%	30	41.7%	70	100%	72	100%
Norman	15	51.7%	16	48.5%	29	100%	33	100%
Olmsted	173	52.3%	140	51.7%	331	100%	271	100%
Otter Tail	132	49.4%	103	51.8%	267	100%	199	100%
Pennington	33	61.1%	27	65.9%	54	100%	41	100%
Pine	52	50.5%	37	46.8%	103	100%	79	100%
Pipestone	21	53.8%	29	65.9%	39	100%	44	100%
Polk	47	40.2%	48	43.6%	117	100%	110	100%
Pope	27	48.2%	26	63.4%	56	100%	41	100%
Ramsey	700	50.9%	732	49.8%	1,375	100%	1,471	100%
Red Lake	5	35.7%	6	60.0%	14	100%	10	100%
Redwood	39	52.0%	32	47.8%	75	100%	67	100%
Renville	46	52.9%	29	47.5%	87	100%	61	100%
Rice	93	53.4%	69	50.0%	174	100%	138	100%
Rock	27	61.4%	21	50.0%	44	100%	42	100%
Roseau	30	52.6%	19	55.9%	57	100%	34	100%
St. Louis	416	51.2%	368	52.4%	812	100%	702	100%
Scott	86	53.4%	70	48.3%	161	100%	145	100%
Sherburne	70	50.7%	70	52.6%	138	100%	133	100%
Sibley	38	55.9%	20	51.3%	68	100%	39	100%
Stearns	179	51.9%	154	55.6%	345	100%	277	100%
Steele	53	53.5%	45	48.4%	99	100%	93	100%
Stevens	16	50.0%	22	64.7%	32	100%	34	100%
Swift	24	47.1%	20	51.3%	51	100%	39	100%
Todd	45	52.3%	38	49.4%	86	100%	77	100%
Traverse	7	36.8%	12	42.9%	19	100%	28	100%
Wabasha	39	51.3%	37	52.1%	76	100%	71	100%
Wadena	31	51.7%	29	50.0%	60	100%	58	100%
Waseca	46	62.2%	30	57.7%	74	100%	52	100%
Washington	217	51.8%	189	48.1%	419	100%	393	100%
Watonwan	10	32.3%	33	64.7%	31	100%	51	100%
Wilkin	14	50.0%	10	33.3%	28	100%	30	100%
Winona	87	52.4%	55	42.3%	166	100%	130	100%
Wright	93	48.9%	87	47.5%	190	100%	183	100%
Yellow Medicine	22	45.8%	23	53.5%	48	100%	43	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2000, 2001 and 2002.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death

Section D: Morbidity and Utilization Tables

Morbidity and Utilization Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota by State and County, 2004*

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	4	1,368	59	70
Aitkin	0	0	0	0
Anoka	0	107	1	2
Becker	0	1	0	0
Beltrami	0	4	0	0
Benton	0	5	0	0
Big Stone	0	1	0	0
Blue Earth	0	1	0	4
Brown	1	0	0	0
Carlton	0	3	0	0
Carver	0	27	0	0
Cass	0	5	0	1
Chippewa	0	9	0	0
Chisago	0	17	0	3
Clay	0	34	0	1
Clearwater	0	24	1	0
Cook	0	0	0	0
Cottonwood	0	0	0	0
Crow Wing	0	24	0	2
Dakota	0	210	0	1
Dodge	0	2	0	0
Douglas	0	0	0	0
Faribault	0	1	0	1
Fillmore	0	14	1	1
Freeborn	0	2	1	0
Goodhue	1	5	0	1
Grant	0	0	0	0
Hennepin	0	357	18	18
Houston	0	2	0	0
Hubbard	0	6	0	0
Isanti	0	19	0	1
Itasca	0	6	0	0
Jackson	0	0	0	0
Kanabec	0	0	0	0
Kandiyohi	0	23	0	0
Kittson	0	4	0	0
Koochiching	0	0	0	0
Lac Qui Parle	0	0	0	0
Lake	0	15	0	0
Lake of the Woods	0	0	0	0
Le Sueur	0	1	0	0
Lincoln	0	0	0	0
Lyon	0	3	0	0
McLeod	0	16	0	0
Mahnomen	0	2	0	0
Marshall	0	0	1	0
Martin	0	1	1	0
Meeker	0	4	0	0
Mille Lacs	0	12	0	0
Morrison	0	1	0	0
Mower	0	0	2	1
Murray	0	0	0	0
Nicollet	0	2	0	0

**Morbidity and Utilization Table 1: Number of Cases of Vaccine Preventable Disease
Morbidity in Minnesota by State and County, 2004***

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	4	1,368	59	70
Nobles	0	1	0	0
Norman	0	0	0	0
Olmsted	1	90	4	5
Otter Tail	0	10	0	2
Pennington	0	0	0	0
Pine	0	0	0	0
Pipestone	0	0	0	1
Polk	0	2	0	1
Pope	0	1	0	0
Ramsey	1	86	19	13
Red Lake	0	1	0	0
Redwood	0	6	0	0
Renville	0	5	0	0
Rice	0	1	0	0
Rock	0	0	0	0
Roseau	0	0	0	0
St. Louis	0	34	0	4
Scott	0	31	1	0
Sherburne	0	13	0	1
Sibley	0	0	0	0
Stearns	0	19	0	1
Steele	0	0	0	0
Stevens	0	0	0	0
Swift	0	0	0	0
Todd	0	1	0	0
Traverse	0	0	0	0
Wabasha	0	7	2	1
Wadena	0	1	0	0
Waseca	0	2	0	1
Washington	0	41	6	2
Watonwan	0	0	0	1
Wilkin	0	4	0	0
Winona	0	7	1	0
Wright	0	32	0	0
Yellow Medicine	0	3	0	0

Source: Minnesota Department of Health - Immunization, TB & International Health Section

*Note: There were no cases of measles, diphtheria, tetanus, rubella or polio in Minnesota in 2004

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Infectious Disease Epidemiology Prevention and Control Division at 612/676-5414 or at 877/676-5414

Morbidity and Utilization Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County, 2004

	Chlamydia	Gonorrhea	Primary/Secondary Syphilis	Syphilis - All Stages*	HIV
State of Minnesota	11,601	2,957	27	145	307
Aitkin	8	1	0	0	0
Anoka	529	109	1	6	17
Becker	24	1	0	0	0
Beltrami	158	17	0	0	0
Benton	53	4	0	0	0
Big Stone	3	0	0	0	0
Blue Earth	201	41	0	0	2
Brown	16	2	0	0	1
Carlton	53	8	0	0	0
Carver	44	8	0	2	0
Cass	39	3	0	0	0
Chippewa	14	1	0	0	1
Chisago	56	6	0	0	0
Clay	67	4	0	1	0
Clearwater	3	1	0	0	0
Cook	4	1	0	0	0
Cottonwood	22	1	0	0	0
Crow Wing	79	7	0	0	0
Dakota	622	134	1	9	14
Dodge	16	0	0	0	1
Douglas	17	0	0	0	0
Faribault	18	0	0	0	1
Fillmore	20	1	0	0	0
Freeborn	64	2	0	0	0
Goodhue	73	15	0	0	1
Grant	1	0	0	0	0
Hennepin	4,084	1,450	18	73	177
Houston	26	10	0	0	0
Hubbard	8	1	0	0	0
Isanti	30	5	0	0	0
Itasca	67	8	0	0	0
Jackson	8	0	0	0	0
Kanabec	13	1	0	0	0
Kandiyohi	77	6	0	1	1
Kittson	5	0	0	0	0
Koochiching	17	1	0	0	0
Lac Qui Parle	1	0	0	0	0
Lake	7	1	0	0	0
Lake of the Woods	2	2	0	0	0
Le Sueur	19	1	0	0	0
Lincoln	1	0	0	0	0
Lyon	63	11	0	1	0
McLeod	21	4	0	0	1
Mahnomen	10	0	0	0	0
Marshall	3	0	0	0	0
Martin	26	2	0	0	0
Meeker	15	3	0	0	2
Mille Lacs	35	7	0	0	0
Morrison	35	5	0	0	2
Mower	59	2	0	1	0
Murray	5	0	0	0	0

Morbidity and Utilization Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County, 2004

	Chlamydia	Gonorrhea	Primary/Secondary Syphilis	Syphilis - All Stages*	HIV
State of Minnesota	11,601	2,957	27	145	307
Nicollet	18	0	0	0	0
Nobles	34	1	0	1	2
Norman	3	0	0	0	0
Olmsted	299	42	0	5	2
Otter Tail	30	5	0	0	0
Pennington	20	1	0	0	1
Pine	27	2	0	0	1
Pipestone	1	0	0	0	0
Polk	31	5	0	0	0
Pope	2	0	0	0	0
Ramsey	2,136	615	5	30	54
Red Lake	3	0	0	0	0
Redwood	21	2	0	0	0
Renville	24	0	0	0	0
Rice	77	10	1	1	3
Rock	3	0	0	0	0
Roseau	15	1	0	0	0
St. Louis	457	101	0	0	3
Scott	100	20	1	2	2
Sherburne	67	11	0	0	1
Sibley	15	1	0	0	0
Stearns	333	37	0	3	2
Steele	58	14	0	1	0
Stevens	5	1	0	0	0
Swift	10	1	0	0	0
Todd	9	0	0	0	0
Traverse	1	0	0	0	0
Wabasha	37	4	0	0	0
Wadena	14	1	0	0	0
Waseca	38	8	0	2	2
Washington	290	58	0	2	4
Watonwan	8	2	0	0	0
Wilkin	1	0	0	0	0
Winona	78	18	0	1	1
Wright	76	13	0	0	4
Yellow Medicine	12	0	0	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

*Neurosyphilis, primary, secondary, early latent, late latent, congenital and other syphilis

** Cases of newly diagnosed HIV infection = Minnesota residents diagnosed with HIV infection (HIV or AIDS at first report) in the time period 1/1/03 - 12/31/03.

HIV Surveillance Reports, MDH www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html

STD Surveillance Reports, MDH: www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 612/676-5414

Morbidity and Utilization Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota by State and County, 2004

	Campylobacteriosis	Giardiasis	Lyme Disease	Rabies in Animals	Salmonellosis	Shigellosis	Tuberculosis
State of Minnesota	896	1,398	1,023	94	643	67	199
Aitkin	1	2	20	0	2	0	0
Anoka	34	62	80	0	39	3	10
Becker	10	6	18	0	2	0	1
Beltrami	3	1	17	0	2	0	1
Benton	8	14	2	2	7	0	0
Big Stone	3	1	0	0	1	0	0
Blue Earth	18	7	6	0	7	0	1
Brown	4	8	1	0	3	0	0
Carlton	6	7	24	0	4	0	0
Carver	18	15	7	0	8	2	0
Cass	3	2	34	0	1	1	1
Chippewa	8	3	0	0	2	1	1
Chisago	8	3	14	0	7	0	0
Clay	7	0	3	2	3	0	1
Clearwater	0	0	5	1	1	0	0
Cook	0	3	1	0	0	0	0
Cottonwood	2	0	0	1	2	0	1
Crow Wing	3	8	115	0	1	0	0
Dakota	48	58	57	1	59	7	7
Dodge	8	6	1	1	6	0	1
Douglas	6	8	3	0	1	0	0
Faribault	3	1	0	0	3	0	0
Fillmore	18	3	6	3	1	1	0
Freeborn	8	2	0	2	4	0	1
Goodhue	6	4	1	0	5	0	0
Grant	1	0	0	0	1	0	0
Hennepin	204	395	151	8	137	27	104
Houston	11	2	32	0	2	0	0
Hubbard	2	2	19	1	2	0	0
Isanti	4	8	8	0	3	0	0
Itasca	3	7	31	0	3	0	0
Jackson	6	0	0	0	0	0	0
Kanabec	2	1	7	0	5	0	0
Kandiyohi	10	16	2	4	4	2	0
Kittson	0	1	0	3	0	0	0
Koochiching	2	0	0	0	0	0	0
Lac Qui Parle	1	0	0	0	1	0	0
Lake	0	0	2	0	1	0	0
Lake of the Woods	0	0	0	0	0	0	0
Le Sueur	9	1	2	0	4	0	0
Lincoln	3	0	0	4	1	0	0
Lyon	4	2	0	0	26	0	1
McLeod	8	4	4	1	1	0	0
Mahnomen	1	0	2	1	0	0	0
Marshall	2	0	0	2	0	0	0
Martin	6	3	0	3	3	0	0
Meeker	5	3	1	0	2	0	0
Mille Lacs	3	3	15	2	1	0	1
Morrison	8	6	15	5	3	0	1
Mower	11	5	0	1	3	0	0
Murray	2	0	0	1	2	0	0

Morbidity and Utilization Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota by State and County, 2004

	Campylo- bacteriosis	Giardiasis	Lyme Disease	Rabies in Animals	Salmonellosis	Shigellosis	Tuberculosis
State of Minnesota	896	1,398	1,023	94	643	67	199
Nicollet	7	3	5	1	1	0	0
Nobles	9	1	0	0	1	0	4
Norman	0	0	0	3	0	0	0
Olmsted	38	41	10	0	26	2	13
Otter Tail	17	5	3	5	11	2	1
Pennington	2	3	0	2	1	0	0
Pine	3	5	29	0	8	0	0
Pipestone	5	1	0	3	3	1	0
Polk	3	3	2	2	1	0	0
Pope	4	2	0	0	4	0	0
Ramsey	57	474	80	2	73	3	27
Red Lake	0	0	0	0	0	0	0
Redwood	4	1	2	2	8	0	0
Renville	1	2	0	0	3	1	0
Rice	9	6	6	1	4	0	4
Rock	4	1	0	2	3	0	0
Roseau	4	0	0	2	2	0	1
St. Louis	25	26	20	0	17	4	3
Scott	12	18	16	0	13	0	4
Sherburne	5	8	27	0	11	0	0
Sibley	2	2	0	0	2	0	0
Stearns	36	44	20	10	10	5	0
Steele	5	4	1	1	4	0	0
Stevens	5	0	0	0	0	0	0
Swift	2	0	0	0	1	0	0
Todd	8	1	10	4	4	0	0
Traverse	2	0	0	0	2	0	0
Wabasha	8	5	5	0	3	0	1
Wadena	1	0	4	1	1	0	0
Waseca	1	2	0	0	1	0	0
Washington	26	23	51	0	16	4	5
Watsonwan	3	2	0	1	1	0	1
Wilkin	0	0	0	0	1	0	0
Winona	24	10	14	1	8	1	2
Wright	17	20	12	0	17	0	0
Yellow Medicine	6	2	0	2	6	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 612/676-5414.

Morbidity and Utilization Table 4a: Number of Selected Health Care Providers in Minnesota by State and County, 2004*

	Dentists	Dental Assistants	Dental Hygienists	Physicians	Physicians per 10,000 population
State of Minnesota	1,872	4,027	2,724	9,336	18.3
Aitkin	3	4	2	11	6.9
Anoka	106	257	151	386	12.1
Becker	5	8	10	35	11.0
Beltrami	6	28	15	65	15.4
Benton	6	22	10	4	1.0
Big Stone	1	3	1	6	10.7
Blue Earth	27	66	42	130	22.6
Brown	11	10	12	38	14.2
Carlton	14	23	14	37	11.0
Carver	16	34	33	94	11.4
Cass	8	8	2	16	5.6
Chippewa	3	9	3	10	7.9
Chisago	13	24	18	50	10.3
Clay	19	37	33	17	3.2
Clearwater	3	2	2	5	5.9
Cook	1	0	1	7	13.2
Cottonwood	3	6	2	7	5.9
Crow Wing	30	79	36	100	16.8
Dakota	136	339	248	283	7.5
Dodge	2	5	4	4	2.1
Douglas	13	35	22	57	16.5
Faribault	4	5	3	6	3.8
Fillmore	4	6	7	7	3.3
Freeborn	8	17	6	39	12.2
Goodhue	19	17	26	48	10.6
Grant	1	1	1	2	3.3
Hennepin	543	1,069	761	3,183	28.4
Houston	5	9	6	9	4.5
Hubbard	5	6	5	19	10.1
Isanti	7	19	14	36	9.9
Itasca	15	49	19	48	10.8
Jackson	1	4	3	4	3.6
Kanabec	5	8	3	11	6.9
Kandiyohi	19	40	14	93	22.6
Kittson	4	1	1	2	4.1
Koochiching	3	6	3	14	10.1
Lac Qui Parle	2	2	1	6	7.7
Lake	2	3	4	8	7.1
Lake of the Woods	0	0	1	4	9.1
Le Sueur	5	10	8	9	3.3
Lincoln	2	3	1	7	11.3
Lyon	6	22	10	20	8.1
McLeod	17	33	26	46	12.7
Mahnomen	0	0	0	2	3.9
Marshall	2	1	2	2	2.0
Martin	5	12	11	39	18.5
Meeker	3	6	8	14	6.0
Mille Lacs	4	16	10	32	12.8
Morrison	6	18	8	23	7.0
Mower	13	16	17	54	13.8

Morbidity and Utilization Table 4a: Number of Selected Health Care Providers in Minnesota by State and County, 2004*

	Dentists	Dental Assistants	Dental Hygienists	Physicians	Physicians per 10,000 population
State of Minnesota	1,872	4,027	2,724	9,336	18.3
Murray	1	0	1	4	4.4
Nicollet	10	16	14	19	6.2
Nobles	7	16	7	22	10.7
Norman	1	4	4	1	1.4
Olmsted	61	152	96	1,481	111.1
Otter Tail	13	23	26	50	8.6
Pennington	5	7	6	19	14.0
Pine	3	9	9	13	4.6
Pipestone	3	9	1	6	6.3
Polk	9	15	17	23	7.4
Pope	3	4	2	6	5.3
Ramsey	207	494	304	1,165	23.3
Red Lake	1	2	1	0	0.0
Redwood	3	12	5	9	5.6
Renville	4	7	1	6	3.6
Rice	21	38	34	65	10.8
Rock	3	4	1	6	6.3
Roseau	4	5	7	9	5.5
St. Louis	97	139	103	424	21.4
Scott	24	45	63	76	6.6
Sherburne	11	43	24	26	3.3
Sibley	5	6	3	5	3.3
Stearns	54	157	84	260	18.4
Steele	17	31	20	47	13.4
Stevens	4	3	4	12	12.1
Swift	3	8	6	7	6.1
Todd	8	14	6	17	6.9
Traverse	1	1	4	3	7.7
Wabasha	7	12	14	17	7.7
Wadena	1	14	6	14	10.3
Waseca	7	11	12	11	5.7
Washington	92	217	125	235	10.8
Watonwan	2	8	2	8	7.0
Wilkin	1	5	6	6	8.8
Winona	13	31	20	43	8.8
Wright	23	57	42	64	6.0
Yellow Medicine	7	10	4	8	7.6

Sources: Minnesota Department of Health, Office of Rural Health and Primary Care and US Census

Number of Providers:

The number refers to health professionals who are actively working in the county. Primary care physician refers to a physician with a primary specialty of general practice, family practice, internal medicine, pediatrics, obstetrics, gynecology, or obstetrics/gynecology. The Office of Rural Health and Primary Care maintains a database of about 110,000 Minnesota medical professionals. Although these health practitioners do not have to complete the surveys to renew licensure or registration, response rates vary between 60% and 90% depending on the position surveyed.

Morbidity and Utilization Table 4b: Number of Selected Health Care Providers in Minnesota by State and County, 2004*

	Physician Assistants	Physical Therapists	Respiratory Care Practitioners
State of Minnesota	697	2,144	1,192
Aitkin	1	5	5
Anoka	29	87	53
Becker	3	9	7
Beltrami	4	20	10
Benton	2	1	1
Big Stone	0	4	2
Blue Earth	13	27	11
Brown	2	10	4
Carlton	2	20	5
Carver	9	31	12
Cass	6	5	0
Chippewa	0	3	0
Chisago	3	19	12
Clay	6	8	0
Clearwater	2	2	0
Cook	0	1	0
Cottonwood	1	2	1
Crow Wing	4	26	13
Dakota	29	100	24
Dodge	0	1	0
Douglas	3	10	6
Faribault	2	2	0
Fillmore	1	2	0
Freeborn	3	12	4
Goodhue	7	15	7
Grant	1	1	0
Hennepin	175	642	331
Houston	2	2	0
Hubbard	2	7	4
Isanti	3	12	8
Itasca	3	19	8
Jackson	2	2	0
Kanabec	1	6	2
Kandiyohi	2	17	13
Kittson	2	0	0
Koochiching	0	5	0
Lac Qui Parle	2	2	0
Lake	0	5	0
Lake of the Woods	0	1	0
Le Sueur	0	1	0
Lincoln	1	3	0
Lyon	4	3	2
McLeod	4	11	3
Mahnomen	3	1	0
Marshall	0	2	0
Martin	6	8	5
Meeker	3	4	0
Mille Lacs	16	17	4
Morrison	3	11	4
Mower	4	12	7

Morbidity and Utilization Table 4b: Number of Selected Health Care Providers in Minnesota by State and County, 2004*

	Physician Assistants	Physical Therapists	Respiratory Care Practitioners
State of Minnesota	697	2,144	1,192
Murray	1	0	3
Nicollet	0	6	0
Nobles	2	7	1
Norman	1	2	0
Olmsted	88	122	140
Otter Tail	5	19	9
Pennington	3	4	2
Pine	0	3	0
Pipestone	1	3	1
Polk	5	13	4
Pope	1	1	0
Ramsey	71	286	276
Red Lake	0	1	0
Redwood	0	6	1
Renville	0	6	0
Rice	4	23	2
Rock	0	5	2
Roseau	2	6	1
St. Louis	32	137	89
Scott	2	22	11
Sherburne	8	9	1
Sibley	0	0	1
Stearns	42	79	33
Steele	3	14	4
Stevens	1	3	1
Swift	0	3	0
Todd	5	11	2
Traverse	2	0	0
Wabasha	3	9	2
Wadena	1	7	4
Waseca	1	4	0
Washington	18	68	17
Watonwan	4	4	0
Wilkin	0	5	1
Winona	3	13	2
Wright	15	21	12
Yellow Medicine	2	6	2

Sources: Minnesota Department of Health, Office of Rural Health and Primary Care and US Census

Number of Providers:

The number refers to health professionals who are actively working in the county. The Office of Rural Health and Primary Care maintains a database of about 110,000 Minnesota medical professionals. Although these health practitioners do not have to complete the surveys to renew licensure or registration, response rates vary between 60% and 90% depending on the position surveyed.

**Morbidity and Utilization Table 5: Motor Vehicle Injuries by Severity
in Minnesota by State and County, 2004**

	Injury Severity					Total
	Severe	Moderate	Minor	Killed	Unhurt	
State of Minnesota	2,424	12,413	25,224	567	192,911	233,539
Aitkin	14	39	92	10	497	652
Anoka	176	842	1,173	28	9,038	11,257
Becker	24	83	165	4	693	969
Beltrami	23	152	195	7	1,432	1,809
Benton	18	98	186	5	1,136	1,443
Big Stone	4	25	23	4	119	175
Blue Earth	35	235	277	7	2,696	3,250
Brown	12	45	119	4	727	907
Carlton	20	83	104	7	640	854
Carver	34	163	363	4	2,485	3,049
Cass	30	77	124	7	632	870
Chippewa	7	28	73	3	210	321
Chisago	32	133	282	4	1,691	2,142
Clay	19	96	209	7	1,788	2,119
Clearwater	7	24	17	2	107	157
Cook	6	10	21	0	198	235
Cottonwood	5	21	40	3	212	281
Crow Wing	22	169	342	6	2,542	3,081
Dakota	102	694	1,761	33	12,024	14,614
Dodge	17	41	80	4	348	490
Douglas	15	97	234	11	1,373	1,730
Faribault	5	33	94	0	285	417
Fillmore	17	31	73	4	482	607
Freeborn	23	101	168	9	1,353	1,654
Goodhue	19	150	212	4	1,836	2,221
Grant	6	18	14	2	114	154
Hennepin	455	2,821	7,172	48	57,958	68,454
Houston	16	23	83	4	507	633
Hubbard	10	36	77	6	427	556
Isanti	32	86	153	4	1,153	1,428
Itasca	29	147	230	10	1,181	1,597
Jackson	6	31	59	0	268	364
Kanabec	15	34	82	4	395	530
Kandiyohi	37	105	224	14	1,466	1,846
Kittson	3	4	9	1	101	118
Koochiching	4	28	52	3	317	404
Lac Qui Parle	3	11	16	2	75	107
Lake	5	37	35	3	345	425
Lake of the Woods	0	9	13	0	137	159
Le Sueur	12	72	132	3	696	915
Lincoln	3	14	14	1	136	168
Lyon	10	52	82	6	632	782
McLeod	16	72	179	2	1,114	1,383
Mahnomen	5	13	19	1	122	160
Marshall	6	24	13	0	95	138
Martin	11	25	111	5	526	678
Meeker	15	64	77	4	512	672
Mille Lacs	16	70	154	7	942	1,189
Morrison	22	50	115	13	760	960
Mower	15	78	145	1	1,347	1,586
Murray	4	19	24	2	143	192

**Morbidity and Utilization Table 5: Motor Vehicle Injuries by Severity
in Minnesota by State and County, 2004**

	Injury Severity					
	Severe	Moderate	Minor	Killed	Unhurt	Total
State of Minnesota	2,424	12,413	25,224	567	192,911	233,539
Nicollet	7	45	120	0	817	989
Nobles	15	52	63	4	647	781
Norman	4	14	33	2	147	200
Olmsted	77	490	648	15	5,310	6,540
Otter Tail	42	152	236	9	1,439	1,878
Pennington	1	30	61	4	346	442
Pine	18	115	126	7	717	983
Pipestone	2	26	40	4	141	213
Polk	15	59	109	7	761	951
Pope	5	20	43	3	154	225
Ramsey	194	1,227	2,999	22	31,008	35,450
Red Lake	0	8	11	1	64	84
Redwood	9	44	68	0	337	458
Renville	13	33	53	4	229	332
Rice	46	172	221	9	2,095	2,543
Rock	5	25	41	2	341	414
Roseau	3	32	35	2	362	434
St. Louis	87	478	819	21	4,686	6,091
Scott	46	209	463	19	3,084	3,821
Sherburne	52	226	334	14	2,520	3,146
Sibley	16	23	50	1	287	377
Stearns	96	414	704	20	4,654	5,888
Steele	15	75	181	12	1,620	1,903
Stevens	3	15	18	1	184	221
Swift	7	16	22	1	184	230
Todd	17	67	100	11	454	649
Traverse	0	4	5	0	49	58
Wabasha	15	55	85	2	498	655
Wadena	7	26	46	1	299	379
Waseca	8	40	75	1	418	542
Washington	59	363	899	18	7,251	8,590
Watonwan	3	12	30	4	216	265
Wilkin	0	26	26	1	226	279
Winona	25	128	216	6	2,081	2,456
Wright	60	258	496	15	3,106	3,935
Yellow Medicine	10	21	37	1	166	235

Sources: Minnesota Department of Public Safety

Severe Injury: Any injury, other than a fatal injury which prevents the injured person from walking, driving, or normally continuing activities which he/she was capable of performing just before the accident

Moderate Injury: Any injury, other than fatal or incapacitating, which is evident to a person other than the injured at the scene of the accident (e.g. bruises, abrasions, swelling, minor lacerations, limping etc.).

Minor Injury: None of the above injuries, but is a complaint of physical pain by the injured (e.g. momentary unconsciousness, nausea, hysteria, etc.)

Morbidity and Utilization Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured, Minnesota by State and County, 2004

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	27,391	74.3	5,044	13.7	4,424	12.0	36,859
Aitkin	89	69.5	31	24.2	8	6.3	128
Anoka	1,562	76.8	219	10.8	254	12.5	2,035
Becker	172	69.6	43	17.4	32	13.0	247
Beltrami	193	55.9	106	30.7	46	13.3	345
Benton	214	75.9	42	14.9	26	9.2	282
Big Stone	21	38.2	25	45.5	9	16.4	55
Blue Earth	368	71.2	87	16.8	62	12.0	517
Brown	124	75.2	28	17.0	13	7.9	165
Carlton	130	67.0	38	19.6	26	13.4	194
Carver	404	78.1	69	13.3	44	8.5	517
Cass	133	60.2	63	28.5	25	11.3	221
Chippewa	77	72.0	22	20.6	8	7.5	107
Chisago	301	72.5	76	18.3	38	9.2	415
Clay	223	72.9	55	18.0	28	9.2	306
Clearwater	30	63.8	10	21.3	7	14.9	47
Cook	22	62.9	8	22.9	5	14.3	35
Cottonwood	48	71.6	13	19.4	6	9.0	67
Crow Wing	337	68.2	94	19.0	63	12.8	494
Dakota	1,905	80.7	259	11.0	197	8.3	2,361
Dodge	88	65.2	22	16.3	25	18.5	135
Douglas	255	75.9	56	16.7	25	7.4	336
Faribault	85	66.9	32	25.2	10	7.9	127
Fillmore	78	69.6	25	22.3	9	8.0	112
Freeborn	202	72.7	50	18.0	26	9.4	278
Goodhue	264	73.5	54	15.0	41	11.4	359
Grant	26	65.0	13	32.5	1	2.5	40
Hennepin	7,030	75.5	824	8.9	1,453	15.6	9,307
Houston	77	67.0	22	19.1	16	13.9	115
Hubbard	84	69.4	20	16.5	17	14.0	121
Isanti	172	68.0	47	18.6	34	13.4	253
Itasca	294	73.3	77	19.2	30	7.5	401
Jackson	56	63.6	21	23.9	11	12.5	88
Kanabec	81	62.8	33	25.6	15	11.6	129
Kandiyohi	251	68.8	71	19.5	43	11.8	365
Kittson	9	64.3	5	35.7	0	0.0	14
Koochiching	50	61.0	21	25.6	11	13.4	82
Lac Qui Parle	19	63.3	9	30.0	2	6.7	30
Lake	49	76.6	9	14.1	6	9.4	64
Lake of the Woods	10	47.6	10	47.6	1	4.8	21
Le Sueur	127	63.2	46	22.9	28	13.9	201
Lincoln	19	63.3	5	16.7	6	20.0	30
Lyon	101	74.3	22	16.2	13	9.6	136
McLeod	189	77.1	32	13.1	24	9.8	245
Mahnomen	17	48.6	14	40.0	4	11.4	35
Marshall	23	53.5	10	23.3	10	23.3	43
Martin	88	64.2	32	23.4	17	12.4	137
Meeker	101	72.1	19	13.6	20	14.3	140
Mille Lacs	167	71.1	53	22.6	15	6.4	235
Morrison	129	71.3	44	24.3	8	4.4	181
Mower	144	68.2	33	15.6	34	16.1	211

Morbidity and Utilization Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured, Minnesota by State and County, 2004

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	27,391	74.3	5,044	13.7	4,424	12.0	36,859
Murray	31	66.0	12	25.5	4	8.5	47
Nicollet	123	76.4	22	13.7	16	9.9	161
Nobles	71	59.7	28	23.5	20	16.8	119
Norman	27	50.9	15	28.3	11	20.8	53
Olmsted	921	81.9	128	11.4	76	6.8	1,125
Otter Tail	269	68.4	73	18.6	51	13.0	393
Pennington	57	63.3	33	36.7	0	0.0	90
Pine	181	72.7	30	12.0	38	15.3	249
Pipestone	47	68.1	16	23.2	6	8.7	69
Polk	115	66.9	34	19.8	23	13.4	172
Pope	47	68.1	9	13.0	13	18.8	69
Ramsey	2,956	75.1	403	10.2	576	14.6	3,935
Red Lake	13	72.2	4	22.2	1	5.6	18
Redwood	81	70.4	23	20.0	11	9.6	115
Renville	70	71.4	19	19.4	9	9.2	98
Rice	313	75.2	76	18.3	27	6.5	416
Rock	42	67.7	13	21.0	7	11.3	62
Roseau	37	56.1	19	28.8	10	15.2	66
St. Louis	980	75.6	214	16.5	102	7.9	1,296
Scott	548	79.5	97	14.1	44	6.4	689
Sherburne	426	75.1	94	16.6	47	8.3	567
Sibley	60	75.0	9	11.3	11	13.8	80
Stearns	879	77.3	150	13.2	108	9.5	1,137
Steele	173	66.3	57	21.8	31	11.9	261
Stevens	17	53.1	9	28.1	6	18.8	32
Swift	26	57.8	12	26.7	7	15.6	45
Todd	119	64.0	51	27.4	16	8.6	186
Traverse	5	55.6	3	33.3	1	11.1	9
Wabasha	98	70.5	25	18.0	16	11.5	139
Wadena	38	51.4	22	29.7	14	18.9	74
Waseca	72	63.7	23	20.4	18	15.9	113
Washington	959	79.7	127	10.5	118	9.8	1,204
Watonwan	29	65.9	11	25.0	4	9.1	44
Wilkin	38	73.1	10	19.2	4	7.7	52
Winona	247	73.7	42	12.5	46	13.7	335
Wright	598	78.1	94	12.3	74	9.7	766
Yellow Medicine	40	62.5	18	28.1	6	9.4	64

Sources: Minnesota Department of Public Safety

Note: Occupants of vehicles normally equipped with seatbelts includes passenger vehicles, trucks, taxis, etc. This definition excludes motorcycles, buses, snowmobiles, etc.

Morbidity and Utilization Table 7a: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2000-2002**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	89	0.2%	10,897	32.6%	3,814	10.4%	3,786	11.3%
Aitkin	1	0.5%	50	32.3%	18	8.2%	23	14.8%
Anoka	1	0.1%	490	32.7%	154	8.8%	151	10.1%
Becker	1	0.4%	62	29.5%	32	11.4%	27	12.9%
Beltrami	1	0.3%	74	31.4%	27	8.7%	29	12.3%
Benton	0	0.0%	50	33.1%	14	6.7%	9	6.0%
Big Stone	0	0.0%	15	22.7%	13	14.6%	13	19.7%
Blue Earth	0	0.0%	124	32.6%	43	12.0%	63	16.6%
Brown	0	0.0%	74	33.3%	27	10.0%	30	13.5%
Carlton	1	0.4%	75	29.4%	34	12.1%	31	12.2%
Carver	2	0.6%	116	33.3%	44	13.4%	40	11.5%
Cass	1	0.3%	65	31.7%	37	12.0%	26	12.7%
Chippewa	0	0.0%	26	25.7%	15	12.0%	16	15.8%
Chisago	0	0.0%	99	32.6%	27	8.1%	34	11.2%
Clay	2	0.5%	101	30.2%	38	9.2%	47	14.1%
Clearwater	0	0.0%	19	29.7%	10	11.2%	7	10.9%
Cook	0	0.0%	17	34.0%	6	10.7%	7	14.0%
Cottonwood	2	1.8%	36	30.8%	11	9.8%	22	18.8%
Crow Wing	2	0.4%	151	30.3%	56	9.8%	62	12.4%
Dakota	6	0.3%	676	33.6%	196	9.9%	165	8.2%
Dodge	0	0.0%	31	30.7%	11	9.0%	13	12.9%
Douglas	0	0.0%	108	36.0%	29	7.5%	38	12.7%
Faribault	0	0.0%	31	23.3%	21	13.0%	18	13.5%
Fillmore	0	0.0%	62	33.7%	23	10.7%	22	12.0%
Freeborn	2	0.6%	68	27.0%	39	12.4%	41	16.3%
Goodhue	0	0.0%	113	31.1%	39	10.0%	39	10.7%
Grant	0	0.0%	16	23.5%	9	11.5%	12	17.6%
Hennepin	29	0.4%	2,504	33.2%	710	9.5%	759	10.1%
Houston	0	0.0%	47	33.6%	21	14.0%	15	10.7%
Hubbard	1	0.5%	37	26.6%	33	17.2%	19	13.7%
Isanti	1	0.5%	48	29.3%	23	12.2%	12	7.3%
Itasca	0	0.0%	112	31.2%	47	11.0%	49	13.6%
Jackson	0	0.0%	21	25.0%	14	12.6%	8	9.5%
Kanabec	0	0.0%	32	31.4%	17	13.0%	12	11.8%
Kandiyohi	0	0.0%	103	32.7%	29	8.3%	46	14.6%
Kittson	0	0.0%	15	34.1%	9	13.6%	6	13.6%
Koochiching	2	1.2%	33	30.6%	22	13.1%	8	7.4%
Lac Qui Parle	0	0.0%	20	27.4%	7	9.2%	14	19.2%
Lake	0	0.0%	38	37.6%	17	12.3%	13	12.9%
Lake of the Woods	0	0.0%	13	34.2%	4	11.8%	3	7.9%
Le Sueur	0	0.0%	43	26.1%	27	11.9%	27	16.4%
Lincoln	0	0.0%	25	39.7%	10	12.8%	7	11.1%
Lyon	0	0.0%	54	30.5%	28	13.5%	34	19.2%
McLeod	2	0.7%	68	30.0%	33	11.5%	37	16.3%
Mahnomen	0	0.0%	20	36.4%	4	5.9%	4	7.3%
Marshall	0	0.0%	21	30.4%	12	11.4%	10	14.5%
Martin	1	0.4%	60	30.9%	21	9.1%	33	17.0%
Meeker	0	0.0%	41	28.9%	21	11.1%	19	13.4%
Mille Lacs	1	0.4%	59	32.6%	31	11.4%	23	12.7%
Morrison	0	0.0%	82	32.8%	33	9.7%	33	13.2%
Mower	0	0.0%	113	31.7%	34	8.6%	43	12.1%
Murray	0	0.0%	20	30.3%	16	17.8%	11	16.7%

Morbidity and Utilization Table 7a: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2000-2002**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	89	0.2%	10,897	32.6%	3,814	10.4%	3,786	11.3%
Nicollet	0	0.0%	61	32.6%	18	9.4%	23	12.3%
Nobles	0	0.0%	46	30.1%	23	12.7%	27	17.6%
Norman	0	0.0%	21	30.4%	7	9.2%	13	18.8%
Olmsted	1	0.1%	291	35.7%	74	8.2%	70	8.6%
Otter Tail	1	0.2%	117	29.0%	70	11.1%	57	14.1%
Pennington	0	0.0%	38	33.9%	10	11.2%	14	12.5%
Pine	2	0.7%	45	24.3%	25	9.2%	29	15.7%
Pipestone	0	0.0%	32	35.6%	12	12.9%	17	18.9%
Polk	0	0.0%	82	35.7%	55	18.7%	27	11.7%
Pope	0	0.0%	35	28.7%	19	14.4%	25	20.5%
Ramsey	8	0.2%	1,238	34.0%	313	9.1%	358	9.8%
Red Lake	0	0.0%	10	38.5%	7	20.0%	3	11.5%
Redwood	0	0.0%	47	32.4%	28	15.9%	21	14.5%
Renville	0	0.0%	42	28.8%	22	13.8%	22	15.1%
Rice	2	0.5%	107	28.0%	67	17.0%	68	17.8%
Rock	0	0.0%	31	41.9%	9	9.3%	9	12.2%
Roseau	0	0.0%	37	34.9%	19	17.1%	14	13.2%
St Louis	3	0.2%	551	33.5%	223	12.5%	193	11.7%
Scott	0	0.0%	152	33.7%	49	10.3%	40	8.9%
Sherburne	0	0.0%	108	32.6%	41	9.4%	34	10.3%
Sibley	0	0.0%	33	29.2%	13	10.7%	13	11.5%
Stearns	5	0.5%	269	31.0%	92	8.8%	116	13.4%
Steele	1	0.4%	55	25.9%	30	11.7%	36	17.0%
Stevens	0	0.0%	12	20.7%	17	18.1%	9	15.5%
Swift	0	0.0%	38	33.6%	14	12.3%	13	11.5%
Todd	0	0.0%	38	24.5%	23	9.0%	17	11.0%
Traverse	0	0.0%	13	32.5%	7	13.0%	8	20.0%
Wabasha	0	0.0%	54	32.9%	30	15.5%	18	11.0%
Wadena	0	0.0%	46	34.3%	16	8.7%	15	11.2%
Waseca	0	0.0%	32	29.4%	21	11.5%	11	10.1%
Washington	3	0.2%	470	38.5%	111	8.9%	101	8.3%
Watsonwan	0	0.0%	38	31.9%	11	10.2%	13	10.9%
Wilkin	0	0.0%	20	29.9%	13	20.6%	11	16.4%
Winona	1	0.3%	115	34.5%	49	12.3%	44	13.2%
Wright	1	0.2%	153	32.8%	62	10.8%	56	12.0%
Yellow Medicine	1	0.9%	36	36.0%	16	14.3%	11	11.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2000, 2001 and 2002.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Breast C50.0 - C50.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Colon & Rectum C18.0 - C18.9, C19.9, C20.9, C26.0, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity and Utilization Table 7b: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2000-2002**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,566	12.4%	3,716	11.1%	12,424	33.8%	0	0.0%
Aitkin	34	15.5%	25	16.1%	72	32.7%	0	0.0%
Anoka	228	13.0%	214	14.3%	628	35.7%	0	0.0%
Becker	38	13.6%	21	10.0%	89	31.8%	0	0.0%
Beltrami	34	11.0%	25	10.6%	110	35.6%	0	0.0%
Benton	24	11.5%	10	6.6%	95	45.5%	0	0.0%
Big Stone	13	14.6%	9	13.6%	28	31.5%	0	0.0%
Blue Earth	36	10.1%	30	7.9%	117	32.7%	0	0.0%
Brown	20	7.4%	19	8.6%	102	37.6%	0	0.0%
Carlton	33	11.8%	31	12.2%	95	33.9%	0	0.0%
Carver	38	11.6%	23	6.6%	98	29.9%	0	0.0%
Cass	45	14.6%	23	11.2%	114	37.0%	0	0.0%
Chippewa	21	16.8%	7	6.9%	43	34.4%	0	0.0%
Chisago	37	11.1%	37	12.2%	133	39.8%	0	0.0%
Clay	56	13.6%	32	9.6%	166	40.2%	0	0.0%
Clearwater	17	19.1%	9	14.1%	33	37.1%	0	0.0%
Cook	9	16.1%	8	16.0%	18	32.1%	0	0.0%
Cottonwood	11	9.8%	10	8.5%	37	33.0%	0	0.0%
Crow Wing	72	12.6%	66	13.3%	233	40.8%	0	0.0%
Dakota	229	11.5%	221	11.0%	621	31.3%	0	0.0%
Dodge	17	13.9%	12	11.9%	46	37.7%	0	0.0%
Douglas	51	13.2%	23	7.7%	153	39.6%	0	0.0%
Faribault	18	11.2%	18	13.5%	56	34.8%	0	0.0%
Fillmore	26	12.1%	19	10.3%	65	30.2%	0	0.0%
Freeborn	29	9.2%	19	7.5%	116	36.8%	0	0.0%
Goodhue	48	12.3%	30	8.3%	149	38.1%	0	0.0%
Grant	7	9.0%	8	11.8%	32	41.0%	0	0.0%
Hennepin	908	12.2%	917	12.1%	2,324	31.2%	0	0.0%
Houston	13	8.7%	11	7.9%	49	32.7%	0	0.0%
Hubbard	31	16.1%	22	15.8%	56	29.2%	0	0.0%
Isanti	20	10.6%	18	11.0%	68	36.2%	0	0.0%
Itasca	75	17.5%	48	13.4%	136	31.8%	0	0.0%
Jackson	13	11.7%	8	9.5%	47	42.3%	0	0.0%
Kanabec	20	15.3%	10	9.8%	48	36.6%	0	0.0%
Kandiyohi	39	11.2%	34	10.8%	140	40.2%	0	0.0%
Kittson	12	18.2%	5	11.4%	19	28.8%	0	0.0%
Koochiching	26	15.5%	10	9.3%	52	31.0%	0	0.0%
Lac Qui Parle	9	11.8%	4	5.5%	35	46.1%	0	0.0%
Lake	26	18.8%	10	9.9%	39	28.3%	0	0.0%
Lake of the Woods	8	23.5%	5	13.2%	14	41.2%	0	0.0%
Le Sueur	33	14.5%	18	10.9%	58	25.6%	0	0.0%
Lincoln	11	14.1%	6	9.5%	33	42.3%	0	0.0%
Lyon	25	12.0%	14	7.9%	63	30.3%	0	0.0%
McLeod	29	10.1%	17	7.5%	95	33.1%	0	0.0%
Mahnomen	6	8.8%	9	16.4%	27	39.7%	0	0.0%
Marshall	15	14.3%	7	10.1%	31	29.5%	0	0.0%
Martin	29	12.6%	18	9.3%	81	35.2%	0	0.0%
Meeker	25	13.2%	15	10.6%	69	36.5%	0	0.0%
Mille Lacs	30	11.0%	21	11.6%	117	43.0%	0	0.0%
Morrison	37	10.9%	23	9.2%	137	40.3%	0	0.0%
Mower	55	13.9%	39	11.0%	162	41.0%	0	0.0%
Murray	14	15.6%	2	3.0%	29	32.2%	0	0.0%

Morbidity and Utilization Table 7b: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2000-2002**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,566	12.4%	3,716	11.1%	12,424	33.8%	0	0.0%
Nicollet	25	13.0%	20	10.7%	55	28.6%	0	0.0%
Nobles	22	12.2%	5	3.3%	66	36.5%	0	0.0%
Norman	6	7.9%	7	10.1%	31	40.8%	0	0.0%
Olmsted	109	12.0%	76	9.3%	280	30.9%	0	0.0%
Otter Tail	66	10.5%	36	8.9%	267	42.5%	0	0.0%
Pennington	9	10.1%	7	6.3%	22	24.7%	0	0.0%
Pine	50	18.4%	28	15.1%	78	28.7%	0	0.0%
Pipestone	8	8.6%	5	5.6%	40	43.0%	0	0.0%
Polk	33	11.2%	17	7.4%	96	32.7%	0	0.0%
Pope	17	12.9%	5	4.1%	40	30.3%	0	0.0%
Ramsey	482	14.1%	453	12.5%	1,087	31.8%	0	0.0%
Red Lake	7	20.0%	5	19.2%	11	31.4%	0	0.0%
Redwood	17	9.7%	16	11.0%	65	36.9%	0	0.0%
Renville	17	10.6%	11	7.5%	52	32.5%	0	0.0%
Rice	51	12.9%	42	11.0%	109	27.7%	0	0.0%
Rock	11	11.3%	3	4.1%	32	33.0%	0	0.0%
Roseau	13	11.7%	3	2.8%	36	32.4%	0	0.0%
St. Louis	240	13.5%	191	11.6%	548	30.8%	0	0.0%
Scott	62	13.0%	51	11.3%	145	30.5%	0	0.0%
Sherburne	48	11.0%	42	12.7%	156	35.8%	0	0.0%
Sibley	10	8.2%	11	9.7%	53	43.4%	0	0.0%
Stearns	107	10.2%	77	8.9%	474	45.1%	0	0.0%
Steele	25	9.7%	33	15.6%	84	32.7%	0	0.0%
Stevens	9	9.6%	8	13.8%	34	36.2%	0	0.0%
Swift	21	18.4%	11	9.7%	29	25.4%	0	0.0%
Todd	42	16.4%	21	13.5%	99	38.7%	0	0.0%
Traverse	6	11.1%	5	12.5%	20	37.0%	0	0.0%
Wabasha	22	11.3%	23	14.0%	49	25.3%	0	0.0%
Wadena	16	8.7%	16	11.9%	73	39.9%	0	0.0%
Waseca	22	12.1%	12	11.0%	51	28.0%	0	0.0%
Washington	132	10.6%	118	9.7%	427	34.3%	0	0.0%
Watsonwan	18	16.7%	8	6.7%	47	43.5%	0	0.0%
Wilkin	9	14.3%	11	16.4%	19	30.2%	0	0.0%
Winona	60	15.1%	34	10.2%	119	30.0%	0	0.0%
Wright	56	9.7%	52	11.1%	202	35.1%	0	0.0%
Yellow Medicine	13	11.6%	12	12.0%	43	38.4%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2000, 2001 and 2002.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Lung & Bronchus C34.0 - C34.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Prostate C61.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity and Utilization Table 7c: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2000-2002**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	15,834	43.1%	14,992	44.9%	36,727	100%	33,391	100%
Aitkin	95	43.2%	57	36.8%	220	100%	155	100%
Anoka	747	42.5%	644	43.0%	1,758	100%	1,499	100%
Becker	120	42.9%	100	47.6%	280	100%	210	100%
Beltrami	137	44.3%	108	45.8%	309	100%	236	100%
Benton	76	36.4%	82	54.3%	209	100%	151	100%
Big Stone	35	39.3%	29	43.9%	89	100%	66	100%
Blue Earth	162	45.3%	163	42.9%	358	100%	380	100%
Brown	122	45.0%	99	44.6%	271	100%	222	100%
Carlton	117	41.8%	118	46.3%	280	100%	255	100%
Carver	146	44.5%	169	48.6%	328	100%	348	100%
Cass	111	36.0%	91	44.4%	308	100%	205	100%
Chippewa	46	36.8%	52	51.5%	125	100%	101	100%
Chisago	137	41.0%	134	44.1%	334	100%	304	100%
Clay	151	36.6%	154	46.1%	413	100%	334	100%
Clearwater	29	32.6%	29	45.3%	89	100%	64	100%
Cook	23	41.1%	18	36.0%	56	100%	50	100%
Cottonwood	51	45.5%	49	41.9%	112	100%	117	100%
Crow Wing	208	36.4%	219	44.0%	571	100%	498	100%
Dakota	932	47.0%	948	47.2%	1,984	100%	2,010	100%
Dodge	48	39.3%	45	44.6%	122	100%	101	100%
Douglas	153	39.6%	131	43.7%	386	100%	300	100%
Faribault	66	41.0%	66	49.6%	161	100%	133	100%
Fillmore	101	47.0%	81	44.0%	215	100%	184	100%
Freeborn	129	41.0%	124	49.2%	315	100%	252	100%
Goodhue	155	39.6%	181	49.9%	391	100%	363	100%
Grant	30	38.5%	32	47.1%	78	100%	68	100%
Hennepin	3,469	46.6%	3,372	44.7%	7,440	100%	7,552	100%
Houston	67	44.7%	67	47.9%	150	100%	140	100%
Hubbard	71	37.0%	61	43.9%	192	100%	139	100%
Isanti	76	40.4%	86	52.4%	188	100%	164	100%
Itasca	170	39.7%	150	41.8%	428	100%	359	100%
Jackson	37	33.3%	47	56.0%	111	100%	84	100%
Kanabec	46	35.1%	48	47.1%	131	100%	102	100%
Kandiyohi	140	40.2%	132	41.9%	348	100%	315	100%
Kittson	26	39.4%	18	40.9%	66	100%	44	100%
Koochiching	66	39.3%	57	52.8%	168	100%	108	100%
Lac Qui Parle	25	32.9%	35	47.9%	76	100%	73	100%
Lake	56	40.6%	40	39.6%	138	100%	101	100%
Lake of the Woods	8	23.5%	17	44.7%	34	100%	38	100%
Le Sueur	109	48.0%	77	46.7%	227	100%	165	100%
Lincoln	24	30.8%	25	39.7%	78	100%	63	100%
Lyon	92	44.2%	75	42.4%	208	100%	177	100%
McLeod	128	44.6%	105	46.3%	287	100%	227	100%
Mahnomen	31	45.6%	22	40.0%	68	100%	55	100%
Marshall	47	44.8%	31	44.9%	105	100%	69	100%
Martin	98	42.6%	83	42.8%	230	100%	194	100%
Meeker	74	39.2%	67	47.2%	189	100%	142	100%
Mille Lacs	93	34.2%	78	43.1%	272	100%	181	100%
Morrison	133	39.1%	112	44.8%	340	100%	250	100%
Mower	144	36.5%	161	45.2%	395	100%	356	100%
Murray	31	34.4%	33	50.0%	90	100%	66	100%

Morbidity and Utilization Table 7c: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2000-2002**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	15,834	43.1%	14,992	44.9%	36,727	100%	33,391	100%
Nicollet	94	49.0%	83	44.4%	192	100%	187	100%
Nobles	70	38.7%	75	49.0%	181	100%	153	100%
Norman	32	42.1%	28	40.6%	76	100%	69	100%
Olmsted	443	48.8%	379	46.4%	907	100%	816	100%
Otter Tail	224	35.7%	194	48.0%	628	100%	404	100%
Pennington	48	53.9%	53	47.3%	89	100%	112	100%
Pine	117	43.0%	83	44.9%	272	100%	185	100%
Pipestone	33	35.5%	36	40.0%	93	100%	90	100%
Polk	110	37.4%	104	45.2%	294	100%	230	100%
Pope	56	42.4%	57	46.7%	132	100%	122	100%
Ramsey	1,531	44.8%	1,588	43.7%	3,421	100%	3,637	100%
Red Lake	10	28.6%	8	30.8%	35	100%	26	100%
Redwood	66	37.5%	61	42.1%	176	100%	145	100%
Renville	69	43.1%	71	48.6%	160	100%	146	100%
Rice	165	41.9%	165	43.2%	394	100%	382	100%
Rock	45	46.4%	31	41.9%	97	100%	74	100%
Roseau	43	38.7%	52	49.1%	111	100%	106	100%
St. Louis	767	43.1%	709	43.1%	1,781	100%	1,644	100%
Scott	220	46.2%	208	46.1%	476	100%	451	100%
Sherburne	191	43.8%	147	44.4%	436	100%	331	100%
Sibley	46	37.7%	56	49.6%	122	100%	113	100%
Stearns	373	35.5%	405	46.7%	1,051	100%	867	100%
Steele	117	45.5%	88	41.5%	257	100%	212	100%
Stevens	34	36.2%	29	50.0%	94	100%	58	100%
Swift	50	43.9%	51	45.1%	114	100%	113	100%
Todd	92	35.9%	79	51.0%	256	100%	155	100%
Traverse	21	38.9%	14	35.0%	54	100%	40	100%
Wabasha	93	47.9%	69	42.1%	194	100%	164	100%
Wadena	78	42.6%	57	42.5%	183	100%	134	100%
Waseca	88	48.4%	54	49.5%	182	100%	109	100%
Washington	572	45.9%	533	43.6%	1,245	100%	1,222	100%
Watsonwan	32	29.6%	60	50.4%	108	100%	119	100%
Wilkin	22	34.9%	25	37.3%	63	100%	67	100%
Winona	168	42.3%	140	42.0%	397	100%	333	100%
Wright	254	44.2%	206	44.1%	575	100%	467	100%
Yellow Medicine	39	34.8%	41	41.0%	112	100%	100	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2000, 2001 and 2001.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Other Cell types M959_ - M998_, and all other Site Codes

Total Includes all microscopically-confirmed or Death-Certificate-Only cancers

(Counts include invasive cancers only, with the exception of cancers of urinary bladder, which include in situ cancers.)

Morbidity and Utilization Table 8a: Minnesota Nonfatal Traumatic Brain Injuries Number and Rate per 100,000 population by State and County, 2001-2003

	2002		2003		2004	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,076	82.7	4,395	88.9	4,472	90.9
Aitkin	12	*	16	*	18	*
Anoka	213	71.0	226	77.9	267	87.6
Becker	11	*	6	*	20	63.3
Beltrami	17	*	22	59.5	26	70.0
Benton	32	82.6	48	138.7	52	152.6
Big Stone	3	*	5	*	2	*
Blue Earth	30	63.1	45	75.9	56	101.4
Brown	21	88.5	28	92.8	10	*
Carlton	28	90.8	37	115.9	30	76.7
Carver	35	46.9	56	76.2	50	75.1
Cass	27	108.2	29	111.8	23	69.1
Chippewa	11	*	11	*	12	*
Chisago	46	109.7	54	128.4	70	161.1
Clay	2	*	4	*	4	*
Clearwater	5	*	6	*	1	*
Cook	3	*	12	*	1	*
Cottonwood	4	*	6	*	2	*
Crow Wing	55	111.2	44	75.0	62	112.1
Dakota	255	74.7	246	72.1	258	72.5
Dodge	22	106.2	23	129.3	25	139.6
Douglas	26	68.7	28	87.7	26	82.6
Faribault	19	*	19	*	14	*
Fillmore	25	133.4	22	96.2	28	146.5
Freeborn	31	120.5	24	63.0	28	81.4
Goodhue	58	143.2	52	112.8	43	83.2
Grant	10	*	4	*	9	*
Hennepin	933	83.3	984	87.8	1,027	94.2
Houston	5	*	8	*	6	*
Hubbard	5	*	13	*	12	*
Isanti	31	100.3	35	105.4	41	133.6
Itasca	30	63.7	47	142.5	38	66.8
Jackson	3	*	3	*	5	*
Kanabec	17	*	14	*	16	*
Kandiyohi	26	71.0	26	57.0	25	54.8
Kittson	3	*	1	*	0	*
Koochiching	10	*	11	*	10	*
Lac Qui Parle	2	*	9	*	4	*
Lake	6	*	11	*	11	*
Lake of the Woods	4	*	4	*	6	*
Le Sueur	28	97.1	34	114.7	25	98.9
Lincoln	1	*	2	*	0	*
Lyon	10	*	18	*	16	*
McLeod	19	*	34	104.7	27	93.0
Mahnomen	0	*	3	*	3	*
Marshall	7	*	0	*	0	*
Martin	15	*	25	155.9	16	*
Meeker	20	76.8	17		21	*
Mille Lacs	42	176.0	48	242.8	50	238.7
Morrison	29	118.0	37	112.8	34	111.7
Mower	43	114.3	41	98.6	60	139.7

Morbidity and Utilization Table 8a: Minnesota Nonfatal Traumatic Brain Injuries Number and Rate per 100,000 population by State and County, 2001-2003

	2002		2003		2004	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,076	82.7	4,395	88.9	4,472	90.9
Murray	1	*	3	*	0	*
Nicollet	20	60.1	18	*	17	*
Nobles	4	*	6	*	7	*
Norman	1	*	1	*	1	*
Olmsted	180	146.4	139	112.2	130	99.5
Otter Tail	33	46.9	39	65.8	31	42.8
Pennington	6	*	1	*	2	*
Pine	39	149.3	27	105.2	25	92.5
Pipestone	1	*	9	*	4	*
Polk	15	*	8	*	7	*
Pope	6	*	10	*	8	*
Ramsey	487	98.0	527	98.2	542	107.2
Red Lake	1	*	1	*	2	*
Redwood	11	*	23	144.7	10	*
Renville	12	*	16		15	*
Rice	41	69.7	59	115.3	56	95.0
Rock	1	*	4	*	4	*
Roseau	11	*	2	*	2	*
St. Louis	194	97.7	223	125.6	226	120.5
Scott	63	61.8	74	78.2	79	85.3
Sherburne	59	104.3	83	124.7	82	134.8
Sibley	13	*	11	*	15	*
Stearns	126	103.8	134	112.5	147	121.3
Steele	43	115.1	38	128.0	36	124.7
Stevens	11	*	11	*	5	*
Swift	12	*	14	*	4	*
Todd	17	*	22	103.6	17	*
Traverse	6	*	1	*	0	*
Wabasha	34	148.8	27	129.9	31	128.8
Wadena	15	*	10	*	12	*
Waseca	13	*	22	104.6	17	*
Washington	158	77.6	169	82.2	168	88.1
Watsonwan	10	*	5	*	9	*
Wilkin	5	*	1	*	3	*
Winona	35	95.1	41	85.5	45	92.7
Wright	91	88.8	95	96.9	103	97.5
Yellow Medicine	6	*	11	*	6	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Traumatic Brain Injuries (TBI): Numbers are traumatic brain injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page [D-25](#) for Traumatic Brain Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity and Utilization Table 8b: Minnesota Spinal Cord Injury Number and Annualized Rate per 100,000 population by State and County, 2002-2004

	2002	2003	2004	Annualized Rate 2002-2004
	Number	Number	Number	
State of Minnesota	228	230	246	4.4
Aitkin	2	1	3	*
Anoka	13	9	9	3.1
Becker	0	0	0	*
Beltrami	1	0	3	*
Benton	1	6	4	*
Big Stone	0	0	0	*
Blue Earth	1	1	1	*
Brown	4	0	1	*
Carlton	0	1	1	*
Carver	2	3	1	*
Cass	3	3	3	*
Chippewa	0	1	3	*
Chisago	1	2	2	*
Clay	2	0	0	*
Clearwater	0	0	0	*
Cook	0	0	0	*
Cottonwood	0	0	0	*
Crow Wing	2	4	4	*
Dakota	16	10	6	2.8
Dodge	0	1	4	*
Douglas	2	1	0	*
Faribault	1	1	2	*
Fillmore	0	2	2	*
Freeborn	3	1	1	*
Goodhue	6	4	5	*
Grant	1	1	0	*
Hennepin	39	52	51	4.0
Houston	0	1	0	*
Hubbard	0	0	0	*
Isanti	3	3	3	*
Itasca	6	1	2	*
Jackson	0	1	0	*
Kanabec	0	2	0	*
Kandiyohi	0	2	4	*
Kittson	0	0	0	*
Koochiching	0	0	0	*
Lac Qui Parle	4	1	0	*
Lake	0	2	2	*
Lake of the Woods	1	0	0	*
Le Sueur	2	1	1	*
Lincoln	0	0	0	*
Lyon	1	1	0	*
McLeod	2	0	2	*
Mahnomen	0	0	0	*
Marshall	3	0	0	*
Martin	1	0	0	*
Meeker	0	1	0	*
Mille Lacs	7	3	3	*
Morrison	2	0	3	*
Mower	3	1	2	*

Morbidity and Utilization Table 8b: Minnesota Spinal Cord Injury Number and Annualized Rate per 100,000 population by State and County, 2002-2004

	2002	2003	2004	Annualized Rate 2002-2004
	Number	Number	Number	
State of Minnesota	228	230	246	4.4
Murray	0	0	0	*
Nicollet	3	2	0	*
Nobles	0	0	0	*
Norman	0	0	0	*
Olmsted	3	6	15	5.5
Otter Tail	1	1	2	*
Pennington	0	1	0	*
Pine	4	3	1	*
Pipestone	0	0	0	*
Polk	1	0	0	*
Pope	0	4	2	*
Ramsey	20	28	25	4.5
Red Lake	0	0	0	*
Redwood	1	4	0	*
Renville	1	0	3	*
Rice	3	1	4	*
Rock	0	0	0	*
Roseau	0	0	2	*
St. Louis	18	11	19	7.2
Scott	6	3	2	*
Sherburne	4	3	7	*
Sibley	1	3	1	*
Stearns	7	7	6	4.5
Steele	0	2	1	*
Stevens	0	0	0	*
Swift	1	0	1	*
Todd	3	2	2	*
Traverse	0	0	0	*
Wabasha	1	3	2	*
Wadena	1	0	0	*
Waseca	0	0	0	*
Washington	9	12	15	5.5
Watonwan	1	0	0	*
Wilkin	0	0	0	*
Winona	2	2	4	*
Wright	2	5	4	*
Yellow Medicine	0	2	0	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Spinal Cord Injuries (SCI): Numbers are spinal cord injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page [D-25](#) for Spinal Cord Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity and Utilization Tables 8a and b: TBI and SCI Case Report Definitions

Traumatic Brain Injury (TBI)

Cases of traumatic brain injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

310.2 - postconcussion syndrome
348.1 - (when coded with 994.1 or 994.7) - anoxic brain damage
800.0-800.99 - fracture of vault of skull
801.00-801.99 - fracture of base of skull
803.00-803.99 - other and unqualified skull fractures
804.00-804.99 - multiple fractures involving skull or face with other bones
850.0-850.9 - concussion
851.00-851.99 - cerebral laceration and contusion
852.00-852.59 - subarachnoid, subdural, and extradural hemorrhage, following injury
853.00-853.19 - other and unspecified intracranial hemorrhage following injury
854.00-854.19 - intracranial injury of other and unspecified nature
905.0* - late effect of fracture of skull and face bones
907.0*- late effect of intracranial injury without mention of skull fracture
950.0-950.9 - injury to optic nerve and pathways

Out-of-state hospitals are requested to report cases who are Minnesota residents or who were injured in Minnesota.

Do not report patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

Cases should be submitted on the standard case report form, or may be submitted via electronic media.

Spinal Cord Injuries (SCI)

Cases of spinal cord injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

806.00-806.9 - fracture of vertebral column with spinal cord injury
907.2* - late effect of spinal cord injury
952.00-952.9 - spinal cord injury without evidence of spinal bone injury

AND

*the injury occurred on or after January 1, 1993

AND

the patient: was admitted as an inpatient to an acute care hospital, or died (or declared DOA) in the emergency department prior to admission, or was transferred from the emergency department to an out-of-state hospital.

Out-of-state hospitals are requested to report cases who are Minnesota residents or who were injured in Minnesota.

Do not report patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

Cases should be submitted on the standard case report form, or may be submitted via electronic media.

Morbidity and Utilization Table 9: Minnesota Behavioral Risk Factors^ of Adults - County Synthetic Estimates and State Estimates, 2004

Estimated Percent of:								
	Over weight	Current Smokers	Acute Drinking	Chronic Drinking	Perceiving health status as fair or poor	Reporting limitations*	No Exercise	Hyper-tension
State of Minnesota	59.6	20.8	19.9	5.6	10.0	21.8	15.9	24.5
Aitkin	61.3	18.3	16.2	5.2	12.5	25.4	17.3	32.1
Anoka	59.1	21.6	20.9	5.7	9.2	20.7	15.4	22.2
Becker	59.8	19.9	18.5	5.5	11.0	23.2	16.5	27.6
Beltrami	57.5	21.4	20.8	6.0	9.7	21.0	15.7	23.4
Benton	58.2	21.4	21.4	5.8	9.2	20.5	15.4	21.9
Big Stone	60.6	18.1	15.8	5.1	12.8	25.7	17.5	32.3
Blue Earth	56.6	21.9	22.4	6.3	9.2	20.1	15.5	21.8
Brown	59.0	20.0	18.7	5.7	11.2	23.3	16.6	27.7
Carlton	59.5	20.4	19.5	5.6	10.5	22.5	16.2	26.1
Carver	58.6	21.9	21.1	5.7	9.0	20.3	15.3	21.4
Cass	60.5	19.5	17.8	5.4	11.4	23.8	16.7	28.8
Chippewa	59.9	19.0	17.2	5.3	11.9	24.5	17.0	29.7
Chisago	58.7	21.5	21.3	5.8	9.3	20.6	15.4	22.3
Clay	57.0	21.6	21.0	6.2	9.7	20.9	15.8	23.0
Clearwater	60.0	19.6	18.2	5.5	11.3	23.6	16.6	28.2
Cook	61.4	19.2	16.9	5.2	11.7	24.6	16.8	29.8
Cottonwood	60.2	18.5	16.7	5.2	12.3	25.0	17.3	30.8
Crow Wing	59.6	19.7	18.3	5.5	11.1	23.3	16.5	27.6
Dakota	59.0	21.5	20.6	5.6	9.2	20.8	15.3	22.2
Dodge	58.8	21.0	20.2	5.7	9.9	21.5	15.8	23.8
Douglas	59.4	19.7	18.6	5.5	11.1	23.3	16.6	27.8
Faribault	60.3	18.7	16.7	5.2	12.3	25.1	17.3	30.9
Fillmore	59.9	19.3	17.8	5.4	11.6	24.0	16.8	28.9
Freeborn	60.2	19.2	17.5	5.3	11.7	24.2	16.9	29.3
Goodhue	59.5	20.1	18.8	5.5	10.8	22.9	16.3	26.7
Grant	60.2	18.5	16.7	5.2	12.4	25.1	17.3	31.0
Hennepin	59.4	20.8	20.0	5.5	9.8	21.6	15.7	23.8
Houston	59.7	19.7	18.1	5.4	11.2	23.5	16.5	27.7
Hubbard	60.6	19.3	17.4	5.4	11.6	24.2	16.8	29.5
Isanti	58.5	21.4	20.8	5.8	9.5	20.9	15.6	23.0
Itasca	60.0	19.7	18.0	5.5	11.3	23.7	16.6	28.5
Jackson	59.9	19.2	17.9	5.4	11.6	24.0	16.9	28.9
Kanabec	59.6	20.4	19.2	5.6	10.5	22.5	16.2	26.1
Kandiyohi	59.1	20.2	18.9	5.6	10.8	22.9	16.4	26.7
Kittson	61.3	18.2	15.9	5.1	12.8	25.8	17.5	32.2
Koochiching	60.6	19.2	17.1	5.3	11.7	24.4	16.9	29.7
Lac Qui Parle	60.6	18.4	16.4	5.2	12.6	25.5	17.4	31.8
Lake	60.6	19.0	17.1	5.2	11.8	24.5	17.0	29.9
Lake of the Woods	61.1	19.1	16.9	5.2	11.9	24.7	17.0	30.1
Le Sueur	59.4	20.5	19.4	5.6	10.4	22.4	16.2	25.8
Lincoln	60.6	17.9	16.1	5.1	12.8	25.7	17.6	32.3
Lyon	58.2	20.5	19.8	5.8	10.4	22.2	16.2	25.4
McLeod	59.4	20.3	19.3	5.5	10.5	22.4	16.2	25.7
Mahnomen	60.1	19.4	17.9	5.4	11.5	24.0	16.9	29.0
Marshall	60.3	19.3	17.8	5.4	11.7	24.1	16.9	29.3
Martin	60.1	18.9	17.0	5.2	12.0	24.7	17.1	30.1

Morbidity and Utilization Table 9: Minnesota Behavioral Risk Factors[^] of Adults - County Synthetic Estimates and State Estimates, 2004

Estimated Percent of:								
	Over weight	Current Smokers	Acute Drinking	Chronic Drinking	Perceiving health status as fair or poor	Reporting limitations*	No Exercise	Hyper-tension
State of Minnesota	59.6	20.8	19.9	5.6	10.0	21.8	15.9	24.5
Meeker	59.7	19.9	18.7	5.5	11.0	23.1	16.5	27.3
Mille Lacs	59.2	20.2	19.2	5.6	10.6	22.5	16.2	26.1
Morrison	59.4	20.1	19.1	5.6	10.8	22.8	16.4	26.6
Mower	59.5	19.3	18.1	5.4	11.5	23.7	16.8	28.4
Murray	60.8	18.5	16.6	5.2	12.3	25.2	17.3	31.2
Nicollet	57.4	21.9	21.6	6.2	9.4	20.5	15.6	22.6
Nobles	59.8	19.6	18.4	5.4	11.3	23.6	16.7	28.1
Norman	60.4	18.9	17.2	5.3	11.9	24.5	17.0	30.0
Olmsted	59.1	20.8	19.9	5.5	9.8	21.6	15.7	23.9
Otter Tail	60.0	19.4	17.7	5.4	11.6	24.1	16.8	29.2
Pennington	58.9	20.2	19.2	5.6	10.8	22.8	16.4	26.7
Pine	59.9	20.3	19.5	5.6	10.6	22.5	16.2	26.4
Pipestone	59.7	18.8	17.0	5.3	12.1	24.7	17.2	30.1
Polk	58.9	20.0	18.8	5.6	11.0	23.1	16.5	27.3
Pope	59.9	19.0	17.2	5.3	11.9	24.5	17.1	30.0
Ramsey	58.8	20.6	19.6	5.6	10.0	21.9	15.9	24.4
Red Lake	59.6	19.8	18.7	5.6	11.2	23.4	16.6	27.9
Redwood	60.2	18.9	17.3	5.3	11.9	24.5	17.0	29.8
Renville	60.1	19.2	17.7	5.3	11.7	24.2	16.9	29.3
Rice	57.3	22.0	21.8	6.3	9.4	20.4	15.6	22.7
Rock	59.8	19.0	17.4	5.3	11.8	24.3	17.0	29.4
Roseau	59.8	20.6	19.5	5.6	10.4	22.2	16.1	25.4
St. Louis	58.9	20.3	19.1	5.7	10.7	22.7	16.3	26.5
Scott	58.3	22.2	22.0	5.8	8.5	19.5	14.9	19.7
Sherburne	57.9	22.1	22.3	5.9	8.6	19.6	15.1	20.3
Sibley	59.8	19.9	18.7	5.5	11.0	23.1	16.5	27.2
Stearns	57.5	21.7	21.6	6.1	9.4	20.5	15.6	22.5
Steele	59.1	20.6	19.5	5.6	10.3	22.1	16.0	25.1
Stevens	56.4	21.3	20.9	6.4	10.3	21.4	16.3	24.7
Swift	61.2	19.6	19.8	5.4	11.2	23.4	16.8	28.2
Todd	59.5	20.2	18.9	5.7	10.9	23.0	16.5	27.3
Traverse	60.1	17.7	15.7	5.1	13.2	26.1	17.8	33.2
Wabasha	59.8	20.1	18.7	5.5	10.8	23.0	16.4	26.9
Wadena	60.0	18.9	17.3	5.3	11.9	24.4	17.0	29.9
Waseca	60.0	20.5	20.1	5.6	10.4	22.3	16.2	25.7
Washington	59.3	21.4	20.2	5.6	9.5	21.2	15.5	23.1
Watonwan	60.0	19.1	17.4	5.3	11.8	24.3	17.0	29.5
Wilkin	60.0	19.9	18.3	5.4	11.1	23.4	16.5	27.6
Winona	57.2	21.5	21.0	6.2	9.8	21.1	15.9	23.6
Wright	58.5	21.7	21.3	5.8	9.1	20.4	15.3	21.7
Yellow Medicine	59.7	19.0	17.4	5.3	12.0	24.5	17.1	29.9

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

[^]See page D-18 for definitions

*in any activities because of any impairment or health problem

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

Morbidity and Utilization Table 6: Definitions for Behavior Risk Factors of Adults

Behavioral Risk Factor Surveillance System (BRFSS): A continuous monthly telephone survey that monitors health risk behaviors that has impact on chronic diseases and disabilities. Approximately, 4800 interviews of adults 18 years and older are completed yearly.

Smoking: Current regular smoker (ever smoked 100 cigarettes and now smokes every day or some days).

Overweight: The prevalence of overweight is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] greater than or equal to 25 for men and women. Please note that as of 1999, the definition of overweight has changed. The prevalence of overweight was previously defined as a BMI greater than or equal to 27.8 for men and greater than or equal to 27.3 for women.

Acute Drinking: Respondents who report they have consumed five or more drinks on an occasion, one or more times in the month prior to the survey.

Chronic Drinking: Chronic drinking of adults is defined as the percent of male respondents 18 and older who report an average of more than two drinks per day and female respondents 18 and older who report an average of more than one drink per day.

Limitation of Activities: The percent of adults who are limited in any activities because of physical mental or emotional problems, OR those adults who have a health impairment that requires the use of special equipment, such as cane, a wheelchair, a special bed or special telephone.

No Exercise: Percent of respondents who reported no physical activities during the past month, other than regular job.

Hypertension: Percent of respondents who have EVER been told by a doctor, nurse or other health professional that they have high blood pressure.

Section E: Chemical Health Tables

**Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities (edited 11/06)
by State and County, 2002-2004**

	2002			2003			2004			2002-2004 Percent Average Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	657	239	36.4	655	255	38.9	567	177	31.2	35.7
Aitkin	5	1	20.0	4	2	50.0	10	1	10.0	21.1
Anoka	24	8	33.3	32	9	28.1	28	8	28.6	29.8
Becker	6	5	83.3	8	6	75.0	4	4	100.0	83.3
Beltrami	5	1	20.0	6	4	66.7	7	3	42.9	44.4
Benton	13	4	30.8	3	0	0.0	5	2	40.0	28.6
Big Stone	1	0	0.0	0	0	0.0	4	4	100.0	80.0
Blue Earth	5	1	20.0	14	7	50.0	7	0	0.0	30.8
Brown	3	0	0.0	3	1	33.3	4	1	25.0	20.0
Carlton	11	4	36.4	6	3	50.0	7	1	14.3	33.3
Carver	14	3	21.4	10	5	50.0	4	2	50.0	35.7
Cass	19	10	52.6	11	6	54.5	7	3	42.9	51.4
Chippewa	5	4	80.0	0	0	0.0	3	1	33.3	62.5
Chisago	11	0	0.0	10	5	50.0	4	1	25.0	24.0
Clay	13	7	53.8	8	4	50.0	7	1	14.3	42.9
Clearwater	4	1	25.0	2	2	100.0	2	2	100.0	62.5
Cook	2	1	50.0	1	0	0.0	0	0		33.3
Cottonwood	0	0		2	0	0.0	3	0	0.0	0.0
Crow Wing	8	6	75.0	11	6	54.5	6	2	33.3	56.0
Dakota	22	6	27.3	14	5	35.7	33	8	24.2	27.5
Dodge	3	1	33.3	3	1	33.3	4	1	25.0	30.0
Douglas	1	0	0.0	6	1	16.7	11	5	45.5	33.3
Faribault	3	0	0.0	5	3	60.0	0	0		37.5
Fillmore	2	1	50.0	3	0	0.0	4	2	50.0	33.3
Freeborn	8	3	37.5	7	4	57.1	9	4	44.4	45.8
Goodhue	7	1	14.3	11	2	18.2	4	2	50.0	22.7
Grant	4	2	50.0	1	1	100.0	2	0	0.0	42.9
Hennepin	61	17	27.9	62	23	37.1	48	18	37.5	33.9
Houston	4	0	0.0	3	0	0.0	4	1	25.0	9.1
Hubbard	8	5	62.5	6	2	33.3	6	2	33.3	45.0
Isanti	9	4	44.4	12	2	16.7	4	3	75.0	36.0
Itasca	5	2	40.0	14	10	71.4	10	1	10.0	44.8
Jackson	3	0	0.0	3	1	33.3	0	0		16.7
Kanabec	8	4	50.0	1	1	100.0	4	2	50.0	53.8
Kandiyohi	9	0	0.0	11	2	18.2	14	3	21.4	14.7
Kittson	3	2	66.7	3	1	33.3	1	0	0.0	42.9
Koochiching	0	0		3	3	100.0	3	1	33.3	66.7
Lac Qui Parle	1	0	0.0	2	1	50.0	2	1	50.0	40.0
Lake	3	1	33.3	3	1	33.3	3	2	66.7	44.4
Lake of the Woods	4	2	50.0	1	0	0.0	0	0		40.0
Le Sueur	6	2	33.3	2	0	0.0	3	1	33.3	27.3
Lincoln	3	2	66.7	5	3	60.0	1	1	100.0	66.7
Lyon	1	0	0.0	3	1	33.3	6	0	0.0	10.0
McLeod	7	0	0.0	4	3	75.0	2	0	0.0	23.1
Mahnomen	2	1	50.0	5	4	80.0	1	1	100.0	75.0

**Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities (edited 11/06)
by State and County, 2002-2004**

	2002			2003			2004			2002-2004 Percent Average Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	657	239	36.4	655	255	38.9	567	177	31.2	35.7
Marshall	3	1	33.3	0	0	0.0	0	0		33.3
Martin	3	0	0.0	2	0	0.0	5	2	40.0	20.0
Meeker	5	3	60.0	7	1	14.3	4	1	25.0	31.3
Mille Lacs	7	2	28.6	5	2	40.0	7	6	85.7	52.6
Morrison	15	11	73.3	10	1	10.0	13	4	30.8	42.1
Mower	7	2	28.6	4	1	25.0	1	0	0.0	25.0
Murray	2	1	50.0	3	1	33.3	2	1	50.0	42.9
Nicollet	0	0		11	5	45.5	0	0		45.5
Nobles	4	1	25.0	1	0	0.0	4	1	25.0	22.2
Norman	4	2	50.0	3	1	33.3	2	0	0.0	33.3
Olmsted	15	8	53.3	15	3	20.0	15	6	40.0	37.8
Otter Tail	11	3	27.3	10	2	20.0	9	4	44.4	30.0
Pennington	4	0	0.0	1	1	100.0	4	0	0.0	11.1
Pine	9	5	55.6	12	6	50.0	7	2	28.6	46.4
Pipestone	3	2	66.7	0	0	0.0	4	1	25.0	42.9
Polk	6	1	16.7	4	2	50.0	7	4	57.1	41.2
Pope	4	2	50.0	3	0	0.0	3	1	33.3	30.0
Ramsey	36	20	55.6	31	8	25.8	22	10	45.5	42.7
Red Lake	3	3	100.0	0	0	0.0	1	1	100.0	100.0
Redwood	0	0	0.0	1	0	0.0	0	0		0.0
Renville	5	1	20.0	7	0	0.0	4	2	50.0	18.8
Rice	14	3	21.4	11	5	45.5	9	2	22.2	29.4
Rock	1	1	100.0	0	0	0.0	2	0	0.0	33.3
Roseau	3	2	66.7	3	0	0.0	2	0	0.0	25.0
St. Louis	32	12	37.5	29	12	41.4	21	6	28.6	36.6
Scott	19	8	42.1	18	12	66.7	19	3	15.8	41.1
Sherburne	15	5	33.3	15	5	33.3	14	3	21.4	29.5
Sibley	0	0	0.0	4	0	0.0	1	0	0.0	0.0
Stearns	16	4	25.0	21	12	57.1	20	6	30.0	38.6
Steele	3	1	33.3	7	3	42.9	12	0	0.0	18.2
Stevens	3	1	33.3	2	1	50.0	1	0	0.0	33.3
Swift	2	1	50.0	2	0	0.0	1	0	0.0	20.0
Todd	1	1	100.0	6	1	16.7	11	5	45.5	38.9
Traverse	3	0	0.0	0	0	0.0	0	0		0.0
Wabasha	5	1	20.0	8	5	62.5	2	1	50.0	46.7
Wadena	2	1	50.0	4	2	50.0	1	0	0.0	42.9
Waseca	4	1	25.0	2	1	50.0	1	0	0.0	28.6
Washington	16	3	18.8	24	9	37.5	18	7	38.9	32.8
Watsonwan	2	0	0.0	3	0	0.0	4	0	0.0	0.0
Wilkin	3	1	33.3	2	1	50.0	1	0	0.0	33.3
Winona	11	6	54.5	15	7	46.7	6	0	0.0	40.6
Wright	17	5	29.4	20	10	50.0	15	3	20.0	34.6
Yellow Medicine	3	2	66.7	5	0	0.0	1	0	0.0	22.2

Source: Minnesota Department of Public Safety

A **fatality** is considered alcohol-related if the investigating officer suspects alcohol-involvement for any driver, pedestrian or bicyclist involved in the crash. Fatalities are by county of occurrence.

2000-2002 Average: The average is determined by adding up all the events that occurred in the three years and then dividing that sum by three

Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes by State and County, 2004

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol Related		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	91,274	4,841	5.3	40,073	3,622	9.0	\$ 287,802,000.00
Aitkin	297	30	10.1	145	27	18.6	\$ 1,778,800.00
Anoka	4,275	216	5.1	2,191	150	6.8	\$ 13,024,300.00
Becker	387	33	8.5	272	46	16.9	\$ 5,411,000.00
Beltrami	745	60	8.1	370	69	18.6	\$ 4,847,900.00
Benton	578	39	6.7	302	30	9.9	\$ 2,955,500.00
Big Stone	85	14	16.5	52	16	30.8	\$ 4,740,500.00
Blue Earth	1,324	67	5.1	547	47	8.6	\$ 1,372,600.00
Brown	378	29	7.7	176	31	17.6	\$ 1,900,000.00
Carlton	395	28	7.1	207	17	8.2	\$ 1,682,700.00
Carver	1,234	62	5.0	560	36	6.4	\$ 3,305,900.00
Cass	394	51	12.9	231	58	25.1	\$ 4,738,200.00
Chippewa	135	18	13.3	108	9	8.3	\$ 1,347,200.00
Chisago	867	46	5.3	447	41	9.2	\$ 1,972,500.00
Clay	862	50	5.8	324	34	10.5	\$ 2,209,900.00
Clearwater	74	8	10.8	48	9	18.8	\$ 2,470,800.00
Cook	116	9	7.8	37	7	18.9	\$ 309,700.00
Cottonwood	128	6	4.7	66	6	9.1	\$ 131,300.00
Crow Wing	1,159	67	5.8	533	63	11.8	\$ 3,639,400.00
Dakota	5,498	266	4.8	2,557	175	6.8	\$ 13,301,200.00
Dodge	226	14	6.2	138	16	11.6	\$ 1,545,500.00
Douglas	760	51	6.7	346	41	11.8	\$ 6,593,000.00
Faribault	191	16	8.4	132	20	15.2	\$ 384,200.00
Fillmore	298	29	9.7	121	17	14.0	\$ 2,757,800.00
Freeborn	709	30	4.2	292	20	6.8	\$ 5,113,700.00
Goodhue	989	55	5.6	381	30	7.9	\$ 3,081,000.00
Grant	79	9	11.4	38	8	21.1	\$ 199,300.00
Hennepin	25,240	1,116	4.4	10,448	750	7.2	\$ 38,303,700.00
Houston	330	31	9.4	122	25	20.5	\$ 1,741,100.00
Hubbard	248	18	7.3	123	18	14.6	\$ 2,727,100.00
Isanti	581	28	4.8	271	26	9.6	\$ 4,059,400.00
Itasca	729	59	8.1	406	52	12.8	\$ 2,262,300.00
Jackson	177	7	4.0	96	3	3.1	\$ 124,700.00
Kanabec	201	14	7.0	131	18	13.7	\$ 2,701,900.00
Kandiyohi	737	47	6.4	366	48	13.1	\$ 4,561,500.00
Kittson	43	3	7.0	16	3	18.8	\$ 92,200.00
Koochiching	174	13	7.5	84	16	19.0	\$ 1,529,700.00
Lac Qui Parle	60	8	13.3	30	6	20.0	\$ 1,365,700.00
Lake	198	12	6.1	77	7	9.1	\$ 2,422,000.00
Lake of the Woods	68	6	8.8	22	7	31.8	\$ 112,200.00
Le Sueur	473	53	11.2	216	47	21.8	\$ 2,199,800.00
Lincoln	93	7	7.5	31	9	29.0	\$ 1,379,900.00
Lyon	352	21	6.0	144	15	10.4	\$ 357,600.00
McLeod	600	20	3.3	267	17	6.4	\$ 403,400.00
Mahnomen	63	10	15.9	37	5	13.5	\$ 1,236,200.00

Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes by State and County, 2004

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol Related		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	91,274	4,841	5.3	40,073	3,622	9.0	\$ 287,802,000.00
Marshall	63	4	6.3	43	3	7.0	\$ 54,900.00
Martin	304	18	5.9	147	13	8.8	\$ 2,537,200.00
Meeker	294	21	7.1	156	17	10.9	\$ 1,558,600.00
Mille Lacs	425	41	9.6	240	30	12.5	\$ 7,451,600.00
Morrison	421	35	8.3	187	18	9.6	\$ 5,262,700.00
Mower	670	32	4.8	238	22	9.2	\$ 490,200.00
Murray	93	10	10.8	47	11	23.4	\$ 1,395,400.00
Nicollet	461	32	6.9	172	20	11.6	\$ 498,700.00
Nobles	332	8	2.4	130	4	3.1	\$ 1,201,600.00
Norman	92	3	3.3	51	2	3.9	\$ 44,600.00
Olmsted	2,499	105	4.2	1,215	66	5.4	\$ 8,518,900.00
Otter Tail	824	58	7.0	430	54	12.6	\$ 5,561,800.00
Pennington	188	15	8.0	92	15	16.3	\$ 288,700.00
Pine	412	33	8.0	259	33	12.7	\$ 3,133,800.00
Pipestone	94	7	7.4	68	7	10.3	\$ 1,268,900.00
Polk	404	29	7.2	183	16	8.7	\$ 4,934,700.00
Pope	113	10	8.8	68	8	11.8	\$ 1,341,400.00
Ramsey	13,061	534	4.1	4,420	324	7.3	\$ 19,222,400.00
Red Lake	46	3	6.5	19	2	10.5	\$ 1,156,700.00
Redwood	200	13	6.5	121	17	14.0	\$ 420,000.00
Renville	155	16	10.3	99	6	6.1	\$ 2,452,700.00
Rice	988	54	5.5	439	44	10.0	\$ 3,248,800.00
Rock	199	8	4.0	71	12	16.9	\$ 285,700.00
Roseau	160	7	4.4	70	3	4.3	\$ 63,700.00
St. Louis	2,553	183	7.2	1,384	154	11.1	\$ 10,274,700.00
Scott	1,386	92	6.6	718	89	12.4	\$ 5,241,600.00
Sherburne	1,342	89	6.6	612	86	14.1	\$ 5,250,600.00
Sibley	196	15	7.7	89	10	11.2	\$ 364,900.00
Stearns	2,286	120	5.2	1,214	81	6.7	\$ 9,113,100.00
Steele	776	37	4.8	271	24	8.9	\$ 519,600.00
Stevens	98	6	6.1	36	3	8.3	\$ 124,700.00
Swift	95	6	6.3	45	6	13.3	\$ 109,200.00
Todd	316	20	6.3	184	20	10.9	\$ 6,074,600.00
Traverse	24	2	8.3	9	3	33.3	\$ 38,800.00
Wabasha	340	18	5.3	155	12	7.7	\$ 1,356,000.00
Wadena	169	15	8.9	79	15	19.0	\$ 370,000.00
Waseca	243	14	5.8	123	12	9.8	\$ 384,900.00
Washington	3,366	153	4.5	1,321	106	8.0	\$ 10,508,900.00
Watsonwan	145	13	9.0	45	13	28.9	\$ 264,400.00
Wilkin	134	15	11.2	52	14	26.9	\$ 223,800.00
Winona	1,038	50	4.8	369	33	8.9	\$ 949,500.00
Wright	1,590	109	6.9	814	86	10.6	\$ 5,420,700.00
Yellow Medicine	116	11	9.5	68	12	17.6	\$ 413,700.00

Source: Minnesota Department of Public Safety

A **crash** or **injury** are considered alcohol-related if any driver, pedestrian or bicyclist involved in the crash was perceived by the report officer or found by a laboratory test, to be positive for alcohol (i.e., to have a blood alcohol concentration of .01% or higher). Crashes are by county of occurrence.

Alcohol-related costs are calculated using estimates (provided annually by the National Safety Council) which do not attempt to include “comprehensive costs” but just direct costs due to medical expense, property damage, and lost productivity. Other estimating procedures (e.g., those used by the US Department of Transportation) that do attempt to include comprehensive costs result in estimates about three times as great as those used by National Safety Council.

Chemical Table 3: Minnesota Driving While Impaired Violations - Number & Rate per 10,000 Population by State and County of Occurrence, 2000-2004

	2000		2001		2002		2003		2004		2000-2004
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,971	71.1	33,305	67.0	33,032	65.8	32,193	63.6	34,199	67.0	66.9
Aitkin	219	143.1	229	148.6	245	158.1	199	126.1	111	69.2	128.6
Anoka	2,173	72.9	1,855	60.7	1,702	54.9	1,706	54.3	2,001	62.5	61.0
Becker	540	180.0	415	135.9	461	149.7	333	106.8	298	93.7	132.7
Beltrami	381	96.1	398	98.5	446	108.7	430	102.9	371	87.8	98.8
Benton	265	77.4	246	69.5	275	75.7	273	73.9	253	66.4	72.5
Big Stone	15	**	31	54.0	40	70.5	40	70.8	19	**	50.9
Blue Earth	551	98.5	595	106.4	599	105.6	594	103.7	440	76.6	98.1
Brown	168	62.4	135	50.5	149	55.9	193	72.8	176	65.8	61.5
Carlton	270	85.3	293	91.3	307	94.2	309	93.5	270	80.3	88.9
Carver	256	36.5	303	41.3	335	44.3	339	42.9	478	58.2	45.0
Cass	250	92.1	232	83.9	243	87.3	191	67.7	227	79.8	82.1
Chippewa	68	52.0	79	61.0	99	76.6	108	84.3	92	72.7	69.2
Chisago	311	75.7	362	83.3	297	66.6	321	69.5	326	67.4	72.3
Clay	607	118.5	537	104.1	561	108.0	614	118.1	354	66.9	102.9
Clearwater	100	118.7	86	102.3	73	86.9	66	78.3	75	88.9	95.0
Cook	73	141.3	72	139.3	64	123.2	62	117.4	33	62.1	116.3
Cottonwood	53	43.6	39	32.6	61	50.7	58	48.3	67	56.0	46.2
Crow Wing	520	94.4	465	82.6	414	72.8	432	73.9	449	75.5	79.7
Dakota	2,632	74.0	2,751	75.6	2,763	74.9	2,519	67.5	2,364	62.4	70.8
Dodge	120	67.7	169	92.7	149	80.3	97	51.2	122	63.0	70.8
Douglas	254	77.4	249	74.6	230	68.6	212	62.1	196	56.6	67.7
Faribault	108	66.7	96	60.0	103	64.7	67	42.6	74	47.3	56.4
Fillmore	142	67.2	143	67.1	144	67.2	103	48.3	93	43.6	58.7
Freeborn	285	87.5	299	92.6	280	87.2	224	70.1	172	53.8	78.3
Goodhue	348	78.9	345	77.3	294	65.7	297	65.8	245	53.9	68.2
Grant	27	42.9	22	35.3	32	51.2	46	73.7	41	67.0	53.9
Hennepin	6,843	61.3	6,429	57.7	6,656	59.3	7,072	63.1	7,181	64.1	61.1
Houston	179	90.8	207	103.8	162	81.6	136	68.1	97	48.8	78.6
Hubbard	154	83.8	118	64.0	141	76.5	138	74.1	124	65.8	72.8
Isanti	194	62.0	168	51.3	160	47.3	158	44.7	240	65.7	54.2
Itasca	367	83.4	288	65.4	268	60.7	236	53.3	292	65.9	65.7
Jackson	70	62.1	62	55.6	47	41.7	43	38.5	51	45.4	48.7
Kanabec	170	113.4	109	71.0	102	66.0	100	63.0	106	66.0	75.5
Kandiyohi	273	66.3	272	66.2	282	69.1	244	59.3	311	75.5	67.3
Kittson	21	39.7	11	**	11	**	21	42.3	28	58.1	36.4
Koochiching	106	73.8	83	58.6	126	90.1	96	68.5	87	62.8	70.8
Lac Qui Parle	33	40.9	18	**	33	41.6	27	34.3	34	43.8	36.7
Lake	66	59.7	41	37.0	49	44.2	43	38.5	64	57.1	47.3
Lake of the Woods	30	66.3	30	67.5	26	59.3	74	168.8	41	93.1	90.8
Le Sueur	174	68.4	142	55.2	155	59.6	133	49.7	207	76.2	61.9
Lincoln	11	**	10	**	13	**	8	**	16	**	18.5
Lyon	185	72.8	231	91.6	173	68.9	182	73.3	140	56.7	72.7
McLeod	265	75.9	272	77.0	256	72.3	269	75.0	212	58.6	71.7
Mahnomen	120	231.2	119	228.2	127	246.6	108	211.2	78	153.5	214.4
Marshall	32	31.5	34	33.9	36	36.3	38	38.0	57	56.9	39.3
Martin	149	68.3	132	61.3	148	69.7	142	66.9	128	60.8	65.4
Meeker	131	57.9	89	39.0	113	49.4	86	37.1	121	52.0	47.0
Mille Lacs	409	183.2	347	150.6	297	125.7	250	102.8	208	82.9	127.6
Morrison	248	78.2	220	68.3	195	60.3	181	55.5	176	53.8	63.1
Mower	376	97.4	357	92.4	343	88.4	344	88.6	277	71.0	87.5
Murray	30	32.7	35	38.9	41	45.5	39	43.4	24	26.7	37.4
Nicollet	264	88.7	304	101.0	349	115.3	287	93.4	220	71.4	93.9

Chemical Table 3: Minnesota Driving While Impaired Violations - Number & Rate per 10,000 Population by State and County of Occurrence, 2000-2004

	2000		2001		2002		2003		2004		2000-2004
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,971	71.1	33,305	67.0	33,032	65.8	32,193	63.6	34,199	67.0	66.9
Nobles	185	88.8	150	72.6	181	88.5	182	88.3	126	61.5	80.0
Norman	25	33.6	26	35.3	49	67.0	23	32.0	33	46.6	42.9
Olmsted	849	68.3	815	64.5	794	61.6	692	52.7	830	62.3	61.8
Otter Tail	321	56.2	339	58.7	321	55.3	341	57.9	366	63.2	58.3
Pennington	116	85.4	115	85.5	117	86.6	88	64.5	118	87.1	81.8
Pine	249	93.9	281	103.7	228	83.4	248	89.4	259	92.1	92.4
Pipestone	74	74.8	71	72.0	46	47.1	42	43.4	30	31.3	53.9
Polk	315	100.4	309	99.2	295	94.8	308	99.7	204	65.5	91.9
Pope	80	71.2	93	82.9	78	69.7	67	59.5	53	47.2	66.1
Ramsey	2,864	56.0	2,830	55.6	2,657	52.0	2,327	46.0	2,749	55.0	52.9
Red Lake	36	83.7	45	104.8	41	95.1	41	94.9	20	**	85.1
Redwood	77	45.8	69	41.6	80	49.2	79	48.7	99	61.1	49.2
Renville	87	50.7	85	50.1	98	57.5	108	64.1	131	78.4	60.1
Rice	532	93.9	447	77.5	413	70.5	417	69.9	416	68.9	75.9
Rock	45	46.3	24	24.7	41	41.9	57	59.3	38	39.7	42.4
Roseau	129	79.0	109	67.4	128	78.9	115	70.5	137	84.0	76.0
St. Louis	1,661	82.8	1,457	73.0	1,445	72.3	1,324	66.6	1,399	70.6	73.1
Scott	699	78.1	740	75.4	661	63.8	679	62.5	762	66.4	68.8
Sherburne	470	73.0	368	53.6	393	55.0	385	51.6	486	61.7	58.7
Sibley	109	71.0	133	86.5	120	78.0	100	65.5	129	84.7	77.1
Stearns	1,026	77.0	875	65.1	763	56.2	930	67.8	890	63.1	65.8
Steele	248	73.6	216	63.3	175	50.9	191	55.0	210	59.7	60.4
Stevens	40	39.8	31	31.5	36	36.4	52	52.6	41	41.3	40.3
Swift	48	40.1	54	46.4	44	37.9	59	50.6	54	47.0	44.4
Todd	159	65.1	142	57.8	149	60.9	111	45.7	134	54.4	56.8
Traverse	24	58.1	34	85.0	33	83.5	**	46.0	13	**	61.4
Wabasha	215	99.5	149	68.6	167	76.2	185	83.5	130	58.5	77.2
Wadena	82	59.8	88	64.5	72	53.0	105	77.2	85	62.5	63.4
Waseca	115	58.9	127	65.1	122	62.8	144	74.1	108	56.0	63.4
Washington	1,336	66.4	1,376	66.3	1,389	66.1	1,330	62.3	1,087	50.2	62.1
Watsonwan	52	43.8	94	79.8	88	75.4	76	65.4	65	57.1	64.3
Wilkin	66	92.5	80	113.7	71	101.9	71	102.2	36	53.1	92.9
Winona	384	76.8	330	66.5	403	81.6	359	72.6	305	62.2	72.0
Wright	522	58.0	542	57.2	580	59.1	569	55.5	638	59.7	57.9
Yellow Medicine	95	85.7	87	79.9	79	73.1	82	76.8	61	57.7	74.8

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while DWI violations that occurred **WITHIN** that county/state each year.

Rate: The number of DWI violations per 10,000 population in the county/state.

Chemical Health Table 4: Minnesota Driving While Impaired Violations - Number & Rate per 10,000 population by State and County of Residence, 2000-2004

	2000		2001		2002		2003		2004		2000-2004
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,971	71.1	33,305	67.0	31,388	62.5	32,193	63.6	34,199	67.0	66.2
Aitkin	136	88.9	133	86.3	135	87.1	130	82.4	157	97.9	88.6
Anoka	2,286	76.7	1,967	64.3	1,809	58.4	1,781	56.7	1,939	60.6	63.2
Becker	402	134.0	325	106.4	348	113.0	258	82.8	340	106.9	108.4
Beltrami	372	93.8	374	92.6	406	99.0	395	94.5	434	102.7	96.6
Benton	289	84.4	231	65.2	224	61.7	232	62.8	259	68.0	68.2
Big Stone	19	**	23	40.1	36	63.4	29	51.3	33	58.9	49.1
Blue Earth	426	76.2	464	83.0	481	84.8	463	80.8	545	94.9	84.0
Brown	169	62.8	140	52.4	163	61.1	164	61.9	216	80.7	63.8
Carlton	229	72.3	235	73.3	243	74.6	262	79.3	342	101.7	80.4
Carver	339	48.3	365	49.7	407	53.8	424	53.7	408	49.7	51.1
Cass	237	87.3	246	89.0	241	86.6	195	69.1	255	89.6	84.3
Chippewa	83	63.4	72	55.6	94	72.7	105	82.0	102	80.6	70.8
Chisago	303	73.7	310	71.3	295	66.2	287	62.2	393	81.3	71.0
Clay	336	65.6	311	60.3	321	61.8	309	59.4	782	147.8	79.3
Clearwater	82	97.4	81	96.3	78	92.9	84	99.7	67	79.4	93.1
Cook	35	67.7	48	92.8	27	52.0	37	70.0	44	82.8	73.1
Cottonwood	59	48.5	50	41.8	58	48.2	51	42.4	74	61.9	48.5
Crow Wing	418	75.9	399	70.8	319	56.1	344	58.9	528	88.8	70.2
Dakota	2,332	65.5	2,395	65.8	2,431	65.9	2,368	63.4	2,417	63.8	64.9
Dodge	140	79.0	173	94.9	158	85.2	115	60.7	103	53.2	74.2
Douglas	213	64.9	199	59.6	209	62.4	196	57.4	222	64.1	61.7
Faribault	119	73.5	97	60.7	109	68.4	95	60.4	60	38.4	60.4
Fillmore	135	63.9	126	59.2	111	51.8	96	45.0	121	56.8	55.3
Freeborn	242	74.3	233	72.1	220	68.6	205	64.1	224	70.1	69.9
Goodhue	306	69.3	313	70.1	294	65.7	277	61.3	284	62.4	65.7
Grant	37	58.8	30	48.1	29	46.4	52	83.3	27	44.1	56.2
Hennepin	6,994	62.7	6,717	60.2	6,853	61.1	6,895	61.5	7,381	65.8	62.3
Houston	129	65.4	144	72.2	131	66.0	99	49.5	134	67.4	64.1
Hubbard	147	80.0	104	56.4	122	66.2	128	68.7	106	56.2	65.5
Isanti	222	71.0	206	62.9	208	61.5	186	52.6	238	65.1	62.4
Itasca	351	79.8	284	64.5	264	59.8	236	53.3	313	70.6	65.6
Jackson	60	53.2	56	50.2	52	46.1	44	39.4	46	40.9	46.0
Kanabec	136	90.7	108	70.4	99	64.1	95	59.9	103	64.2	69.6
Kandiyohi	266	64.6	250	60.8	263	64.4	231	56.1	289	70.2	63.2
Kittson	21	39.7	12	**	18	**	24	48.3	22	45.6	38.4
Koochiching	110	76.6	82	57.9	105	75.1	96	68.5	81	58.4	67.4
Lac Qui Parle	40	49.6	34	42.9	34	42.9	34	43.2	18	**	40.5
Lake	62	56.1	48	43.3	60	54.1	46	41.2	63	56.2	50.2
Lake of the Woods	27	59.7	28	63.0	26	59.3	42	95.8	64	145.3	84.5
Le Sueur	206	81.0	189	73.5	186	71.5	179	66.9	168	61.8	70.8
Lincoln	20	31.1	15	**	14	**	11	**	15	**	23.9
Lyon	147	57.8	183	72.5	144	57.3	145	58.4	158	64.0	62.0
McLeod	256	73.4	240	67.9	214	60.4	237	66.1	231	63.8	66.3
Mahnomen	95	183.0	88	168.7	80	155.3	77	150.6	118	232.2	177.9
Marshall	53	52.2	55	54.9	61	61.6	54	54.0	42	41.9	52.9
Martin	151	69.3	110	51.1	140	65.9	120	56.5	134	63.7	61.3
Meeker	121	53.4	101	44.2	125	54.6	108	46.5	109	46.8	49.1
Mille Lacs	271	121.4	230	99.8	189	80.0	201	82.7	285	113.6	99.3
Morrison	205	64.6	204	63.3	173	53.5	197	60.4	164	50.2	58.4
Mower	333	86.3	343	88.8	318	82.0	312	80.4	293	75.1	82.5
Murray	31	33.8	39	43.3	37	41.1	32	35.6	25	27.8	36.3

Chemical Health Table 4: Minnesota Driving While Impaired Violations - Number & Rate per 10,000 population by State and County of Residence, 2000-2004

	2000		2001		2002		2003		2004		2000-2004
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,971	71.1	33,305	67.0	31,388	62.5	32,193	63.6	34,199	67.0	66.2
Nicollet	187	62.8	224	74.4	239	79.0	235	76.5	281	91.1	76.9
Nobles	151	72.5	128	62.0	147	71.9	148	71.8	162	79.1	71.4
Norman	37	49.7	39	53.0	55	75.2	40	55.6	19	**	52.2
Olmsted	851	68.5	794	62.9	830	64.4	731	55.6	772	57.9	61.8
Otter Tail	362	63.3	319	55.2	338	58.2	342	58.1	405	69.9	60.9
Pennington	108	79.5	94	69.9	113	83.6	83	60.9	119	87.9	76.3
Pine	223	84.1	230	84.9	187	68.4	193	69.6	325	115.6	84.6
Pipestone	53	53.6	54	54.7	40	41.0	35	36.2	50	52.2	47.6
Polk	241	76.8	238	76.4	207	66.5	239	77.3	322	103.5	80.1
Pope	75	66.7	80	71.3	63	56.3	47	41.8	65	57.9	58.8
Ramsey	3,154	61.7	3,080	60.6	3,021	59.2	2,712	53.6	2,404	48.1	56.7
Red Lake	26	60.5	33	76.8	23	53.3	28	64.8	34	79.3	66.9
Redwood	72	42.8	87	52.4	90	55.3	78	48.1	110	67.9	53.2
Renville	117	68.2	106	62.5	113	66.3	107	63.5	127	76.0	67.3
Rice	486	85.8	441	76.5	381	65.0	408	68.4	405	67.0	72.4
Rock	34	35.0	24	24.7	30	30.6	50	52.0	47	49.1	38.2
Roseau	115	70.4	99	61.2	117	72.1	113	69.2	158	96.9	74.0
St. Louis	1,521	75.8	1,364	68.4	1,342	67.1	1,272	64.0	1,486	75.0	70.1
Scott	593	66.3	624	63.6	562	54.2	626	57.7	899	78.3	64.2
Sherburne	433	67.2	384	56.0	415	58.1	409	54.8	465	59.0	58.8
Sibley	103	67.1	126	81.9	105	68.3	99	64.8	133	87.3	73.9
Stearns	985	74.0	843	62.7	794	58.4	879	64.1	981	69.5	65.7
Steele	270	80.2	229	67.1	203	59.0	178	51.2	223	63.4	64.1
Stevens	33	32.8	31	31.5	32	32.4	46	46.5	50	50.3	38.7
Swift	64	53.5	52	44.7	49	42.2	64	54.9	42	36.6	46.5
Todd	170	69.6	163	66.3	151	61.7	121	49.8	134	54.4	60.4
Traverse	17	**	22	55.0	16	**	21	53.7	24	62.0	50.3
Wabasha	169	78.2	136	62.6	136	62.1	130	58.7	137	61.7	64.6
Wadena	78	56.9	86	63.0	79	58.2	77	56.6	81	59.5	58.8
Waseca	112	57.4	139	71.3	124	63.8	132	67.9	111	57.6	63.6
Washington	1,121	55.7	1,138	54.8	1,133	53.9	1,150	53.8	1,314	60.6	55.8
Watowan	61	51.4	96	81.5	81	69.4	70	60.2	75	65.8	65.7
Wilkin	33	46.2	45	64.0	34	48.8	32	46.1	61	89.9	58.8
Winona	297	59.4	255	51.4	283	57.3	259	52.3	490	99.9	64.0
Wright	604	67.1	591	62.3	620	63.2	548	53.4	640	59.9	61.0
Yellow Medicine	77	69.5	67	61.6	73	67.6	69	64.6	72	68.1	66.3

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while impaired violations by county of residence.

Rate: The number of DWI violations per 10,000 population in the county/state.

Notes about the Chemical Health Indicators

IMPAIRED DRIVING INCIDENTS

Minnesota Motor Vehicle Crash Facts

This category includes data about motor vehicle crashes and violations related to alcohol. The violations' indicators includes violations for both failing and also refusing to take (implied consent law) a test for blood alcohol content.

These indicators include both local law enforcement and State Patrol reports.

Source:

Minnesota Department of Public Safety, 651/296-9489.

Limitations:

Under-reporting

Law enforcement officers at a crash or arrest site may not realize and thus not report that alcohol or other drugs were involved.

Lack of Standard Reporting

The number of reports of alcohol-related crashes or driving while impaired violations are affected by the inconsistency of enforcement of the laws by local law enforcement officials. One community may be very strict in enforcement, or receive specific funds for specific enforcement, while another community may be more lenient.

Section F: Environmental Health Tables

Blood Lead, 2004

Lead poisoning is a significant, preventable environmental health problem among children in the United States. Lead poisoning can cause learning, behavior, and health problems in young children. In adults, lead can cause high blood pressure, kidney damage, and damage to the reproductive organs. Exposure pathways include deteriorating lead paint; soil and dust; drinking water; “take-home lead” by way of parental occupations and hobbies; air; food; and possibly “traditional” medicines.

The Minnesota Department of Health (MDH) maintains an extensive blood lead surveillance system for the purpose of monitoring trends in blood lead levels in Minnesota. Independent laboratories and/or hospitals report blood lead analyses to the MDH. The data are used to help ensure that screening services are provided to high risk groups and that environmental and medical follow-up is provided to children with elevated blood lead levels. Lead program staff advise local health departments of elevated venous blood lead levels that require follow up. Health care providers and public health agencies educate families of children with blood lead levels of 10 micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or greater about the hazards of lead. Homes of children with venous blood lead levels of 15 $\mu\text{g}/\text{dL}$ or greater, or pregnant women with venous blood lead levels of 10 $\mu\text{g}/\text{dL}$ or greater, are inspected for lead hazards so that homes can be made lead safe and blood lead levels can be reduced.

In addition, MDH has developed guidelines for case management and clinical treatment in collaboration with local partners and physicians. The case management guidelines are targeted to local public health agencies and others who provide services to provide information on recommended activities related to elevated childhood lead cases. The clinical guidelines provide recommended treatment information to physicians who may not deal with many lead cases in their practice. This information, as well as other information on childhood lead poisoning, may be found at the MDH website at: www.health.state.mn.us/divs/eh/lead.

The results in Environmental Health Table 1 represent submitted reports of blood lead tests of Minnesota children aged 0-72 months between January 1, 2004 and December 31, 2004. The table below shows the numbers of children 0-72 months of age tested in 2004 according to blood lead level.

For more information contact the Environmental Impacts Analysis Unit, Section of Environmental Surveillance and Assessment: Erik Zabel, 651/201-4931, erik.zabel@health.state.mn.us, or www.health.state.mn.us/divs/eh/lead.

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter (µg/dL) in 2004 by State and County

	Number of Children (0 to 72 Months)			
	10 to 14.9 µg/dL ²	15 to 19.9 µg/dL ¹	20 µg/dL or Greater ¹	Total Tested ²
State of Minnesota	998	128	122	72,168
Aitkin	2	0	0	168
Anoka	26	0	3	4,483
Becker	2	0	0	280
Beltrami	1	0	1	155
Benton	5	0	0	629
Big Stone	0	0	0	67
Blue Earth	4	0	0	776
Brown	5	1	0	279
Carlton	3	1	0	548
Carver	4	0	1	513
Cass	1	0	0	173
Chippewa	4	0	0	172
Chisago	3	0	0	393
Clay	1	2	0	615
Clearwater	0	0	0	56
Cook	1	0	0	50
Cottonwood	1	0	0	97
Crow Wing	1	0	0	547
Dakota	25	4	1	4,016
Dodge	0	0	1	120
Douglas	0	0	0	486
Faribault	1	1	0	205
Fillmore	6	0	0	231
Freeborn	5	1	1	421
Goodhue	7	1	1	460
Grant	1	0	0	98
Hennepin	352	48	52	18,526
Houston	3	0	0	148
Hubbard	1	0	0	96
Isanti	1	0	0	388
Itasca	3	0	1	512
Jackson	0	0	0	104
Kanabec	0	0	0	151
Kandiyohi	10	2	0	752
Kittson	1	0	0	47
Koochiching	4	0	0	229
Lac Qui Parle	2	1	0	99
Lake	2	1	0	168
Lake of the Woods	0	0	0	18
Le Sueur	2	0	0	259
Lincoln	1	0	0	47
Lyon	0	0	0	456
McLeod	5	1	0	454
Mahnomen	2	0	0	105
Marshall	1	0	0	67
Martin	6	1	1	305
Meeker	5	0	1	292
Mille Lacs	5	0	0	423
Morrison	3	0	0	542
Mower	0	0	1	309
Murray	0	0	0	108
Nicollet	1	0	0	334

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter ($\mu\text{g}/\text{dL}$) in 2004 by State and County

	Number of Children (0 to 72 Months)			
	10 to 14.9 $\mu\text{g}/\text{dL}$ ²	15 to 19.9 $\mu\text{g}/\text{dL}$ ¹	20 $\mu\text{g}/\text{dL}$ or Greater ¹	Total Tested ²
State of Minnesota	998	128	122	72,168
Nobles	11	1	2	486
Norman	3	0	0	56
Olmsted	13	5	1	816
Otter Tail	3	2	0	420
Pennington	0	0	0	89
Pine	6	0	0	329
Pipestone	0	0	0	34
Polk	1	0	1	219
Pope	3	0	0	123
Ramsey	302	37	35	9,429
Red Lake	1	0	0	21
Redwood	1	0	0	203
Renville	4	2	0	268
Rice	7	0	1	697
Rock	0	0	3	44
Roseau	0	0	0	76
St. Louis	4	1	0	1,252
Scott	3	0	0	1,218
Sherburne	2	1	0	167
Sibley	47	5	6	3,310
Stearns	13	1	0	1,983
Steele	2	1	0	735
Stevens	0	0	0	136
Swift	1	0	0	158
Todd	6	0	0	281
Traverse	0	0	0	27
Wabasha	2	0	0	159
Wadena	0	0	0	207
Waseca	4	0	0	302
Washington	16	3	4	1,536
Watonwan	4	1	1	149
Wilkin	2	0	0	76
Winona	6	1	2	454
Wright	6	2	1	1,507
Yellow Medicine	0	0	0	164
Unknown	6	0	0	4,030

Source: Minnesota Department of Health, Environmental Health Division

¹results of venous tests only

²venous, capillary, and unknown test types

Foodborne & Waterborne Disease Outbreaks, 2004

Biological or chemical agents may be present in food and water and can cause illness when ingested. The Minnesota Department of Health (MDH) investigates outbreaks of gastroenteritis, including foodborne and waterborne disease outbreaks. Epidemiologists in the Infectious Disease Epidemiology, Prevention and Control Division collaborate with sanitarians in the Environmental Health Division and with local public health agencies in these investigations.

A confirmed foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after a common food or meal, and epidemiologic evaluation implicates the food or meal as the source of illness. Confirmed outbreaks may or may not be laboratory-confirmed. A probable foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after ingestion of a common food or meal, and a specific food or meal is suspected, but person-to-person transmission or other exposures cannot be ruled out.

Waterborne disease outbreaks are similar to foodborne disease outbreaks, except that epidemiologic analysis implicates drinking water or recreational water as the source of illness. Nonfoodborne/nonwaterborne gastroenteritis outbreaks are related by time and place of exposure, but investigation results suggest that either person-to-person transmission occurred or a vehicle other than food or water (e.g., animal contact) is identified.

Environmental Health Table 2 shows the number of confirmed and probable foodborne outbreaks, waterborne outbreaks, and nonfoodborne/nonwaterborne gastroenteritis outbreaks identified by MDH in 2003. For more information, go to <http://www.health.state.mn.us/divs/idepc/dtopics/foodborne/outbreaksummary.html>, or contact the Acute Disease Investigation and Control Section, Infectious Disease Epidemiology, Prevention and Control Division: Ellen Swanson, 651/201-5414 or ellen.swanson@health.state.mn.us

Environmental Health Table 2: Foodborne and Waterborne Disease Outbreaks in Minnesota by State and County, 2004

	Confirmed Foodborne*	Probable Foodborne	Confirmed Waterborne	Probable Waterborne	Nonfoodborne/ Nonwaterborne	Total
State of Minnesota	39	13	1	0	55	108
Aitkin	0	0	0	0	1	1
Anoka	1	0	0	0	0	1
Becker	0	0	0	0	0	0
Beltrami	0	0	0	0	0	0
Benton	0	0	0	0	0	0
Big Stone	0	0	0	0	0	0
Blue Earth	1	0	0	0	1	2
Brown	0	0	0	0	0	0
Carlton	1	0	0	0	0	1
Carver	0	0	0	0	1	1
Cass	0	0	0	0	0	0
Chippewa	0	0	0	0	0	0
Chisago	0	0	0	0	0	0
Clay	0	0	0	0	1	1
Clearwater	0	0	0	0	0	0
Cook	0	0	0	0	0	0
Cottonwood	0	0	0	0	0	0
Crow Wing	1	0	0	0	2	3
Dakota	5	0	0	0	4	9
Dodge	0	0	0	0	0	0
Douglas	0	0	0	0	0	0
Faribault	0	0	0	0	0	0
Fillmore	0	0	0	0	0	0
Freeborn	0	1	0	0	1	2
Goodhue	0	0	0	0	2	2
Grant	0	0	0	0	1	1
Hennepin	9	6	0	0	13	28
Houston	0	0	0	0	0	0
Hubbard	1	0	0	0	1	2
Isanti	0	1	0	0	0	1
Itasca	0	0	0	0	0	0
Jackson	0	0	0	0	0	0
Kanabec	1	0	0	0	0	1
Kandiyohi	0	0	0	0	0	0
Kittson	0	0	0	0	0	0
Koochiching	1	0	0	0	1	2
Lac Qui Parle	0	0	0	0	0	0
Lake	0	0	0	0	0	0
Lake of the Woods	0	0	0	0	0	0
Le Sueur	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0
Lyon	1	0	0	0	0	1
McLeod	0	0	0	0	0	0
Mahnomen	0	0	0	0	0	0
Marshall	0	0	0	0	0	0
Martin	0	0	0	0	1	1
Meeker	0	0	0	0	0	0
Mille Lacs	0	0	0	0	0	0
Morrison	0	1	0	0	1	2
Mower	1	0	0	0	0	1

Environmental Health Table 2: Foodborne and Waterborne Disease Outbreaks in Minnesota by State and County, 2004

	Confirmed Foodborne*	Probable Foodborne	Confirmed Waterborne	Probable Waterborne	Nonfoodborne/ Nonwaterborne	Total
State of Minnesota	39	13	1	0	55	108
Murray	0	0	0	0	0	0
Nicollet	0	0	0	0	0	0
Nobles	0	0	0	0	0	0
Norman	0	0	0	0	0	0
Olmsted	3	2	0	0	3	8
Otter Tail	1	0	0	0	2	3
Pennington	0	0	0	0	0	0
Pine	0	0	0	0	1	1
Pipestone	1	0	0	0	0	1
Polk	0	0	0	0	2	2
Pope	0	0	0	0	0	0
Ramsey	5	1	0	0	6	12
Red Lake	0	0	0	0	0	0
Redwood	0	0	0	0	0	0
Renville	0	0	0	0	0	0
Rice	0	0	0	0	0	0
Rock	1	0	0	0	0	1
Roseau	0	0	0	0	0	0
St. Louis	2	1	1	0	4	8
Scott	0	0	0	0	0	0
Sherburne	0	0	0	0	0	0
Sibley	0	0	0	0	0	0
Stearns	1	0	0	0	3	4
Steele	0	0	0	0	0	0
Stevens	0	0	0	0	0	0
Swift	0	0	0	0	0	0
Todd	0	0	0	0	0	0
Traverse	0	0	0	0	0	0
Wabasha	0	0	0	0	0	0
Wadena	0	0	0	0	0	0
Waseca	0	0	0	0	0	0
Washington	0	0	0	0	0	0
Watonwan	0	0	0	0	0	0
Wilkin	0	0	0	0	0	0
Winona	0	0	0	0	0	0
Wright	2	0	0	0	1	3
Yellow Medicine	1	0	0	0	1	2

Source: Minnesota Department of Health, Infectious Disease Epidemiology, Prevention and Control Division

* Numbers in this column add up to 40 because 1 of the 39 outbreaks involved two counties.

Hazardous Substances Emergency Events Surveillance, 2004

Hazardous materials are released daily throughout Minnesota as a result of industrial, agricultural, and domestic spills of acids, ammonia, and other chemicals. Many of these releases cause injuries and force evacuations. The Hazardous Substances Emergency Events Surveillance (HSEES) program maintains a database of acute hazardous material releases in Minnesota. The HSEES program is currently active in fourteen other states, and is conducted under a cooperative agreement with the U.S. Agency for Toxic Substances and Disease Registry.

The HSEES program collects data on acute, emergency hazardous material releases, as well as threatened releases that involved a public health action such as evacuation. The program does not include releases that involve petroleum products exclusively, such as diesel fuel or propane, nor does the program include releases permitted by the Minnesota Pollution Control Agency. Chronic releases, such as a several-month leak from an acid holding tank, are also excluded from the program.

The Minnesota Department of Health (MDH) receives reports of hazardous material releases from several sources, including the Minnesota Duty Officer, the United States Coast Guard's National Response Center, and other state agencies. Upon receipt of this initial report, the MDH calls the responsible party or emergency responders and obtains information to complete an extensive questionnaire. Information gathered includes the number of people who were evacuated, injured, or decontaminated; the identity of the materials spilled; and how much was spilled. Data on long-term health effects from chemical exposures are not collected. The MDH follow-up procedure has the advantage of providing more complete and accurate information than may have been available at the time of original notification of the release.

HSEES data identify the chemicals that were released, the day of the week on which the release occurred, the time of day at which the release occurred, and list the number of injuries by chemical and the number of evacuations by chemical. Maps can be generated showing the locations of spills with respect to municipalities; rivers and lakes; and roads.

For the purpose of the HSEES program, a person is considered injured if that person develops symptoms within 24 hours of exposure to a hazardous substance. Symptoms range from minor ailments, such as throat irritation, to death. The program does not differentiate between injuries caused directly by exposure to hazardous materials and injuries caused indirectly by the release, such as burns from a fire caused by the hazardous materials. HSEES data can be used in emergency management planning and training. A region's agricultural and industrial activities determine the types of hazardous material releases which are likely to occur within that region. Thus, regional differences require different strategies for planning and training. Comparisons can be made between a rural county and other rural counties, and between an urban county and other urban counties.

During 2004, a total of 468 events occurred in Minnesota, resulting in 740 chemicals released, 3 threatened releases, 40 evacuations and 64 injured people (i.e., victims). For the nine urban counties, there were 297 events, 540 chemicals released, 1 threatened release, 30 victims, and 25 evacuations. For the 78 primarily agricultural counties, there were 171 events, 200 chemicals released, 2 threatened releases, 34 victims, and 15 evacuations. Environmental Health Table 3 provides the number of hazardous material releases in each county and the average number of events, injuries, evacuations, and chemicals released per event for urban counties and primarily agricultural counties.

For further information contact the Site Assessment and Consultation Unit: Nancy Rice, HSEES Coordinator, 651/201-4923 or SACWeb@health.state.mn.us.

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2004 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number
Urban Counties	33.0	3.3	2.8	1.8
Agricultural Counties	2.2	0.4	0.2	1.2
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	468	64	40	1.6
Aitkin	1	2	0	4.0
Anoka	23	2	1	1.0
Becker	2	1	0	1.0
Beltrami	0	0	0	0.0
Benton	2	0	0	1.0
Big Stone	0	0	0	0.0
Blue Earth	6	0	0	1.0
Brown	4	0	2	1.0
Carlton	6	0	0	1.7
Carver	3	0	0	1.0
Cass	1	0	0	12.0
Chippewa	1	0	0	1.0
Chisago	0	0	0	0.0
Clay	8	0	1	1.3
Clearwater	0	0	0	0.0
Cook	1	0	0	1.0
Cottonwood	1	0	0	1.0
Crow Wing	2	3	1	1.0
Dakota	91	3	7	1.3
Dodge	2	0	0	1.0
Douglas	2	0	0	1.0
Faribault	2	0	0	1.0
Fillmore	2	0	0	1.0
Freeborn	3	0	0	1.0
Goodhue	5	2	0	1.0
Grant	1	0	1	1.0
Hennepin	71	9	7	3.8
Houston	2	0	0	1.0
Hubbard	3	0	0	1.0
Isanti	0	0	0	0.0
Itasca	13	0	0	1.1
Jackson	1	0	0	1.0
Kanabec	0	0	0	0.0
Kandiyohi	3	0	0	1.0
Kittson	1	0	0	1.0
Koochiching	2	0	0	1.0
Lac Qui Parle	1	0	0	1.0
Lake	0	0	0	0.0
Lake of the Woods	0	0	0	0.0
Le Sueur	3	0	0	1.0
Lincoln	1	0	0	1.0
Lyon	2	0	1	1.5
McLeod	7	1	0	1.6
Mahnomen	0	0	0	0.0
Marshall	1	0	0	1.0
Martin	1	0	0	1.0
Meeker	1	0	0	1.0
Mille Lacs	1	0	0	1.0

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2004 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number
Urban Counties	33.0	3.3	2.8	1.8
Agricultural Counties	2.2	0.4	0.2	1.2
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	468	64	40	1.6
Morrison	1	0	0	1.0
Mower	1	0	0	1.0
Murray	3	0	0	1.0
Nicollet	1	0	0	1.0
Nobles	1	0	0	1.0
Norman	0	0	0	0.0
Olmsted	8	0	0	1.0
Otter Tail	4	1	1	1.0
Pennington	1	0	1	1.0
Pine	0	0	0	0.0
Pipestone	0	0	0	0.0
Polk	2	2	1	1.0
Pope	2	0	1	1.0
Ramsey	57	2	4	1.0
Red Lake	0	0	0	0.0
Redwood	3	0	0	1.0
Renville	7	0	0	1.0
Rice	4	0	1	1.0
Rock	0	0	0	0.0
Roseau	3	0	0	1.0
St. Louis	13	4	2	1.3
Scott	2	1	1	1.0
Sherburne	9	2	0	1.0
Sibley	1	0	0	2.0
Stearns	7	12	0	1.0
Steele	4	0	0	1.3
Stevens	2	0	0	1.0
Swift	3	0	0	1.0
Todd	2	0	2	1.0
Traverse	0	0	0	0.0
Wabasha	0	0	0	0.0
Wadena	0	0	0	0.0
Waseca	1	0	0	1.0
Washington	29	9	3	1.4
Watonwan	0	0	0	0.0
Wilkin	0	0	0	0.0
Winona	2	0	0	1.0
Wright	10	8	1	1.1
Yellow Medicine	2	0	1	1.0

Source: Minnesota Department of Health, Environmental Health Division

*2003 Preliminary data

Urban counties: Anoka, Carver, Dakota, Hennepin, Olmsted, Ramsey, Scott, St. Louis, & Washington counties

Agricultural counties: Counties other than urban counties

Radioactivity and Radiation, 2000-2004

Radioactivity and Radiation, 2000-2004

Beginning in 2004, milk sampling for radioactivity in each of the seven MDH district offices was discontinued and replaced by sampling near the two nuclear generating plants. Values for strontium-90 did not exceed National Primary Drinking Water Regulations (40 CFR 141) for strontium-90 of 8.0 pCi per liter (see table below). Because there is no specific standard for strontium-90 in milk, the standard for strontium-90 in drinking water is used. Median values for strontium-90 also were well within recommended safe levels according to the U.S. Food and Drug Administration (FDA) emergency guidelines for milk. The FDA recommends that during an emergency, protective actions be taken only when levels exceed 4,000 pCi per liter (Accidental Radioactive Contamination of Human Food and Animal Feeds: Recommendations for State and Local Agencies, Food and Drug Administration, August 13, 1998).

Strontium-90 is a fallout product of atmospheric weapons testing. The physical half-life of strontium-90 is 28 years. The average strontium-90 level has been fluctuating, but slowly decreasing. The fluctuations observed result from sampling errors, measurement errors, and the statistical nature of the analyses.

For further information contact the Radiation Control Unit, Section of Asbestos, Indoor Air, Lead and

Environmental Health Table 4: Median Strontium-90 Levels (pCi/L) in Milk by Minnesota Site and Year

	2000	2001	2002	2003	2004
St. Cloud/Little Falls	1.4	1.8	1.0	1.3	Discontinued
Duluth	1.8	1.9	1.9	1.6	Discontinued
Bemidji	0.8	1.0	0.9	1.1	Discontinued
Rochester	0.8	1.0	0.9	1.0	Discontinued
Hastings	1.1	1.2	0.9	1.0	Discontinued
Norwood	0.8	0.8	0.9	<0.8	Discontinued
St. Paul	1.1	1.1	0.9	1.0	Discontinued
Monticello	Unavailable	Unavailable	Unavailable	Unavailable	2.0
Prairie Island	Unavailable	Unavailable	Unavailable	Unavailable	1.6
Average (Median)	1.1	1.1	0.9	1.0	1.8

Source: Minnesota Department of Health, Environmental Health Division

Potassium-40 (K-40) was found in all milk samples, ranging from about 1000 to 1500 pCi per liter. Potassium-40 is a naturally occurring radionuclide present at the earth's creation (physical half life of 1.3 billion years). No other nuclides were detected.

Section G: Minnesota Children with Special Health Needs

Introduction

Minnesota Children with Special Health Needs Data

This section of the Minnesota County Health Tables consists of supplemental information related to two programs targeted to improving the health of mothers and children. These data were provided by the Minnesota Department of Health, Family Health Division.

The Children with Special Health Needs component contains five tables. These tables reflect the anticipated number of children with special health needs and the number of these children receiving services from various programs.

Public Health Significance

The presence of a childhood chronic illness or disability has significant physical, emotional and financial impact on the child, family and community. While this population is diverse in age, diagnoses, functional limitations, unmet needs, health status, use of resources, health care coverage and eligibility for public programs, the challenges they face are similar in nature. Public health has a significant role in assuring that :

1. The needs of this population are assessed.
2. Services are provided based on family choices and are flexible, available, and accessible
3. Local and state public policy supports the development of systems to support comprehensive, coordinated, community based, culturally competent and family centered care.
4. Prevention strategies reduce or prevent family stress, out-of-home placement, family disruptions, and secondary complications of the chronic illness or disability.

Source: Minnesota Children With Special Health Needs

HOW TO CONTACT US

Minnesota Children with Special Health Needs
Minnesota Department of Health
85 East Seventh Place / PO Box 64882
St. Paul, MN 55164-0882
Phone: 651-215-8956 OR 1-800-728-5420
E-mail: mn-cshn@health.state.mn.us
FAX: 651-215-9988

<http://www.health.state.mn.us/mcshn>

Children with Special Health Care Needs [CSHCN] Data

A major challenge in planning and implementing programs and services for children with special health care needs is defining the population. Numerous approaches have been used to define the population based on the purpose of a particular program or service. The population includes children to age 21 with physical, developmental, or mental health conditions which are virtually certain to last for at least one year which cause either 1) limitation in function, activity or social role or 2) dependency on medication, special diet, medical technology, assistive device or personal assistance, to compensate for or minimize limitation of function or 3) the need for medical care or related services over and above the usual for child's age.

Importance of the Problem

Children with special needs and their families are uniquely dependent upon the success of the health and community systems to prevent premature death, prevent long-term complications and achieve optimal functioning, thus decreasing the economic burden to the community.

Number of children with special health needs

The National Survey of Children with Special Health Needs conducted by the National Center for Health Statistics, used the operationalized the Maternal and Child Health Bureau definition (above).

Children with Special Health Care Needs Table 1: Minnesota Children with Special Health Care Needs by State and County, 2004

	CYSHCN (0 to 18)	Need Medications	Need for Services	Development, Behavioral or Emotional Needs
State of Minnesota	163,274	123,773	82,954	47,402
Aitkin	395	299	201	115
Anoka	11,195	8,487	5,688	3,250
Becker	981	743	498	285
Beltrami	1,453	1,101	738	422
Benton	1,240	940	630	360
Big Stone	161	122	82	47
Blue Earth	1,542	1,169	783	448
Brown	790	599	401	229
Carlton	993	753	504	288
Carver	3,025	2,293	1,537	878
Cass	828	628	421	240
Chippewa	377	286	192	110
Chisago	1,677	1,271	852	487
Clay	1,607	1,218	816	466
Clearwater	258	196	131	75
Cook	125	95	64	36
Cottonwood	367	278	187	107
Crow Wing	1,763	1,337	896	512
Dakota	13,462	10,205	6,840	3,908
Dodge	683	518	347	198
Douglas	951	721	483	276
Faribault	452	343	230	131
Fillmore	655	497	333	190
Freeborn	912	691	463	265
Goodhue	1,402	1,063	712	407
Grant	171	130	87	50

Children with Special Health Care Needs Table 1: Minnesota Children with Special Health Care Needs by State and County, 2004

	CYSHCN (0 to 18)	Need Medications	Need for Services	Development, Behavioral or Emotional Needs
State of Minnesota	163,274	123,773	82,954	47,402
Hennepin	34,466	26,127	17,511	10,006
Houston	619	469	315	180
Hubbard	532	403	270	154
Isanti	1,173	889	596	341
Itasca	1,255	951	638	364
Jackson	314	238	159	91
Kanabec	501	380	255	146
Kandiyohi	1,297	983	659	377
Kittson	146	111	74	43
Koochiching	388	294	197	113
Lac Qui Parle	217	164	110	63
Lake	289	219	147	84
Lake of the Woods	122	93	62	36
Le Sueur	854	648	434	248
Lincoln	170	129	86	49
Lyon	776	588	394	225
McLeod	1,213	919	616	352
Mahnomen	179	136	91	52
Marshall	290	219	147	84
Martin	609	462	310	177
Meeker	733	556	373	213
Mille Lacs	790	599	401	229
Morrison	1,067	809	542	310
Mower	1,214	920	617	352
Murray	262	198	133	76
Nicollet	933	707	474	271
Nobles	666	504	338	193
Norman	216	164	110	63
Olmsted	4,396	3,332	2,233	1,276
Otter Tail	1,663	1,260	845	483
Pennington	390	296	198	113
Pine	828	628	421	240
Pipestone	288	219	146	84
Polk	943	715	479	274
Pope	317	240	161	92
Ramsey	16,337	12,385	8,300	4,743
Red Lake	120	91	61	35
Redwood	509	386	258	148
Renville	524	397	266	152
Rice	1,867	1,415	948	542
Rock	299	227	152	87
Roseau	571	433	290	166
St. Louis	5,343	4,050	2,714	1,551
Scott	4,298	3,258	2,184	1,248
Sherburne	2,841	2,154	1,443	825
Sibley	503	381	256	146
Stearns	4,405	3,340	2,238	1,279
Steele	1,166	884	593	339
Stevens	264	200	134	77
Swift	305	231	155	89

Children with Special Health Care Needs Table 1: Minnesota Children with Special Health Care Needs by State and County, 2004

	CYSHCN (0 to 18)	Need Medications	Need for Services	Development, Behavioral or Emotional Needs
State of Minnesota	163,274	123,773	82,954	47,402
Todd	773	586	393	224
Traverse	111	84	56	32
Wabasha	692	525	352	201
Wadena	419	317	213	122
Waseca	592	449	301	172
Washington	7,591	5,754	3,857	2,204
Watonwan	376	285	191	109
Wilkin	218	166	111	63
Winona	1,365	1,034	693	396
Wright	3,890	2,948	1,976	1,129
Yellow Medicine	315	239	160	91

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

CSHCN (0-18)

Children with Special Health Care Needs (CSHCN) is a synthetic estimate based on the findings of the Minnesota sample of the National Survey of Children with Special Health Care Needs. That survey identified the percentage children in Minnesota have a special health need by age grouping (6.6%-17.4%). The percentages were then applied to the 2004 estimated number of children birth to 18 years of age in each of the age groupings in each county.

Need Medications

Children are found to have a special health care need because they need prescription medications for a health or related condition that has lasted or is expected to last more than one year.

Need for Services

Children who are found to have a special health care need because they need medical care, mental health or educational services for a medical, behavioral or mental health condition that has lasted or is expected to last more than one year.

Developmental, Behavioral or Emotional Needs

Children who have a special health care need because they have an emotional, behavioral or development problem for which they need treatment or counseling.

Children and Youth with Special Health Care Needs By Age Grouping

The National Survey of Children and Youth with Special Health Care Needs surveyed more than 3,000 Minnesota families to determine the prevalence of special health care needs among children birth to 18 years old in our state.

The prevalence of special health care needs varies by age grouping. The overall prevalence of special health care needs was found to be 12.4% of the population. Among children birth to age 6, the prevalence is 6.4%. Among children 6 years of age to age 12, the prevalence is 12.5%. Among youth age 12 to age 18, the prevalence of special health care needs is 17.4%.

The denominator of each age grouping is providing by the Minnesota Center for Health Statistics based on 2004 population estimates.

Children with Special Health Care Needs Table 2: Prevalence of special health care needs among children and youth in Minnesota by county 2004 estimates

	Number of children with special health care needs birth to age 6 years	Number of children with special health care needs age 6 to 12 years	Number of youth with special health care needs age 12 to 18 years
State of Minnesota	24,963	49,743	77,062
Aitkin	53	120	206
Anoka	1,655	3,574	5,348
Becker	139	284	510
Beltrami	219	412	714
Benton	203	372	570
Big Stone	21	46	89
Blue Earth	244	426	677
Brown	104	219	423
Carlton	144	289	508
Carver	453	994	1,383
Cass	117	227	449
Chippewa	49	119	199
Chisago	255	512	808
Clay	210	483	786
Clearwater	37	73	136
Cook	16	36	72
Cottonwood	52	110	186
Crow Wing	269	518	874
Dakota	2,028	4,289	6,316
Dodge	101	214	330
Douglas	134	289	483
Faribault	58	131	251
Fillmore	93	187	346
Freeborn	132	271	461
Goodhue	193	417	720
Grant	22	50	93
Hennepin	5,823	10,400	15,136
Houston	74	191	341
Hubbard	70	158	286
Isanti	163	350	602
Itasca	167	368	673
Jackson	40	92	172
Kanabec	67	156	259
Kandiyohi	191	380	653

Children with Special Health Care Needs Table 2: Prevalence of special health care needs among children and youth in Minnesota by county 2004 estimates

	Number of children with special health care needs birth to age 6 years	Number of children with special health care needs age 6 to 12 years	Number of youth with special health care needs age 12 to 18 years
State of Minnesota	24,963	49,743	77,062
Kittson	17	48	79
Koochiching	51	117	204
Lac Qui Parle	25	68	118
Lake	38	85	155
Lake of the Woods	13	36	73
Le Sueur	117	259	440
Lincoln	23	53	85
Lyon	117	233	364
McLeod	183	364	587
Mahnomen	27	57	85
Marshall	38	86	152
Martin	82	179	325
Meeker	106	224	360
Mille Lacs	113	225	412
Morrison	152	316	544
Mower	192	358	586
Murray	35	78	138
Nicollet	139	263	443
Nobles	107	203	309
Norman	27	69	114
Olmsted	711	1,329	2,027
Otter Tail	218	489	889
Pennington	59	118	186
Pine	113	236	445
Pipestone	40	87	147
Polk	127	286	484
Pope	41	88	175
Ramsey	2,658	4,952	7,313
Red Lake	16	34	64
Redwood	74	149	261
Renville	71	154	276
Rice	264	540	893
Rock	44	90	149
Roseau	75	182	290
St. Louis	740	1,571	2,647
Scott	717	1,385	1,843
Sherburne	448	888	1,291
Sibley	71	152	259
Stearns	663	1,287	2,074
Steele	169	361	567
Stevens	37	71	118
Swift	43	95	150
Todd	103	231	408
Traverse	13	35	59
Wabasha	90	210	369
Wadena	59	126	217
Waseca	88	182	286
Washington	1,092	2,464	3,619
Watonwan	54	123	172

Children with Special Health Care Needs Table 2: Prevalence of special health care needs among children and youth in Minnesota by county 2004 estimates

	Number of children with special health care needs birth to age 6 years	Number of children with special health care needs age 6 to 12 years	Number of youth with special health care needs age 12 to 18 years
State of Minnesota	24,963	49,743	77,062
Wilkin	28	66	117
Winona	189	388	645
Wright	606	1,205	1,825
Yellow Medicine	44	92	165

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

Early Intervention

Early intervention Services are services provided in conformity with an individualized Family Service Plan (IFSP) that is designed to meet the special developmental needs of a child eligible under Part C of the Individuals with Disabilities Education Act (IDEA); and the needs of the child's family related to enhancing the child's development and that are selected in collaboration with the parent. The US Department of Education has established a benchmark of 2% of the birth to three population should be eligible for and receiving early intervention services

Children with Special Health Care Needs

Children with special health needs are identified as have a medical, emotional, developmental or behavioral condition lasting or predicted to last more than one year which results in a functional limitation, the need for medical or related services beyond what is typical for their age, the need for prescription medications or specialized therapies, or have an emotional, developmental or behavioral condition.

Children with Special Health Care Needs Table 3: Number of Minnesota Children (birth to 3) with Special Health Care Needs, Number of Minnesota Children (birth to 3) Receiving Early Intervention Services as of December 1, 2004 by State and County

	Estimated Number of children birth to three with a special health care need ¹	Number in Early Intervention ²	Percentage of the Total Birth to Three Population Served By Early Intervention
State of Minnesota	13,135	3,039	1.50
Aitkin	29	4	0.91
Anoka	838	241	1.87
Becker	74	12	1.06
Beltrami	117	29	1.61
Benton	110	19	1.12
Big Stone	12	2	1.13
Blue Earth	129	72	3.62
Brown	54	24	2.90
Carlton	75	11	0.95
Carver	228	59	1.68
Cass	63	11	1.14
Chippewa	24	3	0.82
Chisago	142	17	0.78
Clay	108	59	3.55
Clearwater	19	4	1.37
Cook	8	0	0.00
Cottonwood	28	8	1.87
Crow Wing	143	37	1.68
Dakota	1040	274	1.71
Dodge	55	12	1.42
Douglas	67	26	2.50
Faribault	32	8	1.62
Fillmore	50	6	0.78
Freeborn	68	16	1.52
Goodhue	101	24	1.54
Grant	12	2	1.08
Hennepin	3136	591	1.22
Houston	38	23	3.96
Hubbard	36	12	2.17
Isanti	87	24	1.80
Itasca	86	20	1.50
Jackson	19	5	1.67
Kanabec	34	12	2.27
Kandiyohi	104	19	1.19
Kittson	8	0	0.00
Koochiching	24	3	0.80
Lac Qui Parle	13	8	4.02

Children with Special Health Care Needs Table 3: Number of Minnesota Children (birth to 3) with Special Health Care Needs, Number of Minnesota Children (birth to 3) Receiving Early Intervention Services as of December 1, 2004 by State and County

	Estimated Number of children birth to three with a special health care need ¹	Number in Early Intervention ²	Percentage of the Total Birth to Three Population Served By Early Intervention
State of Minnesota	13,135	3,039	1.50
Lake	19	3	1.04
Lake of the Woods	7	1	0.97
Le Sueur	62	27	2.85
Lincoln	12	2	1.10
Lyon	60	14	1.52
McLeod	98	20	1.33
Mahnomen	14	3	1.35
Marshall	20	3	0.95
Martin	41	14	2.22
Meeker	54	31	3.70
Mille Lacs	63	30	3.11
Morrison	77	19	1.60
Mower	104	24	1.50
Murray	20	3	0.99
Nicollet	74	34	3.01
Nobles	56	10	1.15
Norman	13	1	0.49
Olmsted	382	72	1.23
Otter Tail	113	31	1.79
Pennington	30	7	1.52
Pine	59	8	0.89
Pipestone	20	7	2.22
Polk	69	14	1.33
Pope	23	10	2.81
Ramsey	1417	257	1.18
Red Lake	8	1	0.85
Redwood	42	12	1.88
Renville	36	8	1.46
Rice	136	38	1.82
Rock	25	3	0.80
Roseau	38	6	1.02
St. Louis	382	75	1.28
Scott	381	78	1.33
Sherburne	240	53	1.44
Sibley	37	9	1.57
Stearns	347	85	1.59
Steele	85	17	1.30
Stevens	18	2	0.73
Swift	23	4	1.14
Todd	55	19	2.23
Traverse	6	0	0.00
Wabasha	48	17	2.31
Wadena	30	18	3.94
Waseca	43	20	2.99
Washington	559	123	1.43
Watonwan	25	13	3.42
Wilkin	12	1	0.56
Winona	95	14	0.95
Wright	325	79	1.58
Yellow Medicine	22	2	0.59

Source: ¹This is a synthetic estimate based on the Minnesota results from the National Survey of Children with Special Health Care Needs. ²Minnesota Department of Education, Special Education Policy Division

Follow-Along Program

The Follow-Along Program (FAP) provides a means for counties to track children who may be "At-Risk" for developmental delay due to a number of physical, sociological and environmental factors.

Children with Special Health Care Needs Table 4: Number of Minnesota Children (Birth to 3) Tracked by Follow Along Program through the Minnesota Department of Health on 06/12/2004

	Total birth to three population ¹	Number	Percent
State of Minnesota²	202,070	16,622	8.4
Aitkin	439	235	54.4
Anoka	12,897	404	3.1
Becker	1,134	no data available	no data available
Beltrami	1,803	63	3.7
Benton	1,695	234	14.9
Big Stone	177	Included With Chippewa	Included With Chippewa
Blue Earth	1,988	655	34.0
Brown	829	634	83.8
Carlton	1,155	281	26.3
Carver	3,506	169	4.9
Cass	969	59	6.4
Chippewa	368	131	9.8
Chisago	2,177	215	11.4
Clay	1,664	251	19.6
Clearwater	293	81	24.3
Cook	116	not participating	0.0
Cottonwood	427	137	18.4
Crow Wing	2,200	355	16.7
Dakota	16,003	575	3.7
Dodge	844	67	8.8
Douglas	1,038	261	25.0
Faribault	494	not participating	0.0
Fillmore	772	99	14.2
Freeborn	1,052	69	7.1
Goodhue	1,558	286	18.8
Grant	185	115	68.5
Hennepin	48,253	827	1.7
Houston	581	183	29.2
Hubbard	552	105	19.3
Isanti	1,337	207	16.8
Itasca	1,330	399	31.6
Jackson	299	Included With Cottonwood	Included With Cottonwood
Kanabec	529	342	60.9
Kandiyohi	1,599	130	8.5
Kittson	118	10	7.2
Koochiching	374	6	1.5
Lac Qui Parle	199	Included With Chippewa	Included With Chippewa
Lake	289	17	6.5
Lake of the Woods	103	80	75.5
Le Sueur	949	137	13.7
Lincoln	182	234	30.4
Lyon	923	366	38.8

Children with Special Health Care Needs Table 4: Number of Minnesota Children (Birth to 3) Tracked by Follow Along Program through the Minnesota Department of Health on 06/12/2004

	Total birth to three population ¹	Number	Percent
State of Minnesota²	202,070	16,622	8.4
McLeod	1,505	371	24.7
Mahnomen	222	no data available	no data available
Marshall	315	202	72.4
Martin	632	not participating	0.0
Meeker	837	283	31.9
Mille Lacs	965	192	25.3
Morrison	1,189	433	34.2
Mower	1,598	no data available	no data available
Murray	304	Included with Lincoln	Included with Lincoln
Nicollet	1,131	562	50.2
Nobles	869	264	21.6
Norman	205	no data available	no data available
Olmsted	5,872	251	4.5
Otter Tail	1,734	627	37.3
Pennington	460	124	25.5
Pine	900	162	18.6
Pipestone	315	Included with Lincoln	Included with Lincoln
Polk	1,054	71	8.7
Pope	356	118	36.8
Ramsey	21,806	no data available	no data available
Red Lake	118	no data available	no data available
Redwood	639	159	30.6
Renville	547	23	4.1
Rice	2,086	505	24.5
Rock	377	Included with Nobles	Included with Nobles
Roseau	591	33	5.6
St. Louis	5,875	207	3.6
Scott	5,856	82	1.6
Sherburne	3,689	331	9.9
Sibley	575	390	72.8
Stearns	5,342	not participating	0.0
Steele	1,310	344	25.1
Stevens	275	188	67.4
Swift	351	Included With Chippewa	Included With Chippewa
Todd	853	279	35.7
Traverse	95	71	80.7
Wabasha	737	303	38.5
Wadena	457	31	6.9
Waseca	668	71	10.1
Washington	8,599	679	8.2
Watonwan	380	265	53.5
Wilkin	178	106	50.5
Winona	1,468	145	9.6
Wright	4,996	178	4.0
Yellow Medicine	339	Included With Chippewa	Included With Chippewa

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

¹ 2004 population estimates provided by the MN Center for Health Statistics

² Includes Fond Du Lac Human Services Division (n=153)

Children Tracked by Follow-Along Programs: The number of procedures (ages and stages questionnaire, phone calls and letters) for maintaining contact with a family with “at-risk” children for monitoring the child’s development and needs of the child and/or family.

Maternal and Child Health Tables

Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA)

SSI and TEFRA require the same level of disability for medical eligibility. In addition to meeting medical eligibility criteria, there is financial eligibility criteria which must be met to receive SSI. Changes in the SSI implemented in 1997 decreased the number of children eligible for the program. Revisions in TEFRA eligibility now require that children meet a "level of care" criteria and this has also reduced the number of children eligible for the program

Children with Special Health Care Needs Table 5: Number of Minnesota Children Eligible or on Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA) by State and County

	Children under 18 with a functional limitation as of December, 2004	Children under 18 Years on SSI as of December, 2004	Children under 19 Years on TEFRA as June 30, 2004
State of Minnesota	30,285	9,996*	2,562
Aitkin	73	24	7
Anoka	2,077	395	199
Becker	182	79	14
Beltrami	270	172	8
Benton	230	45	31
Big Stone	30	10	1
Blue Earth	286	119	35
Brown	146	23	20
Carlton	184	65	12
Carver	561	41	45
Cass	154	89	5
Chippewa	70	19	9
Chisago	311	60	23
Clay	298	115	25
Clearwater	48	25	4
Cook	23	6	0
Cottonwood	68	24	1
Crow Wing	327	107	23
Dakota	2,497	340	364
Dodge	127	25	9
Douglas	176	76	16
Faribault	84	28	9
Fillmore	121	31	9
Freeborn	169	65	3
Goodhue	260	58	18
Grant	32	8	2
Hennepin	6,393	2,987	421
Houston	115	17	4
Hubbard	99	51	5
Isanti	218	39	19
Itasca	233	97	6
Jackson	58	19	4
Kanabec	93	21	6
Kandiyohi	241	72	23
Kittson	27	6	0

Maternal and Child Health Tables

Children with Special Health Care Needs Table 5: Number of Minnesota Children Eligible or on Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA) by State and County

	Children under 18 with a functional limitation as of December, 2004	Children under 18 Years on SSI as of December, 2004	Children under 19 Years on TEFRA as June 30, 2004
State of Minnesota	30,285	9,996*	2,562
Koochiching	72	34	5
Lac Qui Parle	40	6	6
Lake	54	9	6
Lake of the Woods	23	2	2
Le Sueur	158	36	26
Lincoln	32	5	2
Lyon	144	34	6
McLeod	225	32	21
Mahnomen	33	16	3
Marshall	54	11	0
Martin	113	66	5
Meeker	136	15	17
Mille Lacs	146	59	17
Morrison	198	38	26
Mower	225	97	18
Murray	49	15	2
Nicollet	173	42	14
Nobles	123	50	13
Norman	40	16	4
Olmsted	815	198	68
Otter Tail	308	93	35
Pennington	72	27	4
Pine	154	50	3
Pipestone	53	17	4
Polk	175	52	8
Pope	59	15	2
Ramsey	3,030	1,920	180
Red Lake	22	5	4
Redwood	94	28	10
Renville	97	33	10
Rice	346	76	31
Rock	55	7	1
Roseau	106	18	5
St. Louis	991	482	64
Scott	797	70	119
Sherburne	527	61	62
Sibley	93	18	11
Stearns	817	272	114
Steele	216	53	31
Stevens	49	13	2
Swift	57	19	9
Todd	143	47	14
Traverse	21	6	1
Wabasha	128	27	5

Maternal and Child Health Tables

Children with Special Health Care Needs Table 5: Number of Minnesota Children Eligible or on Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA) by State and County

	Children under 18 with a functional limitation as of December, 2004	Children under 18 Years on SSI as of December, 2004	Children under 19 Years on TEFRA as June 30, 2004
State of Minnesota	30,285	9,996*	2,562
Wadena	78	42	1
Waseca	110	36	11
Washington	1,408	108	94
Watonwan	70	25	6
Wilkin	41	16	2
Winona	253	99	18
Wright	721	97	50
Yellow Medicine	58	21	3

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

Estimated Number of Children with Functional Limitations: Number of children under the age of 18, based upon the Slaits CSHCN survey Minnesota survey results who are limited or prevented from doing things other children do because of a condition that has lasted or is expected to last more than one year

Children on SSI: Actual number of children under the age of 18 who met both the medical and financial criteria for SSI in December, 2004. Total includes children whose county of residence is not known.

Children on TEFRA: Actual number of children under the age of 19 who were participating in the TEFRA program on June 30, 2004. State total include 7 children out-of-state.

*Includes children whose county of residence is not known.