

2005 Minnesota County Health Tables

2005 Minnesota County Health Data

Minnesota Department of Health
Minnesota Center for Health Statistics
PO Box 64882
St. Paul, MN 55164-64882
healthstats@state.mn.us
www.health.state.mn.us/divs/chs

To obtain this information in a different format, email healthstats@state.mn.us.

Table of Contents

Introduction

Introduction	i
Section Descriptions and Notes	i

Section A: Demographics

Table 1: Estimated Population by Age and Sex	A-1
Table 2: Minnesota Population by Race and Ethnicity by State and County	A-45
Table 3: Selected Minnesota Population Statistics by State and County	A-47
Table 4: Selected Minnesota Demographics	A-49
Table 5a and b: Selected Minnesota Socioeconomic Statistics by State and County	A-51
Table 6a and b: Minnesota Family Investment Program – Medical Assistance and GAMC Average Monthly Enrollment by State and County, 2001	A-55
Table 7: Selected Education Statistics by State and County	A-57
Table 8: Pre-Kindergarten to 12 th Grade Statistics by State and County	A-59

Section B: Natality

Table 1: Selected Minnesota Natality Statistics by State and County	B-1
Table 2: Prematurity and Low Birth Weight in Singleton Births in Minnesota by State and County	B-3
Table 3: Infant Mortality by State and County	B-5
Table 4: Prenatal Care in Minnesota by State and County	B-8
Table 5: Obstetric Procedures in Minnesota by State and County	B-10
Table 6: Fertility and Family Planning in Minnesota by State and County	B-12
Table 7: Minnesota Teen Births and Pregnancies by State and County	B-14
Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by State and County	B-16
Table 9: Race and Ethnicity of Mother in Minnesota by State and County	B-18

Section C: Mortality

Table 1: Minnesota Leading Causes of Death by Age Group by State and County	C-1
Table 2: Minnesota Years of Potential Life Lost to Age 65 and 75 by State and County	C-46
Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County	C-91
Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County	C-93
Tables 4a, b & c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota	C-95

Section D: Morbidity and Utilization

Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota by State and County	D-1
Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County	D-3
Table 3: Number of Other Selected Diseases Reported in Minnesota by State and County	D-5
Tables 4: Estimates of Active Practitioners in Minnesota by State and County	D-7
Table 5: Motor Vehicle Injuries by Severity by State and County	D-9
Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured by State and County	D-11
Tables 7a, b and c: Number and Percent of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota	D-13
Tables 8a: Minnesota Nonfatal Traumatic Brain Injuries Number and Rate per 100,000 by State and County	D-19
Table 8b: Minnesota Nonfatal Spinal Cord Injuries Number and Rate per 100,000 by State and County	D-21
Table 9: Minnesota Behavioral Risk Factors of Adults by State and County	D-24

Table of Contents

Section E: Chemical Health

Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County	E-1
Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes by State and County.....	E-3
Table 3: Minnesota Driving While Impaired Violations – Number and Rate per 10,000 Population by State and County of Occurrence	E-5
Table 4: Minnesota Driving While Impaired Violations – Number and Rate per 10,000 Population by State and County of Resident.....	E-7
Notes about Chemical Health Indicators	E-9

Section F: Environmental Health

Environmental Health - Blood Lead.....	F-1
Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter ($\mu\text{g}/\text{dL}$) by State and County	F-2
Environmental Health - Foodborne and Waterborne Disease Outbreaks.....	F-4
Table 2: Foodborne and Waterborne Disease Outbreaks in Minnesota by State and County	F-5
Environmental Health - Hazardous Substances Emergency Events Surveillance.....	F-7
Table 3: Average Hazardous Material Releases, Injuries, Evacuations, and Chemicals per Event in Minnesota by State and County.....	F-8
Environmental Health - Radioactivity and Radiation	F-10
Table 4: Median Strontium-90 Levels (pCi/L) in Pasteurized Milk by Minnesota Site and Year	F-10

Introduction

This is the second edition of the Minnesota County Health Tables (MCHT) which replace the County Health Profiles (CHP). The County Health Profiles for 1996, 1998 and 2000 are still available on the Minnesota Planning website, www.mnplan.state.mn.us/datanetweb/health.html.

Users of the Minnesota County Health Tables must be aware that all data are subject to potential error. Sources of these errors include under-registration, informant or respondent errors, sampling errors, and data processing errors. Every effort has been made to minimize these errors. However, the most dangerous error remains that of the inaccurate interpretation of data that has been provided.

The user should review the definitions of terms used in the Minnesota County Health Tables. The data included in this publication are from the most recently available year(s). In an area of small population the presence or absence of a relatively rare health event should not be used to confirm or deny a specific public health problem.

Section Descriptions and Notes

Section A: Demographics Tables

This section includes selected demographic statistics from various sources, including the U.S. Census Bureau, Minnesota State Demographer's Office, the Minnesota Departments of Human Services, Economic Security and Children, Families and Learning.

Section B: Natality Tables

This section includes various birth statistics collected from Minnesota birth certificates which are filed with the Section of Vital Statistics Registration, Minnesota Department of Health. The majority of data are from the calendar year 2005.

All birth data in this section are by county of residence.

Section C: Mortality Tables

This section includes various death statistics collected from Minnesota death certificates which are filed with the Section of Vital Statistics Registration, Minnesota Department of Health. Mortality data in this publication are classified using the International Classification of Diseases, version 10 (ICD-10). Version 10 has been used since 1999. From 1979-1998, ICD-9 was used for coding deaths. The ICD-10 differs from ICD-9 in a number of respects although the overall content is similar. The change from ICD-9 to ICD-10 should be taken in consideration when comparing 1999-2002 mortality data to previous years. For more information on ICD-10, please refer to the Centers for Disease Control and Prevention website, <http://www.cdc.gov/nchs/about/major/dvs/icd10des.htm>.

All death data in this section are by county of residence.

Section D: Morbidity and Service Utilization Tables

Included in this section are surveillance data on cancer, sexually transmitted diseases, traumatic brain injuries, survey data on behavioral risk factors and utilization data. The Minnesota Student Survey results are not included in this section but can be found on the Minnesota Department of Education website, http://education.state.mn.us/mde/Learning_Support/Safe_and_Healthy_Learners/Minnesota_Student_Survey/index.html

Section E: Chemical Health

The Chemical Health section focuses on alcohol use. Data in this section include percent of fatalities in which alcohol use was involved and driving while intoxicated. Unless specified these data are by county of occurrence. Adult chemical health use data from the Behavioral Risk Factor Surveillance System are in Section D. Youth chemical use data from the Minnesota Student Survey are located on the Coordinated School Health website, Minnesota Department of Education website, http://education.state.mn.us/mde/Learning_Support/Safe_and_Healthy_Learners/Minnesota_Student_Survey/index.html

Section F: Environmental Health Tables

The Environmental Health Section includes county-specific summary data from the following Environmental Health programs: blood lead; foodborne/waterborne disease outbreaks; hazardous substance emergency events surveillance; and radioactivity and radiation. This section contains a description of the health hazard; the most current data available, generally summarized by county and state; and any limitations or biases to be considered before using the data.

Section A: Demographics Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

State of Minnesota - Population Estimates by Age and Sex, 2005

Age Group	Number		Percent	
	Male	Female	Male	Female
00-04	172,261	163,316	3.4	3.2
05-09	165,009	157,227	3.2	3.1
10-14	178,741	169,018	3.5	3.3
15-17	114,872	109,134	2.2	2.1
18-19	77,071	74,145	1.5	1.4
20-24	194,603	187,503	3.8	3.7
25-29	176,076	168,011	3.4	3.3
30-34	172,623	167,246	3.4	3.3
35-39	185,052	181,075	3.6	3.5
40-44	209,423	205,490	4.1	4.0
45-49	207,029	204,951	4.0	4.0
50-54	180,809	179,182	3.5	3.5
55-59	146,201	148,429	2.8	2.9
60-64	105,035	110,026	2.0	2.1
65-69	78,071	86,832	1.5	1.7
70-74	63,840	74,244	1.2	1.4
75-79	53,145	71,012	1.0	1.4
80-84	37,107	55,978	0.7	1.1
85&up	31,424	71,588	0.6	1.4
Total	2,548,392	2,584,407	49.6	50.4
Total Male/Female	5,132,799			

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Aitkin County - Population Estimates by Age and Sex, 2005

Age Group	AITKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	399	326	1,908	1,698	172,261	163,316
05-09	374	343	1,947	1,833	165,009	157,227
10-14	458	464	2,330	2,268	178,741	169,018
15-17	320	252	1,662	1,484	114,872	109,134
18-19	177	171	1,067	874	77,071	74,145
20-24	553	432	2,601	2,260	194,603	187,503
25-29	452	433	1,936	1,903	176,076	168,011
30-34	357	369	1,688	1,775	172,623	167,246
35-39	413	397	2,007	2,030	185,052	181,075
40-44	549	510	2,571	2,629	209,423	205,490
45-49	617	572	3,029	2,977	207,029	204,951
50-54	549	538	3,049	3,013	180,809	179,182
55-59	512	577	2,591	2,566	146,201	148,429
60-64	574	571	2,255	2,268	105,035	110,026
65-69	523	569	1,883	1,933	78,071	86,832
70-74	499	445	1,649	1,701	63,840	74,244
75-79	381	405	1,374	1,543	53,145	71,012
80-84	262	283	895	1,134	37,107	55,978
85&up	201	347	751	1,383	31,424	71,588
Total	8,170	8,004	37,193	37,272	2,548,392	2,584,407
Total Male/Female	16,174		74,465		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Anoka County - Population Estimates by Age and Sex, 2005

Age Group	ANOKA		Minnesota	
	Male	Female	Male	Female
00-04	11,218	10,511	172,261	163,316
05-09	11,879	11,236	165,009	157,227
10-14	12,805	12,172	178,741	169,018
15-17	7,847	7,657	114,872	109,134
18-19	4,278	3,820	77,071	74,145
20-24	11,479	10,202	194,603	187,503
25-29	11,762	10,859	176,076	168,011
30-34	11,682	11,541	172,623	167,246
35-39	13,077	12,842	185,052	181,075
40-44	15,171	14,768	209,423	205,490
45-49	14,056	13,302	207,029	204,951
50-54	10,911	10,893	180,809	179,182
55-59	9,000	9,375	146,201	148,429
60-64	6,653	6,640	105,035	110,026
65-69	4,230	4,732	78,071	86,832
70-74	3,076	3,430	63,840	74,244
75-79	2,167	2,675	53,145	71,012
80-84	1,231	1,886	37,107	55,978
85&up	861	2,072	31,424	71,588
Total	163,383	160,613	2,548,392	2,584,407
Total Male/Female		323,996		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Becker County - Population Estimates by Age and Sex, 2005

Age Group	BECKER		Minnesota	
	Male	Female	Male	Female
00-04	981	928	172,261	163,316
05-09	985	901	165,009	157,227
10-14	1,014	993	178,741	169,018
15-17	751	772	114,872	109,134
18-19	444	384	77,071	74,145
20-24	1,174	1,009	194,603	187,503
25-29	1,081	1,084	176,076	168,011
30-34	907	828	172,623	167,246
35-39	929	926	185,052	181,075
40-44	1,162	1,098	209,423	205,490
45-49	1,202	1,212	207,029	204,951
50-54	1,183	1,112	180,809	179,182
55-59	990	1,039	146,201	148,429
60-64	827	777	105,035	110,026
65-69	652	763	78,071	86,832
70-74	574	634	63,840	74,244
75-79	517	555	53,145	71,012
80-84	323	452	37,107	55,978
85&up	224	481	31,424	71,588
Total	15,920	15,948	2,548,392	2,584,407
Total Male/Female		31,868		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Beltrami County - Population Estimates by Age and Sex, 2005

Age Group	BELTRAMI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,566	1,396	2,457	2,230	172,261	163,316
05-09	1,439	1,285	2,281	2,085	165,009	157,227
10-14	1,530	1,458	2,586	2,430	178,741	169,018
15-17	1,073	999	1,794	1,713	114,872	109,134
18-19	911	924	1,309	1,285	77,071	74,145
20-24	2,596	2,344	3,692	3,404	194,603	187,503
25-29	1,599	1,841	2,490	2,749	176,076	168,011
30-34	1,172	1,178	1,926	1,933	172,623	167,246
35-39	1,099	1,245	1,932	2,067	185,052	181,075
40-44	1,325	1,385	2,473	2,501	209,423	205,490
45-49	1,425	1,525	2,721	2,772	207,029	204,951
50-54	1,326	1,371	2,478	2,587	180,809	179,182
55-59	1,113	1,068	2,191	2,029	146,201	148,429
60-64	766	798	1,642	1,768	105,035	110,026
65-69	682	728	1,536	1,594	78,071	86,832
70-74	575	629	1,290	1,311	63,840	74,244
75-79	464	575	1,018	1,167	53,145	71,012
80-84	270	449	638	938	37,107	55,978
85&up	233	509	552	1,060	31,424	71,588
Total	21,164	21,707	37,006	37,623	2,548,392	2,584,407
Total Male/Female		42,871		74,629		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Benton County - Population Estimates by Age and Sex, 2005

Age Group	BENTON		Minnesota	
	Male	Female	Male	Female
00-04	1,378	1,350	172,261	163,316
05-09	1,276	1,188	165,009	157,227
10-14	1,279	1,198	178,741	169,018
15-17	818	775	114,872	109,134
18-19	448	449	77,071	74,145
20-24	1,843	1,762	194,603	187,503
25-29	1,991	2,069	176,076	168,011
30-34	1,536	1,552	172,623	167,246
35-39	1,449	1,387	185,052	181,075
40-44	1,473	1,388	209,423	205,490
45-49	1,376	1,248	207,029	204,951
50-54	1,135	1,107	180,809	179,182
55-59	912	898	146,201	148,429
60-64	619	610	105,035	110,026
65-69	478	491	78,071	86,832
70-74	431	555	63,840	74,244
75-79	327	446	53,145	71,012
80-84	242	378	37,107	55,978
85&up	159	484	31,424	71,588
Total	19,170	19,335	2,548,392	2,584,407
Total Male/Female		38,505		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Big Stone County - Population Estimates by Age and Sex, 2005

Age Group	BIG STONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	140	102	1,333	1,129	172,261	163,316
05-09	131	135	1,362	1,213	165,009	157,227
10-14	186	165	1,580	1,513	178,741	169,018
15-17	155	113	1,109	1,037	114,872	109,134
18-19	76	73	690	541	77,071	74,145
20-24	176	136	1,530	1,315	194,603	187,503
25-29	109	98	1,324	856	176,076	168,011
30-34	106	102	1,277	950	172,623	167,246
35-39	127	141	1,564	1,257	185,052	181,075
40-44	203	175	1,867	1,647	209,423	205,490
45-49	227	241	2,120	1,902	207,029	204,951
50-54	200	199	1,955	1,668	180,809	179,182
55-59	178	185	1,457	1,400	146,201	148,429
60-64	125	163	1,174	1,221	105,035	110,026
65-69	149	151	941	1,072	78,071	86,832
70-74	122	165	845	1,025	63,840	74,244
75-79	118	143	832	1,128	53,145	71,012
80-84	101	145	678	1,016	37,107	55,978
85&up	74	146	685	1,447	31,424	71,588
Total	2,703	2,778	24,323	23,337	2,548,392	2,584,407
Total Male/Female		5,481		47,660		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Blue Earth County - Population Estimates by Age and Sex, 2005

Age Group	BLUE EARTH		Minnesota	
	Male	Female	Male	Female
00-04	1,731	1,529	172,261	163,316
05-09	1,500	1,413	165,009	157,227
10-14	1,476	1,354	178,741	169,018
15-17	1,051	953	114,872	109,134
18-19	1,590	1,948	77,071	74,145
20-24	4,517	4,293	194,603	187,503
25-29	3,348	2,418	176,076	168,011
30-34	1,769	1,677	172,623	167,246
35-39	1,616	1,516	185,052	181,075
40-44	1,821	1,693	209,423	205,490
45-49	1,829	1,849	207,029	204,951
50-54	1,732	1,728	180,809	179,182
55-59	1,474	1,341	146,201	148,429
60-64	905	1,014	105,035	110,026
65-69	782	838	78,071	86,832
70-74	640	791	63,840	74,244
75-79	596	838	53,145	71,012
80-84	448	662	37,107	55,978
85&up	384	966	31,424	71,588
Total	29,209	28,821	2,548,392	2,584,407
Total Male/Female		58,030		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Brown County - Population Estimates by Age and Sex, 2005

Age Group	BROWN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	668	664	1,633	1,525	172,261	163,316
05-09	707	659	1,602	1,476	165,009	157,227
10-14	873	810	1,838	1,712	178,741	169,018
15-17	623	598	1,300	1,178	114,872	109,134
18-19	501	533	1,291	1,434	77,071	74,145
20-24	1,136	1,106	2,896	2,934	194,603	187,503
25-29	737	572	1,816	1,514	176,076	168,011
30-34	705	575	1,654	1,445	172,623	167,246
35-39	722	719	1,668	1,620	185,052	181,075
40-44	981	998	2,148	2,133	209,423	205,490
45-49	1,110	1,090	2,242	2,265	207,029	204,951
50-54	975	934	2,053	1,962	180,809	179,182
55-59	794	801	1,767	1,639	146,201	148,429
60-64	612	648	1,184	1,254	105,035	110,026
65-69	498	510	953	1,017	78,071	86,832
70-74	477	544	866	982	63,840	74,244
75-79	424	553	721	926	53,145	71,012
80-84	303	469	470	783	37,107	55,978
85&up	281	624	476	1,005	31,424	71,588
Total	13,127	13,407	28,578	28,804	2,548,392	2,584,407
Total Male/Female		26,534		57,382		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Carlton County - Population Estimates by Age and Sex, 2005

Age Group	CARLTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	941	920	6,357	6,062	172,261	163,316
05-09	967	919	6,490	6,021	165,009	157,227
10-14	1,100	1,033	7,373	6,942	178,741	169,018
15-17	781	726	5,142	4,802	114,872	109,134
18-19	480	396	4,749	4,723	77,071	74,145
20-24	1,452	1,409	11,486	10,655	194,603	187,503
25-29	1,163	991	7,612	7,125	176,076	168,011
30-34	1,179	910	6,770	6,142	172,623	167,246
35-39	1,260	1,042	7,229	6,957	185,052	181,075
40-44	1,352	1,297	8,741	9,016	209,423	205,490
45-49	1,412	1,323	9,988	10,028	207,029	204,951
50-54	1,249	1,210	10,056	9,830	180,809	179,182
55-59	1,072	946	8,441	7,809	146,201	148,429
60-64	758	758	5,861	5,965	105,035	110,026
65-69	581	651	4,436	5,124	78,071	86,832
70-74	555	619	3,888	4,566	63,840	74,244
75-79	423	563	3,559	4,603	53,145	71,012
80-84	296	498	2,380	3,760	37,107	55,978
85&up	242	552	2,139	4,901	31,424	71,588
Total	17,263	16,763	122,697	125,031	2,548,392	2,584,407
Total Male/Female		34,026		247,728		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Carver County - Population Estimates by Age and Sex, 2005

Age Group	CARVER		Minnesota	
	Male	Female	Male	Female
00-04	3,051	2,863	172,261	163,316
05-09	3,278	3,210	165,009	157,227
10-14	3,487	3,362	178,741	169,018
15-17	2,035	1,971	114,872	109,134
18-19	1,162	985	77,071	74,145
20-24	2,970	3,178	194,603	187,503
25-29	3,135	3,178	176,076	168,011
30-34	2,871	2,823	172,623	167,246
35-39	3,454	3,582	185,052	181,075
40-44	4,179	4,267	209,423	205,490
45-49	3,738	3,513	207,029	204,951
50-54	2,824	2,724	180,809	179,182
55-59	2,053	1,954	146,201	148,429
60-64	1,365	1,396	105,035	110,026
65-69	902	868	78,071	86,832
70-74	669	793	63,840	74,244
75-79	518	665	53,145	71,012
80-84	344	513	37,107	55,978
85&up	311	673	31,424	71,588
Total	42,346	42,518	2,548,392	2,584,407
Total Male/Female		84,864		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Cass County - Population Estimates by Age and Sex, 2005

Age Group	CASS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	797	765	2,997	2,829	172,261	163,316
05-09	710	689	2,897	2,821	165,009	157,227
10-14	923	931	3,454	3,269	178,741	169,018
15-17	700	659	2,455	2,397	114,872	109,134
18-19	349	304	1,414	1,198	77,071	74,145
20-24	1,005	1,008	3,622	3,297	194,603	187,503
25-29	960	996	3,268	3,063	176,076	168,011
30-34	743	747	2,706	2,534	172,623	167,246
35-39	796	791	2,879	2,758	185,052	181,075
40-44	998	1,008	3,723	3,638	209,423	205,490
45-49	1,054	984	3,885	3,672	207,029	204,951
50-54	986	988	3,606	3,415	180,809	179,182
55-59	934	932	3,001	2,882	146,201	148,429
60-64	890	949	2,545	2,675	105,035	110,026
65-69	857	793	2,271	2,352	78,071	86,832
70-74	671	661	1,881	2,033	63,840	74,244
75-79	492	514	1,577	1,861	53,145	71,012
80-84	279	344	1,000	1,441	37,107	55,978
85&up	257	446	857	1,778	31,424	71,588
Total	14,401	14,509	50,038	49,913	2,548,392	2,584,407
Total Male/Female		28,910		99,951		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Chippewa County - Population Estimates by Age and Sex, 2005

Age Group	CHIPPEWA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	385	322	1,333	1,129	172,261	163,316
05-09	397	345	1,362	1,213	165,009	157,227
10-14	468	408	1,580	1,513	178,741	169,018
15-17	278	291	1,109	1,037	114,872	109,134
18-19	154	141	690	541	77,071	74,145
20-24	419	423	1,530	1,315	194,603	187,503
25-29	333	267	1,324	856	176,076	168,011
30-34	306	284	1,277	950	172,623	167,246
35-39	368	387	1,564	1,257	185,052	181,075
40-44	453	469	1,867	1,647	209,423	205,490
45-49	532	531	2,120	1,902	207,029	204,951
50-54	507	479	1,955	1,668	180,809	179,182
55-59	410	371	1,457	1,400	146,201	148,429
60-64	309	341	1,174	1,221	105,035	110,026
65-69	248	259	941	1,072	78,071	86,832
70-74	196	253	845	1,025	63,840	74,244
75-79	202	317	832	1,128	53,145	71,012
80-84	167	249	678	1,016	37,107	55,978
85&up	162	371	685	1,447	31,424	71,588
Total	6,294	6,508	24,323	23,337	2,548,392	2,584,407
Total Male/Female		12,802		47,660		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Chisago County - Population Estimates by Age and Sex, 2005

Age Group	CHISAGO		Minnesota	
	Male	Female	Male	Female
00-04	1,791	1,660	172,261	163,316
05-09	1,651	1,591	165,009	157,227
10-14	1,933	1,728	178,741	169,018
15-17	1,241	1,178	114,872	109,134
18-19	700	501	77,071	74,145
20-24	1,899	1,772	194,603	187,503
25-29	2,193	1,982	176,076	168,011
30-34	1,807	1,817	172,623	167,246
35-39	2,050	1,909	185,052	181,075
40-44	2,290	2,071	209,423	205,490
45-49	1,984	1,891	207,029	204,951
50-54	1,538	1,436	180,809	179,182
55-59	1,205	1,146	146,201	148,429
60-64	920	905	105,035	110,026
65-69	668	646	78,071	86,832
70-74	519	583	63,840	74,244
75-79	371	516	53,145	71,012
80-84	285	353	37,107	55,978
85&up	250	420	31,424	71,588
Total	25,295	24,105	2,548,392	2,584,407
Total Male/Female		49,400		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Clay County - Population Estimates by Age and Sex, 2005

Age Group	CLAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,473	1,436	1,683	1,606	172,261	163,316
05-09	1,546	1,509	1,749	1,720	165,009	157,227
10-14	1,803	1,571	2,038	1,832	178,741	169,018
15-17	1,176	1,130	1,355	1,312	114,872	109,134
18-19	1,357	1,855	1,455	1,949	77,071	74,145
20-24	3,186	4,143	3,390	4,352	194,603	187,503
25-29	1,852	1,667	2,038	1,804	176,076	168,011
30-34	1,481	1,543	1,639	1,694	172,623	167,246
35-39	1,513	1,496	1,726	1,701	185,052	181,075
40-44	1,808	1,857	2,096	2,129	209,423	205,490
45-49	1,943	1,995	2,281	2,323	207,029	204,951
50-54	1,731	1,706	1,997	1,909	180,809	179,182
55-59	1,289	1,215	1,466	1,423	146,201	148,429
60-64	914	964	1,055	1,126	105,035	110,026
65-69	741	831	871	976	78,071	86,832
70-74	612	759	728	888	63,840	74,244
75-79	597	818	702	924	53,145	71,012
80-84	422	566	496	652	37,107	55,978
85&up	409	924	465	1,090	31,424	71,588
Total	25,853	27,985	29,230	31,410	2,548,392	2,584,407
Total Male/Female		53,838		60,640		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Clearwater County - Population Estimates by Age and Sex, 2005

Age Group	CLEARWATER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	299	261	2,457	2,230	172,261	163,316
05-09	247	225	2,281	2,085	165,009	157,227
10-14	269	281	2,586	2,430	178,741	169,018
15-17	210	183	1,794	1,713	114,872	109,134
18-19	110	98	1,309	1,285	77,071	74,145
20-24	294	303	3,692	3,404	194,603	187,503
25-29	290	244	2,490	2,749	176,076	168,011
30-34	232	229	1,926	1,933	172,623	167,246
35-39	231	202	1,932	2,067	185,052	181,075
40-44	312	302	2,473	2,501	209,423	205,490
45-49	315	337	2,721	2,772	207,029	204,951
50-54	310	308	2,478	2,587	180,809	179,182
55-59	267	232	2,191	2,029	146,201	148,429
60-64	219	220	1,642	1,768	105,035	110,026
65-69	201	219	1,536	1,594	78,071	86,832
70-74	158	160	1,290	1,311	63,840	74,244
75-79	141	132	1,018	1,167	53,145	71,012
80-84	82	123	638	938	37,107	55,978
85&up	73	157	552	1,060	31,424	71,588
Total	4,260	4,216	37,006	37,623	2,548,392	2,584,407
Total Male/Female		8,476		74,629		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Cook County - Population Estimates by Age and Sex, 2005

Age Group	COOK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	121	91	6,357	6,062	172,261	163,316
05-09	115	113	6,490	6,021	165,009	157,227
10-14	159	140	7,373	6,942	178,741	169,018
15-17	102	97	5,142	4,802	114,872	109,134
18-19	43	41	4,749	4,723	77,071	74,145
20-24	143	140	11,486	10,655	194,603	187,503
25-29	161	136	7,612	7,125	176,076	168,011
30-34	142	146	6,770	6,142	172,623	167,246
35-39	139	141	7,229	6,957	185,052	181,075
40-44	196	197	8,741	9,016	209,423	205,490
45-49	262	260	9,988	10,028	207,029	204,951
50-54	222	265	10,056	9,830	180,809	179,182
55-59	230	209	8,441	7,809	146,201	148,429
60-64	199	182	5,861	5,965	105,035	110,026
65-69	128	159	4,436	5,124	78,071	86,832
70-74	127	95	3,888	4,566	63,840	74,244
75-79	96	96	3,559	4,603	53,145	71,012
80-84	60	69	2,380	3,760	37,107	55,978
85&up	52	93	2,139	4,901	31,424	71,588
Total	2,697	2,670	122,697	125,031	2,548,392	2,584,407
Total Male/Female		5,367		247,728		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Cottonwood County - Population Estimates by Age and Sex, 2005

Age Group	COTTONWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	353	316	647	547	172,261	163,316
05-09	366	313	659	587	165,009	157,227
10-14	390	415	740	766	178,741	169,018
15-17	279	274	568	527	114,872	109,134
18-19	149	132	303	265	77,071	74,145
20-24	342	324	731	669	194,603	187,503
25-29	311	246	612	515	176,076	168,011
30-34	268	281	593	590	172,623	167,246
35-39	329	322	652	599	185,052	181,075
40-44	398	383	836	767	209,423	205,490
45-49	453	429	956	906	207,029	204,951
50-54	416	431	873	844	180,809	179,182
55-59	373	378	716	700	146,201	148,429
60-64	296	315	553	568	105,035	110,026
65-69	248	265	461	531	78,071	86,832
70-74	226	277	442	507	63,840	74,244
75-79	231	303	409	576	53,145	71,012
80-84	174	255	339	455	37,107	55,978
85&up	188	385	333	674	31,424	71,588
Total	5,790	6,044	11,423	11,593	2,548,392	2,584,407
Total Male/Female		11,834		23,016		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Crow Wing County - Population Estimates by Age and Sex, 2005

Age Group	CROW WING		Minnesota	
	Male	Female	Male	Female
00-04	1,842	1,701	172,261	163,316
05-09	1,750	1,686	165,009	157,227
10-14	1,930	1,888	178,741	169,018
15-17	1,334	1,236	114,872	109,134
18-19	683	699	77,071	74,145
20-24	2,067	2,072	194,603	187,503
25-29	2,235	2,212	176,076	168,011
30-34	1,753	1,720	172,623	167,246
35-39	1,806	1,794	185,052	181,075
40-44	2,145	2,212	209,423	205,490
45-49	2,152	2,190	207,029	204,951
50-54	2,046	2,060	180,809	179,182
55-59	1,739	1,776	146,201	148,429
60-64	1,417	1,569	105,035	110,026
65-69	1,318	1,415	78,071	86,832
70-74	1,127	1,189	63,840	74,244
75-79	962	1,152	53,145	71,012
80-84	680	828	37,107	55,978
85&up	486	1,046	31,424	71,588
Total	29,472	30,445	2,548,392	2,584,407
Total Male/Female		59,917		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Dakota County - Population Estimates by Age and Sex, 2005

Age Group	DAKOTA		Minnesota	
	Male	Female	Male	Female
00-04	13,639	12,843	172,261	163,316
05-09	14,215	13,702	165,009	157,227
10-14	15,245	14,411	178,741	169,018
15-17	9,409	9,040	114,872	109,134
18-19	5,062	4,542	77,071	74,145
20-24	12,316	12,264	194,603	187,503
25-29	12,791	12,849	176,076	168,011
30-34	13,554	14,080	172,623	167,246
35-39	15,307	15,875	185,052	181,075
40-44	17,384	17,760	209,423	205,490
45-49	16,479	16,751	207,029	204,951
50-54	13,370	13,530	180,809	179,182
55-59	10,630	11,026	146,201	148,429
60-64	7,146	7,517	105,035	110,026
65-69	4,622	5,197	78,071	86,832
70-74	3,568	3,964	63,840	74,244
75-79	2,517	3,386	53,145	71,012
80-84	1,486	2,286	37,107	55,978
85&up	1,224	2,605	31,424	71,588
Total	189,964	193,628	2,548,392	2,584,407
Total Male/Female		383,592		

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Dodge County - Population Estimates by Age and Sex, 2005

Age Group	DODGE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	692	725	2,026	1,856	172,261	163,316
05-09	665	698	1,850	1,819	165,009	157,227
10-14	761	752	2,050	1,979	178,741	169,018
15-17	485	468	1,330	1,320	114,872	109,134
18-19	250	258	741	703	77,071	74,145
20-24	751	620	2,137	1,859	194,603	187,503
25-29	712	685	1,798	1,830	176,076	168,011
30-34	631	616	1,754	1,724	172,623	167,246
35-39	681	711	1,961	1,948	185,052	181,075
40-44	841	786	2,273	2,197	209,423	205,490
45-49	811	791	2,209	2,214	207,029	204,951
50-54	663	632	2,007	1,897	180,809	179,182
55-59	486	457	1,404	1,418	146,201	148,429
60-64	398	375	1,136	1,080	105,035	110,026
65-69	265	301	822	970	78,071	86,832
70-74	228	258	665	796	63,840	74,244
75-79	195	209	587	777	53,145	71,012
80-84	141	222	411	651	37,107	55,978
85&up	134	241	376	775	31,424	71,588
Total	9,790	9,805	27,537	27,813	2,548,392	2,584,407
Total Male/Female		19,595		55,350		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Dodge and Steele Counties

Douglas County - Population Estimates by Age and Sex, 2005

Age Group	DOUGLAS		Minnesota	
	Male	Female	Male	Female
00-04	937	860	172,261	163,316
05-09	937	909	165,009	157,227
10-14	1,078	1,013	178,741	169,018
15-17	749	716	114,872	109,134
18-19	488	411	77,071	74,145
20-24	1,455	1,199	194,603	187,503
25-29	1,435	1,363	176,076	168,011
30-34	970	941	172,623	167,246
35-39	1,043	977	185,052	181,075
40-44	1,244	1,206	209,423	205,490
45-49	1,295	1,335	207,029	204,951
50-54	1,214	1,166	180,809	179,182
55-59	984	1,053	146,201	148,429
60-64	897	856	105,035	110,026
65-69	752	813	78,071	86,832
70-74	661	744	63,840	74,244
75-79	582	736	53,145	71,012
80-84	394	542	37,107	55,978
85&up	389	794	31,424	71,588
Total	17,504	17,634	2,548,392	2,584,407
Total Male/Female		35,138		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Faribault County - Population Estimates by Age and Sex, 2005

Age Group	FARIBAULT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	423	350	961	935	172,261	163,316
05-09	425	373	988	939	165,009	157,227
10-14	528	461	1,248	1,102	178,741	169,018
15-17	395	336	881	805	114,872	109,134
18-19	214	174	510	417	77,071	74,145
20-24	528	528	1,162	1,127	194,603	187,503
25-29	348	266	824	619	176,076	168,011
30-34	317	290	811	792	172,623	167,246
35-39	396	360	985	900	185,052	181,075
40-44	540	545	1,248	1,297	209,423	205,490
45-49	659	644	1,568	1,585	207,029	204,951
50-54	645	546	1,514	1,344	180,809	179,182
55-59	484	489	1,200	1,177	146,201	148,429
60-64	407	426	958	966	105,035	110,026
65-69	320	395	749	869	78,071	86,832
70-74	315	384	718	824	63,840	74,244
75-79	337	417	690	950	53,145	71,012
80-84	230	351	515	796	37,107	55,978
85&up	197	463	443	1,091	31,424	71,588
Total	7,708	7,798	17,973	18,535	2,548,392	2,584,407
Total Male/Female	15,506		36,508		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Fillmore County - Population Estimates by Age and Sex, 2005

Age Group	FILLMORE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	691	599	1,194	1,103	172,261	163,316
05-09	605	584	1,207	1,113	165,009	157,227
10-14	732	726	1,433	1,466	178,741	169,018
15-17	510	491	1,033	939	114,872	109,134
18-19	267	276	557	576	77,071	74,145
20-24	664	620	1,310	1,136	194,603	187,503
25-29	669	576	1,282	1,138	176,076	168,011
30-34	579	555	1,038	1,085	172,623	167,246
35-39	613	568	1,213	1,199	185,052	181,075
40-44	784	749	1,528	1,546	209,423	205,490
45-49	865	844	1,782	1,692	207,029	204,951
50-54	752	751	1,550	1,514	180,809	179,182
55-59	638	614	1,253	1,240	146,201	148,429
60-64	538	534	1,005	946	105,035	110,026
65-69	410	461	755	828	78,071	86,832
70-74	384	467	741	827	63,840	74,244
75-79	388	447	667	850	53,145	71,012
80-84	239	415	444	726	37,107	55,978
85&up	262	501	468	925	31,424	71,588
Total	10,590	10,778	20,460	20,849	2,548,392	2,584,407
Total Male/Female	21,368		41,309		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Freeborn County - Population Estimates by Age and Sex, 2005

Age Group	FREEBORN		Minnesota	
	Male	Female	Male	Female
00-04	926	855	172,261	163,316
05-09	891	860	165,009	157,227
10-14	971	951	178,741	169,018
15-17	708	688	114,872	109,134
18-19	378	337	77,071	74,145
20-24	1,002	952	194,603	187,503
25-29	874	876	176,076	168,011
30-34	870	720	172,623	167,246
35-39	909	911	185,052	181,075
40-44	1,201	1,189	209,423	205,490
45-49	1,288	1,257	207,029	204,951
50-54	1,227	1,087	180,809	179,182
55-59	1,037	1,029	146,201	148,429
60-64	866	864	105,035	110,026
65-69	702	794	78,071	86,832
70-74	579	722	63,840	74,244
75-79	548	703	53,145	71,012
80-84	451	608	37,107	55,978
85&up	353	762	31,424	71,588
Total	15,781	16,165	2,548,392	2,584,407
Total Male/Female	#		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Goodhue County - Population Estimates by Age and Sex, 2005

Age Group	GOODHUE		Minnesota	
	Male	Female	Male	Female
00-04	1,344	1,304	172,261	163,316
05-09	1,345	1,295	165,009	157,227
10-14	1,553	1,470	178,741	169,018
15-17	1,105	1,016	114,872	109,134
18-19	672	557	77,071	74,145
20-24	1,524	1,465	194,603	187,503
25-29	1,438	1,278	176,076	168,011
30-34	1,314	1,255	172,623	167,246
35-39	1,396	1,469	185,052	181,075
40-44	1,871	1,810	209,423	205,490
45-49	1,931	1,938	207,029	204,951
50-54	1,775	1,676	180,809	179,182
55-59	1,437	1,395	146,201	148,429
60-64	1,013	1,038	105,035	110,026
65-69	823	884	78,071	86,832
70-74	746	776	63,840	74,244
75-79	583	804	53,145	71,012
80-84	431	636	37,107	55,978
85&up	373	845	31,424	71,588
Total	22,674	22,911	2,548,392	2,584,407
Total Male/Female	45,585		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Grant County - Population Estimates by Age and Sex, 2005

Age Group	GRANT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	161	167	807	748	172,261	163,316
05-09	155	142	799	724	165,009	157,227
10-14	176	191	914	860	178,741	169,018
15-17	131	151	675	658	114,872	109,134
18-19	74	83	592	738	77,071	74,145
20-24	222	173	1,563	1,378	194,603	187,503
25-29	160	143	816	748	176,076	168,011
30-34	137	120	702	610	172,623	167,246
35-39	162	146	729	761	185,052	181,075
40-44	220	233	1,033	1,018	209,423	205,490
45-49	245	228	1,190	1,167	207,029	204,951
50-54	202	217	1,123	1,020	180,809	179,182
55-59	198	178	920	877	146,201	148,429
60-64	145	163	703	753	105,035	110,026
65-69	143	149	588	664	78,071	86,832
70-74	131	140	629	746	63,840	74,244
75-79	136	166	620	732	53,145	71,012
80-84	95	148	455	638	37,107	55,978
85&up	103	180	409	895	31,424	71,588
Total	2,996	3,118	15,267	15,735	2,548,392	2,584,407
Total Male/Female		6,114		31,002		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Hennepin County - Population Estimates by Age and Sex, 2005

Age Group	HENNEPIN		Minnesota	
	Male	Female	Male	Female
00-04	40,566	38,852	172,261	163,316
05-09	34,838	33,533	165,009	157,227
10-14	36,192	34,300	178,741	169,018
15-17	22,187	21,027	114,872	109,134
18-19	15,489	14,287	77,071	74,145
20-24	36,604	35,348	194,603	187,503
25-29	37,836	36,648	176,076	168,011
30-34	45,041	42,249	172,623	167,246
35-39	45,621	43,863	185,052	181,075
40-44	48,153	45,734	209,423	205,490
45-49	46,104	46,355	207,029	204,951
50-54	40,548	41,676	180,809	179,182
55-59	32,733	34,803	146,201	148,429
60-64	21,892	23,906	105,035	110,026
65-69	15,131	17,627	78,071	86,832
70-74	11,652	14,678	63,840	74,244
75-79	10,061	14,476	53,145	71,012
80-84	7,484	11,456	37,107	55,978
85&up	5,793	14,621	31,424	71,588
Total	553,925	565,439	2,548,392	2,584,407
Total Male/Female		1,119,364		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Houston County - Population Estimates by Age and Sex, 2005

Age Group	HOUSTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	503	504	1,194	1,103	172,261	163,316
05-09	602	529	1,207	1,113	165,009	157,227
10-14	701	740	1,433	1,466	178,741	169,018
15-17	523	448	1,033	939	114,872	109,134
18-19	290	300	557	576	77,071	74,145
20-24	646	516	1,310	1,136	194,603	187,503
25-29	613	562	1,282	1,138	176,076	168,011
30-34	459	530	1,038	1,085	172,623	167,246
35-39	600	631	1,213	1,199	185,052	181,075
40-44	744	797	1,528	1,546	209,423	205,490
45-49	917	848	1,782	1,692	207,029	204,951
50-54	798	763	1,550	1,514	180,809	179,182
55-59	615	626	1,253	1,240	146,201	148,429
60-64	467	412	1,005	946	105,035	110,026
65-69	345	367	755	828	78,071	86,832
70-74	357	360	741	827	63,840	74,244
75-79	279	403	667	850	53,145	71,012
80-84	205	311	444	726	37,107	55,978
85&up	206	424	468	925	31,424	71,588
Total	9,870	10,071	20,460	20,849	2,548,392	2,584,407
Total Male/Female		19,941		41,309		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Hubbard County - Population Estimates by Age and Sex, 2005

Age Group	HUBBARD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	491	469	2,457	2,230	172,261	163,316
05-09	502	484	2,281	2,085	165,009	157,227
10-14	633	534	2,586	2,430	178,741	169,018
15-17	414	421	1,794	1,713	114,872	109,134
18-19	229	216	1,309	1,285	77,071	74,145
20-24	685	618	3,692	3,404	194,603	187,503
25-29	492	534	2,490	2,749	176,076	168,011
30-34	434	464	1,926	1,933	172,623	167,246
35-39	491	504	1,932	2,067	185,052	181,075
40-44	649	653	2,473	2,501	209,423	205,490
45-49	784	732	2,721	2,772	207,029	204,951
50-54	640	706	2,478	2,587	180,809	179,182
55-59	654	611	2,191	2,029	146,201	148,429
60-64	530	614	1,642	1,768	105,035	110,026
65-69	519	535	1,536	1,594	78,071	86,832
70-74	465	424	1,290	1,311	63,840	74,244
75-79	345	363	1,018	1,167	53,145	71,012
80-84	233	294	638	938	37,107	55,978
85&up	179	316	552	1,060	31,424	71,588
Total	9,369	9,492	37,006	37,623	2,548,392	2,584,407
Total Male/Female		18,861		74,629		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods
2006 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Isanti County - Population Estimates by Age and Sex, 2005

Age Group	ISANTI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,099	1,091	1,837	1,906	172,261	163,316
05-09	1,160	1,075	1,901	1,815	165,009	157,227
10-14	1,315	1,263	2,152	2,088	178,741	169,018
15-17	924	866	1,557	1,456	114,872	109,134
18-19	533	465	883	781	77,071	74,145
20-24	1,511	1,541	2,445	2,449	194,603	187,503
25-29	1,667	1,644	2,732	2,673	176,076	168,011
30-34	1,343	1,324	2,138	2,152	172,623	167,246
35-39	1,380	1,345	2,229	2,124	185,052	181,075
40-44	1,647	1,579	2,657	2,567	209,423	205,490
45-49	1,521	1,492	2,492	2,419	207,029	204,951
50-54	1,283	1,150	2,114	1,981	180,809	179,182
55-59	1,021	1,014	1,706	1,633	146,201	148,429
60-64	742	801	1,275	1,444	105,035	110,026
65-69	570	611	1,019	1,129	78,071	86,832
70-74	416	429	871	886	63,840	74,244
75-79	303	387	631	851	53,145	71,012
80-84	201	310	423	636	37,107	55,978
85&up	237	404	435	857	31,424	71,588
Total	18,873	18,791	31,497	31,847	2,548,392	2,584,407
Total Male/Female		37,664		63,344		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Itasca County - Population Estimates by Age and Sex, 2005

Age Group	ITASCA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,193	1,077	1,908	1,698	172,261	163,316
05-09	1,188	1,138	1,947	1,833	165,009	157,227
10-14	1,393	1,368	2,330	2,268	178,741	169,018
15-17	1,046	955	1,662	1,484	114,872	109,134
18-19	690	550	1,067	874	77,071	74,145
20-24	1,658	1,426	2,601	2,260	194,603	187,503
25-29	1,159	1,180	1,936	1,903	176,076	168,011
30-34	1,040	1,059	1,688	1,775	172,623	167,246
35-39	1,161	1,231	2,007	2,030	185,052	181,075
40-44	1,533	1,634	2,571	2,629	209,423	205,490
45-49	1,817	1,794	3,029	2,977	207,029	204,951
50-54	1,891	1,897	3,049	3,013	180,809	179,182
55-59	1,590	1,536	2,591	2,566	146,201	148,429
60-64	1,278	1,308	2,255	2,268	105,035	110,026
65-69	1,042	1,009	1,883	1,933	78,071	86,832
70-74	856	913	1,649	1,701	63,840	74,244
75-79	732	800	1,374	1,543	53,145	71,012
80-84	481	625	895	1,134	37,107	55,978
85&up	400	736	751	1,383	31,424	71,588
Total	22,148	22,236	37,193	37,272	2,548,392	2,584,407
Total Male/Female		44,384		74,465		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Jackson County - Population Estimates by Age and Sex, 2005

Age Group	JACKSON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	294	231	647	547	172,261	163,316
05-09	293	274	659	587	165,009	157,227
10-14	350	351	740	766	178,741	169,018
15-17	289	253	568	527	114,872	109,134
18-19	154	133	303	265	77,071	74,145
20-24	389	345	731	669	194,603	187,503
25-29	301	269	612	515	176,076	168,011
30-34	325	309	593	590	172,623	167,246
35-39	323	277	652	599	185,052	181,075
40-44	438	384	836	767	209,423	205,490
45-49	503	477	956	906	207,029	204,951
50-54	457	413	873	844	180,809	179,182
55-59	343	322	716	700	146,201	148,429
60-64	257	253	553	568	105,035	110,026
65-69	213	266	461	531	78,071	86,832
70-74	216	230	442	507	63,840	74,244
75-79	178	273	409	576	53,145	71,012
80-84	165	200	339	455	37,107	55,978
85&up	145	289	333	674	31,424	71,588
Total	5,633	5,549	11,423	11,593	2,548,392	2,584,407
Total Male/Female	11,182		23,016		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Kanabec County - Population Estimates by Age and Sex, 2005

Age Group	Male		Male		Male	
00-04	420	431	1,127	1,252	172,261	163,316
05-09	508	420	1,277	1,124	165,009	157,227
10-14	589	543	1,540	1,408	178,741	169,018
15-17	373	389	1,057	1,047	114,872	109,134
18-19	214	189	615	483	77,071	74,145
20-24	568	599	1,683	1,564	194,603	187,503
25-29	578	561	1,770	1,534	176,076	168,011
30-34	510	551	1,462	1,298	172,623	167,246
35-39	521	496	1,516	1,362	185,052	181,075
40-44	593	592	1,804	1,641	209,423	205,490
45-49	695	638	1,899	1,692	207,029	204,951
50-54	584	551	1,575	1,485	180,809	179,182
55-59	506	426	1,334	1,134	146,201	148,429
60-64	381	415	1,055	1,159	105,035	110,026
65-69	326	331	924	976	78,071	86,832
70-74	295	268	845	775	63,840	74,244
75-79	223	275	646	730	53,145	71,012
80-84	160	168	413	511	37,107	55,978
85&up	104	224	332	651	31,424	71,588
Total	8,148	8,067	22,874	21,826	2,548,392	2,584,407
Total Male/Female	16,215		44,700		5,132,799	
Source: U.S. Census Bureau: 2005 C						

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Kandiyohi County - Population Estimates by Age and Sex, 2005

Age Group	KANDIYOHI		Minnesota	
	Male	Female	Male	Female
00-04	1,310	1,348	172,261	163,316
05-09	1,241	1,156	165,009	157,227
10-14	1,443	1,387	178,741	169,018
15-17	985	961	114,872	109,134
18-19	651	573	77,071	74,145
20-24	1,457	1,313	194,603	187,503
25-29	1,312	1,115	176,076	168,011
30-34	1,170	1,107	172,623	167,246
35-39	1,268	1,181	185,052	181,075
40-44	1,427	1,484	209,423	205,490
45-49	1,648	1,769	207,029	204,951
50-54	1,629	1,562	180,809	179,182
55-59	1,235	1,282	146,201	148,429
60-64	949	952	105,035	110,026
65-69	701	833	78,071	86,832
70-74	633	707	63,840	74,244
75-79	595	698	53,145	71,012
80-84	378	578	37,107	55,978
85&up	401	760	31,424	71,588
Total	20,433	20,766	2,548,392	2,584,407
Total Male/Female		41,199		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Kittson County - Population Estimates by Age and Sex, 2005

Age Group	KITTSOON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	86	104	1,440	1,455	172,261	163,316
05-09	151	159	1,577	1,460	165,009	157,227
10-14	161	152	1,703	1,542	178,741	169,018
15-17	121	115	1,160	1,173	114,872	109,134
18-19	58	55	763	622	77,071	74,145
20-24	159	116	1,615	1,419	194,603	187,503
25-29	55	64	1,443	1,284	176,076	168,011
30-34	100	84	1,405	1,344	172,623	167,246
35-39	135	102	1,604	1,394	185,052	181,075
40-44	163	184	1,952	1,877	209,423	205,490
45-49	206	198	2,047	1,945	207,029	204,951
50-54	228	192	1,963	1,750	180,809	179,182
55-59	161	156	1,476	1,451	146,201	148,429
60-64	128	113	1,218	1,202	105,035	110,026
65-69	125	125	963	996	78,071	86,832
70-74	98	113	703	855	63,840	74,244
75-79	84	154	702	918	53,145	71,012
80-84	60	88	515	725	37,107	55,978
85&up	82	157	490	1,026	31,424	71,588
Total	2,361	2,431	24,739	24,438	2,548,392	2,584,407
Total Male/Female		4,792		49,177		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Koochiching County - Population Estimates by Age and Sex, 2005

Age Group	KOOCHICHING		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	316	295	1,908	1,698	172,261	163,316
05-09	385	352	1,947	1,833	165,009	157,227
10-14	479	436	2,330	2,268	178,741	169,018
15-17	296	277	1,662	1,484	114,872	109,134
18-19	200	153	1,067	874	77,071	74,145
20-24	390	402	2,601	2,260	194,603	187,503
25-29	325	290	1,936	1,903	176,076	168,011
30-34	291	347	1,688	1,775	172,623	167,246
35-39	433	402	2,007	2,030	185,052	181,075
40-44	489	485	2,571	2,629	209,423	205,490
45-49	595	611	3,029	2,977	207,029	204,951
50-54	609	578	3,049	3,013	180,809	179,182
55-59	489	453	2,591	2,566	146,201	148,429
60-64	403	389	2,255	2,268	105,035	110,026
65-69	318	355	1,883	1,933	78,071	86,832
70-74	294	343	1,649	1,701	63,840	74,244
75-79	261	338	1,374	1,543	53,145	71,012
80-84	152	226	895	1,134	37,107	55,978
85&up	150	300	751	1,383	31,424	71,588
Total	6,875	7,032	37,193	37,272	2,548,392	2,584,407
Total Male/Female		13,907		74,465		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Lac Qui Parle County - Population Estimates by Age and Sex, 2005

Age Group	LAC QUI PARLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	142	161	1,333	1,129	172,261	163,316
05-09	189	194	1,362	1,213	165,009	157,227
10-14	256	236	1,580	1,513	178,741	169,018
15-17	188	169	1,109	1,037	114,872	109,134
18-19	113	85	690	541	77,071	74,145
20-24	232	233	1,530	1,315	194,603	187,503
25-29	150	106	1,324	856	176,076	168,011
30-34	163	127	1,277	950	172,623	167,246
35-39	170	190	1,564	1,257	185,052	181,075
40-44	271	257	1,867	1,647	209,423	205,490
45-49	356	327	2,120	1,902	207,029	204,951
50-54	353	317	1,955	1,668	180,809	179,182
55-59	231	232	1,457	1,400	146,201	148,429
60-64	210	221	1,174	1,221	105,035	110,026
65-69	156	183	941	1,072	78,071	86,832
70-74	165	163	845	1,025	63,840	74,244
75-79	169	196	832	1,128	53,145	71,012
80-84	119	179	678	1,016	37,107	55,978
85&up	154	241	685	1,447	31,424	71,588
Total	3,787	3,817	24,323	23,337	2,548,392	2,584,407
Total Male/Female		7,604		47,660		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties
2006 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Lake County - Population Estimates by Age and Sex, 2005

Age Group	LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	243	229	6,357	6,062	172,261	163,316
05-09	282	265	6,490	6,021	165,009	157,227
10-14	276	328	7,373	6,942	178,741	169,018
15-17	239	227	5,142	4,802	114,872	109,134
18-19	147	113	4,749	4,723	77,071	74,145
20-24	365	352	11,486	10,655	194,603	187,503
25-29	304	325	7,612	7,125	176,076	168,011
30-34	281	245	6,770	6,142	172,623	167,246
35-39	278	310	7,229	6,957	185,052	181,075
40-44	394	427	8,741	9,016	209,423	205,490
45-49	475	459	9,988	10,028	207,029	204,951
50-54	509	426	10,056	9,830	180,809	179,182
55-59	386	346	8,441	7,809	146,201	148,429
60-64	290	310	5,861	5,965	105,035	110,026
65-69	266	314	4,436	5,124	78,071	86,832
70-74	282	290	3,888	4,566	63,840	74,244
75-79	273	288	3,559	4,603	53,145	71,012
80-84	147	155	2,380	3,760	37,107	55,978
85&up	82	228	2,139	4,901	31,424	71,588
Total	5,519	5,637	122,697	125,031	2,548,392	2,584,407
Total Male/Female		11,156		247,728		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Lake of the Woods County - Population Estimates by Age and Sex, 2005

Age Group	LAKE OF THE WOODS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	101	104	2,457	2,230	172,261	163,316
05-09	93	91	2,281	2,085	165,009	157,227
10-14	154	157	2,586	2,430	178,741	169,018
15-17	97	110	1,794	1,713	114,872	109,134
18-19	59	47	1,309	1,285	77,071	74,145
20-24	117	139	3,692	3,404	194,603	187,503
25-29	109	130	2,490	2,749	176,076	168,011
30-34	88	62	1,926	1,933	172,623	167,246
35-39	111	116	1,932	2,067	185,052	181,075
40-44	187	161	2,473	2,501	209,423	205,490
45-49	197	178	2,721	2,772	207,029	204,951
50-54	202	202	2,478	2,587	180,809	179,182
55-59	157	118	2,191	2,029	146,201	148,429
60-64	127	136	1,642	1,768	105,035	110,026
65-69	134	112	1,536	1,594	78,071	86,832
70-74	92	98	1,290	1,311	63,840	74,244
75-79	68	97	1,018	1,167	53,145	71,012
80-84	53	72	638	938	37,107	55,978
85&up	67	78	552	1,060	31,424	71,588
Total	2,213	2,208	37,006	37,623	2,548,392	2,584,407
Total Male/Female		4,421		74,629		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Le Sueur County - Population Estimates by Age and Sex, 2005

Age Group	LE SUEUR		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	818	763	1,422	1,339	172,261	163,316
05-09	801	800	1,422	1,401	165,009	157,227
10-14	952	944	1,572	1,546	178,741	169,018
15-17	673	639	1,131	1,041	114,872	109,134
18-19	353	370	615	576	77,071	74,145
20-24	1,029	838	1,726	1,456	194,603	187,503
25-29	953	949	1,756	1,482	176,076	168,011
30-34	820	812	1,552	1,331	172,623	167,246
35-39	953	899	1,693	1,437	185,052	181,075
40-44	1,099	1,115	2,002	1,794	209,423	205,490
45-49	1,131	1,028	1,972	1,792	207,029	204,951
50-54	1,046	901	1,772	1,596	180,809	179,182
55-59	866	824	1,474	1,370	146,201	148,429
60-64	629	670	1,013	1,057	105,035	110,026
65-69	505	499	813	821	78,071	86,832
70-74	373	439	603	739	63,840	74,244
75-79	314	414	520	772	53,145	71,012
80-84	237	348	447	606	37,107	55,978
85&up	203	483	357	802	31,424	71,588
Total	13,755	13,735	23,862	22,958	2,548,392	2,584,407
Total Male/Female		27,490		46,820		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Lincoln County - Population Estimates by Age and Sex, 2005

Age Group	LINCOLN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	165	154	1,392	1,313	172,261	163,316
05-09	161	169	1,428	1,392	165,009	157,227
10-14	197	182	1,638	1,583	178,741	169,018
15-17	144	127	1,134	1,019	114,872	109,134
18-19	65	58	762	751	77,071	74,145
20-24	158	182	2,004	2,060	194,603	187,503
25-29	173	121	1,424	1,150	176,076	168,011
30-34	128	143	1,267	1,209	172,623	167,246
35-39	172	157	1,411	1,326	185,052	181,075
40-44	229	207	1,758	1,729	209,423	205,490
45-49	241	175	1,870	1,878	207,029	204,951
50-54	209	218	1,734	1,682	180,809	179,182
55-59	165	143	1,364	1,309	146,201	148,429
60-64	168	165	1,108	1,129	105,035	110,026
65-69	142	184	956	1,054	78,071	86,832
70-74	120	162	794	1,014	63,840	74,244
75-79	140	153	774	1,013	53,145	71,012
80-84	113	147	584	910	37,107	55,978
85&up	87	226	567	1,305	31,424	71,588
Total	2,977	3,073	23,969	24,826	2,548,392	2,584,407
Total Male/Female		6,050		48,795		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Lyon County - Population Estimates by Age and Sex, 2005

Age Group	LYON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	743	695	1,392	1,313	172,261	163,316
05-09	783	708	1,428	1,392	165,009	157,227
10-14	838	804	1,638	1,583	178,741	169,018
15-17	547	522	1,134	1,019	114,872	109,134
18-19	427	486	762	751	77,071	74,145
20-24	1,298	1,249	2,004	2,060	194,603	187,503
25-29	804	738	1,424	1,150	176,076	168,011
30-34	707	649	1,267	1,209	172,623	167,246
35-39	736	687	1,411	1,326	185,052	181,075
40-44	865	870	1,758	1,729	209,423	205,490
45-49	901	993	1,870	1,878	207,029	204,951
50-54	842	821	1,734	1,682	180,809	179,182
55-59	631	614	1,364	1,309	146,201	148,429
60-64	483	507	1,108	1,129	105,035	110,026
65-69	433	403	956	1,054	78,071	86,832
70-74	287	396	794	1,014	63,840	74,244
75-79	313	381	774	1,013	53,145	71,012
80-84	210	374	584	910	37,107	55,978
85&up	211	516	567	1,305	31,424	71,588
Total	12,059	12,413	23,969	24,826	2,548,392	2,584,407
Total Male/Female		24,472		48,795		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

McLeod County - Population Estimates by Age and Sex, 2005

Age Group	MCLEOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,261	1,224	2,464	2,439	172,261	163,316
05-09	1,204	1,169	2,456	2,308	165,009	157,227
10-14	1,301	1,227	2,740	2,458	178,741	169,018
15-17	925	817	1,858	1,708	114,872	109,134
18-19	543	446	1,066	900	77,071	74,145
20-24	1,039	1,097	2,352	2,246	194,603	187,503
25-29	1,252	1,163	2,430	2,237	176,076	168,011
30-34	1,325	1,295	2,428	2,318	172,623	167,246
35-39	1,321	1,223	2,551	2,394	185,052	181,075
40-44	1,465	1,424	2,991	2,885	209,423	205,490
45-49	1,375	1,280	2,931	2,713	207,029	204,951
50-54	1,209	1,265	2,716	2,597	180,809	179,182
55-59	1,055	1,035	2,171	2,112	146,201	148,429
60-64	782	837	1,679	1,739	105,035	110,026
65-69	603	632	1,313	1,405	78,071	86,832
70-74	496	565	1,160	1,330	63,840	74,244
75-79	419	608	983	1,300	53,145	71,012
80-84	329	510	717	1,034	37,107	55,978
85&up	290	625	684	1,431	31,424	71,588
Total	18,194	18,442	37,690	37,554	2,548,392	2,584,407
Total Male/Female		36,636		75,244		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Mahnomen County - Population Estimates by Age and Sex, 2005

Age Group	MAHNOMEN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	197	203	376	358	172,261	163,316
05-09	175	168	376	386	165,009	157,227
10-14	227	181	474	405	178,741	169,018
15-17	126	124	303	292	114,872	109,134
18-19	62	46	152	122	77,071	74,145
20-24	184	179	419	389	194,603	187,503
25-29	116	120	281	244	176,076	168,011
30-34	121	118	271	249	172,623	167,246
35-39	122	132	313	316	185,052	181,075
40-44	195	167	482	435	209,423	205,490
45-49	189	171	460	473	207,029	204,951
50-54	171	141	455	365	180,809	179,182
55-59	158	162	371	368	146,201	148,429
60-64	118	136	310	330	105,035	110,026
65-69	120	122	264	290	78,071	86,832
70-74	104	85	259	261	63,840	74,244
75-79	72	93	213	262	53,145	71,012
80-84	36	81	148	220	37,107	55,978
85&up	47	144	111	313	31,424	71,588
Total	2,540	2,573	6,038	6,078	2,548,392	2,584,407
Total Male/Female		5,113		12,116		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Marshall County - Population Estimates by Age and Sex, 2005

Age Group	MARSHALL		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	257	256	1,440	1,455	172,261	163,316
05-09	287	267	1,577	1,460	165,009	157,227
10-14	335	290	1,703	1,542	178,741	169,018
15-17	212	237	1,160	1,173	114,872	109,134
18-19	143	124	763	622	77,071	74,145
20-24	330	291	1,615	1,419	194,603	187,503
25-29	276	211	1,443	1,284	176,076	168,011
30-34	237	207	1,405	1,344	172,623	167,246
35-39	307	269	1,604	1,394	185,052	181,075
40-44	399	357	1,952	1,877	209,423	205,490
45-49	408	371	2,047	1,945	207,029	204,951
50-54	416	410	1,963	1,750	180,809	179,182
55-59	327	307	1,476	1,451	146,201	148,429
60-64	285	249	1,218	1,202	105,035	110,026
65-69	208	246	963	996	78,071	86,832
70-74	170	209	703	855	63,840	74,244
75-79	181	217	702	918	53,145	71,012
80-84	143	182	515	725	37,107	55,978
85&up	131	213	490	1,026	31,424	71,588
Total	5,052	4,913	24,739	24,438	2,548,392	2,584,407
Total Male/Female		9,965		49,177		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties
2006 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Martin County - Population Estimates by Age and Sex, 2005

Age Group	MARTIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	538	585	961	935	172,261	163,316
05-09	563	566	988	939	165,009	157,227
10-14	720	641	1,248	1,102	178,741	169,018
15-17	486	469	881	805	114,872	109,134
18-19	296	243	510	417	77,071	74,145
20-24	634	599	1,162	1,127	194,603	187,503
25-29	476	353	824	619	176,076	168,011
30-34	494	502	811	792	172,623	167,246
35-39	589	540	985	900	185,052	181,075
40-44	708	752	1,248	1,297	209,423	205,490
45-49	909	941	1,568	1,585	207,029	204,951
50-54	869	798	1,514	1,344	180,809	179,182
55-59	716	688	1,200	1,177	146,201	148,429
60-64	551	540	958	966	105,035	110,026
65-69	429	474	749	869	78,071	86,832
70-74	403	440	718	824	63,840	74,244
75-79	353	533	690	950	53,145	71,012
80-84	285	445	515	796	37,107	55,978
85&up	246	628	443	1,091	31,424	71,588
Total	10,265	10,737	17,973	18,535	2,548,392	2,584,407
Total Male/Female		21,002		36,508		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Meeker County - Population Estimates by Age and Sex, 2005

Age Group	MEEKER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	752	707	2,464	2,439	172,261	163,316
05-09	736	688	2,456	2,308	165,009	157,227
10-14	831	728	2,740	2,458	178,741	169,018
15-17	550	511	1,858	1,708	114,872	109,134
18-19	331	274	1,066	900	77,071	74,145
20-24	793	741	2,352	2,246	194,603	187,503
25-29	756	664	2,430	2,237	176,076	168,011
30-34	674	611	2,428	2,318	172,623	167,246
35-39	732	700	2,551	2,394	185,052	181,075
40-44	898	861	2,991	2,885	209,423	205,490
45-49	934	857	2,931	2,713	207,029	204,951
50-54	936	844	2,716	2,597	180,809	179,182
55-59	686	675	2,171	2,112	146,201	148,429
60-64	551	554	1,679	1,739	105,035	110,026
65-69	438	460	1,313	1,405	78,071	86,832
70-74	413	453	1,160	1,330	63,840	74,244
75-79	347	423	983	1,300	53,145	71,012
80-84	230	340	717	1,034	37,107	55,978
85&up	237	455	684	1,431	31,424	71,588
Total	11,825	11,546	37,690	37,554	2,548,392	2,584,407
Total Male/Female		23,371		75,244		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Mille Lacs County - Population Estimates by Age and Sex, 2005

Age Group	MILLE LACS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	738	815	1,837	1,906	172,261	163,316
05-09	741	740	1,901	1,815	165,009	157,227
10-14	837	825	2,152	2,088	178,741	169,018
15-17	633	590	1,557	1,456	114,872	109,134
18-19	350	316	883	781	77,071	74,145
20-24	934	908	2,445	2,449	194,603	187,503
25-29	1,065	1,029	2,732	2,673	176,076	168,011
30-34	795	828	2,138	2,152	172,623	167,246
35-39	849	779	2,229	2,124	185,052	181,075
40-44	1,010	988	2,657	2,567	209,423	205,490
45-49	971	927	2,492	2,419	207,029	204,951
50-54	831	831	2,114	1,981	180,809	179,182
55-59	685	619	1,706	1,633	146,201	148,429
60-64	533	643	1,275	1,444	105,035	110,026
65-69	449	518	1,019	1,129	78,071	86,832
70-74	455	457	871	886	63,840	74,244
75-79	328	464	631	851	53,145	71,012
80-84	222	326	423	636	37,107	55,978
85&up	198	453	435	857	31,424	71,588
Total	12,624	13,056	31,497	31,847	2,548,392	2,584,407
Total Male/Female		25,680		63,344		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Morrison County - Population Estimates by Age and Sex, 2005

Age Group	MORRISON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,032	959	2,997	2,829	172,261	163,316
05-09	1,055	1,013	2,897	2,821	165,009	157,227
10-14	1,150	1,099	3,454	3,269	178,741	169,018
15-17	845	780	2,455	2,397	114,872	109,134
18-19	471	422	1,414	1,198	77,071	74,145
20-24	1,235	1,068	3,622	3,297	194,603	187,503
25-29	1,139	1,039	3,268	3,063	176,076	168,011
30-34	965	884	2,706	2,534	172,623	167,246
35-39	1,058	966	2,879	2,758	185,052	181,075
40-44	1,313	1,253	3,723	3,638	209,423	205,490
45-49	1,308	1,253	3,885	3,672	207,029	204,951
50-54	1,191	1,093	3,606	3,415	180,809	179,182
55-59	922	880	3,001	2,882	146,201	148,429
60-64	696	718	2,545	2,675	105,035	110,026
65-69	618	656	2,271	2,352	78,071	86,832
70-74	495	603	1,881	2,033	63,840	74,244
75-79	414	601	1,577	1,861	53,145	71,012
80-84	313	441	1,000	1,441	37,107	55,978
85&up	252	588	857	1,778	31,424	71,588
Total	16,472	16,316	50,038	49,913	2,548,392	2,584,407
Total Male/Female		32,788		99,951		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Mower County - Population Estimates by Age and Sex, 2005

Age Group	MOWER		Minnesota	
	Male	Female	Male	Female
00-04	1,395	1,222	172,261	163,316
05-09	1,237	1,103	165,009	157,227
10-14	1,337	1,288	178,741	169,018
15-17	878	835	114,872	109,134
18-19	528	447	77,071	74,145
20-24	1,401	964	194,603	187,503
25-29	1,090	1,092	176,076	168,011
30-34	1,105	1,051	172,623	167,246
35-39	1,165	1,111	185,052	181,075
40-44	1,453	1,453	209,423	205,490
45-49	1,469	1,414	207,029	204,951
50-54	1,355	1,225	180,809	179,182
55-59	1,153	1,122	146,201	148,429
60-64	847	865	105,035	110,026
65-69	647	809	78,071	86,832
70-74	622	805	63,840	74,244
75-79	651	856	53,145	71,012
80-84	527	722	37,107	55,978
85&up	476	1,079	31,424	71,588
Total	19,336	19,463	2,548,392	2,584,407
Total Male/Female		38,799		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Murray County - Population Estimates by Age and Sex, 2005

Age Group	MURRAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	210	205	1,392	1,313	172,261	163,316
05-09	219	246	1,428	1,392	165,009	157,227
10-14	295	287	1,638	1,583	178,741	169,018
15-17	213	179	1,134	1,019	114,872	109,134
18-19	126	102	762	751	77,071	74,145
20-24	297	254	2,004	2,060	194,603	187,503
25-29	212	143	1,424	1,150	176,076	168,011
30-34	203	197	1,267	1,209	172,623	167,246
35-39	239	235	1,411	1,326	185,052	181,075
40-44	317	303	1,758	1,729	209,423	205,490
45-49	358	335	1,870	1,878	207,029	204,951
50-54	356	322	1,734	1,682	180,809	179,182
55-59	301	292	1,364	1,309	146,201	148,429
60-64	256	242	1,108	1,129	105,035	110,026
65-69	199	229	956	1,054	78,071	86,832
70-74	194	220	794	1,014	63,840	74,244
75-79	162	233	774	1,013	53,145	71,012
80-84	113	173	584	910	37,107	55,978
85&up	135	250	567	1,305	31,424	71,588
Total	4,405	4,447	23,969	24,826	2,548,392	2,584,407
Total Male/Female		8,852		48,795		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Nicollet County - Population Estimates by Age and Sex, 2005

Age Group	NICOLLET		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	965	861	1,633	1,525	172,261	163,316
05-09	895	817	1,602	1,476	165,009	157,227
10-14	965	902	1,838	1,712	178,741	169,018
15-17	677	580	1,300	1,178	114,872	109,134
18-19	790	901	1,291	1,434	77,071	74,145
20-24	1,760	1,828	2,896	2,934	194,603	187,503
25-29	1,079	942	1,816	1,514	176,076	168,011
30-34	949	870	1,654	1,445	172,623	167,246
35-39	946	901	1,668	1,620	185,052	181,075
40-44	1,167	1,135	2,148	2,133	209,423	205,490
45-49	1,132	1,175	2,242	2,265	207,029	204,951
50-54	1,078	1,028	2,053	1,962	180,809	179,182
55-59	973	838	1,767	1,639	146,201	148,429
60-64	572	606	1,184	1,254	105,035	110,026
65-69	455	507	953	1,017	78,071	86,832
70-74	389	438	866	982	63,840	74,244
75-79	297	373	721	926	53,145	71,012
80-84	167	314	470	783	37,107	55,978
85&up	195	381	476	1,005	31,424	71,588
Total	15,451	15,397	28,578	28,804	2,548,392	2,584,407
Total Male/Female	30,848		57,382		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Nobles County - Population Estimates by Age and Sex, 2005

Age Group	NOBLES		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	767	747	1,078	1,033	172,261	163,316
05-09	698	654	963	930	165,009	157,227
10-14	736	665	1,077	971	178,741	169,018
15-17	452	445	665	658	114,872	109,134
18-19	255	256	405	350	77,071	74,145
20-24	723	543	1,070	876	194,603	187,503
25-29	584	455	824	668	176,076	168,011
30-34	592	535	860	802	172,623	167,246
35-39	686	617	932	880	185,052	181,075
40-44	751	675	1,088	1,015	209,423	205,490
45-49	863	786	1,209	1,146	207,029	204,951
50-54	758	711	1,114	1,032	180,809	179,182
55-59	603	583	899	877	146,201	148,429
60-64	476	479	710	690	105,035	110,026
65-69	385	381	538	580	78,071	86,832
70-74	316	403	488	600	63,840	74,244
75-79	256	387	425	616	53,145	71,012
80-84	242	308	364	509	37,107	55,978
85&up	210	525	308	778	31,424	71,588
Total	10,353	10,155	15,017	15,011	2,548,392	2,584,407
Total Male/Female	20,508		30,028		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties
2006 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Norman County - Population Estimates by Age and Sex, 2005

Age Group	NORMAN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	179	155	376	358	172,261	163,316
05-09	201	218	376	386	165,009	157,227
10-14	247	224	474	405	178,741	169,018
15-17	177	168	303	292	114,872	109,134
18-19	90	76	152	122	77,071	74,145
20-24	235	210	419	389	194,603	187,503
25-29	165	124	281	244	176,076	168,011
30-34	150	131	271	249	172,623	167,246
35-39	191	184	313	316	185,052	181,075
40-44	287	268	482	435	209,423	205,490
45-49	271	302	460	473	207,029	204,951
50-54	284	224	455	365	180,809	179,182
55-59	213	206	371	368	146,201	148,429
60-64	192	194	310	330	105,035	110,026
65-69	144	168	264	290	78,071	86,832
70-74	155	176	259	261	63,840	74,244
75-79	141	169	213	262	53,145	71,012
80-84	112	139	148	220	37,107	55,978
85&up	64	169	111	313	31,424	71,588
Total	3,498	3,505	6,038	6,078	2,548,392	2,584,407
Total Male/Female		7,003		12,116		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomens and Norman Counties

Olmsted County - Population Estimates by Age and Sex, 2005

Age Group	OLMSTED		Minnesota	
	Male	Female	Male	Female
00-04	4,975	4,830	172,261	163,316
05-09	4,598	4,338	165,009	157,227
10-14	4,722	4,284	178,741	169,018
15-17	3,033	3,003	114,872	109,134
18-19	1,693	1,603	77,071	74,145
20-24	4,436	4,021	194,603	187,503
25-29	4,914	4,910	176,076	168,011
30-34	4,814	4,855	172,623	167,246
35-39	5,227	5,106	185,052	181,075
40-44	5,608	5,647	209,423	205,490
45-49	5,567	5,678	207,029	204,951
50-54	4,406	4,614	180,809	179,182
55-59	3,483	3,721	146,201	148,429
60-64	2,663	2,878	105,035	110,026
65-69	2,072	2,281	78,071	86,832
70-74	1,593	1,878	63,840	74,244
75-79	1,310	1,668	53,145	71,012
80-84	892	1,337	37,107	55,978
85&up	782	1,749	31,424	71,588
Total	66,788	68,401	2,548,392	2,584,407
Total Male/Female		135,189		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Otter Tail County - Population Estimates by Age and Sex, 2005

Age Group	OTTER TAIL		Minnesota	
	Male	Female	Male	Female
00-04	1,473	1,430	172,261	163,316
05-09	1,626	1,477	165,009	157,227
10-14	1,920	1,773	178,741	169,018
15-17	1,383	1,257	114,872	109,134
18-19	944	747	77,071	74,145
20-24	1,743	1,797	194,603	187,503
25-29	1,723	1,399	176,076	168,011
30-34	1,417	1,330	172,623	167,246
35-39	1,627	1,654	185,052	181,075
40-44	2,126	2,023	209,423	205,490
45-49	2,382	2,323	207,029	204,951
50-54	2,231	2,038	180,809	179,182
55-59	1,812	1,818	146,201	148,429
60-64	1,507	1,645	105,035	110,026
65-69	1,337	1,457	78,071	86,832
70-74	1,273	1,301	63,840	74,244
75-79	1,007	1,199	53,145	71,012
80-84	638	919	37,107	55,978
85&up	641	1,261	31,424	71,588
Total	28,810	28,848	2,548,392	2,584,407
Total Male/Female		57,658		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Pennington County - Population Estimates by Age and Sex, 2005

Age Group	PENNINGTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	427	449	1,440	1,455	172,261	163,316
05-09	420	387	1,577	1,460	165,009	157,227
10-14	439	380	1,703	1,542	178,741	169,018
15-17	275	285	1,160	1,173	114,872	109,134
18-19	257	197	763	622	77,071	74,145
20-24	468	366	1,615	1,419	194,603	187,503
25-29	512	457	1,443	1,284	176,076	168,011
30-34	423	438	1,405	1,344	172,623	167,246
35-39	415	373	1,604	1,394	185,052	181,075
40-44	460	510	1,952	1,877	209,423	205,490
45-49	553	517	2,047	1,945	207,029	204,951
50-54	519	485	1,963	1,750	180,809	179,182
55-59	390	439	1,476	1,451	146,201	148,429
60-64	331	343	1,218	1,202	105,035	110,026
65-69	254	263	963	996	78,071	86,832
70-74	182	231	703	855	63,840	74,244
75-79	173	264	702	918	53,145	71,012
80-84	125	199	515	725	37,107	55,978
85&up	118	284	490	1,026	31,424	71,588
Total	6,741	6,867	24,739	24,438	2,548,392	2,584,407
Total Male/Female		13,608		49,177		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Pine County - Population Estimates by Age and Sex, 2005

Age Group	PINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	707	821	1,127	1,252	172,261	163,316
05-09	769	704	1,277	1,124	165,009	157,227
10-14	951	865	1,540	1,408	178,741	169,018
15-17	684	658	1,057	1,047	114,872	109,134
18-19	401	294	615	483	77,071	74,145
20-24	1,115	965	1,683	1,564	194,603	187,503
25-29	1,192	973	1,770	1,534	176,076	168,011
30-34	952	747	1,462	1,298	172,623	167,246
35-39	995	866	1,516	1,362	185,052	181,075
40-44	1,211	1,049	1,804	1,641	209,423	205,490
45-49	1,204	1,054	1,899	1,692	207,029	204,951
50-54	991	934	1,575	1,485	180,809	179,182
55-59	828	708	1,334	1,134	146,201	148,429
60-64	674	744	1,055	1,159	105,035	110,026
65-69	598	645	924	976	78,071	86,832
70-74	550	507	845	775	63,840	74,244
75-79	423	455	646	730	53,145	71,012
80-84	253	343	413	511	37,107	55,978
85&up	228	427	332	651	31,424	71,588
Total	14,726	13,759	22,874	21,826	2,548,392	2,584,407
Total Male/Female		28,485		44,700		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Pipestone County - Population Estimates by Age and Sex, 2005

Age Group	PIPESTONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	274	259	1,392	1,313	172,261	163,316
05-09	265	269	1,428	1,392	165,009	157,227
10-14	308	310	1,638	1,583	178,741	169,018
15-17	230	191	1,134	1,019	114,872	109,134
18-19	144	105	762	751	77,071	74,145
20-24	251	375	2,004	2,060	194,603	187,503
25-29	235	148	1,424	1,150	176,076	168,011
30-34	229	220	1,267	1,209	172,623	167,246
35-39	264	247	1,411	1,326	185,052	181,075
40-44	347	349	1,758	1,729	209,423	205,490
45-49	370	375	1,870	1,878	207,029	204,951
50-54	327	321	1,734	1,682	180,809	179,182
55-59	267	260	1,364	1,309	146,201	148,429
60-64	201	215	1,108	1,129	105,035	110,026
65-69	182	238	956	1,054	78,071	86,832
70-74	193	236	794	1,014	63,840	74,244
75-79	159	246	774	1,013	53,145	71,012
80-84	148	216	584	910	37,107	55,978
85&up	134	313	567	1,305	31,424	71,588
Total	4,528	4,893	23,969	24,826	2,548,392	2,584,407
Total Male/Female		9,421		48,795		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Polk County - Population Estimates by Age and Sex, 2005

Age Group	POLK		Minnesota	
	Male	Female	Male	Female
00-04	852	866	172,261	163,316
05-09	916	871	165,009	157,227
10-14	1,084	1,005	178,741	169,018
15-17	710	717	114,872	109,134
18-19	537	484	77,071	74,145
20-24	1,375	1,279	194,603	187,503
25-29	1,044	812	176,076	168,011
30-34	704	729	172,623	167,246
35-39	888	860	185,052	181,075
40-44	1,157	1,132	209,423	205,490
45-49	1,231	1,203	207,029	204,951
50-54	1,162	1,129	180,809	179,182
55-59	962	849	146,201	148,429
60-64	675	719	105,035	110,026
65-69	560	669	78,071	86,832
70-74	526	573	63,840	74,244
75-79	434	569	53,145	71,012
80-84	314	533	37,107	55,978
85&up	278	725	31,424	71,588
Total	15,409	15,724	2,548,392	2,584,407
Total Male/Female		31,133		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Pope County - Population Estimates by Age and Sex, 2005

Age Group	POPE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	335	258	807	748	172,261	163,316
05-09	296	249	799	724	165,009	157,227
10-14	367	325	914	860	178,741	169,018
15-17	278	249	675	658	114,872	109,134
18-19	153	141	592	738	77,071	74,145
20-24	408	332	1,563	1,378	194,603	187,503
25-29	321	301	816	748	176,076	168,011
30-34	261	241	702	610	172,623	167,246
35-39	286	308	729	761	185,052	181,075
40-44	389	387	1,033	1,018	209,423	205,490
45-49	463	444	1,190	1,167	207,029	204,951
50-54	452	389	1,123	1,020	180,809	179,182
55-59	371	363	920	877	146,201	148,429
60-64	286	295	703	753	105,035	110,026
65-69	229	276	588	664	78,071	86,832
70-74	233	280	629	746	63,840	74,244
75-79	240	268	620	732	53,145	71,012
80-84	164	213	455	638	37,107	55,978
85&up	119	282	409	895	31,424	71,588
Total	5,651	5,601	15,267	15,735	2,548,392	2,584,407
Total Male/Female		11,252		31,002		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Ramsey County - Population Estimates by Age and Sex, 2005

Age Group	RAMSEY		Minnesota	
	Male	Female	Male	Female
00-04	18,399	16,986	172,261	163,316
05-09	16,464	15,429	165,009	157,227
10-14	17,358	16,318	178,741	169,018
15-17	10,665	9,899	114,872	109,134
18-19	7,529	8,261	77,071	74,145
20-24	17,402	19,307	194,603	187,503
25-29	15,777	16,068	176,076	168,011
30-34	16,765	16,873	172,623	167,246
35-39	17,228	17,485	185,052	181,075
40-44	18,558	18,907	209,423	205,490
45-49	18,672	19,593	207,029	204,951
50-54	16,997	17,826	180,809	179,182
55-59	13,565	15,208	146,201	148,429
60-64	9,448	10,476	105,035	110,026
65-69	6,939	8,327	78,071	86,832
70-74	5,765	7,417	63,840	74,244
75-79	4,833	7,540	53,145	71,012
80-84	3,521	6,203	37,107	55,978
85&up	3,058	7,854	31,424	71,588
Total	238,943	255,977	2,548,392	2,584,407
Total Male/Female		494,920		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Red Lake County - Population Estimates by Age and Sex, 2005

Age Group	RED LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	116	125	1,440	1,455	172,261	163,316
05-09	120	105	1,577	1,460	165,009	157,227
10-14	121	127	1,703	1,542	178,741	169,018
15-17	95	105	1,160	1,173	114,872	109,134
18-19	65	55	763	622	77,071	74,145
20-24	166	131	1,615	1,419	194,603	187,503
25-29	122	120	1,443	1,284	176,076	168,011
30-34	131	112	1,405	1,344	172,623	167,246
35-39	111	100	1,604	1,394	185,052	181,075
40-44	155	153	1,952	1,877	209,423	205,490
45-49	179	192	2,047	1,945	207,029	204,951
50-54	186	148	1,963	1,750	180,809	179,182
55-59	141	127	1,476	1,451	146,201	148,429
60-64	105	108	1,218	1,202	105,035	110,026
65-69	101	96	963	996	78,071	86,832
70-74	68	95	703	855	63,840	74,244
75-79	74	83	702	918	53,145	71,012
80-84	51	69	515	725	37,107	55,978
85&up	49	110	490	1,026	31,424	71,588
Total	2,156	2,161	24,739	24,438	2,548,392	2,584,407
Total Male/Female		4,317		49,177		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Redwood County - Population Estimates by Age and Sex, 2005

Age Group	REDWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	534	469	1,071	925	172,261	163,316
05-09	501	455	1,002	951	165,009	157,227
10-14	544	518	1,152	1,073	178,741	169,018
15-17	396	361	804	784	114,872	109,134
18-19	221	198	452	414	77,071	74,145
20-24	495	436	1,058	879	194,603	187,503
25-29	373	276	773	607	176,076	168,011
30-34	396	410	861	806	172,623	167,246
35-39	509	401	1,004	869	185,052	181,075
40-44	592	595	1,182	1,224	209,423	205,490
45-49	629	583	1,360	1,262	207,029	204,951
50-54	578	579	1,262	1,160	180,809	179,182
55-59	482	503	979	959	146,201	148,429
60-64	425	402	810	828	105,035	110,026
65-69	347	378	685	715	78,071	86,832
70-74	301	320	611	692	63,840	74,244
75-79	255	346	523	683	53,145	71,012
80-84	200	307	396	623	37,107	55,978
85&up	211	496	442	905	31,424	71,588
Total	7,989	8,033	16,427	16,359	2,548,392	2,584,407
Total Male/Female		16,022		32,786		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Renville County - Population Estimates by Age and Sex, 2005

Age Group	RENVILLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	537	456	1,071	925	172,261	163,316
05-09	501	496	1,002	951	165,009	157,227
10-14	608	555	1,152	1,073	178,741	169,018
15-17	408	423	804	784	114,872	109,134
18-19	231	216	452	414	77,071	74,145
20-24	563	443	1,058	879	194,603	187,503
25-29	400	331	773	607	176,076	168,011
30-34	465	396	861	806	172,623	167,246
35-39	495	468	1,004	869	185,052	181,075
40-44	590	629	1,182	1,224	209,423	205,490
45-49	731	679	1,360	1,262	207,029	204,951
50-54	684	581	1,262	1,160	180,809	179,182
55-59	497	456	979	959	146,201	148,429
60-64	385	426	810	828	105,035	110,026
65-69	338	337	685	715	78,071	86,832
70-74	310	372	611	692	63,840	74,244
75-79	268	337	523	683	53,145	71,012
80-84	196	316	396	623	37,107	55,978
85&up	231	409	442	905	31,424	71,588
Total	8,438	8,326	16,427	16,359	2,548,392	2,584,407
Total Male/Female		16,764		32,786		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Rice County - Population Estimates by Age and Sex, 2005

Age Group	RICE		Minnesota	
	Male	Female	Male	Female
00-04	1,757	1,644	172,261	163,316
05-09	1,764	1,673	165,009	157,227
10-14	1,978	1,922	178,741	169,018
15-17	1,299	1,285	114,872	109,134
18-19	1,537	1,622	77,071	74,145
20-24	3,668	3,691	194,603	187,503
25-29	2,284	1,994	176,076	168,011
30-34	1,990	1,655	172,623	167,246
35-39	2,044	1,791	185,052	181,075
40-44	2,342	2,125	209,423	205,490
45-49	2,389	2,209	207,029	204,951
50-54	1,925	1,913	180,809	179,182
55-59	1,588	1,569	146,201	148,429
60-64	1,146	1,181	105,035	110,026
65-69	920	974	78,071	86,832
70-74	796	885	63,840	74,244
75-79	592	752	53,145	71,012
80-84	375	635	37,107	55,978
85&up	290	745	31,424	71,588
Total	30,684	30,265	2,548,392	2,584,407
Total Male/Female		60,949		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Rock County - Population Estimates by Age and Sex, 2005

Age Group	ROCK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	311	286	1,078	1,033	172,261	163,316
05-09	265	276	963	930	165,009	157,227
10-14	341	306	1,077	971	178,741	169,018
15-17	213	213	665	658	114,872	109,134
18-19	150	94	405	350	77,071	74,145
20-24	347	333	1,070	876	194,603	187,503
25-29	240	213	824	668	176,076	168,011
30-34	268	267	860	802	172,623	167,246
35-39	246	263	932	880	185,052	181,075
40-44	337	340	1,088	1,015	209,423	205,490
45-49	346	360	1,209	1,146	207,029	204,951
50-54	356	321	1,114	1,032	180,809	179,182
55-59	296	294	899	877	146,201	148,429
60-64	234	211	710	690	105,035	110,026
65-69	153	199	538	580	78,071	86,832
70-74	172	197	488	600	63,840	74,244
75-79	169	229	425	616	53,145	71,012
80-84	122	201	364	509	37,107	55,978
85&up	98	253	308	778	31,424	71,588
Total	4,664	4,856	15,017	15,011	2,548,392	2,584,407
Total Male/Female		9,520		30,028		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Roseau County - Population Estimates by Age and Sex, 2005

Age Group	ROSEAU		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	554	521	1,440	1,455	172,261	163,316
05-09	599	542	1,577	1,460	165,009	157,227
10-14	647	593	1,703	1,542	178,741	169,018
15-17	457	431	1,160	1,173	114,872	109,134
18-19	240	191	763	622	77,071	74,145
20-24	492	515	1,615	1,419	194,603	187,503
25-29	478	432	1,443	1,284	176,076	168,011
30-34	514	503	1,405	1,344	172,623	167,246
35-39	636	550	1,604	1,394	185,052	181,075
40-44	775	673	1,952	1,877	209,423	205,490
45-49	701	667	2,047	1,945	207,029	204,951
50-54	614	515	1,963	1,750	180,809	179,182
55-59	457	422	1,476	1,451	146,201	148,429
60-64	369	389	1,218	1,202	105,035	110,026
65-69	275	266	963	996	78,071	86,832
70-74	185	207	703	855	63,840	74,244
75-79	190	200	702	918	53,145	71,012
80-84	136	187	515	725	37,107	55,978
85&up	110	262	490	1,026	31,424	71,588
Total	8,429	8,066	24,739	24,438	2,548,392	2,584,407
Total Male/Female	16,495		49,177		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake & Roseau Counties

St. Louis County - Population Estimates by Age and Sex, 2005

Age Group	ST. LOUIS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	5,052	4,822	6,357	6,062	172,261	163,316
05-09	5,126	4,724	6,490	6,021	165,009	157,227
10-14	5,838	5,441	7,373	6,942	178,741	169,018
15-17	4,020	3,752	5,142	4,802	114,872	109,134
18-19	4,079	4,173	4,749	4,723	77,071	74,145
20-24	9,526	8,754	11,486	10,655	194,603	187,503
25-29	5,984	5,673	7,612	7,125	176,076	168,011
30-34	5,168	4,841	6,770	6,142	172,623	167,246
35-39	5,552	5,464	7,229	6,957	185,052	181,075
40-44	6,799	7,095	8,741	9,016	209,423	205,490
45-49	7,839	7,986	9,988	10,028	207,029	204,951
50-54	8,076	7,929	10,056	9,830	180,809	179,182
55-59	6,753	6,308	8,441	7,809	146,201	148,429
60-64	4,614	4,715	5,861	5,965	105,035	110,026
65-69	3,461	4,000	4,436	5,124	78,071	86,832
70-74	2,924	3,562	3,888	4,566	63,840	74,244
75-79	2,767	3,656	3,559	4,603	53,145	71,012
80-84	1,877	3,038	2,380	3,760	37,107	55,978
85&up	1,763	4,028	2,139	4,901	31,424	71,588
Total	97,218	99,961	122,697	125,031	2,548,392	2,584,407
Total Male/Female	197,179		247,728		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties
2006 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Scott County - Population Estimates by Age and Sex, 2005

Age Group	SCOTT		Minnesota	
	Male	Female	Male	Female
00-04	4,944	4,838	172,261	163,316
05-09	4,767	4,600	165,009	157,227
10-14	4,842	4,543	178,741	169,018
15-17	2,784	2,614	114,872	109,134
18-19	1,394	1,216	77,071	74,145
20-24	4,195	4,248	194,603	187,503
25-29	5,098	5,371	176,076	168,011
30-34	4,880	5,208	172,623	167,246
35-39	5,459	5,502	185,052	181,075
40-44	5,841	5,642	209,423	205,490
45-49	4,737	4,313	207,029	204,951
50-54	3,462	3,221	180,809	179,182
55-59	2,607	2,572	146,201	148,429
60-64	1,873	1,860	105,035	110,026
65-69	1,169	1,198	78,071	86,832
70-74	790	886	63,840	74,244
75-79	571	745	53,145	71,012
80-84	416	510	37,107	55,978
85&up	266	643	31,424	71,588
Total	60,095	59,730	2,548,392	2,584,407
Total Male/Female	119,825		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Sherburne County - Population Estimates by Age and Sex, 2005

Age Group	SHERBURNE		Minnesota	
	Male	Female	Male	Female
00-04	3,054	2,915	172,261	163,316
05-09	3,021	2,843	165,009	157,227
10-14	3,122	2,990	178,741	169,018
15-17	1,963	1,820	114,872	109,134
18-19	1,173	969	77,071	74,145
20-24	3,939	3,546	194,603	187,503
25-29	3,757	3,653	176,076	168,011
30-34	3,258	3,206	172,623	167,246
35-39	3,479	3,387	185,052	181,075
40-44	3,558	3,358	209,423	205,490
45-49	3,071	2,966	207,029	204,951
50-54	2,418	2,257	180,809	179,182
55-59	1,869	1,808	146,201	148,429
60-64	1,283	1,269	105,035	110,026
65-69	933	906	78,071	86,832
70-74	694	668	63,840	74,244
75-79	482	654	53,145	71,012
80-84	319	440	37,107	55,978
85&up	213	491	31,424	71,588
Total	41,606	40,146	2,548,392	2,584,407
Total Male/Female	81,752		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Sibley County - Population Estimates by Age and Sex, 2005

Age Group	SIBLEY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	451	508	2,464	2,439	172,261	163,316
05-09	516	451	2,456	2,308	165,009	157,227
10-14	608	503	2,740	2,458	178,741	169,018
15-17	383	380	1,858	1,708	114,872	109,134
18-19	192	180	1,066	900	77,071	74,145
20-24	520	408	2,352	2,246	194,603	187,503
25-29	422	410	2,430	2,237	176,076	168,011
30-34	429	412	2,428	2,318	172,623	167,246
35-39	498	471	2,551	2,394	185,052	181,075
40-44	628	600	2,991	2,885	209,423	205,490
45-49	622	576	2,931	2,713	207,029	204,951
50-54	571	488	2,716	2,597	180,809	179,182
55-59	430	402	2,171	2,112	146,201	148,429
60-64	346	348	1,679	1,739	105,035	110,026
65-69	272	313	1,313	1,405	78,071	86,832
70-74	251	312	1,160	1,330	63,840	74,244
75-79	217	269	983	1,300	53,145	71,012
80-84	158	184	717	1,034	37,107	55,978
85&up	157	351	684	1,431	31,424	71,588
Total	7,671	7,566	37,690	37,554	2,548,392	2,584,407
Total Male/Female		15,237		75,244		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Stearns County - Population Estimates by Age and Sex, 2005

Age Group	STEARNS		Minnesota	
	Male	Female	Male	Female
00-04	4,493	4,267	172,261	163,316
05-09	4,256	4,120	165,009	157,227
10-14	4,623	4,392	178,741	169,018
15-17	3,140	2,904	114,872	109,134
18-19	3,106	3,380	77,071	74,145
20-24	8,985	8,435	194,603	187,503
25-29	5,741	5,211	176,076	168,011
30-34	4,422	4,009	172,623	167,246
35-39	4,781	4,508	185,052	181,075
40-44	5,298	4,989	209,423	205,490
45-49	5,155	5,054	207,029	204,951
50-54	4,502	4,400	180,809	179,182
55-59	3,600	3,432	146,201	148,429
60-64	2,414	2,559	105,035	110,026
65-69	1,999	2,231	78,071	86,832
70-74	1,840	2,041	63,840	74,244
75-79	1,432	1,880	53,145	71,012
80-84	1,044	1,417	37,107	55,978
85&up	845	1,749	31,424	71,588
Total	71,676	70,978	2,548,392	2,584,407
Total Male/Female		142,654		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Steele County - Population Estimates by Age and Sex, 2005

Age Group	STEELE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,334	1,131	2,026	1,856	172,261	163,316
05-09	1,185	1,121	1,850	1,819	165,009	157,227
10-14	1,289	1,227	2,050	1,979	178,741	169,018
15-17	845	852	1,330	1,320	114,872	109,134
18-19	491	445	741	703	77,071	74,145
20-24	1,386	1,239	2,137	1,859	194,603	187,503
25-29	1,086	1,145	1,798	1,830	176,076	168,011
30-34	1,123	1,108	1,754	1,724	172,623	167,246
35-39	1,280	1,237	1,961	1,948	185,052	181,075
40-44	1,432	1,411	2,273	2,197	209,423	205,490
45-49	1,398	1,423	2,209	2,214	207,029	204,951
50-54	1,344	1,265	2,007	1,897	180,809	179,182
55-59	918	961	1,404	1,418	146,201	148,429
60-64	738	705	1,136	1,080	105,035	110,026
65-69	557	669	822	970	78,071	86,832
70-74	437	538	665	796	63,840	74,244
75-79	392	568	587	777	53,145	71,012
80-84	270	429	411	651	37,107	55,978
85&up	242	534	376	775	31,424	71,588
Total	17,747	18,008	27,537	27,813	2,548,392	2,584,407
Total Male/Female		35,755		55,350		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*CHS Agency- Community Health Services Agency consisting of Dodge and Steele Counties

Stevens County - Population Estimates by Age and Sex, 2005

Age Group	STEVENS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	239	241	807	748	172,261	163,316
05-09	245	232	799	724	165,009	157,227
10-14	244	221	914	860	178,741	169,018
15-17	160	173	675	658	114,872	109,134
18-19	312	465	592	738	77,071	74,145
20-24	800	759	1,563	1,378	194,603	187,503
25-29	277	251	816	748	176,076	168,011
30-34	213	173	702	610	172,623	167,246
35-39	201	214	729	761	185,052	181,075
40-44	306	268	1,033	1,018	209,423	205,490
45-49	337	359	1,190	1,167	207,029	204,951
50-54	339	297	1,123	1,020	180,809	179,182
55-59	251	242	920	877	146,201	148,429
60-64	179	189	703	753	105,035	110,026
65-69	134	148	588	664	78,071	86,832
70-74	151	190	629	746	63,840	74,244
75-79	151	193	620	732	53,145	71,012
80-84	105	184	455	638	37,107	55,978
85&up	124	259	409	895	31,424	71,588
Total	4,768	5,058	15,267	15,735	2,548,392	2,584,407
Total Male/Female		9,826		31,002		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties
2006 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Swift County - Population Estimates by Age and Sex, 2005

Age Group	SWIFT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	319	263	1,333	1,129	172,261	163,316
05-09	316	260	1,362	1,213	165,009	157,227
10-14	329	354	1,580	1,513	178,741	169,018
15-17	222	216	1,109	1,037	114,872	109,134
18-19	159	95	690	541	77,071	74,145
20-24	437	286	1,530	1,315	194,603	187,503
25-29	434	188	1,324	856	176,076	168,011
30-34	480	224	1,277	950	172,623	167,246
35-39	633	261	1,564	1,257	185,052	181,075
40-44	560	335	1,867	1,647	209,423	205,490
45-49	550	377	2,120	1,902	207,029	204,951
50-54	451	334	1,955	1,668	180,809	179,182
55-59	336	304	1,457	1,400	146,201	148,429
60-64	262	233	1,174	1,221	105,035	110,026
65-69	184	229	941	1,072	78,071	86,832
70-74	185	219	845	1,025	63,840	74,244
75-79	154	242	832	1,128	53,145	71,012
80-84	138	237	678	1,016	37,107	55,978
85&up	165	353	685	1,447	31,424	71,588
Total	6,314	5,010	24,323	23,337	2,548,392	2,584,407
Total Male/Female		11,324		47,660		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Todd County - Population Estimates by Age and Sex, 2005

Age Group	TODD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	730	684	2,997	2,829	172,261	163,316
05-09	718	715	2,897	2,821	165,009	157,227
10-14	915	807	3,454	3,269	178,741	169,018
15-17	561	646	2,455	2,397	114,872	109,134
18-19	386	329	1,414	1,198	77,071	74,145
20-24	899	807	3,622	3,297	194,603	187,503
25-29	788	650	3,268	3,063	176,076	168,011
30-34	650	587	2,706	2,534	172,623	167,246
35-39	667	654	2,879	2,758	185,052	181,075
40-44	958	910	3,723	3,638	209,423	205,490
45-49	1,005	950	3,885	3,672	207,029	204,951
50-54	977	869	3,606	3,415	180,809	179,182
55-59	754	719	3,001	2,882	146,201	148,429
60-64	653	661	2,545	2,675	105,035	110,026
65-69	503	548	2,271	2,352	78,071	86,832
70-74	417	450	1,881	2,033	63,840	74,244
75-79	398	384	1,577	1,861	53,145	71,012
80-84	237	355	1,000	1,441	37,107	55,978
85&up	196	466	857	1,778	31,424	71,588
Total	12,412	12,191	50,038	49,913	2,548,392	2,584,407
Total Male/Female		24,603		99,951		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Traverse County - Population Estimates by Age and Sex, 2005

Age Group	TRAVERSE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	72	82	807	748	172,261	163,316
05-09	103	101	799	724	165,009	157,227
10-14	127	123	914	860	178,741	169,018
15-17	106	85	675	658	114,872	109,134
18-19	53	49	592	738	77,071	74,145
20-24	133	114	1,563	1,378	194,603	187,503
25-29	58	53	816	748	176,076	168,011
30-34	91	76	702	610	172,623	167,246
35-39	80	93	729	761	185,052	181,075
40-44	118	130	1,033	1,018	209,423	205,490
45-49	145	136	1,190	1,167	207,029	204,951
50-54	130	117	1,123	1,020	180,809	179,182
55-59	100	94	920	877	146,201	148,429
60-64	93	106	703	753	105,035	110,026
65-69	82	91	588	664	78,071	86,832
70-74	114	136	629	746	63,840	74,244
75-79	93	105	620	732	53,145	71,012
80-84	91	93	455	638	37,107	55,978
85&up	63	174	409	895	31,424	71,588
Total	1,852	1,958	15,267	15,735	2,548,392	2,584,407
Total Male/Female		3,810		31,002		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Wabasha County - Population Estimates by Age and Sex, 2005

Age Group	WABASHA		Minnesota	
	Male	Female	Male	Female
00-04	635	625	172,261	163,316
05-09	605	603	165,009	157,227
10-14	808	769	178,741	169,018
15-17	564	537	114,872	109,134
18-19	326	267	77,071	74,145
20-24	696	755	194,603	187,503
25-29	707	578	176,076	168,011
30-34	585	589	172,623	167,246
35-39	745	723	185,052	181,075
40-44	886	885	209,423	205,490
45-49	886	908	207,029	204,951
50-54	884	762	180,809	179,182
55-59	699	717	146,201	148,429
60-64	530	556	105,035	110,026
65-69	449	468	78,071	86,832
70-74	340	322	63,840	74,244
75-79	294	371	53,145	71,012
80-84	229	289	37,107	55,978
85&up	221	387	31,424	71,588
Total	11,089	11,111	2,548,392	2,584,407
Total Male/Female				5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Wadena County - Population Estimates by Age and Sex, 2005

Age Group	WADENA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	438	421	2,997	2,829	172,261	163,316
05-09	414	404	2,897	2,821	165,009	157,227
10-14	466	432	3,454	3,269	178,741	169,018
15-17	349	312	2,455	2,397	114,872	109,134
18-19	208	143	1,414	1,198	77,071	74,145
20-24	483	414	3,622	3,297	194,603	187,503
25-29	381	378	3,268	3,063	176,076	168,011
30-34	348	316	2,706	2,534	172,623	167,246
35-39	358	347	2,879	2,758	185,052	181,075
40-44	454	467	3,723	3,638	209,423	205,490
45-49	518	485	3,885	3,672	207,029	204,951
50-54	452	465	3,606	3,415	180,809	179,182
55-59	391	351	3,001	2,882	146,201	148,429
60-64	306	347	2,545	2,675	105,035	110,026
65-69	293	355	2,271	2,352	78,071	86,832
70-74	298	319	1,881	2,033	63,840	74,244
75-79	273	362	1,577	1,861	53,145	71,012
80-84	171	301	1,000	1,441	37,107	55,978
85&up	152	278	857	1,778	31,424	71,588
Total	6,753	6,897	50,038	49,913	2,548,392	2,584,407
Total Male/Female	13,650		99,951		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Waseca County - Population Estimates by Age and Sex, 2005

Age Group	WASECA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	604	576	1,422	1,339	172,261	163,316
05-09	621	601	1,422	1,401	165,009	157,227
10-14	620	602	1,572	1,546	178,741	169,018
15-17	458	402	1,131	1,041	114,872	109,134
18-19	262	206	615	576	77,071	74,145
20-24	697	618	1,726	1,456	194,603	187,503
25-29	803	533	1,756	1,482	176,076	168,011
30-34	732	519	1,552	1,331	172,623	167,246
35-39	740	538	1,693	1,437	185,052	181,075
40-44	903	679	2,002	1,794	209,423	205,490
45-49	841	764	1,972	1,792	207,029	204,951
50-54	726	695	1,772	1,596	180,809	179,182
55-59	608	546	1,474	1,370	146,201	148,429
60-64	384	387	1,013	1,057	105,035	110,026
65-69	308	322	813	821	78,071	86,832
70-74	230	300	603	739	63,840	74,244
75-79	206	358	520	772	53,145	71,012
80-84	210	258	447	606	37,107	55,978
85&up	154	319	357	802	31,424	71,588
Total	10,107	9,223	23,862	22,958	2,548,392	2,584,407
Total Male/Female	19,330		46,820		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties
2006 Minnesota County Health Tables

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Washington County - Population Estimates by Age and Sex, 2005

Age Group	WASHINGTON		Minnesota	
	Male	Female	Male	Female
00-04	7,365	6,976	172,261	163,316
05-09	7,968	7,837	165,009	157,227
10-14	8,797	8,468	178,741	169,018
15-17	5,363	5,176	114,872	109,134
18-19	3,000	2,699	77,071	74,145
20-24	7,846	6,725	194,603	187,503
25-29	6,804	6,679	176,076	168,011
30-34	6,997	6,990	172,623	167,246
35-39	8,622	8,867	185,052	181,075
40-44	9,798	10,336	209,423	205,490
45-49	9,752	9,637	207,029	204,951
50-54	7,934	8,307	180,809	179,182
55-59	6,923	6,816	146,201	148,429
60-64	4,706	4,628	105,035	110,026
65-69	3,037	3,202	78,071	86,832
70-74	2,155	2,430	63,840	74,244
75-79	1,536	1,934	53,145	71,012
80-84	860	1,355	37,107	55,978
85&up	571	1,330	31,424	71,588
Total	110,034	110,392	2,548,392	2,584,407
Total Male/Female	220,426			

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Watonwan County - Population Estimates by Age and Sex, 2005

Age Group	WATONWAN		Minnesota	
	Male	Female	Male	Female
00-04	412	351	172,261	163,316
05-09	395	401	165,009	157,227
10-14	391	438	178,741	169,018
15-17	263	249	114,872	109,134
18-19	150	127	77,071	74,145
20-24	306	338	194,603	187,503
25-29	257	257	176,076	168,011
30-34	287	275	172,623	167,246
35-39	315	307	185,052	181,075
40-44	355	362	209,423	205,490
45-49	446	471	207,029	204,951
50-54	454	373	180,809	179,182
55-59	294	308	146,201	148,429
60-64	290	265	105,035	110,026
65-69	237	249	78,071	86,832
70-74	204	235	63,840	74,244
75-79	170	255	53,145	71,012
80-84	123	205	37,107	55,978
85&up	144	275	31,424	71,588
Total	5,493	5,741	2,548,392	2,584,407
Total Male/Female	11,234			5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Wilkin County - Population Estimates by Age and Sex, 2005

Age Group	WILKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	210	170	1,683	1,606	172,261	163,316
05-09	203	211	1,749	1,720	165,009	157,227
10-14	235	261	2,038	1,832	178,741	169,018
15-17	179	182	1,355	1,312	114,872	109,134
18-19	98	94	1,455	1,949	77,071	74,145
20-24	204	209	3,390	4,352	194,603	187,503
25-29	186	137	2,038	1,804	176,076	168,011
30-34	158	151	1,639	1,694	172,623	167,246
35-39	213	205	1,726	1,701	185,052	181,075
40-44	288	272	2,096	2,129	209,423	205,490
45-49	338	328	2,281	2,323	207,029	204,951
50-54	266	203	1,997	1,909	180,809	179,182
55-59	177	208	1,466	1,423	146,201	148,429
60-64	141	162	1,055	1,126	105,035	110,026
65-69	130	145	871	976	78,071	86,832
70-74	116	129	728	888	63,840	74,244
75-79	105	106	702	924	53,145	71,012
80-84	74	86	496	652	37,107	55,978
85&up	56	166	465	1,090	31,424	71,588
Total	3,377	3,425	29,230	31,410	2,548,392	2,584,407
Total Male/Female		6,802		60,640		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Winona County - Population Estimates by Age and Sex, 2005

Age Group	WINONA		Minnesota	
	Male	Female	Male	Female
00-04	1,222	1,145	172,261	163,316
05-09	1,291	1,222	165,009	157,227
10-14	1,400	1,314	178,741	169,018
15-17	944	878	114,872	109,134
18-19	1,307	1,850	77,071	74,145
20-24	3,613	3,552	194,603	187,503
25-29	1,639	1,705	176,076	168,011
30-34	1,255	1,193	172,623	167,246
35-39	1,309	1,276	185,052	181,075
40-44	1,575	1,584	209,423	205,490
45-49	1,682	1,753	207,029	204,951
50-54	1,659	1,587	180,809	179,182
55-59	1,383	1,330	146,201	148,429
60-64	969	948	105,035	110,026
65-69	828	835	78,071	86,832
70-74	661	791	63,840	74,244
75-79	536	755	53,145	71,012
80-84	419	668	37,107	55,978
85&up	370	828	31,424	71,588
Total	24,062	25,214	2,548,392	2,584,407
Total Male/Female		49,276		5,132,799

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2005

Wright County - Population Estimates by Age and Sex, 2005

Age Group	WRIGHT		Minnesota	
	Male	Female	Male	Female
00-04	4,361	4,329	172,261	163,316
05-09	4,082	3,912	165,009	157,227
10-14	4,321	4,074	178,741	169,018
15-17	2,690	2,620	114,872	109,134
18-19	1,411	1,278	77,071	74,145
20-24	4,199	4,292	194,603	187,503
25-29	4,561	4,608	176,076	168,011
30-34	4,098	4,190	172,623	167,246
35-39	4,440	4,367	185,052	181,075
40-44	4,894	4,682	209,423	205,490
45-49	4,297	3,996	207,029	204,951
50-54	3,322	3,122	180,809	179,182
55-59	2,653	2,669	146,201	148,429
60-64	1,966	1,965	105,035	110,026
65-69	1,442	1,429	78,071	86,832
70-74	1,030	1,088	63,840	74,244
75-79	780	1,002	53,145	71,012
80-84	525	803	37,107	55,978
85&up	381	851	31,424	71,588
Total	55,453	55,277	2,548,392	2,584,407
Total Male/Female	110,730		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Yellow Medicine County - Population Estimates by Age and Sex, 2005

Age Group	YELLOW MEDICINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	347	281	1,333	1,129	172,261	163,316
05-09	329	279	1,362	1,213	165,009	157,227
10-14	341	350	1,580	1,513	178,741	169,018
15-17	266	248	1,109	1,037	114,872	109,134
18-19	188	147	690	541	77,071	74,145
20-24	266	237	1,530	1,315	194,603	187,503
25-29	298	197	1,324	856	176,076	168,011
30-34	222	213	1,277	950	172,623	167,246
35-39	266	278	1,564	1,257	185,052	181,075
40-44	380	411	1,867	1,647	209,423	205,490
45-49	455	426	2,120	1,902	207,029	204,951
50-54	444	339	1,955	1,668	180,809	179,182
55-59	302	308	1,457	1,400	146,201	148,429
60-64	268	263	1,174	1,221	105,035	110,026
65-69	204	250	941	1,072	78,071	86,832
70-74	177	225	845	1,025	63,840	74,244
75-79	189	230	832	1,128	53,145	71,012
80-84	153	206	678	1,016	37,107	55,978
85&up	130	336	685	1,447	31,424	71,588
Total	5,225	5,224	24,323	23,337	2,548,392	2,584,407
Total Male/Female	10,449		47,660		5,132,799	

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity by State and County, 2005

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,132,799	4,600,774	218,455	59,987	179,344	74,239	186,912
Aitkin	16,174	15,671	55	346	37	65	102
Anoka	323,996	293,981	9,925	2,448	11,178	6,464	7,879
Becker	31,868	28,624	120	2,401	144	579	325
Beltrami	42,871	33,075	197	8,546	393	660	518
Benton	38,505	36,736	526	214	628	401	518
Big Stone	5,481	5,414	12	29	24	2	28
Blue Earth	58,030	54,847	1,191	169	1,320	503	1,079
Brown	26,534	26,236	70	18	120	90	688
Carlton	34,026	31,248	423	1,830	150	375	343
Carver	84,864	81,063	948	209	2,006	638	2,844
Cass	28,910	25,315	49	3,132	101	313	310
Chippewa	12,802	12,563	30	114	47	48	485
Chisago	49,400	47,496	544	295	678	387	832
Clay	53,838	51,361	398	847	630	602	1,768
Clearwater	8,476	7,571	24	758	26	97	74
Cook	5,367	4,874	21	382	20	70	62
Cottonwood	11,834	11,374	107	35	285	33	446
Crow Wing	59,917	58,511	262	472	243	429	518
Dakota	383,592	344,933	14,238	1,658	15,591	7,172	15,272
Dodge	19,595	19,283	57	46	93	116	712
Douglas	35,138	34,594	126	107	155	156	312
Faribault	15,506	15,302	53	43	64	44	603
Fillmore	21,368	21,218	53	22	35	40	156
Freeborn	31,946	31,307	197	80	189	173	2,025
Goodhue	45,585	44,134	366	491	306	288	725
Grant	6,114	6,054	15	17	14	14	39
Hennepin	1,119,364	906,736	115,550	11,818	61,242	24,018	61,969
Houston	19,941	19,612	111	39	85	94	148
Hubbard	18,861	18,227	46	377	59	152	161
Isanti	37,664	36,745	160	200	224	335	461
Itasca	44,384	42,093	83	1,584	122	502	304
Jackson	11,182	10,954	18	13	180	17	243
Kanabec	16,215	15,771	44	152	83	165	173
Kandiyohi	41,199	40,412	295	146	218	128	3,531
Kittson	4,792	4,730	9	17	20	16	73
Koochiching	13,907	13,344	49	340	34	140	116
Lac Qui Parle	7,604	7,536	15	19	28	6	38
Lake	11,156	10,995	11	78	24	48	66
Lake of the Woods	4,421	4,295	18	69	15	24	30
Le Sueur	27,490	27,098	59	82	116	135	1,120
Lincoln	6,050	6,005	4	21	19	1	62
Lyon	24,472	23,521	225	87	537	102	1,016
McLeod	36,636	35,939	122	90	300	185	1,587
Mahnomen	5,113	3,232	12	1,505	12	352	114
Marshall	9,965	9,853	14	39	30	29	381
Martin	21,002	20,706	79	34	117	66	550
Meeker	23,371	23,092	67	50	119	43	653
Mille Lacs	25,680	24,071	110	1,214	68	217	371
Morrison	32,788	32,334	98	110	97	149	262

Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity by State and County, 2005

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,132,799	4,600,774	218,455	59,987	179,344	74,239	186,912
Mower	38,799	37,305	490	102	581	321	2,605
Murray	8,852	8,757	22	23	25	25	206
Nicollet	30,848	29,778	451	62	402	155	733
Nobles	20,508	19,183	291	117	816	101	2,988
Norman	7,003	6,704	16	176	33	74	236
Olmsted	135,189	121,500	4,808	367	7,049	1,465	3,736
Otter Tail	57,658	56,567	227	300	277	287	1,063
Pennington	13,608	13,160	51	184	119	94	255
Pine	28,485	26,964	454	766	103	198	517
Pipestone	9,421	9,150	23	139	68	41	92
Polk	31,133	30,058	186	410	176	303	1,427
Pope	11,252	11,137	32	28	42	13	85
Ramsey	494,920	387,707	45,834	4,359	45,234	11,786	29,535
Red Lake	4,317	4,235	9	63	3	7	41
Redwood	16,022	14,959	44	613	304	102	167
Renville	16,764	16,530	12	127	43	52	1,086
Rice	60,949	58,032	1,051	299	1,051	516	4,261
Rock	9,520	9,305	80	46	85	4	136
Roseau	16,495	15,762	33	292	316	92	79
St. Louis	197,179	186,913	2,070	4,308	1,473	2,415	1,732
Scott	119,825	109,043	2,093	897	6,000	1,792	4,237
Sherburne	81,752	78,836	941	359	907	709	1,477
Sibley	15,237	15,017	30	56	71	63	913
Stearns	142,654	135,976	2,184	406	2,771	1,317	2,485
Steele	35,755	34,449	778	32	303	193	1,575
Stevens	9,826	9,353	138	112	159	64	132
Swift	11,324	10,480	403	69	341	31	334
Todd	24,603	24,121	58	166	113	145	859
Traverse	3,810	3,625	0	165	17	3	55
Wabasha	22,200	21,890	64	72	133	41	434
Wadena	13,650	13,379	95	90	45	41	108
Waseca	19,330	18,554	460	122	153	41	598
Washington	220,426	200,033	6,571	956	9,399	3,467	5,687
Watonwan	11,234	10,960	66	45	126	37	2,009
Wilkin	6,802	6,658	19	53	18	54	130
Winona	49,276	47,178	481	132	1,170	315	587
Wright	110,730	107,303	661	420	1,173	1,173	1,968
Yellow Medicine	10,449	10,127	23	261	19	19	252

Source: July 1, 2006, US Census

Demographics Table 3: Selected Minnesota Population Statistics by State and County, 2005

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	623,241	12.1	17.8	46.5	1,380,794	28.7	1,092,604
Aitkin	3,915	24.2	39.6	63.5	3,284	23.9	2,564
Anoka	26,360	8.1	11.6	42.2	93,423	30.6	71,689
Becker	5,175	16.2	24.8	52.5	8,153	27.8	6,101
Beltrami	5,114	11.9	17.6	47.4	12,581	29.8	9,916
Benton	3,991	10.4	14.9	43.4	10,159	28.6	9,382
Big Stone	1,314	24.0	39.7	65.7	1,276	26.0	838
Blue Earth	6,945	12.0	16.5	37.9	14,545	21.4	14,498
Brown	4,683	17.6	26.8	51.9	6,636	25.1	5,101
Carlton	4,980	14.6	21.5	46.9	8,263	25.4	6,771
Carver	6,256	7.4	10.5	43.0	25,404	32.4	19,984
Cass	5,314	18.4	28.3	53.9	6,827	25.6	5,513
Chippewa	2,424	18.9	30.1	59.0	3,189	28.9	2,262
Chisago	4,611	9.3	13.4	43.5	13,974	30.1	11,230
Clay	6,679	12.4	17.7	42.3	14,856	24.7	13,691
Clearwater	1,446	17.1	26.5	55.6	2,183	29.0	1,561
Cook	975	18.2	26.7	46.9	1,022	20.2	898
Cottonwood	2,552	21.6	35.8	66.0	2,987	30.2	1,962
Crow Wing	10,203	17.0	26.2	54.0	14,749	27.7	11,945
Dakota	30,855	8.0	11.5	42.8	112,108	31.3	86,410
Dodge	2,194	11.2	16.7	49.5	5,754	32.8	4,144
Douglas	6,407	18.2	27.9	52.8	8,098	24.9	6,813
Faribault	3,409	22.0	35.7	62.6	3,679	26.8	2,499
Fillmore	3,974	18.6	29.5	58.8	5,481	29.3	3,835
Freeborn	6,222	19.5	30.7	57.6	7,565	26.9	5,673
Goodhue	6,901	15.1	22.7	50.1	11,661	27.4	8,850
Grant	1,391	22.8	37.3	63.9	1,431	26.6	1,049
Hennepin	122,979	11.0	15.8	43.9	291,271	28.1	239,156
Houston	3,257	16.3	24.9	52.2	5,140	27.3	3,784
Hubbard	3,673	19.5	30.4	56.2	4,393	25.8	3,410
Isanti	3,868	10.3	14.4	40.6	9,791	26.1	8,764
Itasca	7,594	17.1	25.8	50.8	10,598	25.0	8,035
Jackson	2,175	19.5	30.1	55.0	2,622	24.9	1,970
Kanabec	2,374	14.6	21.7	48.4	4,076	26.6	3,377
Kandiyohi	6,284	15.3	23.2	52.4	11,055	29.2	7,734
Kittson	1,086	22.7	37.5	65.6	1,162	28.1	720
Koochiching	2,737	19.7	30.7	56.1	3,189	25.4	2,356
Lac Qui Parle	1,725	22.7	36.7	61.8	1,733	25.1	1,167
Lake	2,325	20.8	32.3	54.8	2,349	22.5	1,999
Lake of the Woods	871	19.7	30.6	55.1	1,013	24.6	765
Le Sueur	3,815	13.9	20.5	47.8	7,113	27.3	5,622
Lincoln	1,474	24.4	41.5	70.5	1,422	29.0	995
Lyon	3,524	14.4	21.5	49.4	6,553	27.9	5,201
McLeod	5,077	13.9	21.0	51.6	10,117	30.6	7,465
Mahnomen	904	17.7	29.6	67.2	1,509	37.6	886
Marshall	1,900	19.1	29.8	56.4	2,408	26.5	1,696
Martin	4,236	20.2	32.2	59.7	5,107	27.5	3,458
Meeker	3,796	16.2	25.1	54.4	6,108	29.4	4,362
Mille Lacs	3,870	15.1	22.6	50.1	6,585	27.4	5,438
Morrison	4,981	15.2	23.2	52.5	8,826	29.3	6,412
Mower	7,194	18.5	29.9	61.5	10,270	31.6	6,953
Murray	1,908	21.6	34.8	61.5	2,082	26.7	1,413
Nicollet	3,516	11.4	16.0	40.7	8,353	24.6	7,157

Demographics Table 3: Selected Minnesota Population Statistics by State and County, 2005

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	623,241	12.1	17.8	46.5	1,380,794	28.7	1,092,604
Nobles	3,413	16.6	26.6	59.9	5,675	33.3	3,526
Norman	1,437	20.5	33.1	61.3	1,735	28.2	1,161
Olmsted	15,562	11.5	16.9	47.1	37,079	30.2	29,145
Otter Tail	11,033	19.1	29.9	56.1	14,030	26.3	10,207
Pennington	2,093	15.4	23.2	51.0	3,516	27.8	2,626
Pine	4,429	15.5	23.0	48.1	6,854	25.0	5,552
Pipestone	2,065	21.9	36.4	66.1	2,355	29.7	1,635
Polk	5,181	16.6	25.4	52.9	8,042	27.5	6,013
Pope	2,304	20.5	32.4	58.1	2,651	25.7	1,959
Ramsey	61,457	12.4	18.5	48.8	137,308	30.4	106,800
Red Lake	796	18.4	28.4	53.8	1,034	25.4	776
Redwood	3,161	19.7	32.1	62.8	4,197	30.7	2,677
Renville	3,114	18.6	29.7	59.7	4,431	30.0	2,906
Rice	6,964	11.4	16.1	40.9	16,481	24.8	14,163
Rock	1,793	18.8	30.2	60.2	2,455	30.0	1,723
Roseau	2,018	12.2	18.3	49.7	4,775	31.4	3,295
St. Louis	31,076	15.8	23.0	46.0	47,027	22.9	39,752
Scott	7,194	6.0	8.6	42.5	36,542	33.9	29,801
Sherburne	5,800	7.1	10.0	40.9	23,870	30.9	19,939
Sibley	2,484	16.3	25.6	56.8	4,172	31.3	2,861
Stearns	16,478	11.6	16.5	42.6	38,681	26.1	33,436
Steele	4,636	13.0	19.5	50.0	9,920	30.6	7,437
Stevens	1,639	16.7	24.2	45.2	2,532	21.0	2,303
Swift	2,106	18.6	28.5	53.5	2,533	25.0	1,605
Todd	3,954	16.1	24.6	53.0	6,491	28.4	4,583
Traverse	1,042	27.3	48.2	76.4	901	28.1	600
Wabasha	3,370	15.2	22.8	50.2	5,739	27.4	4,334
Wadena	2,802	20.5	33.9	65.0	3,587	31.1	2,377
Waseca	2,665	13.8	20.4	48.2	4,952	27.8	3,495
Washington	18,410	8.4	11.9	42.6	63,649	30.7	47,472
Watonwan	2,097	18.7	31.1	66.5	3,177	35.4	1,915
Wilkin	1,113	16.4	25.3	54.6	1,843	29.3	1,250
Winona	6,691	13.6	19.1	40.8	12,573	21.7	12,038
Wright	9,331	8.4	12.2	45.1	33,078	32.9	26,037
Yellow Medicine	2,100	20.1	32.7	62.7	2,776	30.0	1,731

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Elderly Age Dependency Ratio: The number of persons aged 65 or over per 100 persons in the population aged 15 through 64 years.

Percent Elderly: The percent of total population comprised of persons aged 65 and over.

Total Age Dependency Ratio: The number of children under 15 years of age plus the number of persons aged 65 and over per 100 persons in the population aged 15 through 64 years.

Child Age Dependency Ratio: The number of children under 15 years of age per 100 persons in the population aged 15 through 64 years.

Demographics Table 4: Selected Minnesota Demographics by State and County, 2005

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2004-2005
State of Minnesota	5,132,799	79,617	64.5	2,039,706	1.6
Aitkin	16,174	1,819	8.9	7,192	1.3
Anoka	323,996	424	764.1	117,409	2.3
Becker	31,868	1,311	24.3	12,871	0.8
Beltrami	42,871	2,505	17.1	15,742	2.0
Benton	38,505	408	94.4	15,009	1.8
Big Stone	5,481	497	11.0	2,277	-1.7
Blue Earth	58,030	752	77.2	22,932	2.2
Brown	26,534	611	43.4	10,793	0.3
Carlton	34,026	860	39.6	13,208	1.6
Carver	84,864	357	237.7	30,475	3.2
Cass	28,910	2,018	14.3	11,868	1.9
Chippewa	12,802	583	22.0	5,379	1.1
Chisago	49,400	418	118.2	17,370	2.4
Clay	53,838	1,045	51.5	20,276	2.6
Clearwater	8,476	995	8.5	3,422	1.0
Cook	5,367	1,451	3.7	2,498	1.6
Cottonwood	11,834	640	18.5	4,903	-0.4
Crow Wing	59,917	997	60.1	24,793	1.8
Dakota	383,592	570	673.0	146,605	2.2
Dodge	19,595	440	44.5	7,255	1.7
Douglas	35,138	634	55.4	14,766	2.2
Faribault	15,506	714	21.7	6,540	-0.4
Fillmore	21,368	861	24.8	8,570	0.5
Freeborn	31,946	708	45.1	13,457	0.1
Goodhue	45,585	759	60.1	18,073	1.0
Grant	6,114	547	11.2	2,516	-1.0
Hennepin	1,119,364	557	2,009.6	476,941	1.5
Houston	19,941	558	35.7	7,912	0.5
Hubbard	18,861	923	20.4	7,831	0.6
Isanti	37,664	439	85.8	13,861	3.9
Itasca	44,384	2,665	16.7	18,479	0.9
Jackson	11,182	702	15.9	4,626	0.1
Kanabec	16,215	525	30.9	6,349	1.5
Kandiyohi	41,199	796	51.8	16,452	0.7
Kittson	4,792	1,097	4.4	2,033	-0.9
Koochiching	13,907	3,102	4.5	6,000	0.0
Lac Qui Parle	7,604	765	9.9	3,227	-1.2
Lake	11,156	2,099	5.3	4,800	0.2
Lake of the Woods	4,421	1,297	3.4	1,920	0.6
Le Sueur	27,490	449	61.2	10,832	2.0
Lincoln	6,050	537	11.3	2,585	-1.1
Lyon	24,472	714	34.3	9,831	-0.1
McLeod	36,636	492	74.5	14,443	1.8
Mahnomen	5,113	556	9.2	2,003	1.4
Marshall	9,965	1,772	5.6	4,136	0.2
Martin	21,002	709	29.6	9,013	0.0
Meeker	23,371	609	38.4	9,082	1.0
Mille Lacs	25,680	575	44.7	10,087	2.8
Morrison	32,788	1,125	29.1	12,649	0.9
Mower	38,799	712	54.5	16,048	0.3
Murray	8,852	705	12.6	3,721	-0.8
Nicollet	30,848	452	68.2	11,621	1.5

Demographics Table 4: Selected Minnesota Demographics by State and County, 2005

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2004-2005
State of Minnesota	5,132,799	79,617	64.5	2,039,706	1.6
Nobles	20,508	716	28.6	7,930	0.3
Norman	7,003	876	8.0	2,933	-0.4
Olmsted	135,189	653	207.0	53,847	2.1
Otter Tail	57,658	1,980	29.1	23,765	0.5
Pennington	13,608	617	22.1	5,692	0.9
Pine	28,485	1,411	20.2	10,967	2.1
Pipestone	9,421	466	20.2	4,027	-0.3
Polk	31,133	1,971	15.8	12,378	0.7
Pope	11,252	670	16.8	4,682	0.8
Ramsey	494,920	156	3,172.6	205,546	0.7
Red Lake	4,317	432	10.0	1,793	1.4
Redwood	16,022	880	18.2	6,555	-0.5
Renville	16,764	983	17.1	6,858	0.2
Rice	60,949	498	122.4	21,069	2.2
Rock	9,520	483	19.7	3,883	0.1
Roseau	16,495	1,663	9.9	6,426	1.7
St. Louis	197,179	6,226	31.7	83,545	0.5
Scott	119,825	357	335.6	41,250	3.1
Sherburne	81,752	437	187.1	27,978	4.5
Sibley	15,237	589	25.9	5,927	0.9
Stearns	142,654	1,345	106.1	52,827	2.2
Steele	35,755	430	83.2	13,913	1.9
Stevens	9,826	562	17.5	3,791	0.5
Swift	11,324	744	15.2	4,293	0.4
Todd	24,603	942	26.1	9,706	0.5
Traverse	3,810	574	6.6	1,636	-0.6
Wabasha	22,200	525	42.3	8,782	1.2
Wadena	13,650	536	25.5	5,572	1.1
Waseca	19,330	423	45.7	7,226	0.8
Washington	220,426	392	562.3	81,645	2.9
Watonwan	11,234	435	25.8	4,591	0.0
Wilkin	6,802	752	9.0	2,719	0.3
Winona	49,276	626	78.7	19,167	0.7
Wright	110,730	661	167.5	39,772	4.6
Yellow Medicine	10,449	758	13.8	4,334	0.1

Sources: Population - U.S. Census Bureau: 2005 Census Estimates, www.census.gov; Number of Households - Minnesota State Demographer <http://www.demography.state.mn.us/demogpop.html>

Number of Households: The number of occupied houses, apartments, or other separate living quarters, in which the occupants live and eat separately from other persons in the building and to which they have direct access from outside the building or through a common hall.

Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2004	Percent - All Ages in Poverty, 2003	Unemployed Annual Average, 2005		Food Stamp Utilization - Avg Monthly Households, 2005	WIC Participants - Unduplicated Counts, 2005
			Number	Percent		
State of Minnesota	\$36,184	8.0	118,651	4.0	118,244	217,928
Aitkin	\$24,215	10.8	453	5.8	458	750
Anoka	\$34,188	5.3	7,344	3.8	5,248	10,187
Becker	\$27,617	11.1	886	5.3	1,097	2,521
Beltrami	\$24,926	15.2	1,120	5.1	2,790	4,054
Benton	\$28,371	7.3	1,026	4.5	696	1,818
Big Stone	\$28,362	10.1	127	4.5	122	311
Blue Earth	\$30,826	10.3	1,175	3.3	1,110	2,339
Brown	\$30,757	7.1	641	4.3	408	1,202
Carlton	\$26,262	8.1	966	5.6	756	1,899
Carver	\$42,599	4.0	1,541	3.2	486	1,873
Cass	\$28,673	11.7	875	5.9	1,032	2,428
Chippewa	\$29,500	8.5	298	4.1	211	863
Chisago	\$29,416	5.5	1,242	4.6	618	1,652
Clay	\$26,976	9.9	1,045	3.3	1,415	2,270
Clearwater	\$21,988	12.9	395	9.9	347	549
Cook	\$30,670	7.1	139	4.2	65	227
Cottonwood	\$28,874	9.5	274	4.2	256	798
Crow Wing	\$26,264	9.1	1,541	4.7	1,256	3,025
Dakota	\$40,788	4.9	8,230	3.5	4,293	11,146
Dodge	\$32,137	5.6	430	3.8	241	781
Douglas	\$29,526	7.7	741	3.6	635	1,692
Faribault	\$29,330	8.9	389	4.8	304	634
Fillmore	\$27,887	8.5	477	4.2	319	875
Freeborn	\$27,488	8.7	768	4.7	718	1,611
Goodhue	\$32,524	6.1	1,100	4.3	537	1,632
Grant	\$26,988	8.5	172	5.7	124	350
Hennepin	\$48,045	9.1	25,255	3.7	34,888	44,217
Houston	\$30,088	7.0	501	4.4	282	586
Hubbard	\$25,012	10.4	525	5.4	506	1,021
Isanti	\$28,400	6.1	981	4.7	515	1,762
Itasca	\$25,391	9.9	1,337	5.9	1,216	2,179
Jackson	\$28,919	8.0	224	3.3	160	377
Kanabec	\$24,505	9.0	520	6.5	398	896
Kandiyohi	\$30,800	9.5	983	4.2	1,137	2,967
Kittson	\$27,731	8.5	138	5.2	79	323
Koochiching	\$29,661	10.5	429	6.0	500	586
Lac Qui Parle	\$27,959	8.0	161	3.9	110	303
Lake	\$31,542	7.7	258	4.1	193	370
Lake of the Woods	\$23,559	8.3	111	4.4	54	237
Le Sueur	\$29,289	6.5	766	5.3	347	1,067
Lincoln	\$27,657	8.4	124	3.6	86	77
Lyon	\$30,209	8.7	496	3.3	496	1,545
McLeod	\$29,369	6.1	825	4.1	440	1,756
Mahnomen	\$21,318	15.1	144	5.5	318	532
Marshall	\$26,019	8.5	380	7.1	164	539
Martin	\$31,807	9.8	472	4.1	553	1,081
Meeker	\$26,787	7.7	631	5.0	389	1,282
Mille Lacs	\$23,761	8.7	779	6.3	544	1,555
Morrison	\$24,657	9.4	953	5.3	578	1,800
Mower	\$30,297	9.2	778	3.7	1,022	2,385
Murray	\$29,192	7.5	221	4.1	109	335
Nicollet	\$29,561	7.5	594	3.1	511	1,335

Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2004	Percent - All Ages in Poverty, 2003	Unemployed Annual Average, 2005		Food Stamp Utilization - Avg Monthly Households, 2005	WIC Participants - Unduplicated Counts, 2005
			Number	Percent		
State of Minnesota	\$36,184	8.0	118,651	4.0	118,244	217,928
Nobles	\$28,329	9.7	375	3.3	442	1,742
Norman	\$26,669	9.8	171	4.5	167	326
Olmsted	\$38,283	6.8	2,718	3.4	2,740	5,746
Otter Tail	\$26,719	9.6	1,425	4.8	1,076	2,364
Pennington	\$31,225	9.5	459	5.4	350	1,365
Pine	\$24,189	10.7	893	6.2	828	1,386
Pipestone	\$29,402	8.8	187	3.7	214	585
Polk	\$26,366	10.7	773	4.4	993	1,681
Pope	\$29,804	8.3	233	3.8	178	578
Ramsey	\$38,885	10.7	11,346	4.0	19,758	28,610
Red Lake	\$21,970	9.0	153	6.7	106	205
Redwood	\$27,751	8.4	325	3.9	242	782
Renville	\$26,986	9.0	418	4.9	352	966
Rice	\$26,528	7.2	1,395	4.3	830	2,528
Rock	\$28,457	7.6	158	3.0	122	418
Roseau	\$28,413	6.4	527	5.1	146	915
St. Louis	\$31,032	10.5	5,142	4.9	6,909	7,587
Scott	\$34,225	3.8	2,271	3.3	837	3,345
Sherburne	\$27,337	4.6	1,911	4.1	665	2,930
Sibley	\$26,255	8.0	379	4.3	183	917
Stearns	\$28,877	8.0	3,472	4.2	2,355	4,854
Steele	\$30,449	6.8	815	4.1	661	1,861
Stevens	\$29,419	8.6	196	3.5	133	479
Swift	\$22,976	9.2	247	4.6	212	1,064
Todd	\$22,121	11.3	638	5.0	606	1,369
Traverse	\$25,925	10.4	70	3.7	92	234
Wabasha	\$30,531	6.3	523	4.0	265	895
Wadena	\$23,856	11.9	433	6.6	486	794
Waseca	\$27,232	8.0	470	4.4	440	1,073
Washington	\$41,351	4.7	4,352	3.4	2,070	4,606
Watonwan	\$28,994	8.8	245	4.1	191	877
Wilkin	\$27,332	8.2	135	3.7	145	342
Winona	\$28,478	9.7	1,024	3.5	864	1,584
Wright	\$30,553	4.9	2,558	4.1	1,116	3,628
Yellow Medicine	\$27,498	8.5	236	4.2	169	680

Sources: Total Per Capita Income - US Department of Commerce, Bureau of Economic Analysis, www.bea.gov/bea/regional/reis/; All Ages in Poverty - US Census <http://www.census.gov/hhes/www/saipe/county.html> Unemployment Annual Average - Minnesota Department of Employment and Economic Development, <http://www.deed.state.mn.us/lmi/tools/laus.htm>; Food Stamps - Minnesota Department of Human Services; WIC - MDH

Total Per Capital Income: Computed using Census Bureau midyear population estimates. New estimates for 2004 and revisions for 2002-2003 were released on April 25, 2006. These estimates incorporate newly available source data. Additionally population and per capita personal income estimates were revised back to the year 2000.

Food Stamps: A Federal program which supplements the food-purchasing ability of low-income households through the distribution of coupons which can be used to purchase food for human consumption.

WIC Participants - Unduplicated Counts: The total number of pregnant, post-partum and nursing women, infants and children less than 5 years of age who received WIC vouchers. County level data are determined by combining unduplicated participants of all clinics within a county's boundaries. State total does not equal the sum of the counties because participants may move counties during the year.

As of June 13, 2007 (WIC data updated)

Demographics Table 6a: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment by State and County, January - December 2005

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	6,796	30,515	41,280	17,503	9,659	28,800	9,713
Aitkin	20	81	126	55	27	81	54
Anoka	291	1,418	2,043	839	469	1,579	540
Becker	52	245	302	121	67	200	101
Beltrami	242	973	1,236	545	309	863	220
Benton	51	185	182	75	43	191	62
Big Stone	2	16	23	8	4	19	13
Blue Earth	53	317	350	112	66	305	126
Brown	23	57	86	40	24	80	26
Carlton	31	157	216	76	42	149	78
Carver	16	94	176	54	30	91	53
Cass	72	281	396	151	85	256	109
Chippewa	7	54	57	16	8	49	17
Chisago	36	165	193	92	51	210	68
Clay	56	279	370	159	93	289	91
Clearwater	19	71	104	48	31	74	22
Cook	0	7	11	4	2	6	8
Cottonwood	9	51	77	24	17	53	28
Crow Wing	66	281	314	122	74	286	86
Dakota	233	1,112	1,357	520	273	1,098	311
Dodge	12	46	66	24	14	45	14
Douglas	26	92	104	41	23	86	72
Faribault	11	52	65	25	15	59	25
Fillmore	10	41	39	15	6	46	33
Freeborn	48	161	171	66	42	145	56
Goodhue	25	135	161	72	40	140	58
Grant	3	17	26	8	3	19	16
Hennepin	2,120	9,320	12,513	5,588	3,050	8,041	3,146
Houston	20	78	74	41	25	81	23
Hubbard	23	103	124	52	26	92	38
Isanti	31	118	170	70	41	149	51
Itasca	47	197	300	135	66	191	131
Jackson	11	40	41	23	8	39	9
Kanabec	16	77	125	50	28	98	29
Kandiyohi	71	300	365	147	78	294	93
Kittson	1	7	18	6	3	14	2
Koochiching	14	76	115	44	21	92	46
Lac Qui Parle	5	13	29	16	10	20	10
Lake	8	25	43	17	9	22	25
Lake of the Woods	2	12	16	4	1	10	5
Le Sueur	19	71	79	37	18	65	34
Lincoln	1	14	10	5	4	5	6
Lyon	26	124	142	70	36	116	28
McLeod	23	117	104	42	25	102	43
Mahnomen	27	116	145	50	24	93	22
Marshall	6	33	55	21	9	35	9
Martin	32	112	117	49	27	99	55
Meeker	22	75	118	47	30	79	38
Mille Lacs	33	153	208	86	51	149	58
Morrison	23	85	143	63	29	118	41

Demographics Table 6a: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment by State and County, January - December 2005

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	6,796	30,515	41,280	17,503	9,659	28,800	9,713
Mower	50	204	211	71	48	162	86
Murray	4	17	33	12	5	24	13
Nicollet	37	150	180	49	28	163	39
Nobles	28	120	121	49	32	97	27
Norman	6	28	43	17	7	43	8
Olmsted	157	640	768	351	201	608	240
Otter Tail	45	176	253	95	60	199	90
Pennington	21	56	73	23	14	54	28
Pine	45	169	196	90	58	170	73
Pipestone	15	54	40	21	14	48	21
Polk	47	196	282	102	59	181	69
Pope	7	36	43	15	6	36	22
Ramsey	1,374	6,705	10,201	4,395	2,397	6,098	1,049
Red Lake	4	19	17	8	6	19	12
Redwood	5	66	116	42	25	57	18
Renville	17	72	123	31	19	67	28
Rice	50	233	266	92	59	171	72
Rock	4	31	42	14	8	38	10
Roseau	8	28	28	14	7	28	9
St. Louis	299	1,307	1,600	650	379	1,341	622
Scott	52	249	308	121	62	225	77
Sherburne	35	167	229	100	50	201	66
Sibley	14	48	63	23	16	51	22
Stearns	117	481	627	227	122	524	226
Steele	43	180	219	102	56	176	52
Stevens	3	10	15	7	4	13	11
Swift	7	29	38	18	11	29	18
Todd	15	78	132	71	36	98	49
Traverse	4	14	13	9	5	11	7
Wabasha	15	57	70	27	18	48	22
Wadena	21	86	104	65	40	75	36
Waseca	27	128	116	50	33	135	32
Washington	116	575	732	286	154	675	100
Watonwan	9	38	68	22	9	30	12
Wilkin	6	18	30	14	7	24	13
Winona	40	165	239	116	64	184	66
Wright	51	203	287	106	59	239	115
Yellow Medicine	3	18	30	14	7	19	13

Source: Minnesota Department of Human Services

MFIP-MA (Minnesota Family Investment Program - Medical Assistance): Medical Assistance eligibility is based on receipt of cash assistance from MFIP. Counts include both fee-for-service and HMO enrollees.

GAMC (General Assistance Medical Care): Most enrollees are eligible on a medical-only basis; fewer than one-third are eligible based on receipt of cash assistance from General Assistance. Counts include both fee-for-service and HMO enrollees.

Demographics Table 6b: Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment by State and County, January - December 2005

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	16,388	46,012	60,280	29,979	67,622	2,271	13,061	26,660	14,977	35,493
Aitkin	62	209	310	156	289	10	52	189	132	233
Anoka	908	2,583	3,636	1,676	3,813	94	652	1,297	668	1,753
Becker	177	476	620	333	614	22	159	324	220	368
Beltrami	156	458	666	463	793	35	223	431	244	544
Benton	132	341	407	187	506	23	107	187	116	320
Big Stone	20	49	105	42	83	3	17	65	62	74
Blue Earth	163	508	641	338	772	24	124	222	128	417
Brown	91	269	370	148	350	6	36	75	56	123
Carlton	127	346	493	283	566	7	72	185	100	279
Carver	153	395	490	210	534	27	112	234	110	286
Cass	116	370	539	296	512	33	149	363	208	426
Chippewa	68	166	248	107	227	4	33	96	59	103
Chisago	107	370	564	277	536	30	139	367	188	404
Clay	193	598	838	363	884	16	122	232	137	349
Clearwater	40	139	193	99	180	14	50	116	65	143
Cook	13	28	31	14	41	6	23	51	24	73
Cottonwood	56	178	257	118	208	5	41	87	55	102
Crow Wing	234	646	870	399	928	58	322	664	388	849
Dakota	973	2,579	3,140	1,332	3,392	116	694	1,248	662	1,799
Dodge	69	193	248	94	210	7	44	63	36	106
Douglas	157	417	531	274	555	12	126	261	179	383
Faribault	63	178	259	127	248	7	28	88	55	124
Fillmore	81	210	280	141	283	6	67	151	87	173
Freeborn	128	372	463	218	506	7	77	157	103	238
Goodhue	138	300	384	187	486	24	91	177	92	249
Grant	21	77	109	43	102	9	35	70	41	89
Hennepin	3,683	9,833	11,742	6,506	14,942	385	2,061	3,933	2,100	5,712
Houston	49	138	222	125	215	8	32	96	67	106
Hubbard	75	223	313	149	336	24	119	259	180	304
Isanti	126	326	442	221	503	20	135	328	133	362
Itasca	169	578	787	395	873	30	199	418	273	597
Jackson	42	113	132	63	148	4	21	70	47	73
Kanabec	64	203	306	152	309	11	79	171	88	211
Kandiyohi	253	678	777	345	777	15	149	307	168	359
Kittson	9	35	67	25	58	4	42	76	43	57
Koochiching	34	129	213	112	229	11	60	165	71	199
Lac Qui Parle	32	73	118	61	102	2	26	76	46	86
Lake	30	103	178	79	174	7	37	91	40	128
Lake of the Woods	13	42	40	23	53	5	27	59	38	91
Le Sueur	93	264	367	179	328	7	45	112	66	144
Lincoln	14	61	76	33	78	2	20	61	43	57
Lyon	109	306	366	172	402	7	41	124	58	152
McLeod	139	367	398	175	410	19	99	216	93	227
Mahnomen	37	96	148	88	123	3	17	40	23	37
Marshall	27	101	159	58	117	9	47	114	56	114
Martin	86	292	419	205	417	5	47	110	92	156
Meeker	81	207	295	137	277	21	108	185	87	195
Mille Lacs	96	262	411	188	408	24	127	268	142	320
Morrison	121	338	466	237	533	28	175	402	252	414
Mower	225	677	764	336	746	13	83	151	111	288
Murray	33	104	127	59	120	5	41	56	37	79

Demographics Table 6b: Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment by State and County, January - December 2005

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	16,388	46,012	60,280	29,979	67,622	2,271	13,061	26,660	14,977	35,493
Nicollet	105	292	295	142	383	8	42	80	39	124
Nobles	171	430	457	159	408	4	48	127	77	124
Norman	28	96	159	68	117	5	30	79	53	74
Olmsted	523	1,469	1,579	790	1,916	24	172	362	216	621
Otter Tail	215	588	848	375	842	38	267	565	374	648
Pennington	41	150	190	99	235	15	56	84	50	152
Pine	97	278	434	223	459	22	127	301	182	331
Pipestone	46	114	179	84	152	3	19	67	33	71
Polk	104	376	499	244	579	19	137	322	160	332
Pope	35	90	128	78	141	9	53	128	91	148
Ramsey	1,545	4,210	6,168	3,490	7,705	270	1,434	2,770	1,564	3,434
Red Lake	15	59	79	40	69	2	21	46	33	52
Redwood	55	165	268	129	220	9	51	127	84	149
Renville	80	230	327	132	275	1	46	111	80	134
Rice	212	584	628	292	716	22	109	198	112	284
Rock	42	110	135	55	115	4	28	60	34	72
Roseau	42	113	180	97	146	6	37	92	46	110
St. Louis	547	1,816	2,580	1,390	3,577	96	553	1,124	683	1,983
Scott	243	706	862	325	781	47	241	445	229	547
Sherburne	226	574	810	307	769	34	245	456	222	546
Sibley	72	190	223	112	200	11	44	86	62	115
Stearns	461	1,275	1,540	721	1,794	65	379	716	364	1,140
Steele	154	490	536	251	540	13	73	122	63	187
Stevens	21	66	91	33	108	7	29	45	24	72
Swift	44	142	226	87	174	5	29	106	66	92
Todd	107	318	448	235	401	30	135	368	190	345
Traverse	17	58	95	47	67	2	18	34	25	38
Wabasha	62	134	175	101	229	14	64	110	87	150
Wadena	71	205	315	156	310	20	96	219	114	230
Waseca	68	230	254	109	259	6	51	88	39	127
Washington	311	914	1,438	644	1,521	64	406	713	381	983
Watsonwan	71	186	236	90	183	3	20	57	17	64
Wilkin	17	70	109	50	104	3	18	41	27	49
Winona	134	377	551	275	601	17	73	198	155	293
Wright	273	753	1,019	428	1,053	67	348	693	316	814
Yellow Medicine	42	135	175	75	154	6	41	90	56	100

Source: Minnesota Department of Human Services

Medical Assistance: This category excludes MFIP-MA enrollees. Enrollees over age 21 may be eligible as parents or based on disability. Those eligible as disabled may be SSI recipients. Counts include both fee-for-service and HMO enrollees and non-citizen Medical Assistance recipients.

MinnesotaCare: MinnesotaCare children and pregnant women are Medicaid eligible under a waiver. MinnesotaCare coverage is provided under HMO arrangements.

**Demographics Table 7: Selected Education Statistics by State and County
2005-06 School Year, October 1, 2005**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:			Dropout Rate per 100 7-12 Graders October 1, 2004
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education	
State of Minnesota	838,997	30.3	6.9	13.8	2.2
Aitkin	2,367	46.9	0.4	14.7	2.7
Anoka	65,769	23.9	5.8	13.2	2.3
Becker	4,500	37.0	0.2	17.3	1.2
Beltrami	7,587	53.7	3.6	16.3	4.9
Benton	5,448	25.9	0.5	14.8	0.3
Big Stone	964	45.7	0.4	12.8	1.2
Blue Earth	9,905	28.2	3.2	16.4	1.6
Brown	3,687	25.7	6.0	12.8	0.3
Carlton	6,145	29.3	0.0	13.3	1.4
Carver	14,392	13.1	4.5	11.9	1.4
Cass	4,400	54.4	0.0	20.2	5.9
Chippewa	2,367	34.1	2.6	15.3	1.0
Chisago	8,707	19.6	1.5	10.6	1.3
Clay	8,678	27.4	4.2	15.1	1.0
Clearwater	1,575	51.0	0.1	15.8	2.8
Cook	665	27.8	0.9	11.1	0.6
Cottonwood	2,540	40.6	11.1	17.0	0.6
Crow Wing	10,150	35.4	0.0	15.5	2.6
Dakota	74,401	16.2	4.6	14.2	1.6
Dodge	3,990	19.6	3.4	9.4	0.5
Douglas	5,505	27.4	0.2	16.1	1.8
Faribault	2,170	41.8	3.1	14.8	1.8
Fillmore	2,847	29.5	0.0	13.4	1.1
Freeborn	4,373	36.5	4.2	18.0	2.2
Goodhue	7,100	19.4	1.6	12.1	1.8
Grant	1,203	35.1	0.2	14.1	0.5
Hennepin	153,558	35.4	12.2	12.8	3.6
Houston	3,876	19.1	0.0	11.6	0.9
Hubbard	2,438	43.9	0.0	19.5	2.8
Isanti	6,287	25.6	1.4	10.3	2.7
Itasca	6,898	39.4	0.0	15.5	3.2
Jackson	1,504	33.4	4.7	14.7	0.3
Kanabec	2,535	35.9	0.0	12.5	3.6
Kandiyohi	5,859	37.2	8.1	13.4	2.1
Kittson	830	43.1	0.0	18.7	0.5
Koochiching	2,042	36.0	0.4	14.2	1.7
Lac Qui Parle	1,615	36.3	1.6	15.0	0.4
Lake	1,593	25.7	0.0	15.1	1.1
Lake of the Woods	645	41.6	0.0	11.9	0.5
Le Sueur	4,443	27.0	5.4	15.7	1.1
Lincoln	767	39.1	0.3	11.5	0.4
Lyon	4,473	32.1	7.5	12.9	2.3
McLeod	5,875	26.1	4.4	12.5	1.5
Mahnomen	1,275	59.2	0.0	17.3	2.6
Marshall	1,455	44.8	2.1	15.3	0.1
Martin	3,470	39.0	2.7	17.1	1.9
Meeker	5,875	30.0	0.8	12.8	1.2
Mille Lacs	6,805	29.6	0.3	14.4	1.5
Morrison	5,201	37.9	0.4	14.7	1.5

**Demographics Table 7: Selected Education Statistics by State and County
2005-06 School Year, October 1, 2005**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:			Dropout Rate per 100 7-12 Graders October 1, 2004
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education	
State of Minnesota	838,997	30.3	6.9	13.8	2.2
Mower	5,842	38.0	8.2	14.1	1.9
Murray	1,212	31.4	2.1	15.8	1.1
Nicollet	2,413	29.1	4.6	19.9	0.4
Nobles	3,441	46.7	8.0	15.5	2.5
Norman	1,242	46.2	2.1	13.5	1.1
Olmsted	21,905	24.4	9.7	11.5	1.9
Otter Tail	8,215	34.5	2.8	14.0	2.0
Pennington	2,231	33.2	1.7	14.7	1.3
Pine	4,035	42.3	0.3	10.4	3.0
Pipestone	1,724	37.9	2.1	13.8	1.0
Polk	5,345	37.9	2.5	15.6	2.4
Pope	1,348	36.4	0.1	19.3	0.1
Ramsey	83,949	49.3	21.0	14.8	3.0
Red Lake	749	49.4	0.3	15.5	1.0
Redwood	2,297	34.4	1.6	14.7	1.5
Renville	2,088	36.6	8.6	13.6	1.4
Rice	8,483	28.3	9.1	15.4	2.7
Rock	1,585	32.5	2.6	14.7	0.7
Roseau	3,327	32.2	0.8	14.4	1.6
St. Louis	26,934	35.3	0.1	13.9	2.6
Scott	18,371	14.8	5.5	11.8	0.7
Sherburne	17,749	14.3	1.5	12.9	1.4
Sibley	2,408	33.1	8.8	14.2	3.5
Stearns	22,999	27.8	4.5	15.3	1.0
Steele	6,446	26.9	5.5	11.5	0.9
Stevens	1,428	26.8	0.5	16.4	1.2
Swift	1,635	32.9	1.3	16.0	0.8
Todd	4,209	54.7	3.9	15.2	2.4
Traverse	593	38.1	0.0	14.5	0.8
Wabasha	4,808	18.8	1.4	12.9	0.4
Wadena	2,982	53.0	0.0	16.3	0.3
Waseca	3,646	27.2	3.6	16.8	2.0
Washington	38,184	12.4	1.6	12.7	0.9
Watonwan	2,051	44.3	16.0	13.0	1.9
Wilkin	1,220	34.7	3.4	15.6	1.2
Winona	6,122	32.4	2.9	14.9	2.2
Wright	21,643	16.8	1.8	13.0	1.5
Yellow Medicine	1,841	44.1	3.3	18.0	1.2

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

Dropout Rates:

The number of 7 - 12 grade students who have dropped out of school divided by the total number of 7 - 12 grade students

Demographics Table 8: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2005-06 School Year, October 1, 2005

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	656,770	71,736	17,397	47,968	45,126	838,997
Aitkin	2,054	97	180	25	11	2,367
Anoka	54,100	4,701	956	3,751	2,261	65,769
Becker	3,916	26	481	28	49	4,500
Beltrami	5,005	79	2,377	54	72	7,587
Benton	5,231	71	15	79	52	5,448
Big Stone	944	0	12	2	6	964
Blue Earth	8,816	482	45	214	348	9,905
Brown	3,307	22	9	33	316	3,687
Carlton	5,507	42	506	50	40	6,145
Carver	12,841	286	54	470	741	14,392
Cass	3,107	34	1,215	19	25	4,400
Chippewa	2,202	22	8	11	124	2,367
Chisago	8,248	96	67	160	136	8,707
Clay	7,625	165	215	90	583	8,678
Clearwater	1,238	7	302	14	14	1,575
Cook	536	1	114	11	3	665
Cottonwood	2,084	17	17	268	154	2,540
Crow Wing	9,797	90	137	60	66	10,150
Dakota	61,085	5,155	466	3,681	4,014	74,401
Dodge	3,688	30	12	27	233	3,990
Douglas	5,328	73	21	38	45	5,505
Faribault	1,959	16	7	20	168	2,170
Fillmore	2,802	13	3	12	17	2,847
Freeborn	3,743	59	13	57	501	4,373
Goodhue	6,560	120	120	103	197	7,100
Grant	1,158	15	4	6	20	1,203
Hennepin	90,533	34,655	2,704	13,264	12,492	153,648
Houston	3,744	70	8	32	22	3,876
Hubbard	2,197	22	166	9	44	2,438
Isanti	5,945	81	78	87	96	6,287
Itasca	6,116	44	647	53	38	6,898
Jackson	1,387	8	6	49	54	1,504
Kanabec	2,417	25	34	26	33	2,535
Kandiyohi	4,492	124	36	35	1,172	5,859
Kittson	789	8	7	6	20	830
Koochiching	1,845	21	162	4	10	2,042
Lac Qui Parle	1,521	21	10	27	36	1,615
Lake	1,540	17	22	6	8	1,593
Lake of the Woods	608	12	16	4	5	645
Le Sueur	4,001	27	18	29	368	4,443
Lincoln	748	2	2	5	10	767
Lyon	3,778	116	13	229	337	4,473
McLeod	5,266	61	17	52	479	5,875
Mahnomen	472	0	798	2	3	1,275
Marshall	1,326	9	9	5	106	1,455
Martin	3,210	39	2	24	195	3,470
Meeker	5,584	35	11	43	202	5,875
Mille Lacs	6,312	75	310	48	60	6,805
Morrison	5,070	33	29	45	41	5,218
Mower	4,835	162	25	125	695	5,842
Murray	1,156	6	6	8	36	1,212
Nicollet	2,160	63	8	27	155	2,413
Nobles	2,341	51	14	241	794	3,441

Demographics Table 8: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2005-06 School Year, October 1, 2005

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	656,770	71,736	17,397	47,968	45,126	838,997
Norman	1,072	16	56	12	86	1,242
Olmsted	17,572	1,815	98	1,434	986	21,905
Otter Tail	7,569	120	93	90	343	8,215
Pennington	2,041	32	61	20	77	2,231
Pine	3,750	42	181	19	43	4,035
Pipestone	1,626	16	38	10	34	1,724
Polk	4,614	36	151	25	519	5,345
Pope	1,326	7	6	5	4	1,348
Ramsey	41,816	16,342	1,252	17,309	7,320	84,039
Red Lake	710	11	12	3	13	749
Redwood	1,898	15	286	19	79	2,297
Renville	1,706	28	11	13	330	2,088
Rice	7,071	210	29	143	1,030	8,483
Rock	1,483	17	15	26	44	1,585
Roseau	3,059	18	142	98	10	3,327
St. Louis	24,290	805	1,261	339	239	26,934
Scott	15,954	454	196	870	897	18,371
Sherburne	16,670	253	162	339	325	17,749
Sibley	2,001	10	4	19	374	2,408
Stearns	20,706	997	135	487	714	23,039
Steele	5,552	271	14	67	542	6,446
Stevens	1,343	25	17	21	22	1,428
Swift	1,541	16	5	5	68	1,635
Todd	3,816	38	28	23	304	4,209
Traverse	522	7	50	7	7	593
Wabasha	4,548	73	23	36	128	4,808
Wadena	2,873	27	23	10	49	2,982
Waseca	3,395	45	6	22	178	3,646
Washington	33,538	1,350	203	1,997	1,096	38,184
Watonwan	1,300	26	5	24	696	2,051
Wilkin	1,115	15	15	3	72	1,220
Winona	5,491	169	28	246	188	6,122
Wright	20,553	310	110	380	399	21,752
Yellow Medicine	1,602	8	98	16	117	1,841

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

Section B: Natality Tables

Nativity Table 1: Selected Minnesota Natality Statistics by State and County, 2005

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	70,920	64.8	13.8	37,498	7.3	6.5
Aitkin	145	56.6	9.0	176	10.9	-1.9
Anoka	4,363	60.8	13.5	1,491	4.6	8.9
Becker	406	66.4	12.7	323	10.1	2.6
Beltrami	656	66.0	15.3	340	7.9	7.4
Benton	599	63.7	15.6	335	8.7	6.9
Big Stone	59	70.4	10.8	85	15.5	-4.7
Blue Earth	745	51.2	12.8	429	7.4	5.4
Brown	286	56.1	10.8	250	9.4	1.4
Carlton	421	62.0	12.4	326	9.6	2.8
Carver	1,237	61.8	14.6	342	4.0	10.5
Cass	405	73.3	14.0	292	10.1	3.9
Chippewa	144	63.7	11.2	149	11.6	-0.4
Chisago	718	63.9	14.5	326	6.6	7.9
Clay	715	52.1	13.3	397	7.4	5.9
Clearwater	116	73.7	13.7	100	11.8	1.9
Cook	49	54.6	9.1	36	6.7	2.4
Cottonwood	131	66.8	11.1	154	13.0	-1.9
Crow Wing	774	64.6	12.9	522	8.7	4.2
Dakota	5,424	62.6	14.1	1,907	5.0	9.2
Dodge	270	64.9	13.8	129	6.6	7.2
Douglas	432	63.1	12.3	331	9.4	2.9
Faribault	168	66.4	10.8	217	14.0	-3.2
Fillmore	289	74.8	13.5	247	11.6	2.0
Freeborn	372	65.4	11.6	368	11.5	0.1
Goodhue	552	62.1	12.1	444	9.7	2.4
Grant	64	60.1	10.5	84	13.7	-3.3
Hennepin	16,348	68.1	14.6	7,629	6.8	7.8
Houston	225	59.5	11.3	186	9.3	2.0
Hubbard	226	66.0	12.0	158	8.4	3.6
Isanti	473	53.9	12.6	243	6.5	6.1
Itasca	450	55.8	10.1	457	10.3	-0.2
Jackson	112	56.9	10.0	125	11.2	-1.2
Kanabec	168	49.7	10.4	137	8.4	1.9
Kandiyohi	574	74.1	13.9	358	8.7	5.2
Kittson	38	52.8	7.9	73	15.2	-7.3
Koochiching	122	51.8	8.8	169	12.2	-3.4
Lac Qui Parle	69	59.1	9.1	110	14.5	-5.4
Lake	112	56.0	10.0	151	13.5	-3.5
Lake of the Woods	43	56.2	9.7	60	13.6	-3.8
Le Sueur	365	64.9	13.3	198	7.2	6.1
Lincoln	74	74.4	12.2	107	17.7	-5.5
Lyon	320	61.3	13.1	226	9.2	3.8
McLeod	509	67.9	13.9	290	7.9	6.0
Mahnomen	97	108.4	19.0	50	9.8	9.2

Nativity Table 1: Selected Minnesota Natality Statistics by State and County, 2005

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	70,920	64.8	13.8	37,498	7.3	6.5
Marshall	92	54.2	9.2	83	8.3	0.9
Martin	244	70.0	11.6	267	12.7	-1.1
Meeker	336	76.8	14.4	222	9.5	4.9
Mille Lacs	405	74.5	15.8	242	9.4	6.3
Morrison	443	69.1	13.5	295	9.0	4.5
Mower	538	77.2	13.9	417	10.7	3.1
Murray	95	67.2	10.7	93	10.5	0.2
Nicollet	372	51.8	12.1	207	6.7	5.3
Nobles	314	88.8	15.3	169	8.2	7.1
Norman	91	77.5	13.0	105	15.0	-2.0
Olmsted	2,179	74.6	16.1	818	6.1	10.1
Otter Tail	602	59.0	10.4	647	11.2	-0.8
Pennington	176	67.0	12.9	134	9.8	3.1
Pine	328	59.1	11.5	246	8.6	2.9
Pipestone	138	84.4	14.6	131	13.9	0.7
Polk	378	62.7	12.1	345	11.1	1.1
Pope	124	63.3	11.0	145	12.9	-1.9
Ramsey	7,309	68.2	14.8	3,867	7.8	7.0
Red Lake	42	54.1	9.7	44	10.2	-0.5
Redwood	202	75.1	12.6	207	12.9	-0.3
Renville	182	62.6	10.9	181	10.8	0.1
Rice	794	55.9	13.0	435	7.1	5.9
Rock	136	78.9	14.3	113	11.9	2.4
Roseau	223	67.7	13.5	130	7.9	5.6
St. Louis	2,106	52.9	10.7	2,002	10.2	0.5
Scott	2,169	72.5	18.1	447	3.7	14.4
Sherburne	1,329	66.6	16.3	405	5.0	11.3
Sibley	206	71.7	13.5	149	9.8	3.7
Stearns	1,885	56.3	13.2	792	5.6	7.7
Steele	520	69.9	14.5	240	6.7	7.8
Stevens	108	46.9	11.0	67	6.8	4.2
Swift	117	72.3	10.3	124	11.0	-0.6
Todd	325	70.7	13.2	228	9.3	3.9
Traverse	35	58.3	9.2	42	11.0	-1.8
Wabasha	272	62.8	12.3	165	7.4	4.8
Wadena	196	82.5	14.4	198	14.5	-0.1
Waseca	260	74.4	13.5	153	7.9	5.5
Washington	2,870	60.3	13.0	1,121	5.1	7.9
Watsonwan	146	76.2	13.0	108	9.6	3.4
Wilkin	64	51.2	9.4	76	11.2	-1.8
Winona	552	45.9	11.2	363	7.4	3.8
Wright	2,023	77.6	18.3	609	5.5	12.8
Yellow Medicine	128	73.9	12.2	133	12.7	-0.5

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota by State and County, 2005

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2003-2005	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
State of Minnesota	5,264	8.6	3,339	4.9	0.9	3.0
Aitkin	4	3.3	8	5.8	0.7	5.0
Anoka	310	8.1	200	4.8	0.7	3.0
Becker	22	6.3	14	3.6	0.6	1.7
Beltrami	50	9.6	24	3.8	0.6	1.5
Benton	53	9.3	36	6.3	1.1	3.9
Big Stone	3	5.5	1	1.8	0.7	3.6
Blue Earth	52	7.6	34	4.8	0.9	2.4
Brown	28	10.4	17	6.3	1.1	3.7
Carlton	23	6.5	11	2.7	0.4	2.3
Carver	83	7.7	39	3.3	0.5	2.2
Cass	38	11.4	24	6.3	1.1	4.8
Chippewa	11	9.2	10	7.0	0.7	3.4
Chisago	50	8.3	30	4.3	1.0	2.7
Clay	62	9.8	35	5.1	1.0	2.9
Clearwater	10	10.4	3	2.7	1.1	2.1
Cook	5	10.2	0	0.0	0.0	0.0
Cottonwood	17	14.3	6	4.8	0.2	1.7
Crow Wing	71	9.6	36	4.8	0.9	3.8
Dakota	369	7.8	238	4.5	0.8	2.6
Dodge	20	8.0	12	4.6	0.5	2.4
Douglas	35	8.4	18	4.3	1.0	2.2
Faribault	12	8.5	8	4.9	0.6	2.1
Fillmore	17	6.6	9	3.2	0.7	2.7
Freeborn	16	5.4	11	3.1	0.7	4.4
Goodhue	57	11.1	30	5.6	0.9	2.9
Grant	1	1.6	2	3.1	0.0	1.6
Hennepin	1,227	8.9	876	5.6	1.0	3.3
Houston	16	7.7	9	4.1	0.8	3.3
Hubbard	19	10.1	11	5.1	1.6	5.3
Isanti	36	8.4	21	4.5	1.4	1.4
Itasca	24	6.9	20	4.6	0.9	4.1
Jackson	19	19.4	11	10.2	1.8	1.0
Kanabec	10	12.8	2	1.3	0.2	0.0
Kandiyohi	42	7.7	25	4.4	0.6	2.9
Kittson	4	11.8	3	8.1	0.0	2.9
Koochiching	10	10.1	5	4.3	1.1	5.1
Lac Qui Parle	7	12.1	3	4.6	1.1	1.7
Lake	11	10.8	4	3.8	0.4	1.0
Lake of the Woods	5	13.2	5	11.6	0.0	7.9
Le Sueur	27	8.1	13	3.6	1.0	3.0
Lincoln	8	11.8	6	8.1	1.4	4.5
Lyon	19	7.0	7	2.2	0.3	2.9
McLeod	42	9.6	20	4.1	0.7	1.8
Mahnomen	9	11.5	2	2.2	0.0	2.6
Marshall	11	13.1	5	5.7	0.6	0.0
Martin	16	8.9	11	4.8	0.9	3.9
Meeker	24	7.8	17	5.2	1.2	2.3
Mille Lacs	35	9.9	19	4.8	0.7	3.7
Morrison	40	9.5	29	6.7	0.6	1.9
Mower	46	10.0	24	4.6	0.7	2.8

Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota by State and County, 2005

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2003-2005	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
State of Minnesota	5,264	8.6	3,339	4.9	0.9	3.0
Murray	8	9.3	3	3.3	0.4	1.2
Nicollet	28	8.0	18	5.1	0.5	1.7
Nobles	36	12.2	19	6.2	1.4	4.1
Norman	13	15.7	3	3.4	1.3	1.2
Olmsted	152	7.4	76	3.6	0.8	2.9
Otter Tail	39	7.0	25	4.3	0.8	5.0
Pennington	13	8.1	10	5.9	0.5	4.4
Pine	24	10.8	19	6.0	1.3	4.0
Pipestone	11	9.3	9	6.9	0.6	5.9
Polk	50	13.9	24	6.3	1.4	1.7
Pope	11	9.3	3	2.5	0.0	0.8
Ramsey	459	8.5	410	5.8	1.1	3.4
Red Lake	2	4.9	1	2.4	0.7	2.4
Redwood	16	9.6	8	4.1	0.3	3.0
Renville	16	9.5	11	6.0	1.0	2.4
Rice	64	8.9	32	4.2	0.9	3.3
Rock	17	13.1	7	5.3	0.5	2.3
Roseau	6	3.1	8	3.8	1.1	6.7
St. Louis	211	10.5	99	4.8	0.7	3.3
Scott	152	7.9	99	4.8	0.9	2.7
Sherburne	99	8.8	63	4.9	0.6	3.2
Sibley	17	9.6	8	4.1	0.9	1.1
Stearns	168	9.3	97	5.3	0.8	3.0
Steele	38	8.4	20	4.0	1.1	0.7
Stevens	10	9.5	6	5.6	0.6	0.0
Swift	7	6.6	4	3.6	1.1	1.9
Todd	26	9.1	15	4.8	0.8	2.1
Traverse	6	18.8	2	6.1	0.9	0.0
Wabasha	24	10.0	20	8.0	0.3	4.6
Wadena	14	8.0	8	4.3	1.5	2.8
Waseca	14	6.2	5	2.0	0.9	2.6
Washington	193	8.1	98	3.5	0.6	1.9
Watonwan	17	12.6	4	2.8	1.1	5.2
Wilkin	6	10.2	1	1.6	2.2	0.0
Winona	33	7.8	20	3.6	0.7	2.8
Wright	128	7.8	76	3.9	0.7	2.5
Yellow Medicine	10	9.5	4	3.2	0.8	1.0

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

Nativity Table 3: Minnesota Infant Mortality by State and County, 2001 - 2005

	Number of Infant Deaths - 2005	Infant Mortality Rate 2001-2005	Neonatal Mortality Rate 2001-2005	Post-neonatal Mortality Rate 2001- 2005	Fetal Death Rate 2001-2005	Perinatal Death Rate 2001-2005
State of Minnesota	363	5.0	3.3	1.7	4.9	6.3
Aitkin	1	*	*	0.0	*	*
Anoka	25	4.6	3.1	1.5	4.5	6.0
Becker	3	*	*	*	*	*
Beltrami	5	6.8	*	*	7.1	9.0
Benton	9	8.4	*	*	*	10.8
Big Stone	0	*	*	0.0	*	*
Blue Earth	0	*	*	*	*	*
Brown	2	*	*	*	*	*
Carlton	2	*	*	*	*	*
Carver	4	*	*	*	5.5	6.0
Cass	2	*	*	*	*	*
Chippewa	0	*	*	0.0	*	*
Chisago	0	*	*	0.0	*	*
Clay	8	*	*	*	*	*
Clearwater	0	*	*	*	*	*
Cook	0	*	*	0.0	*	*
Cottonwood	2	*	*	*	*	*
Crow Wing	6	6.0	*	*	*	6.7
Dakota	30	5.2	3.8	1.5	4.9	6.7
Dodge	6	*	*	*	*	*
Douglas	2	*	*	*	*	*
Faribault	0	*	0.0	*	*	*
Fillmore	3	*	*	*	*	*
Freeborn	1	*	*	*	*	*
Goodhue	3	*	*	*	*	*
Grant	0	0.0	0.0	0.0	*	*
Hennepin	82	5.2	3.4	1.7	5.4	6.6
Houston	0	*	*	*	*	*
Hubbard	1	*	*	*	*	*
Isanti	0	*	*	0.0	*	*
Itasca	1	*	*	*	*	*
Jackson	1	*	*	0.0	*	*
Kanabec	3	*	*	*	*	*
Kandiyohi	1	*	*	*	*	*
Kittson	0	*	0.0	*	*	*
Koochiching	1	*	*	*	*	*
Lac Qui Parle	0	*	*	0.0	*	*
Lake	1	*	*	0.0	*	*
Lake of the Woods	0	*	*	0.0	*	*
Le Sueur	0	*	*	0.0	*	*
Lincoln	1	*	*	*	*	*
Lyon	1	*	*	*	*	*
McLeod	1	*	*	*	*	*
Mahnomen	0	*	*	*	*	*
Marshall	1	*	*	*	*	*
Martin	2	*	*	*	*	*
Meeker	0	*	*	*	*	*
Mille Lacs	2	*	*	*	*	*
Morrison	3	*	*	*	*	*

Nativity Table 3: Minnesota Infant Mortality by State and County, 2001 - 2005

	Number of Infant Deaths - 2005	Infant Mortality Rate 2001-2005	Neonatal Mortality Rate 2001-2005	Post-neonatal Mortality Rate 2001- 2005	Fetal Death Rate 2001-2005	Perinatal Death Rate 2001-2005
State of Minnesota	363	5.0	3.3	1.7	4.9	6.3
Mower	0	*	*	*	9.0	9.0
Murray	0	*	*	0.0	*	*
Nicollet	4	*	*	*	*	*
Nobles	3	*	*	*	*	*
Norman	0	*	*	0.0	*	*
Olmsted	9	5.0	3.2	*	4.6	6.7
Otter Tail	1	*	*	*	*	*
Pennington	0	*	*	*	*	*
Pine	1	*	*	*	*	*
Pipestone	0	*	*	0.0	*	*
Polk	5	*	*	*	*	*
Pope	0	*	*	*	*	*
Ramsey	47	5.8	3.6	2.2	4.9	6.3
Red Lake	0	*	*	*	*	*
Redwood	0	*	*	*	*	*
Renville	0	*	*	*	*	*
Rice	1	5.4	*	*	6.1	8.5
Rock	0	*	*	*	*	*
Roseau	1	*	*	*	*	*
St. Louis	9	5.2	3.6	*	4.9	7.1
Scott	5	2.5	*	*	4.3	4.6
Sherburne	8	4.6	3.3	*	*	4.2
Sibley	1	*	*	*	*	*
Stearns	13	4.9	3.0	*	4.6	6.3
Steele	3	*	*	*	*	*
Stevens	0	*	*	*	*	*
Swift	2	*	*	0.0	*	*
Todd	3	*	*	*	*	*
Traverse	0	0.0	0.0	0.0	*	*
Wabasha	1	*	*	*	*	*
Wadena	1	*	*	*	*	*
Waseca	0	*	*	*	*	*
Washington	14	5.0	3.1	2.0	4.4	6.4
Watonwan	2	*	*	*	*	*
Wilkin	0	*	*	0.0	*	*
Winona	3	*	*	*	*	7.9
Wright	10	4.2	3.2	*	4.4	5.7
Yellow Medicine	0	*	0.0	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

Natality Table 4: Prenatal Care in Minnesota by State and County, 2005

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	86.2	78.7	17.8	3.5
Aitkin	88.9	75.6	22.7	1.7
Anoka	86.4	73.5	22.8	3.7
Becker	80.5	76.9	18.8	4.3
Beltrami	72.1	56.2	35.1	8.6
Benton	89.8	87.2	11.0	1.8
Big Stone	86.4	83.6	14.5	1.8
Blue Earth	87.5	84.6	14.0	1.5
Brown	88.1	83.6	14.2	2.2
Carlton	89.0	82.4	13.2	4.5
Carver	91.7	87.0	10.6	2.4
Cass	76.3	57.7	33.0	9.2
Chippewa	86.3	78.8	16.8	4.4
Chisago	90.5	85.5	12.9	1.6
Clay	85.8	78.5	16.1	5.4
Clearwater	84.5	75.0	19.8	5.2
Cook	83.3	72.9	27.1	0.0
Cottonwood	82.9	76.7	17.2	6.0
Crow Wing	85.8	70.3	25.4	4.3
Dakota	87.7	78.5	18.5	2.9
Dodge	91.8	88.4	10.0	1.6
Douglas	91.0	76.2	21.9	1.9
Faribault	89.8	93.6	5.7	0.7
Fillmore	83.5	80.3	8.4	11.2
Freeborn	88.1	86.9	11.1	2.0
Goodhue	89.5	86.4	9.3	4.3
Grant	90.6	81.0	15.9	3.2
Hennepin	84.4	76.5	18.6	4.9
Houston	83.6	75.6	20.6	3.8
Hubbard	77.7	61.8	28.0	10.2
Isanti	85.1	80.0	16.0	4.0
Itasca	88.9	80.5	14.4	5.1
Jackson	94.5	85.4	14.6	0.0
Kanabec	90.4	84.0	14.7	1.3
Kandiyohi	86.0	81.5	16.5	2.0
Kittson	86.8	67.6	26.5	5.9
Koochiching	77.7	71.4	26.5	2.0
Lac Qui Parle	89.2	76.4	20.0	3.6
Lake	85.3	78.0	17.0	5.0
Lake of the Woods	82.9	40.5	51.4	8.1
Le Sueur	86.7	82.5	15.7	1.8
Lincoln	90.5	77.8	20.6	1.6
Lyon	83.2	76.3	22.6	1.1
McLeod	87.1	85.6	12.1	2.3
Mahnomen	73.2	59.7	35.1	5.2
Marshall	81.3	76.8	20.7	2.4
Martin	91.8	88.7	10.2	1.1
Meeker	82.8	80.1	17.3	2.7
Mille Lacs	89.0	81.2	14.8	4.0
Morrison	92.3	84.8	13.8	1.4
Mower	70.1	69.8	26.9	3.3
Murray	80.9	79.5	19.2	1.3
Nicollet	90.3	85.1	13.2	1.7
Nobles	77.6	77.6	17.9	4.5

Natality Table 4: Prenatal Care in Minnesota by State and County, 2005

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	86.2	78.7	17.8	3.5
Norman	90.1	75.9	18.1	6.0
Olmsted	94.0	88.8	9.5	1.7
Otter Tail	88.7	84.3	12.5	3.2
Pennington	85.0	82.4	16.4	1.3
Pine	81.2	74.3	18.8	6.9
Pipestone	78.3	77.9	20.4	1.8
Polk	87.2	69.6	25.7	4.7
Pope	89.5	78.0	21.2	0.8
Ramsey	81.3	75.2	21.0	3.8
Red Lake	78.6	52.5	37.5	10.0
Redwood	86.0	76.2	22.0	1.8
Renville	88.4	84.4	13.2	2.4
Rice	87.1	79.0	17.0	3.9
Rock	87.5	82.0	18.0	0.0
Roseau	87.9	72.7	25.3	2.1
St. Louis	87.6	81.9	14.6	3.6
Scott	88.1	75.6	21.1	3.2
Sherburne	89.0	80.1	17.9	2.0
Sibley	84.9	77.3	22.2	0.6
Stearns	88.0	83.7	14.5	1.9
Steele	87.0	84.8	12.7	2.5
Stevens	91.7	76.9	22.1	1.0
Swift	93.0	89.6	8.5	1.9
Todd	77.7	65.8	26.7	7.5
Traverse	85.3	74.2	22.6	3.2
Wabasha	87.8	82.4	15.5	2.1
Wadena	81.8	65.9	28.9	5.2
Waseca	87.5	84.0	14.7	1.3
Washington	93.4	87.0	11.2	1.8
Watonwan	80.0	77.6	19.4	3.0
Wilkin	90.6	78.0	22.0	0.0
Winona	87.8	87.5	9.4	3.1
Wright	89.3	80.9	17.5	1.6
Yellow Medicine	87.2	80.2	16.8	3.0

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

Nativity Table 5: Obstetric Procedures in Minnesota by State and County, 2005

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
State of Minnesota	25.4	15.2	89.3	81.8	53.1
Aitkin	33.1	13.8	96.6	80.0	69.0
Anoka	25.6	15.4	92.4	69.8	56.2
Becker	25.4	13.3	83.1	86.2	46.6
Beltrami	30.9	17.5	92.6	97.9	94.2
Benton	23.2	14.4	89.8	93.2	95.8
Big Stone	35.6	25.4	75.0	64.4	35.6
Blue Earth	25.8	15.3	95.1	92.9	40.1
Brown	35.0	19.9	95.6	65.0	68.9
Carlton	25.4	16.4	82.6	87.4	45.6
Carver	25.9	15.3	85.6	85.2	57.2
Cass	25.2	15.1	85.4	88.1	80.7
Chippewa	25.0	12.5	90.0	66.7	43.8
Chisago	24.7	15.6	83.3	78.1	68.7
Clay	25.6	14.8	89.5	59.0	18.6
Clearwater	28.4	13.8	100.0	85.3	81.9
Cook	26.5	16.3	100.0	63.3	46.9
Cottonwood	28.2	16.8	93.8	76.3	54.2
Crow Wing	21.4	11.4	84.8	87.1	79.3
Dakota	24.4	14.8	89.1	83.8	32.0
Dodge	25.6	14.4	96.8	96.3	73.3
Douglas	19.9	13.0	76.9	96.3	95.6
Faribault	32.1	16.1	100.0	75.0	79.2
Fillmore	24.2	13.5	88.6	83.0	51.9
Freeborn	26.3	16.9	94.6	94.9	79.8
Goodhue	29.7	16.1	92.6	77.4	41.5
Grant	15.6	7.8	83.3	84.4	82.8
Hennepin	24.7	16.1	88.3	84.5	45.1
Houston	17.3	9.8	85.0	96.0	92.4
Hubbard	31.4	17.3	94.1	55.3	46.0
Isanti	21.6	12.1	86.5	83.1	76.1
Itasca	26.4	13.3	92.2	75.3	57.3
Jackson	23.2	12.5	75.0	88.4	69.6
Kanabec	29.2	16.7	91.3	81.0	85.1
Kandiyohi	25.4	11.7	96.3	96.7	89.9
Kittson	34.2	23.7	80.0	60.5	89.5
Koochiching	42.6	21.3	96.3	54.1	68.9
Lac Qui Parle	43.5	27.5	73.3	60.9	66.7
Lake	26.8	15.2	86.7	88.4	67.9
Lake of the Woods	34.9	18.6	87.5	69.8	88.4
Le Sueur	23.6	10.1	87.5	89.9	46.6
Lincoln	35.1	17.6	76.5	82.4	63.5
Lyon	33.1	14.7	88.1	72.8	71.3
McLeod	24.4	12.4	84.7	87.6	54.0
Mahnomen	22.7	8.2	87.5	85.6	49.5
Marshall	33.7	20.7	92.3	83.7	82.6
Martin	26.6	12.3	94.6	97.1	93.0
Meeker	31.5	11.6	93.1	90.8	57.4
Mille Lacs	28.9	15.3	91.7	68.6	50.1
Morrison	23.0	10.6	85.9	85.8	60.7
Mower	32.3	16.0	96.7	92.9	86.2
Murray	35.8	20.0	93.8	78.9	65.3
Nicollet	33.1	18.0	96.6	90.3	42.5

Nativity Table 5: Obstetric Procedures in Minnesota by State and County, 2005

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
State of Minnesota	25.4	15.2	89.3	81.8	53.1
Nobles	24.5	14.6	91.2	93.3	60.2
Norman	19.8	12.1	100.0	62.6	22.0
Olmsted	25.4	14.5	90.9	96.8	67.1
Otter Tail	21.1	10.3	94.2	76.7	73.6
Pennington	30.7	15.9	92.9	80.7	95.5
Pine	25.3	14.6	85.4	83.5	56.1
Pipestone	37.0	22.5	100.0	84.8	65.9
Polk	28.6	17.7	93.2	86.2	77.8
Pope	26.6	16.1	92.9	86.3	91.1
Ramsey	20.9	14.7	79.3	69.6	45.8
Red Lake	38.1	14.3	100.0	73.8	88.1
Redwood	30.2	15.8	100.0	77.2	57.4
Renville	28.6	13.7	93.1	86.8	51.1
Rice	27.6	15.9	93.9	92.6	61.2
Rock	29.4	12.5	100.0	81.6	44.1
Roseau	33.2	12.6	97.9	81.6	95.1
St. Louis	30.4	18.3	91.4	91.7	51.7
Scott	23.7	14.1	93.7	87.4	46.5
Sherburne	27.3	15.2	93.6	68.2	47.3
Sibley	25.7	15.0	84.6	86.4	49.5
Stearns	25.9	13.0	91.4	88.8	91.7
Steele	37.1	21.0	93.3	96.5	89.8
Stevens	25.0	16.7	90.0	44.4	39.8
Swift	23.1	13.7	73.3	83.8	76.1
Todd	26.2	13.2	80.8	71.4	75.1
Traverse	28.6	14.3	83.3	80.0	57.1
Wabasha	32.7	18.0	95.2	91.9	69.1
Wadena	27.0	14.8	77.4	78.1	59.7
Waseca	30.4	14.6	93.2	96.5	63.1
Washington	25.1	15.6	87.2	75.9	39.9
Watonwan	34.2	19.9	80.8	87.0	37.7
Wilkin	25.0	4.7	81.3	67.2	46.9
Winona	17.8	9.6	83.3	90.0	71.4
Wright	27.7	14.9	93.5	73.1	30.8
Yellow Medicine	40.6	19.5	100.0	57.8	57.8

Source: Minnesota Department of Health, Center for Health Statistics

Electronic Fetal Monitoring: The percentage of live births where the health provider indicated on the birth certificate that electronic fetal monitoring was performed during labor and delivery.

Ultrasound: The percentage of live births where the health provider indicated on the birth certificate that ultrasound was performed during labor and delivery.

Nativity Table 6: Fertility and Family Planning in Minnesota by State and County, 2005

	Pregnancies		Abortions			Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate	Ratio		
State of Minnesota	83,552	76.2	12,303	11.2	0.2	4.7	3.8
Aitkin	153	59.7	8	*	0.1	6.2	4.4
Anoka	5,237	73.0	858	11.9	0.2	3.9	4.2
Becker	415	67.5	**	*	**	5.2	3.4
Beltrami	689	69.3	33	3.3	0.1	5.2	5.9
Benton	671	71.4	68	7.2	0.1	4.5	4.3
Big Stone	62	74.0	**	*	**	6.8	0.0
Blue Earth	888	61.0	139	9.5	0.2	5.6	4.4
Brown	311	61.0	22	4.3	0.1	6.6	3.3
Carlton	475	70.0	51	7.5	0.1	2.4	4.4
Carver	1,344	67.1	96	4.7	0.1	3.6	4.0
Cass	436	78.9	29	5.3	0.1	8.1	5.7
Chippewa	163	72.1	19	*	0.1	4.2	2.2
Chisago	801	71.3	79	7.0	0.1	3.9	3.0
Clay	721	52.5	6	*	0.0	3.9	6.9
Clearwater	120	76.2	**	*	**	8.6	5.4
Cook	62	69.0	13	*	0.3	2.0	3.4
Cottonwood	134	68.3	**	*	**	9.2	4.4
Crow Wing	866	72.2	90	7.5	0.1	4.2	1.3
Dakota	6,437	74.3	985	11.3	0.2	2.6	3.6
Dodge	287	69.0	17	*	0.1	5.9	2.8
Douglas	448	65.5	14	*	0.0	3.0	2.5
Faribault	178	70.4	10	*	0.1	4.8	1.9
Fillmore	311	80.6	20	*	0.1	10.0	3.8
Freeborn	411	72.3	37	6.5	0.1	2.2	3.4
Goodhue	618	69.5	65	7.2	0.1	5.6	4.0
Grant	66	62.0	**	*	**	3.1	0.0
Hennepin	21,203	88.2	4,763	19.8	0.3	5.2	4.5
Houston	234	61.8	9	*	0.0	3.6	7.9
Hubbard	229	66.9	**	*	**	6.0	5.9
Isanti	535	60.8	61	6.8	0.1	5.1	1.7
Itasca	488	60.5	37	4.6	0.1	4.9	2.9
Jackson	117	59.4	**	*	**	6.3	5.8
Kanabec	181	53.6	10	*	0.1	1.8	7.2
Kandiyohi	624	80.6	48	6.2	0.1	4.5	1.3
Kittson	39	54.2	**	*	**	2.6	8.3
Koochiching	133	56.5	10	*	0.1	7.4	4.8
Lac Qui Parle	73	61.7	**	*	**	5.8	4.9
Lake	131	65.5	17	*	0.2	5.4	4.2
Lake of the Woods	44	57.5	**	*	**	2.3	6.9
Le Sueur	400	70.8	34	5.7	0.1	6.3	1.3
Lincoln	75	75.4	**	*	**	6.8	0.0
Lyon	342	65.6	22	4.2	0.1	4.7	3.0
McLeod	553	73.7	42	5.5	0.1	3.7	3.2
Mahnomen	99	110.6	**	*	**	5.2	12.7
Marshall	95	56.0	**	*	**	6.5	7.1
Martin	264	75.8	18	*	0.1	3.7	6.1
Meeker	354	80.7	16	*	0.0	8.6	1.3
Mille Lacs	446	82.0	39	7.2	0.1	3.7	3.6
Morrison	469	73.1	23	3.6	0.1	5.6	2.4
Mower	591	84.9	50	7.2	0.1	4.3	3.1
Murray	101	71.5	6	*	0.1	2.1	2.0

Nativity Table 6: Fertility and Family Planning in Minnesota by State and County, 2005

	Pregnancies		Abortions			Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate	Ratio		
State of Minnesota	83,552	76.2	12,303	11.2	0.2	4.7	3.8
Nicollet	432	60.2	60	8.4	0.2	4.0	5.1
Nobles	320	90.5	**	*	**	5.7	4.2
Norman	92	78.4	**	*	**	5.5	1.7
Olmsted	2,448	83.8	261	8.9	0.1	4.4	3.5
Otter Tail	616	60.4	9	*	0.0	6.3	3.5
Pennington	183	69.7	**	*	**	5.1	5.5
Pine	366	65.9	34	6.1	0.1	6.2	2.1
Pipestone	139	85.0	**	*	**	4.4	1.2
Polk	383	63.5	**	*	**	4.8	1.8
Pope	131	66.9	6	*	0.0	0.8	4.3
Ramsey	9,355	87.3	2,017	18.8	0.3	6.6	4.2
Red Lake	44	56.7	**	*	**	7.1	3.7
Redwood	215	79.9	12	*	0.1	7.4	2.3
Renville	194	66.8	12	*	0.1	7.1	3.3
Rice	892	62.8	94	6.6	0.1	3.8	3.4
Rock	136	78.9	**	*	**	1.5	2.1
Roseau	227	68.9	**	*	**	6.7	4.4
St. Louis	2,490	62.5	375	9.4	0.2	4.4	1.9
Scott	2,460	82.2	280	9.3	0.1	3.1	4.1
Sherburne	1,449	72.6	117	5.9	0.1	4.1	4.1
Sibley	225	78.3	17	*	0.1	5.3	3.7
Stearns	2,124	63.5	230	6.9	0.1	5.5	2.7
Steele	553	74.4	33	4.4	0.1	3.7	2.6
Stevens	115	49.9	**	*	**	6.5	1.6
Swift	124	76.6	7	*	0.1	1.7	5.3
Todd	337	73.3	9	*	0.0	9.6	3.8
Traverse	36	60.0	**	*	**	2.9	9.1
Wabasha	296	68.3	24	5.5	0.1	2.2	8.5
Wadena	203	85.4	6	*	0.0	10.4	3.8
Waseca	291	83.3	30	8.6	0.1	3.5	4.6
Washington	3,375	70.9	501	10.5	0.2	3.1	3.7
Watonwan	156	81.5	10	*	0.1	5.5	2.3
Wilkin	65	52.0	**	*	**	1.6	7.0
Winona	616	51.1	62	5.2	0.1	3.1	1.8
Wright	2,207	84.7	170	6.5	0.1	5.2	3.5
Yellow Medicine	132	75.7	**	*	**	7.0	2.2

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number or ratio not reported if number of events is less than 6.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Abortion Ratio: Number of abortions/Number of births

Four or More Births: Births to women with four or more previous live births

Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates by State and County, 2003-2005

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
State of Minnesota	13.2	45.9	26.5	19.0	62.7	36.8
Aitkin	*	65.5	33.3	*	75.1	39.2
Anoka	9.2	43.9	21.0	15.8	67.9	33.5
Becker	12.7	63.7	30.6	13.1	63.7	30.9
Beltrami	30.2	77.5	52.6	32.9	84.9	57.4
Benton	14.5	71.9	34.4	18.2	87.6	42.3
Big Stone	*	*	*	*	*	*
Blue Earth	10.5	20.2	16.8	15.2	31.0	25.4
Brown	*	33.0	18.4	*	40.9	22.9
Carlton	12.3	60.0	30.2	18.7	72.9	39.0
Carver	5.8	25.5	12.7	8.8	39.3	19.4
Cass	28.2	103.6	54.3	33.9	111.3	60.7
Chippewa	*	62.5	29.1	*	77.6	36.6
Chisago	11.0	48.7	23.3	16.0	62.7	31.3
Clay	11.9	16.0	14.4	12.8	16.7	15.2
Clearwater	*	73.3	39.5	*	73.3	41.7
Cook	*	*	*	*	*	*
Cottonwood	*	49.1	24.5	*	51.4	26.1
Crow Wing	15.1	75.2	36.3	19.7	97.9	47.3
Dakota	7.5	40.2	18.6	13.3	59.4	29.0
Dodge	*	54.8	24.9	*	61.0	29.8
Douglas	*	51.3	22.5	*	55.5	24.9
Faribault	*	59.7	31.0	*	73.0	37.7
Fillmore	*	39.2	16.8	*	48.7	21.5
Freeborn	21.3	79.8	43.3	28.4	90.7	51.9
Goodhue	12.3	54.4	27.8	16.5	68.3	35.5
Grant	*	*	*	*	*	*
Hennepin	17.0	51.7	31.0	27.2	81.4	49.1
Houston	*	34.5	18.2	*	40.4	20.9
Hubbard	*	61.9	29.1	*	61.9	29.6
Isanti	12.1	56.5	27.9	18.1	69.4	36.4
Itasca	13.8	56.7	29.7	15.5	67.8	34.9
Jackson	*	*	*	*	*	17.1
Kanabec	*	69.4	35.5	18.2	84.9	42.2
Kandiyohi	21.6	79.5	43.0	24.8	87.3	47.9
Kittson	*	*	*	*	*	*
Koochiching	*	55.4	25.7	*	65.3	31.7
Lac Qui Parle	*	*	*	*	*	*
Lake	*	57.1	27.2	*	64.5	34.5
Lake of the Woods	*	*	*	*	*	*
Le Sueur	14.3	42.8	24.4	18.3	49.3	29.3
Lincoln	*	*	*	*	*	*
Lyon	12.6	28.4	20.3	15.1	31.7	23.2
McLeod	16.6	64.0	33.4	20.2	84.8	43.1
Mahnomen	*	177.9	84.1	*	177.9	84.1
Marshall	*	*	20.1	*	*	20.1
Martin	*	65.8	29.1	*	72.3	32.3
Meeker	*	67.8	31.2	*	70.0	32.8
Mille Lacs	14.0	72.3	33.9	20.2	89.5	43.9
Morrison	9.5	57.1	26.6	12.0	61.6	29.8
Mower	22.0	76.8	41.7	25.7	89.8	48.8
Murray	*	59.0	29.5	*	61.9	30.6
Nicollet	12.4	19.1	16.4	19.4	26.1	23.4
Nobles	22.1	99.6	49.9	22.1	107.3	52.6

Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates by State and County, 2003-2005

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
State of Minnesota	13.2	45.9	26.5	19.0	62.7	36.8
Norman	*	*	*	*	*	*
Olmsted	11.8	51.2	25.4	15.6	68.8	34.0
Otter Tail	8.8	56.7	26.5	9.8	58.9	27.9
Pennington	*	52.8	26.1	*	54.6	28.2
Pine	11.9	84.5	37.2	18.7	95.2	45.3
Pipestone	*	71.8	40.2	*	71.8	40.2
Polk	19.4	57.1	34.7	19.4	58.5	35.3
Pope	*	*	17.9	*	43.0	19.5
Ramsey	22.9	54.1	36.9	32.1	81.1	54.2
Red Lake	*	*	*	*	*	*
Redwood	*	44.4	20.5	*	55.5	25.4
Renville	16.3	63.6	33.3	17.8	71.9	37.3
Rice	10.8	25.8	19.3	15.4	32.8	25.2
Rock	*	*	*	*	*	*
Roseau	*	69.2	29.7	*	75.4	31.8
St. Louis	15.3	33.7	24.7	21.6	44.7	33.4
Scott	8.0	37.7	18.0	14.2	57.2	28.7
Sherburne	5.3	5.3	42.2	42.2	18.2	18.2
Sibley	*	71.6	33.7	18.3	75.0	37.2
Stearns	10.0	25.0	18.0	13.2	34.1	24.4
Steele	15.3	60.5	32.1	18.9	69.3	37.7
Stevens	*	*	*	*	*	*
Swift	*	*	25.2	*	62.3	32.5
Todd	13.0	72.7	34.6	15.6	80.1	38.9
Traverse	*	*	*	*	*	*
Wabasha	*	48.6	23.2	12.8	63.0	30.7
Wadena	*	74.0	36.8	*	78.2	38.3
Waseca	*	64.7	32.2	*	70.4	35.3
Washington	5.7	34.3	15.7	11.9	52.6	26.1
Watonwan	*	94.2	49.7	*	103.1	53.1
Wilkin	*	*	*	*	*	*
Winona	12.7	13.7	13.3	14.8	19.0	17.6
Wright	7.5	44.9	20.1	12.1	59.3	28.1
Yellow Medicine	*	49.4	24.7	*	60.7	31.5

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by State and County, 2005

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
State of Minnesota	29.7	9.0	9.5	9.7	26.8	63.5
Aitkin	44.8	5.5	30.3	12.4	44.8	42.8
Anoka	24.5	6.2	7.0	6.4	28.3	65.3
Becker	41.1	12.8	21.8	9.4	38.7	51.9
Beltrami	54.6	19.5	27.3	15.3	37.7	47.0
Benton	34.2	6.5	16.7	5.5	25.9	68.6
Big Stone	27.1	10.2	8.5	6.8	22.0	71.2
Blue Earth	28.5	7.2	8.2	7.3	21.5	71.2
Brown	25.9	5.9	14.4	5.6	26.2	68.2
Carlton	28.5	4.5	18.3	5.2	28.3	66.4
Carver	12.9	3.3	5.2	4.0	20.0	76.0
Cass	51.9	18.0	29.8	15.5	39.8	44.6
Chippewa	29.2	5.6	18.3	12.6	25.2	62.2
Chisago	21.6	4.7	13.6	4.4	28.2	67.4
Clay	26.4	11.0	12.6	7.5	20.6	71.8
Clearwater	32.8	5.2	20.7	13.8	38.8	47.4
Cook	20.4	6.1	12.2	4.1	32.7	63.3
Cottonwood	25.2	3.8	16.2	13.7	32.8	53.4
Crow Wing	36.4	7.6	21.6	9.0	32.8	58.2
Dakota	23.6	6.9	5.6	6.2	21.0	72.9
Dodge	23.7	6.7	10.1	7.4	31.9	60.7
Douglas	29.2	4.6	13.0	5.1	26.5	68.4
Faribault	31.0	7.1	12.5	10.3	28.5	61.2
Fillmore	23.2	9.3	8.3	15.3	26.3	58.4
Freeborn	40.9	11.3	12.2	13.2	36.7	50.1
Goodhue	30.1	7.2	12.0	9.3	35.0	55.7
Grant	21.9	6.3	12.5	6.3	31.3	62.5
Hennepin	32.2	12.1	4.0	12.3	25.3	62.5
Houston	25.8	24.4	12.9	3.1	25.0	71.9
Hubbard	35.0	12.8	24.4	12.0	33.3	54.7
Isanti	29.6	5.1	15.7	6.8	32.1	61.1
Itasca	38.7	12.7	23.0	10.2	27.8	62.1
Jackson	25.9	6.3	13.5	7.1	26.8	66.1
Kanabec	34.5	7.7	23.5	12.0	38.3	49.7
Kandiyohi	35.9	11.5	7.7	20.6	26.7	52.7
Kittson	13.2	0.0	2.6	5.3	18.4	76.3
Koochiching	40.2	7.4	15.2	6.7	37.0	56.3
Lac Qui Parle	30.4	10.1	20.6	14.5	31.9	53.6
Lake	25.0	4.5	22.0	7.1	36.6	56.3
Lake of the Woods	25.6	2.3	18.6	14.0	34.9	51.2
Le Sueur	29.6	10.1	11.0	12.4	25.8	61.8
Lincoln	10.8	5.4	12.3	4.1	16.2	79.7
Lyon	25.0	5.9	9.4	8.7	20.6	70.7
McLeod	27.3	6.5	14.4	10.3	38.1	51.6
Mahnomen	72.2	13.4	46.2	18.6	54.6	26.8
Marshall	25.0	4.3	10.9	13.0	25.0	62.0
Martin	40.2	9.0	24.5	11.9	37.0	51.0
Meeker	23.5	5.1	15.2	8.7	34.3	57.0
Mille Lacs	35.1	8.1	17.2	12.3	35.8	51.9
Morrison	28.7	4.1	22.1	7.7	37.9	54.4

Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by State and County, 2005

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
State of Minnesota	29.7	9.0	9.5	9.7	26.8	63.5
Mower	37.5	11.5	15.8	22.7	24.2	53.1
Murray	21.1	6.3	8.4	4.2	21.1	74.7
Nicollet	27.2	8.1	9.7	7.6	24.4	68.0
Nobles	46.5	12.1	6.7	38.7	24.6	36.7
Norman	33.0	7.7	15.4	10.1	27.0	62.9
Olmsted	24.7	7.6	6.4	8.0	23.2	68.8
Otter Tail	30.1	6.5	15.1	12.8	27.7	59.5
Pennington	28.4	6.8	18.4	4.5	33.0	62.5
Pine	39.6	7.3	24.2	13.6	37.2	49.2
Pipestone	31.9	13.0	13.1	10.9	34.3	54.7
Polk	37.3	8.5	16.7	11.7	30.3	58.0
Pope	21.8	4.8	12.1	3.2	29.0	67.7
Ramsey	39.8	15.2	7.5	14.1	30.4	55.5
Red Lake	23.8	11.9	16.7	7.1	31.0	61.9
Redwood	28.7	5.0	18.1	9.9	38.6	51.5
Renville	33.0	7.7	12.2	18.8	31.5	49.7
Rice	30.7	9.2	11.5	14.6	28.8	56.6
Rock	16.2	3.7	8.1	8.8	14.0	77.2
Roseau	26.5	4.9	12.6	4.9	39.5	55.6
St. Louis	41.5	8.7	23.0	8.8	29.0	62.2
Scott	16.1	4.8	4.1	4.6	19.1	76.3
Sherburne	20.2	4.7	9.6	3.8	28.6	67.6
Sibley	24.8	5.3	9.7	13.3	40.4	46.3
Stearns	26.2	5.5	13.7	8.1	24.3	67.6
Steele	31.2	9.0	14.7	10.4	30.7	58.9
Stevens	19.4	4.6	5.7	4.6	24.1	71.3
Swift	35.9	12.8	20.7	5.2	30.2	64.7
Todd	29.5	3.1	15.2	18.6	32.7	48.7
Traverse	28.6	8.6	22.9	2.9	25.7	71.4
Wabasha	28.3	5.1	11.1	5.5	31.7	62.7
Wadena	32.1	6.1	18.9	7.7	35.9	56.4
Waseca	35.4	8.1	11.5	8.9	27.4	63.7
Washington	19.6	5.9	6.3	4.0	18.7	77.3
Watonwan	40.4	6.2	11.6	23.3	37.0	39.7
Wilkin	21.9	4.7	18.8	7.8	23.4	68.8
Winona	27.5	8.2	9.4	5.3	27.1	67.6
Wright	17.1	3.6	8.9	4.3	26.4	69.3
Yellow Medicine	25.0	6.3	11.1	9.4	25.2	65.4

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

Nativity Table 9: Race and Ethnicity of Mother in Minnesota by State and County, 2005**

	Race of Mother - Percent**					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
State of Minnesota	76.8	8.3	1.9	6.2	6.8	7.8	92.2
Aitkin	93.8	0.7	4.1	0.0	1.4	2.1	97.9
Anoka	82.9	5.4	0.6	6.3	4.8	5.0	95.0
Becker	82.9	1.5	14.6	0.2	0.7	1.7	98.3
Beltrami	60.5	0.5	36.6	0.8	1.7	0.8	99.2
Benton	95.3	2.3	0.5	1.3	0.5	0.5	99.5
Big Stone	98.3	1.7	0.0	0.0	0.0	0.0	100.0
Blue Earth	88.7	5.2	0.4	2.3	3.4	2.8	97.2
Brown	95.8	0.0	0.0	1.0	3.1	7.3	92.7
Carlton	90.3	0.0	8.8	0.7	0.2	1.0	99.0
Carver	89.3	1.0	0.2	3.2	6.2	6.4	93.6
Cass	68.4	0.0	29.6	0.2	1.7	0.5	99.5
Chippewa	86.8	0.0	4.2	0.7	8.3	9.9	90.1
Chisago	95.3	0.7	0.1	1.1	2.8	2.0	98.0
Clay	90.7	0.7	2.8	1.0	4.8	4.6	95.4
Clearwater	90.4	0.0	7.0	0.9	1.8	0.9	99.1
Cook	91.8	0.0	6.1	0.0	2.0	2.0	98.0
Cottonwood	87.8	0.8	1.5	2.3	7.6	9.9	90.1
Crow Wing	95.0	0.8	2.6	0.6	1.0	0.8	99.2
Dakota	79.3	6.8	0.5	7.0	6.4	8.4	91.6
Dodge	95.6	0.0	0.4	0.4	3.7	5.6	94.4
Douglas	97.0	0.7	0.2	0.9	1.2	1.6	98.4
Faribault	90.5	0.0	0.0	1.2	8.3	10.1	89.9
Fillmore	99.7	0.0	0.0	0.3	0.0	0.0	100.0
Freeborn	84.9	0.5	0.0	1.1	13.4	15.4	84.6
Goodhue	91.1	1.3	0.9	1.4	5.3	5.7	94.3
Grant	93.8	0.0	0.0	1.6	4.7	6.3	93.7
Hennepin	58.1	19.7	1.5	8.7	11.9	12.0	88.0
Houston	99.1	0.4	0.4	0.0	0.0	0.0	100.0
Hubbard	95.1	0.0	4.0	0.4	0.4	0.9	99.1
Isanti	96.4	0.2	0.2	2.3	0.8	1.5	98.5
Itasca	88.7	0.2	9.8	0.4	0.9	0.9	99.1
Jackson	92.9	0.0	0.9	4.5	1.8	1.8	98.2
Kanabec	98.2	0.0	0.6	1.2	0.0	0.6	99.4
Kandiyohi	95.5	2.6	0.3	0.7	0.9	23.7	76.3
Kittson	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Koochiching	98.4	0.0	0.8	0.0	0.8	0.8	99.2
Lac Qui Parle	94.2	1.4	1.4	1.4	1.4	2.9	97.1
Lake	99.1	0.0	0.9	0.0	0.0	0.0	100.0
Lake of the Woods	97.6	0.0	0.0	0.0	2.4	0.0	100.0
Le Sueur	85.8	0.3	0.5	0.3	13.2	13.2	86.8
Lincoln	95.9	1.4	1.4	1.4	0.0	0.0	100.0
Lyon	82.8	4.4	0.0	4.7	8.1	7.5	92.5
McLeod	88.6	0.8	0.0	1.8	8.8	9.8	90.2
Mahnomen	37.9	0.0	61.1	1.1	0.0	2.1	97.9
Marshall	85.7	0.0	1.1	0.0	13.2	12.2	87.8
Martin	93.9	0.4	0.0	0.8	4.9	7.0	93.0
Meeker	92.3	1.2	0.6	0.3	5.7	6.8	93.2
Mille Lacs	90.6	0.7	7.9	0.0	0.7	2.2	97.8
Morrison	97.5	1.4	0.0	0.9	0.2	0.5	99.5
Mower	75.8	2.4	0.6	2.8	18.4	19.7	80.3
Murray	95.7	0.0	0.0	1.1	3.2	4.2	95.8
Nicollet	88.4	3.8	0.0	2.2	5.6	5.4	94.6

Nativity Table 9: Race and Ethnicity of Mother in Minnesota by State and County, 2005**

	Race of Mother - Percent**					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
State of Minnesota	76.8	8.3	1.9	6.2	6.8	7.8	92.2
Nobles	51.0	1.0	0.0	5.1	43.0	44.3	55.7
Norman	90.0	0.0	5.6	0.0	4.4	4.4	95.6
Olmsted	84.9	7.1	0.1	6.0	2.0	6.5	93.5
Otter Tail	91.2	2.5	1.2	1.0	4.2	4.0	96.0
Pennington	92.0	0.6	4.5	0.6	2.3	2.8	97.2
Pine	91.5	0.9	6.4	0.6	0.6	0.6	99.4
Pipestone	93.3	0.0	0.0	1.5	5.2	5.1	94.9
Polk	88.7	0.3	2.9	0.0	8.0	9.5	90.5
Pope	98.4	0.8	0.0	0.8	0.0	0.0	100.0
Ramsey	52.8	17.9	1.2	18.2	10.0	11.7	88.3
Red Lake	95.2	0.0	2.4	0.0	2.4	2.4	97.6
Redwood	86.6	0.0	8.4	3.5	1.5	1.5	98.5
Renville	87.4	0.5	1.1	0.5	10.4	18.7	81.3
Rice	81.2	2.6	0.0	1.6	14.5	15.2	84.8
Rock	95.5	0.0	0.0	1.5	3.0	5.1	94.9
Roseau	92.4	0.0	1.8	4.9	0.9	0.9	99.1
St. Louis	92.0	1.7	4.7	0.8	0.9	1.1	98.9
Scott	82.7	2.3	1.0	8.2	5.8	5.3	94.7
Sherburne	95.2	1.4	0.2	1.8	1.5	2.1	97.9
Sibley	84.0	0.5	0.0	0.5	15.0	18.0	82.0
Stearns	90.5	3.7	0.2	2.2	3.4	5.3	94.7
Steele	82.3	5.0	0.2	1.9	10.6	10.7	89.3
Stevens	90.7	4.6	1.9	1.9	0.9	2.8	97.2
Swift	96.6	0.0	0.0	0.9	2.6	6.8	93.2
Todd	97.8	0.0	0.9	0.6	0.6	10.2	89.8
Traverse	88.6	0.0	8.6	0.0	2.9	2.9	97.1
Wabasha	98.2	0.4	0.0	0.0	1.5	4.4	95.6
Wadena	99.0	1.0	0.0	0.0	0.0	0.5	99.5
Waseca	91.2	1.9	0.0	0.0	6.9	6.6	93.4
Washington	83.0	4.4	0.6	8.7	3.3	3.7	96.3
Watonwan	65.8	0.0	0.7	1.4	32.2	39.0	61.0
Wilkin	92.2	0.0	4.7	0.0	3.1	6.3	93.7
Winona	93.7	0.2	0.2	2.4	3.6	4.9	95.1
Wright	94.9	0.6	0.3	1.9	2.3	2.8	97.2
Yellow Medicine	86.6	0.8	4.7	1.6	6.3	7.8	92.2

Source: Minnesota Department of Health, Center for Health Statistics

**Because the race coding of 2004 data was done by the National Center for Health Statistics rather than in-house, a significant difference is seen in the 'Other' race category for birth records and impacts the reported number of births to White mothers. Prior to 2004, when coding a record where a Hispanic ethnicity was entered in the race field (in addition to the separate Hispanic ethnicity field), that record was coded as White. In 2004 and 2005, however, those records were coded as 'Other', thus greatly increasing that category and reducing the number of White births. This was the case in over 4,800 birth records in 2005.

Section CHS: Natality Tables by CHS Agency

Nativity Table 1: Selected Minnesota Natality Statistics by CHS Agency, 2005

CHS Agency	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
Aitkin, Itasca, Koochiching	717	55.3	9.6	802	10.8	-1.1
Mahnomen, Norman	188	91.8	15.5	155	12.8	2.7
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,041	66.5	13.9	658	8.8	5.1
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	517	68.0	10.8	601	12.6	-1.8
Brown, Nicollet	658	53.7	11.5	457	8.0	3.5
Carlton, Cook, Lake, St. Louis	2,688	54.4	10.9	2,515	10.2	0.7
Cass, Morrison, Todd, Wadena	1,369	72.5	13.7	1,013	10.1	3.6
Clay, Wilkin	779	52.1	12.8	473	7.8	5.0
Cottonwood, Jackson	243	61.8	10.6	279	12.1	-1.6
Dodge, Steele	790	68.2	14.3	369	6.7	7.6
Grant, Pope, Traverse, Stevens	331	56.0	10.7	338	10.9	-0.2
Faribault, Martin	412	69.2	11.3	484	13.3	-2.0
Houston, Fillmore	514	67.5	12.4	433	10.5	2.0
Isanti, Mille Lacs	878	61.8	13.9	485	7.7	6.2
Kanabec, Pine	496	55.5	11.1	383	8.6	2.5
Kittson, Marshall, Pennington, Red Lake, Roseau	571	62.7	11.6	464	9.4	2.2
Le Sueur, Waseca	625	68.6	13.3	351	7.5	5.9
Lincoln, Lyon, Murray, Pipestone	627	67.8	12.8	557	11.4	1.4
Meeker, McLeod, Sibley	1,051	71.6	14.0	661	8.8	5.2
Nobles, Rock	450	85.7	15.0	282	9.4	5.6
Redwood, Renville	384	68.8	11.7	388	11.8	-0.1

Source: Minnesota Department of Health, Center for Health Statistics and the US Census

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota by CHS Agency, 2005

CHS Agency	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2001-2003	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
Aitkin, Itasca, Koochiching	38	6.7	33	4.8	0.9	4.4
Mahnomen, Norman	22	13.7	5	2.8	0.6	1.9
Beltrami, Clearwater, Hubbard, Lake of the Woods	84	9.9	43	4.3	0.9	2.7
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	38	8.6	22	4.4	0.9	2.3
Brown, Nicollet	56	9.1	35	5.6	0.8	2.6
Carlton, Cook, Lake, St. Louis	250	9.9	114	4.4	0.6	3.0
Cass, Morrison, Todd, Wadena	118	9.7	76	5.8	0.9	2.9
Clay, Wilkin	68	9.8	36	4.8	1.1	2.6
Cottonwood, Jackson	36	16.6	17	7.3	1.0	1.4
Dodge, Steele	58	8.3	32	4.2	0.9	1.3
Grant, Pope, Traverse, Stevens	28	8.8	13	4.0	0.3	0.6
Faribault, Martin	28	8.7	19	4.9	0.8	3.1
Houston, Fillmore	33	7.1	18	3.6	0.8	3.0
Isanti, Mille Lacs	71	9.1	40	4.7	1.1	2.4
Kanabec, Pine	34	11.3	21	4.4	0.9	3.0
Kittson, Marshall, Pennington, Red Lake, Roseau	36	7.0	27	4.9	0.7	4.3
Le Sueur, Waseca	41	7.3	18	2.9	1.0	2.9
Lincoln, Lyon, Murray, Pipestone	46	8.4	25	4.1	0.5	3.5
Meeker, McLeod, Sibley	83	9.0	45	4.4	0.9	1.8
Nobles, Rock	53	12.5	26	6.0	1.1	3.6
Redwood, Renville	32	9.6	19	5.1	0.7	2.7

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

Nativity Table 3: Minnesota Infant Mortality by CHS Agency, 2001-2005

CHS Agency	Number of Infant Deaths 2004	Infant Mortality Rate 2000-2004	Neonatal Mortality Rate 2000-2004	Post-neonatal Mortality Rate 2000-2004	Fetal Death Rate 2000-2004	Perinatal Death Rate 2000-2004
Aitkin, Itasca, Koochiching	3	6.2	*	*	*	6.1
Mahnomen, Norman	0	*	*	*	*	*
Beltrami, Clearwater, Hubbard, Lake of the Woods	6	6.9	4.5	*	7.1	10.0
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	2	*	*	*	*	*
Brown, Nicollet	6	*	*	*	6.0	7.5
Carlton, Cook, Lake, St. Louis	12	5.5	3.8	1.7	5.1	7.1
Cass, Morrison, Todd, Wadena	9	6.3	3.7	*	4.8	7.1
Clay, Wilkin	8	5.8	*	*	*	*
Cottonwood, Jackson	3	*	*	*	*	*
Dodge, Steele	9	6.9	*	*	*	6.4
Grant, Pope, Traverse, Stevens	0	*	*	*	*	*
Faribault, Martin	2	*	*	*	*	*
Houston, Fillmore	3	*	*	*	*	*
Isanti, Mille Lacs	2	5.2	*	*	6.4	7.5
Kanabec, Pine	4	*	*	*	8.5	8.1
Kittson, Marshall, Pennington, Red Lake, Roseau	2	7.2	*	*	7.1	8.5
Le Sueur, Waseca	0	*	*	*	*	*
Lincoln, Lyon, Murray, Pipestone	2	*	*	*	*	*
Meeker, McLeod, Sibley	2	*	*	*	4.9	4.9
Nobles, Rock	3	*	*	*	*	*
Redwood, Renville	0	*	*	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics.

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

Natality Table 4: Prenatal Care in Minnesota by CHS Agency, 2005

CHS Agency	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
Aitkin, Itasca, Koochiching	86.9	77.8	18.4	3.8
Mahnomen, Norman	81.4	68.1	26.3	5.6
Beltrami, Clearwater, Hubbard, Lake of the Woods	75.1	58.9	32.5	8.6
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	88.5	82.1	14.9	3.0
Brown, Nicollet	89.4	84.4	13.6	2.0
Carlton, Cook, Lake, St. Louis	87.7	81.6	14.7	3.7
Cass, Morrison, Todd, Wadena	82.6	70.2	24.3	5.5
Clay, Wilkin	86.2	78.4	16.6	4.9
Cottonwood, Jackson	88.3	80.7	16.0	3.3
Dodge, Steele	88.6	86.1	11.7	2.2
Grant, Pope, Traverse, Stevens	90.0	77.9	20.6	1.6
Faribault, Martin	91.0	90.9	8.2	0.9
Houston, Fillmore	83.5	78.2	14.0	7.9
Isanti, Mille Lacs	86.9	80.6	15.4	4.0
Kanabec, Pine	84.3	76.8	17.8	5.5
Kittson, Marshall, Pennington, Red Lake, Roseau	85.2	74.5	22.8	2.8
Le Sueur, Waseca	87.1	83.1	15.3	1.6
Lincoln, Lyon, Murray, Pipestone	82.6	77.3	21.4	1.4
Meeker, McLeod, Sibley	85.3	82.2	15.8	2.1
Nobles, Rock	80.6	79.0	18.0	3.1
Redwood, Renville	87.1	80.4	17.5	2.1

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

Nativity Table 5: Obstetric Procedures in Minnesota by CHS Agency, 2005

CHS Agency	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
Aitkin, Itasca, Koochiching	30.5	14.8	94.2	72.7	61.7
Mahnomen, Norman	21.3	10.1	91.3	74.5	36.2
Beltrami, Clearwater, Hubbard, Lake of the Woods	30.9	17.1	93.5	86.1	82.1
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	32.1	18.0	85.9	67.3	56.7
Brown, Nicollet	33.9	18.8	96.1	79.3	54.0
Carlton, Cook, Lake, St. Louis	29.4	17.9	90.1	90.4	51.3
Cass, Morrison, Todd, Wadena	25.0	13.2	83.1	82.0	69.9
Clay, Wilkin	25.6	14.0	88.2	59.7	20.9
Cottonwood, Jackson	25.9	14.8	84.4	81.9	61.3
Dodge, Steele	33.2	18.7	94.2	96.5	84.2
Grant, Pope, Traverse, Stevens	24.2	14.5	88.9	71.6	69.2
Faribault, Martin	28.9	13.8	96.9	88.1	87.4
Houston, Fillmore	21.2	11.9	87.3	88.7	69.7
Isanti, Mille Lacs	24.9	13.6	89.3	76.4	64.1
Kanabec, Pine	26.6	15.3	87.5	82.7	65.9
Kittson, Marshall, Pennington, Red Lake, Roseau	32.9	15.8	95.2	79.7	92.3
Le Sueur, Waseca	26.4	12.0	90.0	92.6	53.4
Lincoln, Lyon, Murray, Pipestone	34.6	17.5	89.2	77.5	68.3
Meeker, McLeod, Sibley	26.9	12.7	88.2	88.4	54.2
Nobles, Rock	26.0	14.0	94.7	89.8	55.3
Redwood, Renville	29.4	14.8	96.6	81.8	54.4

Source: Minnesota Department of Health, Center for Health Statistics

Electronic Fetal Monitoring: The percentage of live births where the health provider indicated on the birth certificate that electronic fetal monitoring was performed during labor and delivery.

Ultrasound: The percentage of live births where the health provider indicated on the birth certificate that ultrasound was performed during labor and delivery.

Nativity Table 6: Fertility and Family Planning in Minnesota by CHS Agency, 2005

	Pregnancies		Abortions			Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate	Ratio		
Aitkin, Itasca, Koochiching	774	59.6	**	*	**	5.6	3.5
Mahnomen, Norman	191	92.3	**	*	**	5.3	7.4
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,082	68.9	39	2.5	0.04	5.6	5.9
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	554	72.5	36	4.5	0.07	4.8	3.1
Brown, Nicollet	743	60.5	82	6.7	0.12	5.2	4.3
Carlton, Cook, Lake, St. Louis	3,158	63.8	456	9.2	0.17	4.1	2.5
Cass, Morrison, Todd, Wadena	1,445	76.4	67	3.6	0.05	8.0	3.9
Clay, Wilkin	786	52.5	**	*	**	3.7	6.9
Cottonwood, Jackson	251	63.8	**	*	**	7.9	5.0
Dodge, Steele	840	72.5	50	4.3	0.06	4.4	2.7
Grant, Pope, Traverse, Stevens	348	58.7	**	*	**	3.3	3.1
Faribault, Martin	442	73.5	28	4.7	0.07	4.1	4.4
Houston, Fillmore	545	71.3	29	3.8	0.06	7.2	5.6
Isanti, Mille Lacs	981	68.9	100	7.0	0.11	4.5	2.6
Kanabec, Pine	547	61.3	44	4.9	0.09	4.7	3.8
Kittson, Marshall, Pennington, Red Lake, Roseau	588	64.5	**	*	**	6.0	5.4
Le Sueur, Waseca	691	75.6	64	6.8	0.10	5.1	2.6
Lincoln, Lyon, Murray, Pipestone	657	71.0	30	3.3	0.05	4.5	2.1
Meeker, McLeod, Sibley	1,132	76.7	75	5.0	0.07	5.6	2.6
Nobles, Rock	456	86.7	**	*	**	4.4	3.5
Redwood, Renville	409	73.1	24	4.3	0.06	7.3	2.8

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number, rate or ratio not reported if number of events is less than 6 for one of the counties.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Abortion Ratio: Number of abortions/Number of births

Four or More Births: Births to women with four or more previous live births

Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates by CHS Agency, 2003-2005

CHS Agency	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
Aitkin, Itasca, Koochiching	12.5	58.2	29.6	14.9	68.8	35.1
Mahnomen, Norman	*	93.0	43.9	*	95.2	44.7
Beltrami, Clearwater, Hubbard, Lake of the Woods	23.0	73.6	44.7	25.1	78.9	48.2
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	9.6	50.1	24.4	13.4	59.0	30.1
Brown, Nicollet	9.1	24.3	17.3	13.3	31.7	23.2
Carlton, Cook, Lake, St. Louis	14.3	37.0	25.3	20.7	47.9	33.9
Cass, Morrison, Todd, Wadena	16.5	75.6	37.5	19.6	81.7	41.6
Clay, Wilkin	11.2	17.0	14.7	12.0	18.1	15.6
Cottonwood, Jackson	*	45.2	20.5	*	47.5	21.7
Dodge, Steele	12.6	58.5	29.5	16.4	66.4	34.9
Grant, Pope, Traverse, Stevens	*	21.0	13.6	*	21.9	14.3
Faribault, Martin	11.4	63.1	29.9	13.4	72.6	34.6
Houston, Fillmore	6.7	36.8	17.5	8.0	44.6	21.2
Isanti, Mille Lacs	12.9	62.6	30.3	19.0	77.2	39.4
Kanabec, Pine	13.6	78.7	36.6	18.5	91.2	44.1
Kittson, Marshall, Pennington, Red Lake, Roseau	7.9	52.1	23.6	8.7	55.2	25.2
Le Sueur, Waseca	14.1	51.4	27.4	17.2	57.6	31.6
Lincoln, Lyon, Murray, Pipestone	13.4	38.4	24.4	14.7	40.9	26.2
Meeker, McLeod, Sibley	14.4	66.7	32.8	17.2	78.2	38.7
Nobles, Rock	17.8	80.1	40.2	17.8	85.4	42.1
Redwood, Renville	12.2	54.7	27.2	13.8	64.3	31.7

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
by CHS Agency, 2005**

CHS Agency	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
Aitkin, Itasca, Koochiching	40.2	10.3	23.3	10.0	32.8	57.1
Mahnomen, Norman	53.2	10.6	31.0	14.5	41.4	44.1
Beltrami, Clearwater, Hubbard, Lake of the Woods	46.7	15.8	25.6	14.4	36.7	48.9
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	29.6	8.5	16.2	9.7	26.9	63.4
Brown, Nicollet	26.6	7.1	11.7	6.7	25.2	68.1
Carlton, Cook, Lake, St. Louis	38.4	7.8	22.0	8.1	29.3	62.6
Cass, Morrison, Todd, Wadena	36.2	8.3	22.3	12.6	37.0	50.5
Clay, Wilkin	26.1	10.5	13.1	7.6	20.9	71.6
Cottonwood, Jackson	25.5	4.9	14.9	10.7	30.0	59.3
Dodge, Steele	28.6	8.2	13.1	9.4	31.1	59.5
Grant, Pope, Traverse, Stevens	21.8	5.4	11.3	4.2	27.5	68.3
Faribault, Martin	36.4	8.3	19.6	11.3	33.6	55.2
Houston, Fillmore	24.3	16.0	10.3	9.9	25.7	64.4
Isanti, Mille Lacs	32.1	6.5	16.4	9.4	33.8	56.9
Kanabec, Pine	37.9	7.5	24.0	13.1	37.6	49.4
Kittson, Marshall, Pennington, Red Lake, Roseau	25.7	5.6	13.7	6.3	33.1	60.6
Le Sueur, Waseca	32.0	9.3	11.3	10.9	26.5	62.6
Lincoln, Lyon, Murray, Pipestone	24.2	7.5	10.4	7.9	23.2	68.9
Meeker, McLeod, Sibley	25.6	5.8	13.8	10.4	37.3	52.3
Nobles, Rock	37.3	9.6	7.1	29.6	21.4	49.0
Redwood, Renville	30.7	6.3	15.3	14.1	35.3	50.7

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

Nativity Table 9: Race and Ethnicity of Mother in Minnesota by CHS Agency, 2005

CHS Agency	Race** of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
Aitkin, Itasca, Koochiching	91.4	0.3	7.1	0.3	1.0	1.1	98.9
Mahnomen, Norman	63.2	0.0	34.1	0.5	2.2	3.2	96.8
Beltrami, Clearwater, Hubbard, Lake of the Woods	72.8	0.3	24.8	0.7	1.5	0.8	99.2
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	91.3	0.6	2.5	1.0	4.7	6.6	93.4
Brown, Nicollet	91.6	2.1	0.0	1.7	4.6	6.3	93.8
Carlton, Cook, Lake, St. Louis	92.0	1.3	5.2	0.7	0.7	1.1	98.9
Cass, Morrison, Todd, Wadena	89.2	0.6	9.0	0.5	0.7	2.8	97.2
Clay, Wilkin	90.8	0.7	3.0	0.9	4.7	4.8	95.2
Cottonwood, Jackson	90.1	0.4	1.2	3.3	4.9	6.2	93.8
Dodge, Steele	86.8	3.3	0.3	1.4	8.2	9.0	91.1
Grant, Pope, Traverse, Stevens	94.0	1.8	1.5	1.2	1.5	2.4	97.6
Faribault, Martin	92.5	0.2	0.0	1.0	6.3	8.3	91.8
Houston, Fillmore	99.4	0.2	0.2	0.2	0.0	0.0	100.0
Isanti, Mille Lacs	93.7	0.5	3.8	1.3	0.8	1.8	98.2
Kanabec, Pine	93.8	0.6	4.4	0.8	0.4	0.6	99.4
Kittson, Marshall, Pennington, Red Lake, Roseau	91.9	0.2	2.5	2.1	3.3	3.3	96.7
Le Sueur, Waseca	88.0	1.0	0.3	0.2	10.6	10.5	89.5
Lincoln, Lyon, Murray, Pipestone	88.6	2.4	0.2	3.1	5.8	5.6	94.4
Meeker, McLeod, Sibley	88.9	0.9	0.2	1.1	9.0	10.5	89.5
Nobles, Rock	64.3	0.7	0.0	4.0	31.0	32.4	67.6
Redwood, Renville	87.0	0.3	5.0	2.1	5.7	9.7	90.3

**Because the race coding of 2004 data was done by the National Center for Health Statistics rather than in-house, a significant difference is seen in the 'Other' race category for birth records and impacts the reported number of births to White mothers. Prior to 2004, when coding a record where a Hispanic ethnicity was entered in the race field (in addition to the separate Hispanic ethnicity field), that record was coded as White. In 2004, however, those records were coded as 'Other', thus greatly increasing that category and reducing the number of White births. This was the case in over 4,200 birth records.

Section C: Mortality Tables

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

State of Minnesota - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	1	26	22	2	0	51
Alzheimer's Disease	0	0	0	1	12	60	1,246	1,319
Atherosclerosis	0	0	0	0	2	9	125	136
Cancer	4	14	22	243	2,174	2,037	4,328	8,822
Cirrhosis	0	0	1	38	156	73	52	320
Congenital Anomalies	110	10	3	22	35	7	14	201
Chronic Lower Respiratory Disease	0	1	2	10	211	397	1,340	1,961
Diabetes	0	1	4	37	214	186	817	1,259
Heart Disease	2	2	14	164	1,074	979	5,680	7,915
Homicide	4	3	40	49	31	7	5	139
Hypertension	0	0	0	3	54	65	418	540
Nephritis	0	0	1	9	40	81	528	659
Perinatal Conditions	158	1	1	0	0	0	1	161
Pneumonia and Influenza	1	0	2	9	49	45	739	845
Septicemia	3	1	0	15	36	44	163	262
SIDS	44	0	0	0	0	0	0	44
Stroke	1	2	2	46	187	256	1,878	2,372
Suicide	0	11	94	182	190	29	38	544
Unintentional Injury	34	32	208	386	395	129	731	1,915
Other	44	23	37	265	952	874	5,838	8,033
Total	405	101	432	1,505	5,834	5,280	23,941	37,498

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	11	18	21	50
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	5	8
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	0	0	7	6	23	36
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	7	8
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	15	15
Suicide	0	0	1	0	3	1	0	5
Unintentional Injury	0	0	1	1	2	0	3	7
Other	0	0	1	0	4	5	21	31
Total	1	0	3	2	30	32	108	176

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Anoka County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	23	24
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	3	0	19	130	101	145	398
Cirrhosis	0	0	0	3	6	6	0	15
Congenital Anomalies	10	1	0	2	2	0	0	15
Chronic Lower Respiratory Disease	0	0	0	0	11	26	49	86
Diabetes	0	0	0	0	11	3	26	40
Heart Disease	0	1	0	5	49	43	156	254
Homicide	1	0	3	2	0	1	0	7
Hypertension	0	0	0	0	4	4	20	28
Nephritis	0	0	0	0	2	1	22	25
Perinatal Conditions	8	0	0	0	0	0	0	8
Pneumonia and Influenza	0	0	0	2	2	3	15	22
Septicemia	0	0	0	3	1	3	6	13
SIDS	3	0	0	0	0	0	0	3
Stroke	0	1	0	3	14	14	44	76
Suicide	0	0	6	12	10	1	1	30
Unintentional Injury	3	3	12	16	23	10	43	110
Other	4	4	4	22	52	49	198	333
Total	29	13	25	90	317	266	751	1,491

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	14	16	32	63
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	15	19
Diabetes	0	0	0	0	0	2	5	7
Heart Disease	0	0	0	1	14	8	59	82
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	2	3	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	4	15	19
Suicide	0	0	2	0	1	2	0	5
Unintentional Injury	0	1	2	7	3	4	2	19
Other	0	0	0	2	9	10	58	79
Total	3	1	5	11	42	54	207	323

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

ICD-10 Codes on Page C-45

Beltrami County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	13	13
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	21	19	36	77
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	5	9	17
Diabetes	0	0	0	1	3	2	5	11
Heart Disease	0	0	0	0	11	14	42	67
Homicide	1	1	4	4	2	1	0	13
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	2	4	6
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	3	10	16
Suicide	0	1	6	2	3	1	0	13
Unintentional Injury	0	0	4	7	6	0	7	24
Other	1	0	0	4	8	8	47	68
Total	5	2	14	20	61	58	180	340

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	15	14	32	62
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	4	15	20
Diabetes	0	0	0	0	2	1	10	13
Heart Disease	0	0	0	4	7	6	82	99
Homicide	0	0	1	1	1	0	0	3
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	1	0	8	9
Septicemia	0	0	0	2	0	2	1	5
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	0	0	20	20
Suicide	0	0	0	1	0	0	1	2
Unintentional Injury	0	0	3	5	1	1	8	18
Other	0	0	0	2	9	2	36	49
Total	9	0	4	16	40	31	235	335

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Big Stone County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	7	13	27
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	1	2	23	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	8	11
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	0	0	0	0	2
Other	0	0	0	0	1	0	6	7
Total	0	0	2	0	12	12	59	85

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	4	15	19
Atherosclerosis	0	0	0	0	0	1	6	7
Cancer	0	0	1	6	23	31	42	103
Cirrhosis	0	0	0	0	3	2	2	7
Congenital Anomalies	0	1	0	1	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	1	2	4	16	23
Diabetes	0	1	0	1	0	3	5	10
Heart Disease	0	0	0	0	13	11	65	89
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	2	7	10
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	0	20	22
Suicide	0	0	0	3	3	0	3	9
Unintentional Injury	0	0	2	3	7	2	8	22
Other	0	0	0	1	9	8	77	95
Total	0	2	3	17	63	68	276	429

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Brown County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	13	43	65
Cirrhosis	0	0	0	0	1	0	2	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	1	8	11
Diabetes	0	0	0	0	3	2	11	16
Heart Disease	0	0	0	0	2	5	49	56
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	17	20
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	2	2	0	1	5	10
Other	0	0	0	2	3	3	38	46
Total	2	0	3	4	24	29	188	250

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	7	8
Atherosclerosis	0	0	0	0	0	1	9	10
Cancer	0	0	0	1	18	14	34	67
Cirrhosis	0	0	0	0	2	1	1	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	3	17	23
Diabetes	0	0	0	0	2	2	9	13
Heart Disease	0	0	0	4	10	9	56	79
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	8	9
Septicemia	0	0	0	0	0	2	3	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	12	14
Suicide	0	0	1	3	1	0	0	5
Unintentional Injury	0	0	0	2	7	0	6	15
Other	2	0	0	1	8	7	50	68
Total	2	0	1	11	53	43	216	326

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Carver County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	9	10
Atherosclerosis	0	0	0	0	0	0	4	4
Cancer	0	1	0	6	15	27	39	88
Cirrhosis	0	0	0	0	0	2	1	3
Congenital Anomalies	1	0	0	0	2	0	1	4
Chronic Lower Respiratory Disease	0	0	0	0	2	6	14	22
Diabetes	0	0	0	0	1	3	6	10
Heart Disease	0	0	1	2	6	12	48	69
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	0	0	1	7	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	17	21
Suicide	0	1	0	2	1	0	0	4
Unintentional Injury	3	0	0	3	6	1	5	18
Other	1	0	0	1	8	8	51	69
Total	5	2	1	14	42	66	212	342

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	4	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	23	18	26	69
Cirrhosis	0	0	0	0	3	1	0	4
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	7	11
Diabetes	0	0	0	0	0	2	4	6
Heart Disease	0	0	1	2	10	17	35	65
Homicide	0	0	2	0	1	0	0	3
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	1	0	1	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	3	5
Septicemia	0	0	0	0	0	0	2	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	4	5	11	21
Suicide	0	0	1	0	3	0	0	4
Unintentional Injury	0	0	2	5	2	3	3	15
Other	0	0	0	3	12	10	47	72
Total	2	0	6	14	60	62	148	292

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Chippewa County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	7	4	22	34
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	9	12
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	3	2	29	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	1	3	1	38	43
Total	0	0	1	2	13	11	122	149

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	4	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	1	2	15	21	37	77
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	0	1	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	4	10	17
Diabetes	0	0	1	0	2	2	12	17
Heart Disease	0	0	0	2	12	11	38	63
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	1	3	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	12	12
Septicemia	0	0	0	0	0	0	4	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	5	2	15	22
Suicide	0	0	1	2	0	1	0	4
Unintentional Injury	1	1	4	6	5	2	9	28
Other	0	0	0	3	10	7	43	63
Total	1	3	7	15	57	53	190	326

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Clay County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	7	8
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	16	17	63	97
Cirrhosis	0	0	0	0	0	2	2	4
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	3	12	18
Diabetes	0	0	1	0	1	1	11	14
Heart Disease	1	0	0	2	10	12	71	96
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	1	2	3	13	19
Septicemia	0	0	0	0	0	0	0	0
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	1	4	18	23
Suicide	0	0	2	3	3	0	0	8
Unintentional Injury	1	1	1	5	6	2	7	23
Other	1	1	1	3	6	2	59	73
Total	9	2	5	15	49	47	270	397

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	7	8	20
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	1	1	6	8
Heart Disease	0	0	0	0	2	4	20	26
Homicide	0	0	0	0	2	0	0	2
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	1	3
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	1	1	1	0	1	1	5
Other	0	0	0	0	0	1	20	21
Total	0	1	1	1	12	17	68	100

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Cook County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	2	6	10
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	0	3	5	8
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	0	1
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	0	3	1	6	10
Total	0	0	0	0	6	7	23	36

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	8	19	30
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	3	3
Diabetes	0	0	0	0	1	1	6	8
Heart Disease	0	0	0	0	3	5	34	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	6	8
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	3	2	2	1	0	2	10
Other	0	0	1	1	2	1	24	29
Total	2	3	4	3	12	16	114	154

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Crow Wing County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	2	1	12	15
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	23	31	67	123
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	2	0	0	0	0	1	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	8	24	35
Diabetes	0	0	0	0	2	4	11	17
Heart Disease	0	0	0	4	16	11	81	112
Homicide	0	0	0	1	1	0	0	2
Hypertension	0	0	0	0	2	1	8	11
Nephritis	0	0	0	0	1	2	11	14
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	1	8	10
Septicemia	0	0	0	0	1	0	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	3	3	32	38
Suicide	0	0	1	3	1	0	0	5
Unintentional Injury	0	0	5	6	9	0	19	39
Other	2	1	0	4	13	10	59	89
Total	7	1	6	20	80	73	335	522

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	2	0	0	5
Alzheimer's Disease	0	0	0	0	0	2	63	65
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	1	1	12	182	133	203	532
Cirrhosis	0	0	0	0	6	4	1	11
Congenital Anomalies	10	1	0	0	1	2	0	14
Chronic Lower Respiratory Disease	0	0	0	0	14	17	59	90
Diabetes	0	0	1	3	8	14	47	73
Heart Disease	0	0	1	9	63	48	232	353
Homicide	0	0	1	2	3	1	0	7
Hypertension	0	0	0	0	2	3	15	20
Nephritis	0	0	0	0	0	3	26	29
Perinatal Conditions	16	0	0	0	0	0	0	16
Pneumonia and Influenza	0	0	0	0	5	0	29	34
Septicemia	0	0	0	1	3	1	8	13
SIDS	3	0	0	0	0	0	0	3
Stroke	0	1	0	5	10	16	77	109
Suicide	0	1	5	16	11	2	1	36
Unintentional Injury	1	1	19	21	19	5	33	99
Other	3	1	1	25	62	41	262	395
Total	33	6	29	97	391	292	1,059	1,907

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Dodge County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	5	7	16	29
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	1	3	9	13
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	1	4	24	29
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	1	0	1	1	0	0	3
Unintentional Injury	0	0	3	1	1	2	2	9
Other	0	0	0	0	2	3	18	23
Total	6	1	4	3	12	19	84	129

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	17	18
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	25	17	42	86
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	4	16	20
Diabetes	0	0	0	0	0	1	4	5
Heart Disease	0	0	0	1	13	8	76	98
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	6	19	27
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	2	1	2	0	5	10
Other	0	0	0	1	6	6	34	47
Total	2	0	2	7	48	44	228	331

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Faribault County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	13
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	9	11	29	49
Cirrhosis	0	0	0	0	0	2	0	2
Congenital Anomalies	1	1	0	0	0	1	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	0	5	7
Diabetes	0	0	0	0	0	2	7	9
Heart Disease	0	0	0	0	8	7	49	64
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	13	13
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	3	0	5	9
Other	0	0	0	1	1	5	24	31
Total	1	1	1	1	23	30	160	217

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	21	21
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	0	14	10	22	46
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	2	1	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	1	5	13	19
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	1	5	2	46	54
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	6	6
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	21	23
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	3	3	0	6	12
Other	0	0	0	0	2	3	39	44
Total	3	1	0	5	27	22	189	247

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Freeborn County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	17
Atherosclerosis	0	0	0	0	0	0	6	6
Cancer	0	0	1	2	16	15	40	74
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	5	14	21
Diabetes	0	0	0	0	3	4	4	11
Heart Disease	0	0	0	3	7	12	84	106
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	6	6
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	7	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	25	26
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	1	4	1	0	5	11
Other	1	0	0	2	7	6	58	74
Total	1	0	2	13	41	44	267	368

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	2	19	31	57	109
Cirrhosis	0	0	0	2	1	1	0	4
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	25	29
Diabetes	0	0	0	0	1	5	12	18
Heart Disease	0	0	0	1	5	6	87	99
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	6	6
Nephritis	0	0	0	0	1	0	9	10
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	1	21	25
Suicide	0	0	0	0	0	1	1	2
Unintentional Injury	0	0	4	4	2	2	16	28
Other	0	1	0	4	8	7	67	87
Total	3	1	4	14	41	57	324	444

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

ICD-10 Codes on Page C-45

Grant County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	2	1	3	11	17
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	1	1	0	3	5
Heart Disease	0	0	0	0	1	2	19	22
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	1	3
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	0	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	0	0
Other	0	0	0	0	0	1	20	21
Total	0	0	0	3	4	11	66	84

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	1	13	10	1	0	25
Alzheimer's Disease	0	0	0	1	2	8	216	227
Atherosclerosis	0	0	0	0	0	4	23	27
Cancer	1	3	2	54	461	383	865	1,769
Cirrhosis	0	0	0	13	37	13	14	77
Congenital Anomalies	22	3	1	5	10	0	3	44
Chronic Lower Respiratory Disease	0	0	1	4	52	69	246	372
Diabetes	0	0	0	8	49	51	146	254
Heart Disease	0	0	1	51	232	143	893	1,320
Homicide	0	1	20	24	8	3	1	57
Hypertension	0	0	0	2	18	22	94	136
Nephritis	0	0	1	0	13	27	120	161
Perinatal Conditions	42	0	0	0	0	0	0	42
Pneumonia and Influenza	0	0	0	2	12	6	140	160
Septicemia	1	1	0	5	10	9	28	54
SIDS	5	0	0	0	0	0	0	4
Stroke	1	0	0	14	37	52	332	436
Suicide	0	2	13	48	43	8	5	119
Unintentional Injury	11	5	19	82	82	25	194	418
Other	6	5	10	55	234	200	1,416	1,926
Total	89	20	69	381	1,310	1,024	4,736	7,629

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Houston County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	8
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	0	0	2	8	7	17	34
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	1	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	2	2	11	15
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	3	4	30	37
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	12	14
Suicide	0	0	0	2	0	0	0	2
Unintentional Injury	0	0	2	0	2	1	1	6
Other	1	0	0	2	3	5	32	43
Total	1	0	2	7	20	23	133	186

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	11	9	20	41
Cirrhosis	0	0	1	0	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	5	6
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	0	0	6	7	29	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	1	2	0	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	1	5	8
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	4	4	2	1	11
Other	0	0	0	0	5	4	21	30
Total	1	0	1	6	32	25	93	158

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Isanti County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	7	9
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	17	11	23	52
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	9	13
Diabetes	0	0	0	0	2	0	3	5
Heart Disease	0	0	0	0	3	16	41	60
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	6	8
Septicemia	0	0	0	0	0	0	4	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	2	19	22
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	0	2	3	4	1	4	14
Other	0	0	0	1	3	5	31	40
Total	0	0	2	9	35	42	155	243

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	18	20
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	34	29	40	105
Cirrhosis	0	0	0	1	2	2	1	6
Congenital Anomalies	1	1	1	1	0	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	4	6	22	32
Diabetes	0	0	0	1	0	4	10	15
Heart Disease	0	0	1	1	12	19	76	109
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	8	8
Nephritis	0	0	0	0	1	2	4	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	3	1	11	15
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	4	25	29
Suicide	0	0	1	1	3	0	1	6
Unintentional Injury	0	0	1	6	6	1	11	25
Other	0	0	0	1	9	17	46	73
Total	1	1	4	14	75	87	275	457

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Jackson County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	8	19	32
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	0	5	6
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	1	1	3	28	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	5	6
Other	0	1	0	0	0	2	20	23
Total	1	1	0	2	8	15	98	125

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	5	19	16	41
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	3	5
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	1	3	3	28	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	2	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	1	0	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	0	3	4
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	2	1	5	1	2	2	2	15
Other	0	0	0	2	4	3	13	22
Total	4	1	6	4	17	32	73	137

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Kandiyohi County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	19	20
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	1	0	4	13	16	51	85
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	10	13
Diabetes	0	0	1	0	1	1	10	13
Heart Disease	0	0	0	2	17	11	42	72
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	7	20	29
Suicide	0	0	1	2	0	0	0	3
Unintentional Injury	1	0	1	4	4	1	9	20
Other	0	1	0	1	5	9	65	81
Total	1	2	3	13	42	51	246	358

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	3	1	4	9
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	4	5	20	29
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	7	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	0	1	1	1	0	3
Other	0	0	0	0	1	1	7	9
Total	0	0	1	1	10	10	51	73

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Koochiching County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	6	10	25	42
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	6	10
Diabetes	0	0	0	0	1	1	6	8
Heart Disease	0	0	0	1	9	8	33	51
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	9	12
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	0	2	1	0	3	6
Other	0	0	1	1	1	3	21	27
Total	1	0	1	6	24	27	110	169

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	2	5	16	24
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	4	5
Diabetes	0	0	0	0	0	0	8	8
Heart Disease	0	0	0	0	2	3	21	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	2	3
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	0	1	1	4	7
Other	0	0	0	0	2	1	22	25
Total	0	0	1	1	10	12	86	110

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Lake County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	17	18
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	1	7	9	18	36
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	6	10
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	4	3	25	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	5	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	1	0	1	3
Other	0	0	0	0	3	3	29	35
Total	1	0	1	4	17	20	108	151

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	5	9	18
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	2	4
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	5	3	8	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	3	4
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	0	2	0	1	1	4
Other	0	0	0	0	0	1	4	5
Total	0	0	0	2	12	11	35	60

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Le Sueur County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	15	18	43
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	9	11
Diabetes	0	0	0	0	1	2	4	7
Heart Disease	0	0	1	1	10	5	50	67
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	7	8
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	7	8
Suicide	0	0	0	3	1	0	1	5
Unintentional Injury	0	0	1	4	1	0	3	9
Other	0	0	1	0	4	6	15	26
Total	0	0	3	9	30	34	122	198

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	4	16	21
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	3	0	20	23
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	10	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	3	0	3	7
Other	0	0	0	0	2	1	20	23
Total	1	0	1	0	10	6	89	107

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Lyon County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	1	7	12	37	58
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	7	11
Diabetes	0	0	0	1	0	0	6	7
Heart Disease	0	0	0	1	4	6	41	52
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	1	0	0	0	0	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	20	23
Suicide	0	0	2	0	1	0	0	3
Unintentional Injury	0	0	2	2	1	1	3	9
Other	0	0	0	0	3	3	33	39
Total	1	0	5	5	22	27	166	226

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomen County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	1	4	8	15
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	3	5
Diabetes	0	0	0	0	1	0	0	1
Heart Disease	0	0	0	0	1	3	9	13
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	0	0	0	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	0	1
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	0	0	0	2
Other	0	0	0	0	1	1	3	5
Total	0	1	1	3	6	9	30	50

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Marshall County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	4	9	13
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	4	7	16	27
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	1	3	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	0	0	2	3
Other	0	0	0	1	2	2	12	17
Total	1	0	0	3	8	14	57	83

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	17	17
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	7	7	40	55
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	5	7	13
Diabetes	0	0	0	0	4	1	12	17
Heart Disease	0	0	0	2	8	12	50	72
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	2	2	4
Perinatal Conditions	2	0	1	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	0	8	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	10	12
Suicide	0	0	1	0	1	0	1	3
Unintentional Injury	0	0	0	2	4	1	5	12
Other	1	1	0	1	3	12	29	47
Total	3	1	2	6	29	41	185	267

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

McLeod County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	6	7
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	2	13	16	33	64
Cirrhosis	0	0	0	0	0	0	2	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	1	0	2	5	11	19
Diabetes	0	0	0	1	4	2	15	22
Heart Disease	0	0	0	0	1	5	53	59
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	6	7
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	8	10
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	2	17	20
Suicide	0	0	1	0	1	1	0	3
Unintentional Injury	0	2	2	2	6	0	5	17
Other	0	0	0	1	9	3	36	49
Total	1	2	4	6	38	39	200	290

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	8	10
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	2	12	8	29	51
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	9	13
Diabetes	0	0	0	1	2	2	4	9
Heart Disease	0	0	0	1	5	6	35	47
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	19	21
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	1	2	0	4	9
Other	0	1	0	0	1	7	36	45
Total	0	1	2	5	24	31	159	222

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Mille Lacs County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	14	19	24	58
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	8	12
Diabetes	0	0	0	2	1	1	8	12
Heart Disease	0	0	0	2	10	0	40	52
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	1	1	3	5
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	15	18
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	2	5	2	1	3	13
Other	0	0	0	1	4	8	38	51
Total	2	0	2	13	37	34	154	242

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	15	15
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	18	10	39	69
Cirrhosis	0	0	0	2	2	0	0	4
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	7	16	24
Diabetes	0	0	0	0	1	1	12	14
Heart Disease	0	0	0	2	5	6	53	66
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	1	3
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	7	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	20	24
Suicide	0	0	0	1	0	0	1	2
Unintentional Injury	0	0	3	5	5	2	3	18
Other	0	0	0	1	5	3	29	38
Total	3	0	3	14	39	34	202	295

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Mower County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	0	21	23	51	95
Cirrhosis	0	0	0	0	2	1	1	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	7	19	27
Diabetes	0	0	0	0	1	2	3	6
Heart Disease	0	0	0	1	8	7	88	104
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	5	7
Nephritis	0	0	0	0	1	2	12	15
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	2	1	18	22
Septicemia	0	0	0	1	0	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	20	24
Suicide	0	0	2	2	3	1	3	11
Unintentional Injury	0	0	1	2	0	1	9	13
Other	0	0	0	1	4	8	61	74
Total	0	0	3	8	45	57	304	417

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	9	10	22
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	6	6
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	2	1	25	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	4	5
Suicide	0	0	1	0	2	0	1	4
Unintentional Injury	0	0	1	2	1	0	1	5
Other	0	0	0	1	2	1	9	13
Total	0	0	2	4	12	12	63	93

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Nicollet County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	0	1	1	10	6	22	40
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	2	0	0	0	0	1	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	3	8	11
Diabetes	0	0	0	0	2	1	4	7
Heart Disease	0	0	0	0	2	9	44	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	2	8	11
Suicide	0	0	0	2	0	0	0	2
Unintentional Injury	0	0	0	2	0	1	6	9
Other	0	0	0	2	2	6	39	49
Total	4	0	1	8	17	31	146	207

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	7	8
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	8	9	18	37
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	6	8
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	1	5	27	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	1	0	5	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	2	11	14
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	1	1	2	5
Other	0	0	0	1	6	4	34	45
Total	3	0	0	5	18	23	120	169

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Norman County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	8	11	22
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	1	1	2	22	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	1	1	0	2	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	1	0	0	1	1	0	0	3
Other	0	0	0	0	2	3	14	19
Total	1	0	0	3	11	16	74	105

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	1	0	0	2
Alzheimer's Disease	0	0	0	0	0	0	30	30
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	3	55	48	96	202
Cirrhosis	0	0	0	1	5	0	0	6
Congenital Anomalies	5	0	0	0	1	1	0	7
Chronic Lower Respiratory Disease	0	0	0	0	9	4	46	59
Diabetes	0	0	0	3	0	3	7	13
Heart Disease	0	0	0	4	39	25	109	177
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	11	11
Nephritis	0	0	0	0	0	1	9	10
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	10	11
Septicemia	0	0	0	0	1	2	4	7
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	3	3	4	36	46
Suicide	0	1	2	4	5	1	1	14
Unintentional Injury	0	0	3	3	8	5	15	34
Other	2	1	1	6	25	20	129	184
Total	10	2	6	28	153	114	505	818

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Otter Tail County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	34	34
Atherosclerosis	0	0	0	0	0	0	10	10
Cancer	0	0	0	2	32	39	75	148
Cirrhosis	0	0	0	1	2	0	1	4
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	5	6	20	31
Diabetes	0	0	0	1	2	2	17	22
Heart Disease	0	0	0	0	17	29	101	147
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	1	4	5
Nephritis	0	0	0	0	0	1	9	10
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	23	24
Septicemia	0	0	0	0	0	3	3	6
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	45	50
Suicide	0	0	1	3	1	0	1	6
Unintentional Injury	0	0	3	3	5	4	8	23
Other	0	1	0	5	15	15	88	124
Total	1	1	5	15	83	103	439	647

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	5	3	17	26
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	5	6
Diabetes	0	0	0	0	3	1	2	6
Heart Disease	0	0	0	0	6	3	23	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	6	8
Suicide	0	0	0	2	2	0	0	4
Unintentional Injury	0	0	3	0	3	2	0	8
Other	0	0	0	1	4	4	28	37
Total	0	0	3	4	25	16	86	134

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Pine County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	19	20	28	68
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	2	5	9
Diabetes	0	0	0	0	4	1	4	9
Heart Disease	0	0	1	0	14	14	34	63
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	2	0	3	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	0	0	4	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	3	1	11	16
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	4	4	1	1	4	14
Other	0	0	0	0	6	6	30	42
Total	1	0	5	7	52	47	134	246

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	1	5	20	27
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	7	10
Diabetes	0	0	0	0	0	0	7	7
Heart Disease	0	0	0	0	0	1	25	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	9	11
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	1	2	0	4	7
Other	0	0	0	1	2	3	17	23
Total	0	0	0	3	11	12	105	131

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Polk County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	26	27
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	1	0	0	3	14	12	36	66
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	3	0	0	0	0	0	1	4
Chronic Lower Respiratory Disease	0	0	0	0	1	3	10	14
Diabetes	0	0	0	0	1	1	14	16
Heart Disease	0	0	0	1	4	14	59	78
Homicide	0	0	0	2	0	0	0	2
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	2	16	20
Suicide	0	0	1	3	2	0	0	6
Unintentional Injury	0	1	0	3	3	0	4	11
Other	0	0	0	2	6	11	65	84
Total	5	1	1	14	34	45	245	345

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	2	6	8
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	1	0	0	3	5	18	27
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	8	11
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	5	4	29	38
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	11	11
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	1	1	0	3
Other	1	0	0	0	0	1	32	34
Total	1	1	0	1	12	15	115	145

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Ramsey County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	3	0	0	6
Alzheimer's Disease	0	0	0	0	3	5	125	133
Atherosclerosis	0	0	0	0	1	0	4	5
Cancer	0	1	4	28	241	194	438	906
Cirrhosis	0	0	0	3	20	8	5	36
Congenital Anomalies	12	0	1	1	2	0	1	17
Chronic Lower Respiratory Disease	0	0	0	3	18	40	130	191
Diabetes	0	0	0	3	28	20	67	118
Heart Disease	1	0	1	23	108	74	461	668
Homicide	2	0	5	9	5	1	0	22
Hypertension	0	0	0	1	4	4	63	72
Nephritis	0	0	0	3	5	8	58	74
Perinatal Conditions	20	1	0	0	0	0	1	22
Pneumonia and Influenza	1	0	0	0	2	8	72	83
Septicemia	1	0	0	3	5	3	21	33
SIDS	7	0	0	0	0	0	0	7
Stroke	0	0	1	7	29	30	227	294
Suicide	0	1	8	14	16	5	3	47
Unintentional Injury	1	1	17	46	35	6	57	163
Other	8	1	5	37	121	99	699	970
Total	53	5	42	184	646	505	2,432	3,867

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	1	3	8
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	1	1	0	2
Heart Disease	0	0	0	0	0	2	8	10
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	1	4
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	0	0	0	0	2	2
Other	0	0	0	0	0	1	13	14
Total	0	0	0	1	6	7	30	44

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

ICD-10 Codes on Page C-45

Redwood County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	8	11	22	42
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	10	11
Diabetes	0	0	0	0	3	0	8	11
Heart Disease	0	0	1	1	2	7	42	53
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	8	8
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	13	15
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	0	3	2	1	2	7	15
Other	0	0	0	0	2	3	24	29
Total	0	0	5	6	20	26	150	207

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	1	1	5	7	28	42
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	7	9
Diabetes	0	0	0	0	2	3	7	12
Heart Disease	0	0	0	1	3	9	34	47
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	8	8
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	8	9
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	2	0	1	3	8
Other	0	0	0	1	5	5	22	33
Total	0	0	4	5	17	29	126	181

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Rice County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	15	16
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	0	30	32	43	105
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	1	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	4	9	14
Diabetes	0	0	0	0	3	1	7	11
Heart Disease	0	0	1	2	14	10	70	97
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	1	8	10
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	11	12
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	19	23
Suicide	0	0	2	2	7	0	0	11
Unintentional Injury	0	0	4	2	9	2	11	28
Other	0	0	0	3	9	11	74	97
Total	1	0	7	10	78	66	273	435

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	7	4	11	25
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	3	5
Diabetes	0	0	0	0	1	0	0	1
Heart Disease	0	0	0	0	0	2	17	19
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	2	3
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	12	13
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	2	5	8
Other	0	0	0	0	4	1	15	20
Total	0	0	0	4	13	13	83	113

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Roseau County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	12	16	33
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	9	9
Diabetes	0	0	0	0	2	0	4	6
Heart Disease	0	0	0	0	2	4	25	31
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	0	0	7	8
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	1	1	1	1	0	3	7
Other	0	0	0	2	1	1	18	22
Total	1	1	2	3	14	18	91	130

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	2	16	18
Atherosclerosis	0	0	0	0	0	0	5	5
Cancer	0	0	0	4	46	26	56	132
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	1	6	13	20
Diabetes	0	0	0	2	0	0	11	13
Heart Disease	0	0	1	3	9	12	66	91
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	2	2	2	6
Nephritis	0	0	0	0	0	2	3	5
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	1	0	0	6	7
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	18	21
Suicide	0	1	7	3	4	0	0	15
Unintentional Injury	0	0	4	2	4	2	7	19
Other	0	0	1	6	13	11	53	84
Total	5	1	13	24	81	67	256	447

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Sherburne County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	2	0	0	2
Alzheimer's Disease	0	0	0	0	0	1	9	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	33	18	30	82
Cirrhosis	0	0	0	1	3	0	0	4
Congenital Anomalies	3	0	0	0	0	0	1	4
Chronic Lower Respiratory Disease	0	0	0	0	2	7	17	26
Diabetes	0	0	0	1	1	0	5	7
Heart Disease	0	0	0	2	10	9	55	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	2	6	10
Nephritis	0	0	0	1	0	1	3	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	2	2
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	2	3	21	27
Suicide	0	0	3	5	1	1	0	10
Unintentional Injury	0	0	3	6	9	1	12	31
Other	1	0	2	3	10	15	70	101
Total	8	0	8	21	75	58	235	405

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	9	8	24	41
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	2	6	37	45
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	10	12
Suicide	0	0	0	2	0	0	0	2
Unintentional Injury	0	0	0	1	0	1	1	3
Other	0	0	0	0	3	3	23	29
Total	1	0	0	3	15	20	110	149

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

St. Louis County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	4	91	95
Atherosclerosis	0	0	0	0	0	0	8	8
Cancer	1	0	0	8	92	88	242	431
Cirrhosis	0	0	0	2	14	3	2	21
Congenital Anomalies	5	0	0	1	4	0	0	10
Chronic Lower Respiratory Disease	0	0	0	1	12	25	66	104
Diabetes	0	0	0	0	15	6	55	76
Heart Disease	0	0	0	3	63	57	368	491
Homicide	0	0	1	0	3	0	0	4
Hypertension	0	0	0	0	4	0	16	20
Nephritis	0	0	0	1	4	0	23	28
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	1	1	2	41	45
Septicemia	0	0	0	0	3	0	11	14
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	6	15	100	122
Suicide	0	0	5	6	11	1	0	23
Unintentional Injury	1	4	7	18	14	7	32	83
Other	1	0	2	14	69	43	295	424
Total	11	4	15	56	315	251	1,350	2,002

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	1	1	20	22
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	8	53	38	87	187
Cirrhosis	0	0	0	1	3	1	2	7
Congenital Anomalies	2	0	0	1	1	1	0	5
Chronic Lower Respiratory Disease	0	0	0	0	4	12	39	55
Diabetes	0	0	0	0	6	3	15	24
Heart Disease	0	0	1	3	23	20	143	190
Homicide	0	0	0	0	1	0	2	3
Hypertension	0	0	0	0	2	2	8	12
Nephritis	0	0	0	0	0	2	9	11
Perinatal Conditions	10	0	0	0	0	0	0	10
Pneumonia and Influenza	0	0	1	0	1	1	10	13
Septicemia	0	0	0	0	1	1	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	1	44	49
Suicide	0	0	7	4	5	0	0	16
Unintentional Injury	0	0	5	9	9	2	21	46
Other	2	1	0	6	13	19	95	136
Total	14	1	15	33	127	104	498	792

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Steele County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	11	16	32	61
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	2	11	13
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	1	8	7	43	59
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	12	12
Septicemia	0	0	0	0	1	0	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	2	10	12
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	1	1	4	3	2	6	17
Other	0	0	0	0	2	2	38	42
Total	3	1	2	8	27	32	167	240

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	2	11	16
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	1	1	11	13
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	4	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	0	0	2	3
Other	0	0	0	0	3	1	9	13
Total	0	0	0	1	7	6	53	67

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Swift County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	6	21	33
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	0	4	5
Diabetes	0	0	0	0	1	0	3	4
Heart Disease	0	0	0	0	4	2	19	25
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	12	13
Suicide	0	0	0	0	2	1	0	3
Unintentional Injury	0	0	0	1	2	0	1	4
Other	0	0	1	0	3	0	15	19
Total	2	0	1	1	21	9	90	124

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	10	20	32	63
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	1	2	4	10	17
Diabetes	0	0	0	0	2	0	6	8
Heart Disease	0	0	0	0	6	7	41	54
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	4	5
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	12	14
Suicide	0	0	0	2	0	0	1	3
Unintentional Injury	1	2	4	0	0	0	3	10
Other	1	0	0	0	4	5	28	38
Total	5	2	4	4	25	41	147	228

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Traverse County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	1	1	7	10
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	0	2	14	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	0	0
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	2	0	0	1	3
Other	0	0	0	0	0	0	6	6
Total	0	0	0	3	2	4	33	42

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	6	24	34
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	1	0	6	7
Heart Disease	0	0	0	1	9	5	31	46
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	8	11
Suicide	0	0	0	1	4	0	0	5
Unintentional Injury	0	1	1	2	3	0	1	8
Other	1	0	0	3	2	2	28	36
Total	1	1	1	8	23	18	113	165

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2005

Wadena County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	12
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	10	19	34
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	0	0	0	2	7	6	40	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	1	16	17
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	4	2	3	9
Other	0	0	2	2	2	5	33	44
Total	1	0	2	5	21	26	143	198

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	8	19	30
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	1	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	2	3	8	13
Diabetes	0	0	0	0	1	3	5	9
Heart Disease	0	0	0	0	2	7	32	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	5	7
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	3	1	1	0	0	5
Other	0	0	1	0	3	5	25	34
Total	0	0	5	2	15	29	102	153

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Washington County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	2	0	0	4
Alzheimer's Disease	0	0	0	0	1	3	36	40
Atherosclerosis	0	0	0	0	0	0	4	4
Cancer	1	1	3	16	69	66	142	298
Cirrhosis	0	0	0	2	7	7	2	18
Congenital Anomalies	4	0	0	0	1	0	0	5
Chronic Lower Respiratory Disease	0	1	0	0	4	15	34	54
Diabetes	0	0	0	4	11	8	27	50
Heart Disease	0	1	1	2	37	27	143	211
Homicide	0	1	0	1	0	0	0	2
Hypertension	0	0	0	0	2	4	14	20
Nephritis	0	0	0	0	1	2	16	19
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	1	0	1	1	13	16
Septicemia	0	0	0	0	2	0	3	5
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	4	5	12	47	68
Suicide	0	1	3	3	10	0	4	21
Unintentional Injury	3	1	6	13	12	1	14	50
Other	2	2	2	8	28	31	156	229
Total	17	8	16	55	193	177	655	1,121

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	2	8	10	21
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	2	1	2	5
Heart Disease	0	0	1	1	2	2	24	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	0	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	0	1	1	0	1	3
Unintentional Injury	0	0	1	1	2	0	2	6
Other	0	0	0	0	1	0	15	16
Total	2	0	2	4	10	13	77	108

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Wilkin County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	4
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	0	0	0	4	2	6	12
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	1	0	0	3	4
Heart Disease	0	0	0	1	2	3	15	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	4	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	1	0	1
Other	0	0	0	0	1	4	10	15
Total	0	0	0	2	10	12	52	76

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	17	24	50	94
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	2	7	10
Diabetes	0	0	0	0	1	2	5	8
Heart Disease	0	0	0	0	7	18	70	95
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	1	0	1	3	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	1	0	6	7
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	4	2	17	23
Suicide	0	0	1	1	1	0	1	4
Unintentional Injury	0	0	0	1	4	1	7	13
Other	0	0	0	2	6	5	61	74
Total	4	0	1	8	43	55	252	363

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

Wright County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	1	1	36	38
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	7	38	34	61	140
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	4	6	18	28
Diabetes	0	0	0	1	7	0	10	18
Heart Disease	0	0	0	2	20	15	82	119
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	3	2	6	11
Nephritis	0	0	0	1	0	1	6	8
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	2	0	13	15
Septicemia	0	0	0	0	2	0	2	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	4	3	34	42
Suicide	0	1	1	6	6	0	3	17
Unintentional Injury	4	1	13	11	7	2	8	46
Other	2	0	0	7	16	15	70	110
Total	12	2	14	38	110	80	353	609

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - Leading Causes of Death by Age Group, 2005

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	4	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	11	2	11	24
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	2	6
Diabetes	0	0	0	1	1	1	6	9
Heart Disease	0	0	0	0	2	3	29	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	14	15
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	2	3	1	0	6
Other	0	0	0	0	5	0	19	24
Total	0	0	0	3	27	11	92	133

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2005**

ICD-10 Codes on Page C-45

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

State of Minnesota - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	1,025.0	1,550.5
Alzheimer's Disease	95.0	561.5
Atherosclerosis	10.0	80.5
Cancer	26,675.0	63,677.0
Cirrhosis	2,635.0	5,084.0
Congenital Anomalies	8,545.0	10,473.5
Chronic Lower Respiratory Disease	2,020.0	6,555.5
Diabetes	2,910.0	6,621.0
Heart Disease	14,865.0	33,437.5
Homicide	4,165.0	5,537.0
Hypertension	485.0	1,441.0
Nephritis	600.0	1,570.5
Perinatal Conditions	9,975.0	11,655.0
Pneumonia and Influenza	852.5	1,740.5
Septicemia	957.5	1,777.0
SIDS	2,750.0	3,212.0
Stroke	3,257.5	7,164.5
Suicide	12,425.0	17,593.0
Unintentional Injury	28,840.0	40,627.0
Other	21,995.0	40,672.0
Total	145,082.5	261,031.0

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	269.5
Cirrhosis	35.0	45.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	5.0	15.5
Heart Disease	55.0	161.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	70.0	117.5
Unintentional Injury	90.0	132.0
Other	75.0	155.0
Total	457.5	1,011.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Anoka County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	1,730.0	3,881.5
Cirrhosis	125.0	252.5
Congenital Anomalies	750.0	907.5
Chronic Lower Respiratory Disease	95.0	353.5
Diabetes	85.0	217.0
Heart Disease	675.0	1,489.0
Homicide	267.5	336.0
Hypertension	30.0	94.0
Nephritis	20.0	46.5
Perinatal Conditions	500.0	584.0
Pneumonia and Influenza	60.0	118.5
Septicemia	80.0	138.5
SIDS	187.5	219.0
Stroke	280.0	546.0
Suicide	730.0	1,029.5
Unintentional Injury	1,627.5	2,281.0
Other	1,750.0	2,922.5
Total	9,017.5	15,457.5

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	390.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	11.0
Heart Disease	155.0	356.5
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	0.0	22.0
Suicide	105.0	147.5
Unintentional Injury	385.0	543.5
Other	135.0	305.5
Total	1,162.5	2,110.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Beltrami County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	240.0	575.5
Cirrhosis	5.0	21.0
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	25.0	84.0
Diabetes	70.0	123.0
Heart Disease	105.0	297.5
Homicide	447.5	579.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	25.0	73.0
Suicide	440.0	571.5
Unintentional Injury	465.0	643.5
Other	242.5	423.0
Total	2,277.5	3,667.5

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	160.0	405.0
Cirrhosis	15.0	46.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	37.5
Diabetes	10.0	36.5
Heart Disease	165.0	313.5
Homicide	95.0	126.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	5.0	15.5
Septicemia	60.0	92.0
SIDS	125.0	146.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	285.0	385.0
Other	125.0	251.5
Total	1,512.5	2,407.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Big Stone County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	147.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	15.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	0.0	0.0
Unintentional Injury	90.0	111.0
Other	5.0	15.5
Total	160.0	373.0

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	22.0
Atherosclerosis	0.0	5.5
Cancer	420.0	905.5
Cirrhosis	45.0	87.5
Congenital Anomalies	95.0	126.5
Chronic Lower Respiratory Disease	35.0	88.5
Diabetes	80.0	117.5
Heart Disease	105.0	302.0
Homicide	0.0	0.0
Hypertension	15.0	36.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	51.0
Suicide	130.0	193.0
Unintentional Injury	240.0	377.0
Other	90.0	239.0
Total	1,285.0	2,551.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Brown County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	221.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	35.0	77.5
Heart Disease	10.0	58.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	60.0	81.0
Unintentional Injury	140.0	187.5
Other	65.0	134.0
Total	540.0	1,046.0

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	5.5
Cancer	185.0	461.5
Cirrhosis	20.0	46.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	35.0	83.0
Diabetes	10.0	42.0
Heart Disease	210.0	406.5
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	11.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	145.0	197.5
Unintentional Injury	145.0	239.5
Other	250.0	404.0
Total	1,020.0	1,960.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Carver County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	350.0	729.5
Cirrhosis	0.0	11.0
Congenital Anomalies	92.5	124.0
Chronic Lower Respiratory Disease	10.0	64.0
Diabetes	5.0	32.0
Heart Disease	155.0	315.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	42.0
Suicide	120.0	162.0
Unintentional Injury	342.5	474.0
Other	177.5	326.5
Total	1,267.5	2,302.5

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	245.0	606.5
Cirrhosis	25.0	62.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	11.0
Heart Disease	175.0	405.0
Homicide	95.0	126.5
Hypertension	0.0	0.0
Nephritis	25.0	41.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	55.0	135.0
Suicide	90.0	132.0
Unintentional Injury	245.0	356.0
Other	155.0	367.5
Total	1,245.0	2,447.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Chippewa County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	196.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	0.0	0.0
Heart Disease	50.0	103.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	60.0	107.5
Total	200.0	428.5

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	295.0	610.0
Cirrhosis	20.0	46.5
Congenital Anomalies	70.0	91.0
Chronic Lower Respiratory Disease	25.0	78.5
Diabetes	55.0	97.5
Heart Disease	150.0	357.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	98.5
Suicide	95.0	132.0
Unintentional Injury	502.5	692.0
Other	145.0	320.0
Total	1,402.5	2,565.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Clay County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	155.0	427.0
Cirrhosis	0.0	11.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	63.0
Diabetes	60.0	86.5
Heart Disease	202.5	405.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	65.0	113.0
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	15.0	47.5
Suicide	210.0	294.0
Unintentional Injury	377.5	535.5
Other	307.5	444.5
Total	1,787.5	2,886.0

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	146.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	21.0
Heart Disease	10.0	53.0
Homicide	20.0	41.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	0.0	0.0
Unintentional Injury	135.0	172.0
Other	0.0	5.5
Total	235.0	486.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Cook County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	42.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	0.0	16.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	15.0	25.5
Other	15.0	52.0
Total	40.0	141.5

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	100.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	21.0
Heart Disease	25.0	84.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	60.0	81.0
Unintentional Injury	330.0	414.0
Other	80.0	127.5
Total	665.0	1,005.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Crow Wing County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	10.0	36.5
Atherosclerosis	0.0	0.0
Cancer	235.0	668.0
Cirrhosis	10.0	31.0
Congenital Anomalies	125.0	151.5
Chronic Lower Respiratory Disease	15.0	90.5
Diabetes	10.0	53.0
Heart Disease	270.0	540.5
Homicide	30.0	51.0
Hypertension	10.0	36.5
Nephritis	5.0	26.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	21.0
Septicemia	5.0	15.5
SIDS	62.5	73.0
Stroke	35.0	83.0
Suicide	125.0	177.5
Unintentional Injury	470.0	680.0
Other	395.0	660.0
Total	1,942.5	3,541.0

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	115.0	167.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	1,930.0	4,719.5
Cirrhosis	90.0	175.0
Congenital Anomalies	695.0	832.0
Chronic Lower Respiratory Disease	90.0	330.5
Diabetes	200.0	403.0
Heart Disease	895.0	1,925.5
Homicide	150.0	218.5
Hypertension	30.0	67.5
Nephritis	0.0	16.5
Perinatal Conditions	1,000.0	1,168.0
Pneumonia and Influenza	55.0	107.5
Septicemia	40.0	87.5
SIDS	187.5	219.0
Stroke	260.0	516.0
Suicide	905.0	1,262.5
Unintentional Injury	1,772.5	2,440.5
Other	1,522.5	2,714.0
Total	9,937.5	17,381.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Dodge County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	191.5
Cirrhosis	0.0	0.0
Congenital Anomalies	150.0	181.5
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	0.0
Heart Disease	5.0	37.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	105.0	136.5
Unintentional Injury	175.0	238.5
Other	30.0	67.5
Total	825.0	1,202.5

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	295.0	672.0
Cirrhosis	0.0	5.5
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	5.5
Heart Disease	150.0	341.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	74.0
Suicide	35.0	45.5
Unintentional Injury	145.0	197.5
Other	105.0	211.5
Total	900.0	1,761.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Faribault County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	5.5
Cancer	65.0	220.0
Cirrhosis	0.0	11.0
Congenital Anomalies	117.5	144.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	0.0	11.0
Heart Disease	70.0	192.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	90.0	132.0
Other	30.0	78.5
Total	382.5	831.0

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	130.0	332.0
Cirrhosis	0.0	0.0
Congenital Anomalies	180.0	211.5
Chronic Lower Respiratory Disease	5.0	43.0
Diabetes	0.0	0.0
Heart Disease	70.0	144.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	10.0	31.0
Suicide	25.0	35.5
Unintentional Injury	130.0	193.0
Other	30.0	67.5
Total	642.5	1,141.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Freeborn County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	245.0	527.0
Cirrhosis	45.0	76.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	30.0	78.5
Diabetes	15.0	68.5
Heart Disease	150.0	321.0
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	25.0	35.5
Unintentional Injury	170.0	233.0
Other	197.5	335.5
Total	932.5	1,773.0

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	35.0	45.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	225.0	616.0
Cirrhosis	65.0	102.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	5.0	43.0
Heart Disease	90.0	186.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	62.0
Suicide	0.0	5.5
Unintentional Injury	310.0	426.0
Other	225.0	400.0
Total	1,177.5	2,152.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Grant County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	123.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	30.0	51.0
Heart Disease	15.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	0.0	5.5
Total	125.0	259.0

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	510.0	767.5
Alzheimer's Disease	45.0	120.5
Atherosclerosis	0.0	22.0
Cancer	5,672.5	13,249.5
Cirrhosis	800.0	1,396.5
Congenital Anomalies	1,840.0	2,270.5
Chronic Lower Respiratory Disease	565.0	1,543.0
Diabetes	575.0	1,454.0
Heart Disease	3,540.0	7,308.5
Homicide	1,825.0	2,398.0
Hypertension	190.0	521.0
Nephritis	140.0	435.5
Perinatal Conditions	2,625.0	3,066.0
Pneumonia and Influenza	170.0	350.0
Septicemia	342.5	570.5
SIDS	312.5	365.0
Stroke	807.5	1,639.5
Suicide	2,590.0	3,747.0
Unintentional Injury	5,177.5	7,404.5
Other	4,945.0	9,299.5
Total	32,672.5	57,929.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Houston County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	5.0	15.5
Cancer	110.0	253.5
Cirrhosis	0.0	0.0
Congenital Anomalies	35.0	45.5
Chronic Lower Respiratory Disease	20.0	52.0
Diabetes	0.0	5.5
Heart Disease	35.0	88.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	60.0	81.0
Unintentional Injury	110.0	157.5
Other	147.5	238.0
Total	537.5	979.0

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	275.5
Cirrhosis	45.0	55.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	5.0	15.5
Heart Disease	50.0	151.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	26.5
SIDS	62.5	73.0
Stroke	10.0	36.5
Suicide	40.0	61.0
Unintentional Injury	130.0	225.0
Other	45.0	119.5
Total	497.5	1,055.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Isanti County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	180.0	429.5
Cirrhosis	30.0	56.5
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	20.0	41.0
Heart Disease	25.0	144.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	46.5
Suicide	65.0	96.5
Unintentional Injury	215.0	315.0
Other	60.0	129.5
Total	660.0	1,374.0

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	340.0	877.5
Cirrhosis	55.0	97.5
Congenital Anomalies	187.5	229.5
Chronic Lower Respiratory Disease	30.0	105.0
Diabetes	25.0	57.5
Heart Disease	180.0	431.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	36.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	62.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	22.0
Suicide	95.0	147.5
Unintentional Injury	275.0	417.0
Other	140.0	338.5
Total	1,372.5	2,848.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Jackson County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	151.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	0.0	5.5
Heart Disease	50.0	87.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	0.0	0.0
Unintentional Injury	15.0	25.5
Other	55.0	76.5
Total	257.5	466.0

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	267.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	0.0
Heart Disease	50.0	108.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	31.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	15.0	25.5
Suicide	15.0	25.5
Unintentional Injury	440.0	566.5
Other	100.0	179.5
Total	860.0	1,372.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Kandiyohi County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	270.0	547.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	50.0	76.5
Heart Disease	185.0	445.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	79.5
Suicide	115.0	146.5
Unintentional Injury	267.5	378.0
Other	115.0	238.0
Total	1,022.5	1,943.5

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	117.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	30.0	99.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	5.5
Unintentional Injury	40.0	66.5
Other	5.0	21.0
Total	160.0	341.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Koochiching County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	95.0	223.5
Cirrhosis	0.0	0.0
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	5.0	21.0
Heart Disease	100.0	249.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	56.5
Suicide	30.0	51.0
Unintentional Injury	65.0	96.5
Other	75.0	123.0
Total	507.5	992.0

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	55.0	114.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	0.0	0.0
Heart Disease	10.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	15.0	25.5
Unintentional Injury	50.0	76.5
Other	20.0	46.5
Total	160.0	352.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Lake County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	109.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	0.0	0.0
Heart Disease	25.0	94.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	60.0	86.5
Other	0.0	5.5
Total	140.0	347.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	105.0	249.0
Cirrhosis	30.0	51.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	0.0
Heart Disease	55.0	124.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	40.0	61.0
Other	15.0	63.0
Total	312.5	664.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Le Sueur County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	277.5
Cirrhosis	15.0	31.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	5.0	26.5
Heart Disease	180.0	333.5
Homicide	15.0	25.5
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	100.0	142.0
Unintentional Injury	180.0	243.0
Other	95.0	180.5
Total	700.0	1,328.0

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	47.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	15.0	46.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	80.0	122.0
Other	20.0	46.5
Total	197.5	356.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Lyon County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	125.0	285.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	25.0	35.5
Heart Disease	45.0	130.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	62.5	73.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	105.0	136.5
Unintentional Injury	155.0	213.0
Other	35.0	83.0
Total	582.5	1,077.5

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomen County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	95.0	148.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	41.0
Diabetes	5.0	15.5
Heart Disease	5.0	32.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	35.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	70.0	91.0
Other	15.0	31.0
Total	235.0	400.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Marshall County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	0.0	22.0
Cirrhosis	5.0	15.5
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	20.0	100.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	25.0	35.5
Other	55.0	97.5
Total	197.5	400.5

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	202.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	43.0
Diabetes	40.0	87.5
Heart Disease	140.0	311.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	170.0	201.5
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	50.0	71.0
Unintentional Injury	100.0	168.5
Other	167.5	296.5
Total	767.5	1,423.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

McLeod County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	175.0	420.5
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	65.0	124.0
Diabetes	65.0	128.5
Heart Disease	15.0	53.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	15.0	36.5
Suicide	50.0	76.5
Unintentional Injury	320.0	446.0
Other	140.0	261.5
Total	912.5	1,662.5

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	130.0	321.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	42.0
Diabetes	45.0	87.5
Heart Disease	60.0	156.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	0.0	0.0
Unintentional Injury	145.0	197.5
Other	60.0	119.5
Total	460.0	966.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Mille Lacs County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	125.0	387.0
Cirrhosis	5.0	21.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	75.0	112.0
Heart Disease	140.0	266.0
Homicide	35.0	45.5
Hypertension	5.0	21.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	35.0	45.5
Unintentional Injury	275.0	375.0
Other	65.0	161.5
Total	915.0	1,669.0

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	200.0	465.0
Cirrhosis	60.0	102.0
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	15.0	64.0
Diabetes	15.0	31.0
Heart Disease	105.0	211.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	35.0	45.5
Unintentional Injury	365.0	512.5
Other	90.0	169.5
Total	1,117.5	1,924.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Mower County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	155.0	502.0
Cirrhosis	10.0	36.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	54.0
Diabetes	5.0	26.5
Heart Disease	85.0	218.0
Homicide	0.0	0.0
Hypertension	15.0	31.0
Nephritis	5.0	26.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	35.0	72.0
Septicemia	25.0	35.5
SIDS	0.0	0.0
Stroke	15.0	42.0
Suicide	185.0	264.0
Unintentional Injury	95.0	132.0
Other	95.0	191.5
Total	730.0	1,631.5

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	116.0
Cirrhosis	30.0	51.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	20.0	46.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	65.0	96.5
Unintentional Injury	120.0	162.0
Other	55.0	92.0
Total	330.0	585.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Nicollet County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	140.0	299.0
Cirrhosis	25.0	35.5
Congenital Anomalies	125.0	151.5
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	20.0	46.5
Heart Disease	10.0	80.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	5.0	26.5
Suicide	60.0	81.0
Unintentional Injury	60.0	86.5
Other	90.0	165.0
Total	660.0	1,145.5

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	110.0	264.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	15.0	53.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	46.5
Suicide	0.0	0.0
Unintentional Injury	40.0	66.5
Other	85.0	180.5
Total	472.5	872.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Norman County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	100.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	30.0	62.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	30.0	51.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	102.5	134.0
Other	20.0	57.5
Total	242.5	488.0

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	40.0	61.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	490.0	1,363.0
Cirrhosis	80.0	143.0
Congenital Anomalies	317.5	386.0
Chronic Lower Respiratory Disease	45.0	161.5
Diabetes	85.0	133.0
Heart Disease	385.0	974.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	15.0	25.5
Septicemia	15.0	36.5
SIDS	62.5	73.0
Stroke	120.0	205.0
Suicide	350.0	481.5
Unintentional Injury	310.0	484.5
Other	690.0	1,167.5
Total	3,130.0	5,846.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Otter Tail County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	320.0	891.5
Cirrhosis	35.0	66.5
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	25.0	110.5
Diabetes	45.0	87.5
Heart Disease	155.0	493.0
Homicide	45.0	55.5
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	16.5
SIDS	0.0	0.0
Stroke	20.0	57.5
Suicide	145.0	197.5
Unintentional Injury	265.0	402.5
Other	315.0	618.0
Total	1,452.5	3,121.5

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	139.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	25.5
Diabetes	35.0	72.0
Heart Disease	50.0	129.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	80.0	122.0
Unintentional Injury	170.0	244.0
Other	65.0	139.5
Total	490.0	914.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Pine County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	140.0	460.0
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	52.0
Diabetes	30.0	77.5
Heart Disease	175.0	409.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	20.0	41.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	40.0	87.5
Suicide	35.0	45.5
Unintentional Injury	295.0	395.0
Other	60.0	156.0
Total	892.5	1,833.5

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	78.5
Cirrhosis	20.0	41.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	36.5
Diabetes	0.0	0.0
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	51.0
Suicide	15.0	25.5
Unintentional Injury	55.0	86.5
Other	35.0	83.0
Total	200.0	413.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Polk County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	247.5	502.5
Cirrhosis	0.0	5.5
Congenital Anomalies	187.5	219.0
Chronic Lower Respiratory Disease	15.0	42.0
Diabetes	5.0	21.0
Heart Disease	65.0	194.5
Homicide	60.0	81.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	20.0	52.0
Suicide	150.0	213.0
Unintentional Injury	155.0	228.5
Other	110.0	254.5
Total	1,082.5	1,907.5

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	70.0	139.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	0.0	0.0
Heart Disease	45.0	119.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	30.0	56.5
Other	62.5	78.5
Total	242.5	482.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Ramsey County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	120.0	183.0
Alzheimer's Disease	15.0	74.0
Atherosclerosis	5.0	15.5
Cancer	2,940.0	6,884.0
Cirrhosis	315.0	600.5
Congenital Anomalies	840.0	1,008.0
Chronic Lower Respiratory Disease	245.0	685.5
Diabetes	335.0	770.5
Heart Disease	1,802.5	3,606.0
Homicide	700.0	926.0
Hypertension	45.0	119.5
Nephritis	130.0	258.0
Perinatal Conditions	1,305.0	1,525.5
Pneumonia and Influenza	92.5	168.0
Septicemia	172.5	283.5
SIDS	437.5	511.0
Stroke	505.0	1,058.5
Suicide	1,045.0	1,482.0
Unintentional Injury	2,637.5	3,720.5
Other	2,890.0	5,240.5
Total	16,577.5	29,120.0

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	87.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	21.0
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	0.0	5.5
Total	65.0	177.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Redwood County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	95.0	250.0
Cirrhosis	30.0	56.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	25.0	56.5
Heart Disease	80.0	160.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	85.0	116.5
Unintentional Injury	200.0	274.0
Other	30.0	67.5
Total	555.0	1,023.5

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	135.0	247.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	31.0
Diabetes	10.0	47.5
Heart Disease	60.0	151.5
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	160.0	207.5
Other	70.0	160.5
Total	500.0	932.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Rice County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	230.0	721.0
Cirrhosis	15.0	25.5
Congenital Anomalies	30.0	51.0
Chronic Lower Respiratory Disease	15.0	47.5
Diabetes	15.0	52.0
Heart Disease	225.0	458.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	245.0	360.5
Unintentional Injury	355.0	523.5
Other	130.0	316.5
Total	1,337.5	2,708.5

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	150.0	277.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	5.0	15.5
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	25.0	35.5
Suicide	0.0	0.0
Unintentional Injury	15.0	36.5
Other	20.0	67.5
Total	215.0	465.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Roseau County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	173.5
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	10.0	31.0
Heart Disease	20.0	63.0
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	45.0	55.5
Suicide	15.0	25.5
Unintentional Injury	130.0	172.0
Other	65.0	102.0
Total	432.5	752.0

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	490.0	1,158.0
Cirrhosis	5.0	21.0
Congenital Anomalies	160.0	191.5
Chronic Lower Respiratory Disease	5.0	48.5
Diabetes	60.0	81.0
Heart Disease	205.0	407.5
Homicide	25.0	35.5
Hypertension	20.0	52.0
Nephritis	0.0	11.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	35.0	45.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	485.0	642.5
Unintentional Injury	280.0	396.0
Other	350.0	620.5
Total	2,337.5	4,008.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Sherburne County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	30.0	51.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	330.0	786.0
Cirrhosis	50.0	92.0
Congenital Anomalies	187.5	219.0
Chronic Lower Respiratory Disease	10.0	69.5
Diabetes	50.0	71.0
Heart Disease	150.0	325.5
Homicide	0.0	0.0
Hypertension	10.0	42.0
Nephritis	35.0	51.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	55.0	103.0
Suicide	285.0	385.0
Unintentional Injury	400.0	594.5
Other	337.5	588.0
Total	2,180.0	3,675.0

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	65.0	203.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	30.0	84.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	70.0	91.0
Unintentional Injury	25.0	41.0
Other	35.0	83.0
Total	292.5	602.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

St. Louis County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	22.0
Atherosclerosis	0.0	0.0
Cancer	1,032.5	2,577.0
Cirrhosis	180.0	364.5
Congenital Anomalies	377.5	482.5
Chronic Lower Respiratory Disease	125.0	399.0
Diabetes	115.0	305.5
Heart Disease	560.0	1,566.5
Homicide	90.0	132.0
Hypertension	30.0	72.0
Nephritis	45.0	97.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	30.0	62.0
Septicemia	45.0	76.5
SIDS	125.0	146.0
Stroke	75.0	231.0
Suicide	540.0	776.5
Unintentional Injury	1,297.5	1,798.0
Other	1,167.5	2,307.0
Total	5,897.5	11,488.5

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	650.0	1,510.0
Cirrhosis	50.0	97.5
Congenital Anomalies	175.0	222.5
Chronic Lower Respiratory Disease	30.0	138.0
Diabetes	50.0	129.5
Heart Disease	335.0	728.5
Homicide	15.0	25.5
Hypertension	20.0	52.0
Nephritis	0.0	11.0
Perinatal Conditions	625.0	730.0
Pneumonia and Influenza	50.0	76.5
Septicemia	15.0	31.0
SIDS	0.0	0.0
Stroke	50.0	97.5
Suicide	500.0	668.0
Unintentional Injury	595.0	847.5
Other	465.0	800.5
Total	3,635.0	6,202.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Steele County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	155.0	379.5
Cirrhosis	15.0	25.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	5.5
Heart Disease	105.0	238.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	62.5	73.0
Stroke	0.0	11.0
Suicide	85.0	116.5
Unintentional Injury	245.0	350.5
Other	20.0	52.0
Total	827.5	1,434.0

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	25.0	67.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	15.0	31.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	35.0	45.5
Other	35.0	72.0
Total	110.0	227.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Swift County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	146.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	15.0	25.5
Diabetes	5.0	15.5
Heart Disease	40.0	93.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	20.0	46.5
Unintentional Injury	45.0	76.5
Other	80.0	122.0
Total	390.0	702.0

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	95.0	320.5
Cirrhosis	0.0	5.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	35.0	88.5
Diabetes	10.0	31.0
Heart Disease	60.0	161.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	50.0	71.0
Unintentional Injury	352.5	426.0
Other	102.5	182.5
Total	897.5	1,543.0

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Traverse County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	56.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	60.0	81.0
Other	0.0	0.0
Total	105.0	179.5

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	125.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	80.0	212.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	65.0	117.5
Unintentional Injury	175.0	248.5
Other	167.5	241.5
Total	557.5	1,013.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Wadena County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	55.0	162.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	15.5
Heart Disease	125.0	252.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	0.0	5.5
Suicide	5.0	15.5
Unintentional Injury	40.0	93.0
Other	180.0	270.5
Total	482.5	930.0

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	110.5
Cirrhosis	0.0	5.5
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	20.0	57.5
Diabetes	5.0	32.0
Heart Disease	30.0	89.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	80.0	101.0
Unintentional Injury	175.0	227.5
Other	80.0	149.5
Total	440.0	830.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Washington County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	80.0	122.0
Alzheimer's Disease	5.0	32.0
Atherosclerosis	0.0	0.0
Cancer	1,357.5	2,665.5
Cirrhosis	105.0	238.0
Congenital Anomalies	265.0	317.5
Chronic Lower Respiratory Disease	85.0	220.0
Diabetes	185.0	386.5
Heart Disease	465.0	1,044.0
Homicide	80.0	101.0
Hypertension	10.0	53.0
Nephritis	15.0	36.5
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	50.0	76.5
Septicemia	20.0	41.0
SIDS	125.0	146.0
Stroke	185.0	345.5
Suicide	355.0	533.5
Unintentional Injury	1,027.5	1,400.5
Other	765.0	1,376.5
Total	5,492.5	9,500.5

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	120.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	10.0	36.5
Heart Disease	90.0	143.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	40.0	61.0
Unintentional Injury	100.0	142.0
Other	15.0	25.5
Total	425.0	685.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Wilkin County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	113.0
Cirrhosis	25.0	56.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	35.0	45.5
Heart Disease	35.0	83.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	0.0	5.5
Other	5.0	37.5
Total	160.0	352.0

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	260.0	602.0
Cirrhosis	0.0	0.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	5.0	26.5
Heart Disease	55.0	227.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	25.0	41.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	62.5	73.0
Stroke	30.0	83.0
Suicide	85.0	116.5
Unintentional Injury	65.0	123.0
Other	120.0	231.5
Total	910.0	1,800.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Wright County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	535.0	1,194.5
Cirrhosis	0.0	5.5
Congenital Anomalies	150.0	181.5
Chronic Lower Respiratory Disease	30.0	105.0
Diabetes	70.0	154.0
Heart Disease	210.0	523.5
Homicide	0.0	0.0
Hypertension	15.0	57.5
Nephritis	25.0	41.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	20.0	41.0
Septicemia	20.0	41.0
SIDS	62.5	73.0
Stroke	75.0	144.0
Suicide	340.0	487.0
Unintentional Injury	1,300.0	1,689.0
Other	450.0	795.0
Total	3,520.0	5,808.0

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - YPLL to Age 65 and 75, 2005

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	105.0	231.5
Cirrhosis	5.0	15.5
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	30.0	56.5
Heart Disease	10.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	25.5
Unintentional Injury	105.0	163.0
Other	55.0	107.5
Total	350.0	725.5

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 2: Minnesota YPLL to Age 65 and 75
by State and County, 2005**

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2005

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	152	1,763	1,915	25	114	139	55	489	544
Aitkin	0	7	7	0	0	0	0	5	5
Anoka	14	96	110	2	5	7	2	28	30
Becker	1	18	19	0	1	1	1	4	5
Beltrami	0	24	24	6	7	13	5	8	13
Benton	0	18	18	0	3	3	0	2	2
Big Stone	2	0	2	0	0	0	0	0	0
Blue Earth	1	21	22	0	0	0	0	9	9
Brown	1	9	10	0	0	0	0	2	2
Carlton	0	15	15	0	0	0	0	5	5
Carver	3	15	18	0	0	0	1	3	4
Cass	1	14	15	1	2	3	0	4	4
Chippewa	0	1	1	0	0	0	0	0	0
Chisago	3	25	28	0	0	0	1	3	4
Clay	2	21	23	0	0	0	0	8	8
Clearwater	1	4	5	0	2	2	0	1	1
Cook	0	2	2	0	0	0	0	0	0
Cottonwood	4	6	10	0	0	0	1	1	2
Crow Wing	4	35	39	0	2	2	1	4	5
Dakota	12	87	99	1	6	7	2	34	36
Dodge	3	6	9	0	1	1	1	2	3
Douglas	0	10	10	0	1	1	0	1	1
Faribault	0	9	9	0	0	0	0	0	0
Fillmore	0	12	12	0	0	0	0	1	1
Freeborn	0	11	11	0	1	1	0	1	1
Goodhue	2	26	28	0	0	0	0	2	2
Grant	0	0	0	0	0	0	0	0	0
Hennepin	20	398	418	8	49	57	7	112	119
Houston	1	5	6	0	0	0	0	2	2
Hubbard	0	11	11	0	0	0	0	2	2
Isanti	1	13	14	0	0	0	0	3	3
Itasca	0	25	25	0	0	0	0	6	6
Jackson	0	6	6	0	0	0	0	0	0
Kanabec	5	10	15	0	0	0	0	1	1
Kandiyohi	1	19	20	0	0	0	0	3	3
Kittson	0	3	3	0	0	0	0	1	1
Koochiching	0	6	6	0	0	0	0	2	2
Lac Qui Parle	0	7	7	0	0	0	0	1	1
Lake	0	3	3	0	0	0	0	0	0
Lake of the Woods	0	4	4	0	0	0	0	1	1
Le Sueur	1	8	9	0	1	1	0	5	5
Lincoln	1	6	7	0	0	0	0	0	0
Lyon	0	9	9	0	0	0	0	3	3
McLeod	2	15	17	0	0	0	1	2	3
Mahnomen	1	1	2	0	0	0	0	0	0
Marshall	0	3	3	0	0	0	0	0	0
Martin	0	12	12	0	0	0	0	3	3
Meeker	2	7	9	0	0	0	0	0	0
Mille Lacs	0	13	13	0	1	1	0	1	1
Morrison	1	17	18	0	0	0	0	2	2

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2005

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	152	1,763	1,915	25	114	139	55	489	544
Mower	1	12	13	0	0	0	2	9	11
Murray	0	5	5	0	0	0	1	3	4
Nicollet	0	9	9	0	0	0	0	2	2
Nobles	0	5	5	0	0	0	0	0	0
Norman	1	2	3	0	0	0	0	1	1
Olmsted	0	34	34	0	0	0	2	12	14
Otter Tail	2	21	23	1	0	1	0	6	6
Pennington	2	6	8	0	0	0	0	4	4
Pine	1	13	14	0	0	0	0	1	1
Pipestone	0	7	7	0	0	0	0	1	1
Polk	1	10	11	0	2	2	1	5	6
Pope	0	3	3	0	1	1	0	0	0
Ramsey	5	158	163	4	18	22	5	42	47
Red Lake	0	2	2	0	0	0	0	1	1
Redwood	2	13	15	0	0	0	1	2	3
Renville	1	7	8	0	1	1	0	0	0
Rice	2	26	28	0	0	0	2	9	11
Rock	0	8	8	0	0	0	0	0	0
Roseau	1	6	7	0	1	1	0	1	1
St. Louis	10	73	83	1	3	4	3	20	23
Scott	0	19	19	0	1	1	7	8	15
Sherburne	1	30	31	0	0	0	1	9	10
Sibley	0	3	3	0	0	0	0	2	2
Stearns	1	45	46	0	3	3	3	13	16
Steele	1	16	17	0	0	0	1	2	3
Stevens	0	3	3	0	0	0	0	0	0
Swift	0	4	4	0	0	0	0	3	3
Todd	6	4	10	0	0	0	0	3	3
Traverse	0	3	3	0	0	0	0	1	1
Wabasha	2	6	8	0	0	0	0	5	5
Wadena	0	9	9	0	0	0	0	1	1
Waseca	2	3	5	0	0	0	0	2	2
Washington	8	42	50	1	1	2	2	19	21
Watowan	0	6	6	0	0	0	0	3	3
Wilkin	0	1	1	0	0	0	0	0	0
Winona	0	13	13	0	1	1	0	4	4
Wright	12	34	46	0	0	0	1	16	17
Yellow Medicine	0	6	6	0	0	0	0	1	1

Source: Minnesota Department of Health, Center for Health Statistics

ICD-10 Codes:

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2005

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	3	583	586	89	505	594	7	36	43
Aitkin	0	2	2	0	1	1	0	0	0
Anoka	0	48	48	9	21	30	1	0	1
Becker	0	1	1	0	6	6	1	1	2
Beltrami	0	2	2	0	9	9	0	2	2
Benton	0	2	2	0	6	6	0	0	0
Big Stone	0	0	0	2	0	2	0	0	0
Blue Earth	0	5	5	1	8	9	0	0	0
Brown	0	2	2	1	4	5	0	0	0
Carlton	0	4	4	0	5	5	0	0	0
Carver	0	5	5	1	4	5	0	0	0
Cass	0	0	0	0	7	7	1	0	1
Chippewa	0	0	0	0	0	0	0	0	0
Chisago	0	10	10	2	8	10	0	1	1
Clay	0	6	6	0	4	4	0	0	0
Clearwater	0	0	0	0	2	2	0	0	0
Cook	0	0	0	0	0	0	0	0	0
Cottonwood	0	1	1	4	4	8	0	0	0
Crow Wing	0	12	12	3	12	15	0	2	2
Dakota	0	33	33	9	25	34	0	2	2
Dodge	0	1	1	3	4	7	0	0	0
Douglas	0	2	2	0	4	4	0	1	1
Faribault	0	5	5	0	2	2	0	0	0
Fillmore	0	6	6	0	3	3	0	0	0
Freeborn	0	4	4	0	3	3	0	0	0
Goodhue	0	13	13	1	7	8	0	0	0
Grant	0	0	0	0	0	0	0	0	0
Hennepin	2	199	201	3	53	56	2	13	15
Houston	0	1	1	1	3	4	0	0	0
Hubbard	0	1	1	0	5	5	0	1	1
Isanti	0	2	2	1	8	9	0	0	0
Itasca	0	6	6	0	9	9	0	0	0
Jackson	0	2	2	0	2	2	0	0	0
Kanabec	0	1	1	5	5	10	0	1	1
Kandiyohi	0	6	6	0	7	7	0	0	0
Kittson	0	0	0	0	3	3	0	0	0
Koochiching	0	1	1	0	1	1	0	0	0
Lac Qui Parle	0	1	1	0	4	4	0	0	0
Lake	0	0	0	0	1	1	0	0	0
Lake of the Woods	0	1	1	0	2	2	0	0	0
Le Sueur	0	1	1	1	4	5	0	0	0
Lincoln	0	2	2	1	2	3	0	0	0
Lyon	0	3	3	0	3	3	0	0	0
McLeod	1	5	6	0	5	5	0	0	0
Mahnomen	0	0	0	1	0	1	0	0	0
Marshall	0	0	0	0	1	1	0	0	0
Martin	0	4	4	0	4	4	0	0	0
Meeker	0	3	3	2	2	4	0	0	0
Mille Lacs	0	3	3	0	7	7	0	0	0
Morrison	0	2	2	1	8	9	0	1	1

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2005

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	3	583	586	89	505	594	7	36	43
Mower	0	6	6	1	1	2	0	0	0
Murray	0	1	1	0	4	4	0	0	0
Nicollet	0	3	3	0	2	2	0	0	0
Nobles	0	3	3	0	0	0	0	0	0
Norman	0	1	1	0	1	1	0	0	0
Olmsted	0	12	12	0	10	10	0	0	0
Otter Tail	0	4	4	1	5	6	0	1	1
Pennington	0	0	0	1	4	5	0	0	0
Pine	0	2	2	1	6	7	0	0	0
Pipestone	0	2	2	0	3	3	0	0	0
Polk	0	2	2	0	3	3	0	0	0
Pope	0	0	0	0	1	1	0	0	0
Ramsey	0	43	43	1	33	34	2	4	6
Red Lake	0	0	0	0	1	1	0	0	0
Redwood	0	2	2	2	7	9	0	0	0
Renville	0	2	2	1	3	4	0	0	0
Rice	0	9	9	2	12	14	0	0	0
Rock	0	1	1	0	3	3	0	0	0
Roseau	0	0	0	1	0	1	0	0	0
St. Louis	0	18	18	6	17	23	0	2	2
Scott	0	8	8	0	8	8	0	0	0
Sherburne	0	11	11	1	16	17	0	1	1
Sibley	0	1	1	0	0	0	0	0	0
Stearns	0	10	10	1	18	19	0	1	1
Steele	0	5	5	1	3	4	0	0	0
Stevens	0	1	1	0	1	1	0	0	0
Swift	0	1	1	0	1	1	0	0	0
Todd	0	0	0	3	2	5	0	0	0
Traverse	0	0	0	0	3	3	0	0	0
Wabasha	0	1	1	2	4	6	0	0	0
Wadena	0	1	1	0	3	3	0	0	0
Waseca	0	0	0	2	3	5	0	0	0
Washington	0	11	11	3	15	18	0	1	1
Watsonwan	0	1	1	0	3	3	0	1	1
Wilkin	0	0	0	0	0	0	0	0	0
Winona	0	4	4	0	5	5	0	0	0
Wright	0	8	8	7	12	19	0	0	0
Yellow Medicine	0	1	1	0	4	4	0	0	0

Source: Minnesota Department of Health Center for Health Statistics

ICD-10 Codes:

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2001-2003**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	20	0.1%	1,964	14.8%	1,334	9.5%	1,426	10.8%
Aitkin	0	0.0%	9	14.8%	7	9.3%	6	9.8%
Anoka	0	0.0%	106	16.7%	52	8.9%	71	11.2%
Becker	0	0.0%	5	6.0%	9	7.5%	12	14.3%
Beltrami	0	0.0%	9	8.8%	10	8.5%	10	9.8%
Benton	0	0.0%	15	17.6%	10	10.0%	4	4.7%
Big Stone	0	0.0%	4	12.5%	4	10.3%	2	6.3%
Blue Earth	0	0.0%	24	15.4%	11	7.6%	26	16.7%
Brown	0	0.0%	9	10.5%	13	11.8%	13	15.1%
Carlton	0	0.0%	17	14.5%	6	5.6%	5	4.3%
Carver	0	0.0%	16	16.5%	18	15.9%	13	13.4%
Cass	0	0.0%	9	8.7%	11	8.8%	16	15.5%
Chippewa	0	0.0%	4	9.3%	5	7.5%	5	11.6%
Chisago	2	1.5%	15	15.3%	14	10.2%	8	8.2%
Clay	0	0.0%	17	12.0%	10	7.9%	18	12.7%
Clearwater	0	0.0%	3	14.3%	6	13.3%	2	9.5%
Cook	0	0.0%	1	5.9%	2	11.8%	1	5.9%
Cottonwood	0	0.0%	11	25.0%	6	12.2%	3	6.8%
Crow Wing	0	0.0%	29	14.6%	11	5.5%	22	11.1%
Dakota	0	0.0%	125	18.3%	65	9.5%	63	9.2%
Dodge	0	0.0%	6	17.1%	6	15.8%	4	11.4%
Douglas	0	0.0%	16	14.5%	12	9.7%	14	12.7%
Faribault	0	0.0%	9	13.6%	10	16.1%	10	15.2%
Fillmore	0	0.0%	10	15.9%	9	10.0%	7	11.1%
Freeborn	0	0.0%	18	15.7%	15	11.8%	11	9.6%
Goodhue	0	0.0%	21	15.7%	12	8.3%	18	13.4%
Grant	0	0.0%	1	4.8%	3	12.0%	6	28.6%
Hennepin	4	0.1%	433	14.7%	257	9.3%	293	10.0%
Houston	0	0.0%	5	10.6%	8	13.3%	7	14.9%
Hubbard	0	0.0%	8	15.7%	9	13.0%	6	11.8%
Isanti	0	0.0%	12	15.6%	9	10.3%	13	16.9%
Itasca	0	0.0%	27	17.1%	16	7.7%	15	9.5%
Jackson	0	0.0%	1	2.8%	5	9.3%	5	13.9%
Kanabec	0	0.0%	9	17.3%	6	14.6%	8	15.4%
Kandiyohi	0	0.0%	28	20.6%	13	9.8%	11	8.1%
Kittson	0	0.0%	2	12.5%	4	15.4%	4	25.0%
Koochiching	2	3.0%	4	8.3%	7	10.6%	6	12.5%
Lac Qui Parle	0	0.0%	3	10.0%	2	5.0%	8	26.7%
Lake	0	0.0%	7	20.0%	8	13.8%	2	5.7%
Lake of the Woods	0	0.0%	1	5.9%	0	0.0%	5	29.4%
Le Sueur	0	0.0%	13	17.3%	8	7.8%	9	12.0%
Lincoln	0	0.0%	1	4.2%	4	9.3%	4	16.7%
Lyon	0	0.0%	12	19.4%	13	15.7%	5	8.1%
McLeod	0	0.0%	9	11.1%	10	9.0%	13	16.0%
Mahnomen	0	0.0%	4	23.5%	0	0.0%	0	0.0%
Marshall	1	2.6%	4	11.8%	3	7.9%	7	20.6%
Martin	0	0.0%	20	20.0%	5	5.6%	7	7.0%
Meeker	0	0.0%	11	14.1%	10	11.0%	10	12.8%
Mille Lacs	0	0.0%	9	11.3%	7	8.6%	8	10.0%
Morrison	0	0.0%	4	4.2%	16	11.9%	16	16.8%

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2001-2003**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	0	0.0%	18	12.2%	14	9.2%	13	8.8%
Murray	0	0.0%	12	30.0%	7	13.7%	3	7.5%
Nicollet	0	0.0%	15	18.3%	9	11.5%	10	12.2%
Nobles	0	0.0%	11	13.8%	7	10.9%	14	17.5%
Norman	0	0.0%	8	22.2%	2	5.9%	5	13.9%
Olmsted	0	0.0%	44	15.3%	39	12.1%	29	10.1%
Otter Tail	1	0.4%	23	13.0%	30	12.6%	22	12.4%
Pennington	0	0.0%	7	17.5%	5	9.3%	6	15.0%
Pine	0	0.0%	11	13.4%	8	8.4%	12	14.6%
Pipestone	0	0.0%	3	8.6%	5	10.2%	4	11.4%
Polk	0	0.0%	24	19.2%	13	11.9%	13	10.4%
Pope	0	0.0%	4	10.3%	4	7.7%	3	7.7%
Ramsey	4	0.3%	193	13.7%	104	7.7%	138	9.8%
Red Lake	0	0.0%	0	0.0%	5	25.0%	0	0.0%
Redwood	0	0.0%	10	15.2%	7	9.1%	12	18.2%
Renville	0	0.0%	5	7.9%	10	13.9%	10	15.9%
Rice	0	0.0%	15	9.3%	16	9.1%	22	13.6%
Rock	0	0.0%	11	22.0%	1	2.3%	4	8.0%
Roseau	0	0.0%	5	15.2%	7	12.3%	2	6.1%
St. Louis	3	0.4%	121	16.9%	78	9.4%	72	10.1%
Scott	0	0.0%	23	13.9%	15	9.4%	13	7.8%
Sherburne	0	0.0%	19	13.7%	16	11.6%	12	8.6%
Sibley	1	1.6%	9	22.0%	12	19.7%	7	17.1%
Stearns	1	0.3%	38	14.0%	29	8.5%	33	12.1%
Steele	0	0.0%	17	16.7%	12	11.1%	7	6.9%
Stevens	0	0.0%	1	3.4%	4	10.3%	4	13.8%
Swift	0	0.0%	4	10.5%	4	9.3%	6	15.8%
Todd	0	0.0%	17	23.3%	9	9.3%	7	9.6%
Traverse	0	0.0%	5	22.7%	3	18.8%	2	9.1%
Wabasha	0	0.0%	8	10.3%	8	9.4%	11	14.1%
Wadena	0	0.0%	8	17.4%	6	9.1%	5	10.9%
Waseca	0	0.0%	12	23.5%	3	4.2%	2	3.9%
Washington	1	0.2%	55	13.3%	37	8.4%	42	10.2%
Watonwan	0	0.0%	4	8.7%	5	15.6%	4	8.7%
Wilkin	0	0.0%	2	6.7%	4	17.4%	6	20.0%
Winona	0	0.0%	30	21.9%	14	8.1%	13	9.5%
Wright	0	0.0%	31	16.6%	19	9.5%	19	10.2%
Yellow Medicine	0	0.0%	5	10.0%	6	13.0%	7	14.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2001, 2002 and 2003.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Breast C50.0 - C50.6, C50.8 - C50.9
 Colon and Rectum C18 - C20, C26.0

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2001-2003**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,791	27.0%	3,079	23.3%	1,744	12.4%	0	0.0%
Aitkin	26	34.7%	16	26.2%	7	9.3%	0	0.0%
Anoka	186	31.9%	193	30.5%	50	8.6%	0	0.0%
Becker	37	30.8%	16	19.0%	17	14.2%	0	0.0%
Beltrami	32	27.1%	30	29.4%	16	13.6%	0	0.0%
Benton	29	29.0%	13	15.3%	17	17.0%	0	0.0%
Big Stone	14	35.9%	5	15.6%	1	2.6%	0	0.0%
Blue Earth	27	18.8%	23	14.7%	21	14.6%	0	0.0%
Brown	18	16.4%	16	18.6%	15	13.6%	0	0.0%
Carlton	35	32.4%	30	25.6%	15	13.9%	0	0.0%
Carver	20	17.7%	17	17.5%	18	15.9%	0	0.0%
Cass	41	32.8%	20	19.4%	14	11.2%	0	0.0%
Chippewa	19	28.4%	5	11.6%	17	25.4%	0	0.0%
Chisago	32	23.4%	22	22.4%	13	9.5%	0	0.0%
Clay	36	28.3%	23	16.2%	18	14.2%	0	0.0%
Clearwater	14	31.1%	7	33.3%	14	31.1%	0	0.0%
Cook	5	29.4%	7	41.2%	1	5.9%	0	0.0%
Cottonwood	9	18.4%	7	15.9%	14	28.6%	0	0.0%
Crow Wing	56	27.9%	41	20.6%	32	15.9%	0	0.0%
Dakota	171	25.1%	183	26.8%	73	10.7%	0	0.0%
Dodge	14	36.8%	6	17.1%	3	7.9%	0	0.0%
Douglas	39	31.5%	23	20.9%	13	10.5%	0	0.0%
Faribault	18	29.0%	19	28.8%	9	14.5%	0	0.0%
Fillmore	25	27.8%	11	17.5%	16	17.8%	0	0.0%
Freeborn	36	28.3%	19	16.5%	12	9.4%	0	0.0%
Goodhue	38	26.4%	25	18.7%	25	17.4%	0	0.0%
Grant	6	24.0%	5	23.8%	3	12.0%	0	0.0%
Hennepin	713	25.7%	735	25.0%	322	11.6%	0	0.0%
Houston	13	21.7%	9	19.1%	11	18.3%	0	0.0%
Hubbard	13	18.8%	12	23.5%	10	14.5%	0	0.0%
Isanti	19	21.8%	18	23.4%	11	12.6%	0	0.0%
Itasca	65	31.4%	42	26.6%	29	14.0%	0	0.0%
Jackson	7	13.0%	12	33.3%	9	16.7%	0	0.0%
Kanabec	12	29.3%	13	25.0%	6	14.6%	0	0.0%
Kandiyohi	37	28.0%	28	20.6%	21	15.9%	0	0.0%
Kittson	9	34.6%	5	31.3%	2	7.7%	0	0.0%
Koochiching	21	31.8%	13	27.1%	9	13.6%	0	0.0%
Lac Qui Parle	11	27.5%	0	0.0%	7	17.5%	0	0.0%
Lake	20	34.5%	9	25.7%	3	5.2%	0	0.0%
Lake of the Woods	4	30.8%	6	35.3%	1	7.7%	0	0.0%
Le Sueur	26	25.5%	18	24.0%	12	11.8%	0	0.0%
Lincoln	11	25.6%	7	29.2%	10	23.3%	0	0.0%
Lyon	20	24.1%	15	24.2%	15	18.1%	0	0.0%
McLeod	20	18.0%	9	11.1%	12	10.8%	0	0.0%
Mahnomen	5	18.5%	4	23.5%	6	22.2%	0	0.0%
Marshall	10	26.3%	6	17.6%	5	13.2%	0	0.0%
Martin	27	30.3%	20	20.0%	12	13.5%	0	0.0%
Meeker	24	26.4%	9	11.5%	14	15.4%	0	0.0%
Mille Lacs	25	30.9%	18	22.5%	19	23.5%	0	0.0%
Morrison	33	24.6%	18	18.9%	16	11.9%	0	0.0%

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2001-2003**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	37	24.2%	35	23.8%	21	13.7%	0	0.0%
Murray	15	29.4%	3	7.5%	8	15.7%	0	0.0%
Nicollet	21	26.9%	18	22.0%	8	10.3%	0	0.0%
Nobles	19	29.7%	13	16.3%	11	17.2%	0	0.0%
Norman	7	20.6%	6	16.7%	8	23.5%	0	0.0%
Olmsted	93	28.8%	60	20.8%	29	9.0%	0	0.0%
Otter Tail	52	21.8%	27	15.3%	30	12.6%	0	0.0%
Pennington	12	22.2%	5	12.5%	6	11.1%	0	0.0%
Pine	26	27.4%	23	28.0%	8	8.4%	0	0.0%
Pipestone	8	16.3%	7	20.0%	10	20.4%	0	0.0%
Polk	33	30.3%	27	21.6%	10	9.2%	0	0.0%
Pope	13	25.0%	4	10.3%	7	13.5%	0	0.0%
Ramsey	431	32.0%	359	25.5%	152	11.3%	0	0.0%
Red Lake	5	25.0%	5	62.5%	1	5.0%	0	0.0%
Redwood	23	29.9%	12	18.2%	10	13.0%	0	0.0%
Renville	8	11.1%	15	23.8%	11	15.3%	0	0.0%
Rice	44	25.0%	36	22.2%	24	13.6%	0	0.0%
Rock	9	20.9%	9	18.0%	6	14.0%	0	0.0%
Roseau	10	17.5%	2	6.1%	13	22.8%	0	0.0%
St. Louis	230	27.8%	154	21.5%	105	12.7%	0	0.0%
Scott	48	30.0%	42	25.3%	19	11.9%	0	0.0%
Sherburne	39	28.3%	35	25.2%	14	10.1%	0	0.0%
Sibley	9	14.8%	6	14.6%	5	8.2%	0	0.0%
Stearns	88	25.7%	53	19.5%	49	14.3%	0	0.0%
Steele	24	22.2%	25	24.5%	15	13.9%	0	0.0%
Stevens	11	28.2%	6	20.7%	5	12.8%	0	0.0%
Swift	16	37.2%	7	18.4%	3	7.0%	0	0.0%
Todd	31	32.0%	13	17.8%	10	10.3%	0	0.0%
Traverse	1	6.3%	3	13.6%	5	31.3%	0	0.0%
Wabasha	23	27.1%	19	24.4%	11	12.9%	0	0.0%
Wadena	14	21.2%	10	21.7%	10	15.2%	0	0.0%
Waseca	13	18.1%	10	19.6%	8	11.1%	0	0.0%
Washington	114	26.0%	110	26.6%	43	9.8%	0	0.0%
Watonwan	12	37.5%	7	15.2%	5	15.6%	0	0.0%
Wilkin	5	21.7%	11	36.7%	2	8.7%	0	0.0%
Winona	54	31.4%	34	24.8%	15	8.7%	0	0.0%
Wright	56	27.9%	51	27.3%	21	10.4%	0	0.0%
Yellow Medicine	9	19.6%	9	18.0%	10	21.7%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2001, 2002 and 2003.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2001-2003**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,166	51.0%	6,764	51.1%	14,055	100%	13,233	100%
Aitkin	35	46.7%	30	49.2%	75	100%	61	100%
Anoka	295	50.6%	263	41.5%	583	100%	633	100%
Becker	57	47.5%	51	60.7%	120	100%	84	100%
Beltrami	60	50.8%	53	52.0%	118	100%	102	100%
Benton	44	44.0%	53	62.4%	100	100%	85	100%
Big Stone	20	51.3%	21	65.6%	39	100%	32	100%
Blue Earth	85	59.0%	83	53.2%	144	100%	156	100%
Brown	64	58.2%	48	55.8%	110	100%	86	100%
Carlton	52	48.1%	65	55.6%	108	100%	117	100%
Carver	57	50.4%	51	52.6%	113	100%	97	100%
Cass	59	47.2%	58	56.3%	125	100%	103	100%
Chippewa	26	38.8%	29	67.4%	67	100%	43	100%
Chisago	76	55.5%	53	54.1%	137	100%	98	100%
Clay	63	49.6%	84	59.2%	127	100%	142	100%
Clearwater	11	24.4%	9	42.9%	45	100%	21	100%
Cook	9	52.9%	8	47.1%	17	100%	17	100%
Cottonwood	20	40.8%	23	52.3%	49	100%	44	100%
Crow Wing	102	50.7%	107	53.8%	201	100%	199	100%
Dakota	372	54.6%	313	45.8%	681	100%	684	100%
Dodge	15	39.5%	19	54.3%	38	100%	35	100%
Douglas	60	48.4%	57	51.8%	124	100%	110	100%
Faribault	25	40.3%	28	42.4%	62	100%	66	100%
Fillmore	40	44.4%	35	55.6%	90	100%	63	100%
Freeborn	64	50.4%	67	58.3%	127	100%	115	100%
Goodhue	69	47.9%	70	52.2%	144	100%	134	100%
Grant	13	52.0%	9	42.9%	25	100%	21	100%
Hennepin	1,477	53.3%	1,477	50.3%	2,773	100%	2,938	100%
Houston	28	46.7%	26	55.3%	60	100%	47	100%
Hubbard	37	53.6%	25	49.0%	69	100%	51	100%
Isanti	48	55.2%	34	44.2%	87	100%	77	100%
Itasca	97	46.9%	74	46.8%	207	100%	158	100%
Jackson	33	61.1%	18	50.0%	54	100%	36	100%
Kanabec	17	41.5%	22	42.3%	41	100%	52	100%
Kandiyohi	61	46.2%	69	50.7%	132	100%	136	100%
Kittson	11	42.3%	5	31.3%	26	100%	16	100%
Koochiching	27	40.9%	25	52.1%	66	100%	48	100%
Lac Qui Parle	20	50.0%	19	63.3%	40	100%	30	100%
Lake	27	46.6%	17	48.6%	58	100%	35	100%
Lake of the Woods	8	61.5%	5	29.4%	13	100%	17	100%
Le Sueur	56	54.9%	35	46.7%	102	100%	75	100%
Lincoln	18	41.9%	12	50.0%	43	100%	24	100%
Lyon	35	42.2%	30	48.4%	83	100%	62	100%
McLeod	69	62.2%	50	61.7%	111	100%	81	100%
Mahnomen	16	59.3%	9	52.9%	27	100%	17	100%
Marshall	19	50.0%	17	50.0%	38	100%	34	100%
Martin	45	50.6%	53	53.0%	89	100%	100	100%
Meeker	43	47.3%	48	61.5%	91	100%	78	100%
Mille Lacs	30	37.0%	45	56.3%	81	100%	80	100%
Morrison	69	51.5%	57	60.0%	134	100%	95	100%

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2001-2003**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
Mower	81	52.9%	81	55.1%	153	100%	147	100%
Murray	21	41.2%	22	55.0%	51	100%	40	100%
Nicollet	40	51.3%	39	47.6%	78	100%	82	100%
Nobles	27	42.2%	42	52.5%	64	100%	80	100%
Norman	17	50.0%	17	47.2%	34	100%	36	100%
Olmsted	162	50.2%	155	53.8%	323	100%	288	100%
Otter Tail	125	52.5%	105	59.3%	238	100%	177	100%
Pennington	31	57.4%	22	55.0%	54	100%	40	100%
Pine	53	55.8%	36	43.9%	95	100%	82	100%
Pipestone	26	53.1%	21	60.0%	49	100%	35	100%
Polk	53	48.6%	61	48.8%	109	100%	125	100%
Pope	28	53.8%	28	71.8%	52	100%	39	100%
Ramsey	656	48.7%	719	51.0%	1,347	100%	1,409	100%
Red Lake	9	45.0%	3	37.5%	20	100%	8	100%
Redwood	37	48.1%	32	48.5%	77	100%	66	100%
Renville	43	59.7%	33	52.4%	72	100%	63	100%
Rice	92	52.3%	89	54.9%	176	100%	162	100%
Rock	27	62.8%	26	52.0%	43	100%	50	100%
Roseau	27	47.4%	24	72.7%	57	100%	33	100%
St. Louis	411	49.7%	369	51.5%	827	100%	716	100%
Scott	78	48.8%	88	53.0%	160	100%	166	100%
Sherburne	69	50.0%	73	52.5%	138	100%	139	100%
Sibley	34	55.7%	19	46.3%	61	100%	41	100%
Stearns	175	51.2%	148	54.4%	342	100%	272	100%
Steele	57	52.8%	53	52.0%	108	100%	102	100%
Stevens	19	48.7%	18	62.1%	39	100%	29	100%
Swift	20	46.5%	21	55.3%	43	100%	38	100%
Todd	47	48.5%	36	49.3%	97	100%	73	100%
Traverse	7	43.8%	12	54.5%	16	100%	22	100%
Wabasha	43	50.6%	40	51.3%	85	100%	78	100%
Wadena	36	54.5%	23	50.0%	66	100%	46	100%
Waseca	48	66.7%	27	52.9%	72	100%	51	100%
Washington	244	55.6%	206	49.9%	439	100%	413	100%
Watsonwan	10	31.3%	31	67.4%	32	100%	46	100%
Wilkin	12	52.2%	11	36.7%	23	100%	30	100%
Winona	89	51.7%	60	43.8%	172	100%	137	100%
Wright	105	52.2%	86	46.0%	201	100%	187	100%
Yellow Medicine	21	45.7%	29	58.0%	46	100%	50	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2001, 2002 and 2003.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death

Section D: Morbidity and Utilization Tables

Morbidity and Utilization Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota by State and County, 2005*

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	6	1,571	35	42
Aitkin	0	0	0	0
Anoka	2	120	2	0
Becker	0	7	1	1
Beltrami	0	3	0	0
Benton	1	9	1	0
Big Stone	0	1	0	0
Blue Earth	0	42	0	0
Brown	0	1	0	1
Carlton	0	16	0	0
Carver	0	9	0	0
Cass	0	1	0	1
Chippewa	0	4	0	0
Chisago	0	29	0	0
Clay	0	24	0	0
Clearwater	0	0	0	0
Cook	0	0	0	0
Cottonwood	0	0	0	0
Crow Wing	0	9	1	1
Dakota	0	122	4	2
Dodge	0	7	0	0
Douglas	0	7	0	0
Faribault	0	9	2	0
Fillmore	0	3	0	0
Freeborn	0	4	0	0
Goodhue	0	12	0	0
Grant	0	1	0	1
Hennepin	0	238	8	16
Houston	0	6	0	0
Hubbard	0	0	0	0
Isanti	0	6	0	0
Itasca	0	13	0	0
Jackson	0	0	0	0
Kanabec	0	0	0	0
Kandiyohi	0	6	0	0
Kittson	0	0	0	0
Koochiching	0	5	1	0
Lac Qui Parle	0	19	0	0
Lake	0	4	0	0
Lake of the Woods	0	0	0	0
Le Sueur	0	7	0	0
Lincoln	0	0	0	1
Lyon	0	12	0	0
McLeod	0	0	0	0
Mahnomen	0	7	0	0
Marshall	0	2	0	0
Martin	0	2	0	0
Meeker	0	12	0	0
Mille Lacs	0	8	0	0
Morrison	0	2	0	0
Mower	0	18	0	1
Murray	0	0	0	0
Nicollet	0	19	0	0

**Morbidity and Utilization Table 1: Number of Cases of Vaccine Preventable Disease
Morbidity in Minnesota by State and County, 2005***

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	6	1,571	35	42
Nobles	0	3	0	0
Norman	0	0	0	0
Olmsted	0	160	0	2
Otter Tail	0	5	0	2
Pennington	0	21	1	0
Pine	0	2	0	0
Pipestone	0	2	0	0
Polk	0	2	0	1
Pope	0	6	0	0
Ramsey	1	110	7	5
Red Lake	0	1	0	0
Redwood	0	3	0	0
Renville	0	12	0	0
Rice	0	4	0	0
Rock	0	3	0	0
Roseau	0	2	0	0
St. Louis	0	65	0	2
Scott	0	36	1	1
Sherburne	0	29	0	1
Sibley	0	1	0	0
Stearns	0	104	1	1
Steele	0	29	0	0
Stevens	0	0	0	0
Swift	0	10	0	0
Todd	0	8	0	0
Traverse	0	1	0	0
Wabasha	0	12	0	0
Wadena	0	0	0	1
Waseca	0	1	0	0
Washington	2	70	5	1
Watonwan	0	11	0	0
Wilkin	0	2	0	0
Winona	0	4	0	0
Wright	0	25	0	0
Yellow Medicine	0	1	0	0

Source: Minnesota Department of Health - Immunization, TB & International Health Section

*Note: There were no cases of measles, diphtheria, tetanus, rubella or polio in Minnesota in 2005

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Infectious Disease Epidemiology Prevention and Control Division at 651/201-5414

Morbidity and Utilization Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County, 2005

	Chlamydia	Gonorrhea	Primary/Secondary Syphilis	Syphilis - All Stages*	HIV
State of Minnesota	12,187	3,481	70	207	304
Aitkin	6	0	0	0	0
Anoka	530	122	3	6	15
Becker	39	4	0	0	0
Beltrami	180	22	0	0	0
Benton	45	5	0	0	0
Big Stone	0	0	0	0	0
Blue Earth	224	45	0	2	1
Brown	18	1	0	0	0
Carlton	41	7	0	1	2
Carver	51	6	1	2	2
Cass	50	0	0	0	0
Chippewa	15	1	0	0	1
Chisago	85	8	0	0	1
Clay	69	8	0	0	0
Clearwater	10	0	0	0	0
Cook	4	2	0	0	0
Cottonwood	20	0	0	0	0
Crow Wing	69	16	0	0	0
Dakota	688	142	0	5	13
Dodge	13	0	0	0	0
Douglas	17	0	0	0	0
Faribault	24	2	0	0	0
Fillmore	16	3	0	0	1
Freeborn	46	4	0	0	0
Goodhue	80	8	0	1	0
Grant	3	0	0	0	0
Hennepin	4,307	1,728	50	130	169
Houston	19	2	0	0	0
Hubbard	16	1	0	0	0
Isanti	23	6	0	0	1
Itasca	72	7	0	0	0
Jackson	9	0	0	0	0
Kanabec	9	3	0	0	0
Kandiyohi	118	8	0	0	1
Kittson	1	0	0	0	0
Koochiching	16	2	0	0	0
Lac Qui Parle	5	0	0	0	0
Lake	15	1	0	0	1
Lake of the Woods	5	0	0	0	0
Le Sueur	22	0	0	0	1
Lincoln	3	0	0	0	0
Lyon	49	6	0	1	0
McLeod	30	4	0	1	0
Mahnomen	5	1	0	0	0
Marshall	3	0	0	0	0
Martin	15	0	0	0	1
Meeker	27	4	0	0	2
Mille Lacs	28	8	0	0	0
Morrison	27	2	0	0	0
Mower	86	11	0	0	2
Murray	6	0	0	0	0

Morbidity and Utilization Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County, 2005

	Chlamydia	Gonorrhea	Primary/Secondary Syphilis	Syphilis - All Stages*	HIV
State of Minnesota	12,187	3,481	70	207	304
Nicollet	27	3	0	0	0
Nobles	33	0	0	1	3
Norman	2	0	0	0	0
Olmsted	289	43	0	2	3
Otter Tail	25	2	0	0	0
Pennington	20	2	0	0	0
Pine	24	0	0	0	0
Pipestone	7	0	0	0	1
Polk	32	1	0	0	0
Pope	3	0	2	2	0
Ramsey	2,038	775	11	34	55
Red Lake	8	2	0	0	0
Redwood	19	3	0	0	0
Renville	18	4	0	0	0
Rice	84	15	0	1	1
Rock	2	0	0	0	0
Roseau	13	1	0	0	0
St. Louis	477	81	1	2	7
Scott	180	16	1	4	5
Sherburne	86	18	0	0	4
Sibley	7	0	0	0	0
Stearns	380	66	0	5	2
Steele	52	5	0	0	0
Stevens	5	1	0	0	0
Swift	10	3	0	0	0
Todd	11	0	0	0	0
Traverse	1	0	0	0	0
Wabasha	25	1	0	0	0
Wadena	9	0	0	0	0
Waseca	21	2	0	0	0
Washington	287	67	1	4	5
Watonwan	19	4	0	0	0
Wilkin	4	0	0	0	0
Winona	90	13	0	0	0
Wright	99	18	0	1	0
Yellow Medicine	12	3	0	0	1

Source: Minnesota Department of Health, Acute Disease Epidemiology

*Neurosyphilis, primary, secondary, early latent, late latent, congenital and other syphilis

** Cases of newly diagnosed HIV infection = Minnesota residents diagnosed with HIV infection (HIV or AIDS at first report) in the time period 1/1/05 - 12/31/05.

HIV Surveillance Reports, MDH www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html

STD Surveillance Reports, MDH: www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 651/201-5414

Morbidity and Utilization Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota by State and County, 2005

	Campylo- bacteriosis	Giardiasis	Lyme Disease	Rabies in Animals	Salmonellosis	Shigellosis	Tuberculosis
State of Minnesota	843	1,241	918	71	580	96	199
Aitkin	2	3	13	0	1	0	0
Anoka	30	46	63	1	31	2	4
Becker	4	1	12	0	4	0	0
Beltrami	2	0	20	0	4	0	0
Benton	4	5	4	3	0	1	0
Big Stone	1	1	0	0	3	0	0
Blue Earth	6	7	4	1	8	0	1
Brown	7	1	2	0	5	0	0
Carlton	4	4	9	0	1	0	1
Carver	12	19	5	1	8	1	1
Cass	2	3	27	0	4	0	0
Chippewa	2	1	0	2	1	0	0
Chisago	6	4	15	0	10	1	0
Clay	7	0	2	0	3	0	0
Clearwater	1	0	4	2	1	0	0
Cook	3	1	0	0	0	0	0
Cottonwood	3	0	0	0	5	0	0
Crow Wing	3	3	75	0	5	0	0
Dakota	63	48	57	1	41	9	15
Dodge	6	1	1	0	5	0	0
Douglas	8	3	3	0	2	0	0
Faribault	5	0	2	1	0	1	0
Fillmore	4	9	3	5	4	0	0
Freeborn	6	1	3	1	3	1	2
Goodhue	15	2	13	0	6	0	0
Grant	2	0	0	2	1	0	0
Hennepin	190	357	116	6	131	32	99
Houston	12	2	26	0	3	0	0
Hubbard	0	2	18	0	1	0	0
Isanti	2	2	12	1	3	0	0
Itasca	2	5	22	0	11	0	0
Jackson	2	0	0	0	0	2	0
Kanabec	0	1	9	0	1	0	0
Kandiyohi	9	8	3	0	6	1	3
Kittson	1	1	0	3	2	0	0
Koochiching	1	2	1	0	0	1	0
Lac Qui Parle	4	0	0	1	2	0	0
Lake	0	2	2	0	2	0	0
Lake of the Woods	0	0	0	0	0	0	0
Le Sueur	4	4	1	0	5	0	0
Lincoln	1	0	0	0	0	0	0
Lyon	6	1	0	0	6	0	1
McLeod	10	12	1	0	3	1	1
Mahnomen	0	0	3	0	0	0	0
Marshall	0	1	0	0	0	0	0
Martin	6	0	0	1	3	0	1
Meeker	7	2	2	0	2	0	1
Mille Lacs	6	7	11	0	5	0	0
Morrison	11	3	10	6	1	1	0
Mower	10	6	4	3	5	1	0
Murray	1	0	0	2	2	0	0

Morbidity and Utilization Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota by State and County, 2005

	Campylo- bacteriosis	Giardiasis	Lyme Disease	Rabies in Animals	Salmonellosis	Shigellosis	Tuberculosis
State of Minnesota	843	1,241	918	71	580	96	199
Nicollet	5	1	2	0	0	1	0
Nobles	10	0	0	0	6	0	2
Norman	1	0	2	0	1	1	0
Olmsted	32	42	8	0	9	2	10
Otter Tail	12	3	5	1	4	0	0
Pennington	0	3	1	2	0	0	0
Pine	3	4	22	0	1	0	0
Pipestone	3	2	0	10	5	0	0
Polk	0	1	2	2	0	0	0
Pope	2	5	1	2	3	0	0
Ramsey	66	410	68	1	70	16	36
Red Lake	1	1	0	0	0	0	0
Redwood	7	2	1	0	0	0	0
Renville	2	1	1	0	1	1	0
Rice	8	10	4	0	9	0	3
Rock	1	0	0	0	0	0	0
Roseau	0	2	1	1	2	0	0
St. Louis	22	29	23	0	12	0	2
Scott	28	24	15	0	10	4	6
Sherburne	11	7	29	0	8	0	0
Sibley	3	4	0	0	4	1	0
Stearns	35	39	19	2	18	3	2
Steele	6	7	1	0	2	0	2
Stevens	4	0	1	0	1	0	0
Swift	4	0	1	0	1	0	0
Todd	2	2	4	4	4	0	0
Traverse	0	0	0	0	0	0	0
Wabasha	15	2	6	0	4	0	0
Wadena	2		3	0	0	0	0
Waseca	3	0	0	0	2	9	0
Washington	28	27	74	2	29	0	4
Watonwan	1	1	1	0	2	0	0
Wilkin	0	0	0	0	2	0	0
Winona	17	11	33	0	7	1	1
Wright	13	16	11	0	9	0	1
Yellow Medicine	3	2	0	1	3	2	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 651/201-5414.

**Morbidity and Utilization Table 4: Estimates of Active Practitioners*
per 10,000 Population in Minnesota by State and County, 2005**

	Physicians	Dentists	Dental Assistants	Dental Hygienists	Physical Therapists	RNs	LPNs
State of Minnesota	25	5.8	10.1	6.5	5.6	96.1	31.8
Aitkin	10.5	2.3	2.9	2.9	3.8	73.5	33.4
Anoka	16.2	4.9	10.4	5.4	3.4	63.9	15.2
Becker	16.1	2.3	3.7	4.8	5.4	79.4	57.8
Beltrami	20.0	3.2	8.1	4.1	5.8	106.2	42.7
Benton	0.8	2.9	5.6	3.9	0.8	15.9	15.5
Big Stone	16.9	2.2	6.5	2.1	11.3	108.5	121.7
Blue Earth	29.7	7.4	13.0	8.8	5.9	129.4	53.1
Brown	15.8	5.1	4.5	7.0	5.9	85.0	80.3
Carlton	16.8	5.4	9.4	6.5	6.8	60.9	45.6
Carver	14.4	2.9	5.2	4.8	5.7	52.8	16.8
Cass	8.1	3.0	4.1	2.0	2.7	45.1	37.0
Chippewa	6.1	2.9	9.3	3.7	1.2	48.1	53.7
Chisago	15.1	3.5	5.5	4.5	6.3	76.0	16.5
Clay	3.4	5.7	8.6	7.6	0.9	22.8	17.4
Clearwater	5.5	4.4	8.4	4.1	3.7	70.3	49.0
Cook	11.6	4.6	2.2	2.2	5.8	74.0	13.5
Cottonwood	3.9	4.2	7.0	2.0	2.6	77.8	58.0
Crow Wing	22.9	7.1	16.4	7.4	5.9	102.0	56.1
Dakota	10.0	5.7	10.7	7.7	3.3	38.4	13.0
Dodge	2.4	2.5	1.8	3.0	0.8	18.4	17.5
Douglas	21.6	5.2	12.9	6.6	6.2	86.4	63.3
Faribault	6.0	3.2	3.8	2.3	1.0	47.8	57.2
Fillmore	4.4	2.9	3.3	3.8	2.2	31.3	36.4
Freeborn	15.1	3.9	5.2	2.2	5.4	81.0	41.9
Goodhue	13.1	4.5	5.4	6.9	3.4	65.6	58.9
Grant	2.5	2.0	2.0	3.8	2.6	38.5	56.3
Hennepin	37.6	7.5	12.1	8.5	7.3	136.8	23.4
Houston	3.1	4.9	4.8	5.3	0.8	34.4	17.2
Hubbard	15.6	3.9	6.3	3.7	4.9	84.2	39.3
Isanti	14.4	2.9	7.6	3.7	5.0	85.3	25.9
Itasca	13.7	6.1	13.7	5.8	6.3	66.1	51.0
Jackson	6.9	4.4	4.3	3.1	1.4	42.0	27.5
Kanabec	9.6	5.3	5.9	2.9	3.8	63.5	25.6
Kandiyohi	28.0	6.8	13.5	4.5	4.5	130.2	71.0
Kittson	6.5	10.3	2.5	4.9	3.3	41.5	71.7
Koochiching	16.9	4.5	3.5	2.5	5.6	60.3	57.7
Lac Qui Parle	10.2	1.6	4.7	1.5	4.1	56.9	75.9
Lake	12.5	4.4	3.2	5.2	7.0	46.8	27.5
Lake of the Woods	3.5	2.8	2.7	2.6	3.5	57.1	40.8
Le Sueur	3.3	2.7	5.6	2.1	0.6	20.2	20.2
Lincoln	23.0	4.1	2.0	1.9	5.1	104.3	59.6
Lyon	10.6	3.9	14.8	6.6	5.0	74.6	48.5
McLeod	15.2	7.0	12.4	9.9	4.7	70.5	38.0
Mahnomen	12.1	2.4	2.3	2.3	3.0	45.9	53.0
Marshall	3.1	2.5	1.2	1.2	3.1	30.9	21.8
Martin	18.5	5.3	8.0	6.1	5.2	94.7	57.7
Meeker	7.9	1.6	3.6	4.0	2.0	49.4	39.4
Mille Lacs	15.1	4.3	8.4	4.6	7.9	97.4	43.8
Morrison	9.0	1.9	6.2	3.6	4.7	47.3	42.3
Mower	16.3	4.1	4.9	6.3	3.6	76.0	47.8

Morbidity and Utilization Table 4: Estimates of Active Practitioners* per 10,000 Population in Minnesota by State and County, 2005

	Physicians	Dentists	Dental Assistants	Dental Hygienists	Physical Therapists	RNs	LPNs
State of Minnesota	25	5.8	10.1	6.5	5.6	96.1	31.8
Murray	5.3	2.8	6.7	4.0	1.8	44.9	20.4
Nicollet	9.4	6.3	8.3	4.5	5.4	45.4	49.4
Nobles	12.1	6.0	9.3	4.5	4.5	87.9	44.0
Norman	2.2	3.5	8.4	5.0	2.2	58.9	79.4
Olmsted	155.5	8.6	15.3	8.8	11.6	384.8	56.1
Otter Tail	9.8	4.6	5.3	5.2	4.5	77.3	61.9
Pennington	18.2	5.4	7.9	5.1	6.9	96.8	84.9
Pine	5.4	2.6	3.8	2.9	1.6	25.4	14.0
Pipestone	8.2	3.9	11.3	1.2	4.9	87.5	64.7
Polk	11.0	4.8	7.7	6.8	5.5	74.5	54.8
Pope	9.6	1.1	5.3	2.1	1.4	62.6	56.2
Ramsey	28.6	6.8	12.3	7.2	8.1	133.8	25.6
Red Lake	3.6	2.8	2.8	2.7	3.6	16.7	54.4
Redwood	7.7	3.1	9.6	3.6	6.8	59.5	59.5
Renville	3.7	3.7	5.7	1.4	2.8	47.4	43.1
Rice	13.9	4.6	7.6	7.4	5.1	55.5	42.3
Rock	14.6	3.9	5.0	2.4	9.8	89.0	43.6
Roseau	6.6	4.5	5.1	5.0	3.8	60.3	42.8
St. Louis	34.3	6.9	9.2	6.1	9.3	142.4	55.5
Scott	8.7	3.3	5.2	6.6	2.0	40.5	16.2
Sherburne	4.0	3.6	8.1	4.3	1.3	18.5	13.4
Sibley	4.0	4.0	3.9	2.3	0.7	42.3	27.0
Stearns	28.4	6.5	14.6	6.8	7.6	123.1	66.0
Steele	19.6	8.3	13.0	7.2	6.5	59.3	39.5
Stevens	15.8	3.8	3.6	4.8	6.3	79.1	88.4
Swift	8.1	4.3	8.3	7.1	1.4	71.1	45.8
Todd	9.4	4.0	6.3	3.3	5.1	69.7	51.4
Traverse	8.1	3.2	6.2	12.2	4.1	89.9	80.5
Wabasha	10.4	5.5	7.5	7.8	4.2	46.8	39.6
Wadena	13.6	3.6	13.1	6.0	8.0	92.5	79.3
Waseca	9.5	3.8	9.1	7.2	1.6	36.0	28.7
Washington	14.9	6.6	13.0	7.0	4.3	38.4	12.4
Watonwan	10.8	3.2	6.2	3.0	5.4	59.5	43.9
Wilkin	13.7	5.4	7.0	6.9	9.1	106.1	55.7
Winona	12.7	5.2	9.5	5.4	5.3	52.8	44.9
Wright	7.4	3.8	6.5	4.6	2.8	31.9	18.4
Yellow Medicine	10.3	7.0	13.5	4.4	5.9	83.6	88.8

Sources: Minnesota Department of Health, Office of Rural Health and Primary Care and US Census

*All numbers are estimates, based on a survey of practitioners at time of license renewal. Estimates for small counties are not reliable, and may understate or overstate the actual number of practitioners. This data refers to practitioners who work at least part-time at a primary practice site in Minnesota.

**Morbidity and Utilization Table 5: Motor Vehicle Injuries by Severity
in Minnesota by State and County, 2005***

	Injury Severity					
	Severe	Moderate	Minor	Killed	Unhurt	Total
State of Minnesota	2,019	10,453	25,212	559	183,590	221,833
Aitkin	9	26	57	5	379	476
Anoka	134	691	1,232	22	8,951	11,030
Becker	26	64	125	6	558	779
Beltrami	22	88	221	4	1,264	1,599
Benton	14	72	188	10	1,080	1,364
Big Stone	2	0	15	0	121	138
Blue Earth	34	197	252	10	2,934	3,427
Brown	9	43	111	1	643	807
Carlton	14	74	121	4	640	853
Carver	20	145	351	8	2,570	3,094
Cass	20	59	132	5	544	760
Chippewa	5	36	61	4	298	404
Chisago	23	104	250	6	1,494	1,877
Clay	15	88	254	5	1,962	2,324
Clearwater	5	11	24	5	131	176
Cook	3	16	27	1	241	288
Cottonwood	0	38	41	1	231	311
Crow Wing	30	135	378	16	2,105	2,664
Dakota	96	580	1,802	28	11,247	13,753
Dodge	9	40	62	7	388	506
Douglas	11	83	203	6	1,392	1,695
Faribault	9	20	46	2	278	355
Fillmore	8	36	75	2	480	601
Freeborn	19	90	132	4	1,226	1,471
Goodhue	28	122	200	8	1,677	2,035
Grant	5	13	10	0	148	176
Hennepin	386	2,420	7,218	50	54,774	64,848
Houston	7	18	54	2	538	619
Hubbard	18	43	96	5	400	562
Isanti	11	83	123	7	1,116	1,340
Itasca	39	121	259	4	1,074	1,497
Jackson	6	22	42	6	221	297
Kanabec	7	31	89	9	370	506
Kandiyohi	22	103	218	8	1,478	1,829
Kittson	1	3	10	2	63	79
Koochiching	6	12	54	1	273	346
Lac Qui Parle	5	12	19	1	61	98
Lake	4	38	36	5	273	356
Lake of the Woods	5	4	13	2	61	85
Le Sueur	15	65	140	7	678	905
Lincoln	1	12	16	3	177	209
Lyon	9	43	140	2	709	903
McLeod	20	69	181	5	1,167	1,442
Mahnomen	4	15	24	0	73	116
Marshall	7	15	13	1	122	158
Martin	3	17	67	3	526	616
Meeker	12	44	93	5	391	545
Mille Lacs	11	53	118	8	709	899
Morrison	18	53	128	7	841	1,047
Mower	20	67	119	1	1,343	1,550
Murray	6	13	31	2	142	194

**Morbidity and Utilization Table 5: Motor Vehicle Injuries by Severity
in Minnesota by State and County, 2005***

	Injury Severity					
	Severe	Moderate	Minor	Killed	Unhurt	Total
State of Minnesota	2,019	10,453	25,212	559	183,590	221,833
Nicollet	2	54	101	1	850	1,008
Nobles	9	49	77	3	653	791
Norman	2	10	29	0	121	162
Olmsted	58	404	585	10	5,363	6,420
Otter Tail	37	150	251	10	1,371	1,819
Pennington	5	29	82	3	277	396
Pine	19	101	142	13	599	874
Pipestone	9	22	26	2	196	255
Polk	20	42	93	4	721	880
Pope	9	15	30	2	280	336
Ramsey	156	953	2,897	26	29,848	33,880
Red Lake	3	7	8	1	51	70
Redwood	4	32	63	3	287	389
Renville	9	39	80	7	264	399
Rice	48	160	253	14	1,681	2,156
Rock	7	20	45	1	263	336
Roseau	4	20	50	6	266	346
St. Louis	81	352	770	19	4,382	5,604
Scott	43	233	470	11	2,805	3,562
Sherburne	29	152	380	18	2,240	2,819
Sibley	11	22	63	0	268	364
Stearns	62	334	749	18	4,621	5,784
Steele	17	61	157	7	1,592	1,834
Stevens	6	13	26	3	173	221
Swift	3	13	24	0	129	169
Todd	7	39	72	5	348	471
Traverse	0	6	3	0	15	24
Wabasha	9	44	86	6	443	588
Wadena	7	20	57	2	304	390
Waseca	6	27	87	3	436	559
Washington	48	380	983	19	6,587	8,017
Watonwan	2	23	36	3	261	325
Wilkin	0	25	26	0	223	274
Winona	23	108	207	2	1,863	2,203
Wright	48	225	481	16	3,044	3,814
Yellow Medicine	3	22	52	5	203	285

Sources: Minnesota Department of Public Safety

Severe Injury: Any injury, other than a fatal injury which prevents the injured person from walking, driving, or normally continuing activities which he/she was capable of performing just before the accident

Moderate Injury: Any injury, other than fatal or incapacitating, which is evident to a person other than the injured at the scene of the accident (e.g. bruises, abrasions, swelling, minor lacerations, limping etc.).

Minor Injury: None of the above injuries, but is a complaint of physical pain by the injured (e.g. momentary unconsciousness, nausea, hysteria, etc.)

Morbidity and Utilization Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured, Minnesota by State and County, 2005

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	26,270	76.2	4,193	12.2	4,018	11.7	34,481
Aitkin	68	74.7	16	17.6	7	7.7	91
Anoka	1,504	80.0	183	9.7	193	10.3	1,880
Becker	136	64.5	54	25.6	21	10.0	211
Beltrami	205	65.1	71	22.5	39	12.4	315
Benton	207	77.8	32	12.0	27	10.2	266
Big Stone	9	60.0	2	13.3	4	26.7	15
Blue Earth	352	78.2	46	10.2	52	11.6	450
Brown	100	71.4	22	15.7	18	12.9	140
Carlton	135	69.9	21	10.9	37	19.2	193
Carver	390	79.9	54	11.1	44	9.0	488
Cass	125	61.3	41	20.1	38	18.6	204
Chippewa	64	65.3	28	28.6	6	6.1	98
Chisago	274	77.4	49	13.8	31	8.8	354
Clay	258	77.9	40	12.1	33	10.0	331
Clearwater	26	63.4	6	14.6	9	22.0	41
Cook	26	63.4	10	24.4	5	12.2	41
Cottonwood	42	66.7	8	12.7	13	20.6	63
Crow Wing	374	72.3	92	17.8	51	9.9	517
Dakota	1,786	77.9	240	10.5	268	11.7	2,294
Dodge	65	59.1	21	19.1	24	21.8	110
Douglas	224	79.7	41	14.6	16	5.7	281
Faribault	46	69.7	14	21.2	6	9.1	66
Fillmore	67	67.0	26	26.0	7	7.0	100
Freeborn	174	75.3	37	16.0	20	8.7	231
Goodhue	239	73.8	60	18.5	25	7.7	324
Grant	23	82.1	3	10.7	2	7.1	28
Hennepin	6,841	77.1	698	7.9	1,331	15.0	8,870
Houston	48	61.5	21	26.9	9	11.5	78
Hubbard	95	65.1	33	22.6	18	12.3	146
Isanti	156	76.8	28	13.8	19	9.4	203
Itasca	304	76.0	46	11.5	50	12.5	400
Jackson	49	70.0	16	22.9	5	7.1	70
Kanabec	72	59.0	34	27.9	16	13.1	122
Kandiyohi	252	77.3	55	16.9	19	5.8	326
Kittson	7	50.0	3	21.4	4	28.6	14
Koochiching	44	63.8	20	29.0	5	7.2	69
Lac Qui Parle	19	51.4	12	32.4	6	16.2	37
Lake	56	83.6	5	7.5	6	9.0	67
Lake of the Woods	12	57.1	7	33.3	2	9.5	21
Le Sueur	146	71.9	40	19.7	17	8.4	203
Lincoln	15	51.7	12	41.4	2	6.9	29
Lyon	143	80.8	24	13.6	10	5.6	177
McLeod	186	75.3	40	16.2	21	8.5	247
Mahnomen	24	63.2	9	23.7	5	13.2	38
Marshall	12	35.3	21	61.8	1	2.9	34
Martin	60	75.9	10	12.7	9	11.4	79
Meeker	84	60.9	30	21.7	24	17.4	138
Mille Lacs	126	71.6	38	21.6	12	6.8	176
Morrison	139	76.4	35	19.2	8	4.4	182
Mower	118	64.5	47	25.7	18	9.8	183

Morbidity and Utilization Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured, Minnesota by State and County, 2005

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	26,270	76.2	4,193	12.2	4,018	11.7	34,481
Murray	40	80.0	8	16.0	2	4.0	50
Nicollet	114	78.1	11	7.5	21	14.4	146
Nobles	90	73.8	18	14.8	14	11.5	122
Norman	23	56.1	12	29.3	6	14.6	41
Olmsted	820	82.9	108	10.9	61	6.2	989
Otter Tail	293	70.6	64	15.4	58	14.0	415
Pennington	73	72.3	22	21.8	6	5.9	101
Pine	169	65.8	43	16.7	45	17.5	257
Pipestone	25	61.0	8	19.5	8	19.5	41
Polk	98	65.3	37	24.7	15	10.0	150
Pope	28	57.1	15	30.6	6	12.2	49
Ramsey	2,787	78.4	300	8.4	466	13.1	3,553
Red Lake	12	85.7	1	7.1	1	7.1	14
Redwood	63	64.3	23	23.5	12	12.2	98
Renville	70	64.8	29	26.9	9	8.3	108
Rice	320	74.9	71	16.6	36	8.4	427
Rock	45	65.2	20	29.0	4	5.8	69
Roseau	46	63.0	18	24.7	9	12.3	73
St. Louis	845	75.5	185	16.5	89	8.0	1,119
Scott	561	79.5	72	10.2	73	10.3	706
Sherburne	422	79.9	77	14.6	29	5.5	528
Sibley	64	68.8	24	25.8	5	5.4	93
Stearns	838	78.0	116	10.8	120	11.2	1,074
Steele	176	78.2	31	13.8	18	8.0	225
Stevens	29	65.9	10	22.7	5	11.4	44
Swift	20	52.6	11	28.9	7	18.4	38
Todd	80	72.7	18	16.4	12	10.9	110
Traverse	2	25.0	5	62.5	1	12.5	8
Wabasha	82	63.6	25	19.4	22	17.1	129
Wadena	49	64.5	13	17.1	14	18.4	76
Waseca	69	64.5	22	20.6	16	15.0	107
Washington	1,102	85.1	100	7.7	93	7.2	1,295
Watonwan	42	73.7	10	17.5	5	8.8	57
Wilkin	31	64.6	15	31.3	2	4.2	48
Winona	213	72.0	26	8.8	57	19.3	296
Wright	548	77.6	108	15.3	50	7.1	706
Yellow Medicine	54	69.2	16	20.5	8	10.3	78

Sources: Minnesota Department of Public Safety

Note: Occupants of vehicles normally equipped with seatbelts includes passenger vehicles, trucks, taxis, etc. This definition excludes motorcycles, buses, snowmobiles, etc.

Morbidity and Utilization Table 7a: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2001-2003**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	82	0.2%	10,639	32.0%	3,835	10.5%	3,731	11.2%
Aitkin	0	0.0%	53	33.8%	12	5.6%	19	12.1%
Anoka	2	0.1%	519	32.9%	161	9.2%	148	9.4%
Becker	2	0.7%	61	27.1%	29	9.8%	27	12.0%
Beltrami	1	0.3%	79	32.1%	27	9.3%	27	11.0%
Benton	1	0.4%	46	29.5%	13	5.8%	9	5.8%
Big Stone	0	0.0%	9	16.4%	12	14.8%	10	18.2%
Blue Earth	0	0.0%	112	30.1%	35	10.2%	66	17.7%
Brown	0	0.0%	65	30.4%	31	12.1%	34	15.9%
Carlton	1	0.4%	72	28.1%	39	13.9%	28	10.9%
Carver	1	0.3%	124	36.5%	46	13.3%	33	9.7%
Cass	1	0.3%	70	31.1%	38	12.1%	25	11.1%
Chippewa	0	0.0%	32	31.4%	17	13.5%	12	11.8%
Chisago	0	0.0%	115	34.6%	27	8.1%	31	9.3%
Clay	2	0.5%	99	28.9%	52	13.0%	50	14.6%
Clearwater	0	0.0%	18	32.7%	12	13.6%	6	10.9%
Cook	0	0.0%	7	22.6%	1	1.8%	4	12.9%
Cottonwood	1	0.7%	38	35.2%	14	10.2%	19	17.6%
Crow Wing	2	0.4%	137	28.7%	56	9.9%	60	12.6%
Dakota	7	0.3%	677	33.2%	198	9.9%	188	9.2%
Dodge	0	0.0%	26	25.0%	11	10.2%	15	14.4%
Douglas	0	0.0%	97	36.2%	35	9.1%	27	10.1%
Faribault	0	0.0%	22	17.5%	26	16.0%	18	14.3%
Fillmore	0	0.0%	49	29.2%	26	12.9%	21	12.5%
Freeborn	2	0.6%	69	31.2%	37	11.9%	32	14.5%
Goodhue	0	0.0%	104	30.0%	37	9.7%	43	12.4%
Grant	0	0.0%	16	27.1%	10	13.5%	10	16.9%
Hennepin	29	0.4%	2,445	33.1%	701	9.4%	744	10.1%
Houston	0	0.0%	41	29.5%	25	16.8%	15	10.8%
Hubbard	1	0.5%	44	28.8%	30	14.9%	23	15.0%
Isanti	1	0.5%	56	31.6%	25	12.5%	15	8.5%
Itasca	0	0.0%	114	32.0%	52	12.2%	50	14.0%
Jackson	0	0.0%	17	20.5%	16	15.2%	12	14.5%
Kanabec	0	0.0%	28	28.3%	13	9.1%	8	8.1%
Kandiyohi	0	0.0%	113	34.6%	36	9.8%	47	14.4%
Kittson	0	0.0%	10	29.4%	8	12.3%	5	14.7%
Koochiching	1	0.6%	34	29.3%	27	16.7%	13	11.2%
Lac Qui Parle	0	0.0%	23	27.7%	10	13.2%	17	20.5%
Lake	0	0.0%	27	32.5%	15	12.8%	16	19.3%
Lake of the Woods	0	0.0%	10	27.0%	8	22.9%	5	13.5%
Le Sueur	0	0.0%	54	32.5%	25	11.1%	19	11.4%
Lincoln	0	0.0%	20	29.9%	17	21.3%	5	7.5%
Lyon	0	0.0%	53	30.6%	23	11.4%	35	20.2%
McLeod	1	0.3%	74	31.5%	32	11.0%	38	16.2%
Mahnomen	0	0.0%	20	35.1%	7	11.5%	6	10.5%
Marshall	0	0.0%	30	37.5%	10	10.3%	17	21.3%
Martin	0	0.0%	56	30.1%	24	11.2%	27	14.5%
Meeker	0	0.0%	45	28.7%	17	9.5%	27	17.2%
Mille Lacs	1	0.4%	53	31.4%	31	11.5%	19	11.2%
Morrison	0	0.0%	72	30.5%	36	11.2%	24	10.2%
Mower	0	0.0%	98	29.6%	43	10.3%	33	10.0%
Murray	0	0.0%	19	26.0%	14	14.9%	10	13.7%

Morbidity and Utilization Table 7a: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2001-2003**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	82	0.2%	10,639	32.0%	3,835	10.5%	3,731	11.2%
Nicollet	0	0.0%	54	28.9%	18	9.2%	24	12.8%
Nobles	0	0.0%	37	22.7%	22	11.8%	34	20.9%
Norman	0	0.0%	24	35.8%	4	5.3%	8	11.9%
Olmsted	0	0.0%	300	34.7%	84	9.1%	64	7.4%
Otter Tail	0	0.0%	123	30.1%	74	12.0%	47	11.5%
Pennington	0	0.0%	31	28.7%	11	10.4%	19	17.6%
Pine	1	0.4%	48	25.9%	21	8.6%	20	10.8%
Pipestone	0	0.0%	32	32.3%	13	12.1%	21	21.2%
Polk	0	0.0%	74	30.7%	51	18.5%	34	14.1%
Pope	0	0.0%	26	20.0%	25	19.4%	25	19.2%
Ramsey	6	0.2%	1,136	32.0%	315	9.3%	348	9.8%
Red Lake	0	0.0%	13	37.1%	7	21.9%	3	8.6%
Redwood	0	0.0%	51	34.7%	25	14.3%	19	12.9%
Renville	0	0.0%	43	28.1%	20	12.9%	25	16.3%
Rice	2	0.5%	110	29.2%	60	14.6%	58	15.4%
Rock	0	0.0%	32	39.0%	11	11.7%	11	13.4%
Roseau	0	0.0%	29	31.2%	12	10.1%	13	14.0%
St Louis	3	0.2%	500	30.9%	204	11.8%	193	11.9%
Scott	0	0.0%	166	34.2%	47	9.9%	43	8.9%
Sherburne	0	0.0%	112	31.5%	35	8.3%	33	9.3%
Sibley	0	0.0%	33	30.0%	15	12.5%	14	12.7%
Stearns	5	0.5%	264	31.2%	101	9.3%	88	10.4%
Steele	2	0.8%	52	24.3%	23	9.2%	39	18.2%
Stevens	0	0.0%	14	22.2%	13	16.5%	11	17.5%
Swift	0	0.0%	37	33.0%	17	13.9%	12	10.7%
Todd	3	1.2%	44	28.4%	24	10.0%	20	12.9%
Traverse	0	0.0%	13	37.1%	7	14.3%	7	20.0%
Wabasha	0	0.0%	56	31.6%	19	11.5%	18	10.2%
Wadena	0	0.0%	39	30.2%	22	10.7%	22	17.1%
Waseca	0	0.0%	40	30.1%	18	11.3%	15	11.3%
Washington	1	0.1%	456	37.0%	108	8.3%	108	8.8%
Watsonwan	0	0.0%	41	36.0%	10	9.6%	14	12.3%
Wilkin	0	0.0%	16	26.7%	18	26.9%	9	15.0%
Winona	1	0.3%	122	35.4%	45	12.0%	52	15.1%
Wright	1	0.2%	158	33.8%	64	10.2%	55	11.8%
Yellow Medicine	0	0.0%	34	34.7%	17	16.0%	8	8.2%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2001, 2002 and 2003.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Breast C50.0 - C50.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Colon & Rectum C18.0 - C18.9, C19.9, C20.9, C26.0, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity and Utilization Table 7b: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2001-2003**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,622	12.6%	3,908	11.7%	12,248	33.4%	0	0.0%
Aitkin	31	14.6%	24	15.3%	73	34.3%	0	0.0%
Anoka	229	13.1%	229	14.5%	601	34.4%	0	0.0%
Becker	38	12.9%	27	12.0%	83	28.1%	0	0.0%
Beltrami	33	11.4%	37	15.0%	104	36.0%	0	0.0%
Benton	28	12.4%	17	10.9%	103	45.8%	0	0.0%
Big Stone	10	12.3%	5	9.1%	27	33.3%	0	0.0%
Blue Earth	37	10.8%	31	8.3%	119	34.8%	0	0.0%
Brown	20	7.8%	24	11.2%	96	37.5%	0	0.0%
Carlton	41	14.6%	36	14.1%	87	31.1%	0	0.0%
Carver	39	11.2%	24	7.1%	96	27.7%	0	0.0%
Cass	56	17.9%	33	14.7%	102	32.6%	0	0.0%
Chippewa	21	16.7%	12	11.8%	41	32.5%	0	0.0%
Chisago	38	11.4%	46	13.9%	129	38.7%	0	0.0%
Clay	60	15.0%	36	10.5%	130	32.4%	0	0.0%
Clearwater	16	18.2%	8	14.5%	31	35.2%	0	0.0%
Cook	9	16.4%	7	22.6%	19	34.5%	0	0.0%
Cottonwood	12	8.8%	7	6.5%	52	38.0%	0	0.0%
Crow Wing	82	14.5%	70	14.6%	208	36.9%	0	0.0%
Dakota	226	11.3%	235	11.5%	629	31.4%	0	0.0%
Dodge	14	13.0%	11	10.6%	33	30.6%	0	0.0%
Douglas	52	13.6%	29	10.8%	129	33.7%	0	0.0%
Faribault	19	11.7%	19	15.1%	56	34.4%	0	0.0%
Fillmore	26	12.9%	15	8.9%	64	31.7%	0	0.0%
Freeborn	37	11.9%	16	7.2%	114	36.5%	0	0.0%
Goodhue	53	13.9%	24	6.9%	145	38.1%	0	0.0%
Grant	7	9.5%	6	10.2%	28	37.8%	0	0.0%
Hennepin	920	12.3%	931	12.6%	2,372	31.8%	0	0.0%
Houston	13	8.7%	17	12.2%	51	34.2%	0	0.0%
Hubbard	31	15.4%	21	13.7%	54	26.9%	0	0.0%
Isanti	25	12.5%	29	16.4%	65	32.5%	0	0.0%
Itasca	71	16.6%	46	12.9%	139	32.6%	0	0.0%
Jackson	12	11.4%	11	13.3%	39	37.1%	0	0.0%
Kanabec	21	14.7%	11	11.1%	55	38.5%	0	0.0%
Kandiyohi	39	10.6%	37	11.3%	132	36.0%	0	0.0%
Kittson	11	16.9%	3	8.8%	20	30.8%	0	0.0%
Koochiching	26	16.0%	13	11.2%	53	32.7%	0	0.0%
Lac Qui Parle	14	18.4%	5	6.0%	34	44.7%	0	0.0%
Lake	17	14.5%	11	13.3%	37	31.6%	0	0.0%
Lake of the Woods	6	17.1%	5	13.5%	9	25.7%	0	0.0%
Le Sueur	34	15.0%	15	9.0%	56	24.8%	0	0.0%
Lincoln	15	18.8%	6	9.0%	30	37.5%	0	0.0%
Lyon	28	13.9%	11	6.4%	58	28.9%	0	0.0%
McLeod	30	10.3%	22	9.4%	104	35.9%	0	0.0%
Mahnomen	9	14.8%	6	10.5%	22	36.1%	0	0.0%
Marshall	15	15.5%	6	7.5%	29	29.9%	0	0.0%
Martin	25	11.6%	20	10.8%	78	36.3%	0	0.0%
Meeker	25	14.0%	11	7.0%	61	34.1%	0	0.0%
Mille Lacs	35	13.0%	18	10.7%	115	42.8%	0	0.0%
Morrison	45	14.0%	25	10.6%	118	36.6%	0	0.0%
Mower	62	14.8%	47	14.2%	155	37.1%	0	0.0%
Murray	13	13.8%	5	6.8%	29	30.9%	0	0.0%

Morbidity and Utilization Table 7b: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2001-2003**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,622	12.6%	3,908	11.7%	12,248	33.4%	0	0.0%
Nicollet	24	12.2%	20	10.7%	63	32.1%	0	0.0%
Nobles	19	10.2%	13	8.0%	77	41.4%	0	0.0%
Norman	8	10.7%	7	10.4%	28	37.3%	0	0.0%
Olmsted	110	12.0%	91	10.5%	254	27.6%	0	0.0%
Otter Tail	56	9.1%	36	8.8%	264	42.7%	0	0.0%
Pennington	12	11.3%	9	8.3%	25	23.6%	0	0.0%
Pine	44	18.0%	34	18.4%	76	31.1%	0	0.0%
Pipestone	13	12.1%	4	4.0%	46	43.0%	0	0.0%
Polk	31	11.2%	19	7.9%	88	31.9%	0	0.0%
Pope	15	11.6%	11	8.5%	43	33.3%	0	0.0%
Ramsey	470	13.8%	456	12.9%	1,108	32.5%	0	0.0%
Red Lake	4	12.5%	8	22.9%	6	18.8%	0	0.0%
Redwood	20	11.4%	14	9.5%	69	39.4%	0	0.0%
Renville	16	10.3%	19	12.4%	43	27.7%	0	0.0%
Rice	44	10.7%	37	9.8%	111	27.1%	0	0.0%
Rock	10	10.6%	3	3.7%	34	36.2%	0	0.0%
Roseau	13	10.9%	7	7.5%	41	34.5%	0	0.0%
St. Louis	248	14.4%	206	12.7%	517	30.0%	0	0.0%
Scott	64	13.5%	52	10.7%	137	29.0%	0	0.0%
Sherburne	39	9.2%	48	13.5%	171	40.4%	0	0.0%
Sibley	12	10.0%	15	13.6%	45	37.5%	0	0.0%
Stearns	104	9.6%	76	9.0%	499	46.0%	0	0.0%
Steele	29	11.6%	34	15.9%	82	32.9%	0	0.0%
Stevens	10	12.7%	4	6.3%	27	34.2%	0	0.0%
Swift	18	14.8%	10	8.9%	36	29.5%	0	0.0%
Todd	40	16.6%	24	15.5%	89	36.9%	0	0.0%
Traverse	7	14.3%	1	2.9%	18	36.7%	0	0.0%
Wabasha	30	18.2%	21	11.9%	39	23.6%	0	0.0%
Wadena	18	8.7%	15	11.6%	64	31.1%	0	0.0%
Waseca	19	11.9%	13	9.8%	49	30.8%	0	0.0%
Washington	136	10.5%	120	9.7%	442	34.0%	0	0.0%
Watsonwan	16	15.4%	6	5.3%	38	36.5%	0	0.0%
Wilkin	5	7.5%	11	18.3%	18	26.9%	0	0.0%
Winona	58	15.4%	35	10.1%	118	31.4%	0	0.0%
Wright	74	11.8%	56	12.0%	213	34.0%	0	0.0%
Yellow Medicine	8	7.5%	12	12.2%	43	40.6%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2001, 2002 and 2003.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Lung & Bronchus C34.0 - C34.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Prostate C61.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity and Utilization Table 7c: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2001-2003**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	15,869	43.3%	15,000	45.1%	36,656	100%	33,278	100%
Aitkin	97	45.5%	61	38.9%	213	100%	157	100%
Anoka	756	43.2%	683	43.3%	1,749	100%	1,579	100%
Becker	143	48.5%	110	48.9%	295	100%	225	100%
Beltrami	124	42.9%	103	41.9%	289	100%	246	100%
Benton	80	35.6%	84	53.8%	225	100%	156	100%
Big Stone	32	39.5%	31	56.4%	81	100%	55	100%
Blue Earth	151	44.2%	163	43.8%	342	100%	372	100%
Brown	109	42.6%	91	42.5%	256	100%	214	100%
Carlton	112	40.0%	120	46.9%	280	100%	256	100%
Carver	165	47.6%	159	46.8%	347	100%	340	100%
Cass	116	37.1%	97	43.1%	313	100%	225	100%
Chippewa	47	37.3%	46	45.1%	126	100%	102	100%
Chisago	139	41.7%	140	42.2%	333	100%	332	100%
Clay	157	39.2%	157	45.9%	401	100%	342	100%
Clearwater	29	33.0%	23	41.8%	88	100%	55	100%
Cook	26	47.3%	13	41.9%	55	100%	31	100%
Cottonwood	58	42.3%	44	40.7%	137	100%	108	100%
Crow Wing	216	38.3%	211	44.1%	564	100%	478	100%
Dakota	942	47.1%	938	46.0%	2,002	100%	2,038	100%
Dodge	50	46.3%	52	50.0%	108	100%	104	100%
Douglas	167	43.6%	115	42.9%	383	100%	268	100%
Faribault	62	38.0%	67	53.2%	163	100%	126	100%
Fillmore	86	42.6%	83	49.4%	202	100%	168	100%
Freeborn	122	39.1%	104	47.1%	312	100%	221	100%
Goodhue	146	38.3%	176	50.7%	381	100%	347	100%
Grant	29	39.2%	27	45.8%	74	100%	59	100%
Hennepin	3,429	46.0%	3,262	44.2%	7,451	100%	7,382	100%
Houston	60	40.3%	66	47.5%	149	100%	139	100%
Hubbard	85	42.3%	65	42.5%	201	100%	153	100%
Isanti	84	42.0%	77	43.5%	200	100%	177	100%
Itasca	165	38.6%	146	41.0%	427	100%	356	100%
Jackson	38	36.2%	43	51.8%	105	100%	83	100%
Kanabec	54	37.8%	52	52.5%	143	100%	99	100%
Kandiyohi	160	43.6%	130	39.8%	367	100%	327	100%
Kittson	26	40.0%	16	47.1%	65	100%	34	100%
Koochiching	55	34.0%	56	48.3%	162	100%	116	100%
Lac Qui Parle	18	23.7%	38	45.8%	76	100%	83	100%
Lake	48	41.0%	29	34.9%	117	100%	83	100%
Lake of the Woods	12	34.3%	17	45.9%	35	100%	37	100%
Le Sueur	111	49.1%	78	47.0%	226	100%	166	100%
Lincoln	18	22.5%	36	53.7%	80	100%	67	100%
Lyon	92	45.8%	74	42.8%	201	100%	173	100%
McLeod	123	42.4%	101	43.0%	290	100%	235	100%
Mahnomen	23	37.7%	25	43.9%	61	100%	57	100%
Marshall	43	44.3%	27	33.8%	97	100%	80	100%
Martin	88	40.9%	83	44.6%	215	100%	186	100%
Meeker	76	42.5%	74	47.1%	179	100%	157	100%
Mille Lacs	87	32.3%	79	46.7%	269	100%	169	100%
Morrison	123	38.2%	115	48.7%	322	100%	236	100%
Mower	158	37.8%	153	46.2%	418	100%	331	100%
Murray	38	40.4%	39	53.4%	94	100%	73	100%

Morbidity and Utilization Table 7c: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2001-2003**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	15,869	43.3%	15,000	45.1%	36,656	100%	33,278	100%
Nicollet	91	46.4%	89	47.6%	196	100%	187	100%
Nobles	68	36.6%	79	48.5%	186	100%	163	100%
Norman	35	46.7%	28	41.8%	75	100%	67	100%
Olmsted	472	51.3%	410	47.4%	920	100%	865	100%
Otter Tail	224	36.2%	202	49.5%	618	100%	408	100%
Pennington	58	54.7%	49	45.4%	106	100%	108	100%
Pine	102	41.8%	83	44.9%	244	100%	185	100%
Pipestone	35	32.7%	42	42.4%	107	100%	99	100%
Polk	106	38.4%	114	47.3%	276	100%	241	100%
Pope	46	35.7%	68	52.3%	129	100%	130	100%
Ramsey	1,506	44.2%	1,606	45.3%	3,405	100%	3,546	100%
Red Lake	15	46.9%	11	31.4%	32	100%	35	100%
Redwood	61	34.9%	63	42.9%	175	100%	147	100%
Renville	76	49.0%	66	43.1%	155	100%	153	100%
Rice	193	47.1%	172	45.6%	410	100%	377	100%
Rock	39	41.5%	36	43.9%	94	100%	82	100%
Roseau	53	44.5%	44	47.3%	119	100%	93	100%
St. Louis	753	43.7%	718	44.4%	1,725	100%	1,617	100%
Scott	225	47.6%	224	46.2%	473	100%	485	100%
Sherburne	178	42.1%	163	45.8%	423	100%	356	100%
Sibley	48	40.0%	48	43.6%	120	100%	110	100%
Stearns	375	34.6%	418	49.4%	1,084	100%	846	100%
Steele	113	45.4%	89	41.6%	249	100%	214	100%
Stevens	29	36.7%	34	54.0%	79	100%	63	100%
Swift	51	41.8%	53	47.3%	122	100%	112	100%
Todd	85	35.3%	67	43.2%	241	100%	155	100%
Traverse	17	34.7%	14	40.0%	49	100%	35	100%
Wabasha	77	46.7%	82	46.3%	165	100%	177	100%
Wadena	102	49.5%	53	41.1%	206	100%	129	100%
Waseca	73	45.9%	65	48.9%	159	100%	133	100%
Washington	614	47.2%	549	44.5%	1,301	100%	1,233	100%
Watsonwan	40	38.5%	53	46.5%	104	100%	114	100%
Wilkin	26	38.8%	24	40.0%	67	100%	60	100%
Winona	154	41.0%	136	39.4%	376	100%	345	100%
Wright	274	43.8%	198	42.4%	626	100%	467	100%
Yellow Medicine	38	35.8%	44	44.9%	106	100%	98	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2001, 2002 and 2003.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Other Cell types M959_ - M998_, and all other Site Codes

Total Includes all microscopically-confirmed or Death-Certificate-Only cancers

(Counts include invasive cancers only, with the exception of cancers of urinary bladder, which include in situ cancers.)

**Morbidity and Utilization Table 8a: Minnesota Nonfatal Hospitalized Traumatic Brain Injury
Number and Rate per 100,000 population by State and County, 2003-2005**

	2003		2004		2005	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,392	88.7	4,481	90.6	4,662	93.1
Aitkin	15 *		19 *		18 *	
Anoka	227	77.8	247	82.1	300	103.8
Becker	6 *		20 *		21	59.7
Beltrami	22	59.5	27	72.1	18 *	
Benton	51	145.2	49	140.1	45	141.4
Big Stone	5 *		2 *		1 *	
Blue Earth	44	74.6	54	97.8	59	108.0
Brown	28	92.8	10 *		17 *	
Carlton	37	115.9	30	76.1	26	86.2
Carver	56	76.2	49	72.3	48	71.5
Cass	29	111.8	23	67.5	22	73.2
Chippewa	11 *		11 *		10 *	
Chisago	52	124.8	72	158.0	61	124.9
Clay	4 *		4 *		2 *	
Clearwater	6 *		1 *		5 *	
Cook	12 *		1 *		4 *	
Cottonwood	6 *		4 *		10 *	
Crow Wing	45	76.6	61	109.1	48	77.5
Dakota	249	72.9	258	72.0	311	88.2
Dodge	23	129.3	24	133.0	33	176.2
Douglas	28	87.7	27	98.8	30	74.1
Faribault	20 *		12 *		16 *	
Fillmore	22	96.2	29	148.8	33	176.5
Freeborn	24	63.0	29	84.4	34	103.2
Goodhue	52	112.8	44	85.1	72	172.9
Grant	4 *		9 *		5 *	
Hennepin	978	87.0	1040	95.6	984	90.0
Houston	8 *		15 *		15 *	
Hubbard	13 *		12 *		4 *	
Isanti	35	105.1	36	114.4	42	117.5
Itasca	46	139.3	40	69.7	31	81.9
Jackson	3 *		3 *		1 *	
Kanabec	14 *		18 *		23	147.8
Kandiyohi	26	57.0	24	53.2	33	82.7
Kittson	1 *		0 *		0 *	
Koochiching	11 *		11 *		6 *	
Lac Qui Parle	9 *		4 *		3 *	
Lake	11 *		11 *		8 *	
Lake of the Woods	4 *		7 *		2 *	
Le Sueur	34	114.7	23	92.3	32	140.7
Lincoln	2 *		0 *		1 *	
Lyon	19 *		16 *		10 *	
McLeod	33	102.2	25	85.5	34	88.0
Mahnomen	3 *		3 *		2 *	
Marshall	0 *		0 *		3 *	
Martin	25	155.9	18 *		20 *	
Meeker	17 *		24	106.4	21	90.8
Mille Lacs	48	243.9	48	210.4	37	157.3
Morrison	37	112.8	33	111.0	38	109.3
Mower	43	101.4	61	140.7	58	157.7

**Morbidity and Utilization Table 8a: Minnesota Nonfatal Hospitalized Traumatic Brain Injury
Number and Rate per 100,000 population by State and County, 2003-2005**

	2003		2004		2005	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,392	88.7	4,481	90.6	4,662	93.1
Murray	3 *		1 *		4 *	
Nicollet	18 *		19 *		32	102.1
Nobles	6 *		7 *		8 *	
Norman	1 *		1 *		2 *	
Olmsted	140	112.9	132	100.0	196	151.2
Otter Tail	39	65.8	31	43.8	41	61.3
Pennington	1 *		2 *		1 *	
Pine	26	102.7	25	94.5	36	145.1
Pipestone	9 *		4 *		0 *	
Polk	8 *		8 *		5 *	
Pope	10 *		8 *		10 *	
Ramsey	523	97.6	536	107.4	588	118.8
Red Lake	1 *		2 *		2 *	
Redwood	23	144.7	11 *		16 *	
Renville	16 *		15 *		15 *	
Rice	58	113.9	62	102.8	67	114.4
Rock	4 *		4 *		1 *	
Roseau	2 *		2 *		3 *	
St. Louis	222	125.1	224	120.8	248	122.0
Scott	75	78.9	81	81.9	72	68.3
Sherburne	84	125.9	83	124.3	59	79.6
Sibley	11 *		16 *		8 *	
Stearns	137	114.2	146	117.8	139	106.9
Steele	38	128.0	38	131.8	48	152.6
Stevens	11 *		5 *		10 *	
Swift	14 *		5 *		2 *	
Todd	21	99.9	19 *		15 *	
Traverse	1 *		0 *		3 *	
Wabasha	27	129.9	32	132.4	32	153.0
Wadena	10 *		12 *		12 *	
Waseca	22	104.6	18 *		15 *	
Washington	172	83.8	168	86.0	159	77.3
Watonwan	5 *		9 *		6 *	
Wilkin	1 *		3 *		1 *	
Winona	41	85.5	52	108.6	34	70.4
Wright	95	96.9	100	91.3	102	98.8
Yellow Medicine	11 *		6 *		6 *	

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Traumatic Brain Injuries (TBI): Numbers are traumatic brain injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Traumatic Brain Injuries Case Report Definitions

*Rate not calculated under 20 events

**Morbidity and Utilization Table 8b: Minnesota Nonfatal Hospitalized Spinal Cord Injury
Number and Annualized Rate per 100,000 population by State and County, 2003-2005**

	2003	2004	2005	Annualized Rate 2003-2005
	Number	Number	Number	
State of Minnesota	230	254	210	4.3
Aitkin	1	3	1	*
Anoka	9	9	8	2.7
Becker	0	0	0	*
Beltrami	0	3	0	*
Benton	6	4	2	*
Big Stone	0	0	0	*
Blue Earth	1	1	4	*
Brown	0	1	2	*
Carlton	1	1	1	*
Carver	3	1	1	*
Cass	3	3	0	*
Chippewa	1	3	1	*
Chisago	2	2	5	*
Clay	0	0	0	*
Clearwater	0	0	0	*
Cook	0	0	0	*
Cottonwood	0	0	2	*
Crow Wing	4	4	1	*
Dakota	10	6	8	2.0
Dodge	1	4	4	*
Douglas	1	0	1	*
Faribault	1	2	1	*
Fillmore	2	2	0	*
Freeborn	1	1	2	*
Goodhue	4	5	8	*
Grant	1	0	1	*
Hennepin	50	53	45	4.1
Houston	1	0	1	*
Hubbard	0	0	0	*
Isanti	3	3	2	*
Itasca	1	3	3	*
Jackson	1	0	0	*
Kanabec	2	0	0	*
Kandiyohi	2	4	0	*
Kittson	0	0	0	*
Koochiching	0	0	2	*
Lac Qui Parle	1	0	0	*
Lake	2	2	0	*
Lake of the Woods	0	0	1	*
Le Sueur	1	1	1	*
Lincoln	0	0	0	*
Lyon	1	0	0	*
McLeod	0	2	1	*
Mahnomen	0	0	0	*
Marshall	0	0	0	*
Martin	0	1	1	*
Meeker	1	0	2	*
Mille Lacs	3	3	1	*
Morrison	0	3	3	*
Mower	1	2	2	*

Morbidity and Utilization Table 8b: Minnesota Nonfatal Hospitalized Spinal Cord Injury Number and Annualized Rate per 100,000 population by State and County, 2003-2005

	2003	2004	2005	Annualized Rate 2003-2005
	Number	Number	Number	
State of Minnesota	230	254	210	4.3
Murray	0	0	0*	
Nicollet	2	0	0*	
Nobles	0	0	0*	
Norman	0	0	0*	
Olmsted	6	18	13	8.6
Otter Tail	1	2	2*	
Pennington	1	0	0*	
Pine	3	1	5*	
Pipestone	0	0	0*	
Polk	0	0	1*	
Pope	4	2	3*	
Ramsey	29	27	13	4.4
Red Lake	0	0	0*	
Redwood	4	0	0*	
Renville	0	3	1*	
Rice	1	4	0*	
Rock	0	0	0*	
Roseau	0	2	0*	
St. Louis	11	18	18	7.0
Scott	3	2	2*	
Sherburne	3	7	1*	
Sibley	3	1	2*	
Stearns	8	6	6*	
Steele	2	1	3*	
Stevens	0	0	1*	
Swift	0	1	2*	
Todd	2	2	1*	
Traverse	0	0	0*	
Wabasha	4	2	0*	
Wadena	0	0	0*	
Waseca	0	0	0*	
Washington	11	15	9	5.3
Watonwan	0	0	0*	
Wilkin	0	0	0*	
Winona	3	4	2*	
Wright	5	4	5*	
Yellow Medicine	2	0	2*	

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Spinal Cord Injuries (SCI): Numbers are spinal cord injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Spinal Cord Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity and Utilization Tables 8a and b: TBI and SCI Case Report Definitions

Traumatic Brain Injury (TBI)

Cases of traumatic brain injury must be reported to the Minnesota Department of Health if the patient receives one of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

310.2 - postconcussion syndrome
348.1 - (when coded with 994.1 or 994.7) - anoxic brain damage
800.0-800.99 - fracture of vault of skull
801.00-801.99 - fracture of base of skull
803.00-803.99 - other and unqualified skull fractures
804.00-804.99 - multiple fractures involving skull or face with other bones
850.0-850.9 - concussion
851.00-851.99 - cerebral laceration and contusion
852.00-852.59 - subarachnoid, subdural, and extradural hemorrhage, following injury
853.00-853.19 - other and unspecified intracranial hemorrhage following injury
854.00-854.19 - intracranial injury of other and unspecified nature
905.0* - late effect of fracture of skull and face bones
907.0* - late effect of intracranial injury without mention of skull fracture
950.0-950.9 - injury to optic nerve and pathways
995.55 - shaken infant syndrome

AND

the patient: was admitted as an inpatient to an acute care hospital.

Out-of-state hospitals are report cases who are Minnesota residents or who were injured in Minnesota.

Excludes patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts. Late effects of TBI or SCI found only in the UB-92 data were not included as, unlike late effects in the Registry, they have limited information with which to unduplicate them from previously treated injuries and there are many of them.

Spinal Cord Injuries (SCI)

Cases of spinal cord injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

806.00-806.9 - fracture of vertebral column with spinal cord injury
907.2* - late effect of spinal cord injury
952.00-952.9 - spinal cord injury without evidence of spinal bone injury

AND

the patient: was admitted as an inpatient to an acute care hospital.

Out-of-state hospitals are report cases who are Minnesota residents or who were injured in Minnesota.

Excludes patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts. Late effects of TBI or SCI found only in the UB-92 data were not included as, unlike late effects in the Registry, they have limited information with which to unduplicate them from previously treated injuries and there are many of them.

Morbidity and Utilization Table 9: Minnesota Behavioral Risk Factors^ of Adults - County Synthetic Estimates and State Estimates, 2005

Estimated Percent of:								
	Over weight	Current Smokers	Acute Drinking	Chronic Drinking	Perceiving health status as fair or poor	Reporting limitations*	No Exercise	Hyper-tension
State of Minnesota	59.9	20.0	18.8	5.0	11.3	22.7	16.2	21.7
Aitkin	61.0	17.6	15.4	4.7	13.9	26.0	17.8	28.6
Anoka	59.8	20.8	19.9	5.0	10.3	21.6	15.6	19.7
Becker	60.0	19.1	17.6	4.9	12.3	23.9	16.8	24.4
Beltrami	57.4	20.7	19.8	5.3	11.3	22.2	15.9	20.4
Benton	58.5	20.8	20.6	5.0	10.6	21.3	15.7	19.5
Big Stone	60.4	17.4	14.9	4.7	14.0	26.2	17.9	28.8
Blue Earth	56.5	21.4	21.4	5.5	11.0	21.6	15.5	18.9
Brown	59.3	19.1	17.4	5.0	12.6	24.3	16.9	24.7
Carlton	59.8	19.7	18.6	5.0	11.7	23.3	16.4	23.0
Carver	59.3	21.1	20.2	5.0	10.1	21.3	15.4	18.7
Cass	60.4	18.8	16.9	4.8	12.7	24.5	17.1	25.6
Chippewa	60.1	18.4	16.3	4.8	13.0	25.0	17.3	26.4
Chisago	59.5	20.7	20.3	4.9	10.5	21.5	15.6	19.7
Clay	56.8	21.1	19.7	5.4	11.3	22.5	15.8	19.8
Clearwater	60.2	19.0	17.3	4.9	12.5	24.2	16.9	24.9
Cook	61.5	18.4	16.0	4.8	12.7	25.0	17.3	26.5
Cottonwood	60.3	17.7	15.6	4.7	13.6	25.7	17.7	28.0
Crow Wing	59.8	19.1	17.4	4.8	12.4	24.0	16.9	24.5
Dakota	59.7	20.8	19.5	5.0	10.3	21.7	15.6	19.7
Dodge	59.6	20.2	19.2	4.9	11.1	22.4	16.0	21.2
Douglas	59.6	18.9	17.6	4.8	12.6	24.0	17.0	24.8
Faribault	60.3	17.8	15.6	4.8	13.6	25.8	17.7	27.9
Fillmore	60.2	18.5	16.7	4.8	12.9	24.7	17.2	26.0
Freeborn	60.4	18.3	16.4	4.8	13.0	24.9	17.3	26.5
Goodhue	60.0	19.3	17.7	4.9	12.0	23.7	16.7	23.9
Grant	60.2	17.7	15.7	4.7	13.8	25.7	17.7	27.9
Hennepin	59.8	20.2	19.0	4.9	10.9	22.4	16.0	21.3
Houston	60.1	19.0	17.1	4.9	12.4	24.1	17.0	24.7
Hubbard	60.4	18.5	16.3	4.8	13.0	25.0	17.3	26.3
Isanti	59.3	20.6	19.8	5.0	10.7	21.9	15.8	20.2
Itasca	60.2	18.8	16.8	5.0	12.6	24.5	17.0	25.3
Jackson	60.2	18.4	16.8	4.8	12.9	24.7	17.3	26.0
Kanabec	60.0	19.6	18.1	4.9	11.9	23.4	16.6	23.2
Kandiyohi	59.8	19.2	17.7	4.9	12.1	23.8	16.7	24.0
Kittson	60.8	17.5	15.1	4.8	13.8	26.2	17.9	28.9
Koochiching	60.7	18.2	15.9	4.8	13.0	25.2	17.4	26.9
Lac Qui Parle	60.7	17.6	15.3	4.8	13.9	26.1	17.8	28.3
Lake	60.5	18.4	16.2	4.8	13.2	25.1	17.4	26.7
Lake of the Woods	61.1	18.4	16.0	4.8	13.1	25.3	17.4	26.7
Le Sueur	60.0	19.6	18.3	4.9	11.7	23.2	16.5	23.1
Lincoln	60.5	17.4	15.3	4.6	14.0	26.1	18.0	28.9
Lyon	58.3	19.9	18.8	5.1	11.8	23.2	16.3	22.2
McLeod	59.9	19.5	18.3	4.8	11.7	23.2	16.5	23.1
Mahnomen	60.1	18.6	16.7	4.9	12.9	24.8	17.3	26.3
Marshall	60.6	18.4	16.6	4.8	12.9	24.9	17.2	26.3
Martin	60.4	18.0	15.9	4.8	13.3	25.4	17.6	27.4

**Morbidity and Utilization Table 9: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2005**

Estimated Percent of:								
	Over weight	Current Smokers	Acute Drinking	Chronic Drinking	Perceiving health status as fair or poor	Reporting limitations*	No Exercise	Hyper-tension
State of Minnesota	59.9	20.0	18.8	5.0	11.3	22.7	16.2	21.7
Meeker	60.2	19.1	17.6	4.8	12.3	24.0	16.8	24.5
Mille Lacs	59.5	19.5	18.4	4.8	11.8	23.2	16.6	23.1
Morrison	59.8	19.4	18.2	4.9	12.0	23.5	16.6	23.6
Mower	59.9	18.4	16.9	4.7	12.9	24.5	17.2	25.9
Murray	60.6	17.9	15.9	4.8	13.5	25.6	17.6	27.8
Nicollet	57.9	20.9	20.0	5.3	11.1	22.3	15.7	20.1
Nobles	60.3	18.8	17.4	4.8	12.5	24.2	17.0	25.2
Norman	60.5	18.1	16.0	4.8	13.3	25.4	17.4	27.2
Olmsted	59.7	20.1	18.9	4.9	11.1	22.4	16.1	21.4
Otter Tail	60.4	18.6	16.6	4.8	12.9	24.8	17.2	26.1
Pennington	59.7	19.2	18.0	4.9	12.1	23.5	16.8	24.0
Pine	60.3	19.5	18.7	4.9	11.9	23.3	16.5	23.4
Pipestone	59.9	18.0	15.8	4.7	13.5	25.6	17.6	27.5
Polk	59.3	19.2	17.8	5.0	12.3	24.0	16.8	24.3
Pope	60.2	18.2	16.3	4.8	13.2	25.1	17.4	26.8
Ramsey	59.0	20.0	18.5	5.0	11.4	22.9	16.3	21.9
Red Lake	60.1	18.7	17.1	4.9	12.8	24.4	17.2	25.6
Redwood	60.4	18.1	16.2	4.8	13.2	25.2	17.4	27.0
Renville	60.4	18.5	16.7	4.8	12.9	24.8	17.2	26.1
Rice	57.8	21.0	20.4	5.3	11.0	22.1	15.6	19.8
Rock	59.7	18.4	16.7	4.8	13.0	24.7	17.3	26.1
Roseau	60.4	19.8	18.5	4.9	11.4	23.1	16.3	22.5
St. Louis	58.9	19.5	18.0	5.1	12.1	23.7	16.6	23.5
Scott	59.2	21.5	21.1	4.9	9.6	20.5	15.1	17.5
Sherburne	58.7	21.5	21.4	5.1	9.9	20.6	15.2	17.7
Sibley	60.2	19.0	17.5	4.8	12.3	24.0	16.9	24.6
Stearns	57.7	20.9	20.4	5.3	11.0	22.0	15.6	19.7
Steele	59.4	19.8	18.5	4.9	11.5	22.9	16.3	22.3
Stevens	56.1	20.4	19.3	5.6	12.3	23.4	16.2	21.6
Swift	61.8	18.7	18.9	4.7	12.4	24.0	16.7	25.6
Todd	60.2	19.1	17.6	4.9	12.3	24.0	16.8	24.6
Traverse	59.9	17.0	14.6	4.6	14.8	26.8	18.3	30.1
Wabasha	60.3	19.3	17.6	4.9	12.1	23.9	16.7	24.0
Wadena	59.8	18.2	16.4	4.8	13.3	25.0	17.5	26.7
Waseca	60.6	19.6	19.1	4.9	11.6	23.1	16.3	23.0
Washington	59.9	20.6	19.3	5.0	10.4	22.0	15.7	20.3
Watonwan	60.2	18.4	16.2	4.8	13.0	25.0	17.4	26.5
Wilkin	60.4	19.1	17.2	4.9	12.3	24.3	16.9	24.7
Winona	56.7	20.9	19.7	5.5	11.5	22.6	15.9	20.4
Wright	59.2	21.0	20.3	5.0	10.3	21.4	15.5	19.2
Yellow Medicine	60.5	18.1	16.1	4.8	13.3	25.3	17.5	27.2

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

^See page D-18 for definitions

*in any activities because of any impairment or health problem

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

Morbidity and Utilization Table 9:

Definitions for Behavior Risk Factors of Adults

Behavioral Risk Factor Surveillance System (BRFSS): A continuous monthly telephone survey that monitors health risk behaviors that has impact on chronic diseases and disabilities. Approximately, 4800 interviews of adults 18 years and older are completed yearly.

Smoking: Current regular smoker (ever smoked 100 cigarettes and now smokes every day or some days).

Overweight: The prevalence of overweight is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] greater than or equal to 25 for men and women. Please note that as of 1999, the definition of overweight has changed. The prevalence of overweight was previously defined as a BMI greater than or equal to 27.8 for men and greater than or equal to 27.3 for women.

Acute Drinking: Respondents who report they have consumed five or more drinks on an occasion, one or more times in the month prior to the survey.

Chronic Drinking: Chronic drinking of adults is defined as the percent of male respondents 18 and older who report an average of more than two drinks per day and female respondents 18 and older who report an average of more than one drink per day.

Limitation of Activities: The percent of adults who are limited in any activities because of physical mental or emotional problems, OR those adults who have a health impairment that requires the use of special equipment, such as cane, a wheelchair, a special bed or special telephone.

No Exercise: Percent of respondents who reported no physical activities during the past month, other than regular job.

Hypertension: Percent of respondents who have EVER been told by a doctor, nurse or other health professional that they have high blood pressure.

Section E: Chemical Health Tables

Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2003-2005

	2003			2004			2005			2003-2005 Percent Average Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	655	255	38.9	567	177	31.2	559	197	35.2	35.3
Aitkin	4	2	50.0	10	1	10.0	5	1	20.0	21.1
Anoka	32	9	28.1	28	8	28.6	22	9	40.9	31.7
Becker	8	6	75.0	4	4	100.0	6	4	66.7	77.8
Beltrami	6	4	66.7	7	3	42.9	4	2	50.0	52.9
Benton	3	0	0.0	5	2	40.0	10	3	30.0	27.8
Big Stone	0	0	0.0	4	4	100.0	0	0	0.0	100.0
Blue Earth	14	7	50.0	7	0	0.0	10	6	60.0	41.9
Brown	3	1	33.3	4	1	25.0	1	1	100.0	37.5
Carlton	6	3	50.0	7	1	14.3	4	0	0.0	23.5
Carver	10	5	50.0	4	2	50.0	8	3	37.5	45.5
Cass	11	6	54.5	7	3	42.9	5	3	60.0	52.2
Chippewa	0	0	0.0	3	1	33.3	4	0	0.0	14.3
Chisago	10	5	50.0	4	1	25.0	6	1	16.7	35.0
Clay	8	4	50.0	7	1	14.3	5	1	20.0	30.0
Clearwater	2	2	100.0	2	2	100.0	5	4	80.0	88.9
Cook	1	0	0.0	0	0	0.0	1	0	0.0	0.0
Cottonwood	2	0	0.0	3	0	0.0	1	0	0.0	0.0
Crow Wing	11	6	54.5	6	2	33.3	16	11	68.8	57.6
Dakota	14	5	35.7	33	8	24.2	28	5	17.9	24.0
Dodge	3	1	33.3	4	1	25.0	7	0	0.0	14.3
Douglas	6	1	16.7	11	5	45.5	6	3	50.0	39.1
Faribault	5	3	60.0	0	0	0.0	2	1	50.0	57.1
Fillmore	3	0	0.0	4	2	50.0	2	2	100.0	44.4
Freeborn	7	4	57.1	9	4	44.4	4	1	25.0	45.0
Goodhue	11	2	18.2	4	2	50.0	8	3	37.5	30.4
Grant	1	1	100.0	2	0	0.0	0	0	0.0	33.3
Hennepin	62	23	37.1	48	18	37.5	50	16	32.0	35.6
Houston	3	0	0.0	4	1	25.0	2	1	50.0	22.2
Hubbard	6	2	33.3	6	2	33.3	5	2	40.0	35.3
Isanti	12	2	16.7	4	3	75.0	7	1	14.3	26.1
Itasca	14	10	71.4	10	1	10.0	4	4	100.0	53.6
Jackson	3	1	33.3	0	0	0.0	6	0	0.0	11.1
Kanabec	1	1	100.0	4	2	50.0	9	3	33.3	42.9
Kandiyohi	11	2	18.2	14	3	21.4	8	0	0.0	15.2
Kittson	3	1	33.3	1	0	0.0	2	1	50.0	33.3
Koochiching	3	3	100.0	3	1	33.3	1	1	100.0	71.4
Lac Qui Parle	2	1	50.0	2	1	50.0	1	1	100.0	60.0
Lake	3	1	33.3	3	2	66.7	5	3	60.0	54.5
Lake of the Woods	1	0	0.0	0	0	0.0	2	1	50.0	33.3
Le Sueur	2	0	0.0	3	1	33.3	7	2	28.6	25.0
Lincoln	5	3	60.0	1	1	100.0	3	1	33.3	55.6
Lyon	3	1	33.3	6	0	0.0	2	1	50.0	18.2
McLeod	4	3	75.0	2	0	0.0	5	1	20.0	36.4
Mahnomen	5	4	80.0	1	1	100.0	0	0	0.0	83.3

Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2003-2005

	2003			2004			2005			2003-2005 Percent Average Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	655	255	38.9	567	177	31.2	559	197	35.2	35.3
Marshall	0	0	0.0	0	0	0.0	1	1	100.0	100.0
Martin	2	0	0.0	5	2	40.0	3	2	66.7	40.0
Meeker	7	1	14.3	4	1	25.0	5	3	60.0	31.3
Mille Lacs	5	2	40.0	7	6	85.7	8	4	50.0	60.0
Morrison	10	1	10.0	13	4	30.8	7	5	71.4	33.3
Mower	4	1	25.0	1	0	0.0	1	0	0.0	16.7
Murray	3	1	33.3	2	1	50.0	2	1	50.0	42.9
Nicollet	11	5	45.5	0	0	0.0	1	0	0.0	41.7
Nobles	1	0	0.0	4	1	25.0	3	0	0.0	12.5
Norman	3	1	33.3	2	0	0.0	0	0	0.0	20.0
Olmsted	15	3	20.0	15	6	40.0	10	0	0.0	22.5
Otter Tail	10	2	20.0	9	4	44.4	10	3	30.0	31.0
Pennington	1	1	100.0	4	0	0.0	3	1	33.3	25.0
Pine	12	6	50.0	7	2	28.6	13	4	30.8	37.5
Pipestone	0	0	0.0	4	1	25.0	2	0	0.0	16.7
Polk	4	2	50.0	7	4	57.1	4	2	50.0	53.3
Pope	3	0	0.0	3	1	33.3	2	1	50.0	25.0
Ramsey	31	8	25.8	22	10	45.5	26	12	46.2	38.0
Red Lake	0	0	0.0	1	1	100.0	1	1	100.0	100.0
Redwood	1	0	0.0	0	0	0.0	3	2	66.7	50.0
Renville	7	0	0.0	4	2	50.0	7	5	71.4	38.9
Rice	11	5	45.5	9	2	22.2	14	2	14.3	26.5
Rock	0	0	0.0	2	0	0.0	1	1	100.0	33.3
Roseau	3	0	0.0	2	0	0.0	6	2	33.3	18.2
St. Louis	29	12	41.4	21	6	28.6	19	9	47.4	39.1
Scott	18	12	66.7	19	3	15.8	11	1	9.1	33.3
Sherburne	15	5	33.3	14	3	21.4	18	6	33.3	29.8
Sibley	4	0	0.0	1	0	0.0	0	0	0.0	0.0
Stearns	21	12	57.1	20	6	30.0	18	5	27.8	39.0
Steele	7	3	42.9	12	0	0.0	7	0	0.0	11.5
Stevens	2	1	50.0	1	0	0.0	3	2	66.7	50.0
Swift	2	0	0.0	1	0	0.0	0	0	0.0	0.0
Todd	6	1	16.7	11	5	45.5	5	0	0.0	27.3
Traverse	0	0	0.0	0	0	0.0	0	0	0.0	0.0
Wabasha	8	5	62.5	2	1	50.0	6	3	50.0	56.3
Wadena	4	2	50.0	1	0	0.0	2	1	50.0	42.9
Waseca	2	1	50.0	1	0	0.0	3	2	66.7	50.0
Washington	24	9	37.5	18	7	38.9	19	3	15.8	31.1
Watonwan	3	0	0.0	4	0	0.0	3	1	33.3	10.0
Wilkin	2	1	50.0	1	0	0.0	0	0	0.0	33.3
Winona	15	7	46.7	6	0	0.0	2	1	50.0	34.8
Wright	20	10	50.0	15	3	20.0	16	6	37.5	37.3
Yellow Medicine	5	0	0.0	1	0	0.0	5	2	40.0	18.2

Source: Minnesota Department of Public Safety

A **fatality** is considered alcohol-related if the investigating officer suspects alcohol-involvement for any driver, pedestrian or bicyclist involved in the crash. Fatalities are by county of occurrence.

Three year average: The average is determined by adding up all the events that occurred in the three years and then dividing that sum by three

Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes by State and County, 2005

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol Related		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	87,813	5,055	5.8	37,686	3,571	9.5	\$ 310,055,700.00
Aitkin	242	24	9.9	92	17	18.5	\$ 1,665,900.00
Anoka	4,167	269	6.5	2,057	195	9.5	\$ 14,921,900.00
Becker	336	37	11.0	215	36	16.7	\$ 5,366,000.00
Beltrami	621	46	7.4	331	47	14.2	\$ 3,427,900.00
Benton	595	52	8.7	274	38	13.9	\$ 4,124,400.00
Big Stone	64	3	4.7	17	1	5.9	\$ 25,500.00
Blue Earth	1,433	91	6.4	483	61	12.6	\$ 8,546,700.00
Brown	342	22	6.4	163	20	12.3	\$ 1,531,600.00
Carlton	397	32	8.1	209	31	14.8	\$ 701,900.00
Carver	1,246	73	5.9	516	57	11.0	\$ 4,630,500.00
Cass	351	43	12.3	211	41	19.4	\$ 4,134,500.00
Chippewa	174	19	10.9	102	18	17.6	\$ 404,000.00
Chisago	791	59	7.5	377	39	10.3	\$ 2,250,100.00
Clay	970	48	4.9	357	29	8.1	\$ 1,796,900.00
Clearwater	91	6	6.6	40	6	15.0	\$ 4,647,600.00
Cook	132	5	3.8	46	5	10.9	\$ 77,300.00
Cottonwood	117	7	6.0	79	5	6.3	\$ 75,700.00
Crow Wing	1,032	77	7.5	543	63	11.6	\$ 14,040,500.00
Dakota	5,206	288	5.5	2,478	222	9.0	\$ 10,351,000.00
Dodge	228	13	5.7	111	12	10.8	\$ 207,200.00
Douglas	757	41	5.4	297	28	9.4	\$ 3,998,600.00
Faribault	180	11	6.1	75	9	12.0	\$ 1,414,900.00
Fillmore	315	22	7.0	119	18	15.1	\$ 2,632,600.00
Freeborn	635	29	4.6	241	22	9.1	\$ 1,677,200.00
Goodhue	916	54	5.9	350	41	11.7	\$ 4,521,500.00
Grant	86	6	7.0	28	1	3.6	\$ 95,500.00
Hennepin	24,322	1,152	4.7	10,024	716	7.1	\$ 35,294,200.00
Houston	305	21	6.9	79	13	16.5	\$ 1,566,300.00
Hubbard	277	31	11.2	157	25	15.9	\$ 3,136,900.00
Isanti	533	26	4.9	217	17	7.8	\$ 1,617,100.00
Itasca	667	57	8.5	419	49	11.7	\$ 5,895,300.00
Jackson	140	4	2.9	70	1	1.4	\$ 32,900.00
Kanabec	225	23	10.2	127	16	12.6	\$ 3,763,600.00
Kandiyohi	728	34	4.7	343	33	9.6	\$ 834,500.00
Kittson	44	5	11.4	14	2	14.3	\$ 1,182,600.00
Koochiching	137	9	6.6	72	10	13.9	\$ 1,419,800.00
Lac Qui Parle	46	3	6.5	36	1	2.8	\$ 1,195,900.00
Lake	172	10	5.8	78	6	7.7	\$ 3,557,000.00
Lake of the Woods	41	4	9.8	22	5	22.7	\$ 1,286,500.00
Le Sueur	446	37	8.3	220	21	9.5	\$ 2,920,100.00
Lincoln	108	10	9.3	29	5	17.2	\$ 1,284,700.00
Lyon	396	29	7.3	192	22	11.5	\$ 1,566,800.00
McLeod	644	37	5.7	270	34	12.6	\$ 1,973,600.00
Mahnomen	60	6	10.0	43	6	14.0	\$ 158,800.00

Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes by State and County, 2005

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol Related		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	87,813	5,055	5.8	37,686	3,571	9.5	\$ 310,055,700.00
Marshall	75	12	16.0	35	7	20.0	\$ 1,362,100.00
Martin	297	16	5.4	87	6	6.9	\$ 2,423,600.00
Meeker	247	26	10.5	149	31	20.8	\$ 4,158,700.00
Mille Lacs	380	33	8.7	182	25	13.7	\$ 5,027,500.00
Morrison	465	37	8.0	199	19	9.5	\$ 6,170,900.00
Mower	624	32	5.1	206	25	12.1	\$ 580,900.00
Murray	87	8	9.2	50	1	2.0	\$ 1,232,900.00
Nicollet	468	27	5.8	157	10	6.4	\$ 304,400.00
Nobles	345	12	3.5	135	9	6.7	\$ 215,500.00
Norman	71	7	9.9	41	5	12.2	\$ 91,300.00
Olmsted	2,363	87	3.7	1,047	54	5.2	\$ 1,509,800.00
Otter Tail	817	59	7.2	438	69	15.8	\$ 4,931,700.00
Pennington	168	16	9.5	116	15	12.9	\$ 1,455,100.00
Pine	388	35	9.0	262	29	11.1	\$ 5,337,100.00
Pipestone	107	10	9.3	57	6	10.5	\$ 157,200.00
Polk	397	33	8.3	155	23	14.8	\$ 3,118,700.00
Pope	140	17	12.1	54	10	18.5	\$ 1,456,800.00
Ramsey	12,712	578	4.5	4,006	317	7.9	\$ 22,011,900.00
Red Lake	37	7	18.9	18	2	11.1	\$ 1,237,000.00
Redwood	181	14	7.7	99	10	10.1	\$ 2,429,400.00
Renville	181	22	12.2	128	16	12.5	\$ 6,057,400.00
Rice	924	54	5.8	461	49	10.6	\$ 3,623,700.00
Rock	151	5	3.3	72	2	2.8	\$ 1,182,600.00
Roseau	145	4	2.8	74	2	2.7	\$ 2,344,800.00
St. Louis	2,364	193	8.2	1,203	153	12.7	\$ 13,789,900.00
Scott	1,365	89	6.5	746	78	10.5	\$ 2,916,800.00
Sherburne	1,240	98	7.9	561	68	12.1	\$ 8,493,800.00
Sibley	184	14	7.6	96	15	15.6	\$ 358,100.00
Stearns	2,222	129	5.8	1,145	89	7.8	\$ 7,682,100.00
Steele	759	33	4.3	235	20	8.5	\$ 620,400.00
Stevens	103	9	8.7	45	5	11.1	\$ 2,415,500.00
Swift	90	12	13.3	40	11	27.5	\$ 220,500.00
Todd	235	18	7.7	118	15	12.7	\$ 462,500.00
Traverse	17	4	23.5	9	4	44.4	\$ 66,600.00
Wabasha	283	20	7.1	139	13	9.4	\$ 3,670,500.00
Wadena	167	18	10.8	84	18	21.4	\$ 1,614,800.00
Waseca	267	17	6.4	120	18	15.0	\$ 2,492,000.00
Washington	3,167	169	5.3	1,411	137	9.7	\$ 6,241,900.00
Watsonwan	154	11	7.1	61	4	6.6	\$ 1,265,000.00
Wilkin	134	2	1.5	51	1	2.0	\$ 18,100.00
Winona	942	56	5.9	338	43	12.7	\$ 2,010,900.00
Wright	1,495	119	8.0	754	81	10.7	\$ 8,804,100.00
Yellow Medicine	139	18	12.9	77	12	15.6	\$ 2,537,200.00

Source: Minnesota Department of Public Safety

A **crash** or **injury** are considered alcohol-related if any driver, pedestrian or bicyclist involved in the crash was perceived by the report officer or found by a laboratory test, to be positive for alcohol (i.e., to have a blood alcohol concentration of .01% or higher). Crashes are by county of occurrence.

Alcohol-related costs are calculated using estimates (provided annually by the National Safety Council) which do not attempt to include “comprehensive costs” but just direct costs due to medical expense, property damage, and lost productivity. Other estimating procedures (e.g., those used by the US Department of Transportation) that do attempt to include comprehensive costs result in estimates about three times as great as those used by National Safety Council.

Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record ("DWIs") - Number & Rate per 10,000 Population by State and County of Occurrence, 2001-2005

	2001		2002		2003		2004		2005		2001-2005
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	33,305	67.0	33,032	65.8	32,193	63.6	34,199	67.0	36,870	71.8	67.1
Aitkin	229	148.6	245	158.1	199	126.1	111	69.2	215	132.9	126.6
Anoka	1,855	60.7	1,702	54.9	1,706	54.3	2,001	62.5	2,049	63.2	59.2
Becker	415	135.9	461	149.7	333	106.8	298	93.7	438	137.4	124.5
Beltrami	398	98.5	446	108.7	430	102.9	371	87.8	354	82.6	95.9
Benton	246	69.5	275	75.7	273	73.9	253	66.4	268	69.6	71.0
Big Stone	31	54.0	40	70.5	40	70.8	19	**	23	42.0	54.4
Blue Earth	595	106.4	599	105.6	594	103.7	440	76.6	638	109.9	100.4
Brown	135	50.5	149	55.9	193	72.8	176	65.8	148	55.8	60.1
Carlton	293	91.3	307	94.2	309	93.5	270	80.3	399	117.3	95.4
Carver	303	41.3	335	44.3	339	42.9	478	58.2	414	48.8	47.3
Cass	232	83.9	243	87.3	191	67.7	227	79.8	283	97.9	83.4
Chippewa	79	61.0	99	76.6	108	84.3	92	72.7	114	89.0	76.7
Chisago	362	83.3	297	66.6	321	69.5	326	67.4	369	74.7	72.2
Clay	537	104.1	561	108.0	614	118.1	354	66.9	802	149.0	109.3
Clearwater	86	102.3	73	86.9	66	78.3	75	88.9	67	79.0	87.1
Cook	72	139.3	64	123.2	62	117.4	33	62.1	76	141.6	116.6
Cottonwood	39	32.6	61	50.7	58	48.3	67	56.0	54	45.6	46.6
Crow Wing	465	82.6	414	72.8	432	73.9	449	75.5	655	109.3	83.0
Dakota	2,751	75.6	2,763	74.9	2,519	67.5	2,364	62.4	2,650	69.1	69.8
Dodge	169	92.7	149	80.3	97	51.2	122	63.0	147	75.0	72.3
Douglas	249	74.6	230	68.6	212	62.1	196	56.6	241	68.6	66.0
Faribault	96	60.0	103	64.7	67	42.6	74	47.3	68	43.9	51.8
Fillmore	143	67.1	144	67.2	103	48.3	93	43.6	113	52.9	55.8
Freeborn	299	92.6	280	87.2	224	70.1	172	53.8	241	75.4	75.9
Goodhue	345	77.3	294	65.7	297	65.8	245	53.9	385	84.5	69.4
Grant	22	35.3	32	51.2	46	73.7	41	67.0	43	70.3	59.4
Hennepin	6,429	57.7	6,656	59.3	7,072	63.1	7,181	64.1	7,539	67.4	62.3
Houston	207	103.8	162	81.6	136	68.1	97	48.8	143	71.7	74.8
Hubbard	118	64.0	141	76.5	138	74.1	124	65.8	154	81.6	72.4
Isanti	168	51.3	160	47.3	158	44.7	240	65.7	241	64.0	54.9
Itasca	288	65.4	268	60.7	236	53.3	292	65.9	503	113.3	71.8
Jackson	62	55.6	47	41.7	43	38.5	51	45.4	51	45.6	45.3
Kanabec	109	71.0	102	66.0	100	63.0	106	66.0	96	59.2	65.0
Kandiyohi	272	66.2	282	69.1	244	59.3	311	75.5	287	69.7	67.9
Kittson	11	**	11	**	21	42.3	28	58.1	25	52.2	38.7
Koochiching	83	58.6	126	90.1	96	68.5	87	62.8	60	43.1	64.6
Lac Qui Parle	18	**	33	41.6	27	34.3	34	43.8	36	47.3	37.9
Lake	41	37.0	49	44.2	43	38.5	64	57.1	59	52.9	46.0
Lake of the Woods	30	67.5	26	59.3	74	168.8	41	93.1	78	176.4	113.0
Le Sueur	142	55.2	155	59.6	133	49.7	207	76.2	148	53.8	59.0
Lincoln	10	**	13	**	8	**	16	**	29	47.9	24.6
Lyon	231	91.6	173	68.9	182	73.3	140	56.7	214	87.4	75.6
McLeod	272	77.0	256	72.3	269	75.0	212	58.6	266	72.6	71.1
Mahnomen	119	228.2	127	246.6	108	211.2	78	153.5	130	254.3	218.9
Marshall	34	33.9	36	36.3	38	38.0	57	56.9	57	57.2	44.5
Martin	132	61.3	148	69.7	142	66.9	128	60.8	132	62.9	64.3
Meeker	89	39.0	113	49.4	86	37.1	121	52.0	117	50.1	45.5
Mille Lacs	347	150.6	297	125.7	250	102.8	208	82.9	298	116.0	115.0
Morrison	220	68.3	195	60.3	181	55.5	176	53.8	194	59.2	59.4
Mower	357	92.4	343	88.4	344	88.6	277	71.0	321	82.7	84.6
Murray	35	38.9	41	45.5	39	43.4	24	26.7	31	35.0	37.9
Nicollet	304	101.0	349	115.3	287	93.4	220	71.4	321	104.1	96.9

Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record ("DWIs") - Number & Rate per 10,000 Population by State and County of Occurrence, 2001-2005

	2001		2002		2003		2004		2005		2001-2005
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	33,305	67.0	33,032	65.8	32,193	63.6	34,199	67.0	36,870	71.8	67.1
Nobles	150	72.6	181	88.5	182	88.3	126	61.5	189	92.2	80.6
Norman	26	35.3	49	67.0	23	32.0	33	46.6	55	78.5	51.7
Olmsted	815	64.5	794	61.6	692	52.7	830	62.3	869	64.3	61.1
Otter Tail	339	58.7	321	55.3	341	57.9	366	63.2	415	72.0	61.4
Pennington	115	85.5	117	86.6	88	64.5	118	87.1	125	91.9	83.1
Pine	281	103.7	228	83.4	248	89.4	259	92.1	334	117.3	97.3
Pipestone	71	72.0	46	47.1	42	43.4	30	31.3	68	72.2	53.2
Polk	309	99.2	295	94.8	308	99.7	204	65.5	269	86.4	89.1
Pope	93	82.9	78	69.7	67	59.5	53	47.2	83	73.8	66.6
Ramsey	2,830	55.6	2,657	52.0	2,327	46.0	2,749	55.0	2,632	53.2	52.4
Red Lake	45	104.8	41	95.1	41	94.9	20	**	47	108.9	90.1
Redwood	69	41.6	80	49.2	79	48.7	99	61.1	125	78.0	55.6
Renville	85	50.1	98	57.5	108	64.1	131	78.4	133	79.3	65.8
Rice	447	77.5	413	70.5	417	69.9	416	68.9	339	55.6	68.3
Rock	24	24.7	41	41.9	57	59.3	38	39.7	51	53.6	43.8
Roseau	109	67.4	128	78.9	115	70.5	137	84.0	159	96.4	79.5
St. Louis	1,457	73.0	1,445	72.3	1,324	66.6	1,399	70.6	1,593	80.8	72.6
Scott	740	75.4	661	63.8	679	62.5	762	66.4	1,111	92.7	72.5
Sherburne	368	53.6	393	55.0	385	51.6	486	61.7	573	70.1	58.8
Sibley	133	86.5	120	78.0	100	65.5	129	84.7	112	73.5	77.6
Stearns	875	65.1	763	56.2	930	67.8	890	63.1	1,134	79.5	66.4
Steele	216	63.3	175	50.9	191	55.0	210	59.7	254	71.0	60.0
Stevens	31	31.5	36	36.4	52	52.6	41	41.3	44	44.8	41.3
Swift	54	46.4	44	37.9	59	50.6	54	47.0	42	37.1	43.8
Todd	142	57.8	149	60.9	111	45.7	134	54.4	165	67.1	57.2
Traverse	34	85.0	33	83.5	18	**	13	**	21	55.1	60.9
Wabasha	149	68.6	167	76.2	185	83.5	130	58.5	152	68.5	71.1
Wadena	88	64.5	72	53.0	105	77.2	85	62.5	91	66.7	64.8
Waseca	127	65.1	122	62.8	144	74.1	108	56.0	117	60.5	63.7
Washington	1,376	66.3	1,389	66.1	1,330	62.3	1,087	50.2	1,442	65.4	62.0
Watsonwan	94	79.8	88	75.4	76	65.4	65	57.1	95	84.6	72.5
Wilkin	80	113.7	71	101.9	71	102.2	36	53.1	50	73.5	89.2
Winona	330	66.5	403	81.6	359	72.6	305	62.2	418	84.8	73.6
Wright	542	57.2	580	59.1	569	55.5	638	59.7	690	62.3	58.8
Yellow Medicine	87	79.9	79	73.1	82	76.8	61	57.7	89	85.2	74.5

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while DWI violations that occurred **WITHIN** that county/state each year.

Rate: The number of DWI violations per 10,000 population in the county/state.

Chemical Health Table 4: Minnesota Impaired Driving Incidents on Record ("DWIs") - Number & Rate per 10,000 population by State and County of Residence, 2001-2005

	2001		2002		2003		2004		2005		2001-2005
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	33,305	67.0	31,388	62.5	32,193	63.6	34,199	67.0	34,256	66.7	65.4
Aitkin	133	86.3	135	87.1	130	82.4	157	97.9	131	81.0	87.0
Anoka	1,967	64.3	1,809	58.4	1,781	56.7	1,939	60.6	2,121	65.5	61.1
Becker	325	106.4	348	113.0	258	82.8	340	106.9	303	95.1	100.8
Beltrami	374	92.6	406	99.0	395	94.5	434	102.7	373	87.0	95.1
Benton	231	65.2	224	61.7	232	62.8	259	68.0	271	70.4	65.7
Big Stone	23	40.1	36	63.4	29	51.3	33	58.9	14	**	48.0
Blue Earth	464	83.0	481	84.8	463	80.8	545	94.9	534	92.0	87.2
Brown	140	52.4	163	61.1	164	61.9	216	80.7	129	48.6	61.0
Carlton	235	73.3	243	74.6	262	79.3	342	101.7	298	87.6	83.5
Carver	365	49.7	407	53.8	424	53.7	408	49.7	483	56.9	52.8
Cass	246	89.0	241	86.6	195	69.1	255	89.6	260	89.9	84.9
Chippewa	72	55.6	94	72.7	105	82.0	102	80.6	98	76.6	73.4
Chisago	310	71.3	295	66.2	287	62.2	393	81.3	325	65.8	69.4
Clay	311	60.3	321	61.8	309	59.4	782	147.8	351	65.2	79.1
Clearwater	81	96.3	78	92.9	84	99.7	67	79.4	63	74.3	88.5
Cook	48	92.8	27	52.0	37	70.0	44	82.8	42	78.3	75.2
Cottonwood	50	41.8	58	48.2	51	42.4	74	61.9	56	47.3	48.3
Crow Wing	399	70.8	319	56.1	344	58.9	528	88.8	521	87.0	72.5
Dakota	2,395	65.8	2,431	65.9	2,368	63.4	2,417	63.8	2,590	67.5	65.3
Dodge	173	94.9	158	85.2	115	60.7	103	53.2	150	76.6	73.8
Douglas	199	59.6	209	62.4	196	57.4	222	64.1	201	57.2	60.1
Faribault	97	60.7	109	68.4	95	60.4	60	38.4	82	52.9	56.2
Fillmore	126	59.2	111	51.8	96	45.0	121	56.8	112	52.4	53.0
Freeborn	233	72.1	220	68.6	205	64.1	224	70.1	201	62.9	67.6
Goodhue	313	70.1	294	65.7	277	61.3	284	62.4	318	69.8	65.8
Grant	30	48.1	29	46.4	52	83.3	27	44.1	52	85.1	61.4
Hennepin	6,717	60.2	6,853	61.1	6,895	61.5	7,381	65.8	7,331	65.5	62.8
Houston	144	72.2	131	66.0	99	49.5	134	67.4	115	57.7	62.6
Hubbard	104	56.4	122	66.2	128	68.7	106	56.2	139	73.7	64.3
Isanti	206	62.9	208	61.5	186	52.6	238	65.1	257	68.2	62.2
Itasca	284	64.5	264	59.8	236	53.3	313	70.6	406	91.5	68.0
Jackson	56	50.2	52	46.1	44	39.4	46	40.9	40	35.8	42.5
Kanabec	108	70.4	99	64.1	95	59.9	103	64.2	123	75.9	66.9
Kandiyohi	250	60.8	263	64.4	231	56.1	289	70.2	264	64.1	63.1
Kittson	12	**	18	**	24	48.3	22	45.6	21	43.8	39.1
Koochiching	82	57.9	105	75.1	96	68.5	81	58.4	76	54.6	62.9
Lac Qui Parle	34	42.9	34	42.9	34	43.2	18	**	45	59.2	42.2
Lake	48	43.3	60	54.1	46	41.2	63	56.2	60	53.8	49.7
Lake of the Woods	28	63.0	26	59.3	42	95.8	64	145.3	50	113.1	95.3
Le Sueur	189	73.5	186	71.5	179	66.9	168	61.8	194	70.6	68.8
Lincoln	15	**	14	**	11	**	15	**	18	**	23.6
Lyon	183	72.5	144	57.3	145	58.4	158	64.0	176	71.9	64.8
McLeod	240	67.9	214	60.4	237	66.1	231	63.8	256	69.9	65.7
Mahnomen	88	168.7	80	155.3	77	150.6	118	232.2	88	172.1	175.7
Marshall	55	54.9	61	61.6	54	54.0	42	41.9	70	70.2	56.5
Martin	110	51.1	140	65.9	120	56.5	134	63.7	134	63.8	60.2
Meeker	101	44.2	125	54.6	108	46.5	109	46.8	131	56.1	49.7
Mille Lacs	230	99.8	189	80.0	201	82.7	285	113.6	213	82.9	91.8
Morrison	204	63.3	173	53.5	197	60.4	164	50.2	222	67.7	59.0
Mower	343	88.8	318	82.0	312	80.4	293	75.1	311	80.2	81.3
Murray	39	43.3	37	41.1	32	35.6	25	27.8	31	35.0	36.6

Chemical Health Table 4: Minnesota Impaired Driving Incidents on Record ("DWIs") - Number & Rate per 10,000 population by State and County of Residence, 2001-2005

	2001		2002		2003		2004		2005		2001-2005
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	33,305	67.0	31,388	62.5	32,193	63.6	34,199	67.0	34,256	66.7	65.4
Aitkin	133	86.3	135	87.1	130	82.4	157	97.9	131	81.0	87.0
Anoka	1,967	64.3	1,809	58.4	1,781	56.7	1,939	60.6	2,121	65.5	61.1
Nicollet	224	74.4	239	79.0	235	76.5	281	91.1	234	75.9	79.4
Nobles	128	62.0	147	71.9	148	71.8	162	79.1	148	72.2	71.4
Norman	39	53.0	55	75.2	40	55.6	19	**	61	87.1	59.5
Olmsted	794	62.9	830	64.4	731	55.6	772	57.9	868	64.2	61.0
Otter Tail	319	55.2	338	58.2	342	58.1	405	69.9	396	68.7	62.0
Pennington	94	69.9	113	83.6	83	60.9	119	87.9	121	88.9	78.2
Pine	230	84.9	187	68.4	193	69.6	325	115.6	259	90.9	86.0
Pipestone	54	54.7	40	41.0	35	36.2	50	52.2	67	71.1	50.9
Polk	238	76.4	207	66.5	239	77.3	322	103.5	210	67.5	78.2
Pope	80	71.3	63	56.3	47	41.8	65	57.9	66	58.7	57.2
Ramsey	3,080	60.6	3,021	59.2	2,712	53.6	2,404	48.1	2,967	59.9	56.3
Red Lake	33	76.8	23	53.3	28	64.8	34	79.3	25	57.9	66.4
Redwood	87	52.4	90	55.3	78	48.1	110	67.9	120	74.9	59.6
Renville	106	62.5	113	66.3	107	63.5	127	76.0	129	77.0	69.0
Rice	441	76.5	381	65.0	408	68.4	405	67.0	371	60.9	67.5
Rock	24	24.7	30	30.6	50	52.0	47	49.1	33	34.7	38.2
Roseau	99	61.2	117	72.1	113	69.2	158	96.9	140	84.9	76.9
St. Louis	1,364	68.4	1,342	67.1	1,272	64.0	1,486	75.0	1,440	73.0	69.5
Scott	624	63.6	562	54.2	626	57.7	899	78.3	848	70.8	65.3
Sherburne	384	56.0	415	58.1	409	54.8	465	59.0	554	67.8	59.3
Sibley	126	81.9	105	68.3	99	64.8	133	87.3	91	59.7	72.4
Stearns	843	62.7	794	58.4	879	64.1	981	69.5	941	66.0	64.2
Steele	229	67.1	203	59.0	178	51.2	223	63.4	238	66.6	61.5
Stevens	31	31.5	32	32.4	46	46.5	50	50.3	57	58.0	43.7
Swift	52	44.7	49	42.2	64	54.9	42	36.6	63	55.6	46.8
Todd	163	66.3	151	61.7	121	49.8	134	54.4	151	61.4	58.7
Traverse	22	55.0	16	**	21	53.7	24	62.0	17	*	51.2
Wabasha	136	62.6	136	62.1	130	58.7	137	61.7	131	59.0	60.8
Wadena	86	63.0	79	58.2	77	56.6	81	59.5	96	70.3	61.5
Waseca	139	71.3	124	63.8	132	67.9	111	57.6	130	67.3	65.6
Washington	1,138	54.8	1,133	53.9	1,150	53.8	1,314	60.6	1,194	54.2	55.5
Watonwan	96	81.5	81	69.4	70	60.2	75	65.8	88	78.3	71.1
Wilkin	45	64.0	34	48.8	32	46.1	61	89.9	23	33.8	56.5
Winona	255	51.4	283	57.3	259	52.3	490	99.9	268	54.4	63.0
Wright	591	62.3	620	63.2	548	53.4	640	59.9	771	69.6	61.8
Yellow Medicine	67	61.6	73	67.6	69	64.6	72	68.1	90	86.1	69.5

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while impaired violations by county of residence.

Rate: The number of DWI violations per 10,000 population in the county/state.

Notes about the Chemical Health Indicators

IMPAIRED DRIVING INCIDENTS

Minnesota Motor Vehicle Crash Facts

This category includes data about motor vehicle crashes and violations related to alcohol. The violations' indicators includes violations for both failing and also refusing to take (implied consent law) a test for blood alcohol content.

These indicators include both local law enforcement and State Patrol reports.

Source:

Minnesota Department of Public Safety, 651/201-7000

Limitations:

Under-reporting

Law enforcement officers at a crash or arrest site may not realize and thus not report that alcohol or other drugs were involved.

Lack of Standard Reporting

The number of reports of alcohol-related crashes or driving while impaired violations are affected by the inconsistency of enforcement of the laws by local law enforcement officials. One community may be very strict in enforcement, or receive specific funds for specific enforcement, while another community may be more lenient.

Section F: Environmental Health Tables

Blood Lead, 2005

Lead poisoning is a significant, preventable environmental health problem among children in the United States. Lead poisoning can cause learning, behavior, and health problems in young children. In adults, lead can cause high blood pressure, kidney damage, and damage to the reproductive organs. Exposure pathways include deteriorating lead paint; soil and dust; drinking water; “take-home lead” by way of parental occupations and hobbies; air; food; and possibly “traditional” medicines.

The Minnesota Department of Health (MDH) maintains an extensive blood lead surveillance system for the purpose of monitoring trends in blood lead levels in Minnesota. Independent laboratories and/or hospitals report blood lead analyses to the MDH. The data are used to help ensure that screening services are provided to high risk groups and that environmental and medical follow-up is provided to children with elevated blood lead levels. Lead program staff advise local health departments of elevated venous blood lead levels that require follow up. Health care providers and public health agencies educate families of children with blood lead levels of 10 micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or greater about the hazards of lead. Homes of children with venous blood lead levels of 15 $\mu\text{g}/\text{dL}$ or greater, or pregnant women with venous blood lead levels of 10 $\mu\text{g}/\text{dL}$ or greater, are inspected for lead hazards so that homes can be made lead safe and blood lead levels can be reduced.

In addition, MDH has developed guidelines for case management and clinical treatment in collaboration with local partners and physicians. The case management guidelines are targeted to local public health agencies and others who provide services to provide information on recommended activities related to elevated childhood lead cases. The clinical guidelines provide recommended treatment information to physicians who may not deal with many lead cases in their practice. This information, as well as other information on childhood lead poisoning, may be found at the MDH website at: www.health.state.mn.us/divs/eh/lead.

The results in Environmental Health Table 1 represent submitted reports of blood lead tests of Minnesota children aged 0-72 months between January 1, 2005 and December 31, 2005. The table below shows the numbers of children 0-72 months of age tested in 2005 according to blood lead level.

For more information contact the Environmental Impacts Analysis Unit, Section of Environmental Surveillance and Assessment: Erik Zabel, 651/201-4931, erik.zabel@health.state.mn.us, or www.health.state.mn.us/divs/eh/lead.

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter ($\mu\text{g}/\text{dL}$) in 2005 by State and County

	Number of Children (0 to 72 Months)			
	10 to 14.9 $\mu\text{g}/\text{dL}$ ²	15 to 19.9 $\mu\text{g}/\text{dL}$ ¹	20 $\mu\text{g}/\text{dL}$ or Greater ¹	Total Tested ²
State of Minnesota	929	127	132	78,761
Aitkin	1	1	0	173
Anoka	27	6	0	3,898
Becker	3	2	0	298
Beltrami	1	0	0	304
Benton	7	0	0	746
Big Stone	1	0	0	63
Blue Earth	5	1	0	708
Brown	4	1	0	280
Carlton	9	3	0	645
Carver	4	0	1	683
Cass	0	0	0	309
Chippewa	7	1	0	155
Chisago	5	0	1	506
Clay	1	1	0	317
Clearwater	0	0	0	66
Cook	0	0	0	37
Cottonwood	1	0	0	145
Crow Wing	4	1	1	850
Dakota	25	7	5	4,550
Dodge	2	0	0	185
Douglas	2	0	0	502
Faribault	3	0	0	209
Fillmore	3	0	1	190
Freeborn	5	1	2	412
Goodhue	7	0	0	482
Grant	0	0	0	87
Hennepin	307	55	54	19,534
Houston	4	0	0	184
Hubbard	0	0	0	92
Isanti	3	0	1	484
Itasca	5	0	0	771
Jackson	2	1	0	109
Kanabec	1	0	0	174
Kandiyohi	13	1	2	833
Kittson	0	0	0	37
Koochiching	6	0	0	212
Lac Qui Parle	0	0	1	121
Lake	0	0	0	160
Lake of the Woods	1	0	0	35
Le Sueur	3	0	1	284
Lincoln	1	0	0	68
Lyon	10	0	0	545
McLeod	6	1	0	570
Mahnomen	3	0	0	85
Marshall	0	0	0	72
Martin	7	1	0	298
Meeker	5	1	0	349
Mille Lacs	2	0	0	378
Morrison	3	0	0	540
Mower	3	1	2	389
Murray	1	0	0	101
Nicollet	4	0	0	409

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter (µg/dL) in 2005 by State and County

	Number of Children (0 to 72 Months)			
	10 to 14.9 µg/dL ²	15 to 19.9 µg/dL ¹	20 µg/dL or Greater ¹	Total Tested ²
State of Minnesota	929	127	132	78,761
Nobles	3	0	3	548
Norman	0	0	1	75
Olmsted	8	0	2	960
Otter Tail	5	2	0	395
Pennington	0	0	0	147
Pine	4	1	0	345
Pipestone	1	0	0	55
Polk	2	1	0	265
Pope	0	0	0	134
Ramsey	231	32	37	9,310
Red Lake	0	0	0	37
Redwood	4	0	0	220
Renville	9	0	0	266
Rice	8	2	1	895
Rock	1	1	2	43
Roseau	0	0	0	95
St. Louis	7	0	0	1,466
Scott	6	0	1	1,109
Sherburne	4	0	0	219
Sibley	46	6	7	3,452
Stearns	14	0	0	2,402
Steele	5	1	1	723
Stevens	1	0	0	153
Swift	2	0	0	138
Todd	5	0	0	285
Traverse	0	1	0	53
Wabasha	1	0	0	203
Wadena	0	0	0	174
Waseca	3	0	0	322
Washington	13	2	3	1,799
Watonwan	2	0	0	165
Wilkin	0	0	0	68
Winona	11	0	3	443
Wright	11	0	0	1,458
Yellow Medicine	3	1	0	119
Unknown	5	0	0	6,286

Source: Minnesota Department of Health, Environmental Health Division

¹results of venous tests only

²venous, capillary, and unknown test types

Foodborne & Waterborne Disease Outbreaks, 2005

Biological or chemical agents may be present in food and water and can cause illness when ingested. The Minnesota Department of Health (MDH) investigates outbreaks of gastroenteritis, including foodborne and waterborne disease outbreaks. Epidemiologists in the Infectious Disease Epidemiology, Prevention and Control Division collaborate with sanitarians in the Environmental Health Division and with local public health agencies in these investigations.

A confirmed foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after a common food or meal, and epidemiologic evaluation implicates the food or meal as the source of illness. Confirmed outbreaks may or may not be laboratory-confirmed. A probable foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after ingestion of a common food or meal, and a specific food or meal is suspected, but person-to-person transmission or other exposures cannot be ruled out.

Waterborne disease outbreaks are similar to foodborne disease outbreaks, except that epidemiologic analysis implicates drinking water or recreational water as the source of illness. Nonfoodborne/nonwaterborne gastroenteritis outbreaks are related by time and place of exposure, but investigation results suggest that either person-to-person transmission occurred or a vehicle other than food or water (e.g., animal contact) is identified.

Environmental Health Table 2 shows the number of confirmed and probable foodborne outbreaks, waterborne outbreaks, and nonfoodborne/nonwaterborne gastroenteritis outbreaks identified by MDH in 2005. For more information, go to <http://www.health.state.mn.us/divs/idepc/dtopics/foodborne/outbreaksummary.html>, or contact the Acute Disease Investigation and Control Section, Infectious Disease Epidemiology, Prevention and Control Division: Ellen Swanson Laine, 651/201-5639 or ellen.swanson@health.state.mn.us

Environmental Health Table 2: Foodborne and Waterborne Disease Outbreaks in Minnesota by State and County, 2005

	Confirmed Foodborne*	Probable Foodborne	Confirmed Waterborne	Probable Waterborne	Nonfoodborne/ Nonwaterborne Gastroenteritis	Total
State of Minnesota	39	15	4	0	40	99
Aitkin	0	0	0	0	0	0
Anoka	2	1	1	0	0	4
Becker	0	0	0	0	0	0
Beltrami	0	0	0	0	0	0
Benton	1	0	0	0	0	1
Big Stone	0	0	0	0	1	1
Blue Earth	1	1	0	0	0	2
Brown	0	0	0	0	0	0
Carlton	0	0	0	0	0	0
Carver	0	1	1	0	0	2
Cass	0	0	0	0	0	0
Chippewa	0	0	0	0	0	0
Chisago	2	0	0	0	0	2
Clay	0	0	0	0	1	1
Clearwater	0	0	0	0	2	2
Cook	0	0	0	0	0	0
Cottonwood	0	0	0	0	0	0
Crow Wing	0	0	0	0	0	0
Dakota	2	1	0	0	1	4
Dodge	1	0	0	0	1	2
Douglas	0	0	0	0	0	0
Faribault	0	0	0	0	0	0
Fillmore	0	0	0	0	1	1
Freeborn	0	0	0	0	0	0
Goodhue	0	0	0	0	0	0
Grant	0	0	0	0	0	0
Hennepin	18	8	1	0	8	25
Houston	0	0	0	0	0	0
Hubbard	0	0	0	0	0	0
Isanti	1	0	0	0	0	1
Itasca	1	0	0	0	0	1
Jackson	0	0	0	0	2	2
Kanabec	0	0	0	0	0	0
Kandiyohi	0	0	0	0	1	1
Kittson	0	0	0	0	0	0
Koochiching	0	0	0	0	0	0
Lac Qui Parle	0	0	0	0	0	0
Lake	0	0	0	0	0	0
Lake of the Woods	0	0	0	0	0	0
Le Sueur	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0
Lyon	0	0	0	0	0	0
McLeod	1	0	0	0	2	3
Mahnomen	0	0	0	0	0	0
Marshall	0	0	0	0	0	0
Martin	1	0	0	0	0	1
Meeker	0	0	0	0	0	0
Mille Lacs	1	0	0	0	0	1
Morrison	0	0	0	0	0	0
Mower	0	0	0	0	1	1

Environmental Health Table 2: Foodborne and Waterborne Disease Outbreaks in Minnesota by State and County, 2005

	Confirmed Foodborne*	Probable Foodborne	Confirmed Waterborne	Probable Waterborne	Nonfoodborne/ Nonwaterborne Gastroenteritis	Total
State of Minnesota	39	15	4	0	40	99
Murray	0	0	0	0	0	0
Nicollet	0	0	0	0	0	0
Nobles	0	0	0	0	0	0
Norman	0	0	0	0	0	0
Olmsted	4	1	0	0	2	7
Otter Tail	1	0	0	0	0	1
Pennington	0	0	0	0	0	0
Pine	1	0	0	0	0	1
Pipestone	0	0	0	0	0	0
Polk	0	0	0	0	0	0
Pope	0	0	0	0	0	0
Ramsey	8	0	1	0	6	15
Red Lake	0	0	0	0	0	0
Redwood	0	0	0	0	0	0
Renville	0	0	0	0	0	0
Rice	0	1	0	0	0	1
Rock	0	0	0	0	0	0
Roseau	0	0	0	0	0	0
St. Louis	1	0	0	0	2	3
Scott	1	1	0	0	0	2
Sherburne	0	0	0	0	0	0
Sibley	0	0	0	0	0	0
Stearns	0	0	0	0	2	2
Steele	0	0	0	0	0	0
Stevens	0	0	0	0	0	0
Swift	0	0	0	0	0	0
Todd	0	0	0	0	0	0
Traverse	0	0	0	0	0	0
Wabasha	0	0	0	0	2	2
Wadena	0	0	0	0	0	0
Waseca	0	0	0	0	1	1
Washington	1	0	0	0	2	3
Watonwan	0	0	0	0	0	0
Wilkin	0	0	0	0	0	0
Winona	1	0	0	0	1	2
Wright	0	0	0	0	1	1
Yellow Medicine	0	0	0	0	0	0

Source: Minnesota Department of Health, Infectious Disease Epidemiology, Prevention and Control Division

*There were two outbreaks in 2005 that involved cases exposed in multiple counties. One outbreak involved exposures in Hennepin, Itasca, Ramsey, and Scott counties; the other outbreak involved exposures in Anoka, Chisago, Dakota, Hennepin, Isanti, Martin, Olmsted, Ramsey, and Washington counties.

Hazardous Substances Emergency Events Surveillance, 2005

Hazardous materials are released daily throughout Minnesota as a result of industrial, agricultural, and domestic spills of acids, ammonia, and other chemicals. Many of these releases cause injuries and force evacuations. The Hazardous Substances Emergency Events Surveillance (HSEES) program maintains a database of acute hazardous material releases in Minnesota. The HSEES program is currently active in fourteen other states, and is conducted under a cooperative agreement with the U.S. Agency for Toxic Substances and Disease Registry.

The HSEES program collects data on acute, emergency hazardous material releases, as well as threatened releases that involved a public health action such as evacuation. The program does not include releases that involve petroleum products exclusively, such as diesel fuel or propane, nor does the program include releases permitted by the Minnesota Pollution Control Agency. Chronic releases, such as a several-month leak from an acid holding tank, are also excluded from the program.

The Minnesota Department of Health (MDH) receives reports of hazardous material releases from several sources, including the Minnesota Duty Officer, the U. S. Coast Guard's National Response Center, and the U.S. Department of Transportation. Upon receipt of this initial report, the MDH calls the responsible party or emergency responders and obtains information to complete an extensive questionnaire. Information gathered includes the number of people who were evacuated, injured, or decontaminated; the identity of the materials spilled; and how much was spilled. Data on long-term health effects from chemical exposures are not collected. The MDH follow-up procedure has the advantage of providing more complete and accurate information than may have been available at the time of original notification of the release.

HSEES data identify the chemicals that were released, the day of the week on which the release occurred, the time of day at which the release occurred, and list the number of injuries by chemical and the number of evacuations by chemical. Maps can be generated showing the locations of spills with respect to municipalities; rivers and lakes; and roads.

For the purpose of the HSEES program, a person is considered injured if that person develops symptoms within 24 hours of exposure to a hazardous substance. Symptoms range from minor ailments, such as throat irritation, to death. The program does not differentiate between injuries caused directly by exposure to hazardous materials and injuries caused indirectly by the release, such as burns from a fire caused by the hazardous materials. HSEES data can be used in emergency management planning and training. A region's agricultural and industrial activities determine the types of hazardous material releases which are likely to occur within that region. Thus, regional differences require different strategies for planning and training. Comparisons can be made between a rural county and other rural counties, and between an urban county and other urban counties.

During 2005, a total of 407 events occurred in Minnesota involving in 456 chemicals. Among these, there were two threatened release events, 25 evacuations, and 52 injured people (i.e., victims). For the nine urban counties, there were 256 events, 295 chemicals involved, two threatened release events, 27 victims, and 16 evacuations. For the 78 primarily agricultural counties, there were 151 events, 161 chemicals involved, no threatened release events, 25 victims, and 9 evacuations. Environmental Health Table 3 provides the number of hazardous material releases in each county and the average number of events, injuries, evacuations, and chemicals released per event for urban counties and primarily agricultural counties.

For further information contact the Site Assessment and Consultation Unit: Nancy Rice, HSEES Coordinator, 651/201-4923 or hazhealth@health.state.mn.us.

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2005 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number
Urban Counties	28.4	3.0	1.8	1.2
Agricultural Counties	1.9	0.3	0.1	1.1
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	407	52	25	1.1
Aitkin	0	0	0	0.0
Anoka	20	5	0	1.2
Becker	0	0	0	0.0
Beltrami	0	0	0	0.0
Benton	1	0	0	1.0
Big Stone	0	0	0	0.0
Blue Earth	5	1	1	1.2
Brown	1	0	0	1.0
Carlton	4	0	0	2.0
Carver	0	0	0	0.0
Cass	0	0	0	0.0
Chippewa	2	0	0	1.0
Chisago	1	0	0	1.0
Clay	5	0	0	1.4
Clearwater	1	0	0	1.0
Cook	0	0	0	0.0
Cottonwood	0	0	0	0.0
Crow Wing	1	0	0	1.0
Dakota	69	5	3	1.3
Dodge	6	0	0	1.2
Douglas	3	0	0	1.0
Faribault	4	0	0	1.0
Fillmore	1	0	0	1.0
Freeborn	5	0	0	1.0
Goodhue	5	0	0	1.0
Grant	2	0	0	1.0
Hennepin	63	8	7	1.1
Houston	3	0	0	1.0
Hubbard	1	0	0	1.0
Isanti	0	0	0	0.0
Itasca	5	0	0	1.0
Jackson	1	0	0	1.0
Kanabec	0	0	0	0.0
Kandiyohi	3	0	0	1.0
Kittson	0	0	0	0.0
Koochiching	2	0	1	1.0
Lac Qui Parle	0	0	0	0.0
Lake	1	0	0	1.0
Lake of the Woods	0	0	0	0.0
Le Sueur	2	7	1	1.0
Lincoln	0	0	0	0.0
Lyon	1	0	0	1.0
McLeod	13	4	1	1.0
Mahnomen	0	0	0	0.0
Marshall	2	0	0	1.0
Martin	0	0	0	0.0
Meeker	1	0	0	1.0
Mille Lacs	0	0	0	0.0

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2005 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number
Urban Counties	28.4	3.0	1.8	1.2
Agricultural Counties	1.9	0.3	0.1	1.1
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	407	52	25	1.1
Morrison	2	0	0	1.0
Mower	0	0	0	0.0
Murray	0	0	0	0.0
Nicollet	1	7	0	1.0
Nobles	2	0	0	1.0
Norman	0	0	0	0.0
Olmsted	11	1	1	1.1
Otter Tail	8	0	0	1.0
Pennington	1	0	0	1.0
Pine	1	1	1	1.0
Pipestone	3	1	0	1.0
Polk	9	0	0	1.0
Pope	1	0	0	1.0
Ramsey	33	6	3	1.1
Red Lake	0	0	0	0.0
Redwood	2	0	1	1.0
Renville	0	0	0	0.0
Rice	4	0	0	1.0
Rock	0	0	0	0.0
Roseau	3	0	0	1.0
St. Louis	10	0	0	1.0
Scott	8	0	1	1.4
Sherburne	5	0	2	1.2
Sibley	2	0	0	1.0
Stearns	5	0	1	1.0
Steele	5	0	0	1.0
Stevens	2	2	0	1.0
Swift	3	0	0	1.0
Todd	1	0	0	1.0
Traverse	1	0	0	1.0
Wabasha	0	0	0	0.0
Wadena	1	0	0	2.0
Waseca	1	1	0	1.0
Washington	42	2	1	1.0
Watonwan	1	0	0	1.0
Wilkin	0	0	0	0.0
Winona	2	0	0	1.0
Wright	2	1	0	1.0
Yellow Medicine	1	0	0	1.0

Source: Minnesota Department of Health, Environmental Health Division

Urban counties: Anoka, Carver, Dakota, Hennepin, Olmsted, Ramsey, Scott, St. Louis, & Washington counties

Agricultural counties: Counties other than urban counties

Radioactivity and Radiation, 2001-2005

Beginning in 2004, milk sampling for radioactivity in each of the seven MDH district offices was discontinued and replaced by sampling near the two nuclear generating plants. Values for strontium-90 did not exceed National Primary Drinking Water Regulations (40 CFR 141) for strontium-90 of 8.0 pCi per liter (see table below). Because there is no specific standard for strontium-90 in milk, the standard for strontium-90 in drinking water is used. Median values for strontium-90 also were well within recommended safe levels according to the U.S. Food and Drug Administration (FDA) emergency guidelines for milk. The FDA recommends that during an emergency, protective actions be taken only when levels exceed 4,000 pCi per liter (Accidental Radioactive Contamination of Human Food and Animal Feeds: Recommendations for State and Local Agencies, Food and Drug Administration, August 13, 1998).

Strontium-90 is a fallout product of atmospheric weapons testing. The physical half-life of strontium-90 is 28 years. The average strontium-90 level has been fluctuating, but slowly decreasing. The fluctuations observed result from sampling errors, measurement errors, and the statistical nature of the analyses.

For further information contact the Radiation Control Unit, Section of Asbestos, Indoor Air, Lead and Radiation: Tim Donakowski, 651/201-4521 or timothy.donakowski@health.state.mn.us

Environmental Health Table 4: Median Strontium-90 Levels (pCi/L) in Milk by Minnesota Site and Year

	2001	2002	2003	2004	2005
St. Cloud/Little Falls	1.8	1.0	1.3	Discontinued	Discontinued
Duluth	1.9	1.9	1.6	Discontinued	Discontinued
Bemidji	1.0	0.9	1.1	Discontinued	Discontinued
Rochester	1.0	0.9	1.0	Discontinued	Discontinued
Hastings	1.2	0.9	1.0	Discontinued	Discontinued
Norwood	0.8	0.9	<0.8	Discontinued	Discontinued
St. Paul	1.1	0.9	1.0	Discontinued	Discontinued
Monticello	Unavailable	Unavailable	Unavailable	2.0	2.1
Prairie Island	Unavailable	Unavailable	Unavailable	1.6	<2.0
Average (Median)	1.1	0.9	1.0	1.8	2.0

Source: Minnesota Department of Health, Environmental Health Division

Potassium-40 (K-40) was found in all milk samples, ranging from about 1000 to 1500 pCi per liter. Potassium-40 is a naturally occurring radionuclide present at the earth's creation (physical half life of 1.3 billion years). No other nuclides were detected.