

2006 Minnesota County Health Tables

2006 Minnesota County Health Data

Minnesota Department of Health
Minnesota Center for Health Statistics
PO Box 64882
St. Paul, MN 55164-64882
healthstats@state.mn.us
www.health.state.mn.us/divs/chs

To obtain this information in a different format, email healthstats@state.mn.us.

Table of Contents

Introduction

Introduction	i
Section Descriptions and Notes	i

Section A: Demographics

Table 1: Estimated Population by Age and Sex	A-1
Table 2: Minnesota Population by Race and Ethnicity by State and County	A-45
Table 3: Selected Minnesota Population Statistics by State and County	A-47
Table 4: Selected Minnesota Demographics	A-49
Table 5: Selected Minnesota Socioeconomic Statistics by State and County	A-51
Table 6: Minnesota Family Investment Program – Medical Assistance and GAMC Average Monthly Enrollment by State and County	A-53
Table 8: Medical Assistance and MinnesotaCare Programs	A-57
Table 9: School Enrollment by Race/Ethnicity	A-59

Section B: Natality

Table 1: Selected Minnesota Natality Statistics by State and County	B-1
Table 2: Prematurity and Low Birth Weight in Singleton Births in Minnesota by State and County	B-3
Table 3: Infant Mortality by State and County	B-5
Table 4: Prenatal Care in Minnesota by State and County	B-7
Table 5: Obstetric Procedures in Minnesota by State and County	B-9
Table 6: Fertility and Family Planning in Minnesota by State and County	B-11
Table 7: Minnesota Teen Births and Pregnancies by State and County	B-13
Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota by State and County	B-15
Table 9: Race and Ethnicity of Mother in Minnesota by State and County	B-17

Section C: Mortality

Table 1: Minnesota Leading Causes of Death by Age Group by State and County	C-1
Table 2: Minnesota Years of Potential Life Lost to Age 65 and 75 by State and County	C-46
Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County	C-91
Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County	C-93
Tables 4a, b & c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota	C-95

Section D: Morbidity and Utilization

Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota by State and County	D-1
Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota by State and County	D-3
Table 3: Number of Other Selected Diseases Reported in Minnesota by State and County	D-5
Table 5: Motor Vehicle Injuries by Severity by State and County	D-9
Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured by State and County	D-11
Tables 7a, b and c: Number and Percent of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota	D-13
Tables 8a: Minnesota Nonfatal Traumatic Brain Injuries Number and Rate per 100,000 by State and County	D-19
Table 8b: Minnesota Nonfatal Spinal Cord Injuries Number and Rate per 100,000 by State and County	D-21
Table 9: Minnesota Behavioral Risk Factors of Adults by State and County	D-24
Table 10: Minnesota Behavioral Risk Factors of Adults by State and County	D-26

Table of Contents

Section E: Chemical Health

Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County	E-1
Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes by State and County.....	E-3
Table 3: Minnesota Driving While Impaired Violations – Number and Rate per 10,000 Population by State and County of Occurrence	E-5
Table 4: Minnesota Driving While Impaired Violations – Number and Rate per 10,000 Population by State and County of Resident.....	E-7
Notes about Chemical Health Indicators	E-9

Section F: Environmental Health

Environmental Health - Blood Lead.....	F-1
Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter ($\mu\text{g}/\text{dL}$) by State and County	F-2
Environmental Health - Foodborne and Waterborne Disease Outbreaks.....	F-4
Table 2: Foodborne and Waterborne Disease Outbreaks in Minnesota by State and County	F-5
Environmental Health - Hazardous Substances Emergency Events Surveillance.....	F-7
Table 3: Average Hazardous Material Releases, Injuries, Evacuations, and Chemicals per Event in Minnesota by State and County.....	F-8
Environmental Health - Radioactivity and Radiation	F-10
Table 4: Median Strontium-90 Levels (pCi/L) in Pasteurized Milk by Minnesota Site and Year	F-10

Section G: Children with Special Health Needs

Table 1: Estimated Number of Children with Special Health Needs	G-3
Table 2: Prevalence of Special Health Care Needs among Children and Youth.....	G-5
Table 3: Number of Children Receiving Early Intervention Services.....	G-7
Table 4: Number of Children Tracked by Follow Along Programs	G-9
Table 5: Number of Children Eligible for SSI or TEFRA.....	G-11

Introduction

The Minnesota County Health Tables (MCHT) replaced the County Health Profiles (CHP) in 2001. The County Health Profiles for 1996, 1998 and 2000 are still available on the Minnesota Planning website, www.mnplan.state.mn.us/datanetweb/health.html.

Users of the Minnesota County Health Tables must be aware that all data are subject to potential error. Sources of these errors include under-registration, informant or respondent errors, sampling errors, and data processing errors. Every effort has been made to minimize these errors. However, the most dangerous error remains that of the inaccurate interpretation of data that has been provided.

The user should review the definitions of terms used in the Minnesota County Health Tables. The data included in this publication are from the most recently available year(s). In an area of small population the presence or absence of a relatively rare health event should not be used to confirm or deny a specific public health problem.

Section Descriptions and Notes

Section A: Demographics Tables

This section includes selected demographic statistics from various sources, including the U.S. Census Bureau, Minnesota State Demographer's Office, the Minnesota Departments of Human Services, Economic Security and Education.

Section B: Natality Tables

This section includes various birth statistics collected from Minnesota birth certificates which are filed with the Office of the State Registrar, Minnesota Department of Health.

All birth data in this section are by county of residence.

Section C: Mortality Tables

This section includes various death statistics collected from Minnesota death certificates which are filed with the Office of the State Registrar, Minnesota Department of Health. Mortality data in this publication are classified using the International Classification of Diseases, version 10 (ICD-10). Version 10 has been used since 1999. From 1979-1998, ICD-9 was used for coding deaths. The ICD-10 differs from ICD-9 in a number of respects although the overall content is similar. The change from ICD-9 to ICD-10 should be taken in consideration when comparing 1999 and newer mortality data to previous years. For more information on ICD-10, please refer to the Centers for Disease Control and Prevention website, <http://www.cdc.gov/nchs/about/major/dvs/icd10des.htm>

All death data in this section are by county of residence.

Section D: Morbidity and Service Utilization Tables

Included in this section are surveillance data on cancer, sexually transmitted diseases, traumatic brain injuries, survey data on behavioral risk factors and utilization data. The Minnesota Student Survey results are not included in this section but can be found on the Center for Health Statistics Website: <http://www.health.state.mn.us/divs/chs/mss/>

Section E: Chemical Health

The Chemical Health section focuses on alcohol use. Data in this section include percent of fatalities in which alcohol use was involved and driving while intoxicated. Unless specified these data are by county of occurrence. Adult chemical health use data from the Behavioral Risk Factor Surveillance System are in Section D. Youth chemical use data from the Minnesota Student Survey are located on the Center for Health Statistics website: <http://www.health.state.mn.us/divs/chs/mss/>

Section F: Environmental Health Tables

The Environmental Health Section includes county-specific summary data from the following Environmental Health programs: blood lead; foodborne/waterborne disease outbreaks; hazardous substance emergency events surveillance; and radioactivity and radiation. This section contains a description of the health hazard; the most current data available, generally summarized by county and state; and any limitations or biases to be considered before using the data.

Section G: Children with Special Health Needs Tables

This section consists of supplemental information related to two programs targeted to improving the health of mothers and children. These data were provided by the Minnesota Department of Health, Family Health Division. The Children with Special Health Needs tables reflect the anticipated number of children with special health needs and the number of these children receiving services from various programs.

Section A: Demographics Tables

Tables

Table 1: Population Estimates by Age and Sex

Table 2: Population Estimates by Race and Ethncity

Table 3: Selected Population Statistics

Table 4: Selected Minnesota Demographics

Table 5: Selected Socioeconomic Statistics

Table 6: Family Investment Programs

Table 7: MA and MinnesotaCare Programs

Table 8: Selected Education Statistics

Tables 9 : School Enrollment by Race/Ethnicity

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2006

State of Minnesota - Population Estimates by Age and Sex, 2006

Age Group	Number		Percent	
	Male	Female	Male	Female
00-04	176,160	169,090	3.4	3.3
05-09	170,324	162,796	3.3	3.2
10-14	180,807	171,177	3.5	3.3
15-17	116,091	110,819	2.3	2.1
18-19	74,023	71,786	1.4	1.4
20-24	190,657	183,278	3.7	3.6
25-29	182,491	168,940	3.5	3.3
30-34	165,112	159,832	3.2	3.1
35-39	181,521	176,831	3.5	3.4
40-44	201,603	199,391	3.9	3.9
45-49	211,438	209,027	4.1	4.1
50-54	186,269	184,463	3.6	3.6
55-59	156,572	157,055	3.0	3.0
60-64	108,884	113,270	2.1	2.2
65-69	82,320	89,417	1.6	1.7
70-74	63,827	74,367	1.2	1.4
75-79	52,302	67,965	1.0	1.3
80-84	37,408	58,154	0.7	1.1
85&up	31,060	70,574	0.6	1.4
Total	2,568,869	2,598,232	49.7	50.3
Total Male/Female	5,167,101			

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Aitkin County - Population Estimates by Age and Sex, 2006

Age Group	AITKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	435	345	2,047	1,812	176,160	169,090
05-09	400	360	2,016	1,882	170,324	162,796
10-14	451	452	2,271	2,214	180,807	171,177
15-17	316	269	1,643	1,478	116,091	110,819
18-19	176	155	1,018	853	74,023	71,786
20-24	521	475	2,676	2,355	190,657	183,278
25-29	559	493	2,255	2,193	182,491	168,940
30-34	337	358	1,575	1,699	165,112	159,832
35-39	399	393	1,930	1,957	181,521	176,831
40-44	502	447	2,373	2,369	201,603	199,391
45-49	587	588	2,899	2,971	211,438	209,027
50-54	538	535	3,021	2,906	186,269	184,463
55-59	541	559	2,750	2,724	156,572	157,055
60-64	519	549	2,158	2,203	108,884	113,270
65-69	541	551	1,998	1,958	82,320	89,417
70-74	471	470	1,630	1,703	63,827	74,367
75-79	386	380	1,339	1,539	52,302	67,965
80-84	257	288	917	1,203	37,408	58,154
85&up	205	341	720	1,281	31,060	70,574
Total	8,141	8,008	37,236	37,300	2,568,869	2,598,232
Total Male/Female	16,149		74,536		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Anoka County - Population Estimates by Age and Sex, 2006

Age Group	ANOKA		Minnesota	
	Male	Female	Male	Female
00-04	11,095	10,907	176,160	169,090
05-09	11,877	11,464	170,324	162,796
10-14	13,106	12,225	180,807	171,177
15-17	7,989	7,873	116,091	110,819
18-19	4,043	3,637	74,023	71,786
20-24	10,910	10,202	190,657	183,278
25-29	12,907	11,563	182,491	168,940
30-34	11,038	10,782	165,112	159,832
35-39	12,735	12,556	181,521	176,831
40-44	14,730	14,432	201,603	199,391
45-49	14,628	13,912	211,438	209,027
50-54	11,441	11,316	186,269	184,463
55-59	9,503	9,873	156,572	157,055
60-64	6,876	6,869	108,884	113,270
65-69	4,551	4,850	82,320	89,417
70-74	3,122	3,546	63,827	74,367
75-79	2,095	2,567	52,302	67,965
80-84	1,218	1,988	37,408	58,154
85&up	775	1,804	31,060	70,574
Total	164,639	162,366	2,568,869	2,598,232
Total Male/Female	327,005		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Becker County - Population Estimates by Age and Sex, 2006

Age Group	BECKER		Minnesota	
	Male	Female	Male	Female
00-04	1,054	1,019	176,160	169,090
05-09	1,008	933	170,324	162,796
10-14	977	968	180,807	171,177
15-17	762	769	116,091	110,819
18-19	385	375	74,023	71,786
20-24	1,165	1,069	190,657	183,278
25-29	1,249	1,221	182,491	168,940
30-34	910	799	165,112	159,832
35-39	889	897	181,521	176,831
40-44	1,097	998	201,603	199,391
45-49	1,157	1,235	211,438	209,027
50-54	1,204	1,111	186,269	184,463
55-59	1,063	1,069	156,572	157,055
60-64	829	792	108,884	113,270
65-69	663	735	82,320	89,417
70-74	571	674	63,827	74,367
75-79	497	532	52,302	67,965
80-84	339	470	37,408	58,154
85&up	218	527	31,060	70,574
Total	16,037	16,193	2,568,869	2,598,232
Total Male/Female	32,230		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Beltrami County - Population Estimates by Age and Sex, 2006

Age Group	BELTRAMI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,572	1,494	2,481	2,401	176,160	169,090
05-09	1,529	1,398	2,385	2,203	170,324	162,796
10-14	1,535	1,423	2,581	2,381	180,807	171,177
15-17	1,053	1,033	1,755	1,742	116,091	110,819
18-19	877	896	1,231	1,201	74,023	71,786
20-24	2,386	2,249	3,435	3,277	190,657	183,278
25-29	1,676	1,869	2,702	2,911	182,491	168,940
30-34	1,142	1,216	1,874	1,983	165,112	159,832
35-39	1,060	1,167	1,840	1,928	181,521	176,831
40-44	1,230	1,374	2,259	2,408	201,603	199,391
45-49	1,467	1,529	2,721	2,748	211,438	209,027
50-54	1,320	1,405	2,497	2,602	186,269	184,463
55-59	1,192	1,140	2,295	2,178	156,572	157,055
60-64	802	829	1,713	1,733	108,884	113,270
65-69	734	765	1,556	1,656	82,320	89,417
70-74	556	616	1,292	1,327	63,827	74,367
75-79	491	608	1,043	1,196	52,302	67,965
80-84	321	470	715	954	37,408	58,154
85&up	218	527	552	1,070	31,060	70,574
Total	21,161	22,008	36,927	37,899	2,568,869	2,598,232
Total Male/Female		43,169		74,826		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Benton County - Population Estimates by Age and Sex, 2006

Age Group	BENTON		Minnesota	
	Male	Female	Male	Female
00-04	1,413	1,408	176,160	169,090
05-09	1,343	1,251	170,324	162,796
10-14	1,287	1,183	180,807	171,177
15-17	858	775	116,091	110,819
18-19	396	469	74,023	71,786
20-24	1,574	1,545	190,657	183,278
25-29	2,105	2,159	182,491	168,940
30-34	1,536	1,543	165,112	159,832
35-39	1,436	1,375	181,521	176,831
40-44	1,457	1,373	201,603	199,391
45-49	1,392	1,310	211,438	209,027
50-54	1,177	1,111	186,269	184,463
55-59	986	955	156,572	157,055
60-64	632	646	108,884	113,270
65-69	515	470	82,320	89,417
70-74	410	512	63,827	74,367
75-79	324	413	52,302	67,965
80-84	213	402	37,408	58,154
85&up	230	504	31,060	70,574
Total	19,284	19,404	2,568,869	2,598,232
Total Male/Female		38,688		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Big Stone County - Population Estimates by Age and Sex, 2006

Age Group	BIG STONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	130	136	1,261	1,184	176,160	169,090
05-09	126	145	1,375	1,237	170,324	162,796
10-14	184	158	1,547	1,491	180,807	171,177
15-17	152	112	1,085	1,028	116,091	110,819
18-19	76	59	665	520	74,023	71,786
20-24	179	169	1,587	1,441	190,657	183,278
25-29	131	107	1,298	834	182,491	168,940
30-34	101	91	1,115	886	165,112	159,832
35-39	118	119	1,289	1,121	181,521	176,831
40-44	180	171	1,615	1,514	201,603	199,391
45-49	228	215	1,914	1,810	211,438	209,027
50-54	203	224	1,932	1,696	186,269	184,463
55-59	182	181	1,560	1,455	156,572	157,055
60-64	130	152	1,147	1,212	108,884	113,270
65-69	161	170	989	1,078	82,320	89,417
70-74	107	145	812	1,009	63,827	74,367
75-79	120	150	825	1,056	52,302	67,965
80-84	95	147	673	1,011	37,408	58,154
85&up	93	163	651	1,509	31,060	70,574
Total	2,696	2,814	23,340	23,092	2,568,869	2,598,232
Total Male/Female		5,510		46,432		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Blue Earth County - Population Estimates by Age and Sex, 2006

Age Group	BLUE EARTH		Minnesota	
	Male	Female	Male	Female
00-04	1,764	1,588	176,160	169,090
05-09	1,617	1,520	170,324	162,796
10-14	1,530	1,441	180,807	171,177
15-17	1,047	956	116,091	110,819
18-19	1,585	1,975	74,023	71,786
20-24	4,071	4,177	190,657	183,278
25-29	3,506	1,999	182,491	168,940
30-34	1,793	1,778	165,112	159,832
35-39	1,682	1,523	181,521	176,831
40-44	1,829	1,672	201,603	199,391
45-49	1,842	1,851	211,438	209,027
50-54	1,754	1,784	186,269	184,463
55-59	1,614	1,448	156,572	157,055
60-64	975	1,067	108,884	113,270
65-69	804	849	82,320	89,417
70-74	598	746	63,827	74,367
75-79	576	792	52,302	67,965
80-84	436	694	37,408	58,154
85&up	395	976	31,060	70,574
Total	29,418	28,836	2,568,869	2,598,232
Total Male/Female		58,254		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Brown County - Population Estimates by Age and Sex, 2006

Age Group	BROWN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	703	726	1,683	1,684	176,160	169,090
05-09	746	688	1,688	1,549	170,324	162,796
10-14	855	794	1,854	1,717	180,807	171,177
15-17	616	582	1,280	1,180	116,091	110,819
18-19	430	431	1,213	1,313	74,023	71,786
20-24	1,089	1,025	2,862	2,837	190,657	183,278
25-29	777	657	1,849	1,583	182,491	168,940
30-34	681	555	1,583	1,377	165,112	159,832
35-39	718	671	1,727	1,558	181,521	176,831
40-44	898	929	1,990	2,014	201,603	199,391
45-49	1,095	1,071	2,251	2,242	211,438	209,027
50-54	990	975	2,107	2,036	186,269	184,463
55-59	865	829	1,878	1,728	156,572	157,055
60-64	625	645	1,240	1,252	108,884	113,270
65-69	537	557	1,070	1,090	82,320	89,417
70-74	445	543	853	998	63,827	74,367
75-79	445	543	749	920	52,302	67,965
80-84	302	462	493	798	37,408	58,154
85&up	302	559	488	940	31,060	70,574
Total	13,119	13,242	28,858	28,816	2,568,869	2,598,232
Total Male/Female		26,361		57,674		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Carlton County - Population Estimates by Age and Sex, 2006

Age Group	CARLTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,005	950	6,576	6,175	176,160	169,090
05-09	988	955	6,574	6,139	170,324	162,796
10-14	1,101	1,055	7,362	6,905	180,807	171,177
15-17	762	695	5,066	4,723	116,091	110,819
18-19	495	385	4,719	4,781	74,023	71,786
20-24	1,400	1,346	10,961	10,312	190,657	183,278
25-29	1,317	1,062	8,115	7,029	182,491	168,940
30-34	1,071	873	6,344	5,970	165,112	159,832
35-39	1,224	1,005	7,063	6,528	181,521	176,831
40-44	1,297	1,231	8,204	8,551	201,603	199,391
45-49	1,394	1,308	9,793	9,983	211,438	209,027
50-54	1,280	1,250	10,222	10,034	186,269	184,463
55-59	1,171	1,031	9,075	8,273	156,572	157,055
60-64	769	742	6,057	6,034	108,884	113,270
65-69	590	669	4,587	5,141	82,320	89,417
70-74	547	630	3,863	4,525	63,827	74,367
75-79	409	535	3,330	4,391	52,302	67,965
80-84	280	491	2,315	3,755	37,408	58,154
85&up	227	576	2,136	4,867	31,060	70,574
Total	17,327	16,789	122,362	124,116	2,568,869	2,598,232
Total Male/Female		34,116		246,478		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Carver County - Population Estimates by Age and Sex, 2006

Age Group	CARVER		Minnesota	
	Male	Female	Male	Female
00-04	3,271	2,992	176,160	169,090
05-09	3,378	3,289	170,324	162,796
10-14	3,615	3,539	180,807	171,177
15-17	2,218	2,065	116,091	110,819
18-19	1,042	924	74,023	71,786
20-24	3,042	3,132	190,657	183,278
25-29	3,539	3,667	182,491	168,940
30-34	2,840	2,755	165,112	159,832
35-39	3,353	3,436	181,521	176,831
40-44	4,060	4,229	201,603	199,391
45-49	3,897	3,670	211,438	209,027
50-54	2,991	2,895	186,269	184,463
55-59	2,214	2,085	156,572	157,055
60-64	1,402	1,413	108,884	113,270
65-69	1,006	1,007	82,320	89,417
70-74	694	837	63,827	74,367
75-79	535	676	52,302	67,965
80-84	370	539	37,408	58,154
85&up	272	656	31,060	70,574
Total	43,739	43,806	2,568,869	2,598,232
Total Male/Female	87,545		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Cass County - Population Estimates by Age and Sex, 2006

Age Group	CASS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	876	835	3,061	2,964	176,160	169,090
05-09	772	734	3,023	2,866	170,324	162,796
10-14	880	885	3,302	3,229	180,807	171,177
15-17	672	680	2,385	2,302	116,091	110,819
18-19	350	282	1,394	1,146	74,023	71,786
20-24	1,016	952	3,680	3,292	190,657	183,278
25-29	1,061	1,136	3,631	3,471	182,491	168,940
30-34	755	755	2,605	2,448	165,112	159,832
35-39	774	755	2,729	2,633	181,521	176,831
40-44	917	924	3,401	3,345	201,603	199,391
45-49	1,040	1,050	3,883	3,685	211,438	209,027
50-54	985	947	3,575	3,416	186,269	184,463
55-59	978	938	3,184	2,996	156,572	157,055
60-64	872	906	2,541	2,571	108,884	113,270
65-69	823	806	2,299	2,388	82,320	89,417
70-74	699	683	1,851	2,020	63,827	74,367
75-79	489	521	1,572	1,815	52,302	67,965
80-84	300	349	1,012	1,470	37,408	58,154
85&up	232	407	854	1,736	31,060	70,574
Total	14,491	14,545	49,982	49,793	2,568,869	2,598,232
Total Male/Female	29,036		99,775		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Chippewa County - Population Estimates by Age and Sex, 2006

Age Group	CHIPPEWA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	390	315	1,261	1,184	176,160	169,090
05-09	386	365	1,375	1,237	170,324	162,796
10-14	463	406	1,547	1,491	180,807	171,177
15-17	278	282	1,085	1,028	116,091	110,819
18-19	158	130	665	520	74,023	71,786
20-24	422	426	1,587	1,441	190,657	183,278
25-29	406	290	1,298	834	182,491	168,940
30-34	297	281	1,115	886	165,112	159,832
35-39	337	361	1,289	1,121	181,521	176,831
40-44	422	420	1,615	1,514	201,603	199,391
45-49	495	515	1,914	1,810	211,438	209,027
50-54	508	464	1,932	1,696	186,269	184,463
55-59	438	398	1,560	1,455	156,572	157,055
60-64	316	340	1,147	1,212	108,884	113,270
65-69	251	270	989	1,078	82,320	89,417
70-74	207	252	812	1,009	63,827	74,367
75-79	203	286	825	1,056	52,302	67,965
80-84	162	248	673	1,011	37,408	58,154
85&up	147	386	651	1,509	31,060	70,574
Total	6,286	6,435	23,340	23,092	2,568,869	2,598,232
Total Male/Female		12,721		46,432		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Chisago County - Population Estimates by Age and Sex, 2006

Age Group	CHISAGO		Minnesota	
	Male	Female	Male	Female
00-04	1,788	1,772	176,160	169,090
05-09	1,705	1,606	170,324	162,796
10-14	1,937	1,763	180,807	171,177
15-17	1,262	1,161	116,091	110,819
18-19	653	490	74,023	71,786
20-24	1,968	1,742	190,657	183,278
25-29	2,394	2,239	182,491	168,940
30-34	1,760	1,787	165,112	159,832
35-39	1,978	1,888	181,521	176,831
40-44	2,230	2,035	201,603	199,391
45-49	2,060	1,927	211,438	209,027
50-54	1,549	1,496	186,269	184,463
55-59	1,323	1,198	156,572	157,055
60-64	941	905	108,884	113,270
65-69	734	658	82,320	89,417
70-74	546	594	63,827	74,367
75-79	412	502	52,302	67,965
80-84	307	396	37,408	58,154
85&up	248	390	31,060	70,574
Total	25,795	24,549	2,568,869	2,598,232
Total Male/Female		50,344		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Clay County - Population Estimates by Age and Sex, 2006

Age Group	CLAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,594	1,545	1,783	1,731	176,160	169,090
05-09	1,568	1,475	1,788	1,685	170,324	162,796
10-14	1,867	1,666	2,090	1,919	180,807	171,177
15-17	1,206	1,133	1,378	1,294	116,091	110,819
18-19	1,342	1,928	1,431	2,016	74,023	71,786
20-24	3,067	3,762	3,280	3,982	190,657	183,278
25-29	2,057	1,621	2,245	1,758	182,491	168,940
30-34	1,420	1,526	1,565	1,659	165,112	159,832
35-39	1,515	1,513	1,719	1,691	181,521	176,831
40-44	1,746	1,794	1,998	2,051	201,603	199,391
45-49	1,976	2,024	2,311	2,324	211,438	209,027
50-54	1,862	1,800	2,149	2,028	186,269	184,463
55-59	1,401	1,372	1,594	1,575	156,572	157,055
60-64	953	987	1,086	1,164	108,884	113,270
65-69	748	847	874	986	82,320	89,417
70-74	645	757	774	882	63,827	74,367
75-79	586	814	679	911	52,302	67,965
80-84	444	590	501	683	37,408	58,154
85&up	416	909	486	1,040	31,060	70,574
Total	26,413	28,063	29,731	31,379	2,568,869	2,598,232
Total Male/Female		54,476		61,110		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Clearwater County - Population Estimates by Age and Sex, 2006

Age Group	CLEARWATER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	294	294	2,481	2,401	176,160	169,090
05-09	251	223	2,385	2,203	170,324	162,796
10-14	278	272	2,581	2,381	180,807	171,177
15-17	194	192	1,755	1,742	116,091	110,819
18-19	97	74	1,231	1,201	74,023	71,786
20-24	271	278	3,435	3,277	190,657	183,278
25-29	327	269	2,702	2,911	182,491	168,940
30-34	221	244	1,874	1,983	165,112	159,832
35-39	219	190	1,840	1,928	181,521	176,831
40-44	274	271	2,259	2,408	201,603	199,391
45-49	306	322	2,721	2,748	211,438	209,027
50-54	300	299	2,497	2,602	186,269	184,463
55-59	280	262	2,295	2,178	156,572	157,055
60-64	232	214	1,713	1,733	108,884	113,270
65-69	184	216	1,556	1,656	82,320	89,417
70-74	168	172	1,292	1,327	63,827	74,367
75-79	124	141	1,043	1,196	52,302	67,965
80-84	97	132	715	954	37,408	58,154
85&up	88	170	552	1,070	31,060	70,574
Total	4,205	4,235	36,927	37,899	2,568,869	2,598,232
Total Male/Female		8,440		74,826		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Cook County - Population Estimates by Age and Sex, 2006

Age Group	COOK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	95	86	6,576	6,175	176,160	169,090
05-09	122	109	6,574	6,139	170,324	162,796
10-14	142	123	7,362	6,905	180,807	171,177
15-17	110	107	5,066	4,723	116,091	110,819
18-19	47	37	4,719	4,781	74,023	71,786
20-24	146	135	10,961	10,312	190,657	183,278
25-29	187	191	8,115	7,029	182,491	168,940
30-34	149	137	6,344	5,970	165,112	159,832
35-39	147	147	7,063	6,528	181,521	176,831
40-44	180	175	8,204	8,551	201,603	199,391
45-49	250	257	9,793	9,983	211,438	209,027
50-54	223	251	10,222	10,034	186,269	184,463
55-59	230	217	9,075	8,273	156,572	157,055
60-64	201	189	6,057	6,034	108,884	113,270
65-69	137	144	4,587	5,141	82,320	89,417
70-74	108	107	3,863	4,525	63,827	74,367
75-79	85	97	3,330	4,391	52,302	67,965
80-84	62	74	2,315	3,755	37,408	58,154
85&up	39	86	2,136	4,867	31,060	70,574
Total	2,660	2,669	122,362	124,116	2,568,869	2,598,232
Total Male/Female		5,329		246,478		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Cottonwood County - Population Estimates by Age and Sex, 2006

Age Group	COTTONWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	381	343	670	605	176,160	169,090
05-09	366	336	660	612	170,324	162,796
10-14	407	396	776	740	180,807	171,177
15-17	241	261	505	514	116,091	110,819
18-19	157	127	314	251	74,023	71,786
20-24	366	330	767	692	190,657	183,278
25-29	308	279	646	580	182,491	168,940
30-34	268	263	579	533	165,112	159,832
35-39	288	285	594	558	181,521	176,831
40-44	380	371	775	721	201,603	199,391
45-49	439	405	925	873	211,438	209,027
50-54	441	446	909	855	186,269	184,463
55-59	371	358	729	697	156,572	157,055
60-64	301	337	557	581	108,884	113,270
65-69	247	258	472	521	82,320	89,417
70-74	203	244	402	476	63,827	74,367
75-79	204	273	384	509	52,302	67,965
80-84	165	244	320	461	37,408	58,154
85&up	187	383	360	686	31,060	70,574
Total	5,720	5,939	11,344	11,465	2,568,869	2,598,232
Total Male/Female		11,659		22,809		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Crow Wing County - Population Estimates by Age and Sex, 2006

Age Group	CROW WING		Minnesota	
	Male	Female	Male	Female
00-04	1,898	1,799	176,160	169,090
05-09	1,786	1,724	170,324	162,796
10-14	1,907	1,868	180,807	171,177
15-17	1,331	1,278	116,091	110,819
18-19	692	655	74,023	71,786
20-24	2,009	2,055	190,657	183,278
25-29	2,643	2,682	182,491	168,940
30-34	1,710	1,730	165,112	159,832
35-39	1,760	1,743	181,521	176,831
40-44	2,038	2,093	201,603	199,391
45-49	2,164	2,202	211,438	209,027
50-54	2,070	2,057	186,269	184,463
55-59	1,824	1,852	156,572	157,055
60-64	1,398	1,513	108,884	113,270
65-69	1,328	1,530	82,320	89,417
70-74	1,157	1,230	63,827	74,367
75-79	988	1,137	52,302	67,965
80-84	732	932	37,408	58,154
85&up	474	1,020	31,060	70,574
Total	29,909	31,100	2,568,869	2,598,232
Total Male/Female	61,009		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Dakota County - Population Estimates by Age and Sex, 2006

Age Group	DAKOTA		Minnesota	
	Male	Female	Male	Female
00-04	13,798	13,368	176,160	169,090
05-09	14,344	13,871	170,324	162,796
10-14	15,426	14,781	180,807	171,177
15-17	9,684	9,251	116,091	110,819
18-19	4,778	4,255	74,023	71,786
20-24	12,338	12,093	190,657	183,278
25-29	13,037	13,086	182,491	168,940
30-34	12,986	13,267	165,112	159,832
35-39	14,924	15,501	181,521	176,831
40-44	16,895	17,498	201,603	199,391
45-49	17,184	17,385	211,438	209,027
50-54	13,994	14,227	186,269	184,463
55-59	11,321	11,748	156,572	157,055
60-64	7,525	7,930	108,884	113,270
65-69	5,100	5,408	82,320	89,417
70-74	3,545	4,000	63,827	74,367
75-79	2,587	3,313	52,302	67,965
80-84	1,629	2,447	37,408	58,154
85&up	1,057	2,420	31,060	70,574
Total	192,152	195,849	2,568,869	2,598,232
Total Male/Female	388,001		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Dodge County - Population Estimates by Age and Sex, 2006

Age Group	DODGE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	715	750	2,044	1,931	176,160	169,090
05-09	644	730	1,869	1,903	170,324	162,796
10-14	773	741	2,099	2,009	180,807	171,177
15-17	485	469	1,349	1,304	116,091	110,819
18-19	219	250	664	660	74,023	71,786
20-24	694	658	2,014	1,925	190,657	183,278
25-29	808	768	2,055	1,979	182,491	168,940
30-34	624	582	1,710	1,701	165,112	159,832
35-39	639	683	1,887	1,853	181,521	176,831
40-44	786	756	2,156	2,137	201,603	199,391
45-49	830	798	2,238	2,246	211,438	209,027
50-54	704	655	2,073	1,928	186,269	184,463
55-59	483	464	1,490	1,476	156,572	157,055
60-64	421	378	1,168	1,112	108,884	113,270
65-69	294	314	902	1,011	82,320	89,417
70-74	216	266	656	807	63,827	74,367
75-79	197	219	588	754	52,302	67,965
80-84	148	208	435	654	37,408	58,154
85&up	140	261	402	802	31,060	70,574
Total	9,820	9,950	27,799	28,192	2,568,869	2,598,232
Total Male/Female		19,770		55,991		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Dodge and Steele Counties

Douglas County - Population Estimates by Age and Sex, 2006

Age Group	DOUGLAS		Minnesota	
	Male	Female	Male	Female
00-04	991	944	176,160	169,090
05-09	960	935	170,324	162,796
10-14	1,028	997	180,807	171,177
15-17	736	672	116,091	110,819
18-19	494	431	74,023	71,786
20-24	1,394	1,202	190,657	183,278
25-29	1,683	1,630	182,491	168,940
30-34	941	916	165,112	159,832
35-39	1,023	930	181,521	176,831
40-44	1,118	1,128	201,603	199,391
45-49	1,278	1,282	211,438	209,027
50-54	1,214	1,183	186,269	184,463
55-59	1,016	1,057	156,572	157,055
60-64	867	858	108,884	113,270
65-69	796	827	82,320	89,417
70-74	670	770	63,827	74,367
75-79	562	720	52,302	67,965
80-84	436	595	37,408	58,154
85&up	411	772	31,060	70,574
Total	17,618	17,849	2,568,869	2,598,232
Total Male/Female		35,467		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Faribault County - Population Estimates by Age and Sex, 2006

Age Group	FARIBAULT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	422	389	966	968	176,160	169,090
05-09	424	373	1,001	964	170,324	162,796
10-14	525	460	1,225	1,085	180,807	171,177
15-17	408	332	878	750	116,091	110,819
18-19	197	158	466	389	74,023	71,786
20-24	527	530	1,198	1,172	190,657	183,278
25-29	393	311	903	656	182,491	168,940
30-34	317	273	751	726	165,112	159,832
35-39	363	327	922	846	181,521	176,831
40-44	513	501	1,147	1,166	201,603	199,391
45-49	638	635	1,506	1,535	211,438	209,027
50-54	638	546	1,520	1,381	186,269	184,463
55-59	507	504	1,255	1,208	156,572	157,055
60-64	401	422	966	963	108,884	113,270
65-69	331	361	786	838	82,320	89,417
70-74	280	368	695	832	63,827	74,367
75-79	321	359	689	841	52,302	67,965
80-84	194	341	487	793	37,408	58,154
85&up	213	481	460	1,117	31,060	70,574
Total	7,612	7,671	17,821	18,230	2,568,869	2,598,232
Total Male/Female		15,283		36,051		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Fillmore County - Population Estimates by Age and Sex, 2006

Age Group	FILLMORE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	697	625	1,195	1,154	176,160	169,090
05-09	606	590	1,201	1,100	170,324	162,796
10-14	703	699	1,397	1,410	180,807	171,177
15-17	496	525	997	992	116,091	110,819
18-19	263	230	540	492	74,023	71,786
20-24	697	638	1,379	1,229	190,657	183,278
25-29	720	627	1,400	1,212	182,491	168,940
30-34	557	528	951	1,028	165,112	159,832
35-39	594	538	1,202	1,117	181,521	176,831
40-44	705	704	1,368	1,453	201,603	199,391
45-49	859	786	1,779	1,660	211,438	209,027
50-54	769	774	1,556	1,526	186,269	184,463
55-59	673	645	1,321	1,292	156,572	157,055
60-64	520	510	1,004	942	108,884	113,270
65-69	436	478	772	842	82,320	89,417
70-74	359	435	733	806	63,827	74,367
75-79	339	387	602	778	52,302	67,965
80-84	256	410	473	732	37,408	58,154
85&up	254	519	437	911	31,060	70,574
Total	10,503	10,648	20,307	20,676	2,568,869	2,598,232
Total Male/Female		21,151		40,983		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Freeborn County - Population Estimates by Age and Sex, 2006

Age Group	FREEBORN		Minnesota	
	Male	Female	Male	Female
00-04	956	867	176,160	169,090
05-09	931	866	170,324	162,796
10-14	976	948	180,807	171,177
15-17	676	720	116,091	110,819
18-19	363	297	74,023	71,786
20-24	922	930	190,657	183,278
25-29	1,028	968	182,491	168,940
30-34	824	716	165,112	159,832
35-39	857	823	181,521	176,831
40-44	1,088	1,091	201,603	199,391
45-49	1,322	1,270	211,438	209,027
50-54	1,243	1,092	186,269	184,463
55-59	1,066	1,075	156,572	157,055
60-64	845	848	108,884	113,270
65-69	714	816	82,320	89,417
70-74	580	695	63,827	74,367
75-79	503	671	52,302	67,965
80-84	380	613	37,408	58,154
85&up	358	698	31,060	70,574
Total	15,632	16,004	2,568,869	2,598,232
Total Male/Female	#		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Goodhue County - Population Estimates by Age and Sex, 2006

Age Group	GOODHUE		Minnesota	
	Male	Female	Male	Female
00-04	1,389	1,388	176,160	169,090
05-09	1,362	1,301	170,324	162,796
10-14	1,539	1,477	180,807	171,177
15-17	1,113	987	116,091	110,819
18-19	616	519	74,023	71,786
20-24	1,515	1,512	190,657	183,278
25-29	1,606	1,458	182,491	168,940
30-34	1,280	1,184	165,112	159,832
35-39	1,361	1,367	181,521	176,831
40-44	1,733	1,718	201,603	199,391
45-49	1,925	1,945	211,438	209,027
50-54	1,825	1,689	186,269	184,463
55-59	1,483	1,455	156,572	157,055
60-64	1,079	1,071	108,884	113,270
65-69	870	895	82,320	89,417
70-74	724	781	63,827	74,367
75-79	574	746	52,302	67,965
80-84	412	665	37,408	58,154
85&up	364	879	31,060	70,574
Total	22,770	23,037	2,568,869	2,598,232
Total Male/Female	45,807		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Grant County - Population Estimates by Age and Sex, 2006

Age Group	GRANT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	169	155	794	767	176,160	169,090
05-09	154	137	818	738	170,324	162,796
10-14	182	187	904	849	180,807	171,177
15-17	123	144	654	639	116,091	110,819
18-19	64	78	548	716	74,023	71,786
20-24	198	199	1,488	1,473	190,657	183,278
25-29	205	160	915	775	182,491	168,940
30-34	129	115	724	589	165,112	159,832
35-39	147	140	693	715	181,521	176,831
40-44	193	213	948	967	201,603	199,391
45-49	243	227	1,154	1,126	211,438	209,027
50-54	222	199	1,141	1,027	186,269	184,463
55-59	192	202	967	932	156,572	157,055
60-64	157	148	733	725	108,884	113,270
65-69	145	150	606	694	82,320	89,417
70-74	140	146	607	704	63,827	74,367
75-79	114	149	574	690	52,302	67,965
80-84	105	147	473	633	37,408	58,154
85&up	106	194	478	938	31,060	70,574
Total	2,988	3,090	15,219	15,697	2,568,869	2,598,232
Total Male/Female	6,078		30,916		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Hennepin County - Population Estimates by Age and Sex, 2006

Age Group	HENNEPIN		Minnesota	
	Male	Female	Male	Female
00-04	41,207	39,366	176,160	169,090
05-09	36,792	35,409	170,324	162,796
10-14	36,727	34,778	180,807	171,177
15-17	22,625	21,833	116,091	110,819
18-19	15,116	13,881	74,023	71,786
20-24	36,051	33,178	190,657	183,278
25-29	34,675	32,211	182,491	168,940
30-34	42,605	39,982	165,112	159,832
35-39	45,814	43,429	181,521	176,831
40-44	47,203	45,029	201,603	199,391
45-49	47,672	47,654	211,438	209,027
50-54	42,144	43,026	186,269	184,463
55-59	35,460	37,335	156,572	157,055
60-64	23,067	25,225	108,884	113,270
65-69	15,942	18,174	82,320	89,417
70-74	11,575	14,571	63,827	74,367
75-79	9,635	13,495	52,302	67,965
80-84	7,447	12,099	37,408	58,154
85&up	5,594	14,067	31,060	70,574
Total	557,351	564,742	2,568,869	2,598,232
Total Male/Female	1,122,093		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Houston County - Population Estimates by Age and Sex, 2006

Age Group	HOUSTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	498	529	1,195	1,154	176,160	169,090
05-09	595	510	1,201	1,100	170,324	162,796
10-14	694	711	1,397	1,410	180,807	171,177
15-17	501	467	997	992	116,091	110,819
18-19	277	262	540	492	74,023	71,786
20-24	682	591	1,379	1,229	190,657	183,278
25-29	680	585	1,400	1,212	182,491	168,940
30-34	394	500	951	1,028	165,112	159,832
35-39	608	579	1,202	1,117	181,521	176,831
40-44	663	749	1,368	1,453	201,603	199,391
45-49	920	874	1,779	1,660	211,438	209,027
50-54	787	752	1,556	1,526	186,269	184,463
55-59	648	647	1,321	1,292	156,572	157,055
60-64	484	432	1,004	942	108,884	113,270
65-69	336	364	772	842	82,320	89,417
70-74	374	371	733	806	63,827	74,367
75-79	263	391	602	778	52,302	67,965
80-84	217	322	473	732	37,408	58,154
85&up	183	392	437	911	31,060	70,574
Total	9,804	10,028	20,307	20,676	2,568,869	2,598,232
Total Male/Female		19,832		40,983		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Hubbard County - Population Estimates by Age and Sex, 2006

Age Group	HUBBARD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	505	514	2,481	2,401	176,160	169,090
05-09	501	484	2,385	2,203	170,324	162,796
10-14	632	536	2,581	2,381	180,807	171,177
15-17	405	414	1,755	1,742	116,091	110,819
18-19	213	188	1,231	1,201	74,023	71,786
20-24	655	615	3,435	3,277	190,657	183,278
25-29	583	633	2,702	2,911	182,491	168,940
30-34	436	446	1,874	1,983	165,112	159,832
35-39	475	483	1,840	1,928	181,521	176,831
40-44	583	625	2,259	2,408	201,603	199,391
45-49	758	710	2,721	2,748	211,438	209,027
50-54	660	699	2,497	2,602	186,269	184,463
55-59	657	651	2,295	2,178	156,572	157,055
60-64	559	550	1,713	1,733	108,884	113,270
65-69	505	567	1,556	1,656	82,320	89,417
70-74	470	450	1,292	1,327	63,827	74,367
75-79	363	354	1,043	1,196	52,302	67,965
80-84	241	282	715	954	37,408	58,154
85&up	186	302	552	1,070	31,060	70,574
Total	9,387	9,503	36,927	37,899	2,568,869	2,598,232
Total Male/Female		18,890		74,826		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Isanti County - Population Estimates by Age and Sex, 2006

Age Group	ISANTI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,187	1,168	1,995	2,001	176,160	169,090
05-09	1,180	1,136	1,944	1,900	170,324	162,796
10-14	1,307	1,241	2,119	2,056	180,807	171,177
15-17	913	880	1,557	1,492	116,091	110,819
18-19	498	424	819	710	74,023	71,786
20-24	1,485	1,560	2,395	2,466	190,657	183,278
25-29	1,975	1,985	3,174	3,237	182,491	168,940
30-34	1,311	1,316	2,123	2,145	165,112	159,832
35-39	1,366	1,346	2,196	2,087	181,521	176,831
40-44	1,577	1,507	2,505	2,447	201,603	199,391
45-49	1,561	1,504	2,586	2,426	211,438	209,027
50-54	1,320	1,222	2,137	2,082	186,269	184,463
55-59	1,094	1,044	1,813	1,682	156,572	157,055
60-64	761	796	1,279	1,414	108,884	113,270
65-69	619	647	1,129	1,215	82,320	89,417
70-74	418	433	841	881	63,827	74,367
75-79	291	343	644	817	52,302	67,965
80-84	211	328	454	667	37,408	58,154
85&up	222	400	433	877	31,060	70,574
Total	19,296	19,280	32,143	32,602	2,568,869	2,598,232
Total Male/Female	38,576		64,745		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Itasca County - Population Estimates by Age and Sex, 2006

Age Group	ITASCA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,301	1,149	2,047	1,812	176,160	169,090
05-09	1,231	1,154	2,016	1,882	170,324	162,796
10-14	1,356	1,349	2,271	2,214	180,807	171,177
15-17	1,034	922	1,643	1,478	116,091	110,819
18-19	659	549	1,018	853	74,023	71,786
20-24	1,773	1,498	2,676	2,355	190,657	183,278
25-29	1,312	1,366	2,255	2,193	182,491	168,940
30-34	986	1,034	1,575	1,699	165,112	159,832
35-39	1,136	1,176	1,930	1,957	181,521	176,831
40-44	1,411	1,484	2,373	2,369	201,603	199,391
45-49	1,730	1,761	2,899	2,971	211,438	209,027
50-54	1,883	1,833	3,021	2,906	186,269	184,463
55-59	1,693	1,678	2,750	2,724	156,572	157,055
60-64	1,255	1,268	2,158	2,203	108,884	113,270
65-69	1,114	1,064	1,998	1,958	82,320	89,417
70-74	876	932	1,630	1,703	63,827	74,367
75-79	737	844	1,339	1,539	52,302	67,965
80-84	477	682	917	1,203	37,408	58,154
85&up	378	644	720	1,281	31,060	70,574
Total	22,342	22,387	37,236	37,300	2,568,869	2,598,232
Total Male/Female	44,729		74,536		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Jackson County - Population Estimates by Age and Sex, 2006

Age Group	JACKSON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	289	262	670	605	176,160	169,090
05-09	294	276	660	612	170,324	162,796
10-14	369	344	776	740	180,807	171,177
15-17	264	253	505	514	116,091	110,819
18-19	157	124	314	251	74,023	71,786
20-24	401	362	767	692	190,657	183,278
25-29	338	301	646	580	182,491	168,940
30-34	311	270	579	533	165,112	159,832
35-39	306	273	594	558	181,521	176,831
40-44	395	350	775	721	201,603	199,391
45-49	486	468	925	873	211,438	209,027
50-54	468	409	909	855	186,269	184,463
55-59	358	339	729	697	156,572	157,055
60-64	256	244	557	581	108,884	113,270
65-69	225	263	472	521	82,320	89,417
70-74	199	232	402	476	63,827	74,367
75-79	180	236	384	509	52,302	67,965
80-84	155	217	320	461	37,408	58,154
85&up	173	303	360	686	31,060	70,574
Total	5,624	5,526	11,344	11,465	2,568,869	2,598,232
Total Male/Female	11,150		22,809		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Kanabec County - Population Estimates by Age and Sex, 2006

Age Group	Male		Male		Male	
00-04	475	410	1,260	1,202	176,160	169,090
05-09	502	435	1,293	1,177	170,324	162,796
10-14	597	546	1,507	1,395	180,807	171,177
15-17	379	353	1,060	1,004	116,091	110,819
18-19	186	173	544	445	74,023	71,786
20-24	555	611	1,611	1,534	190,657	183,278
25-29	656	630	2,036	1,779	182,491	168,940
30-34	486	537	1,417	1,289	165,112	159,832
35-39	532	512	1,480	1,318	181,521	176,831
40-44	542	548	1,673	1,540	201,603	199,391
45-49	687	625	1,853	1,681	211,438	209,027
50-54	591	577	1,632	1,515	186,269	184,463
55-59	531	448	1,390	1,195	156,572	157,055
60-64	395	415	1,058	1,106	108,884	113,270
65-69	312	338	849	990	82,320	89,417
70-74	310	282	873	817	63,827	74,367
75-79	214	245	594	694	52,302	67,965
80-84	160	197	433	545	37,408	58,154
85&up	88	196	288	618	31,060	70,574
Total	8,198	8,078	22,851	21,844	2,568,869	2,598,232
Total Male/Female	16,276		44,695		5,167,101	
Source: U.S. Census Bureau: 2006 C						

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Kandiyohi County - Population Estimates by Age and Sex, 2006

Age Group	KANDIYOHI		Minnesota	
	Male	Female	Male	Female
00-04	1,406	1,430	176,160	169,090
05-09	1,258	1,206	170,324	162,796
10-14	1,410	1,326	180,807	171,177
15-17	989	949	116,091	110,819
18-19	607	603	74,023	71,786
20-24	1,475	1,465	190,657	183,278
25-29	1,452	1,166	182,491	168,940
30-34	1,074	1,050	165,112	159,832
35-39	1,179	1,062	181,521	176,831
40-44	1,301	1,355	201,603	199,391
45-49	1,583	1,706	211,438	209,027
50-54	1,655	1,583	186,269	184,463
55-59	1,276	1,333	156,572	157,055
60-64	972	962	108,884	113,270
65-69	724	815	82,320	89,417
70-74	644	726	63,827	74,367
75-79	556	679	52,302	67,965
80-84	375	627	37,408	58,154
85&up	379	730	31,060	70,574
Total	20,315	20,773	2,568,869	2,598,232
Total Male/Female	41,088		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Kittson County - Population Estimates by Age and Sex, 2006

Age Group	KITTSOIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	118	106	1,483	1,505	176,160	169,090
05-09	153	161	1,592	1,455	170,324	162,796
10-14	157	161	1,700	1,594	180,807	171,177
15-17	116	97	1,163	1,057	116,091	110,819
18-19	53	50	691	615	74,023	71,786
20-24	154	124	1,760	1,547	190,657	183,278
25-29	51	52	1,489	1,335	182,491	168,940
30-34	78	62	1,314	1,239	165,112	159,832
35-39	130	100	1,484	1,301	181,521	176,831
40-44	139	158	1,791	1,701	201,603	199,391
45-49	224	189	2,066	1,908	211,438	209,027
50-54	196	195	1,904	1,790	186,269	184,463
55-59	183	175	1,575	1,485	156,572	157,055
60-64	137	112	1,227	1,177	108,884	113,270
65-69	121	117	958	1,010	82,320	89,417
70-74	114	112	761	825	63,827	74,367
75-79	80	126	675	801	52,302	67,965
80-84	53	79	488	681	37,408	58,154
85&up	87	171	508	1,065	31,060	70,574
Total	2,344	2,347	24,629	24,091	2,568,869	2,598,232
Total Male/Female	4,691		48,720		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Koochiching County - Population Estimates by Age and Sex, 2006

Age Group	KOOCHICHING		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	311	318	2,047	1,812	176,160	169,090
05-09	385	368	2,016	1,882	170,324	162,796
10-14	464	413	2,271	2,214	180,807	171,177
15-17	293	287	1,643	1,478	116,091	110,819
18-19	183	149	1,018	853	74,023	71,786
20-24	382	382	2,676	2,355	190,657	183,278
25-29	384	334	2,255	2,193	182,491	168,940
30-34	252	307	1,575	1,699	165,112	159,832
35-39	395	388	1,930	1,957	181,521	176,831
40-44	460	438	2,373	2,369	201,603	199,391
45-49	582	622	2,899	2,971	211,438	209,027
50-54	600	538	3,021	2,906	186,269	184,463
55-59	516	487	2,750	2,724	156,572	157,055
60-64	384	386	2,158	2,203	108,884	113,270
65-69	343	343	1,998	1,958	82,320	89,417
70-74	283	301	1,630	1,703	63,827	74,367
75-79	216	315	1,339	1,539	52,302	67,965
80-84	183	233	917	1,203	37,408	58,154
85&up	137	296	720	1,281	31,060	70,574
Total	6,753	6,905	37,236	37,300	2,568,869	2,598,232
Total Male/Female	13,658		74,536		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Lac Qui Parle County - Population Estimates by Age and Sex, 2006

Age Group	LAC QUI PARLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	161	176	1,261	1,184	176,160	169,090
05-09	196	189	1,375	1,237	170,324	162,796
10-14	237	249	1,547	1,491	180,807	171,177
15-17	185	165	1,085	1,028	116,091	110,819
18-19	101	69	665	520	74,023	71,786
20-24	254	237	1,587	1,441	190,657	183,278
25-29	170	106	1,298	834	182,491	168,940
30-34	143	108	1,115	886	165,112	159,832
35-39	152	162	1,289	1,121	181,521	176,831
40-44	248	239	1,615	1,514	201,603	199,391
45-49	325	318	1,914	1,810	211,438	209,027
50-54	356	310	1,932	1,696	186,269	184,463
55-59	273	251	1,560	1,455	156,572	157,055
60-64	196	214	1,147	1,212	108,884	113,270
65-69	165	190	989	1,078	82,320	89,417
70-74	144	146	812	1,009	63,827	74,367
75-79	145	181	825	1,056	52,302	67,965
80-84	140	178	673	1,011	37,408	58,154
85&up	128	257	651	1,509	31,060	70,574
Total	3,719	3,745	23,340	23,092	2,568,869	2,598,232
Total Male/Female	7,464		46,432		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Lake County - Population Estimates by Age and Sex, 2006

Age Group	LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	216	213	6,576	6,175	176,160	169,090
05-09	267	288	6,574	6,139	170,324	162,796
10-14	305	310	7,362	6,905	180,807	171,177
15-17	202	219	5,066	4,723	116,091	110,819
18-19	151	99	4,719	4,781	74,023	71,786
20-24	346	321	10,961	10,312	190,657	183,278
25-29	347	390	8,115	7,029	182,491	168,940
30-34	282	258	6,344	5,970	165,112	159,832
35-39	270	272	7,063	6,528	181,521	176,831
40-44	358	406	8,204	8,551	201,603	199,391
45-49	459	429	9,793	9,983	211,438	209,027
50-54	498	441	10,222	10,034	186,269	184,463
55-59	412	351	9,075	8,273	156,572	157,055
60-64	308	312	6,057	6,034	108,884	113,270
65-69	260	289	4,587	5,141	82,320	89,417
70-74	259	274	3,863	4,525	63,827	74,367
75-79	259	246	3,330	4,391	52,302	67,965
80-84	164	170	2,315	3,755	37,408	58,154
85&up	100	215	2,136	4,867	31,060	70,574
Total	5,463	5,503	122,362	124,116	2,568,869	2,598,232
Total Male/Female	10,966		246,478		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Lake of the Woods County - Population Estimates by Age and Sex, 2006

Age Group	LAKE OF THE WOODS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	110	99	2,481	2,401	176,160	169,090
05-09	104	98	2,385	2,203	170,324	162,796
10-14	136	150	2,581	2,381	180,807	171,177
15-17	103	103	1,755	1,742	116,091	110,819
18-19	44	43	1,231	1,201	74,023	71,786
20-24	123	135	3,435	3,277	190,657	183,278
25-29	116	140	2,702	2,911	182,491	168,940
30-34	75	77	1,874	1,983	165,112	159,832
35-39	86	88	1,840	1,928	181,521	176,831
40-44	172	138	2,259	2,408	201,603	199,391
45-49	190	187	2,721	2,748	211,438	209,027
50-54	217	199	2,497	2,602	186,269	184,463
55-59	166	125	2,295	2,178	156,572	157,055
60-64	120	140	1,713	1,733	108,884	113,270
65-69	133	108	1,556	1,656	82,320	89,417
70-74	98	89	1,292	1,327	63,827	74,367
75-79	65	93	1,043	1,196	52,302	67,965
80-84	56	70	715	954	37,408	58,154
85&up	60	71	552	1,070	31,060	70,574
Total	2,174	2,153	36,927	37,899	2,568,869	2,598,232
Total Male/Female	4,327		74,826		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Le Sueur County - Population Estimates by Age and Sex, 2006

Age Group	LE SUEUR		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	890	800	1,510	1,434	176,160	169,090
05-09	811	841	1,489	1,445	170,324	162,796
10-14	950	944	1,568	1,561	180,807	171,177
15-17	650	623	1,074	1,027	116,091	110,819
18-19	370	351	633	548	74,023	71,786
20-24	1,049	989	1,805	1,615	190,657	183,278
25-29	1,071	1,029	1,924	1,622	182,491	168,940
30-34	824	764	1,531	1,235	165,112	159,832
35-39	910	894	1,652	1,409	181,521	176,831
40-44	1,066	1,052	1,885	1,713	201,603	199,391
45-49	1,130	1,034	1,980	1,768	211,438	209,027
50-54	1,049	934	1,800	1,638	186,269	184,463
55-59	901	838	1,531	1,384	156,572	157,055
60-64	639	666	1,042	1,056	108,884	113,270
65-69	544	520	861	871	82,320	89,417
70-74	377	435	604	714	63,827	74,367
75-79	310	402	492	743	52,302	67,965
80-84	253	340	455	610	37,408	58,154
85&up	197	448	355	780	31,060	70,574
Total	13,991	13,904	24,191	23,173	2,568,869	2,598,232
Total Male/Female		27,895		47,364		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Lincoln County - Population Estimates by Age and Sex, 2006

Age Group	LINCOLN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	180	159	1,485	1,392	176,160	169,090
05-09	158	170	1,487	1,477	170,324	162,796
10-14	204	175	1,659	1,578	180,807	171,177
15-17	138	127	1,128	1,048	116,091	110,819
18-19	56	59	753	757	74,023	71,786
20-24	174	187	2,074	2,065	190,657	183,278
25-29	166	92	1,429	1,139	182,491	168,940
30-34	119	131	1,160	1,136	165,112	159,832
35-39	152	150	1,303	1,260	181,521	176,831
40-44	211	188	1,690	1,600	201,603	199,391
45-49	230	188	1,830	1,839	211,438	209,027
50-54	227	215	1,775	1,721	186,269	184,463
55-59	167	154	1,466	1,360	156,572	157,055
60-64	159	153	1,127	1,108	108,884	113,270
65-69	145	180	952	1,061	82,320	89,417
70-74	135	150	814	1,006	63,827	74,367
75-79	124	147	731	978	52,302	67,965
80-84	113	143	593	940	37,408	58,154
85&up	98	239	585	1,298	31,060	70,574
Total	2,956	3,007	24,041	24,763	2,568,869	2,598,232
Total Male/Female		5,963		48,804		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Lyon County - Population Estimates by Age and Sex, 2006

Age Group	LYON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	776	735	1,485	1,392	176,160	169,090
05-09	817	782	1,487	1,477	170,324	162,796
10-14	865	792	1,659	1,578	180,807	171,177
15-17	541	546	1,128	1,048	116,091	110,819
18-19	453	513	753	757	74,023	71,786
20-24	1,306	1,214	2,074	2,065	190,657	183,278
25-29	795	721	1,429	1,139	182,491	168,940
30-34	636	611	1,160	1,136	165,112	159,832
35-39	698	676	1,303	1,260	181,521	176,831
40-44	854	808	1,690	1,600	201,603	199,391
45-49	881	972	1,830	1,839	211,438	209,027
50-54	857	849	1,775	1,721	186,269	184,463
55-59	706	636	1,466	1,360	156,572	157,055
60-64	494	501	1,127	1,108	108,884	113,270
65-69	415	422	952	1,061	82,320	89,417
70-74	308	400	814	1,006	63,827	74,367
75-79	298	375	731	978	52,302	67,965
80-84	224	392	593	940	37,408	58,154
85&up	246	525	585	1,298	31,060	70,574
Total	12,170	12,470	24,041	24,763	2,568,869	2,598,232
Total Male/Female	24,640		48,804		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

McLeod County - Population Estimates by Age and Sex, 2006

Age Group	MCLEOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,340	1,316	2,541	2,571	176,160	169,090
05-09	1,255	1,224	2,542	2,387	170,324	162,796
10-14	1,334	1,265	2,763	2,516	180,807	171,177
15-17	900	849	1,853	1,697	116,091	110,819
18-19	514	391	993	822	74,023	71,786
20-24	1,239	1,146	2,594	2,375	190,657	183,278
25-29	1,249	1,321	2,546	2,488	182,491	168,940
30-34	1,306	1,266	2,354	2,273	165,112	159,832
35-39	1,245	1,191	2,468	2,299	181,521	176,831
40-44	1,467	1,392	2,863	2,767	201,603	199,391
45-49	1,406	1,295	2,960	2,717	211,438	209,027
50-54	1,184	1,250	2,672	2,605	186,269	184,463
55-59	1,108	1,060	2,295	2,168	156,572	157,055
60-64	829	835	1,762	1,745	108,884	113,270
65-69	628	682	1,332	1,433	82,320	89,417
70-74	509	567	1,118	1,319	63,827	74,367
75-79	395	603	954	1,249	52,302	67,965
80-84	307	500	671	988	37,408	58,154
85&up	297	614	661	1,449	31,060	70,574
Total	18,512	18,767	37,942	37,868	2,568,869	2,598,232
Total Male/Female	37,279		75,810		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Mahnomen County - Population Estimates by Age and Sex, 2006

Age Group	MAHNOMEN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	205	198	385	373	176,160	169,090
05-09	191	181	385	394	170,324	162,796
10-14	223	180	465	404	180,807	171,177
15-17	122	127	296	275	116,091	110,819
18-19	62	50	144	126	74,023	71,786
20-24	159	151	384	363	190,657	183,278
25-29	121	112	274	211	182,491	168,940
30-34	119	104	257	229	165,112	159,832
35-39	116	118	297	281	181,521	176,831
40-44	179	171	442	418	201,603	199,391
45-49	184	161	461	464	211,438	209,027
50-54	172	153	460	392	186,269	184,463
55-59	178	169	397	375	156,572	157,055
60-64	127	150	314	339	108,884	113,270
65-69	115	106	264	267	82,320	89,417
70-74	93	94	248	262	63,827	74,367
75-79	72	95	206	246	52,302	67,965
80-84	51	82	139	220	37,408	58,154
85&up	54	127	150	315	31,060	70,574
Total	2,543	2,529	5,968	5,954	2,568,869	2,598,232
Total Male/Female		5,072		11,922		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Marshall County - Population Estimates by Age and Sex, 2006

Age Group	MARSHALL		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	257	298	1,483	1,505	176,160	169,090
05-09	278	254	1,592	1,455	170,324	162,796
10-14	329	300	1,700	1,594	180,807	171,177
15-17	219	209	1,163	1,057	116,091	110,819
18-19	132	125	691	615	74,023	71,786
20-24	385	334	1,760	1,547	190,657	183,278
25-29	284	218	1,489	1,335	182,491	168,940
30-34	212	194	1,314	1,239	165,112	159,832
35-39	301	245	1,484	1,301	181,521	176,831
40-44	360	329	1,791	1,701	201,603	199,391
45-49	412	371	2,066	1,908	211,438	209,027
50-54	420	398	1,904	1,790	186,269	184,463
55-59	354	328	1,575	1,485	156,572	157,055
60-64	258	242	1,227	1,177	108,884	113,270
65-69	214	243	958	1,010	82,320	89,417
70-74	189	218	761	825	63,827	74,367
75-79	182	179	675	801	52,302	67,965
80-84	131	190	488	681	37,408	58,154
85&up	132	227	508	1,065	31,060	70,574
Total	5,049	4,902	24,629	24,091	2,568,869	2,598,232
Total Male/Female		9,951		48,720		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Martin County - Population Estimates by Age and Sex, 2006

Age Group	MARTIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	544	579	966	968	176,160	169,090
05-09	577	591	1,001	964	170,324	162,796
10-14	700	625	1,225	1,085	180,807	171,177
15-17	470	418	878	750	116,091	110,819
18-19	269	231	466	389	74,023	71,786
20-24	671	642	1,198	1,172	190,657	183,278
25-29	510	345	903	656	182,491	168,940
30-34	434	453	751	726	165,112	159,832
35-39	559	519	922	846	181,521	176,831
40-44	634	665	1,147	1,166	201,603	199,391
45-49	868	900	1,506	1,535	211,438	209,027
50-54	882	835	1,520	1,381	186,269	184,463
55-59	748	704	1,255	1,208	156,572	157,055
60-64	565	541	966	963	108,884	113,270
65-69	455	477	786	838	82,320	89,417
70-74	415	464	695	832	63,827	74,367
75-79	368	482	689	841	52,302	67,965
80-84	293	452	487	793	37,408	58,154
85&up	247	636	460	1,117	31,060	70,574
Total	10,209	10,559	17,821	18,230	2,568,869	2,598,232
Total Male/Female		20,768		36,051		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Meeker County - Population Estimates by Age and Sex, 2006

Age Group	MEEKER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	721	747	2,541	2,571	176,160	169,090
05-09	778	701	2,542	2,387	170,324	162,796
10-14	830	747	2,763	2,516	180,807	171,177
15-17	554	499	1,853	1,697	116,091	110,819
18-19	294	245	993	822	74,023	71,786
20-24	843	789	2,594	2,375	190,657	183,278
25-29	831	728	2,546	2,488	182,491	168,940
30-34	640	603	2,354	2,273	165,112	159,832
35-39	726	646	2,468	2,299	181,521	176,831
40-44	810	825	2,863	2,767	201,603	199,391
45-49	929	846	2,960	2,717	211,438	209,027
50-54	933	869	2,672	2,605	186,269	184,463
55-59	742	692	2,295	2,168	156,572	157,055
60-64	571	563	1,762	1,745	108,884	113,270
65-69	430	436	1,332	1,433	82,320	89,417
70-74	374	457	1,118	1,319	63,827	74,367
75-79	344	387	954	1,249	52,302	67,965
80-84	224	317	671	988	37,408	58,154
85&up	213	521	661	1,449	31,060	70,574
Total	11,787	11,618	37,942	37,868	2,568,869	2,598,232
Total Male/Female		23,405		75,810		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Mille Lacs County - Population Estimates by Age and Sex, 2006

Age Group	MILLE LACS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	808	833	1,995	2,001	176,160	169,090
05-09	764	764	1,944	1,900	170,324	162,796
10-14	812	815	2,119	2,056	180,807	171,177
15-17	644	612	1,557	1,492	116,091	110,819
18-19	321	286	819	710	74,023	71,786
20-24	910	906	2,395	2,466	190,657	183,278
25-29	1,199	1,252	3,174	3,237	182,491	168,940
30-34	812	829	2,123	2,145	165,112	159,832
35-39	830	741	2,196	2,087	181,521	176,831
40-44	928	940	2,505	2,447	201,603	199,391
45-49	1,025	922	2,586	2,426	211,438	209,027
50-54	817	860	2,137	2,082	186,269	184,463
55-59	719	638	1,813	1,682	156,572	157,055
60-64	518	618	1,279	1,414	108,884	113,270
65-69	510	568	1,129	1,215	82,320	89,417
70-74	423	448	841	881	63,827	74,367
75-79	353	474	644	817	52,302	67,965
80-84	243	339	454	667	37,408	58,154
85&up	211	477	433	877	31,060	70,574
Total	12,847	13,322	32,143	32,602	2,568,869	2,598,232
Total Male/Female		26,169		64,745		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Morrison County - Population Estimates by Age and Sex, 2006

Age Group	MORRISON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,091	996	3,061	2,964	176,160	169,090
05-09	1,094	1,034	3,023	2,866	170,324	162,796
10-14	1,112	1,122	3,302	3,229	180,807	171,177
15-17	814	718	2,385	2,302	116,091	110,819
18-19	467	389	1,394	1,146	74,023	71,786
20-24	1,240	1,072	3,680	3,292	190,657	183,278
25-29	1,289	1,188	3,631	3,471	182,491	168,940
30-34	908	853	2,605	2,448	165,112	159,832
35-39	961	941	2,729	2,633	181,521	176,831
40-44	1,249	1,165	3,401	3,345	201,603	199,391
45-49	1,316	1,219	3,883	3,685	211,438	209,027
50-54	1,189	1,126	3,575	3,416	186,269	184,463
55-59	985	938	3,184	2,996	156,572	157,055
60-64	729	713	2,541	2,571	108,884	113,270
65-69	620	687	2,299	2,388	82,320	89,417
70-74	498	580	1,851	2,020	63,827	74,367
75-79	445	579	1,572	1,815	52,302	67,965
80-84	309	461	1,012	1,470	37,408	58,154
85&up	252	570	854	1,736	31,060	70,574
Total	16,568	16,351	49,982	49,793	2,568,869	2,598,232
Total Male/Female		32,919		99,775		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Mower County - Population Estimates by Age and Sex, 2006

Age Group	MOWER		Minnesota	
	Male	Female	Male	Female
00-04	1,352	1,236	176,160	169,090
05-09	1,287	1,187	170,324	162,796
10-14	1,340	1,277	180,807	171,177
15-17	889	831	116,091	110,819
18-19	532	464	74,023	71,786
20-24	1,398	1,077	190,657	183,278
25-29	1,143	1,126	182,491	168,940
30-34	1,092	1,041	165,112	159,832
35-39	1,140	1,034	181,521	176,831
40-44	1,336	1,368	201,603	199,391
45-49	1,431	1,424	211,438	209,027
50-54	1,389	1,215	186,269	184,463
55-59	1,203	1,146	156,572	157,055
60-64	814	847	108,884	113,270
65-69	665	802	82,320	89,417
70-74	616	785	63,827	74,367
75-79	639	853	52,302	67,965
80-84	499	742	37,408	58,154
85&up	422	1,024	31,060	70,574
Total	19,187	19,479	2,568,869	2,598,232
Total Male/Female	38,666		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Murray County - Population Estimates by Age and Sex, 2006

Age Group	MURRAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	239	218	1,485	1,392	176,160	169,090
05-09	227	247	1,487	1,477	170,324	162,796
10-14	281	287	1,659	1,578	180,807	171,177
15-17	219	180	1,128	1,048	116,091	110,819
18-19	109	96	753	757	74,023	71,786
20-24	308	277	2,074	2,065	190,657	183,278
25-29	219	165	1,429	1,139	182,491	168,940
30-34	193	192	1,160	1,136	165,112	159,832
35-39	211	210	1,303	1,260	181,521	176,831
40-44	303	287	1,690	1,600	201,603	199,391
45-49	338	308	1,830	1,839	211,438	209,027
50-54	359	333	1,775	1,721	186,269	184,463
55-59	318	300	1,466	1,360	156,572	157,055
60-64	261	234	1,127	1,108	108,884	113,270
65-69	203	222	952	1,061	82,320	89,417
70-74	180	217	814	1,006	63,827	74,367
75-79	165	214	731	978	52,302	67,965
80-84	125	189	593	940	37,408	58,154
85&up	111	233	585	1,298	31,060	70,574
Total	4,369	4,409	24,041	24,763	2,568,869	2,598,232
Total Male/Female	8,778		48,804		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Nicollet County - Population Estimates by Age and Sex, 2006

Age Group	NICOLLET		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	980	958	1,683	1,684	176,160	169,090
05-09	942	861	1,688	1,549	170,324	162,796
10-14	999	923	1,854	1,717	180,807	171,177
15-17	664	598	1,280	1,180	116,091	110,819
18-19	783	882	1,213	1,313	74,023	71,786
20-24	1,773	1,812	2,862	2,837	190,657	183,278
25-29	1,072	926	1,849	1,583	182,491	168,940
30-34	902	822	1,583	1,377	165,112	159,832
35-39	1,009	887	1,727	1,558	181,521	176,831
40-44	1,092	1,085	1,990	2,014	201,603	199,391
45-49	1,156	1,171	2,251	2,242	211,438	209,027
50-54	1,117	1,061	2,107	2,036	186,269	184,463
55-59	1,013	899	1,878	1,728	156,572	157,055
60-64	615	607	1,240	1,252	108,884	113,270
65-69	533	533	1,070	1,090	82,320	89,417
70-74	408	455	853	998	63,827	74,367
75-79	304	377	749	920	52,302	67,965
80-84	191	336	493	798	37,408	58,154
85&up	186	381	488	940	31,060	70,574
Total	15,739	15,574	28,858	28,816	2,568,869	2,598,232
Total Male/Female		31,313		57,674		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Nobles County - Population Estimates by Age and Sex, 2006

Age Group	NOBLES		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	812	790	1,119	1,097	176,160	169,090
05-09	731	709	1,026	1,005	170,324	162,796
10-14	767	672	1,112	975	180,807	171,177
15-17	471	441	684	650	116,091	110,819
18-19	247	252	367	351	74,023	71,786
20-24	712	569	1,051	888	190,657	183,278
25-29	559	423	813	645	182,491	168,940
30-34	543	490	810	734	165,112	159,832
35-39	621	561	857	806	181,521	176,831
40-44	734	651	1,052	972	201,603	199,391
45-49	845	762	1,203	1,113	211,438	209,027
50-54	764	698	1,098	1,028	186,269	184,463
55-59	619	600	932	892	156,572	157,055
60-64	494	498	747	732	108,884	113,270
65-69	408	392	596	591	82,320	89,417
70-74	312	371	469	565	63,827	74,367
75-79	268	372	431	578	52,302	67,965
80-84	239	319	370	528	37,408	58,154
85&up	221	508	330	763	31,060	70,574
Total	10,367	10,078	15,067	14,913	2,568,869	2,598,232
Total Male/Female		20,445		29,980		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Norman County - Population Estimates by Age and Sex, 2006

Age Group	NORMAN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	180	175	385	373	176,160	169,090
05-09	194	213	385	394	170,324	162,796
10-14	242	224	465	404	180,807	171,177
15-17	174	148	296	275	116,091	110,819
18-19	82	76	144	126	74,023	71,786
20-24	225	212	384	363	190,657	183,278
25-29	153	99	274	211	182,491	168,940
30-34	138	125	257	229	165,112	159,832
35-39	181	163	297	281	181,521	176,831
40-44	263	247	442	418	201,603	199,391
45-49	277	303	461	464	211,438	209,027
50-54	288	239	460	392	186,269	184,463
55-59	219	206	397	375	156,572	157,055
60-64	187	189	314	339	108,884	113,270
65-69	149	161	264	267	82,320	89,417
70-74	155	168	248	262	63,827	74,367
75-79	134	151	206	246	52,302	67,965
80-84	88	138	139	220	37,408	58,154
85&up	96	188	150	315	31,060	70,574
Total	3,425	3,425	5,968	5,954	2,568,869	2,598,232
Total Male/Female		6,850		11,922		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomon and Norman Counties

Olmsted County - Population Estimates by Age and Sex, 2006

Age Group	OLMSTED		Minnesota	
	Male	Female	Male	Female
00-04	5,379	5,015	176,160	169,090
05-09	4,763	4,563	170,324	162,796
10-14	4,868	4,413	180,807	171,177
15-17	3,075	2,969	116,091	110,819
18-19	1,595	1,602	74,023	71,786
20-24	4,433	4,319	190,657	183,278
25-29	5,088	4,724	182,491	168,940
30-34	4,741	4,724	165,112	159,832
35-39	5,148	5,068	181,521	176,831
40-44	5,462	5,430	201,603	199,391
45-49	5,778	5,842	211,438	209,027
50-54	4,592	4,746	186,269	184,463
55-59	3,677	3,888	156,572	157,055
60-64	2,751	2,964	108,884	113,270
65-69	2,177	2,383	82,320	89,417
70-74	1,653	1,874	63,827	74,367
75-79	1,288	1,663	52,302	67,965
80-84	923	1,404	37,408	58,154
85&up	754	1,785	31,060	70,574
Total	68,145	69,376	2,568,869	2,598,232
Total Male/Female		137,521		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Otter Tail County - Population Estimates by Age and Sex, 2006

Age Group	OTTER TAIL		Minnesota	
	Male	Female	Male	Female
00-04	1,502	1,413	176,160	169,090
05-09	1,591	1,475	170,324	162,796
10-14	1,904	1,745	180,807	171,177
15-17	1,337	1,228	116,091	110,819
18-19	879	705	74,023	71,786
20-24	2,018	2,069	190,657	183,278
25-29	1,945	1,462	182,491	168,940
30-34	1,333	1,272	165,112	159,832
35-39	1,549	1,566	181,521	176,831
40-44	1,967	1,902	201,603	199,391
45-49	2,370	2,258	211,438	209,027
50-54	2,215	2,047	186,269	184,463
55-59	1,882	1,844	156,572	157,055
60-64	1,516	1,593	108,884	113,270
65-69	1,350	1,493	82,320	89,417
70-74	1,213	1,340	63,827	74,367
75-79	1,067	1,177	52,302	67,965
80-84	655	948	37,408	58,154
85&up	683	1,304	31,060	70,574
Total	28,976	28,841	2,568,869	2,598,232
Total Male/Female	57,817		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Pennington County - Population Estimates by Age and Sex, 2006

Age Group	PENNINGTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	446	470	1,483	1,505	176,160	169,090
05-09	438	398	1,592	1,455	170,324	162,796
10-14	450	391	1,700	1,594	180,807	171,177
15-17	273	261	1,163	1,057	116,091	110,819
18-19	256	205	691	615	74,023	71,786
20-24	563	457	1,760	1,547	190,657	183,278
25-29	505	497	1,489	1,335	182,491	168,940
30-34	417	418	1,314	1,239	165,112	159,832
35-39	376	357	1,484	1,301	181,521	176,831
40-44	424	454	1,791	1,701	201,603	199,391
45-49	534	509	2,066	1,908	211,438	209,027
50-54	487	492	1,904	1,790	186,269	184,463
55-59	420	432	1,575	1,485	156,572	157,055
60-64	338	350	1,227	1,177	108,884	113,270
65-69	248	276	958	1,010	82,320	89,417
70-74	192	213	761	825	63,827	74,367
75-79	172	253	675	801	52,302	67,965
80-84	112	192	488	681	37,408	58,154
85&up	122	311	508	1,065	31,060	70,574
Total	6,773	6,936	24,629	24,091	2,568,869	2,598,232
Total Male/Female	13,709		48,720		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Pine County - Population Estimates by Age and Sex, 2006

Age Group	PINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	785	792	1,260	1,202	176,160	169,090
05-09	791	742	1,293	1,177	170,324	162,796
10-14	910	849	1,507	1,395	180,807	171,177
15-17	681	651	1,060	1,004	116,091	110,819
18-19	358	272	544	445	74,023	71,786
20-24	1,056	923	1,611	1,534	190,657	183,278
25-29	1,380	1,149	2,036	1,779	182,491	168,940
30-34	931	752	1,417	1,289	165,112	159,832
35-39	948	806	1,480	1,318	181,521	176,831
40-44	1,131	992	1,673	1,540	201,603	199,391
45-49	1,166	1,056	1,853	1,681	211,438	209,027
50-54	1,041	938	1,632	1,515	186,269	184,463
55-59	859	747	1,390	1,195	156,572	157,055
60-64	663	691	1,058	1,106	108,884	113,270
65-69	537	652	849	990	82,320	89,417
70-74	563	535	873	817	63,827	74,367
75-79	380	449	594	694	52,302	67,965
80-84	273	348	433	545	37,408	58,154
85&up	200	422	288	618	31,060	70,574
Total	14,653	13,766	22,851	21,844	2,568,869	2,598,232
Total Male/Female	28,419		44,695		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Pipestone County - Population Estimates by Age and Sex, 2006

Age Group	PIPESTONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	290	280	1,485	1,392	176,160	169,090
05-09	285	278	1,487	1,477	170,324	162,796
10-14	309	324	1,659	1,578	180,807	171,177
15-17	230	195	1,128	1,048	116,091	110,819
18-19	135	89	753	757	74,023	71,786
20-24	286	387	2,074	2,065	190,657	183,278
25-29	249	161	1,429	1,139	182,491	168,940
30-34	212	202	1,160	1,136	165,112	159,832
35-39	242	224	1,303	1,260	181,521	176,831
40-44	322	317	1,690	1,600	201,603	199,391
45-49	381	371	1,830	1,839	211,438	209,027
50-54	332	324	1,775	1,721	186,269	184,463
55-59	275	270	1,466	1,360	156,572	157,055
60-64	213	220	1,127	1,108	108,884	113,270
65-69	189	237	952	1,061	82,320	89,417
70-74	191	239	814	1,006	63,827	74,367
75-79	144	242	731	978	52,302	67,965
80-84	131	216	593	940	37,408	58,154
85&up	130	301	585	1,298	31,060	70,574
Total	4,546	4,877	24,041	24,763	2,568,869	2,598,232
Total Male/Female	9,423		48,804		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Polk County - Population Estimates by Age and Sex, 2006

Age Group	POLK		Minnesota	
	Male	Female	Male	Female
00-04	913	890	176,160	169,090
05-09	857	890	170,324	162,796
10-14	1,089	962	180,807	171,177
15-17	698	721	116,091	110,819
18-19	517	467	74,023	71,786
20-24	1,395	1,264	190,657	183,278
25-29	1,142	900	182,491	168,940
30-34	661	678	165,112	159,832
35-39	815	798	181,521	176,831
40-44	1,118	1,028	201,603	199,391
45-49	1,171	1,221	211,438	209,027
50-54	1,221	1,142	186,269	184,463
55-59	983	905	156,572	157,055
60-64	715	715	108,884	113,270
65-69	582	671	82,320	89,417
70-74	459	545	63,827	74,367
75-79	462	567	52,302	67,965
80-84	323	505	37,408	58,154
85&up	326	772	31,060	70,574
Total	15,447	15,641	2,568,869	2,598,232
Total Male/Female	31,088		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Pope County - Population Estimates by Age and Sex, 2006

Age Group	POPE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	305	270	794	767	176,160	169,090
05-09	286	250	818	738	170,324	162,796
10-14	344	302	904	849	180,807	171,177
15-17	288	249	654	639	116,091	110,819
18-19	126	131	548	716	74,023	71,786
20-24	426	388	1,488	1,473	190,657	183,278
25-29	366	333	915	775	182,491	168,940
30-34	261	234	724	589	165,112	159,832
35-39	273	291	693	715	181,521	176,831
40-44	349	373	948	967	201,603	199,391
45-49	446	415	1,154	1,126	211,438	209,027
50-54	449	403	1,141	1,027	186,269	184,463
55-59	388	365	967	932	156,572	157,055
60-64	286	288	733	725	108,884	113,270
65-69	228	273	606	694	82,320	89,417
70-74	221	260	607	704	63,827	74,367
75-79	221	240	574	690	52,302	67,965
80-84	167	228	473	633	37,408	58,154
85&up	151	338	478	938	31,060	70,574
Total	5,581	5,631	15,219	15,697	2,568,869	2,598,232
Total Male/Female	11,212		30,916		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Ramsey County - Population Estimates by Age and Sex, 2006

Age Group	RAMSEY		Minnesota	
	Male	Female	Male	Female
00-04	18,230	17,293	176,160	169,090
05-09	17,276	16,094	170,324	162,796
10-14	17,544	16,574	180,807	171,177
15-17	10,818	10,179	116,091	110,819
18-19	7,272	7,847	74,023	71,786
20-24	16,229	17,033	190,657	183,278
25-29	14,689	14,024	182,491	168,940
30-34	15,634	15,858	165,112	159,832
35-39	16,961	17,188	181,521	176,831
40-44	18,104	18,542	201,603	199,391
45-49	19,068	19,963	211,438	209,027
50-54	17,594	18,463	186,269	184,463
55-59	14,949	16,268	156,572	157,055
60-64	9,976	11,108	108,884	113,270
65-69	7,468	8,586	82,320	89,417
70-74	5,749	7,598	63,827	74,367
75-79	4,825	7,197	52,302	67,965
80-84	3,590	6,564	37,408	58,154
85&up	2,926	7,934	31,060	70,574
Total	238,902	254,313	2,568,869	2,598,232
Total Male/Female	493,215		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Red Lake County - Population Estimates by Age and Sex, 2006

Age Group	RED LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	126	131	1,483	1,505	176,160	169,090
05-09	131	115	1,592	1,455	170,324	162,796
10-14	109	125	1,700	1,594	180,807	171,177
15-17	94	81	1,163	1,057	116,091	110,819
18-19	54	62	691	615	74,023	71,786
20-24	166	135	1,760	1,547	190,657	183,278
25-29	150	133	1,489	1,335	182,491	168,940
30-34	122	96	1,314	1,239	165,112	159,832
35-39	100	85	1,484	1,301	181,521	176,831
40-44	133	141	1,791	1,701	201,603	199,391
45-49	181	165	2,066	1,908	211,438	209,027
50-54	181	148	1,904	1,790	186,269	184,463
55-59	135	119	1,575	1,485	156,572	157,055
60-64	110	110	1,227	1,177	108,884	113,270
65-69	100	87	958	1,010	82,320	89,417
70-74	71	73	761	825	63,827	74,367
75-79	67	71	675	801	52,302	67,965
80-84	55	68	488	681	37,408	58,154
85&up	46	92	508	1,065	31,060	70,574
Total	2,131	2,037	24,629	24,091	2,568,869	2,598,232
Total Male/Female	4,168		48,720		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Redwood County - Population Estimates by Age and Sex, 2006

Age Group	REDWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	491	471	1,022	932	176,160	169,090
05-09	497	470	994	994	170,324	162,796
10-14	560	530	1,173	1,079	180,807	171,177
15-17	379	337	785	736	116,091	110,819
18-19	226	188	445	380	74,023	71,786
20-24	559	464	1,140	973	190,657	183,278
25-29	387	303	799	644	182,491	168,940
30-34	382	358	818	722	165,112	159,832
35-39	485	393	965	807	181,521	176,831
40-44	522	534	1,049	1,125	201,603	199,391
45-49	616	583	1,335	1,233	211,438	209,027
50-54	589	549	1,281	1,165	186,269	184,463
55-59	520	531	1,065	989	156,572	157,055
60-64	409	396	789	814	108,884	113,270
65-69	356	382	703	729	82,320	89,417
70-74	277	302	558	628	63,827	74,367
75-79	258	307	517	634	52,302	67,965
80-84	186	313	391	621	37,408	58,154
85&up	239	442	439	849	31,060	70,574
Total	7,938	7,853	16,268	16,054	2,568,869	2,598,232
Total Male/Female	15,791		32,322		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Renville County - Population Estimates by Age and Sex, 2006

Age Group	RENVILLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	531	461	1,022	932	176,160	169,090
05-09	497	524	994	994	170,324	162,796
10-14	613	549	1,173	1,079	180,807	171,177
15-17	406	399	785	736	116,091	110,819
18-19	219	192	445	380	74,023	71,786
20-24	581	509	1,140	973	190,657	183,278
25-29	412	341	799	644	182,491	168,940
30-34	436	364	818	722	165,112	159,832
35-39	480	414	965	807	181,521	176,831
40-44	527	591	1,049	1,125	201,603	199,391
45-49	719	650	1,335	1,233	211,438	209,027
50-54	692	616	1,281	1,165	186,269	184,463
55-59	545	458	1,065	989	156,572	157,055
60-64	380	418	789	814	108,884	113,270
65-69	347	347	703	729	82,320	89,417
70-74	281	326	558	628	63,827	74,367
75-79	259	327	517	634	52,302	67,965
80-84	205	308	391	621	37,408	58,154
85&up	200	407	439	849	31,060	70,574
Total	8,330	8,201	16,268	16,054	2,568,869	2,598,232
Total Male/Female	16,531		32,322		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Rice County - Population Estimates by Age and Sex, 2006

Age Group	RICE		Minnesota	
	Male	Female	Male	Female
00-04	1,899	1,838	176,160	169,090
05-09	1,888	1,740	170,324	162,796
10-14	1,962	1,942	180,807	171,177
15-17	1,310	1,287	116,091	110,819
18-19	1,477	1,591	74,023	71,786
20-24	3,622	3,551	190,657	183,278
25-29	2,544	2,202	182,491	168,940
30-34	1,933	1,622	165,112	159,832
35-39	2,064	1,772	181,521	176,831
40-44	2,237	2,087	201,603	199,391
45-49	2,418	2,254	211,438	209,027
50-54	2,000	1,919	186,269	184,463
55-59	1,702	1,661	156,572	157,055
60-64	1,208	1,187	108,884	113,270
65-69	915	1,007	82,320	89,417
70-74	794	874	63,827	74,367
75-79	587	700	52,302	67,965
80-84	370	675	37,408	58,154
85&up	332	809	31,060	70,574
Total	31,262	30,718	2,568,869	2,598,232
Total Male/Female	61,980		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Rock County - Population Estimates by Age and Sex, 2006

Age Group	ROCK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	307	307	1,119	1,097	176,160	169,090
05-09	295	296	1,026	1,005	170,324	162,796
10-14	345	303	1,112	975	180,807	171,177
15-17	213	209	684	650	116,091	110,819
18-19	120	99	367	351	74,023	71,786
20-24	339	319	1,051	888	190,657	183,278
25-29	254	222	813	645	182,491	168,940
30-34	267	244	810	734	165,112	159,832
35-39	236	245	857	806	181,521	176,831
40-44	318	321	1,052	972	201,603	199,391
45-49	358	351	1,203	1,113	211,438	209,027
50-54	334	330	1,098	1,028	186,269	184,463
55-59	313	292	932	892	156,572	157,055
60-64	253	234	747	732	108,884	113,270
65-69	188	199	596	591	82,320	89,417
70-74	157	194	469	565	63,827	74,367
75-79	163	206	431	578	52,302	67,965
80-84	131	209	370	528	37,408	58,154
85&up	109	255	330	763	31,060	70,574
Total	4,700	4,835	15,067	14,913	2,568,869	2,598,232
Total Male/Female	9,535		29,980		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Roseau County - Population Estimates by Age and Sex, 2006

Age Group	ROSEAU		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	536	500	1,483	1,505	176,160	169,090
05-09	592	527	1,592	1,455	170,324	162,796
10-14	655	617	1,700	1,594	180,807	171,177
15-17	461	409	1,163	1,057	116,091	110,819
18-19	196	173	691	615	74,023	71,786
20-24	492	497	1,760	1,547	190,657	183,278
25-29	499	435	1,489	1,335	182,491	168,940
30-34	485	469	1,314	1,239	165,112	159,832
35-39	577	514	1,484	1,301	181,521	176,831
40-44	735	619	1,791	1,701	201,603	199,391
45-49	715	674	2,066	1,908	211,438	209,027
50-54	620	557	1,904	1,790	186,269	184,463
55-59	483	431	1,575	1,485	156,572	157,055
60-64	384	363	1,227	1,177	108,884	113,270
65-69	275	287	958	1,010	82,320	89,417
70-74	195	209	761	825	63,827	74,367
75-79	174	172	675	801	52,302	67,965
80-84	137	152	488	681	37,408	58,154
85&up	121	264	508	1,065	31,060	70,574
Total	8,332	7,869	24,629	24,091	2,568,869	2,598,232
Total Male/Female		16,201		48,720		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake & Roseau Counties

St. Louis County - Population Estimates by Age and Sex, 2006

Age Group	ST. LOUIS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	5,260	4,926	6,576	6,175	176,160	169,090
05-09	5,197	4,787	6,574	6,139	170,324	162,796
10-14	5,814	5,417	7,362	6,905	180,807	171,177
15-17	3,992	3,702	5,066	4,723	116,091	110,819
18-19	4,026	4,260	4,719	4,781	74,023	71,786
20-24	9,069	8,510	10,961	10,312	190,657	183,278
25-29	6,264	5,386	8,115	7,029	182,491	168,940
30-34	4,842	4,702	6,344	5,970	165,112	159,832
35-39	5,422	5,104	7,063	6,528	181,521	176,831
40-44	6,369	6,739	8,204	8,551	201,603	199,391
45-49	7,690	7,989	9,793	9,983	211,438	209,027
50-54	8,221	8,092	10,222	10,034	186,269	184,463
55-59	7,262	6,674	9,075	8,273	156,572	157,055
60-64	4,779	4,791	6,057	6,034	108,884	113,270
65-69	3,600	4,039	4,587	5,141	82,320	89,417
70-74	2,949	3,514	3,863	4,525	63,827	74,367
75-79	2,577	3,513	3,330	4,391	52,302	67,965
80-84	1,809	3,020	2,315	3,755	37,408	58,154
85&up	1,770	3,990	2,136	4,867	31,060	70,574
Total	96,912	99,155	122,362	124,116	2,568,869	2,598,232
Total Male/Female		196,067		246,478		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Scott County - Population Estimates by Age and Sex, 2006

Age Group	SCOTT		Minnesota	
	Male	Female	Male	Female
00-04	5,236	5,181	176,160	169,090
05-09	4,934	4,766	170,324	162,796
10-14	5,062	4,782	180,807	171,177
15-17	2,871	2,784	116,091	110,819
18-19	1,319	1,110	74,023	71,786
20-24	4,059	4,160	190,657	183,278
25-29	5,676	6,012	182,491	168,940
30-34	4,727	5,056	165,112	159,832
35-39	5,417	5,605	181,521	176,831
40-44	5,773	5,673	201,603	199,391
45-49	5,052	4,641	211,438	209,027
50-54	3,692	3,422	186,269	184,463
55-59	2,805	2,721	156,572	157,055
60-64	1,926	1,947	108,884	113,270
65-69	1,365	1,344	82,320	89,417
70-74	837	946	63,827	74,367
75-79	616	722	52,302	67,965
80-84	417	552	37,408	58,154
85&up	276	608	31,060	70,574
Total	62,060	62,032	2,568,869	2,598,232
Total Male/Female	124,092		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Sherburne County - Population Estimates by Age and Sex, 2006

Age Group	SHERBURNE		Minnesota	
	Male	Female	Male	Female
00-04	3,141	3,104	176,160	169,090
05-09	3,144	3,016	170,324	162,796
10-14	3,306	3,132	180,807	171,177
15-17	2,027	1,897	116,091	110,819
18-19	1,091	956	74,023	71,786
20-24	3,832	3,584	190,657	183,278
25-29	4,335	4,174	182,491	168,940
30-34	3,332	3,095	165,112	159,832
35-39	3,483	3,490	181,521	176,831
40-44	3,518	3,368	201,603	199,391
45-49	3,255	3,151	211,438	209,027
50-54	2,513	2,348	186,269	184,463
55-59	2,013	1,952	156,572	157,055
60-64	1,340	1,359	108,884	113,270
65-69	1,008	922	82,320	89,417
70-74	708	687	63,827	74,367
75-79	508	628	52,302	67,965
80-84	300	455	37,408	58,154
85&up	219	604	31,060	70,574
Total	43,073	41,922	2,568,869	2,598,232
Total Male/Female	84,995		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Sibley County - Population Estimates by Age and Sex, 2006

Age Group	SIBLEY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	480	508	2,541	2,571	176,160	169,090
05-09	509	462	2,542	2,387	170,324	162,796
10-14	599	504	2,763	2,516	180,807	171,177
15-17	399	349	1,853	1,697	116,091	110,819
18-19	185	186	993	822	74,023	71,786
20-24	512	440	2,594	2,375	190,657	183,278
25-29	466	439	2,546	2,488	182,491	168,940
30-34	408	404	2,354	2,273	165,112	159,832
35-39	497	462	2,468	2,299	181,521	176,831
40-44	586	550	2,863	2,767	201,603	199,391
45-49	625	576	2,960	2,717	211,438	209,027
50-54	555	486	2,672	2,605	186,269	184,463
55-59	445	416	2,295	2,168	156,572	157,055
60-64	362	347	1,762	1,745	108,884	113,270
65-69	274	315	1,332	1,433	82,320	89,417
70-74	235	295	1,118	1,319	63,827	74,367
75-79	215	259	954	1,249	52,302	67,965
80-84	140	171	671	988	37,408	58,154
85&up	151	314	661	1,449	31,060	70,574
Total	7,643	7,483	37,942	37,868	2,568,869	2,598,232
Total Male/Female		15,126		75,810		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Stearns County - Population Estimates by Age and Sex, 2006

Age Group	STEARNS		Minnesota	
	Male	Female	Male	Female
00-04	4,641	4,424	176,160	169,090
05-09	4,474	4,344	170,324	162,796
10-14	4,746	4,478	180,807	171,177
15-17	3,066	2,963	116,091	110,819
18-19	3,048	3,428	74,023	71,786
20-24	8,488	8,009	190,657	183,278
25-29	5,929	5,030	182,491	168,940
30-34	4,351	3,898	165,112	159,832
35-39	4,695	4,386	181,521	176,831
40-44	5,158	4,949	201,603	199,391
45-49	5,373	5,196	211,438	209,027
50-54	4,657	4,587	186,269	184,463
55-59	3,940	3,663	156,572	157,055
60-64	2,623	2,714	108,884	113,270
65-69	2,125	2,325	82,320	89,417
70-74	1,889	2,049	63,827	74,367
75-79	1,592	1,884	52,302	67,965
80-84	1,052	1,463	37,408	58,154
85&up	839	1,620	31,060	70,574
Total	72,686	71,410	2,568,869	2,598,232
Total Male/Female		144,096		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Steele County - Population Estimates by Age and Sex, 2006

Age Group	STEELE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,329	1,181	2,044	1,931	176,160	169,090
05-09	1,225	1,173	1,869	1,903	170,324	162,796
10-14	1,326	1,268	2,099	2,009	180,807	171,177
15-17	864	835	1,349	1,304	116,091	110,819
18-19	445	410	664	660	74,023	71,786
20-24	1,320	1,267	2,014	1,925	190,657	183,278
25-29	1,247	1,211	2,055	1,979	182,491	168,940
30-34	1,086	1,119	1,710	1,701	165,112	159,832
35-39	1,248	1,170	1,887	1,853	181,521	176,831
40-44	1,370	1,381	2,156	2,137	201,603	199,391
45-49	1,408	1,448	2,238	2,246	211,438	209,027
50-54	1,369	1,273	2,073	1,928	186,269	184,463
55-59	1,007	1,012	1,490	1,476	156,572	157,055
60-64	747	734	1,168	1,112	108,884	113,270
65-69	608	697	902	1,011	82,320	89,417
70-74	440	541	656	807	63,827	74,367
75-79	391	535	588	754	52,302	67,965
80-84	287	446	435	654	37,408	58,154
85&up	262	541	402	802	31,060	70,574
Total	17,979	18,242	27,799	28,192	2,568,869	2,598,232
Total Male/Female		36,221		55,991		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*CHS Agency- Community Health Services Agency consisting of Dodge and Steele Counties

Stevens County - Population Estimates by Age and Sex, 2006

Age Group	STEVENS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	239	250	794	767	176,160	169,090
05-09	266	251	818	738	170,324	162,796
10-14	266	231	904	849	180,807	171,177
15-17	148	159	654	639	116,091	110,819
18-19	306	474	548	716	74,023	71,786
20-24	724	749	1,488	1,473	190,657	183,278
25-29	273	233	915	775	182,491	168,940
30-34	246	175	724	589	165,112	159,832
35-39	202	207	693	715	181,521	176,831
40-44	298	255	948	967	201,603	199,391
45-49	331	350	1,154	1,126	211,438	209,027
50-54	332	296	1,141	1,027	186,269	184,463
55-59	274	277	967	932	156,572	157,055
60-64	198	186	733	725	108,884	113,270
65-69	153	165	606	694	82,320	89,417
70-74	140	173	607	704	63,827	74,367
75-79	140	195	574	690	52,302	67,965
80-84	111	174	473	633	37,408	58,154
85&up	135	245	478	938	31,060	70,574
Total	4,782	5,045	15,219	15,697	2,568,869	2,598,232
Total Male/Female		9,827		30,916		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Swift County - Population Estimates by Age and Sex, 2006

Age Group	SWIFT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	291	274	1,261	1,184	176,160	169,090
05-09	319	256	1,375	1,237	170,324	162,796
10-14	326	337	1,547	1,491	180,807	171,177
15-17	234	223	1,085	1,028	116,091	110,819
18-19	133	102	665	520	74,023	71,786
20-24	365	274	1,587	1,441	190,657	183,278
25-29	301	155	1,298	834	182,491	168,940
30-34	353	207	1,115	886	165,112	159,832
35-39	424	233	1,289	1,121	181,521	176,831
40-44	427	304	1,615	1,514	201,603	199,391
45-49	446	355	1,914	1,810	211,438	209,027
50-54	416	350	1,932	1,696	186,269	184,463
55-59	339	312	1,560	1,455	156,572	157,055
60-64	240	250	1,147	1,212	108,884	113,270
65-69	197	212	989	1,078	82,320	89,417
70-74	175	243	812	1,009	63,827	74,367
75-79	176	214	825	1,056	52,302	67,965
80-84	121	233	673	1,011	37,408	58,154
85&up	147	343	651	1,509	31,060	70,574
Total	5,430	4,877	23,340	23,092	2,568,869	2,598,232
Total Male/Female		10,307		46,432		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Todd County - Population Estimates by Age and Sex, 2006

Age Group	TODD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	693	721	3,061	2,964	176,160	169,090
05-09	730	698	3,023	2,866	170,324	162,796
10-14	867	792	3,302	3,229	180,807	171,177
15-17	567	611	2,385	2,302	116,091	110,819
18-19	370	312	1,394	1,146	74,023	71,786
20-24	955	885	3,680	3,292	190,657	183,278
25-29	852	726	3,631	3,471	182,491	168,940
30-34	624	516	2,605	2,448	165,112	159,832
35-39	649	615	2,729	2,633	181,521	176,831
40-44	826	837	3,401	3,345	201,603	199,391
45-49	1,030	936	3,883	3,685	211,438	209,027
50-54	951	893	3,575	3,416	186,269	184,463
55-59	792	735	3,184	2,996	156,572	157,055
60-64	641	624	2,541	2,571	108,884	113,270
65-69	546	561	2,299	2,388	82,320	89,417
70-74	390	450	1,851	2,020	63,827	74,367
75-79	375	377	1,572	1,815	52,302	67,965
80-84	238	354	1,012	1,470	37,408	58,154
85&up	206	430	854	1,736	31,060	70,574
Total	12,302	12,073	49,982	49,793	2,568,869	2,598,232
Total Male/Female		24,375		99,775		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Traverse County - Population Estimates by Age and Sex, 2006

Age Group	TRAVERSE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	81	92	794	767	176,160	169,090
05-09	112	100	818	738	170,324	162,796
10-14	112	129	904	849	180,807	171,177
15-17	95	87	654	639	116,091	110,819
18-19	52	33	548	716	74,023	71,786
20-24	140	137	1,488	1,473	190,657	183,278
25-29	71	49	915	775	182,491	168,940
30-34	88	65	724	589	165,112	159,832
35-39	71	77	693	715	181,521	176,831
40-44	108	126	948	967	201,603	199,391
45-49	134	134	1,154	1,126	211,438	209,027
50-54	138	129	1,141	1,027	186,269	184,463
55-59	113	88	967	932	156,572	157,055
60-64	92	103	733	725	108,884	113,270
65-69	80	106	606	694	82,320	89,417
70-74	106	125	607	704	63,827	74,367
75-79	99	106	574	690	52,302	67,965
80-84	90	84	473	633	37,408	58,154
85&up	86	161	478	938	31,060	70,574
Total	1,868	1,931	15,219	15,697	2,568,869	2,598,232
Total Male/Female		3,799		30,916		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Wabasha County - Population Estimates by Age and Sex, 2006

Age Group	WABASHA		Minnesota	
	Male	Female	Male	Female
00-04	639	663	176,160	169,090
05-09	621	623	170,324	162,796
10-14	799	771	180,807	171,177
15-17	545	513	116,091	110,819
18-19	325	260	74,023	71,786
20-24	763	757	190,657	183,278
25-29	762	645	182,491	168,940
30-34	557	551	165,112	159,832
35-39	691	692	181,521	176,831
40-44	816	814	201,603	199,391
45-49	933	934	211,438	209,027
50-54	827	769	186,269	184,463
55-59	769	726	156,572	157,055
60-64	553	544	108,884	113,270
65-69	447	496	82,320	89,417
70-74	372	328	63,827	74,367
75-79	295	343	52,302	67,965
80-84	225	308	37,408	58,154
85&up	217	389	31,060	70,574
Total	11,156	11,126	2,568,869	2,598,232
Total Male/Female				5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Wadena County - Population Estimates by Age and Sex, 2006

Age Group	WADENA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	401	412	3,061	2,964	176,160	169,090
05-09	427	400	3,023	2,866	170,324	162,796
10-14	443	430	3,302	3,229	180,807	171,177
15-17	332	293	2,385	2,302	116,091	110,819
18-19	207	163	1,394	1,146	74,023	71,786
20-24	469	383	3,680	3,292	190,657	183,278
25-29	429	421	3,631	3,471	182,491	168,940
30-34	318	324	2,605	2,448	165,112	159,832
35-39	345	322	2,729	2,633	181,521	176,831
40-44	409	419	3,401	3,345	201,603	199,391
45-49	497	480	3,883	3,685	211,438	209,027
50-54	450	450	3,575	3,416	186,269	184,463
55-59	429	385	3,184	2,996	156,572	157,055
60-64	299	328	2,541	2,571	108,884	113,270
65-69	310	334	2,299	2,388	82,320	89,417
70-74	264	307	1,851	2,020	63,827	74,367
75-79	263	338	1,572	1,815	52,302	67,965
80-84	165	306	1,012	1,470	37,408	58,154
85&up	164	329	854	1,736	31,060	70,574
Total	6,621	6,824	49,982	49,793	2,568,869	2,598,232
Total Male/Female		13,445		99,775		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Waseca County - Population Estimates by Age and Sex, 2006

Age Group	WASECA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	620	634	1,510	1,434	176,160	169,090
05-09	678	604	1,489	1,445	170,324	162,796
10-14	618	617	1,568	1,561	180,807	171,177
15-17	424	404	1,074	1,027	116,091	110,819
18-19	263	197	633	548	74,023	71,786
20-24	756	626	1,805	1,615	190,657	183,278
25-29	853	593	1,924	1,622	182,491	168,940
30-34	707	471	1,531	1,235	165,112	159,832
35-39	742	515	1,652	1,409	181,521	176,831
40-44	819	661	1,885	1,713	201,603	199,391
45-49	850	734	1,980	1,768	211,438	209,027
50-54	751	704	1,800	1,638	186,269	184,463
55-59	630	546	1,531	1,384	156,572	157,055
60-64	403	390	1,042	1,056	108,884	113,270
65-69	317	351	861	871	82,320	89,417
70-74	227	279	604	714	63,827	74,367
75-79	182	341	492	743	52,302	67,965
80-84	202	270	455	610	37,408	58,154
85&up	158	332	355	780	31,060	70,574
Total	10,200	9,269	24,191	23,173	2,568,869	2,598,232
Total Male/Female		19,469		47,364		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Washington County - Population Estimates by Age and Sex, 2006

Age Group	WASHINGTON		Minnesota	
	Male	Female	Male	Female
00-04	7,454	7,154	176,160	169,090
05-09	8,002	7,871	170,324	162,796
10-14	8,995	8,727	180,807	171,177
15-17	5,573	5,364	116,091	110,819
18-19	2,839	2,575	74,023	71,786
20-24	7,968	7,419	190,657	183,278
25-29	7,618	7,101	182,491	168,940
30-34	6,770	6,612	165,112	159,832
35-39	8,264	8,706	181,521	176,831
40-44	9,550	10,058	201,603	199,391
45-49	10,159	10,070	211,438	209,027
50-54	8,204	8,583	186,269	184,463
55-59	7,318	7,184	156,572	157,055
60-64	4,951	4,953	108,884	113,270
65-69	3,253	3,381	82,320	89,417
70-74	2,255	2,484	63,827	74,367
75-79	1,469	1,904	52,302	67,965
80-84	948	1,405	37,408	58,154
85&up	562	1,297	31,060	70,574
Total	112,152	112,848	2,568,869	2,598,232
Total Male/Female	225,000			

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Watsonwan County - Population Estimates by Age and Sex, 2006

Age Group	WATONWAN		Minnesota	
	Male	Female	Male	Female
00-04	361	325	176,160	169,090
05-09	450	416	170,324	162,796
10-14	383	438	180,807	171,177
15-17	257	261	116,091	110,819
18-19	131	115	74,023	71,786
20-24	330	344	190,657	183,278
25-29	267	280	182,491	168,940
30-34	270	254	165,112	159,832
35-39	283	282	181,521	176,831
40-44	325	333	201,603	199,391
45-49	447	441	211,438	209,027
50-54	457	391	186,269	184,463
55-59	337	318	156,572	157,055
60-64	266	269	108,884	113,270
65-69	265	246	82,320	89,417
70-74	208	215	63,827	74,367
75-79	187	253	52,302	67,965
80-84	116	221	37,408	58,154
85&up	136	286	31,060	70,574
Total	5,476	5,688	2,568,869	2,598,232
Total Male/Female	11,164		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Wilkin County - Population Estimates by Age and Sex, 2006

Age Group	WILKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	189	186	1,783	1,731	176,160	169,090
05-09	220	210	1,788	1,685	170,324	162,796
10-14	223	253	2,090	1,919	180,807	171,177
15-17	172	161	1,378	1,294	116,091	110,819
18-19	89	88	1,431	2,016	74,023	71,786
20-24	213	220	3,280	3,982	190,657	183,278
25-29	188	137	2,245	1,758	182,491	168,940
30-34	145	133	1,565	1,659	165,112	159,832
35-39	204	178	1,719	1,691	181,521	176,831
40-44	252	257	1,998	2,051	201,603	199,391
45-49	335	300	2,311	2,324	211,438	209,027
50-54	287	228	2,149	2,028	186,269	184,463
55-59	193	203	1,594	1,575	156,572	157,055
60-64	133	177	1,086	1,164	108,884	113,270
65-69	126	139	874	986	82,320	89,417
70-74	129	125	774	882	63,827	74,367
75-79	93	97	679	911	52,302	67,965
80-84	57	93	501	683	37,408	58,154
85&up	70	131	486	1,040	31,060	70,574
Total	3,318	3,316	29,731	31,379	2,568,869	2,598,232
Total Male/Female		6,634		61,110		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Winona County - Population Estimates by Age and Sex, 2006

Age Group	WINONA		Minnesota	
	Male	Female	Male	Female
00-04	1,334	1,239	176,160	169,090
05-09	1,307	1,280	170,324	162,796
10-14	1,454	1,349	180,807	171,177
15-17	972	877	116,091	110,819
18-19	1,317	1,890	74,023	71,786
20-24	3,375	3,261	190,657	183,278
25-29	1,629	1,655	182,491	168,940
30-34	1,175	1,151	165,112	159,832
35-39	1,305	1,266	181,521	176,831
40-44	1,516	1,503	201,603	199,391
45-49	1,694	1,746	211,438	209,027
50-54	1,702	1,672	186,269	184,463
55-59	1,464	1,412	156,572	157,055
60-64	1,024	968	108,884	113,270
65-69	862	856	82,320	89,417
70-74	671	749	63,827	74,367
75-79	532	707	52,302	67,965
80-84	376	678	37,408	58,154
85&up	407	913	31,060	70,574
Total	24,116	25,172	2,568,869	2,598,232
Total Male/Female		49,288		5,167,101

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Wright County - Population Estimates by Age and Sex, 2006

Age Group	WRIGHT		Minnesota	
	Male	Female	Male	Female
00-04	4,688	4,584	176,160	169,090
05-09	4,219	4,044	170,324	162,796
10-14	4,416	4,186	180,807	171,177
15-17	2,788	2,724	116,091	110,819
18-19	1,319	1,173	74,023	71,786
20-24	4,172	4,316	190,657	183,278
25-29	5,402	5,475	182,491	168,940
30-34	4,079	4,130	165,112	159,832
35-39	4,418	4,375	181,521	176,831
40-44	4,760	4,706	201,603	199,391
45-49	4,537	4,185	211,438	209,027
50-54	3,484	3,218	186,269	184,463
55-59	2,819	2,820	156,572	157,055
60-64	2,098	2,020	108,884	113,270
65-69	1,536	1,501	82,320	89,417
70-74	1,113	1,105	63,827	74,367
75-79	773	984	52,302	67,965
80-84	512	820	37,408	58,154
85&up	413	875	31,060	70,574
Total	57,546	57,241	2,568,869	2,598,232
Total Male/Female	114,787		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

Yellow Medicine County - Population Estimates by Age and Sex, 2006

Age Group	YELLOW MEDICINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	289	283	1,261	1,184	176,160	169,090
05-09	348	282	1,375	1,237	170,324	162,796
10-14	337	341	1,547	1,491	180,807	171,177
15-17	236	246	1,085	1,028	116,091	110,819
18-19	197	160	665	520	74,023	71,786
20-24	367	335	1,587	1,441	190,657	183,278
25-29	290	176	1,298	834	182,491	168,940
30-34	221	199	1,115	886	165,112	159,832
35-39	258	246	1,289	1,121	181,521	176,831
40-44	338	380	1,615	1,514	201,603	199,391
45-49	420	407	1,914	1,810	211,438	209,027
50-54	449	348	1,932	1,696	186,269	184,463
55-59	328	313	1,560	1,455	156,572	157,055
60-64	265	256	1,147	1,212	108,884	113,270
65-69	215	236	989	1,078	82,320	89,417
70-74	179	223	812	1,009	63,827	74,367
75-79	181	225	825	1,056	52,302	67,965
80-84	155	205	673	1,011	37,408	58,154
85&up	136	360	651	1,509	31,060	70,574
Total	5,209	5,221	23,340	23,092	2,568,869	2,598,232
Total Male/Female	10,430		46,432		5,167,101	

Source: U.S. Census Bureau: 2006 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2006**

	One Race						Two or More Races	Ethnicity Hispanic/ Latino (any race)
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander			
State of Minnesota	5,167,101	4,615,613	231,053	60,491	183,831	76,113	196,135	
Aitkin	16,149	15,528	53	371	35	162	112	
Anoka	327,005	295,343	11,136	2,436	12,341	5,749	8,171	
Becker	32,230	28,890	94	2,363	158	725	322	
Beltrami	43,169	33,167	249	8,344	489	920	583	
Benton	38,688	36,829	554	213	641	451	530	
Big Stone	5,510	5,421	14	34	24	17	34	
Blue Earth	58,254	54,751	1,330	185	1,486	502	1,182	
Brown	26,361	25,985	70	45	135	126	776	
Carlton	34,116	31,193	390	1,759	134	640	344	
Carver	87,545	83,440	1,087	224	2,077	717	2,936	
Cass	29,036	25,246	88	3,136	95	471	318	
Chippewa	12,721	12,371	38	146	45	121	471	
Chisago	50,344	48,342	549	349	721	383	881	
Clay	54,476	51,787	382	855	678	774	1,756	
Clearwater	8,440	7,547	27	719	28	119	93	
Cook	5,329	4,772	19	422	22	94	93	
Cottonwood	11,659	11,133	112	43	292	79	451	
Crow Wing	61,009	59,528	313	441	286	441	496	
Dakota	388,001	347,989	15,591	1,827	15,919	6,675	16,289	
Dodge	19,770	19,385	78	37	113	157	726	
Douglas	35,467	34,868	100	113	152	234	291	
Faribault	15,283	15,009	51	51	62	110	680	
Fillmore	21,151	20,934	49	25	41	102	149	
Freeborn	31,636	30,996	154	66	193	227	2,083	
Goodhue	45,807	44,225	361	516	326	379	776	
Grant	6,078	5,986	13	20	14	45	43	
Hennepin	1,122,093	903,207	121,341	12,004	62,601	22,940	66,221	
Houston	19,832	19,442	116	41	122	111	136	
Hubbard	18,890	18,189	40	407	66	188	185	
Isanti	38,576	37,516	156	228	295	381	516	
Itasca	44,729	42,298	93	1,554	153	631	346	
Jackson	11,150	10,877	17	13	188	55	289	
Kanabec	16,276	15,795	34	157	76	214	164	
Kandiyohi	41,088	40,133	378	189	220	168	3,572	
Kittson	4,691	4,604	8	22	16	41	71	
Koochiching	13,658	13,052	60	340	38	168	109	
Lac Qui Parle	7,464	7,378	16	18	27	25	46	
Lake	10,966	10,717	12	90	28	119	67	
Lake of the Woods	4,327	4,158	18	91	14	46	30	
Le Sueur	27,895	27,421	70	101	114	189	1,161	
Lincoln	5,963	5,917	5	19	15	7	55	
Lyon	24,640	23,555	332	90	477	186	1,168	
McLeod	37,279	36,444	208	86	331	210	1,651	
Mahnomen	5,072	3,056	7	1,517	10	482	79	
Marshall	9,951	9,806	14	35	34	62	369	
Martin	20,768	20,433	77	27	123	108	542	
Meeker	23,405	23,075	56	55	137	82	668	
Mille Lacs	26,169	24,515	75	1,211	80	288	368	
Morrison	32,919	32,381	95	122	111	210	267	
Mower	38,666	37,105	457	94	648	362	2,784	
Murray	8,778	8,631	21	30	32	64	201	

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2006**

	One Race						Two or More Races	Ethnicity Hispanic/ Latino (any race)
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander			
State of Minnesota	5,167,101	4,615,613	231,053	60,491	183,831	76,113	196,135	
Nicollet	31,313	30,074	482	79	433	245	763	
Nobles	20,445	18,956	319	121	838	211	3,064	
Norman	6,850	6,539	17	165	25	104	261	
Olmsted	137,521	123,264	5,252	408	7,031	1,566	3,859	
Otter Tail	57,817	56,632	231	336	295	323	1,077	
Pennington	13,709	13,213	63	191	123	119	320	
Pine	28,419	26,745	392	852	110	320	533	
Pipestone	9,423	9,063	27	159	67	107	105	
Polk	31,088	29,906	193	474	163	352	1,365	
Pope	11,212	11,051	31	33	33	64	75	
Ramsey	493,215	386,171	47,696	4,340	43,454	11,554	30,293	
Red Lake	4,168	4,063	10	65	2	28	77	
Redwood	15,791	14,586	44	576	380	205	242	
Renville	16,531	16,176	49	145	58	103	1,018	
Rice	61,980	58,960	1,049	311	1,103	557	4,361	
Rock	9,535	9,276	78	49	81	51	163	
Roseau	16,201	15,430	25	292	324	130	80	
St. Louis	196,067	185,602	2,026	4,156	1,535	2,748	1,680	
Scott	124,092	112,452	2,490	903	6,502	1,745	4,471	
Sherburne	84,995	81,569	1,155	376	1,095	800	1,531	
Sibley	15,126	14,859	26	54	78	109	951	
Stearns	144,096	137,193	2,208	402	2,928	1,365	2,474	
Steele	36,221	34,617	1,002	43	346	213	1,719	
Stevens	9,827	9,268	150	116	177	116	141	
Swift	10,307	9,748	172	54	193	140	339	
Todd	24,375	23,869	51	152	103	200	854	
Traverse	3,799	3,612	1	157	15	14	60	
Wabasha	22,282	21,886	81	72	140	103	480	
Wadena	13,445	13,143	71	88	46	97	141	
Waseca	19,469	18,561	506	124	154	124	597	
Washington	225,000	203,426	6,987	1,014	10,588	2,985	6,014	
Watonwan	11,164	10,855	73	42	121	73	2,057	
Wilkin	6,634	6,486	16	56	18	58	151	
Winona	49,288	47,005	543	124	1,287	329	677	
Wright	114,787	110,929	910	417	1,503	1,028	2,216	
Yellow Medicine	10,430	10,058	19	264	19	70	275	

Source: July 1, 2007, US Census

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2006**

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	627,394	12.1	17.9	47.2	1,403,073	29.4	1,070,877
Aitkin	3,890	24.1	39.6	64.5	3,359	24.9	2,590
Anoka	26,516	8.1	11.5	42.3	94,216	30.8	71,045
Becker	5,226	16.2	24.8	53.1	8,250	28.3	6,128
Beltrami	5,306	12.3	18.4	49.3	12,810	31.0	9,804
Benton	3,993	10.3	14.9	44.3	10,383	29.4	9,239
Big Stone	1,351	24.5	41.2	68.0	1,278	26.8	828
Blue Earth	6,866	11.8	16.4	38.9	15,023	22.6	14,080
Brown	4,695	17.8	27.4	53.7	6,571	26.3	4,850
Carlton	4,954	14.5	21.4	47.6	8,391	26.2	6,597
Carver	6,592	7.5	10.8	43.8	26,333	33.0	20,208
Cass	5,309	18.3	28.3	54.9	6,966	26.6	5,484
Chippewa	2,412	19.0	30.2	59.3	3,173	29.1	2,190
Chisago	4,787	9.5	13.7	43.9	14,137	30.2	11,342
Clay	6,756	12.4	17.8	43.3	15,324	25.6	13,277
Clearwater	1,492	17.7	28.0	58.2	2,169	30.2	1,518
Cook	939	17.6	25.3	43.5	978	18.2	929
Cottonwood	2,408	20.7	34.3	66.0	3,015	31.7	1,916
Crow Wing	10,528	17.3	26.7	54.5	14,938	27.8	12,236
Dakota	31,506	8.1	11.6	43.2	113,556	31.6	84,951
Dodge	2,263	11.4	17.2	50.3	5,776	33.1	4,166
Douglas	6,559	18.5	28.5	53.8	8,188	25.4	6,909
Faribault	3,249	21.3	34.4	61.9	3,688	27.5	2,432
Fillmore	3,873	18.3	29.0	58.3	5,434	29.3	3,790
Freeborn	6,028	19.1	30.0	57.7	7,600	27.6	5,545
Goodhue	6,910	15.1	22.7	50.5	11,691	27.8	8,745
Grant	1,396	23.0	37.8	64.4	1,393	26.6	1,049
Hennepin	122,599	10.9	15.8	44.7	297,734	28.9	229,543
Houston	3,213	16.2	24.6	51.6	5,044	27.0	3,733
Hubbard	3,720	19.7	31.0	57.4	4,392	26.4	3,404
Isanti	3,912	10.1	14.3	40.6	9,934	26.3	9,018
Itasca	7,748	17.3	26.3	51.9	10,704	25.6	8,029
Jackson	2,183	19.6	30.6	56.3	2,632	25.7	1,933
Kanabec	2,342	14.4	21.4	48.4	4,056	27.0	3,364
Kandiyohi	6,255	15.2	23.3	53.3	11,184	30.0	7,650
Kittson	1,060	22.6	38.2	69.0	1,172	30.8	643
Koochiching	2,650	19.4	30.3	56.1	3,171	25.8	2,285
Lac Qui Parle	1,674	22.4	36.5	62.9	1,728	26.4	1,086
Lake	2,236	20.4	31.4	53.8	2,270	22.4	1,965
Lake of the Woods	843	19.5	30.2	55.3	990	25.0	724
Le Sueur	3,826	13.7	20.3	48.1	7,230	27.8	5,702
Lincoln	1,474	24.7	42.8	73.2	1,426	30.4	934
Lyon	3,605	14.6	22.2	51.5	6,820	29.3	5,089
McLeod	5,102	13.7	20.9	52.5	10,388	31.6	7,556
Mahnomen	889	17.5	29.6	68.8	1,539	39.2	833
Marshall	1,905	19.1	30.1	57.2	2,401	27.1	1,654
Martin	4,289	20.7	33.3	61.5	5,004	28.1	3,273
Meeker	3,703	15.8	24.4	54.2	6,116	29.8	4,335
Mille Lacs	4,046	15.5	23.4	51.0	6,659	27.7	5,566
Morrison	5,001	15.2	23.3	53.3	8,837	30.0	6,326
Mower	7,047	18.2	29.4	61.5	10,395	32.1	6,941
Murray	1,859	21.2	34.3	62.0	2,103	27.7	1,407
Nicollet	3,704	11.8	16.9	42.7	8,590	25.8	7,012

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2006**

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	627,394	12.1	17.9	47.2	1,403,073	29.4	1,070,877
Nobles	3,410	16.7	27.2	62.9	5,892	35.7	3,387
Norman	1,428	20.8	34.0	63.3	1,708	29.3	1,070
Olmsted	15,904	11.6	17.2	48.5	38,242	31.3	28,836
Otter Tail	11,230	19.4	30.4	56.4	13,779	26.1	10,204
Pennington	2,091	15.3	23.2	51.9	3,588	28.7	2,649
Pine	4,359	15.3	22.7	48.1	6,831	25.4	5,545
Pipestone	2,020	21.4	35.8	67.2	2,415	31.3	1,575
Polk	5,212	16.8	25.7	53.3	8,004	27.6	5,856
Pope	2,327	20.8	32.6	57.3	2,551	24.6	1,999
Ramsey	62,437	12.7	19.0	50.5	139,127	31.4	100,671
Red Lake	730	17.5	27.0	54.3	1,028	27.3	733
Redwood	3,062	19.4	31.5	62.6	4,149	31.1	2,577
Renville	3,007	18.2	29.1	59.7	4,391	30.7	2,810
Rice	7,063	11.4	16.2	42.0	16,934	25.8	14,112
Rock	1,811	19.0	30.8	62.4	2,494	31.6	1,659
Roseau	1,986	12.3	18.4	50.2	4,666	31.8	3,116
St. Louis	30,781	15.7	23.0	46.4	47,381	23.5	38,403
Scott	7,683	6.2	8.9	43.5	38,045	34.7	30,400
Sherburne	6,039	7.1	10.0	41.4	24,814	31.3	20,564
Sibley	2,369	15.7	24.4	56.0	4,181	31.6	2,830
Stearns	16,838	11.7	16.8	43.9	39,612	27.1	32,663
Steele	4,748	13.1	19.8	51.1	10,056	31.3	7,393
Stevens	1,631	16.6	24.4	46.8	2,590	22.5	2,252
Swift	2,061	20.0	32.0	60.0	2,495	28.0	1,498
Todd	3,927	16.1	24.6	52.9	6,361	28.2	4,502
Traverse	1,043	27.5	49.0	78.4	893	29.4	574
Wabasha	3,420	15.3	23.2	51.1	5,759	27.9	4,232
Wadena	2,780	20.7	34.1	64.9	3,508	30.8	2,325
Waseca	2,659	13.7	20.4	49.3	5,059	28.9	3,467
Washington	18,958	8.4	12.0	42.6	64,554	30.5	47,835
Watonwan	2,133	19.1	32.0	67.7	3,137	35.6	1,869
Wilkin	1,060	16.0	24.7	54.5	1,791	29.8	1,174
Winona	6,751	13.7	19.5	42.6	13,019	23.0	11,603
Wright	9,632	8.4	12.2	45.3	34,141	33.1	26,899
Yellow Medicine	2,115	20.3	32.9	62.1	2,719	29.2	1,742

Source: U.S. Census Bureau: 2005 Census Estimates, www.census.gov

Elderly Age Dependency Ratio: The number of persons aged 65 or over per 100 persons in the population aged 15 through 64 years.

Percent Elderly: The percent of total population comprised of persons aged 65 and over.

Total Age Dependency Ratio: The number of children under 15 years of age plus the number of persons aged 65 and over per 100 persons in the population aged 15 through 64 years.

Child Age Dependency Ratio: The number of children under 15 years of age per 100 persons in the population aged 15 through 64 years.

**Demographics Table 4: Selected Minnesota Demographics
By State and County, 2006**

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2005-2006
State of Minnesota	5,167,101	79,617	64.9	2,061,551	1.1
Aitkin	16,149	1,819	8.9	7,215	0.3
Anoka	327,005	424	771.2	119,138	1.5
Becker	32,230	1,311	24.6	13,081	1.6
Beltrami	43,169	2,505	17.2	16,000	1.6
Benton	38,688	408	94.8	15,196	1.2
Big Stone	5,510	497	11.1	2,285	0.4
Blue Earth	58,254	752	77.5	23,308	1.6
Brown	26,361	611	43.1	10,828	0.3
Carlton	34,116	860	39.7	13,377	1.3
Carver	87,545	357	245.2	30,968	1.6
Cass	29,036	2,018	14.4	11,985	1.0
Chippewa	12,721	583	21.8	5,402	0.4
Chisago	50,344	418	120.4	17,748	2.2
Clay	54,476	1,045	52.1	20,820	2.7
Clearwater	8,440	995	8.5	3,441	0.6
Cook	5,329	1,451	3.7	2,515	0.7
Cottonwood	11,659	640	18.2	4,886	-0.3
Crow Wing	61,009	997	61.2	25,271	1.9
Dakota	388,001	570	680.7	147,824	0.8
Dodge	19,770	440	44.9	7,353	1.4
Douglas	35,467	634	55.9	15,022	1.7
Faribault	15,283	714	21.4	6,493	-0.7
Fillmore	21,151	861	24.6	8,556	-0.2
Freeborn	31,636	708	44.7	13,444	-0.1
Goodhue	45,807	759	60.4	18,203	0.7
Grant	6,078	547	11.1	2,513	-0.1
Hennepin	1,122,093	557	2,014.5	479,483	0.5
Houston	19,832	558	35.5	7,925	0.2
Hubbard	18,890	923	20.5	7,882	0.7
Isanti	38,576	439	87.9	14,158	2.1
Itasca	44,729	2,665	16.8	18,620	0.8
Jackson	11,150	702	15.9	4,636	0.2
Kanabec	16,276	525	31.0	6,417	1.1
Kandiyohi	41,088	796	51.6	16,729	1.7
Kittson	4,691	1,097	4.3	2,006	-1.3
Koochiching	13,658	3,102	4.4	6,004	0.1
Lac Qui Parle	7,464	765	9.8	3,192	-1.1
Lake	10,966	2,099	5.2	4,787	-0.3
Lake of the Woods	4,327	1,297	3.3	1,908	-0.6
Le Sueur	27,895	449	62.1	10,947	1.1
Lincoln	5,963	537	11.1	2,586	0.0
Lyon	24,640	714	34.5	9,895	0.7
McLeod	37,279	492	75.8	14,673	1.6
Mahnomen	5,072	556	9.1	1,997	-0.3
Marshall	9,951	1,772	5.6	4,170	0.8
Martin	20,768	709	29.3	9,007	-0.1
Meeker	23,405	609	38.4	9,130	0.5
Mille Lacs	26,169	575	45.5	10,308	2.2
Morrison	32,919	1,125	29.3	12,817	1.3
Mower	38,666	712	54.3	16,060	0.1
Murray	8,778	705	12.5	3,717	-0.1
Nicollet	31,313	452	69.3	11,846	1.9

**Demographics Table 4: Selected Minnesota Demographics
By State and County, 2006**

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2005-2006
State of Minnesota	5,167,101	79,617	64.9	2,061,551	1.1
Nobles	20,445	716	28.6	7,945	0.2
Norman	6,850	876	7.8	2,901	-1.1
Olmsted	137,521	653	210.6	54,850	1.9
Otter Tail	57,817	1,980	29.2	23,843	0.3
Pennington	13,709	617	22.2	5,741	0.9
Pine	28,419	1,411	20.1	11,031	0.6
Pipestone	9,423	466	20.2	4,030	0.1
Polk	31,088	1,971	15.8	12,484	0.9
Pope	11,212	670	16.7	4,696	0.3
Ramsey	493,215	156	3,161.6	206,149	0.3
Red Lake	4,168	432	9.6	1,759	-1.9
Redwood	15,791	880	17.9	6,558	0.0
Renville	16,531	983	16.8	6,830	-0.4
Rice	61,980	498	124.5	21,483	2.0
Rock	9,535	483	19.7	3,907	0.6
Roseau	16,201	1,663	9.7	6,421	-0.1
St. Louis	196,067	6,226	31.5	83,896	0.4
Scott	124,092	357	347.6	42,512	3.1
Sherburne	84,995	437	194.5	29,004	3.7
Sibley	15,126	589	25.7	5,932	0.1
Stearns	144,096	1,345	107.1	53,846	1.9
Steele	36,221	430	84.2	14,163	1.8
Stevens	9,827	562	17.5	3,832	1.1
Swift	10,307	744	13.9	4,301	0.2
Todd	24,375	942	25.9	9,709	0.0
Traverse	3,799	574	6.6	1,635	-0.1
Wabasha	22,282	525	42.4	8,860	0.9
Wadena	13,445	536	25.1	5,591	0.3
Waseca	19,469	423	46.0	7,278	0.7
Washington	225,000	392	574.0	83,762	2.6
Watonwan	11,164	435	25.7	4,589	0.0
Wilkin	6,634	752	8.8	2,721	0.1
Winona	49,288	626	78.7	19,270	0.5
Wright	114,787	661	173.7	41,923	5.4
Yellow Medicine	10,430	758	13.8	4,327	-0.2

Sources: Population - U.S. Census Bureau: 2005 Census Estimates, www.census.gov; Number of Households - Minnesota State Demographer <http://www.demography.state.mn.us/demogpop.html>

Number of Households: The number of occupied houses, apartments, or other separate living quarters, in which the occupants live and eat separately from other persons in the building and to which they have direct access from outside the building or through a common hall.

Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2005	Unemployed Annual Average, 2006		Food Stamp Utilization - Avg Monthly 2006	WIC Participants - Unduplicated 2006
		Number	Percent		
State of Minnesota	\$37,290	117,007	4.0	120,949	227,376
Aitkin	\$24,196	465	5.9	439	772
Anoka	\$34,875	7,467	3.9	5,463	10,722
Becker	\$28,968	863	5.0	1,138	2,527
Beltrami	\$25,571	1,105	5.1	2,896	4,280
Benton	\$28,612	1,003	4.4	727	1,775
Big Stone	\$29,005	123	4.2	110	338
Blue Earth	\$31,602	1,192	3.2	1,135	2,454
Brown	\$30,964	665	4.4	414	1,286
Carlton	\$26,114	906	5.2	799	1,947
Carver	\$44,137	1,616	3.3	472	1,928
Cass	\$29,178	922	6.2	1,056	2,406
Chippewa	\$30,443	278	3.8	205	922
Chisago	\$30,047	1,330	4.8	643	1,631
Clay	\$27,368	1,022	3.2	1,490	2,409
Clearwater	\$22,486	374	9.6	342	586
Cook	\$32,312	142	4.3	65	236
Cottonwood	\$30,937	290	4.5	264	829
Crow Wing	\$27,107	1,594	4.8	1,316	3,101
Dakota	\$41,416	8,132	3.5	4,549	11,988
Dodge	\$32,298	414	3.6	252	803
Douglas	\$30,121	774	3.8	673	1,710
Faribault	\$32,732	356	4.5	316	661
Fillmore	\$29,020	470	4.1	330	858
Freeborn	\$28,626	732	4.4	706	1,760
Goodhue	\$33,600	1,069	4.2	605	1,691
Grant	\$26,640	161	5.1	123	347
Hennepin	\$49,566	23,450	3.5	35,184	46,722
Houston	\$30,765	485	4.3	289	629
Hubbard	\$26,208	534	5.4	496	1,030
Isanti	\$29,489	1,049	4.9	545	1,939
Itasca	\$26,359	1,351	5.9	1,298	2,212
Jackson	\$30,323	260	3.8	155	312
Kanabec	\$24,910	546	6.9	419	985
Kandiyohi	\$32,085	919	3.9	1,177	3,035
Kittson	\$27,766	144	5.4	68	323
Koochiching	\$29,830	447	6.6	491	647
Lac Qui Parle	\$29,829	157	3.8	97	328
Lake	\$32,655	255	4.0	188	377
Lake of the Woods	\$24,677	113	4.7	59	223
Le Sueur	\$29,813	768	5.3	362	1,145
Lincoln	\$29,359	123	3.6	92	125
Lyon	\$31,838	485	3.3	477	1,633
McLeod	\$30,713	827	3.9	452	1,806
Mahnomen	\$24,305	141	5.5	347	539
Marshall	\$26,894	366	6.7	158	488
Martin	\$32,668	482	4.3	531	1,086
Meeker	\$28,702	634	5.0	400	1,307
Mille Lacs	\$23,972	821	6.7	534	1,620
Morrison	\$25,416	963	5.5	574	1,794
Mower	\$30,930	781	3.8	1,073	2,508
Murray	\$30,404	217	3.8	104	344
Nicollet	\$31,760	611	3.1	540	1,392

Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2005	Unemployed Annual Average, 2006		Food Stamp Utilization - Avg Monthly 2006	WIC Participants - Unduplicated 2006
		Number	Percent		
State of Minnesota	\$37,290	117,007	4.0	120,949	227,376
Nobles	\$29,637	356	3.1	433	1,847
Norman	\$27,414	183	5.0	173	339
Olmsted	\$39,204	2,707	3.4	2,918	6,170
Otter Tail	\$27,760	1,433	4.8	1,146	2,513
Pennington	\$33,671	465	5.4	366	1,381
Pine	\$23,909	893	6.3	780	1,421
Pipestone	\$31,597	173	3.4	213	601
Polk	\$27,502	800	4.6	992	1,781
Pope	\$30,316	243	3.8	192	599
Ramsey	\$40,883	10,592	3.8	20,198	29,436
Red Lake	\$23,698	153	6.8	107	212
Redwood	\$29,193	334	4.0	277	957
Renville	\$27,012	409	4.8	351	965
Rice	\$26,906	1,381	4.3	872	2,721
Rock	\$30,721	141	2.8	122	407
Roseau	\$31,495	650	6.2	138	923
St. Louis	\$31,739	5,179	5.0	7,000	7,605
Scott	\$34,955	2,495	3.5	950	3,465
Sherburne	\$27,530	2,067	4.4	747	3,096
Sibley	\$27,673	373	4.2	188	955
Stearns	\$29,705	3,291	4.0	2,534	4,972
Steele	\$31,643	799	4.0	670	2,004
Stevens	\$28,985	195	3.3	126	536
Swift	\$25,986	245	4.5	206	1,183
Todd	\$23,073	648	5.1	624	1,388
Traverse	\$27,073	82	4.1	80	244
Wabasha	\$31,817	509	4.0	269	856
Wadena	\$24,642	435	6.8	470	791
Waseca	\$28,115	434	4.1	440	1,103
Washington	\$43,030	4,538	3.5	2,068	4,905
Watonwan	\$29,574	251	4.4	179	909
Wilkin	\$27,846	136	3.7	140	373
Winona	\$28,943	1,028	3.6	894	1,639
Wright	\$30,778	2,763	4.3	1,153	3,836
Yellow Medicine	\$29,596	230	4.0	172	727

Sources: Total Per Capita Income - US Department of Commerce, Bureau of Economic Analysis, www.bea.gov/bea/regional/reis/; Unemployment Annual Average - Minnesota Department of Employment and Economic Development, <http://www.deed.state.mn.us/lmi/tools/laus.htm>; Food Stamps - Minnesota Department of Human Services; WIC - Minnesota Department of Health

Total Per Capital Income: Computed using Census Bureau midyear population estimates. New estimates for 2004 and revisions for 2002-2003 were released on April 25, 2006. These estimates incorporate newly available source data. Additionally population and per capita personal income estimates were revised back to the year 2000.

Food Stamps: A Federal program which supplements the food-purchasing ability of low-income households through the distribution of coupons which can be used to purchase food for human consumption.

WIC Participants - Unduplicated Counts: The total number of pregnant, post-partum and nursing women, infants and children less than 5 years of age who received WIC vouchers. County level data are determined by combining unduplicated participants of all clinics within a county's boundaries. State total does not equal the sum of the counties because participants may move counties during the year.

Demographics Table 6: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2006

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	7,636	30,608	41,354	18,355	10,117	29,093	10,907
Aitkin	21	92	100	55	27	84	55
Anoka	341	1,406	2,019	912	513	1,596	571
Becker	62	257	302	144	82	234	132
Beltrami	284	1,037	1,302	601	343	928	267
Benton	56	186	205	73	46	219	87
Big Stone	6	16	21	5	3	18	9
Blue Earth	71	296	339	115	63	297	133
Brown	25	76	74	38	19	84	32
Carlton	45	150	202	88	47	168	101
Carver	20	77	133	56	33	82	65
Cass	89	332	407	183	109	264	117
Chippewa	10	39	52	21	12	50	12
Chisago	44	151	197	96	51	204	87
Clay	65	283	385	164	100	299	97
Clearwater	20	69	77	42	25	65	27
Cook	0	9	8	4	3	6	11
Cottonwood	18	49	55	26	14	45	31
Crow Wing	77	270	322	133	73	309	103
Dakota	289	1,135	1,379	541	284	1,202	331
Dodge	7	37	68	22	12	27	21
Douglas	29	93	116	55	31	85	76
Faribault	9	56	64	23	15	51	23
Fillmore	17	44	44	19	9	49	25
Freeborn	42	151	195	82	50	148	73
Goodhue	45	146	182	76	41	165	70
Grant	1	13	29	10	3	15	18
Hennepin	2,231	9,115	12,232	5,713	3,119	7,794	3,538
Houston	18	81	78	37	25	77	27
Hubbard	14	95	126	48	25	77	39
Isanti	30	118	160	74	45	153	57
Itasca	52	193	300	123	67	165	150
Jackson	8	44	45	17	8	36	13
Kanabec	20	81	133	46	27	107	32
Kandiyohi	91	317	385	180	96	312	112
Kittson	2	4	20	3	1	14	1
Koochiching	17	75	107	53	27	99	42
Lac Qui Parle	5	18	27	12	7	27	12
Lake	5	18	31	13	8	25	23
Lake of the Woods	2	11	18	3	2	10	8
Le Sueur	21	87	103	34	17	83	32
Lincoln	3	11	15	6	4	7	11
Lyon	29	99	143	77	40	115	41
McLeod	30	100	116	39	25	106	41
Mahnomen	35	135	135	63	30	88	29
Marshall	7	27	44	18	7	27	11
Martin	25	97	112	43	23	95	54
Meeker	18	84	107	43	29	92	42
Mille Lacs	35	154	205	76	43	153	57
Morrison	21	101	126	47	23	111	60
Mower	61	201	233	71	42	168	84

Demographics Table 6: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2006

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	7,636	30,608	41,354	18,355	10,117	29,093	10,907
Murray	4	13	32	13	8	21	13
Nicollet	46	170	168	71	41	187	44
Nobles	22	112	133	49	34	88	32
Norman	6	24	53	16	8	38	11
Olmsted	168	603	753	363	207	616	270
Otter Tail	53	174	272	107	63	204	95
Pennington	13	63	70	23	12	58	30
Pine	51	179	209	88	51	169	79
Pipestone	12	53	52	16	12	55	17
Polk	42	177	247	116	62	155	71
Pope	10	40	53	19	9	39	21
Ramsey	1,653	7,022	10,400	4,714	2,538	6,415	1,157
Red Lake	7	13	19	7	5	17	6
Redwood	13	76	125	52	28	63	21
Renville	22	72	124	35	22	63	33
Rice	83	265	304	97	55	207	80
Rock	7	28	48	19	13	35	8
Roseau	8	28	33	15	10	29	11
St. Louis	336	1,275	1,527	634	368	1,261	687
Scott	58	276	379	149	84	254	92
Sherburne	44	190	253	114	51	219	79
Sibley	20	48	55	22	14	55	23
Stearns	131	474	666	270	150	539	284
Steele	35	184	277	102	58	175	68
Stevens	2	8	18	7	5	12	13
Swift	15	28	35	17	10	37	20
Todd	15	73	112	51	28	92	55
Traverse	3	11	16	4	3	10	6
Wabasha	9	50	74	21	13	46	31
Wadena	21	85	135	71	41	95	35
Waseca	27	97	109	58	34	111	40
Washington	118	527	694	303	177	622	119
Watonwan	11	31	48	23	12	29	15
Wilkin	4	15	23	10	6	18	13
Winona	43	166	230	124	72	164	74
Wright	50	192	283	111	60	228	131
Yellow Medicine	5	17	27	13	5	19	15

Source: Minnesota Department of Human Services

MFIP-MA (Minnesota Family Investment Program - Medical Assistance): Medical Assistance eligibility is based on receipt of cash assistance from MFIP. Counts include both fee-for-service and HMO enrollees.

GAMC (General Assistance Medical Care): Most enrollees are eligible on a medical-only basis; fewer than one-third are eligible based on receipt of cash assistance from General Assistance. Counts include both fee-for-service and HMO enrollees.

**Demographics Table 7:
Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment
By State and County, 2006**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	19,871	52,276	65,839	33,433	74,604	2,126	11,985	23,573	13,522	32,019
Aitkin	58	237	322	163	290	7	49	149	113	204
Anoka	1,097	2,997	4,082	1,862	4,259	88	614	1,162	622	1,652
Becker	185	580	673	363	696	23	137	288	185	328
Beltrami	194	526	742	526	870	32	191	385	232	473
Benton	149	405	451	201	562	19	92	159	112	261
Big Stone	25	53	87	38	95	3	18	61	46	68
Blue Earth	218	561	693	367	861	17	111	189	115	359
Brown	96	288	382	171	369	9	26	64	44	117
Carlton	169	398	550	298	627	11	61	154	113	243
Carver	170	406	522	211	569	14	113	208	115	264
Cass	135	370	580	319	527	39	143	306	200	405
Chippewa	83	169	252	102	240	4	32	78	48	96
Chisago	149	420	618	293	646	24	137	295	193	365
Clay	234	702	897	417	1,006	12	112	207	128	320
Clearwater	43	161	234	103	191	14	46	90	63	127
Cook	13	27	27	17	47	5	25	49	24	69
Cottonwood	66	207	282	122	239	4	30	64	44	87
Crow Wing	256	731	958	457	1,009	46	286	561	350	740
Dakota	1,203	3,026	3,605	1,596	3,825	119	630	1,189	620	1,675
Dodge	89	210	259	111	245	7	39	60	29	90
Douglas	161	468	554	264	611	9	120	221	142	345
Faribault	70	185	270	119	258	2	29	72	60	107
Fillmore	90	240	298	139	302	5	47	153	74	157
Freeborn	142	401	481	233	535	12	67	144	99	214
Goodhue	157	385	449	195	547	13	86	151	84	217
Grant	30	86	114	46	110	9	29	70	32	78
Hennepin	4,426	11,158	12,950	7,408	16,336	349	1,919	3,505	1,901	5,168
Houston	62	158	224	129	250	7	35	79	61	106
Hubbard	97	278	338	184	384	22	110	227	156	273
Isanti	158	413	492	230	564	23	120	290	110	333
Itasca	194	667	831	476	965	27	171	369	251	524
Jackson	48	125	150	65	153	3	18	67	40	69
Kanabec	74	235	333	152	340	10	66	145	74	188
Kandiyohi	283	715	781	390	863	14	146	289	153	332
Kittson	9	38	67	29	61	5	38	63	35	54
Koochiching	49	146	235	112	267	5	46	143	67	185
Lac Qui Parle	38	70	120	58	105	2	23	65	53	74
Lake	38	114	175	94	190	8	34	79	39	115
Lake of the Woods	16	51	57	26	64	9	21	57	36	87
Le Sueur	109	289	380	182	374	12	49	91	57	131
Lincoln	23	64	93	39	88	3	15	49	34	47
Lyon	124	339	390	179	424	4	44	109	61	131
McLeod	150	431	458	200	474	16	89	180	91	198
Mahnomen	34	137	157	103	152	2	18	42	20	36
Marshall	26	96	179	83	135	5	42	82	42	89
Martin	113	310	421	205	447	1	47	108	88	140
Meeker	104	246	337	153	315	11	103	162	78	168
Mille Lacs	124	302	449	217	441	25	126	248	145	293
Morrison	155	393	484	283	585	29	147	342	208	359
Mower	284	728	842	392	848	13	76	131	92	263

**Demographics Table 7:
Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment
By State and County, 2006**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	19,871	52,276	65,839	33,433	74,604	2,126	11,985	23,573	13,522	32,019
Murray	36	124	154	58	139	1	33	47	29	75
Nicollet	104	344	328	163	420	11	36	78	40	125
Nobles	216	535	491	198	440	6	37	101	82	112
Norman	36	112	170	78	137	5	30	72	45	74
Olmsted	627	1,756	1,831	874	2,124	22	154	316	184	544
Otter Tail	257	652	903	405	937	49	227	486	310	564
Pennington	60	183	197	94	258	8	52	86	39	126
Pine	114	318	483	247	509	25	112	269	169	311
Pipestone	57	151	183	80	179	6	14	52	26	70
Polk	149	438	516	273	650	25	138	261	151	305
Pope	42	92	119	73	152	7	55	121	84	117
Ramsey	1,918	4,684	6,519	3,889	8,336	270	1,266	2,389	1,356	3,042
Red Lake	12	66	96	40	68	2	18	40	20	54
Redwood	81	207	299	130	257	7	51	115	73	131
Renville	96	239	343	140	312	5	45	99	75	130
Rice	269	630	690	313	791	24	123	181	97	267
Rock	47	125	144	51	120	3	26	53	30	66
Roseau	43	116	176	87	153	9	35	86	47	104
St. Louis	692	2,023	2,850	1,565	3,953	92	490	982	612	1,742
Scott	291	735	923	351	831	43	237	432	199	515
Sherburne	287	712	922	355	922	46	207	411	209	516
Sibley	82	213	243	127	209	5	42	65	56	98
Stearns	531	1,445	1,817	821	1,971	61	337	601	321	1,026
Steele	221	542	579	272	616	12	68	105	57	164
Stevens	44	65	99	40	113	2	24	43	27	64
Swift	50	129	217	88	175	3	28	86	52	84
Todd	140	362	492	283	481	25	144	334	181	324
Traverse	21	61	88	56	76	1	16	22	16	32
Wabasha	71	184	191	113	260	15	59	114	66	143
Wadena	64	224	329	151	319	10	87	201	101	190
Waseca	93	260	280	121	310	7	44	80	37	105
Washington	414	1,094	1,513	728	1,686	65	373	665	374	932
Watonwan	83	214	250	87	192	3	18	52	20	62
Wilkin	28	76	110	58	110	5	20	52	17	55
Winona	156	429	573	300	670	14	79	160	135	273
Wright	352	853	1,155	503	1,179	55	337	642	312	723
Yellow Medicine	64	130	203	86	163	5	39	85	56	83

Source: Minnesota Department of Human Services

Medical Assistance: This category excludes MFIP-MA enrollees. Enrollees over age 21 may be eligible as parents or based on disability. Those eligible as disabled may be SSI recipients. Counts include both fee-for-service and HMO enrollees and non-citizen Medical Assistance recipients.

MinnesotaCare: MinnesotaCare children and pregnant women are Medicaid eligible under a waiver. MinnesotaCare coverage is provided under HMO arrangements.

**Demographics Table 8: Selected Education Statistics by State and County
2006-07 School Year, October 1, 2006**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:		
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education
State of Minnesota	840,565	30.9	7.3	14.0
Aitkin	2,084	45.2	0.1	14.9
Anoka	65,607	24.5	6.4	13.1
Becker	4,568	36.7	0.4	18.1
Beltrami	7,575	54.4	2.2	16.6
Benton	5,657	27.0	0.4	15.7
Big Stone	943	42.1	0.3	14.7
Blue Earth	9,899	29.0	3.2	17.0
Brown	3,551	25.7	5.5	12.9
Carlton	6,162	29.4	0.2	14.0
Carver	14,796	13.5	4.6	12.1
Cass	4,313	55.7	0.1	20.9
Chippewa	2,291	36.3	2.7	16.3
Chisago	8,584	21.6	1.3	10.4
Clay	8,762	27.6	4.4	14.7
Clearwater	1,535	50.9	0.1	14.5
Cook	674	31.5	0.9	13.2
Cottonwood	2,485	42.8	8.5	16.3
Crow Wing	10,171	38.6	0.0	16.3
Dakota	74,451	16.5	5.3	14.2
Dodge	4,015	20.7	3.6	9.1
Douglas	5,436	27.0	0.2	16.9
Faribault	2,083	41.1	2.6	15.3
Fillmore	2,800	30.1	0.0	12.4
Freeborn	4,314	37.7	4.1	18.0
Goodhue	7,042	19.7	1.8	12.1
Grant	1,185	35.9	0.3	15.5
Hennepin	154,723	36.1	12.6	13.1
Houston	3,837	19.1	0.0	10.6
Hubbard	2,459	47.3	0.0	21.2
Isanti	6,403	29.7	1.3	11.1
Itasca	6,880	41.4	0.0	15.8
Jackson	1,496	31.3	4.1	14.1
Kanabec	2,558	39.6	0.0	13.3
Kandiyohi	5,831	40.8	8.5	12.9
Kittson	764	42.0	0.0	19.2
Koochiching	2,038	39.4	0.3	14.0
Lac Qui Parle	1,563	35.7	1.9	15.6
Lake	1,532	27.7	0.0	15.1
Lake of the Woods	585	38.6	0.0	12.1
Le Sueur	4,408	28.3	5.5	15.9
Lincoln	1,076	39.2	0.3	12.5
Lyon	4,292	33.8	8.6	13.2
McLeod	5,854	26.9	3.3	12.4
Mahnomen	1,360	67.2	0.0	16.2
Marshall	1,410	44.0	1.5	15.3
Martin	3,402	37.7	2.0	17.3
Meeker	5,850	31.5	0.7	12.6
Mille Lacs	6,868	30.7	0.4	14.9
Morrison	5,150	38.0	0.4	14.8

**Demographics Table 8: Selected Education Statistics by State and County
2006-07 School Year, October 1, 2006**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:		
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education
State of Minnesota	840,565	30.9	7.3	14.0
Mower	5,886	43.3	7.5	14.4
Murray	1,183	33.3	2.3	14.9
Nicollet	2,379	30.3	3.6	21.1
Nobles	3,419	47.6	8.2	16.0
Norman	1,201	46.9	1.9	15.8
Olmsted	22,156	25.1	10.3	11.7
Otter Tail	8,231	35.7	1.9	15.8
Pennington	2,217	32.4	1.5	15.8
Pine	4,027	42.4	0.4	10.7
Pipestone	1,483	36.4	2.4	14.5
Polk	5,267	37.8	2.6	15.9
Pope	1,336	35.9	0.0	21.1
Ramsey	84,471	49.5	23.4	14.9
Red Lake	727	51.9	0.1	15.7
Redwood	2,246	35.3	0.8	13.9
Renville	2,111	37.3	9.5	14.3
Rice	8,501	29.3	8.9	15.6
Rock	1,577	30.5	2.0	15.3
Roseau	3,336	34.1	0.6	14.6
St. Louis	26,589	35.8	0.1	14.5
Scott	19,391	15.4	5.6	12.6
Sherburne	18,543	15.7	2.4	13.5
Sibley	2,389	33.4	8.0	14.4
Stearns	23,221	29.3	5.0	15.5
Steele	6,578	27.3	5.9	11.9
Stevens	1,366	27.4	1.2	18.5
Swift	1,589	33.5	1.2	15.9
Todd	4,003	54.6	5.1	14.0
Traverse	581	38.6	0.0	15.8
Wabasha	4,728	18.8	1.3	12.4
Wadena	2,841	54.0	0.0	14.3
Waseca	3,585	27.4	2.7	16.7
Washington	38,384	13.1	2.2	13.0
Watonwan	2,011	42.3	13.0	14.0
Wilkin	1,222	33.6	2.4	15.9
Winona	6,032	30.9	2.7	15.1
Wright	22,280	17.6	1.8	13.1
Yellow Medicine	1,826	44.1	3.2	19.3

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2006-07 School Year, October 1, 2006

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	649,293	76,073	17,654	49,276	48,269	840,565
Aitkin	1,942	21	91	20	10	2,084
Anoka	52,940	5,312	923	3,884	2,548	65,607
Becker	3,905	34	524	37	68	4,568
Beltrami	4,948	90	2,392	62	83	7,575
Benton	5,394	91	21	83	68	5,657
Big Stone	923	0	13	2	5	943
Blue Earth	8,789	511	39	223	337	9,899
Brown	3,198	18	10	34	291	3,551
Carlton	5,488	41	515	67	51	6,162
Carver	13,141	337	59	506	753	14,796
Cass	2,999	45	1,219	20	30	4,313
Chippewa	2,105	18	15	9	144	2,291
Chisago	8,152	89	61	151	131	8,584
Clay	7,675	191	215	97	584	8,762
Clearwater	1,202	8	296	12	17	1,535
Cook	539	2	114	12	7	674
Cottonwood	2,026	19	17	254	169	2,485
Crow Wing	9,770	110	145	68	78	10,171
Dakota	60,071	5,513	470	3,922	4,475	74,451
Dodge	3,695	30	13	28	249	4,015
Douglas	5,251	69	32	41	43	5,436
Faribault	1,878	8	6	20	171	2,083
Fillmore	2,742	15	1	15	27	2,800
Freeborn	3,649	68	15	51	531	4,314
Goodhue	6,407	171	134	106	224	7,042
Grant	1,129	12	5	4	35	1,185
Hennepin	88,530	36,415	2,795	13,455	13,528	154,723
Houston	3,680	90	11	34	22	3,837
Hubbard	2,215	25	165	6	48	2,459
Isanti	6,023	90	68	112	110	6,403
Itasca	6,065	71	662	44	38	6,880
Jackson	1,373	9	4	43	67	1,496
Kanabec	2,442	34	34	15	33	2,558
Kandiyohi	4,381	159	31	45	1,215	5,831
Kittson	737	3	6	6	12	764
Koochiching	1,790	12	223	5	8	2,038
Lac Qui Parle	1,465	23	6	32	37	1,563
Lake	1,475	17	20	8	12	1,532
Lake of the Woods	546	13	19	4	3	585
Le Sueur	3,940	31	27	26	384	4,408
Lincoln	1,041	4	1	9	21	1,076
Lyon	3,588	116	13	212	363	4,292
McLeod	5,238	75	17	56	468	5,854
Mahnomen	451	2	899	5	3	1,360
Marshall	1,289	10	7	6	98	1,410
Martin	3,144	41	5	24	188	3,402
Meeker	5,571	38	10	37	194	5,850
Mille Lacs	6,349	78	329	46	66	6,868
Morrison	4,987	31	30	46	56	5,150
Mower	4,790	198	21	129	748	5,886
Murray	1,118	7	6	9	43	1,183
Nicollet	2,139	61	3	29	147	2,379
Nobles	2,279	61	13	224	842	3,419

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2006-07 School Year, October 1, 2006

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	649,293	76,073	17,654	49,276	48,269	840,565
Norman	1,036	16	52	14	83	1,201
Olmsted	17,521	1,955	98	1,486	1,096	22,156
Otter Tail	7,533	165	90	81	362	8,231
Pennington	2,000	38	75	24	80	2,217
Pine	3,734	41	185	21	46	4,027
Pipestone	1,363	24	46	14	36	1,483
Polk	4,537	42	142	22	524	5,267
Pope	1,304	15	10	5	2	1,336
Ramsey	41,011	17,154	1,241	17,466	7,599	84,471
Red Lake	674	15	17	3	18	727
Redwood	1,840	15	301	15	75	2,246
Renville	1,731	21	9	11	339	2,111
Rice	6,978	267	27	162	1,067	8,501
Rock	1,482	20	12	24	39	1,577
Roseau	3,055	26	141	102	12	3,336
St. Louis	23,828	891	1,236	365	269	26,589
Scott	16,647	501	213	1,027	1,003	19,391
Sherburne	17,282	353	144	405	359	18,543
Sibley	1,944	14	4	32	395	2,389
Stearns	20,519	1,275	145	497	785	23,221
Steele	5,569	310	12	73	614	6,578
Stevens	1,273	14	29	24	26	1,366
Swift	1,485	12	7	3	82	1,589
Todd	3,606	36	30	30	301	4,003
Traverse	514	6	46	4	11	581
Wabasha	4,454	82	24	40	128	4,728
Wadena	2,747	28	22	8	36	2,841
Waseca	3,320	45	9	20	191	3,585
Washington	33,147	1,548	250	2,229	1,210	38,384
Watonwan	1,270	21	4	18	698	2,011
Wilkin	1,127	15	12	2	66	1,222
Winona	5,377	197	30	224	204	6,032
Wright	20,917	359	110	408	486	22,280
Yellow Medicine	1,572	10	105	19	120	1,826

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

Section B: Natality

Tables

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Obstetric Procedures

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Nativity Table 1: Selected Minnesota Natality Statistics
By State and County, 2006**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	73,515	68.5	14.2	36,963	7.2	7.1
Aitkin	162	62.2	10.0	185	11.5	-1.4
Anoka	4,471	62.8	13.7	1,399	4.3	9.4
Becker	432	70.2	13.4	312	9.7	3.7
Beltrami	725	73.7	16.8	358	8.3	8.5
Benton	620	67.1	16.0	294	7.6	8.4
Big Stone	54	65.2	9.8	65	11.8	-2.0
Blue Earth	792	56.2	13.6	434	7.5	6.1
Brown	331	68.2	12.6	284	10.8	1.8
Carlton	429	64.7	12.6	351	10.3	2.3
Carver	1,338	65.9	15.3	369	4.2	11.1
Cass	371	67.5	12.8	267	9.2	3.6
Chippewa	174	79.5	13.7	132	10.4	3.3
Chisago	696	61.3	13.8	305	6.1	7.8
Clay	757	56.9	13.9	405	7.4	6.5
Clearwater	127	83.7	15.0	76	9.0	6.0
Cook	47	50.6	8.8	46	8.6	0.2
Cottonwood	146	76.2	12.5	158	13.6	-1.0
Crow Wing	812	66.2	13.3	541	8.9	4.4
Dakota	5,664	66.6	14.6	1,909	4.9	9.7
Dodge	297	71.3	15.0	122	6.2	8.9
Douglas	421	60.9	11.9	319	9.0	2.9
Faribault	164	67.4	10.7	202	13.2	-2.5
Fillmore	283	74.4	13.4	247	11.7	1.7
Freeborn	378	67.8	11.9	341	10.8	1.2
Goodhue	601	68.7	13.1	381	8.3	4.8
Grant	80	76.3	13.2	87	14.3	-1.2
Hennepin	16,780	72.7	15.0	7,444	6.6	8.3
Houston	255	68.0	12.9	186	9.4	3.5
Hubbard	236	69.3	12.5	168	8.9	3.6
Isanti	533	58.9	13.8	252	6.5	7.3
Itasca	514	64.0	11.5	471	10.5	1.0
Jackson	108	55.9	9.7	89	8.0	1.7
Kanabec	210	62.4	12.9	113	6.9	6.0
Kandiyohi	608	79.3	14.8	352	8.6	6.2
Kittson	42	65.3	9.0	70	14.9	-6.0
Koochiching	114	49.9	8.3	157	11.5	-3.1
Lac Qui Parle	75	69.1	10.0	94	12.6	-2.5
Lake	103	52.4	9.4	160	14.6	-5.2
Lake of the Woods	38	52.5	8.8	44	10.2	-1.4
Le Sueur	402	70.5	14.4	185	6.6	7.8
Lincoln	70	74.9	11.7	74	12.4	-0.7
Lyon	382	75.1	15.5	203	8.2	7.3
McLeod	563	74.4	15.1	301	8.1	7.0
Mahnomen	83	99.6	16.4	57	11.2	5.1

**Nativity Table 1: Selected Minnesota Natality Statistics
By State and County, 2006**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	73,515	68.5	14.2	36,963	7.2	7.1
Marshall	95	57.4	9.5	90	9.0	0.5
Martin	229	70.0	11.0	238	11.5	-0.4
Meeker	323	74.3	13.8	226	9.7	4.1
Mille Lacs	371	66.7	14.2	260	9.9	4.2
Morrison	443	69.9	13.5	281	8.5	4.9
Mower	575	82.8	14.9	377	9.8	5.1
Murray	88	61.8	10.0	92	10.5	-0.5
Nicollet	439	62.3	14.0	206	6.6	7.4
Nobles	344	101.6	16.8	186	9.1	7.7
Norman	60	55.1	8.8	109	15.9	-7.2
Olmsted	2,210	76.4	16.1	834	6.1	10.0
Otter Tail	632	61.8	10.9	595	10.3	0.6
Pennington	200	75.5	14.6	132	9.6	5.0
Pine	363	65.1	12.8	264	9.3	3.5
Pipestone	143	90.8	15.2	136	14.4	0.7
Polk	395	67.5	12.7	345	11.1	1.6
Pope	120	60.0	10.7	150	13.4	-2.7
Ramsey	7,578	74.9	15.4	3,736	7.6	7.8
Red Lake	41	55.9	9.8	55	13.2	-3.4
Redwood	227	88.1	14.4	198	12.5	1.8
Renville	226	80.4	13.7	200	12.1	1.6
Rice	842	59.6	13.6	409	6.6	7.0
Rock	134	80.2	14.1	113	11.9	2.2
Roseau	195	62.3	12.0	132	8.1	3.9
St. Louis	2,167	56.3	11.1	2,110	10.8	0.3
Scott	2,118	69.6	17.1	484	3.9	13.2
Sherburne	1,385	67.3	16.3	398	4.7	11.6
Sibley	215	76.0	14.2	140	9.3	5.0
Stearns	1,990	60.8	13.8	764	5.3	8.5
Steele	541	72.8	14.9	240	6.6	8.3
Stevens	122	54.2	12.4	91	9.3	3.2
Swift	111	72.8	10.8	109	10.6	0.2
Todd	319	70.6	13.1	226	9.3	3.8
Traverse	44	76.7	11.6	54	14.2	-2.6
Wabasha	256	60.3	11.5	186	8.3	3.1
Wadena	196	83.9	14.6	199	14.8	-0.2
Waseca	272	78.5	14.0	156	8.0	6.0
Washington	2,960	61.8	13.2	1,063	4.7	8.4
Watsonwan	160	85.6	14.3	133	11.9	2.4
Wilkin	74	63.0	11.2	66	9.9	1.2
Winona	538	46.2	10.9	429	8.7	2.2
Wright	2,152	79.9	18.7	602	5.2	13.5
Yellow Medicine	134	76.9	12.8	137	13.1	-0.3

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State and County, 2006**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2004-2006	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
State of Minnesota	5,283	8.5	3,470	4.9	0.9	3.0
Aitkin	11	8.0	6	3.8	0.7	4.4
Anoka	321	8.5	216	5.0	0.8	2.9
Becker	22	6.0	15	3.6	0.6	1.9
Beltrami	57	9.2	37	5.2	0.8	2.9
Benton	64	10.9	36	6.0	1.2	3.7
Big Stone	3	5.7	1	1.9	0.0	1.9
Blue Earth	55	7.7	43	5.7	0.9	2.5
Brown	35	11.3	15	4.6	0.9	3.6
Carlton	33	9.5	20	4.8	0.5	1.7
Carver	79	6.6	42	3.3	0.6	1.8
Cass	32	10.0	17	4.7	1.1	3.7
Chippewa	8	6.0	5	3.0	0.7	3.0
Chisago	46	8.1	27	4.0	1.2	2.6
Clay	57	8.5	33	4.5	1.0	3.1
Clearwater	11	10.1	5	4.0	1.1	0.9
Cook	4	8.9	2	4.4	0.0	2.2
Cottonwood	9	6.6	6	4.2	0.5	2.9
Crow Wing	55	7.1	34	4.3	0.9	2.8
Dakota	380	8.1	221	4.0	0.8	2.7
Dodge	23	8.4	5	1.8	0.4	2.5
Douglas	37	9.2	12	2.9	1.1	1.2
Faribault	11	7.6	4	2.6	0.8	0.0
Fillmore	18	7.2	13	4.8	1.0	2.0
Freeborn	24	7.5	19	5.1	1.1	3.1
Goodhue	45	8.1	30	5.2	0.8	2.9
Grant	5	7.0	2	2.8	0.0	2.8
Hennepin	1,244	8.9	888	5.5	1.0	3.6
Houston	18	7.4	12	4.8	0.6	5.0
Hubbard	11	5.4	7	3.0	0.9	2.0
Isanti	48	10.0	24	4.6	1.1	1.7
Itasca	44	10.4	29	5.9	0.7	3.8
Jackson	5	4.9	4	3.7	1.5	3.9
Kanabec	6	5.2	9	4.5	0.4	2.6
Kandiyohi	29	4.9	20	3.3	0.7	1.9
Kittson	2	5.4	2	4.8	0.0	2.7
Koochiching	10	9.3	2	1.8	1.1	0.9
Lac Qui Parle	3	4.5	3	4.0	1.4	1.5
Lake	9	9.4	4	4.0	0.7	1.1
Lake of the Woods	3	8.8	2	5.3	0.0	0.0
Le Sueur	33	8.7	17	4.3	0.4	4.0
Lincoln	6	9.7	4	5.8	0.9	1.6
Lyon	12	4.1	13	3.5	0.6	3.1
McLeod	35	7.0	14	2.6	0.6	1.2
Mahnomen	6	8.7	4	4.8	0.0	1.4
Marshall	9	10.8	5	5.6	0.0	3.6
Martin	21	11.5	13	5.8	0.6	6.0
Meeker	29	10.0	13	4.1	1.3	2.4
Mille Lacs	32	10.0	13	3.7	0.5	2.8
Morrison	38	9.1	21	4.9	0.8	1.7
Mower	34	7.0	28	5.0	0.8	2.9
Murray	7	9.1	2	2.3	0.4	5.2

**Natality Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State and County, 2006**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2004-2006	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
State of Minnesota	5,283	8.5	3,470	4.9	0.9	3.0
Nicollet	43	11.0	21	5.0	0.8	2.3
Nobles	24	7.9	19	5.7	1.1	4.0
Norman	6	11.1	3	5.2	1.4	3.7
Olmsted	186	8.9	94	4.4	0.8	3.3
Otter Tail	44	7.3	38	6.1	1.1	3.5
Pennington	20	10.8	10	5.1	0.7	2.2
Pine	18	7.0	15	4.3	1.2	3.5
Pipestone	7	5.7	6	4.3	1.0	4.1
Polk	23	6.4	17	4.4	1.2	3.6
Pope	7	6.3	5	4.2	0.0	1.8
Ramsey	450	8.5	440	6.0	1.1	4.0
Red Lake	6	16.2	1	2.6	0.7	2.7
Redwood	11	6.0	7	3.2	0.3	2.2
Renville	15	7.3	10	4.5	0.8	5.8
Rice	74	9.7	46	5.7	1.0	3.5
Rock	13	11.5	7	5.4	0.3	1.8
Roseau	13	7.3	8	4.3	1.0	1.1
St. Louis	228	11.3	114	5.4	0.8	2.6
Scott	178	9.4	101	5.0	0.9	2.4
Sherburne	91	7.9	47	3.5	0.9	1.9
Sibley	9	5.0	7	3.3	1.0	1.1
Stearns	178	9.5	104	5.5	0.9	2.8
Steele	40	8.2	19	3.6	0.7	2.1
Stevens	8	6.8	3	2.5	0.6	1.7
Swift	2	1.9	3	2.8	0.9	1.0
Todd	24	8.5	8	2.6	0.8	1.8
Traverse	2	4.8	1	2.3	0.9	0.0
Wabasha	10	4.3	13	5.3	0.3	3.0
Wadena	13	6.9	14	7.2	2.1	5.3
Waseca	21	8.5	16	6.1	1.0	3.7
Washington	183	7.6	132	4.6	0.6	2.4
Watsonwan	13	9.1	6	3.8	1.1	2.1
Wilkin	4	6.1	0	0.0	1.9	0.0
Winona	28	6.8	27	5.2	0.7	2.9
Wright	147	8.5	83	4.0	0.8	2.3
Yellow Medicine	5	5.0	6	4.6	0.8	1.0

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

**Nativity Table 3: Minnesota Infant Mortality by State and County,
By State and County, 2002-2006**

	Number of Infant Deaths 2006	Infant Mortality Rate 2002-2006	Neonatal Mortality 2002-2006	Post-neonatal Mortality Rate 2002-2006	Fetal Death Rate 2002-2006	Perinatal Death Rate 2002-2006
State of Minnesota	381	5.0	3.3	1.7	4.8	6.2
Aitkin	0	*	*	0.0	*	*
Anoka	19	4.5	3.0	1.5	4.8	6.2
Becker	5	*	*	*	*	*
Beltrami	7	7.4	*	*	6.7	8.3
Benton	4	8.1	*	*	*	9.1
Big Stone	0	*	*	0.0	*	*
Blue Earth	4	*	*	*	*	*
Brown	0	*	*	*	*	*
Carlton	0	*	*	*	*	*
Carver	6	*	*	*	4.5	4.7
Cass	3	*	*	*	*	*
Chippewa	0	*	*	0.0	*	*
Chisago	10	*	*	*	*	5.6
Clay	12	7.9	*	*	*	*
Clearwater	1	*	*	0.0	*	*
Cook	0	0.0	0.0	0.0	*	*
Cottonwood	0	*	*	0.0	*	*
Crow Wing	6	6.6	*	*	*	5.5
Dakota	22	5.0	3.6	1.4	4.8	6.6
Dodge	0	*	*	*	*	*
Douglas	2	*	*	*	*	*
Faribault	2	*	*	*	*	*
Fillmore	1	*	*	*	*	*
Freeborn	3	*	*	*	*	*
Goodhue	2	*	*	*	*	*
Grant	0	0.0	0.0	0.0	*	*
Hennepin	82	5.0	3.3	1.7	5.4	6.4
Houston	1	*	*	*	*	*
Hubbard	0	*	*	*	*	*
Isanti	7	*	*	*	*	8.4
Itasca	4	*	*	*	*	*
Jackson	1	*	*	*	*	*
Kanabec	0	*	*	*	*	*
Kandiyohi	3	*	*	*	*	*
Kittson	0	0.0	0.0	0.0	*	*
Koochiching	0	*	*	*	*	*
Lac Qui Parle	3	*	*	*	*	*
Lake	2	*	*	0.0	*	*
Lake of the Woods	0	*	*	0.0	*	*
Le Sueur	1	*	*	0.0	*	*
Lincoln	0	*	*	0.0	*	*
Lyon	5	*	*	*	*	*
McLeod	1	*	*	*	*	*
Mahnomen	0	*	*	*	*	*
Marshall	0	*	*	*	*	*
Martin	1	*	*	*	*	*
Meeker	1	*	*	*	*	*
Mille Lacs	4	*	*	*	*	*
Morrison	2	*	*	*	*	*

**Nativity Table 3: Minnesota Infant Mortality by State and County,
By State and County, 2002-2006**

	Number of Infant Deaths 2006	Infant Mortality Rate 2002-2006	Neonatal Mortality 2002-2006	Post-neonatal Mortality Rate 2002-2006	Fetal Death Rate 2002-2006	Perinatal Death Rate 2002-2006
State of Minnesota	381	5.0	3.3	1.7	4.8	6.2
Mower	2	*	*	*	9.5	9.9
Murray	1	*	*	0.0	*	*
Nicollet	2	*	*	*	*	*
Nobles	2	*	*	*	*	*
Norman	0	*	*	0.0	*	*
Olmsted	10	4.9	3.0	1.9	4.4	5.9
Otter Tail	0	*	*	*	*	*
Pennington	0	*	*	*	*	*
Pine	1	*	*	*	*	*
Pipestone	0	*	*	0.0	*	*
Polk	4	*	*	*	*	*
Pope	0	0.0	0.0	0.0	*	*
Ramsey	56	6.0	3.5	2.4	4.6	5.8
Red Lake	0	*	*	*	*	*
Redwood	0	*	*	*	*	*
Renville	0	*	*	*	*	*
Rice	2	*	*	*	6.2	7.2
Rock	0	*	*	*	*	*
Roseau	1	*	*	*	*	*
St. Louis	13	5.1	3.8	*	4.8	7.2
Scott	10	2.9	2.2	*	4.8	5.4
Sherburne	6	5.0	3.3	*	3.7	5.0
Sibley	0	*	*	*	*	*
Stearns	11	4.9	3.5	*	4.4	6.4
Steele	0	*	*	*	*	*
Stevens	1	*	*	*	*	*
Swift	0	*	*	0.0	*	*
Todd	0	*	*	*	*	*
Traverse	0	0.0	0.0	0.0	*	*
Wabasha	0	*	*	*	*	*
Wadena	3	*	*	*	*	*
Waseca	1	*	*	*	*	*
Washington	14	4.6	2.8	1.8	4.0	5.5
Watsonwan	2	*	*	*	*	*
Wilkin	0	*	*	0.0	*	*
Winona	6	*	*	*	*	7.5
Wright	6	4.0	2.9	*	4.9	6.0
Yellow Medicine	0	*	0.0	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

**Nativity Table 4: Prenatal Care in Minnesota
By State and County, 2006**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	86.5	79.2	17.4	3.4
Aitkin	89.4	76.6	19.0	4.4
Anoka	86.2	78.3	18.1	3.6
Becker	83.7	80.0	17.8	2.2
Beltrami	72.6	60.5	34.4	5.2
Benton	89.3	86.1	11.7	2.2
Big Stone	75.9	71.7	24.5	3.8
Blue Earth	90.1	86.8	10.5	2.7
Brown	90.6	89.7	8.7	1.7
Carlton	90.2	80.7	15.9	3.5
Carver	92.3	88.5	9.7	1.8
Cass	73.5	56.3	32.3	11.4
Chippewa	87.7	88.0	10.4	1.6
Chisago	89.3	85.3	11.8	2.9
Clay	83.7	75.7	19.0	5.3
Clearwater	69.9	60.7	35.5	3.7
Cook	80.9	62.2	31.1	6.7
Cottonwood	85.8	76.1	20.9	3.0
Crow Wing	84.7	65.5	31.1	3.4
Dakota	88.1	78.8	18.0	3.1
Dodge	95.6	90.8	7.7	1.5
Douglas	89.5	82.2	16.8	1.0
Faribault	88.3	90.3	7.6	2.1
Fillmore	82.1	74.5	12.8	12.8
Freeborn	85.2	84.7	13.4	1.9
Goodhue	86.6	83.2	13.0	3.8
Grant	93.8	83.1	15.5	1.4
Hennepin	85.2	77.2	18.1	4.8
Houston	85.1	73.7	21.8	4.5
Hubbard	76.9	63.2	34.3	2.5
Isanti	88.9	84.9	12.5	2.5
Itasca	85.6	75.5	21.3	3.1
Jackson	90.7	83.5	15.5	1.0
Kanabec	85.0	78.4	19.0	2.6
Kandiyohi	86.3	82.1	15.6	2.4
Kittson	78.0	77.1	20.0	2.9
Koochiching	81.6	62.6	33.3	4.0
Lac Qui Parle	87.5	72.7	27.3	0.0
Lake	92.1	74.7	23.2	2.1
Lake of the Woods	83.8	79.4	17.6	2.9
Le Sueur	90.5	84.6	13.8	1.6
Lincoln	88.4	51.7	40.0	8.3
Lyon	83.3	66.0	30.2	3.8
McLeod	90.4	84.9	14.3	0.8
Mahnomen	72.5	70.1	20.9	9.0
Marshall	79.8	82.2	15.1	2.7
Martin	86.0	84.8	13.0	2.2
Meeker	84.5	77.5	19.4	3.1
Mille Lacs	83.3	73.3	19.5	7.2
Morrison	90.3	85.2	12.6	2.2
Mower	68.2	68.3	28.8	2.9
Murray	79.5	74.3	17.6	8.1
Nicollet	88.8	88.2	10.0	1.8

**Nativity Table 4: Prenatal Care in Minnesota
By State and County, 2006**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	86.5	79.2	17.4	3.4
Nobles	79.2	73.2	22.7	4.1
Norman	85.5	70.0	26.0	4.0
Olmsted	94.2	89.5	9.2	1.3
Otter Tail	91.3	88.2	9.9	1.8
Pennington	83.8	81.6	16.2	2.2
Pine	81.5	71.3	20.9	7.8
Pipestone	87.9	65.6	32.8	1.6
Polk	82.8	59.4	36.3	4.3
Pope	83.3	76.8	21.4	1.8
Ramsey	83.8	79.3	16.9	3.9
Red Lake	79.5	63.6	36.4	0.0
Redwood	82.0	76.1	19.4	4.4
Renville	84.8	78.4	18.1	3.4
Rice	82.5	76.4	20.2	3.4
Rock	90.9	50.4	46.0	3.5
Roseau	81.8	75.1	23.2	1.7
St. Louis	88.7	79.5	17.4	3.1
Scott	89.1	76.3	21.2	2.5
Sherburne	89.7	80.6	17.4	2.0
Sibley	84.1	78.2	19.6	2.2
Stearns	87.5	83.7	14.5	1.7
Steele	84.0	81.7	16.8	1.5
Stevens	89.3	77.1	20.3	2.5
Swift	92.6	87.1	7.9	5.0
Todd	75.4	69.4	24.5	6.1
Traverse	77.3	61.9	23.8	14.3
Wabasha	91.3	86.6	10.8	2.6
Wadena	87.6	74.7	24.2	1.1
Waseca	87.6	82.5	13.8	3.7
Washington	92.4	87.6	10.9	1.4
Watonwan	77.7	73.0	24.1	2.8
Wilkin	94.1	88.7	9.7	1.6
Winona	86.0	80.5	13.0	6.5
Wright	88.9	80.1	17.5	2.3
Yellow Medicine	84.2	77.8	20.2	2.0

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

**Nativity Table 5: Obstetric Procedures in Minnesota
By State and County, 2006**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
State of Minnesota	25.5	15.0	90.4	81.5	53.1
Aitkin	29.6	13.6	92.9	77.2	61.7
Anoka	24.5	14.6	90.7	75.8	61.2
Becker	19.4	11.6	87.2	73.8	43.8
Beltrami	31.6	15.2	91.5	97.0	95.9
Benton	25.2	13.2	97.4	90.5	94.5
Big Stone	29.6	13.0	100.0	51.9	33.3
Blue Earth	27.0	16.9	87.9	92.9	39.1
Brown	31.1	17.5	93.8	45.3	71.0
Carlton	32.4	18.9	89.2	88.8	59.9
Carver	28.0	15.7	92.2	84.0	53.4
Cass	25.9	14.3	87.8	86.0	84.1
Chippewa	33.3	21.8	87.0	73.0	50.6
Chisago	25.6	15.1	94.8	79.9	67.2
Clay	23.6	16.1	98.3	1.5	1.2
Clearwater	27.6	13.4	100.0	87.4	85.8
Cook	27.7	23.4	66.7	63.8	57.4
Cottonwood	40.4	17.1	97.1	75.3	62.3
Crow Wing	19.0	9.9	78.7	84.7	81.0
Dakota	26.6	15.4	92.4	87.1	31.6
Dodge	23.6	12.1	91.9	94.9	69.0
Douglas	25.9	15.0	88.5	95.5	95.0
Faribault	35.4	19.5	100.0	67.7	73.2
Fillmore	20.8	11.0	84.8	83.0	43.8
Freeborn	28.6	14.3	91.5	91.5	72.0
Goodhue	27.1	15.0	94.8	82.4	37.8
Grant	31.3	20.0	81.8	83.8	90.0
Hennepin	24.6	15.4	88.3	87.3	47.7
Houston	20.4	12.5	83.3	92.2	53.7
Hubbard	29.7	17.8	82.4	54.7	47.5
Isanti	24.0	13.9	91.5	86.7	74.3
Itasca	28.2	14.4	97.3	77.2	52.1
Jackson	33.3	22.2	92.3	85.2	67.6
Kanabec	27.6	13.8	100.0	83.3	81.9
Kandiyohi	21.9	10.7	90.7	97.0	87.7
Kittson	28.6	23.8	100.0	42.9	47.6
Koochiching	37.7	14.9	96.3	59.6	58.8
Lac Qui Parle	33.3	14.7	82.4	48.0	52.0
Lake	32.0	18.4	100.0	95.1	80.6
Lake of the Woods	23.7	13.2	100.0	73.7	92.1
Le Sueur	24.9	13.4	92.0	91.8	44.8
Lincoln	27.1	12.9	90.9	45.7	35.7
Lyon	30.9	16.8	84.4	69.6	51.0
McLeod	23.3	10.3	91.3	86.9	59.9
Mahnomen	25.3	10.8	92.3	79.5	49.4
Marshall	29.5	21.1	88.9	22.1	30.5
Martin	29.3	18.8	88.9	93.9	90.8
Meeker	26.0	14.2	84.4	89.8	61.9
Mille Lacs	30.2	15.6	98.2	78.4	51.8
Morrison	22.6	13.3	93.2	84.4	64.3
Mower	32.0	16.5	94.7	94.6	90.3
Murray	34.1	19.3	86.7	77.3	50.0

**Nativity Table 5: Obstetric Procedures in Minnesota
By State and County, 2006**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
State of Minnesota	25.5	15.0	90.4	81.5	53.1
Nicollet	31.2	21.0	93.8	87.2	44.9
Nobles	26.2	16.6	97.1	76.2	52.0
Norman	21.7	20.0	100.0	16.7	16.7
Olmsted	23.6	13.2	88.5	95.3	64.2
Otter Tail	21.4	10.0	93.5	81.3	78.5
Pennington	37.0	23.0	96.6	59.5	75.5
Pine	23.7	13.5	94.9	84.6	55.9
Pipestone	30.8	16.1	91.3	46.2	32.9
Polk	29.9	16.5	98.1	43.0	46.1
Pope	25.8	11.7	81.0	75.0	87.5
Ramsey	20.5	13.3	84.5	67.9	45.4
Red Lake	51.2	29.3	100.0	61.0	73.2
Redwood	27.8	10.6	83.0	73.6	52.0
Renville	31.4	11.9	97.8	86.7	67.7
Rice	29.5	13.4	97.8	95.6	57.1
Rock	26.1	17.9	78.6	40.3	19.4
Roseau	35.4	19.0	97.0	77.4	90.8
St. Louis	31.8	19.9	92.9	89.9	69.2
Scott	27.2	17.1	90.3	90.6	40.3
Sherburne	26.7	16.3	91.7	71.0	53.3
Sibley	23.7	10.2	96.7	82.3	54.4
Stearns	25.9	14.0	92.5	86.2	91.3
Steele	31.2	16.6	97.5	95.0	88.2
Stevens	36.1	12.3	87.9	48.4	73.0
Swift	27.0	9.9	100.0	79.3	76.6
Todd	19.7	9.1	85.0	74.0	71.8
Traverse	25.0	11.4	100.0	45.5	45.5
Wabasha	25.8	12.5	85.0	89.5	62.9
Wadena	20.9	13.8	60.9	81.6	57.7
Waseca	29.8	16.9	89.7	93.8	61.0
Washington	25.8	15.3	90.5	79.3	38.2
Watonwan	26.3	13.1	87.5	76.9	48.8
Wilkin	35.1	16.2	100.0	44.6	35.1
Winona	17.8	10.6	92.9	84.2	56.3
Wright	26.0	15.5	92.6	76.4	30.0
Yellow Medicine	45.5	25.4	100.0	44.0	60.4

Source: Minnesota Department of Health, Center for Health Statistics

Electronic Fetal Monitoring: The percentage of live births where the health provider indicated on the birth certificate that electronic fetal monitoring was performed during labor and delivery.

Ultrasound: The percentage of live births where the health provider indicated on the birth certificate that ultrasound was performed during labor and delivery.

**Nativity Table 6: Fertility and Family Planning in
By State and County, 2006**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
State of Minnesota	86,814	80.8	12,948	12.0	4.7	3.7
Aitkin	174	66.8	12	*	5.6	3.1
Anoka	5,409	76.0	917	12.9	3.9	3.9
Becker	446	72.5	10	*	7.7	2.8
Beltrami	772	78.5	42	4.3	6.2	3.3
Benton	684	74.0	61	6.6	3.5	3.9
Big Stone	54	65.2	0	0.0	9.3	4.8
Blue Earth	924	65.6	131	9.3	3.3	5.4
Brown	360	74.2	27	5.6	4.2	2.1
Carlton	478	72.2	49	7.4	4.0	3.6
Carver	1,496	73.4	154	7.3	2.4	3.6
Cass	407	74.0	33	6.0	8.1	5.0
Chippewa	186	84.9	11	*	5.2	3.3
Chisago	774	68.1	73	6.3	4.2	2.6
Clay	768	57.8	11	*	3.3	2.6
Clearwater	130	85.6	**	*	11.0	1.3
Cook	59	63.5	12	*	0.0	4.8
Cottonwood	153	79.9	6	*	11.0	1.9
Crow Wing	913	74.5	100	8.2	4.8	3.5
Dakota	6,741	79.2	1,050	12.3	3.3	3.6
Dodge	322	77.3	25	6.0	3.4	3.6
Douglas	445	64.4	22	3.2	1.7	4.7
Faribault	182	74.8	16	*	6.1	6.9
Fillmore	311	81.8	28	7.4	8.1	4.5
Freeborn	413	74.1	35	6.3	3.7	1.3
Goodhue	665	76.0	63	7.2	3.2	4.4
Grant	84	80.1	**	*	3.8	8.8
Hennepin	21,669	93.9	4,801	20.8	4.9	3.9
Houston	270	72.1	15	*	4.7	3.2
Hubbard	243	71.4	7	*	3.6	1.5
Isanti	605	66.9	70	7.8	4.3	2.9
Itasca	572	71.1	53	6.5	5.1	2.8
Jackson	116	60.0	8	*	2.8	0.0
Kanabec	233	69.3	21	6.2	2.9	4.3
Kandiyohi	649	84.7	39	5.1	5.3	2.3
Kittson	42	65.3	0	0.0	2.4	0.0
Koochiching	131	57.3	14	*	7.9	2.5
Lac Qui Parle	75	69.1	0	0.0	9.3	4.0
Lake	116	59.0	11	*	6.8	3.4
Lake of the Woods	38	52.5	0	0.0	2.6	6.3
Le Sueur	444	77.7	42	7.2	4.5	1.2
Lincoln	71	76.0	**	*	4.3	2.2
Lyon	406	79.8	22	4.3	4.8	1.8
McLeod	604	79.8	40	5.3	4.1	3.1
Mahnomen	88	104.4	**	*	10.8	3.8
Marshall	95	57.4	0	0.0	5.3	0.0
Martin	248	75.8	17	*	0.4	4.4
Meeker	337	77.5	14	*	7.4	3.0
Mille Lacs	424	76.2	50	9.0	5.1	6.1
Morrison	466	73.5	20	3.2	4.5	4.8
Mower	642	92.5	61	8.8	4.9	4.5
Murray	91	64.0	**	*	4.6	0.0

**Nativity Table 6: Fertility and Family Planning in
By State and County, 2006**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
State of Minnesota	86,814	80.8	12,948	12.0	4.7	3.7
Nicollet	513	72.7	70	9.8	2.7	5.0
Nobles	353	104.2	6	*	4.7	2.4
Norman	60	55.1	0	0.0	5.0	0.0
Olmsted	2,499	86.4	281	9.7	4.5	3.8
Otter Tail	644	62.9	8	*	4.0	3.5
Pennington	203	76.6	**	*	1.5	1.7
Pine	411	73.8	48	8.7	6.1	3.1
Pipestone	144	91.4	**	*	5.7	4.8
Polk	398	68.0	**	*	6.6	3.2
Pope	127	63.5	**	*	6.7	2.6
Ramsey	9,847	97.3	2,228	22.0	6.8	4.2
Red Lake	44	60.0	**	*	2.4	7.7
Redwood	244	94.3	16	*	8.0	4.1
Renville	239	85.1	13	*	3.5	0.7
Rice	934	66.0	83	5.7	4.3	2.8
Rock	135	80.8	**	*	3.8	2.5
Roseau	201	64.2	6	*	4.6	3.8
St. Louis	2,592	67.2	414	10.7	3.9	4.0
Scott	2,408	79.0	279	9.0	3.5	3.7
Sherburne	1,529	74.3	136	6.6	4.7	3.6
Sibley	221	78.1	6	*	4.2	3.8
Stearns	2,228	68.1	229	7.0	4.9	4.9
Steele	585	78.7	42	5.7	5.8	2.6
Stevens	129	57.3	7	*	4.9	3.8
Swift	118	77.4	7	*	4.5	2.7
Todd	330	73.1	10	*	10.3	3.8
Traverse	44	76.7	0	0.0	9.1	0.0
Wabasha	285	66.9	27	6.1	3.1	1.9
Wadena	201	86.0	**	*	7.7	0.8
Waseca	302	86.8	30	8.4	2.9	2.4
Washington	3,489	72.8	519	10.7	3.2	3.9
Watonwan	174	93.1	12	*	6.3	1.1
Wilkin	75	63.9	0	0.0	6.8	0.0
Winona	587	50.4	47	4.1	5.4	2.9
Wright	2,349	87.1	186	6.9	5.5	3.7
Yellow Medicine	146	83.8	11	*	11.2	2.3

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number not reported if number of events is less than 6.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Four or More Births: Births to women with four or more previous live births

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State and County, 2004-2006**

corrected 01/18/08^

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
State of Minnesota	13.3	47.0	26.9	19.0	63.7	37.6
Aitkin	*	71.0	35.1	*	80.9	39.7
Anoka	8.4	44.8	20.4	14.8	68.9	33.3
Becker	12.9	62.3	29.5	13.4	63.1	31.2
Beltrami	30.2	82.0	54.7	33.9	87.6	60.1
Benton	15.9	72.4	36.3	18.9	83.6	43.0
Big Stone	*	*	*	*	*	*
Blue Earth	13.5	18.0	16.5	18.4	29.0	25.5
Brown	*	43.2	21.8	*	49.7	26.9
Carlton	11.6	67.4	31.9	19.1	82.0	42.0
Carver	5.2	27.6	12.7	9.4	38.0	19.4
Cass	29.6	128.3	61.3	35.6	141.0	70.5
Chippewa	*	72.1	35.2	*	86.0	42.8
Chisago	8.4	46.1	20.2	12.7	59.3	28.4
Clay	11.5	17.7	15.3	12.1	18.2	15.9
Clearwater	*	96.2	43.0	*	96.2	46.5
Cook	*	*	*	*	*	*
Cottonwood	*	*	24.7	*	*	25.5
Crow Wing	14.4	80.2	37.5	17.9	99.5	46.7
Dakota	7.4	43.1	19.3	13.3	63.4	30.7
Dodge	*	58.1	27.4	14.1	65.8	32.4
Douglas	*	50.8	23.3	*	55.7	26.6
Faribault	*	53.4	30.2	20.8	73.7	40.5
Fillmore	*	50.9	21.1	*	66.2	28.0
Freeborn	19.8	85.2	42.0	25.2	94.7	48.7
Goodhue	10.9	54.1	26.4	14.5	70.0	34.7
Grant	*	*	*	*	*	*
Hennepin	17.2	52.4	31.3	27.2	81.4	49.7
Houston	*	38.6	20.1	*	42.2	22.8
Hubbard	*	69.1	31.5	*	70.6	32.0
Isanti	12.6	64.4	30.6	18.3	76.6	39.0
Itasca	13.1	51.3	27.2	14.8	60.4	32.8
Jackson	*	*	17.4	*	*	17.4
Kanabec	*	69.7	31.3	*	86.7	40.1
Kandiyohi	23.2	84.2	46.2	24.6	93.5	51.1
Kittson	*	*	*	*	*	*
Koochiching	*	*	20.8	*	48.0	28.4
Lac Qui Parle	*	*	*	*	*	*
Lake	*	*	22.1	*	60.8	29.8
Lake of the Woods	*	*	*	*	*	*
Le Sueur	12.5	46.3	24.6	16.6	56.5	31.0
Lincoln	*	*	*	*	*	*
Lyon	*	26.2	18.2	13.2	31.0	22.5
McLeod	17.1	64.6	33.5	21.5	79.8	41.8
Mahnomen	*	201.3	87.9	*	214.8	93.8
Marshall	*	*	*	*	*	*
Martin	14.9	66.0	33.1	16.4	72.8	37.5
Meeker	*	76.1	32.9	*	77.3	34.2
Mille Lacs	13.3	89.5	39.0	19.9	105.9	50.0
Morrison	11.4	68.7	31.9	15.3	72.6	36.7
Mower	23.4	86.0	45.6	27.8	100.7	55.2
Murray	*	*	28.8	*	66.7	32.3

**Natality Table 7: Minnesota Teen Birth and Pregnancy Rates
By State and County, 2004-2006**

corrected 01/18/08^

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
State of Minnesota	13.3	47.0	26.9	19.0	63.7	37.6
Nicollet	*	22.7	17.8	16.7	31.3	26.3
Nobles	25.5	112.9	56.7	25.5	115.5	59.1
Norman	*	*	*	*	*	*
Olmsted	12.0	50.2	25.3	15.6	70.2	35.1
Otter Tail	6.9	54.2	24.3	7.7	56.0	26.2
Pennington	*	45.4	25.0	*	45.4	26.4
Pine	12.4	81.1	34.8	19.1	95.0	43.8
Pipestone	*	66.5	34.7	*	66.5	35.8
Polk	16.8	52.1	31.0	16.8	52.8	31.3
Pope	*	*	*	*	*	18.7
Ramsey	24.0	56.2	38.4	33.3	81.9	55.8
Red Lake	*	*	*	*	*	*
Redwood	*	40.5	20.0	*	52.4	25.9
Renville	*	80.1	36.2	*	87.6	39.9
Rice	12.4	26.7	20.4	16.6	33.0	26.8
Rock	*	*	21.3	*	*	21.3
Roseau	*	66.7	27.2	*	73.5	29.4
St. Louis	14.8	31.8	23.7	20.2	43.0	32.6
Scott	8.7	39.3	18.4	14.5	56.9	28.9
Sherburne	7.3	42.4	19.4	11.7	54.5	26.5
Sibley	*	77.7	37.0	18.9	81.3	40.0
Stearns	10.7	23.6	17.6	13.0	33.6	24.5
Steele	14.8	69.6	34.1	19.2	77.7	40.3
Stevens	*	*	*	*	*	*
Swift	*	66.5	27.1	*	75.9	30.2
Todd	14.2	73.4	34.6	15.7	78.4	37.7
Traverse	*	*	*	*	*	*
Wabasha	*	55.6	24.6	*	69.8	32.4
Wadena	*	64.7	35.0	*	69.0	36.4
Waseca	*	80.1	35.3	*	84.8	36.9
Washington	5.8	32.1	14.8	10.8	52.1	25.4
Watonwan	*	99.3	48.0	*	106.7	54.1
Wilkin	*	*	*	*	*	*
Winona	11.9	15.0	14.0	14.6	19.3	18.0
Wright	8.3	51.8	22.4	12.9	67.0	31.4
Yellow Medicine	*	*	21.2	*	52.0	28.0

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

^Sherburne county rates were corrected.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State and County, 2006**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
State of Minnesota	31.7	9.4	9.3	10.2	26.8	63.0
Aitkin	38.9	3.7	33.1	9.3	41.6	49.1
Anoka	28.4	8.2	7.2	6.7	29.4	63.8
Becker	37.5	9.7	16.9	11.1	35.5	53.4
Beltrami	54.1	21.9	27.9	17.0	36.3	46.7
Benton	33.5	6.6	18.7	5.0	25.6	69.4
Big Stone	24.1	1.9	9.3	16.0	22.0	62.0
Blue Earth	34.0	9.3	9.3	6.6	20.7	72.8
Brown	32.6	10.3	13.6	6.4	30.6	63.0
Carlton	35.0	7.0	21.7	7.2	32.2	60.5
Carver	13.6	3.7	3.4	3.8	18.8	77.5
Cass	49.1	15.9	35.0	16.1	40.3	43.6
Chippewa	39.7	12.6	13.5	10.4	31.1	58.5
Chisago	24.4	6.8	15.7	5.1	27.3	67.6
Clay	24.7	8.9	10.6	2.9	22.2	74.8
Clearwater	40.2	13.4	22.2	19.7	30.7	49.6
Cook	31.9	4.3	19.1	6.4	27.7	66.0
Cottonwood	34.2	6.8	11.6	17.4	35.6	47.0
Crow Wing	36.2	8.6	24.2	8.5	28.9	62.7
Dakota	25.4	6.9	4.8	6.7	20.9	72.4
Dodge	25.9	9.4	9.4	8.8	28.1	63.1
Douglas	27.8	2.9	14.5	4.8	26.7	68.6
Faribault	35.4	7.9	13.5	8.6	28.2	63.2
Fillmore	24.0	9.2	10.3	16.2	28.1	55.8
Freeborn	41.0	11.4	10.1	13.3	36.1	50.7
Goodhue	31.9	5.3	14.1	6.7	37.1	56.3
Grant	25.0	6.3	11.3	0.0	25.3	74.7
Hennepin	34.2	12.2	3.9	14.3	24.4	61.4
Houston	26.3	25.9	18.1	4.8	25.4	69.8
Hubbard	34.7	9.3	20.9	12.4	35.2	52.4
Isanti	33.8	5.4	17.0	5.9	38.8	55.3
Itasca	36.0	11.5	21.3	7.9	32.2	59.9
Jackson	24.1	1.9	13.9	7.9	27.7	64.4
Kanabec	38.1	9.5	26.4	9.2	42.7	48.1
Kandiyohi	35.0	11.3	9.7	20.2	29.5	50.2
Kittson	11.9	7.1	4.8	2.4	21.4	76.2
Koochiching	42.1	10.5	23.4	8.0	36.3	55.8
Lac Qui Parle	33.3	4.0	24.7	10.3	27.9	61.8
Lake	21.4	1.9	16.8	5.8	31.1	63.1
Lake of the Woods	28.9	2.6	13.2	2.6	34.2	63.2
Le Sueur	27.1	6.7	9.1	8.8	27.3	64.0
Lincoln	14.3	8.6	14.3	11.6	32.6	55.8
Lyon	30.6	8.1	14.5	12.2	19.4	68.4
McLeod	28.1	6.6	10.6	8.7	35.1	56.1
Mahnomen	68.7	19.3	33.8	19.8	43.2	37.0
Marshall	22.1	11.6	7.4	0.0	28.1	71.9
Martin	37.6	6.1	15.3	11.0	41.7	47.4
Meeker	29.1	5.9	20.3	10.9	30.5	58.6
Mille Lacs	40.2	7.8	18.9	11.9	34.1	53.9
Morrison	35.0	4.7	19.3	5.2	34.7	60.1

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State and County, 2006**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
State of Minnesota	31.7	9.4	9.3	10.2	26.8	63.0
Mower	43.1	15.1	16.5	25.5	28.5	46.0
Murray	29.5	10.2	16.1	10.7	26.7	62.7
Nicollet	29.2	10.0	6.7	8.4	23.1	68.5
Nobles	45.3	10.8	7.0	41.7	29.0	29.3
Norman	31.7	10.0	15.0	5.2	29.3	65.5
Olmsted	27.4	7.2	6.3	9.6	23.3	67.1
Otter Tail	26.4	5.5	13.5	9.2	29.7	61.1
Pennington	41.0	9.0	23.5	6.0	34.0	60.0
Pine	43.3	10.7	23.9	13.4	37.8	48.7
Pipestone	25.2	7.0	19.6	12.1	23.2	64.6
Polk	32.7	5.8	11.6	6.8	31.5	61.7
Pope	29.2	4.2	13.4	4.2	30.8	65.0
Ramsey	43.2	15.9	6.8	15.0	30.2	54.7
Red Lake	39.0	7.3	9.8	10.3	30.8	59.0
Redwood	35.7	5.3	19.6	8.2	42.0	49.8
Renville	37.6	11.9	15.5	11.9	36.7	51.3
Rice	36.2	10.6	13.2	15.1	32.3	52.6
Rock	26.9	6.0	9.8	7.9	32.9	59.2
Roseau	35.4	9.2	15.4	5.1	36.9	57.9
St. Louis	39.4	8.1	22.6	8.8	27.5	63.7
Scott	18.5	5.1	3.7	4.1	19.1	76.9
Sherburne	20.6	3.7	10.2	4.0	26.3	69.7
Sibley	29.3	9.3	8.4	16.8	29.0	54.2
Stearns	27.1	5.4	11.4	9.0	23.4	67.6
Steele	35.7	13.3	16.1	13.4	30.0	56.5
Stevens	22.1	4.9	11.5	5.9	21.8	72.3
Swift	32.4	9.0	18.0	9.0	27.0	64.0
Todd	33.2	3.8	13.5	17.9	35.5	46.5
Traverse	18.2	9.1	9.1	6.1	30.3	63.6
Wabasha	24.2	4.7	11.0	6.3	29.0	64.7
Wadena	35.2	8.2	22.1	5.7	39.9	54.4
Waseca	34.9	10.3	13.7	9.3	31.2	59.5
Washington	22.2	4.8	5.2	3.5	21.0	75.5
Watonwan	40.0	10.0	10.0	19.4	30.6	50.0
Wilkin	14.9	1.4	9.5	5.5	19.2	75.3
Winona	29.4	11.2	8.8	6.6	27.5	65.9
Wright	18.7	4.3	8.5	4.5	25.9	69.6
Yellow Medicine	32.8	9.0	22.6	8.0	36.0	56.0

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By State and County, 2006**

	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
State of Minnesota	75.6	8.7	2.1	6.2	7.4	8.3	91.7
Aitkin	90.7	0.0	8.0	0.6	0.6	1.9	98.1
Anoka	80.3	6.6	0.7	6.9	5.5	5.7	94.3
Becker	85.4	0.7	12.3	0.2	1.4	1.6	98.4
Beltrami	57.0	0.8	41.0	0.4	0.8	0.3	99.7
Benton	94.8	2.6	0.3	1.1	1.1	2.1	97.9
Big Stone	100.0	0.0	0.0	0.0	0.0	1.9	98.1
Blue Earth	90.5	4.4	0.6	1.9	2.5	2.3	97.7
Brown	97.6	0.3	0.3	0.3	1.5	6.6	93.4
Carlton	90.4	0.2	7.9	0.9	0.5	1.9	98.1
Carver	87.7	1.6	0.4	4.1	6.1	6.2	93.8
Cass	68.5	0.3	28.0	0.5	2.7	1.1	98.9
Chippewa	84.5	0.6	1.1	1.1	12.6	14.0	86.0
Chisago	96.0	0.4	0.1	1.0	2.4	2.4	97.6
Clay	87.8	0.8	2.2	1.2	7.9	6.0	94.0
Clearwater	75.6	0.0	22.8	0.0	1.6	0.8	99.2
Cook	78.7	0.0	12.8	2.1	6.4	6.4	93.6
Cottonwood	80.8	0.0	1.4	4.1	13.7	17.1	82.9
Crow Wing	96.6	0.1	1.7	1.0	0.6	1.0	99.0
Dakota	76.0	7.2	0.7	6.5	9.6	9.4	90.6
Dodge	98.3	0.0	0.0	0.0	1.7	6.1	93.9
Douglas	96.9	0.2	0.7	1.7	0.5	1.2	98.8
Faribault	90.2	0.0	1.2	0.0	8.5	11.0	89.0
Fillmore	98.9	0.0	0.0	0.7	0.4	0.4	99.6
Freeborn	83.3	1.9	0.0	1.1	13.8	14.6	85.4
Goodhue	92.2	1.8	1.3	1.5	3.2	3.7	96.3
Grant	98.8	0.0	0.0	0.0	1.3	2.5	97.5
Hennepin	56.7	20.1	1.8	8.6	12.8	13.1	86.9
Houston	96.9	2.7	0.4	0.0	0.0	0.0	100.0
Hubbard	96.2	0.4	2.5	0.0	0.8	1.3	98.7
Isanti	96.4	0.0	0.9	0.8	1.9	2.3	97.7
Itasca	88.9	0.2	8.8	0.4	1.8	1.6	98.4
Jackson	93.5	0.0	0.0	1.9	4.6	4.6	95.4
Kanabec	99.0	0.0	0.0	0.0	1.0	1.0	99.0
Kandiyohi	95.6	2.8	0.7	0.2	0.8	24.0	76.0
Kittson	95.2	0.0	0.0	2.4	2.4	2.4	97.6
Koochiching	93.9	0.0	4.4	0.9	0.9	2.6	97.4
Lac Qui Parle	94.7	1.3	0.0	0.0	4.0	5.3	94.7
Lake	99.0	0.0	0.0	0.0	1.0	1.0	99.0
Lake of the Woods	94.7	2.6	2.6	0.0	0.0	2.7	97.3
Le Sueur	88.1	0.0	0.5	0.7	10.7	11.7	88.3
Lincoln	98.6	1.4	0.0	0.0	0.0	0.0	100.0
Lyon	84.3	3.1	0.5	2.1	9.9	8.8	91.2
McLeod	87.4	0.9	0.2	2.3	9.2	9.6	90.4
Mahnomen	41.0	0.0	57.8	0.0	1.2	1.2	98.8
Marshall	94.7	1.1	0.0	0.0	4.2	7.4	92.6
Martin	95.2	0.4	0.0	1.3	3.1	5.3	94.7
Meeker	92.0	0.3	1.5	0.3	5.9	8.7	91.3
Mille Lacs	86.0	0.5	12.4	0.3	0.8	0.5	99.5
Morrison	97.1	0.5	0.7	0.5	1.4	1.1	98.9
Mower	71.8	3.0	0.5	3.1	21.6	25.0	75.0
Murray	93.2	0.0	1.1	0.0	5.7	5.7	94.3

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By State and County, 2006**

	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
State of Minnesota	75.6	8.7	2.1	6.2	7.4	8.3	91.7
Nicollet	89.1	2.3	0.0	1.8	6.8	7.1	92.9
Nobles	48.5	2.6	1.7	3.8	43.3	44.5	55.5
Norman	90.0	0.0	0.0	0.0	10.0	11.7	88.3
Olmsted	80.6	8.0	0.2	8.5	2.7	6.2	93.8
Otter Tail	91.5	2.2	0.8	0.8	4.7	4.4	95.6
Pennington	92.5	1.5	4.0	0.0	2.0	2.5	97.5
Pine	90.6	0.3	6.6	1.4	1.1	1.2	98.8
Pipestone	92.3	0.7	2.1	1.4	3.5	2.8	97.2
Polk	92.4	0.8	1.8	0.5	4.6	8.7	91.3
Pope	100.0	0.0	0.0	0.0	0.0	0.8	99.2
Ramsey	51.7	19.2	1.4	18.0	9.7	11.3	88.7
Red Lake	95.1	2.4	0.0	0.0	2.4	0.0	100.0
Redwood	76.2	0.4	13.7	7.0	2.6	3.6	96.4
Renville	93.4	0.9	1.8	0.9	3.1	11.9	88.1
Rice	76.7	4.3	0.4	2.5	16.2	17.2	82.8
Rock	96.3	0.7	0.7	0.7	1.5	3.0	97.0
Roseau	94.9	0.0	2.6	1.5	1.0	0.5	99.5
St. Louis	91.2	2.1	4.4	1.1	1.2	1.0	99.0
Scott	81.0	2.9	1.3	8.1	6.8	6.1	93.9
Sherburne	95.1	0.9	0.1	2.2	1.6	1.9	98.1
Sibley	81.4	0.0	0.9	0.9	16.7	19.1	80.9
Stearns	90.2	4.7	0.3	2.1	2.8	4.8	95.2
Steele	81.9	6.8	0.2	0.6	10.5	11.6	88.4
Stevens	91.0	0.0	4.1	1.6	3.3	3.3	96.7
Swift	95.5	0.9	1.8	0.0	1.8	9.0	91.0
Todd	97.5	0.0	0.9	0.6	0.9	11.0	89.0
Traverse	72.7	0.0	18.2	0.0	9.1	7.0	93.0
Wabasha	97.3	0.4	0.0	0.4	2.0	5.5	94.5
Wadena	96.9	1.0	0.5	0.5	1.0	1.0	99.0
Waseca	90.4	1.8	0.4	0.4	7.0	8.1	91.9
Washington	81.8	4.6	0.4	9.3	3.9	4.0	96.0
Watonwan	76.9	0.0	1.3	0.6	21.3	32.7	67.3
Wilkin	100.0	0.0	0.0	0.0	0.0	5.4	94.6
Winona	93.3	1.1	0.2	1.5	3.9	4.5	95.5
Wright	94.3	1.2	0.3	1.9	2.3	2.9	97.1
Yellow Medicine	86.6	0.7	4.5	3.0	5.2	7.5	92.5

Source: Minnesota Department of Health, Center for Health Statistics

Section CHS: Natality by CHS Agency

Tables

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Obstetric Procedures

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Nativity Table 1: Selected Minnesota Natality Statistics
By CHS Agency, 2006**

CHS Agency	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
Aitkin, Itasca, Koochiching	790	61.1	10.6	813	10.9	-0.3
Mahnomen, Norman	143	74.6	12.0	166	13.9	-1.9
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,126	72.8	15.1	646	8.6	6.4
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	548	74.4	11.8	537	11.6	0.2
Brown, Nicollet	770	64.7	13.4	490	8.5	4.9
Carlton, Cook, Lake, St. Louis	2,746	57.2	11.1	2,667	10.8	0.3
Cass, Morrison, Todd, Wadena	1,329	71.1	13.3	973	9.8	3.6
Clay, Wilkin	831	57.4	13.6	471	7.7	5.9
Cottonwood, Jackson	254	66.0	11.1	247	10.8	0.3
Dodge, Steele	838	72.2	15.0	362	6.5	8.5
Grant, Pope, Traverse, Stevens	366	62.3	11.8	382	12.4	-0.5
Faribault, Martin	393	68.9	10.9	440	12.2	-1.3
Houston, Fillmore	538	71.3	13.1	433	10.6	2.6
Isanti, Mille Lacs	904	61.9	14.0	512	7.9	6.1
Kanabec, Pine	573	64.1	12.8	377	8.4	4.4
Kittson, Marshall, Pennington, Red Lake, Roseau	573	65.0	11.8	479	9.8	1.9
Le Sueur, Waseca	674	73.5	14.2	341	7.2	7.0
Lincoln, Lyon, Murray, Pipestone	683	75.7	14.0	505	10.4	3.7
Meeker, McLeod, Sibley	1,101	74.7	14.5	667	8.8	5.7
Nobles, Rock	478	94.5	15.9	299	10.0	6.0
Redwood, Renville	453	84.1	14.0	398	12.3	1.7

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By CHS Agency, 2006**

CHS Agency	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2004-2006	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
Aitkin, Itasca, Koochiching	65	9.7	37	4.8	0.8	3.5
Mahnomen, Norman	12	9.8	7	5.0	0.6	2.4
Beltrami, Clearwater, Hubbard, Lake of the Woods	82	8.5	51	4.6	0.8	2.4
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	21	4.6	18	3.4	0.8	1.8
Brown, Nicollet	78	11.1	36	4.9	0.8	2.9
Carlton, Cook, Lake, St. Louis	274	10.9	140	5.3	0.7	2.4
Cass, Morrison, Todd, Wadena	107	8.9	60	4.7	1.1	2.8
Clay, Wilkin	61	8.3	33	4.1	1.1	2.9
Cottonwood, Jackson	14	5.9	10	4.0	0.9	3.4
Dodge, Steele	63	8.3	24	3.0	0.6	2.2
Grant, Pope, Traverse, Stevens	22	6.4	11	3.1	0.3	1.8
Faribault, Martin	32	9.8	17	4.5	0.7	3.4
Houston, Fillmore	36	7.3	25	4.8	0.8	3.5
Isanti, Mille Lacs	80	10.0	37	4.2	0.8	2.1
Kanabec, Pine	24	6.5	24	4.3	0.9	3.2
Kittson, Marshall, Pennington, Red Lake, Roseau	50	9.6	26	4.7	0.6	2.1
Le Sueur, Waseca	54	8.7	33	5.0	0.6	3.9
Lincoln, Lyon, Murray, Pipestone	32	5.8	25	3.8	0.7	3.4
Meeker, McLeod, Sibley	73	7.5	34	3.2	0.9	1.5
Nobles, Rock	37	8.9	26	5.6	0.9	3.4
Redwood, Renville	26	6.7	17	3.9	0.6	4.2

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

**Nativity Table 3: Minnesota Infant Mortality
By CHS Agency, 2002-2006**

CHS Agency	Number of Infant Deaths 2006	Infant Mortality Rate 2002-2006	Neonatal Mortality Rate 2002-2006	Post-neonatal Mortality Rate 2002-2006	Fetal Death Rate 2002-2006	Perinatal Death Rate 2002-2006
Aitkin, Itasca, Koochiching	4	6.3	*	*	5.5	7.6
Mahnomen, Norman	0	*	*	*	*	*
Beltrami, Clearwater, Hubbard, Lake of the Woods	8	7.1	4.1	*	6.0	8.8
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	3	*	*	*	*	*
Brown, Nicollet	2	*	*	*	6.3	8.4
Carlton, Cook, Lake, St. Louis	15	5.1	3.5	1.5	4.9	7.1
Cass, Morrison, Todd, Wadena	8	6.3	3.8	*	5.4	7.7
Clay, Wilkin	12	7.7	5.3	*	*	5.3
Cottonwood, Jackson	1	*	*	*	*	*
Dodge, Steele	0	*	*	*	*	*
Grant, Pope, Traverse, Stevens	1	*	*	*	*	*
Faribault, Martin	3	*	*	*	*	*
Houston, Fillmore	2	*	*	*	*	*
Isanti, Mille Lacs	11	7.3	5.6	*	6.7	8.0
Kanabec, Pine	1	*	*	*	8.2	*
Kittson, Marshall, Pennington, Red Lake, Roseau	1	*	*	*	*	7.4
Le Sueur, Waseca	2	*	*	*	*	*
Lincoln, Lyon, Murray, Pipestone	6	*	*	*	*	*
Meeker, McLeod, Sibley	2	*	*	*	*	4.2
Nobles, Rock	2	*	*	*	*	*
Redwood, Renville	0	*	*	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics.

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

Perinatal Mortality Rate: The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

**Natality Table 4: Prenatal Care in Minnesota
By CHS Agency, 2006**

CHS Agency	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
Aitkin, Itasca, Koochiching	85.8	73.8	22.7	3.5
Mahnomen, Norman	77.8	70.1	23.1	6.8
Beltrami, Clearwater, Hubbard, Lake of the Woods	73.6	61.8	33.9	4.4
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	86.6	81.3	16.2	2.5
Brown, Nicollet	89.6	88.8	9.4	1.7
Carlton, Cook, Lake, St. Louis	88.9	79.2	17.7	3.2
Cass, Morrison, Todd, Wadena	81.7	72.1	22.5	5.4
Clay, Wilkin	84.6	76.9	18.1	5.0
Cottonwood, Jackson	88.0	79.3	18.6	2.1
Dodge, Steele	88.1	85.0	13.5	1.5
Grant, Pope, Traverse, Stevens	86.9	76.4	20.1	3.5
Faribault, Martin	87.0	87.2	10.7	2.1
Houston, Fillmore	83.6	74.1	17.3	8.6
Isanti, Mille Lacs	86.6	80.2	15.3	4.4
Kanabec, Pine	82.8	73.5	20.3	6.2
Kittson, Marshall, Pennington, Red Lake, Roseau	81.7	77.9	20.1	2.0
Le Sueur, Waseca	89.3	83.8	13.8	2.4
Lincoln, Lyon, Murray, Pipestone	84.3	65.4	30.2	4.4
Meeker, McLeod, Sibley	87.5	81.4	16.8	1.8
Nobles, Rock	82.5	66.9	29.2	3.9
Redwood, Renville	83.4	77.3	18.8	3.9

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

**Natality Table 5: Obstetric Procedures in Minnesota
By CHS Agency, 2006**

CHS Agency	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent	Electric Fetal Monitoring - Percent	Ultrasound - Percent
Aitkin, Itasca, Koochiching	29.9	14.3	96.1	74.7	55.1
Mahnomen, Norman	23.8	14.7	92.9	53.2	35.7
Beltrami, Clearwater, Hubbard, Lake of the Woods	30.5	15.5	90.9	86.2	84.5
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	34.7	18.4	93.7	61.7	56.8
Brown, Nicollet	31.2	19.5	93.8	69.2	56.1
Carlton, Cook, Lake, St. Louis	31.9	19.7	92.3	89.5	68.0
Cass, Morrison, Todd, Wadena	22.6	12.6	84.6	81.9	70.7
Clay, Wilkin	24.7	16.1	98.6	5.3	4.2
Cottonwood, Jackson	37.4	19.3	95.8	79.5	64.6
Dodge, Steele	28.5	15.0	95.8	95.0	81.4
Grant, Pope, Traverse, Stevens	30.3	13.7	85.9	64.5	78.1
Faribault, Martin	31.8	19.1	94.3	83.0	83.5
Houston, Fillmore	20.6	11.7	84.2	87.4	48.5
Isanti, Mille Lacs	26.6	14.6	94.7	83.3	65.0
Kanabec, Pine	25.1	13.6	97.1	84.1	65.5
Kittson, Marshall, Pennington, Red Lake, Roseau	35.6	21.8	96.3	58.3	71.0
Le Sueur, Waseca	26.9	14.8	91.0	92.6	51.3
Lincoln, Lyon, Murray, Pipestone	30.9	16.5	86.7	63.3	45.5
Meeker, McLeod, Sibley	24.2	11.4	90.3	86.8	59.4
Nobles, Rock	26.2	17.0	91.7	66.1	42.9
Redwood, Renville	29.6	11.3	90.2	80.1	59.8

Source: Minnesota Department of Health, Center for Health Statistics

Electronic Fetal Monitoring: The percentage of live births where the health provider indicated on the birth certificate that electronic fetal monitoring was performed during labor and delivery.

Ultrasound: The percentage of live births where the health provider indicated on the birth certificate that ultrasound was performed during labor and delivery.

**Nativity Table 6: Fertility and Family Planning in Minnesota
By CHS Agency, 2006**

	Pregnancies		Abortions		Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate		
Aitkin, Itasca, Koochiching	877	67.8	**	*	5.6	2.8
Mahnomen, Norman	148	76.7	**	*	8.4	2.4
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,183	76.4	**	*	6.1	2.8
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	579	78.6	29	4.0	7.5	3.2
Brown, Nicollet	873	73.3	97	8.1	3.4	3.7
Carlton, Cook, Lake, St. Louis	3,245	67.5	486	10.0	4.0	3.9
Cass, Morrison, Todd, Wadena	1,404	75.1	68	3.7	7.4	4.0
Clay, Wilkin	843	58.3	11	*	3.6	2.3
Cottonwood, Jackson	269	69.9	14	*	7.5	1.2
Dodge, Steele	907	78.2	67	5.8	4.9	3.0
Grant, Pope, Traverse, Stevens	384	65.4	14	*	5.7	4.1
Faribault, Martin	430	75.4	33	5.8	2.8	5.5
Houston, Fillmore	581	77.0	43	5.7	6.5	3.9
Isanti, Mille Lacs	1,029	70.4	120	8.2	4.7	4.3
Kanabec, Pine	644	72.1	69	7.7	4.9	3.5
Kittson, Marshall, Pennington, Red Lake, Roseau	585	66.4	12	*	3.3	2.5
Le Sueur, Waseca	746	81.1	72	7.6	3.9	1.7
Lincoln, Lyon, Murray, Pipestone	712	79.0	26	2.9	4.9	2.2
Meeker, McLeod, Sibley	1,162	78.8	60	4.1	5.1	3.2
Nobles, Rock	488	96.5	**	*	4.4	2.4
Redwood, Renville	483	89.5	29	5.2	5.8	2.4

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number or rate not reported if number of events is less than 6 for one of the counties.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Four or More Births: Births to women with four or more previous live births

**Natality Table 7: Minnesota Teen Birth and Pregnancy Rates
By CHS Agency, 2004-2006**

CHS Agency	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
Aitkin, Itasca, Koochiching	12.3	53.0	27.5	14.4	62.1	33.2
Mahnomen, Norman	*	106.4	48.9	*	113.9	52.1
Beltrami, Clearwater, Hubbard, Lake of the Woods	22.5	79.2	46.5	25.2	83.7	50.5
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	10.9	52.6	25.5	13.2	60.3	30.1
Brown, Nicollet	7.2	30.1	19.5	11.6	37.9	26.6
Carlton, Cook, Lake, St. Louis	13.8	35.7	24.7	19.3	47.1	33.5
Cass, Morrison, Todd, Wadena	18.3	84.7	41.0	21.7	91.2	46.1
Clay, Wilkin	10.7	18.9	15.6	11.2	19.6	16.3
Cottonwood, Jackson	*	43.0	21.1	*	43.0	21.5
Dodge, Steele	13.3	65.4	31.7	17.4	73.4	37.5
Grant, Pope, Traverse, Stevens	*	20.1	13.2	*	21.5	14.9
Faribault, Martin	16.2	60.7	31.9	18.3	73.2	38.8
Houston, Fillmore	7.5	44.6	20.6	9.9	53.8	25.5
Isanti, Mille Lacs	12.9	74.4	34.0	19.0	88.2	43.4
Kanabec, Pine	11.8	76.7	33.5	17.1	91.8	42.4
Kittson, Marshall, Pennington, Red Lake, Roseau	6.8	47.4	21.2	7.6	50.1	22.7
Le Sueur, Waseca	12.1	58.8	28.7	14.7	67.0	33.2
Lincoln, Lyon, Murray, Pipestone	11.6	37.9	22.9	13.3	41.8	26.1
Meeker, McLeod, Sibley	14.9	70.8	34.1	18.0	79.4	39.1
Nobles, Rock	21.0	92.5	45.9	21.0	94.4	47.5
Redwood, Renville	11.1	61.4	28.6	12.8	71.0	33.3

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Natality Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By CHS Agency, 2006**

CHS Agency	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
Aitkin, Itasca, Koochiching	37.5	9.8	24.0	8.2	34.7	57.1
Mahnomen, Norman	53.2	15.4	25.6	13.7	37.4	48.9
Beltrami, Clearwater, Hubbard, Lake of the Woods	47.6	17.7	25.3	15.9	35.3	48.8
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	34.1	8.8	17.7	10.0	30.1	59.9
Brown, Nicollet	30.7	10.1	9.7	7.6	26.3	66.2
Carlton, Cook, Lake, St. Louis	37.9	7.6	22.2	8.4	28.4	63.2
Cass, Morrison, Todd, Wadena	38.5	8.1	22.7	11.4	37.2	51.4
Clay, Wilkin	23.8	8.2	10.5	3.2	22.0	74.9
Cottonwood, Jackson	29.9	4.7	12.6	13.3	32.2	54.5
Dodge, Steele	32.2	11.9	13.7	11.8	29.4	58.8
Grant, Pope, Traverse, Stevens	24.6	5.5	11.8	4.0	26.5	69.5
Faribault, Martin	36.6	6.9	14.5	10.0	36.1	54.0
Houston, Fillmore	25.1	17.1	14.0	10.8	26.8	62.4
Isanti, Mille Lacs	36.4	6.4	17.8	8.4	36.9	54.7
Kanabec, Pine	41.4	10.3	24.8	11.9	39.6	48.5
Kittson, Marshall, Pennington, Red Lake, Roseau	33.7	9.3	15.7	4.8	32.9	62.3
Le Sueur, Waseca	30.3	8.2	11.0	9.0	28.9	62.2
Lincoln, Lyon, Murray, Pipestone	27.7	8.2	15.8	12.0	22.1	65.9
Meeker, McLeod, Sibley	28.6	6.9	13.0	11.0	32.6	56.5
Nobles, Rock	40.2	9.4	7.8	35.0	29.8	35.3
Redwood, Renville	36.6	8.6	17.5	10.1	39.3	50.6

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By CHS Agency, 2006**

CHS Agency	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
Aitkin, Itasca, Koochiching	90.0	0.1	8.0	0.5	1.4	1.8	98.2
Mahnomen, Norman	61.5	0.0	33.6		4.9	5.6	94.4
Beltrami, Clearwater, Hubbard, Lake of the Woods	68.6	0.7	29.6	0.3	0.9	0.6	99.4
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	90.2	0.7	1.8	1.1	6.2	9.0	91.0
Brown, Nicollet	92.7	1.4	0.1	1.2	4.6	6.9	93.1
Carlton, Cook, Lake, St. Louis	91.2	1.7	4.9	1.1	1.2	1.2	98.8
Cass, Morrison, Todd, Wadena	89.2	0.4	8.4	0.5	1.6	3.5	96.5
Clay, Wilkin	88.9	0.7	2.1	1.1	7.2	6.0	94.0
Cottonwood, Jackson	86.2		0.8	3.2	9.8	11.8	88.2
Dodge, Steele	87.7	4.4	0.1	0.4	7.4	9.7	90.3
Grant, Pope, Traverse, Stevens	93.4		3.6	0.6	2.5	2.7	97.3
Faribault, Martin	93.1	0.3	0.5	0.8	5.3	7.7	92.4
Houston, Fillmore	98.0	1.3	0.2	0.4	0.2	0.2	99.8
Isanti, Mille Lacs	92.2	0.2	5.6	0.6	1.4	1.6	98.4
Kanabec, Pine	93.7	0.2	4.2	0.9	1.1	1.1	98.9
Kittson, Marshall, Pennington, Red Lake, Roseau	94.1	0.9	2.3	0.7	2.1	2.5	97.5
Le Sueur, Waseca	89.0	0.7	0.5	0.6	9.2	10.2	89.8
Lincoln, Lyon, Murray, Pipestone	88.6	2.1	0.9	1.5	7.0	6.2	93.8
Meeker, McLeod, Sibley	87.6	0.5	0.7	1.5	9.7	11.2	88.8
Nobles, Rock	61.9	2.1	1.5	2.9	31.6	32.9	67.2
Redwood, Renville	84.8	0.7	7.7	4.0	2.9	7.8	92.2

Section C: Mortality

Tables

Table 1: Leading Causes of Death

Table 2: Years of Potential Life Lost

Table 3a: Unintentional Injuries, Suicides and Homicides

Table 3b: Falls, Motor Vehicle and Pedestrian Deaths

Table 4: Number of Cases of Cancer Deaths by Major Site & Sex

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

State of Minnesota - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	1	24	25	3	0	53
Alzheimer's Disease	0	0	0	0	13	51	1,234	1,298
Atherosclerosis	0	0	0	0	10	8	55	73
Cancer	13	13	19	272	2,236	2,131	4,381	9,065
Cirrhosis	0	0	1	37	159	62	64	323
Congenital Anomalies	114	7	11	12	33	3	9	189
Chronic Lower Respiratory Disease	0	1	2	7	165	356	1,239	1,770
Diabetes	0	2	2	35	206	230	678	1,153
Heart Disease	7	4	16	176	1,016	867	5,420	7,506
Homicide	10	2	44	45	22	1	3	127
Hypertension	0	0	1	6	40	72	345	464
Nephritis	2	0	1	5	60	71	555	694
Perinatal Conditions	163	0	1	0	1	0	0	165
Pneumonia and Influenza	5	0	1	6	38	44	535	629
Septicemia	2	0	1	13	51	36	159	262
SIDS	39	0	0	0	0	0	0	39
Stroke	4	0	7	32	201	230	1,741	2,215
Suicide	0	5	83	208	183	32	39	550
Unintentional Injury	37	34	219	368	415	119	722	1,914
Other	48	20	44	269	1,043	868	6,182	8,474
Total	444	88	454	1,515	5,917	5,184	23,361	36,963

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	2	3
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	0	0	0	8	19	22	49
Cirrhosis	0	0	0	1	0	1	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	0	1	3	3	7
Heart Disease	0	0	0	1	5	7	28	41
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	10	12
Suicide	0	0	0	3	1	0	2	6
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	2	4	6	33	45
Total	0	0	0	7	25	40	113	185

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Anoka County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	0	0	0	3
Alzheimer's Disease	0	0	0	0	0	2	25	27
Atherosclerosis	0	0	0	0	0	1	1	2
Cancer	0	1	1	18	134	115	147	416
Cirrhosis	0	0	0	3	9	5	4	21
Congenital Anomalies	7	0	1	2	1	0	1	12
Chronic Lower Respiratory Disease	0	0	0	1	6	13	42	62
Diabetes	0	0	0	4	11	11	21	47
Heart Disease	1	1	0	16	44	28	136	226
Homicide	1	1	2	2	1	0	0	7
Hypertension	0	0	0	0	4	8	9	21
Nephritis	0	0	0	0	0	6	19	25
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	2	0	0	1	0	2	6	11
Septicemia	0	0	0	1	1	4	6	12
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	1	3	10	8	42	64
Suicide	0	1	9	14	11	0	1	36
Unintentional Injury	0	2	12	17	22	5	31	89
Other	3	3	0	13	60	41	189	309
Total	23	9	26	98	314	249	680	1,399

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	10	11
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	1	11	16	32	61
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	2	0	1	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	4	9	16
Diabetes	0	0	0	0	2	0	11	13
Heart Disease	0	0	0	1	12	8	42	63
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	1	0	1	2	4	8
Septicemia	0	0	0	0	2	1	1	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	1	1	4	1	15	22
Suicide	0	0	0	3	1	0	0	4
Unintentional Injury	1	0	2	4	1	0	7	15
Other	1	0	0	3	10	6	57	77
Total	6	0	6	14	49	40	197	312

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Beltrami County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	28	28
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	26	12	37	75
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	6	11	20
Diabetes	0	0	0	0	1	3	6	10
Heart Disease	0	0	0	1	16	7	42	66
Homicide	0	0	2	0	0	0	0	2
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	2	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	4	0	0	0	0	0	0	4
Stroke	0	0	0	0	1	3	18	22
Suicide	0	0	1	4	2	2	2	11
Unintentional Injury	2	0	5	10	5	1	3	26
Other	0	1	0	1	13	11	46	72
Total	8	1	8	18	71	48	204	358

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	9	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	17	16	43	77
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	6	10	16
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	1	5	9	54	69
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	1	0	0	1	2
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	1	6	7
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	26	29
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	1	3	1	0	4	9
Other	0	0	1	2	5	5	42	55
Total	4	0	3	8	30	44	205	294

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Big Stone County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	3	7	14
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	0	1
Diabetes	0	0	0	0	1	2	0	3
Heart Disease	0	0	0	0	0	1	16	17
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	2	3	0	2	8
Other	0	0	0	0	1	1	6	8
Total	0	0	1	2	9	9	44	65

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	21	21
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	1	0	6	8	28	46	89
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	4	19	26
Diabetes	0	0	0	0	2	4	12	18
Heart Disease	1	0	0	2	8	5	69	85
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	5	26	34
Suicide	0	0	0	5	2	0	0	7
Unintentional Injury	0	0	0	2	5	0	6	13
Other	2	0	0	1	11	6	98	118
Total	5	1	0	16	47	53	312	434

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Brown County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	10	15	33	59
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	14	15
Diabetes	0	0	0	0	1	1	7	9
Heart Disease	0	0	0	1	8	5	59	73
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	7	9
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	18	19
Suicide	0	0	0	3	0	0	0	3
Unintentional Injury	0	0	2	2	1	2	3	10
Other	0	0	0	1	4	3	61	69
Total	0	0	2	8	28	28	218	284

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	5	6
Atherosclerosis	0	0	0	0	1	0	3	4
Cancer	0	0	0	2	27	19	43	91
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	4	10	15
Diabetes	0	0	0	0	5	2	4	11
Heart Disease	0	0	0	2	10	10	68	90
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	2	2	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	6	18	26
Suicide	0	0	0	3	1	0	0	4
Unintentional Injury	0	0	2	5	3	0	4	14
Other	0	0	1	3	8	11	51	74
Total	0	0	3	16	60	56	216	351

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Carver County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	1	4	5
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	3	27	26	38	94
Cirrhosis	0	0	0	0	1	1	3	5
Congenital Anomalies	1	0	0	0	2	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	2	17	21
Diabetes	0	0	0	2	4	3	11	20
Heart Disease	0	0	0	1	11	5	46	63
Homicide	0	0	0	1	1	0	0	2
Hypertension	0	0	0	0	0	4	3	7
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	4	17	24
Suicide	0	0	1	1	3	0	0	5
Unintentional Injury	3	0	3	2	5	2	5	20
Other	1	0	0	9	14	11	45	80
Total	9	0	4	20	72	60	204	369

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	20	28	37	87
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	5	9
Diabetes	0	0	0	0	1	2	4	7
Heart Disease	0	0	0	1	10	9	31	51
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	1	0	0	1	2
Nephritis	0	0	0	0	0	2	3	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	4	7	13
Suicide	0	0	3	1	1	0	0	5
Unintentional Injury	0	0	4	4	4	2	5	19
Other	0	0	0	1	2	7	44	54
Total	3	0	8	12	43	58	143	267

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Chippewa County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	6	16	25
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	7	9
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	3	1	29	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	1	2	0	5	10
Other	0	1	0	2	2	0	30	35
Total	0	1	2	3	11	10	105	132

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	9	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	4	19	23	33	80
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	4	0	0	0	0	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	1	7	9	17
Diabetes	0	0	0	0	3	2	6	11
Heart Disease	0	0	0	2	7	11	44	64
Homicide	1	0	1	1	0	0	0	3
Hypertension	0	0	0	0	2	0	2	4
Nephritis	0	0	0	0	2	1	2	5
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	1	0	1	5	7
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	12	13
Suicide	0	0	0	0	3	1	0	4
Unintentional Injury	0	1	3	5	7	2	8	26
Other	1	0	2	1	9	5	33	51
Total	10	1	6	14	56	55	163	305

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Clay County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	13	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	2	0	0	1	20	19	50	92
Cirrhosis	0	0	0	0	1	2	1	4
Congenital Anomalies	2	1	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	1	12	15
Diabetes	0	0	0	0	0	3	4	7
Heart Disease	0	0	0	1	13	11	78	103
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	4	5
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	7	0	0	0	0	0	0	7
Pneumonia and Influenza	0	0	0	0	2	1	12	15
Septicemia	0	0	0	0	1	0	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	17	20
Suicide	0	0	2	3	0	0	0	5
Unintentional Injury	0	0	3	8	3	0	7	21
Other	1	0	2	4	7	11	64	89
Total	12	1	7	17	51	52	265	405

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	5	7	17
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	1	1	14	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	0	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	1	0	0	3	4
Other	0	0	0	0	4	2	10	16
Total	1	0	1	2	9	13	50	76

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Cook County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	1	3	6
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	2	5	4	11
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	0	0	0	0	0	0
Other	0	0	0	0	2	6	10	18
Total	0	0	0	0	6	14	26	46

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	8	14	32
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	2	1	3	6
Heart Disease	0	0	0	1	1	0	42	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	1	0	2	1	1	3	9
Other	0	0	0	1	1	2	30	34
Total	1	1	0	5	15	14	122	158

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Crow Wing County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	15	15
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	22	39	66	129
Cirrhosis	0	0	0	0	1	2	1	4
Congenital Anomalies	4	0	0	0	0	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	0	5	16	21
Diabetes	0	0	0	0	3	3	7	13
Heart Disease	0	0	0	0	11	10	94	115
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	3	2	7
Nephritis	0	0	0	0	1	1	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	7	8
Septicemia	0	0	0	2	0	2	4	8
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	3	2	28	33
Suicide	0	0	1	5	3	1	0	10
Unintentional Injury	0	0	4	4	9	0	16	33
Other	1	0	0	7	18	16	90	132
Total	6	0	5	20	73	85	352	541

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	2	0	0	4
Alzheimer's Disease	0	0	0	0	0	2	48	50
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	2	1	5	26	154	117	222	527
Cirrhosis	0	0	0	4	9	2	7	22
Congenital Anomalies	9	0	2	3	2	0	0	16
Chronic Lower Respiratory Disease	0	0	0	1	9	20	66	96
Diabetes	0	0	1	3	16	16	34	70
Heart Disease	1	1	0	13	49	46	222	332
Homicide	0	0	1	2	1	0	0	4
Hypertension	0	0	0	0	2	7	25	34
Nephritis	0	0	0	0	5	0	29	34
Perinatal Conditions	8	0	1	0	0	0	0	9
Pneumonia and Influenza	0	0	0	1	1	1	15	18
Septicemia	1	0	0	0	5	1	10	17
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	0	4	18	11	95	128
Suicide	0	0	5	10	12	0	3	30
Unintentional Injury	2	2	5	12	18	7	36	82
Other	3	1	4	10	80	59	274	431
Total	29	5	24	91	384	289	1,087	1,909

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Dodge County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	8	14	27
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	4	3	3	23	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	3	2	2	0	4	11
Other	0	0	0	1	1	4	17	23
Total	0	0	3	9	12	18	80	122

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	12	12
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	15	19	31	67
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	5	12	18
Diabetes	0	0	0	0	1	0	8	9
Heart Disease	0	0	1	2	4	9	71	87
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	11	11
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	2	21	23
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	4	2	1	1	6	14
Other	0	0	1	2	5	7	48	63
Total	2	0	7	8	28	45	229	319

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

ICD-10 Codes on Page C-45

Faribault County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	0	5
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	0	0	0	10	10	19	39
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	13	15
Diabetes	0	0	0	0	1	1	5	7
Heart Disease	0	0	1	0	6	6	44	57
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	8	9
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	0	2	18	21
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	3	0	0	5
Other	0	0	0	0	0	6	23	29
Total	2	0	2	2	24	28	144	202

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	2	8	13	39	63
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	10	11
Diabetes	0	0	0	2	1	1	8	12
Heart Disease	0	0	0	1	1	3	47	52
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	7	7
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	13	13
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	2	0	2	0	13	17
Other	1	0	0	3	1	3	38	46
Total	1	0	3	9	16	22	196	247

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Freeborn County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	10
Atherosclerosis	0	0	0	0	0	2	1	3
Cancer	0	0	0	3	16	23	44	86
Cirrhosis	0	0	0	0	0	0	2	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	6	14	21
Diabetes	0	0	0	0	3	2	8	13
Heart Disease	0	0	0	0	7	9	60	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	1	0	0	0	1	2
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	20	20
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	2	2	1	1	3	9
Other	1	0	0	1	9	5	65	81
Total	3	0	3	6	39	49	241	341

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	22	21	55	99
Cirrhosis	0	0	0	1	0	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	2	8	12
Diabetes	0	0	0	1	2	3	7	13
Heart Disease	0	0	2	2	7	9	61	81
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	6	6
Nephritis	0	0	0	0	1	2	2	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	1	0	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	6	15	23
Suicide	0	0	1	3	3	0	1	8
Unintentional Injury	1	1	2	3	10	4	7	28
Other	0	0	0	2	10	6	58	76
Total	2	1	6	14	59	54	245	381

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Grant County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	1	2	3
Cancer	0	0	0	0	3	7	13	23
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	2	2	4	12	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	3	0	0	0	3
Other	0	0	0	0	1	0	17	18
Total	0	0	1	5	7	12	62	87

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	1	11	11	0	0	23
Alzheimer's Disease	0	0	0	0	1	11	233	245
Atherosclerosis	0	0	0	0	1	1	6	8
Cancer	2	4	5	57	483	398	909	1,858
Cirrhosis	0	0	1	5	33	8	11	58
Congenital Anomalies	20	0	3	1	4	0	2	30
Chronic Lower Respiratory Disease	0	0	1	3	32	61	240	337
Diabetes	0	0	0	8	65	48	105	226
Heart Disease	2	1	6	42	204	123	815	1,193
Homicide	3	0	28	22	5	1	0	59
Hypertension	0	0	1	3	17	25	79	125
Nephritis	0	0	0	4	15	16	114	149
Perinatal Conditions	37	0	0	0	0	0	0	37
Pneumonia and Influenza	2	0	0	0	13	5	93	113
Septicemia	0	0	1	4	14	4	36	59
SIDS	4	0	0	0	0	0	0	4
Stroke	2	0	1	6	49	53	308	419
Suicide	0	1	9	58	33	9	12	122
Unintentional Injury	10	4	23	65	80	18	202	402
Other	15	2	10	67	274	170	1,439	1,977
Total	97	12	90	356	1,334	951	4,604	7,444

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Houston County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	14	10	15	41
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	0	1	1	1	4
Heart Disease	0	0	0	1	5	5	30	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	10	10
Septicemia	0	0	0	1	0	1	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	14	17
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	0	2	1	5	8
Other	0	0	0	1	2	2	35	40
Total	1	1	0	5	27	25	127	186

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	11	30	51
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	2	5	10
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	0	6	8	27	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	9	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	1	2	2	6
Other	0	0	0	2	0	3	23	28
Total	0	0	1	3	23	29	112	168

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Isanti County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	13	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	10	22	42
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	8	5	15
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	0	2	14	5	47	68
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	2	1	6	9
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	2	1	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	0	11	12
Suicide	0	0	1	2	1	0	0	4
Unintentional Injury	0	0	5	4	2	0	5	16
Other	0	0	0	1	3	6	42	52
Total	7	0	6	9	36	33	161	252

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	27	27
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	23	25	69	119
Cirrhosis	0	0	0	1	4	1	0	6
Congenital Anomalies	3	0	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	6	17	25
Diabetes	0	0	0	0	2	1	7	10
Heart Disease	0	0	0	2	21	8	83	114
Homicide	0	0	1	1	0	0	0	2
Hypertension	0	0	0	1	0	0	4	5
Nephritis	0	0	0	0	0	2	7	9
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	12	13
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	2	29	33
Suicide	0	0	0	1	0	1	0	2
Unintentional Injury	0	0	1	5	8	1	11	26
Other	1	0	2	2	7	5	59	76
Total	4	0	4	15	71	52	325	471

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Jackson County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	6	10	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	3	3
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	1	1	29	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	0	0	4	4
Other	1	0	0	0	1	2	14	18
Total	1	0	0	0	9	9	70	89

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	5	14	29
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	7	9
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	3	3	18	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	4	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	2	2	0	1	5
Other	0	0	0	0	5	3	18	26
Total	0	0	0	3	22	15	73	113

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Kandiyohi County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	2	18	18	32	70
Cirrhosis	0	0	0	0	2	2	0	4
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	4	1	14	19
Diabetes	0	0	0	0	3	0	4	7
Heart Disease	0	0	0	0	10	7	54	71
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	2	10	12
Septicemia	0	0	0	0	0	1	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	0	36	39
Suicide	0	0	1	1	3	1	0	6
Unintentional Injury	1	0	4	6	5	2	13	31
Other	0	0	0	1	8	8	53	70
Total	3	0	5	11	57	42	234	352

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	2	7	13
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	1	1	4	18	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	1	0	0	0	0	1	2
Other	0	0	0	0	0	2	15	17
Total	0	1	0	2	5	8	54	70

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Koochiching County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	10	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	12	23	43
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	5	7
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	5	12	17	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	2	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	9	9
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	1	1	3	1	3	9
Other	0	0	0	2	4	4	18	28
Total	0	0	1	4	26	34	92	157

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	1	1	2	20	24
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	2	3	25	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	2	0	3	6
Other	0	0	0	0	1	0	14	15
Total	3	0	1	1	6	7	76	94

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Lake County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	18
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	8	12	24
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	7	11
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	5	2	19	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	9	11
Suicide	0	0	0	0	4	0	0	4
Unintentional Injury	0	0	3	0	2	2	2	9
Other	0	0	1	1	6	2	36	46
Total	2	0	4	1	24	20	109	160

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	2	8	15
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	2	3	11	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	1	1
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	0	0	1	5	6
Total	0	0	0	0	9	6	29	44

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Le Sueur County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	11	13	26	51
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	8	8
Heart Disease	0	0	0	0	5	6	27	38
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	1	2
Nephritis	0	0	0	0	0	2	3	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	10	13
Suicide	0	0	1	2	1	0	1	5
Unintentional Injury	0	0	0	2	1	1	6	10
Other	0	0	0	1	3	5	29	38
Total	2	0	1	6	24	30	122	185

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	0	4	11	16
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	0	2	4	14	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	7	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	4	4
Other	0	0	0	0	1	0	8	9
Total	0	0	0	1	4	11	58	74

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Lyon County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	8	30	47
Cirrhosis	0	0	0	0	0	0	2	2
Congenital Anomalies	2	0	0	0	0	0	1	3
Chronic Lower Respiratory Disease	0	0	0	0	0	1	11	12
Diabetes	0	0	0	0	0	2	4	6
Heart Disease	0	0	1	1	4	6	32	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	1	9	1	1	0	3	15
Other	2	0	0	2	4	4	32	44
Total	5	1	10	4	22	21	140	203

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	20	12	32	65
Cirrhosis	0	0	0	0	0	2	1	3
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	3	9	14
Diabetes	0	0	0	1	2	1	8	12
Heart Disease	0	0	0	0	8	8	54	70
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	0	15	19
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	2	7	5	3	10	27
Other	1	2	0	1	4	5	46	59
Total	1	3	2	11	46	35	203	301

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Mahnomen County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	2	0	4
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	1	2	5
Diabetes	0	0	0	0	0	2	4	6
Heart Disease	0	0	0	0	2	2	12	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	1	0	2	4
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	1	1	1	2	0	0	5
Other	0	0	0	0	1	3	4	8
Total	0	1	3	1	11	8	33	57

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	0	5	4	11	20
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	5	6
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	3	9	14	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	6	7
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	1	0	0	1	2
Other	0	0	0	0	2	2	13	17
Total	0	0	0	1	13	17	59	90

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Martin County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	12
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	8	14	36	59
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	5	8	14
Diabetes	0	0	0	0	2	3	2	7
Heart Disease	0	0	0	1	4	8	63	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	8	9
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	3	2	1	3	10
Other	0	0	0	1	8	3	26	38
Total	1	0	1	7	27	37	165	238

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	15	13	19	49
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	4	1	10	15
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	0	5	5	45	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	24	26
Suicide	0	0	3	2	3	0	0	8
Unintentional Injury	0	0	0	2	0	1	5	8
Other	1	0	0	2	2	2	35	42
Total	1	0	3	8	33	24	157	226

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Mille Lacs County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	16	12	26	54
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	3	7	11
Diabetes	0	0	0	0	0	3	9	12
Heart Disease	0	0	0	0	4	7	39	50
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	1	13	18
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	1	3	5	3	0	7	19
Other	0	0	0	3	6	9	55	73
Total	4	1	4	9	36	37	169	260

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	1	0	0	9	21	34	65
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	9	16	26
Diabetes	0	0	0	1	0	1	9	11
Heart Disease	0	0	0	3	8	4	50	65
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	3	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	1	0	0	0	1	1	2	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	0	0	17	18
Suicide	0	0	2	5	0	0	0	7
Unintentional Injury	1	0	4	3	2	0	4	14
Other	0	1	0	1	5	4	31	42
Total	2	2	7	14	28	42	186	281

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Mower County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	6
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	15	16	50	83
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	1	1	0	3
Chronic Lower Respiratory Disease	0	0	0	0	1	3	13	17
Diabetes	0	0	0	0	1	3	6	10
Heart Disease	0	0	0	2	7	12	64	85
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	7	9
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	8	8
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	1	14	18
Suicide	0	0	0	4	0	0	0	4
Unintentional Injury	0	0	1	1	0	2	15	19
Other	0	0	0	1	8	10	86	105
Total	3	0	1	10	37	52	274	377

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	3	13	22
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	1	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	2	1	21	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	2	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	3	0	1	0	0	4
Other	0	0	0	0	2	2	23	27
Total	1	0	4	0	12	8	67	92

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Nicollet County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	12	15	25	54
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	6	4	10
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	1	10	2	29	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	2	3	0	0	5
Unintentional Injury	0	0	3	2	3	0	3	11
Other	0	0	0	3	3	3	39	48
Total	2	0	3	10	33	28	130	206

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	5	13	21	40
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	7	11
Diabetes	0	0	0	0	0	2	2	4
Heart Disease	0	0	1	0	1	6	40	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	1	6	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	10	11
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	2	0	2	3	1	4	12
Other	0	0	0	0	3	5	33	41
Total	2	2	2	3	13	32	132	186

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Norman County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	3	16	28
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	2	1	3
Heart Disease	0	0	0	1	1	3	16	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	5	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	0	1	0	2	5
Other	0	0	0	0	4	4	20	28
Total	0	0	2	1	17	14	75	109

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	1	0	0	3
Alzheimer's Disease	0	0	0	0	0	1	19	20
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	9	52	47	88	197
Cirrhosis	0	0	0	0	4	2	2	8
Congenital Anomalies	2	0	0	0	0	1	0	3
Chronic Lower Respiratory Disease	0	0	0	0	3	10	30	43
Diabetes	0	1	0	0	2	2	7	12
Heart Disease	0	0	0	2	29	18	129	178
Homicide	0	0	0	1	1	0	0	2
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	0	0	1	9	10
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	2	3	38	44
Suicide	0	1	2	3	5	2	0	13
Unintentional Injury	0	2	6	14	12	1	19	54
Other	2	0	3	9	26	16	172	228
Total	12	4	11	40	138	104	525	834

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Otter Tail County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	2	32	34
Atherosclerosis	0	0	0	0	0	0	5	5
Cancer	0	0	0	2	33	42	58	135
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	5	23	31
Diabetes	0	0	0	0	0	3	12	15
Heart Disease	0	0	0	1	17	19	119	156
Homicide	1	0	0	0	1	0	0	2
Hypertension	0	0	0	0	0	0	6	6
Nephritis	0	0	0	0	0	1	9	10
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	14	15
Septicemia	0	0	0	0	1	1	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	32	37
Suicide	0	0	2	1	4	1	3	11
Unintentional Injury	0	2	2	1	5	2	9	21
Other	0	0	1	1	16	13	77	108
Total	1	2	5	8	85	93	401	595

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	5	20	31
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	2	2	4
Heart Disease	0	0	0	0	2	5	24	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	7	10
Suicide	0	0	0	2	2	0	0	4
Unintentional Injury	0	0	2	0	0	0	1	3
Other	0	0	0	1	2	2	29	34
Total	0	0	2	3	15	16	96	132

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Pine County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	8	23	24	34	90
Cirrhosis	0	0	0	1	1	1	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	8	7	16
Diabetes	0	0	0	1	0	1	8	10
Heart Disease	0	0	0	2	12	9	33	56
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	2	10	15
Suicide	0	0	1	0	3	0	2	6
Unintentional Injury	0	0	2	3	6	1	2	14
Other	0	1	0	1	2	7	31	42
Total	1	1	4	16	52	54	136	264

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	8	14	32
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	1	2	1	10	14
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	9	9
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	1	1	2	1	6	11
Other	1	0	0	1	3	3	34	42
Total	1	0	1	4	16	16	98	136

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

ICD-10 Codes on Page C-45

Polk County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	24	24
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	11	17	33	61
Cirrhosis	0	0	0	1	0	0	1	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	4	8	15
Diabetes	0	0	0	0	4	3	9	16
Heart Disease	0	0	0	0	7	4	68	79
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	7	9
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	0	2	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	2	19	22
Suicide	0	1	0	2	0	0	3	6
Unintentional Injury	0	0	3	6	4	1	6	20
Other	0	0	1	3	7	8	54	73
Total	4	1	4	12	38	41	245	345

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	12	13
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	2	0	11	11	16	40
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	6	8
Diabetes	0	0	0	0	1	2	3	6
Heart Disease	0	0	0	0	4	6	23	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	2	0	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	0	1	4	7
Other	0	0	0	0	4	1	18	23
Total	0	0	3	1	25	23	98	150

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Ramsey County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	3	3	2	0	8
Alzheimer's Disease	0	0	0	0	1	4	136	141
Atherosclerosis	0	0	0	0	3	1	5	9
Cancer	0	2	0	39	234	172	466	913
Cirrhosis	0	0	0	3	22	6	9	40
Congenital Anomalies	12	2	0	0	5	1	1	21
Chronic Lower Respiratory Disease	0	1	0	0	23	26	117	167
Diabetes	0	0	0	2	17	20	49	88
Heart Disease	0	0	1	22	119	68	439	649
Homicide	1	0	4	6	5	0	0	16
Hypertension	0	0	0	1	2	4	32	39
Nephritis	0	0	0	0	14	10	66	90
Perinatal Conditions	25	0	0	0	1	0	0	26
Pneumonia and Influenza	0	0	0	2	4	8	56	70
Septicemia	0	0	0	2	6	4	25	37
SIDS	13	0	0	0	0	0	0	13
Stroke	1	0	1	5	24	35	165	231
Suicide	0	1	5	17	24	1	0	48
Unintentional Injury	5	2	17	30	40	7	50	151
Other	6	3	2	39	106	92	731	979
Total	63	11	30	171	653	461	2,347	3,736

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	0	6	8
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	1	1	3
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	3	2	7	12
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	6	7
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	1	0	2	1	0	1	5
Other	0	0	0	0	1	2	10	13
Total	0	1	0	5	7	5	37	55

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Redwood County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	7	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	7	26	42
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	8	11
Diabetes	0	0	0	0	2	4	7	13
Heart Disease	0	0	0	1	6	5	39	51
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	17	18
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	3	0	0	0	4
Other	0	0	0	1	4	3	29	37
Total	0	0	1	7	24	23	143	198

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	9	27	41
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	4	6
Diabetes	0	0	0	0	0	3	11	14
Heart Disease	0	0	0	1	1	6	32	40
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	9	12
Suicide	0	0	1	3	1	0	0	5
Unintentional Injury	0	0	0	0	2	2	3	7
Other	0	0	0	0	3	4	51	58
Total	0	1	1	5	15	27	151	200

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Rice County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	14	15
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	1	0	0	3	24	34	41	103
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	1	0	1	1	15	18
Diabetes	0	0	0	1	0	3	11	15
Heart Disease	0	0	0	0	7	11	70	88
Homicide	0	0	0	0	0	0	1	1
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	2	1	5	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	4	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	17	19
Suicide	0	0	1	1	2	1	0	5
Unintentional Injury	0	1	2	7	5	2	5	22
Other	0	0	1	4	7	8	77	97
Total	3	1	5	16	50	66	268	409

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	5	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	1	18	24
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	8	10
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	1	4	21	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	6	7
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	1	2	0	0	2	5
Other	0	0	0	0	4	2	15	21
Total	0	0	2	3	13	9	86	113

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Roseau County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	8	4	14	29
Cirrhosis	0	0	0	0	1	2	0	3
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	0	5	6
Diabetes	0	0	0	0	2	0	4	6
Heart Disease	0	0	0	2	5	1	26	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	0	0	1	0	1	2
Unintentional Injury	0	0	0	0	2	0	2	4
Other	0	0	0	1	2	6	20	29
Total	1	0	0	7	23	14	87	132

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	2	2	89	93
Atherosclerosis	0	0	0	0	1	0	4	5
Cancer	0	0	0	7	113	110	271	501
Cirrhosis	0	0	0	6	19	4	3	32
Congenital Anomalies	7	0	1	0	1	0	1	10
Chronic Lower Respiratory Disease	0	0	0	0	8	15	74	97
Diabetes	0	0	0	3	11	15	46	75
Heart Disease	1	0	0	8	50	62	389	510
Homicide	0	0	0	2	1	0	0	3
Hypertension	0	0	0	0	1	1	21	23
Nephritis	0	0	0	0	2	6	38	46
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	0	0	2	32	34
Septicemia	0	0	0	1	3	2	8	14
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	1	1	15	12	80	109
Suicide	0	0	7	9	10	2	2	30
Unintentional Injury	2	4	8	21	28	8	32	103
Other	0	1	1	19	58	55	283	417
Total	17	5	18	78	323	296	1,373	2,110

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Scott County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	14	15
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	3	0	0	13	51	43	38	148
Cirrhosis	0	0	0	0	2	0	2	4
Congenital Anomalies	3	0	1	0	1	0	0	5
Chronic Lower Respiratory Disease	0	0	0	0	0	6	14	20
Diabetes	0	0	1	1	2	2	14	20
Heart Disease	1	0	0	4	17	10	50	82
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	3	5
Nephritis	0	0	0	0	2	2	7	11
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	2	1	1	21	25
Suicide	0	0	3	4	3	1	1	12
Unintentional Injury	2	0	5	8	10	1	6	32
Other	0	0	0	6	19	9	59	93
Total	13	0	10	38	111	77	235	484

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	6	27	24	32	89
Cirrhosis	0	0	0	0	2	1	1	4
Congenital Anomalies	3	0	0	0	1	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	1	3	15	19
Diabetes	0	0	0	0	1	0	6	7
Heart Disease	0	0	0	0	14	11	56	81
Homicide	0	0	0	1	0	0	1	2
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	1	1	0	2
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	2	0	18	21
Suicide	0	0	2	5	2	0	0	9
Unintentional Injury	1	0	6	6	7	1	4	25
Other	1	2	2	7	10	12	66	100
Total	8	2	10	26	68	56	228	398

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Sibley County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	0	8	7	16	31
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	1	0	0	1	1	3	6
Heart Disease	0	0	0	1	3	3	30	37
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	9	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	0	2	0	0	2	5
Other	0	0	0	0	5	1	22	28
Total	0	2	0	3	19	15	101	140

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	2	0	0	2
Alzheimer's Disease	0	0	0	0	0	0	26	26
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	7	44	59	101	211
Cirrhosis	0	0	0	1	2	1	2	6
Congenital Anomalies	3	1	0	0	0	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	2	6	28	36
Diabetes	0	0	0	2	3	5	15	25
Heart Disease	0	1	1	6	19	27	123	177
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	2	0	2	4
Nephritis	0	0	0	0	1	0	13	14
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	1	1	1	10	13
Septicemia	0	0	0	0	1	0	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	4	25	32
Suicide	0	0	2	6	3	2	1	14
Unintentional Injury	1	1	8	10	14	2	12	48
Other	1	1	0	5	14	19	100	140
Total	11	4	12	38	111	126	462	764

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Steele County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	17	12	32	62
Cirrhosis	0	0	0	0	1	0	2	3
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	8	7	51	67
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	5	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	16	20
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	6	3	1	1	4	15
Other	0	0	0	0	4	9	29	42
Total	0	0	6	5	35	34	160	240

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	4	15	22
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	1	0	10	12
Homicide	2	0	0	0	0	0	0	2
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	0	2	0	4	7
Other	0	0	0	0	2	1	18	21
Total	2	0	1	3	10	7	68	91

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Swift County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	3	6	12	23
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	1	2	7	10
Heart Disease	0	0	0	1	2	1	29	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	1	0	0	0	0	1
Other	0	0	1	0	2	2	18	23
Total	0	0	3	3	10	11	82	109

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	1	18	15	24	59
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	3	8	14
Diabetes	0	0	0	0	1	3	6	10
Heart Disease	0	0	0	1	3	7	34	45
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	2	1	3
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	6	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	0	0	1	2	0	3
Unintentional Injury	0	1	2	4	3	2	3	15
Other	0	0	1	1	5	7	32	46
Total	1	1	3	7	38	44	132	226

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Traverse County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	1	1	8
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	1	2	13	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	2	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	1	0	1
Other	0	0	0	0	1	0	6	7
Total	0	0	0	0	4	7	43	54

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	10	24	18	53
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	4	8
Diabetes	0	0	0	0	2	0	5	7
Heart Disease	0	0	1	1	3	8	33	46
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	2	4
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	13	14
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	0	0	4	1	3	8
Other	0	0	1	0	5	4	21	31
Total	1	0	3	2	28	42	110	186

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Wadena County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	8	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	4	7	22	35
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	1	0	0	4	5
Heart Disease	0	0	0	0	9	4	38	51
Homicide	0	0	0	0	2	0	0	2
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	1	3	13	18
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	1	1	0	3	5
Other	0	0	0	0	8	4	32	44
Total	4	1	1	5	27	21	140	199

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	8	6	13	27
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	4	2	8
Diabetes	0	0	0	0	0	1	7	8
Heart Disease	0	0	0	1	5	2	26	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	2	2	1	3	9
Other	0	0	0	0	9	2	31	42
Total	1	0	2	4	26	17	106	156

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Washington County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	3	33	37
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	0	1	7	79	86	108	281
Cirrhosis	0	0	0	0	4	5	1	10
Congenital Anomalies	2	1	0	0	3	0	0	6
Chronic Lower Respiratory Disease	0	0	0	0	13	11	36	60
Diabetes	0	0	0	2	5	8	23	38
Heart Disease	0	0	1	5	35	37	123	201
Homicide	0	0	0	2	0	0	0	2
Hypertension	0	0	0	0	1	2	15	18
Nephritis	1	0	0	0	2	0	15	18
Perinatal Conditions	10	0	0	0	0	0	0	10
Pneumonia and Influenza	0	0	0	0	3	1	9	13
Septicemia	0	0	0	1	3	1	5	10
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	8	11	38	57
Suicide	0	0	3	8	3	3	1	18
Unintentional Injury	1	2	4	13	13	7	14	54
Other	0	0	2	5	36	41	145	229
Total	14	3	11	43	210	216	566	1,063

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	11	19	36
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	1	7	8
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	1	3	6	19	29
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	1	2
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	4	5
Other	0	0	0	0	2	3	24	29
Total	2	0	0	1	15	21	94	133

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2006

Wilkin County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	1	2	14	18
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	0	2
Heart Disease	0	0	0	0	2	0	16	18
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	4	6
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	0	3	0	3
Other	0	0	0	0	0	0	12	12
Total	0	0	0	1	5	9	51	66

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	17
Atherosclerosis	0	0	0	0	0	2	0	2
Cancer	0	0	0	3	28	16	43	90
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	3	0	0	1	0	0	1	5
Chronic Lower Respiratory Disease	0	0	0	0	0	4	17	21
Diabetes	0	0	0	0	3	1	1	5
Heart Disease	0	0	0	0	14	17	84	115
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	1	2	3
Nephritis	1	0	0	0	0	0	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	9	15
Suicide	0	0	2	0	6	0	1	9
Unintentional Injury	2	0	4	5	2	5	7	25
Other	0	0	0	0	6	10	93	109
Total	7	0	7	10	61	60	284	429

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

Wright County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	2	0	0	2
Alzheimer's Disease	0	0	0	0	1	1	23	25
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	0	5	35	35	74	149
Cirrhosis	0	0	0	1	3	2	0	6
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	2	9	21	32
Diabetes	0	0	0	0	5	5	7	17
Heart Disease	0	0	0	1	21	14	82	118
Homicide	0	1	1	1	1	0	0	4
Hypertension	0	0	0	0	2	1	4	7
Nephritis	0	0	0	0	0	3	17	20
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	1	0	0	0	1	0	11	13
Septicemia	0	0	0	0	1	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	25	31
Suicide	0	0	2	4	3	0	0	9
Unintentional Injury	1	0	2	13	6	2	7	31
Other	1	1	2	2	17	11	93	127
Total	8	2	7	28	102	88	367	602

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - Leading Causes of Death by Age Group, 2006

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	0	10	6	24	41
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	0	1	24	25
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	0	2	0	0	2	2	6
Other	0	0	2	1	3	2	20	28
Total	0	1	5	2	15	13	101	137

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2006**

ICD-10 Codes on Page C-45

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 1: Minnesota YPLL to Age 65 and 75
by State and County, 2006**

State of Minnesota - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	1,010.0	1,551.5
Alzheimer's Disease	115.0	532.0
Atherosclerosis	50.0	199.0
Cancer	28,572.5	67,099.5
Cirrhosis	2,565.0	4,974.5
Congenital Anomalies	8,680.0	10,555.0
Chronic Lower Respiratory Disease	1,515.0	5,310.5
Diabetes	2,955.0	6,792.5
Heart Disease	15,287.5	32,855.5
Homicide	4,360.0	5,657.0
Hypertension	455.0	1,344.5
Nephritis	825.0	1,929.5
Perinatal Conditions	10,247.5	11,980.0
Pneumonia and Influenza	847.5	1,614.5
Septicemia	880.0	1,781.5
SIDS	2,437.5	2,847.0
Stroke	3,120.0	6,947.0
Suicide	12,225.0	17,430.5
Unintentional Injury	29,532.5	41,453.5
Other	23,010.0	42,736.0
Total	148,690.0	265,591.0

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	5.0	15.5
Cancer	50.0	238.5
Cirrhosis	25.0	41.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	42.0
Heart Disease	70.0	171.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	110.0	152.0
Unintentional Injury	15.0	25.5
Other	70.0	166.0
Total	400.0	956.0

Source: Minnesota Department of Health, Center for Health Statistics

Anoka County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	85.0	116.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	5.5
Cancer	1,710.0	3,959.5
Cirrhosis	150.0	303.5
Congenital Anomalies	547.5	663.0
Chronic Lower Respiratory Disease	65.0	210.0
Diabetes	225.0	443.0
Heart Disease	917.5	1,722.5
Homicide	282.5	356.0
Hypertension	40.0	126.0
Nephritis	0.0	33.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	150.0	192.5
Septicemia	30.0	73.0
SIDS	187.5	219.0
Stroke	230.0	421.0
Suicide	995.0	1,362.5
Unintentional Injury	1,405.0	1,989.0
Other	1,217.5	2,272.5
Total	8,612.5	14,917.0

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	185.0	409.5
Cirrhosis	30.0	56.5
Congenital Anomalies	170.0	201.5
Chronic Lower Respiratory Disease	25.0	78.5
Diabetes	20.0	41.0
Heart Disease	135.0	315.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	50.0	82.0
Septicemia	10.0	36.5
SIDS	62.5	73.0
Stroke	110.0	178.5
Suicide	100.0	142.0
Unintentional Injury	287.5	371.5
Other	247.5	427.5
Total	1,510.0	2,517.5

Source: Minnesota Department of Health, Center for Health Statistics

Beltrami County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	210.0	549.0
Cirrhosis	35.0	66.5
Congenital Anomalies	160.0	191.5
Chronic Lower Respiratory Disease	15.0	79.5
Diabetes	5.0	32.0
Heart Disease	195.0	412.0
Homicide	90.0	111.0
Hypertension	0.0	5.5
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	250.0	292.0
Stroke	15.0	42.0
Suicide	185.0	269.5
Unintentional Injury	695.0	931.5
Other	195.0	413.0
Total	2,080.0	3,457.0

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	170.0	447.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	33.0
Diabetes	0.0	5.5
Heart Disease	70.0	182.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	25.0	35.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	60.0	81.0
Unintentional Injury	135.0	187.5
Other	140.0	251.5
Total	855.0	1,569.5

Source: Minnesota Department of Health, Center for Health Statistics

Big Stone County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	88.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	26.5
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	130.0	193.0
Other	5.0	21.0
Total	170.0	345.5

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	5.0	15.5
Cancer	295.0	606.5
Cirrhosis	20.0	46.5
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	25.0	78.5
Diabetes	10.0	53.0
Heart Disease	192.5	335.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	74.0
Suicide	185.0	258.5
Unintentional Injury	115.0	188.5
Other	245.0	425.0
Total	1,242.5	2,258.5

Source: Minnesota Department of Health, Center for Health Statistics

Brown County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	135.0	333.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	21.0
Heart Disease	115.0	237.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	95.0	126.5
Unintentional Injury	155.0	218.5
Other	65.0	134.0
Total	600.0	1,153.0

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	5.0	15.5
Cancer	245.0	654.0
Cirrhosis	10.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	57.5
Diabetes	45.0	108.5
Heart Disease	120.0	301.0
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	74.0
Suicide	100.0	142.0
Unintentional Injury	260.0	365.0
Other	210.0	396.5
Total	1,055.0	2,192.5

Source: Minnesota Department of Health, Center for Health Statistics

Carver County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	290.0	748.0
Cirrhosis	15.0	31.0
Congenital Anomalies	72.5	104.0
Chronic Lower Respiratory Disease	20.0	52.0
Diabetes	100.0	179.5
Heart Disease	160.0	313.5
Homicide	40.0	61.0
Hypertension	0.0	22.0
Nephritis	0.0	0.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	45.0	98.5
Suicide	125.0	177.5
Unintentional Injury	447.5	595.0
Other	457.5	770.0
Total	2,022.5	3,455.0

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	180.0	565.0
Cirrhosis	55.0	86.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	42.0
Diabetes	5.0	26.5
Heart Disease	85.0	250.0
Homicide	45.0	55.5
Hypertension	25.0	35.5
Nephritis	0.0	11.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	30.0	73.0
Suicide	185.0	237.5
Unintentional Injury	340.0	477.0
Other	45.0	115.0
Total	1,202.5	2,214.5

Source: Minnesota Department of Health, Center for Health Statistics

Chippewa County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	89.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	5.5
Heart Disease	25.0	62.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	135.0	187.5
Other	125.0	177.5
Total	315.0	548.5

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	347.5	726.0
Cirrhosis	5.0	15.5
Congenital Anomalies	250.0	292.0
Chronic Lower Respiratory Disease	5.0	54.0
Diabetes	25.0	67.5
Heart Disease	125.0	280.0
Homicide	142.5	174.0
Hypertension	10.0	31.0
Nephritis	20.0	46.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	25.0	41.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	35.0	72.0
Unintentional Injury	450.0	629.0
Other	292.5	456.5
Total	1,930.0	3,146.0

Source: Minnesota Department of Health, Center for Health Statistics

Clay County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	340.0	686.0
Cirrhosis	15.0	36.5
Congenital Anomalies	180.0	211.5
Chronic Lower Respiratory Disease	20.0	46.5
Diabetes	0.0	16.5
Heart Disease	160.0	367.5
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	0.0	5.5
Perinatal Conditions	437.5	511.0
Pneumonia and Influenza	10.0	36.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	185.0	237.5
Unintentional Injury	420.0	567.0
Other	357.5	565.0
Total	2,170.0	3,380.0

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	135.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	5.0	21.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	45.0	55.5
Unintentional Injury	25.0	35.5
Other	20.0	73.0
Total	212.5	420.5

Source: Minnesota Department of Health, Center for Health Statistics

Cook County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	46.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	20.0	68.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	5.5
Unintentional Injury	0.0	0.0
Other	10.0	64.0
Total	50.0	190.0

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	249.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	20.0	46.5
Heart Disease	40.0	61.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	0.0	0.0
Unintentional Injury	182.5	240.5
Other	50.0	82.0
Total	407.5	715.5

Source: Minnesota Department of Health, Center for Health Statistics

Crow Wing County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	260.0	726.5
Cirrhosis	5.0	26.5
Congenital Anomalies	250.0	292.0
Chronic Lower Respiratory Disease	0.0	27.5
Diabetes	15.0	63.0
Heart Disease	95.0	265.5
Homicide	0.0	0.0
Hypertension	20.0	57.5
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	50.0	82.0
SIDS	62.5	73.0
Stroke	35.0	77.5
Suicide	225.0	325.0
Unintentional Injury	415.0	593.5
Other	417.5	778.5
Total	1,855.0	3,414.5

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	80.0	122.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	5.0	15.5
Cancer	2,425.0	5,042.5
Cirrhosis	175.0	322.5
Congenital Anomalies	767.5	935.5
Chronic Lower Respiratory Disease	100.0	315.0
Diabetes	230.0	528.0
Heart Disease	857.5	1,782.5
Homicide	100.0	142.0
Hypertension	10.0	69.5
Nephritis	45.0	97.5
Perinatal Conditions	545.0	639.5
Pneumonia and Influenza	30.0	56.5
Septicemia	87.5	156.0
SIDS	187.5	219.0
Stroke	260.0	551.5
Suicide	625.0	908.5
Unintentional Injury	1,050.0	1,498.0
Other	1,452.5	2,806.0
Total	9,032.5	16,218.5

Source: Minnesota Department of Health, Center for Health Statistics

Dodge County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	151.5
Cirrhosis	5.0	21.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	125.0	215.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	215.0	288.5
Other	40.0	83.0
Total	480.0	831.0

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	195.0	478.0
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	43.0
Diabetes	15.0	25.5
Heart Disease	135.0	258.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	0.0	11.0
Suicide	25.0	35.5
Unintentional Injury	255.0	334.0
Other	140.0	262.5
Total	910.0	1,630.0

Source: Minnesota Department of Health, Center for Health Statistics

Faribault County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	90.0	250.0
Cirrhosis	30.0	51.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	31.0
Heart Disease	95.0	201.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	25.0	46.5
Suicide	0.0	0.0
Unintentional Injury	115.0	167.5
Other	0.0	33.0
Total	505.0	974.0

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	165.0	352.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	65.0	102.0
Heart Disease	40.0	77.5
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	30.0	51.0
Unintentional Injury	110.0	152.0
Other	142.5	211.5
Total	582.5	1,008.0

Source: Minnesota Department of Health, Center for Health Statistics

Freeborn County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	11.0
Cancer	205.0	531.0
Cirrhosis	0.0	0.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	5.0	48.5
Diabetes	35.0	77.5
Heart Disease	55.0	178.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	45.0	55.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	175.0	233.0
Other	192.5	335.5
Total	857.5	1,662.5

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	235.0	592.0
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	45.0	93.0
Heart Disease	195.0	360.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	15.0	36.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	41.0
SIDS	0.0	0.0
Stroke	20.0	74.0
Suicide	165.0	238.5
Unintentional Injury	442.5	643.0
Other	180.0	339.0
Total	1,465.0	2,623.0

Source: Minnesota Department of Health, Center for Health Statistics

Grant County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	15.0	85.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	70.0	134.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	45.0	55.5
Unintentional Injury	105.0	136.5
Other	15.0	25.5
Total	255.0	457.5

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	485.0	726.5
Alzheimer's Disease	5.0	76.0
Atherosclerosis	5.0	21.0
Cancer	6,380.0	14,354.5
Cirrhosis	505.0	958.5
Congenital Anomalies	1,460.0	1,754.0
Chronic Lower Respiratory Disease	330.0	1,043.5
Diabetes	795.0	1,825.5
Heart Disease	3,480.0	6,834.0
Homicide	2,202.5	2,817.0
Hypertension	215.0	573.0
Nephritis	255.0	542.5
Perinatal Conditions	2,312.5	2,701.0
Pneumonia and Influenza	270.0	455.0
Septicemia	265.0	486.5
SIDS	250.0	292.0
Stroke	745.0	1,645.5
Suicide	2,545.0	3,655.0
Unintentional Injury	4,675.0	6,685.0
Other	5,842.5	10,641.5
Total	33,022.5	58,087.5

Source: Minnesota Department of Health, Center for Health Statistics

Houston County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	210.0	433.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	15.0	31.0
Heart Disease	60.0	150.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	41.0
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	30.0	51.0
Unintentional Injury	20.0	46.5
Other	55.0	97.5
Total	497.5	992.0

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	245.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	45.0	87.5
Diabetes	15.0	31.0
Heart Disease	60.0	167.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	0.0	0.0
Unintentional Injury	50.0	82.0
Other	60.0	97.5
Total	325.0	768.0

Source: Minnesota Department of Health, Center for Health Statistics

Isanti County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	90.0	250.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	30.0	95.0
Diabetes	5.0	15.5
Heart Disease	190.0	385.5
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	20.0	46.5
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	11.0
SIDS	62.5	73.0
Stroke	5.0	15.5
Suicide	100.0	142.0
Unintentional Injury	355.0	470.5
Other	70.0	145.0
Total	1,302.5	2,093.0

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	205.0	605.0
Cirrhosis	55.0	113.0
Congenital Anomalies	187.5	219.0
Chronic Lower Respiratory Disease	20.0	74.0
Diabetes	20.0	46.5
Heart Disease	245.0	530.5
Homicide	70.0	91.0
Hypertension	25.0	35.5
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	20.0	52.0
Suicide	25.0	41.0
Unintentional Injury	300.0	452.5
Other	277.5	431.0
Total	1,470.0	2,743.0

Source: Minnesota Department of Health, Center for Health Statistics

Jackson County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	110.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	5.0	21.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	5.0	15.5
Unintentional Injury	0.0	0.0
Other	67.5	99.5
Total	107.5	262.0

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	242.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	15.0	25.5
Heart Disease	45.0	93.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	70.0	112.0
Other	35.0	104.0
Total	285.0	630.0

Source: Minnesota Department of Health, Center for Health Statistics

Kandiyohi County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	190.0	499.0
Cirrhosis	10.0	42.0
Congenital Anomalies	77.5	98.5
Chronic Lower Respiratory Disease	20.0	67.5
Diabetes	15.0	46.5
Heart Disease	70.0	213.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	35.0	66.5
Suicide	115.0	173.0
Unintentional Injury	427.5	606.5
Other	85.0	223.5
Total	1,112.5	2,141.5

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	83.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	40.0	83.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	35.0	45.5
Unintentional Injury	55.0	65.5
Other	0.0	11.0
Total	160.0	288.0

Source: Minnesota Department of Health, Center for Health Statistics

Koochiching County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	90.0	240.0
Cirrhosis	45.0	76.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	5.0	15.5
Heart Disease	55.0	173.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	5.5
Unintentional Injury	95.0	153.0
Other	70.0	155.0
Total	385.0	897.5

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	72.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	30.0	67.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	65.0	96.5
Other	5.0	15.5
Total	327.5	481.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	98.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	10.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	5.0	15.5
Other	0.0	5.5
Total	65.0	192.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	30.0	116.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	5.5
Heart Disease	25.0	88.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	50.0	92.0
Unintentional Injury	165.0	228.5
Other	120.0	215.0
Total	540.0	975.5

Source: Minnesota Department of Health, Center for Health Statistics

Le Sueur County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	130.0	327.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	55.0	140.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	11.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	120.0	162.0
Unintentional Injury	75.0	112.0
Other	50.0	119.5
Total	580.0	1,091.5

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	57.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	15.0	31.0
Heart Disease	20.0	63.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	5.0	15.5
Total	65.0	178.0

Source: Minnesota Department of Health, Center for Health Statistics

Lyon County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	223.5
Cirrhosis	0.0	0.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	11.0
Heart Disease	100.0	196.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	30.0	51.0
Unintentional Injury	490.0	616.0
Other	225.0	331.0
Total	1,137.5	1,694.0

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomen County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	41.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	11.0
Heart Disease	20.0	52.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	60.0	81.0
Suicide	45.0	55.5
Unintentional Injury	145.0	197.5
Other	5.0	32.0
Total	320.0	532.0

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	109.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	35.0	116.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	15.0	25.5
Unintentional Injury	25.0	35.5
Other	10.0	42.0
Total	130.0	370.5

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	115.0	286.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	43.0
Diabetes	20.0	57.5
Heart Disease	55.0	151.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	50.0	71.0
Unintentional Injury	160.0	228.5
Other	115.0	226.0
Total	587.5	1,169.0

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	195.0	481.5
Cirrhosis	0.0	11.0
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	10.0	47.5
Diabetes	45.0	82.0
Heart Disease	60.0	188.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	50.0	92.0
Suicide	5.0	15.5
Unintentional Injury	290.0	453.5
Other	227.5	339.0
Total	952.5	1,806.5

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	155.0	405.0
Cirrhosis	5.0	15.5
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	20.0	67.5
Diabetes	0.0	0.0
Heart Disease	55.0	135.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	220.0	304.0
Unintentional Injury	70.0	96.5
Other	152.5	216.0
Total	702.5	1,307.0

Source: Minnesota Department of Health, Center for Health Statistics

Mille Lacs County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	344.0
Cirrhosis	20.0	46.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	16.5
Heart Disease	40.0	120.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	50.0	97.5
Suicide	60.0	81.0
Unintentional Injury	360.0	486.0
Other	135.0	279.0
Total	1,030.0	1,800.5

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	130.0	350.5
Cirrhosis	25.0	35.5
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	15.0	75.0
Diabetes	25.0	41.0
Heart Disease	135.0	272.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	31.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	67.5	94.0
SIDS	0.0	0.0
Stroke	45.0	55.5
Suicide	235.0	308.5
Unintentional Injury	357.5	462.5
Other	145.0	240.5
Total	1,210.0	1,997.5

Source: Minnesota Department of Health, Center for Health Statistics

Mower County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	225.0	491.5
Cirrhosis	0.0	0.0
Congenital Anomalies	67.5	94.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	5.0	32.0
Heart Disease	95.0	255.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	15.0	25.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	35.0	72.0
Suicide	110.0	152.0
Unintentional Injury	80.0	112.0
Other	75.0	224.5
Total	837.5	1,659.0

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	119.5
Cirrhosis	5.0	15.5
Congenital Anomalies	107.5	128.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	10.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	140.0	182.0
Other	10.0	42.0
Total	312.5	535.0

Source: Minnesota Department of Health, Center for Health Statistics

Nicollet County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	130.0	359.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	33.0
Diabetes	15.0	31.0
Heart Disease	95.0	221.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	15.5
Suicide	75.0	127.5
Unintentional Injury	230.0	314.0
Other	110.0	189.5
Total	785.0	1,443.0

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	204.5
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	11.0
Heart Disease	50.0	104.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	185.0	264.0
Other	15.0	74.0
Total	475.0	882.0

Source: Minnesota Department of Health, Center for Health Statistics

Norman County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	166.0
Cirrhosis	0.0	0.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	11.0
Heart Disease	30.0	67.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	0.0	0.0
Unintentional Injury	95.0	126.5
Other	40.0	104.0
Total	240.0	527.0

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	65.0	96.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	787.5	1,697.0
Cirrhosis	30.0	83.0
Congenital Anomalies	125.0	151.5
Chronic Lower Respiratory Disease	35.0	121.5
Diabetes	75.0	117.5
Heart Disease	335.0	759.5
Homicide	50.0	71.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	82.5	130.5
Suicide	305.0	431.5
Unintentional Injury	970.0	1,332.5
Other	765.0	1,273.0
Total	4,005.0	6,729.5

Source: Minnesota Department of Health, Center for Health Statistics

Otter Tail County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	355.0	953.5
Cirrhosis	55.0	86.5
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	15.0	74.0
Diabetes	0.0	16.5
Heart Disease	190.0	483.5
Homicide	77.5	98.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	20.0	57.5
Suicide	185.0	264.0
Unintentional Injury	290.0	406.0
Other	200.0	460.5
Total	1,432.5	3,004.5

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	30.0	120.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	11.0
Heart Disease	20.0	68.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	70.0	112.0
Unintentional Injury	90.0	111.0
Other	35.0	77.5
Total	270.0	568.0

Source: Minnesota Department of Health, Center for Health Statistics

Pine County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	430.0	898.0
Cirrhosis	40.0	66.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	59.5
Diabetes	35.0	51.0
Heart Disease	160.0	356.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	77.5
Suicide	90.0	132.0
Unintentional Injury	235.0	356.0
Other	120.0	200.5
Total	1,227.5	2,301.5

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	249.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	45.0	82.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	100.0	147.5
Other	132.5	201.5
Total	377.5	696.5

Source: Minnesota Department of Health, Center for Health Statistics

Polk County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	314.0
Cirrhosis	25.0	35.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	25.0	78.5
Diabetes	20.0	78.5
Heart Disease	65.0	160.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	26.5
Suicide	115.0	146.5
Unintentional Injury	345.0	487.0
Other	205.0	364.5
Total	1,165.0	2,010.0

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	175.0	372.0
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	5.0	26.5
Heart Disease	30.0	105.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	10.0	31.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	70.0	96.5
Other	30.0	77.5
Total	335.0	766.0

Source: Minnesota Department of Health, Center for Health Statistics

Ramsey County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	120.0	194.0
Alzheimer's Disease	5.0	37.5
Atherosclerosis	15.0	52.0
Cancer	3,075.0	6,908.5
Cirrhosis	355.0	650.5
Congenital Anomalies	915.0	1,120.0
Chronic Lower Respiratory Disease	230.0	625.0
Diabetes	205.0	514.5
Heart Disease	1,710.0	3,575.0
Homicide	497.5	665.5
Hypertension	35.0	88.5
Nephritis	110.0	312.0
Perinatal Conditions	1,577.5	1,850.5
Pneumonia and Influenza	70.0	177.0
Septicemia	110.0	216.0
SIDS	812.5	949.0
Stroke	432.5	950.5
Suicide	1,035.0	1,534.0
Unintentional Injury	2,477.5	3,503.0
Other	2,735.0	4,879.0
Total	16,522.5	28,802.0

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	31.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	41.0
Diabetes	0.0	0.0
Heart Disease	25.0	67.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	35.0	45.5
Suicide	25.0	35.5
Unintentional Injury	120.0	162.0
Other	5.0	26.5
Total	245.0	409.0

Source: Minnesota Department of Health, Center for Health Statistics

Redwood County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	65.0	198.0
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	30.0	73.0
Heart Disease	65.0	166.0
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	25.5
Unintentional Injury	140.0	182.0
Other	65.0	134.0
Total	460.0	922.5

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	137.0
Cirrhosis	5.0	15.5
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	16.5
Heart Disease	40.0	94.0
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	145.0	197.5
Unintentional Injury	20.0	52.0
Other	35.0	88.5
Total	370.0	749.5

Source: Minnesota Department of Health, Center for Health Statistics

Rice County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	327.5	808.5
Cirrhosis	0.0	5.5
Congenital Anomalies	130.0	161.5
Chronic Lower Respiratory Disease	50.0	76.5
Diabetes	25.0	52.0
Heart Disease	75.0	209.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	10.0	36.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	90.0	137.5
Unintentional Injury	425.0	593.5
Other	230.0	400.0
Total	1,377.5	2,528.0

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	25.0	83.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	15.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	25.0	35.5
Suicide	45.0	55.5
Unintentional Injury	115.0	146.5
Other	20.0	73.0
Total	260.0	498.5

Source: Minnesota Department of Health, Center for Health Statistics

Roseau County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	282.5
Cirrhosis	15.0	36.5
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	10.0	31.0
Heart Disease	105.0	184.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	5.0	15.5
Unintentional Injury	30.0	51.0
Other	55.0	119.5
Total	472.5	875.0

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	977.5	1,917.5
Cirrhosis	30.0	51.0
Congenital Anomalies	237.5	290.0
Chronic Lower Respiratory Disease	0.0	33.0
Diabetes	100.0	153.0
Heart Disease	357.5	643.5
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	20.0	52.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	65.0	102.0
Suicide	280.0	390.5
Unintentional Injury	700.0	968.0
Other	295.0	607.0
Total	3,337.5	5,567.0

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	375.0	853.5
Cirrhosis	20.0	46.5
Congenital Anomalies	202.5	244.5
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	15.0	25.5
Heart Disease	110.0	317.5
Homicide	35.0	45.5
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	15.0	31.0
SIDS	125.0	146.0
Stroke	45.0	76.5
Suicide	265.0	359.5
Unintentional Injury	587.5	803.0
Other	557.5	854.5
Total	2,420.0	3,925.0

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	202.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	60.0	86.5
Heart Disease	60.0	118.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	115.0	146.5
Other	55.0	113.0
Total	390.0	724.5

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	35.0	45.5
Alzheimer's Disease	20.0	52.0
Atherosclerosis	5.0	15.5
Cancer	1,110.0	2,975.0
Cirrhosis	345.0	629.5
Congenital Anomalies	487.5	582.0
Chronic Lower Respiratory Disease	50.0	216.5
Diabetes	180.0	409.5
Heart Disease	752.5	1,713.0
Homicide	75.0	106.5
Hypertension	5.0	21.0
Nephritis	10.0	64.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	0.0	11.0
Septicemia	50.0	103.0
SIDS	62.5	73.0
Stroke	165.0	409.5
Suicide	680.0	964.0
Unintentional Injury	1,570.0	2,275.5
Other	1,145.0	2,277.0
Total	7,122.5	13,381.0

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	20.0	41.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	575.0	1,435.0
Cirrhosis	45.0	82.0
Congenital Anomalies	242.5	284.5
Chronic Lower Respiratory Disease	20.0	74.0
Diabetes	75.0	155.0
Heart Disease	435.0	867.0
Homicide	45.0	55.5
Hypertension	20.0	41.0
Nephritis	5.0	15.5
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	40.0	66.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	15.0	68.5
Suicide	305.0	431.5
Unintentional Injury	947.5	1,315.5
Other	362.5	687.5
Total	3,542.5	6,083.5

Source: Minnesota Department of Health, Center for Health Statistics

Steele County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	150.0	405.0
Cirrhosis	5.0	15.5
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	115.0	248.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	15.0	25.5
Unintentional Injury	370.0	480.5
Other	30.0	121.5
Total	700.0	1,370.0

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	78.5
Cirrhosis	0.0	5.5
Congenital Anomalies	35.0	45.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	30.0	51.0
Homicide	125.0	146.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	40.0	61.0
Unintentional Injury	65.0	96.5
Other	20.0	46.5
Total	345.0	551.5

Source: Minnesota Department of Health, Center for Health Statistics

Swift County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	160.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	26.5
Heart Disease	35.0	72.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	50.0	71.0
Unintentional Injury	45.0	55.5
Other	55.0	97.5
Total	280.0	508.5

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	247.5	540.0
Cirrhosis	35.0	66.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	73.0
Diabetes	15.0	42.0
Heart Disease	60.0	140.5
Homicide	15.0	25.5
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	15.0	36.5
Unintentional Injury	310.0	426.0
Other	115.0	227.0
Total	837.5	1,604.5

Source: Minnesota Department of Health, Center for Health Statistics

Traverse County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	5.0	21.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	15.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	0.0	0.0
Unintentional Injury	0.0	5.5
Other	5.0	15.5
Total	30.0	110.5

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	352.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	30.0	62.0
Diabetes	10.0	31.0
Heart Disease	105.0	201.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	60.0	81.0
Unintentional Injury	60.0	107.5
Other	80.0	165.0
Total	527.5	1,115.5

Source: Minnesota Department of Health, Center for Health Statistics

Wadena County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	120.0	221.5
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	25.0	35.5
Heart Disease	95.0	211.5
Homicide	20.0	41.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	40.0	77.5
Suicide	45.0	55.5
Unintentional Injury	40.0	61.0
Other	60.0	166.0
Total	730.0	1,244.5

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	187.0
Cirrhosis	25.0	35.5
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	10.0	53.0
Diabetes	0.0	5.5
Heart Disease	90.0	164.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	125.0	183.0
Other	95.0	200.5
Total	522.5	962.5

Source: Minnesota Department of Health, Center for Health Statistics

Washington County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	32.0
Atherosclerosis	5.0	15.5
Cancer	915.0	2,301.5
Cirrhosis	40.0	109.5
Congenital Anomalies	215.0	278.0
Chronic Lower Respiratory Disease	85.0	282.0
Diabetes	85.0	202.5
Heart Disease	495.0	1,129.0
Homicide	50.0	71.0
Hypertension	5.0	26.5
Nephritis	82.5	114.0
Perinatal Conditions	625.0	730.0
Pneumonia and Influenza	25.0	62.0
Septicemia	40.0	87.5
SIDS	0.0	0.0
Stroke	60.0	204.5
Suicide	420.0	583.5
Unintentional Injury	892.5	1,277.5
Other	515.0	1,192.0
Total	4,560.0	8,698.5

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	183.5
Cirrhosis	0.0	0.0
Congenital Anomalies	130.0	161.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	40.0	115.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	5.0	15.5
Other	10.0	47.5
Total	255.0	559.5

Source: Minnesota Department of Health, Center for Health Statistics

Wilkin County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	62.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	20.0	41.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	15.0	25.5
Unintentional Injury	0.0	16.5
Other	0.0	0.0
Total	80.0	192.5

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	11.0
Cancer	335.0	748.5
Cirrhosis	25.0	35.5
Congenital Anomalies	212.5	254.5
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	25.0	62.0
Heart Disease	110.0	350.5
Homicide	45.0	55.5
Hypertension	0.0	5.5
Nephritis	62.5	73.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	53.0
Suicide	150.0	234.0
Unintentional Injury	480.0	644.0
Other	60.0	178.0
Total	1,577.5	2,800.0

Source: Minnesota Department of Health, Center for Health Statistics

Wright County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	20.0	41.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	430.0	1,042.5
Cirrhosis	50.0	103.0
Congenital Anomalies	150.0	181.5
Chronic Lower Respiratory Disease	10.0	80.5
Diabetes	45.0	125.0
Heart Disease	210.0	518.0
Homicide	130.0	172.0
Hypertension	10.0	36.5
Nephritis	0.0	16.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	77.5	98.5
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	30.0	73.0
Suicide	245.0	339.5
Unintentional Injury	637.5	879.5
Other	422.5	724.5
Total	2,665.0	4,692.5

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - YPLL to Age 65 and 75, 2006

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	155.0	303.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	85.0	116.5
Unintentional Injury	90.0	122.0
Other	140.0	214.0
Total	485.0	798.0

Source: Minnesota Department of Health, Center for Health Statistics

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2006

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	168	1,746	1,914	30	97	127	38	512	550
Aitkin	0	2	2	0	1	1	0	6	6
Anoka	10	79	89	3	4	7	6	30	36
Becker	3	12	15	0	0	0	0	4	4
Beltrami	4	22	26	0	2	2	0	11	11
Benton	0	9	9	0	0	0	0	2	2
Big Stone	1	7	8	0	0	0	0	0	0
Blue Earth	0	13	13	0	0	0	0	7	7
Brown	0	10	10	0	0	0	0	3	3
Carlton	1	13	14	0	1	1	0	4	4
Carver	5	15	20	0	2	2	1	4	5
Cass	1	18	19	0	1	1	2	3	5
Chippewa	1	9	10	0	0	0	0	0	0
Chisago	3	23	26	2	1	3	0	4	4
Clay	1	20	21	0	0	0	2	3	5
Clearwater	0	4	4	0	0	0	0	1	1
Cook	0	0	0	0	0	0	0	1	1
Cottonwood	2	7	9	0	0	0	0	0	0
Crow Wing	1	32	33	0	0	0	0	10	10
Dakota	8	74	82	0	4	4	2	28	30
Dodge	2	9	11	0	0	0	0	1	1
Douglas	3	11	14	0	0	0	0	1	1
Faribault	0	5	5	0	0	0	0	0	0
Fillmore	1	16	17	0	1	1	0	2	2
Freeborn	1	8	9	0	0	0	0	1	1
Goodhue	2	26	28	0	1	1	0	8	8
Grant	0	3	3	0	0	0	0	1	1
Hennepin	24	378	402	17	42	59	4	118	122
Houston	0	8	8	0	0	0	0	2	2
Hubbard	0	6	6	0	0	0	0	0	0
Isanti	2	14	16	1	0	1	0	4	4
Itasca	0	26	26	1	1	2	0	2	2
Jackson	0	4	4	0	0	0	0	1	1
Kanabec	0	5	5	0	0	0	0	0	0
Kandiyohi	3	28	31	0	0	0	1	5	6
Kittson	1	1	2	0	0	0	0	1	1
Koochiching	1	8	9	0	0	0	0	1	1
Lac Qui Parle	0	6	6	0	0	0	0	0	0
Lake	1	8	9	0	0	0	0	4	4
Lake of the Woods	0	2	2	0	0	0	0	1	1
Le Sueur	0	10	10	0	0	0	1	4	5
Lincoln	0	4	4	0	0	0	0	0	0
Lyon	8	7	15	0	0	0	0	2	2
McLeod	1	26	27	0	1	1	0	1	1
Mahnomen	2	3	5	0	0	0	0	1	1
Marshall	0	2	2	0	0	0	0	1	1
Martin	0	10	10	0	0	0	0	2	2
Meeker	0	8	8	0	0	0	0	8	8
Mille Lacs	3	16	19	0	0	0	0	2	2
Morrison	4	10	14	0	0	0	1	6	7

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2006

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	168	1,746	1,914	30	97	127	38	512	550
Mower	1	18	19	0	0	0	0	4	4
Murray	2	2	4	0	0	0	0	0	0
Nicollet	1	10	11	0	0	0	0	5	5
Nobles	2	10	12	0	0	0	0	0	0
Norman	1	4	5	0	0	0	0	0	0
Olmsted	4	50	54	0	2	2	1	12	13
Otter Tail	2	19	21	1	1	2	1	10	11
Pennington	0	3	3	0	0	0	0	4	4
Pine	1	13	14	0	0	0	1	5	6
Pipestone	0	11	11	0	0	0	0	1	1
Polk	1	19	20	0	0	0	1	5	6
Pope	1	6	7	0	0	0	0	0	0
Ramsey	10	141	151	2	14	16	4	44	48
Red Lake	1	4	5	0	0	0	0	1	1
Redwood	1	3	4	0	1	1	0	1	1
Renville	0	7	7	0	1	1	0	5	5
Rice	1	21	22	0	1	1	0	5	5
Rock	1	4	5	0	0	0	1	0	1
Roseau	0	4	4	0	0	0	0	2	2
St. Louis	9	94	103	0	3	3	2	28	30
Scott	2	30	32	0	0	0	2	10	12
Sherburne	4	21	25	0	2	2	0	9	9
Sibley	1	4	5	0	0	0	0	0	0
Stearns	4	44	48	0	1	1	0	14	14
Steele	3	12	15	0	0	0	0	1	1
Stevens	0	7	7	2	0	2	0	2	2
Swift	0	1	1	0	0	0	0	2	2
Todd	1	14	15	0	1	1	0	3	3
Traverse	0	1	1	0	0	0	0	0	0
Wabasha	0	8	8	0	0	0	1	1	2
Wadena	0	5	5	0	2	2	0	1	1
Waseca	1	8	9	0	0	0	0	0	0
Washington	5	49	54	0	2	2	2	16	18
Watowan	0	5	5	0	0	0	0	0	0
Wilkin	0	3	3	0	0	0	0	1	1
Winona	3	22	25	0	1	1	0	9	9
Wright	3	28	31	1	3	4	1	8	9
Yellow Medicine	2	4	6	0	0	0	1	2	3

Source: Minnesota Department of Health, Center for Health Statistics

ICD-10 Codes:

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2006

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	4	588	592	90	473	563	6	38	44
Aitkin	0	1	1	0	0	0	0	0	0
Anoka	0	28	28	6	21	27	0	5	5
Becker	1	2	3	1	5	6	0	0	0
Beltrami	0	3	3	1	9	10	0	1	1
Benton	0	2	2	0	3	3	0	0	0
Big Stone	0	0	0	1	3	4	0	0	0
Blue Earth	0	2	2	0	6	6	0	0	0
Brown	0	1	1	0	8	8	0	0	0
Carlton	0	4	4	1	5	6	0	0	0
Carver	0	5	5	2	5	7	0	1	1
Cass	0	6	6	0	5	5	0	1	1
Chippewa	0	4	4	1	2	3	0	1	1
Chisago	0	7	7	1	12	13	0	0	0
Clay	0	7	7	0	7	7	0	2	2
Clearwater	0	2	2	0	1	1	0	0	0
Cook	0	0	0	0	0	0	0	0	0
Cottonwood	0	1	1	0	3	3	0	0	0
Crow Wing	0	10	10	0	6	6	0	0	0
Dakota	0	38	38	3	13	16	1	4	5
Dodge	0	2	2	1	4	5	0	0	0
Douglas	0	1	1	2	4	6	0	0	0
Faribault	0	1	1	0	4	4	0	0	0
Fillmore	0	9	9	1	4	5	0	0	0
Freeborn	0	2	2	1	3	4	0	0	0
Goodhue	0	9	9	0	13	13	0	1	1
Grant	0	0	0	0	3	3	0	0	0
Hennepin	1	196	197	7	39	46	2	5	7
Houston	0	4	4	0	2	2	0	0	0
Hubbard	0	1	1	0	2	2	0	0	0
Isanti	0	3	3	2	9	11	0	0	0
Itasca	0	7	7	0	7	7	0	0	0
Jackson	0	3	3	0	0	0	0	0	0
Kanabec	0	2	2	0	2	2	0	0	0
Kandiyohi	0	7	7	3	7	10	0	0	0
Kittson	0	0	0	0	0	0	0	0	0
Koochiching	0	1	1	1	4	5	0	0	0
Lac Qui Parle	0	0	0	0	5	5	0	0	0
Lake	0	3	3	1	4	5	0	0	0
Lake of the Woods	0	0	0	0	1	1	0	0	0
Le Sueur	0	3	3	0	2	2	0	0	0
Lincoln	0	2	2	0	0	0	0	0	0
Lyon	0	3	3	7	4	11	0	0	0
McLeod	0	10	10	1	6	7	0	0	0
Mahnomen	0	0	0	2	1	3	0	1	1
Marshall	0	1	1	0	1	1	0	0	0
Martin	0	5	5	0	2	2	0	0	0
Meeker	0	4	4	0	3	3	0	0	0
Mille Lacs	0	3	3	2	8	10	0	1	1
Morrison	0	2	2	3	4	7	0	0	0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2006

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	4	588	592	90	473	563	6	38	44
Mower	0	9	9	1	2	3	0	1	1
Murray	0	0	0	2	0	2	0	0	0
Nicollet	0	3	3	1	3	4	0	0	0
Nobles	0	2	2	1	5	6	0	0	0
Norman	0	0	0	1	3	4	0	0	0
Olmsted	0	18	18	4	13	17	0	1	1
Otter Tail	0	4	4	2	7	9	0	0	0
Pennington	0	1	1	0	1	1	0	0	0
Pine	0	2	2	1	4	5	0	0	0
Pipestone	0	6	6	0	3	3	0	0	0
Polk	0	3	3	1	7	8	0	0	0
Pope	0	1	1	0	1	1	0	0	0
Ramsey	0	43	43	4	22	26	0	6	6
Red Lake	0	0	0	0	0	0	0	0	0
Redwood	0	0	0	1	1	2	0	1	1
Renville	0	2	2	0	4	4	0	0	0
Rice	0	3	3	1	9	10	0	0	0
Rock	0	2	2	1	0	1	0	0	0
Roseau	0	1	1	0	1	1	0	0	0
St. Louis	2	29	31	1	24	25	2	1	3
Scott	0	5	5	1	13	14	0	2	2
Sherburne	0	6	6	3	8	11	0	0	0
Sibley	0	1	1	0	2	2	0	0	0
Stearns	0	3	3	2	16	18	0	1	1
Steele	0	2	2	2	5	7	0	0	0
Stevens	0	2	2	0	2	2	0	0	0
Swift	0	0	0	0	0	0	0	0	0
Todd	0	2	2	0	8	8	0	0	0
Traverse	0	1	1	0	0	0	0	0	0
Wabasha	0	4	4	0	2	2	0	0	0
Wadena	0	1	1	0	1	1	0	0	0
Waseca	0	1	1	1	5	6	0	0	0
Washington	0	10	10	3	15	18	0	2	2
Watonwan	0	1	1	0	1	1	0	0	0
Wilkin	0	1	1	0	1	1	0	0	0
Winona	0	4	4	2	8	10	0	0	0
Wright	0	8	8	2	10	12	0	0	0
Yellow Medicine	0	0	0	1	4	5	1	0	1

Source: Minnesota Department of Health Center for Health Statistics

ICD-10 Codes:

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	11	0.1%	1,934	14.5%	1,295	9.2%	1,393	10.4%
Aitkin	0	0.0%	7	11.9%	6	8.0%	6	10.2%
Anoka	0	0.0%	107	16.9%	48	8.0%	55	8.7%
Becker	0	0.0%	9	10.1%	9	8.0%	9	10.1%
Beltrami	0	0.0%	5	5.1%	10	9.6%	14	14.1%
Benton	0	0.0%	16	17.8%	12	11.2%	5	5.6%
Big Stone	0	0.0%	3	10.0%	3	8.3%	2	6.7%
Blue Earth	0	0.0%	19	13.2%	11	8.1%	24	16.7%
Brown	0	0.0%	15	14.0%	14	12.3%	12	11.2%
Carlton	0	0.0%	16	13.9%	14	10.3%	5	4.3%
Carver	0	0.0%	24	21.6%	18	14.6%	15	13.5%
Cass	0	0.0%	11	11.6%	11	8.1%	14	14.7%
Chippewa	0	0.0%	7	15.6%	9	14.8%	5	11.1%
Chisago	1	0.8%	16	14.3%	10	8.0%	11	9.8%
Clay	0	0.0%	19	13.4%	11	8.2%	23	16.2%
Clearwater	0	0.0%	5	19.2%	3	6.8%	3	11.5%
Cook	0	0.0%	2	12.5%	2	11.1%	0	0.0%
Cottonwood	0	0.0%	8	18.2%	8	15.1%	6	13.6%
Crow Wing	0	0.0%	27	13.4%	13	6.0%	21	10.4%
Dakota	0	0.0%	116	16.0%	55	7.9%	73	10.1%
Dodge	0	0.0%	8	19.5%	2	6.5%	3	7.3%
Douglas	0	0.0%	14	12.8%	9	7.0%	14	12.8%
Faribault	0	0.0%	11	16.4%	9	14.5%	11	16.4%
Fillmore	0	0.0%	10	18.5%	14	13.6%	5	9.3%
Freeborn	0	0.0%	20	19.8%	13	9.7%	11	10.9%
Goodhue	0	0.0%	22	17.3%	7	5.0%	15	11.8%
Grant	0	0.0%	2	8.7%	3	10.7%	4	17.4%
Hennepin	3	0.1%	404	13.9%	234	8.4%	271	9.3%
Houston	0	0.0%	6	12.0%	10	14.9%	9	18.0%
Hubbard	0	0.0%	9	14.1%	8	10.7%	7	10.9%
Isanti	0	0.0%	11	14.1%	9	9.1%	9	11.5%
Itasca	0	0.0%	22	13.8%	22	10.6%	14	8.8%
Jackson	0	0.0%	2	5.6%	4	8.2%	5	13.9%
Kanabec	0	0.0%	7	15.2%	5	9.6%	6	13.0%
Kandiyohi	0	0.0%	26	19.8%	13	9.8%	15	11.5%
Kittson	0	0.0%	3	21.4%	4	15.4%	3	21.4%
Koochiching	1	1.5%	3	5.7%	6	8.8%	3	5.7%
Lac Qui Parle	0	0.0%	5	16.7%	5	11.9%	7	23.3%
Lake	0	0.0%	8	25.0%	5	9.4%	1	3.1%
Lake of the Woods	0	0.0%	1	6.7%	2	15.4%	4	26.7%
Le Sueur	0	0.0%	15	21.4%	6	6.9%	8	11.4%
Lincoln	0	0.0%	2	9.1%	4	8.5%	4	18.2%
Lyon	0	0.0%	13	20.3%	12	12.0%	9	14.1%
McLeod	0	0.0%	16	17.0%	11	10.9%	10	10.6%
Mahnomen	0	0.0%	4	25.0%	0	0.0%	0	0.0%
Marshall	0	0.0%	6	21.4%	4	11.4%	7	25.0%
Martin	0	0.0%	21	21.6%	9	10.6%	9	9.3%
Meeker	0	0.0%	8	11.3%	7	8.3%	9	12.7%
Mille Lacs	0	0.0%	8	10.7%	12	14.6%	8	10.7%
Morrison	0	0.0%	8	8.2%	13	10.2%	15	15.5%

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	0	0.0%	14	9.9%	14	8.9%	8	5.6%
Murray	0	0.0%	8	17.8%	8	13.6%	4	8.9%
Nicollet	0	0.0%	15	16.1%	7	9.6%	12	12.9%
Nobles	0	0.0%	12	16.2%	8	13.3%	8	10.8%
Norman	0	0.0%	8	22.9%	2	6.1%	3	8.6%
Olmsted	0	0.0%	49	16.0%	31	9.7%	32	10.5%
Otter Tail	0	0.0%	25	12.8%	33	14.2%	24	12.2%
Pennington	0	0.0%	7	15.2%	6	11.3%	6	13.0%
Pine	0	0.0%	12	14.5%	13	12.1%	12	14.5%
Pipestone	0	0.0%	3	10.3%	4	8.0%	2	6.9%
Polk	0	0.0%	19	16.4%	12	12.0%	12	10.3%
Pope	0	0.0%	3	6.7%	4	8.5%	6	13.3%
Ramsey	2	0.2%	191	13.2%	92	7.0%	140	9.7%
Red Lake	0	0.0%	1	7.7%	6	28.6%	1	7.7%
Redwood	0	0.0%	7	10.0%	5	6.4%	14	20.0%
Renville	0	0.0%	6	9.5%	9	11.4%	8	12.7%
Rice	0	0.0%	14	9.0%	22	12.2%	21	13.5%
Rock	0	0.0%	10	22.2%	2	5.7%	4	8.9%
Roseau	0	0.0%	6	20.0%	5	8.1%	2	6.7%
St. Louis	1	0.1%	104	14.3%	78	9.8%	71	9.8%
Scott	0	0.0%	32	18.4%	13	7.3%	11	6.3%
Sherburne	0	0.0%	20	13.7%	19	14.0%	12	8.2%
Sibley	0	0.0%	7	14.0%	8	15.4%	5	10.0%
Stearns	1	0.3%	32	11.0%	29	9.5%	40	13.7%
Steele	0	0.0%	16	14.2%	12	12.2%	9	8.0%
Stevens	0	0.0%	1	3.4%	3	8.3%	5	17.2%
Swift	0	0.0%	2	5.6%	5	9.6%	3	8.3%
Todd	1	1.0%	16	20.8%	7	6.7%	4	5.2%
Traverse	0	0.0%	6	27.3%	2	11.1%	2	9.1%
Wabasha	0	0.0%	9	11.7%	10	11.1%	11	14.3%
Wadena	0	0.0%	11	22.4%	7	10.4%	5	10.2%
Waseca	0	0.0%	13	24.1%	4	5.4%	3	5.6%
Washington	1	0.2%	62	15.3%	41	9.1%	41	10.1%
Watsonwan	0	0.0%	3	7.1%	4	13.8%	5	11.9%
Wilkin	0	0.0%	2	6.5%	2	11.8%	6	19.4%
Winona	0	0.0%	25	17.4%	14	9.0%	15	10.4%
Wright	0	0.0%	30	15.5%	21	9.4%	21	10.8%
Yellow Medicine	0	0.0%	6	13.3%	4	10.3%	6	13.3%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2002, 2003 and 2004.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Breast C50.0 - C50.6, C50.8 - C50.9
 Colon and Rectum C18 - C20, C26.0

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,824	27.1%	3,143	23.5%	1,704	12.1%	0	0.0%
Aitkin	26	34.7%	13	22.0%	7	9.3%	0	0.0%
Anoka	181	30.3%	183	28.9%	52	8.7%	0	0.0%
Becker	34	30.4%	24	27.0%	10	8.9%	0	0.0%
Beltrami	25	24.0%	29	29.3%	13	12.5%	0	0.0%
Benton	31	29.0%	17	18.9%	14	13.1%	0	0.0%
Big Stone	13	36.1%	5	16.7%	1	2.8%	0	0.0%
Blue Earth	32	23.7%	19	13.2%	17	12.6%	0	0.0%
Brown	16	14.0%	23	21.5%	15	13.2%	0	0.0%
Carlton	40	29.4%	31	27.0%	15	11.0%	0	0.0%
Carver	21	17.1%	19	17.1%	16	13.0%	0	0.0%
Cass	56	41.5%	24	25.3%	12	8.9%	0	0.0%
Chippewa	17	27.9%	7	15.6%	9	14.8%	0	0.0%
Chisago	34	27.2%	35	31.3%	14	11.2%	0	0.0%
Clay	31	23.1%	21	14.8%	20	14.9%	0	0.0%
Clearwater	12	27.3%	4	15.4%	12	27.3%	0	0.0%
Cook	5	27.8%	6	37.5%	1	5.6%	0	0.0%
Cottonwood	11	20.8%	8	18.2%	14	26.4%	0	0.0%
Crow Wing	67	30.9%	48	23.8%	35	16.1%	0	0.0%
Dakota	174	25.1%	178	24.6%	76	11.0%	0	0.0%
Dodge	12	38.7%	9	22.0%	2	6.5%	0	0.0%
Douglas	39	30.2%	25	22.9%	10	7.8%	0	0.0%
Faribault	16	25.8%	18	26.9%	8	12.9%	0	0.0%
Fillmore	29	28.2%	7	13.0%	13	12.6%	0	0.0%
Freeborn	39	29.1%	14	13.9%	10	7.5%	0	0.0%
Goodhue	38	27.1%	19	15.0%	24	17.1%	0	0.0%
Grant	8	28.6%	5	21.7%	5	17.9%	0	0.0%
Hennepin	724	25.9%	740	25.5%	320	11.5%	0	0.0%
Houston	13	19.4%	10	20.0%	11	16.4%	0	0.0%
Hubbard	22	29.3%	17	26.6%	10	13.3%	0	0.0%
Isanti	25	25.3%	20	25.6%	14	14.1%	0	0.0%
Itasca	69	33.2%	37	23.3%	29	13.9%	0	0.0%
Jackson	10	20.4%	9	25.0%	7	14.3%	0	0.0%
Kanabec	19	36.5%	13	28.3%	10	19.2%	0	0.0%
Kandiyohi	39	29.3%	29	22.1%	12	9.0%	0	0.0%
Kittson	6	23.1%	2	14.3%	2	7.7%	0	0.0%
Koochiching	22	32.4%	17	32.1%	11	16.2%	0	0.0%
Lac Qui Parle	10	23.8%	1	3.3%	7	16.7%	0	0.0%
Lake	20	37.7%	8	25.0%	3	5.7%	0	0.0%
Lake of the Woods	6	46.2%	8	53.3%	1	7.7%	0	0.0%
Le Sueur	27	31.0%	18	25.7%	7	8.0%	0	0.0%
Lincoln	15	31.9%	5	22.7%	10	21.3%	0	0.0%
Lyon	20	20.0%	12	18.8%	22	22.0%	0	0.0%
McLeod	22	21.8%	9	9.6%	13	12.9%	0	0.0%
Mahnomen	6	26.1%	3	18.8%	3	13.0%	0	0.0%
Marshall	8	22.9%	6	21.4%	2	5.7%	0	0.0%
Martin	18	21.2%	19	19.6%	9	10.6%	0	0.0%
Meeker	22	26.2%	8	11.3%	13	15.5%	0	0.0%
Mille Lacs	28	34.1%	15	20.0%	13	15.9%	0	0.0%
Morrison	37	28.9%	16	16.5%	17	13.3%	0	0.0%

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	38	24.1%	32	22.5%	22	13.9%	0	0.0%
Murray	11	18.6%	6	13.3%	10	16.9%	0	0.0%
Nicollet	20	27.4%	18	19.4%	4	5.5%	0	0.0%
Nobles	17	28.3%	13	17.6%	10	16.7%	0	0.0%
Norman	5	15.2%	8	22.9%	8	24.2%	0	0.0%
Olmsted	87	27.1%	64	20.9%	24	7.5%	0	0.0%
Otter Tail	58	24.9%	30	15.3%	26	11.2%	0	0.0%
Pennington	11	20.8%	8	17.4%	7	13.2%	0	0.0%
Pine	32	29.9%	21	25.3%	9	8.4%	0	0.0%
Pipestone	11	22.0%	5	17.2%	8	16.0%	0	0.0%
Polk	23	23.0%	26	22.4%	10	10.0%	0	0.0%
Pope	9	19.1%	9	20.0%	6	12.8%	0	0.0%
Ramsey	401	30.4%	371	25.7%	150	11.4%	0	0.0%
Red Lake	3	14.3%	8	61.5%	1	4.8%	0	0.0%
Redwood	20	25.6%	14	20.0%	15	19.2%	0	0.0%
Renville	14	17.7%	14	22.2%	12	15.2%	0	0.0%
Rice	42	23.3%	38	24.4%	25	13.9%	0	0.0%
Rock	11	31.4%	7	15.6%	4	11.4%	0	0.0%
Roseau	10	16.1%	1	3.3%	18	29.0%	0	0.0%
St. Louis	228	28.6%	176	24.2%	112	14.0%	0	0.0%
Scott	48	27.1%	46	26.4%	25	14.1%	0	0.0%
Sherburne	37	27.2%	40	27.4%	10	7.4%	0	0.0%
Sibley	11	21.2%	12	24.0%	6	11.5%	0	0.0%
Stearns	83	27.1%	56	19.2%	42	13.7%	0	0.0%
Steele	26	26.5%	29	25.7%	13	13.3%	0	0.0%
Stevens	8	22.2%	3	10.3%	5	13.9%	0	0.0%
Swift	17	32.7%	5	13.9%	11	21.2%	0	0.0%
Todd	36	34.6%	19	24.7%	10	9.6%	0	0.0%
Traverse	2	11.1%	5	22.7%	4	22.2%	0	0.0%
Wabasha	26	28.9%	19	24.7%	11	12.2%	0	0.0%
Wadena	18	26.9%	10	20.4%	9	13.4%	0	0.0%
Waseca	17	23.0%	9	16.7%	8	10.8%	0	0.0%
Washington	120	26.7%	100	24.7%	39	8.7%	0	0.0%
Watonwan	10	34.5%	5	11.9%	6	20.7%	0	0.0%
Wilkin	4	23.5%	10	32.3%	4	23.5%	0	0.0%
Winona	49	31.4%	31	21.5%	17	10.9%	0	0.0%
Wright	60	26.9%	57	29.4%	23	10.3%	0	0.0%
Yellow Medicine	6	15.4%	5	11.1%	9	23.1%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2002, 2003 and 2004.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,255	51.5%	6,914	51.7%	14,089	100%	13,384	100%
Aitkin	36	48.0%	33	55.9%	75	100%	59	100%
Anoka	317	53.0%	288	45.5%	598	100%	633	100%
Becker	59	52.7%	47	52.8%	112	100%	89	100%
Beltrami	56	53.8%	51	51.5%	104	100%	99	100%
Benton	50	46.7%	52	57.8%	107	100%	90	100%
Big Stone	19	52.8%	20	66.7%	36	100%	30	100%
Blue Earth	75	55.6%	82	56.9%	135	100%	144	100%
Brown	69	60.5%	57	53.3%	114	100%	107	100%
Carlton	67	49.3%	63	54.8%	136	100%	115	100%
Carver	68	55.3%	53	47.7%	123	100%	111	100%
Cass	56	41.5%	46	48.4%	135	100%	95	100%
Chippewa	26	42.6%	26	57.8%	61	100%	45	100%
Chisago	66	52.8%	50	44.6%	125	100%	112	100%
Clay	72	53.7%	79	55.6%	134	100%	142	100%
Clearwater	17	38.6%	14	53.8%	44	100%	26	100%
Cook	10	55.6%	8	50.0%	18	100%	16	100%
Cottonwood	20	37.7%	22	50.0%	53	100%	44	100%
Crow Wing	102	47.0%	106	52.5%	217	100%	202	100%
Dakota	387	55.9%	357	49.3%	692	100%	724	100%
Dodge	15	48.4%	21	51.2%	31	100%	41	100%
Douglas	71	55.0%	56	51.4%	129	100%	109	100%
Faribault	29	46.8%	27	40.3%	62	100%	67	100%
Fillmore	47	45.6%	32	59.3%	103	100%	54	100%
Freeborn	72	53.7%	56	55.4%	134	100%	101	100%
Goodhue	71	50.7%	71	55.9%	140	100%	127	100%
Grant	12	42.9%	12	52.2%	28	100%	23	100%
Hennepin	1,512	54.1%	1,484	51.2%	2,793	100%	2,899	100%
Houston	33	49.3%	25	50.0%	67	100%	50	100%
Hubbard	35	46.7%	31	48.4%	75	100%	64	100%
Isanti	51	51.5%	38	48.7%	99	100%	78	100%
Itasca	88	42.3%	86	54.1%	208	100%	159	100%
Jackson	28	57.1%	20	55.6%	49	100%	36	100%
Kanabec	18	34.6%	20	43.5%	52	100%	46	100%
Kandiyohi	69	51.9%	61	46.6%	133	100%	131	100%
Kittson	14	53.8%	6	42.9%	26	100%	14	100%
Koochiching	28	41.2%	30	56.6%	68	100%	53	100%
Lac Qui Parle	20	47.6%	17	56.7%	42	100%	30	100%
Lake	25	47.2%	15	46.9%	53	100%	32	100%
Lake of the Woods	4	30.8%	2	13.3%	13	100%	15	100%
Le Sueur	47	54.0%	29	41.4%	87	100%	70	100%
Lincoln	18	38.3%	11	50.0%	47	100%	22	100%
Lyon	46	46.0%	30	46.9%	100	100%	64	100%
McLeod	55	54.5%	59	62.8%	101	100%	94	100%
Mahnomen	14	60.9%	9	56.3%	23	100%	16	100%
Marshall	21	60.0%	9	32.1%	35	100%	28	100%
Martin	49	57.6%	48	49.5%	85	100%	97	100%
Meeker	42	50.0%	46	64.8%	84	100%	71	100%
Mille Lacs	29	35.4%	44	58.7%	82	100%	75	100%
Morrison	61	47.7%	58	59.8%	128	100%	97	100%

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2002-2004**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
Mower	84	53.2%	88	62.0%	158	100%	142	100%
Murray	30	50.8%	27	60.0%	59	100%	45	100%
Nicollet	42	57.5%	48	51.6%	73	100%	93	100%
Nobles	25	41.7%	41	55.4%	60	100%	74	100%
Norman	18	54.5%	16	45.7%	33	100%	35	100%
Olmsted	179	55.8%	161	52.6%	321	100%	306	100%
Otter Tail	116	49.8%	117	59.7%	233	100%	196	100%
Pennington	29	54.7%	25	54.3%	53	100%	46	100%
Pine	53	49.5%	38	45.8%	107	100%	83	100%
Pipestone	27	54.0%	19	65.5%	50	100%	29	100%
Polk	55	55.0%	59	50.9%	100	100%	116	100%
Pope	28	59.6%	27	60.0%	47	100%	45	100%
Ramsey	675	51.1%	743	51.4%	1,320	100%	1,445	100%
Red Lake	11	52.4%	3	23.1%	21	100%	13	100%
Redwood	38	48.7%	35	50.0%	78	100%	70	100%
Renville	44	55.7%	35	55.6%	79	100%	63	100%
Rice	91	50.6%	83	53.2%	180	100%	156	100%
Rock	18	51.4%	24	53.3%	35	100%	45	100%
Roseau	29	46.8%	21	70.0%	62	100%	30	100%
St. Louis	379	47.5%	375	51.7%	798	100%	726	100%
Scott	91	51.4%	85	48.9%	177	100%	174	100%
Sherburne	70	51.5%	74	50.7%	136	100%	146	100%
Sibley	27	51.9%	26	52.0%	52	100%	50	100%
Stearns	151	49.3%	164	56.2%	306	100%	292	100%
Steele	47	48.0%	59	52.2%	98	100%	113	100%
Stevens	20	55.6%	20	69.0%	36	100%	29	100%
Swift	19	36.5%	26	72.2%	52	100%	36	100%
Todd	50	48.1%	38	49.4%	104	100%	77	100%
Traverse	10	55.6%	9	40.9%	18	100%	22	100%
Wabasha	43	47.8%	38	49.4%	90	100%	77	100%
Wadena	33	49.3%	23	46.9%	67	100%	49	100%
Waseca	45	60.8%	29	53.7%	74	100%	54	100%
Washington	249	55.3%	202	49.9%	450	100%	405	100%
Watonwan	9	31.0%	29	69.0%	29	100%	42	100%
Wilkin	7	41.2%	13	41.9%	17	100%	31	100%
Winona	76	48.7%	73	50.7%	156	100%	144	100%
Wright	119	53.4%	86	44.3%	223	100%	194	100%
Yellow Medicine	20	51.3%	28	62.2%	39	100%	45	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2002, 2003 and 2004.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death

Section D: Morbidity and Utilization

Tables

Table 1: Number of Cases of Vaccine Preventable Disease

Table 2: Number of Cases of Sexually Transmitted Diseases

Table 3: Number of Cases of Other Reportable Diseases

Table 4: Estimates of Active Practitioners* per 10,000 Population

Table 5: Motor Vehicle Injuries by Severity

Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured

Table 7: Number of Cases of Cancer Diagnosed by Major Site & Sex

Table 8: Traumatic Brain Injury and Spinal Cord Injuries

Tables 9 and 10: Minnesota Behavioral Risk Factors of Adults

**Morbidity Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota
By State and County, 2006**

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	180	320	31	32
Aitkin	0	0	0	0
Anoka	12	5	2	0
Becker	3	0	0	0
Beltrami	0	0	0	1
Benton	1	5	0	0
Big Stone	1	0	0	0
Blue Earth	1	0	0	2
Brown	0	0	0	0
Carlton	5	0	0	1
Carver	1	3	1	0
Cass	1	0	0	0
Chippewa	1	0	0	0
Chisago	1	17	0	0
Clay	0	0	0	0
Clearwater	0	0	0	0
Cook	0	0	0	0
Cottonwood	0	0	0	0
Crow Wing	1	0	0	0
Dakota	16	31	1	3
Dodge	0	8	0	0
Douglas	0	0	1	0
Faribault	0	0	0	0
Fillmore	2	19	0	0
Freeborn	1	1	1	0
Goodhue	3	5	0	2
Grant	0	0	0	0
Hennepin	30	69	7	16
Houston	0	0	0	0
Hubbard	0	0	0	0
Isanti	1	5	0	0
Itasca	2	0	0	0
Jackson	3	0	0	0
Kanabec	1	0	0	1
Kandiyohi	1	2	4	0
Kittson	0	0	0	0
Koochiching	0	2	0	0
Lac Qui Parle	0	0	0	0
Lake	0	0	0	0
Lake of the Woods	0	0	0	0
Le Sueur	1	0	0	0
Lincoln	5	0	0	0
Lyon	0	0	0	0
McLeod	0	2	0	0
Mahnomen	0	1	0	0
Marshall	0	0	0	0
Martin	1	1	0	0
Meeker	1	7	0	0
Mille Lacs	2	3	0	0
Morrison	1	1	0	0
Mower	2	1	0	0
Murray	0	0	0	0
Nicollet	1	1	0	0

Morbidity Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota By State and County, 2006

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	180	320	31	32
Nobles	0	0	1	0
Norman	0	0	0	0
Olmsted	6	19	1	0
Otter Tail	0	0	0	0
Pennington	0	0	0	0
Pine	4	0	0	0
Pipestone	1	0	0	0
Polk	0	2	1	0
Pope	0	0	0	0
Ramsey	14	34	1	3
Red Lake	0	0	0	0
Redwood	1	3	0	0
Renville	1	0	0	0
Rice	7	2	0	0
Rock	0	1	0	0
Roseau	0	1	0	0
St. Louis	19	14	1	1
Scott	2	9	4	1
Sherburne	1	3	0	0
Sibley	0	0	0	0
Stearns	7	18	3	0
Steele	2	5	0	0
Stevens	0	0	0	0
Swift	0	0	0	0
Todd	0	0	0	0
Traverse	0	0	0	0
Wabasha	0	0	0	0
Wadena	0	0	0	0
Waseca	1	0	0	0
Washington	8	12	1	0
Watonwan	0	0	0	0
Wilkin	0	0	0	0
Winona	2	3	0	0
Wright	2	5	1	0
Yellow Medicine	0	0	0	0

Source: Minnesota Department of Health - Immunization, TB & International Health Section

Note: There were no cases of diphtheria, rubella or polio in Minnesota in 2006. There was one case of measles and one case of tetanus in Minnesota in 2006.

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Infectious Disease Epidemiology Prevention and Control Division at 651/201-5414

Morbidity Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota By State and County, 2006

	Chlamydia	Gonorrhea	Primary/Secondary Syphilis	Syphilis - All Stages*	HIV
State of Minnesota	12,935	3,303	47	190	318
Aitkin	12	2	0	0	1
Anoka	615	82	1	7	17
Becker	23	5	0	0	0
Beltrami	141	13	0	2	1
Benton	38	8	0	1	0
Big Stone	8	0	0	0	0
Blue Earth	185	28	0	1	2
Brown	20	1	0	0	0
Carlton	50	5	0	0	0
Carver	88	17	0	1	2
Cass	49	5	0	0	0
Chippewa	23	6	0	0	1
Chisago	96	4	0	0	0
Clay	52	7	1	2	2
Clearwater	7	2	0	0	0
Cook	8	0	0	0	0
Cottonwood	14	0	0	0	0
Crow Wing	94	6	0	0	2
Dakota	721	146	2	16	14
Dodge	15	0	0	0	0
Douglas	21	4	0	0	0
Faribault	23	1	0	0	0
Fillmore	29	0	0	1	0
Freeborn	59	1	0	0	0
Goodhue	77	4	0	0	0
Grant	4	1	0	0	0
Hennepin	4,576	1,688	35	109	183
Houston	26	0	0	0	0
Hubbard	27	0	0	0	0
Isanti	39	1	0	0	1
Itasca	69	8	0	0	0
Jackson	6	0	0	0	0
Kanabec	16	0	0	0	0
Kandiyohi	79	7	0	0	0
Kittson	0	0	0	0	0
Koochiching	18	0	0	0	0
Lac Qui Parle	4	0	0	0	0
Lake	7	0	0	0	1
Lake of the Woods	1	0	0	0	0
Le Sueur	19	2	0	0	0
Lincoln	3	0	0	0	0
Lyon	55	12	0	1	1
McLeod	30	1	0	0	0
Mahnomen	7	2	0	0	0
Marshall	5	0	0	0	0
Martin	28	3	0	0	1
Meeker	17	3	0	0	0
Mille Lacs	35	2	0	0	0
Morrison	26	1	0	0	0
Mower	87	21	0	2	0
Murray	7	0	0	0	2
Nicollet	23	1	0	1	0

Morbidity Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota By State and County, 2006

	Chlamydia	Gonorrhea	Primary/Secondary Syphilis	Syphilis - All Stages*	HIV
State of Minnesota	12,935	3,303	47	190	318
Nobles	58	4	0	1	1
Norman	2	0	0	0	0
Olmsted	255	46	0	1	4
Otter Tail	33	1	0	1	0
Pennington	14	2	0	0	0
Pine	30	1	0	0	0
Pipestone	1	0	0	0	0
Polk	34	5	0	0	0
Pope	11	0	0	0	0
Ramsey	2,315	726	5	21	58
Red Lake	4	0	0	0	0
Redwood	19	4	0	0	0
Renville	18	3	0	0	0
Rice	104	9	1	3	1
Rock	2	0	0	0	0
Roseau	12	1	0	0	0
St. Louis	483	95	0	2	3
Scott	185	30	0	5	4
Sherburne	72	6	0	0	2
Sibley	3	0	0	0	0
Stearns	381	50	0	2	2
Steele	59	6	0	0	0
Stevens	6	1	0	0	0
Swift	15	2	0	0	1
Todd	17	0	0	0	0
Traverse	0	0	0	0	0
Wabasha	24	0	0	0	0
Wadena	3	0	0	0	0
Waseca	32	5	0	0	0
Washington	315	52	0	1	5
Watowan	16	1	0	0	2
Wilkin	1	1	0	0	0
Winona	76	1	0	0	1
Wright	117	7	0	1	1
Yellow Medicine	11	2	0	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

*Neurosyphilis, primary, secondary, early latent, late latent, congenital and other syphilis

** Cases of newly diagnosed HIV infection = Minnesota residents diagnosed with HIV infection (HIV or AIDS at first report) in the time period 1/1/06 - 12/31/06.

HIV Surveillance Reports, MDH www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html

STD Surveillance Reports, MDH: www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, contact the Acute Disease Epidemiology Section at 651/201-5414

**Morbidity Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota
By State and County, 2006**

	Campylo- bacteriosis	Giardiasis	Lyme Disease	Human Anaplasmosis	Salmonellosis	Shigellosis	Tuber- culosis
State of Minnesota	899	1,105	913	176	725	259	217
Aitkin	3	3	14	14	2	0	1
Anoka	42	40	65	12	45	84	6
Becker	3	0	9	0	6	1	2
Beltrami	3	4	26	3	6	2	0
Benton	15	3	5	1	8	1	0
Big Stone	2	0	0	0	1	0	0
Blue Earth	7	15	6	0	5	1	0
Brown	2	3	0	0	2	0	0
Carlton	3	8	13	1	1	0	1
Carver	16	10	5	1	21	1	4
Cass	3	2	35	28	3	1	0
Chippewa	1	0	0	0	2	0	1
Chisago	9	6	14	0	6	0	0
Clay	5	0	0	1	9	0	1
Clearwater	2	1	9	0	2	0	0
Cook	0	1	1	0	0	0	0
Cottonwood	2	1	0	0	2	0	1
Crow Wing	9	10	86	37	4	0	0
Dakota	59	44	59	5	50	14	13
Dodge	8	4	1	0	0	0	0
Douglas	8	5	0	4	5	5	0
Faribault	6	1	0	0	0	0	0
Fillmore	5	2	8	0	3	0	0
Freeborn	5	2	2	0	4	0	1
Goodhue	17	3	7	0	7	0	0
Grant	1	1	0	0	0	0	0
Hennepin	192	367	127	19	207	79	95
Houston	8	2	22	1	3	1	0
Hubbard	3	4	22	5	1	0	0
Isanti	2	6	5	1	2	0	1
Itasca	1	9	25	2	0	1	1
Jackson	1	2	0	0	2	0	0
Kanabec	3	1	7	1	0	0	0
Kandiyohi	12	9	1	0	2	1	1
Kittson	1	0	0	0	1	0	0
Koochiching	4	1	0	0	1	0	0
Lac Qui Parle	1	0	0	0	0	0	0
Lake	1	1	1	0	0	0	0
Lake of the Woods	0	0	1	0	0	0	0
Le Sueur	2	3	0	0	4	3	1
Lincoln	1	2	0	0	1	0	0
Lyon	9	1	1	0	5	1	0
McLeod	12	10	0	0	3	0	0
Mahnomen	0	0	1	0	1	0	0
Marshall	4	1	0	0	2	0	0
Martin	6	2	1	0	3	0	0
Meeker	3	3	1	0	8	0	0
Mille Lacs	7	1	9	2	6	0	0
Morrison	9	5	12	4	5	0	0
Mower	13	5	3	0	4	2	1
Murray	3	0	0	0	2	0	0

**Morbidity Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota
By State and County, 2006**

	Campylo- bacteriosis	Giardiasis	Lyme Disease	Human Anaplasmosis	Salmonellosis	Shigellosis	Tuber- culosis
State of Minnesota	899	1,105	913	176	725	259	217
Nicollet	2	1	1	0	2	2	2
Nobles	13	0	0	0	8	2	1
Norman	0	2	3	0	2	0	0
Olmsted	35	40	14	0	13	5	15
Otter Tail	12	1	5	0	11	0	3
Pennington	0	0	2	0	1	0	0
Pine	3	2	25	5	2	0	1
Pipestone	1	0	0	0	0	0	0
Polk	1	1	4	0	3	0	0
Pope	2	1	0	0	1	0	0
Ramsey	80	222	67	9	79	29	44
Red Lake	0	0	1	0	0	0	0
Redwood	4	1	0	0	5	0	0
Renville	7	1	1	0	0	0	0
Rice	12	13	1	1	10	2	4
Rock	0	0	0	0	2	0	0
Roseau	1	2	4	0	0	1	0
St. Louis	33	25	22	4	20	0	3
Scott	17	15	12	0	8	1	4
Sherburne	10	6	24	0	11	5	0
Sibley	2	4	1	0	1	0	0
Stearns	27	44	15	3	16	1	6
Steele	16	6	3	0	6	0	1
Stevens	1	0	0	0	1	0	0
Swift	4	3	1	0	0	0	0
Todd	1	1	6	0	3	0	0
Traverse	0	0	0	0	0	0	0
Wabasha	6	0	3	0	3	0	0
Wadena	1	1	2	0	0	1	1
Waseca	1	2	0	0	0	0	1
Washington	35	19	51	6	31	7	0
Watsonwan	1	1	0	0	0	0	0
Wilkin	3	1	0	0	0	0	0
Winona	13	4	20	0	7	2	0
Wright	20	6	21	6	21	2	0
Yellow Medicine	1	4	0	0	1	1	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 651/201-5414.

Number of cases of West Nile are available on the MDH website,

<http://www.health.state.mn.us/divs/idepc/diseases/westnile/>

**Morbidity Table 5: Motor Vehicle Injuries by Severity in Minnesota
By State and County, 2006**

	Injury Severity					Total
	Severe	Moderate	Minor	Killed	Unhurt	
State of Minnesota	1,844	9,323	23,858	494	162,504	198,023
Aitkin	8	32	76	2	304	422
Anoka	135	597	1,299	29	8,312	10,372
Becker	14	83	146	4	608	855
Beltrami	14	74	164	8	1,167	1,427
Benton	20	80	188	4	1,112	1,404
Big Stone	2	3	14	1	76	96
Blue Earth	28	206	244	5	2,831	3,314
Brown	4	43	112	3	659	821
Carlton	15	68	140	9	508	740
Carver	18	129	369	8	2,328	2,852
Cass	20	59	120	4	525	728
Chippewa	6	23	49	5	330	413
Chisago	31	124	265	13	1,223	1,656
Clay	20	62	227	8	1,666	1,983
Clearwater	4	10	15	3	132	164
Cook	5	17	26	2	187	237
Cottonwood	4	27	34	1	212	278
Crow Wing	19	134	332	8	1,979	2,472
Dakota	84	472	1,594	20	9,513	11,683
Dodge	10	43	64	2	296	415
Douglas	12	68	183	8	1,262	1,533
Faribault	8	21	68	3	289	389
Fillmore	9	44	68	6	437	564
Freeborn	21	56	138	2	1,106	1,323
Goodhue	25	158	218	7	1,472	1,880
Grant	4	18	26	1	122	171
Hennepin	327	2,111	6,640	40	46,776	55,894
Houston	11	35	73	0	475	594
Hubbard	11	41	88	5	356	501
Isanti	19	94	117	9	959	1,198
Itasca	17	111	206	5	931	1,270
Jackson	9	34	38	1	245	327
Kanabec	4	27	74	0	257	362
Kandiyohi	18	87	204	8	1,307	1,624
Kittson	6	5	13	0	59	83
Koochiching	1	18	54	1	322	396
Lac Qui Parle	4	5	20	2	82	113
Lake	5	34	44	3	330	416
Lake of the Woods	2	8	7	1	43	61
Le Sueur	13	54	116	3	591	777
Lincoln	3	14	23	0	108	148
Lyon	5	28	117	6	560	716
McLeod	24	49	162	7	1,045	1,287
Mahnomen	9	13	17	2	87	128
Marshall	4	13	27	2	86	132
Martin	10	29	94	2	548	683
Meeker	11	51	80	3	374	519
Mille Lacs	12	55	151	10	523	751
Morrison	18	54	121	5	607	805
Mower	22	52	143	5	1,092	1,314
Murray	6	26	34	1	173	240

**Morbidity Table 5: Motor Vehicle Injuries by Severity in Minnesota
By State and County, 2006**

	Injury Severity					Total
	Severe	Moderate	Minor	Killed	Unhurt	
State of Minnesota	1,844	9,323	23,858	494	162,504	198,023
Nicollet	10	54	106	6	734	910
Nobles	8	48	98	2	657	813
Norman	2	11	21	0	96	130
Olmsted	52	384	452	15	4,256	5,159
Otter Tail	33	127	229	4	1,325	1,718
Pennington	4	28	69	0	274	375
Pine	7	65	122	4	688	886
Pipestone	9	12	30	2	171	224
Polk	11	33	65	6	681	796
Pope	4	23	44	4	165	240
Ramsey	151	744	2,754	20	25,811	29,480
Red Lake	1	16	10	2	26	55
Redwood	6	30	79	3	322	440
Renville	11	26	81	4	221	343
Rice	41	108	271	13	1,473	1,906
Rock	2	15	48	1	275	341
Roseau	1	12	31	0	188	232
St. Louis	75	365	839	21	5,414	6,714
Scott	34	216	459	8	2,601	3,318
Sherburne	29	143	336	9	2,134	2,651
Sibley	6	15	42	2	229	294
Stearns	70	353	706	15	5,083	6,227
Steele	10	59	150	5	968	1,192
Stevens	0	16	33	2	208	259
Swift	10	19	33	0	108	170
Todd	6	29	96	3	373	507
Traverse	2	4	4	1	38	49
Wabasha	10	50	85	7	450	602
Wadena	6	15	50	3	256	330
Waseca	6	24	81	3	402	516
Washington	39	279	857	16	5,567	6,758
Watonwan	5	20	25	4	247	301
Wilkin	3	22	26	1	186	238
Winona	18	94	188	7	1,562	1,869
Wright	45	153	460	11	2,534	3,203
Yellow Medicine	6	12	36	3	189	246

Sources: Minnesota Department of Public Safety

Severe Injury: Any injury, other than a fatal injury which prevents the injured person from walking, driving, or normally continuing activities which he/she was capable of performing just before the accident

Moderate Injury: Any injury, other than fatal or incapacitating, which is evident to a person other than the injured at the scene of the accident (e.g. bruises, abrasions, swelling, minor lacerations, limping etc.).

Minor Injury: None of the above injuries, but is a complaint of physical pain by the injured (e.g. momentary unconsciousness, nausea, hysteria, etc.)

**Morbidity Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured in Minnesota
By State and County, 2006**

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	24,034	75.7	3,848	12.1	3,878	12.2	31,760
Aitkin	77	67.0	27	23.5	11	9.6	115
Anoka	1,487	79.9	171	9.2	202	10.9	1,860
Becker	166	73.5	38	16.8	22	9.7	226
Beltrami	155	65.4	62	26.2	20	8.4	237
Benton	196	74.0	33	12.5	36	13.6	265
Big Stone	11	84.6	1	7.7	1	7.7	13
Blue Earth	329	78.0	55	13.0	38	9.0	422
Brown	92	71.9	18	14.1	18	14.1	128
Carlton	135	63.7	38	17.9	39	18.4	212
Carver	381	81.4	49	10.5	38	8.1	468
Cass	110	60.1	51	27.9	22	12.0	183
Chippewa	49	64.5	22	28.9	5	6.6	76
Chisago	301	74.1	56	13.8	49	12.1	406
Clay	210	72.7	48	16.6	31	10.7	289
Clearwater	17	60.7	7	25.0	4	14.3	28
Cook	33	73.3	10	22.2	2	4.4	45
Cottonwood	32	57.1	11	19.6	13	23.2	56
Crow Wing	363	79.8	62	13.6	30	6.6	455
Dakota	1,618	81.4	163	8.2	206	10.4	1,987
Dodge	57	52.3	26	23.9	26	23.9	109
Douglas	194	80.8	34	14.2	12	5.0	240
Faribault	53	56.4	31	33.0	10	10.6	94
Fillmore	73	70.2	18	17.3	13	12.5	104
Freeborn	139	69.2	47	23.4	15	7.5	201
Goodhue	307	81.0	33	8.7	39	10.3	379
Grant	28	60.9	14	30.4	4	8.7	46
Hennepin	6,059	76.3	594	7.5	1,286	16.2	7,939
Houston	76	71.7	16	15.1	14	13.2	106
Hubbard	81	60.0	26	19.3	28	20.7	135
Isanti	157	73.0	34	15.8	24	11.2	215
Itasca	230	72.6	59	18.6	28	8.8	317
Jackson	42	58.3	19	26.4	11	15.3	72
Kanabec	63	69.2	17	18.7	11	12.1	91
Kandiyohi	211	73.3	54	18.8	23	8.0	288
Kittson	6	28.6	14	66.7	1	4.8	21
Koochiching	51	73.9	10	14.5	8	11.6	69
Lac Qui Parle	13	44.8	15	51.7	1	3.4	29
Lake	58	76.3	10	13.2	8	10.5	76
Lake of the Woods	12	70.6	3	17.6	2	11.8	17
Le Sueur	123	71.1	26	15.0	24	13.9	173
Lincoln	26	66.7	9	23.1	4	10.3	39
Lyon	115	76.2	26	17.2	10	6.6	151
McLeod	159	75.7	42	20.0	9	4.3	210
Mahnomen	18	47.4	13	34.2	7	18.4	38
Marshall	24	57.1	10	23.8	8	19.0	42
Martin	87	70.7	23	18.7	13	10.6	123
Meeker	96	72.7	26	19.7	10	7.6	132
Mille Lacs	140	67.0	47	22.5	22	10.5	209
Morrison	112	63.6	47	26.7	17	9.7	176
Mower	134	66.7	36	17.9	31	15.4	201

**Morbidity Table 6: Seatbelt Use by Vehicle Occupant Killed or Injured in Minnesota
By State and County, 2006**

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	24,034	75.7	3,848	12.1	3,878	12.2	31,760
Murray	38	58.5	13	20.0	14	21.5	65
Nicollet	122	77.2	20	12.7	16	10.1	158
Nobles	118	83.7	20	14.2	3	2.1	141
Norman	18	58.1	2	6.5	11	35.5	31
Olmsted	675	81.8	100	12.1	50	6.1	825
Otter Tail	237	66.2	85	23.7	36	10.1	358
Pennington	57	62.6	28	30.8	6	6.6	91
Pine	142	76.8	24	13.0	19	10.3	185
Pipestone	23	46.9	18	36.7	8	16.3	49
Polk	62	60.8	29	28.4	11	10.8	102
Pope	49	71.0	10	14.5	10	14.5	69
Ramsey	2,518	78.1	236	7.3	470	14.6	3,224
Red Lake	15	57.7	7	26.9	4	15.4	26
Redwood	64	60.4	25	23.6	17	16.0	106
Renville	70	59.3	38	32.2	10	8.5	118
Rice	291	74.8	59	15.2	39	10.0	389
Rock	43	67.2	19	29.7	2	3.1	64
Roseau	26	60.5	12	27.9	5	11.6	43
St. Louis	916	77.8	162	13.8	100	8.5	1,178
Scott	509	77.6	68	10.4	79	12.0	656
Sherburne	375	81.2	54	11.7	33	7.1	462
Sibley	42	72.4	12	20.7	4	6.9	58
Stearns	808	79.1	115	11.3	98	9.6	1,021
Steele	149	73.4	40	19.7	14	6.9	203
Stevens	25	53.2	15	31.9	7	14.9	47
Swift	33	55.9	18	30.5	8	13.6	59
Todd	77	60.6	26	20.5	24	18.9	127
Traverse	4	50.0	4	50.0	0	0.0	8
Wabasha	90	67.7	18	13.5	25	18.8	133
Wadena	43	65.2	10	15.2	13	19.7	66
Waseca	72	75.0	15	15.6	9	9.4	96
Washington	876	81.9	87	8.1	106	9.9	1,069
Watonwan	29	60.4	14	29.2	5	10.4	48
Wilkin	29	64.4	10	22.2	6	13.3	45
Winona	182	65.7	45	16.2	50	18.1	277
Wright	466	77.5	78	13.0	57	9.5	601
Yellow Medicine	35	71.4	11	22.4	3	6.1	49

Sources: Minnesota Department of Public Safety

Note: Occupants of vehicles normally equipped with seatbelts includes passenger vehicles, trucks, taxis, etc. This definition excludes motorcycles, buses, snowmobiles, etc.

Morbidity Table 7a: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2002-2004**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	78	0.2%	10,383	30.9%	3,863	10.4%	3,729	11.1%
Aitkin	0	0.0%	43	31.2%	18	8.5%	17	12.3%
Anoka	2	0.1%	541	32.8%	166	9.3%	136	8.2%
Becker	2	0.7%	61	28.0%	34	11.5%	33	15.1%
Beltrami	1	0.3%	76	29.6%	30	9.9%	29	11.3%
Benton	1	0.4%	58	30.1%	17	7.1%	10	5.2%
Big Stone	0	0.0%	12	19.4%	10	14.5%	12	19.4%
Blue Earth	1	0.3%	105	29.2%	42	11.8%	60	16.7%
Brown	0	0.0%	55	23.1%	26	10.9%	38	16.0%
Carlton	0	0.0%	67	25.9%	44	14.3%	29	11.2%
Carver	0	0.0%	129	32.7%	38	10.4%	32	8.1%
Cass	0	0.0%	60	26.4%	31	10.0%	32	14.1%
Chippewa	0	0.0%	34	32.1%	16	13.8%	9	8.5%
Chisago	0	0.0%	104	31.5%	29	8.3%	29	8.8%
Clay	1	0.3%	102	30.4%	47	13.2%	52	15.5%
Clearwater	0	0.0%	17	34.0%	13	13.5%	4	8.0%
Cook	0	0.0%	10	27.0%	0	0.0%	5	13.5%
Cottonwood	0	0.0%	39	36.4%	17	12.4%	20	18.7%
Crow Wing	1	0.2%	125	26.9%	61	10.0%	49	10.6%
Dakota	5	0.2%	612	31.2%	195	9.6%	178	9.1%
Dodge	0	0.0%	25	21.9%	11	10.4%	16	14.0%
Douglas	0	0.0%	75	29.8%	36	8.8%	29	11.5%
Faribault	0	0.0%	28	22.8%	27	17.0%	16	13.0%
Fillmore	0	0.0%	65	33.3%	27	13.0%	19	9.7%
Freeborn	1	0.3%	73	30.3%	36	10.8%	33	13.7%
Goodhue	0	0.0%	113	30.6%	36	9.1%	56	15.2%
Grant	0	0.0%	20	32.3%	9	12.3%	13	21.0%
Hennepin	27	0.4%	2,293	31.6%	704	9.4%	715	9.9%
Houston	0	0.0%	46	32.9%	26	16.5%	13	9.3%
Hubbard	2	1.0%	50	31.1%	26	13.1%	21	13.0%
Isanti	2	0.9%	61	32.6%	23	10.3%	18	9.6%
Itasca	0	0.0%	123	34.6%	59	13.5%	45	12.6%
Jackson	0	0.0%	13	18.3%	15	14.4%	11	15.5%
Kanabec	0	0.0%	25	26.6%	11	7.2%	5	5.3%
Kandiyohi	1	0.3%	110	32.4%	31	9.4%	43	12.7%
Kittson	0	0.0%	12	32.4%	9	17.3%	4	10.8%
Koochiching	1	0.6%	31	23.8%	30	16.6%	16	12.3%
Lac Qui Parle	0	0.0%	24	29.6%	11	12.9%	17	21.0%
Lake	0	0.0%	23	30.3%	15	11.8%	13	17.1%
Lake of the Woods	0	0.0%	12	36.4%	10	23.3%	5	15.2%
Le Sueur	0	0.0%	56	31.1%	25	11.5%	21	11.7%
Lincoln	0	0.0%	17	27.4%	12	16.2%	10	16.1%
Lyon	0	0.0%	50	30.1%	20	9.5%	32	19.3%
McLeod	0	0.0%	81	33.2%	28	10.3%	34	13.9%
Mahnomen	0	0.0%	15	31.3%	8	13.3%	4	8.3%
Marshall	0	0.0%	22	28.2%	17	16.0%	18	23.1%
Martin	0	0.0%	54	27.0%	26	12.6%	29	14.5%
Meeker	0	0.0%	47	28.0%	19	10.0%	29	17.3%
Mille Lacs	0	0.0%	53	29.4%	25	9.4%	20	11.1%
Morrison	1	0.3%	76	32.5%	41	12.7%	24	10.3%
Mower	0	0.0%	103	31.7%	48	11.2%	28	8.6%

Morbidity Table 7a: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2002-2004**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	78	0.2%	10,383	30.9%	3,863	10.4%	3,729	11.1%
Murray	0	0.0%	17	21.3%	16	15.8%	15	18.8%
Nicollet	1	0.5%	54	29.5%	22	11.0%	26	14.2%
Nobles	0	0.0%	39	24.1%	20	11.6%	34	21.0%
Norman	0	0.0%	25	34.7%	4	5.6%	3	4.2%
Olmsted	0	0.0%	281	31.9%	90	9.5%	73	8.3%
Otter Tail	1	0.2%	133	30.9%	78	12.9%	46	10.7%
Pennington	0	0.0%	27	26.2%	13	11.5%	15	14.6%
Pine	2	0.8%	64	29.8%	25	10.0%	26	12.1%
Pipestone	0	0.0%	30	30.9%	13	11.1%	21	21.6%
Polk	0	0.0%	65	28.0%	41	15.6%	41	17.7%
Pope	0	0.0%	25	20.8%	23	18.5%	20	16.7%
Ramsey	5	0.1%	1,071	30.6%	343	9.9%	355	10.1%
Red Lake	0	0.0%	8	25.0%	6	18.2%	3	9.4%
Redwood	0	0.0%	57	37.0%	18	9.9%	22	14.3%
Renville	0	0.0%	48	30.4%	27	17.0%	23	14.6%
Rice	3	0.7%	109	30.4%	45	11.2%	52	14.5%
Rock	0	0.0%	30	36.1%	10	11.9%	12	14.5%
Roseau	1	0.8%	26	29.5%	11	8.7%	11	12.5%
St Louis	3	0.2%	551	31.0%	203	10.8%	194	10.9%
Scott	0	0.0%	170	34.8%	45	8.9%	48	9.8%
Sherburne	1	0.2%	103	30.3%	37	8.6%	24	7.1%
Sibley	0	0.0%	29	24.8%	13	11.8%	20	17.1%
Stearns	4	0.4%	290	33.5%	99	9.3%	80	9.2%
Steele	1	0.4%	64	27.6%	19	7.0%	34	14.7%
Stevens	0	0.0%	15	22.7%	7	10.6%	10	15.2%
Swift	0	0.0%	36	34.0%	15	12.8%	13	12.3%
Todd	3	1.3%	41	26.3%	30	13.0%	25	16.0%
Traverse	0	0.0%	8	24.2%	8	14.0%	8	24.2%
Wabasha	0	0.0%	54	31.4%	18	11.0%	16	9.3%
Wadena	0	0.0%	33	25.4%	17	8.8%	31	23.8%
Waseca	0	0.0%	40	28.2%	16	10.4%	18	12.7%
Washington	2	0.1%	426	34.6%	132	9.5%	116	9.4%
Watonwan	0	0.0%	38	33.3%	7	7.0%	20	17.5%
Wilkin	0	0.0%	17	27.9%	15	24.6%	12	19.7%
Winona	1	0.3%	126	35.6%	47	12.9%	60	16.9%
Wright	1	0.2%	159	32.1%	54	8.4%	53	10.7%
Yellow Medicine	0	0.0%	24	28.2%	18	18.4%	7	8.2%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2002, 2003 and 2004.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Breast C50.0 - C50.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Colon & Rectum C18.0 - C18.9, C19.9, C20.9, C26.0, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity Table 7b: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2002-2004**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,660	12.5%	4,016	12.0%	12,192	32.8%	0	0.0%
Aitkin	30	14.1%	22	15.9%	71	33.3%	0	0.0%
Anoka	219	12.3%	242	14.7%	579	32.5%	0	0.0%
Becker	37	12.5%	30	13.8%	81	27.5%	0	0.0%
Beltrami	37	12.2%	44	17.1%	107	35.3%	0	0.0%
Benton	26	10.8%	26	13.5%	105	43.6%	0	0.0%
Big Stone	11	15.9%	6	9.7%	16	23.2%	0	0.0%
Blue Earth	40	11.2%	25	7.0%	125	35.0%	0	0.0%
Brown	19	8.0%	29	12.2%	90	37.8%	0	0.0%
Carlton	42	13.6%	40	15.4%	96	31.2%	0	0.0%
Carver	35	9.6%	33	8.4%	111	30.5%	0	0.0%
Cass	54	17.4%	31	13.7%	105	33.8%	0	0.0%
Chippewa	18	15.5%	13	12.3%	36	31.0%	0	0.0%
Chisago	39	11.1%	50	15.2%	127	36.2%	0	0.0%
Clay	54	15.2%	32	9.5%	107	30.1%	0	0.0%
Clearwater	16	16.7%	7	14.0%	26	27.1%	0	0.0%
Cook	6	11.8%	9	24.3%	22	43.1%	0	0.0%
Cottonwood	11	8.0%	7	6.5%	56	40.9%	0	0.0%
Crow Wing	94	15.5%	65	14.0%	228	37.5%	0	0.0%
Dakota	243	12.0%	231	11.8%	632	31.2%	0	0.0%
Dodge	17	16.0%	10	8.8%	28	26.4%	0	0.0%
Douglas	51	12.4%	33	13.1%	146	35.5%	0	0.0%
Faribault	19	11.9%	13	10.6%	52	32.7%	0	0.0%
Fillmore	34	16.4%	12	6.2%	72	34.8%	0	0.0%
Freeborn	35	10.5%	20	8.3%	119	35.6%	0	0.0%
Goodhue	53	13.5%	27	7.3%	133	33.8%	0	0.0%
Grant	10	13.7%	5	8.1%	26	35.6%	0	0.0%
Hennepin	881	11.7%	903	12.5%	2,385	31.7%	0	0.0%
Houston	11	7.0%	15	10.7%	45	28.5%	0	0.0%
Hubbard	30	15.2%	28	17.4%	54	27.3%	0	0.0%
Isanti	32	14.3%	30	16.0%	69	30.9%	0	0.0%
Itasca	64	14.6%	35	9.8%	135	30.9%	0	0.0%
Jackson	14	13.5%	8	11.3%	37	35.6%	0	0.0%
Kanabec	27	17.8%	12	12.8%	49	32.2%	0	0.0%
Kandiyohi	34	10.3%	34	10.0%	125	37.9%	0	0.0%
Kittson	8	15.4%	3	8.1%	14	26.9%	0	0.0%
Koochiching	36	19.9%	23	17.7%	54	29.8%	0	0.0%
Lac Qui Parle	13	15.3%	3	3.7%	34	40.0%	0	0.0%
Lake	20	15.7%	10	13.2%	48	37.8%	0	0.0%
Lake of the Woods	5	11.6%	7	21.2%	11	25.6%	0	0.0%
Le Sueur	41	18.9%	21	11.7%	59	27.2%	0	0.0%
Lincoln	13	17.6%	4	6.5%	28	37.8%	0	0.0%
Lyon	24	11.4%	14	8.4%	63	30.0%	0	0.0%
McLeod	35	12.9%	15	6.1%	91	33.6%	0	0.0%
Mahnomen	12	20.0%	3	6.3%	18	30.0%	0	0.0%
Marshall	14	13.2%	6	7.7%	31	29.2%	0	0.0%
Martin	22	10.7%	19	9.5%	74	35.9%	0	0.0%
Meeker	27	14.2%	15	8.9%	61	32.1%	0	0.0%
Mille Lacs	38	14.3%	25	13.9%	105	39.5%	0	0.0%
Morrison	50	15.5%	30	12.8%	110	34.2%	0	0.0%
Mower	57	13.3%	54	16.6%	153	35.6%	0	0.0%

Morbidity Table 7b: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2002-2004**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,660	12.5%	4,016	12.0%	12,192	32.8%	0	0.0%
Murray	13	12.9%	8	10.0%	30	29.7%	0	0.0%
Nicollet	22	11.0%	24	13.1%	66	33.0%	0	0.0%
Nobles	21	12.2%	15	9.3%	67	39.0%	0	0.0%
Norman	8	11.3%	10	13.9%	30	42.3%	0	0.0%
Olmsted	128	13.5%	103	11.7%	235	24.8%	0	0.0%
Otter Tail	59	9.8%	45	10.5%	232	38.5%	0	0.0%
Pennington	12	10.6%	8	7.8%	28	24.8%	0	0.0%
Pine	45	18.1%	33	15.3%	77	30.9%	0	0.0%
Pipestone	13	11.1%	6	6.2%	43	36.8%	0	0.0%
Polk	31	11.8%	20	8.6%	77	29.3%	0	0.0%
Pope	15	12.1%	15	12.5%	44	35.5%	0	0.0%
Ramsey	452	13.1%	450	12.9%	1,143	33.0%	0	0.0%
Red Lake	3	9.1%	6	18.8%	8	24.2%	0	0.0%
Redwood	28	15.4%	13	8.4%	74	40.7%	0	0.0%
Renville	13	8.2%	21	13.3%	44	27.7%	0	0.0%
Rice	50	12.5%	36	10.0%	104	25.9%	0	0.0%
Rock	11	13.1%	2	2.4%	29	34.5%	0	0.0%
Roseau	14	11.0%	7	8.0%	49	38.6%	0	0.0%
St. Louis	267	14.2%	229	12.9%	571	30.3%	0	0.0%
Scott	64	12.7%	56	11.5%	148	29.3%	0	0.0%
Sherburne	42	9.7%	48	14.1%	170	39.4%	0	0.0%
Sibley	15	13.6%	19	16.2%	36	32.7%	0	0.0%
Stearns	109	10.3%	77	8.9%	454	42.9%	0	0.0%
Steele	27	10.0%	24	10.3%	96	35.4%	0	0.0%
Stevens	8	12.1%	4	6.1%	20	30.3%	0	0.0%
Swift	15	12.8%	8	7.5%	37	31.6%	0	0.0%
Todd	40	17.4%	22	14.1%	80	34.8%	0	0.0%
Traverse	8	14.0%	5	15.2%	23	40.4%	0	0.0%
Wabasha	30	18.4%	22	12.8%	38	23.3%	0	0.0%
Wadena	25	13.0%	10	7.7%	63	32.6%	0	0.0%
Waseca	20	13.0%	13	9.2%	46	29.9%	0	0.0%
Washington	138	10.0%	146	11.9%	455	32.9%	0	0.0%
Watonwan	11	11.0%	8	7.0%	41	41.0%	0	0.0%
Wilkin	4	6.6%	11	18.0%	13	21.3%	0	0.0%
Winona	48	13.2%	37	10.5%	116	31.9%	0	0.0%
Wright	82	12.8%	66	13.3%	207	32.3%	0	0.0%
Yellow Medicine	9	9.2%	6	7.1%	38	38.8%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2002, 2003 and 2004.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Lung & Bronchus C34.0 - C34.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Prostate C61.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity Table 7c: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2002-2004**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	16,426	44.1%	15,425	46.0%	37,219	100%	33,553	100%
Aitkin	94	44.1%	56	40.6%	213	100%	138	100%
Anoka	818	45.9%	730	44.3%	1,784	100%	1,649	100%
Becker	141	47.8%	94	43.1%	295	100%	218	100%
Beltrami	128	42.2%	108	42.0%	303	100%	257	100%
Benton	92	38.2%	99	51.3%	241	100%	193	100%
Big Stone	32	46.4%	32	51.6%	69	100%	62	100%
Blue Earth	149	41.7%	169	47.1%	357	100%	359	100%
Brown	103	43.3%	116	48.7%	238	100%	238	100%
Carlton	126	40.9%	123	47.5%	308	100%	259	100%
Carver	180	49.5%	201	50.9%	364	100%	395	100%
Cass	121	38.9%	104	45.8%	311	100%	227	100%
Chippewa	46	39.7%	50	47.2%	116	100%	106	100%
Chisago	156	44.4%	147	44.5%	351	100%	330	100%
Clay	147	41.3%	150	44.6%	356	100%	336	100%
Clearwater	41	42.7%	22	44.0%	96	100%	50	100%
Cook	23	45.1%	13	35.1%	51	100%	37	100%
Cottonwood	53	38.7%	41	38.3%	137	100%	107	100%
Crow Wing	224	36.8%	225	48.5%	608	100%	464	100%
Dakota	951	46.9%	943	48.0%	2,026	100%	1,964	100%
Dodge	50	47.2%	63	55.3%	106	100%	114	100%
Douglas	178	43.3%	115	45.6%	411	100%	252	100%
Faribault	61	38.4%	66	53.7%	159	100%	123	100%
Fillmore	74	35.7%	99	50.8%	207	100%	195	100%
Freeborn	143	42.8%	115	47.7%	334	100%	241	100%
Goodhue	172	43.7%	173	46.9%	394	100%	369	100%
Grant	28	38.4%	24	38.7%	73	100%	62	100%
Hennepin	3,529	46.9%	3,339	46.1%	7,526	100%	7,250	100%
Houston	76	48.1%	66	47.1%	158	100%	140	100%
Hubbard	86	43.4%	62	38.5%	198	100%	161	100%
Isanti	97	43.5%	78	41.7%	223	100%	187	100%
Itasca	179	41.0%	153	43.0%	437	100%	356	100%
Jackson	38	36.5%	39	54.9%	104	100%	71	100%
Kanabec	65	42.8%	52	55.3%	152	100%	94	100%
Kandiyohi	139	42.1%	152	44.8%	330	100%	339	100%
Kittson	21	40.4%	18	48.6%	52	100%	37	100%
Koochiching	60	33.1%	60	46.2%	181	100%	130	100%
Lac Qui Parle	27	31.8%	37	45.7%	85	100%	81	100%
Lake	44	34.6%	30	39.5%	127	100%	76	100%
Lake of the Woods	17	39.5%	9	27.3%	43	100%	33	100%
Le Sueur	92	42.4%	82	45.6%	217	100%	180	100%
Lincoln	21	28.4%	31	50.0%	74	100%	62	100%
Lyon	103	49.0%	70	42.2%	210	100%	166	100%
McLeod	117	43.2%	114	46.7%	271	100%	244	100%
Mahnomen	22	36.7%	26	54.2%	60	100%	48	100%
Marshall	44	41.5%	32	41.0%	106	100%	78	100%
Martin	84	40.8%	98	49.0%	206	100%	200	100%
Meeker	83	43.7%	77	45.8%	190	100%	168	100%
Mille Lacs	98	36.8%	82	45.6%	266	100%	180	100%
Morrison	120	37.3%	104	44.4%	322	100%	234	100%
Mower	172	40.0%	140	43.1%	430	100%	325	100%

Morbidity Table 7c: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2002-2004**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	16,426	44.1%	15,425	46.0%	37,219	100%	33,553	100%
Murray	42	41.6%	40	50.0%	101	100%	80	100%
Nicollet	89	44.5%	79	43.2%	200	100%	183	100%
Nobles	64	37.2%	74	45.7%	172	100%	162	100%
Norman	29	40.8%	34	47.2%	71	100%	72	100%
Olmsted	493	52.1%	423	48.1%	946	100%	880	100%
Otter Tail	233	38.6%	206	47.9%	603	100%	430	100%
Pennington	60	53.1%	53	51.5%	113	100%	103	100%
Pine	100	40.2%	92	42.8%	249	100%	215	100%
Pipestone	48	41.0%	40	41.2%	117	100%	97	100%
Polk	114	43.3%	106	45.7%	263	100%	232	100%
Pope	42	33.9%	60	50.0%	124	100%	120	100%
Ramsey	1,518	43.9%	1,624	46.4%	3,461	100%	3,500	100%
Red Lake	16	48.5%	15	46.9%	33	100%	32	100%
Redwood	62	34.1%	62	40.3%	182	100%	154	100%
Renville	75	47.2%	66	41.8%	159	100%	158	100%
Rice	199	49.6%	162	45.1%	401	100%	359	100%
Rock	34	40.5%	39	47.0%	84	100%	83	100%
Roseau	52	40.9%	44	50.0%	127	100%	88	100%
St. Louis	842	44.6%	804	45.2%	1,886	100%	1,778	100%
Scott	248	49.1%	215	44.0%	505	100%	489	100%
Sherburne	182	42.1%	165	48.5%	432	100%	340	100%
Sibley	46	41.8%	49	41.9%	110	100%	117	100%
Stearns	393	37.1%	418	48.3%	1,059	100%	865	100%
Steele	128	47.2%	110	47.4%	271	100%	232	100%
Stevens	31	47.0%	37	56.1%	66	100%	66	100%
Swift	50	42.7%	49	46.2%	117	100%	106	100%
Todd	77	33.5%	68	43.6%	230	100%	156	100%
Traverse	18	31.6%	12	36.4%	57	100%	33	100%
Wabasha	77	47.2%	80	46.5%	163	100%	172	100%
Wadena	88	45.6%	56	43.1%	193	100%	130	100%
Waseca	72	46.8%	71	50.0%	154	100%	142	100%
Washington	656	47.4%	542	44.1%	1,383	100%	1,230	100%
Watsonwan	41	41.0%	48	42.1%	100	100%	114	100%
Wilkin	29	47.5%	21	34.4%	61	100%	61	100%
Winona	152	41.8%	131	37.0%	364	100%	354	100%
Wright	297	46.3%	218	44.0%	641	100%	496	100%
Yellow Medicine	33	33.7%	48	56.5%	98	100%	85	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2002, 2003 and 2004.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Other Cell types M959_ - M998_, and all other Site Codes

Total Includes all microscopically-confirmed or Death-Certificate-Only cancers

(Counts include invasive cancers only, with the exception of cancers of urinary bladder, which include in situ cancers.)

**Morbidity Table 8a: Minnesota Nonfatal Hospitalized Traumatic Brain Injury
Number and Rate per 100,000 population by State and County, 2004-2006**

	2004		2005		2006	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,488	86.7	4,809	91.9	4,546	86.6
Aitkin	18	*	18	*	16	*
Anoka	249	84.4	293	102.9	237	79.2
Becker	20	*	21	63.6	23	62.3
Beltrami	28	68.1	18	*	21	49.5
Benton	49	133.7	43	116.7	30	76.0
Big Stone	2	*	1	*	1	*
Blue Earth	54	89.5	65	114.8	50	81.8
Brown	10	*	18	*	28	95.2
Carlton	29	79.5	29	83.2	35	98.9
Carver	50	62.0	50	67.2	63	86.5
Cass	24	77.9	22	72.8	27	93.4
Chippewa	11	*	11	*	12	*
Chisago	73	153.7	65	135.6	56	118.8
Clay	4	*	2	*	2	*
Clearwater	1	*	5	*	4	*
Cook	1	*	4	*	3	*
Cottonwood	4	*	11	*	3	*
Crow Wing	60	91.1	50	78.2	62	94.0
Dakota	253	72.4	317	90.7	300	85.8
Dodge	23	115.1	31	159.5	30	153.6
Douglas	27	78.6	30	72.2	27	61.1
Faribault	13	*	17	*	17	*
Fillmore	28	127.2	32	154.1	30	133.6
Freeborn	28	80.2	34	95.5	30	84.1
Goodhue	46	93.6	75	152.6	63	128.7
Grant	8	*	5	*	6	*
Hennepin	1058	95.5	1041	92.9	983	87.7
Houston	15	*	15	*	2	*
Hubbard	12	*	5	*	2	*
Isanti	36	99.3	42	108.3	32	91.4
Itasca	38	69.7	36	75.6	31	77.9
Jackson	3	*	0	*	4	*
Kanabec	18	*	24	147.7	19	*
Kandiyohi	25	57.3	34	75.8	28	63.3
Kittson	0	*	0	*	3	*
Koochiching	11	*	7	*	8	*
Lac Qui Parle	4	*	3	*	4	*
Lake	10	*	7	*	8	*
Lake of the Woods	7	*	2	*	3	*
Le Sueur	23	79.3	35	128.2	41	141.3
Lincoln	0	*	1	*	0	*
Lyon	16	*	11	*	12	*
McLeod	24	64.6	36	95.5	33	86.3
Mahnomen	3	*	1	*	2	*
Marshall	0	*	3	*	1	*
Martin	17	*	22	82.4	20	*
Meeker	23	95.7	21	90.4	10	*
Mille Lacs	46	177.0	37	143.2	53	197.3
Morrison	33	96.2	39	111.9	37	103.0
Mower	61	134.8	57	131.2	74	180.5

**Morbidity Table 8a: Minnesota Nonfatal Hospitalized Traumatic Brain Injury
Number and Rate per 100,000 population by State and County, 2004-2006**

	2004		2005		2006	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,488	86.7	4,809	91.9	4,546	86.6
Murray	1	*	4	*	4	*
Nicollet	20	*	38	129.2	27	85.7
Nobles	6	*	8	*	6	*
Norman	1	*	2	*	1	*
Olmsted	131	97.8	198	149.3	182	134.2
Otter Tail	30	44.7	42	64.5	34	57.5
Pennington	3	*	1	*	3	*
Pine	24	86.4	41	139.2	34	116.1
Pipestone	4	*	0	*	3	*
Polk	7	*	5	*	7	*
Pope	8	*	10	*	13	*
Ramsey	536	105.4	600	118.1	574	113.2
Red Lake	2	*	2	*	1	*
Redwood	10	*	18	*	11	*
Renville	15	*	15	*	16	*
Rice	63	107.3	71	112.5	51	80.8
Rock	4	*	2	*	1	*
Roseau	3	*	3	*	2	*
St. Louis	226	111.3	259	122.4	211	96.5
Scott	81	80.1	73	71.3	71	72.6
Sherburne	80	108.6	64	89.3	75	90.8
Sibley	15	*	9	*	13	*
Stearns	150	104.2	143	99.9	135	92.9
Steele	39	109.8	50	138.2	33	87.2
Stevens	4	*	11	*	15	*
Swift	5	*	2	*	8	*
Todd	19	*	15	*	18	*
Traverse	0	*	3	*	1	*
Wabasha	32	140.2	32	137.8	39	177.1
Wadena	13	*	11	*	6	*
Waseca	19	*	19	*	25	130.3
Washington	166	85.6	156	79.4	185	92.3
Watonwan	9	*	8	*	12	*
Wilkin	3	*	1	*	1	*
Winona	53	98.4	35	65.4	30	50.9
Wright	102	102.6	104	95.9	103	97.9
Yellow Medicine	6	*	6	*	4	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Traumatic Brain Injuries (TBI): Numbers are traumatic brain injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-23 for Traumatic Brain Injuries Case Report Definitions

*Rate not calculated under 20 events

**Morbidity Table 8b: Minnesota Nonfatal Hospitalized Spinal Cord Injury
Number and Annualized Rate per 100,000 population by State and County, 2004-2006**

	2004	2005	2006	Annualized Rate 2004-2006
	Number	Number	Number	
State of Minnesota	251	229	200	4.3
Aitkin	2	1	0	*
Anoka	11	13	7	3.4
Becker	0	0	2	*
Beltrami	2	0	1	*
Benton	3	3	2	*
Big Stone	1	0	0	*
Blue Earth	3	3	2	*
Brown	1	0	0	*
Carlton	2	1	2	*
Carver	1	5	5	*
Cass	3	0	1	*
Chippewa	1	0	1	*
Chisago	2	5	4	*
Clay	0	0	0	*
Clearwater	0	0	0	*
Cook	0	1	2	*
Cottonwood	0	1	0	*
Crow Wing	2	5	3	*
Dakota	10	8	8	2.5
Dodge	6	3	0	*
Douglas	2	1	1	*
Faribault	3	2	2	*
Fillmore	2	0	0	*
Freeborn	0	2	1	*
Goodhue	1	3	2	*
Grant	1	2	0	*
Hennepin	49	58	45	4.5
Houston	0	1	0	*
Hubbard	0	0	1	*
Isanti	3	1	1	*
Itasca	5	2	0	*
Jackson	0	0	0	*
Kanabec	0	1	0	*
Kandiyohi	3	1	3	*
Kittson	0	0	0	*
Koochiching	0	2	0	*
Lac Qui Parle	0	0	0	*
Lake	2	0	0	*
Lake of the Woods	0	0	0	*
Le Sueur	1	1	5	*
Lincoln	1	0	0	*
Lyon	0	0	4	*
McLeod	1	1	3	*
Mahnomen	0	0	0	*
Marshall	0	0	1	*
Martin	0	1	0	*
Meeker	0	2	0	*
Mille Lacs	6	1	2	*
Morrison	3	2	1	*
Mower	3	2	0	*

**Morbidity Table 8b: Minnesota Nonfatal Hospitalized Spinal Cord Injury
Number and Annualized Rate per 100,000 population by State and County, 2004-2006**

	2004	2005	2006	Annualized Rate 2004-2006
	Number	Number	Number	
State of Minnesota	251	229	200	4.3
Murray	0	0	0	*
Nicollet	0	2	1	*
Nobles	0	0	0	*
Norman	0	0	0	*
Olmsted	10	9	3	5.5
Otter Tail	2	1	1	*
Pennington	0	0	1	*
Pine	2	5	2	*
Pipestone	0	0	0	*
Polk	0	1	1	*
Pope	1	1	1	*
Ramsey	27	12	22	4.0
Red Lake	0	0	0	*
Redwood	0	1	1	*
Renville	3	2	2	*
Rice	5	2	1	*
Rock	0	0	0	*
Roseau	1	0	0	*
St. Louis	18	20	9	7.2
Scott	2	2	3	*
Sherburne	7	2	2	*
Sibley	1	2	0	*
Stearns	10	9	9	6.9
Steele	1	1	2	*
Stevens	0	2	1	*
Swift	2	2	0	*
Todd	2	0	1	*
Traverse	0	0	0	*
Wabasha	2	1	2	*
Wadena	0	0	2	*
Waseca	0	0	1	*
Washington	10	10	12	5.2
Watonwan	0	0	0	*
Wilkin	0	0	0	*
Winona	3	1	0	*
Wright	6	5	6	*
Yellow Medicine	0	1	0	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Spinal Cord Injuries (SCI): Numbers are spinal cord injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-23 for Spinal Cord Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity Tables 8a and b: TBI and SCI Case Report Definitions

Traumatic Brain Injury (TBI)

Cases of traumatic brain injury must be reported to the Minnesota Department of Health if the patient receives one of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

310.2 - postconcussion syndrome
348.1 - (when coded with 994.1 or 994.7) - anoxic brain damage
800.0-800.99 - fracture of vault of skull
801.00-801.99 - fracture of base of skull
803.00-803.99 - other and unqualified skull fractures
804.00-804.99 - multiple fractures involving skull or face with other bones
850.0-850.9 - concussion
851.00-851.99 - cerebral laceration and contusion
852.00-852.59 - subarachnoid, subdural, and extradural hemorrhage, following injury
853.00-853.19 - other and unspecified intracranial hemorrhage following injury
854.00-854.19 - intracranial injury of other and unspecified nature
905.0* - late effect of fracture of skull and face bones
907.0* - late effect of intracranial injury without mention of skull fracture
950.0-950.9 - injury to optic nerve and pathways
995.55 - shaken infant syndrome

AND

the patient: was admitted as an inpatient to an acute care hospital.

Out-of-state hospitals are report cases who are Minnesota residents or who were injured in Minnesota.

Excludes patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts. Late effects of TBI or SCI found only in the UB-92 data were not included as, unlike late effects in the Registry, they have limited information with which to unduplicate them from previously treated injuries and there are many of them.

Spinal Cord Injuries (SCI)

Cases of spinal cord injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

806.00-806.9 - fracture of vertebral column with spinal cord injury
907.2* - late effect of spinal cord injury
952.00-952.9 - spinal cord injury without evidence of spinal bone injury

AND

the patient: was admitted as an inpatient to an acute care hospital.

Out-of-state hospitals are report cases who are Minnesota residents or who were injured in Minnesota.

Excludes patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts. Late effects of TBI or SCI found only in the UB-92 data were not included as, unlike late effects in the Registry, they have limited information with which to unduplicate them from previously treated injuries and there are many of them.

**Morbidity Table 9: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2006**

	Estimated Percent of:				
	Overweight (Not Obese)*	Obese	Current Smokers	Acute Drinking	Chronic Drinking
State of Minnesota	37.8	24.5	18.3	17.6	3.9
Aitkin	38.7	24.5	16.0	14.7	3.6
Anoka	37.3	24.7	19.0	18.6	4.0
Becker	37.9	24.5	17.4	16.6	3.7
Beltrami	36.1	23.9	18.8	18.0	3.8
Benton	36.8	24.2	18.8	18.8	3.8
Big Stone	38.5	24.1	15.9	14.3	3.5
Blue Earth	35.6	23.5	19.4	19.3	3.7
Brown	37.7	24.1	17.3	16.3	3.7
Carlton	37.7	24.4	17.9	17.4	3.8
Carver	36.9	24.4	19.3	19.0	4.0
Cass	38.1	24.6	17.1	16.0	3.7
Chippewa	38.1	24.2	16.8	15.6	3.6
Chisago	37.3	24.4	18.9	18.9	3.9
Clay	35.6	23.4	19.2	18.3	3.7
Clearwater	38.1	24.5	17.0	16.1	3.7
Cook	38.6	25.0	16.9	15.6	3.7
Cottonwood	38.3	24.2	16.3	15.1	3.6
Crow Wing	37.7	24.3	17.3	16.5	3.7
Dakota	37.2	24.6	19.0	18.4	4.0
Dodge	37.4	24.3	18.4	18.0	3.8
Douglas	37.8	24.2	17.2	16.5	3.6
Faribault	38.3	24.2	16.4	15.1	3.6
Fillmore	38.2	24.3	16.9	16.0	3.6
Freeborn	38.3	24.5	16.7	15.7	3.7
Goodhue	37.8	24.4	17.6	16.8	3.8
Grant	38.4	24.0	16.2	15.0	3.5
Hennepin	37.5	24.6	18.4	17.8	3.9
Houston	37.9	24.4	17.4	16.3	3.7
Hubbard	38.2	24.5	16.8	15.5	3.7
Isanti	37.0	24.4	18.8	18.6	3.9
Itasca	37.9	24.6	17.3	16.0	3.7
Jackson	38.3	24.2	16.8	15.9	3.6
Kanabec	37.7	24.5	17.8	17.1	3.7
Kandiyohi	37.6	24.3	17.6	16.7	3.7
Kittson	38.9	24.5	15.9	14.3	3.6
Koochiching	38.4	24.6	16.7	15.3	3.7
Lac Qui Parle	38.7	24.2	16.1	14.7	3.6
Lake	38.5	24.5	16.7	15.5	3.6
Lake of the Woods	38.6	24.7	16.7	15.3	3.7
Le Sueur	37.6	24.4	18.0	17.3	3.8
Lincoln	38.7	24.0	15.7	14.5	3.5
Lyon	36.7	23.9	18.2	17.4	3.7
McLeod	37.6	24.4	17.8	17.2	3.8
Mahnomen	38.2	24.5	16.7	15.6	3.7
Marshall	38.4	24.4	16.9	15.8	3.7
Martin	38.4	24.3	16.4	15.1	3.6

**Morbidity Table 9: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2006**

	Estimated Percent of:				
	Overweight (Not Obese)*	Obese	Current Smokers	Acute Drinking	Chronic Drinking
State of Minnesota	37.8	24.5	18.3	17.6	3.9
Meeker	37.9	24.4	17.5	16.7	3.7
Mille Lacs	37.5	24.3	17.7	17.1	3.7
Morrison	37.7	24.4	17.7	17.0	3.8
Mower	38.0	24.2	16.9	16.1	3.6
Murray	38.5	24.4	16.4	15.1	3.6
Nicollet	36.2	24.0	19.1	18.4	3.8
Nobles	38.2	24.4	17.1	16.3	3.7
Norman	38.5	24.3	16.5	15.2	3.7
Olmsted	37.4	24.4	18.3	17.8	3.9
Otter Tail	38.1	24.3	16.9	15.9	3.7
Pennington	37.4	24.3	17.7	16.9	3.7
Pine	38.1	24.5	17.7	17.4	3.8
Pipestone	38.0	23.9	16.4	15.2	3.6
Polk	37.5	24.1	17.5	16.6	3.7
Pope	38.1	24.2	16.6	15.5	3.6
Ramsey	37.2	24.3	18.1	17.2	3.8
Red Lake	38.2	24.4	17.2	16.5	3.7
Redwood	38.3	24.3	16.7	15.6	3.7
Renville	38.2	24.3	17.0	15.9	3.7
Rice	36.2	23.9	19.2	18.8	3.8
Rock	38.0	24.2	16.8	15.7	3.6
Roseau	38.0	24.6	18.1	17.5	3.9
St. Louis	37.2	24.2	17.9	16.8	3.7
Scott	36.8	24.4	19.5	19.6	4.0
Sherburne	36.6	24.3	19.5	19.7	4.0
Sibley	38.0	24.4	17.5	16.7	3.8
Stearns	36.3	23.9	19.1	18.7	3.8
Steele	37.4	24.3	18.1	17.4	3.8
Stevens	35.4	23.1	18.7	17.7	3.6
Swift	39.0	24.4	16.6	16.2	3.7
Todd	37.9	24.4	17.5	16.7	3.7
Traverse	38.7	23.7	15.4	14.0	3.4
Wabasha	37.9	24.5	17.6	16.7	3.8
Wadena	38.1	24.2	16.5	15.5	3.6
Waseca	38.2	24.5	17.9	17.9	3.8
Washington	37.3	24.7	18.9	18.2	4.0
Watsonwan	38.2	24.3	16.6	15.4	3.6
Wilkin	38.1	24.4	17.5	16.4	3.8
Winona	35.6	23.6	19.0	18.1	3.7
Wright	36.9	24.4	19.1	19.0	3.9
Yellow Medicine	38.2	24.1	16.7	15.6	3.6

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

^See page D-28 for definitions

*Note: In previous County Health Tables, estimated percent of overweight included obesity.

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

**Morbidity Table 10: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2006**

	Estimated Percent of:			
	Health Status (fair or poor)*	Reporting Limitations**	No Exercise	Hypertension
State of Minnesota	10.8	22.6	14.2	22.8
Aitkin	13.4	26.1	15.3	28.9
Anoka	10.0	20.8	13.6	20.3
Becker	11.8	23.6	14.6	25.0
Beltrami	10.7	21.6	14.2	21.6
Benton	10.1	20.7	13.7	20.2
Big Stone	13.7	26.7	15.8	29.5
Blue Earth	10.2	20.5	14.2	20.3
Brown	12.2	24.2	15.0	25.7
Carlton	11.3	22.8	14.5	23.7
Carver	9.7	20.3	13.5	19.3
Cass	12.2	24.2	14.6	26.0
Chippewa	12.6	25.1	15.3	26.9
Chisago	10.0	20.7	13.6	20.2
Clay	10.6	21.2	14.4	21.0
Clearwater	12.3	24.3	14.8	26.1
Cook	12.4	24.6	14.7	26.6
Cottonwood	13.1	25.8	15.6	28.0
Crow Wing	11.9	23.6	14.6	25.0
Dakota	10.0	20.9	13.6	20.3
Dodge	10.7	21.8	14.0	21.9
Douglas	12.0	23.9	14.8	25.3
Faribault	13.2	25.9	15.6	28.2
Fillmore	12.4	24.6	15.0	26.3
Freeborn	12.6	24.9	15.1	26.9
Goodhue	11.7	23.4	14.6	24.4
Grant	13.3	26.0	15.6	28.5
Hennepin	10.6	21.9	14.1	22.0
Houston	12.0	24.0	14.8	25.1
Hubbard	12.6	24.9	14.9	26.9
Isanti	10.2	20.9	13.7	20.6
Itasca	12.2	24.3	14.8	25.9
Jackson	12.6	24.9	15.2	26.6
Kanabec	11.4	22.8	14.2	23.6
Kandiyohi	11.8	23.5	14.7	24.7
Kittson	13.8	26.9	15.9	29.7
Koochiching	12.8	25.2	15.1	27.3
Lac Qui Parle	13.5	26.6	15.9	29.1
Lake	12.7	25.1	15.0	27.0
Lake of the Woods	12.9	25.2	15.0	27.3
Le Sueur	11.2	22.7	14.4	23.4
Lincoln	13.8	26.7	15.9	29.6
Lyon	11.3	22.8	14.7	23.2
McLeod	11.2	22.8	14.4	23.4
Mahnomen	12.6	25.1	15.2	27.1
Marshall	12.6	24.9	15.2	26.8
Martin	13.1	25.8	15.5	28.0

**Morbidity Table 10: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2006**

	Estimated Percent of:			
	Health Status (fair or poor)*	Reporting Limitations**	No Exercise	Hypertension
State of Minnesota	10.8	22.6	14.2	22.8
Meeker	11.8	23.7	14.7	24.9
Mille Lacs	11.4	22.8	14.4	23.6
Morrison	11.5	23.2	14.6	24.2
Mower	12.3	24.6	15.2	26.1
Murray	13.1	25.8	15.5	28.2
Nicollet	10.6	21.4	14.2	21.3
Nobles	12.2	24.4	15.0	25.9
Norman	13.1	25.8	15.5	28.0
Olmsted	10.7	21.9	14.0	22.0
Otter Tail	12.5	24.7	15.1	26.6
Pennington	11.6	23.3	14.7	24.3
Pine	11.4	22.8	14.3	23.9
Pipestone	13.1	25.6	15.6	27.9
Polk	11.9	23.8	15.0	25.0
Pope	12.8	25.3	15.4	27.4
Ramsey	11.1	22.5	14.3	23.0
Red Lake	12.2	24.2	14.9	25.7
Redwood	12.7	25.3	15.4	27.2
Renville	12.5	24.8	15.2	26.5
Rice	10.3	21.0	14.1	20.8
Rock	12.6	25.1	15.3	26.9
Roseau	11.1	22.6	14.3	23.1
St. Louis	11.7	23.4	14.8	24.4
Scott	9.2	19.4	13.1	18.0
Sherburne	9.3	19.5	13.3	18.4
Sibley	11.8	23.6	14.7	24.7
Stearns	10.4	21.1	14.1	21.0
Steele	11.1	22.5	14.3	22.9
Stevens	11.4	22.5	15.1	23.0
Swift	12.7	25.2	15.4	27.4
Todd	11.9	23.7	14.7	25.1
Traverse	14.3	27.6	16.3	30.7
Wabasha	11.7	23.6	14.6	24.7
Wadena	12.8	25.3	15.3	27.3
Waseca	11.2	22.7	14.5	23.5
Washington	10.2	21.2	13.7	20.8
Watonwan	12.9	25.3	15.3	27.2
Wilkin	12.0	23.9	14.8	25.1
Winona	10.8	21.7	14.5	21.7
Wright	9.8	20.3	13.5	19.6
Yellow Medicine	12.9	25.4	15.6	27.5

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

^See page D-28 for definitions

*estimate of those who perceive their health status to be fair or poor

**in any activities because of any impairment or health problem

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

Morbidity Tables 9 and 10:

Definitions for Behavior Risk Factors of Adults

Behavioral Risk Factor Surveillance System (BRFSS): A continuous monthly telephone survey that monitors health risk behaviors that has impact on chronic diseases and disabilities. Approximately, 4800 interviews of adults 18 years and older are completed yearly.

Smoking: Current regular smoker (ever smoked 100 cigarettes and now smokes every day or some days).

Overweight: The prevalence of overweight is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] is between 25.0 to 29.9. Note this does not include obese as it did in previous years.

Obese: The prevalence of obese is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] greater than or equal to 30.0.

Acute Drinking: Respondents who report they have consumed five or more drinks on an occasion, one or more times in the month prior to the survey.

Chronic Drinking: Chronic drinking of adults is defined as the percent of male respondents 18 and older who report an average of more than two drinks per day and female respondents 18 and older who report an average of more than one drink per day.

Limitation of Activities: The percent of adults who are limited in any activities because of physical mental or emotional problems, OR those adults who have a health impairment that requires the use of special equipment, such as cane, a wheelchair, a special bed or special telephone.

No Exercise: Percent of respondents who reported no physical activities during the past month, other than regular job.

Hypertension: Percent of respondents who have EVER been told by a doctor, nurse or other health professional that they have high blood pressure.

Section E: Chemical Health

Tables

Table 1: Alcohol-related motor vehicle fatalities

Table 2: Alcohol-related motor vehicle injuries and crashes

Table 3: Impaired Driving Incidents by Occurrence

Table 4: Impaired Driving Incidents by Residence

Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2004-2006

	2004			2005			2006			2004-2006 Percent Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	567	177	31.2	559	197	35.2	494	166	33.6	33.3
Aitkin	10	1	10.0	5	1	20.0	2	1	50.0	17.6
Anoka	28	8	28.6	22	9	40.9	29	12	41.4	36.7
Becker	4	4	100.0	6	4	66.7	4	1	25.0	64.3
Beltrami	7	3	42.9	4	2	50.0	8	3	37.5	42.1
Benton	5	2	40.0	10	3	30.0	4	2	50.0	36.8
Big Stone	4	4	100.0	0	0	0.0	1	0	0.0	80.0
Blue Earth	7	0	0.0	10	6	60.0	5	2	40.0	36.4
Brown	4	1	25.0	1	1	100.0	3	1	33.3	37.5
Carlton	7	1	14.3	4	0	0.0	9	2	22.2	15.0
Carver	4	2	50.0	8	3	37.5	8	2	25.0	35.0
Cass	7	3	42.9	5	3	60.0	4	1	25.0	43.8
Chippewa	3	1	33.3	4	0	0.0	5	1	20.0	16.7
Chisago	4	1	25.0	6	1	16.7	13	4	30.8	26.1
Clay	7	1	14.3	5	1	20.0	8	3	37.5	25.0
Clearwater	2	2	100.0	5	4	80.0	3	1	33.3	70.0
Cook	0	0	0.0	1	0	0.0	2	1	50.0	33.3
Cottonwood	3	0	0.0	1	0	0.0	1	0	0.0	0.0
Crow Wing	6	2	33.3	16	11	68.8	8	5	62.5	60.0
Dakota	33	8	24.2	28	5	17.9	20	7	35.0	24.7
Dodge	4	1	25.0	7	0	0.0	2	0	0.0	7.7
Douglas	11	5	45.5	6	3	50.0	8	1	12.5	36.0
Faribault	0	0	0.0	2	1	50.0	3	2	66.7	60.0
Fillmore	4	2	50.0	2	2	100.0	6	2	33.3	50.0
Freeborn	9	4	44.4	4	1	25.0	2	2	100.0	46.7
Goodhue	4	2	50.0	8	3	37.5	7	2	28.6	36.8
Grant	2	0	0.0	0	0	0.0	1	1	100.0	33.3
Hennepin	48	18	37.5	50	16	32.0	40	14	35.0	34.8
Houston	4	1	25.0	2	1	50.0	0	0	0.0	33.3
Hubbard	6	2	33.3	5	2	40.0	5	1	20.0	31.3
Isanti	4	3	75.0	7	1	14.3	9	3	33.3	35.0
Itasca	10	1	10.0	4	4	100.0	5	2	40.0	36.8
Jackson	0	0	0.0	6	0	0.0	1	0	0.0	0.0
Kanabec	4	2	50.0	9	3	33.3	0	0	0.0	38.5
Kandiyohi	14	3	21.4	8	0	0.0	8	1	12.5	13.3
Kittson	1	0	0.0	2	1	50.0	0	0	0.0	33.3
Koochiching	3	1	33.3	1	1	100.0	1	0	0.0	40.0
Lac Qui Parle	2	1	50.0	1	1	100.0	2	1	50.0	60.0
Lake	3	2	66.7	5	3	60.0	3	0	0.0	45.5
Lake of the Woods	0	0	0.0	2	1	50.0	1	1	100.0	66.7
Le Sueur	3	1	33.3	7	2	28.6	3	0	0.0	23.1
Lincoln	1	1	100.0	3	1	33.3	0	0	0.0	50.0
Lyon	6	0	0.0	2	1	50.0	6	1	16.7	14.3
McLeod	2	0	0.0	5	1	20.0	7	2	28.6	21.4
Mahnomen	1	1	100.0	0	0	0.0	2	0	0.0	33.3

Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2004-2006

	2004			2005			2006			2004-2006 Percent Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	567	177	31.2	559	197	35.2	494	166	33.6	33.3
Marshall	0	0	0.0	1	1	100.0	2	0	0.0	33.3
Martin	5	2	40.0	3	2	66.7	2	1	50.0	50.0
Meeker	4	1	25.0	5	3	60.0	3	1	33.3	41.7
Mille Lacs	7	6	85.7	8	4	50.0	10	2	20.0	48.0
Morrison	13	4	30.8	7	5	71.4	5	2	40.0	44.0
Mower	1	0	0.0	1	0	0.0	5	1	20.0	14.3
Murray	2	1	50.0	2	1	50.0	1	0	0.0	40.0
Nicollet	0	0	0.0	1	0	0.0	6	1	16.7	14.3
Nobles	4	1	25.0	3	0	0.0	2	0	0.0	11.1
Norman	2	0	0.0	0	0	0.0	0	0	0.0	0.0
Olmsted	15	6	40.0	10	0	0.0	15	4	26.7	25.0
Otter Tail	9	4	44.4	10	3	30.0	4	3	75.0	43.5
Pennington	4	0	0.0	3	1	33.3	0	0	0.0	14.3
Pine	7	2	28.6	13	4	30.8	4	2	50.0	33.3
Pipestone	4	1	25.0	2	0	0.0	2	1	50.0	25.0
Polk	7	4	57.1	4	2	50.0	6	0	0.0	35.3
Pope	3	1	33.3	2	1	50.0	4	1	25.0	33.3
Ramsey	22	10	45.5	26	12	46.2	20	10	50.0	47.1
Red Lake	1	1	100.0	1	1	100.0	2	2	100.0	100.0
Redwood	0	0	0.0	3	2	66.7	3	1	33.3	50.0
Renville	4	2	50.0	7	5	71.4	4	0	0.0	46.7
Rice	9	2	22.2	14	2	14.3	13	4	30.8	22.2
Rock	2	0	0.0	1	1	100.0	1	0	0.0	25.0
Roseau	2	0	0.0	6	2	33.3	0	0	0.0	25.0
St. Louis	21	6	28.6	19	9	47.4	21	8	38.1	37.7
Scott	19	3	15.8	11	1	9.1	8	2	25.0	15.8
Sherburne	14	3	21.4	18	6	33.3	9	6	66.7	36.6
Sibley	1	0	0.0	0	0	0.0	2	1	50.0	33.3
Stearns	20	6	30.0	18	5	27.8	15	6	40.0	32.1
Steele	12	0	0.0	7	0	0.0	5	2	40.0	8.3
Stevens	1	0	0.0	3	2	66.7	2	0	0.0	33.3
Swift	1	0	0.0	0	0	0.0	0	0	0.0	0.0
Todd	11	5	45.5	5	0	0.0	3	1	33.3	31.6
Traverse	0	0	0.0	0	0	0.0	1	1	100.0	100.0
Wabasha	2	1	50.0	6	3	50.0	7	1	14.3	33.3
Wadena	1	0	0.0	2	1	50.0	3	3	100.0	66.7
Waseca	1	0	0.0	3	2	66.7	3	0	0.0	28.6
Washington	18	7	38.9	19	3	15.8	16	2	12.5	22.6
Watsonwan	4	0	0.0	3	1	33.3	4	0	0.0	9.1
Wilkin	1	0	0.0	0	0	0.0	1	1	100.0	50.0
Winona	6	0	0.0	2	1	50.0	7	3	42.9	26.7
Wright	15	3	20.0	16	6	37.5	11	8	72.7	40.5
Yellow Medicine	1	0	0.0	5	2	40.0	3	0	0.0	22.2

Source: Minnesota Department of Public Safety

A **fatality** is considered alcohol-related if the investigating officer suspects alcohol-involvement for any driver, pedestrian or bicyclist involved in the crash. Fatalities are by county of occurrence.

Three year average: The average is determined by adding up all the events that occurred in the three years and then dividing that sum by three

**Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes
By State and County, 2006**

corrected 03/10/08

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol Related		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	78,745	4,688	6.0	35,025	3,501	10.0	\$ 277,672,100
Aitkin	211	31	14.7	116	42	36.2	\$ 2,076,600
Anoka	3,931	264	6.7	2,031	196	9.7	\$ 18,822,900
Becker	359	42	11.7	243	38	15.6	\$ 1,985,900
Beltrami	615	53	8.6	252	53	21.0	\$ 4,647,600
Benton	563	47	8.3	288	42	14.6	\$ 3,369,200
Big Stone	55	6	10.9	19	6	31.6	\$ 155,500
Blue Earth	1,325	64	4.8	478	55	11.5	\$ 3,389,200
Brown	320	12	3.8	159	6	3.8	\$ 1,262,600
Carlton	340	30	8.8	223	29	13.0	\$ 3,040,000
Carver	1,167	58	5.0	516	35	6.8	\$ 3,083,300
Cass	345	39	11.3	199	44	22.1	\$ 2,318,900
Chippewa	176	16	9.1	78	12	15.4	\$ 1,422,100
Chisago	703	57	8.1	420	59	14.0	\$ 5,835,200
Clay	822	43	5.2	309	22	7.1	\$ 4,098,900
Clearwater	79	6	7.6	29	5	17.2	\$ 1,311,800
Cook	129	10	7.8	48	10	20.8	\$ 1,391,800
Cottonwood	124	7	5.6	65	5	7.7	\$ 136,900
Crow Wing	973	65	6.7	485	41	8.5	\$ 6,821,000
Dakota	4,548	309	6.8	2,150	207	9.6	\$ 13,065,600
Dodge	189	12	6.3	117	19	16.2	\$ 342,300
Douglas	689	52	7.5	263	28	10.6	\$ 1,879,500
Faribault	194	14	7.2	97	9	9.3	\$ 2,528,300
Fillmore	259	19	7.3	121	12	9.9	\$ 2,578,600
Freeborn	550	24	4.4	215	10	4.7	\$ 2,616,400
Goodhue	856	46	5.4	401	36	9.0	\$ 3,138,200
Grant	99	15	15.2	48	11	22.9	\$ 1,410,000
Hennepin	20,898	1,004	4.8	9,078	643	7.1	\$ 31,985,700
Houston	312	26	8.3	119	33	27.7	\$ 701,400
Hubbard	225	22	9.8	140	19	13.6	\$ 1,572,700
Isanti	494	32	6.5	230	30	13.0	\$ 4,182,500
Itasca	581	58	10.0	334	56	16.8	\$ 3,577,000
Jackson	174	13	7.5	81	13	16.0	\$ 463,800
Kanabec	171	13	7.6	105	9	8.6	\$ 270,200
Kandiyohi	644	36	5.6	309	24	7.8	\$ 1,742,700
Kittson	38	3	7.9	24	3	12.5	\$ 147,100
Koochiching	143	12	8.4	73	16	21.9	\$ 309,000
Lac Qui Parle	57	6	10.5	29	9	31.0	\$ 1,257,400
Lake	179	9	5.0	83	9	10.8	\$ 138,400
Lake of the Woods	25	5	20.0	17	7	41.2	\$ 1,302,600
Le Sueur	420	27	6.4	183	19	10.4	\$ 502,100
Lincoln	75	8	10.7	40	10	25.0	\$ 226,400
Lyon	315	18	5.7	150	14	9.3	\$ 1,456,300
McLeod	582	29	5.0	235	22	9.4	\$ 2,966,600
Mahnomen	63	10	15.9	39	13	33.3	\$ 490,700

Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries and Crashes By State and County, 2006

corrected 03/10/08

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol Related		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	78,745	4,688	6.0	35,025	3,501	10.0	\$ 277,672,100
Marshall	76	5	6.6	44	5	11.4	\$ 170,300
Martin	308	17	5.5	133	14	10.5	\$ 1,456,700
Meeker	244	13	5.3	142	11	7.7	\$ 1,361,600
Mille Lacs	329	37	11.2	218	32	14.7	\$ 3,388,600
Morrison	354	37	10.5	193	42	21.8	\$ 3,403,800
Mower	561	52	9.3	217	30	13.8	\$ 2,214,100
Murray	109	9	8.3	66	8	12.1	\$ 227,100
Nicollet	428	19	4.4	170	9	5.3	\$ 1,490,100
Nobles	357	15	4.2	154	14	9.1	\$ 507,300
Norman	74	5	6.8	34	1	2.9	\$ 41,100
Olmsted	1,925	87	4.5	888	64	7.2	\$ 6,064,400
Otter Tail	805	61	7.6	389	52	13.4	\$ 4,824,400
Pennington	156	11	7.1	101	13	12.9	\$ 235,800
Pine	351	23	6.6	194	31	16.0	\$ 3,030,600
Pipestone	110	7	6.4	51	5	9.8	\$ 1,335,300
Polk	359	36	10.0	109	27	24.8	\$ 808,600
Pope	120	11	9.2	71	9	12.7	\$ 1,370,800
Ramsey	10,822	479	4.4	3,649	291	8.0	\$ 18,962,100
Red Lake	29	9	31.0	27	12	44.4	\$ 2,557,100
Redwood	192	15	7.8	115	14	12.2	\$ 1,444,300
Renville	159	7	4.4	118	12	10.2	\$ 198,600
Rice	843	59	7.0	420	58	13.8	\$ 6,206,400
Rock	173	9	5.2	65	6	9.2	\$ 219,900
Roseau	110	11	10.0	44	8	18.2	\$ 176,300
St. Louis	2,856	252	8.8	1,279	174	13.6	\$ 13,321,800
Scott	1,249	78	6.2	709	80	11.3	\$ 3,838,000
Sherburne	1,172	64	5.5	508	56	11.0	\$ 8,350,200
Sibley	144	8	5.6	63	7	11.1	\$ 1,407,900
Stearns	2,319	136	5.9	1,129	122	10.8	\$ 9,989,800
Steele	514	25	4.9	219	17	7.8	\$ 2,628,700
Stevens	132	6	4.5	49	7	14.3	\$ 142,700
Swift	86	15	17.4	62	14	22.6	\$ 489,900
Todd	257	28	10.9	131	21	16.0	\$ 1,576,900
Traverse	27	2	7.4	10	1	10.0	\$ 1,169,600
Wabasha	278	22	7.9	145	18	12.4	\$ 1,586,100
Wadena	144	13	9.0	71	8	11.3	\$ 3,676,100
Waseca	238	13	5.5	111	12	10.8	\$ 329,400
Washington	2,757	152	5.5	1,175	93	7.9	\$ 4,590,800
Watsonwan	139	8	5.8	50	5	10.0	\$ 102,500
Wilkin	126	10	7.9	51	4	7.8	\$ 1,257,400
Winona	834	47	5.6	300	30	10.0	\$ 4,289,500
Wright	1,334	93	7.0	658	75	11.4	\$ 11,040,400
Yellow Medicine	128	10	7.8	54	8	14.8	\$ 168,200

Source: Minnesota Department of Public Safety

A **crash** or **injury** are considered alcohol-related if any driver, pedestrian or bicyclist involved in the crash was perceived by the report officer or found by a laboratory test, to be positive for alcohol (i.e., to have a blood alcohol concentration of .01% or higher). Crashes are by county of occurrence.

Alcohol-related costs are calculated using estimates (provided annually by the National Safety Council) which do not attempt to include "comprehensive costs" but just direct costs due to medical expense, property damage, and lost productivity. Other estimating procedures (e.g., those used by the US Department of Transportation) that do attempt to include comprehensive costs result in estimates about three times as great as those used by National Safety Council.

Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record by County of Occurrence per 10,000 Population, 2002-2006

	2002		2003		2004		2005		2006		2002-2006
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	33,032	65.8	32,193	63.6	34,199	67.0	36,870	71.8	41,867	81.0	69.9
Aitkin	245	158.1	199	126.1	111	69.2	215	132.9	208	128.8	122.8
Anoka	1,702	54.9	1,706	54.3	2,001	62.5	2,049	63.2	2,160	66.1	60.3
Becker	461	149.7	333	106.8	298	93.7	438	137.4	521	161.7	129.9
Beltrami	446	108.7	430	102.9	371	87.8	354	82.6	445	103.1	96.9
Benton	275	75.7	273	73.9	253	66.4	268	69.6	346	89.4	75.1
Big Stone	40	70.5	40	70.8	19	**	23	42.0	47	85.3	60.5
Blue Earth	599	105.6	594	103.7	440	76.6	638	109.9	676	116.0	102.4
Brown	149	55.9	193	72.8	176	65.8	148	55.8	176	66.8	63.4
Carlton	307	94.2	309	93.5	270	80.3	399	117.3	410	120.2	101.3
Carver	335	44.3	339	42.9	478	58.2	414	48.8	430	49.1	48.8
Cass	243	87.3	191	67.7	227	79.8	283	97.9	397	136.7	94.1
Chippewa	99	76.6	108	84.3	92	72.7	114	89.0	145	114.0	87.3
Chisago	297	66.6	321	69.5	326	67.4	369	74.7	371	73.7	70.5
Clay	561	108.0	614	118.1	354	66.9	802	149.0	742	136.2	115.9
Clearwater	73	86.9	66	78.3	75	88.9	67	79.0	57	67.5	80.1
Cook	64	123.2	62	117.4	33	62.1	76	141.6	101	189.5	126.8
Cottonwood	61	50.7	58	48.3	67	56.0	54	45.6	55	47.2	49.6
Crow Wing	414	72.8	432	73.9	449	75.5	655	109.3	714	117.0	90.1
Dakota	2,763	74.9	2,519	67.5	2,364	62.4	2,650	69.1	3,001	77.3	70.2
Dodge	149	80.3	97	51.2	122	63.0	147	75.0	152	76.9	69.3
Douglas	230	68.6	212	62.1	196	56.6	241	68.6	257	72.5	65.7
Faribault	103	64.7	67	42.6	74	47.3	68	43.9	90	58.9	51.5
Fillmore	144	67.2	103	48.3	93	43.6	113	52.9	142	67.1	55.8
Freeborn	280	87.2	224	70.1	172	53.8	241	75.4	204	64.5	70.2
Goodhue	294	65.7	297	65.8	245	53.9	385	84.5	525	114.6	77.0
Grant	32	51.2	46	73.7	41	67.0	43	70.3	53	87.2	69.8
Hennepin	6,656	59.3	7,072	63.1	7,181	64.1	7,539	67.4	8,597	76.6	66.1
Houston	162	81.6	136	68.1	97	48.8	143	71.7	152	76.6	69.4
Hubbard	141	76.5	138	74.1	124	65.8	154	81.6	181	95.8	78.8
Isanti	160	47.3	158	44.7	240	65.7	241	64.0	357	92.5	63.5
Itasca	268	60.7	236	53.3	292	65.9	503	113.3	587	131.2	85.0
Jackson	47	41.7	43	38.5	51	45.4	51	45.6	83	74.4	49.1
Kanabec	102	66.0	100	63.0	106	66.0	96	59.2	103	63.3	63.5
Kandiyohi	282	69.1	244	59.3	311	75.5	287	69.7	321	78.1	70.3
Kittson	11	**	21	42.3	28	58.1	25	52.2	23	49.0	44.4
Koochiching	126	90.1	96	68.5	87	62.8	60	43.1	97	71.0	67.1
Lac Qui Parle	33	41.6	27	34.3	34	43.8	36	47.3	45	60.3	45.3
Lake	49	44.2	43	38.5	64	57.1	59	52.9	66	60.2	50.5
Lake of the Woods	26	59.3	74	168.8	41	93.1	78	176.4	65	150.2	129.6
Le Sueur	155	59.6	133	49.7	207	76.2	148	53.8	179	64.2	60.7
Lincoln	13	**	8	**	16	**	29	47.9	31	52.0	31.7
Lyon	173	68.9	182	73.3	140	56.7	214	87.4	201	81.6	73.5
McLeod	256	72.3	269	75.0	212	58.6	266	72.6	366	98.2	75.5
Mahnomen	127	246.6	108	211.2	78	153.5	130	254.3	96	189.3	211.1
Marshall	36	36.3	38	38.0	57	56.9	57	57.2	50	50.2	47.8
Martin	148	69.7	142	66.9	128	60.8	132	62.9	120	57.8	63.6
Meeker	113	49.4	86	37.1	121	52.0	117	50.1	147	62.8	50.3
Mille Lacs	297	125.7	250	102.8	208	82.9	298	116.0	351	134.1	112.4
Morrison	195	60.3	181	55.5	176	53.8	194	59.2	205	62.3	58.2
Mower	343	88.4	344	88.6	277	71.0	321	82.7	305	78.9	81.9
Murray	41	45.5	39	43.4	24	26.7	31	35.0	35	39.9	38.1
Nicollet	349	115.3	287	93.4	220	71.4	321	104.1	362	115.6	99.9

Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record by County of Occurrence per 10,000 Population, 2002-2006

	2002		2003		2004		2005		2006		2002-2006 Rate
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
State of Minnesota*	33,032	65.8	32,193	63.6	34,199	67.0	36,870	71.8	41,867	81.0	69.9
Nobles	181	88.5	182	88.3	126	61.5	189	92.2	184	90.0	84.1
Norman	49	67.0	23	32.0	33	46.6	55	78.5	54	78.8	60.4
Olmsted	794	61.6	692	52.7	830	62.3	869	64.3	823	59.8	60.1
Otter Tail	321	55.3	341	57.9	366	63.2	415	72.0	429	74.2	64.5
Pennington	117	86.6	88	64.5	118	87.1	125	91.9	119	86.8	83.4
Pine	228	83.4	248	89.4	259	92.1	334	117.3	347	122.1	101.1
Pipestone	46	47.1	42	43.4	30	31.3	68	72.2	60	63.7	51.4
Polk	295	94.8	308	99.7	204	65.5	269	86.4	301	96.8	88.6
Pope	78	69.7	67	59.5	53	47.2	83	73.8	74	66.0	63.2
Ramsey	2,657	52.0	2,327	46.0	2,749	55.0	2,632	53.2	3,231	65.5	54.3
Red Lake	41	95.1	41	94.9	20	**	47	108.9	79	189.5	106.5
Redwood	80	49.2	79	48.7	99	61.1	125	78.0	148	93.7	65.9
Renville	98	57.5	108	64.1	131	78.4	133	79.3	159	96.2	75.0
Rice	413	70.5	417	69.9	416	68.9	339	55.6	346	55.8	64.0
Rock	41	41.9	57	59.3	38	39.7	51	53.6	63	66.1	52.0
Roseau	128	78.9	115	70.5	137	84.0	159	96.4	140	86.4	83.3
St. Louis	1,445	72.3	1,324	66.6	1,399	70.6	1,593	80.8	1,723	87.9	75.6
Scott	661	63.8	679	62.5	762	66.4	1,111	92.7	1,245	100.3	78.1
Sherburne	393	55.0	385	51.6	486	61.7	573	70.1	799	94.0	67.3
Sibley	120	78.0	100	65.5	129	84.7	112	73.5	124	82.0	76.7
Stearns	763	56.2	930	67.8	890	63.1	1,134	79.5	1,332	92.4	72.0
Steele	175	50.9	191	55.0	210	59.7	254	71.0	288	79.5	63.4
Stevens	36	36.4	52	52.6	41	41.3	44	44.8	39	39.7	42.9
Swift	44	37.9	59	50.6	54	47.0	42	37.1	64	62.1	46.7
Todd	149	60.9	111	45.7	134	54.4	165	67.1	241	98.9	65.4
Traverse	33	83.5	18	**	13	**	21	55.1	22	57.9	55.3
Wabasha	167	76.2	185	83.5	130	58.5	152	68.5	198	88.9	75.1
Wadena	72	53.0	105	77.2	85	62.5	91	66.7	127	94.5	70.7
Waseca	122	62.8	144	74.1	108	56.0	117	60.5	150	77.0	66.1
Washington	1,389	66.1	1,330	62.3	1,087	50.2	1,442	65.4	1,844	82.0	65.3
Watonwan	88	75.4	76	65.4	65	57.1	95	84.6	104	93.2	75.0
Wilkin	71	101.9	71	102.2	36	53.1	50	73.5	72	108.5	87.9
Winona	403	81.6	359	72.6	305	62.2	418	84.8	378	76.7	75.6
Wright	580	59.1	569	55.5	638	59.7	690	62.3	874	76.1	62.9
Yellow Medicine	79	73.1	82	76.8	61	57.7	89	85.2	136	130.4	84.4

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while DWI violations that occurred **WITHIN** that county/state each year.

Rate: The number of DWI violations per 10,000 population in the county/state.

Chemical Health Table 4: Minnesota Impaired Driving Incidents on Record by County of Residence per 10,000 Population, 2002-2006

	2002		2003		2004		2005		2006		2002-2006
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	31,388	62.5	32,193	63.6	34,199	67.0	34,256	66.7	38,938	75.4	67.1
Aitkin	135	87.1	130	82.4	157	97.9	131	81.0	131	81.1	85.9
Anoka	1,809	58.4	1,781	56.7	1,939	60.6	2,121	65.5	2,285	69.9	62.3
Becker	348	113.0	258	82.8	340	106.9	303	95.1	338	104.9	100.5
Beltrami	406	99.0	395	94.5	434	102.7	373	87.0	446	103.3	97.3
Benton	224	61.7	232	62.8	259	68.0	271	70.4	304	78.6	68.4
Big Stone	36	63.4	29	51.3	33	58.9	14	**	33	59.9	51.9
Blue Earth	481	84.8	463	80.8	545	94.9	534	92.0	563	96.6	89.9
Brown	163	61.1	164	61.9	216	80.7	129	48.6	180	68.3	64.1
Carlton	243	74.6	262	79.3	342	101.7	298	87.6	326	95.6	87.9
Carver	407	53.8	424	53.7	408	49.7	483	56.9	509	58.1	54.5
Cass	241	86.6	195	69.1	255	89.6	260	89.9	344	118.5	90.9
Chippewa	94	72.7	105	82.0	102	80.6	98	76.6	142	111.6	84.6
Chisago	295	66.2	287	62.2	393	81.3	325	65.8	363	72.1	69.6
Clay	321	61.8	309	59.4	782	147.8	351	65.2	406	74.5	81.8
Clearwater	78	92.9	84	99.7	67	79.4	63	74.3	73	86.5	86.5
Cook	27	52.0	37	70.0	44	82.8	42	78.3	49	91.9	75.1
Cottonwood	58	48.2	51	42.4	74	61.9	56	47.3	55	47.2	49.4
Crow Wing	319	56.1	344	58.9	528	88.8	521	87.0	532	87.2	75.9
Dakota	2,431	65.9	2,368	63.4	2,417	63.8	2,590	67.5	2,974	76.6	67.5
Dodge	158	85.2	115	60.7	103	53.2	150	76.6	155	78.4	70.8
Douglas	209	62.4	196	57.4	222	64.1	201	57.2	272	76.7	63.6
Faribault	109	68.4	95	60.4	60	38.4	82	52.9	88	57.6	55.6
Fillmore	111	51.8	96	45.0	121	56.8	112	52.4	127	60.0	53.2
Freeborn	220	68.6	205	64.1	224	70.1	201	62.9	182	57.5	64.7
Goodhue	294	65.7	277	61.3	284	62.4	318	69.8	390	85.1	68.9
Grant	29	46.4	52	83.3	27	44.1	52	85.1	44	72.4	66.2
Hennepin	6,853	61.1	6,895	61.5	7,381	65.8	7,331	65.5	8,184	72.9	65.4
Houston	131	66.0	99	49.5	134	67.4	115	57.7	105	52.9	58.7
Hubbard	122	66.2	128	68.7	106	56.2	139	73.7	165	87.3	70.5
Isanti	208	61.5	186	52.6	238	65.1	257	68.2	333	86.3	67.2
Itasca	264	59.8	236	53.3	313	70.6	406	91.5	495	110.7	77.3
Jackson	52	46.1	44	39.4	46	40.9	40	35.8	62	55.6	43.6
Kanabec	99	64.1	95	59.9	103	64.2	123	75.9	109	67.0	66.2
Kandiyohi	263	64.4	231	56.1	289	70.2	264	64.1	318	77.4	66.4
Kittson	18	**	24	48.3	22	45.6	21	43.8	24	51.2	44.8
Koochiching	105	75.1	96	68.5	81	58.4	76	54.6	113	82.7	67.8
Lac Qui Parle	34	42.9	34	43.2	18	**	45	59.2	46	61.6	45.8
Lake	60	54.1	46	41.2	63	56.2	60	53.8	79	72.0	55.4
Lake of the Woods	26	59.3	42	95.8	64	145.3	50	113.1	32	74.0	97.6
Le Sueur	186	71.5	179	66.9	168	61.8	194	70.6	241	86.4	71.5
Lincoln	14	**	11	**	15	**	18	**	21	35.2	25.8
Lyon	144	57.3	145	58.4	158	64.0	176	71.9	199	80.8	66.4
McLeod	214	60.4	237	66.1	231	63.8	256	69.9	295	79.1	68.0
Mahnomen	80	155.3	77	150.6	118	232.2	88	172.1	64	126.2	167.3
Marshall	61	61.6	54	54.0	42	41.9	70	70.2	69	69.3	59.4
Martin	140	65.9	120	56.5	134	63.7	134	63.8	133	64.0	62.8
Meeker	125	54.6	108	46.5	109	46.8	131	56.1	154	65.8	54.0
Mille Lacs	189	80.0	201	82.7	285	113.6	213	82.9	332	126.9	97.7
Morrison	173	53.5	197	60.4	164	50.2	222	67.7	239	72.6	60.9
Mower	318	82.0	312	80.4	293	75.1	311	80.2	295	76.3	78.8
Murray	37	41.1	32	35.6	25	27.8	31	35.0	45	51.3	38.1

Chemical Health Table 4: Minnesota Impaired Driving Incidents on Record by County of Residence per 10,000 Population, 2002-2006

	2002		2003		2004		2005		2006		2002-2006
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	31,388	62.5	32,193	63.6	34,199	67.0	34,256	66.7	38,938	75.4	67.1
Aitkin	135	87.1	130	82.4	157	97.9	131	81.0	131	81.1	85.9
Anoka	1,809	58.4	1,781	56.7	1,939	60.6	2,121	65.5	2,285	69.9	62.3
Nicollet	239	79.0	235	76.5	281	91.1	234	75.9	249	79.5	80.4
Nobles	147	71.9	148	71.8	162	79.1	148	72.2	138	67.5	72.5
Norman	55	75.2	40	55.6	19	**	61	87.1	50	73.0	63.5
Olmsted	830	64.4	731	55.6	772	57.9	868	64.2	856	62.2	60.9
Otter Tail	338	58.2	342	58.1	405	69.9	396	68.7	419	72.5	65.5
Pennington	113	83.6	83	60.9	119	87.9	121	88.9	138	100.7	84.4
Pine	187	68.4	193	69.6	325	115.6	259	90.9	290	102.0	89.5
Pipestone	40	41.0	35	36.2	50	52.2	67	71.1	53	56.2	51.2
Polk	207	66.5	239	77.3	322	103.5	210	67.5	225	72.4	77.4
Pope	63	56.3	47	41.8	65	57.9	66	58.7	67	59.8	54.9
Ramsey	3,021	59.2	2,712	53.6	2,404	48.1	2,967	59.9	3,473	70.4	58.2
Red Lake	23	53.3	28	64.8	34	79.3	25	57.9	32	76.8	66.3
Redwood	90	55.3	78	48.1	110	67.9	120	74.9	122	77.3	64.6
Renville	113	66.3	107	63.5	127	76.0	129	77.0	156	94.4	75.3
Rice	381	65.0	408	68.4	405	67.0	371	60.9	412	66.5	65.6
Rock	30	30.6	50	52.0	47	49.1	33	34.7	48	50.3	43.3
Roseau	117	72.1	113	69.2	158	96.9	140	84.9	142	87.6	82.2
St. Louis	1,342	67.1	1,272	64.0	1,486	75.0	1,440	73.0	1,595	81.3	72.1
Scott	562	54.2	626	57.7	899	78.3	848	70.8	906	73.0	67.3
Sherburne	415	58.1	409	54.8	465	59.0	554	67.8	700	82.4	64.9
Sibley	105	68.3	99	64.8	133	87.3	91	59.7	132	87.3	73.4
Stearns	794	58.4	879	64.1	981	69.5	941	66.0	1,192	82.7	68.3
Steele	203	59.0	178	51.2	223	63.4	238	66.6	268	74.0	63.0
Stevens	32	32.4	46	46.5	50	50.3	57	58.0	53	53.9	48.2
Swift	49	42.2	64	54.9	42	36.6	63	55.6	84	81.5	53.6
Todd	151	61.7	121	49.8	134	54.4	151	61.4	209	85.7	62.6
Traverse	16	**	21	53.7	24	62.0	17	**	19	**	50.1
Wabasha	136	62.1	130	58.7	137	61.7	131	59.0	162	72.7	62.8
Wadena	79	58.2	77	56.6	81	59.5	96	70.3	138	102.6	69.4
Waseca	124	63.8	132	67.9	111	57.6	130	67.3	146	75.0	66.3
Washington	1,133	53.9	1,150	53.8	1,314	60.6	1,194	54.2	1,562	69.4	58.5
Watonwan	81	69.4	70	60.2	75	65.8	88	78.3	88	78.8	70.4
Wilkin	34	48.8	32	46.1	61	89.9	23	33.8	37	55.8	54.8
Winona	283	57.3	259	52.3	490	99.9	268	54.4	296	60.1	64.8
Wright	620	63.2	548	53.4	640	59.9	771	69.6	919	80.1	65.6
Yellow Medicine	73	67.6	69	64.6	72	68.1	90	86.1	99	94.9	76.1

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while impaired violations by county of residence.

Rate: The number of DWI violations per 10,000 population in the county/state.

Notes about the Chemical Health Indicators

IMPAIRED DRIVING INCIDENTS

Minnesota Motor Vehicle Crash Facts

This category includes data about motor vehicle crashes and violations related to alcohol. The violations' indicators includes violations for both failing and also refusing to take (implied consent law) a test for blood alcohol content.

These indicators include both local law enforcement and State Patrol reports.

Source:

Minnesota Department of Public Safety, 651/201-7000

Limitations:

Under-reporting

Law enforcement officers at a crash or arrest site may not realize and thus not report that alcohol or other drugs were involved.

Lack of Standard Reporting

The number of reports of alcohol-related crashes or driving while impaired violations are affected by the inconsistency of enforcement of the laws by local law enforcement officials. One community may be very strict in enforcement, or receive specific funds for specific enforcement, while another community may be more lenient.

Section F: Environmental Health

Tables

Table 1: Blood Lead Tests

Table 2: Food and Waterborne Outbreaks

Table 3: Hazardous Material Releases

Table 4: Radioactivity and Radiation

Blood Lead, 2006

Lead poisoning is a significant, preventable environmental health problem among children in the United States. Lead poisoning can cause learning, behavior, and health problems in young children. In adults, lead can cause high blood pressure, kidney damage, and damage to the reproductive organs. Exposure pathways include deteriorating lead paint; soil and dust; drinking water; “take-home lead” by way of parental occupations and hobbies; air; food; and possibly “traditional” medicines.

The Minnesota Department of Health (MDH) maintains an extensive blood lead surveillance system for the purpose of monitoring trends in blood lead levels in Minnesota. Independent laboratories and/or hospitals report blood lead analyses to the MDH. The data are used to help ensure that screening services are provided to high risk groups and that environmental and medical follow-up is provided to children with elevated blood lead levels. Lead program staff advise local health departments of elevated venous blood lead levels that require follow up. Health care providers and public health agencies educate families of children with blood lead levels of 10 micrograms of lead per deciliter of blood ($\mu\text{g}/\text{dL}$) or greater about the hazards of lead. Homes of children with venous blood lead levels of 15 $\mu\text{g}/\text{dL}$ or greater, or pregnant women with venous blood lead levels of 10 $\mu\text{g}/\text{dL}$ or greater, are inspected for lead hazards so that homes can be made lead safe and blood lead levels can be reduced.

In addition, MDH has developed guidelines for case management and clinical treatment in collaboration with local partners and physicians. The case management guidelines are targeted to local public health agencies and others who provide services to provide information on recommended activities related to elevated childhood lead cases. The clinical guidelines provide recommended treatment information to physicians who may not deal with many lead cases in their practice. This information, as well as other information on childhood lead poisoning, may be found at the MDH website at: www.health.state.mn.us/divs/eh/lead.

The results in Environmental Health Table 1 represent submitted reports of blood lead tests of Minnesota children aged 0-72 months between January 1, 2006 and December 31, 2006. The table below shows the numbers of children 0-72 months of age tested in 2006 according to blood lead level.

For more information contact the Environmental Impacts Analysis Unit, Section of Environmental Surveillance and Assessment: Erik Zabel, 651/201-4931, erik.zabel@health.state.mn.us, or www.health.state.mn.us/divs/eh/lead.

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter ($\mu\text{g}/\text{dL}$) in 2006 by State and County

	Number of Children (0 to 72 Months)			
	10 to 14.9 $\mu\text{g}/\text{dL}$ ²	15 to 19.9 $\mu\text{g}/\text{dL}$ ¹	20 $\mu\text{g}/\text{dL}$ or Greater ¹	Total Tested ²
State of Minnesota	841	239	210	85,746
Aitkin	3	0	0	209
Anoka	31	5	7	4,721
Becker	2	1	0	529
Beltrami	2	0	0	296
Benton	3	1	1	871
Big Stone	0	0	0	73
Blue Earth	6	2	0	813
Brown	1	0	0	237
Carlton	7	0	0	639
Carver	6	0	1	803
Cass	2	1	0	282
Chippewa	3	0	1	188
Chisago	3	0	0	662
Clay	0	2	0	602
Clearwater	0	0	0	61
Cook	1	0	0	33
Cottonwood	3	0	1	110
Crow Wing	3	3	2	957
Dakota	35	8	9	5,217
Dodge	0	0	0	205
Douglas	2	0	1	527
Faribault	4	0	0	227
Fillmore	5	1	0	216
Freeborn	2	4	1	438
Goodhue	1	1	0	500
Grant	0	0	0	107
Hennepin	291	92	83	20,982
Houston	3	1	0	163
Hubbard	0	0	0	111
Isanti	2	2	0	512
Itasca	5	1	2	557
Jackson	4	0	1	115
Kanabec	1	0	0	196
Kandiyohi	9	3	3	881
Kittson	1	1	0	34
Koochiching	3	0	0	170
Lac Qui Parle	3	1	1	107
Lake	1	0	0	174
Lake of the Woods	1	0	0	31
Le Sueur	1	0	1	335
Lincoln	0	0	0	52
Lyon	2	0	0	443
McLeod	7	1	1	657
Mahnomen	0	0	1	89
Marshall	0	0	0	79
Martin	2	0	1	305
Meeker	2	1	3	395
Mille Lacs	3	1	2	352
Morrison	1	2	0	569
Mower	7	0	2	549
Murray	2	1	0	116
Nicollet	4	0	1	424

Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter (µg/dL) in 2006 by State and County

	Number of Children (0 to 72 Months)			
	10 to 14.9 µg/dL ²	15 to 19.9 µg/dL ¹	20 µg/dL or Greater ¹	Total Tested ²
State of Minnesota	841	239	210	85,746
Nobles	5	0	2	490
Norman	0	1	0	64
Olmsted	6	4	0	1,121
Otter Tail	5	0	0	433
Pennington	0	0	0	139
Pine	5	2	2	367
Pipestone	1	0	0	56
Polk	3	1	0	366
Pope	1	0	0	149
Ramsey	212	64	43	9,880
Red Lake	0	0	0	26
Redwood	1	1	0	239
Renville	6	3	1	294
Rice	6	2	1	937
Rock	1	0	0	35
Roseau	0	0	0	127
St. Louis	36	7	10	3,430
Scott	9	4	4	1,735
Sherburne	3	0	1	1,326
Sibley	4	2	1	208
Stearns	15	1	5	2,868
Steele	2	1	1	729
Stevens	4	0	0	110
Swift	2	0	0	127
Todd	3	2	0	338
Traverse	1	0	0	55
Wabasha	2	0	0	219
Wadena	2	0	0	185
Waseca	2	1	0	332
Washington	5	4	6	2,186
Watonwan	2	1	2	195
Wilkin	0	0	1	93
Winona	4	1	0	448
Wright	5	0	3	1,679
Yellow Medicine	5	1	0	173

Source: Minnesota Department of Health, Environmental Health Division

¹results of venous tests only

²venous, capillary, and unknown test types

Foodborne and Waterborne Disease Outbreaks and Cases, 2006

Biological or chemical agents may be present in food and water and can cause illness when ingested. The Minnesota Department of Health (MDH) investigates outbreaks of gastroenteritis, including foodborne and waterborne disease outbreaks. Epidemiologists in the Infectious Disease Epidemiology, Prevention and Control Division collaborate with sanitarians in the Environmental Health Division and with local public health agencies in these investigations.

A confirmed foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after a common food or meal, and epidemiologic evaluation implicates the food or meal as the source of illness. Confirmed outbreaks may or may not be laboratory-confirmed. A probable foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after ingestion of a common food or meal, and a specific food or meal is suspected, but person-to-person transmission or other exposures cannot be ruled out.

Waterborne disease outbreaks are similar to foodborne disease outbreaks, except that epidemiologic analysis implicates drinking water or recreational water as the source of illness. Nonfoodborne/nonwaterborne gastroenteritis outbreaks are related by time and place of exposure, but investigation results suggest that either person-to-person transmission occurred or a vehicle other than food or water (e.g., animal contact) is identified.

Environmental Health Table 2 shows the number of confirmed and probable foodborne outbreaks and cases, the number of confirmed waterborne outbreaks and cases, and nonfoodborne/nonwaterborne gastroenteritis outbreaks identified by MDH in 2006. For more information, go to <http://www.health.state.mn.us/divs/idepc/dtopics/foodborne/outbreaksummary.html>, or contact the Acute Disease Investigation and Control Section, Infectious Disease Epidemiology, Prevention and Control Division: 651/201-5414.

**Environmental Health Table 2: Foodborne and Waterborne Outbreaks and Cases
Minnesota by State and County, 2006**

	Foodborne				Nonfoodborne/ Nonwaterborne Gastroenteritis	Waterborne	
	Confirmed		Probable			Confirmed	
	Outbreaks	Cases	Outbreaks	Cases		Outbreaks	Cases
State of Minnesota	80	1,236	20	129	107	2	66
Aitkin	0	0	0	0	0	0	0
Anoka	6	56	2	67	2	0	0
Becker	0	0	1	13	0	0	0
Beltrami	0	0	0	0	0	0	0
Benton	0	0	0	0	0	0	0
Big Stone	0	0	0	0	0	0	0
Blue Earth	0	0	0	0	0	0	0
Brown	1	12	0	0	1	0	0
Carlton	1	5	0	0	1	0	0
Carver	7	176	0	0	0	0	0
Cass	2	47	0	0	1	0	0
Chippewa	0	0	0	0	0	0	0
Chisago	1	6	0	0	0	0	0
Clay	1	60	0	0	1	0	0
Clearwater	0	0	0	0	0	0	0
Cook	0	0	0	0	1	0	0
Cottonwood	0	0	0	0	0	0	0
Crow Wing	0	0	1	7	2	0	0
Dakota	4	17	1	3	5	1	47
Dodge	0	0	0	0	0	0	0
Douglas	0	0	0	0	1	0	0
Faribault	0	0	1	3	0	0	0
Fillmore	0	0	0	0	0	0	0
Freeborn	1	34	0	0	0	0	0
Goodhue	3	33	0	0	1	0	0
Grant	0	0		0	0	0	0
Hennepin	22	313	8	29	21	1	19
Houston	0	0	0	0	1	0	0
Hubbard	0	0	0	0	0	0	0
Isanti	0	0	0	0	0	0	0
Itasca	1	13	0	0	0	0	0
Jackson	1	6	0	0	2	0	0
Kanabec	0	0	0	0	0	0	0
Kandiyohi	0	0	0	0	2	0	0
Kittson	0	0	0	0	2	0	0
Koochiching	0	0	0	0	0	0	0
Lac Qui Parle	0	0	0	0	1	0	0
Lake	0	0	0	0	0	0	0
Lake of the Woods	0	0	0	0	0	0	0
Le Sueur	0	0	0	0	1	0	0
Lincoln	0	0	0	0	0	0	0
Lyon	1	14	0	0	1	0	0
McLeod	0	0	0	0	2	0	0
Mahnomen	0	0	0	0	0	0	0
Marshall	0	0	0	0	1	0	0
Martin	0	0	0	0	0	0	0
Meeker	0	0	0	0	0	0	0
Mille Lacs	0	0	0	0	0	0	0
Morrison	0	0	0	0	0	0	0
Mower	1	14	0	0	2	0	0

**Environmental Health Table 2: Foodborne and Waterborne Outbreaks and Cases
Minnesota by State and County, 2006**

	Foodborne				Nonfoodborne/ Nonwaterborne Gastroenteritis	Waterborne	
	Confirmed		Probable			Confirmed	
	Outbreaks	Cases	Outbreaks	Cases		Outbreaks	Cases
State of Minnesota	80	1,236	20	129	107	2	66
Murray	0	0	0	0	0	0	0
Nicollet	0	0	0	0	0	0	0
Nobles	0	0	0	0	0	0	0
Norman	0	0	0	0	0	0	0
Olmsted	3	42	1	4	4	0	0
Otter Tail	1	22	0	0	6	0	0
Pennington	0	0	0	0	0	0	0
Pine	0	0	0	0	1	0	0
Pipestone	0	0	0	0	1	0	0
Polk	1	19	0	0	0	0	0
Pope	0	0	0	0	1	0	0
Ramsey	12	175	3	1	10	0	0
Red Lake	0	0	0	0	0	0	0
Redwood	0	0	0	0	0	0	0
Renville	0	0	0	0	0	0	0
Rice	2	69	0	0	1	0	0
Rock	0	0	0	0	1	0	0
Roseau	0	0	0	0	0	0	0
St. Louis	0	0	0	0	7	0	0
Scott	0	0	0	0	0	0	0
Sherburne	1	6	0	0	0	0	0
Sibley	0	0	0	0	1	0	0
Stearns	0	0	0	0	4	0	0
Steele	0	0	0	0	2	0	0
Stevens	0	0	0	0	0	0	0
Swift	1	8	0	0	0	0	0
Todd	0	0	0	0	0	0	0
Traverse	0	0	0	0	0	0	0
Wabasha	0	0	0	0	0	0	0
Wadena	0	0	0	0	0	0	0
Waseca	1	14	0	0	0	0	0
Washington	4	59	2	2	6	0	0
Watonwan	0	0	0	0	0	0	0
Wilkin	0	0	0	0	2	0	0
Winona	1	16	0	0	2	0	0
Wright	0	0	0	0	5	0	0
Yellow Medicine	0	0	0	0	1	0	0

Source: Minnesota Department of Health, Infectious Disease Epidemiology, Prevention and Control Division

Hazardous Substances Emergency Events Surveillance, 2006

Hazardous materials are released daily throughout Minnesota as a result of industrial, agricultural, and domestic spills of acids, ammonia, and other chemicals. Many of these releases cause injuries and force evacuations. The Hazardous Substances Emergency Events Surveillance (HSEES) program maintains a database of acute hazardous material releases in Minnesota. The HSEES program is currently active in thirteen other states, and is conducted under a cooperative agreement with the U.S. Agency for Toxic Substances and Disease Registry.

The HSEES program collects data on acute, emergency hazardous material releases, as well as threatened releases that involved a public health action such as evacuation. The program does not include releases that involve petroleum products exclusively, such as diesel fuel or propane, nor does the program include releases permitted by the Minnesota Pollution Control Agency. Chronic releases, such as a several-month leak from an acid holding tank, are also excluded from the program.

The Minnesota Department of Health (MDH) receives initial reports of hazardous material releases from several sources, including the Minnesota Duty Officer, the U. S. Coast Guard's National Response Center, and the U.S. Department of Transportation. Later, MDH calls the responsible party or emergency responders and obtains information to complete an extensive questionnaire. Examples of information gathered include the number of people who were evacuated, injured, or decontaminated; the identity and quantity of the materials spilled; and response actions. Data on long-term health effects from chemical exposures are not collected. The MDH follow-up procedure has the advantage of providing more complete and accurate information than may have been available at the time of original notification of the release.

HSEES data identify the chemicals released, the day of the week and time of day of the release, and the resulting injuries and evacuations. Maps can be generated showing the locations of spills with respect to municipalities; rivers and lakes; and roads. A person is considered injured if that person develops symptoms within 24 hours of exposure to a hazardous substance. Symptoms range from minor ailments, such as throat irritation, to death. The program does not differentiate between injuries caused directly by exposure to hazardous materials and injuries caused indirectly by the release, such as burns from a fire caused by the hazardous materials.

HSEES data can be used in emergency management planning and training. A region's agricultural and industrial activities determine the types of hazardous material releases that are likely to occur within that region. Thus, regional differences require different strategies for planning and training. Comparisons can be made between a rural county and other rural counties, and between an urban county and other urban counties.

During 2006, a total of 546 events occurred in Minnesota involving 584 chemicals. Among these, there were three threatened release events, 58 evacuations, and 68 injured people (i.e., victims). For the ten urban* counties, there were 353 events involving 377 chemicals, three threatened release events, 46 victims, and 37 evacuations. For the 77 non-urban counties, there were 193 events involving 207 chemicals, no threatened release events, 22 victims, and 21 evacuations. Environmental Health Table 3 provides the number of hazardous material releases in each county and the average number of events, injuries, evacuations, and chemicals released per event for urban counties and non-urban counties.

For further information contact the Site Assessment and Consultation Unit: Nancy Rice, HSEES Coordinator, 651/201-4923 or hazhealth@health.state.mn.us.

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2006 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number
Urban Counties	35.3	4.6	3.7	1.1
Agricultural Counties	2.5	0.3	0.3	1.1
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	546	68	58	1.1
Aitkin	0	0	0	0.0
Anoka	42	5	2	1.0
Becker	2	1	0	1.0
Beltrami	1	0	0	1.0
Benton	4	0	0	1.0
Big Stone	0	0	0	0.0
Blue Earth	10	2	2	1.2
Brown	0	0	0	0.0
Carlton	2	0	0	1.5
Carver	6	0	0	1.0
Cass	1	0	0	3.0
Chippewa	2	0	0	1.0
Chisago	1	3	1	1.0
Clay	0	0	0	0.0
Clearwater	1	1	0	1.0
Cook	0	0	0	0.0
Cottonwood	0	0	0	0.0
Crow Wing	2	0	1	1.0
Dakota	80	4	5	1.1
Dodge	7	0	0	1.1
Douglas	0	0	0	0.0
Faribault	10	0	1	1.1
Fillmore	0	0	0	0.0
Freeborn	4	0	0	1.8
Goodhue	8	4	2	1.0
Grant	0	0	0	0.0
Hennepin	80	29	21	1.1
Houston	0	0	0	0.0
Hubbard	2	0	1	1.0
Isanti	1	0	0	1.0
Itasca	6	1	0	1.0
Jackson	1	0	0	1.0
Kanabec	0	0	0	0.0
Kandiyohi	4	0	0	1.0
Kittson	2	0	0	1.0
Koochiching	3	0	0	1.0
Lac Qui Parle	0	0	0	0.0
Lake	2	0	1	1.0
Lake of the Woods	0	0	0	0.0
Le Sueur	0	0	0	0.0
Lincoln	1	0	0	1.0
Lyon	7	1	3	1.0
McLeod	14	0	1	1.0
Mahnomen	0	0	0	0.0
Marshall	0	0	0	0.0
Martin	4	1	1	1.0
Meeker	3	2	1	1.0
Mille Lacs	3	0	0	1.0

Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2006 in Minnesota by State and County*

	Events/County	Victims/County	Evacuations/County	Average Number
Urban Counties	35.3	4.6	3.7	1.1
Agricultural Counties	2.5	0.3	0.3	1.1
	Events	Victims	Evacuations	Average Number Chemicals/Event
State of Minnesota	546	68	58	1.1
Morrison	1	0	0	1.0
Mower	5	1	1	1.0
Murray	1	0	0	1.0
Nicollet	5	0	0	1.0
Nobles	0	0	0	0.0
Norman	1	0	0	1.0
Olmsted	10	0	0	1.0
Otter Tail	7	0	0	1.0
Pennington	3	0	0	1.0
Pine	1	1	0	1.0
Pipestone	1	0	0	1.0
Polk	4	0	0	1.0
Pope	1	0	0	1.0
Ramsey	48	7	5	1.0
Red Lake	0	0	0	0.0
Redwood	0	0	0	0.0
Renville	2	0	0	1.0
Rice	5	0	0	1.0
Rock	1	0	0	1.0
Roseau	5	1	0	1.2
St. Louis	13	0	2	1.0
Scott	4	0	0	1.3
Sherburne	8	0	0	1.0
Sibley	1	0	0	1.0
Stearns	5	0	0	1.6
Steele	15	2	3	1.1
Stevens	0	0	0	0.0
Swift	2	0	0	1.5
Todd	3	0	0	1.0
Traverse	0	0	0	0.0
Wabasha	1	0	0	1.0
Wadena	0	0	0	0.0
Waseca	2	0	0	1.0
Washington	65	1	2	1.0
Watonwan	4	0	1	1.0
Wilkin	0	0	0	0.0
Winona	3	0	0	1.0
Wright	3	1	1	1.0
Yellow Medicine	0	0	0	0.0

Source: Minnesota Department of Health, Environmental Health Division

***Urban counties:** Anoka, Carver, Dakota, Hennepin, Olmsted, Ramsey, St. Louis, Scott, Stearns and Washington counties (Includes counties with at least one city with a population more than 50,000 or located in the seven-county Twin Cities Metropolitan Area)

Radioactivity and Radiation, 2002-2006

Beginning in 2004, milk sampling for radioactivity in each of the seven MDH district offices was discontinued and replaced by sampling near the two nuclear generating plants. Values for strontium-90 did not exceed National Primary Drinking Water Regulations (40 CFR 141) for strontium-90 of 8.0 pCi per liter (see table below). Because there is no specific standard for strontium-90 in milk, the standard for strontium-90 in drinking water is used. Median values for strontium-90 also were well within recommended safe levels according to the U.S. Food and Drug Administration (FDA) emergency guidelines for milk. The FDA recommends that during an emergency, protective actions be taken only when levels exceed 4,000 pCi per liter (Accidental Radioactive Contamination of Human Food and Animal Feeds: Recommendations for State and Local Agencies, Food and Drug Administration, August 13, 1998).

Strontium-90 is a fallout product of atmospheric weapons testing. The physical half-life of strontium-90 is 28 years. The average strontium-90 level has been fluctuating, but slowly decreasing. The fluctuations observed result from sampling errors, measurement errors, and the statistical nature of the analyses.

For further information contact the Radiation Control Unit, Section of Asbestos, Indoor Air, Lead and Radiation: Tim Donakowski, 651/201-4521 or timothy.donakowski@health.state.mn.us

Environmental Health Table 4: Median Strontium-90 Levels (pCi/L) in Milk by Minnesota Site and Year, 2002-2006

	2002	2003	2004	2005	2006
St. Cloud/Little Falls	1.0	1.3	Discontinued	Discontinued	Discontinued
Duluth	1.9	1.6	Discontinued	Discontinued	Discontinued
Bemidji	0.9	1.1	Discontinued	Discontinued	Discontinued
Rochester	0.9	1.0	Discontinued	Discontinued	Discontinued
Hastings	0.9	1.0	Discontinued	Discontinued	Discontinued
Norwood	0.9	<0.8	Discontinued	Discontinued	Discontinued
St. Paul	0.9	1.0	Discontinued	Discontinued	Discontinued
Monticello	Unavailable	Unavailable	2.0	2.1	2.0
Prairie Island	Unavailable	Unavailable	1.6	<2.0	<2.0
Median	0.9	1.0	1.8	2.0	2.0

Source: Minnesota Department of Health, Environmental Health Division

Section G: Minnesota Children with Special Health Needs

This section of the Minnesota County Health Tables consists of supplemental information related to two programs targeted to improving the health of mothers and children. These data were provided by the Minnesota Department of Health, Family Health Division. The Children with Special Health Needs tables reflect the anticipated number of children with special health needs and the number of these children receiving services from various programs.

Tables

Table 1: Est. number of children with special health needs

Table 2: Prevalence of special health care needs among children

Table 3: Children receiving early intervention services

Table 4: Number of children in Follow Along Program

Table 5: Children eligible for SSI or TEFRA

Public Health Significance

The presence of a childhood chronic illness or disability has significant physical, emotional and financial impact on the child, family and community. While this population is diverse in age, diagnoses, functional limitations, unmet needs, health status, use of resources, health care coverage and eligibility for public programs, the challenges they face are similar in nature. Public health has a significant role in assuring::

1. The needs of this population are assessed.
2. Services are provided based on family choices and are flexible, available, and accessible
3. Local and state public policy supports the development of systems to support comprehensive, coordinated, community based, culturally competent and family centered care.
4. Prevention strategies reduce or prevent family stress, out-of-home placement, family disruptions, and secondary complications of the chronic illness or disability.

HOW TO CONTACT US

Minnesota Children with Special Health Needs
Minnesota Department of Health
85 East Seventh Place / PO Box 64882
St. Paul, MN 55164-0882
Phone: 651-215-8956 OR 1-800-728-5420
E-mail: mn-cshn@health.state.mn.us
FAX: 651-215-9988

<http://www.health.state.mn.us/mcshn>

Children with Special Health Care Needs [CSHCN] Data

A major challenge in planning and implementing programs and services for children with special health care needs is defining the population. Numerous approaches have been used to define the population based on the purpose of a particular program or service. The population includes children to age 21 with physical, developmental, or mental health conditions which are virtually certain to last for at least one year which cause either 1) limitation in function, activity or social role or 2) dependency on medication, special diet, medical technology, assistive device or personal assistance, to compensate for or minimize limitation of function or 3) the need for medical care or related services over and above the usual for child's age.

Importance of the Problem

Children with special needs and their families are uniquely dependent upon the success of the health and community systems to prevent premature death, prevent long-term complications and achieve optimal functioning, thus decreasing the economic burden to the community.

Number of children with special health needs

The National Survey of Children with Special Health Needs conducted by the National Center for Health Statistics, used the operationalized the Maternal and Child Health Bureau definition (above).

CSHN Table 1: Estimated Number of Children with Special Health Care Needs by State and County, 2006

	CYSHCN (0 to 18)	Need Medications	Need for Services	Development, Behavioral or Emotional Needs
State of Minnesota	181,036	140,806	74,175	55,317
Aitkin	436	339	179	133
Anoka	12,461	9,692	5,106	3,808
Becker	1,079	839	442	330
Beltrami	1,589	1,236	651	486
Benton	1,371	1,066	562	419
Big Stone	155	121	63	47
Blue Earth	1,651	1,284	676	504
Brown	822	640	337	251
Carlton	1,082	841	443	330
Carver	3,509	2,729	1,438	1,072
Cass	912	709	374	279
Chippewa	415	323	170	127
Chisago	1,871	1,455	767	572
Clay	1,736	1,350	711	530
Clearwater	288	224	118	88
Cook	129	100	53	39
Cottonwood	393	306	161	120
Crow Wing	1,957	1,522	802	598
Dakota	15,051	11,707	6,167	4,599
Dodge	764	594	313	234
Douglas	1,046	813	429	320
Faribault	480	373	197	147
Fillmore	712	553	292	217
Freeborn	999	777	409	305
Goodhue	1,520	1,182	623	464
Grant	180	140	74	55

CSHN Table 1: Estimated Number of Children with Special Health Care Needs by State and County, 2006

	CYSHCN (0 to 18)	Need Medications	Need for Services	Development, Behavioral or Emotional Needs
State of Minnesota	181,036	140,806	74,175	55,317
Hennepin	38,698	30,099	15,855	11,824
Houston	649	505	266	198
Hubbard	575	447	235	176
Isanti	1,298	1,009	532	397
Itasca	1,367	1,064	560	418
Jackson	339	263	139	103
Kanabec	532	414	218	163
Kandiyohi	1,436	1,117	588	439
Kittson	154	120	63	47
Koochiching	409	318	168	125
Lac Qui Parle	224	174	92	69
Lake	291	226	119	89
Lake of the Woods	130	101	53	40
Le Sueur	937	729	384	286
Lincoln	189	147	77	58
Lyon	843	656	345	258
McLeod	1,366	1,062	559	417
Mahnomen	205	160	84	63
Marshall	309	240	126	94
Martin	649	504	266	198
Meeker	803	625	329	245
Mille Lacs	871	678	357	266
Morrison	1,149	894	471	351
Mower	1,353	1,053	555	414
Murray	273	213	112	84
Nicollet	997	776	409	305
Nobles	777	604	318	237
Norman	223	174	91	68
Olmsted	5,046	3,925	2,068	1,542
Otter Tail	1,756	1,366	720	537
Pennington	450	350	184	138
Pine	893	695	366	273
Pipestone	316	245	129	96
Polk	1,011	786	414	309
Pope	330	257	135	101
Ramsey	17,857	13,889	7,316	5,456
Red Lake	131	102	54	40
Redwood	538	418	220	164
Renville	573	446	235	175
Rice	1,997	1,553	818	610
Rock	328	255	134	100
Roseau	619	481	254	189
St. Louis	5,630	4,379	2,307	1,720
Scott	5,129	3,989	2,101	1,567
Sherburne	3,278	2,550	1,343	1,002
Sibley	549	427	225	168
Stearns	4,772	3,711	1,955	1,458
Steele	1,325	1,031	543	405
Stevens	261	203	107	80
Swift	325	253	133	99

CSHN Table 1: Estimated Number of Children with Special Health Care Needs by State and County, 2006

	CYSHCN (0 to 18)	Need Medications	Need for Services	Development, Behavioral or Emotional Needs
State of Minnesota	181,036	140,806	74,175	55,317
Todd	818	636	335	250
Traverse	116	90	48	36
Wabasha	745	579	305	228
Wadena	452	351	185	138
Waseca	662	515	271	202
Washington	8,516	6,624	3,489	2,602
Watonwan	416	324	171	127
Wilkin	232	181	95	71
Winona	1,413	1,099	579	432
Wright	4,557	3,545	1,867	1,393
Yellow Medicine	340	265	139	104

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

CSHCN (0-18)

Children with Special Health Care Needs (CSHCN) is a synthetic estimate based on the findings of the Minnesota sample of the National Survey of Children with Special Health Care Needs. That survey identified the percentage children in Minnesota have a special health need by age grouping (8.7%-18.7%). The percentages were then applied to the 2004 estimated number of children birth to 18 years of age in each of the age groupings in each county.

Need Medications

Children are found to have a special health care need because they need prescription medications for a health or related condition that has lasted or is expected to last more than one year.

Need for Services

Children who are found to have a special health care need because they need medical care, mental health or educational services for a medical, behavioral or mental health condition that has lasted or is expected to last more than one year.

Developmental, Behavioral or Emotional Needs

Children who have a special health care need because they have an emotional, behavioral or development problem for which they need treatment or counseling.

Children and Youth with Special Health Care Needs By Age Grouping

The National Survey of Children and Youth with Special Health Care Needs surveyed more than 3,000 Minnesota families to determine the prevalence of special health care needs among children birth to 18 years old in our state. The prevalence of special health care needs varies by age grouping. The overall prevalence of special health care needs was found to be 14.4% of the population. Among children birth to age 6, the prevalence is 8.7%. Among children 6 years of age to age 12, the prevalence is 15.6%. Among youth age 12 to age 18, the prevalence of special health care needs is 18.7%. (The denominator of each age grouping is providing by the Minnesota Center for Health Statistics based on 2006 population estimates.)

CSHN Table 2: Prevalence of special health care needs among children and youth in Minnesota by county 2006 estimates

	Number of children with special health care needs birth to age 6 years	Number of children with special health care needs age 6 to 12 years	Number of youth with special health care needs age 12 to 18 years
State of Minnesota	35,931	62,771	82,619
Aitkin	82	147	214
Anoka	2,314	4,455	5,868
Becker	213	362	509
Beltrami	317	542	732
Benton	294	472	583
Big Stone	28	42	90
Blue Earth	347	576	707
Brown	150	270	422
Carlton	205	374	515
Carver	658	1,292	1,595
Cass	178	281	464
Chippewa	74	145	207
Chisago	368	630	884
Clay	315	614	843
Clearwater	60	91	135
Cook	19	46	71
Cottonwood	76	135	186
Crow Wing	383	660	927
Dakota	2,834	5,417	6,960
Dodge	149	265	355
Douglas	201	360	495
Faribault	83	159	254
Fillmore	136	229	357
Freeborn	191	332	489
Goodhue	286	514	743
Grant	34	60	90
Hennepin	8,397	13,172	16,416
Houston	107	221	347
Hubbard	104	198	286
Isanti	242	444	632
Itasca	254	455	685
Jackson	58	114	178
Kanabec	94	183	269
Kandiyohi	290	459	691
Kittson	24	62	74
Koochiching	67	146	212
Lac Qui Parle	36	79	119
Lake	46	107	151
Lake of the Woods	22	40	74
Le Sueur	177	315	458

CSHN Table 2: Prevalence of special health care needs among children and youth in Minnesota by county 2006 estimates

	Number of children with special health care needs birth to age 6 years	Number of children with special health care needs age 6 to 12 years	Number of youth with special health care needs age 12 to 18 years
State of Minnesota	35,931	62,771	82,619
Lincoln	35	66	92
Lyon	161	296	394
McLeod	277	465	621
Mahnomen	42	71	92
Marshall	56	108	150
Martin	118	220	326
Meeker	153	280	378
Mille Lacs	168	287	427
Morrison	218	397	548
Mower	271	457	626
Murray	48	93	140
Nicollet	202	337	457
Nobles	166	267	332
Norman	36	85	111
Olmsted	1,071	1,742	2,163
Otter Tail	302	604	908
Pennington	94	159	192
Pine	165	292	455
Pipestone	61	104	155
Polk	183	347	504
Pope	59	103	179
Ramsey	3,715	6,151	7,831
Red Lake	27	45	59
Redwood	99	190	257
Renville	104	199	282
Rice	388	682	941
Rock	65	113	151
Roseau	108	224	303
St. Louis	1,053	1,928	2,738
Scott	1,072	1,834	2,157
Sherburne	654	1,161	1,459
Sibley	101	189	269
Stearns	944	1,659	2,179
Steele	262	462	604
Stevens	52	94	114
Swift	58	111	165
Todd	146	275	419
Traverse	18	42	62
Wabasha	136	247	379
Wadena	84	155	221
Waseca	131	235	297
Washington	1,528	3,109	4,048
Watonwan	76	156	192
Wilkin	40	81	119
Winona	267	497	665
Wright	944	1,571	2,005
Yellow Medicine	62	117	169

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

Early Intervention

Early intervention Services are services provided in conformity with an individualized Family Service Plan (IFSP) that is designed to meet the special developmental needs of a child eligible under Part C of the Individuals with Disabilities Education Act (IDEA); and the needs of the child's family related to enhancing the child's development and that are selected in collaboration with the parent. The US Department of Education has established a benchmark of 2% of the birth to three population should be eligible for and receiving early intervention services

Children with Special Health Care Needs

Children with special health needs are identified as have a medical, emotional, developmental or behavioral condition lasting or predicted to last more than one year which results in a functional limitation, the need for medical or related services beyond what is typical for their age, the need for prescription medications or specialized therapies, or have an emotional, developmental or behavioral condition.

CSHN Table 3: Number of Minnesota Children (birth to 3): with Special Health Care Needs, and Receiving Early Intervention Services as of Dec. 1, 2006 by State and County

	Estimated Number of children birth to three with a special health care need ¹	Number in Early Intervention ²	Percentage of the Total Birth to Three Population Served By Early Intervention
State of Minnesota	16,824	3,551	1.7
Aitkin	39	11	2.2
Anoka	1058	293	2.2
Becker	104	25	1.9
Beltrami	149	33	1.8
Benton	135	16	1.0
Big Stone	12	a	0.6
Blue Earth	161	88	4.4
Brown	70	19	2.2
Carlton	95	26	2.2
Carver	302	85	2.3
Cass	87	24	2.2
Chippewa	36	7	1.6
Chisago	167	20	1.0
Clay	160	47	2.3
Clearwater	30	a	0.5
Cook	9	a	0.9
Cottonwood	36	14	3.1
Crow Wing	177	44	2.0
Dakota	1319	272	1.6
Dodge	70	12	1.4
Douglas	97	28	2.3
Faribault	40	16	3.2
Fillmore	64	6	0.8
Freeborn	91	8	0.7
Goodhue	138	20	1.2
Grant	16	a	1.5
Hennepin	3947	718	1.5
Houston	50	23	3.7
Hubbard	51	12	1.9
Isanti	113	19	1.4
Itasca	122	28	1.8
Jackson	27	7	2.1
Kanabec	42	16	3.0
Kandiyohi	141	14	0.8
Kittson	11	a	0.7
Koochiching	30	a	1.1
Lac Qui Parle	17	7	3.4

CSHN Table 3: Number of Minnesota Children (birth to 3): with Special Health Care Needs, and Receiving Early Intervention Services as of Dec. 1, 2006 by State and County

	Estimated Number of children birth to three with a special health care need ¹	Number in Early Intervention ²	Percentage of the Total Birth to Three Population Served By Early Intervention
State of Minnesota	16,824	3,551	1.7
Lake	18	5	2.2
Lake of the Woods	10	a	2.3
Le Sueur	82	36	3.5
Lincoln	17	a	1.4
Lyon	72	15	1.7
McLeod	132	30	1.8
Mahnomen	20	a	1.6
Marshall	28	a	1.2
Martin	56	17	2.4
Meeker	71	36	4.1
Mille Lacs	81	36	3.6
Morrison	103	14	1.1
Mower	124	31	2.0
Murray	21	a	0.8
Nicollet	95	16	1.3
Nobles	81	14	1.4
Norman	17	a	0.5
Olmsted	512	64	1.0
Otter Tail	140	34	1.9
Pennington	46	11	1.9
Pine	76	13	1.4
Pipestone	30	8	2.2
Polk	91	15	1.3
Pope	27	11	3.3
Ramsey	1727	355	1.6
Red Lake	13	3	1.8
Redwood	43	14	2.6
Renville	49	11	1.8
Rice	185	54	2.3
Rock	30	7	1.9
Roseau	49	a	0.7
St. Louis	502	99	1.6
Scott	506	112	1.8
Sherburne	298	77	2.1
Sibley	49	9	1.5
Stearns	442	81	1.5
Steele	124	23	1.5
Stevens	24	5	1.7
Swift	27	6	1.8
Todd	67	21	2.5
Traverse	8	0	0.0
Wabasha	63	20	2.5
Wadena	39	20	4.1
Waseca	63	21	2.7
Washington	691	122	1.4
Watonwan	33	12	2.9
Wilkin	20	a	1.2
Winona	128	31	1.9
Wright	458	79	1.4
Yellow Medicine	27	5	1.5

Sources: ¹This is a synthetic estimate based on the Minnesota results from the National Survey of Children with Special Health Care Needs. ²Minnesota Department of Education, Special Education Policy Division. ^aData not shown to avoid disclosure of information for particular individualsSource:

Follow-Along Program

The Follow-Along Program (FAP) provides a means for counties to track children who may be "At-Risk" for developmental delay due to a number of physical, sociological and environmental factors.

CSHN Table 4: Number of Minnesota Children (Birth to 3) Tracked by Follow Along Program through the Minnesota Department of Health in 2006

	Total birth to three population ¹	Number	Percent
State of Minnesota²	210,295	19,586	9.3
Aitkin	489	172	35.2
Anoka	13,220	350	2.6
Becker	1,299	686	53
Beltrami	1,867	37	2.0
Benton	1,683	273	16.2
Big Stone	155		
Blue Earth	2,009	422	21.0
Brown	871	711	81.6
Carlton	1,192	454	38.1
Carver	3,769	690	18.3
Cass	1,082	148	13.7
Chippewa	446		
Chisago	2,086	181	8.7
Clay	2,002	317	15.8
Clearwater	374	149	39.8
Cook	108	23	21.3
Cottonwood	780	133	17.1
Crow Wing	2,215	305	13.8
Dakota	16,491	572	3.5
Dodge	879	52	5.9
Douglas	1,215	464	38.2
Faribault	500		0.0
Fillmore	800	156	19.5
Freeborn	1,132		0.0
Goodhue	1,724	232	13.5
Grant	198	114	57.6
Hennepin	49,338	927	1.9
Houston	625	192	30.7
Hubbard	633	56	8.8
Isanti	1,407	230	16.3
Itasca	1,522	371	24.4
Jackson			Included With Cottonwood
Kanabec	531	409	77.0
Kandiyohi	1,760	97	5.5
Kittson	142	28	19.7
Koochiching	376	19	5.1
Lac Qui Parle	208		
Lake	230	78	33.9
Lake of the Woods	131	86	65.6
Le Sueur	1,027	140	13.6
Lincoln	845	695	82.2
Lyon	895		0.0

CSHN Table 4: Number of Minnesota Children (Birth to 3) Tracked by Follow Along Program through the Minnesota Department of Health in 2006

	Total birth to three population ¹	Number	Percent
State of Minnesota²	210,295	19,586	9.3
McLeod	1,654	361	21.8
Mahnomen	250		
Marshall	347	201	57.9
Martin	694		0.0
Meeker	886	305	34.4
Mille Lacs	1,009		
Morrison	1,287	517	40.2
Mower	1,547	88	5.7
Murray			Included with Lincoln
Nicollet	1,190	619	52.0
Nobles	1,386	261	18.8
Norman	214		
Olmsted	6,398	649	10.1
Otter Tail	1,752	733	41.8
Pennington	572	54	9.4
Pine	956	386	40.4
Pipestone			Included with Lincoln
Polk	1,136	111	9.8
Pope	336	117	34.8
Ramsey	21,584		0.0
Red Lake	165		0.0
Redwood	542	196	36.2
Renville	607	20	3.3
Rice	2,316	544	23.5
Rock			included with Nobles
Roseau	608	47	7.7
St. Louis	6,271	197	3.1
Scott	6,326	122	1.9
Sherburne	3,721	506	13.6
Sibley	617		
Stearns	5,523		
Steele	1,544	410	26.6
Stevens	302	208	68.9
Swift	339		
Todd	840	286	34.0
Traverse	101	64	63.4
Wabasha	788	477	60.5
Wadena	485	15	3.1
Waseca	785	100	12.7
Washington	8,636	854	9.9
Watonwan	408	295	72.3
Wilkin	249	86	34.5
Winona	1,605	435	27.1
Wright	5,723	148	2.6
Yellow Medicine	340		

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

¹ 2006 population estimates provided by the MN Center for Health Statistics

² Includes Fond Du Lac Human Services Division (n=205)

Children Tracked by Follow-Along Programs: The number of active clients under the age of 3 on December 31, 2006

Maternal and Child Health Tables

Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA)

SSI and TEFRA require the same level of disability for medical eligibility. In addition to meeting medical eligibility criteria, there is financial eligibility criteria which must be met to receive SSI. Changes in the SSI implemented in 1997 decreased the number of children eligible for the program. Revisions in TEFRA eligibility now require that children meet a "level of care" criteria and this has also reduced the number of children eligible for the program

CSHN Table 5: Number of Minnesota Children Eligible or on Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA) by State and County

	Estimated Number of Children under 18 with a functional limitation as of December, 2006	Children under 18 Years on SSI as of December, 2006	Children under 19 Years on TEFRA as June 30, 2006
State of Minnesota	35,202	11,203	3,097
Aitkin	85	28	6
Anoka	2,423	593	266
Becker	210	92	28
Beltrami	309	195	11
Benton	267	76	54
Big Stone	30	14	a
Blue Earth	321	120	28
Brown	160	28	18
Carlton	210	72	18
Carver	682	58	56
Cass	177	96	a
Chippewa	81	24	5
Chisago	364	71	33
Clay	338	127	26
Clearwater	56	25	a
Cook	25	a	0
Cottonwood	76	32	a
Crow Wing	381	112	27
Dakota	2,927	550	480
Dodge	149	23	6
Douglas	203	78	25
Faribault	93	49	7
Fillmore	138	22	7
Freeborn	194	86	5
Goodhue	296	71	19
Grant	35	11	a
Hennepin	7,525	3,164	575
Houston	126	24	7
Hubbard	112	57	5
Isanti	252	53	32
Itasca	266	113	10
Jackson	66	17	a
Kanabec	104	32	7
Kandiyohi	279	75	28

Maternal and Child Health Tables

CSHN Table 5: Number of Minnesota Children Eligible or on Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA) by State and County

	Estimated Number of Children under 18 with a functional limitation as of December, 2006	Children under 18 Years on SSI as of December, 2006	Children under 19 Years on TEFRA as June 30, 2006
State of Minnesota	35,202	11,203	3,097
Kittson	30	5	0
Koochiching	79	33	5
Lac Qui Parle	44	11	5
Lake	57	14	7
Lake of the Woods	25	a	a
Le Sueur	182	50	21
Lincoln	37	5	a
Lyon	164	39	6
McLeod	266	40	28
Mahnomen	40	14	a
Marshall	60	8	a
Martin	126	55	4
Meeker	156	30	14
Mille Lacs	169	50	24
Morrison	223	51	30
Mower	263	95	17
Murray	53	16	a
Nicollet	194	34	21
Nobles	151	46	11
Norman	43	16	a
Olmsted	981	233	92
Otter Tail	341	97	30
Pennington	88	27	5
Pine	174	53	a
Pipestone	61	21	7
Polk	197	57	13
Pope	64	13	a
Ramsey	3,472	1,913	169
Red Lake	26	a	a
Redwood	105	26	7
Renville	111	43	8
Rice	388	102	31
Rock	64	6	a
Roseau	120	17	5
St. Louis	1,095	556	81
Scott	997	120	126
Sherburne	637	86	76
Sibley	107	22	15
Stearns	928	253	125
Steele	258	70	20
Stevens	51	13	a
Swift	63	23	11
Todd	159	50	9

Maternal and Child Health Tables

CSHN Table 5: Number of Minnesota Children Eligible or on Supplemental Security Income (SSI) or Tax Equity and Fiscal Responsibility Act (TEFRA) by State and County

	Estimated Number of Children under 18 with a functional limitation as of December, 2006	Children under 18 Years on SSI as of December, 2006	Children under 19 Years on TEFRA as June 30, 2006
State of Minnesota	35,202	11,203	3,097
Traverse	23	6	a
Wabasha	145	18	a
Wadena	88	38	a
Waseca	129	29	11
Washington	1,656	235	120
Watonwan	81	33	5
Wilkin	45	12	a
Winona	275	98	19
Wright	886	119	64
Yellow Medicine	66	14	5

Source: Minnesota Department of Health, Minnesota Children with Special Health Needs

Estimated Number of Children with Functional Limitations: Number of children under the age of 18, based upon the Slaits CSHCN survey Minnesota survey results who are limited or prevented from doing things other children do because of a condition that has lasted or is expected to last more than one year

Children on SSI: Actual number of children under the age of 18 who met both the medical and financial criteria for SSI in December, 2006. Total includes children whose county of residence is not known.

Children on TEFRA: Actual number of children under the age of 19 who were participating in the TEFRA program on June 30, 2006. State total includes children living out-of-state.

a. Data not shown to avoid disclosure of information for particular individuals