

# **2008 Minnesota County Health Tables**

## **2008 Minnesota County Health Tables**

Minnesota Department of Health  
Minnesota Center for Health Statistics  
PO Box 64882  
St. Paul, MN 55164-64882  
[healthstats@state.mn.us](mailto:healthstats@state.mn.us)  
[www.health.state.mn.us/divs/chs](http://www.health.state.mn.us/divs/chs)

*To obtain this information in a different format, email [healthstats@state.mn.us](mailto:healthstats@state.mn.us).*

## Section A: Demographics Tables

### Tables

---

Table 1: Population Estimates by Age and Sex

Table 2: Population Estimates by Race and Ethnicity

Table 3: Selected Population Statistics

Table 4: Selected Minnesota Demographics

Table 5: Selected Socioeconomic Statistics

Table 6: Family Investment Programs

Table 7: MA and MinnesotaCare Programs

Table 8: Selected Education Statistics

Tables 9 : School Enrollment by Race/Ethnicity

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**State of Minnesota - Population Estimates by Age and Sex, 2008**

Age Group	Number		Percent	
	Male	Female	Male	Female
00-04	183,210	175,261	3.5	3.4
05-09	171,656	164,248	3.3	3.1
10-14	175,035	166,152	3.4	3.2
15-17	112,491	106,591	2.2	2.0
18-19	74,705	73,057	1.4	1.4
20-24	182,290	177,237	3.5	3.4
25-29	191,716	176,210	3.7	3.4
30-34	167,764	160,553	3.2	3.1
35-39	176,796	170,024	3.4	3.3
40-44	188,195	184,805	3.6	3.5
45-49	213,297	209,492	4.1	4.0
50-54	196,470	193,115	3.8	3.7
55-59	164,197	163,542	3.1	3.1
60-64	123,530	128,235	2.4	2.5
65-69	90,236	98,032	1.7	1.9
70-74	65,723	76,223	1.3	1.5
75-79	51,422	66,437	1.0	1.3
80-84	37,837	57,755	0.7	1.1
85&up	33,329	73,525	0.6	1.4
<b>Total</b>	<b>2,599,899</b>	<b>2,620,494</b>	<b>49.8</b>	<b>50.2</b>
<b>Total Male/Female</b>	<b>5,220,393</b>			

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Aitkin County - Population Estimates by Age and Sex, 2008**

Age Group	Aitkin		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	424	370	2,054	1,885	183,210	175,261
05-09	405	350	1,991	1,788	171,656	164,248
10-14	423	433	2,097	2,056	175,035	166,152
15-17	301	264	1,530	1,435	112,491	106,591
18-19	149	137	975	806	74,705	73,057
20-24	422	376	2,336	2,074	182,290	177,237
25-29	598	525	2,670	2,463	191,716	176,210
30-34	368	344	1,592	1,611	167,764	160,553
35-39	362	371	1,775	1,861	176,796	170,024
40-44	434	392	2,071	2,060	188,195	184,805
45-49	576	552	2,739	2,770	213,297	209,492
50-54	543	540	2,970	2,951	196,470	193,115
55-59	503	545	2,810	2,781	164,197	163,542
60-64	497	515	2,261	2,265	123,530	128,235
65-69	516	560	2,066	2,133	90,236	98,032
70-74	488	502	1,651	1,751	65,723	76,223
75-79	389	407	1,321	1,552	51,422	66,437
80-84	269	305	982	1,188	37,837	57,755
85&up	236	345	784	1,394	33,329	73,525
<b>Total</b>	<b>7,903</b>	<b>7,833</b>	<b>36,675</b>	<b>36,824</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>15,736</b>		<b>73,499</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Anoka County - Population Estimates by Age and Sex, 2008**

Age Group	Anoka		Minnesota	
	Male	Female	Male	Female
00-04	11,325	10,862	183,210	175,261
05-09	11,604	11,174	171,656	164,248
10-14	12,723	11,854	175,035	166,152
15-17	7,881	7,593	112,491	106,591
18-19	4,067	3,764	74,705	73,057
20-24	10,010	9,531	182,290	177,237
25-29	13,235	11,496	191,716	176,210
30-34	10,653	10,281	167,764	160,553
35-39	12,181	11,748	176,796	170,024
40-44	13,483	13,216	188,195	184,805
45-49	15,268	14,597	213,297	209,492
50-54	12,491	12,056	196,470	193,115
55-59	9,846	10,032	164,197	163,542
60-64	7,845	8,037	123,530	128,235
65-69	5,242	5,397	90,236	98,032
70-74	3,178	3,751	65,723	76,223
75-79	2,194	2,577	51,422	66,437
80-84	1,283	1,895	37,837	57,755
85&up	841	1,879	33,329	73,525
<b>Total</b>	<b>165,350</b>	<b>161,740</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>327,090</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Becker County - Population Estimates by Age and Sex, 2008**

Age Group	Becker		Minnesota	
	Male	Female	Male	Female
00-04	1,082	1,067	183,210	175,261
05-09	1,005	931	171,656	164,248
10-14	1,020	980	175,035	166,152
15-17	649	609	112,491	106,591
18-19	390	382	74,705	73,057
20-24	980	937	182,290	177,237
25-29	1,337	1,244	191,716	176,210
30-34	954	864	167,764	160,553
35-39	867	803	176,796	170,024
40-44	907	925	188,195	184,805
45-49	1,192	1,144	213,297	209,492
50-54	1,216	1,160	196,470	193,115
55-59	1,086	1,061	164,197	163,542
60-64	873	903	123,530	128,235
65-69	703	741	90,236	98,032
70-74	608	709	65,723	76,223
75-79	467	552	51,422	66,437
80-84	330	473	37,837	57,755
85&up	270	579	33,329	73,525
<b>Total</b>	<b>15,936</b>	<b>16,064</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>32,000</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Beltrami County - Population Estimates by Age and Sex, 2008**

Age Group	Beltrami		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,686	1,629	2,678	2,567	183,210	175,261
05-09	1,550	1,439	2,406	2,222	171,656	164,248
10-14	1,546	1,397	2,468	2,246	175,035	166,152
15-17	975	945	1,619	1,551	112,491	106,591
18-19	811	846	1,151	1,155	74,705	73,057
20-24	2,341	2,077	3,242	2,970	182,290	177,237
25-29	1,811	1,980	2,970	3,142	191,716	176,210
30-34	1,188	1,301	1,941	2,027	167,764	160,553
35-39	1,074	1,152	1,800	1,852	176,796	170,024
40-44	1,133	1,262	2,037	2,144	188,195	184,805
45-49	1,392	1,461	2,560	2,622	213,297	209,492
50-54	1,376	1,396	2,558	2,566	196,470	193,115
55-59	1,234	1,231	2,365	2,313	164,197	163,542
60-64	926	953	1,817	1,840	123,530	128,235
65-69	738	831	1,618	1,771	90,236	98,032
70-74	615	718	1,344	1,496	65,723	76,223
75-79	514	604	1,059	1,189	51,422	66,437
80-84	328	514	731	1,006	37,837	57,755
85&up	269	592	642	1,194	33,329	73,525
<b>Total</b>	<b>21,507</b>	<b>22,328</b>	<b>37,006</b>	<b>37,873</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>43,835</b>		<b>74,879</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

**Benton County - Population Estimates by Age and Sex, 2008**

Age Group	Benton		Minnesota	
	Male	Female	Male	Female
00-04	1,455	1,497	183,210	175,261
05-09	1,452	1,374	171,656	164,248
10-14	1,377	1,248	175,035	166,152
15-17	800	771	112,491	106,591
18-19	413	437	74,705	73,057
20-24	1,436	1,419	182,290	177,237
25-29	2,026	2,060	191,716	176,210
30-34	1,719	1,699	167,764	160,553
35-39	1,487	1,421	176,796	170,024
40-44	1,460	1,361	188,195	184,805
45-49	1,472	1,384	213,297	209,492
50-54	1,219	1,137	196,470	193,115
55-59	1,097	1,003	164,197	163,542
60-64	736	797	123,530	128,235
65-69	553	536	90,236	98,032
70-74	417	483	65,723	76,223
75-79	346	457	51,422	66,437
80-84	216	358	37,837	57,755
85&up	226	529	33,329	73,525
<b>Total</b>	<b>19,907</b>	<b>19,971</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>39,878</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Big Stone County - Population Estimates by Age and Sex, 2008**

Age Group	Big Stone		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	132	128	1,337	1,218	183,210	175,261
05-09	127	133	1,211	1,110	171,656	164,248
10-14	160	139	1,414	1,294	175,035	166,152
15-17	117	110	1,000	955	112,491	106,591
18-19	78	53	636	504	74,705	73,057
20-24	157	156	1,487	1,282	182,290	177,237
25-29	147	126	1,602	1,070	191,716	176,210
30-34	112	81	1,281	759	167,764	160,553
35-39	102	113	1,377	1,019	176,796	170,024
40-44	139	144	1,579	1,252	188,195	184,805
45-49	221	209	1,842	1,729	213,297	209,492
50-54	187	208	1,969	1,758	196,470	193,115
55-59	197	200	1,653	1,506	164,197	163,542
60-64	143	145	1,268	1,243	123,530	128,235
65-69	137	187	986	1,164	90,236	98,032
70-74	132	144	807	988	65,723	76,223
75-79	110	159	752	1,020	51,422	66,437
80-84	95	144	648	987	37,837	57,755
85&up	110	183	711	1,519	33,329	73,525
<b>Total</b>	<b>2,603</b>	<b>2,762</b>	<b>23,560</b>	<b>22,377</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>5,365</b>		<b>45,937</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Blue Earth County - Population Estimates by Age and Sex, 2008**

Age Group	Blue Earth		Minnesota	
	Male	Female	Male	Female
00-04	1,947	1,787	183,210	175,261
05-09	1,734	1,650	171,656	164,248
10-14	1,558	1,508	175,035	166,152
15-17	976	850	112,491	106,591
18-19	1,624	2,014	74,705	73,057
20-24	4,159	4,142	182,290	177,237
25-29	3,283	2,048	191,716	176,210
30-34	2,401	2,179	167,764	160,553
35-39	1,725	1,569	176,796	170,024
40-44	1,779	1,588	188,195	184,805
45-49	1,865	1,831	213,297	209,492
50-54	1,820	1,795	196,470	193,115
55-59	1,680	1,587	164,197	163,542
60-64	1,161	1,176	123,530	128,235
65-69	871	935	90,236	98,032
70-74	602	756	65,723	76,223
75-79	536	737	51,422	66,437
80-84	426	686	37,837	57,755
85&up	412	1,004	33,329	73,525
<b>Total</b>	<b>30,559</b>	<b>29,842</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>60,401</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Brown County - Population Estimates by Age and Sex, 2008**

Age Group	Brown		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	750	730	1,770	1,703	183,210	175,261
05-09	726	658	1,671	1,574	171,656	164,248
10-14	765	721	1,751	1,579	175,035	166,152
15-17	556	525	1,198	1,113	112,491	106,591
18-19	394	368	1,175	1,253	74,705	73,057
20-24	967	945	2,691	2,750	182,290	177,237
25-29	832	746	1,941	1,648	191,716	176,210
30-34	685	520	1,693	1,420	167,764	160,553
35-39	686	609	1,672	1,486	176,796	170,024
40-44	778	790	1,821	1,797	188,195	184,805
45-49	1,064	1,056	2,256	2,215	213,297	209,492
50-54	1,036	1,013	2,142	2,130	196,470	193,115
55-59	881	835	1,908	1,760	164,197	163,542
60-64	704	722	1,502	1,400	123,530	128,235
65-69	561	599	1,113	1,238	90,236	98,032
70-74	466	519	907	1,021	65,723	76,223
75-79	424	527	758	947	51,422	66,437
80-84	319	464	560	821	37,837	57,755
85&up	313	608	502	1,003	33,329	73,525
<b>Total</b>	<b>12,907</b>	<b>12,955</b>	<b>29,031</b>	<b>28,858</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>25,862</b>		<b>57,889</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Brown and Nicollet Counties

**Carlton County - Population Estimates by Age and Sex, 2008**

Age Group	Carlton		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,094	1,018	6,998	6,700	183,210	175,261
05-09	1,035	989	6,517	6,113	171,656	164,248
10-14	1,036	1,004	6,960	6,479	175,035	166,152
15-17	716	659	4,767	4,478	112,491	106,591
18-19	456	371	4,706	4,797	74,705	73,057
20-24	1,263	1,213	10,647	10,127	182,290	177,237
25-29	1,377	1,199	8,967	8,016	191,716	176,210
30-34	1,069	875	6,685	6,098	167,764	160,553
35-39	1,165	937	6,877	6,206	176,796	170,024
40-44	1,142	1,096	7,286	7,616	188,195	184,805
45-49	1,326	1,266	9,282	9,399	213,297	209,492
50-54	1,340	1,275	10,095	10,087	196,470	193,115
55-59	1,158	1,076	9,380	8,715	164,197	163,542
60-64	866	831	6,887	6,747	123,530	128,235
65-69	642	709	4,965	5,380	90,236	98,032
70-74	537	622	3,872	4,632	65,723	76,223
75-79	421	528	3,182	4,035	51,422	66,437
80-84	291	478	2,327	3,695	37,837	57,755
85&up	248	605	2,184	4,939	33,329	73,525
<b>Total</b>	<b>17,182</b>	<b>16,751</b>	<b>122,584</b>	<b>124,259</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>33,933</b>		<b>246,843</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Carver County - Population Estimates by Age and Sex, 2008**

Age Group	Carver		Minnesota	
	Male	Female	Male	Female
00-04	3,437	3,257	183,210	175,261
05-09	3,594	3,396	171,656	164,248
10-14	3,727	3,649	175,035	166,152
15-17	2,185	2,097	112,491	106,591
18-19	1,112	949	74,705	73,057
20-24	2,691	2,731	182,290	177,237
25-29	3,634	3,658	191,716	176,210
30-34	3,014	2,870	167,764	160,553
35-39	3,017	3,057	176,796	170,024
40-44	3,824	3,944	188,195	184,805
45-49	4,225	3,986	213,297	209,492
50-54	3,408	3,249	196,470	193,115
55-59	2,490	2,323	164,197	163,542
60-64	1,652	1,637	123,530	128,235
65-69	1,191	1,237	90,236	98,032
70-74	737	849	65,723	76,223
75-79	532	710	51,422	66,437
80-84	390	554	37,837	57,755
85&up	304	726	33,329	73,525
<b>Total</b>	<b>45,164</b>	<b>44,879</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>90,043</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Cass County - Population Estimates by Age and Sex, 2008**

Age Group	Cass		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	931	927	3,326	3,199	183,210	175,261
05-09	843	797	3,010	2,839	171,656	164,248
10-14	759	788	3,073	2,984	175,035	166,152
15-17	622	611	2,206	2,095	112,491	106,591
18-19	333	285	1,290	1,107	74,705	73,057
20-24	859	818	3,205	2,945	182,290	177,237
25-29	1,129	1,142	4,033	3,709	191,716	176,210
30-34	800	804	2,682	2,538	167,764	160,553
35-39	745	688	2,618	2,418	176,796	170,024
40-44	802	832	2,987	2,907	188,195	184,805
45-49	1,030	1,047	3,763	3,684	213,297	209,492
50-54	1,041	950	3,709	3,505	196,470	193,115
55-59	942	946	3,269	3,017	164,197	163,542
60-64	853	864	2,625	2,625	123,530	128,235
65-69	843	902	2,371	2,550	90,236	98,032
70-74	726	649	1,952	2,015	65,723	76,223
75-79	481	555	1,466	1,833	51,422	66,437
80-84	344	367	1,108	1,496	37,837	57,755
85&up	249	428	896	1,798	33,329	73,525
<b>Total</b>	<b>14,332</b>	<b>14,400</b>	<b>49,589</b>	<b>49,264</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>28,732</b>		<b>98,853</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Chippewa County - Population Estimates by Age and Sex, 2008**

Age Group	Chippewa		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	406	378	1,337	1,218	183,210	175,261
05-09	346	322	1,211	1,110	171,656	164,248
10-14	427	345	1,414	1,294	175,035	166,152
15-17	296	273	1,000	955	112,491	106,591
18-19	132	125	636	504	74,705	73,057
20-24	347	333	1,487	1,282	182,290	177,237
25-29	436	367	1,602	1,070	191,716	176,210
30-34	317	241	1,281	759	167,764	160,553
35-39	292	325	1,377	1,019	176,796	170,024
40-44	389	360	1,579	1,252	188,195	184,805
45-49	449	491	1,842	1,729	213,297	209,492
50-54	525	515	1,969	1,758	196,470	193,115
55-59	468	427	1,653	1,506	164,197	163,542
60-64	331	356	1,268	1,243	123,530	128,235
65-69	264	306	986	1,164	90,236	98,032
70-74	189	228	807	988	65,723	76,223
75-79	194	259	752	1,020	51,422	66,437
80-84	151	273	648	987	37,837	57,755
85&up	157	374	711	1,519	33,329	73,525
<b>Total</b>	<b>6,116</b>	<b>6,298</b>	<b>23,560</b>	<b>22,377</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>12,414</b>		<b>45,937</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Chisago County - Population Estimates by Age and Sex, 2008**

Age Group	Chisago		Minnesota	
	Male	Female	Male	Female
00-04	1,843	1,752	183,210	175,261
05-09	1,882	1,756	171,656	164,248
10-14	1,844	1,797	175,035	166,152
15-17	1,252	1,056	112,491	106,591
18-19	644	490	74,705	73,057
20-24	1,657	1,366	182,290	177,237
25-29	2,266	2,213	191,716	176,210
30-34	1,867	1,614	167,764	160,553
35-39	1,830	1,774	176,796	170,024
40-44	2,026	1,912	188,195	184,805
45-49	2,216	1,987	213,297	209,492
50-54	1,691	1,682	196,470	193,115
55-59	1,380	1,246	164,197	163,542
60-64	1,037	1,020	123,530	128,235
65-69	799	786	90,236	98,032
70-74	598	632	65,723	76,223
75-79	426	543	51,422	66,437
80-84	299	392	37,837	57,755
85&up	249	433	33,329	73,525
<b>Total</b>	<b>25,806</b>	<b>24,451</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>50,257</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Clay County - Population Estimates by Age and Sex, 2008**

Age Group	Clay		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,912	1,824	2,101	2,008	183,210	175,261
05-09	1,560	1,481	1,770	1,645	171,656	164,248
10-14	1,755	1,639	1,955	1,856	175,035	166,152
15-17	1,181	1,053	1,313	1,201	112,491	106,591
18-19	1,323	1,861	1,424	1,937	74,705	73,057
20-24	3,018	3,660	3,201	3,880	182,290	177,237
25-29	2,158	1,884	2,370	2,046	191,716	176,210
30-34	1,652	1,508	1,786	1,619	167,764	160,553
35-39	1,532	1,515	1,707	1,683	176,796	170,024
40-44	1,614	1,658	1,822	1,872	188,195	184,805
45-49	1,959	2,015	2,264	2,287	213,297	209,492
50-54	1,932	1,869	2,225	2,140	196,470	193,115
55-59	1,556	1,495	1,775	1,669	164,197	163,542
60-64	1,043	1,116	1,197	1,285	123,530	128,235
65-69	851	895	952	1,050	90,236	98,032
70-74	642	796	758	921	65,723	76,223
75-79	532	776	623	873	51,422	66,437
80-84	453	683	520	765	37,837	57,755
85&up	431	935	488	1,065	33,329	73,525
<b>Total</b>	<b>27,104</b>	<b>28,663</b>	<b>30,251</b>	<b>31,802</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>55,767</b>		<b>62,053</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Clay and Wilkin Counties

**Clearwater County - Population Estimates by Age and Sex, 2008**

Age Group	Clearwater		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	298	291	2,678	2,567	183,210	175,261
05-09	255	236	2,406	2,222	171,656	164,248
10-14	252	217	2,468	2,246	175,035	166,152
15-17	159	183	1,619	1,551	112,491	106,591
18-19	106	77	1,151	1,155	74,705	73,057
20-24	232	238	3,242	2,970	182,290	177,237
25-29	335	293	2,970	3,142	191,716	176,210
30-34	234	201	1,941	2,027	167,764	160,553
35-39	197	212	1,800	1,852	176,796	170,024
40-44	247	202	2,037	2,144	188,195	184,805
45-49	288	316	2,560	2,622	213,297	209,492
50-54	301	308	2,558	2,566	196,470	193,115
55-59	302	280	2,365	2,313	164,197	163,542
60-64	227	207	1,817	1,840	123,530	128,235
65-69	217	234	1,618	1,771	90,236	98,032
70-74	151	182	1,344	1,496	65,723	76,223
75-79	131	132	1,059	1,189	51,422	66,437
80-84	96	123	731	1,006	37,837	57,755
85&up	100	189	642	1,194	33,329	73,525
<b>Total</b>	<b>4,128</b>	<b>4,121</b>	<b>37,006</b>	<b>37,873</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>8,249</b>		<b>74,879</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Cook County - Population Estimates by Age and Sex, 2008**

Age Group	Cook		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	137	116	6,998	6,700	183,210	175,261
05-09	131	111	6,517	6,113	171,656	164,248
10-14	118	137	6,960	6,479	175,035	166,152
15-17	120	81	4,767	4,478	112,491	106,591
18-19	48	45	4,706	4,797	74,705	73,057
20-24	131	124	10,647	10,127	182,290	177,237
25-29	216	200	8,967	8,016	191,716	176,210
30-34	164	146	6,685	6,098	167,764	160,553
35-39	157	152	6,877	6,206	176,796	170,024
40-44	170	158	7,286	7,616	188,195	184,805
45-49	237	236	9,282	9,399	213,297	209,492
50-54	230	249	10,095	10,087	196,470	193,115
55-59	219	253	9,380	8,715	164,197	163,542
60-64	218	186	6,887	6,747	123,530	128,235
65-69	167	143	4,965	5,380	90,236	98,032
70-74	83	117	3,872	4,632	65,723	76,223
75-79	89	83	3,182	4,035	51,422	66,437
80-84	50	81	2,327	3,695	37,837	57,755
85&up	53	81	2,184	4,939	33,329	73,525
<b>Total</b>	<b>2,738</b>	<b>2,699</b>	<b>122,584</b>	<b>124,259</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>5,437</b>		<b>246,843</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

**Cottonwood County - Population Estimates by Age and Sex, 2008**

Age Group	Cottonwood		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	363	348	639	606	183,210	175,261
05-09	374	313	674	567	171,656	164,248
10-14	376	361	699	650	175,035	166,152
15-17	248	261	463	488	112,491	106,591
18-19	133	119	296	254	74,705	73,057
20-24	330	296	668	601	182,290	177,237
25-29	377	339	691	664	191,716	176,210
30-34	291	256	604	479	167,764	160,553
35-39	252	259	548	508	176,796	170,024
40-44	329	329	656	617	188,195	184,805
45-49	398	391	869	811	213,297	209,492
50-54	434	398	883	832	196,470	193,115
55-59	391	386	795	741	164,197	163,542
60-64	308	342	589	632	123,530	128,235
65-69	252	272	497	516	90,236	98,032
70-74	191	221	392	462	65,723	76,223
75-79	166	232	336	456	51,422	66,437
80-84	156	232	315	458	37,837	57,755
85&up	190	369	384	677	33,329	73,525
<b>Total</b>	<b>5,559</b>	<b>5,724</b>	<b>10,998</b>	<b>11,019</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>11,283</b>		<b>22,017</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Cottonwood and Jackson Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**  
**Crow Wing County - Population Estimates by Age and Sex, 2008**

Age Group	Crow Wing		Minnesota	
	Male	Female	Male	Female
00-04	2,072	1,952	183,210	175,261
05-09	1,954	1,894	171,656	164,248
10-14	1,872	1,801	175,035	166,152
15-17	1,237	1,230	112,491	106,591
18-19	722	674	74,705	73,057
20-24	1,732	1,764	182,290	177,237
25-29	2,790	2,781	191,716	176,210
30-34	1,909	1,894	167,764	160,553
35-39	1,776	1,708	176,796	170,024
40-44	1,877	1,857	188,195	184,805
45-49	2,160	2,201	213,297	209,492
50-54	2,127	2,145	196,470	193,115
55-59	1,897	1,868	164,197	163,542
60-64	1,487	1,610	123,530	128,235
65-69	1,398	1,613	90,236	98,032
70-74	1,213	1,309	65,723	76,223
75-79	1,002	1,196	51,422	66,437
80-84	784	958	37,837	57,755
85&up	605	1,103	33,329	73,525
<b>Total</b>	<b>30,614</b>	<b>31,558</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>62,172</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Dakota County - Population Estimates by Age and Sex, 2008**

Age Group	Dakota		Minnesota	
	Male	Female	Male	Female
00-04	14,230	13,499	183,210	175,261
05-09	14,217	13,633	171,656	164,248
10-14	15,100	14,658	175,035	166,152
15-17	9,417	8,894	112,491	106,591
18-19	4,996	4,459	74,705	73,057
20-24	11,940	11,831	182,290	177,237
25-29	13,601	13,251	191,716	176,210
30-34	12,886	13,066	167,764	160,553
35-39	14,193	14,808	176,796	170,024
40-44	15,733	16,143	188,195	184,805
45-49	17,636	17,804	213,297	209,492
50-54	15,397	15,415	196,470	193,115
55-59	11,882	12,351	164,197	163,542
60-64	8,774	9,185	123,530	128,235
65-69	5,894	6,283	90,236	98,032
70-74	3,651	4,196	65,723	76,223
75-79	2,663	3,337	51,422	66,437
80-84	1,613	2,469	37,837	57,755
85&up	1,144	2,506	33,329	73,525
<b>Total</b>	<b>194,967</b>	<b>197,788</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>392,755</b>		

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Dodge County - Population Estimates by Age and Sex, 2008**

Age Group	Dodge		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	736	710	2,113	2,011	183,210	175,261
05-09	675	752	1,959	1,947	171,656	164,248
10-14	740	723	2,046	1,963	175,035	166,152
15-17	455	471	1,246	1,237	112,491	106,591
18-19	230	240	655	664	74,705	73,057
20-24	589	581	1,765	1,665	182,290	177,237
25-29	808	748	2,109	2,038	191,716	176,210
30-34	658	593	1,785	1,731	167,764	160,553
35-39	608	621	1,790	1,739	176,796	170,024
40-44	722	690	2,027	1,975	188,195	184,805
45-49	832	794	2,232	2,264	213,297	209,492
50-54	740	710	2,148	1,997	196,470	193,115
55-59	556	533	1,687	1,615	164,197	163,542
60-64	422	425	1,235	1,261	123,530	128,235
65-69	326	359	960	1,085	90,236	98,032
70-74	244	248	738	873	65,723	76,223
75-79	198	241	608	747	51,422	66,437
80-84	140	215	439	682	37,837	57,755
85&up	158	260	425	836	33,329	73,525
<b>Total</b>	<b>9,837</b>	<b>9,914</b>	<b>27,967</b>	<b>28,330</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>19,751</b>		<b>56,297</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Dodge and Steele Counties

**Douglas County - Population Estimates by Age and Sex, 2008**

Age Group	Douglas		Minnesota	
	Male	Female	Male	Female
00-04	1,124	1,044	183,210	175,261
05-09	1,024	956	171,656	164,248
10-14	991	1,013	175,035	166,152
15-17	677	612	112,491	106,591
18-19	489	406	74,705	73,057
20-24	1,206	1,074	182,290	177,237
25-29	1,811	1,705	191,716	176,210
30-34	1,140	1,020	167,764	160,553
35-39	1,028	963	176,796	170,024
40-44	1,022	986	188,195	184,805
45-49	1,259	1,233	213,297	209,492
50-54	1,256	1,274	196,470	193,115
55-59	1,096	1,056	164,197	163,542
60-64	892	946	123,530	128,235
65-69	819	861	90,236	98,032
70-74	748	814	65,723	76,223
75-79	558	737	51,422	66,437
80-84	454	663	37,837	57,755
85&up	451	850	33,329	73,525
<b>Total</b>	<b>18,045</b>	<b>18,213</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>36,258</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Faribault County - Population Estimates by Age and Sex, 2008**

Age Group	Faribault		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	430	388	1,005	983	183,210	175,261
05-09	375	336	910	871	171,656	164,248
10-14	478	401	1,100	981	175,035	166,152
15-17	385	304	837	704	112,491	106,591
18-19	183	145	439	360	74,705	73,057
20-24	444	437	1,034	1,018	182,290	177,237
25-29	422	377	1,074	868	191,716	176,210
30-34	324	252	762	622	167,764	160,553
35-39	323	286	815	791	176,796	170,024
40-44	438	413	1,000	963	188,195	184,805
45-49	551	585	1,312	1,405	213,297	209,492
50-54	679	568	1,568	1,441	196,470	193,115
55-59	532	524	1,324	1,273	164,197	163,542
60-64	447	463	1,039	1,025	123,530	128,235
65-69	332	387	804	922	90,236	98,032
70-74	261	335	670	789	65,723	76,223
75-79	266	347	627	833	51,422	66,437
80-84	220	303	477	752	37,837	57,755
85&up	204	479	497	1,164	33,329	73,525
<b>Total</b>	<b>7,294</b>	<b>7,330</b>	<b>17,294</b>	<b>17,765</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>14,624</b>		<b>35,059</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Faribault and Martin Counties

**Fillmore County - Population Estimates by Age and Sex, 2008**

Age Group	Fillmore		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	720	672	1,264	1,222	183,210	175,261
05-09	637	592	1,156	1,060	171,656	164,248
10-14	634	610	1,280	1,205	175,035	166,152
15-17	473	473	907	954	112,491	106,591
18-19	251	232	512	473	74,705	73,057
20-24	581	591	1,187	1,152	182,290	177,237
25-29	793	667	1,486	1,239	191,716	176,210
30-34	574	514	1,003	1,017	167,764	160,553
35-39	568	508	1,098	1,001	176,796	170,024
40-44	627	633	1,211	1,284	188,195	184,805
45-49	796	749	1,644	1,588	213,297	209,492
50-54	794	793	1,603	1,589	196,470	193,115
55-59	710	674	1,420	1,299	164,197	163,542
60-64	551	590	1,056	1,105	123,530	128,235
65-69	448	474	818	833	90,236	98,032
70-74	371	429	693	809	65,723	76,223
75-79	334	379	627	725	51,422	66,437
80-84	250	388	461	704	37,837	57,755
85&up	243	527	449	961	33,329	73,525
<b>Total</b>	<b>10,355</b>	<b>10,495</b>	<b>19,875</b>	<b>20,220</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>20,850</b>		<b>40,095</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Fillmore and Houston Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**  
**Freeborn County - Population Estimates by Age and Sex, 2008**

Age Group	Freeborn		Minnesota	
	Male	Female	Male	Female
00-04	962	915	183,210	175,261
05-09	884	818	171,656	164,248
10-14	897	877	175,035	166,152
15-17	608	629	112,491	106,591
18-19	361	353	74,705	73,057
20-24	802	814	182,290	177,237
25-29	1,120	1,025	191,716	176,210
30-34	816	735	167,764	160,553
35-39	812	735	176,796	170,024
40-44	975	967	188,195	184,805
45-49	1,246	1,271	213,297	209,492
50-54	1,253	1,096	196,470	193,115
55-59	1,063	986	164,197	163,542
60-64	927	969	123,530	128,235
65-69	704	777	90,236	98,032
70-74	592	725	65,723	76,223
75-79	503	640	51,422	66,437
80-84	379	603	37,837	57,755
85&up	364	724	33,329	73,525
<b>Total</b>	<b>15,268</b>	<b>15,659</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	#		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Goodhue County - Population Estimates by Age and Sex, 2008**

Age Group	Goodhue		Minnesota	
	Male	Female	Male	Female
00-04	1,452	1,487	183,210	175,261
05-09	1,382	1,263	171,656	164,248
10-14	1,473	1,375	175,035	166,152
15-17	1,037	970	112,491	106,591
18-19	603	506	74,705	73,057
20-24	1,343	1,400	182,290	177,237
25-29	1,777	1,665	191,716	176,210
30-34	1,328	1,152	167,764	160,553
35-39	1,329	1,274	176,796	170,024
40-44	1,499	1,537	188,195	184,805
45-49	1,906	1,886	213,297	209,492
50-54	1,828	1,826	196,470	193,115
55-59	1,551	1,456	164,197	163,542
60-64	1,244	1,205	123,530	128,235
65-69	918	942	90,236	98,032
70-74	717	800	65,723	76,223
75-79	613	764	51,422	66,437
80-84	437	675	37,837	57,755
85&up	386	891	33,329	73,525
<b>Total</b>	<b>22,823</b>	<b>23,074</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>45,897</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Grant County - Population Estimates by Age and Sex, 2008**

Age Group	Grant		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	182	161	873	777	183,210	175,261
05-09	157	138	750	734	171,656	164,248
10-14	160	175	847	791	175,035	166,152
15-17	108	112	572	556	112,491	106,591
18-19	53	78	516	658	74,705	73,057
20-24	164	179	1,262	1,323	182,290	177,237
25-29	225	186	1,035	857	191,716	176,210
30-34	152	120	732	575	167,764	160,553
35-39	143	124	723	654	176,796	170,024
40-44	144	182	789	870	188,195	184,805
45-49	232	233	1,103	1,055	213,297	209,492
50-54	234	219	1,196	1,142	196,470	193,115
55-59	195	197	1,021	911	164,197	163,542
60-64	166	162	778	782	123,530	128,235
65-69	157	157	668	723	90,236	98,032
70-74	129	139	553	695	65,723	76,223
75-79	124	143	556	692	51,422	66,437
80-84	97	165	469	674	37,837	57,755
85&up	116	197	510	934	33,329	73,525
<b>Total</b>	<b>2,938</b>	<b>3,067</b>	<b>14,953</b>	<b>15,403</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>6,005</b>		<b>30,356</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

**Hennepin County - Population Estimates by Age and Sex, 2008**

Age Group	Hennepin		Minnesota	
	Male	Female	Male	Female
00-04	41,093	39,667	183,210	175,261
05-09	37,318	35,993	171,656	164,248
10-14	35,432	33,862	175,035	166,152
15-17	22,537	21,528	112,491	106,591
18-19	15,522	14,544	74,705	73,057
20-24	37,544	35,532	182,290	177,237
25-29	35,568	32,622	191,716	176,210
30-34	40,907	39,692	167,764	160,553
35-39	46,085	42,877	176,796	170,024
40-44	45,233	43,183	188,195	184,805
45-49	48,986	47,803	213,297	209,492
50-54	44,674	44,811	196,470	193,115
55-59	37,084	38,816	164,197	163,542
60-64	27,471	29,590	123,530	128,235
65-69	17,928	20,086	90,236	98,032
70-74	11,834	14,395	65,723	76,223
75-79	9,135	12,720	51,422	66,437
80-84	7,126	11,318	37,837	57,755
85&up	6,017	14,455	33,329	73,525
<b>Total</b>	<b>567,494</b>	<b>573,494</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>1,140,988</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Houston County - Population Estimates by Age and Sex, 2008**

Age Group	Houston		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	544	550	1,264	1,222	183,210	175,261
05-09	519	468	1,156	1,060	171,656	164,248
10-14	646	595	1,280	1,205	175,035	166,152
15-17	434	481	907	954	112,491	106,591
18-19	261	241	512	473	74,705	73,057
20-24	606	561	1,187	1,152	182,290	177,237
25-29	693	572	1,486	1,239	191,716	176,210
30-34	429	503	1,003	1,017	167,764	160,553
35-39	530	493	1,098	1,001	176,796	170,024
40-44	584	651	1,211	1,284	188,195	184,805
45-49	848	839	1,644	1,588	213,297	209,492
50-54	809	796	1,603	1,589	196,470	193,115
55-59	710	625	1,420	1,299	164,197	163,542
60-64	505	515	1,056	1,105	123,530	128,235
65-69	370	359	818	833	90,236	98,032
70-74	322	380	693	809	65,723	76,223
75-79	293	346	627	725	51,422	66,437
80-84	211	316	461	704	37,837	57,755
85&up	206	434	449	961	33,329	73,525
<b>Total</b>	<b>9,520</b>	<b>9,725</b>	<b>19,875</b>	<b>20,220</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>19,245</b>		<b>40,095</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Fillmore and Houston Counties

**Hubbard County - Population Estimates by Age and Sex, 2008**

Age Group	Hubbard		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	592	556	2,678	2,567	183,210	175,261
05-09	517	474	2,406	2,222	171,656	164,248
10-14	571	514	2,468	2,246	175,035	166,152
15-17	389	326	1,619	1,551	112,491	106,591
18-19	194	195	1,151	1,155	74,705	73,057
20-24	575	547	3,242	2,970	182,290	177,237
25-29	701	744	2,970	3,142	191,716	176,210
30-34	465	440	1,941	2,027	167,764	160,553
35-39	451	432	1,800	1,852	176,796	170,024
40-44	528	554	2,037	2,144	188,195	184,805
45-49	681	670	2,560	2,622	213,297	209,492
50-54	678	677	2,558	2,566	196,470	193,115
55-59	667	652	2,365	2,313	164,197	163,542
60-64	535	568	1,817	1,840	123,530	128,235
65-69	543	577	1,618	1,771	90,236	98,032
70-74	477	496	1,344	1,496	65,723	76,223
75-79	351	372	1,059	1,189	51,422	66,437
80-84	256	295	731	1,006	37,837	57,755
85&up	217	333	642	1,194	33,329	73,525
<b>Total</b>	<b>9,388</b>	<b>9,422</b>	<b>37,006</b>	<b>37,873</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>18,810</b>		<b>74,879</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Isanti County - Population Estimates by Age and Sex, 2008**

Age Group	Isanti		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,320	1,235	2,238	2,175	183,210	175,261
05-09	1,268	1,247	2,086	2,054	171,656	164,248
10-14	1,324	1,269	2,142	2,062	175,035	166,152
15-17	852	807	1,441	1,336	112,491	106,591
18-19	466	392	780	678	74,705	73,057
20-24	1,184	1,234	1,933	1,969	182,290	177,237
25-29	2,045	2,022	3,236	3,269	191,716	176,210
30-34	1,426	1,395	2,343	2,255	167,764	160,553
35-39	1,395	1,297	2,173	2,040	176,796	170,024
40-44	1,427	1,352	2,284	2,154	188,195	184,805
45-49	1,637	1,603	2,667	2,563	213,297	209,492
50-54	1,370	1,312	2,239	2,192	196,470	193,115
55-59	1,197	1,123	1,974	1,821	164,197	163,542
60-64	880	884	1,437	1,466	123,530	128,235
65-69	654	719	1,186	1,386	90,236	98,032
70-74	448	487	919	982	65,723	76,223
75-79	297	379	656	834	51,422	66,437
80-84	195	310	438	704	37,837	57,755
85&up	225	428	449	921	33,329	73,525
<b>Total</b>	<b>19,610</b>	<b>19,495</b>	<b>32,621</b>	<b>32,861</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>39,105</b>		<b>65,482</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

**Itasca County - Population Estimates by Age and Sex, 2008**

Age Group	Itasca		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,322	1,217	2,054	1,885	183,210	175,261
05-09	1,230	1,116	1,991	1,788	171,656	164,248
10-14	1,267	1,268	2,097	2,056	175,035	166,152
15-17	942	883	1,530	1,435	112,491	106,591
18-19	653	525	975	806	74,705	73,057
20-24	1,573	1,349	2,336	2,074	182,290	177,237
25-29	1,602	1,554	2,670	2,463	191,716	176,210
30-34	1,009	1,042	1,592	1,611	167,764	160,553
35-39	1,073	1,107	1,775	1,861	176,796	170,024
40-44	1,234	1,276	2,071	2,060	188,195	184,805
45-49	1,644	1,689	2,739	2,770	213,297	209,492
50-54	1,816	1,829	2,970	2,951	196,470	193,115
55-59	1,749	1,716	2,810	2,781	164,197	163,542
60-64	1,367	1,328	2,261	2,265	123,530	128,235
65-69	1,201	1,205	2,066	2,133	90,236	98,032
70-74	870	941	1,651	1,751	65,723	76,223
75-79	736	848	1,321	1,552	51,422	66,437
80-84	536	646	982	1,188	37,837	57,755
85&up	405	744	784	1,394	33,329	73,525
<b>Total</b>	<b>22,229</b>	<b>22,283</b>	<b>36,675</b>	<b>36,824</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>44,512</b>		<b>73,499</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Jackson County - Population Estimates by Age and Sex, 2008**

Age Group	Jackson		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	276	258	639	606	183,210	175,261
05-09	300	254	674	567	171,656	164,248
10-14	323	289	699	650	175,035	166,152
15-17	215	227	463	488	112,491	106,591
18-19	163	135	296	254	74,705	73,057
20-24	338	305	668	601	182,290	177,237
25-29	314	325	691	664	191,716	176,210
30-34	313	223	604	479	167,764	160,553
35-39	296	249	548	508	176,796	170,024
40-44	327	288	656	617	188,195	184,805
45-49	471	420	869	811	213,297	209,492
50-54	449	434	883	832	196,470	193,115
55-59	404	355	795	741	164,197	163,542
60-64	281	290	589	632	123,530	128,235
65-69	245	244	497	516	90,236	98,032
70-74	201	241	392	462	65,723	76,223
75-79	170	224	336	456	51,422	66,437
80-84	159	226	315	458	37,837	57,755
85&up	194	308	384	677	33,329	73,525
<b>Total</b>	<b>5,439</b>	<b>5,295</b>	<b>10,998</b>	<b>11,019</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>10,734</b>		<b>22,017</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Cottonwood and Jackson Counties

**Kanabec County - Population Estimates by Age and Sex, 2008**

Age Group	Male		Male		Male	
00-04	475	449	1,337	1,248	183,210	175,261
05-09	496	455	1,258	1,266	171,656	164,248
10-14	560	486	1,405	1,250	175,035	166,152
15-17	366	329	991	901	112,491	106,591
18-19	189	172	525	452	74,705	73,057
20-24	457	496	1,460	1,275	182,290	177,237
25-29	664	705	2,065	1,844	191,716	176,210
30-34	504	486	1,588	1,298	167,764	160,553
35-39	526	528	1,459	1,246	176,796	170,024
40-44	509	475	1,554	1,334	188,195	184,805
45-49	639	597	1,861	1,658	213,297	209,492
50-54	637	609	1,718	1,575	196,470	193,115
55-59	554	493	1,454	1,303	164,197	163,542
60-64	411	410	1,117	1,058	123,530	128,235
65-69	341	360	879	1,023	90,236	98,032
70-74	311	288	864	848	65,723	76,223
75-79	207	237	605	711	51,422	66,437
80-84	159	190	444	522	37,837	57,755
85&up	108	213	333	659	33,329	73,525
<b>Total</b>	<b>8,113</b>	<b>7,978</b>	<b>22,917</b>	<b>21,471</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>16,091</b>		<b>44,388</b>		<b>5,220,393</b>	
<b>Source: U.S. Census Bureau: 20</b>						

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Kanabec and Pine Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Kandiyohi County - Population Estimates by Age and Sex, 2008**

Age Group	Kandiyohi		Minnesota	
	Male	Female	Male	Female
00-04	1,504	1,397	183,210	175,261
05-09	1,215	1,259	171,656	164,248
10-14	1,317	1,220	175,035	166,152
15-17	936	883	112,491	106,591
18-19	600	611	74,705	73,057
20-24	1,307	1,289	182,290	177,237
25-29	1,486	1,357	191,716	176,210
30-34	1,131	1,022	167,764	160,553
35-39	1,154	1,025	176,796	170,024
40-44	1,225	1,204	188,195	184,805
45-49	1,423	1,573	213,297	209,492
50-54	1,680	1,675	196,470	193,115
55-59	1,401	1,352	164,197	163,542
60-64	1,027	1,055	123,530	128,235
65-69	779	833	90,236	98,032
70-74	657	742	65,723	76,223
75-79	514	636	51,422	66,437
80-84	412	605	37,837	57,755
85&up	406	767	33,329	73,525
<b>Total</b>	<b>20,174</b>	<b>20,505</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>40,679</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Kittson County - Population Estimates by Age and Sex, 2008**

Age Group	Kittson		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	96	99	1,466	1,479	183,210	175,261
05-09	100	107	1,437	1,375	171,656	164,248
10-14	142	162	1,598	1,564	175,035	166,152
15-17	96	78	1,059	898	112,491	106,591
18-19	54	41	683	571	74,705	73,057
20-24	130	110	1,532	1,377	182,290	177,237
25-29	101	76	1,653	1,562	191,716	176,210
30-34	57	52	1,305	1,162	167,764	160,553
35-39	101	96	1,382	1,277	176,796	170,024
40-44	136	127	1,606	1,471	188,195	184,805
45-49	184	176	1,947	1,842	213,297	209,492
50-54	210	206	1,985	1,825	196,470	193,115
55-59	189	177	1,659	1,553	164,197	163,542
60-64	165	141	1,279	1,299	123,530	128,235
65-69	119	116	1,031	1,059	90,236	98,032
70-74	99	106	727	834	65,723	76,223
75-79	83	125	612	758	51,422	66,437
80-84	63	103	473	715	37,837	57,755
85&up	83	156	541	1,049	33,329	73,525
<b>Total</b>	<b>2,208</b>	<b>2,254</b>	<b>23,975</b>	<b>23,670</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>4,462</b>		<b>47,645</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov and Roseau Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Koochiching County - Population Estimates by Age and Sex, 2008**

Age Group	Koochiching		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	308	298	2,054	1,885	183,210	175,261
05-09	356	322	1,991	1,788	171,656	164,248
10-14	407	355	2,097	2,056	175,035	166,152
15-17	287	288	1,530	1,435	112,491	106,591
18-19	173	144	975	806	74,705	73,057
20-24	341	349	2,336	2,074	182,290	177,237
25-29	470	384	2,670	2,463	191,716	176,210
30-34	215	225	1,592	1,611	167,764	160,553
35-39	340	383	1,775	1,861	176,796	170,024
40-44	403	392	2,071	2,060	188,195	184,805
45-49	519	529	2,739	2,770	213,297	209,492
50-54	611	582	2,970	2,951	196,470	193,115
55-59	558	520	2,810	2,781	164,197	163,542
60-64	397	422	2,261	2,265	123,530	128,235
65-69	349	368	2,066	2,133	90,236	98,032
70-74	293	308	1,651	1,751	65,723	76,223
75-79	196	297	1,321	1,552	51,422	66,437
80-84	177	237	982	1,188	37,837	57,755
85&up	143	305	784	1,394	33,329	73,525
<b>Total</b>	<b>6,543</b>	<b>6,708</b>	<b>36,675</b>	<b>36,824</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>13,251</b>		<b>73,499</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

**Lac Qui Parle County - Population Estimates by Age and Sex, 2008**

Age Group	Lac Qui Parle		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	186	162	1,337	1,218	183,210	175,261
05-09	146	160	1,211	1,110	171,656	164,248
10-14	226	236	1,414	1,294	175,035	166,152
15-17	158	138	1,000	955	112,491	106,591
18-19	100	69	636	504	74,705	73,057
20-24	218	201	1,487	1,282	182,290	177,237
25-29	237	181	1,602	1,070	191,716	176,210
30-34	136	88	1,281	759	167,764	160,553
35-39	132	146	1,377	1,019	176,796	170,024
40-44	210	184	1,579	1,252	188,195	184,805
45-49	278	291	1,842	1,729	213,297	209,492
50-54	359	316	1,969	1,758	196,470	193,115
55-59	275	261	1,653	1,506	164,197	163,542
60-64	237	218	1,268	1,243	123,530	128,235
65-69	166	204	986	1,164	90,236	98,032
70-74	128	153	807	988	65,723	76,223
75-79	126	158	752	1,020	51,422	66,437
80-84	123	162	648	987	37,837	57,755
85&up	135	261	711	1,519	33,329	73,525
<b>Total</b>	<b>3,576</b>	<b>3,589</b>	<b>23,560</b>	<b>22,377</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>7,165</b>		<b>45,937</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Lake County - Population Estimates by Age and Sex, 2008**

Age Group	Lake		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	236	248	6,998	6,700	183,210	175,261
05-09	269	253	6,517	6,113	171,656	164,248
10-14	295	288	6,960	6,479	175,035	166,152
15-17	170	210	4,767	4,478	112,491	106,591
18-19	124	92	4,706	4,797	74,705	73,057
20-24	314	304	10,647	10,127	182,290	177,237
25-29	341	370	8,967	8,016	191,716	176,210
30-34	293	275	6,685	6,098	167,764	160,553
35-39	262	241	6,877	6,206	176,796	170,024
40-44	277	353	7,286	7,616	188,195	184,805
45-49	464	434	9,282	9,399	213,297	209,492
50-54	465	431	10,095	10,087	196,470	193,115
55-59	436	355	9,380	8,715	164,197	163,542
60-64	309	306	6,887	6,747	123,530	128,235
65-69	253	277	4,965	5,380	90,236	98,032
70-74	239	283	3,872	4,632	65,723	76,223
75-79	232	248	3,182	4,035	51,422	66,437
80-84	167	176	2,327	3,695	37,837	57,755
85&up	108	211	2,184	4,939	33,329	73,525
<b>Total</b>	<b>5,254</b>	<b>5,355</b>	<b>122,584</b>	<b>124,259</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>10,609</b>		<b>246,843</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

**Lake of the Woods County - Population Estimates by Age and Sex, 2008**

Age Group	Lake Of The Woods		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	102	91	2,678	2,567	183,210	175,261
05-09	84	73	2,406	2,222	171,656	164,248
10-14	99	118	2,468	2,246	175,035	166,152
15-17	96	97	1,619	1,551	112,491	106,591
18-19	40	37	1,151	1,155	74,705	73,057
20-24	94	108	3,242	2,970	182,290	177,237
25-29	123	125	2,970	3,142	191,716	176,210
30-34	54	85	1,941	2,027	167,764	160,553
35-39	78	56	1,800	1,852	176,796	170,024
40-44	129	126	2,037	2,144	188,195	184,805
45-49	199	175	2,560	2,622	213,297	209,492
50-54	203	185	2,558	2,566	196,470	193,115
55-59	162	150	2,365	2,313	164,197	163,542
60-64	129	112	1,817	1,840	123,530	128,235
65-69	120	129	1,618	1,771	90,236	98,032
70-74	101	100	1,344	1,496	65,723	76,223
75-79	63	81	1,059	1,189	51,422	66,437
80-84	51	74	731	1,006	37,837	57,755
85&up	56	80	642	1,194	33,329	73,525
<b>Total</b>	<b>1,983</b>	<b>2,002</b>	<b>37,006</b>	<b>37,873</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>3,985</b>		<b>74,879</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Le Sueur County - Population Estimates by Age and Sex, 2008**

Age Group	Le Sueur		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	960	907	1,634	1,571	183,210	175,261
05-09	863	844	1,476	1,435	171,656	164,248
10-14	916	914	1,535	1,526	175,035	166,152
15-17	618	602	1,010	997	112,491	106,591
18-19	331	335	586	520	74,705	73,057
20-24	886	843	1,598	1,375	182,290	177,237
25-29	1,216	1,081	2,057	1,721	191,716	176,210
30-34	819	786	1,594	1,266	167,764	160,553
35-39	841	845	1,535	1,343	176,796	170,024
40-44	988	926	1,751	1,510	188,195	184,805
45-49	1,135	1,115	1,965	1,790	213,297	209,492
50-54	1,070	941	1,839	1,668	196,470	193,115
55-59	969	851	1,594	1,497	164,197	163,542
60-64	737	727	1,253	1,157	123,530	128,235
65-69	551	599	869	961	90,236	98,032
70-74	418	450	657	742	65,723	76,223
75-79	317	390	512	676	51,422	66,437
80-84	224	353	421	647	37,837	57,755
85&up	229	445	396	801	33,329	73,525
<b>Total</b>	<b>14,088</b>	<b>13,954</b>	<b>24,282</b>	<b>23,203</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>28,042</b>		<b>47,485</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Le Sueur and Waseca Counties

**Lincoln County - Population Estimates by Age and Sex, 2008**

Age Group	Lincoln		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	168	176	1,553	1,506	183,210	175,261
05-09	140	152	1,429	1,333	171,656	164,248
10-14	169	180	1,524	1,495	175,035	166,152
15-17	126	108	1,042	1,042	112,491	106,591
18-19	71	62	759	766	74,705	73,057
20-24	158	160	1,951	1,909	182,290	177,237
25-29	163	127	1,539	1,357	191,716	176,210
30-34	130	108	1,223	1,105	167,764	160,553
35-39	133	144	1,295	1,211	176,796	170,024
40-44	191	174	1,469	1,420	188,195	184,805
45-49	231	189	1,774	1,796	213,297	209,492
50-54	222	207	1,810	1,767	196,470	193,115
55-59	185	182	1,544	1,463	164,197	163,542
60-64	163	148	1,169	1,201	123,530	128,235
65-69	147	178	972	1,128	90,236	98,032
70-74	135	165	851	985	65,723	76,223
75-79	134	147	711	959	51,422	66,437
80-84	98	121	571	867	37,837	57,755
85&up	100	245	631	1,338	33,329	73,525
<b>Total</b>	<b>2,864</b>	<b>2,973</b>	<b>23,817</b>	<b>24,648</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>5,837</b>		<b>48,465</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Lyon County - Population Estimates by Age and Sex, 2008**

Age Group	Lyon		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	835	783	1,553	1,506	183,210	175,261
05-09	787	734	1,429	1,333	171,656	164,248
10-14	832	749	1,524	1,495	175,035	166,152
15-17	539	538	1,042	1,042	112,491	106,591
18-19	447	536	759	766	74,705	73,057
20-24	1,264	1,182	1,951	1,909	182,290	177,237
25-29	872	786	1,539	1,357	191,716	176,210
30-34	664	648	1,223	1,105	167,764	160,553
35-39	719	655	1,295	1,211	176,796	170,024
40-44	738	726	1,469	1,420	188,195	184,805
45-49	859	937	1,774	1,796	213,297	209,492
50-54	901	886	1,810	1,767	196,470	193,115
55-59	757	697	1,544	1,463	164,197	163,542
60-64	516	552	1,169	1,201	123,530	128,235
65-69	425	482	972	1,128	90,236	98,032
70-74	352	385	851	985	65,723	76,223
75-79	266	396	711	959	51,422	66,437
80-84	238	366	571	867	37,837	57,755
85&up	255	540	631	1,338	33,329	73,525
<b>Total</b>	<b>12,266</b>	<b>12,578</b>	<b>23,817</b>	<b>24,648</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>24,844</b>		<b>48,465</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

**McLeod County - Population Estimates by Age and Sex, 2008**

Age Group	McLeod		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,416	1,297	2,750	2,616	183,210	175,261
05-09	1,251	1,229	2,468	2,387	171,656	164,248
10-14	1,318	1,265	2,666	2,466	175,035	166,152
15-17	817	775	1,707	1,540	112,491	106,591
18-19	533	377	1,016	766	74,705	73,057
20-24	1,138	1,032	2,349	2,154	182,290	177,237
25-29	1,242	1,320	2,650	2,622	191,716	176,210
30-34	1,219	1,169	2,268	2,166	167,764	160,553
35-39	1,253	1,210	2,415	2,238	176,796	170,024
40-44	1,337	1,242	2,542	2,444	188,195	184,805
45-49	1,448	1,385	3,043	2,814	213,297	209,492
50-54	1,221	1,271	2,710	2,640	196,470	193,115
55-59	1,152	1,127	2,457	2,299	164,197	163,542
60-64	937	886	1,889	1,857	123,530	128,235
65-69	653	785	1,403	1,561	90,236	98,032
70-74	550	584	1,134	1,272	65,723	76,223
75-79	371	530	905	1,141	51,422	66,437
80-84	330	543	708	1,081	37,837	57,755
85&up	298	654	655	1,463	33,329	73,525
<b>Total</b>	<b>18,484</b>	<b>18,681</b>	<b>37,735</b>	<b>37,527</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>37,165</b>		<b>75,262</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Mahnomen County - Population Estimates by Age and Sex, 2008**

Age Group	Mahnomen		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	238	217	427	393	183,210	175,261
05-09	177	177	355	330	171,656	164,248
10-14	201	164	426	388	175,035	166,152
15-17	131	125	269	259	112,491	106,591
18-19	62	57	144	121	74,705	73,057
20-24	149	133	345	335	182,290	177,237
25-29	160	167	357	316	191,716	176,210
30-34	125	101	262	203	167,764	160,553
35-39	122	116	273	253	176,796	170,024
40-44	156	137	372	356	188,195	184,805
45-49	181	179	459	459	213,297	209,492
50-54	181	149	451	411	196,470	193,115
55-59	155	150	397	353	164,197	163,542
60-64	145	157	327	362	123,530	128,235
65-69	119	131	281	298	90,236	98,032
70-74	99	105	237	267	65,723	76,223
75-79	74	78	194	226	51,422	66,437
80-84	54	89	155	237	37,837	57,755
85&up	58	109	145	290	33,329	73,525
<b>Total</b>	<b>2,587</b>	<b>2,541</b>	<b>5,876</b>	<b>5,857</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>5,128</b>		<b>11,733</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Mahnomen and Norman Counties

**Marshall County - Population Estimates by Age and Sex, 2008**

Age Group	Marshall		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	246	273	1,466	1,479	183,210	175,261
05-09	243	246	1,437	1,375	171,656	164,248
10-14	290	277	1,598	1,564	175,035	166,152
15-17	219	163	1,059	898	112,491	106,591
18-19	116	103	683	571	74,705	73,057
20-24	318	287	1,532	1,377	182,290	177,237
25-29	297	269	1,653	1,562	191,716	176,210
30-34	214	162	1,305	1,162	167,764	160,553
35-39	244	202	1,382	1,277	176,796	170,024
40-44	333	262	1,606	1,471	188,195	184,805
45-49	360	358	1,947	1,842	213,297	209,492
50-54	429	374	1,985	1,825	196,470	193,115
55-59	351	330	1,659	1,553	164,197	163,542
60-64	287	290	1,279	1,299	123,530	128,235
65-69	234	260	1,031	1,059	90,236	98,032
70-74	179	218	727	834	65,723	76,223
75-79	164	191	612	758	51,422	66,437
80-84	138	184	473	715	37,837	57,755
85&up	152	239	541	1,049	33,329	73,525
<b>Total</b>	<b>4,814</b>	<b>4,688</b>	<b>23,975</b>	<b>23,670</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>9,502</b>		<b>47,645</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Martin County - Population Estimates by Age and Sex, 2008**

Age Group	Martin		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	575	595	1,005	983	183,210	175,261
05-09	535	535	910	871	171,656	164,248
10-14	622	580	1,100	981	175,035	166,152
15-17	452	400	837	704	112,491	106,591
18-19	256	215	439	360	74,705	73,057
20-24	590	581	1,034	1,018	182,290	177,237
25-29	652	491	1,074	868	191,716	176,210
30-34	438	370	762	622	167,764	160,553
35-39	492	505	815	791	176,796	170,024
40-44	562	550	1,000	963	188,195	184,805
45-49	761	820	1,312	1,405	213,297	209,492
50-54	889	873	1,568	1,441	196,470	193,115
55-59	792	749	1,324	1,273	164,197	163,542
60-64	592	562	1,039	1,025	123,530	128,235
65-69	472	535	804	922	90,236	98,032
70-74	409	454	670	789	65,723	76,223
75-79	361	486	627	833	51,422	66,437
80-84	257	449	477	752	37,837	57,755
85&up	293	685	497	1,164	33,329	73,525
<b>Total</b>	<b>10,000</b>	<b>10,435</b>	<b>17,294</b>	<b>17,765</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>20,435</b>		<b>35,059</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Faribault and Martin Counties

**Meeker County - Population Estimates by Age and Sex, 2008**

Age Group	Meeker		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	799	794	2,750	2,616	183,210	175,261
05-09	755	707	2,468	2,387	171,656	164,248
10-14	797	716	2,666	2,466	175,035	166,152
15-17	506	443	1,707	1,540	112,491	106,591
18-19	291	219	1,016	766	74,705	73,057
20-24	742	694	2,349	2,154	182,290	177,237
25-29	880	818	2,650	2,622	191,716	176,210
30-34	657	601	2,268	2,166	167,764	160,553
35-39	680	591	2,415	2,238	176,796	170,024
40-44	711	717	2,542	2,444	188,195	184,805
45-49	949	865	3,043	2,814	213,297	209,492
50-54	909	844	2,710	2,640	196,470	193,115
55-59	822	740	2,457	2,299	164,197	163,542
60-64	569	615	1,889	1,857	123,530	128,235
65-69	476	447	1,403	1,561	90,236	98,032
70-74	358	429	1,134	1,272	65,723	76,223
75-79	328	371	905	1,141	51,422	66,437
80-84	245	339	708	1,081	37,837	57,755
85&up	223	496	655	1,463	33,329	73,525
<b>Total</b>	<b>11,697</b>	<b>11,446</b>	<b>37,735</b>	<b>37,527</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>23,143</b>		<b>75,262</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Mille Lacs County - Population Estimates by Age and Sex, 2008**

Age Group	Mille Lacs		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	918	940	2,238	2,175	183,210	175,261
05-09	818	807	2,086	2,054	171,656	164,248
10-14	818	793	2,142	2,062	175,035	166,152
15-17	589	529	1,441	1,336	112,491	106,591
18-19	314	286	780	678	74,705	73,057
20-24	749	735	1,933	1,969	182,290	177,237
25-29	1,191	1,247	3,236	3,269	191,716	176,210
30-34	917	860	2,343	2,255	167,764	160,553
35-39	778	743	2,173	2,040	176,796	170,024
40-44	857	802	2,284	2,154	188,195	184,805
45-49	1,030	960	2,667	2,563	213,297	209,492
50-54	869	880	2,239	2,192	196,470	193,115
55-59	777	698	1,974	1,821	164,197	163,542
60-64	557	582	1,437	1,466	123,530	128,235
65-69	532	667	1,186	1,386	90,236	98,032
70-74	471	495	919	982	65,723	76,223
75-79	359	455	656	834	51,422	66,437
80-84	243	394	438	704	37,837	57,755
85&up	224	493	449	921	33,329	73,525
<b>Total</b>	<b>13,011</b>	<b>13,366</b>	<b>32,621</b>	<b>32,861</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>26,377</b>		<b>65,482</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

**Morrison County - Population Estimates by Age and Sex, 2008**

Age Group	Morrison		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,143	1,076	3,326	3,199	183,210	175,261
05-09	1,075	999	3,010	2,839	171,656	164,248
10-14	1,102	1,043	3,073	2,984	175,035	166,152
15-17	725	701	2,206	2,095	112,491	106,591
18-19	408	362	1,290	1,107	74,705	73,057
20-24	1,108	1,025	3,205	2,945	182,290	177,237
25-29	1,433	1,263	4,033	3,709	191,716	176,210
30-34	961	864	2,682	2,538	167,764	160,553
35-39	915	903	2,618	2,418	176,796	170,024
40-44	1,123	1,049	2,987	2,907	188,195	184,805
45-49	1,311	1,220	3,763	3,684	213,297	209,492
50-54	1,231	1,184	3,709	3,505	196,470	193,115
55-59	1,049	942	3,269	3,017	164,197	163,542
60-64	791	774	2,625	2,625	123,530	128,235
65-69	666	704	2,371	2,550	90,236	98,032
70-74	517	601	1,952	2,015	65,723	76,223
75-79	421	555	1,466	1,833	51,422	66,437
80-84	305	479	1,108	1,496	37,837	57,755
85&up	267	598	896	1,798	33,329	73,525
<b>Total</b>	<b>16,551</b>	<b>16,342</b>	<b>49,589</b>	<b>49,264</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>32,893</b>		<b>98,853</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Mower County - Population Estimates by Age and Sex, 2008**

Age Group	Mower		Minnesota	
	Male	Female	Male	Female
00-04	1,348	1,314	183,210	175,261
05-09	1,314	1,161	171,656	164,248
10-14	1,250	1,162	175,035	166,152
15-17	843	810	112,491	106,591
18-19	527	461	74,705	73,057
20-24	1,252	960	182,290	177,237
25-29	1,171	1,167	191,716	176,210
30-34	1,071	953	167,764	160,553
35-39	1,064	1,010	176,796	170,024
40-44	1,195	1,174	188,195	184,805
45-49	1,448	1,411	213,297	209,492
50-54	1,353	1,272	196,470	193,115
55-59	1,232	1,115	164,197	163,542
60-64	915	919	123,530	128,235
65-69	729	850	90,236	98,032
70-74	557	712	65,723	76,223
75-79	584	812	51,422	66,437
80-84	523	727	37,837	57,755
85&up	448	1,045	33,329	73,525
<b>Total</b>	<b>18,824</b>	<b>19,035</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>37,859</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Murray County - Population Estimates by Age and Sex, 2008**

Age Group	Murray		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	208	223	1,553	1,506	183,210	175,261
05-09	233	204	1,429	1,333	171,656	164,248
10-14	245	271	1,524	1,495	175,035	166,152
15-17	173	185	1,042	1,042	112,491	106,591
18-19	105	82	759	766	74,705	73,057
20-24	262	233	1,951	1,909	182,290	177,237
25-29	215	192	1,539	1,357	191,716	176,210
30-34	193	166	1,223	1,105	167,764	160,553
35-39	211	188	1,295	1,211	176,796	170,024
40-44	261	260	1,469	1,420	188,195	184,805
45-49	326	290	1,774	1,796	213,297	209,492
50-54	340	341	1,810	1,767	196,470	193,115
55-59	335	296	1,544	1,463	164,197	163,542
60-64	267	255	1,169	1,201	123,530	128,235
65-69	203	241	972	1,128	90,236	98,032
70-74	180	204	851	985	65,723	76,223
75-79	156	189	711	959	51,422	66,437
80-84	131	165	571	867	37,837	57,755
85&up	121	239	631	1,338	33,329	73,525
<b>Total</b>	<b>4,165</b>	<b>4,224</b>	<b>23,817</b>	<b>24,648</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>8,389</b>		<b>48,465</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Nicollet County - Population Estimates by Age and Sex, 2008**

Age Group	Nicollet		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,020	973	1,770	1,703	183,210	175,261
05-09	945	916	1,671	1,574	171,656	164,248
10-14	986	858	1,751	1,579	175,035	166,152
15-17	642	588	1,198	1,113	112,491	106,591
18-19	781	885	1,175	1,253	74,705	73,057
20-24	1,724	1,805	2,691	2,750	182,290	177,237
25-29	1,109	902	1,941	1,648	191,716	176,210
30-34	1,008	900	1,693	1,420	167,764	160,553
35-39	986	877	1,672	1,486	176,796	170,024
40-44	1,043	1,007	1,821	1,797	188,195	184,805
45-49	1,192	1,159	2,256	2,215	213,297	209,492
50-54	1,106	1,117	2,142	2,130	196,470	193,115
55-59	1,027	925	1,908	1,760	164,197	163,542
60-64	798	678	1,502	1,400	123,530	128,235
65-69	552	639	1,113	1,238	90,236	98,032
70-74	441	502	907	1,021	65,723	76,223
75-79	334	420	758	947	51,422	66,437
80-84	241	357	560	821	37,837	57,755
85&up	189	395	502	1,003	33,329	73,525
<b>Total</b>	<b>16,124</b>	<b>15,903</b>	<b>29,031</b>	<b>28,858</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>32,027</b>		<b>57,889</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Brown and Nicollet Counties

**Nobles County - Population Estimates by Age and Sex, 2008**

Age Group	Nobles		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	849	799	1,188	1,128	183,210	175,261
05-09	710	713	996	997	171,656	164,248
10-14	731	687	1,057	991	175,035	166,152
15-17	475	409	672	594	112,491	106,591
18-19	276	233	379	329	74,705	73,057
20-24	627	539	948	828	182,290	177,237
25-29	644	535	956	801	191,716	176,210
30-34	534	461	764	698	167,764	160,553
35-39	634	551	903	798	176,796	170,024
40-44	653	608	923	874	188,195	184,805
45-49	741	682	1,093	1,032	213,297	209,492
50-54	848	739	1,190	1,057	196,470	193,115
55-59	648	621	960	919	164,197	163,542
60-64	507	486	767	746	123,530	128,235
65-69	411	423	614	627	90,236	98,032
70-74	310	374	466	577	65,723	76,223
75-79	255	369	393	571	51,422	66,437
80-84	223	313	361	510	37,837	57,755
85&up	226	521	329	805	33,329	73,525
<b>Total</b>	<b>10,302</b>	<b>10,063</b>	<b>14,959</b>	<b>14,882</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>20,365</b>		<b>29,841</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Nobles and Rock Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Norman County - Population Estimates by Age and Sex, 2008**

Age Group	Norman		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	189	176	427	393	183,210	175,261
05-09	178	153	355	330	171,656	164,248
10-14	225	224	426	388	175,035	166,152
15-17	138	134	269	259	112,491	106,591
18-19	82	64	144	121	74,705	73,057
20-24	196	202	345	335	182,290	177,237
25-29	197	149	357	316	191,716	176,210
30-34	137	102	262	203	167,764	160,553
35-39	151	137	273	253	176,796	170,024
40-44	216	219	372	356	188,195	184,805
45-49	278	280	459	459	213,297	209,492
50-54	270	262	451	411	196,470	193,115
55-59	242	203	397	353	164,197	163,542
60-64	182	205	327	362	123,530	128,235
65-69	162	167	281	298	90,236	98,032
70-74	138	162	237	267	65,723	76,223
75-79	120	148	194	226	51,422	66,437
80-84	101	148	155	237	37,837	57,755
85&up	87	181	145	290	33,329	73,525
<b>Total</b>	<b>3,289</b>	<b>3,316</b>	<b>5,876</b>	<b>5,857</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>6,605</b>		<b>11,733</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Mahnomens and Norman Counties

**Olmsted County - Population Estimates by Age and Sex, 2008**

Age Group	Olmsted		Minnesota	
	Male	Female	Male	Female
00-04	5,712	5,291	183,210	175,261
05-09	4,946	4,922	171,656	164,248
10-14	4,878	4,467	175,035	166,152
15-17	3,038	2,716	112,491	106,591
18-19	1,601	1,626	74,705	73,057
20-24	4,233	4,195	182,290	177,237
25-29	5,331	4,891	191,716	176,210
30-34	4,899	4,875	167,764	160,553
35-39	5,156	5,008	176,796	170,024
40-44	5,176	5,106	188,195	184,805
45-49	5,811	5,905	213,297	209,492
50-54	5,107	5,074	196,470	193,115
55-59	3,894	4,132	164,197	163,542
60-64	3,033	3,301	123,530	128,235
65-69	2,363	2,659	90,236	98,032
70-74	1,783	2,049	65,723	76,223
75-79	1,344	1,683	51,422	66,437
80-84	940	1,454	37,837	57,755
85&up	864	1,897	33,329	73,525
<b>Total</b>	<b>70,109</b>	<b>71,251</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>141,360</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**  
**Otter Tail County - Population Estimates by Age and Sex, 2008**

Age Group	Otter Tail		Minnesota	
	Male	Female	Male	Female
00-04	1,569	1,482	183,210	175,261
05-09	1,496	1,458	171,656	164,248
10-14	1,738	1,590	175,035	166,152
15-17	1,226	1,120	112,491	106,591
18-19	840	687	74,705	73,057
20-24	1,742	1,758	182,290	177,237
25-29	2,126	1,776	191,716	176,210
30-34	1,381	1,220	167,764	160,553
35-39	1,402	1,380	176,796	170,024
40-44	1,707	1,717	188,195	184,805
45-49	2,273	2,124	213,297	209,492
50-54	2,295	2,074	196,470	193,115
55-59	1,954	1,899	164,197	163,542
60-64	1,534	1,601	123,530	128,235
65-69	1,433	1,535	90,236	98,032
70-74	1,206	1,414	65,723	76,223
75-79	1,069	1,170	51,422	66,437
80-84	676	995	37,837	57,755
85&up	727	1,392	33,329	73,525
<b>Total</b>	<b>28,394</b>	<b>28,392</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>56,786</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Pennington County - Population Estimates by Age and Sex, 2008**

Age Group	Pennington		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	480	477	1,466	1,479	183,210	175,261
05-09	422	429	1,437	1,375	171,656	164,248
10-14	445	382	1,598	1,564	175,035	166,152
15-17	260	237	1,059	898	112,491	106,591
18-19	235	207	683	571	74,705	73,057
20-24	525	405	1,532	1,377	182,290	177,237
25-29	513	582	1,653	1,562	191,716	176,210
30-34	477	422	1,305	1,162	167,764	160,553
35-39	411	387	1,382	1,277	176,796	170,024
40-44	364	414	1,606	1,471	188,195	184,805
45-49	502	475	1,947	1,842	213,297	209,492
50-54	490	507	1,985	1,825	196,470	193,115
55-59	454	422	1,659	1,553	164,197	163,542
60-64	332	380	1,279	1,299	123,530	128,235
65-69	276	287	1,031	1,059	90,236	98,032
70-74	184	236	727	834	65,723	76,223
75-79	154	204	612	758	51,422	66,437
80-84	120	214	473	715	37,837	57,755
85&up	132	304	541	1,049	33,329	73,525
<b>Total</b>	<b>6,776</b>	<b>6,971</b>	<b>23,975</b>	<b>23,670</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>13,747</b>		<b>47,645</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Pine County - Population Estimates by Age and Sex, 2008**

Age Group	Pine		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	862	799	1,337	1,248	183,210	175,261
05-09	762	811	1,258	1,266	171,656	164,248
10-14	845	764	1,405	1,250	175,035	166,152
15-17	625	572	991	901	112,491	106,591
18-19	336	280	525	452	74,705	73,057
20-24	1,003	779	1,460	1,275	182,290	177,237
25-29	1,401	1,139	2,065	1,844	191,716	176,210
30-34	1,084	812	1,588	1,298	167,764	160,553
35-39	933	718	1,459	1,246	176,796	170,024
40-44	1,045	859	1,554	1,334	188,195	184,805
45-49	1,222	1,061	1,861	1,658	213,297	209,492
50-54	1,081	966	1,718	1,575	196,470	193,115
55-59	900	810	1,454	1,303	164,197	163,542
60-64	706	648	1,117	1,058	123,530	128,235
65-69	538	663	879	1,023	90,236	98,032
70-74	553	560	864	848	65,723	76,223
75-79	398	474	605	711	51,422	66,437
80-84	285	332	444	522	37,837	57,755
85&up	225	446	333	659	33,329	73,525
<b>Total</b>	<b>14,804</b>	<b>13,493</b>	<b>22,917</b>	<b>21,471</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>28,297</b>		<b>44,388</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Kanabec and Pine Counties

**Pipestone County - Population Estimates by Age and Sex, 2008**

Age Group	Pipestone		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	342	324	1,553	1,506	183,210	175,261
05-09	269	243	1,429	1,333	171,656	164,248
10-14	278	295	1,524	1,495	175,035	166,152
15-17	204	211	1,042	1,042	112,491	106,591
18-19	136	86	759	766	74,705	73,057
20-24	267	334	1,951	1,909	182,290	177,237
25-29	289	252	1,539	1,357	191,716	176,210
30-34	236	183	1,223	1,105	167,764	160,553
35-39	232	224	1,295	1,211	176,796	170,024
40-44	279	260	1,469	1,420	188,195	184,805
45-49	358	380	1,774	1,796	213,297	209,492
50-54	347	333	1,810	1,767	196,470	193,115
55-59	267	288	1,544	1,463	164,197	163,542
60-64	223	246	1,169	1,201	123,530	128,235
65-69	197	227	972	1,128	90,236	98,032
70-74	184	231	851	985	65,723	76,223
75-79	155	227	711	959	51,422	66,437
80-84	104	215	571	867	37,837	57,755
85&up	155	314	631	1,338	33,329	73,525
<b>Total</b>	<b>4,522</b>	<b>4,873</b>	<b>23,817</b>	<b>24,648</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>9,395</b>		<b>48,465</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Polk County - Population Estimates by Age and Sex, 2008**

Age Group	Polk		Minnesota	
	Male	Female	Male	Female
00-04	1,012	918	183,210	175,261
05-09	798	840	171,656	164,248
10-14	985	911	175,035	166,152
15-17	694	655	112,491	106,591
18-19	512	513	74,705	73,057
20-24	1,253	1,153	182,290	177,237
25-29	1,275	1,075	191,716	176,210
30-34	728	609	167,764	160,553
35-39	733	707	176,796	170,024
40-44	945	920	188,195	184,805
45-49	1,147	1,162	213,297	209,492
50-54	1,223	1,186	196,470	193,115
55-59	1,010	937	164,197	163,542
60-64	783	733	123,530	128,235
65-69	610	720	90,236	98,032
70-74	489	588	65,723	76,223
75-79	400	519	51,422	66,437
80-84	310	516	37,837	57,755
85&up	322	803	33,329	73,525
<b>Total</b>	<b>15,229</b>	<b>15,465</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>30,694</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Pope County - Population Estimates by Age and Sex, 2008**

Age Group	Pope		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	327	282	873	777	183,210	175,261
05-09	277	261	750	734	171,656	164,248
10-14	314	273	847	791	175,035	166,152
15-17	243	215	572	556	112,491	106,591
18-19	136	120	516	658	74,705	73,057
20-24	322	342	1,262	1,323	182,290	177,237
25-29	425	354	1,035	857	191,716	176,210
30-34	263	236	732	575	167,764	160,553
35-39	274	266	723	654	176,796	170,024
40-44	310	338	789	870	188,195	184,805
45-49	404	383	1,103	1,055	213,297	209,492
50-54	477	458	1,196	1,142	196,470	193,115
55-59	413	343	1,021	911	164,197	163,542
60-64	308	317	778	782	123,530	128,235
65-69	235	289	668	723	90,236	98,032
70-74	205	280	553	695	65,723	76,223
75-79	203	242	556	692	51,422	66,437
80-84	172	249	469	674	37,837	57,755
85&up	153	321	510	934	33,329	73,525
<b>Total</b>	<b>5,461</b>	<b>5,569</b>	<b>14,953</b>	<b>15,403</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>11,030</b>		<b>30,356</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Ramsey County - Population Estimates by Age and Sex, 2008**

Age Group	Ramsey		Minnesota	
	Male	Female	Male	Female
00-04	18,349	17,318	183,210	175,261
05-09	16,793	15,800	171,656	164,248
10-14	16,664	15,629	175,035	166,152
15-17	10,870	10,345	112,491	106,591
18-19	7,635	8,284	74,705	73,057
20-24	17,261	18,596	182,290	177,237
25-29	15,194	14,125	191,716	176,210
30-34	15,963	16,612	167,764	160,553
35-39	16,689	17,031	176,796	170,024
40-44	17,341	17,581	188,195	184,805
45-49	19,050	19,499	213,297	209,492
50-54	17,963	18,839	196,470	193,115
55-59	15,706	16,726	164,197	163,542
60-64	11,460	12,909	123,530	128,235
65-69	8,323	9,500	90,236	98,032
70-74	6,048	7,738	65,723	76,223
75-79	4,795	6,998	51,422	66,437
80-84	3,694	6,517	37,837	57,755
85&up	3,231	8,352	33,329	73,525
<b>Total</b>	<b>243,029</b>	<b>258,399</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>501,428</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Red Lake County - Population Estimates by Age and Sex, 2008**

Age Group	Red Lake		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	115	120	1,466	1,479	183,210	175,261
05-09	114	113	1,437	1,375	171,656	164,248
10-14	115	115	1,598	1,564	175,035	166,152
15-17	83	72	1,059	898	112,491	106,591
18-19	55	45	683	571	74,705	73,057
20-24	139	127	1,532	1,377	182,290	177,237
25-29	176	160	1,653	1,562	191,716	176,210
30-34	116	89	1,305	1,162	167,764	160,553
35-39	106	109	1,382	1,277	176,796	170,024
40-44	131	114	1,606	1,471	188,195	184,805
45-49	153	152	1,947	1,842	213,297	209,492
50-54	191	163	1,985	1,825	196,470	193,115
55-59	149	136	1,659	1,553	164,197	163,542
60-64	111	109	1,279	1,299	123,530	128,235
65-69	85	92	1,031	1,059	90,236	98,032
70-74	73	72	727	834	65,723	76,223
75-79	58	72	612	758	51,422	66,437
80-84	48	60	473	715	37,837	57,755
85&up	41	90	541	1,049	33,329	73,525
<b>Total</b>	<b>2,059</b>	<b>2,010</b>	<b>23,975</b>	<b>23,670</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>4,069</b>		<b>47,645</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Redwood County - Population Estimates by Age and Sex, 2008**

Age Group	Redwood		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	518	492	1,038	952	183,210	175,261
05-09	502	438	962	925	171,656	164,248
10-14	496	488	1,056	955	175,035	166,152
15-17	351	316	722	674	112,491	106,591
18-19	217	149	429	332	74,705	73,057
20-24	509	466	985	935	182,290	177,237
25-29	488	387	936	723	191,716	176,210
30-34	392	302	808	649	167,764	160,553
35-39	414	383	819	753	176,796	170,024
40-44	482	446	964	938	188,195	184,805
45-49	554	611	1,208	1,259	213,297	209,492
50-54	614	541	1,338	1,185	196,470	193,115
55-59	543	531	1,151	1,013	164,197	163,542
60-64	416	442	844	865	123,530	128,235
65-69	358	392	695	770	90,236	98,032
70-74	297	294	572	598	65,723	76,223
75-79	220	259	465	557	51,422	66,437
80-84	178	305	348	575	37,837	57,755
85&up	234	468	458	898	33,329	73,525
<b>Total</b>	<b>7,783</b>	<b>7,710</b>	<b>15,798</b>	<b>15,556</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>15,493</b>		<b>31,354</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Redwood and Renville Counties

**Renville County - Population Estimates by Age and Sex, 2008**

Age Group	Renville		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	520	460	1,038	952	183,210	175,261
05-09	460	487	962	925	171,656	164,248
10-14	560	467	1,056	955	175,035	166,152
15-17	371	358	722	674	112,491	106,591
18-19	212	183	429	332	74,705	73,057
20-24	476	469	985	935	182,290	177,237
25-29	448	336	936	723	191,716	176,210
30-34	416	347	808	649	167,764	160,553
35-39	405	370	819	753	176,796	170,024
40-44	482	492	964	938	188,195	184,805
45-49	654	648	1,208	1,259	213,297	209,492
50-54	724	644	1,338	1,185	196,470	193,115
55-59	608	482	1,151	1,013	164,197	163,542
60-64	428	423	844	865	123,530	128,235
65-69	337	378	695	770	90,236	98,032
70-74	275	304	572	598	65,723	76,223
75-79	245	298	465	557	51,422	66,437
80-84	170	270	348	575	37,837	57,755
85&up	224	430	458	898	33,329	73,525
<b>Total</b>	<b>8,015</b>	<b>7,846</b>	<b>15,798</b>	<b>15,556</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>15,861</b>		<b>31,354</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Redwood and Renville Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Rice County - Population Estimates by Age and Sex, 2008**

Age Group	Rice		Minnesota	
	Male	Female	Male	Female
00-04	2,083	1,965	183,210	175,261
05-09	1,925	1,760	171,656	164,248
10-14	1,859	1,887	175,035	166,152
15-17	1,266	1,227	112,491	106,591
18-19	1,441	1,563	74,705	73,057
20-24	3,343	3,274	182,290	177,237
25-29	2,655	2,371	191,716	176,210
30-34	2,000	1,662	167,764	160,553
35-39	1,997	1,669	176,796	170,024
40-44	2,085	1,928	188,195	184,805
45-49	2,368	2,229	213,297	209,492
50-54	2,212	2,092	196,470	193,115
55-59	1,727	1,704	164,197	163,542
60-64	1,331	1,349	123,530	128,235
65-69	1,019	1,071	90,236	98,032
70-74	791	890	65,723	76,223
75-79	626	741	51,422	66,437
80-84	404	657	37,837	57,755
85&up	354	865	33,329	73,525
<b>Total</b>	<b>31,486</b>	<b>30,904</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>62,390</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Rock County - Population Estimates by Age and Sex, 2008**

Age Group	Rock		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	339	329	1,188	1,128	183,210	175,261
05-09	286	284	996	997	171,656	164,248
10-14	326	304	1,057	991	175,035	166,152
15-17	197	185	672	594	112,491	106,591
18-19	103	96	379	329	74,705	73,057
20-24	321	289	948	828	182,290	177,237
25-29	312	266	956	801	191,716	176,210
30-34	230	237	764	698	167,764	160,553
35-39	269	247	903	798	176,796	170,024
40-44	270	266	923	874	188,195	184,805
45-49	352	350	1,093	1,032	213,297	209,492
50-54	342	318	1,190	1,057	196,470	193,115
55-59	312	298	960	919	164,197	163,542
60-64	260	260	767	746	123,530	128,235
65-69	203	204	614	627	90,236	98,032
70-74	156	203	466	577	65,723	76,223
75-79	138	202	393	571	51,422	66,437
80-84	138	197	361	510	37,837	57,755
85&up	103	284	329	805	33,329	73,525
<b>Total</b>	<b>4,657</b>	<b>4,819</b>	<b>14,959</b>	<b>14,882</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>9,476</b>		<b>29,841</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Nobles and Rock Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Roseau County - Population Estimates by Age and Sex, 2008**

Age Group	Roseau		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	529	510	1,466	1,479	183,210	175,261
05-09	558	480	1,437	1,375	171,656	164,248
10-14	606	628	1,598	1,564	175,035	166,152
15-17	401	348	1,059	898	112,491	106,591
18-19	223	175	683	571	74,705	73,057
20-24	420	448	1,532	1,377	182,290	177,237
25-29	566	475	1,653	1,562	191,716	176,210
30-34	441	437	1,305	1,162	167,764	160,553
35-39	520	483	1,382	1,277	176,796	170,024
40-44	642	554	1,606	1,471	188,195	184,805
45-49	748	681	1,947	1,842	213,297	209,492
50-54	665	575	1,985	1,825	196,470	193,115
55-59	516	488	1,659	1,553	164,197	163,542
60-64	384	379	1,279	1,299	123,530	128,235
65-69	317	304	1,031	1,059	90,236	98,032
70-74	192	202	727	834	65,723	76,223
75-79	153	166	612	758	51,422	66,437
80-84	104	154	473	715	37,837	57,755
85&up	133	260	541	1,049	33,329	73,525
<b>Total</b>	<b>8,118</b>	<b>7,747</b>	<b>23,975</b>	<b>23,670</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>15,865</b>		<b>47,645</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake & Roseau Counties

**St. Louis County - Population Estimates by Age and Sex, 2008**

Age Group	St. Louis		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	5,531	5,318	6,998	6,700	183,210	175,261
05-09	5,082	4,760	6,517	6,113	171,656	164,248
10-14	5,511	5,050	6,960	6,479	175,035	166,152
15-17	3,761	3,528	4,767	4,478	112,491	106,591
18-19	4,078	4,289	4,706	4,797	74,705	73,057
20-24	8,939	8,486	10,647	10,127	182,290	177,237
25-29	7,033	6,247	8,967	8,016	191,716	176,210
30-34	5,159	4,802	6,685	6,098	167,764	160,553
35-39	5,293	4,876	6,877	6,206	176,796	170,024
40-44	5,697	6,009	7,286	7,616	188,195	184,805
45-49	7,255	7,463	9,282	9,399	213,297	209,492
50-54	8,060	8,132	10,095	10,087	196,470	193,115
55-59	7,567	7,031	9,380	8,715	164,197	163,542
60-64	5,494	5,424	6,887	6,747	123,530	128,235
65-69	3,903	4,251	4,965	5,380	90,236	98,032
70-74	3,013	3,610	3,872	4,632	65,723	76,223
75-79	2,440	3,176	3,182	4,035	51,422	66,437
80-84	1,819	2,960	2,327	3,695	37,837	57,755
85&up	1,775	4,042	2,184	4,939	33,329	73,525
<b>Total</b>	<b>97,410</b>	<b>99,454</b>	<b>122,584</b>	<b>124,259</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>196,864</b>		<b>246,843</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**  
**Scott County - Population Estimates by Age and Sex, 2008**

Age Group	Scott		Minnesota	
	Male	Female	Male	Female
00-04	5,665	5,595	183,210	175,261
05-09	5,550	5,396	171,656	164,248
10-14	5,320	5,033	175,035	166,152
15-17	2,978	2,818	112,491	106,591
18-19	1,382	1,221	74,705	73,057
20-24	3,547	3,480	182,290	177,237
25-29	5,562	5,774	191,716	176,210
30-34	4,860	5,032	167,764	160,553
35-39	5,164	5,323	176,796	170,024
40-44	5,629	5,539	188,195	184,805
45-49	5,559	5,155	213,297	209,492
50-54	4,291	3,889	196,470	193,115
55-59	3,045	2,904	164,197	163,542
60-64	2,254	2,278	123,530	128,235
65-69	1,606	1,628	90,236	98,032
70-74	970	1,030	65,723	76,223
75-79	661	803	51,422	66,437
80-84	418	624	37,837	57,755
85&up	301	653	33,329	73,525
<b>Total</b>	<b>64,762</b>	<b>64,175</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>128,937</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Sherburne County - Population Estimates by Age and Sex, 2008**

Age Group	Sherburne		Minnesota	
	Male	Female	Male	Female
00-04	3,475	3,429	183,210	175,261
05-09	3,524	3,277	171,656	164,248
10-14	3,392	3,263	175,035	166,152
15-17	2,006	1,885	112,491	106,591
18-19	1,126	960	74,705	73,057
20-24	3,322	3,103	182,290	177,237
25-29	4,427	4,121	191,716	176,210
30-34	3,528	3,167	167,764	160,553
35-39	3,449	3,351	176,796	170,024
40-44	3,365	3,269	188,195	184,805
45-49	3,510	3,315	213,297	209,492
50-54	2,819	2,578	196,470	193,115
55-59	2,117	2,153	164,197	163,542
60-64	1,537	1,547	123,530	128,235
65-69	1,153	1,081	90,236	98,032
70-74	788	791	65,723	76,223
75-79	543	602	51,422	66,437
80-84	323	500	37,837	57,755
85&up	239	625	33,329	73,525
<b>Total</b>	<b>44,643</b>	<b>43,017</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>87,660</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Sibley County - Population Estimates by Age and Sex, 2008**

Age Group	Sibley		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	535	525	2,750	2,616	183,210	175,261
05-09	462	451	2,468	2,387	171,656	164,248
10-14	551	485	2,666	2,466	175,035	166,152
15-17	384	322	1,707	1,540	112,491	106,591
18-19	192	170	1,016	766	74,705	73,057
20-24	469	428	2,349	2,154	182,290	177,237
25-29	528	484	2,650	2,622	191,716	176,210
30-34	392	396	2,268	2,166	167,764	160,553
35-39	482	437	2,415	2,238	176,796	170,024
40-44	494	485	2,542	2,444	188,195	184,805
45-49	646	564	3,043	2,814	213,297	209,492
50-54	580	525	2,710	2,640	196,470	193,115
55-59	483	432	2,457	2,299	164,197	163,542
60-64	383	356	1,889	1,857	123,530	128,235
65-69	274	329	1,403	1,561	90,236	98,032
70-74	226	259	1,134	1,272	65,723	76,223
75-79	206	240	905	1,141	51,422	66,437
80-84	133	199	708	1,081	37,837	57,755
85&up	134	313	655	1,463	33,329	73,525
<b>Total</b>	<b>7,554</b>	<b>7,400</b>	<b>37,735</b>	<b>37,527</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>14,954</b>		<b>75,262</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

**Stearns County - Population Estimates by Age and Sex, 2008**

Age Group	Stearns		Minnesota	
	Male	Female	Male	Female
00-04	4,947	4,760	183,210	175,261
05-09	4,497	4,442	171,656	164,248
10-14	4,566	4,330	175,035	166,152
15-17	2,959	2,800	112,491	106,591
18-19	3,028	3,494	74,705	73,057
20-24	8,167	7,761	182,290	177,237
25-29	6,316	5,441	191,716	176,210
30-34	4,662	4,158	167,764	160,553
35-39	4,490	4,202	176,796	170,024
40-44	4,983	4,642	188,195	184,805
45-49	5,359	5,169	213,297	209,492
50-54	4,993	4,767	196,470	193,115
55-59	4,170	4,056	164,197	163,542
60-64	3,037	3,027	123,530	128,235
65-69	2,295	2,488	90,236	98,032
70-74	1,956	2,144	65,723	76,223
75-79	1,571	1,937	51,422	66,437
80-84	1,144	1,549	37,837	57,755
85&up	923	1,846	33,329	73,525
<b>Total</b>	<b>74,063</b>	<b>73,013</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>147,076</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Steele County - Population Estimates by Age and Sex, 2008**

Age Group	Steele		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,377	1,301	2,113	2,011	183,210	175,261
05-09	1,284	1,195	1,959	1,947	171,656	164,248
10-14	1,306	1,240	2,046	1,963	175,035	166,152
15-17	791	766	1,246	1,237	112,491	106,591
18-19	425	424	655	664	74,705	73,057
20-24	1,176	1,084	1,765	1,665	182,290	177,237
25-29	1,301	1,290	2,109	2,038	191,716	176,210
30-34	1,127	1,138	1,785	1,731	167,764	160,553
35-39	1,182	1,118	1,790	1,739	176,796	170,024
40-44	1,305	1,285	2,027	1,975	188,195	184,805
45-49	1,400	1,470	2,232	2,264	213,297	209,492
50-54	1,408	1,287	2,148	1,997	196,470	193,115
55-59	1,131	1,082	1,687	1,615	164,197	163,542
60-64	813	836	1,235	1,261	123,530	128,235
65-69	634	726	960	1,085	90,236	98,032
70-74	494	625	738	873	65,723	76,223
75-79	410	506	608	747	51,422	66,437
80-84	299	467	439	682	37,837	57,755
85&up	267	576	425	836	33,329	73,525
<b>Total</b>	<b>18,130</b>	<b>18,416</b>	<b>27,967</b>	<b>28,330</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>36,546</b>		<b>56,297</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*CHS Agency- Community Health Services Agency consisting of Dodge and Steele Counties

**Stevens County - Population Estimates by Age and Sex, 2008**

Age Group	Stevens		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	274	257	873	777	183,210	175,261
05-09	235	249	750	734	171,656	164,248
10-14	255	224	847	791	175,035	166,152
15-17	152	155	572	556	112,491	106,591
18-19	271	415	516	658	74,705	73,057
20-24	664	705	1,262	1,323	182,290	177,237
25-29	295	234	1,035	857	191,716	176,210
30-34	248	181	732	575	167,764	160,553
35-39	227	191	723	654	176,796	170,024
40-44	242	232	789	870	188,195	184,805
45-49	330	312	1,103	1,055	213,297	209,492
50-54	344	329	1,196	1,142	196,470	193,115
55-59	300	272	1,021	911	164,197	163,542
60-64	207	214	778	782	123,530	128,235
65-69	184	167	668	723	90,236	98,032
70-74	133	168	553	695	65,723	76,223
75-79	132	190	556	692	51,422	66,437
80-84	114	169	469	674	37,837	57,755
85&up	145	245	510	934	33,329	73,525
<b>Total</b>	<b>4,752</b>	<b>4,909</b>	<b>14,953</b>	<b>15,403</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>9,661</b>		<b>30,356</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Swift County - Population Estimates by Age and Sex, 2008**

Age Group	Swift		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	303	264	1,337	1,218	183,210	175,261
05-09	283	249	1,211	1,110	171,656	164,248
10-14	304	283	1,414	1,294	175,035	166,152
15-17	215	224	1,000	955	112,491	106,591
18-19	155	105	636	504	74,705	73,057
20-24	447	282	1,487	1,282	182,290	177,237
25-29	482	186	1,602	1,070	191,716	176,210
30-34	486	197	1,281	759	167,764	160,553
35-39	624	212	1,377	1,019	176,796	170,024
40-44	558	271	1,579	1,252	188,195	184,805
45-49	498	346	1,842	1,729	213,297	209,492
50-54	460	335	1,969	1,758	196,470	193,115
55-59	346	314	1,653	1,506	164,197	163,542
60-64	299	262	1,268	1,243	123,530	128,235
65-69	201	204	986	1,164	90,236	98,032
70-74	168	245	807	988	65,723	76,223
75-79	154	223	752	1,020	51,422	66,437
80-84	138	213	648	987	37,837	57,755
85&up	159	340	711	1,519	33,329	73,525
<b>Total</b>	<b>6,280</b>	<b>4,755</b>	<b>23,560</b>	<b>22,377</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>11,035</b>		<b>45,937</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Todd County - Population Estimates by Age and Sex, 2008**

Age Group	Todd		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	801	746	3,326	3,199	183,210	175,261
05-09	693	658	3,010	2,839	171,656	164,248
10-14	786	763	3,073	2,984	175,035	166,152
15-17	577	499	2,206	2,095	112,491	106,591
18-19	343	315	1,290	1,107	74,705	73,057
20-24	787	738	3,205	2,945	182,290	177,237
25-29	960	862	4,033	3,709	191,716	176,210
30-34	617	520	2,682	2,538	167,764	160,553
35-39	628	537	2,618	2,418	176,796	170,024
40-44	717	670	2,987	2,907	188,195	184,805
45-49	952	942	3,763	3,684	213,297	209,492
50-54	976	903	3,709	3,505	196,470	193,115
55-59	863	732	3,269	3,017	164,197	163,542
60-64	662	668	2,625	2,625	123,530	128,235
65-69	572	594	2,371	2,550	90,236	98,032
70-74	413	445	1,952	2,015	65,723	76,223
75-79	322	400	1,466	1,833	51,422	66,437
80-84	275	334	1,108	1,496	37,837	57,755
85&up	214	433	896	1,798	33,329	73,525
<b>Total</b>	<b>12,158</b>	<b>11,759</b>	<b>49,589</b>	<b>49,264</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>		<b>23,917</b>		<b>98,853</b>		<b>5,220,393</b>

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Traverse County - Population Estimates by Age and Sex, 2008**

Age Group	Traverse		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	90	77	873	777	183,210	175,261
05-09	81	86	750	734	171,656	164,248
10-14	118	119	847	791	175,035	166,152
15-17	69	74	572	556	112,491	106,591
18-19	56	45	516	658	74,705	73,057
20-24	112	97	1,262	1,323	182,290	177,237
25-29	90	83	1,035	857	191,716	176,210
30-34	69	38	732	575	167,764	160,553
35-39	79	73	723	654	176,796	170,024
40-44	93	118	789	870	188,195	184,805
45-49	137	127	1,103	1,055	213,297	209,492
50-54	141	136	1,196	1,142	196,470	193,115
55-59	113	99	1,021	911	164,197	163,542
60-64	97	89	778	782	123,530	128,235
65-69	92	110	668	723	90,236	98,032
70-74	86	108	553	695	65,723	76,223
75-79	97	117	556	692	51,422	66,437
80-84	86	91	469	674	37,837	57,755
85&up	96	171	510	934	33,329	73,525
<b>Total</b>	<b>1,802</b>	<b>1,858</b>	<b>14,953</b>	<b>15,403</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>3,660</b>		<b>30,356</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

**Wabasha County - Population Estimates by Age and Sex, 2008**

Age Group	Wabasha		Minnesota	
	Male	Female	Male	Female
00-04	669	646	183,210	175,261
05-09	606	608	171,656	164,248
10-14	710	682	175,035	166,152
15-17	491	471	112,491	106,591
18-19	299	234	74,705	73,057
20-24	675	715	182,290	177,237
25-29	815	690	191,716	176,210
30-34	559	502	167,764	160,553
35-39	616	627	176,796	170,024
40-44	753	737	188,195	184,805
45-49	896	899	213,297	209,492
50-54	859	829	196,470	193,115
55-59	768	694	164,197	163,542
60-64	594	597	123,530	128,235
65-69	456	516	90,236	98,032
70-74	387	386	65,723	76,223
75-79	293	329	51,422	66,437
80-84	220	333	37,837	57,755
85&up	245	407	33,329	73,525
<b>Total</b>	<b>10,911</b>	<b>10,902</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>21,813</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Wadena County - Population Estimates by Age and Sex, 2008**

Age Group	Wadena		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	451	450	3,326	3,199	183,210	175,261
05-09	399	385	3,010	2,839	171,656	164,248
10-14	426	390	3,073	2,984	175,035	166,152
15-17	282	284	2,206	2,095	112,491	106,591
18-19	206	145	1,290	1,107	74,705	73,057
20-24	451	364	3,205	2,945	182,290	177,237
25-29	511	442	4,033	3,709	191,716	176,210
30-34	304	350	2,682	2,538	167,764	160,553
35-39	330	290	2,618	2,418	176,796	170,024
40-44	345	356	2,987	2,907	188,195	184,805
45-49	470	475	3,763	3,684	213,297	209,492
50-54	461	468	3,709	3,505	196,470	193,115
55-59	415	397	3,269	3,017	164,197	163,542
60-64	319	319	2,625	2,625	123,530	128,235
65-69	290	350	2,371	2,550	90,236	98,032
70-74	296	320	1,952	2,015	65,723	76,223
75-79	242	323	1,466	1,833	51,422	66,437
80-84	184	316	1,108	1,496	37,837	57,755
85&up	166	339	896	1,798	33,329	73,525
<b>Total</b>	<b>6,548</b>	<b>6,763</b>	<b>49,589</b>	<b>49,264</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>13,311</b>		<b>98,853</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

**Waseca County - Population Estimates by Age and Sex, 2008**

Age Group	Waseca		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	674	664	1,634	1,571	183,210	175,261
05-09	613	591	1,476	1,435	171,656	164,248
10-14	619	612	1,535	1,526	175,035	166,152
15-17	392	395	1,010	997	112,491	106,591
18-19	255	185	586	520	74,705	73,057
20-24	712	532	1,598	1,375	182,290	177,237
25-29	841	640	2,057	1,721	191,716	176,210
30-34	775	480	1,594	1,266	167,764	160,553
35-39	694	498	1,535	1,343	176,796	170,024
40-44	763	584	1,751	1,510	188,195	184,805
45-49	830	675	1,965	1,790	213,297	209,492
50-54	769	727	1,839	1,668	196,470	193,115
55-59	625	646	1,594	1,497	164,197	163,542
60-64	516	430	1,253	1,157	123,530	128,235
65-69	318	362	869	961	90,236	98,032
70-74	239	292	657	742	65,723	76,223
75-79	195	286	512	676	51,422	66,437
80-84	197	294	421	647	37,837	57,755
85&up	167	356	396	801	33,329	73,525
<b>Total</b>	<b>10,194</b>	<b>9,249</b>	<b>24,282</b>	<b>23,203</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>19,443</b>		<b>47,485</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Le Sueur and Waseca Counties

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Washington County - Population Estimates by Age and Sex, 2008**

Age Group	Washington		Minnesota	
	Male	Female	Male	Female
00-04	7,799	7,555	183,210	175,261
05-09	8,147	7,779	171,656	164,248
10-14	8,918	8,610	175,035	166,152
15-17	5,457	5,291	112,491	106,591
18-19	2,842	2,611	74,705	73,057
20-24	7,607	7,140	182,290	177,237
25-29	8,766	8,091	191,716	176,210
30-34	6,914	6,472	167,764	160,553
35-39	7,523	7,815	176,796	170,024
40-44	8,934	9,388	188,195	184,805
45-49	10,234	10,213	213,297	209,492
50-54	8,891	9,105	196,470	193,115
55-59	7,500	7,466	164,197	163,542
60-64	5,834	5,892	123,530	128,235
65-69	3,810	3,870	90,236	98,032
70-74	2,320	2,535	65,723	76,223
75-79	1,541	1,961	51,422	66,437
80-84	964	1,419	37,837	57,755
85&up	598	1,361	33,329	73,525
<b>Total</b>	<b>114,599</b>	<b>114,574</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>229,173</b>			

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Watonwan County - Population Estimates by Age and Sex, 2008**

Age Group	Watonwan		Minnesota	
	Male	Female	Male	Female
00-04	347	354	183,210	175,261
05-09	384	332	171,656	164,248
10-14	390	402	175,035	166,152
15-17	238	281	112,491	106,591
18-19	138	122	74,705	73,057
20-24	285	293	182,290	177,237
25-29	270	311	191,716	176,210
30-34	256	225	167,764	160,553
35-39	250	271	176,796	170,024
40-44	312	296	188,195	184,805
45-49	386	414	213,297	209,492
50-54	450	446	196,470	193,115
55-59	391	307	164,197	163,542
60-64	260	285	123,530	128,235
65-69	269	256	90,236	98,032
70-74	217	226	65,723	76,223
75-79	166	228	51,422	66,437
80-84	141	229	37,837	57,755
85&up	143	289	33,329	73,525
<b>Total</b>	<b>5,293</b>	<b>5,567</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>10,860</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Wilkin County - Population Estimates by Age and Sex, 2008**

Age Group	Wilkin		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	189	184	2,101	2,008	183,210	175,261
05-09	210	164	1,770	1,645	171,656	164,248
10-14	200	217	1,955	1,856	175,035	166,152
15-17	132	148	1,313	1,201	112,491	106,591
18-19	101	76	1,424	1,937	74,705	73,057
20-24	183	220	3,201	3,880	182,290	177,237
25-29	212	162	2,370	2,046	191,716	176,210
30-34	134	111	1,786	1,619	167,764	160,553
35-39	175	168	1,707	1,683	176,796	170,024
40-44	208	214	1,822	1,872	188,195	184,805
45-49	305	272	2,264	2,287	213,297	209,492
50-54	293	271	2,225	2,140	196,470	193,115
55-59	219	174	1,775	1,669	164,197	163,542
60-64	154	169	1,197	1,285	123,530	128,235
65-69	101	155	952	1,050	90,236	98,032
70-74	116	125	758	921	65,723	76,223
75-79	91	97	623	873	51,422	66,437
80-84	67	82	520	765	37,837	57,755
85&up	57	130	488	1,065	33,329	73,525
<b>Total</b>	<b>3,147</b>	<b>3,139</b>	<b>30,251</b>	<b>31,802</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>6,286</b>		<b>62,053</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Clay and Wilkin Counties

**Winona County - Population Estimates by Age and Sex, 2008**

Age Group	Winona		Minnesota	
	Male	Female	Male	Female
00-04	1,375	1,318	183,210	175,261
05-09	1,259	1,201	171,656	164,248
10-14	1,353	1,281	175,035	166,152
15-17	921	857	112,491	106,591
18-19	1,368	1,984	74,705	73,057
20-24	3,367	3,280	182,290	177,237
25-29	1,903	1,652	191,716	176,210
30-34	1,115	1,386	167,764	160,553
35-39	1,314	1,213	176,796	170,024
40-44	1,380	1,368	188,195	184,805
45-49	1,651	1,642	213,297	209,492
50-54	1,673	1,707	196,470	193,115
55-59	1,557	1,468	164,197	163,542
60-64	1,174	1,096	123,530	128,235
65-69	870	908	90,236	98,032
70-74	712	797	65,723	76,223
75-79	563	715	51,422	66,437
80-84	421	678	37,837	57,755
85&up	421	931	33,329	73,525
<b>Total</b>	<b>24,397</b>	<b>25,482</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>49,879</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Demographics Table 1: Minnesota Population Estimates by Age and Sex by State & County, 2008**

**Wright County - Population Estimates by Age and Sex, 2008**

Age Group	Wright		Minnesota	
	Male	Female	Male	Female
00-04	5,545	5,186	183,210	175,261
05-09	4,660	4,603	171,656	164,248
10-14	4,582	4,282	175,035	166,152
15-17	2,741	2,585	112,491	106,591
18-19	1,347	1,205	74,705	73,057
20-24	3,603	3,755	182,290	177,237
25-29	5,574	5,625	191,716	176,210
30-34	4,402	4,294	167,764	160,553
35-39	4,411	4,278	176,796	170,024
40-44	4,596	4,459	188,195	184,805
45-49	4,868	4,613	213,297	209,492
50-54	3,935	3,478	196,470	193,115
55-59	2,976	3,023	164,197	163,542
60-64	2,322	2,350	123,530	128,235
65-69	1,753	1,745	90,236	98,032
70-74	1,183	1,205	65,723	76,223
75-79	809	998	51,422	66,437
80-84	554	822	37,837	57,755
85&up	429	905	33,329	73,525
<b>Total</b>	<b>60,290</b>	<b>59,411</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>119,701</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

**Yellow Medicine County - Population Estimates by Age and Sex, 2008**

Age Group	Yellow Medicine		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	310	286	1,337	1,218	183,210	175,261
05-09	309	246	1,211	1,110	171,656	164,248
10-14	297	291	1,414	1,294	175,035	166,152
15-17	214	210	1,000	955	112,491	106,591
18-19	171	152	636	504	74,705	73,057
20-24	318	310	1,487	1,282	182,290	177,237
25-29	300	210	1,602	1,070	191,716	176,210
30-34	230	152	1,281	759	167,764	160,553
35-39	227	223	1,377	1,019	176,796	170,024
40-44	283	293	1,579	1,252	188,195	184,805
45-49	396	392	1,842	1,729	213,297	209,492
50-54	438	384	1,969	1,758	196,470	193,115
55-59	367	304	1,653	1,506	164,197	163,542
60-64	258	262	1,268	1,243	123,530	128,235
65-69	218	263	986	1,164	90,236	98,032
70-74	190	218	807	988	65,723	76,223
75-79	168	221	752	1,020	51,422	66,437
80-84	141	195	648	987	37,837	57,755
85&up	150	361	711	1,519	33,329	73,525
<b>Total</b>	<b>4,985</b>	<b>4,973</b>	<b>23,560</b>	<b>22,377</b>	<b>2,599,899</b>	<b>2,620,494</b>
<b>Total Male/Female</b>	<b>9,958</b>		<b>45,937</b>		<b>5,220,393</b>	

Source: U.S. Census Bureau: 2008 Census Estimates, www.census.gov

\*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity  
By State and County, 2008**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
<b>State of Minnesota</b>	<b>5,220,393</b>	<b>4,648,528</b>	<b>238,531</b>	<b>64,503</b>	<b>188,340</b>	<b>80,491</b>	<b>216,574</b>
Aitkin	15,736	15,081	55	423	32	145	155
Anoka	327,090	294,086	12,139	2,588	12,402	5,875	9,145
Becker	32,000	28,469	163	2,458	135	775	407
Beltrami	43,835	33,604	363	8,598	378	892	810
Benton	39,878	37,855	706	244	602	471	574
Big Stone	5,365	5,268	22	32	24	19	26
Blue Earth	60,401	56,912	1,303	202	1,411	573	1,257
Brown	25,862	25,484	59	40	130	149	818
Carlton	33,933	30,857	362	1,939	162	613	405
Carver	90,043	85,221	1,424	278	2,249	871	3,355
Cass	28,732	24,914	107	3,155	98	458	369
Chippewa	12,414	12,039	39	168	50	118	539
Chisago	50,257	48,248	579	311	691	428	991
Clay	55,767	53,160	385	853	589	780	1,836
Clearwater	8,249	7,330	26	725	21	147	85
Cook	5,437	4,810	15	455	21	136	90
Cottonwood	11,283	10,702	160	36	300	85	517
Crow Wing	62,172	60,396	368	541	306	561	622
Dakota	392,755	350,436	16,933	2,068	16,266	7,052	18,059
Dodge	19,751	19,367	66	40	112	166	859
Douglas	36,258	35,638	112	120	176	212	327
Faribault	14,624	14,345	51	53	71	104	669
Fillmore	20,850	20,577	69	24	43	137	142
Freeborn	30,927	30,244	190	77	204	212	2,287
Goodhue	45,897	44,201	454	515	320	407	888
Grant	6,005	5,910	15	18	10	52	71
Hennepin	1,140,988	917,878	121,221	13,248	64,244	24,397	72,419
Houston	19,245	18,868	113	43	104	117	146
Hubbard	18,810	18,059	53	438	50	210	256
Isanti	39,105	37,966	197	221	287	434	634
Itasca	44,512	41,884	125	1,665	155	683	381
Jackson	10,734	10,474	14	16	178	52	284
Kanabec	16,091	15,558	34	202	113	184	182
Kandiyohi	40,679	39,633	414	199	211	222	3,939
Kittson	4,462	4,387	3	19	14	39	73
Koochiching	13,251	12,634	68	347	36	166	112
Lac Qui Parle	7,165	7,074	15	20	26	30	92
Lake	10,609	10,366	13	99	20	111	75
Lake of the Woods	3,985	3,821	16	87	10	51	31
Le Sueur	28,042	27,522	103	106	133	178	1,324
Lincoln	5,837	5,789	3	19	13	13	65
Lyon	24,844	23,732	372	92	467	181	1,331
McLeod	37,165	36,296	223	91	319	236	1,780
Mahnomen	5,128	2,978	21	1,626	7	496	151
Marshall	9,502	9,355	11	39	30	67	400
Martin	20,435	20,085	87	33	112	118	656
Meeker	23,143	22,774	60	72	119	118	733
Mille Lacs	26,377	24,572	126	1,257	79	343	374
Morrison	32,893	32,310	113	133	125	212	295
Mower	37,859	36,217	557	121	642	322	3,192

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity  
By State and County, 2008**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
<b>State of Minnesota</b>	<b>5,220,393</b>	<b>4,648,528</b>	<b>238,531</b>	<b>64,503</b>	<b>188,340</b>	<b>80,491</b>	<b>216,574</b>
Murray	8,389	8,250	15	29	26	69	187
Nicollet	32,027	30,772	494	97	420	244	874
Nobles	20,365	18,548	507	159	921	230	3,701
Norman	6,605	6,320	16	154	21	94	291
Olmsted	141,360	126,425	5,458	414	7,328	1,735	4,269
Otter Tail	56,786	55,565	191	355	284	391	1,144
Pennington	13,747	13,168	103	206	128	142	312
Pine	28,297	26,495	491	879	134	298	647
Pipestone	9,395	9,037	22	174	51	111	190
Polk	30,694	29,506	168	508	130	382	1,539
Pope	11,030	10,890	28	29	23	60	92
Ramsey	501,428	391,086	48,639	4,642	45,584	11,477	32,710
Red Lake	4,069	3,940	9	98	1	21	61
Redwood	15,493	14,274	40	669	317	193	280
Renville	15,861	15,495	23	168	51	124	1,017
Rice	62,390	59,314	1,036	331	1,133	576	4,601
Rock	9,476	9,229	63	56	77	51	195
Roseau	15,865	15,072	25	291	320	157	110
St. Louis	196,864	185,556	2,418	4,362	1,545	2,983	1,947
Scott	128,937	116,100	3,147	989	6,828	1,873	5,185
Sherburne	87,660	83,882	1,366	366	1,065	981	1,702
Sibley	14,954	14,684	40	63	65	102	1,150
Stearns	147,076	140,452	2,258	420	2,653	1,293	2,840
Steele	36,546	34,809	1,069	57	336	275	1,878
Stevens	9,661	9,155	164	95	137	110	152
Swift	11,035	9,866	405	73	417	274	432
Todd	23,917	23,421	35	166	96	199	1,069
Traverse	3,660	3,496	2	131	14	17	70
Wabasha	21,813	21,388	121	70	135	99	544
Wadena	13,311	13,008	80	91	26	106	165
Waseca	19,443	18,476	554	129	140	144	741
Washington	229,173	206,162	7,442	1,131	10,938	3,500	6,544
Watowan	10,860	10,548	69	53	115	75	2,015
Wilkin	6,286	6,132	15	56	14	69	176
Winona	49,879	47,730	534	119	1,128	368	772
Wright	119,701	115,323	1,338	449	1,421	1,170	2,466
Yellow Medicine	9,958	9,568	19	270	21	80	278

Source: July 2009, US Census

**Demographics Table 3: Selected Minnesota Population Statistics  
By State and County, 2008**

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
<b>State of Minnesota</b>	<b>650,519</b>	<b>12.5</b>	<b>18.4</b>	<b>47.7</b>	<b>1,402,406</b>	<b>29.3</b>	<b>1,048,477</b>
Aitkin	4,017	25.5	43.1	68.9	3,256	25.8	2,409
Anoka	28,237	8.6	12.3	42.6	92,847	30.3	67,629
Becker	5,432	17.0	26.5	56.2	8,115	29.7	5,764
Beltrami	5,723	13.1	19.8	51.9	12,824	32.0	9,563
Benton	4,121	10.3	15.1	45.8	10,824	30.7	9,168
Big Stone	1,401	26.1	44.5	70.6	1,177	26.0	783
Blue Earth	6,965	11.5	16.1	39.6	15,648	23.5	14,390
Brown	4,800	18.6	28.7	54.8	6,193	26.0	4,503
Carlton	5,081	15.0	22.4	49.6	8,378	27.2	6,350
Carver	7,230	8.0	11.7	45.8	27,403	34.1	19,306
Cass	5,544	19.3	30.6	58.4	6,896	27.8	5,180
Chippewa	2,395	19.3	30.7	59.3	3,050	28.5	2,024
Chisago	5,157	10.3	15.1	46.8	14,316	31.8	10,425
Clay	6,994	12.5	18.1	44.5	15,589	26.3	13,139
Clearwater	1,555	18.9	30.2	60.3	2,074	30.1	1,406
Cook	947	17.4	25.3	45.4	1,044	20.1	906
Cottonwood	2,281	20.2	33.2	64.3	2,896	31.1	1,859
Crow Wing	11,181	18.0	28.3	57.6	15,408	29.3	11,908
Dakota	33,756	8.6	12.3	43.5	113,103	31.2	82,452
Dodge	2,389	12.1	18.3	51.6	5,732	33.3	3,944
Douglas	6,955	19.2	30.0	56.6	8,336	26.6	6,766
Faribault	3,134	21.4	34.5	61.0	3,425	26.5	2,214
Fillmore	3,843	18.4	29.2	58.7	5,294	29.4	3,618
Freeborn	6,011	19.4	30.7	58.1	7,304	27.4	5,258
Goodhue	7,143	15.6	23.6	51.4	11,548	27.8	8,504
Grant	1,424	23.7	39.5	66.4	1,324	27.0	981
Hennepin	125,014	11.0	15.8	44.0	297,496	28.2	229,978
Houston	3,237	16.8	25.5	51.7	4,739	26.2	3,502
Hubbard	3,917	20.8	33.6	61.2	4,328	27.6	3,238
Isanti	4,142	10.6	15.2	43.2	10,180	28.1	8,499
Itasca	8,132	18.3	28.1	53.7	10,423	25.6	7,736
Jackson	2,212	20.6	32.4	57.3	2,440	24.9	1,752
Kanabec	2,414	15.0	22.4	49.6	3,977	27.2	3,191
Kandiyohi	6,351	15.6	24.0	54.0	10,942	30.0	7,391
Kittson	1,053	23.6	39.0	65.1	975	26.1	580
Koochiching	2,673	20.2	31.3	55.3	2,938	24.0	2,165
Lac Qui Parle	1,616	22.6	36.5	61.6	1,581	25.2	1,007
Lake	2,194	20.7	32.1	55.4	2,185	23.3	1,845
Lake of the Woods	855	21.5	33.4	55.5	837	22.1	634
Le Sueur	3,976	14.2	21.3	50.3	7,290	29.0	5,418
Lincoln	1,470	25.2	43.5	72.6	1,352	29.1	883
Lyon	3,705	14.9	22.6	51.3	6,780	28.7	5,071
McLeod	5,298	14.3	22.0	54.3	10,278	32.3	7,125
Mahnomen	916	17.9	30.2	68.8	1,549	38.6	836
Marshall	1,959	20.6	32.8	59.2	2,176	26.4	1,448
Martin	4,401	21.5	35.0	62.3	4,765	27.3	3,112
Meeker	3,712	16.0	25.0	55.7	6,027	30.7	4,083
Mille Lacs	4,333	16.4	25.6	55.6	6,812	30.1	5,202
Morrison	5,113	15.5	24.0	54.1	8,634	30.2	6,167
Mower	6,987	18.5	30.0	62.3	10,190	32.4	6,535
Murray	1,829	21.8	35.3	62.1	1,929	26.7	1,306

**Demographics Table 3: Selected Minnesota Population Statistics  
By State and County, 2008**

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
<b>State of Minnesota</b>	<b>650,519</b>	<b>12.5</b>	<b>18.4</b>	<b>47.7</b>	<b>1,402,406</b>	<b>29.3</b>	<b>1,048,477</b>
Nicollet	4,070	12.7	18.3	43.9	8,594	25.6	6,964
Nobles	3,425	16.8	27.5	63.6	5,882	36.1	3,336
Norman	1,414	21.4	34.9	63.2	1,563	28.3	1,007
Olmsted	17,036	12.1	18.1	50.2	39,197	32.1	28,417
Otter Tail	11,617	20.5	32.4	58.5	13,206	26.0	9,658
Pennington	2,111	15.4	23.5	52.7	3,574	29.3	2,654
Pine	4,474	15.8	23.6	49.1	6,656	25.5	5,159
Pipestone	2,009	21.4	35.7	66.7	2,388	31.1	1,550
Polk	5,277	17.2	26.4	53.8	7,838	27.4	5,632
Pope	2,349	21.3	33.8	58.8	2,448	25.0	1,871
Ramsey	65,196	13.0	19.4	49.4	137,687	30.0	102,574
Red Lake	691	17.0	25.7	51.5	947	25.8	716
Redwood	3,005	19.4	31.5	62.2	3,967	30.7	2,449
Renville	2,931	18.5	29.4	59.0	4,078	29.6	2,555
Rice	7,418	11.9	17.1	43.4	16,976	26.4	13,694
Rock	1,828	19.3	31.6	63.9	2,449	32.3	1,586
Roseau	1,985	12.5	18.8	50.1	4,458	31.3	2,920
St. Louis	30,989	15.7	23.0	46.2	46,908	23.2	38,237
Scott	8,694	6.7	9.9	47.0	40,958	37.1	29,187
Sherburne	6,645	7.6	11.0	44.5	26,337	33.6	19,856
Sibley	2,313	15.5	24.0	55.3	4,077	31.2	2,722
Stearns	17,853	12.1	17.6	44.6	39,823	27.1	32,498
Steele	5,004	13.7	21.0	53.3	10,109	32.3	7,105
Stevens	1,647	17.0	25.3	48.2	2,487	22.9	2,113
Swift	2,045	18.5	28.0	51.1	2,385	23.1	1,477
Todd	4,002	16.7	25.9	54.6	6,181	28.7	4,141
Traverse	1,054	28.8	51.8	79.9	815	28.1	528
Wabasha	3,572	16.4	24.9	52.3	5,416	27.4	3,976
Wadena	2,826	21.2	35.4	66.7	3,418	31.3	2,231
Waseca	2,706	13.9	20.9	50.0	5,000	29.1	3,314
Washington	20,379	8.9	12.7	43.2	65,009	30.5	46,808
Watonwan	2,164	19.9	33.4	67.4	2,988	34.1	1,799
Wilkin	1,021	16.2	24.9	53.3	1,621	28.4	1,099
Winona	7,016	14.1	20.0	42.2	12,917	22.2	11,740
Wright	10,403	8.7	12.9	48.8	36,736	35.9	26,201
Yellow Medicine	2,125	21.3	34.9	63.4	2,486	28.5	1,550

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

**Elderly Age Dependency Ratio:** The number of persons aged 65 or over per 100 persons in the population aged 15 through 64 years.

**Percent Elderly:** The percent of total population comprised of persons aged 65 and over.

**Total Age Dependency Ratio:** The number of children under 15 years of age plus the number of persons aged 65 and over per 100 persons in the population aged 15 through 64 years.

**Child Age Dependency Ratio:** The number of children under 15 years of age per 100 persons in the population aged 15 through 64 years.

**Demographics Table 4: Selected Minnesota Demographics  
By State and County, 2008**

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2007-2008
<b>State of Minnesota</b>	<b>5,220,393</b>	<b>79,617</b>	<b>65.6</b>	<b>2,095,574</b>	<b>0.7</b>
Aitkin	15,736	1,819	8.7	7,235	0.4
Anoka	327,090	424	771.4	120,891	0.8
Becker	32,000	1,311	24.4	13,280	1.3
Beltrami	43,835	2,505	17.5	16,397	1.3
Benton	39,878	408	97.7	15,611	0.8
Big Stone	5,365	497	10.8	2,261	0.1
Blue Earth	60,401	752	80.3	23,974	1.2
Brown	25,862	611	42.3	10,898	0.3
Carlton	33,933	860	39.5	13,503	0.5
Carver	90,043	357	252.2	32,283	1.7
Cass	28,732	2,018	14.2	12,112	1.0
Chippewa	12,414	583	21.3	5,365	-0.3
Chisago	50,257	418	120.2	18,057	1.1
Clay	55,767	1,045	53.4	21,599	1.7
Clearwater	8,249	995	8.3	3,412	-0.2
Cook	5,437	1,451	3.7	2,578	2.0
Cottonwood	11,283	640	17.6	4,784	-1.7
Crow Wing	62,172	997	62.4	26,053	1.9
Dakota	392,755	570	689.0	151,450	0.8
Dodge	19,751	440	44.9	7,415	0.2
Douglas	36,258	634	57.2	15,540	1.7
Faribault	14,624	714	20.5	6,344	-1.7
Fillmore	20,850	861	24.2	8,518	-0.4
Freeborn	30,927	708	43.7	13,393	-0.4
Goodhue	45,897	759	60.5	18,419	0.7
Grant	6,005	547	11.0	2,521	0.2
Hennepin	1,140,988	557	2,048.5	485,377	0.6
Houston	19,245	558	34.5	7,918	-0.3
Hubbard	18,810	923	20.4	7,980	0.7
Isanti	39,105	439	89.1	14,663	1.7
Itasca	44,512	2,665	16.7	19,039	1.4
Jackson	10,734	702	15.3	4,596	-0.7
Kanabec	16,091	525	30.6	6,492	0.0
Kandiyohi	40,679	796	51.1	16,819	0.0
Kittson	4,462	1,097	4.1	1,989	-0.5
Koochiching	13,251	3,102	4.3	5,975	-0.8
Lac Qui Parle	7,165	765	9.4	3,176	-0.3
Lake	10,609	2,099	5.1	4,808	-0.2
Lake of the Woods	3,985	1,297	3.1	1,888	-0.2
Le Sueur	28,042	449	62.5	11,034	0.4
Lincoln	5,837	537	10.9	2,570	-0.4
Lyon	24,844	714	34.8	9,943	0.1
McLeod	37,165	492	75.5	14,791	0.0
Mahnomen	5,128	556	9.2	2,014	0.6
Marshall	9,502	1,772	5.4	4,135	-0.4
Martin	20,435	709	28.8	9,042	0.4
Meeker	23,143	609	38.0	9,193	0.1
Mille Lacs	26,377	575	45.9	10,500	0.9
Morrison	32,893	1,125	29.2	13,023	0.9
Mower	37,859	712	53.2	15,978	-0.2

**Demographics Table 4: Selected Minnesota Demographics  
By State and County, 2008**

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2007-2008
<b>State of Minnesota</b>	<b>5,220,393</b>	<b>79,617</b>	<b>65.6</b>	<b>2,095,574</b>	<b>0.7</b>
Murray	8,389	705	11.9	3,682	-0.8
Nicollet	32,027	452	70.9	12,023	0.6
Nobles	20,365	716	28.4	7,988	0.5
Norman	6,605	876	7.5	2,891	0.0
Olmsted	141,360	653	216.5	56,383	1.4
Otter Tail	56,786	1,980	28.7	23,956	0.0
Pennington	13,747	617	22.3	5,805	0.3
Pine	28,297	1,411	20.1	11,014	-0.5
Pipestone	9,395	466	20.2	4,053	0.6
Polk	30,694	1,971	15.6	12,529	0.2
Pope	11,030	670	16.5	4,703	0.1
Ramsey	501,428	156	3,214.3	208,611	0.4
Red Lake	4,069	432	9.4	1,761	0.3
Redwood	15,493	880	17.6	6,538	-0.4
Renville	15,861	983	16.1	6,817	-0.1
Rice	62,390	498	125.3	21,914	0.4
Rock	9,476	483	19.6	3,923	0.1
Roseau	15,865	1,663	9.5	6,376	-0.4
St. Louis	196,864	6,226	31.6	84,553	0.3
Scott	128,937	357	361.2	44,645	1.6
Sherburne	87,660	437	200.6	29,837	1.0
Sibley	14,954	589	25.4	5,945	-0.5
Stearns	147,076	1,345	109.4	55,217	1.1
Steele	36,546	430	85.0	14,374	0.2
Stevens	9,661	562	17.2	3,873	0.0
Swift	11,035	744	14.8	4,310	0.1
Todd	23,917	942	25.4	9,764	0.4
Traverse	3,660	574	6.4	1,617	-1.1
Wabasha	21,813	525	41.5	8,947	0.6
Wadena	13,311	536	24.8	5,646	0.5
Waseca	19,443	423	46.0	7,302	0.3
Washington	229,173	392	584.6	86,709	1.3
Watonwan	10,860	435	25.0	4,588	-0.1
Wilkin	6,286	752	8.4	2,696	-0.7
Winona	49,879	626	79.7	19,541	1.1
Wright	119,701	661	181.1	43,878	2.4
Yellow Medicine	9,958	758	13.1	4,329	0.1

Sources: Population - U.S. Census Bureau: 2007 Census Estimates, [www.census.gov](http://www.census.gov); Number of Households - Minnesota State Demographer: <http://www.gda.state.mn.us/resource.html?Id=19244>

**Number of Households:** The number of occupied houses, apartments, or other separate living quarters, in which the occupants live and eat separately from other persons in the building and to which they have direct access from outside the building or through a common hall.

**Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County**

	Total Income per Capita, 2007	Unemployed Annual Average, 2008		Food Stamp Utilization - Avg Monthly 2008	WIC Participants - Unduplicated 2008	Percent - All Ages in Poverty 2007
		Number	Percent			
<b>State of Minnesota</b>	<b>\$41,105</b>	<b>159,825</b>	<b>5.4</b>	<b>134,859</b>	<b>228,715</b>	<b>9.5</b>
Aitkin	\$26,473	630	8.1	543	723	13.4
Anoka	\$37,575	10,457	5.5	6,225	11,077	6.4
Becker	\$31,754	1,152	6.8	1,259	2,701	12.1
Beltrami	\$27,549	1,480	6.9	3,226	4,790	17.0
Benton	\$29,048	1,412	6.1	824	1,973	8.7
Big Stone	\$32,062	156	5.5	118	329	11.8
Blue Earth	\$32,112	1,639	4.5	1,269	2,589	12.3
Brown	\$32,982	901	6.1	441	1,345	8.7
Carlton	\$28,139	1,175	6.7	893	2,022	9.8
Carver	\$49,691	2,465	4.9	598	1,711	3.9
Cass	\$30,456	1,238	8.6	1,300	2,612	13.4
Chippewa	\$32,590	374	5.1	235	1,008	10.3
Chisago	\$33,148	1,889	6.8	795	1,777	5.9
Clay	\$30,390	1,179	3.6	1,609	2,498	13.0
Clearwater	\$24,859	471	11.6	364	582	16.4
Cook	\$32,471	174	5.5	84	264	8.4
Cottonwood	\$34,450	335	5.3	277	890	10.7
Crow Wing	\$29,358	2,295	7.0	1,634	3,334	9.3
Dakota	\$45,045	11,360	4.9	5,285	12,724	5.4
Dodge	\$34,063	573	5.2	295	915	6.6
Douglas	\$32,388	1,015	5.0	740	1,781	10.6
Faribault	\$35,615	490	6.3	310	698	11.1
Fillmore	\$30,777	674	6.1	369	895	10.8
Freeborn	\$31,501	944	5.7	766	1,948	8.7
Goodhue	\$35,993	1,436	5.7	686	1,727	7.9
Grant	\$28,936	218	7.0	136	331	11.8
Hennepin	\$56,280	32,574	4.9	39,354	50,282	10.6
Houston	\$33,016	637	5.7	324	649	8.4
Hubbard	\$27,984	732	7.7	638	1,117	11.4
Isanti	\$31,570	1,523	7.0	694	2,115	7.6
Itasca	\$28,050	1,776	8.0	1,615	2,412	9.8
Jackson	\$32,095	280	4.3	161	317	9.8
Kanabec	\$26,558	835	10.2	522	1,115	11.3
Kandiyohi	\$34,725	1,173	5.0	1,271	3,048	11.0
Kittson	\$31,322	141	5.6	64	305	9.9
Koochiching	\$30,603	511	7.8	502	684	13.2
Lac Qui Parle	\$33,041	200	4.9	93	317	10.6
Lake	\$35,163	330	5.3	196	497	8.5
Lake of the Woods	\$25,389	141	6.2	70	221	11.2
Le Sueur	\$30,834	1,068	7.4	409	1,072	7.5
Lincoln	\$32,723	166	5.0	82	168	12.5
Lyon	\$34,358	640	4.4	532	1,766	11.3
McLeod	\$31,356	1,255	6.0	548	1,850	6.2
Mahnomen	\$28,117	177	7.4	445	638	19.0
Marshall	\$31,624	412	8.0	158	634	10.3
Martin	\$35,470	565	4.9	529	1,111	10.2
Meeker	\$30,158	835	6.6	431	1,270	9.3
Mille Lacs	\$25,121	1,130	9.2	645	1,760	9.5
Morrison	\$26,688	1,355	7.6	695	1,989	10.4
Mower	\$34,045	940	4.6	1,067	2,774	11.4

**Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County**

	Total Income per Capita, 2007	Unemployed Annual Average, 2008		Food Stamp Utilization - Avg Monthly 2008	WIC Participants - Unduplicated 2008	Percent - All Ages in Poverty 2007
		Number	Percent			
<b>State of Minnesota</b>	<b>\$41,105</b>	<b>159,825</b>	<b>5.4</b>	<b>134,859</b>	<b>228,715</b>	<b>9.5</b>
Murray	\$33,308	279	5.2	125	367	8.3
Nicollet	\$34,229	857	4.4	561	1,376	9.2
Nobles	\$32,708	461	4.1	502	2,081	15.0
Norman	\$33,572	201	5.7	175	431	13.2
Olmsted	\$42,917	3,552	4.4	3,084	6,848	8.4
Otter Tail	\$29,763	1,819	6.1	1,211	2,679	11.3
Pennington	\$35,873	625	7.2	413	1,388	11.3
Pine	\$25,230	1,224	8.6	929	1,490	12.3
Pipestone	\$33,421	250	4.4	231	650	11.5
Polk	\$30,420	851	5.0	1,088	1,804	15.7
Pope	\$31,901	325	5.3	203	645	9.1
Ramsey	\$45,180	14,391	5.3	21,547	30,969	13.5
Red Lake	\$28,206	191	8.2	125	182	11.1
Redwood	\$30,675	442	5.5	303	1,103	9.0
Renville	\$29,455	509	5.9	360	918	9.5
Rice	\$29,755	1,930	5.9	950	3,027	7.7
Rock	\$32,588	191	3.9	131	432	8.8
Roseau	\$35,150	474	5.0	190	918	8.2
St. Louis	\$34,674	6,687	6.4	7,563	8,292	14.9
Scott	\$39,042	3,694	5.0	1,179	3,449	4.2
Sherburne	\$29,529	3,076	6.2	913	3,351	5.0
Sibley	\$30,062	547	6.3	219	1,037	9.0
Stearns	\$31,951	4,653	5.5	2,942	5,485	11.7
Steele	\$34,097	1,063	5.1	759	2,223	7.1
Stevens	\$32,374	261	4.6	154	560	13.4
Swift	\$26,206	321	6.1	231	1,160	11.7
Todd	\$25,017	806	6.6	674	1,533	13.5
Traverse	\$28,910	99	5.6	82	208	11.3
Wabasha	\$32,774	610	5.0	299	921	8.5
Wadena	\$25,718	540	8.4	551	795	14.9
Waseca	\$30,051	570	5.5	477	1,071	8.5
Washington	\$47,351	6,472	5.0	2,392	5,461	4.7
Watonwan	\$30,343	362	6.6	175	886	9.1
Wilkin	\$32,226	156	4.4	150	340	8.9
Winona	\$32,964	1,373	4.7	946	1,727	11.5
Wright	\$33,122	4,139	6.2	1,393	4,451	5.0
Yellow Medicine	\$33,740	301	5.1	157	713	11.1

Sources: Total Per Capita Income - US Department of Commerce, Bureau of Economic Analysis, [www.bea.gov/bea/regional/reis/](http://www.bea.gov/bea/regional/reis/); Unemployment Annual Average - Minnesota Department of Employment and Economic Development, <http://www.deed.state.mn.us/lmi/tools/lau>

**Total Per Capital Income:** Per capita personal income was computed using Census Bureau midyear population estimates. 2007 estimates for 2007 reflect county population estimates available as of 2009.

**Food Stamps:** A Federal program which supplements the food-purchasing ability of low-income households through the distribution of coupons which can be used to purchase food for human consumption.

**WIC Participants - Unduplicated Counts:** The total number of pregnant, post-partum and nursing women, infants and children less than 5 years of age who received WIC vouchers. County level data are determined by combining unduplicated participants of all clinics within a county's boundaries. State total does not equal the sum of the counties because participants may move counties during the year.

**Demographics Table 6: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2008**

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
<b>State of Minnesota</b>	<b>7,680</b>	<b>30,110</b>	<b>39,838</b>	<b>18,005</b>	<b>9,889</b>	<b>28,835</b>	<b>10,137</b>
Aitkin	27	92	97	46	25	96	42
Anoka	335	1,388	1,996	880	484	1,561	420
Becker	61	268	302	126	74	267	114
Beltrami	325	1,146	1,329	580	337	927	257
Benton	50	164	198	63	37	175	81
Big Stone	5	13	18	9	5	20	8
Blue Earth	67	298	377	138	79	299	131
Brown	17	83	83	32	15	93	29
Carlton	28	155	189	93	45	155	85
Carver	23	103	144	61	33	109	40
Cass	91	330	416	180	101	279	96
Chippewa	11	44	58	23	13	52	17
Chisago	34	134	187	80	38	210	62
Clay	72	257	367	170	105	311	92
Clearwater	17	60	71	41	24	65	22
Cook	6	13	7	3	2	15	10
Cottonwood	12	43	64	24	13	45	21
Crow Wing	82	331	312	134	83	350	98
Dakota	290	1,152	1,446	545	316	1,144	299
Dodge	14	44	74	38	23	35	17
Douglas	25	103	119	56	29	109	63
Faribault	16	60	74	24	16	70	16
Fillmore	11	41	37	14	8	35	24
Freeborn	57	147	157	78	51	129	49
Goodhue	50	184	207	74	38	189	55
Grant	5	18	22	9	6	15	8
Hennepin	2,243	8,904	11,486	5,416	2,981	7,636	3,720
Houston	10	73	89	33	17	84	22
Hubbard	21	83	133	43	23	69	44
Isanti	33	135	173	86	52	186	45
Itasca	67	230	318	119	66	233	137
Jackson	8	31	44	11	6	39	9
Kanabec	21	90	137	50	29	117	34
Kandiyohi	82	322	448	188	95	349	89
Kittson	1	7	24	8	3	7	4
Koochiching	9	58	76	34	20	67	40
Lac Qui Parle	2	11	19	6	2	13	7
Lake	10	20	41	13	7	22	16
Lake of the Woods	1	14	23	9	5	17	9
Le Sueur	27	86	115	42	22	97	26
Lincoln	1	12	12	4	3	13	3
Lyon	34	114	152	81	43	127	46
McLeod	31	107	129	48	29	111	44
Mahnomen	41	145	166	75	41	110	40
Marshall	5	22	24	17	8	27	8
Martin	29	72	91	48	26	97	39
Meeker	17	69	128	40	20	91	31
Mille Lacs	56	154	170	86	50	150	53

**Demographics Table 6: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2008**

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
<b>State of Minnesota</b>	<b>7,680</b>	<b>30,110</b>	<b>39,838</b>	<b>18,005</b>	<b>9,889</b>	<b>28,835</b>	<b>10,137</b>
Morrison	23	119	141	48	24	126	56
Mower	62	199	216	74	44	178	66
Murray	2	10	24	12	7	23	16
Nicollet	37	173	174	54	30	184	55
Nobles	43	126	149	51	34	108	32
Norman	13	31	42	20	10	46	7
Olmsted	195	577	716	330	188	603	218
Otter Tail	44	184	288	122	65	211	95
Pennington	19	47	62	30	16	48	40
Pine	46	174	228	107	63	163	61
Pipestone	8	47	58	18	6	42	7
Polk	55	179	250	96	55	188	62
Pope	7	33	52	18	9	30	15
Ramsey	1,530	6,575	9,601	4,720	2,486	6,095	1,097
Red Lake	3	14	22	12	9	15	7
Redwood	12	58	125	56	30	57	18
Renville	15	65	100	38	25	46	32
Rice	69	264	316	113	53	214	65
Rock	12	34	45	21	12	38	4
Roseau	9	29	42	16	9	34	7
St. Louis	321	1,193	1,427	576	341	1,189	571
Scott	78	266	391	151	87	246	64
Sherburne	51	208	283	113	55	229	68
Sibley	18	48	39	24	13	42	21
Stearns	150	549	687	302	180	614	237
Steele	46	194	234	100	53	185	69
Stevens	5	15	17	7	6	15	9
Swift	12	30	30	16	11	39	9
Todd	18	84	122	47	26	99	45
Traverse	3	10	10	4	2	8	5
Wabasha	11	51	76	23	10	46	25
Wadena	19	97	131	67	33	106	31
Waseca	18	78	109	40	19	85	41
Washington	131	535	717	358	205	620	126
Watsonwan	6	24	51	16	7	32	11
Wilkin	5	16	18	11	5	19	14
Winona	35	147	198	102	57	140	68
Wright	68	183	276	109	57	239	129
Yellow Medicine	4	15	23	4	0	15	11

Source: Minnesota Department of Human Services

**MFIP-MA (Minnesota Family Investment Program - Medical Assistance):** Medical Assistance eligibility coincides with receipt cash assistance from MFIP, is extended MA eligibility following MFIP, or is based on pregnancy. Counts include both fee-for-servi and HMO enrollees.

**GAMC (General Assistance Medical Care):** Most enrollees are eligible on a medical-only basis; fewer than one-third are eligible based on receipt of cash assistance from General Assistance. Counts include both fee-for-service and HMO enrollees.



of  
ice

**Demographics Table 7:  
Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment  
By State and County, 2008**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
<b>State of Minnesota</b>	<b>22,463</b>	<b>60,313</b>	<b>73,704</b>	<b>35,586</b>	<b>74,299</b>	<b>1,446</b>	<b>9,306</b>	<b>18,384</b>	<b>10,719</b>	<b>27,682</b>
Aitkin	72	275	341	168	346	2	53	110	82	184
Anoka	1,277	3,463	4,615	2,180	4,744	61	471	950	557	1,568
Becker	194	692	770	353	743	14	115	221	134	283
Beltrami	225	627	762	488	944	29	157	312	186	397
Benton	180	493	522	255	683	9	72	129	85	272
Big Stone	24	56	99	49	95	2	22	43	33	41
Blue Earth	269	598	746	364	919	12	74	158	79	310
Brown	127	300	357	179	397	3	27	62	37	112
Carlton	169	486	629	316	673	5	51	111	95	236
Carver	171	483	619	285	643	12	77	202	90	242
Cass	146	484	638	357	639	24	132	267	171	355
Chippewa	83	193	228	117	237	1	27	63	36	77
Chisago	186	480	626	325	707	19	104	244	165	353
Clay	286	797	993	454	1,101	14	70	164	103	293
Clearwater	50	162	235	119	200	4	33	65	36	93
Cook	13	32	49	17	61	2	24	30	18	50
Cottonwood	70	224	292	144	239	1	23	40	29	83
Crow Wing	314	839	1,026	502	1,153	39	209	452	262	641
Dakota	1,383	3,593	4,393	1,758	4,309	82	497	916	491	1,512
Dodge	103	239	313	125	301	4	31	47	31	84
Douglas	166	479	566	275	613	13	86	176	101	309
Faribault	73	213	321	124	273	0	21	58	38	98
Fillmore	109	274	317	152	334	4	41	113	71	140
Freeborn	182	456	527	238	561	6	40	92	73	206
Goodhue	161	408	497	231	602	11	53	98	60	167
Grant	24	74	121	54	101	6	33	65	22	90
Hennepin	4,932	13,214	15,169	7,889	17,379	245	1,495	2,705	1,511	4,153
Houston	75	190	238	166	278	3	27	57	53	96
Hubbard	112	334	401	191	446	14	92	172	123	250
Isanti	197	487	591	281	625	14	112	235	106	304
Itasca	205	753	953	502	1,072	19	136	301	171	458
Jackson	50	139	203	79	175	1	14	41	37	56
Kanabec	81	264	417	160	368	6	44	118	72	162
Kandiyohi	289	784	823	409	887	8	122	218	125	292
Kittson	16	45	67	32	63	9	33	61	31	51
Koochiching	53	158	239	155	276	5	26	91	62	137
Lac Qui Parle	41	89	122	57	105	1	12	36	33	56
Lake	47	139	174	86	199	7	31	59	25	104
Lake of the Woods	21	61	65	35	66	2	13	39	23	63
Le Sueur	117	336	413	211	400	4	41	77	44	113
Lincoln	23	74	96	37	88	2	17	28	23	40
Lyon	158	354	449	191	468	1	34	84	46	111
McLeod	165	434	560	218	492	9	60	130	66	176
Mahnomen	44	144	204	104	173	3	10	29	14	26
Marshall	32	96	178	75	137	3	26	61	39	81
Martin	110	364	452	223	435	6	30	88	60	123
Meeker	102	296	374	183	368	7	64	125	48	142
Mille Lacs	134	361	485	250	516	16	92	193	95	223

**Demographics Table 7:  
Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment  
By State and County, 2008**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
<b>State of Minnesota</b>	<b>22,463</b>	<b>60,313</b>	<b>73,704</b>	<b>35,586</b>	<b>74,299</b>	<b>1,446</b>	<b>9,306</b>	<b>18,384</b>	<b>10,719</b>	<b>27,682</b>
Morrison	161	436	567	278	625	17	112	267	164	299
Mower	332	813	911	443	927	11	56	106	52	202
Murray	53	109	157	73	143	1	21	34	19	53
Nicollet	139	370	405	174	460	3	28	66	27	103
Nobles	251	582	550	208	472	1	31	77	50	87
Norman	43	121	206	81	155	6	22	59	35	70
Olmsted	666	1,832	2,088	867	2,180	23	130	245	139	512
Otter Tail	288	718	945	462	969	34	202	347	232	504
Pennington	83	208	205	116	272	3	38	79	32	111
Pine	137	372	516	283	606	17	91	206	111	257
Pipestone	62	168	210	95	202	5	18	19	25	49
Polk	149	537	527	301	711	8	107	187	109	258
Pope	60	115	137	80	171	5	44	90	62	100
Ramsey	2,281	5,718	7,246	4,247	9,131	176	984	1,846	1,104	2,650
Red Lake	16	64	91	42	74	2	18	33	19	44
Redwood	80	205	302	148	278	6	36	105	43	122
Renville	77	254	329	166	330	2	33	83	63	119
Rice	288	758	793	335	838	13	106	178	63	217
Rock	51	122	136	66	122	6	31	59	24	62
Roseau	52	137	175	78	176	6	30	82	41	92
St. Louis	779	2,395	3,180	1,687	4,279	58	349	701	486	1,430
Scott	333	825	1,154	431	979	37	206	355	184	463
Sherburne	311	858	1,112	457	1,081	17	157	317	181	468
Sibley	70	257	293	118	241	10	42	63	45	90
Stearns	608	1,640	2,087	922	2,178	43	274	478	274	853
Steele	235	620	644	271	668	8	54	72	52	157
Stevens	35	93	96	45	114	2	23	37	27	64
Swift	49	150	222	111	197	1	13	41	44	64
Todd	156	381	537	259	509	29	105	255	158	283
Traverse	15	59	75	47	69	0	8	16	16	37
Wabasha	86	199	222	132	304	8	45	99	46	122
Wadena	84	257	352	152	355	13	66	163	81	159
Waseca	104	286	327	132	344	1	36	65	37	91
Washington	485	1,330	1,764	830	1,924	42	276	565	320	784
Watsonwan	92	205	227	99	187	2	14	33	16	43
Wilkin	30	86	136	74	125	2	15	35	15	44
Winona	174	509	614	308	744	12	60	122	104	244
Wright	422	1,108	1,399	648	1,382	35	237	488	243	638
Yellow Medicine	72	150	204	83	171	0	28	73	42	76

Source: Minnesota Department of Human Services

**Medical Assistance:** This category excludes MFIP-MA enrollees. Enrollees over age 21 may be eligible as parents or based on disability. Those eligible as disabled may be SSI recipients. Counts include both fee-for-service and HMO enrollees and non-citizen Medical Assistance recipients.

**MinnesotaCare:** MinnesotaCare children and pregnant women are Medicaid eligible under a waiver. MinnesotaCare coverage is provided under HMO arrangements.

**Demographics Table 8: Selected Education Statistics by State and County  
2008-09 School Year, October 1, 2008**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:		
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education
<b>State of Minnesota</b>	<b>835,934</b>	<b>32.7</b>	<b>7.6</b>	<b>14.4</b>
Aitkin	2,013	47.9	0.1	15.6
Anoka	64,180	27.3	6.9	13.4
Becker	4,459	37.6	0.4	19.8
Beltrami	7,540	56.2	1.5	17.8
Benton	5,414	28.7	0.4	16.9
Big Stone	905	44.2	0.2	13.6
Blue Earth	9,954	31.2	3.4	17.9
Brown	3,420	30.4	3.0	13.7
Carlton	6,285	30.5	0.1	15.3
Carver	15,329	14.3	4.0	12.8
Cass	4,132	60.3	0.2	21.8
Chippewa	2,221	35.9	2.7	17.6
Chisago	8,345	23.0	1.1	10.6
Clay	8,820	28.1	5.0	14.7
Clearwater	1,471	48.8	0.1	17.7
Cook	642	37.4	0.5	15.9
Cottonwood	2,424	42.9	9.2	17.1
Crow Wing	9,753	39.4	0.0	17.4
Dakota	74,203	20.2	6.1	14.8
Dodge	4,029	22.1	3.1	9.6
Douglas	5,301	28.7	0.1	17.5
Faribault	1,971	41.1	3.5	15.6
Fillmore	2,624	31.5	0.0	11.8
Freeborn	4,086	40.1	5.2	19.7
Goodhue	6,980	21.2	1.7	12.0
Grant	1,143	37.6	0.0	15.2
Hennepin	155,754	37.6	12.5	13.6
Houston	3,979	20.3	0.0	10.3
Hubbard	2,391	50.9	0.4	22.2
Isanti	6,325	31.5	1.3	11.4
Itasca	6,689	43.1	0.0	15.6
Jackson	1,483	31.6	3.6	15.7
Kanabec	2,496	43.0	0.1	13.0
Kandiyohi	5,693	41.5	11.1	12.2
Kittson	738	38.5	0.0	18.6
Koochiching	1,998	38.1	0.1	15.4
Lac Qui Parle	1,461	37.9	2.1	15.3
Lake	1,435	30.2	0.0	15.5
Lake of the Woods	536	43.3	0.0	15.7
Le Sueur	4,388	27.4	5.5	16.5
Lincoln	983	38.5	0.7	14.5
Lyon	4,326	34.8	8.9	14.8
McLeod	5,627	31.5	4.0	12.7
Mahnomen	1,314	66.7	0.0	18.5
Marshall	1,410	44.0	3.6	15.5
Martin	3,271	38.1	2.5	17.5
Meeker	5,820	34.1	0.8	12.8
Mille Lacs	6,683	35.5	0.4	15.0
Morrison	5,128	40.2	0.5	14.5

**Demographics Table 8: Selected Education Statistics by State and County**  
**2008-09 School Year, October 1, 2008**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:		
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education
<b>State of Minnesota</b>	<b>835,934</b>	<b>32.7</b>	<b>7.6</b>	<b>14.4</b>
Mower	5,804	44.7	8.0	14.4
Murray	1,132	32.0	2.7	17.5
Nicollet	2,313	32.3	3.3	19.7
Nobles	3,471	51.0	8.7	16.7
Norman	1,188	47.2	1.7	16.7
Olmsted	22,247	27.3	10.4	11.6
Otter Tail	7,809	36.0	3.5	14.4
Pennington	2,195	34.8	1.2	16.0
Pine	3,899	44.8	0.6	10.7
Pipestone	1,477	40.8	3.2	16.1
Polk	5,104	36.4	2.0	15.5
Pope	1,333	37.0	0.2	22.5
Ramsey	83,710	50.8	23.5	15.3
Red Lake	739	50.7	0.3	14.3
Redwood	2,231	34.4	1.0	15.2
Renville	2,014	39.1	10.1	14.7
Rice	8,518	31.2	10.1	16.3
Rock	1,555	29.4	1.8	16.1
Roseau	3,123	31.3	0.5	15.0
St. Louis	25,733	37.5	0.2	15.8
Scott	20,604	17.3	5.7	13.5
Sherburne	19,351	17.8	2.8	14.0
Sibley	2,323	38.4	9.8	14.4
Stearns	23,011	33.2	5.7	16.2
Steele	6,464	30.0	6.5	11.9
Stevens	1,397	27.2	1.9	19.4
Swift	1,535	32.1	1.3	15.9
Todd	4,044	53.9	5.1	19.2
Traverse	529	34.0	0.8	14.4
Wabasha	4,637	21.3	1.5	11.3
Wadena	2,781	54.2	0.1	13.2
Waseca	3,596	31.1	0.0	16.5
Washington	39,108	14.9	3.1	12.9
Watonwan	1,951	48.7	14.0	15.9
Wilkin	1,150	37.4	2.9	17.4
Winona	5,838	30.7	2.6	15.8
Wright	22,775	19.5	2.1	13.5
Yellow Medicine	1,673	43.5	3.9	18.3

Source: Minnesota Department of Education - [www.education.state.mn.us/mde/Data/index.html](http://www.education.state.mn.us/mde/Data/index.html)

**Preschool - 12th Grade Enrollment:**

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

**Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2008-09 School Year, October 1, 2008**

	White	African American	American Indian	Asian	Hispanic	Total
<b>State of Minnesota</b>	<b>632,426</b>	<b>79,911</b>	<b>18,057</b>	<b>51,787</b>	<b>53,753</b>	<b>835,934</b>
Aitkin	1,840	28	107	12	26	2,013
Anoka	50,213	6,035	1,008	3,881	3,043	64,180
Becker	3,773	32	535	43	76	4,459
Beltrami	4,851	96	2,469	52	72	7,540
Benton	5,049	121	56	100	88	5,414
Big Stone	869	4	15	4	13	905
Blue Earth	8,708	565	46	251	384	9,954
Brown	3,067	20	9	36	288	3,420
Carlton	5,500	51	599	68	67	6,285
Carver	13,537	342	62	541	847	15,329
Cass	2,797	35	1,247	25	28	4,132
Chippewa	2,006	32	28	8	147	2,221
Chisago	7,941	89	51	145	119	8,345
Clay	7,675	219	222	99	605	8,820
Clearwater	1,131	9	300	14	17	1,471
Cook	512	3	113	9	5	642
Cottonwood	1,915	20	19	281	189	2,424
Crow Wing	9,360	118	137	62	76	9,753
Dakota	57,790	6,213	534	4,379	5,287	74,203
Dodge	3,670	36	12	23	288	4,029
Douglas	5,098	73	39	54	37	5,301
Faribault	1,724	21	7	16	203	1,971
Fillmore	2,564	15	3	18	24	2,624
Freeborn	3,401	74	11	48	552	4,086
Goodhue	6,302	162	156	113	247	6,980
Grant	1,093	14	4	7	25	1,143
Hennepin	87,181	36,902	2,738	13,875	15,058	155,754
Houston	3,765	109	17	45	43	3,979
Hubbard	2,152	35	141	13	50	2,391
Isanti	5,921	99	70	104	131	6,325
Itasca	5,818	75	699	44	53	6,689
Jackson	1,363	15	3	27	75	1,483
Kanabec	2,344	41	40	18	53	2,496
Kandiyohi	4,108	257	31	47	1,250	5,693
Kittson	714	1	3	6	14	738
Koochiching	1,775	20	189	6	8	1,998
Lac Qui Parle	1,331	28	6	40	56	1,461
Lake	1,393	6	13	8	15	1,435
Lake of the Woods	500	11	15	8	2	536
Le Sueur	3,837	36	29	41	445	4,388
Lincoln	945	7	2	7	22	983
Lyon	3,576	127	18	213	392	4,326
McLeod	5,018	49	16	67	477	5,627
Mahnomen	374	4	934	2	0	1,314
Marshall	1,270	12	7	7	114	1,410
Martin	3,009	39	5	15	203	3,271
Meeker	5,502	45	12	40	221	5,820
Mille Lacs	6,135	69	351	55	73	6,683
Morrison	4,928	49	30	44	77	5,128
Mower	4,541	213	13	124	913	5,804
Murray	1,063	7	5	13	44	1,132
Nicollet	2,040	75	6	31	161	2,313

**Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2008-09 School Year, October 1, 2008**

	White	African American	American Indian	Asian	Hispanic	Total
<b>State of Minnesota</b>	<b>632,426</b>	<b>79,911</b>	<b>18,057</b>	<b>51,787</b>	<b>53,753</b>	<b>835,934</b>
Nobles	2,055	144	15	265	992	3,471
Norman	1,007	26	49	10	96	1,188
Olmsted	17,195	2,121	99	1,611	1,221	22,247
Otter Tail	7,096	177	92	74	370	7,809
Pennington	1,970	48	74	24	79	2,195
Pine	3,571	52	195	32	49	3,899
Pipestone	1,335	28	34	16	64	1,477
Polk	4,423	47	131	21	482	5,104
Pope	1,283	27	7	4	12	1,333
Ramsey	39,340	17,133	1,161	17,884	8,192	83,710
Red Lake	665	12	34	3	25	739
Redwood	1,825	17	305	18	66	2,231
Renville	1,621	16	9	14	354	2,014
Rice	6,763	318	29	174	1,234	8,518
Rock	1,456	21	15	22	41	1,555
Roseau	2,866	26	122	98	11	3,123
St. Louis	22,723	1,065	1,281	354	310	25,733
Scott	17,381	674	205	1,219	1,125	20,604
Sherburne	17,758	494	201	462	436	19,351
Sibley	1,828	19	5	32	439	2,323
Stearns	19,874	1,578	143	525	891	23,011
Steele	5,418	318	13	92	623	6,464
Stevens	1,301	13	19	24	40	1,397
Swift	1,424	15	9	9	78	1,535
Todd	3,602	38	35	33	336	4,044
Traverse	462	9	44	2	12	529
Wabasha	4,356	67	20	37	157	4,637
Wadena	2,647	34	36	15	49	2,781
Waseca	3,274	54	10	26	232	3,596
Washington	32,888	1,851	212	2,815	1,342	39,108
Watsonwan	1,174	20	3	22	732	1,951
Wilkin	1,065	14	9	4	58	1,150
Winona	5,191	211	34	191	211	5,838
Wright	21,198	447	109	453	568	22,775
Yellow Medicine	1,402	19	116	13	123	1,673

Source: Minnesota Department of Education - [www.education.state.mn.us/mde/Data/index.html](http://www.education.state.mn.us/mde/Data/index.html)

**Preschool - 12th Grade Enrollment:**

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

## Section B: Natality

### Tables

---

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Cesarean Births

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Natality Table 1: Selected Minnesota Natality Statistics  
By State and County, 2008**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
<b>State of Minnesota</b>	<b>72,382</b>	<b>68.8</b>	<b>13.9</b>	<b>38,431</b>	<b>7.4</b>	<b>6.5</b>
Aitkin	144	59.8	9.2	201	12.8	-3.6
Anoka	4,378	64.6	13.4	1,611	4.9	8.5
Becker	477	82.4	14.9	330	10.3	4.6
Beltrami	768	80.3	17.5	336	7.7	9.9
Benton	623	67.7	15.6	309	7.7	7.9
Big Stone	54	69.0	10.1	83	15.5	-5.4
Blue Earth	802	55.7	13.3	445	7.4	5.9
Brown	322	71.1	12.5	295	11.4	1.0
Carlton	419	66.0	12.3	346	10.2	2.2
Carver	1,194	61.7	13.3	419	4.7	8.6
Cass	373	71.6	13.0	293	10.2	2.8
Chippewa	152	75.1	12.2	137	11.0	1.2
Chisago	631	60.5	12.6	321	6.4	6.2
Clay	780	59.2	14.0	381	6.8	7.2
Clearwater	121	86.1	14.7	87	10.5	4.1
Cook	48	53.0	8.8	54	9.9	-1.1
Cottonwood	129	69.4	11.4	152	13.5	-2.0
Crow Wing	764	64.2	12.3	591	9.5	2.8
Dakota	5,570	67.4	14.2	1,843	4.7	9.5
Dodge	293	74.0	14.8	156	7.9	6.9
Douglas	427	63.1	11.8	334	9.2	2.6
Faribault	147	66.4	10.1	199	13.6	-3.6
Fillmore	277	76.3	13.3	223	10.7	2.6
Freeborn	391	74.4	12.6	366	11.8	0.8
Goodhue	577	67.9	12.6	463	10.1	2.5
Grant	64	65.2	10.7	85	14.2	-3.5
Hennepin	16,566	71.7	14.5	7,963	7.0	7.5
Houston	208	59.1	10.8	169	8.8	2.0
Hubbard	249	76.6	13.2	193	10.3	3.0
Isanti	529	62.1	13.5	265	6.8	6.8
Itasca	469	60.6	10.5	468	10.5	0.0
Jackson	99	55.9	9.2	101	9.4	-0.2
Kanabec	179	55.8	11.1	157	9.8	1.4
Kandiyohi	594	80.4	14.6	354	8.7	5.9
Kittson	38	65.5	8.5	70	15.7	-7.2
Koochiching	126	57.7	9.5	177	13.4	-3.8
Lac Qui Parle	69	68.5	9.6	109	15.2	-5.6
Lake	126	68.3	11.9	127	12.0	-0.1
Lake of the Woods	30	47.3	7.5	36	9.0	-1.5
Le Sueur	327	60.4	11.7	201	7.2	4.5
Lincoln	64	72.5	11.0	101	17.3	-6.3
Lyon	376	74.1	15.1	236	9.5	5.6
McLeod	473	66.4	12.7	253	6.8	5.9
Mahnomen	107	126.8	20.9	52	10.1	10.7

**Nativity Table 1: Selected Minnesota Natality Statistics  
By State and County, 2008**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
<b>State of Minnesota</b>	<b>72,382</b>	<b>68.8</b>	<b>13.9</b>	<b>38,431</b>	<b>7.4</b>	<b>6.5</b>
Marshall	105	71.8	11.1	83	8.7	2.3
Martin	206	66.2	10.1	242	11.8	-1.8
Meeker	297	72.7	12.8	233	10.1	2.8
Mille Lacs	373	71.7	14.1	287	10.9	3.3
Morrison	472	76.4	14.3	281	8.5	5.8
Mower	633	96.6	16.7	402	10.6	6.1
Murray	83	63.6	9.9	95	11.3	-1.4
Nicollet	416	59.7	13.0	205	6.4	6.6
Nobles	362	107.6	17.8	155	7.6	10.2
Norman	93	92.4	14.1	85	12.9	1.2
Olmsted	2,289	80.4	16.2	869	6.1	10.0
Otter Tail	619	64.0	10.9	605	10.7	0.2
Pennington	170	63.3	12.4	134	9.7	2.6
Pine	343	66.3	12.1	251	8.9	3.3
Pipestone	125	80.6	13.3	132	14.1	-0.7
Polk	418	74.2	13.6	380	12.4	1.2
Pope	124	66.3	11.2	143	13.0	-1.7
Ramsey	7,778	75.4	15.5	3,795	7.6	7.9
Red Lake	58	81.0	14.3	34	8.4	5.9
Redwood	197	80.0	12.7	182	11.7	1.0
Renville	195	76.3	12.3	228	14.4	-2.1
Rice	794	57.8	12.7	425	6.8	5.9
Rock	128	80.7	13.5	132	13.9	-0.4
Roseau	196	67.1	12.4	120	7.6	4.8
St. Louis	2,165	56.6	11.0	2,047	10.4	0.6
Scott	2,062	70.4	16.0	536	4.2	11.8
Sherburne	1,286	64.7	14.7	422	4.8	9.9
Sibley	192	70.2	12.8	121	8.1	4.7
Stearns	1,961	60.2	13.3	855	5.8	7.5
Steele	568	79.9	15.5	292	8.0	7.6
Stevens	112	53.0	11.6	89	9.2	2.4
Swift	125	84.6	11.3	127	11.5	-0.2
Todd	315	75.8	13.2	193	8.1	5.1
Traverse	33	62.5	9.0	52	14.2	-5.2
Wabasha	265	66.6	12.1	159	7.3	4.9
Wadena	189	84.7	14.2	168	12.6	1.6
Waseca	210	63.1	10.8	175	9.0	1.8
Washington	2,891	61.7	12.6	1,262	5.5	7.1
Watonwan	144	80.0	13.3	133	12.2	1.0
Wilkin	69	61.9	11.0	96	15.3	-4.3
Winona	544	46.3	10.9	401	8.0	2.9
Wright	2,095	79.8	17.5	605	5.1	12.4
Yellow Medicine	125	80.6	12.6	105	10.5	2.0

**Source:** Minnesota Department of Health, Center for Health Statistics and the US Census.

**Fertility Rate:** The number of live births per 1,000 women in the population of age 15 - 44 years.

**Birth Rate:** The number of live births per 1,000 population.

**Death Rate:** The number of deaths per 1,000 population

**Natural Rate of Increase:** The percent change in the population due to the difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota  
By State and County, 2008**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2006-2008	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
<b>State of Minnesota</b>	<b>4,865</b>	<b>7.9</b>	<b>3,272</b>	<b>4.7</b>	<b>0.9</b>	<b>3.2</b>
Aitkin	10	7.7	7	5.0	1.5	3.8
Anoka	265	7.1	175	4.2	0.8	3.4
Becker	32	7.7	15	3.3	0.8	2.9
Beltrami	57	9.2	35	4.7	0.9	2.3
Benton	58	9.6	25	4.1	0.7	2.3
Big Stone	4	7.5	0	0.0	0.0	0.0
Blue Earth	43	5.8	20	2.6	0.5	2.0
Brown	30	10.3	8	2.6	0.7	1.4
Carlton	35	9.7	16	3.9	0.6	1.4
Carver	68	6.6	29	2.5	0.6	1.1
Cass	28	8.7	18	5.0	0.9	3.1
Chippewa	9	8.3	6	4.0	0.0	3.7
Chisago	36	6.9	23	3.8	0.9	2.3
Clay	63	9.7	38	5.0	1.2	3.4
Clearwater	8	8.2	2	1.8	0.6	3.1
Cook	7	15.2	2	4.2	0.0	0.0
Cottonwood	10	8.4	7	5.7	0.3	3.4
Crow Wing	50	6.9	41	5.5	0.7	3.3
Dakota	362	7.5	231	4.3	0.8	2.9
Dodge	27	9.7	11	3.8	1.0	2.9
Douglas	30	7.2	21	5.0	0.7	3.9
Faribault	8	6.1	6	4.3	0.2	6.1
Fillmore	23	8.9	13	4.8	0.5	1.9
Freeborn	20	6.0	17	4.5	0.8	4.2
Goodhue	35	6.7	18	3.3	0.5	2.5
Grant	3	4.9	2	3.2	0.0	4.9
Hennepin	1,049	8.0	882	5.5	1.0	3.7
Houston	7	3.9	6	3.0	0.7	2.8
Hubbard	12	5.7	6	2.5	1.0	1.4
Isanti	43	9.2	28	5.6	1.0	3.2
Itasca	33	9.2	22	4.9	0.6	3.6
Jackson	8	9.2	6	6.2	0.6	2.3
Kanabec	8	7.2	5	2.9	0.9	2.7
Kandiyohi	34	6.3	23	4.0	0.7	1.7
Kittson	3	8.6	0	0.0	0.0	5.7
Koochiching	9	8.7	8	6.6	0.9	0.0
Lac Qui Parle	5	8.8	5	7.2	0.9	1.8
Lake	15	12.8	12	10.1	0.6	2.6
Lake of the Woods	1	3.8	0	0.0	0.0	3.8
Le Sueur	21	7.0	13	4.1	0.7	3.7
Lincoln	9	16.1	2	3.1	0.0	7.1
Lyon	26	8.5	13	3.5	0.9	2.3
McLeod	37	8.9	26	5.6	0.9	2.9
Mahnomen	10	11.6	3	3.0	0.0	1.2
Marshall	9	9.2	4	3.8	0.3	2.0
Martin	10	6.0	8	4.0	1.0	0.6
Meeker	21	7.7	14	4.9	0.8	1.9
Mille Lacs	35	11.0	12	3.3	0.7	1.6
Morrison	42	9.8	23	5.1	0.5	3.5
Mower	45	8.2	32	5.2	0.9	3.5
Murray	9	12.5	3	3.6	0.7	5.6

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota  
By State and County, 2008**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2006-2008	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
<b>State of Minnesota</b>	<b>4,865</b>	<b>7.9</b>	<b>3,272</b>	<b>4.7</b>	<b>0.9</b>	<b>3.2</b>
Nicollet	32	8.2	18	4.4	0.7	1.8
Nobles	36	12.1	16	4.5	1.0	1.4
Norman	11	14.1	7	8.0	0.0	6.5
Olmsted	141	6.6	104	4.7	0.8	4.0
Otter Tail	37	6.3	17	2.8	0.9	3.4
Pennington	16	11.0	11	6.9	0.9	4.1
Pine	31	12.5	23	6.8	0.5	4.0
Pipestone	12	10.6	7	5.9	0.8	5.3
Polk	37	9.9	13	3.3	0.4	1.9
Pope	11	9.5	3	2.5	0.0	2.6
Ramsey	526	8.3	428	5.7	1.1	4.7
Red Lake	6	10.7	3	5.2	2.0	5.4
Redwood	17	10.2	12	6.3	0.3	3.0
Renville	12	7.1	8	4.3	0.7	0.6
Rice	61	9.5	46	5.9	1.1	4.4
Rock	8	7.0	4	3.2	0.3	4.4
Roseau	19	10.3	11	5.7	1.0	4.4
St. Louis	159	8.0	80	3.8	0.7	2.5
Scott	139	7.5	86	4.3	0.8	3.0
Sherburne	74	7.4	59	4.7	0.8	3.0
Sibley	14	8.8	6	3.2	0.5	2.5
Stearns	158	8.4	84	4.4	1.0	2.8
Steele	30	5.6	19	3.4	0.4	2.1
Stevens	13	12.0	5	4.5	0.3	2.8
Swift	7	6.3	5	4.1	0.9	0.0
Todd	22	8.1	10	3.2	0.4	3.3
Traverse	4	12.5	1	3.0	0.9	0.0
Wabasha	16	6.3	9	3.4	0.8	2.0
Wadena	14	7.7	11	5.9	1.1	2.7
Waseca	19	9.6	8	3.8	0.7	2.0
Washington	200	7.9	115	4.2	0.7	2.4
Watsonwan	9	6.9	4	2.9	0.9	1.5
Wilkin	4	6.6	2	2.9	1.3	0.0
Winona	27	5.9	15	2.9	0.5	3.3
Wright	117	7.5	80	4.0	0.8	2.8
Yellow Medicine	4	3.8	0	0.0	0.5	2.8

**Source:** Minnesota Department of Health, Center for Health Statistics.

**Preterm Births:** Live births of babies who are less than 37 weeks gestation at birth.

**Low Birth Weight Births:** Live births who are less than 2500 grams at birth.

**Very Low Birth Weight Births:** Live births who are born weighing less than 1500 grams.

**Nativity Table 3: Minnesota Infant Mortality by State and County,  
By State and County, 2004-2008**

	Number of Infant Deaths 2008	Infant Mortality Rate 2004-2008	Neonatal Mortality 2004-2008	Post-neonatal Mortality Rate 2004-2008	Fetal Death Rate 2004-2008	Perinatal Death Rate 2004-2008
<b>State of Minnesota</b>	<b>433</b>	<b>5.3</b>	<b>3.5</b>	<b>1.8</b>	<b>4.9</b>	<b>6.3</b>
Aitkin	0	*	*	*	*	*
Anoka	26	4.9	3.5	1.4	4.7	6.3
Becker	2	*	*	*	*	10.0
Beltrami	4	7.4	*	*	*	6.5
Benton	3	6.9	*	*	*	*
Big Stone	0	*	*	*	*	*
Blue Earth	1	*	*	*	*	*
Brown	3	*	*	*	*	*
Carlton	5	*	*	*	*	*
Carver	5	3.3	*	*	4.9	5.9
Cass	4	*	*	*	*	*
Chippewa	0	*	*	*	*	*
Chisago	2	*	*	*	5.8	6.1
Clay	9	10.0	6.5	*	*	5.4
Clearwater	1	*	*	*	*	*
Cook	2	*	*	*	*	*
Cottonwood	2	*	*	*	*	*
Crow Wing	4	5.4	*	*	*	6.1
Dakota	24	4.4	3.2	1.2	4.8	6.3
Dodge	3	*	*	*	*	*
Douglas	2	*	*	*	*	*
Faribault	0	*	*	*	*	*
Fillmore	1	*	*	*	*	*
Freeborn	0	*	*	*	*	*
Goodhue	2	*	*	*	*	*
Grant	0	*	*	*	*	*
Hennepin	120	5.8	3.8	2.0	5.6	6.6
Houston	0	*	*	*	*	*
Hubbard	2	*	*	*	*	*
Isanti	3	*	*	*	*	*
Itasca	3	*	*	*	*	*
Jackson	1	*	*	*	*	*
Kanabec	0	*	*	*	*	*
Kandiyohi	4	*	*	*	*	*
Kittson	0	*	*	*	*	*
Koochiching	1	*	*	*	*	*
Lac Qui Parle	0	*	*	*	*	*
Lake	1	*	*	*	*	*
Lake of the Woods	1	*	*	*	*	*
Le Sueur	1	*	*	*	*	*
Lincoln	0	*	*	*	*	*
Lyon	2	*	*	*	*	*
McLeod	1	*	*	*	*	*
Mahnomen	1	*	*	*	*	*
Marshall	3	*	*	*	*	*
Martin	0	*	*	*	*	*
Meeker	3	*	*	*	*	*
Mille Lacs	2	*	*	*	*	*
Morrison	8	*	*	*	*	9.8

**Nativity Table 3: Minnesota Infant Mortality by State and County,  
By State and County, 2004-2008**

	Number of Infant Deaths 2008	Infant Mortality Rate 2004-2008	Neonatal Mortality 2004-2008	Post-neonatal Mortality Rate 2004-2008	Fetal Death Rate 2004-2008	Perinatal Death Rate 2004-2008
<b>State of Minnesota</b>	<b>433</b>	<b>5.3</b>	<b>3.5</b>	<b>1.8</b>	<b>4.9</b>	<b>6.3</b>
Mower	2	*	*	*	8.1	9.2
Murray	1	*	*	*	*	*
Nicollet	2	*	*	*	*	*
Nobles	1	*	*	*	*	*
Norman	0	*	*	*	*	*
Olmsted	15	5.0	2.9	2.1	4.0	5.5
Otter Tail	1	*	*	*	*	*
Pennington	0	*	*	*	*	*
Pine	3	*	*	*	*	*
Pipestone	1	*	*	*	*	*
Polk	1	*	*	*	*	*
Pope	1	*	*	*	*	*
Ramsey	54	6.9	4.6	2.3	5.2	6.6
Red Lake	0	*	*	*	*	*
Redwood	0	*	*	*	*	*
Renville	3	*	*	*	*	*
Rice	4	*	*	*	7.6	7.2
Rock	1	*	*	*	*	*
Roseau	1	*	*	*	*	*
St. Louis	9	4.6	3.0	*	4.4	6.1
Scott	12	4.6	3.3	*	4.1	5.8
Sherburne	8	5.0	3.3	*	5.1	5.9
Sibley	1	*	*	*	*	*
Stearns	8	5.3	4.0	*	5.1	7.5
Steele	2	*	*	*	*	*
Stevens	0	*	*	*	*	*
Swift	0	*	*	*	*	*
Todd	1	*	*	*	*	*
Traverse	1	*	*	*	*	*
Wabasha	3	*	*	*	*	*
Wadena	1	*	*	*	*	*
Waseca	3	*	*	*	*	*
Washington	17	4.9	3.3	1.6	4.3	6.1
Watsonwan	3	*	*	*	*	*
Wilkin	0	*	*	*	*	*
Winona	3	7.3	*	*	*	8.7
Wright	7	4.4	2.9	*	5.2	5.6
Yellow Medicine	1	*	*	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics

\*Rate not calculated for less than 20 events

**Infant Mortality Rate:** Number of infant deaths under one year of age per 1,000 live births.

**Neonatal Death Rate:** Number of infants dying under 28 days of age per 1,000 live births.

**Postneonatal Mortality Rate:** The number of infant deaths aged 28 days to one year per 1,000 live births.

**Fetal Mortality Rate:** The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

**Perinatal Mortality Rate:** The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

**Nativity Table 4: Prenatal Care in Minnesota  
By State and County, 2008**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
<b>State of Minnesota</b>	<b>85.6</b>	<b>80.4</b>	<b>16.4</b>	<b>3.2</b>
Aitkin	84.6	76.3	20.6	3.1
Anoka	86.7	81.5	15.4	3.1
Becker	86.4	79.8	17.1	3.1
Beltrami	66.0	55.1	36.1	8.8
Benton	88.7	85.5	12.7	1.8
Big Stone	79.2	73.5	24.5	2.0
Blue Earth	90.0	86.3	12.6	1.1
Brown	88.7	78.6	21.0	0.3
Carlton	88.3	80.8	15.6	3.6
Carver	91.1	86.7	11.4	1.9
Cass	69.9	56.1	34.7	9.2
Chippewa	89.0	80.6	18.4	1.0
Chisago	92.4	92.4	6.5	1.2
Clay	88.4	84.1	12.9	3.1
Clearwater	63.3	50.0	40.6	9.4
Cook	78.3	63.6	31.8	4.5
Cottonwood	85.8	81.0	16.4	2.6
Crow Wing	83.6	72.3	25.6	2.1
Dakota	86.4	79.3	17.4	3.3
Dodge	95.9	92.7	6.6	0.7
Douglas	93.2	84.6	14.5	1.0
Faribault	91.1	90.2	6.1	3.8
Fillmore	84.0	77.9	12.0	10.0
Freeborn	86.1	86.8	10.8	2.4
Goodhue	89.9	84.5	13.8	1.7
Grant	96.8	93.4	6.6	0.0
Hennepin	84.4	78.4	17.7	3.9
Houston	88.3	82.7	15.1	2.2
Hubbard	75.9	56.7	36.1	7.2
Isanti	88.8	85.6	12.9	1.5
Itasca	87.1	75.6	21.3	3.1
Jackson	85.6	83.8	13.8	2.5
Kanabec	85.3	76.6	23.4	0.0
Kandiyohi	85.7	80.7	17.0	2.2
Kittson	81.1	85.3	14.7	0.0
Koochiching	76.6	67.3	29.6	3.1
Lac Qui Parle	86.2	78.7	19.1	2.1
Lake	82.4	70.9	23.9	5.1
Lake of the Woods	80.0	65.4	34.6	0.0
Le Sueur	88.6	84.0	14.3	1.7
Lincoln	90.2	88.0	12.0	0.0
Lyon	85.2	73.1	26.1	0.7
McLeod	89.1	83.9	13.0	3.1
Mahnomen	73.0	68.2	21.2	10.6
Marshall	88.2	87.6	8.2	4.1
Martin	89.2	88.8	10.6	0.6
Meeker	86.5	81.6	17.3	1.1
Mille Lacs	81.5	72.9	20.4	6.7
Morrison	88.9	86.4	12.4	1.2
Mower	62.4	58.9	35.3	5.9
Murray	89.2	84.1	12.7	3.2
Nicollet	88.5	86.4	13.3	0.3

**Nativity Table 4: Prenatal Care in Minnesota  
By State and County, 2008**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
<b>State of Minnesota</b>	<b>85.6</b>	<b>80.4</b>	<b>16.4</b>	<b>3.2</b>
Nobles	76.3	77.4	17.4	5.2
Norman	81.4	75.0	18.4	6.6
Olmsted	95.3	91.8	7.2	1.0
Otter Tail	93.0	86.8	11.7	1.5
Pennington	77.8	74.8	21.0	4.2
Pine	81.1	77.8	18.5	3.6
Pipestone	81.2	85.5	13.2	1.3
Polk	78.8	68.9	24.9	6.2
Pope	89.5	75.9	22.4	1.7
Ramsey	79.1	78.8	16.7	4.6
Red Lake	87.7	81.5	18.5	0.0
Redwood	86.2	76.7	22.1	1.2
Renville	84.0	76.3	21.3	2.4
Rice	83.4	79.0	17.6	3.5
Rock	86.2	89.3	8.0	2.7
Roseau	82.4	71.8	27.1	1.1
St. Louis	88.6	79.5	17.1	3.4
Scott	88.6	77.1	20.0	2.8
Sherburne	90.0	86.9	12.4	0.7
Sibley	84.1	82.4	13.8	3.8
Stearns	89.4	85.6	12.4	2.0
Steele	88.8	86.0	12.1	1.9
Stevens	91.0	76.6	19.6	3.7
Swift	91.9	81.8	16.4	1.8
Todd	73.6	67.9	21.8	10.3
Traverse	80.6	69.6	30.4	0.0
Wabasha	89.0	85.7	12.7	1.6
Wadena	85.0	72.4	24.3	3.3
Waseca	88.5	84.3	14.2	1.5
Washington	91.3	89.6	8.7	1.6
Watonwan	78.9	71.0	25.2	3.8
Wilkin	92.5	85.0	13.3	1.7
Winona	87.4	81.0	12.8	6.2
Wright	90.6	82.8	15.2	2.0
Yellow Medicine	84.2	81.3	18.8	0.0

Source: Minnesota Department of Health, Center for Health Statistics

**GINDEX:** A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

**Adequate or Better:** Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

**Intermediate:** Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

**Inadequate or None:** No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

**Natality Table 5: Cesarean Births in Minnesota  
By State and County, 2008**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
<b>State of Minnesota</b>	<b>26.7</b>	<b>15.3</b>	<b>90.8</b>
Aitkin	31.9	15.3	100.0
Anoka	25.3	15.5	91.5
Becker	22.6	12.8	90.4
Beltrami	31.5	15.4	89.2
Benton	28.6	14.1	90.0
Big Stone	29.6	14.8	100.0
Blue Earth	29.9	18.1	96.9
Brown	33.5	16.5	93.2
Carlton	30.1	16.5	90.5
Carver	27.6	13.1	93.5
Cass	26.8	17.4	81.4
Chippewa	36.8	23.0	91.7
Chisago	27.3	14.9	92.9
Clay	22.9	14.2	89.5
Clearwater	30.6	18.2	100.0
Cook	27.1	14.6	85.7
Cottonwood	27.9	14.0	95.0
Crow Wing	23.3	12.7	83.5
Dakota	27.9	16.1	94.3
Dodge	18.4	10.6	85.2
Douglas	19.2	12.2	75.0
Faribault	35.4	23.1	100.0
Fillmore	17.0	6.9	96.6
Freeborn	29.2	15.1	96.5
Goodhue	29.1	17.2	94.5
Grant	18.8	9.4	66.7
Hennepin	25.5	16.0	88.0
Houston	23.6	14.9	85.7
Hubbard	29.3	15.3	83.3
Isanti	25.7	13.2	93.0
Itasca	32.0	16.8	100.0
Jackson	31.3	15.2	94.4
Kanabec	24.6	9.5	96.4
Kandiyohi	26.6	14.0	97.4
Kittson	31.6	26.3	100.0
Koochiching	36.5	19.8	100.0
Lac Qui Parle	33.3	11.6	100.0
Lake	38.1	25.4	88.9
Lake of the Woods	56.7	33.3	100.0
Le Sueur	28.4	14.7	97.8
Lincoln	28.1	7.8	100.0
Lyon	34.0	18.9	91.9
McLeod	25.8	14.0	90.3
Mahnomen	25.2	15.9	76.9
Marshall	34.3	18.1	100.0
Martin	26.2	10.2	97.1
Meeker	32.3	17.2	95.7
Mille Lacs	30.3	14.2	95.2
Morrison	27.5	16.3	85.5
Mower	32.5	14.7	95.0
Murray	27.7	18.1	66.7

**Natality Table 5: Cesarean Births in Minnesota  
By State and County, 2008**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
<b>State of Minnesota</b>	<b>26.7</b>	<b>15.3</b>	<b>90.8</b>
Nicollet	28.8	14.2	96.8
Nobles	31.5	19.6	91.8
Norman	25.8	18.3	87.5
Olmsted	22.1	11.3	90.8
Otter Tail	24.6	11.8	88.8
Pennington	40.0	23.5	100.0
Pine	26.5	15.5	86.4
Pipestone	33.6	20.0	94.4
Polk	29.9	16.5	93.3
Pope	30.6	16.9	100.0
Ramsey	22.2	14.1	83.4
Red Lake	31.0	15.5	100.0
Redwood	25.9	13.7	85.7
Renville	33.8	16.4	97.1
Rice	31.1	16.1	96.0
Rock	30.5	17.2	85.0
Roseau	35.2	21.9	89.7
St. Louis	30.9	19.0	91.5
Scott	28.4	14.7	94.3
Sherburne	29.2	15.2	93.7
Sibley	26.0	13.0	92.6
Stearns	29.4	16.7	90.5
Steele	34.9	20.2	98.8
Stevens	26.8	14.3	87.5
Swift	28.0	15.2	94.1
Todd	22.5	10.8	86.0
Traverse	18.2	6.1	80.0
Wabasha	31.7	17.0	95.1
Wadena	24.3	13.2	72.4
Waseca	32.4	14.3	95.0
Washington	26.6	14.8	91.9
Watsonwan	29.2	16.0	100.0
Wilkin	30.4	17.4	100.0
Winona	20.2	11.4	92.3
Wright	28.8	15.4	93.4
Yellow Medicine	38.4	17.6	100.0

**Source:** Minnesota Department of Health, Center for Health Statistics

**Nativity Table 6: Fertility and Family Planning in Minnesota  
By State and County, 2008**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
<b>State of Minnesota</b>	<b>84,653</b>	<b>80.4</b>	<b>11,896</b>	<b>11.3</b>	<b>4.9</b>	<b>3.9</b>
Aitkin	160	66.4	13	*	4.2	2.2
Anoka	5,217	77.0	819	12.0	3.6	4.0
Becker	486	84.0	8	*	8.6	3.1
Beltrami	811	84.8	37	3.9	6.1	4.6
Benton	694	75.5	68	7.4	3.9	2.6
Big Stone	54	69.0	0	0.0	7.4	4.7
Blue Earth	948	65.7	139	9.6	3.7	3.8
Brown	355	78.4	32	7.1	4.3	3.7
Carlton	475	74.8	55	8.7	3.3	1.7
Carver	1,321	68.2	122	6.2	4.2	2.3
Cass	401	77.0	23	4.4	7.5	4.7
Chippewa	155	76.6	**	*	5.9	3.5
Chisago	719	69.0	85	8.2	3.2	4.3
Clay	787	59.7	7	*	5.4	1.8
Clearwater	122	86.8	**	*	8.3	2.5
Cook	55	60.7	7	*	6.3	0.0
Cottonwood	138	74.2	9	*	6.2	7.1
Crow Wing	853	71.5	81	6.7	3.5	2.1
Dakota	6,559	79.3	966	11.6	3.6	3.7
Dodge	313	79.1	20	5.1	5.8	4.3
Douglas	446	65.9	18	*	2.6	1.6
Faribault	158	71.4	9	*	7.5	2.2
Fillmore	297	81.8	18	*	8.3	1.7
Freeborn	432	82.0	40	7.4	2.3	4.1
Goodhue	636	74.8	55	6.5	3.3	3.8
Grant	64	65.2	0	0.0	1.6	2.7
Hennepin	21,045	91.0	4,379	18.9	5.1	4.5
Houston	228	64.5	20	*	4.3	3.5
Hubbard	253	77.8	**	*	3.6	4.6
Isanti	591	69.4	56	6.6	4.0	4.4
Itasca	508	65.7	36	4.7	4.5	5.9
Jackson	106	59.9	7	*	5.1	3.2
Kanabec	191	59.5	12	*	2.8	4.3
Kandiyohi	638	86.3	43	5.8	5.7	3.4
Kittson	39	67.2	**	*	2.6	3.6
Koochiching	148	67.4	21	9.2	7.9	2.5
Lac Qui Parle	69	68.5	0	0.0	5.8	0.0
Lake	138	74.8	11	*	4.8	5.3
Lake of the Woods	34	53.6	**	*	10.0	10.0
Le Sueur	372	68.7	43	7.9	4.6	2.9
Lincoln	65	73.6	**	*	3.1	2.6
Lyon	398	78.3	19	*	6.1	2.2
McLeod	512	71.9	37	5.2	5.3	1.3
Mahnomen	109	129.2	**	*	8.4	7.5
Marshall	106	72.5	**	*	4.8	0.0
Martin	226	72.6	19	*	4.9	3.0
Meeker	315	77.1	16	*	7.7	4.6
Mille Lacs	408	78.4	33	6.3	4.8	2.4
Morrison	498	80.6	23	3.7	5.5	5.2
Mower	700	106.8	63	9.6	4.7	2.9
Murray	86	65.8	**	*	2.4	2.0

**Nativity Table 6: Fertility and Family Planning in Minnesota  
By State and County, 2008**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
<b>State of Minnesota</b>	<b>84,653</b>	<b>80.4</b>	<b>11,896</b>	<b>11.3</b>	<b>4.9</b>	<b>3.9</b>
Nicollet	472	67.5	56	7.8	4.3	2.0
Nobles	368	109.4	6	*	8.0	2.7
Norman	93	92.4	0	0.0	3.2	2.2
Olmsted	2,567	90.1	268	9.4	4.9	4.1
Otter Tail	634	65.5	11	*	6.3	2.0
Pennington	176	65.6	6	*	4.7	2.8
Pine	380	73.3	35	6.6	3.8	4.6
Pipestone	129	83.2	**	*	12.0	6.9
Polk	428	76.0	9	*	5.7	1.9
Pope	129	68.9	**	*	2.4	10.3
Ramsey	9,858	95.5	2,031	19.7	6.3	5.2
Red Lake	61	85.2	**	*	5.2	3.0
Redwood	205	82.9	7	*	7.1	4.8
Renville	209	81.8	14	*	4.1	4.0
Rice	890	64.7	92	6.6	4.0	2.7
Rock	131	82.6	**	*	4.7	3.7
Roseau	200	68.5	**	*	5.1	0.9
St. Louis	2,572	67.1	397	10.3	4.9	4.2
Scott	2,338	79.8	269	9.1	3.5	2.9
Sherburne	1,403	70.6	109	5.4	5.1	2.9
Sibley	204	74.6	11	*	6.3	4.0
Stearns	2,192	67.2	221	6.7	5.2	3.7
Steele	618	86.8	46	6.3	3.9	1.5
Stevens	117	55.4	**	*	1.8	1.5
Swift	136	92.1	10	*	2.4	3.8
Todd	328	79.0	11	*	8.3	3.5
Traverse	35	66.3	**	*	9.1	0.0
Wabasha	282	70.9	16	*	3.4	1.3
Wadena	195	87.4	**	*	7.4	0.7
Waseca	227	68.2	14	*	3.3	0.7
Washington	3,391	72.3	484	10.3	3.2	4.3
Watonwan	162	90.1	18	*	5.6	2.2
Wilkin	69	61.9	0	0.0	10.1	0.0
Winona	607	51.6	61	5.2	5.9	4.8
Wright	2,273	86.6	172	6.6	6.0	4.2
Yellow Medicine	132	85.2	7	*	5.6	3.9

Source: Minnesota Department of Health, Center for Health Statistics

\*Rate not calculated for less than 20 events

\*\*Number not reported if number of events is less than 6.

**Pregnancy Rate:** The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

**Abortion Rate:** The number of abortions per 1,000 women in the population of age 15 through 44 years.

**Four or More Births:** Births to women with four or more previous live births

**Natality Table 7: Minnesota Teen Birth and Pregnancy Rates  
By State and County, 2006-2008**

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
<b>State of Minnesota</b>	<b>13.5</b>	<b>49.3</b>	<b>27.8</b>	<b>19.3</b>	<b>66.4</b>	<b>38.1</b>
Aitkin	*	59.4	28.3	*	73.1	34.0
Anoka	9.2	51.8	22.9	15.9	76.6	35.4
Becker	12.5	75.2	34.8	14.0	79.6	37.3
Beltrami	35.3	88.8	60.2	38.6	97.2	65.9
Benton	12.5	66.8	32.6	14.2	76.3	37.2
Big Stone	*	*	*	*	*	*
Blue Earth	15.1	16.5	16.1	23.2	26.8	25.7
Brown	*	43.8	22.2	*	48.0	26.4
Carlton	13.9	67.1	33.0	20.3	81.3	42.2
Carver	4.7	24.1	10.7	10.0	33.3	17.3
Cass	18.2	131.2	53.3	22.4	145.2	60.5
Chippewa	*	104.6	45.4	*	107.1	49.5
Chisago	7.9	53.9	22.1	13.0	76.1	32.6
Clay	13.5	19.4	17.2	14.7	20.1	18.1
Clearwater	*	133.6	52.8	*	137.9	56.6
Cook	*	*	*	*	*	*
Cottonwood	*	63.0	29.5	*	63.0	31.3
Crow Wing	14.2	77.4	35.8	17.3	93.1	43.2
Dakota	8.4	46.2	20.6	14.0	66.3	30.9
Dodge	*	57.4	25.6	*	69.7	32.5
Douglas	*	45.7	21.4	*	52.8	25.5
Faribault	*	65.9	30.4	*	74.7	35.4
Fillmore	*	57.8	23.8	*	75.1	32.0
Freeborn	19.5	96.4	45.0	21.5	109.4	50.7
Goodhue	9.8	63.6	28.2	12.8	83.1	36.9
Grant	*	*	*	*	*	*
Hennepin	16.8	52.9	31.1	26.4	82.3	48.5
Houston	*	36.4	16.6	*	39.1	18.9
Hubbard	*	78.8	33.8	*	82.3	35.0
Isanti	9.1	74.7	30.6	12.7	86.1	36.8
Itasca	16.5	66.2	34.9	19.8	76.8	40.9
Jackson	*	*	22.5	*	50.5	26.1
Kanabec	*	85.2	36.5	*	101.4	44.4
Kandiyohi	21.9	90.5	49.5	25.2	101.4	55.8
Kittson	*	*	*	*	*	*
Koochiching	*	47.9	24.5	*	63.9	30.6
Lac Qui Parle	*	*	*	*	*	*
Lake	*	75.1	28.9	*	92.2	38.5
Lake of the Woods	*	*	*	*	*	*
Le Sueur	*	50.0	23.3	14.2	64.4	32.4
Lincoln	*	*	*	*	*	*
Lyon	*	37.7	24.1	12.6	46.8	29.1
McLeod	16.9	71.4	34.3	21.0	81.8	40.5
Mahnomen	*	256.3	108.1	51.8	275.0	117.2
Marshall	*	65.5	28.8	*	65.5	28.8
Martin	17.5	87.6	41.5	19.1	98.3	46.2
Meeker	*	84.6	33.9	*	90.4	37.2
Mille Lacs	13.5	97.6	41.7	19.9	112.7	51.0
Morrison	13.5	73.4	34.1	17.3	84.2	40.2
Mower	22.9	103.4	51.7	27.4	117.1	59.5
Murray	*	*	30.6	*	*	33.0
Nicollet	*	20.3	16.2	12.9	27.9	21.9

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates  
By State and County, 2006-2008**

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
<b>State of Minnesota</b>	<b>13.5</b>	<b>49.3</b>	<b>27.8</b>	<b>19.3</b>	<b>66.4</b>	<b>38.1</b>
Nobles	39.1	124.7	70.6	39.1	131.5	73.1
Norman	*	*	*	*	*	*
Olmsted	13.9	50.9	27.4	18.5	68.6	36.7
Otter Tail	8.6	40.1	20.3	9.1	42.5	21.6
Pennington	*	55.0	32.8	*	55.0	33.6
Pine	14.2	102.3	41.7	19.1	121.5	51.1
Pipestone	*	80.3	32.2	*	80.3	34.5
Polk	14.0	54.5	30.9	14.5	54.5	31.1
Pope	*	*	*	*	*	18.7
Ramsey	23.1	58.3	38.6	32.4	82.9	54.6
Red Lake	*	*	*	*	*	*
Redwood	*	69.1	30.5	*	75.2	33.2
Renville	*	77.7	35.9	*	84.8	39.5
Rice	19.1	27.5	23.7	23.0	34.7	29.5
Rock	*	68.0	29.2	*	68.0	29.2
Roseau	*	73.8	28.9	*	79.6	31.3
St. Louis	12.8	30.6	22.5	18.2	42.1	31.1
Scott	8.3	44.5	18.9	13.4	66.6	29.0
Sherburne	10.0	47.0	22.4	14.6	60.4	29.9
Sibley	20.6	56.2	32.8	20.6	63.7	35.4
Stearns	10.4	25.5	18.6	13.7	34.2	24.8
Steele	14.0	83.4	37.6	18.6	93.8	44.1
Stevens	*	*	*	*	*	*
Swift	*	*	28.0	*	64.3	30.1
Todd	15.3	64.0	33.4	17.1	68.1	36.1
Traverse	*	*	*	*	*	*
Wabasha	*	64.9	25.3	*	82.4	32.1
Wadena	*	98.7	43.5	*	100.9	45.0
Waseca	*	67.7	28.0	*	74.9	32.0
Washington	6.6	32.8	15.2	10.6	53.6	24.7
Watonwan	25.9	119.1	54.6	29.6	127.4	59.7
Wilkin	*	*	*	*	*	*
Winona	*	14.7	12.3	10.4	19.2	16.5
Wright	9.9	59.8	25.3	14.8	74.5	33.2
Yellow Medicine	*	50.6	29.4	*	57.0	33.7

**Source:** Minnesota Department of Health, Center for Health Statistics and the US Census.

\*Rate not calculated for less than 20 events

**Teen Birth Rate:** The number of live births to a specific age group per 1,000 female population of the specific age group.

**Teen Pregnancy Rate:** The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota  
By State and County, 2008**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
<b>State of Minnesota</b>	<b>33.4</b>	<b>8.4</b>	<b>10.0</b>	<b>9.8</b>	<b>26.8</b>	<b>63.4</b>
Aitkin	43.8	9.0	32.6	6.3	40.3	53.5
Anoka	30.3	6.8	8.4	6.9	27.6	65.5
Becker	37.7	6.3	20.6	10.6	32.0	57.4
Beltrami	58.2	17.2	26.4	14.2	37.4	48.5
Benton	33.1	5.1	16.7	6.1	25.6	68.3
Big Stone	16.7	7.4	13.0	12.0	18.0	70.0
Blue Earth	32.0	4.1	4.7	6.1	20.7	73.2
Brown	28.6	4.7	14.0	6.6	21.0	72.4
Carlton	38.4	5.3	21.0	6.5	31.8	61.7
Carver	15.7	3.8	4.9	4.3	18.4	77.3
Cass	54.7	12.6	33.1	16.3	39.4	44.3
Chippewa	37.5	11.8	18.5	6.9	35.9	57.2
Chisago	31.5	6.7	15.6	4.0	32.0	63.9
Clay	26.8	7.4	13.6	11.1	15.9	73.0
Clearwater	40.5	6.6	21.7	14.2	35.8	50.0
Cook	31.3	4.1	15.2	2.1	29.2	68.8
Cottonwood	38.0	5.4	15.5	15.3	38.7	46.0
Crow Wing	36.1	8.2	21.9	7.6	31.0	61.4
Dakota	27.5	7.0	6.1	6.7	21.9	71.4
Dodge	29.0	8.9	9.6	10.0	30.6	59.5
Douglas	26.9	4.0	14.8	4.7	23.2	72.1
Faribault	39.5	5.4	13.6	12.2	32.7	55.1
Fillmore	26.7	8.7	9.4	15.6	26.5	57.8
Freeborn	43.7	7.7	15.4	13.4	32.5	54.1
Goodhue	32.4	5.7	12.2	7.6	25.5	66.8
Grant	21.9	4.7	9.4	6.3	18.8	75.0
Hennepin	35.8	10.2	4.9	12.9	24.8	62.3
Houston	28.4	23.6	17.3	2.9	25.7	71.4
Hubbard	30.9	8.0	17.7	9.7	32.4	57.9
Isanti	30.4	4.2	15.5	5.0	36.7	58.3
Itasca	43.7	11.1	21.1	9.1	32.9	58.0
Jackson	38.4	5.1	13.1	5.6	24.7	69.7
Kanabec	38.5	8.4	24.2	10.1	39.9	50.0
Kandiyohi	38.6	10.8	13.2	18.1	26.4	55.6
Kittson	21.1	2.6	13.2	5.3	28.9	65.8
Koochiching	42.1	12.7	15.4	1.6	37.9	60.5
Lac Qui Parle	39.1	4.3	10.4	8.6	22.4	69.0
Lake	30.2	6.3	13.6	5.6	31.2	63.2
Lake of the Woods	26.7	0.0	16.7	6.7	43.3	50.0
Le Sueur	33.6	7.3	8.6	9.5	27.0	63.5
Lincoln	21.9	4.7	20.3	0.0	25.8	74.2
Lyon	36.7	8.0	10.4	11.5	27.6	60.9
McLeod	30.7	8.2	12.5	8.5	31.3	60.2
Mahnomen	73.8	13.1	45.7	21.2	50.0	28.8
Marshall	28.6	3.8	13.3	5.7	33.3	61.0
Martin	46.1	1.9	17.5	15.3	31.2	53.5
Meeker	21.9	3.0	14.1	4.4	34.3	61.3
Mille Lacs	39.9	7.8	19.6	12.6	36.8	50.5
Morrison	29.7	2.3	17.5	6.1	33.3	60.6

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota  
By State and County, 2008**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
<b>State of Minnesota</b>	<b>33.4</b>	<b>8.4</b>	<b>10.0</b>	<b>9.8</b>	<b>26.8</b>	<b>63.4</b>
Mower	45.7	9.8	15.8	24.9	26.9	48.2
Murray	36.1	9.6	20.5	6.8	27.4	65.8
Nicollet	27.9	4.8	5.5	5.1	19.1	75.8
Nobles	51.4	10.9	6.4	45.9	26.6	27.5
Norman	32.3	10.8	18.5	12.0	25.0	63.0
Olmsted	27.7	5.7	6.7	9.3	22.0	68.7
Otter Tail	28.4	4.8	9.4	7.5	26.8	65.7
Pennington	45.3	11.2	26.5	7.1	39.3	53.6
Pine	42.6	5.5	26.8	11.0	36.2	52.8
Pipestone	38.4	12.0	21.6	8.9	30.4	60.8
Polk	35.2	5.5	15.2	6.5	27.2	66.3
Pope	29.0	0.0	17.7	5.6	30.6	63.7
Ramsey	43.0	14.8	9.3	13.7	33.7	52.6
Red Lake	27.6	1.7	17.2	6.9	32.8	60.3
Redwood	39.6	7.6	17.3	12.2	34.9	52.9
Renville	35.9	6.7	18.5	14.4	37.1	48.5
Rice	37.5	7.3	10.7	16.1	30.8	53.1
Rock	25.8	4.7	9.4	11.3	22.5	66.3
Roseau	37.2	5.6	17.3	4.1	35.7	60.2
St. Louis	43.0	11.1	19.6	7.8	28.8	63.4
Scott	20.5	6.4	5.6	4.1	20.7	75.3
Sherburne	21.9	4.4	8.6	4.1	25.7	70.2
Sibley	35.4	7.3	9.9	15.2	30.4	54.5
Stearns	29.1	5.0	13.3	8.2	22.1	69.7
Steele	38.2	8.3	15.5	12.2	27.5	60.3
Stevens	20.5	3.6	10.7	8.1	17.1	74.8
Swift	28.8	9.6	16.0	9.8	25.2	65.0
Todd	30.5	4.4	16.3	19.7	35.6	44.8
Traverse	33.3	12.1	21.2	4.5	27.3	68.2
Wabasha	32.8	3.8	15.3	6.4	29.9	63.6
Wadena	36.0	7.9	23.3	7.9	32.8	59.3
Waseca	36.7	11.0	14.3	8.1	27.1	64.8
Washington	23.1	4.2	6.2	3.1	22.0	74.9
Watonwan	44.4	5.6	7.0	22.5	36.6	40.8
Wilkin	30.4	1.4	8.7	11.8	17.6	70.6
Winona	30.0	8.1	9.8	5.9	26.0	68.1
Wright	18.4	4.2	7.7	3.4	25.7	70.9
Yellow Medicine	36.0	8.8	21.0	6.1	34.2	59.6

**Source:** Minnesota Department of Health, Center for Health Statistics.

**Maternal Educational Status (Low, Medium, High):** A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota  
By State and County, 2008**

	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White	African American	American Indian	Asian	Unknown / Other	Hispanic (any race)	Not Hispanic
<b>State of Minnesota</b>	<b>74.6</b>	<b>9.4</b>	<b>2.1</b>	<b>6.9</b>	<b>7.0</b>	<b>8.0</b>	<b>92.0</b>
Aitkin	92.4	0.7	4.9	0.0	2.1	2.8	97.2
Anoka	78.8	8.4	0.8	7.1	4.8	5.5	94.5
Becker	82.8	0.6	14.9	0.6	1.0	1.1	98.9
Beltrami	56.0	1.3	41.1	0.7	0.9	1.4	98.6
Benton	93.6	2.9	0.8	1.6	1.1	3.2	96.8
Big Stone	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Blue Earth	89.7	5.6	0.6	2.4	1.7	2.2	97.8
Brown	94.4	0.6	0.0	0.9	4.0	5.9	94.1
Carlton	90.2	0.0	8.6	0.5	0.7	1.9	98.1
Carver	87.1	2.1	0.4	4.4	6.0	6.5	93.5
Cass	66.8	0.5	30.6	0.3	1.9	1.4	98.6
Chippewa	89.5	0.7	1.3	1.3	7.2	9.9	90.1
Chisago	94.9	1.0	1.0	1.4	1.7	0.9	99.1
Clay	86.3	3.1	5.6	0.4	4.6	4.7	95.3
Clearwater	81.8	0.0	18.2	0.0	0.0	0.0	100.0
Cook	87.5	0.0	8.3	4.2	0.0	0.0	100.0
Cottonwood	82.9	2.3	0.0	2.3	12.4	14.1	85.9
Crow Wing	96.2	0.3	2.0	0.4	1.2	1.7	98.3
Dakota	74.8	8.7	0.6	7.6	8.3	8.6	91.4
Dodge	91.1	1.0	0.0	1.0	6.8	9.2	90.8
Douglas	98.6	0.9	0.2	0.2	0.0	0.0	100.0
Faribault	87.1	0.0	0.0	0.7	12.2	12.9	87.1
Fillmore	99.6	0.4	0.0	0.0	0.0	0.0	100.0
Freeborn	81.6	1.3	0.0	1.3	15.9	18.9	81.1
Goodhue	92.9	1.0	1.2	0.7	4.2	4.9	95.1
Grant	100.0	0.0	0.0	0.0	0.0	0.0	100.0
Hennepin	55.6	21.0	1.7	9.8	11.9	12.1	87.9
Houston	97.6	1.0	1.4	0.0	0.0	0.5	99.5
Hubbard	96.4	0.4	2.0	0.0	1.2	0.8	99.2
Isanti	96.0	1.3	0.2	1.3	1.1	1.9	98.1
Itasca	91.7	0.2	7.2	0.6	0.2	0.7	99.3
Jackson	94.9	1.0	0.0	3.0	1.0	1.0	99.0
Kanabec	99.4	0.6	0.0	0.0	0.0	2.2	97.8
Kandiyohi	93.1	4.2	0.3	0.7	1.7	21.4	78.6
Kittson	92.1	0.0	2.6	2.6	2.6	2.6	97.4
Koochiching	96.0	0.0	3.2	0.0	0.8	0.0	100.0
Lac Qui Parle	97.1	0.0	0.0	0.0	2.9	4.3	95.7
Lake	98.4	0.0	0.0	0.8	0.8	0.0	100.0
Lake of the Woods	96.7	0.0	3.3	0.0	0.0	0.0	100.0
Le Sueur	88.7	0.0	0.0	1.5	9.8	11.6	88.4
Lincoln	96.9	1.6	1.6	0.0	0.0	0.0	100.0
Lyon	82.7	2.9	0.3	2.1	12.0	13.0	87.0
McLeod	90.9	0.4	0.2	0.8	7.6	10.4	89.6
Mahnomen	34.6	0.0	64.5	0.0	0.9	1.9	98.1
Marshall	90.5	1.0	1.0	0.0	7.6	11.7	88.3
Martin	96.1	0.5	0.0	1.0	2.4	6.4	93.6
Meeker	97.6	0.0	0.7	0.3	1.3	4.7	95.3
Mille Lacs	86.6	0.3	11.3	1.3	0.5	1.4	98.6
Morrison	98.1	0.4	0.0	0.6	0.8	1.9	98.1
Mower	68.9	3.2	0.2	3.9	23.9	26.1	73.9
Murray	92.8	0.0	0.0	1.2	6.0	6.0	94.0

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota  
By State and County, 2008**

	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White	African American	American Indian	Asian	Unknown / Other	Hispanic (any race)	Not Hispanic
<b>State of Minnesota</b>	<b>74.6</b>	<b>9.4</b>	<b>2.1</b>	<b>6.9</b>	<b>7.0</b>	<b>8.0</b>	<b>92.0</b>
Nicollet	91.3	1.9	0.2	1.2	5.3	5.5	94.5
Nobles	46.1	4.7	0.6	5.5	43.1	47.5	52.5
Norman	88.2	0.0	7.5	0.0	4.3	5.4	94.6
Olmsted	80.2	8.6	0.2	7.9	3.1	5.7	94.3
Otter Tail	92.4	1.9	1.5	1.6	2.6	3.7	96.3
Pennington	92.4	1.8	3.5	0.6	1.8	3.6	96.4
Pine	93.6	1.2	3.8	0.0	1.5	2.2	97.8
Pipestone	87.2	1.6	0.8	2.4	8.0	9.6	90.4
Polk	85.9	1.7	4.1	1.7	6.7	7.5	92.5
Pope	98.4	0.0	1.6	0.0	0.0	0.0	100.0
Ramsey	51.3	18.4	1.2	19.5	9.6	11.6	88.4
Red Lake	93.1	0.0	6.9	0.0	0.0	0.0	100.0
Redwood	80.2	0.5	10.7	6.6	2.0	5.1	94.9
Renville	91.3	0.0	4.1	0.5	4.1	12.8	87.2
Rice	79.3	4.4	0.3	2.5	13.5	16.0	84.0
Rock	93.8	1.6	1.6	1.6	1.6	2.4	97.6
Roseau	94.9	0.5	1.0	3.6	0.0	1.0	99.0
St. Louis	90.3	2.8	4.7	0.8	1.4	1.2	98.8
Scott	80.6	3.6	1.4	8.1	6.4	5.8	94.2
Sherburne	93.7	2.1	0.4	1.9	1.9	2.2	97.8
Sibley	79.7	1.6	0.0	1.6	17.2	19.9	80.1
Stearns	89.7	5.3	0.4	1.8	2.8	4.3	95.7
Steele	84.0	6.3	0.4	1.1	8.3	8.0	92.0
Stevens	91.1	1.8	2.7	0.9	3.6	5.4	94.6
Swift	99.2	0.0	0.8	0.0	0.0	6.4	93.6
Todd	95.9	0.3	0.6	0.0	3.2	9.9	90.1
Traverse	81.8	0.0	12.1	3.0	3.0	3.0	97.0
Wabasha	97.0	0.4	0.0	0.4	2.3	4.2	95.8
Wadena	98.9	1.1	0.0	0.0	0.0	0.5	99.5
Waseca	90.5	1.4	0.0	1.9	6.2	7.1	92.9
Washington	79.2	5.9	0.4	11.5	3.0	3.8	96.2
Watonwan	70.8	2.1	1.4	0.0	25.7	33.3	66.7
Wilkin	91.3	0.0	2.9	1.4	4.3	4.3	95.7
Winona	92.3	2.2	0.4	2.2	2.9	3.1	96.9
Wright	94.0	1.6	0.2	2.2	2.0	2.2	97.8
Yellow Medicine	86.4	0.0	4.8	0.0	8.8	12.0	88.0

Source: Minnesota Department of Health, Center for Health Statistics

## Section CHS: Natality by CHS Agency

### Tables

---

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Cesarean Births

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Nativity Table 1: Selected Minnesota Natality Statistics  
By CHS Agency, 2008**

<b>CHS Agency</b>	<b>Number of Births</b>	<b>Fertility Rate</b>	<b>Birth Rate</b>	<b>Number of Deaths</b>	<b>Death Rate</b>	<b>Natural Rate of Increase</b>
Aitkin, Itasca, Koochiching	739	60.0	10.1	846	11.5	-1.5
Mahnomen, Norman	200	108.0	17.1	137	11.7	5.4
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,168	78.6	15.6	652	8.7	6.9
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	525	76.7	11.4	561	12.2	-0.8
Brown, Nicollet	738	64.2	12.8	500	8.6	4.1
Carlton, Cook, Lake, St. Louis	2,758	58.2	11.2	2,574	10.4	0.8
Cass, Morrison, Todd, Wadena	1,349	75.9	13.7	935	9.5	4.2
Clay, Wilkin	849	59.4	13.7	477	7.7	6.0
Cottonwood, Jackson	228	62.9	10.4	253	11.5	-1.1
Dodge, Steele	861	77.8	15.3	448	8.0	7.3
Grant, Pope, Traverse, Stevens	333	60.6	11.0	369	12.2	-1.2
Faribault, Martin	353	66.3	10.1	441	12.6	-2.5
Houston, Fillmore	485	67.8	12.1	392	9.8	2.3
Isanti, Mille Lacs	902	65.8	13.8	552	8.4	5.3
Kanabec, Pine	522	62.3	11.8	408	9.2	2.6
Kittson, Marshall, Pennington, Red Lake, Roseau	567	67.8	11.9	441	9.3	2.6
Le Sueur, Waseca	537	61.4	11.3	376	7.9	3.4
Lincoln, Lyon, Murray, Pipestone	648	73.6	13.4	564	11.6	1.7
Meeker, McLeod, Sibley	962	69.0	12.8	607	8.1	4.7
Nobles, Rock	490	98.9	16.4	287	9.6	6.8
Redwood, Renville	392	78.1	12.5	410	13.1	-0.6

**Source:** Minnesota Department of Health, Center for Health Statistics and the US Census.

**Fertility Rate:** The number of live births per 1,000 women in the population of age 15 - 44 years.

**Birth Rate:** The number of live births per 1,000 population.

**Death Rate:** The number of deaths per 1,000 population

**Natural Rate of Increase:** The percent change in the population due to the difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota  
By CHS Agency, 2008**

CHS Agency	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2006-2008	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
Aitkin, Itasca, Koochiching	52	8.8	37	5.2	0.8	3.1
Mahnomen, Norman	21	12.8	10	5.4		3.7
Beltrami, Clearwater, Hubbard, Lake of the Woods	78	8.2	43	3.8	0.9	2.2
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	29	6.6	16	3.1	0.5	1.8
Brown, Nicollet	62	9.1	26	3.7	0.7	1.6
Carlton, Cook, Lake, St. Louis	216	8.6	110	4.1	0.7	2.3
Cass, Morrison, Todd, Wadena	106	8.8	62	4.8	0.7	3.2
Clay, Wilkin	67	9.4	40	4.8	1.2	3.1
Cottonwood, Jackson	18	8.7	13	5.9	0.4	2.9
Dodge, Steele	57	7.0	30	3.6	0.6	2.3
Grant, Pope, Traverse, Stevens	31	9.8	11	3.4	0.2	2.8
Faribault, Martin	18	6.0	14	4.1	0.7	3.0
Houston, Fillmore	30	6.9	19	4.0	0.6	2.3
Isanti, Mille Lacs	78	9.9	40	4.6	0.9	2.6
Kanabec, Pine	39	10.9	28	5.5	0.6	3.6
Kittson, Marshall, Pennington, Red Lake, Roseau	53	10.2	29	5.2	0.9	4.1
Le Sueur, Waseca	40	8.0	21	4.0	0.7	3.0
Lincoln, Lyon, Murray, Pipestone	56	10.3	25	3.9	0.8	3.9
Meeker, McLeod, Sibley	72	8.5	46	4.9	0.8	2.5
Nobles, Rock	44	10.7	20	4.2	0.8	2.2
Redwood, Renville	29	8.6	20	5.4	0.5	1.8

**Source:** Minnesota Department of Health, Center for Health Statistics.

**Preterm Births:** Live births of babies who are less than 37 weeks gestation at birth.

**Low Birth Weight Births:** Live births who are less than 2500 grams at birth.

**Very Low Birth Weight Births:** Live births who are born weighing less than 1500 grams.

**Natality Table 3: Minnesota Infant Mortality  
By CHS Agency, 2004-2008**

CHS Agency	Number of Infant Deaths 2008	Infant Mortality Rate 2004-2008	Neonatal Mortality Rate 2004-2008	Post-neonatal Mortality Rate 2004-2008	Fetal Death Rate 2004-2008	Perinatal Death Rate 2004-2008
Aitkin, Itasca, Koochiching	4	*	*	*	5.4	5.9
Mahnomen, Norman	1	*	*	*	*	*
Beltrami, Clearwater, Hubbard, Lake of the Woods	8	6.6	*	4.2	4.6	6.0
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	1	*	*	*	*	*
Brown, Nicollet	5	6.4	*	*	*	7.5
Carlton, Cook, Lake, St. Louis	17	4.9	3.0	1.9	4.4	5.9
Cass, Morrison, Todd, Wadena	14	6.8	4.2	*	6.2	8.7
Clay, Wilkin	9	9.4	6.2	*	*	5.4
Cottonwood, Jackson	3	*	*	*	*	*
Dodge, Steele	5	4.9	*	*	*	*
Grant, Pope, Traverse, Stevens	2	*	*	*	*	*
Faribault, Martin		*	*	*	*	*
Houston, Fillmore	1	*	*	*	*	*
Isanti, Mille Lacs	5	6.0	*	*	6.4	7.5
Kanabec, Pine	3	*	*	*	7.9	7.6
Kittson, Marshall, Pennington, Red Lake, Roseau	4	*	*	*	*	*
Le Sueur, Waseca	4	*	*	*	*	*
Lincoln, Lyon, Murray, Pipestone	4	*	*	*	*	*
Meeker, McLeod, Sibley	5	*	*	*	4.0	*
Nobles, Rock	2	*	*	*	*	*
Redwood, Renville	3	*	*	*	*	*

**Source:** Minnesota Department of Health, Center for Health Statistics.

\*Rate not calculated for less than 20 events

**Infant Mortality Rate:** Number of infant deaths under one year of age per 1,000 live births.

**Neonatal Death Rate:** Number of infants dying under 28 days of age per 1,000 live births.

**Postneonatal Mortality Rate:** The number of infant deaths aged 28 days to one year per 1,000 live births.

**Fetal Mortality Rate:** The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

**Perinatal Mortality Rate:** The number of fetal deaths of 20 weeks or greater plus the number of deaths to infants 0-6 days per 1000 live births plus fetal deaths of 20 weeks or greater.

**Natality Table 4: Prenatal Care in Minnesota  
By CHS Agency, 2008**

CHS Agency	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
Aitkin, Itasca, Koochiching	84.8	74.4	22.5	3.1
Mahnomen, Norman	76.9	71.4	19.9	8.7
Beltrami, Clearwater, Hubbard, Lake of the Woods	68.2	55.2	36.5	8.3
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	87.2	80.0	18.8	1.3
Brown, Nicollet	88.6	83.1	16.6	0.3
Carlton, Cook, Lake, St. Louis	88.1	79.0	17.4	3.6
Cass, Morrison, Todd, Wadena	79.6	72.0	22.3	5.7
Clay, Wilkin	88.8	84.2	12.9	2.9
Cottonwood, Jackson	85.7	82.1	15.3	2.6
Dodge, Steele	91.2	88.3	10.2	1.5
Grant, Pope, Traverse, Stevens	90.6	79.2	18.9	2.0
Faribault, Martin	90.0	89.4	8.6	2.1
Houston, Fillmore	85.9	79.9	13.3	6.8
Isanti, Mille Lacs	85.8	80.5	15.9	3.6
Kanabec, Pine	82.5	77.4	20.1	2.5
Kittson, Marshall, Pennington, Red Lake, Roseau	82.6	77.6	20.0	2.4
Le Sueur, Waseca	88.6	84.1	14.3	1.6
Lincoln, Lyon, Murray, Pipestone	85.4	77.8	21.1	1.2
Meeker, McLeod, Sibley	87.3	82.9	14.5	2.6
Nobles, Rock	78.8	80.0	15.4	4.6
Redwood, Renville	85.1	76.5	21.7	1.8

**Source:** Minnesota Department of Health, Center for Health Statistics

**GINDEX:** A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

**Adequate or Better:** Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

**Intermediate:** Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

**Inadequate or None:** No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

**Natality Table 5: Cesarean Births in Minnesota  
By CHS Agency, 2008**

<b>CHS Agency</b>	<b>Cesarean Births - Percent</b>	<b>First Time Cesarean Births - Percent</b>	<b>Repeat Cesarean - Percent</b>
Aitkin, Itasca, Koochiching	32.8	17.1	100.0
Mahnomen, Norman	25.5	17.0	81.0
Beltrami, Clearwater, Hubbard, Lake of the Woods	31.6	16.1	89.2
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	33.9	17.5	96.7
Brown, Nicollet	30.9	15.2	95.1
Carlton, Cook, Lake, St. Louis	31.1	18.8	91.1
Cass, Morrison, Todd, Wadena	25.7	14.9	82.5
Clay, Wilkin	23.6	14.5	90.6
Cottonwood, Jackson	29.4	14.5	94.7
Dodge, Steele	29.3	17.0	95.5
Grant, Pope, Traverse, Stevens	25.8	13.5	87.2
Faribault, Martin	30.0	15.6	98.1
Houston, Fillmore	19.8	10.3	92.0
Isanti, Mille Lacs	27.6	13.6	94.0
Kanabec, Pine	25.9	13.4	90.3
Kittson, Marshall, Pennington, Red Lake, Roseau	35.8	21.3	96.5
Le Sueur, Waseca	30.0	14.5	96.5
Lincoln, Lyon, Murray, Pipestone	32.6	17.9	90.5
Meeker, McLeod, Sibley	27.9	14.8	92.7
Nobles, Rock	31.2	19.0	89.9
Redwood, Renville	29.9	15.1	92.1

**Source:** Minnesota Department of Health, Center for Health Statistics

**Nativity Table 6: Fertility and Family Planning in Minnesota  
By CHS Agency, 2008**

	Pregnancies		Abortions		Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate		
Aitkin, Itasca, Koochiching	816	66.1	70	5.6	5.1	4.6
Mahnomen, Norman	202	109.1	**	*	6.0	5.3
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,220	82.1	45	3.0	5.9	4.5
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	546	79.8	**	*	5.1	3.3
Brown, Nicollet	827	71.8	88	7.5	4.3	2.8
Carlton, Cook, Lake, St. Louis	3,240	68.3	470	5.0	4.7	3.8
Cass, Morrison, Todd, Wadena	1,422	80.0	**	*	7.0	4.0
Clay, Wilkin	856	59.9	**	*	5.8	1.6
Cottonwood, Jackson	244	67.3	16	*	5.7	5.4
Dodge, Steele	931	84.1	66	5.9	4.5	2.5
Grant, Pope, Traverse, Stevens	345	62.8	10	*	2.7	4.9
Faribault, Martin	384	72.1	28	5.3	6.0	2.7
Houston, Fillmore	525	73.3	38	5.2	6.6	2.5
Isanti, Mille Lacs	999	72.8	89	6.5	4.3	3.6
Kanabec, Pine	571	68.0	47	5.5	3.5	4.5
Kittson, Marshall, Pennington, Red Lake, Roseau	582	69.6	13	*	4.8	1.8
Le Sueur, Waseca	599	68.5	57	6.5	4.1	2.0
Lincoln, Lyon, Murray, Pipestone	678	76.8	27	3.0	6.5	3.1
Meeker, McLeod, Sibley	1,031	73.9	64	4.6	6.2	2.9
Nobles, Rock	499	100.8	**	*	7.1	2.9
Redwood, Renville	414	82.3	21	4.0	5.6	4.4

**Source:** Minnesota Department of Health, Center for Health Statistics

\*Rate not calculated for less than 20 events

\*\*Number or rate not reported if number of events is less than 6 for one of the counties.

**Pregnancy Rate:** The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

**Abortion Rate:** The number of abortions per 1,000 women in the population of age 15 through 44 years.

**Four or More Births:** Births to women with four or more previous live births

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates  
By CHS Agency, 2006-2008**

CHS Agency	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
Aitkin, Itasca, Koochiching	14.8	61.8	31.7	17.3	73.9	37.7
Mahnomen, Norman	28.4	145.6	65.2	30.9	153.6	69.4
Beltrami, Clearwater, Hubbard, Lake of the Woods	25.9	88.6	51.9	28.3	95.7	56.2
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	12.6	60.7	29.2	15.0	63.9	31.8
Brown, Nicollet	8.6	27.6	18.6	12.1	34.1	23.6
Carlton, Cook, Lake, St. Louis	12.6	34.7	23.9	18.2	46.6	32.7
Cass, Morrison, Todd, Wadena	15.4	88.8	40.5	18.5	97.3	45.4
Clay, Wilkin	12.9	19.7	17.1	14.0	20.4	17.9
Cottonwood, Jackson	*	53.9	26.1	14.6	56.5	28.7
Dodge, Steele	12.2	73.8	33.2	16.7	84.9	39.9
Grant, Pope, Traverse, Stevens	*	20.7	14.1	*	22.2	15.4
Faribault, Martin	15.8	78.7	36.8	18.1	88.6	41.6
Houston, Fillmore	7.2	46.7	20.2	10.3	56.5	25.5
Isanti, Mille Lacs	10.9	84.1	35.1	15.6	97.0	42.6
Kanabec, Pine	13.9	95.9	39.8	18.5	114.1	48.6
Kittson, Marshall, Pennington, Red Lake, Roseau	10.2	60.6	29.0	11.2	62.3	30.3
Le Sueur, Waseca	8.6	56.2	25.1	13.2	68.0	32.2
Lincoln, Lyon, Murray, Pipestone	11.1	47.4	26.2	12.7	54.0	29.9
Meeker, McLeod, Sibley	15.3	71.9	33.9	17.9	80.3	38.4
Nobles, Rock	29.7	108.4	57.7	29.7	113.3	59.5
Redwood, Renville	13.2	73.7	33.4	14.7	80.3	36.6

**Source:** Minnesota Department of Health, Center for Health Statistics and the US Census.

\*Rate not calculated for less than 20 events

**Teen Birth Rate:** The number of live births to a specific age group per 1,000 female population of the specific age group.

**Teen Pregnancy Rate:** The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota  
By CHS Agency, 2008**

CHS Agency	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
Aitkin, Itasca, Koochiching	43.4	11.0	22.3	7.3	35.2	57.5
Mahnomen, Norman	54.5	12.0	33.0	16.8	38.3	44.9
Beltrami, Clearwater, Hubbard, Lake of the Woods	49.7	13.7	23.8	13.0	36.3	50.7
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	33.1	9.1	16.9	8.2	29.4	62.5
Brown, Nicollet	28.2	4.7	9.2	5.7	20.0	74.3
Carlton, Cook, Lake, St. Louis	41.5	9.9	19.5	7.4	29.3	63.3
Cass, Morrison, Todd, Wadena	37.7	6.5	22.3	12.4	35.4	52.2
Clay, Wilkin	27.1	7.0	13.2	11.1	16.1	72.8
Cottonwood, Jackson	38.2	5.3	14.5	11.3	32.9	55.9
Dodge, Steele	35.1	8.5	13.5	11.5	28.5	60.0
Grant, Pope, Traverse, Stevens	25.2	3.3	14.1	6.5	23.4	70.1
Faribault, Martin	43.3	3.4	15.9	14.0	31.8	54.2
Houston, Fillmore	27.4	15.1	12.8	10.2	26.2	63.6
Isanti, Mille Lacs	34.4	5.7	17.2	8.2	36.8	55.1
Kanabec, Pine	41.2	6.5	25.9	10.7	37.5	51.8
Kittson, Marshall, Pennington, Red Lake, Roseau	36.0	6.4	19.1	5.7	35.6	58.8
Le Sueur, Waseca	34.8	8.8	10.8	9.0	27.1	64.0
Lincoln, Lyon, Murray, Pipestone	35.5	8.6	14.8	9.8	27.9	62.4
Meeke, McLeod, Sibley	28.9	6.4	12.5	8.6	32.1	59.4
Nobles, Rock	44.7	9.3	7.2	39.1	25.8	35.1
Redwood, Renville	37.8	7.1	17.9	13.3	36.0	50.7

**Source:** Minnesota Department of Health, Center for Health Statistics.

**Maternal Educational Status (Low, Medium, High):** A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota  
By CHS Agency, 2008**

CHS Agency	Race of Mother - Percent					Ethnicity of Mother - Percent	
	White**	African American	American Indian	Asian	Unknown / Other**	Hispanic (any race)	Not Hispanic
Aitkin, Itasca, Koochiching	92.6	0.3	6.1	0.4	0.7	1.0	99.0
Mahnomen, Norman	59.5	0.0	38.0	0.0	2.5	3.5	96.5
Beltrami, Clearwater, Hubbard, Lake of the Woods	68.3	0.9	29.5	0.4	0.9	1.1	98.9
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	93.1	0.2	1.7	0.4	4.6	7.8	92.2
Brown, Nicollet	92.7	1.4	0.1	1.1	4.7	5.7	94.3
Carlton, Cook, Lake, St. Louis	90.7	2.2	5.1	0.8	1.2	1.2	98.8
Cass, Morrison, Todd, Wadena	89.0	0.5	8.6	0.3	1.6	3.4	96.6
Clay, Wilkin	86.7	2.8	5.4	0.5	4.6	4.7	95.3
Cottonwood, Jackson	88.2	1.8	0.0	2.6	7.5	8.4	91.6
Dodge, Steele	86.4	4.5	0.2	1.1	7.8	8.4	91.6
Grant, Pope, Traverse, Stevens	94.6	0.6	2.7	0.6	1.5	2.1	97.9
Faribault, Martin	92.4	0.3	0.0	0.9	6.5	9.1	90.9
Houston, Fillmore	98.8	0.6	0.6	0.0	0.0	0.2	99.8
Isanti, Mille Lacs	92.1	0.9	4.8	1.3	0.9	1.7	98.3
Kanabec, Pine	95.6	1.0	2.5	0.0	1.0	2.2	97.8
Kittson, Marshall, Pennington, Red Lake, Roseau	93.0	0.9	2.5	1.6	2.1	3.7	96.3
Le Sueur, Waseca	89.4	0.6	0.0	1.7	8.4	9.9	90.1
Lincoln, Lyon, Murray, Pipestone	86.3	2.2	0.5	1.9	9.3	10.2	89.8
Meeker, McLeod, Sibley	90.8	0.5	0.3	0.8	7.6	10.5	89.5
Nobles, Rock	58.6	3.9	0.8	4.5	32.2	35.8	64.2
Redwood, Renville	85.7	0.3	7.4	3.6	3.1	8.9	91.1

## Section C: Mortality

### Tables

---

Table 1: Leading Causes of Death

Table 2: Years of Potential Life Lost

Table 3a: Unintentional Injuries, Suicides and Homicides

Table 3b: Falls, Motor Vehicle and Pedestrian Deaths

Table 4: Number of Cases of Cancer Deaths by Major Site & Sex

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

ICD-10 Codes on Page C-45

**State of Minnesota - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	12	23	3	1	39
Alzheimer's Disease	0	0	0	0	24	65	1,255	1,344
Atherosclerosis	0	0	0	0	7	6	42	55
Cancer	7	12	29	236	2,344	2,247	4,564	9,439
Cirrhosis	0	0	1	39	210	59	69	378
Congenital Anomalies	118	3	7	12	40	7	11	198
Chronic Lower Respiratory Disease	4	0	2	16	213	413	1,423	2,071
Diabetes	0	0	2	31	214	203	636	1,086
Heart Disease	9	5	14	147	1,059	873	5,346	7,453
Homicide	7	5	31	59	21	2	3	128
Hypertension	0	0	1	7	41	63	394	506
Nephritis	3	0	0	5	71	84	651	814
Perinatal Conditions	196	3	1	0	1	0	0	201
Pneumonia and Influenza	7	1	2	12	55	52	616	745
Septicemia	2	0	1	11	64	44	196	318
SIDS	41	0	0	0	0	0	0	41
Stroke	5	3	2	28	168	205	1,676	2,087
Suicide	0	5	85	208	222	26	47	593
Unintentional Injury	55	23	144	373	436	151	820	2,002
Other	59	26	54	213	1,023	1,015	6,543	8,933
<b>Total</b>	<b>513</b>	<b>86</b>	<b>376</b>	<b>1,409</b>	<b>6,236</b>	<b>5,518</b>	<b>24,293</b>	<b>38,431</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Aitkin County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	26	26
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	7	13	22	44
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	4	7	12
Diabetes	0	0	0	0	2	3	1	6
Heart Disease	0	0	0	0	7	10	31	48
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	1	3
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	3	6
Suicide	0	0	0	1	1	0	1	3
Unintentional Injury	0	0	1	1	5	1	5	13
Other	0	0	0	0	4	3	28	35
<b>Total</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>32</b>	<b>37</b>	<b>127</b>	<b>201</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

ICD-10 Codes on Page C-45

**Anoka County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	4	25	29
Atherosclerosis	0	0	0	0	0	1	1	2
Cancer	0	0	0	16	148	144	163	471
Cirrhosis	0	0	0	2	7	3	5	17
Congenital Anomalies	9	0	0	1	3	0	1	14
Chronic Lower Respiratory Disease	1	0	0	0	14	20	50	85
Diabetes	0	0	0	1	16	10	18	45
Heart Disease	0	0	2	10	55	47	162	276
Homicide	0	0	3	4	2	0	0	9
Hypertension	0	0	0	1	7	3	13	24
Nephritis	0	0	0	1	4	2	25	32
Perinatal Conditions	15	0	0	0	0	0	0	15
Pneumonia and Influenza	0	0	0	0	0	3	17	20
Septicemia	0	0	0	1	2	4	4	11
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	2	9	10	51	72
Suicide	0	1	4	9	16	2	4	36
Unintentional Injury	1	1	7	15	19	9	34	86
Other	0	3	1	16	67	61	216	364
<b>Total</b>	<b>28</b>	<b>5</b>	<b>17</b>	<b>79</b>	<b>370</b>	<b>323</b>	<b>789</b>	<b>1,611</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Becker County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	9	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	3	17	18	43	82
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	5	15	22
Diabetes	0	0	0	1	2	4	3	10
Heart Disease	0	1	0	1	5	8	44	59
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	2	1	7	10
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	15	18
Suicide	0	0	0	0	1	0	1	2
Unintentional Injury	0	0	1	5	4	0	14	24
Other	1	0	1	1	9	10	57	79
<b>Total</b>	<b>3</b>	<b>1</b>	<b>3</b>	<b>12</b>	<b>46</b>	<b>49</b>	<b>216</b>	<b>330</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Beltrami County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	12	13
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	17	27	34	80
Cirrhosis	0	0	0	1	1	0	2	4
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	3	13	17
Diabetes	0	0	0	0	2	2	2	6
Heart Disease	0	0	0	2	12	6	49	69
Homicide	0	0	0	2	0	0	0	2
Hypertension	0	0	0	0	1	0	5	6
Nephritis	0	0	0	0	1	3	4	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	1	1	7	10
Septicemia	0	0	0	0	0	1	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	3	13	17
Suicide	0	0	1	1	1	1	1	5
Unintentional Injury	0	0	2	6	5	1	4	18
Other	1	0	0	1	6	10	57	75
<b>Total</b>	<b>4</b>	<b>0</b>	<b>3</b>	<b>16</b>	<b>50</b>	<b>59</b>	<b>204</b>	<b>336</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Benton County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	12	13
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	16	15	36	69
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	1	0	0	2	1	2	13	19
Diabetes	0	0	0	1	2	0	9	12
Heart Disease	0	0	0	5	8	10	55	78
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	3	5	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	0	0	3	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	3	2	12	17
Suicide	0	0	0	2	2	1	1	6
Unintentional Injury	1	0	0	5	4	0	6	16
Other	0	0	1	3	3	3	46	56
<b>Total</b>	<b>5</b>	<b>0</b>	<b>1</b>	<b>20</b>	<b>41</b>	<b>37</b>	<b>205</b>	<b>309</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Big Stone County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	3	7	10
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	3
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	1	2	15	18
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	1
Nephritis	0	0	0	0	0	0	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	0	2
Septicemia	0	0	0	0	0	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	6
Suicide	0	0	0	0	0	2	1	0
Unintentional Injury	0	0	0	0	0	1	0	2
Other	0	0	0	0	0	3	2	14
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>11</b>	<b>14</b>	<b>58</b>	<b>83</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Blue Earth County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	9
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	0	0	21	28	63
Cirrhosis	0	0	0	1	2	0	0	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	1	0	0	0	3	7	13	24
Diabetes	0	0	0	1	2	0	15	18
Heart Disease	0	0	0	1	9	11	62	83
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	0	2	4
Nephritis	0	0	0	0	1	1	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	1	1	7	10
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	1	1	0	20	23
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	2	6	3	0	3	14
Other	0	0	1	1	22	14	95	133
<b>Total</b>	<b>1</b>	<b>0</b>	<b>5</b>	<b>13</b>	<b>69</b>	<b>63</b>	<b>294</b>	<b>445</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Brown County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	18	17	33	69
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	1	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	1	7	10
Diabetes	0	0	0	0	2	1	13	16
Heart Disease	0	0	0	0	6	3	44	53
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	16	18
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	1	1	1	2	1	3	9	18
Other	1	0	1	1	7	6	59	75
<b>Total</b>	<b>4</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>39</b>	<b>33</b>	<b>209</b>	<b>295</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Carlton County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	9	10
Atherosclerosis	0	0	0	0	2	0	4	6
Cancer	0	0	0	4	17	18	35	74
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	1	4	2	22	29
Diabetes	0	0	0	0	6	4	8	18
Heart Disease	1	0	0	0	12	7	56	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	1	0	0	3	4
Nephritis	1	0	0	0	0	1	7	9
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	2	1	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	1	15	16
Suicide	0	0	2	3	0	0	1	6
Unintentional Injury	3	0	2	5	1	0	10	21
Other	1	0	1	2	4	4	56	68
<b>Total</b>	<b>9</b>	<b>0</b>	<b>5</b>	<b>16</b>	<b>46</b>	<b>40</b>	<b>230</b>	<b>346</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Carver County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	3	4	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	4	26	24	51	106
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	2	1	0	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	4	14	18
Diabetes	0	0	0	0	0	1	8	9
Heart Disease	0	0	0	2	17	5	66	90
Homicide	0	0	1	2	0	0	0	3
Hypertension	0	0	0	0	1	1	5	7
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	1	7	9
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	1	0	0	3	1	11	16
Suicide	0	0	0	5	0	0	0	5
Unintentional Injury	0	0	4	5	6	3	10	28
Other	0	2	0	7	5	12	76	102
<b>Total</b>	<b>5</b>	<b>4</b>	<b>6</b>	<b>25</b>	<b>62</b>	<b>56</b>	<b>261</b>	<b>419</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Cass County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	5	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	16	25	28	69
Cirrhosis	0	0	0	2	3	0	0	5
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	1	1	7	11	20
Diabetes	0	0	0	1	0	0	4	5
Heart Disease	1	0	0	3	11	14	39	68
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	2	0	3	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	0	0	3	4
Septicemia	0	0	0	1	1	1	0	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	3	11	18
Suicide	0	0	1	0	4	0	0	5
Unintentional Injury	2	0	0	2	8	3	7	22
Other	2	0	1	1	4	10	43	61
<b>Total</b>	<b>6</b>	<b>0</b>	<b>2</b>	<b>13</b>	<b>54</b>	<b>64</b>	<b>154</b>	<b>293</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Chippewa County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	7	15	25
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	2	2
Chronic Lower Respiratory Disease	0	0	0	0	1	1	12	14
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	2	1	32	35
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	12	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	0	0	4	5
Other	0	0	1	0	0	1	29	31
<b>Total</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>8</b>	<b>11</b>	<b>116</b>	<b>137</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Chisago County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	16	18
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	4	17	18	37	76
Cirrhosis	0	0	0	2	1	0	0	3
Congenital Anomalies	0	0	0	1	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	8	7	18
Diabetes	0	0	0	0	1	1	5	7
Heart Disease	0	0	0	2	9	9	39	59
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	2	6	8
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	1	0	0	0	1	1	4	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	16	19
Suicide	0	0	2	4	3	1	0	10
Unintentional Injury	0	0	2	2	2	2	11	19
Other	0	1	0	4	10	12	40	67
<b>Total</b>	<b>2</b>	<b>1</b>	<b>4</b>	<b>19</b>	<b>51</b>	<b>57</b>	<b>187</b>	<b>321</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Clay County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	4	17	14	39	74
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	4	1	0	0	0	0	0	5
Chronic Lower Respiratory Disease	0	0	0	0	2	3	15	20
Diabetes	0	0	0	0	4	2	5	11
Heart Disease	0	0	0	2	12	8	66	88
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	2	1	5	8
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	1	0	0	4	5
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	0	19	21
Suicide	0	0	0	2	4	0	0	6
Unintentional Injury	1	0	2	7	4	1	8	23
Other	0	0	0	1	12	9	66	88
<b>Total</b>	<b>9</b>	<b>1</b>	<b>2</b>	<b>17</b>	<b>61</b>	<b>39</b>	<b>252</b>	<b>381</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Clearwater County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	8	6	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	3	5
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	1	0	1	8	14	24
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	7	9
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	0	0	3	4
Other	0	0	0	0	2	4	9	15
<b>Total</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>0</b>	<b>12</b>	<b>25</b>	<b>47</b>	<b>87</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Cook County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	2	11	17
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	2	4
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	2	0	12	14
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	0	0	5	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	0	1	1	5	7
<b>Total</b>	<b>2</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>9</b>	<b>5</b>	<b>38</b>	<b>54</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Cottonwood County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	7	7	23	38
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	2	0	1	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	4	2	26	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	0	0	0	1	1	3	5
Other	0	1	0	1	2	4	30	38
<b>Total</b>	<b>2</b>	<b>1</b>	<b>2</b>	<b>3</b>	<b>16</b>	<b>16</b>	<b>112</b>	<b>152</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Crow Wing County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	2	10	13
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	3	44	41	69	157
Cirrhosis	0	0	0	0	3	1	1	5
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	10	12	24
Diabetes	0	0	0	0	4	9	7	20
Heart Disease	0	0	0	3	19	17	83	122
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	1	2	8	11
Nephritis	0	0	0	0	1	2	16	19
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	1	13	15
Septicemia	0	0	0	0	0	2	2	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	2	4	4	21	31
Suicide	0	0	0	3	2	0	1	6
Unintentional Injury	0	1	2	4	6	2	19	34
Other	1	0	0	2	13	14	95	125
<b>Total</b>	<b>4</b>	<b>1</b>	<b>2</b>	<b>18</b>	<b>101</b>	<b>107</b>	<b>358</b>	<b>591</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Dakota County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	1	4	70	75
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	4	1	17	148	123	195	489
Cirrhosis	0	0	0	4	8	3	1	16
Congenital Anomalies	5	0	1	2	1	0	1	10
Chronic Lower Respiratory Disease	0	0	0	0	5	15	46	66
Diabetes	0	0	0	2	17	13	31	63
Heart Disease	2	0	3	6	53	44	246	354
Homicide	0	0	2	2	1	0	0	5
Hypertension	0	0	0	0	3	3	17	23
Nephritis	0	0	0	1	4	4	36	45
Perinatal Conditions	14	0	0	0	0	0	0	14
Pneumonia and Influenza	1	0	1	1	4	2	20	29
Septicemia	0	0	1	0	2	1	7	11
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	2	9	11	70	92
Suicide	0	0	7	15	16	0	3	41
Unintentional Injury	4	1	10	20	23	7	37	102
Other	0	0	4	15	54	56	277	406
<b>Total</b>	<b>28</b>	<b>5</b>	<b>30</b>	<b>87</b>	<b>350</b>	<b>286</b>	<b>1,057</b>	<b>1,843</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Dodge County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	7	21	38
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	8	9
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	4	3	27	34
Homicide	0	1	0	2	0	0	0	3
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	7	9
Suicide	0	0	1	1	3	0	1	6
Unintentional Injury	0	0	0	0	3	0	2	5
Other	1	0	0	1	2	3	27	34
<b>Total</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>5</b>	<b>24</b>	<b>15</b>	<b>107</b>	<b>156</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Douglas County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	16	16
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	19	15	52	87
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	1	0	12	14
Diabetes	0	0	0	0	0	1	7	8
Heart Disease	0	0	0	2	9	8	59	78
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	1	9	11
Septicemia	0	0	0	1	0	1	5	7
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	1	17	20
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	2	2	3	1	4	12
Other	0	0	0	2	5	9	53	69
<b>Total</b>	<b>2</b>	<b>0</b>	<b>3</b>	<b>10</b>	<b>40</b>	<b>38</b>	<b>241</b>	<b>334</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Faribault County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	4
Cancer	0	0	0	1	14	6	24	45
Cirrhosis	0	0	0	1	3	0	0	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	9	11
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	0	0	3	8	32	43
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	7	8
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	9	9
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	3	1	2	7
Other	0	1	0	1	3	9	39	53
<b>Total</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>4</b>	<b>28</b>	<b>26</b>	<b>140</b>	<b>199</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Fillmore County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	6	13	32	52
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	2	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	4	9	14
Diabetes	0	0	0	0	0	1	6	7
Heart Disease	0	0	0	1	6	3	38	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	7	8
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	8	11
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	1	1	0	4	5	0	6	17
Other	1	0	0	0	3	5	37	46
<b>Total</b>	<b>3</b>	<b>1</b>	<b>0</b>	<b>6</b>	<b>26</b>	<b>28</b>	<b>159</b>	<b>223</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Freeborn County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	7	8
Atherosclerosis	0	0	0	0	1	0	3	4
Cancer	0	0	0	1	23	20	36	80
Cirrhosis	0	0	0	0	4	0	1	5
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	4	12	17
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	1	1	11	9	68	90
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	7	9
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	17	19
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	22	25
Suicide	0	0	0	2	4	0	0	6
Unintentional Injury	1	0	0	3	3	2	12	21
Other	0	1	0	1	5	9	59	75
<b>Total</b>	<b>1</b>	<b>1</b>	<b>1</b>	<b>9</b>	<b>53</b>	<b>51</b>	<b>250</b>	<b>366</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Goodhue County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	4	25	24	51	105
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	1	0	0	0	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	1	1	4	22	28
Diabetes	0	0	0	1	4	2	8	15
Heart Disease	0	0	0	1	6	6	69	82
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	1	1	8	10
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	2	0	5	7
Septicemia	0	0	0	0	0	0	4	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	2	22	26
Suicide	0	0	3	1	1	1	0	6
Unintentional Injury	2	2	1	5	8	2	14	34
Other	0	0	3	4	9	8	94	118
<b>Total</b>	<b>5</b>	<b>2</b>	<b>8</b>	<b>19</b>	<b>61</b>	<b>50</b>	<b>318</b>	<b>463</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Grant County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	4	12	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	4	7
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	0	2	15	18
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	2	1	1	5
Other	0	0	0	1	1	2	20	24
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>9</b>	<b>11</b>	<b>62</b>	<b>85</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Hennepin County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	5	14	1	1	21
Alzheimer's Disease	0	0	0	0	3	12	206	221
Atherosclerosis	0	0	0	0	0	2	5	7
Cancer	3	3	10	40	525	412	956	1,949
Cirrhosis	0	0	0	9	54	12	17	92
Congenital Anomalies	33	0	1	3	8	0	2	47
Chronic Lower Respiratory Disease	1	0	0	0	46	70	318	435
Diabetes	0	0	2	4	51	28	109	194
Heart Disease	2	1	1	34	221	129	852	1,240
Homicide	1	2	15	24	6	1	1	50
Hypertension	0	0	0	3	11	24	91	129
Nephritis	1	0	0	1	19	21	134	176
Perinatal Conditions	54	1	1	0	1	0	0	57
Pneumonia and Influenza	4	0	0	4	9	4	107	128
Septicemia	0	0	0	1	20	10	48	79
SIDS	13	0	0	0	0	0	0	13
Stroke	0	0	0	7	37	39	321	404
Suicide	0	2	13	44	45	5	11	120
Unintentional Injury	10	3	28	95	98	38	202	474
Other	11	8	15	61	239	205	1,588	2,127
<b>Total</b>	<b>133</b>	<b>20</b>	<b>86</b>	<b>335</b>	<b>1,407</b>	<b>1,013</b>	<b>4,969</b>	<b>7,963</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Houston County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	7	11	16	35
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	2	7	10
Diabetes	0	0	0	0	3	1	4	8
Heart Disease	0	0	1	0	2	2	26	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	10	10
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	0	0	2	3	2	4	11
Other	0	0	0	0	3	6	27	36
<b>Total</b>	<b>0</b>	<b>0</b>	<b>3</b>	<b>5</b>	<b>22</b>	<b>24</b>	<b>115</b>	<b>169</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Hubbard County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	15	12	22	50
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	1	10	13
Diabetes	0	0	0	0	1	1	2	4
Heart Disease	0	0	0	1	4	11	27	43
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	4	5	10
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	2	0	0	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	2	9	13
Suicide	0	0	0	2	4	0	1	7
Unintentional Injury	0	1	0	2	2	0	5	10
Other	0	0	1	0	3	6	19	29
<b>Total</b>	<b>3</b>	<b>1</b>	<b>1</b>	<b>7</b>	<b>38</b>	<b>37</b>	<b>106</b>	<b>193</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Isanti County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	16	17
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	17	20	39	76
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	4	10	14
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	1	3	6	30	40
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	13	15
Suicide	0	0	1	3	2	1	0	7
Unintentional Injury	0	0	0	3	4	1	4	12
Other	0	0	0	3	6	9	47	65
<b>Total</b>	<b>3</b>	<b>0</b>	<b>1</b>	<b>10</b>	<b>37</b>	<b>44</b>	<b>170</b>	<b>265</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Itasca County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	20	22
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	1	31	26	53	112
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	1	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	4	9	19	32
Diabetes	0	0	0	0	1	2	10	13
Heart Disease	0	0	0	2	18	23	74	117
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	2	10	13
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	3	1	6	10
Septicemia	0	0	0	0	0	0	2	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	4	4	24	32
Suicide	0	0	0	4	4	1	1	10
Unintentional Injury	2	0	2	3	3	0	7	17
Other	0	2	0	1	10	11	55	79
<b>Total</b>	<b>4</b>	<b>3</b>	<b>3</b>	<b>11</b>	<b>81</b>	<b>81</b>	<b>285</b>	<b>468</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Jackson County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	10	7	23
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	4	5	24	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	2	0	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	0	0
Other	0	0	0	0	1	3	14	18
<b>Total</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>14</b>	<b>20</b>	<b>66</b>	<b>101</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Kanabec County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	13	15	13	42
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	0	4
Diabetes	0	0	0	0	0	4	0	4
Heart Disease	0	0	0	1	5	5	12	23
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	2	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	7	9
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	0	1	3	4	1	5	14
Other	0	1	0	0	10	2	25	38
<b>Total</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>5</b>	<b>37</b>	<b>34</b>	<b>77</b>	<b>157</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Kandiyohi County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	11	12
Atherosclerosis	0	0	0	0	1	1	1	3
Cancer	0	0	0	5	16	16	47	84
Cirrhosis	0	0	0	0	3	0	2	5
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	4	16	21
Diabetes	0	0	0	1	0	0	13	14
Heart Disease	0	0	0	1	8	7	51	67
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	2	6	8
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	1	11	13
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	2	25	29
Suicide	0	0	2	2	2	0	0	6
Unintentional Injury	0	0	1	0	6	3	7	17
Other	1	0	0	1	7	7	54	70
<b>Total</b>	<b>4</b>	<b>0</b>	<b>4</b>	<b>10</b>	<b>48</b>	<b>43</b>	<b>245</b>	<b>354</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Kittson County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	2	7	14
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	3	3
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	0	0	0	0	0	3	19	22
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	0	1	2	14	17
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>7</b>	<b>56</b>	<b>70</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Koochiching County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	9	12	28
Cirrhosis	0	0	0	0	0	1	0	0
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	3
Diabetes	0	0	0	0	0	2	1	6
Heart Disease	0	0	0	1	5	9	29	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	7
Septicemia	0	0	0	0	0	2	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	1	9
Suicide	0	0	1	1	0	0	0	1
Unintentional Injury	0	0	0	1	0	0	1	7
Other	0	0	0	0	0	3	1	24
<b>Total</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>23</b>	<b>27</b>	<b>121</b>	<b>177</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Lac Qui Parle County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	0	0	3	3	16
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	0	0	6
Heart Disease	0	0	0	0	2	5	35	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	1
Septicemia	0	0	0	0	0	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	0	4
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	0	1	1	2	1	5
Other	0	0	0	0	0	1	0	16
<b>Total</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>7</b>	<b>10</b>	<b>88</b>	<b>109</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Lake County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	7	15	31
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	2	4	16	22
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	1	6	8
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	0	1	2	3
Other	0	0	0	0	4	4	24	32
<b>Total</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>19</b>	<b>20</b>	<b>86</b>	<b>127</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Lake of the Woods County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	3	4	7
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	0	1
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	2	2	6	10
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	0	0
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	2	0	0	2	4
Other	0	0	0	0	0	2	8	10
<b>Total</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>8</b>	<b>23</b>	<b>36</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Le Sueur County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	13	11	20	45
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	2	5
Diabetes	0	0	0	0	2	3	3	8
Heart Disease	0	0	0	1	12	6	35	54
Homicide	0	1	0	0	0	0	1	2
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	5	6
Septicemia	0	0	0	1	0	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	13	14
Suicide	0	0	0	1	2	0	1	4
Unintentional Injury	0	0	2	0	1	1	4	8
Other	2	0	0	0	3	5	29	39
<b>Total</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>4</b>	<b>36</b>	<b>30</b>	<b>125</b>	<b>201</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Lincoln County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	5	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	5	17	22
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	1	3	6
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	2	2	22	26
Homicide	0	1	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	8	9
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	2	2	4
Other	0	0	0	0	1	0	16	17
<b>Total</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>6</b>	<b>12</b>	<b>81</b>	<b>101</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Lyon County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	0	15	13	34	62
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	3	7	10
Diabetes	0	0	0	0	0	5	6	11
Heart Disease	0	0	0	1	4	4	25	34
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	9	10
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	12	14
Suicide	0	0	1	3	0	0	0	4
Unintentional Injury	0	4	0	4	1	1	4	14
Other	0	0	0	2	4	6	43	55
<b>Total</b>	<b>2</b>	<b>4</b>	<b>1</b>	<b>11</b>	<b>26</b>	<b>34</b>	<b>158</b>	<b>236</b>

Source: Minnesota Department of Health, Center for Health Statistics

**McLeod County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	5	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	11	20	25	58
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	3	13	19
Diabetes	0	0	0	0	2	2	3	7
Heart Disease	0	0	0	1	8	6	41	56
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	2	0	4	6
Septicemia	0	0	0	0	1	0	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	1	0	1	0	0	13	15
Suicide	0	0	0	3	2	1	0	6
Unintentional Injury	0	0	0	2	2	1	5	10
Other	0	0	0	1	7	7	39	54
<b>Total</b>	<b>1</b>	<b>1</b>	<b>0</b>	<b>11</b>	<b>39</b>	<b>42</b>	<b>159</b>	<b>253</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Mahnomen County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	5	8	15
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	1	0	1	2	4
Heart Disease	0	0	0	0	2	2	7	11
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	0	1	0	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	1	1
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	0	1	2	0	0	0	4
Other	0	0	0	0	0	1	8	9
<b>Total</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>4</b>	<b>11</b>	<b>30</b>	<b>52</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Marshall County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	3	4	19	27
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	3	3	17	23
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	1	0	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	1	3
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	1	0	0	0	0	0	1	2
Other	1	0	0	0	2	0	12	15
<b>Total</b>	<b>3</b>	<b>0</b>	<b>2</b>	<b>1</b>	<b>8</b>	<b>10</b>	<b>59</b>	<b>83</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Martin County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	8	15	26	50
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	3	12	15
Diabetes	0	0	0	0	1	2	3	6
Heart Disease	0	0	0	0	6	4	56	66
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	11	12
Septicemia	0	0	0	0	2	0	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	9	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	2	2	1	6
Other	0	1	0	0	9	9	35	54
<b>Total</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>29</b>	<b>39</b>	<b>171</b>	<b>242</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Meeker County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	11	20	41
Cirrhosis	0	0	0	1	5	0	2	8
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	3	8	13
Diabetes	0	0	0	0	0	1	4	5
Heart Disease	0	0	0	0	7	2	34	43
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	3	5
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	2	10	15
Suicide	0	0	0	0	3	0	0	3
Unintentional Injury	1	0	0	1	3	1	8	14
Other	1	0	1	0	6	7	59	74
<b>Total</b>	<b>3</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>37</b>	<b>30</b>	<b>158</b>	<b>233</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Mille Lacs County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	8	9
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	1	4	14	17	29	65
Cirrhosis	0	0	0	0	0	4	0	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	4	10	16
Diabetes	0	0	0	2	4	3	8	17
Heart Disease	0	0	0	0	5	6	38	49
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	2	4
Nephritis	0	0	0	1	0	0	5	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	1	0	0	3	3	7
Septicemia	0	0	0	0	2	1	1	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	15	19
Suicide	0	0	0	3	1	0	0	4
Unintentional Injury	0	1	1	5	4	2	6	19
Other	0	0	0	2	3	12	43	60
<b>Total</b>	<b>2</b>	<b>1</b>	<b>3</b>	<b>17</b>	<b>37</b>	<b>57</b>	<b>170</b>	<b>287</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Morrison County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	4	5
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	1	0	1	15	21	44	82
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	7	8
Diabetes	0	0	0	0	0	0	7	7
Heart Disease	0	0	0	0	4	12	52	68
Homicide	1	0	1	0	1	0	0	3
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	1	3	4
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	1	1	12	14
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	1	0	2	2	3	2	3	13
Other	0	0	0	0	8	5	41	54
<b>Total</b>	<b>9</b>	<b>1</b>	<b>4</b>	<b>5</b>	<b>35</b>	<b>44</b>	<b>183</b>	<b>281</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Mower County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	18	25	70	115
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	0	0	0	0	0	1	1	2
Chronic Lower Respiratory Disease	0	0	0	0	3	2	25	30
Diabetes	0	0	0	0	1	2	12	15
Heart Disease	0	0	0	0	7	8	51	66
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	1	6	7
Nephritis	0	0	0	0	0	2	6	8
Perinatal Conditions	1	1	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	8	8
Septicemia	0	0	0	0	1	0	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	2	15	18
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	1	1	1	4	3	0	8	18
Other	0	0	0	1	9	9	78	97
<b>Total</b>	<b>2</b>	<b>2</b>	<b>2</b>	<b>9</b>	<b>45</b>	<b>53</b>	<b>289</b>	<b>402</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Murray County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	5	11	17
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	7	7
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	1	1	5	21	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	0	1	0	3	4
Other	0	0	0	0	1	1	23	25
<b>Total</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>4</b>	<b>11</b>	<b>77</b>	<b>95</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Nicollet County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	18	11	21	51
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	9	11
Diabetes	0	0	0	0	1	1	7	9
Heart Disease	0	1	0	1	4	2	39	47
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	5	6
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	11	14
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	2	1	1	6
Other	0	0	0	1	4	4	38	47
<b>Total</b>	<b>2</b>	<b>1</b>	<b>1</b>	<b>4</b>	<b>31</b>	<b>23</b>	<b>143</b>	<b>205</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Nobles County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	11	17	37
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	9	9
Diabetes	0	0	0	1	0	0	2	3
Heart Disease	0	0	0	1	3	3	22	29
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	5	6
Suicide	0	0	1	2	0	0	2	5
Unintentional Injury	0	0	1	0	1	1	0	3
Other	1	0	0	2	7	6	34	50
<b>Total</b>	<b>3</b>	<b>0</b>	<b>2</b>	<b>6</b>	<b>20</b>	<b>22</b>	<b>102</b>	<b>155</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Norman County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	5	14	21
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	10	11
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	0	0	3	9	12
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	1	1	1	0	1	4
Other	0	0	0	0	3	3	9	15
<b>Total</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>8</b>	<b>11</b>	<b>63</b>	<b>85</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Olmsted County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	25	26
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	2	9	52	51	112	226
Cirrhosis	0	0	0	1	8	1	3	13
Congenital Anomalies	4	0	0	0	1	0	2	7
Chronic Lower Respiratory Disease	0	0	0	0	3	5	32	40
Diabetes	0	0	0	1	2	0	9	12
Heart Disease	0	0	0	4	33	25	137	199
Homicide	0	0	0	3	0	0	0	3
Hypertension	0	0	0	0	0	1	8	9
Nephritis	0	0	0	0	1	2	8	11
Perinatal Conditions	7	0	0	0	0	0	0	7
Pneumonia and Influenza	0	0	0	0	2	0	15	17
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	1	0	0	2	3	2	39	47
Suicide	0	0	2	6	6	1	1	16
Unintentional Injury	1	1	3	5	7	4	11	32
Other	2	0	0	5	23	20	149	199
<b>Total</b>	<b>16</b>	<b>1</b>	<b>7</b>	<b>36</b>	<b>142</b>	<b>114</b>	<b>553</b>	<b>869</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Otter Tail County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	36	37
Atherosclerosis	0	0	0	0	0	1	2	3
Cancer	0	0	0	4	26	21	74	125
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	0	0	1	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	8	27	38
Diabetes	0	0	0	0	0	0	9	9
Heart Disease	0	0	0	2	16	15	106	139
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	2	1	10	13
Septicemia	0	0	0	2	1	0	3	6
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	5	6	45	57
Suicide	0	0	2	1	3	0	1	7
Unintentional Injury	0	0	3	6	6	1	10	26
Other	1	0	0	1	11	13	103	129
<b>Total</b>	<b>1</b>	<b>0</b>	<b>6</b>	<b>17</b>	<b>74</b>	<b>68</b>	<b>439</b>	<b>605</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Pennington County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	5	4	25	34
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	2	4
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	1	6	3	25	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	4	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	4	1	1	0	3	9
Other	0	0	0	0	3	3	20	26
<b>Total</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>2</b>	<b>19</b>	<b>12</b>	<b>97</b>	<b>134</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Pine County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	20	22	27	69
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	3	9	3	16
Diabetes	0	0	0	0	2	3	6	11
Heart Disease	0	0	0	1	6	14	32	53
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	3	1	5	9
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	1	0	0	0	0	1	2	4
Septicemia	0	0	0	0	0	1	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	4	9	13
Suicide	0	0	0	2	2	0	1	5
Unintentional Injury	0	0	1	2	1	0	6	10
Other	0	0	0	1	8	4	35	48
<b>Total</b>	<b>3</b>	<b>0</b>	<b>1</b>	<b>7</b>	<b>46</b>	<b>60</b>	<b>134</b>	<b>251</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Pipestone County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	5	7	20	34
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	1	0	5	7
Diabetes	0	0	0	1	0	0	2	3
Heart Disease	0	0	0	0	2	3	25	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	14	16
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	2	1	0	2	5
Other	0	0	0	0	6	2	14	22
<b>Total</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>16</b>	<b>16</b>	<b>92</b>	<b>132</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Polk County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	1	34	35
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	14	18	40	72
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	10	10	22
Diabetes	0	0	0	1	0	3	12	16
Heart Disease	0	0	0	2	8	7	60	77
Homicide	0	0	0	0	0	1	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	3	6	10
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	2	1	6	9
Septicemia	0	0	0	0	1	0	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	13	17
Suicide	0	0	0	1	2	0	1	4
Unintentional Injury	0	0	1	1	5	0	10	17
Other	0	0	1	0	10	11	66	88
<b>Total</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>48</b>	<b>59</b>	<b>265</b>	<b>380</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Pope County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	13	14	37
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	4	6
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	0	3	35	38
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	0	6	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	3	1	0	7	12
Other	0	0	0	0	1	7	20	28
<b>Total</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>16</b>	<b>24</b>	<b>98</b>	<b>143</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Ramsey County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	5	3	1	0	9
Alzheimer's Disease	0	0	0	0	4	2	143	149
Atherosclerosis	0	0	0	0	0	0	4	4
Cancer	1	0	1	27	230	189	421	869
Cirrhosis	0	0	0	5	26	7	7	45
Congenital Anomalies	13	0	0	0	5	2	0	20
Chronic Lower Respiratory Disease	0	0	0	0	26	38	145	209
Diabetes	0	0	0	3	22	28	53	106
Heart Disease	0	1	2	12	100	68	455	638
Homicide	0	0	7	11	3	0	1	22
Hypertension	0	0	0	2	3	6	49	60
Nephritis	0	0	0	0	9	12	62	83
Perinatal Conditions	27	1	0	0	0	0	0	28
Pneumonia and Influenza	0	0	0	1	3	3	56	63
Septicemia	1	0	0	0	5	2	23	31
SIDS	2	0	0	0	0	0	0	2
Stroke	2	0	1	0	23	24	168	218
Suicide	0	1	10	18	25	1	6	61
Unintentional Injury	3	1	10	37	43	9	59	162
Other	16	1	7	24	129	117	722	1,016
<b>Total</b>	<b>65</b>	<b>5</b>	<b>38</b>	<b>145</b>	<b>659</b>	<b>509</b>	<b>2,374</b>	<b>3,795</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Red Lake County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	2	10	15
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	3	1	6	10
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	0	0
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	0	0	0	1
Other	0	0	0	0	0	0	3	3
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>5</b>	<b>22</b>	<b>34</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Redwood County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	7	5	32	45
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	10	10
Diabetes	0	0	0	0	1	1	5	7
Heart Disease	0	0	0	0	5	5	35	45
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	5	8
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	1	2	1	3	1	8
Other	0	0	0	0	5	4	24	33
<b>Total</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>5</b>	<b>24</b>	<b>21</b>	<b>129</b>	<b>182</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Renville County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	14	5	29	49
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	8	10
Diabetes	0	0	0	0	1	0	9	10
Heart Disease	0	0	0	0	5	12	37	54
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	10	10
Septicemia	0	0	0	0	1	0	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	2	9	12
Suicide	0	0	0	4	0	0	0	4
Unintentional Injury	1	0	0	1	3	0	5	10
Other	0	0	0	1	4	8	41	54
<b>Total</b>	<b>3</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>29</b>	<b>29</b>	<b>160</b>	<b>228</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Rice County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	13	13
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	29	32	42	104
Cirrhosis	0	0	0	1	1	1	1	4
Congenital Anomalies	2	0	0	0	2	0	1	5
Chronic Lower Respiratory Disease	0	0	0	1	4	3	20	28
Diabetes	0	0	0	1	1	1	4	7
Heart Disease	0	0	0	2	13	8	57	80
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	7	7
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	9	10
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	1	0	0	0	1	16	18
Suicide	0	0	2	1	4	2	0	9
Unintentional Injury	0	0	1	8	5	2	10	26
Other	1	0	0	1	11	14	77	104
<b>Total</b>	<b>5</b>	<b>1</b>	<b>3</b>	<b>16</b>	<b>71</b>	<b>66</b>	<b>263</b>	<b>425</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Rock County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	12	13
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	8	4	11	24
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	2	7	10
Diabetes	0	0	0	1	1	1	1	4
Heart Disease	0	0	0	1	1	2	24	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	2	1	0	6	9
Other	0	0	0	0	5	2	21	28
<b>Total</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>6</b>	<b>18</b>	<b>11</b>	<b>95</b>	<b>132</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Roseau County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	7	20	29
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	0	0	0	0	7	9	13	29
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	1	8	10
Suicide	0	0	1	0	3	0	0	4
Unintentional Injury	0	0	0	1	1	0	3	5
Other	0	0	0	2	4	1	13	20
<b>Total</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>21</b>	<b>19</b>	<b>75</b>	<b>120</b>

Source: Minnesota Department of Health, Center for Health Statistics

**St. Louis County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	4	7	87	98
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	1	3	8	127	113	247	499
Cirrhosis	0	0	1	2	18	3	5	29
Congenital Anomalies	0	0	0	0	2	1	0	3
Chronic Lower Respiratory Disease	0	0	0	3	20	28	72	123
Diabetes	0	0	0	1	11	10	26	48
Heart Disease	2	0	1	5	62	55	348	473
Homicide	2	0	0	3	1	0	0	6
Hypertension	0	0	1	0	0	4	23	28
Nephritis	1	0	0	1	4	2	34	42
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	2	5	32	39
Septicemia	0	0	0	0	8	3	11	22
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	2	7	8	81	98
Suicide	0	0	3	9	11	4	3	30
Unintentional Injury	3	1	2	19	28	8	44	105
Other	2	0	2	9	46	55	282	396
<b>Total</b>	<b>15</b>	<b>2</b>	<b>13</b>	<b>62</b>	<b>351</b>	<b>306</b>	<b>1,298</b>	<b>2,047</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Scott County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	3	7	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	1	0	6	43	32	61	144
Cirrhosis	0	0	0	1	1	2	1	5
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	1	1	3	6	13	24
Diabetes	0	0	0	1	5	0	4	10
Heart Disease	0	0	0	5	14	8	74	101
Homicide	0	0	0	0	2	0	0	2
Hypertension	0	0	0	0	3	0	9	12
Nephritis	0	0	0	0	3	1	13	17
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	1	2	3	6
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	5	3	23	31
Suicide	0	0	1	8	4	0	0	13
Unintentional Injury	3	2	2	7	8	1	13	36
Other	1	1	2	2	20	15	66	107
<b>Total</b>	<b>14</b>	<b>4</b>	<b>6</b>	<b>31</b>	<b>114</b>	<b>73</b>	<b>294</b>	<b>536</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Sherburne County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	12	12
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	6	27	27	58	118
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	1	0	0	7	16	24
Diabetes	0	0	0	0	3	0	4	7
Heart Disease	0	0	0	2	8	8	52	70
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	1	0	6	7
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	1	0	3	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	3	20	25
Suicide	0	0	2	4	3	0	0	9
Unintentional Injury	0	0	4	5	9	1	5	24
Other	2	0	0	3	13	11	74	103
<b>Total</b>	<b>8</b>	<b>0</b>	<b>7</b>	<b>20</b>	<b>70</b>	<b>58</b>	<b>259</b>	<b>422</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Sibley County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	5	7	14	26
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	8	9
Diabetes	0	0	0	0	0	2	1	3
Heart Disease	0	0	0	0	4	1	21	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	2	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	1	1	0	2	4
Other	0	0	1	1	3	2	24	31
<b>Total</b>	<b>1</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>15</b>	<b>15</b>	<b>86</b>	<b>121</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Stearns County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	23	23
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	12	49	50	104	216
Cirrhosis	0	0	0	1	4	2	1	8
Congenital Anomalies	3	0	0	1	4	0	0	8
Chronic Lower Respiratory Disease	0	0	0	0	6	7	37	50
Diabetes	0	0	0	1	8	6	17	32
Heart Disease	0	0	0	6	19	18	114	157
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	2	3	7	12
Nephritis	0	0	0	0	0	1	24	25
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	1	1	0	13	15
Septicemia	0	0	0	0	1	1	2	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	3	4	35	43
Suicide	0	0	3	4	10	1	0	18
Unintentional Injury	2	0	6	6	10	6	19	49
Other	3	0	1	7	21	22	135	189
<b>Total</b>	<b>12</b>	<b>0</b>	<b>11</b>	<b>41</b>	<b>139</b>	<b>121</b>	<b>531</b>	<b>855</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Steele County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	15	15
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	11	18	42	72
Cirrhosis	0	0	0	0	3	2	1	6
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	3	6	9
Diabetes	0	0	0	0	2	3	5	10
Heart Disease	0	0	0	0	8	6	54	68
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	1	0	0	0	1	1	5	8
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	13	15
Suicide	0	1	0	0	2	0	1	4
Unintentional Injury	1	0	2	2	4	0	3	12
Other	1	1	1	0	6	6	50	65
<b>Total</b>	<b>4</b>	<b>2</b>	<b>3</b>	<b>3</b>	<b>38</b>	<b>41</b>	<b>201</b>	<b>292</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Stevens County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	6	5	6	18
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	3	0	18	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	0	6	1	16	23
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>15</b>	<b>7</b>	<b>65</b>	<b>89</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Swift County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	0	0	1	5	7	16	29
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	4	6
Diabetes	0	0	0	0	1	1	4	6
Heart Disease	0	0	1	0	2	5	22	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	6	7
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	6	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	2	0	2	5
Other	0	0	1	0	1	2	21	25
<b>Total</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>2</b>	<b>14</b>	<b>18</b>	<b>91</b>	<b>127</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Todd County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	0	10	17	27	55
Cirrhosis	0	0	0	0	3	1	1	5
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	4	1	5	10
Diabetes	0	0	0	0	0	0	9	9
Heart Disease	0	0	0	0	5	3	25	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	0	2
Septicemia	0	0	0	0	1	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	5	9
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	1	0	1	3	5	3	0	13
Other	0	0	0	0	4	2	31	37
<b>Total</b>	<b>2</b>	<b>0</b>	<b>1</b>	<b>4</b>	<b>37</b>	<b>32</b>	<b>117</b>	<b>193</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Traverse County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	2	14	17
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	2	0	2
Heart Disease	0	0	0	0	2	2	9	13
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	0	0	0	0	0	1	2
Other	0	0	0	0	0	1	7	8
<b>Total</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>4</b>	<b>10</b>	<b>37</b>	<b>52</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Wabasha County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	7	11	24	44
Cirrhosis	0	0	0	0	3	0	1	4
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	3	7	10
Diabetes	0	0	0	0	0	2	5	7
Heart Disease	0	0	0	0	5	2	25	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	7	10
Suicide	0	0	0	1	2	0	0	3
Unintentional Injury	0	0	1	0	2	0	4	7
Other	0	0	0	0	1	5	18	24
<b>Total</b>	<b>3</b>	<b>0</b>	<b>1</b>	<b>3</b>	<b>21</b>	<b>26</b>	<b>105</b>	<b>159</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2008**

**Wadena County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	9	12	18
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	1	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	8	9
Diabetes	0	0	0	0	0	0	0	5
Heart Disease	0	0	0	0	5	5	31	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	1
Nephritis	0	0	0	0	0	1	0	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	6
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	0	4
Suicide	0	0	0	0	1	0	0	0
Unintentional Injury	0	0	0	0	2	0	0	2
Other	0	0	0	0	3	6	28	37
<b>Total</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>21</b>	<b>31</b>	<b>114</b>	<b>168</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Waseca County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	0	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	8	9	26	44
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	2
Diabetes	0	0	0	0	0	0	1	3
Heart Disease	0	0	1	1	4	2	40	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	4
Nephritis	0	0	0	0	0	1	0	7
Perinatal Conditions	1	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	0	4
Suicide	0	0	0	0	1	1	0	0
Unintentional Injury	0	0	0	0	1	1	0	2
Other	0	0	1	0	5	6	25	37
<b>Total</b>	<b>3</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>21</b>	<b>20</b>	<b>126</b>	<b>175</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Washington County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	5	49	54
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	2	3	13	103	90	143	354
Cirrhosis	0	0	0	0	6	4	3	13
Congenital Anomalies	6	0	0	0	1	0	0	7
Chronic Lower Respiratory Disease	0	0	0	0	5	16	52	73
Diabetes	0	0	0	1	12	11	18	42
Heart Disease	1	1	0	6	40	19	133	200
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	1	2	10	13
Nephritis	0	0	0	0	1	2	15	18
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	0	2	3	16	21
Septicemia	0	0	0	1	2	0	5	8
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	2	7	7	58	74
Suicide	0	0	5	13	5	0	0	23
Unintentional Injury	4	0	5	9	14	2	26	60
Other	3	2	2	4	39	28	214	292
<b>Total</b>	<b>21</b>	<b>5</b>	<b>15</b>	<b>51</b>	<b>238</b>	<b>190</b>	<b>742</b>	<b>1,262</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Watonwan County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	8	10	19
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	4	6
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	0	7	4	24	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	2	5	7
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	13	14
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	1	1	1	1	4
Other	0	0	1	0	1	2	25	29
<b>Total</b>	<b>4</b>	<b>0</b>	<b>1</b>	<b>2</b>	<b>12</b>	<b>20</b>	<b>94</b>	<b>133</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Wilkin County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	5	9	19
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	0	1
Diabetes	0	0	0	1	0	1	4	6
Heart Disease	0	0	0	0	5	3	28	36
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	0	1	1	16	18
<b>Total</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>2</b>	<b>10</b>	<b>11</b>	<b>73</b>	<b>96</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Winona County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	13	13
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	19	35	44	98
Cirrhosis	0	0	0	0	3	1	4	8
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	3	14	20
Diabetes	0	0	0	0	0	2	7	9
Heart Disease	0	0	0	1	11	11	72	95
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	8	8
Nephritis	0	0	0	0	1	1	7	9
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	1	0	0	5	6
Septicemia	0	0	0	0	0	2	4	6
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	20	22
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	1	2	4	3	2	12	24
Other	0	0	0	2	6	16	55	79
<b>Total</b>	<b>3</b>	<b>1</b>	<b>2</b>	<b>8</b>	<b>48</b>	<b>74</b>	<b>265</b>	<b>401</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

**Wright County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	14	16
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	7	31	38	69	145
Cirrhosis	0	0	0	1	1	2	0	4
Congenital Anomalies	2	0	1	0	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	1	7	12	26	46
Diabetes	0	0	0	1	5	7	9	22
Heart Disease	0	0	0	3	22	14	77	116
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	1	3	5	9
Nephritis	0	0	0	0	0	1	11	12
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	1	0	0	0	0	6	7
Septicemia	0	0	0	1	1	0	5	7
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	2	2	23	28
Suicide	0	0	2	3	5	2	2	14
Unintentional Injury	1	0	10	7	3	4	22	47
Other	1	0	2	8	14	13	86	124
<b>Total</b>	<b>9</b>	<b>1</b>	<b>15</b>	<b>32</b>	<b>93</b>	<b>100</b>	<b>355</b>	<b>605</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Yellow Medicine County - Leading Causes of Death by Age Group, 2008**

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	8	16	28
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	0	0	2	13	15
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	1	2	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	1	14	15
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	2	0	4	7
Other	0	0	0	1	2	1	13	17
<b>Total</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>1</b>	<b>10</b>	<b>15</b>	<b>77</b>	<b>105</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group  
by State and County, 2008**

ICD-10 Codes on Page C-45

<b>Major Causes of Death</b>	<b>ICD-10 Codes</b>
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 1: Minnesota YPLL to Age 65 and 75  
by State and County, 2008**

**State of Minnesota - YPLL to Age 65 and 75, 2008**

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	595.0	979.0
Alzheimer's Disease	180.0	789.5
Atherosclerosis	55.0	161.5
Cancer	28,232.5	68,185.0
Cirrhosis	3,200.0	6,149.5
Congenital Anomalies	8,565.0	10,493.5
Chronic Lower Respiratory Disease	2,215.0	6,954.0
Diabetes	2,715.0	6,425.0
Heart Disease	14,987.5	32,746.0
Homicide	4,147.5	5,450.0
Hypertension	545.0	1,406.0
Nephritis	917.5	2,209.0
Perinatal Conditions	12,475.0	14,585.5
Pneumonia and Influenza	1,477.5	2,572.0
Septicemia	1,025.0	2,086.0
SIDS	2,562.5	2,993.0
Stroke	2,867.5	6,158.0
Suicide	12,660.0	18,263.0
Unintentional Injury	26,867.5	38,523.5
Other	22,607.5	42,627.5
<b>Total</b>	<b>148,897.5</b>	<b>269,756.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Aitkin County - YPLL to Age 65 and 75, 2008**

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	115.0	281.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	47.5
Diabetes	20.0	57.5
Heart Disease	35.0	163.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	30.0	51.0
Unintentional Injury	135.0	214.0
Other	30.0	88.5
<b>Total</b>	<b>445.0</b>	<b>1,037.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Anoka County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	22.0
Atherosclerosis	0.0	5.5
Cancer	1,710.0	4,224.0
Cirrhosis	135.0	246.0
Congenital Anomalies	612.5	749.0
Chronic Lower Respiratory Disease	132.5	400.0
Diabetes	165.0	398.5
Heart Disease	965.0	1,927.0
Homicide	285.0	379.5
Hypertension	80.0	180.5
Nephritis	55.0	118.5
Perinatal Conditions	937.5	1,095.0
Pneumonia and Influenza	0.0	16.5
Septicemia	45.0	98.5
SIDS	125.0	146.0
Stroke	135.0	305.5
Suicide	690.0	1,016.0
Unintentional Injury	1,072.5	1,573.5
Other	1,225.0	2,474.0
<b>Total</b>	<b>8,385.0</b>	<b>15,401.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Becker County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	255.0	574.5
Cirrhosis	15.0	46.5
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	10.0	58.5
Diabetes	45.0	98.5
Heart Disease	135.0	252.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	10.0	36.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	5.0	15.5
Unintentional Injury	250.0	355.0
Other	197.5	378.5
<b>Total</b>	<b>1,077.5</b>	<b>2,029.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Beltrami County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	215.0	563.0
Cirrhosis	40.0	61.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	20.0	52.0
Heart Disease	160.0	340.0
Homicide	60.0	81.0
Hypertension	5.0	15.5
Nephritis	5.0	32.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	40.0	66.5
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	15.0	42.0
Suicide	95.0	132.0
Unintentional Injury	345.0	487.0
Other	137.5	276.5
<b>Total</b>	<b>1,335.0</b>	<b>2,426.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Benton County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	160.0	431.5
Cirrhosis	20.0	41.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	127.5	180.5
Diabetes	35.0	66.5
Heart Disease	195.0	386.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	16.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	15.0	57.5
Suicide	90.0	137.5
Unintentional Injury	237.5	342.5
Other	155.0	245.0
<b>Total</b>	<b>1,222.5</b>	<b>2,129.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Big Stone County - YPLL to Age 65 and 75, 2008**

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	95.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	5.0	26.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	20.0	46.5
Unintentional Injury	5.0	15.5
Other	35.0	77.5
<b>Total</b>	<b>95.0</b>	<b>287.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Blue Earth County - YPLL to Age 65 and 75, 2008**

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	15.0	25.5
Cancer	165.0	539.5
Cirrhosis	55.0	86.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	87.5	168.0
Diabetes	65.0	96.5
Heart Disease	100.0	265.5
Homicide	0.0	0.0
Hypertension	30.0	51.0
Nephritis	15.0	31.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	40.0	66.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	75.0	106.5
Suicide	70.0	91.0
Unintentional Injury	285.0	400.5
Other	310.0	639.0
<b>Total</b>	<b>1,327.5</b>	<b>2,598.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Brown County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	205.0	498.0
Cirrhosis	5.0	15.5
Congenital Anomalies	107.5	128.5
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	30.0	56.5
Heart Disease	60.0	139.5
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	70.0	91.0
Unintentional Injury	227.5	307.0
Other	167.5	305.5
<b>Total</b>	<b>965.0</b>	<b>1,703.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Carlton County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	20.0	41.0
Cancer	255.0	574.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	45.0	108.5
Diabetes	50.0	135.0
Heart Disease	162.5	337.5
Homicide	0.0	0.0
Hypertension	25.0	35.5
Nephritis	62.5	78.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	11.0
SIDS	62.5	73.0
Stroke	0.0	5.5
Suicide	185.0	237.5
Unintentional Injury	437.5	553.0
Other	187.5	293.5
<b>Total</b>	<b>1,617.5</b>	<b>2,635.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Carver County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	42.0
Atherosclerosis	0.0	0.0
Cancer	345.0	802.5
Cirrhosis	10.0	31.0
Congenital Anomalies	180.0	211.5
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	5.5
Heart Disease	195.0	422.0
Homicide	105.0	136.5
Hypertension	5.0	21.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	70.0	117.5
Suicide	135.0	187.5
Unintentional Injury	395.0	569.0
Other	340.0	553.0
<b>Total</b>	<b>1,987.5</b>	<b>3,366.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Cass County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	130.0	435.5
Cirrhosis	85.0	137.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	40.0	99.5
Diabetes	25.0	35.5
Heart Disease	232.5	467.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	30.0	51.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	35.5
Septicemia	40.0	66.5
SIDS	0.0	0.0
Stroke	60.0	118.5
Suicide	85.0	137.5
Unintentional Injury	285.0	427.5
Other	255.0	394.0
<b>Total</b>	<b>1,360.0</b>	<b>2,499.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Chippewa County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	25.0	95.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	5.5
Heart Disease	20.0	46.5
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	45.0	55.5
Other	45.0	61.0
<b>Total</b>	<b>160.0</b>	<b>325.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Chisago County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	235.0	554.5
Cirrhosis	55.0	86.5
Congenital Anomalies	30.0	51.0
Chronic Lower Respiratory Disease	25.0	100.5
Diabetes	5.0	21.0
Heart Disease	125.0	290.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	11.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	67.5	94.0
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	235.0	335.0
Unintentional Injury	160.0	234.0
Other	255.0	478.5
<b>Total</b>	<b>1,280.0</b>	<b>2,402.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Clay County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	255.0	552.5
Cirrhosis	5.0	15.5
Congenital Anomalies	305.0	357.5
Chronic Lower Respiratory Disease	10.0	47.5
Diabetes	30.0	83.0
Heart Disease	210.0	401.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	20.0	46.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	0.0
Septicemia	35.0	45.5
SIDS	62.5	73.0
Stroke	20.0	41.0
Suicide	100.0	163.0
Unintentional Injury	407.5	560.0
Other	135.0	321.0
<b>Total</b>	<b>1,797.5</b>	<b>2,957.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Clearwater County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	75.0	192.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	5.5
Heart Disease	60.0	125.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	0.0	0.0
Unintentional Injury	45.0	55.5
Other	20.0	63.0
<b>Total</b>	<b>272.5</b>	<b>567.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Cook County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	20.0	73.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	5.5
Heart Disease	10.0	31.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	62.5	73.0
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	5.0	21.0
<b>Total</b>	<b>170.0</b>	<b>313.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Cottonwood County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	202.5
Cirrhosis	0.0	5.5
Congenital Anomalies	170.0	201.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	65.0	128.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	50.0	71.0
Unintentional Injury	15.0	31.0
Other	110.0	174.0
<b>Total</b>	<b>505.0</b>	<b>845.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Crow Wing County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	36.5
Atherosclerosis	0.0	0.0
Cancer	405.0	1,124.0
Cirrhosis	35.0	72.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	10.0	86.0
Diabetes	30.0	121.5
Heart Disease	220.0	544.5
Homicide	25.0	35.5
Hypertension	5.0	26.5
Nephritis	5.0	26.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	11.0
SIDS	62.5	73.0
Stroke	70.0	155.0
Suicide	125.0	177.5
Unintentional Injury	315.0	462.5
Other	247.5	492.5
<b>Total</b>	<b>1,700.0</b>	<b>3,611.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Dakota County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	5.0	37.5
Atherosclerosis	0.0	0.0
Cancer	2,102.5	4,574.5
Cirrhosis	160.0	302.5
Congenital Anomalies	412.5	507.0
Chronic Lower Respiratory Disease	25.0	160.0
Diabetes	215.0	486.0
Heart Disease	925.0	1,839.0
Homicide	175.0	227.5
Hypertension	15.0	63.0
Nephritis	75.0	149.5
Perinatal Conditions	875.0	1,022.0
Pneumonia and Influenza	182.5	267.0
Septicemia	65.0	102.0
SIDS	62.5	73.0
Stroke	135.0	311.0
Suicide	950.0	1,349.0
Unintentional Injury	1,590.0	2,237.5
Other	1,025.0	2,099.5
<b>Total</b>	<b>9,010.0</b>	<b>15,833.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Dodge County - YPLL to Age 65 and 75, 2008**

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	223.5
Cirrhosis	0.0	0.0
Congenital Anomalies	35.0	45.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	30.0	88.5
Homicide	115.0	146.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	115.0	167.5
Unintentional Injury	45.0	76.5
Other	117.5	176.0
<b>Total</b>	<b>682.5</b>	<b>1,122.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Douglas County - YPLL to Age 65 and 75, 2008**

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	190.0	482.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	40.0	61.0
Diabetes	0.0	5.5
Heart Disease	155.0	314.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	21.0
Septicemia	25.0	41.0
SIDS	62.5	73.0
Stroke	10.0	36.5
Suicide	70.0	91.0
Unintentional Injury	185.0	264.0
Other	85.0	208.0
<b>Total</b>	<b>890.0</b>	<b>1,676.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Faribault County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	295.5
Cirrhosis	50.0	92.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	5.0	15.5
Heart Disease	15.0	90.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	70.0	117.5
Other	105.0	207.0
<b>Total</b>	<b>365.0</b>	<b>854.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Fillmore County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	220.0
Cirrhosis	0.0	0.0
Congenital Anomalies	20.0	41.0
Chronic Lower Respiratory Disease	5.0	37.5
Diabetes	0.0	5.5
Heart Disease	85.0	175.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	10.0	36.5
Suicide	5.0	15.5
Unintentional Injury	312.5	428.0
Other	87.5	157.0
<b>Total</b>	<b>662.5</b>	<b>1,194.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Freeborn County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	5.0	15.5
Cancer	200.0	562.0
Cirrhosis	30.0	72.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	57.5
Diabetes	0.0	0.0
Heart Disease	175.0	361.0
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	100.0	163.0
Unintentional Injury	192.5	277.0
Other	115.0	238.0
<b>Total</b>	<b>862.5</b>	<b>1,825.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Goodhue County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	350.0	797.0
Cirrhosis	10.0	31.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	30.0	73.0
Diabetes	45.0	108.5
Heart Disease	85.0	191.5
Homicide	35.0	45.5
Hypertension	5.0	21.0
Nephritis	5.0	15.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	30.0	51.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	62.0
Suicide	175.0	233.0
Unintentional Injury	515.0	715.0
Other	310.0	522.0
<b>Total</b>	<b>1,812.5</b>	<b>3,085.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Grant County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	119.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	0.0	0.0
Heart Disease	35.0	56.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	35.0	72.0
Other	40.0	72.0
<b>Total</b>	<b>160.0</b>	<b>346.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Hennepin County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	315.0	520.0
Alzheimer's Disease	15.0	112.5
Atherosclerosis	0.0	11.0
Cancer	6,467.5	14,834.0
Cirrhosis	835.0	1,562.5
Congenital Anomalies	2,282.5	2,755.0
Chronic Lower Respiratory Disease	432.5	1,311.0
Diabetes	625.0	1,377.5
Heart Disease	3,190.0	6,619.0
Homicide	1,677.5	2,187.0
Hypertension	190.0	469.0
Nephritis	232.5	568.5
Perinatal Conditions	3,490.0	4,088.5
Pneumonia and Influenza	455.0	655.5
Septicemia	175.0	450.5
SIDS	812.5	949.0
Stroke	580.0	1,256.5
Suicide	2,440.0	3,559.5
Unintentional Injury	5,925.0	8,591.0
Other	5,672.5	10,307.0
<b>Total</b>	<b>35,812.5</b>	<b>62,184.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Houston County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	214.5
Cirrhosis	30.0	51.0
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	15.0	52.0
Heart Disease	75.0	117.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	85.0	116.5
Unintentional Injury	85.0	148.5
Other	25.0	89.5
<b>Total</b>	<b>450.0</b>	<b>897.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Hubbard County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	160.0	394.0
Cirrhosis	30.0	51.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	15.0	31.0
Heart Disease	55.0	168.0
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	15.0	47.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	30.0	51.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	30.0	62.0
Suicide	120.0	183.0
Unintentional Injury	135.0	187.5
Other	70.0	145.0
<b>Total</b>	<b>882.5</b>	<b>1,611.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Isanti County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	145.0	433.5
Cirrhosis	10.0	36.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	0.0
Heart Disease	50.0	125.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	140.0	208.5
Unintentional Injury	125.0	204.0
Other	145.0	289.0
<b>Total</b>	<b>817.5</b>	<b>1,595.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Itasca County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	285.0	774.5
Cirrhosis	5.0	15.5
Congenital Anomalies	122.5	154.0
Chronic Lower Respiratory Disease	40.0	131.5
Diabetes	15.0	36.5
Heart Disease	180.0	516.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	26.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	35.0	72.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	20.0	84.0
Suicide	160.0	249.5
Unintentional Injury	325.0	430.0
Other	225.0	422.0
<b>Total</b>	<b>1,480.0</b>	<b>2,996.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Jackson County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	178.0
Cirrhosis	0.0	0.0
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	30.0	99.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	20.0	41.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	5.0	32.0
<b>Total</b>	<b>182.5</b>	<b>450.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Kanabec County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	140.0	369.5
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	22.0
Heart Disease	70.0	160.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	11.0
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	85.0	116.5
Unintentional Injury	170.0	259.5
Other	125.0	251.5
<b>Total</b>	<b>630.0</b>	<b>1,300.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Kandiyohi County - YPLL to Age 65 and 75, 2008**

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	5.0	21.0
Cancer	255.0	563.5
Cirrhosis	35.0	66.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	37.5
Diabetes	25.0	35.5
Heart Disease	115.0	248.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	62.0
Suicide	170.0	233.0
Unintentional Injury	105.0	195.0
Other	152.5	285.5
<b>Total</b>	<b>1,150.0</b>	<b>2,079.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

**Kittson County - YPLL to Age 65 and 75, 2008**

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	118.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	15.5
Heart Disease	0.0	16.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	15.0	36.5
<b>Total</b>	<b>75.0</b>	<b>187.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Koochiching County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	65.0	225.5
Cirrhosis	15.0	25.5
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	30.0	56.5
Heart Disease	70.0	182.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	20.0	41.0
SIDS	0.0	0.0
Stroke	25.0	41.0
Suicide	80.0	101.0
Unintentional Injury	25.0	41.0
Other	25.0	62.0
<b>Total</b>	<b>422.5</b>	<b>875.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Lac Qui Parle County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	73.0
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	10.0	58.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	80.0	101.0
Unintentional Injury	30.0	62.0
Other	15.0	25.5
<b>Total</b>	<b>185.0</b>	<b>355.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Lake County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	0.0	16.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	20.0	52.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	60.0	81.0
Other	0.0	11.0
<b>Total</b>	<b>142.5</b>	<b>239.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Lake of the Woods County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	85.0	218.0
Cirrhosis	40.0	61.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	10.0	53.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	5.0	15.5
Unintentional Injury	0.0	5.5
Other	20.0	84.0
<b>Total</b>	<b>242.5</b>	<b>573.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Le Sueur County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	140.0	347.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	10.0	47.5
Heart Disease	125.0	294.5
Homicide	55.0	65.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	35.0	45.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	45.0	76.5
Unintentional Injury	95.0	132.0
Other	170.0	250.0
<b>Total</b>	<b>752.5</b>	<b>1,400.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Lincoln County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	0.0	27.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	5.5
Heart Disease	20.0	52.0
Homicide	55.0	65.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	0.0	0.0
Unintentional Injury	0.0	11.0
Other	5.0	15.5
<b>Total</b>	<b>167.5</b>	<b>317.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Lyon County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	374.0
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	0.0	27.5
Heart Disease	45.0	119.5
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	150.0	192.0
Unintentional Injury	345.0	445.0
Other	110.0	206.0
<b>Total</b>	<b>975.0</b>	<b>1,624.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Mahnomens County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	58.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	25.0	41.0
Heart Disease	20.0	52.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	41.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	167.5	209.5
Other	0.0	5.5
<b>Total</b>	<b>310.0</b>	<b>486.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Marshall County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	144.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	25.0	73.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	35.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	45.0	55.5
Unintentional Injury	62.5	73.0
Other	82.5	114.0
<b>Total</b>	<b>382.5</b>	<b>584.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Martin County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	95.0	272.0
Cirrhosis	0.0	0.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	5.0	26.5
Heart Disease	50.0	135.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	10.0	31.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	35.0	77.5
Other	150.0	304.5
<b>Total</b>	<b>360.0</b>	<b>910.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## McLeod County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	145.0	391.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	25.0	73.0
Diabetes	20.0	52.0
Heart Disease	85.0	212.5
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	10.0	31.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	80.0	101.0
Suicide	95.0	153.0
Unintentional Injury	80.0	127.5
Other	80.0	202.5
<b>Total</b>	<b>717.5</b>	<b>1,494.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Meeker County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	130.0	295.5
Cirrhosis	70.0	133.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	47.5
Diabetes	0.0	5.5
Heart Disease	45.0	129.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	35.0	77.5
Suicide	35.0	66.5
Unintentional Injury	112.5	170.5
Other	157.5	280.0
<b>Total</b>	<b>657.5</b>	<b>1,295.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Mille Lacs County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	265.0	558.0
Cirrhosis	0.0	22.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	63.0
Diabetes	80.0	159.5
Heart Disease	35.0	120.5
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	25.0	35.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	45.0	72.0
Septicemia	20.0	46.5
SIDS	0.0	0.0
Stroke	15.0	42.0
Suicide	100.0	142.0
Unintentional Injury	315.0	441.5
Other	65.0	183.5
<b>Total</b>	<b>1,115.0</b>	<b>2,058.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Morrison County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	5.0	15.5
Cancer	195.0	489.0
Cirrhosis	25.0	35.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	0.0	0.0
Heart Disease	40.0	148.0
Homicide	112.5	144.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	125.0	146.0
Stroke	5.0	21.0
Suicide	80.0	101.0
Unintentional Injury	237.5	332.5
Other	70.0	181.5
<b>Total</b>	<b>1,217.5</b>	<b>2,026.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Mower County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	180.0	527.5
Cirrhosis	20.0	46.5
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	25.0	67.5
Diabetes	5.0	26.5
Heart Disease	85.0	202.5
Homicide	45.0	55.5
Hypertension	0.0	5.5
Nephritis	0.0	11.0
Perinatal Conditions	117.5	138.5
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	25.0	46.5
Suicide	40.0	61.0
Unintentional Injury	327.5	432.5
Other	110.0	264.5
<b>Total</b>	<b>985.0</b>	<b>1,906.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Murray County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	5.0	43.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	30.0	78.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	35.0	45.5
Unintentional Injury	5.0	15.5
Other	15.0	31.0
<b>Total</b>	<b>152.5</b>	<b>286.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Nicollet County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	185.0	445.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	5.0	21.0
Heart Disease	100.0	174.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	0.0	0.0
Unintentional Injury	90.0	137.5
Other	45.0	119.5
<b>Total</b>	<b>560.0</b>	<b>1,096.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Nobles County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	230.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	35.0	45.5
Heart Disease	50.0	108.5
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	105.0	136.5
Unintentional Injury	50.0	76.5
Other	217.5	355.5
<b>Total</b>	<b>657.5</b>	<b>1,104.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Norman County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	10.0	58.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	0.0	0.0
Heart Disease	0.0	16.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	95.0	126.5
Other	15.0	63.0
<b>Total</b>	<b>155.0</b>	<b>331.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Olmsted County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	825.0	1,767.0
Cirrhosis	85.0	185.0
Congenital Anomalies	265.0	317.5
Chronic Lower Respiratory Disease	15.0	74.0
Diabetes	45.0	76.5
Heart Disease	405.0	931.0
Homicide	85.0	116.5
Hypertension	0.0	5.5
Nephritis	15.0	36.5
Perinatal Conditions	437.5	511.0
Pneumonia and Influenza	20.0	41.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	167.5	241.5
Suicide	350.0	502.5
Unintentional Injury	512.5	713.0
Other	485.0	910.0
<b>Total</b>	<b>3,790.0</b>	<b>6,538.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Otter Tail County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	5.5
Cancer	340.0	770.5
Cirrhosis	0.0	5.5
Congenital Anomalies	50.0	71.0
Chronic Lower Respiratory Disease	15.0	90.5
Diabetes	0.0	0.0
Heart Disease	200.0	471.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	20.0	46.5
Septicemia	75.0	106.5
SIDS	0.0	0.0
Stroke	80.0	176.0
Suicide	160.0	223.0
Unintentional Injury	355.0	518.0
Other	192.5	400.5
<b>Total</b>	<b>1,487.5</b>	<b>2,890.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Pennington County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	99.5
Cirrhosis	10.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	0.0	5.5
Heart Disease	85.0	175.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	210.0	273.0
Other	25.0	73.0
<b>Total</b>	<b>365.0</b>	<b>693.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Pine County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	150.0	481.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	40.0	131.5
Diabetes	10.0	47.5
Heart Disease	105.0	255.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	25.0	62.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	62.5	78.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	22.0
Suicide	80.0	122.0
Unintentional Injury	130.0	172.0
Other	95.0	211.5
<b>Total</b>	<b>837.5</b>	<b>1,766.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Pipestone County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	197.0
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	30.0	51.0
Diabetes	25.0	35.5
Heart Disease	10.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	25.0	35.5
Unintentional Injury	55.0	86.5
Other	60.0	134.0
<b>Total</b>	<b>367.5</b>	<b>707.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Polk County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	120.0	366.0
Cirrhosis	20.0	41.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	86.0
Diabetes	25.0	52.0
Heart Disease	110.0	253.5
Homicide	0.0	5.5
Hypertension	0.0	0.0
Nephritis	5.0	32.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	30.0	56.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	45.0	76.5
Unintentional Injury	115.0	188.5
Other	125.0	301.0
<b>Total</b>	<b>677.5</b>	<b>1,590.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Pope County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	256.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	15.0	25.5
Heart Disease	0.0	16.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	10.0	31.0
Suicide	0.0	0.0
Unintentional Injury	125.0	177.5
Other	15.0	64.0
<b>Total</b>	<b>312.5</b>	<b>665.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Ramsey County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	160.0	249.5
Alzheimer's Disease	30.0	83.0
Atherosclerosis	0.0	0.0
Cancer	2,602.5	6,361.5
Cirrhosis	435.0	799.0
Congenital Anomalies	857.5	1,057.5
Chronic Lower Respiratory Disease	140.0	622.0
Diabetes	265.0	681.5
Heart Disease	1,355.0	2,936.5
Homicide	695.0	915.5
Hypertension	65.0	150.5
Nephritis	65.0	225.5
Perinatal Conditions	1,742.5	2,036.5
Pneumonia and Influenza	40.0	98.5
Septicemia	97.5	171.5
SIDS	125.0	146.0
Stroke	355.0	760.0
Suicide	1,300.0	1,872.5
Unintentional Injury	2,292.5	3,329.0
Other	3,165.0	5,667.0
<b>Total</b>	<b>15,787.5</b>	<b>28,163.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Red Lake County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	57.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	15.0	52.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	35.0	45.5
Other	0.0	0.0
<b>Total</b>	<b>65.0</b>	<b>166.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Redwood County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	70.0	181.5
Cirrhosis	45.0	76.5
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	21.0
Heart Disease	45.0	125.0
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	70.0	91.0
Unintentional Injury	110.0	168.5
Other	45.0	119.5
<b>Total</b>	<b>497.5</b>	<b>949.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Renville County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	185.0	370.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	25.5
Heart Disease	55.0	173.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	62.5	73.0
Stroke	5.0	26.5
Suicide	130.0	172.0
Unintentional Injury	122.5	175.0
Other	75.0	171.5
<b>Total</b>	<b>717.5</b>	<b>1,286.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Rice County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	220.0	711.0
Cirrhosis	40.0	66.5
Congenital Anomalies	145.0	187.0
Chronic Lower Respiratory Disease	65.0	134.0
Diabetes	30.0	56.5
Heart Disease	185.0	386.5
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	55.0	71.0
Suicide	165.0	249.5
Unintentional Injury	350.0	508.0
Other	182.5	396.0
<b>Total</b>	<b>1,577.5</b>	<b>2,948.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Rock County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	75.0	191.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	35.0	56.5
Diabetes	40.0	66.5
Heart Disease	30.0	62.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	45.0	55.5
Unintentional Injury	85.0	116.5
Other	55.0	118.5
<b>Total</b>	<b>447.5</b>	<b>781.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Roseau County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	10.0	69.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	45.0	168.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	21.0
Suicide	80.0	122.0
Unintentional Injury	40.0	61.0
Other	100.0	168.5
<b>Total</b>	<b>367.5</b>	<b>745.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Scott County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	42.0
Atherosclerosis	0.0	0.0
Cancer	682.5	1,394.0
Cirrhosis	40.0	72.0
Congenital Anomalies	130.0	161.5
Chronic Lower Respiratory Disease	105.0	190.5
Diabetes	60.0	123.0
Heart Disease	245.0	488.5
Homicide	20.0	41.0
Hypertension	25.0	56.5
Nephritis	25.0	62.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	26.5
SIDS	62.5	73.0
Stroke	55.0	124.0
Suicide	355.0	491.5
Unintentional Injury	672.5	909.0
Other	457.5	813.0
<b>Total</b>	<b>3,330.0</b>	<b>5,506.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Sherburne County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	345.0	840.0
Cirrhosis	15.0	31.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	45.0	94.0
Diabetes	25.0	56.5
Heart Disease	130.0	279.0
Homicide	5.0	15.5
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	5.0	15.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	20.0	57.5
Suicide	245.0	339.5
Unintentional Injury	380.0	574.5
Other	315.0	564.5
<b>Total</b>	<b>1,935.0</b>	<b>3,356.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Sibley County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	116.0
Cirrhosis	15.0	25.5
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	11.0
Heart Disease	50.0	97.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	45.0	55.5
Unintentional Injury	30.0	51.0
Other	105.0	168.5
<b>Total</b>	<b>337.5</b>	<b>630.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## St. Louis County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	20.0	100.5
Atherosclerosis	0.0	0.0
Cancer	1,385.0	3,466.0
Cirrhosis	255.0	492.0
Congenital Anomalies	30.0	56.5
Chronic Lower Respiratory Disease	225.0	620.5
Diabetes	110.0	291.0
Heart Disease	865.0	1,902.5
Homicide	205.0	268.0
Hypertension	45.0	77.5
Nephritis	117.5	191.5
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	10.0	58.5
Septicemia	90.0	190.5
SIDS	62.5	73.0
Stroke	145.0	283.5
Suicide	535.0	798.5
Unintentional Injury	1,267.5	1,868.0
Other	930.0	1,852.0
<b>Total</b>	<b>6,547.5</b>	<b>12,882.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Stearns County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	750.0	1,676.0
Cirrhosis	65.0	128.5
Congenital Anomalies	262.5	346.5
Chronic Lower Respiratory Disease	40.0	141.5
Diabetes	85.0	212.5
Heart Disease	325.0	686.5
Homicide	5.0	15.5
Hypertension	10.0	47.5
Nephritis	0.0	5.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	40.0	61.0
Septicemia	15.0	31.0
SIDS	62.5	73.0
Stroke	40.0	104.0
Suicide	345.0	529.0
Unintentional Injury	655.0	940.0
Other	612.5	1,069.5
<b>Total</b>	<b>3,525.0</b>	<b>6,322.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Steele County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	335.0
Cirrhosis	35.0	77.5
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	10.0	47.5
Heart Disease	70.0	187.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	77.5	104.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	85.0	116.5
Unintentional Injury	262.5	357.0
Other	212.5	340.0
<b>Total</b>	<b>930.0</b>	<b>1,680.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Stevens County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	95.0	196.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	25.0	56.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	0.0	0.0
Other	40.0	108.5
<b>Total</b>	<b>185.0</b>	<b>402.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Swift County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	5.0	15.5
Cancer	80.0	181.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	5.0	21.0
Heart Disease	65.0	124.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	0.0	0.0
Unintentional Injury	45.0	76.5
Other	60.0	92.0
<b>Total</b>	<b>280.0</b>	<b>568.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Todd County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	142.5	351.5
Cirrhosis	35.0	72.0
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	20.0	67.5
Diabetes	0.0	0.0
Heart Disease	25.0	94.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	15.0	31.0
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	15.0	25.5
Unintentional Injury	227.5	349.0
Other	20.0	73.0
<b>Total</b>	<b>555.0</b>	<b>1,193.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Traverse County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	36.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	11.0
Heart Disease	20.0	52.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	62.5	73.0
Other	0.0	5.5
<b>Total</b>	<b>102.5</b>	<b>210.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Wabasha County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	125.0	280.0
Cirrhosis	25.0	56.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	0.0	11.0
Heart Disease	45.0	108.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	55.0	86.5
Unintentional Injury	75.0	106.5
Other	15.0	53.0
<b>Total</b>	<b>542.5</b>	<b>979.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Wadena County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	235.5
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	44.0
Diabetes	0.0	0.0
Heart Disease	35.0	115.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	20.0	41.0
Other	35.0	99.5
<b>Total</b>	<b>272.5</b>	<b>684.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Waseca County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	75.0	219.0
Cirrhosis	0.0	0.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	90.0	164.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	40.0	61.0
Unintentional Injury	5.0	21.0
Other	80.0	176.0
<b>Total</b>	<b>487.5</b>	<b>902.0</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Washington County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	27.5
Atherosclerosis	0.0	5.5
Cancer	1,445.0	3,210.5
Cirrhosis	60.0	145.0
Congenital Anomalies	390.0	463.5
Chronic Lower Respiratory Disease	45.0	185.5
Diabetes	135.0	332.0
Heart Disease	667.5	1,276.0
Homicide	25.0	35.5
Hypertension	5.0	26.5
Nephritis	15.0	36.5
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	20.0	57.5
Septicemia	45.0	76.5
SIDS	62.5	73.0
Stroke	115.0	248.0
Suicide	645.0	886.5
Unintentional Injury	880.0	1,227.0
Other	902.5	1,581.5
<b>Total</b>	<b>5,857.5</b>	<b>10,367.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Watonwan County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	5.0	59.5
Cirrhosis	0.0	5.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	75.0	170.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	40.0	61.0
Unintentional Injury	40.0	66.5
Other	60.0	92.0
<b>Total</b>	<b>475.0</b>	<b>784.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Wilkin County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	135.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	35.0	51.0
Heart Disease	55.0	124.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	5.0	21.0
<b>Total</b>	<b>150.0</b>	<b>336.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Winona County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	175.0	567.0
Cirrhosis	35.0	72.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	63.0
Diabetes	0.0	11.0
Heart Disease	130.0	316.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	31.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	35.0	45.5
Septicemia	0.0	11.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	15.0	25.5
Unintentional Injury	280.0	396.0
Other	90.0	262.0
<b>Total</b>	<b>992.5</b>	<b>2,050.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Wright County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	510.0	1,118.0
Cirrhosis	40.0	72.0
Congenital Anomalies	170.0	201.5
Chronic Lower Respiratory Disease	80.0	230.0
Diabetes	70.0	171.5
Heart Disease	285.0	624.5
Homicide	15.0	25.5
Hypertension	5.0	32.0
Nephritis	0.0	5.5
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	55.0	65.5
Septicemia	30.0	51.0
SIDS	0.0	0.0
Stroke	82.5	125.0
Suicide	220.0	336.0
Unintentional Injury	752.5	995.0
Other	462.5	796.5
<b>Total</b>	<b>3,027.5</b>	<b>5,152.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

## Yellow Medicine County - YPLL to Age 65 and 75, 2008

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	126.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	21.0
SIDS	62.5	73.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	65.0	96.5
Other	55.0	92.0
<b>Total</b>	<b>232.5</b>	<b>451.5</b>

Source: Minnesota Department of Health, Center for Health Statistics

<b>Major Causes of Death</b>	<b>ICD-10 Codes</b>
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2008**

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
<b>State of Minnesota</b>	<b>132</b>	<b>1,870</b>	<b>2,002</b>	<b>27</b>	<b>101</b>	<b>128</b>	<b>30</b>	<b>563</b>	<b>593</b>
Aitkin	0	13	13	0	1	1	0	3	3
Anoka	7	79	86	2	7	9	1	35	36
Becker	0	24	24	0	0	0	0	2	2
Beltrami	2	16	18	0	2	2	0	5	5
Benton	1	15	16	0	0	0	0	6	6
Big Stone	0	3	3	0	0	0	0	3	3
Blue Earth	1	13	14	0	0	0	0	2	2
Brown	2	16	18	0	0	0	1	1	2
Carlton	3	18	21	0	0	0	1	5	6
Carver	2	26	28	0	3	3	0	5	5
Cass	2	20	22	0	0	0	0	5	5
Chippewa	1	4	5	0	1	1	0	0	0
Chisago	1	18	19	0	0	0	1	9	10
Clay	2	21	23	0	0	0	0	6	6
Clearwater	0	4	4	0	0	0	0	0	0
Cook	0	1	1	0	0	0	0	0	0
Cottonwood	0	5	5	0	0	0	0	2	2
Crow Wing	3	31	34	0	1	1	0	6	6
Dakota	12	90	102	1	4	5	0	41	41
Dodge	0	5	5	1	2	3	0	6	6
Douglas	0	12	12	0	0	0	0	2	2
Faribault	0	7	7	0	0	0	0	0	0
Fillmore	2	15	17	0	0	0	0	1	1
Freeborn	1	20	21	0	0	0	0	6	6
Goodhue	4	30	34	0	1	1	2	4	6
Grant	0	5	5	0	0	0	0	0	0
Hennepin	21	453	474	10	40	50	6	114	120
Houston	0	11	11	0	0	0	1	2	3
Hubbard	1	9	10	0	1	1	0	7	7
Isanti	0	12	12	0	0	0	0	7	7
Itasca	3	14	17	0	0	0	0	10	10
Jackson	0	0	0	0	0	0	0	0	0
Kanabec	1	13	14	0	0	0	0	3	3
Kandiyohi	1	16	17	0	1	1	2	4	6
Kittson	0	1	1	0	0	0	0	0	0
Koochiching	0	9	9	0	0	0	0	3	3
Lac Qui Parle	0	5	5	0	0	0	0	2	2
Lake	0	3	3	0	0	0	0	1	1
Lake of the Woods	0	4	4	0	0	0	0	0	0
Le Sueur	2	6	8	1	1	2	0	4	4
Lincoln	0	4	4	1	0	1	0	0	0
Lyon	4	10	14	0	1	1	1	3	4
McLeod	0	10	10	0	1	1	0	6	6
Mahnomen	2	2	4	0	0	0	0	0	0
Marshall	1	1	2	0	0	0	0	1	1
Martin	0	6	6	0	0	0	0	0	0
Meeker	1	13	14	0	0	0	0	3	3
Mille Lacs	1	18	19	0	0	0	0	4	4
Morrison	2	11	13	2	1	3	0	2	2

**Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2008**

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
<b>State of Minnesota</b>	<b>132</b>	<b>1,870</b>	<b>2,002</b>	<b>27</b>	<b>101</b>	<b>128</b>	<b>30</b>	<b>563</b>	<b>593</b>
Mower	2	16	18	0	1	1	0	2	2
Murray	0	4	4	0	0	0	0	1	1
Nicollet	0	6	6	0	0	0	0	0	0
Nobles	1	2	3	1	0	1	0	5	5
Norman	1	3	4	0	0	0	0	1	1
Olmsted	3	29	32	0	3	3	1	15	16
Otter Tail	1	25	26	0	0	0	0	7	7
Pennington	1	8	9	0	0	0	0	0	0
Pine	0	10	10	0	0	0	0	5	5
Pipestone	0	5	5	0	0	0	0	1	1
Polk	0	17	17	0	1	1	0	4	4
Pope	0	12	12	0	0	0	0	0	0
Ramsey	6	156	162	4	18	22	5	56	61
Red Lake	0	1	1	0	0	0	0	0	0
Redwood	1	7	8	1	0	1	1	1	2
Renville	1	9	10	0	0	0	0	4	4
Rice	0	26	26	1	0	1	1	8	9
Rock	0	9	9	0	0	0	0	1	1
Roseau	0	5	5	0	0	0	0	4	4
St. Louis	6	99	105	2	4	6	2	28	30
Scott	5	31	36	0	2	2	0	13	13
Sherburne	0	24	24	0	1	1	1	8	9
Sibley	0	4	4	0	0	0	1	0	1
Stearns	2	47	49	0	1	1	0	18	18
Steele	1	11	12	0	0	0	1	3	4
Stevens	0	1	1	0	0	0	0	1	1
Swift	0	5	5	0	0	0	0	0	0
Todd	2	11	13	0	0	0	0	1	1
Traverse	1	1	2	0	0	0	0	0	0
Wabasha	1	6	7	0	0	0	0	3	3
Wadena	0	4	4	0	0	0	0	1	1
Waseca	0	2	2	0	0	0	0	2	2
Washington	5	55	60	0	1	1	0	23	23
Watonwan	0	4	4	0	0	0	0	2	2
Wilkin	0	1	1	0	0	0	0	0	0
Winona	2	22	24	0	0	0	0	1	1
Wright	3	44	47	0	1	1	1	13	14
Yellow Medicine	1	6	7	0	0	0	0	0	0

Source: Minnesota Department of Health, Center for Health Statistics

**ICD-10 Codes:**

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

**Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2008**

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
<b>State of Minnesota</b>	<b>3</b>	<b>698</b>	<b>701</b>	<b>56</b>	<b>434</b>	<b>490</b>	<b>5</b>	<b>29</b>	<b>34</b>
Aitkin	0	1	1	0	8	8	0	0	0
Anoka	0	32	32	3	15	18	1	0	1
Becker	0	6	6	0	9	9	0	0	0
Beltrami	0	2	2	2	7	9	0	0	0
Benton	0	5	5	1	3	4	0	0	0
Big Stone	0	2	2	0	1	1	0	0	0
Blue Earth	0	1	1	0	7	7	0	0	0
Brown	0	8	8	1	4	5	0	0	0
Carlton	0	5	5	0	2	2	0	0	0
Carver	0	8	8	2	10	12	0	1	1
Cass	0	7	7	0	5	5	0	1	1
Chippewa	0	1	1	1	1	2	0	0	0
Chisago	0	8	8	1	3	4	0	0	0
Clay	0	5	5	0	5	5	0	1	1
Clearwater	0	2	2	0	0	0	0	0	0
Cook	0	0	0	0	0	0	0	0	0
Cottonwood	0	3	3	0	1	1	0	0	0
Crow Wing	0	11	11	0	6	6	0	0	0
Dakota	0	42	42	3	19	22	0	2	2
Dodge	0	1	1	0	3	3	0	0	0
Douglas	0	2	2	0	7	7	0	0	0
Faribault	0	0	0	0	3	3	0	0	0
Fillmore	0	5	5	0	6	6	1	0	1
Freeborn	0	8	8	0	5	5	1	0	1
Goodhue	0	14	14	2	8	10	0	0	0
Grant	0	2	2	0	1	1	0	0	0
Hennepin	0	206	206	5	63	68	1	7	8
Houston	0	2	2	0	4	4	0	0	0
Hubbard	0	0	0	1	2	3	0	0	0
Isanti	0	5	5	0	3	3	0	0	0
Itasca	0	5	5	1	1	2	0	2	2
Jackson	0	0	0	0	0	0	0	0	0
Kanabec	0	2	2	1	7	8	0	0	0
Kandiyohi	0	7	7	1	4	5	0	0	0
Kittson	0	1	1	0	0	0	0	0	0
Koochiching	0	4	4	0	1	1	0	0	0
Lac Qui Parle	0	1	1	0	4	4	0	0	0
Lake	0	0	0	0	0	0	0	0	0
Lake of the Woods	0	2	2	0	2	2	0	0	0
Le Sueur	0	2	2	2	2	4	0	0	0
Lincoln	0	3	3	0	1	1	0	0	0
Lyon	0	2	2	4	4	8	0	1	1
McLeod	0	7	7	0	2	2	0	0	0
Mahnomen	0	0	0	1	1	2	0	0	0
Marshall	0	1	1	0	0	0	0	0	0
Martin	0	2	2	0	2	2	0	0	0
Meeker	0	4	4	0	2	2	0	1	1
Mille Lacs	0	7	7	1	5	6	0	0	0
Morrison	0	1	1	2	5	7	0	0	0

**Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2008**

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
<b>State of Minnesota</b>	<b>3</b>	<b>698</b>	<b>701</b>	<b>56</b>	<b>434</b>	<b>490</b>	<b>5</b>	<b>29</b>	<b>34</b>
Mower	0	3	3	1	5	6	1	1	2
Murray	0	3	3	0	1	1	0	0	0
Nicollet	0	1	1	0	1	1	0	0	0
Nobles	0	0	0	1	1	2	0	0	0
Norman	0	1	1	1	1	2	0	0	0
Olmsted	0	12	12	1	9	10	0	1	1
Otter Tail	0	9	9	1	7	8	0	0	0
Pennington	0	2	2	1	4	5	0	0	0
Pine	0	3	3	0	3	3	0	0	0
Pipestone	0	2	2	0	1	1	0	0	0
Polk	0	6	6	0	5	5	0	1	1
Pope	0	6	6	0	2	2	0	0	0
Ramsey	2	45	47	1	24	25	0	4	4
Red Lake	0	0	0	0	1	1	0	0	0
Redwood	0	0	0	1	3	4	0	0	0
Renville	0	4	4	0	1	1	0	0	0
Rice	0	10	10	0	5	5	0	1	1
Rock	0	4	4	0	4	4	0	0	0
Roseau	0	1	1	0	1	1	0	0	0
St. Louis	0	41	41	3	22	25	0	3	3
Scott	0	11	11	3	14	17	0	0	0
Sherburne	0	4	4	0	6	6	0	0	0
Sibley	0	1	1	0	1	1	0	0	0
Stearns	0	12	12	0	13	13	0	1	1
Steele	0	3	3	1	4	5	0	0	0
Stevens	0	1	1	0	0	0	0	0	0
Swift	0	2	2	0	2	2	0	0	0
Todd	0	2	2	1	4	5	0	0	0
Traverse	0	0	0	0	0	0	0	0	0
Wabasha	0	3	3	0	3	3	0	0	0
Wadena	0	1	1	0	1	1	0	0	0
Waseca	0	0	0	0	0	0	0	0	0
Washington	1	24	25	2	9	11	0	0	0
Watonwan	0	2	2	0	1	1	0	0	0
Wilkin	0	1	1	0	0	0	0	0	0
Winona	0	11	11	1	1	2	0	1	1
Wright	0	18	18	2	18	20	0	0	0
Yellow Medicine	0	4	4	0	2	2	0	0	0

Source: Minnesota Department of Health Center for Health Statistics

**ICD-10 Codes:**

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

**Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>12</b>	<b>0.1%</b>	<b>1,920</b>	<b>14.5%</b>	<b>1,147</b>	<b>8.3%</b>	<b>1,262</b>	<b>9.6%</b>
Aitkin	1	1.2%	4	7.0%	7	8.1%	3	5.3%
Anoka	1	0.2%	90	15.2%	55	8.7%	37	6.3%
Becker	0	0.0%	12	12.4%	12	12.6%	7	7.2%
Beltrami	1	0.9%	6	5.5%	9	8.0%	21	19.3%
Benton	0	0.0%	20	18.0%	8	8.2%	7	6.3%
Big Stone	1	3.7%	5	15.6%	1	3.7%	3	9.4%
Blue Earth	0	0.0%	21	14.2%	12	9.8%	14	9.5%
Brown	0	0.0%	17	15.9%	10	9.6%	11	10.3%
Carlton	0	0.0%	17	14.5%	13	9.4%	8	6.8%
Carver	0	0.0%	29	22.0%	14	9.9%	9	6.8%
Cass	0	0.0%	13	12.4%	13	9.7%	8	7.6%
Chippewa	0	0.0%	6	14.0%	8	15.1%	5	11.6%
Chisago	0	0.0%	13	11.1%	5	4.3%	8	6.8%
Clay	1	0.7%	21	16.0%	14	9.3%	22	16.8%
Clearwater	0	0.0%	5	20.0%	2	5.9%	3	12.0%
Cook	0	0.0%	3	27.3%	0	0.0%	0	0.0%
Cottonwood	0	0.0%	7	14.9%	5	10.6%	7	14.9%
Crow Wing	0	0.0%	20	11.0%	15	7.1%	18	9.9%
Dakota	0	0.0%	128	16.0%	60	8.1%	66	8.3%
Dodge	0	0.0%	8	19.0%	1	2.4%	2	4.8%
Douglas	0	0.0%	14	14.3%	12	9.2%	12	12.2%
Faribault	0	0.0%	9	12.3%	3	4.9%	6	8.2%
Fillmore	0	0.0%	14	19.4%	14	14.9%	12	16.7%
Freeborn	0	0.0%	20	20.0%	12	9.4%	16	16.0%
Goodhue	0	0.0%	27	18.4%	9	5.9%	19	12.9%
Grant	0	0.0%	3	10.0%	2	6.9%	2	6.7%
Hennepin	2	0.1%	425	15.3%	178	6.6%	245	8.8%
Houston	0	0.0%	11	19.6%	5	7.8%	3	5.4%
Hubbard	1	1.3%	7	11.1%	5	6.5%	4	6.3%
Isanti	1	1.2%	11	15.3%	4	4.9%	3	4.2%
Itasca	0	0.0%	16	11.1%	23	11.1%	16	11.1%
Jackson	0	0.0%	4	10.5%	4	10.3%	4	10.5%
Kanabec	0	0.0%	6	16.2%	5	7.1%	4	10.8%
Kandiyohi	0	0.0%	20	17.9%	9	7.1%	14	12.5%
Kittson	0	0.0%	3	23.1%	3	13.6%	0	0.0%
Koochiching	0	0.0%	9	14.1%	5	7.7%	8	12.5%
Lac Qui Parle	0	0.0%	10	28.6%	9	24.3%	4	11.4%
Lake	0	0.0%	4	8.9%	4	10.0%	3	6.7%
Lake of the Woods	0	0.0%	2	16.7%	6	19.4%	1	8.3%
Le Sueur	0	0.0%	12	17.6%	4	5.4%	5	7.4%
Lincoln	0	0.0%	4	13.8%	6	18.2%	8	27.6%
Lyon	0	0.0%	12	17.4%	6	6.3%	12	17.4%
McLeod	0	0.0%	17	19.1%	11	10.9%	8	9.0%
Mahnomen	0	0.0%	2	16.7%	2	11.8%	0	0.0%
Marshall	0	0.0%	7	30.4%	6	21.4%	4	17.4%
Martin	0	0.0%	8	9.5%	8	10.1%	9	10.7%
Meeker	0	0.0%	6	8.2%	6	8.6%	5	6.8%
Mille Lacs	0	0.0%	10	13.9%	11	12.0%	2	2.8%
Morrison	0	0.0%	10	10.9%	14	13.2%	8	8.7%

**Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	0	0.0%	22	16.2%	14	9.4%	4	2.9%
Murray	0	0.0%	4	10.0%	3	7.3%	5	12.5%
Nicollet	0	0.0%	9	10.6%	5	7.7%	11	12.9%
Nobles	0	0.0%	6	12.5%	11	16.7%	6	12.5%
Norman	0	0.0%	4	14.3%	0	0.0%	1	3.6%
Olmsted	0	0.0%	45	14.6%	17	5.5%	28	9.1%
Otter Tail	1	0.4%	26	13.3%	25	10.5%	21	10.8%
Pennington	0	0.0%	5	11.4%	1	2.2%	2	4.5%
Pine	0	0.0%	15	14.9%	13	10.5%	9	8.9%
Pipestone	0	0.0%	4	12.5%	7	13.2%	5	15.6%
Polk	0	0.0%	15	17.6%	10	10.2%	11	12.9%
Pope	0	0.0%	3	6.8%	5	9.4%	10	22.7%
Ramsey	1	0.1%	179	12.9%	101	7.5%	128	9.2%
Red Lake	0	0.0%	2	15.4%	2	12.5%	2	15.4%
Redwood	0	0.0%	12	19.0%	4	5.6%	7	11.1%
Renville	0	0.0%	12	20.0%	8	10.5%	4	6.7%
Rice	0	0.0%	16	11.1%	18	10.8%	17	11.8%
Rock	0	0.0%	10	27.8%	3	9.4%	6	16.7%
Roseau	0	0.0%	8	20.5%	5	9.8%	5	12.8%
St. Louis	0	0.0%	82	11.1%	60	8.4%	72	9.7%
Scott	0	0.0%	36	18.6%	17	8.4%	23	11.9%
Sherburne	0	0.0%	16	13.2%	15	10.8%	5	4.1%
Sibley	0	0.0%	5	9.1%	2	3.8%	9	16.4%
Stearns	0	0.0%	41	14.0%	25	8.3%	36	12.3%
Steele	0	0.0%	15	16.3%	8	7.8%	12	13.0%
Stevens	0	0.0%	4	12.9%	2	7.1%	1	3.2%
Swift	0	0.0%	4	10.3%	6	12.8%	5	12.8%
Todd	1	0.9%	12	14.8%	14	13.2%	7	8.6%
Traverse	0	0.0%	2	10.0%	2	11.8%	2	10.0%
Wabasha	0	0.0%	13	21.0%	11	14.9%	10	16.1%
Wadena	0	0.0%	12	31.6%	5	7.6%	4	10.5%
Waseca	0	0.0%	9	18.0%	5	9.3%	5	10.0%
Washington	0	0.0%	65	15.9%	35	8.4%	42	10.3%
Watonwan	0	0.0%	9	18.8%	1	3.0%	3	6.3%
Wilkin	0	0.0%	3	11.5%	3	13.6%	3	11.5%
Winona	0	0.0%	16	10.5%	17	13.0%	15	9.9%
Wright	0	0.0%	25	11.8%	15	7.0%	24	11.3%
Yellow Medicine	0	0.0%	6	12.2%	2	4.7%	6	12.2%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

\*\*Includes number of deaths for the years 2004, 2005 and 2006.

\*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

**ICD 10 Codes:**

Breast C50.0 - C50.6, C50.8 - C50.9  
 Colon and Rectum C18 - C20, C26.0

**Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>3,845</b>	<b>27.9%</b>	<b>3,145</b>	<b>23.8%</b>	<b>1,533</b>	<b>11.1%</b>	<b>0</b>	<b>0.0%</b>
Aitkin	26	30.2%	16	28.1%	12	14.0%	0	0.0%
Anoka	170	27.0%	182	30.8%	38	6.0%	0	0.0%
Becker	32	33.7%	32	33.0%	8	8.4%	0	0.0%
Beltrami	38	33.9%	33	30.3%	10	8.9%	0	0.0%
Benton	30	30.6%	24	21.6%	5	5.1%	0	0.0%
Big Stone	10	37.0%	8	25.0%	2	7.4%	0	0.0%
Blue Earth	34	27.9%	35	23.6%	12	9.8%	0	0.0%
Brown	18	17.3%	22	20.6%	15	14.4%	0	0.0%
Carlton	38	27.5%	33	28.2%	17	12.3%	0	0.0%
Carver	34	24.1%	27	20.5%	15	10.6%	0	0.0%
Cass	52	38.8%	37	35.2%	7	5.2%	0	0.0%
Chippewa	13	24.5%	8	18.6%	5	9.4%	0	0.0%
Chisago	45	38.5%	35	29.9%	13	11.1%	0	0.0%
Clay	43	28.5%	26	19.8%	23	15.2%	0	0.0%
Clearwater	7	20.6%	1	4.0%	5	14.7%	0	0.0%
Cook	6	37.5%	2	18.2%	2	12.5%	0	0.0%
Cottonwood	14	29.8%	4	8.5%	5	10.6%	0	0.0%
Crow Wing	66	31.4%	55	30.4%	24	11.4%	0	0.0%
Dakota	205	27.6%	180	22.5%	63	8.5%	0	0.0%
Dodge	11	26.8%	11	26.2%	4	9.8%	0	0.0%
Douglas	38	29.0%	26	26.5%	10	7.6%	0	0.0%
Faribault	19	31.1%	17	23.3%	7	11.5%	0	0.0%
Fillmore	21	22.3%	10	13.9%	13	13.8%	0	0.0%
Freeborn	39	30.5%	16	16.0%	14	10.9%	0	0.0%
Goodhue	47	30.9%	30	20.4%	22	14.5%	0	0.0%
Grant	9	31.0%	7	23.3%	4	13.8%	0	0.0%
Hennepin	751	27.7%	658	23.6%	295	10.9%	0	0.0%
Houston	14	21.9%	13	23.2%	8	12.5%	0	0.0%
Hubbard	27	35.1%	18	28.6%	9	11.7%	0	0.0%
Isanti	24	29.3%	15	20.8%	14	17.1%	0	0.0%
Itasca	63	30.4%	30	20.8%	29	14.0%	0	0.0%
Jackson	10	25.6%	4	10.5%	5	12.8%	0	0.0%
Kanabec	30	42.9%	12	32.4%	11	15.7%	0	0.0%
Kandiyohi	40	31.5%	23	20.5%	15	11.8%	0	0.0%
Kittson	5	22.7%	2	15.4%	3	13.6%	0	0.0%
Koochiching	19	29.2%	19	29.7%	10	15.4%	0	0.0%
Lac Qui Parle	9	24.3%	4	11.4%	4	10.8%	0	0.0%
Lake	11	27.5%	13	28.9%	4	10.0%	0	0.0%
Lake of the Woods	9	29.0%	7	58.3%	2	6.5%	0	0.0%
Le Sueur	27	36.5%	18	26.5%	6	8.1%	0	0.0%
Lincoln	12	36.4%	1	3.4%	4	12.1%	0	0.0%
Lyon	23	24.2%	10	14.5%	17	17.9%	0	0.0%
McLeod	28	27.7%	14	15.7%	16	15.8%	0	0.0%
Mahnomen	6	35.3%	3	25.0%	3	17.6%	0	0.0%
Marshall	7	25.0%	4	17.4%	2	7.1%	0	0.0%
Martin	18	22.8%	18	21.4%	9	11.4%	0	0.0%
Meeker	23	32.9%	14	19.2%	7	10.0%	0	0.0%
Mille Lacs	30	32.6%	22	30.6%	11	12.0%	0	0.0%
Morrison	30	28.3%	23	25.0%	13	12.3%	0	0.0%

**Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	33	22.1%	31	22.8%	23	15.4%	0	0.0%
Murray	8	19.5%	10	25.0%	6	14.6%	0	0.0%
Nicollet	17	26.2%	16	18.8%	6	9.2%	0	0.0%
Nobles	20	30.3%	9	18.8%	7	10.6%	0	0.0%
Norman	11	28.2%	7	25.0%	9	23.1%	0	0.0%
Olmsted	79	25.6%	70	22.7%	26	8.4%	0	0.0%
Otter Tail	70	29.3%	37	19.0%	25	10.5%	0	0.0%
Pennington	12	26.1%	9	20.5%	11	23.9%	0	0.0%
Pine	44	35.5%	27	26.7%	11	8.9%	0	0.0%
Pipestone	13	24.5%	5	15.6%	2	3.8%	0	0.0%
Polk	23	23.5%	21	24.7%	9	9.2%	0	0.0%
Pope	10	18.9%	11	25.0%	7	13.2%	0	0.0%
Ramsey	390	28.8%	353	25.4%	140	10.3%	0	0.0%
Red Lake	4	25.0%	4	30.8%	3	18.8%	0	0.0%
Redwood	18	25.4%	14	22.2%	16	22.5%	0	0.0%
Renville	15	19.7%	9	15.0%	10	13.2%	0	0.0%
Rice	43	25.7%	30	20.8%	17	10.2%	0	0.0%
Rock	7	21.9%	4	11.1%	6	18.8%	0	0.0%
Roseau	9	17.6%	6	15.4%	12	23.5%	0	0.0%
St. Louis	189	26.4%	197	26.7%	93	13.0%	0	0.0%
Scott	45	22.3%	52	26.8%	23	11.4%	0	0.0%
Sherburne	35	25.2%	37	30.6%	7	5.0%	0	0.0%
Sibley	14	26.9%	14	25.5%	9	17.3%	0	0.0%
Stearns	84	27.9%	62	21.2%	44	14.6%	0	0.0%
Steele	31	30.4%	15	16.3%	9	8.8%	0	0.0%
Stevens	4	14.3%	5	16.1%	5	17.9%	0	0.0%
Swift	9	19.1%	4	10.3%	15	31.9%	0	0.0%
Todd	37	34.9%	19	23.5%	6	5.7%	0	0.0%
Traverse	3	17.6%	7	35.0%	0	0.0%	0	0.0%
Wabasha	27	36.5%	11	17.7%	5	6.8%	0	0.0%
Wadena	20	30.3%	4	10.5%	12	18.2%	0	0.0%
Waseca	15	27.8%	8	16.0%	6	11.1%	0	0.0%
Washington	114	27.4%	101	24.8%	46	11.1%	0	0.0%
Watonwan	8	24.2%	6	12.5%	8	24.2%	0	0.0%
Wilkin	4	18.2%	2	7.7%	5	22.7%	0	0.0%
Winona	38	29.0%	34	22.4%	15	11.5%	0	0.0%
Wright	50	23.3%	60	28.3%	24	11.2%	0	0.0%
Yellow Medicine	10	23.3%	12	24.5%	3	7.0%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

\*\*Includes number of deaths for the years 2004, 2005 and 2006.

\*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

**ICD 10 Codes:**

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

**Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>7,232</b>	<b>52.5%</b>	<b>6,881</b>	<b>52.1%</b>	<b>13,769</b>	<b>100%</b>	<b>13,208</b>	<b>100%</b>
Aitkin	40	46.5%	34	59.6%	86	100%	57	100%
Anoka	366	58.1%	282	47.7%	630	100%	591	100%
Becker	43	45.3%	46	47.4%	95	100%	97	100%
Beltrami	54	48.2%	49	45.0%	112	100%	109	100%
Benton	55	56.1%	60	54.1%	98	100%	111	100%
Big Stone	13	48.1%	16	50.0%	27	100%	32	100%
Blue Earth	64	52.5%	78	52.7%	122	100%	148	100%
Brown	61	58.7%	57	53.3%	104	100%	107	100%
Carlton	70	50.7%	59	50.4%	138	100%	117	100%
Carver	78	55.3%	67	50.8%	141	100%	132	100%
Cass	62	46.3%	47	44.8%	134	100%	105	100%
Chippewa	27	50.9%	24	55.8%	53	100%	43	100%
Chisago	54	46.2%	61	52.1%	117	100%	117	100%
Clay	70	46.4%	62	47.3%	151	100%	131	100%
Clearwater	20	58.8%	16	64.0%	34	100%	25	100%
Cook	8	50.0%	6	54.5%	16	100%	11	100%
Cottonwood	23	48.9%	29	61.7%	47	100%	47	100%
Crow Wing	105	50.0%	88	48.6%	210	100%	181	100%
Dakota	414	55.8%	425	53.2%	742	100%	799	100%
Dodge	25	61.0%	21	50.0%	41	100%	42	100%
Douglas	71	54.2%	46	46.9%	131	100%	98	100%
Faribault	32	52.5%	41	56.2%	61	100%	73	100%
Fillmore	46	48.9%	36	50.0%	94	100%	72	100%
Freeborn	63	49.2%	48	48.0%	128	100%	100	100%
Goodhue	74	48.7%	71	48.3%	152	100%	147	100%
Grant	14	48.3%	18	60.0%	29	100%	30	100%
Hennepin	1,482	54.7%	1,457	52.3%	2,708	100%	2,785	100%
Houston	37	57.8%	29	51.8%	64	100%	56	100%
Hubbard	35	45.5%	34	54.0%	77	100%	63	100%
Isanti	39	47.6%	43	59.7%	82	100%	72	100%
Itasca	92	44.4%	82	56.9%	207	100%	144	100%
Jackson	20	51.3%	26	68.4%	39	100%	38	100%
Kanabec	24	34.3%	15	40.5%	70	100%	37	100%
Kandiyohi	63	49.6%	55	49.1%	127	100%	112	100%
Kittson	11	50.0%	8	61.5%	22	100%	13	100%
Koochiching	31	47.7%	28	43.8%	65	100%	64	100%
Lac Qui Parle	15	40.5%	17	48.6%	37	100%	35	100%
Lake	21	52.5%	25	55.6%	40	100%	45	100%
Lake of the Woods	14	45.2%	2	16.7%	31	100%	12	100%
Le Sueur	37	50.0%	33	48.5%	74	100%	68	100%
Lincoln	11	33.3%	16	55.2%	33	100%	29	100%
Lyon	49	51.6%	35	50.7%	95	100%	69	100%
McLeod	46	45.5%	50	56.2%	101	100%	89	100%
Mahnomen	6	35.3%	7	58.3%	17	100%	12	100%
Marshall	13	46.4%	8	34.8%	28	100%	23	100%
Martin	44	55.7%	49	58.3%	79	100%	84	100%
Meeker	34	48.6%	48	65.8%	70	100%	73	100%
Mille Lacs	40	43.5%	38	52.8%	92	100%	72	100%
Morrison	49	46.2%	51	55.4%	106	100%	92	100%

**Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
Mower	79	53.0%	79	58.1%	149	100%	136	100%
Murray	24	58.5%	21	52.5%	41	100%	40	100%
Nicollet	37	56.9%	49	57.6%	65	100%	85	100%
Nobles	28	42.4%	27	56.3%	66	100%	48	100%
Norman	19	48.7%	16	57.1%	39	100%	28	100%
Olmsted	186	60.4%	166	53.7%	308	100%	309	100%
Otter Tail	118	49.4%	111	56.9%	239	100%	195	100%
Pennington	22	47.8%	28	63.6%	46	100%	44	100%
Pine	56	45.2%	50	49.5%	124	100%	101	100%
Pipestone	31	58.5%	18	56.3%	53	100%	32	100%
Polk	56	57.1%	38	44.7%	98	100%	85	100%
Pope	31	58.5%	20	45.5%	53	100%	44	100%
Ramsey	722	53.3%	728	52.4%	1,354	100%	1,388	100%
Red Lake	7	43.8%	5	38.5%	16	100%	13	100%
Redwood	33	46.5%	30	47.6%	71	100%	63	100%
Renville	43	56.6%	35	58.3%	76	100%	60	100%
Rice	89	53.3%	81	56.3%	167	100%	144	100%
Rock	16	50.0%	16	44.4%	32	100%	36	100%
Roseau	25	49.0%	20	51.3%	51	100%	39	100%
St. Louis	373	52.2%	388	52.5%	715	100%	739	100%
Scott	117	57.9%	83	42.8%	202	100%	194	100%
Sherburne	82	59.0%	63	52.1%	139	100%	121	100%
Sibley	27	51.9%	27	49.1%	52	100%	55	100%
Stearns	148	49.2%	153	52.4%	301	100%	292	100%
Steele	54	52.9%	50	54.3%	102	100%	92	100%
Stevens	17	60.7%	21	67.7%	28	100%	31	100%
Swift	17	36.2%	26	66.7%	47	100%	39	100%
Todd	48	45.3%	43	53.1%	106	100%	81	100%
Traverse	12	70.6%	9	45.0%	17	100%	20	100%
Wabasha	31	41.9%	28	45.2%	74	100%	62	100%
Wadena	29	43.9%	18	47.4%	66	100%	38	100%
Waseca	28	51.9%	28	56.0%	54	100%	50	100%
Washington	221	53.1%	200	49.0%	416	100%	408	100%
Watonwan	16	48.5%	30	62.5%	33	100%	48	100%
Wilkin	10	45.5%	18	69.2%	22	100%	26	100%
Winona	61	46.6%	87	57.2%	131	100%	152	100%
Wright	126	58.6%	103	48.6%	215	100%	212	100%
Yellow Medicine	28	65.1%	25	51.0%	43	100%	49	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

\*\*Includes number of deaths for the years 2004, 2005 and 2006.

\*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

**ICD 10 Codes:**

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death

## Section D: Morbidity and Utilization

### Tables

---

Table 1: Number of Cases of Vaccine Preventable Disease

Table 2: Number of Cases of Sexually Transmitted Diseases

Table 3: Number of Cases of Other Reportable Diseases

Table 4: Motor Vehicle Injuries by Severity

Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured

Tables 6, 7, and 8: Number of Cases of Cancer Diagnosed by Major Site & Sex

Tables 9 and 10: Traumatic Brain Injury and Spinal Cord Injuries

Tables 11 and 12: Minnesota Behavioral Risk Factors of Adults

**Morbidity Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota  
By State and County, 2008**

	<b>Mumps</b>	<b>Pertussis</b>	<b>Hepatitis A</b>	<b>Hepatitis B</b>
<b>State of Minnesota</b>	<b>34</b>	<b>1,034</b>	<b>49</b>	<b>24</b>
Aitkin	0	3	0	0
Anoka	6	25	1	1
Becker	0	0	0	0
Beltrami	0	26	0	0
Benton	0	2	0	0
Big Stone	0	0	0	0
Blue Earth	0	0	1	2
Brown	0	0	1	0
Carlton	0	0	0	0
Carver	0	36	0	0
Cass	1	1	0	0
Chippewa	0	4	0	0
Chisago	1	3	0	1
Clay	0	3	0	0
Clearwater	0	1	0	0
Cook	0	0	0	0
Cottonwood	0	0	1	0
Crow Wing	1	14	1	0
Dakota	2	359	1	2
Dodge	0	0	0	0
Douglas	0	88	0	0
Faribault	0	0	0	0
Fillmore	0	0	1	0
Freeborn	0	12	0	0
Goodhue	0	1	0	0
Grant	0	0	0	0
Hennepin	6	187	9	8
Houston	0	1	0	0
Hubbard	0	2	0	0
Isanti	0	0	0	0
Itasca	2	1	0	0
Jackson	0	0	0	0
Kanabec	0	0	0	0
Kandiyohi	0	3	0	0
Kittson	0	0	0	0
Koochiching	0	0	0	0
Lac Qui Parle	0	3	0	0
Lake	0	0	0	0
Lake of the Woods	0	0	0	0
Le Sueur	0	4	0	0
Lincoln	0	0	0	0
Lyon	0	4	3	0
McLeod	0	0	0	0
Mahnomen	0	0	0	0
Marshall	0	0	0	0
Martin	0	0	0	1
Meeker	0	1	0	0
Mille Lacs	0	0	0	0
Morrison	0	4	0	1
Mower	0	8	2	0
Murray	0	0	0	0
Nicollet	0	1	0	0

**Morbidity Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota By State and County, 2008**

	<b>Mumps</b>	<b>Pertussis</b>	<b>Hepatitis A</b>	<b>Hepatitis B</b>
<b>State of Minnesota</b>	<b>34</b>	<b>1,034</b>	<b>49</b>	<b>24</b>
Nobles	0	0	2	1
Norman	0	0	0	0
Olmsted	0	8	2	0
Otter Tail	0	30	0	0
Pennington	0	1	0	0
Pine	0	0	0	0
Pipestone	0	0	0	0
Polk	0	2	0	0
Pope	0	1	0	0
Ramsey	3	53	1	2
Red Lake	0	0	0	0
Redwood	0	1	0	0
Renville	0	0	0	1
Rice	1	9	2	0
Rock	0	0	0	0
Roseau	0	0	0	0
St. Louis	5	12	0	1
Scott	0	26	1	0
Sherburne	0	21	0	0
Sibley	0	1	1	1
Stearns	3	13	1	0
Steele	1	2	9	0
Stevens	0	0	0	0
Swift	0	3	0	0
Todd	0	2	0	0
Traverse	0	0	0	0
Wabasha	0	0	4	0
Wadena	0	0	1	0
Waseca	0	1	1	0
Washington	2	28	0	1
Watonwan	0	0	0	0
Wilkin	0	0	0	0
Winona	0	4	0	0
Wright	0	18	3	1
Yellow Medicine	0	1	0	0

Source: Minnesota Department of Health - Immunization, TB & International Health Section

Note: There were no cases of diphtheria, rubella or polio in Minnesota in 2007. There was one case of measles and one case of tetanus in Minnesota in 2007.

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Infectious Disease Epidemiology Prevention and Control Division at 651/201-5414

**Morbidity Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota By State and County, 2008**

	Chlamydia <sup>1</sup>	Gonorrhea <sup>1</sup>	Primary/Secondary Syphilis	Syphilis - All Stages <sup>2</sup>	HIV <sup>3</sup>
<b>State of Minnesota</b>	<b>14,350</b>	<b>3,036</b>	<b>116</b>	<b>263</b>	<b>326</b>
Aitkin	9	3	0	0	0
Anoka	747	96	2	6	9
Becker	46	3	0	0	0
Beltrami	151	18	0	0	1
Benton	40	8	0	0	0
Big Stone	5	2	0	0	0
Blue Earth	212	21	2	5	1
Brown	35	1	0	0	0
Carlton	64	7	0	0	0
Carver	96	9	0	0	3
Cass	55	7	0	0	0
Chippewa	21	4	0	0	0
Chisago	80	8	0	0	2
Clay	120	8	0	0	0
Clearwater	13	0	0	0	0
Cook	4	1	0	0	0
Cottonwood	6	2	0	0	0
Crow Wing	89	8	0	0	0
Dakota	779	109	2	9	19
Dodge	29	3	0	1	0
Douglas	27	5	0	0	0
Faribault	18	2	0	0	0
Fillmore	19	5	0	1	0
Freeborn	53	2	0	1	0
Goodhue	66	11	0	1	1
Grant	3	0	0	0	0
Hennepin	5,002	1,448	79	162	204
Houston	35	4	0	0	0
Hubbard	16	0	0	0	0
Isanti	43	6	1	1	2
Itasca	72	11	0	0	1
Jackson	12	1	0	0	2
Kanabec	26	0	0	0	0
Kandiyohi	104	16	0	0	0
Kittson	2	0	0	0	0
Koochiching	27	0	0	0	0
Lac Qui Parle	3	1	0	0	0
Lake	6	3	0	0	0
Lake of the Woods	0	0	0	0	0
Le Sueur	31	1	0	0	2
Lincoln	3	0	0	0	0
Lyon	53	10	0	0	0
McLeod	54	4	0	0	0
Mahnomen	14	0	0	0	0
Marshall	11	0	0	0	0
Martin	12	1	0	0	0
Meeker	20	4	0	0	1
Mille Lacs	39	2	0	0	1
Morrison	31	3	0	0	0
Mower	126	17	0	1	1
Murray	8	1	0	0	0
Nicollet	35	10	0	0	0

**Morbidity Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota By State and County, 2008**

	Chlamydia <sup>1</sup>	Gonorrhea <sup>1</sup>	Primary/Secondary Syphilis	Syphilis - All Stages <sup>2</sup>	HIV <sup>3</sup>
<b>State of Minnesota</b>	<b>14,350</b>	<b>3,036</b>	<b>116</b>	<b>263</b>	<b>326</b>
Nobles	64	3	0	1	0
Norman	6	0	0	0	0
Olmsted	349	116	1	6	3
Otter Tail	45	0	0	0	0
Pennington	13	1	0	0	0
Pine	34	2	0	0	0
Pipestone	4	0	0	0	0
Polk	44	3	0	1	0
Pope	3	1	0	0	0
Ramsey	2,393	556	15	32	40
Red Lake	3	0	0	0	0
Redwood	13	1	0	0	1
Renville	23	4	1	1	0
Rice	137	9	2	2	6
Rock	3	0	0	0	0
Roseau	19	3	0	0	0
St. Louis	533	97	1	1	1
Scott	204	22	1	2	6
Sherburne	114	11	1	2	8
Sibley	12	1	0	1	0
Stearns	402	99	2	6	3
Steele	75	25	0	2	0
Stevens	7	0	0	0	0
Swift	27	4	0	0	0
Todd	15	3	0	0	0
Traverse	2	0	0	0	0
Wabasha	40	1	0	0	0
Wadena	13	0	0	0	0
Waseca	34	5	0	0	0
Washington	324	47	3	7	6
Watonwan	17	0	0	0	0
Wilkin	5	0	0	0	0
Winona	81	3	1	1	1
Wright	170	24	1	2	1
Yellow Medicine	10	1	0	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

<sup>1</sup> Data exclude cases diagnosed in federal or private correctional facilities; County data missing for 540 chlamydia, 108 gonorrhea, 1 primary/secondary syphilis case, and 8 all stages syphilis cases.

<sup>2</sup>Neurosyphilis, primary, secondary, early latent, late latent, congenital and other syphilis

<sup>3</sup> HIV infection includes all new cases of HIV infection (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2008.

HIV Surveillance Reports, MDH [www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html](http://www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html)

STD Surveillance Reports, MDH: [www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html](http://www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html)

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, contact the Acute Disease Epidemiology Section at 651/201-5414.

**Morbidity Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota  
By State and County, 2008**

	Campylo- bacteriosis	Giardiasis	Lyme Disease <sup>1</sup>	Human Anaplasmosis <sup>1</sup>	West Nile <sup>2</sup>	Salmo- nellosis	Shig- ellosis	Tuber- culosis
<b>State of Minnesota</b>	<b>885</b>	<b>756</b>	<b>1,050</b>	<b>278</b>	<b>10</b>	<b>756</b>	<b>311</b>	<b>211</b>
Aitkin	1	2	17	14	0	0	0	0
Anoka	30	21	71	11	1	50	23	5
Becker	2	4	21	6	1	1	0	0
Beltrami	7	6	32	32	0	2	13	1
Benton	17	3	6	1	0	8	9	1
Big Stone	0	0	0	0	0	0	0	0
Blue Earth	6	5	0	1	0	5	0	0
Brown	10	2	2	0	0	7	0	0
Carlton	0	5	37	9	0	5	0	0
Carver	21	8	10	2	0	17	6	2
Cass	1	4	32	29	0	1	1	0
Chippewa	3	2	1	0	0	3	1	0
Chisago	7	4	20	5	0	15	1	0
Clay	4	6	6	0	0	6	2	0
Clearwater	2	1	5	5	0	0	1	0
Cook	0	0	0	0	0	1	0	0
Cottonwood	2	1	0	0	0	1	0	1
Crow Wing	12	3	65	20	1	17	0	1
Dakota	59	29	44	11	0	38	7	12
Dodge	5	2	3	0	0	5	0	0
Douglas	8	5	1	0	1	8	0	0
Faribault	6	3	0	1	0	0	0	0
Fillmore	6	0	2	0	0	2	0	0
Freeborn	6	8	3	0	0	0	1	0
Goodhue	7	3	8	1	0	4	0	1
Grant	0	1	0	0	0	1	0	0
Hennepin	191	168	159	35	0	191	129	97
Houston	9	3	11	1	0	3	0	0
Hubbard	1	5	12	17	0	2	0	0
Isanti	3	4	11	2	0	5	0	0
Itasca	5	4	51	8	0	0	0	0
Jackson	6	1	1	0	0	4	0	0
Kanabec	2	0	8	5	0	0	0	0
Kandiyohi	14	18	3	0	0	6	28	0
Kittson	0	0	1	0	0	0	0	0
Koochiching	1	0	2	0	0	0	0	1
Lac Qui Parle	3	1	0	0	0	3	0	0
Lake	0	1	4	0	0	0	0	0
Lake of the Woods	1	2	0	0	0	0	0	1
Le Sueur	4	5	1	1	0	2	0	0
Lincoln	4	0	0	0	0	2	0	1
Lyon	8	5	0	0	0	5	0	0
McLeod	3	3	1	1	0	5	0	0
Mahnomen	1	0	0	2	0	0	0	0
Marshall	0	0	1	0	0	0	0	0
Martin	3	1	0	0	0	2	3	0
Meeker	4	3	2	0	0	3	1	0
Mille Lacs	3	3	13	3	0	5	0	0
Morrison	4	3	7	4	0	5	0	0
Mower	15	2	4	0	0	7	1	0
Murray	9	0	0	0	0	0	0	0

**Morbidity Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota By State and County, 2008**

	Campylobacteriosis	Giardiasis	Lyme Disease <sup>1</sup>	Human Anaplasmosis <sup>1</sup>	West Nile <sup>2</sup>	Salmonellosis	Shigellosis	Tuberculosis
<b>State of Minnesota</b>	<b>885</b>	<b>756</b>	<b>1,050</b>	<b>278</b>	<b>10</b>	<b>756</b>	<b>311</b>	<b>211</b>
Nicollet	7	0	0	0	0	5	0	0
Nobles	15	7	0	0	0	1	4	16
Norman	0	1	2	0	0	1	0	0
Olmsted	34	32	15	0	0	19	6	4
Otter Tail	6	3	8	2	0	7	0	0
Pennington	2	1	3	0	0	0	0	0
Pine	4	2	22	6	0	3	0	0
Pipestone	11	3	0	0	0	0	0	0
Polk	4	2	5	1	1	2	0	0
Pope	3	4	0	0	0	3	0	0
Ramsey	76	166	78	10	0	86	38	44
Red Lake	1	0	0	0	0	1	0	0
Redwood	5	1	2	0	1	1	0	0
Renville	1	0	1	1	0	2	0	0
Rice	11	6	7	0	0	5	3	3
Rock	4	0	0	0	0	3	0	0
Roseau	0	2	0	0	0	5	0	0
St. Louis	15	24	48	8	0	15	5	7
Scott	17	20	13	1	0	17	6	2
Sherburne	13	10	30	2	1	9	1	1
Sibley	5	3	0	0	0	1	0	0
Stearns	37	31	19	2	1	23	4	3
Steele	3	5	4	0	1	4	0	1
Stevens	0	1	0	0	1	5	1	0
Swift	7	4	0	0	0	3	0	0
Todd	7	2	10	1	0	2	0	0
Traverse	1	0	0	0	0	0	0	0
Wabasha	6	1	2	3	0	7	0	1
Wadena	4	2	7	3	0	14	0	0
Waseca	3	2	0	0	0	0	0	0
Washington	25	34	65	5	0	26	10	2
Watonwan	0	1	1	0	0	3	0	1
Wilkin	2	0	0	0	0	6	0	0
Winona	17	2	15	2	0	5	0	1
Wright	21	15	15	4	0	23	5	1
Yellow Medicine	2	0	0	0	0	2	1	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

<sup>1</sup>Lyme disease and human anaplasmosis (HA) are caused by bites from blacklegged ticks (deer ticks), which are found in wooded areas of north-central, eastern, and southeastern Minnesota and western Wisconsin. Most Minnesotans with Lyme disease or HA lived or traveled to these areas. County of residence does not always indicate county of tick exposure.

<sup>2</sup>West Nile virus disease is caused by bites from *Culex tarsalis* mosquitoes. These mosquitoes can be found anywhere in Minnesota, but risk is greatest in agricultural areas of western and central Minnesota. County of residence does not always indicate county of mosquito exposure.

For more information on tick- and mosquito-borne diseases, please refer to the MDH Vector-borne Diseases webpage (<http://www.health.state.mn.us/divs/idepc/dtopics/vectorborne/index.html>) or call 651-201-5414.

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 651/201-5414.

**Morbidity Table 4: Motor Vehicle Injuries by Severity in Minnesota  
By State and County, 2008**

	Injury Severity					Total
	Severe	Moderate	Minor	Killed	Unhurt	
<b>State of Minnesota</b>	<b>1,553</b>	<b>8,334</b>	<b>23,492</b>	<b>455</b>	<b>158,401</b>	<b>192,235</b>
Aitkin	7	43	62	6	310	428
Anoka	88	481	1,323	18	7,388	9,298
Becker	12	55	112	6	531	716
Beltrami	24	65	207	4	1,144	1,444
Benton	13	73	180	3	1,263	1,532
Big Stone	2	9	25	0	108	144
Blue Earth	19	151	268	6	2,469	2,913
Brown	4	39	95	3	583	724
Carlton	18	51	97	1	526	693
Carver	20	111	328	10	2,211	2,680
Cass	24	52	73	8	361	518
Chippewa	2	16	42	2	206	268
Chisago	9	116	228	7	1,097	1,457
Clay	9	69	241	4	1,822	2,145
Clearwater	9	20	19	1	148	197
Cook	5	14	27	1	198	245
Cottonwood	6	29	48	2	187	272
Crow Wing	19	117	262	5	1,458	1,861
Dakota	70	427	1,623	20	9,979	12,119
Dodge	8	32	64	2	342	448
Douglas	9	91	242	9	1,339	1,690
Faribault	4	24	44	2	234	308
Fillmore	12	22	59	11	394	498
Freeborn	16	54	206	12	1,093	1,381
Goodhue	24	128	195	4	1,372	1,723
Grant	2	19	23	1	106	151
Hennepin	254	1,930	6,396	53	45,203	53,836
Houston	4	23	63	2	471	563
Hubbard	2	45	60	3	274	384
Isanti	16	76	102	4	623	821
Itasca	12	75	217	5	913	1,222
Jackson	3	16	26	1	189	235
Kanabec	4	19	58	4	196	281
Kandiyohi	20	106	230	3	1,168	1,527
Kittson	3	8	15	0	27	53
Koochiching	1	27	39	1	200	268
Lac Qui Parle	1	11	12	2	84	110
Lake	6	20	26	0	177	229
Lake of the Woods	1	5	8	2	42	58
Le Sueur	15	42	92	4	552	705
Lincoln	5	9	17	2	104	137
Lyon	23	59	76	7	532	697
McLeod	8	53	127	1	905	1,094
Mahnomen	5	12	13	2	90	122
Marshall	1	7	13	0	72	93
Martin	9	16	88	3	522	638
Meeker	10	43	72	4	391	520
Mille Lacs	14	53	151	5	477	700
Morrison	16	71	133	10	603	833
Mower	14	47	134	4	1,213	1,412
Murray	2	15	21	0	104	142

**Morbidity Table 4: Motor Vehicle Injuries by Severity in Minnesota  
By State and County, 2008**

	Injury Severity					
	Severe	Moderate	Minor	Killed	Unhurt	Total
<b>State of Minnesota</b>	<b>1,553</b>	<b>8,334</b>	<b>23,492</b>	<b>455</b>	<b>158,401</b>	<b>192,235</b>
Nicollet	10	46	101	1	760	918
Nobles	5	43	122	4	636	810
Norman	0	10	23	2	53	88
Olmsted	49	309	667	7	5,003	6,035
Otter Tail	27	96	250	5	1,401	1,779
Pennington	5	22	56	4	308	395
Pine	8	56	141	7	452	664
Pipestone	8	33	38	0	167	246
Polk	11	63	65	8	683	830
Pope	4	19	37	2	157	219
Ramsey	122	754	2,579	17	24,645	28,117
Red Lake	1	4	10	1	28	44
Redwood	5	22	55	2	234	318
Renville	11	22	47	1	235	316
Rice	37	94	251	12	1,291	1,685
Rock	4	15	69	3	263	354
Roseau	2	21	25	1	162	211
St. Louis	70	278	928	22	6,880	8,178
Scott	30	126	471	9	2,408	3,044
Sherburne	24	133	336	8	2,087	2,588
Sibley	9	25	46	3	255	338
Stearns	46	253	824	12	5,267	6,402
Steele	17	58	142	1	989	1,207
Stevens	2	13	31	0	188	234
Swift	4	9	19	3	100	135
Todd	18	38	73	3	318	450
Traverse	0	4	12	0	45	61
Wabasha	11	39	98	3	358	509
Wadena	4	28	43	1	214	290
Waseca	9	29	55	3	363	459
Washington	44	271	864	9	5,435	6,623
Watonwan	4	21	25	0	193	243
Wilkin	5	9	30	1	194	239
Winona	30	98	184	10	1,606	1,928
Wright	28	159	463	17	2,873	3,540
Yellow Medicine	5	18	30	3	147	203

Sources: Minnesota Department of Public Safety

**Severe Injury:** Any injury, other than a fatal injury which prevents the injured person from walking, driving, or normally continuing activities which he/she was capable of performing just before the accident

**Moderate Injury:** Any injury, other than fatal or incapacitating, which is evident to a person other than the injured at the scene of the accident (e.g. bruises, abrasions, swelling, minor lacerations, limping etc.).

**Minor Injury:** None of the above injuries, but is a complaint of physical pain by the injured (e.g. momentary unconsciousness, nausea, hysteria, etc.)

**Morbidity Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured in Minnesota  
By State and County, 2008**

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
<b>State of Minnesota</b>	<b>23,463</b>	<b>78.2</b>	<b>3,070</b>	<b>10.2</b>	<b>3,459</b>	<b>11.5</b>	<b>29,992</b>
Aitkin	76	69.1	28	25.5	6	5.5	110
Anoka	1,445	83.6	130	7.5	153	8.9	1,728
Becker	106	68.4	39	25.2	10	6.5	155
Beltrami	184	65.7	48	17.1	48	17.1	280
Benton	202	81.5	32	12.9	14	5.6	248
Big Stone	20	60.6	10	30.3	3	9.1	33
Blue Earth	302	79.5	41	10.8	37	9.7	380
Brown	87	75.7	18	15.7	10	8.7	115
Carlton	104	71.2	15	10.3	27	18.5	146
Carver	360	84.5	33	7.7	33	7.7	426
Cass	91	69.5	23	17.6	17	13.0	131
Chippewa	36	63.2	14	24.6	7	12.3	57
Chisago	255	78.2	44	13.5	27	8.3	326
Clay	221	77.0	35	12.2	31	10.8	287
Clearwater	19	42.2	17	37.8	9	20.0	45
Cook	33	76.7	5	11.6	5	11.6	43
Cottonwood	55	70.5	10	12.8	13	16.7	78
Crow Wing	273	76.5	38	10.6	46	12.9	357
Dakota	1,583	81.8	128	6.6	225	11.6	1,936
Dodge	66	68.8	23	24.0	7	7.3	96
Douglas	278	83.0	38	11.3	19	5.7	335
Faribault	44	68.8	14	21.9	6	9.4	64
Fillmore	56	65.1	18	20.9	12	14.0	86
Freeborn	179	69.1	47	18.1	33	12.7	259
Goodhue	264	82.5	34	10.6	22	6.9	320
Grant	30	73.2	9	22.0	2	4.9	41
Hennepin	5,865	78.2	497	6.6	1,140	15.2	7,502
Houston	62	72.9	11	12.9	12	14.1	85
Hubbard	79	79.8	10	10.1	10	10.1	99
Isanti	139	77.7	19	10.6	21	11.7	179
Itasca	211	75.4	41	14.6	28	10.0	280
Jackson	35	79.5	7	15.9	2	4.5	44
Kanabec	53	68.8	12	15.6	12	15.6	77
Kandiyohi	241	76.5	45	14.3	29	9.2	315
Kittson	16	72.7	4	18.2	2	9.1	22
Koochiching	45	71.4	9	14.3	9	14.3	63
Lac Qui Parle	16	66.7	4	16.7	4	16.7	24
Lake	32	68.1	5	10.6	10	21.3	47
Lake of the Woods	8	61.5	4	30.8	1	7.7	13
Le Sueur	94	74.6	15	11.9	17	13.5	126
Lincoln	20	62.5	7	21.9	5	15.6	32
Lyon	75	63.0	22	18.5	22	18.5	119
McLeod	145	84.3	17	9.9	10	5.8	172
Mahnomen	16	53.3	10	33.3	4	13.3	30
Marshall	9	45.0	5	25.0	6	30.0	20
Martin	87	79.8	14	12.8	8	7.3	109
Meeker	87	73.1	17	14.3	15	12.6	119
Mille Lacs	166	82.2	29	14.4	7	3.5	202
Morrison	146	69.9	43	20.6	20	9.6	209
Mower	121	70.8	26	15.2	24	14.0	171

**Morbidity Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured in Minnesota  
By State and County, 2008**

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
<b>State of Minnesota</b>	<b>23,463</b>	<b>78.2</b>	<b>3,070</b>	<b>10.2</b>	<b>3,459</b>	<b>11.5</b>	<b>29,992</b>
Murray	27	75.0	5	13.9	4	11.1	36
Nicollet	105	71.9	21	14.4	20	13.7	146
Nobles	122	77.2	25	15.8	11	7.0	158
Norman	19	59.4	6	18.8	7	21.9	32
Olmsted	764	83.7	104	11.4	45	4.9	913
Otter Tail	263	77.4	53	15.6	24	7.1	340
Pennington	52	68.4	13	17.1	11	14.5	76
Pine	153	76.5	24	12.0	23	11.5	200
Pipestone	33	50.0	19	28.8	14	21.2	66
Polk	82	61.7	34	25.6	17	12.8	133
Pope	36	65.5	9	16.4	10	18.2	55
Ramsey	2,364	78.9	206	6.9	428	14.3	2,998
Red Lake	10	71.4	4	28.6	0	0.0	14
Redwood	48	60.8	21	26.6	10	12.7	79
Renville	42	53.8	24	30.8	12	15.4	78
Rice	265	77.9	52	15.3	23	6.8	340
Rock	60	71.4	15	17.9	9	10.7	84
Roseau	27	58.7	11	23.9	8	17.4	46
St. Louis	961	82.3	108	9.3	98	8.4	1,167
Scott	457	81.0	68	12.1	39	6.9	564
Sherburne	374	81.7	47	10.3	37	8.1	458
Sibley	53	70.7	15	20.0	7	9.3	75
Stearns	834	82.6	92	9.1	84	8.3	1,010
Steele	163	81.9	22	11.1	14	7.0	199
Stevens	24	60.0	10	25.0	6	15.0	40
Swift	21	63.6	6	18.2	6	18.2	33
Todd	74	65.5	22	19.5	17	15.0	113
Traverse	9	60.0	5	33.3	1	6.7	15
Wabasha	88	68.8	29	22.7	11	8.6	128
Wadena	50	71.4	9	12.9	11	15.7	70
Waseca	65	71.4	17	18.7	9	9.9	91
Washington	898	84.4	82	7.7	84	7.9	1,064
Watonwan	27	61.4	6	13.6	11	25.0	44
Wilkin	32	74.4	8	18.6	3	7.0	43
Winona	213	74.2	31	10.8	43	15.0	287
Wright	485	80.3	66	10.9	53	8.8	604
Yellow Medicine	26	50.0	17	32.7	9	17.3	52

Sources: Minnesota Department of Public Safety

**Note:** Occupants of vehicles normally equipped with seatbelts includes passenger vehicles, trucks, taxis, etc. This definition excludes motorcycles, buses, snowmobiles, etc.

**Morbidity Table 6: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>91</b>	<b>0.2%</b>	<b>10,387</b>	<b>30.3%</b>	<b>3,774</b>	<b>9.7%</b>	<b>3,620</b>	<b>10.6%</b>
Aitkin	0	0.0%	43	29.9%	25	11.0%	16	11.1%
Anoka	3	0.1%	544	29.7%	214	10.2%	163	8.9%
Becker	0	0.0%	59	28.8%	38	12.5%	21	10.2%
Beltrami	2	0.6%	79	27.9%	31	9.5%	42	14.8%
Benton	0	0.0%	70	29.0%	23	8.5%	21	8.7%
Big Stone	0	0.0%	15	23.1%	13	21.0%	11	16.9%
Blue Earth	1	0.2%	104	31.0%	48	11.9%	46	13.7%
Brown	0	0.0%	65	26.6%	27	11.1%	29	11.9%
Carlton	0	0.0%	69	28.9%	29	9.1%	23	9.6%
Carver	0	0.0%	131	29.9%	40	8.2%	33	7.5%
Cass	0	0.0%	51	21.0%	26	7.8%	37	15.2%
Chippewa	0	0.0%	34	28.8%	20	14.5%	16	13.6%
Chisago	0	0.0%	83	27.9%	32	9.5%	34	11.4%
Clay	1	0.3%	103	30.6%	24	6.9%	40	11.9%
Clearwater	0	0.0%	25	39.7%	12	12.5%	10	15.9%
Cook	0	0.0%	14	26.4%	6	11.8%	5	9.4%
Cottonwood	0	0.0%	31	29.8%	14	12.1%	17	16.3%
Crow Wing	2	0.3%	136	27.8%	56	8.4%	48	9.8%
Dakota	5	0.2%	682	30.9%	211	9.0%	214	9.7%
Dodge	0	0.0%	37	29.1%	10	6.8%	12	9.4%
Douglas	3	0.7%	87	32.2%	49	12.0%	28	10.4%
Faribault	0	0.0%	46	31.9%	17	10.6%	23	16.0%
Fillmore	0	0.0%	64	35.0%	35	16.1%	19	10.4%
Freeborn	0	0.0%	66	26.3%	26	8.0%	32	12.7%
Goodhue	0	0.0%	126	35.5%	36	8.9%	47	13.2%
Grant	0	0.0%	21	35.0%	13	17.3%	6	10.0%
Hennepin	22	0.3%	2,281	30.8%	712	9.4%	693	9.4%
Houston	0	0.0%	58	36.9%	16	9.5%	12	7.6%
Hubbard	1	0.5%	53	29.0%	16	7.3%	15	8.2%
Isanti	1	0.4%	67	33.3%	12	5.2%	13	6.5%
Itasca	0	0.0%	111	30.2%	54	11.7%	46	12.5%
Jackson	0	0.0%	20	29.0%	11	10.7%	10	14.5%
Kanabec	0	0.0%	27	27.3%	16	10.4%	7	7.1%
Kandiyohi	2	0.7%	88	26.4%	33	10.8%	44	13.2%
Kittson	0	0.0%	24	50.0%	8	19.5%	3	6.3%
Koochiching	1	0.6%	30	22.1%	17	10.2%	20	14.7%
Lac Qui Parle	0	0.0%	25	32.5%	11	10.9%	14	18.2%
Lake	0	0.0%	28	26.2%	11	8.8%	15	14.0%
Lake of the Woods	0	0.0%	12	30.8%	8	9.9%	6	15.4%
Le Sueur	0	0.0%	48	25.8%	22	10.2%	30	16.1%
Lincoln	0	0.0%	13	26.5%	2	2.9%	8	16.3%
Lyon	0	0.0%	53	30.3%	18	9.8%	22	12.6%
McLeod	0	0.0%	78	31.6%	24	8.7%	28	11.3%
Mahnomen	0	0.0%	11	32.4%	9	16.4%	2	5.9%
Marshall	0	0.0%	24	33.8%	16	14.3%	10	14.1%
Martin	0	0.0%	62	27.4%	22	10.5%	36	15.9%
Meeker	0	0.0%	45	27.3%	23	11.3%	24	14.5%
Mille Lacs	0	0.0%	64	31.8%	14	6.0%	18	9.0%
Morrison	1	0.3%	71	30.6%	35	10.4%	15	6.5%
Mower	0	0.0%	86	30.6%	40	10.1%	25	8.9%

**Morbidity Table 6: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>91</b>	<b>0.2%</b>	<b>10,387</b>	<b>30.3%</b>	<b>3,774</b>	<b>9.7%</b>	<b>3,620</b>	<b>10.6%</b>
Murray	1	1.0%	24	25.5%	13	13.1%	21	22.3%
Nicollet	1	0.5%	50	26.6%	26	11.8%	22	11.7%
Nobles	0	0.0%	47	28.0%	27	15.2%	24	14.3%
Norman	1	1.2%	20	30.8%	7	8.4%	3	4.6%
Olmsted	1	0.1%	286	31.5%	86	7.8%	70	7.7%
Otter Tail	1	0.2%	136	29.7%	76	12.5%	60	13.1%
Pennington	0	0.0%	23	25.3%	13	10.7%	8	8.8%
Pine	0	0.0%	63	28.3%	28	10.4%	32	14.3%
Pipestone	0	0.0%	43	41.3%	17	13.9%	18	17.3%
Polk	1	0.4%	67	27.9%	25	9.3%	53	22.1%
Pope	0	0.0%	17	24.6%	13	10.6%	6	8.7%
Ramsey	5	0.1%	1,026	30.4%	321	8.9%	358	10.6%
Red Lake	0	0.0%	7	25.9%	6	11.5%	1	3.7%
Redwood	0	0.0%	44	33.6%	17	11.6%	14	10.7%
Renville	1	0.6%	45	28.1%	20	12.5%	20	12.5%
Rice	2	0.5%	98	29.7%	43	10.5%	42	12.7%
Rock	0	0.0%	18	28.6%	7	8.8%	8	12.7%
Roseau	1	0.7%	19	25.0%	12	8.4%	8	10.5%
St Louis	7	0.4%	485	29.9%	176	10.0%	147	9.1%
Scott	3	0.5%	196	33.5%	62	10.9%	65	11.1%
Sherburne	2	0.4%	111	31.4%	35	7.5%	24	6.8%
Sibley	0	0.0%	31	25.8%	10	7.9%	19	15.8%
Stearns	6	0.6%	284	31.2%	100	9.6%	91	10.0%
Steele	0	0.0%	70	30.8%	23	7.6%	38	16.7%
Stevens	0	0.0%	23	30.7%	6	10.5%	6	8.0%
Swift	0	0.0%	39	31.0%	14	13.2%	22	17.5%
Todd	2	0.8%	43	26.4%	36	15.3%	24	14.7%
Traverse	1	2.1%	9	24.3%	4	8.5%	6	16.2%
Wabasha	0	0.0%	50	32.5%	26	13.8%	18	11.7%
Wadena	0	0.0%	36	29.0%	11	7.1%	16	12.9%
Waseca	1	0.6%	39	27.9%	13	8.3%	18	12.9%
Washington	7	0.5%	431	33.5%	142	9.8%	112	8.7%
Watonwan	0	0.0%	33	34.4%	10	10.1%	13	13.5%
Wilkin	0	0.0%	19	30.2%	10	15.9%	12	19.0%
Winona	0	0.0%	116	33.7%	45	12.7%	42	12.2%
Wright	1	0.2%	146	26.3%	52	8.0%	54	9.7%
Yellow Medicine	1	0.9%	27	31.0%	13	11.8%	13	14.9%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

\*\*Includes number of cases diagnosed for the years 2004, 2005 and 2006.

\*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

**ICD-O-3 Site Codes:**

Breast C50.0 - C50.9, excluding lymphomas (ICD-O-3 cell types M959\_ - M998\_)

Colon & Rectum C18.0 - C18.9, C19.9, C20.9, C26.0, excluding lymphomas (ICD-O-3 cell types M959\_ - M998\_)

**Morbidity Table 7: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>4,658</b>	<b>12.0%</b>	<b>4,066</b>	<b>11.9%</b>	<b>12,826</b>	<b>33.1%</b>	<b>0</b>	<b>0.0%</b>
Aitkin	33	14.5%	25	17.4%	76	33.3%	0	0.0%
Anoka	251	11.9%	255	13.9%	692	32.8%	0	0.0%
Becker	32	10.6%	28	13.7%	102	33.7%	0	0.0%
Beltrami	52	16.0%	45	15.9%	122	37.5%	0	0.0%
Benton	27	10.0%	28	11.6%	91	33.7%	0	0.0%
Big Stone	10	16.1%	7	10.8%	17	27.4%	0	0.0%
Blue Earth	51	12.7%	38	11.3%	133	33.0%	0	0.0%
Brown	18	7.4%	25	10.2%	76	31.1%	0	0.0%
Carlton	38	11.9%	34	14.2%	111	34.8%	0	0.0%
Carver	50	10.3%	36	8.2%	184	37.9%	0	0.0%
Cass	43	12.8%	37	15.2%	124	37.0%	0	0.0%
Chippewa	13	9.4%	11	9.3%	48	34.8%	0	0.0%
Chisago	51	15.1%	43	14.5%	110	32.5%	0	0.0%
Clay	46	13.2%	31	9.2%	99	28.4%	0	0.0%
Clearwater	14	14.6%	6	9.5%	25	26.0%	0	0.0%
Cook	4	7.8%	5	9.4%	20	39.2%	0	0.0%
Cottonwood	17	14.7%	12	11.5%	42	36.2%	0	0.0%
Crow Wing	78	11.8%	65	13.3%	263	39.7%	0	0.0%
Dakota	280	12.0%	236	10.7%	745	31.9%	0	0.0%
Dodge	27	18.2%	12	9.4%	42	28.4%	0	0.0%
Douglas	49	12.0%	36	13.3%	144	35.2%	0	0.0%
Faribault	19	11.8%	13	9.0%	55	34.2%	0	0.0%
Fillmore	25	11.5%	14	7.7%	78	35.9%	0	0.0%
Freeborn	40	12.2%	25	10.0%	115	35.2%	0	0.0%
Goodhue	47	11.6%	36	10.1%	130	32.1%	0	0.0%
Grant	10	13.3%	8	13.3%	23	30.7%	0	0.0%
Hennepin	874	11.5%	910	12.3%	2,330	30.7%	0	0.0%
Houston	13	7.7%	15	9.6%	58	34.3%	0	0.0%
Hubbard	29	13.3%	32	17.5%	73	33.5%	0	0.0%
Isanti	30	12.9%	20	10.0%	81	34.9%	0	0.0%
Itasca	72	15.6%	37	10.1%	152	32.9%	0	0.0%
Jackson	11	10.7%	4	5.8%	30	29.1%	0	0.0%
Kanabec	25	16.2%	14	14.1%	49	31.8%	0	0.0%
Kandiyohi	39	12.8%	29	8.7%	106	34.8%	0	0.0%
Kittson	9	22.0%	5	10.4%	14	34.1%	0	0.0%
Koochiching	36	21.6%	24	17.6%	49	29.3%	0	0.0%
Lac Qui Parle	12	11.9%	3	3.9%	45	44.6%	0	0.0%
Lake	16	12.8%	11	10.3%	58	46.4%	0	0.0%
Lake of the Woods	6	7.4%	9	23.1%	31	38.3%	0	0.0%
Le Sueur	32	14.8%	22	11.8%	71	32.9%	0	0.0%
Lincoln	11	15.9%	5	10.2%	31	44.9%	0	0.0%
Lyon	22	12.0%	22	12.6%	62	33.9%	0	0.0%
McLeod	30	10.9%	18	7.3%	114	41.5%	0	0.0%
Mahnomen	8	14.5%	4	11.8%	18	32.7%	0	0.0%
Marshall	12	10.7%	8	11.3%	45	40.2%	0	0.0%
Martin	20	9.6%	21	9.3%	74	35.4%	0	0.0%
Meeker	24	11.8%	19	11.5%	72	35.5%	0	0.0%
Mille Lacs	42	17.9%	31	15.4%	85	36.3%	0	0.0%
Morrison	38	11.3%	36	15.5%	114	34.0%	0	0.0%
Mower	38	9.5%	38	13.5%	161	40.5%	0	0.0%

**Morbidity Table 7: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>4,658</b>	<b>12.0%</b>	<b>4,066</b>	<b>11.9%</b>	<b>12,826</b>	<b>33.1%</b>	<b>0</b>	<b>0.0%</b>
Murray	14	14.1%	10	10.6%	27	27.3%	0	0.0%
Nicollet	27	12.3%	27	14.4%	66	30.0%	0	0.0%
Nobles	22	12.4%	17	10.1%	54	30.3%	0	0.0%
Norman	15	18.1%	11	16.9%	30	36.1%	0	0.0%
Olmsted	117	10.6%	95	10.5%	342	31.1%	0	0.0%
Otter Tail	68	11.2%	55	12.0%	234	38.4%	0	0.0%
Pennington	18	14.8%	11	12.1%	41	33.6%	0	0.0%
Pine	40	14.9%	29	13.0%	87	32.3%	0	0.0%
Pipestone	14	11.5%	9	8.7%	31	25.4%	0	0.0%
Polk	38	14.1%	22	9.2%	83	30.9%	0	0.0%
Pope	13	10.6%	11	15.9%	39	31.7%	0	0.0%
Ramsey	427	11.8%	391	11.6%	1,257	34.8%	0	0.0%
Red Lake	4	7.7%	5	18.5%	20	38.5%	0	0.0%
Redwood	20	13.6%	13	9.9%	54	36.7%	0	0.0%
Renville	20	12.5%	13	8.1%	62	38.8%	0	0.0%
Rice	59	14.4%	37	11.2%	115	28.0%	0	0.0%
Rock	10	12.5%	3	4.8%	24	30.0%	0	0.0%
Roseau	14	9.8%	8	10.5%	51	35.7%	0	0.0%
St. Louis	241	13.6%	224	13.8%	528	29.9%	0	0.0%
Scott	60	10.5%	66	11.3%	158	27.7%	0	0.0%
Sherburne	51	10.9%	42	11.9%	157	33.5%	0	0.0%
Sibley	15	11.8%	13	10.8%	45	35.4%	0	0.0%
Stearns	128	12.3%	104	11.4%	366	35.1%	0	0.0%
Steele	28	9.3%	14	6.2%	116	38.5%	0	0.0%
Stevens	4	7.0%	6	8.0%	19	33.3%	0	0.0%
Swift	13	12.3%	9	7.1%	37	34.9%	0	0.0%
Todd	31	13.1%	20	12.3%	95	40.3%	0	0.0%
Traverse	3	6.4%	6	16.2%	15	31.9%	0	0.0%
Wabasha	28	14.9%	17	11.0%	46	24.5%	0	0.0%
Wadena	23	14.9%	7	5.6%	50	32.5%	0	0.0%
Waseca	18	11.5%	17	12.1%	46	29.3%	0	0.0%
Washington	138	9.5%	150	11.6%	482	33.2%	0	0.0%
Watonwan	13	13.1%	12	12.5%	36	36.4%	0	0.0%
Wilkin	5	7.9%	9	14.3%	16	25.4%	0	0.0%
Winona	50	14.2%	44	12.8%	115	32.6%	0	0.0%
Wright	82	12.6%	80	14.4%	246	37.8%	0	0.0%
Yellow Medicine	12	10.9%	11	12.6%	44	40.0%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

\*\*Includes number of cases diagnosed for the years 2004, 2005 and 2006.

\*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

**ICD-O-3 Site Codes:**

Lung & Bronchus C34.0 - C34.9, excluding lymphomas (ICD-O-3 cell types M959\_ - M998\_)

Prostate C61.9, excluding lymphomas (ICD-O-3 cell types M959\_ - M998\_)

**Morbidity Table 8: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>17,385</b>	<b>44.9%</b>	<b>16,198</b>	<b>47.3%</b>	<b>38,734</b>	<b>100%</b>	<b>34,271</b>	<b>100%</b>
Aitkin	94	41.2%	60	41.7%	228	100%	144	100%
Anoka	947	44.9%	868	47.4%	2,107	100%	1,830	100%
Becker	131	43.2%	97	47.3%	303	100%	205	100%
Beltrami	118	36.3%	117	41.3%	325	100%	283	100%
Benton	129	47.8%	122	50.6%	270	100%	241	100%
Big Stone	22	35.5%	32	49.2%	62	100%	65	100%
Blue Earth	170	42.2%	148	44.0%	403	100%	336	100%
Brown	123	50.4%	125	51.2%	244	100%	244	100%
Carlton	141	44.2%	113	47.3%	319	100%	239	100%
Carver	212	43.6%	238	54.3%	486	100%	438	100%
Cass	142	42.4%	118	48.6%	335	100%	243	100%
Chippewa	57	41.3%	57	48.3%	138	100%	118	100%
Chisago	145	42.9%	137	46.1%	338	100%	297	100%
Clay	179	51.3%	163	48.4%	349	100%	337	100%
Clearwater	45	46.9%	22	34.9%	96	100%	63	100%
Cook	21	41.2%	29	54.7%	51	100%	53	100%
Cottonwood	43	37.1%	44	42.3%	116	100%	104	100%
Crow Wing	264	39.8%	240	49.1%	663	100%	489	100%
Dakota	1,098	46.9%	1,077	48.8%	2,339	100%	2,209	100%
Dodge	69	46.6%	66	52.0%	148	100%	127	100%
Douglas	164	40.1%	119	44.1%	409	100%	270	100%
Faribault	70	43.5%	62	43.1%	161	100%	144	100%
Fillmore	79	36.4%	86	47.0%	217	100%	183	100%
Freeborn	146	44.6%	128	51.0%	327	100%	251	100%
Goodhue	192	47.4%	146	41.1%	405	100%	355	100%
Grant	29	38.7%	25	41.7%	75	100%	60	100%
Hennepin	3,658	48.2%	3,512	47.5%	7,596	100%	7,396	100%
Houston	82	48.5%	72	45.9%	169	100%	157	100%
Hubbard	99	45.4%	83	45.4%	218	100%	183	100%
Isanti	108	46.6%	101	50.2%	232	100%	201	100%
Itasca	184	39.8%	174	47.3%	462	100%	368	100%
Jackson	51	49.5%	35	50.7%	103	100%	69	100%
Kanabec	64	41.6%	51	51.5%	154	100%	99	100%
Kandiyohi	125	41.0%	172	51.7%	305	100%	333	100%
Kittson	10	24.4%	16	33.3%	41	100%	48	100%
Koochiching	64	38.3%	62	45.6%	167	100%	136	100%
Lac Qui Parle	33	32.7%	35	45.5%	101	100%	77	100%
Lake	40	32.0%	53	49.5%	125	100%	107	100%
Lake of the Woods	36	44.4%	12	30.8%	81	100%	39	100%
Le Sueur	91	42.1%	86	46.2%	216	100%	186	100%
Lincoln	25	36.2%	23	46.9%	69	100%	49	100%
Lyon	81	44.3%	78	44.6%	183	100%	175	100%
McLeod	107	38.9%	123	49.8%	275	100%	247	100%
Mahnomen	20	36.4%	17	50.0%	55	100%	34	100%
Marshall	39	34.8%	29	40.8%	112	100%	71	100%
Martin	93	44.5%	107	47.3%	209	100%	226	100%
Meeker	84	41.4%	77	46.7%	203	100%	165	100%
Mille Lacs	93	39.7%	88	43.8%	234	100%	201	100%
Morrison	147	43.9%	110	47.4%	335	100%	232	100%
Mower	159	39.9%	132	47.0%	398	100%	281	100%

**Morbidity Table 8: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2004-2006\*\***

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
<b>State of Minnesota</b>	<b>17,385</b>	<b>44.9%</b>	<b>16,198</b>	<b>47.3%</b>	<b>38,734</b>	<b>100%</b>	<b>34,271</b>	<b>100%</b>
Murray	44	44.4%	39	41.5%	99	100%	94	100%
Nicollet	100	45.5%	89	47.3%	220	100%	188	100%
Nobles	75	42.1%	80	47.6%	178	100%	168	100%
Norman	30	36.1%	31	47.7%	83	100%	65	100%
Olmsted	555	50.4%	457	50.3%	1,101	100%	908	100%
Otter Tail	230	37.8%	207	45.2%	609	100%	458	100%
Pennington	50	41.0%	49	53.8%	122	100%	91	100%
Pine	114	42.4%	99	44.4%	269	100%	223	100%
Pipestone	60	49.2%	34	32.7%	122	100%	104	100%
Polk	122	45.4%	98	40.8%	269	100%	240	100%
Pope	58	47.2%	35	50.7%	123	100%	69	100%
Ramsey	1,597	44.3%	1,603	47.5%	3,607	100%	3,378	100%
Red Lake	22	42.3%	14	51.9%	52	100%	27	100%
Redwood	56	38.1%	60	45.8%	147	100%	131	100%
Renville	57	35.6%	82	51.3%	160	100%	160	100%
Rice	191	46.6%	153	46.4%	410	100%	330	100%
Rock	39	48.8%	34	54.0%	80	100%	63	100%
Roseau	65	45.5%	41	53.9%	143	100%	76	100%
St. Louis	814	46.1%	765	47.2%	1,766	100%	1,621	100%
Scott	288	50.4%	258	44.1%	571	100%	585	100%
Sherburne	223	47.6%	177	50.0%	468	100%	354	100%
Sibley	57	44.9%	57	47.5%	127	100%	120	100%
Stearns	443	42.5%	432	47.4%	1,043	100%	911	100%
Steele	134	44.5%	105	46.3%	301	100%	227	100%
Stevens	28	49.1%	40	53.3%	57	100%	75	100%
Swift	42	39.6%	56	44.4%	106	100%	126	100%
Todd	72	30.5%	76	46.6%	236	100%	163	100%
Traverse	24	51.1%	16	43.2%	47	100%	37	100%
Wabasha	88	46.8%	69	44.8%	188	100%	154	100%
Wadena	70	45.5%	65	52.4%	154	100%	124	100%
Waseca	79	50.3%	66	47.1%	157	100%	140	100%
Washington	684	47.1%	595	46.2%	1,453	100%	1,288	100%
Watonwan	40	40.4%	38	39.6%	99	100%	96	100%
Wilkin	32	50.8%	23	36.5%	63	100%	63	100%
Winona	143	40.5%	142	41.3%	353	100%	344	100%
Wright	269	41.4%	276	49.6%	650	100%	556	100%
Yellow Medicine	40	36.4%	36	41.4%	110	100%	87	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

\*\*Includes number of cases diagnosed for the years 2004, 2005 and 2006.

\*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

**ICD-O-3 Site Codes:**

Other Cell types M959\_ - M998\_, and all other Site Codes

Total Includes all microscopically-confirmed or Death-Certificate-Only cancers

(Counts include invasive cancers only, with the exception of cancers of urinary bladder, which include in situ cancers.)

**Morbidity Table 9: Minnesota Nonfatal Hospitalized Traumatic Brain Injury  
Number and Rate per 100,000 population by State and County, 2006-2008**

	2006		2007		2008	
	Number	Rate	Number	Rate	Number	Rate
<b>State of Minnesota</b>	<b>4,913</b>	<b>93.4</b>	<b>4,926</b>	<b>93.0</b>	<b>4,860</b>	<b>91.5</b>
Aitkin	18	*	16	*	22	118.0
Anoka	279	96.4	248	82.4	216	68.8
Becker	24	68.4	10		9	*
Beltrami	25	58.6	43	95.0	42	92.1
Benton	30	78.7	35	94.4	54	140.0
Big Stone	1	*	3	*	4	*
Blue Earth	50	80.7	77	121.7	51	81.1
Brown	30	100.8	22	81.4	19	*
Carlton	40	108.4	37	101.9	52	145.9
Carver	63	84.9	54	65.7	53	67.9
Cass	29	99.3	25	79.1	19	*
Chippewa	11	*	4	*	11	*
Chisago	59	123.1	70	145.3	57	115.7
Clay	6	*	5	*	3	*
Clearwater	4	*	5	*	1	*
Cook	4	*	5	*	6	*
Cottonwood	3	*	4	*	4	*
Crow Wing	67	100.1	59	91.6	64	98.6
Dakota	302	85.6	347	97.4	307	85.5
Dodge	30	155.7	28	145.2	32	163.5
Douglas	29	63.4	33	79.1	35	92.0
Faribault	16	*	19	*	14	*
Fillmore	33	142.0	31	141.6	29	119.6
Freeborn	32	89.8	33	97.5	46	135.6
Goodhue	64	132.4	68	136.8	51	105.2
Grant	6	*	2	*	4	*
Hennepin	1050	94.2	1112	99.0	1090	96.1
Houston	13	*	13	*	5	*
Hubbard	2	*	7	*	8	*
Isanti	39	112.9	40	105.5	41	108.0
Itasca	37	90.5	52	119.5	45	93.9
Jackson	4	*	5	*	3	*
Kanabec	19	*	27	162.3	21	120.5
Kandiyohi	31	72.8	20	44.8	30	70.2
Kittson	3	*	0	*	1	*
Koochiching	8	*	14	*	9	*
Lac Qui Parle	6	*	7	*	3	*
Lake	8	*	9	*	12	*
Lake of the Woods	3	*	3	*	6	*
Le Sueur	42	144.8	33	115.2	41	138.2
Lincoln	0	*	3	*	1	*
Lyon	15	*	8	*	16	*
McLeod	36	93.3	26	68.9	34	87.3
Mahnomen	2	*	3	*	3	*
Marshall	2	*	2	*	0	*
Martin	21	86.7	20	85.4	22	111.2
Meeker	10	*	22	95.5	21	84.5
Mille Lacs	51	186.6	30	117.2	60	237.5
Morrison	39	108.5	32	92.0	29	79.9
Mower	78	191.5	57	125.9	71	164.3

**Morbidity Table 9: Minnesota Nonfatal Hospitalized Traumatic Brain Injury  
Number and Rate per 100,000 population by State and County, 2006-2008**

	2006		2007		2008	
	Number	Rate	Number	Rate	Number	Rate
<b>State of Minnesota</b>	<b>4,913</b>	<b>93.4</b>	<b>4,926</b>	<b>93.0</b>	<b>4,860</b>	<b>91.5</b>
Murray	4	*	3	*	7	*
Nicollet	27	84.6	19	*	24	72.3
Nobles	7	*	7	*	8	*
Norman	4	*	3	*	0	*
Olmsted	195	142.7	201	146.2	164	117.8
Otter Tail	36	61.2	30	44.0	36	46.1
Pennington	3	*	4	*	4	*
Pine	36	124.3	31	107.8	35	119.3
Pipestone	5	*	5	*	1	*
Polk	10	*	8	*	7	*
Pope	14	*	22	180.3	10	*
Ramsey	606	120.5	587	113.4	628	122.0
Red Lake	4	*	0	*	2	*
Redwood	16	*	14	*	17	*
Renville	17	*	23	119.3	18	*
Rice	63	99.7	64	99.7	63	105.6
Rock	1	*	1	*	1	*
Roseau	2	*	2	*	3	*
St. Louis	253	118.3	258	123.8	238	115.9
Scott	75	74.5	83	76.1	96	86.6
Sherburne	83	99.0	79	100.6	65	81.3
Sibley	13	*	12	*	12	*
Stearns	140	95.3	132	90.0	121	82.5
Steele	34	87.8	54	147.8	52	137.1
Stevens	18	*	15	*	14	*
Swift	8	*	9	*	8	*
Todd	18	*	19	*	21	83.8
Traverse	1	*	2	*	1	*
Wabasha	43	190.8	25	108.3	37	164.6
Wadena	6	*	8	*	5	*
Waseca	25	130.9	26	132.2	18	*
Washington	195	96.0	177	86.0	220	107.4
Watsonwan	13	*	11	*	7	*
Wilkin	1	*	2	*	2	*
Winona	45	80.8	44	82.8	38	75.2
Wright	111	103.0	113	106.2	95	85.9
Yellow Medicine	5	*	5	*	5	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

**Traumatic Brain Injuries (TBI):** Numbers are traumatic brain injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

**Go to Page D-21 for Traumatic Brain Injuries Case Report Definitions**

\*Rate not calculated under 20 events

**Morbidity Table 10: Minnesota Nonfatal Hospitalized Spinal Cord Injury  
Number and Annualized Rate per 100,000 population by State and County, 2006-2008**

	2006	2007	2008	Annualized Rate 2006-2008
	Number	Number	Number	
<b>State of Minnesota</b>	<b>316</b>	<b>338</b>	<b>260</b>	<b>5.7</b>
Aitkin	0	2	1	*
Anoka	17	16	19	5.5
Becker	3	0	2	*
Beltrami	2	2	4	*
Benton	6	1	3	*
Big Stone	0	1	1	*
Blue Earth	3	5	9	*
Brown	1	1	2	*
Carlton	3	3	1	*
Carver	7	7	1	*
Cass	1	2	1	*
Chippewa	1	0	0	*
Chisago	5	5	2	*
Clay	0	0	1	*
Clearwater	0	0	0	*
Cook	2	0	1	*
Cottonwood	0	0	0	*
Crow Wing	4	5	7	*
Dakota	14	9	19	3.7
Dodge	0	5	3	*
Douglas	1	2	3	*
Faribault	4	1	2	*
Fillmore	0	5	4	*
Freeborn	2	2	2	*
Goodhue	4	2	4	*
Grant	0	0	0	*
Hennepin	85	97	54	6.7
Houston	3	1	0	*
Hubbard	1	2	0	*
Isanti	2	6	4	*
Itasca	0	3	2	*
Jackson	0	0	1	*
Kanabec	0	1	0	*
Kandiyohi	4	2	0	*
Kittson	0	0	0	*
Koochiching	2	1	0	*
Lac Qui Parle	0	1	0	*
Lake	0	2	0	*
Lake of the Woods	0	0	0	*
Le Sueur	5	2	0	*
Lincoln	0	0	0	*
Lyon	6	1	1	*
McLeod	3	2	1	*
Mahnomen	0	3	0	*
Marshall	1	0	0	*
Martin	0	1	1	*
Meeker	0	2	2	*
Mille Lacs	2	1	1	*
Morrison	1	1	1	*
Mower	0	1	2	*

**Morbidity Table 10: Minnesota Nonfatal Hospitalized Spinal Cord Injury  
Number and Annualized Rate per 100,000 population by State and County, 2006-2008**

	2006	2007	2008	Annualized Rate 2006-2008
	Number	Number	Number	
<b>State of Minnesota</b>	<b>316</b>	<b>338</b>	<b>260</b>	<b>5.7</b>
Murray	0	0	0	*
Nicollet	1	1	2	*
Nobles	0	0	0	*
Norman	0	0	1	*
Olmsted	7	14	5	6.3
Otter Tail	2	1	0	*
Pennington	1	0	0	*
Pine	3	2	4	*
Pipestone	0	0	0	*
Polk	1	1	2	*
Pope	2	4	1	*
Ramsey	36	29	26	5.9
Red Lake	0	0	0	*
Redwood	1	0	1	*
Renville	2	2	0	*
Rice	2	3	2	*
Rock	0	0	0	*
Roseau	0	2	0	*
St. Louis	9	18	8	5.4
Scott	4	5	5	*
Sherburne	4	7	5	*
Sibley	0	1	1	*
Stearns	11	7	9	6.4
Steele	5	1	1	*
Stevens	1	0	2	*
Swift	2	1	1	*
Todd	1	1	2	*
Traverse	0	0	0	*
Wabasha	2	2	1	*
Wadena	2	2	0	*
Waseca	1	0	0	*
Washington	13	8	10	5.0
Watonwan	0	2	2	*
Wilkin	0	0	0	*
Winona	0	5	1	*
Wright	7	11	6	7.2
Yellow Medicine	1	2	0	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

**Spinal Cord Injuries (SCI):** Numbers are spinal cord injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

**Go to Page D-21 for Spinal Cord Injuries Case Report Definitions**

\*Rate not calculated under 20 events

## Morbidity Tables 9 and 10: TBI and SCI Case Report Definitions

### Traumatic Brain Injury (TBI)

Cases of traumatic brain injury must be reported to the Minnesota Department of Health if the patient receives one of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

310.2 - postconcussion syndrome  
348.1 - (when coded with 994.1 or 994.7) - anoxic brain damage  
800.0-800.99 - fracture of vault of skull  
801.00-801.99 - fracture of base of skull  
803.00-803.99 - other and unqualified skull fractures  
804.00-804.99 - multiple fractures involving skull or face with other bones  
850.0-850.9 - concussion  
851.00-851.99 - cerebral laceration and contusion  
852.00-852.59 - subarachnoid, subdural, and extradural hemorrhage, following injury  
853.00-853.19 - other and unspecified intracranial hemorrhage following injury  
854.00-854.19 - intracranial injury of other and unspecified nature  
905.0\* - late effect of fracture of skull and face bones  
907.0\* - late effect of intracranial injury without mention of skull fracture  
950.0-950.9 - injury to optic nerve and pathways  
995.55 - shaken infant syndrome

AND

the patient: was admitted as an inpatient to an acute care hospital.

Out-of-state hospitals are report cases who are Minnesota residents or who were injured in Minnesota.

Excludes patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts. Late effects of TBI or SCI found only in the UB-92 data were not included as, unlike late effects in the Registry, they have limited information with which to unduplicate them from previously treated injuries and there are many of them.

### Spinal Cord Injuries (SCI)

Cases of spinal cord injury must be reported to the Minnesota Department of Health if the patient receives on of the following ICD-9 N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

806.00-806.9 - fracture of vertebral column with spinal cord injury  
907.2\* - late effect of spinal cord injury  
952.00-952.9 - spinal cord injury without evidence of spinal bone injury

AND

the patient: was admitted as an inpatient to an acute care hospital.

Out-of-state hospitals are report cases who are Minnesota residents or who were injured in Minnesota.

Excludes patients: seen only in the emergency room and then discharged; or admitted only as outpatients for observation, and then discharged; or admitted directly to long-term care or rehabilitation facilities.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts. Late effects of TBI or SCI found only in the UB-92 data were not included as, unlike late effects in the Registry, they have limited information with which to unduplicate them from previously treated injuries and there are many of them.

**Morbidity Table 11: Minnesota Behavioral Risk Factors^ of Adults -  
County Synthetic Estimates and State Estimates, 2008**

	Estimated Percent of:				
	Overweight (Not Obese)*	Obese	Current Smokers	Acute Drinking	Chronic Drinking
<b>State of Minnesota</b>	<b>37.8</b>	<b>24.9</b>	<b>17.5</b>	<b>19.7</b>	<b>4.7</b>
Aitkin	38.8	25.5	15.4	16.1	4.5
Anoka	37.6	25.3	18.1	20.8	4.9
Becker	38.1	25.1	16.7	18.3	4.6
Beltrami	36.5	23.7	17.7	19.8	4.5
Benton	37.3	24.4	18.0	20.8	4.7
Big Stone	38.5	25.0	15.2	15.7	4.3
Blue Earth	36.0	22.5	18.4	21.3	4.5
Brown	37.9	24.8	16.5	18.0	4.5
Carlton	37.9	24.9	17.2	19.3	4.6
Carver	37.3	25.1	18.2	21.1	4.9
Cass	38.3	25.3	16.4	17.7	4.6
Chippewa	38.3	25.1	16.1	17.3	4.5
Chisago	37.7	25.0	18.0	20.8	4.8
Clay	36.0	23.1	17.8	20.3	4.4
Clearwater	38.3	25.2	16.4	17.7	4.6
Cook	38.6	25.9	16.6	17.8	4.7
Cottonwood	38.3	25.0	15.9	17.1	4.5
Crow Wing	38.0	24.9	16.6	18.2	4.6
Dakota	37.4	25.3	18.1	20.6	4.9
Dodge	37.7	25.0	17.5	19.8	4.7
Douglas	38.0	24.7	16.6	18.2	4.5
Faribault	38.4	25.2	15.8	16.8	4.4
Fillmore	38.3	25.1	16.3	17.8	4.5
Freeborn	38.4	25.3	16.2	17.5	4.5
Goodhue	38.0	25.1	16.9	18.7	4.6
Grant	38.5	24.9	15.5	16.4	4.4
Hennepin	37.6	25.1	17.7	20.1	4.8
Houston	38.0	25.1	16.7	18.2	4.6
Hubbard	38.3	25.3	16.2	17.2	4.6
Isanti	37.6	25.0	17.9	20.5	4.8
Itasca	38.0	25.2	16.6	17.8	4.6
Jackson	38.4	25.0	16.1	17.5	4.5
Kanabec	37.9	25.2	17.1	19.0	4.7
Kandiyohi	37.8	24.9	16.9	18.6	4.6
Kittson	38.9	25.6	15.4	16.0	4.4
Koochiching	38.5	25.6	16.1	17.1	4.6
Lac Qui Parle	38.6	25.2	15.7	16.5	4.4
Lake	38.3	25.4	16.2	17.2	4.5
Lake of the Woods	38.6	26.0	15.9	16.8	4.6
Le Sueur	37.9	25.1	17.2	19.2	4.7
Lincoln	38.7	25.0	15.2	16.2	4.3
Lyon	36.9	23.8	17.3	19.3	4.5
McLeod	37.8	25.0	17.1	19.2	4.7
Mahnomen	38.3	25.2	16.3	17.7	4.5
Marshall	38.5	25.2	16.1	17.4	4.5
Martin	38.4	25.2	15.8	16.8	4.5

**Morbidity Table 11: Minnesota Behavioral Risk Factors<sup>^</sup> of Adults -  
County Synthetic Estimates and State Estimates, 2008**

	Estimated Percent of:				
	Overweight (Not Obese)*	Obese	Current Smokers	Acute Drinking	Chronic Drinking
<b>State of Minnesota</b>	<b>37.8</b>	<b>24.9</b>	<b>17.5</b>	<b>19.7</b>	<b>4.7</b>
Meeker	38.1	25.0	16.8	18.6	4.6
Mille Lacs	37.9	24.9	16.9	18.8	4.6
Morrison	37.9	24.9	17.0	19.0	4.6
Mower	38.1	24.8	16.4	17.9	4.5
Murray	38.6	25.3	15.8	16.8	4.5
Nicollet	36.6	23.7	17.9	20.3	4.5
Nobles	38.2	25.0	16.6	18.3	4.6
Norman	38.5	25.2	15.8	16.9	4.5
Olmsted	37.6	25.0	17.5	19.8	4.7
Otter Tail	38.3	25.1	16.2	17.5	4.5
Pennington	37.5	24.6	17.2	18.9	4.6
Pine	38.3	25.0	17.2	19.4	4.7
Pipestone	38.1	24.7	15.8	17.0	4.4
Polk	37.6	24.5	16.8	18.5	4.5
Pope	38.3	25.0	16.0	17.1	4.4
Ramsey	37.3	24.7	17.3	19.4	4.6
Red Lake	38.1	25.0	16.8	18.5	4.6
Redwood	38.3	25.0	16.2	17.6	4.5
Renville	38.3	25.2	16.3	17.7	4.5
Rice	36.6	23.6	18.0	20.7	4.6
Rock	38.1	24.9	16.2	17.5	4.5
Roseau	38.0	25.4	17.3	19.6	4.8
St. Louis	37.3	24.4	17.2	18.9	4.5
Scott	37.3	25.0	18.5	21.7	4.9
Sherburne	37.1	24.5	18.5	21.8	4.8
Sibley	38.0	25.1	16.9	18.8	4.6
Stearns	36.6	23.6	18.0	20.6	4.6
Steele	37.7	25.0	17.2	19.3	4.7
Stevens	36.0	22.5	17.2	19.3	4.2
Swift	39.4	24.9	16.8	19.8	4.6
Todd	38.1	25.1	16.8	18.4	4.6
Traverse	38.6	24.6	14.7	15.3	4.2
Wabasha	38.0	25.1	16.8	18.5	4.6
Wadena	38.1	24.7	16.1	17.3	4.4
Waseca	38.4	24.9	17.4	19.8	4.7
Washington	37.5	25.3	18.1	20.5	4.9
Watsonwan	38.2	25.2	15.9	17.1	4.5
Wilkin	38.0	25.2	16.8	18.5	4.6
Winona	35.9	22.9	17.8	20.0	4.4
Wright	37.4	24.8	18.2	21.1	4.8
Yellow Medicine	38.3	24.8	15.9	17.1	4.4

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

<sup>^</sup>See page D-26 for definitions

\*Note: In previous County Health Tables, estimated percent of overweight included obesity.

**Synthetic Estimates:** County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

**Morbidity Table 12: Minnesota Behavioral Risk Factors^ of Adults - County Synthetic Estimates and State Estimates, 2008**

	Estimated Percent of:		
	Health Status (fair or poor)*	Reporting Limitations**	No Exercise
<b>State of Minnesota</b>	<b>11.4</b>	<b>22.5</b>	<b>18.1</b>
Aitkin	13.6	26.0	19.5
Anoka	10.7	21.5	17.6
Becker	12.3	23.9	18.7
Beltrami	11.4	21.9	18.2
Benton	10.7	21.1	17.7
Big Stone	13.8	26.8	19.7
Blue Earth	10.6	20.5	17.9
Brown	12.5	24.4	18.8
Carlton	11.8	23.2	18.4
Carver	10.5	21.0	17.5
Cass	12.6	24.3	18.9
Chippewa	12.8	25.3	19.1
Chisago	10.8	21.4	17.6
Clay	11.0	21.5	18.2
Clearwater	12.6	24.5	18.9
Cook	12.5	24.6	18.8
Cottonwood	13.0	25.4	19.2
Crow Wing	12.2	23.8	18.7
Dakota	10.8	21.5	17.6
Dodge	11.3	22.3	18.1
Douglas	12.3	23.9	18.8
Faribault	13.2	25.9	19.3
Fillmore	12.6	24.6	18.9
Freeborn	12.7	24.9	19.0
Goodhue	12.0	23.7	18.5
Grant	13.3	25.9	19.5
Hennepin	11.2	22.3	17.9
Houston	12.4	24.2	18.7
Hubbard	12.9	24.8	19.1
Isanti	10.9	21.6	17.8
Itasca	12.6	24.4	18.8
Jackson	12.9	25.1	19.0
Kanabec	11.8	23.1	18.4
Kandiyohi	12.1	23.7	18.6
Kittson	13.8	26.9	19.6
Koochiching	13.0	25.4	19.1
Lac Qui Parle	13.4	26.2	19.4
Lake	12.9	25.0	19.0
Lake of the Woods	13.2	25.7	19.3
Le Sueur	11.7	23.1	18.3
Lincoln	13.6	26.4	19.5
Lyon	11.7	22.8	18.4
McLeod	11.7	23.1	18.3
Mahnomen	12.7	24.7	19.0
Marshall	13.0	25.3	19.1
Martin	13.2	25.9	19.3

**Morbidity Table 12: Minnesota Behavioral Risk Factors^ of Adults - County Synthetic Estimates and State Estimates, 2008**

	Estimated Percent of:		
	Health Status (fair or poor)*	Reporting Limitations**	No Exercise
<b>State of Minnesota</b>	<b>11.4</b>	<b>22.5</b>	<b>18.1</b>
Meeker	12.2	23.8	18.6
Mille Lacs	11.9	23.2	18.5
Morrison	11.9	23.3	18.4
Mower	12.6	24.6	18.8
Murray	13.2	25.8	19.3
Nicollet	11.2	21.7	18.1
Nobles	12.4	24.3	18.7
Norman	13.1	25.7	19.2
Olmsted	11.2	22.3	18.0
Otter Tail	12.8	24.8	19.0
Pennington	11.9	23.2	18.4
Pine	11.8	23.0	18.3
Pipestone	13.0	25.4	19.2
Polk	12.2	23.8	18.7
Pope	12.9	25.3	19.2
Ramsey	11.5	22.8	18.3
Red Lake	12.3	23.9	18.6
Redwood	12.8	25.0	19.0
Renville	12.7	24.9	18.9
Rice	11.0	21.4	18.0
Rock	12.8	25.0	19.0
Roseau	11.6	22.9	18.2
St. Louis	12.0	23.4	18.6
Scott	10.1	20.3	17.2
Sherburne	10.2	20.2	17.3
Sibley	12.0	23.6	18.5
Stearns	11.0	21.4	18.0
Steele	11.6	22.9	18.2
Stevens	11.8	22.6	18.7
Swift	12.1	24.0	18.4
Todd	12.3	23.9	18.7
Traverse	14.1	27.2	19.8
Wabasha	12.2	23.9	18.6
Wadena	12.9	25.0	19.1
Waseca	11.6	23.0	18.2
Washington	10.9	21.7	17.7
Watonwan	13.0	25.4	19.2
Wilkin	12.2	24.0	18.6
Winona	11.3	21.7	18.3
Wright	10.5	20.9	17.6
Yellow Medicine	13.1	25.5	19.2

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

^See page D-26 for definitions

\*estimate of those who perceive their health status to be fair or poor

\*\*in any activities because of any impairment or health problem

**Synthetic Estimates:** County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

## **Morbidity Tables 11 and 12:**

### **Definitions for Behavior Risk Factors of Adults**

**Behavioral Risk Factor Surveillance System (BRFSS):** A continuous monthly telephone survey that monitors health risk behaviors that has impact on chronic diseases and disabilities. Approximately, 4800 interviews of adults 18 years and older are completed yearly.

**Smoking:** Current regular smoker (ever smoked 100 cigarettes and now smokes every day or some days).

**Overweight:** The prevalence of overweight is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)<sup>2</sup>] is between 25.0 to 29.9. Note this does not include obese as it did in previous years.

**Obese:** The prevalence of obese is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)<sup>2</sup>] greater than or equal to 30.0.

**Acute Drinking:** Respondents who report they have consumed five or more drinks on an occasion, one or more times in the month prior to the survey.

**Chronic Drinking:** Chronic drinking of adults is defined as the percent of male respondents 18 and older who report an average of more than two drinks per day and female respondents 18 and older who report an average of more than one drink per day.

**Limitation of Activities:** The percent of adults who are limited in any activities because of physical mental or emotional problems, OR those adults who have a health impairment that requires the use of special equipment, such as cane, a wheelchair, a special bed or special telephone.

**No Exercise:** Percent of respondents who reported no physical activities during the past month, other than regular job.

**Hypertension:** Percent of respondents who have EVER been told by a doctor, nurse or other health professional that they have high blood pressure.

## Section E: Chemical Health

### Tables

---

Table 1: Alcohol-related motor vehicle fatalities

Table 2: Alcohol-related motor vehicle injuries and crashes

Table 3: Impaired Driving Incidents by Occurrence

Table 4: Impaired Driving Incidents by Residence

**Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2006-2008**

	2006			2007			2008			2006-2008 Percent Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
<b>State of Minnesota</b>	<b>494</b>	<b>166</b>	<b>33.6</b>	<b>510</b>	<b>190</b>	<b>37.3</b>	<b>455</b>	<b>163</b>	<b>35.8</b>	<b>35.6</b>
Aitkin	2	1	50.0	2	0	0.0	6	4	66.7	50.0
Anoka	29	12	41.4	17	8	47.1	18	8	44.4	43.8
Becker	4	1	25.0	5	3	60.0	6	2	33.3	40.0
Beltrami	8	3	37.5	4	1	25.0	4	1	25.0	31.3
Benton	4	2	50.0	4	0	0.0	3	1	33.3	27.3
Big Stone	1	0	0.0	1	1	100.0	0	0	0.0	50.0
Blue Earth	5	2	40.0	3	3	100.0	6	2	33.3	50.0
Brown	3	1	33.3	3	0	0.0	3	1	33.3	22.2
Carlton	9	2	22.2	3	2	66.7	1	0	0.0	30.8
Carver	8	2	25.0	13	5	38.5	10	4	40.0	35.5
Cass	4	1	25.0	7	4	57.1	8	4	50.0	47.4
Chippewa	5	1	20.0	2	0	0.0	2	0	0.0	11.1
Chisago	13	4	30.8	8	4	50.0	7	1	14.3	32.1
Clay	8	3	37.5	6	3	50.0	4	2	50.0	44.4
Clearwater	3	1	33.3	1	0	0.0	1	0	0.0	20.0
Cook	2	1	50.0	2	1	50.0	1	1	100.0	60.0
Cottonwood	1	0	0.0	3	1	33.3	2	0	0.0	16.7
Crow Wing	8	5	62.5	11	2	18.2	5	1	20.0	33.3
Dakota	20	7	35.0	26	8	30.8	20	7	35.0	33.3
Dodge	2	0	0.0	2	0	0.0	2	0	0.0	0.0
Douglas	8	1	12.5	9	1	11.1	9	2	22.2	15.4
Faribault	3	2	66.7	5	2	40.0	2	0	0.0	40.0
Fillmore	6	2	33.3	0	0	0.0	11	4	36.4	35.3
Freeborn	2	2	100.0	4	0	0.0	12	2	16.7	22.2
Goodhue	7	2	28.6	12	1	8.3	4	2	50.0	21.7
Grant	1	1	100.0	1	0	0.0	1	0	0.0	33.3
Hennepin	40	14	35.0	52	22	42.3	53	24	45.3	41.4
Houston	0	0	0.0	0	0	0.0	2	1	50.0	50.0
Hubbard	5	1	20.0	3	2	66.7	3	3	100.0	54.5
Isanti	9	3	33.3	8	2	25.0	4	1	25.0	28.6
Itasca	5	2	40.0	10	4	40.0	5	3	60.0	45.0
Jackson	1	0	0.0	1	1	100.0	1	1	100.0	66.7
Kanabec	0	0	0.0	2	1	50.0	4	0	0.0	16.7
Kandiyohi	8	1	12.5	4	1	25.0	3	1	33.3	20.0
Kittson	0	0	0.0	2	1	50.0	0	0	0.0	50.0
Koochiching	1	0	0.0	2	0	0.0	1	0	0.0	0.0
Lac Qui Parle	2	1	50.0	0	0	0.0	2	2	100.0	75.0
Lake	3	0	0.0	3	1	33.3	0	0	0.0	16.7
Lake of the Woods	1	1	100.0	1	1	100.0	2	2	100.0	100.0
Le Sueur	3	0	0.0	3	0	0.0	4	1	25.0	10.0
Lincoln	0	0	0.0	3	2	66.7	2	0	0.0	40.0
Lyon	6	1	16.7	2	0	0.0	7	2	28.6	20.0
McLeod	7	2	28.6	2	2	100.0	1	0	0.0	40.0
Mahnomen	2	0	0.0	3	1	33.3	2	1	50.0	28.6

**Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2006-2008**

	2006			2007			2008			2006-2008 Percent Alcohol Related Fatalities
	Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		Total Fatalities	Alcohol Related Fatalities		
	Number	Number	Percent	Number	Number	Percent	Number	Number	Percent	
<b>State of Minnesota</b>	<b>494</b>	<b>166</b>	<b>33.6</b>	<b>510</b>	<b>190</b>	<b>37.3</b>	<b>455</b>	<b>163</b>	<b>35.8</b>	<b>35.6</b>
Marshall	2	0	0.0	1	0	0.0	0	0	0.0	0.0
Martin	2	1	50.0	4	2	50.0	3	1	33.3	44.4
Meeker	3	1	33.3	1	0	0.0	4	1	25.0	25.0
Mille Lacs	10	2	20.0	6	2	33.3	5	2	40.0	28.6
Morrison	5	2	40.0	4	0	0.0	10	4	40.0	31.6
Mower	5	1	20.0	2	0	0.0	4	0	0.0	9.1
Murray	1	0	0.0	3	3	100.0	0	0	0.0	75.0
Nicollet	6	1	16.7	4	1	25.0	1	0	0.0	18.2
Nobles	2	0	0.0	4	0	0.0	4	0	0.0	0.0
Norman	0	0	0.0	1	0	0.0	2	2	100.0	66.7
Olmsted	15	4	26.7	14	5	35.7	7	2	28.6	30.6
Otter Tail	4	3	75.0	7	4	57.1	5	3	60.0	62.5
Pennington	0	0	0.0	1	0	0.0	4	3	75.0	60.0
Pine	4	2	50.0	6	2	33.3	7	1	14.3	29.4
Pipestone	2	1	50.0	4	1	25.0	0	0	0.0	33.3
Polk	6	0	0.0	7	2	28.6	8	1	12.5	14.3
Pope	4	1	25.0	2	1	50.0	2	0	0.0	25.0
Ramsey	20	10	50.0	21	7	33.3	17	6	35.3	39.7
Red Lake	2	2	100.0	2	2	100.0	1	1	100.0	100.0
Redwood	3	1	33.3	4	1	25.0	2	0	0.0	22.2
Renville	4	0	0.0	4	2	50.0	1	0	0.0	22.2
Rice	13	4	30.8	4	0	0.0	12	3	25.0	24.1
Rock	1	0	0.0	4	3	75.0	3	0	0.0	37.5
Roseau	0	0	0.0	2	1	50.0	1	1	100.0	66.7
St. Louis	21	8	38.1	23	11	47.8	22	10	45.5	43.9
Scott	8	2	25.0	19	4	21.1	9	6	66.7	33.3
Sherburne	9	6	66.7	10	4	40.0	8	2	25.0	44.4
Sibley	2	1	50.0	1	1	100.0	3	1	33.3	50.0
Stearns	15	6	40.0	10	3	30.0	12	4	33.3	35.1
Steele	5	2	40.0	7	2	28.6	1	1	100.0	38.5
Stevens	2	0	0.0	3	3	100.0	0	0	0.0	60.0
Swift	0	0	0.0	3	0	0.0	3	1	33.3	16.7
Todd	3	1	33.3	3	2	66.7	3	1	33.3	44.4
Traverse	1	1	100.0	0	0	0.0	0	0	0.0	100.0
Wabasha	7	1	14.3	2	1	50.0	3	0	0.0	16.7
Wadena	3	3	100.0	1	0	0.0	1	0	0.0	60.0
Waseca	3	0	0.0	4	3	75.0	3	0	0.0	30.0
Washington	16	2	12.5	20	10	50.0	9	1	11.1	28.9
Watonwan	4	0	0.0	3	0	0.0	0	0	0.0	0.0
Wilkin	1	1	100.0	6	2	33.3	1	0	0.0	37.5
Winona	7	3	42.9	6	2	33.3	10	3	30.0	34.8
Wright	11	8	72.7	20	10	50.0	17	9	52.9	56.3
Yellow Medicine	3	0	0.0	2	2	100.0	3	2	66.7	50.0

Source: Minnesota Department of Public Safety

A **fatality** is considered alcohol-related if the investigating officer suspects alcohol-involvement for any driver, pedestrian or bicyclist involved in the crash. Fatalities are by county of occurrence.

**Three year average:** The average is determined by adding up all the events that occurred in the three years and then dividing that sum by three

**Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries  
By State and County, 2008**

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
<b>State of Minnesota</b>	<b>79,095</b>	<b>4,245</b>	<b>5.4</b>	<b>33,379</b>	<b>2,896</b>	<b>8.7</b>	<b>\$ 261,017,800</b>
Aitkin	203	19	9.4	112	11	9.8	\$ 4,947,300
Anoka	3,676	213	5.8	1,892	165	8.7	\$ 12,964,500
Becker	300	26	8.7	179	19	10.6	\$ 2,725,100
Beltrami	573	39	6.8	296	48	16.2	\$ 2,595,000
Benton	612	44	7.2	266	22	8.3	\$ 1,800,600
Big Stone	71	9	12.7	36	6	16.7	\$ 216,700
Blue Earth	1,273	70	5.5	438	48	11.0	\$ 3,491,400
Brown	337	20	5.9	138	10	7.2	\$ 1,396,900
Carlton	310	19	6.1	166	17	10.2	\$ 567,400
Carver	1,146	55	4.8	459	41	8.9	\$ 5,620,400
Cass	264	24	9.1	149	17	11.4	\$ 5,050,900
Chippewa	123	10	8.1	60	4	6.7	\$ 119,900
Chisago	629	30	4.8	353	29	8.2	\$ 1,704,900
Clay	913	57	6.2	319	40	12.5	\$ 3,179,700
Clearwater	88	7	8.0	48	4	8.3	\$ 176,300
Cook	96	7	7.3	46	5	10.9	\$ 1,266,700
Cottonwood	113	6	5.3	83	5	6.0	\$ 164,000
Crow Wing	756	54	7.1	398	46	11.6	\$ 2,329,700
Dakota	4,916	233	4.7	2,120	141	6.7	\$ 11,529,700
Dodge	226	6	2.7	104	7	6.7	\$ 171,200
Douglas	757	47	6.2	342	28	8.2	\$ 2,985,300
Faribault	157	4	2.5	72	2	2.8	\$ 101,000
Fillmore	244	18	7.4	93	13	14.0	\$ 5,001,700
Freeborn	602	40	6.6	276	23	8.3	\$ 2,934,100
Goodhue	817	36	4.4	347	22	6.3	\$ 2,872,300
Grant	76	6	7.9	44	9	20.5	\$ 193,400
Hennepin	20,830	993	4.8	8,580	572	6.7	\$ 41,365,200
Houston	271	14	5.2	90	11	12.2	\$ 1,366,400
Hubbard	178	22	12.4	107	14	13.1	\$ 3,736,600
Isanti	335	16	4.8	194	13	6.7	\$ 1,517,900
Itasca	545	40	7.3	304	25	8.2	\$ 4,018,100
Jackson	135	9	6.7	45	0	0.0	\$ 1,190,000
Kanabec	134	7	5.2	81	7	8.6	\$ 231,800
Kandiyohi	618	27	4.4	356	37	10.4	\$ 1,995,900
Kittson	23	2	8.7	26	2	7.7	\$ 32,900
Koochiching	120	8	6.7	67	4	6.0	\$ 148,900
Lac Qui Parle	55	5	9.1	24	1	4.2	\$ 2,296,000
Lake	117	9	7.7	52	7	13.5	\$ 211,900
Lake of the Woods	31	4	12.9	14	2	14.3	\$ 2,344,400
Le Sueur	390	35	9.0	149	26	17.4	\$ 2,007,100
Lincoln	79	8	10.1	31	6	19.4	\$ 148,600
Lyon	304	24	7.9	158	27	17.1	\$ 3,008,500
McLeod	517	19	3.7	188	12	6.4	\$ 296,600
Mahnomen	56	8	14.3	30	6	20.0	\$ 1,401,400

**Chemical Health Table 2: Minnesota Alcohol-Related Motor Vehicle Injuries  
By State and County, 2008**

	Crashes			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total	Alcohol		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
<b>State of Minnesota</b>	<b>79,095</b>	<b>4,245</b>	<b>5.4</b>	<b>33,379</b>	<b>2,896</b>	<b>8.7</b>	<b>\$ 261,017,800</b>
Marshall	52	5	9.6	21	3	14.3	\$ 68,900
Martin	304	10	3.3	113	9	8.0	\$ 1,471,900
Meeker	247	22	8.9	125	21	16.8	\$ 1,647,900
Mille Lacs	304	22	7.2	218	24	11.0	\$ 2,965,300
Morrison	397	36	9.1	220	37	16.8	\$ 5,428,200
Mower	621	42	6.8	195	25	12.8	\$ 841,500
Murray	70	7	10.0	38	9	23.7	\$ 266,300
Nicollet	439	18	4.1	157	17	10.8	\$ 374,800
Nobles	381	17	4.5	170	10	5.9	\$ 305,000
Norman	58	8	13.8	33	4	12.1	\$ 2,322,600
Olmsted	2,330	87	3.7	1,025	64	6.2	\$ 4,130,100
Otter Tail	813	58	7.1	373	49	13.1	\$ 4,699,900
Pennington	168	18	10.7	83	12	14.5	\$ 3,689,800
Pine	310	24	7.7	205	24	11.7	\$ 1,698,600
Pipestone	96	16	16.7	79	15	19.0	\$ 287,200
Polk	362	25	6.9	139	20	14.4	\$ 1,653,600
Pope	106	12	11.3	60	6	10.0	\$ 133,000
Ramsey	10,939	429	3.9	3,455	258	7.5	\$ 13,766,400
Red Lake	23	4	17.4	15	2	13.3	\$ 1,214,400
Redwood	134	13	9.7	82	14	17.1	\$ 331,600
Renville	158	12	7.6	80	17	21.3	\$ 466,100
Rice	743	51	6.9	382	36	9.4	\$ 4,664,400
Rock	173	4	2.3	88	2	2.3	\$ 47,900
Roseau	98	9	9.2	48	5	10.4	\$ 1,228,600
St. Louis	3,456	224	6.5	1,276	145	11.4	\$ 15,121,300
Scott	1,192	71	6.0	627	58	9.3	\$ 8,245,800
Sherburne	1,192	77	6.5	493	60	12.2	\$ 3,672,200
Sibley	186	11	5.9	80	4	5.0	\$ 1,303,000
Stearns	2,571	116	4.5	1,123	84	7.5	\$ 6,599,900
Steele	541	21	3.9	217	18	8.3	\$ 1,753,300
Stevens	112	9	8.0	46	6	13.0	\$ 127,100
Swift	67	7	10.4	32	3	9.4	\$ 1,257,900
Todd	225	23	10.2	129	21	16.3	\$ 1,798,100
Traverse	34	3	8.8	16	3	18.8	\$ 44,800
Wabasha	250	19	7.6	148	18	12.2	\$ 639,900
Wadena	138	12	8.7	75	7	9.3	\$ 139,000
Waseca	217	17	7.8	93	14	15.1	\$ 454,500
Washington	2,733	172	6.3	1,179	116	9.8	\$ 4,056,300
Watonwan	133	4	3.0	50	4	8.0	\$ 100,700
Wilkin	126	8	6.3	44	4	9.1	\$ 139,800
Winona	904	49	5.4	312	32	10.3	\$ 4,257,400
Wright	1,564	91	5.8	650	55	8.5	\$ 11,735,600
Yellow Medicine	109	13	11.9	53	7	13.2	\$ 2,442,900

Source: Minnesota Department of Public Safety

A **crash** or **injury** are considered alcohol-related if any driver, pedestrian or bicyclist involved in the crash was perceived by the report officer or found by a laboratory test, to be positive for alcohol (i.e., to have a blood alcohol concentration of .01% or higher). Crashes are by county of occurrence.

Alcohol-related costs are calculated using estimates (provided annually by the National Safety Council) which do not attempt to include “comprehensive costs” but just direct costs due to medical expense, property damage, and lost productivity. Other estimating procedures (e.g., those used by the US Department of Transportation) that do attempt to include comprehensive costs result in estimates about three times as great as those used by National Safety Council.

**Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record by County of Occurrence per 10,000 Population, 2004-2008**

	2004		2005		2006		2007		2008		2004-2008 Rate
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
<b>State of Minnesota*</b>	<b>34,199</b>	<b>67.0</b>	<b>36,870</b>	<b>71.8</b>	<b>41,867</b>	<b>81.0</b>	<b>38,661</b>	<b>74.4</b>	<b>35,768</b>	<b>68.5</b>	<b>72.6</b>
Aitkin	111	69.2	215	132.9	208	128.8	247	155.2	158	100.4	117.4
Anoka	2,001	62.5	2,049	63.2	2,160	66.1	2,340	71.7	2,131	65.2	65.8
Becker	298	93.7	438	137.4	521	161.7	383	119.8	326	101.9	123.0
Beltrami	371	87.8	354	82.6	445	103.1	508	116.5	534	121.8	102.5
Benton	253	66.4	268	69.6	346	89.4	358	90.6	293	73.5	78.0
Big Stone	19	**	23	42.0	47	85.3	35	65.0	27	50.3	55.2
Blue Earth	440	76.6	638	109.9	676	116.0	613	102.5	597	98.8	100.9
Brown	176	65.8	148	55.8	176	66.8	162	62.3	149	57.6	61.7
Carlton	270	80.3	399	117.3	410	120.2	252	74.4	229	67.5	92.0
Carver	478	58.2	414	48.8	430	49.1	396	44.8	375	41.6	48.3
Cass	227	79.8	283	97.9	397	136.7	367	127.8	271	94.3	107.4
Chippewa	92	72.7	114	89.0	145	114.0	97	77.8	97	78.1	86.4
Chisago	326	67.4	369	74.7	371	73.7	370	73.8	317	63.1	70.5
Clay	354	66.9	802	149.0	742	136.2	682	124.4	545	97.7	115.0
Clearwater	75	88.9	67	79.0	57	67.5	57	69.1	75	90.9	79.1
Cook	33	62.1	76	141.6	101	189.5	61	113.0	41	75.4	116.2
Cottonwood	67	56.0	54	45.6	55	47.2	72	63.4	75	66.5	55.6
Crow Wing	449	75.5	655	109.3	714	117.0	648	105.1	588	94.6	100.4
Dakota	2,364	62.4	2,650	69.1	3,001	77.3	2,907	74.4	2,518	64.1	69.5
Dodge	122	63.0	147	75.0	152	76.9	163	83.4	126	63.8	72.4
Douglas	196	56.6	241	68.6	257	72.5	265	73.5	300	82.7	70.9
Faribault	74	47.3	68	43.9	90	58.9	101	67.9	79	54.0	54.3
Fillmore	93	43.6	113	52.9	142	67.1	116	55.1	102	48.9	53.5
Freeborn	172	53.8	241	75.4	204	64.5	184	58.9	169	54.6	61.5
Goodhue	245	53.9	385	84.5	525	114.6	402	87.7	444	96.7	87.5
Grant	41	67.0	43	70.3	53	87.2	37	61.5	40	66.6	70.5
Hennepin	7,181	64.1	7,539	67.4	8,597	76.6	7,789	68.5	7,500	65.7	68.5
Houston	97	48.8	143	71.7	152	76.6	170	87.1	156	81.1	73.0
Hubbard	124	65.8	154	81.6	181	95.8	165	87.9	116	61.7	78.6
Isanti	240	65.7	241	64.0	357	92.5	256	65.8	187	47.8	67.1
Itasca	292	65.9	503	113.3	587	131.2	460	103.3	342	76.8	98.2
Jackson	51	45.4	51	45.6	83	74.4	97	89.1	69	64.3	63.6
Kanabec	106	66.0	96	59.2	103	63.3	150	93.2	123	76.4	71.6
Kandiyohi	311	75.5	287	69.7	321	78.1	269	66.0	297	73.0	72.5
Kittson	28	58.1	25	52.2	23	49.0	20	**	24	53.8	51.6
Koochiching	87	62.8	60	43.1	97	71.0	108	80.2	97	73.2	65.9
Lac Qui Parle	34	43.8	36	47.3	45	60.3	47	64.8	35	48.8	52.9
Lake	64	57.1	59	52.9	66	60.2	71	66.1	53	50.0	57.2
Lake of the Woods	41	93.1	78	176.4	65	150.2	39	95.2	47	117.9	127.2
Le Sueur	207	76.2	148	53.8	179	64.2	181	64.6	151	53.8	62.5
Lincoln	16	**	29	47.9	31	52.0	38	64.7	25	42.8	46.5
Lyon	140	56.7	214	87.4	201	81.6	166	67.2	193	77.7	74.1
McLeod	212	58.6	266	72.6	366	98.2	290	77.9	281	75.6	76.7
Mahnomen	78	153.5	130	254.3	96	189.3	113	220.3	113	220.4	207.7
Marshall	57	56.9	57	57.2	50	50.2	58	60.3	61	64.2	57.7
Martin	128	60.8	132	62.9	120	57.8	181	88.5	151	73.9	68.7
Meeker	121	52.0	117	50.1	147	62.8	145	62.5	123	53.1	56.1
Mille Lacs	208	82.9	298	116.0	351	134.1	288	109.3	234	88.7	106.4
Morrison	176	53.8	194	59.2	205	62.3	211	64.5	199	60.5	60.1
Mower	277	71.0	321	82.7	305	78.9	343	90.2	414	109.4	86.3
Murray	24	26.7	31	35.0	35	39.9	37	43.5	37	44.1	37.7
Nicollet	220	71.4	321	104.1	362	115.6	255	80.5	239	74.6	89.2

**Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record by County of Occurrence per 10,000 Population, 2004-2008**

	2004		2005		2006		2007		2008		2004-2008 Rate
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	
<b>State of Minnesota*</b>	<b>34,199</b>	<b>67.0</b>	<b>36,870</b>	<b>71.8</b>	<b>41,867</b>	<b>81.0</b>	<b>38,661</b>	<b>74.4</b>	<b>35,768</b>	<b>68.5</b>	<b>72.6</b>
Nobles	126	61.5	189	92.2	184	90.0	186	92.4	175	85.9	84.4
Norman	33	46.6	55	78.5	54	78.8	43	64.3	28	42.4	62.2
Olmsted	830	62.3	869	64.3	823	59.8	1,014	72.6	996	70.5	66.0
Otter Tail	366	63.2	415	72.0	429	74.2	435	76.3	345	60.8	69.3
Pennington	118	87.1	125	91.9	119	86.8	107	77.8	96	69.8	82.6
Pine	259	92.1	334	117.3	347	122.1	274	97.3	263	92.9	104.4
Pipestone	30	31.3	68	72.2	60	63.7	74	79.5	61	64.9	62.2
Polk	204	65.5	269	86.4	301	96.8	282	91.8	264	86.0	85.3
Pope	53	47.2	83	73.8	74	66.0	62	56.0	56	50.8	58.8
Ramsey	2,749	55.0	2,632	53.2	3,231	65.5	2,912	58.3	2,995	59.7	58.3
Red Lake	20	**	47	108.9	79	189.5	71	172.4	53	130.3	128.8
Redwood	99	61.1	125	78.0	148	93.7	152	97.9	117	75.5	81.1
Renville	131	78.4	133	79.3	159	96.2	111	68.8	102	64.3	77.6
Rice	416	68.9	339	55.6	346	55.8	433	69.9	407	65.2	63.1
Rock	38	39.7	51	53.6	63	66.1	54	56.9	37	39.0	51.0
Roseau	137	84.0	159	96.4	140	86.4	127	79.6	145	91.4	87.6
St. Louis	1,399	70.6	1,593	80.8	1,723	87.9	1,559	79.3	1,589	80.7	79.8
Scott	762	66.4	1,111	92.7	1,245	100.3	1,067	84.3	953	73.9	83.6
Sherburne	486	61.7	573	70.1	799	94.0	690	80.0	582	66.4	74.6
Sibley	129	84.7	112	73.5	124	82.0	129	86.0	85	56.8	76.6
Stearns	890	63.1	1,134	79.5	1,332	92.4	1,298	88.9	1,063	72.3	79.3
Steele	210	59.7	254	71.0	288	79.5	244	67.1	208	56.9	66.9
Stevens	41	41.3	44	44.8	39	39.7	45	46.8	42	43.5	43.2
Swift	54	47.0	42	37.1	64	62.1	51	45.6	57	51.7	48.4
Todd	134	54.4	165	67.1	241	98.9	206	85.7	141	59.0	73.0
Traverse	13	**	21	55.1	22	57.9	16	**	14	**	45.6
Wabasha	130	58.5	152	68.5	198	88.9	172	79.0	177	81.1	75.2
Wadena	85	62.5	91	66.7	127	94.5	112	83.7	99	74.4	76.3
Waseca	108	56.0	117	60.5	150	77.0	149	76.3	123	63.3	66.7
Washington	1,087	50.2	1,442	65.4	1,844	82.0	1,355	59.8	1,311	57.2	63.0
Watonwan	65	57.1	95	84.6	104	93.2	83	75.3	63	58.0	73.6
Wilkin	36	53.1	50	73.5	72	108.5	78	121.5	58	92.3	89.3
Winona	305	62.2	418	84.8	378	76.7	359	72.1	395	79.2	75.0
Wright	638	59.7	690	62.3	874	76.1	838	71.4	675	56.4	65.2
Yellow Medicine	61	57.7	89	85.2	136	130.4	103	101.7	120	120.5	98.7

Source: Minnesota Department of Public Safety

\*Includes unknown.

\*\*A rate was not calculated if the number of events was less than 20.

**Driving While Impaired (DWI) Violations:** The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

**Number:** The number of driving while DWI violations that occurred **WITHIN** that county/state each year.

**Rate:** The number of DWI violations per 10,000 population in the county/state.

**Chemical Health Table 4: Minnesota Impaired Driving Incidents on Record by County of Residence per 10,000 Population, 2004-2008**

	2004		2005		2006		2007		2008		2004-2008
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
<b>State of Minnesota*</b>	<b>34,199</b>	<b>67.0</b>	<b>34,256</b>	<b>66.7</b>	<b>38,938</b>	<b>75.4</b>	<b>36,989</b>	<b>71.2</b>	<b>34,241</b>	<b>65.6</b>	<b>69.2</b>
Aitkin	157	97.9	131	81.0	131	81.1	130	81.7	100	63.5	81.1
Anoka	1,939	60.6	2,121	65.5	2,285	69.9	2,344	71.8	2,106	64.4	66.5
Becker	340	106.9	303	95.1	338	104.9	303	94.8	259	80.9	96.5
Beltrami	434	102.7	373	87.0	446	103.3	489	112.1	492	112.2	103.5
Benton	259	68.0	271	70.4	304	78.6	339	85.8	265	66.5	73.9
Big Stone	33	58.9	14	**	33	59.9	27	50.1	29	54.1	49.7
Blue Earth	545	94.9	534	92.0	563	96.6	477	79.8	482	79.8	88.5
Brown	216	80.7	129	48.6	180	68.3	163	62.7	148	57.2	63.6
Carlton	342	101.7	298	87.6	326	95.6	222	65.5	214	63.1	82.7
Carver	408	49.7	483	56.9	509	58.1	497	56.2	458	50.9	54.4
Cass	255	89.6	260	89.9	344	118.5	315	109.7	246	85.6	98.7
Chippewa	102	80.6	98	76.6	142	111.6	102	81.8	79	63.6	82.9
Chisago	393	81.3	325	65.8	363	72.1	324	64.6	314	62.5	69.2
Clay	782	147.8	351	65.2	406	74.5	474	86.4	431	77.3	89.9
Clearwater	67	79.4	63	74.3	73	86.5	81	98.2	86	104.3	88.4
Cook	44	82.8	42	78.3	49	91.9	40	74.1	20	**	72.6
Cottonwood	74	61.9	56	47.3	55	47.2	75	66.1	75	66.5	57.7
Crow Wing	528	88.8	521	87.0	532	87.2	495	80.3	452	72.7	83.1
Dakota	2,417	63.8	2,590	67.5	2,974	76.6	2,813	72.0	2,483	63.2	68.7
Dodge	103	53.2	150	76.6	155	78.4	156	79.8	135	68.4	71.3
Douglas	222	64.1	201	57.2	272	76.7	271	75.1	274	75.6	69.8
Faribault	60	38.4	82	52.9	88	57.6	103	69.3	83	56.8	54.8
Fillmore	121	56.8	112	52.4	127	60.0	127	60.4	110	52.8	56.5
Freeborn	224	70.1	201	62.9	182	57.5	207	66.2	172	55.6	62.5
Goodhue	284	62.4	318	69.8	390	85.1	328	71.6	342	74.5	72.7
Grant	27	44.1	52	85.1	44	72.4	45	74.7	52	86.6	72.5
Hennepin	7,381	65.8	7,331	65.5	8,184	72.9	7,656	67.4	7,506	65.8	67.5
Houston	134	67.4	115	57.7	105	52.9	131	67.1	115	59.8	61.0
Hubbard	106	56.2	139	73.7	165	87.3	167	88.9	125	66.5	74.5
Isanti	238	65.1	257	68.2	333	86.3	264	67.8	240	61.4	69.8
Itasca	313	70.6	406	91.5	495	110.7	406	91.1	313	70.3	86.9
Jackson	46	40.9	40	35.8	62	55.6	61	56.1	53	49.4	47.5
Kanabec	103	64.2	123	75.9	109	67.0	132	82.0	110	68.4	71.5
Kandiyohi	289	70.2	264	64.1	318	77.4	290	71.1	279	68.6	70.3
Kittson	22	45.6	21	43.8	24	51.2	23	51.1	32	71.7	52.4
Koochiching	81	58.4	76	54.6	113	82.7	112	83.2	106	80.0	71.6
Lac Qui Parle	18	**	45	59.2	46	61.6	35	48.2	37	51.6	48.6
Lake	63	56.2	60	53.8	79	72.0	74	68.9	58	54.7	61.1
Lake of the Woods	64	145.3	50	113.1	32	74.0	33	80.6	37	92.8	101.7
Le Sueur	168	61.8	194	70.6	241	86.4	249	88.8	212	75.6	76.8
Lincoln	15	**	18	**	21	35.2	34	57.9	28	48.0	38.8
Lyon	158	64.0	176	71.9	199	80.8	173	70.1	159	64.0	70.1
McLeod	231	63.8	256	69.9	295	79.1	257	69.0	233	62.7	68.9
Mahnomen	118	232.2	88	172.1	64	126.2	86	167.7	61	119.0	163.4
Marshall	42	41.9	70	70.2	69	69.3	69	71.7	72	75.8	65.6
Martin	134	63.7	134	63.8	133	64.0	163	79.7	125	61.2	66.4
Meeker	109	46.8	131	56.1	154	65.8	156	67.2	127	54.9	58.2
Mille Lacs	285	113.6	213	82.9	332	126.9	250	94.9	214	81.1	99.8
Morrison	164	50.2	222	67.7	239	72.6	253	77.3	208	63.2	66.2
Mower	293	75.1	311	80.2	295	76.3	336	88.3	384	101.4	84.2
Murray	25	27.8	31	35.0	45	51.3	44	51.7	37	44.1	41.8

**Chemical Health Table 4: Minnesota Impaired Driving Incidents on Record by County of Residence per 10,000 Population, 2004-2008**

	2004		2005		2006		2007		2008		2004-2008
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
<b>State of Minnesota*</b>	<b>34,199</b>	<b>67.0</b>	<b>34,256</b>	<b>66.7</b>	<b>38,938</b>	<b>75.4</b>	<b>36,989</b>	<b>71.2</b>	<b>34,241</b>	<b>65.6</b>	<b>69.2</b>
Nicollet	281	91.1	234	75.9	249	79.5	224	70.7	216	67.4	76.8
Nobles	162	79.1	148	72.2	138	67.5	148	73.5	147	72.2	72.9
Norman	19	**	61	87.1	50	73.0	40	59.8	40	60.6	61.4
Olmsted	772	57.9	868	64.2	856	62.2	1,003	71.8	1,001	70.8	65.5
Otter Tail	405	69.9	396	68.7	419	72.5	392	68.7	340	59.9	68.0
Pennington	119	87.9	121	88.9	138	100.7	139	101.0	114	82.9	92.3
Pine	325	115.6	259	90.9	290	102.0	218	77.4	209	73.9	92.0
Pipestone	50	52.2	67	71.1	53	56.2	50	53.7	45	47.9	56.2
Polk	322	103.5	210	67.5	225	72.4	243	79.1	225	73.3	79.2
Pope	65	57.9	66	58.7	67	59.8	64	57.8	58	52.6	57.4
Ramsey	2,404	48.1	2,967	59.9	3,473	70.4	3,302	66.1	3,073	61.3	61.1
Red Lake	34	79.3	25	57.9	32	76.8	43	104.4	19	**	73.0
Redwood	110	67.9	120	74.9	122	77.3	128	82.5	99	63.9	73.3
Renville	127	76.0	129	77.0	156	94.4	126	78.1	126	79.4	81.0
Rice	405	67.0	371	60.9	412	66.5	461	74.4	394	63.2	66.4
Rock	47	49.1	33	34.7	48	50.3	40	42.1	33	34.8	42.2
Roseau	158	96.9	140	84.9	142	87.6	126	79.0	141	88.9	87.5
St. Louis	1,486	75.0	1,440	73.0	1,595	81.3	1,435	73.0	1,427	72.5	75.0
Scott	899	78.3	848	70.8	906	73.0	837	66.1	759	58.9	69.2
Sherburne	465	59.0	554	67.8	700	82.4	629	72.9	534	60.9	68.7
Sibley	133	87.3	91	59.7	132	87.3	107	71.3	94	62.9	73.7
Stearns	981	69.5	941	66.0	1,192	82.7	1,080	73.9	945	64.3	71.3
Steele	223	63.4	238	66.6	268	74.0	248	68.2	214	58.6	66.1
Stevens	50	50.3	57	58.0	53	53.9	49	50.9	41	42.4	51.2
Swift	42	36.6	63	55.6	84	81.5	53	47.4	82	74.3	58.6
Todd	134	54.4	151	61.4	209	85.7	199	82.8	157	65.6	69.9
Traverse	24	62.0	17	**	19	**	23	62.0	19	**	54.1
Wabasha	137	61.7	131	59.0	162	72.7	157	72.1	158	72.4	67.5
Wadena	81	59.5	96	70.3	138	102.6	116	86.7	87	65.4	76.9
Waseca	111	57.6	130	67.3	146	75.0	146	74.8	128	65.8	68.1
Washington	1,314	60.6	1,194	54.2	1,562	69.4	1,348	59.5	1,303	56.9	60.1
Watonwan	75	65.8	88	78.3	88	78.8	96	87.1	79	72.7	76.5
Wilkin	61	89.9	23	33.8	37	55.8	60	93.5	44	70.0	68.3
Winona	490	99.9	268	54.4	296	60.1	311	62.4	299	59.9	67.3
Wright	640	59.9	771	69.6	919	80.1	856	72.9	718	60.0	68.6
Yellow Medicine	72	68.1	90	86.1	99	94.9	91	89.8	95	95.4	86.7

Source: Minnesota Department of Public Safety

\*Includes unknown.

\*\*A rate was not calculated if the number of events was less than 20.

**Driving While Impaired (DWI) Violations:** The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

**Number:** The number of driving while impaired violations by county of residence.

**Rate:** The number of DWI violations per 10,000 population in the county/state.

## **Notes about the Chemical Health Indicators**

### **IMPAIRED DRIVING INCIDENTS**

#### **Minnesota Motor Vehicle Crash Facts**

This category includes data about motor vehicle crashes and violations related to alcohol. The violations' indicators includes violations for both failing and also refusing to take (implied consent law) a test for blood alcohol content.

These indicators include both local law enforcement and State Patrol reports.

#### **Source:**

Minnesota Department of Public Safety, 651/201-7000

#### **Limitations:**

##### **Under-reporting**

Law enforcement officers at a crash or arrest site may not realize and thus not report that alcohol or other drugs were involved.

##### **Lack of Standard Reporting**

The number of reports of alcohol-related crashes or driving while impaired violations are affected by the inconsistency of enforcement of the laws by local law enforcement officials. One community may be very strict in enforcement, or receive specific funds for specific enforcement, while another community may be more lenient.

## Section F: Environmental Health

### Tables

---

Table 1: Blood Lead Tests

Table 2: Food and Waterborne Outbreaks

Table 3: Hazardous Material Releases

## **Blood Lead, 2008**

Lead poisoning is a significant, preventable environmental health problem among children in the United States. Lead poisoning can cause learning, behavior, and health problems in young children. In adults, lead can cause high blood pressure, kidney damage, and damage to the reproductive organs. Exposure pathways include deteriorating lead paint; soil and dust; drinking water; “take-home lead” by way of parental occupations and hobbies; air; food; and possibly “traditional” medicines.

The Minnesota Department of Health (MDH) maintains an extensive blood lead surveillance system for the purpose of monitoring trends in blood lead levels in Minnesota. Independent laboratories and/or hospitals report blood lead analyses to the MDH. The data are used to help ensure that screening services are provided to high risk groups and that environmental and medical follow-up is provided to children with elevated blood lead levels. Lead program staff advise local health departments of elevated venous blood lead levels that require follow up. Health care providers and public health agencies educate families of children with blood lead levels of 10 micrograms of lead per deciliter of blood ( $\mu\text{g}/\text{dL}$ ) or greater about the hazards of lead. Homes of children with venous blood lead levels of 15  $\mu\text{g}/\text{dL}$  or greater, or pregnant women with venous blood lead levels of 15  $\mu\text{g}/\text{dL}$  or greater, are inspected for lead hazards so that homes can be made lead safe and blood lead levels can be reduced.

In addition, MDH has developed guidelines for case management and clinical treatment in collaboration with local partners and physicians. The case management guidelines are targeted to local public health agencies and others who provide services to provide information on recommended activities related to elevated childhood lead cases. The clinical guidelines provide recommended treatment information to physicians who may not deal with many lead cases in their practice. This information, as well as other information on childhood lead poisoning, may be found at the MDH website at: [www.health.state.mn.us/divs/eh/lead](http://www.health.state.mn.us/divs/eh/lead).

The results in Environmental Health Table 1 represent submitted reports of blood lead tests of Minnesota children aged 0-72 months between January 1, 2008 and December 31, 2008. The table below shows the numbers of children 0-72 months of age tested in 2008 according to blood lead level.

For more information contact the Environmental Impacts Analysis Unit, Section of Environmental Surveillance and Assessment: Erik Zabel, 651/201-4931, [erik.zabel@state.mn.us](mailto:erik.zabel@state.mn.us), or [www.health.state.mn.us/divs/eh/lead](http://www.health.state.mn.us/divs/eh/lead).

**Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter ( $\mu\text{g}/\text{dL}$ ) in 2008 by State and County**

	Number of Children (0 to 72 Months)			
	5 to 9.9 $\mu\text{g}/\text{dL}$ <sup>2</sup>	10 to 14.9 $\mu\text{g}/\text{dL}$ <sup>1</sup>	15 $\mu\text{g}/\text{dL}$ or Greater <sup>1</sup>	Total Tested <sup>2</sup>
<b>State of Minnesota</b>	<b>8,857</b>	<b>573</b>	<b>365</b>	<b>96,215</b>
Aitkin	10	0	1	238
Anoka	722	7	8	6,318
Becker	34	2	2	627
Beltrami	18	1	0	286
Benton	29	2	2	1,092
Big Stone	5	2	0	77
Blue Earth	40	4	3	995
Brown	16	1	4	285
Carlton	42	4	4	718
Carver	25	5	3	1,275
Cass	19	1	1	370
Chippewa	12	1	1	230
Chisago	40	4	0	807
Clay	15	0	0	702
Clearwater	2	0	0	46
Cook	4	0	0	47
Cottonwood	16	0	3	95
Crow Wing	88	7	2	1,105
Dakota	574	16	19	6,462
Dodge	13	1	0	212
Douglas	27	1	0	570
Faribault	27	1	3	224
Fillmore	17	1	0	186
Freeborn	15	2	3	405
Goodhue	32	5	4	630
Grant	4	0	0	91
Hennepin	2,295	173	118	22,125
Houston	17	5	0	252
Hubbard	5	0	1	134
Isanti	28	2	1	830
Itasca	27	3	5	779
Jackson	11	0	0	105
Kanabec	5	0	0	264
Kandiyohi	67	8	7	968
Kittson	4	0	1	31
Koochiching	8	6	0	175
Lac Qui Parle	15	2	2	105
Lake	7	0	0	160
Lake of the Woods	8	2	0	47
Le Sueur	18	1	1	356
Lincoln	5	1	1	61
Lyon	43	4	3	640
McLeod	22	5	2	692
Mahnomen	3	0	1	64
Marshall	4	0	0	108
Martin	19	1	1	369
Meeker	17	3	2	382
Mille Lacs	25	5	0	350
Morrison	16	4	1	618
Mower	25	6	2	462
Murray	9	0	1	125
Nicollet	16	3	1	493

**Environmental Health Table 1: Number of Minnesota Children (0 to 72 Months of Age) Tested according to Blood Lead Levels in Micrograms per Deciliter (µg/dL) in 2008 by State and County**

	Number of Children (0 to 72 Months)			
	5 to 9.9 µg/dL <sup>2</sup>	10 to 14.9 µg/dL <sup>1</sup>	15 µg/dL or Greater <sup>1</sup>	Total Tested <sup>2</sup>
<b>State of Minnesota</b>	<b>8,857</b>	<b>573</b>	<b>365</b>	<b>96,215</b>
Nobles	46	3	1	575
Norman	5	0	0	32
Olmsted	34	6	3	1,270
Otter Tail	12	3	2	500
Pennington	6	0	1	136
Pine	29	4	2	463
Pipestone	5	1	0	54
Polk	14	4	3	319
Pope	14	1	0	183
Ramsey	2,589	153	72	11,928
Red Lake	2	0	0	32
Redwood	28	4	4	271
Renville	26	4	4	288
Rice	56	8	3	1,206
Rock	14	2	0	115
Roseau	2	0	0	107
St. Louis	219	27	25	3,518
Scott	28	4	3	1,989
Sherburne	142	2	1	1,809
Sibley	18	0	3	261
Stearns	87	3	4	3,136
Steele	41	3	2	730
Stevens	11	4	0	150
Swift	14	2	1	179
Todd	34	5	3	466
Traverse	9	1	1	42
Wabasha	12	1	0	262
Wadena	6	0	0	152
Waseca	16	0	1	366
Washington	421	11	4	3,175
Watonwan	19	0	0	205
Wilkin	5	0	0	75
Winona	30	9	1	516
Wright	62	2	4	2,377
Yellow Medicine	17	3	3	181

Source: Minnesota Department of Health, Environmental Health Division

<sup>1</sup>results of venous tests only

<sup>2</sup>venous, capillary, and unknown test types

## **Foodborne and Waterborne Disease Outbreaks and Cases, 2008**

Biological or chemical agents may be present in food and water and can cause illness when ingested. The Minnesota Department of Health (MDH) investigates outbreaks of gastroenteritis, including foodborne and waterborne disease outbreaks. Epidemiologists in the Infectious Disease Epidemiology, Prevention and Control Division collaborate with sanitarians in the Environmental Health Division and with local public health agencies in these investigations.

A confirmed foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after a common food or meal, and epidemiologic evaluation implicates the food or meal as the source of illness. Confirmed outbreaks may or may not be laboratory-confirmed. A probable foodborne disease outbreak is defined as an incident in which two or more persons experience a similar illness after ingestion of a common food or meal, and a specific food or meal is suspected, but person-to-person transmission or other exposures cannot be ruled out.

Waterborne disease outbreaks are similar to foodborne disease outbreaks, except that epidemiologic analysis implicates drinking water or recreational water as the source of illness. Nonfoodborne/nonwaterborne gastroenteritis outbreaks are related by time and place of exposure, but investigation results suggest that either person-to-person transmission occurred or a vehicle other than food or water (e.g., animal contact) is identified.

Environmental Health Table 2 shows the number of confirmed and probable foodborne outbreaks and cases, the number of confirmed waterborne outbreaks and cases, and nonfoodborne/nonwaterborne gastroenteritis outbreaks identified by MDH in 2008. For more information, go to <http://www.health.state.mn.us/divs/idepc/dtopics/foodborne/outbreaksummary.html>, or contact the Acute Disease Investigation and Control Section, Infectious Disease Epidemiology, Prevention and Control Division: 651/201-5414.

**Environmental Health Table 2: Foodborne and Waterborne Outbreaks and Cases  
Minnesota by State and County, 2008**

	Foodborne				Outbreaks of Other/ Unknown Routes of Transmission	Waterborne	
	Confirmed		Probable			Confirmed	
	Outbreaks	Cases	Outbreaks	Cases		Outbreaks	Cases
<b>State of Minnesota</b>	<b>53</b>	<b>783</b>	<b>11</b>	<b>123</b>	<b>46</b>	<b>0</b>	<b>69</b>
Aitkin	0	0	0	0	0	0	0
Anoka	3	62	0	0	0	0	26
Becker	0	0	0	0	0	0	0
Beltrami	0	0	0	0	0	0	0
Benton	0	0	0	0	0	0	0
Big Stone	0	0	0	0	0	0	0
Blue Earth	0	0	0	0	0	0	0
Brown	0	0	0	6	0	0	0
Carlton	0	0	0	0	0	0	0
Carver	5	76	0	0	2	0	0
Cass	0	0	0	0	0	0	0
Chippewa	0	0	0	0	0	0	0
Chisago	0	0	0	0	0	0	0
Clay	0	0	0	0	0	0	0
Clearwater	0	0	0	0	0	0	0
Cook	0	0	0	0	0	0	0
Cottonwood	0	0	0	0	2	0	0
Crow Wing	2	48	0	0	0	0	0
Dakota	4	47	0	0	3	0	0
Dodge	0	0	0	0	0	0	0
Douglas	0	0	0	7	0	0	0
Faribault	0	0	0	0	0	0	0
Fillmore	0	0	0	0	0	0	0
Freeborn	0	7	0	0	0	0	0
Goodhue	0	0	0	18	0	0	0
Grant	0	0	0	0	0	0	0
Hennepin	18	188	5	35	19	0	0
Houston	0	0	0	0	0	0	0
Hubbard	0	0	0	0	0	0	0
Isanti	0	0	0	0	0	0	0
Itasca	0	0	0	0	0	0	0
Jackson	0	0	0	0	0	0	0
Kanabec	0	0	0	0	0	0	0
Kandiyohi	0	0	0	0	0	0	0
Kittson	0	0	0	0	0	0	0
Koochiching	0	0	0	0	0	0	0
Lac Qui Parle	0	0	0	0	0	0	0
Lake	0	0	0	0	0	0	0
Lake of the Woods	0	0	0	0	0	0	0
Le Sueur	0	0	0	0	0	0	0
Lincoln	0	0	0	0	0	0	0
Lyon	0	17	0	0	0	0	19
McLeod	0	5	0	3	0	0	0
Mahnomen	0	0	0	0	0	0	0
Marshall	0	0	0	0	0	0	0
Martin	0	0	0	0	0	0	0
Meeker	0	0	0	0	0	0	0
Mille Lacs	0	0	0	0	0	0	0
Morrison	0	0	0	0	0	0	0
Mower	0	0	0	0	0	0	0

**Environmental Health Table 2: Foodborne and Waterborne Outbreaks and Cases  
Minnesota by State and County, 2008**

	Foodborne				Outbreaks of Other/ Unknown Routes of Transmission	Waterborne	
	Confirmed		Probable			Confirmed	
	Outbreaks	Cases	Outbreaks	Cases		Outbreaks	Cases
<b>State of Minnesota</b>	<b>53</b>	<b>783</b>	<b>11</b>	<b>123</b>	<b>46</b>	<b>0</b>	<b>69</b>
Murray	0	0	0	0	0	0	0
Nicollet	0	0	0	0	0	0	0
Nobles	0	0	0	0	0	0	0
Norman	0	0	0	0	0	0	0
Olmsted	4	64	0	0	6	0	0
Otter Tail	0	12	0	0	0	0	12
Pennington	0	0	0	0	0	0	0
Pine	0	0	0	0	0	0	0
Pipestone	0	0	0	0	0	0	0
Polk	0	0	0	0	0	0	0
Pope	0	0	0	0	0	0	0
Ramsey	6	81	2	32	6	0	0
Red Lake	0	0	0	0	0	0	0
Redwood	0	20	0	0	0	0	0
Renville	0	8	0	0	0	0	0
Rice	0	0	0	0	0	0	0
Rock	0	0	0	0	0	0	0
Roseau	0	0	0	0	0	0	0
St. Louis	0	8	2	8	0	0	0
Scott	0	3	0	0	0	0	0
Sherburne	0	0	0	0	0	0	0
Sibley	0	0	0	0	0	0	0
Stearns	2	20	2	11	4	0	0
Steele	0	0	0	0	0	0	0
Stevens	0	0	0	0	0	0	0
Swift	0	0	0	0	0	0	0
Todd	0	0	0	0	0	0	0
Traverse	0	0	0	0	0	0	0
Wabasha	0	0	0	3	2	0	0
Wadena	0	0	0	0	0	0	0
Waseca	0	0	0	0	0	0	0
Washington	4	52	0	0	0	0	0
Watonwan	0	0	0	0	0	0	0
Wilkin	0	0	0	0	0	0	0
Winona	0	0	0	0	0	0	0
Wright	0	0	0	0	0	0	12
Yellow Medicine	0	0	0	0	0	0	0
Multi county/state	5	65	0	0	2	0	0

Source: Minnesota Department of Health, Infectious Disease Epidemiology, Prevention and Control Division

## **Hazardous Substances Emergency Events Surveillance, 2008**

Hazardous materials are released daily throughout Minnesota as a result of industrial, agricultural, and domestic spills of acids, ammonia, and other chemicals. Many of these releases cause injuries and force evacuations. The Hazardous Substances Emergency Events Surveillance (HSEES) program maintained a database of acute hazardous material releases in Minnesota. The HSEES program, which ended September 29, 2009, was funded under a cooperative agreement with the U.S. Agency for Toxic Substances and Disease Registry and active in 13 other states in 2008.

The HSEES program collected data on acute, emergency hazardous material releases, as well as threatened releases that involved a public health action such as evacuation. The program did not include releases that involved petroleum products exclusively, such as diesel fuel or propane, nor did the program include releases permitted by the Minnesota Pollution Control Agency. Chronic releases, such as a several-month leak from an acid holding tank, were also excluded from the program.

The Minnesota Department of Health (MDH) received initial reports of hazardous material releases from several sources, including the Minnesota Duty Officer, the U. S. Coast Guard's National Response Center, and the U.S. Department of Transportation. Later, MDH called the responsible party or emergency responders to obtain information for an extensive questionnaire. Examples of information gathered include the number of people who were evacuated, injured, or decontaminated; the identity and quantity of the materials spilled; and response actions. Data on long-term health effects from chemical exposures were not collected. The MDH follow-up procedure had the advantage of providing more complete and accurate information than was available at the time of original notification of the release.

HSEES data identify the chemicals released, the day of the week and time of day of the release, and the resulting injuries and evacuations. Maps can be generated showing the locations of spills with respect to municipalities; rivers and lakes; and roads. A person was considered injured if that person developed symptoms within 24 hours of exposure to a hazardous substance. Symptoms ranged from minor ailments, such as throat irritation, to death. The program did not differentiate between injuries caused directly by exposure to hazardous materials and injuries caused indirectly by the release, such as burns from a fire caused by the hazardous materials.

HSEES data can be used in emergency management planning and training. A region's agricultural and industrial activities determine the types of hazardous material releases that are likely to occur within that region. Thus, regional differences require different strategies for planning and training.

During 2008, a total of 600 events occurred in Minnesota involving 630 chemicals. Among these, there were 597 events with actual releases, two events with a combination of actual and potential releases, one event with a potential release, 54 evacuations, and 187 injured people (i.e., victims). For the ten urban\* counties, there were 351 events involving 357 chemicals, one event with a combination of actual and potential releases, one event with a potential release, 88 victims, and 35 evacuations. For the 77 rural counties, there were 249 events involving 273 chemicals, one event with a combination of actual and potential releases, 99 victims, and 19 evacuations. Environmental Health Table 3 provides the number of hazardous material releases in each county and the average number of events, injuries, evacuations, and chemicals released per event.

**For further information contact the Site Assessment and Consultation Unit: Nancy Rice, HSEES Coordinator, 651/201-4923 or [health.hazard@state.mn.us](mailto:health.hazard@state.mn.us).**

**Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2008 in Minnesota by State and County\***

	Events/County	Victims/County	Evacuations/County	Average Number Chemicals/Event
<b>Urban Counties</b>	<b>35.1</b>	<b>8.8</b>	<b>3.5</b>	<b>1.0</b>
<b>Rural Counties</b>	<b>3.2</b>	<b>1.3</b>	<b>0.2</b>	<b>1.1</b>
	Events	Victims	Evacuations	Average Number Chemicals/Event
<b>State of Minnesota</b>	<b>600</b>	<b>187</b>	<b>54</b>	<b>1.1</b>
Aitkin	0	0	0	0.0
Anoka	37	17	3	1.0
Becker	2	1	1	1.5
Beltrami	1	0	0	2.0
Benton	2	0	1	1.0
Big Stone	1	0	0	1.0
Blue Earth	15	0	0	1.0
Brown	7	1	1	1.0
Carlton	5	0	1	1.2
Carver	6	2	0	1.0
Cass	1	0	0	1.0
Chippewa	2	1	0	1.0
Chisago	5	1	0	1.0
Clay	9	13	1	1.0
Clearwater	0	0	0	0.0
Cook	0	0	0	0.0
Cottonwood	3	0	1	2.0
Crow Wing	3	0	0	1.0
Dakota	61	7	5	1.0
Dodge	10	1	0	1.0
Douglas	9	0	2	1.0
Faribault	4	1	0	1.0
Fillmore	3	1	0	1.0
Freeborn	3	2	1	1.0
Goodhue	2	0	0	1.0
Grant	0	0	0	0.0
Hennepin	89	27	14	1.0
Houston	3	0	0	1.0
Hubbard	2	0	0	1.5
Isanti	1	0	0	1.0
Itasca	12	0	0	1.0
Jackson	4	1	0	1.0
Kanabec	0	0	0	0.0
Kandiyohi	3	0	0	1.0
Kittson	1	0	0	1.0
Koochiching	2	1	0	1.0
Lac Qui Parle	2	0	0	1.0
Lake	1	0	0	1.0
Lake of the Woods	0	0	0	0.0
Le Sueur	3	1	1	1.0
Lincoln	0	0	0	0.0
Lyon	5	0	0	1.0
McLeod	11	7	3	1.0
Mahnomen	0	0	0	0.0
Marshall	0	0	0	0.0
Martin	10	1	0	1.0
Meeker	2	1	0	1.0

**Environmental Health Table 3: Average Hazardous Material Releases, Victims, Evacuations, and Chemicals per Event for 2008 in Minnesota by State and County\***

	Events/County	Victims/County	Evacuations/County	Average Number Chemicals/Event
<b>Urban Counties</b>	<b>35.1</b>	<b>8.8</b>	<b>3.5</b>	<b>1.0</b>
<b>Rural Counties</b>	<b>3.2</b>	<b>1.3</b>	<b>0.2</b>	<b>1.1</b>
	Events	Victims	Evacuations	Average Number Chemicals/Event
<b>State of Minnesota</b>	<b>600</b>	<b>187</b>	<b>54</b>	<b>1.1</b>
Mille Lacs	3	0	1	3.0
Morrison	1	0	0	1.0
Mower	3	0	0	1.0
Murray	3	1	0	1.0
Nicollet	1	0	0	1.0
Nobles	3	30	2	1.0
Norman	0	0	0	0.0
Olmsted	14	0	1	1.1
Otter Tail	4	2	0	1.0
Pennington	0	0	0	0.0
Pine	0	0	0	0.0
Pipestone	2	0	0	1.0
Polk	1	0	0	1.0
Pope	1	0	0	1.0
Ramsey	54	26	7	1.0
Red Lake	0	0	0	0.0
Redwood	4	0	0	1.3
Renville	7	0	0	1.0
Rice	9	1	1	1.0
Rock	3	0	0	1.0
Roseau	0	0	0	0.0
St. Louis	21	3	0	1.0
Scott	9	2	2	1.0
Sherburne	14	0	0	1.0
Sibley	2	0	0	1.0
Stearns	12	2	2	1.1
Steele	9	2	0	1.1
Stevens	1	0	0	1.0
Swift	6	2	0	1.5
Todd	2	0	0	1.0
Traverse	0	0	0	0.0
Wabasha	1	0	0	1.0
Wadena	1	0	0	1.0
Waseca	1	25	1	1.0
Washington	48	2	1	1.0
Watonwan	3	0	0	1.0
Wilkin	0	0	0	0.0
Winona	7	1	1	1.3
Wright	5	1	0	1.8
Yellow Medicine	3	0	0	1.0

Source: Minnesota Department of Health, Environmental Health Division

\***Urban counties:** Anoka, Carver, Dakota, Hennepin, Olmsted, Ramsey, St. Louis, Scott, Stearns and Washington counties (Includes counties with at least one city with a population more than 50,000 or located in the seven-county Twin Cities Metropolitan Area)