

2009 Minnesota County Health Tables

2009 Minnesota County Health Tables

Minnesota Department of Health
Minnesota Center for Health Statistics
PO Box 64882
St. Paul, MN 55164-64882
healthstats@state.mn.us
www.health.state.mn.us/divs/chs

To obtain this information in a different format, email healthstats@state.mn.us.

Section A: Demographics Tables

Tables

Table 1: Population Estimates by Age and Sex

Table 2: Population Estimates by Race and Ethncity

Table 3: Selected Population Statistics

Table 4: Selected Minnesota Demographics

Table 5: Selected Socioeconomic Statistics

Table 6: Family Investment Programs

Table 7: MA and MinnesotaCare Programs

Table 8: Selected Education Statistics

Tables 9 : School Enrollment by Race/Ethnicity

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

State of Minnesota - Population Estimates by Age and Sex, 2009

Age Group	Number		Percent	
	Male	Female	Male	Female
00-04	185,595	178,380	3.5	3.4
05-09	175,812	168,282	3.3	3.2
10-14	172,955	164,621	3.3	3.1
15-17	110,556	104,596	2.1	2.0
18-19	76,855	76,094	1.5	1.4
20-24	188,154	184,988	3.6	3.5
25-29	191,579	179,618	3.6	3.4
30-34	169,415	159,009	3.2	3.0
35-39	170,556	164,204	3.2	3.1
40-44	181,976	177,948	3.5	3.4
45-49	210,349	206,185	4.0	3.9
50-54	198,449	196,264	3.8	3.7
55-59	169,635	169,030	3.2	3.2
60-64	129,773	134,281	2.5	2.5
65-69	94,342	102,347	1.8	1.9
70-74	69,195	79,699	1.3	1.5
75-79	53,499	67,334	1.0	1.3
80-84	39,606	58,837	0.8	1.1
85&up	32,269	73,927	0.6	1.4
Total	2,620,570	2,645,644	49.8	50.2
Total Male/Female	5,266,214			

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Aitkin County - Population Estimates by Age and Sex, 2009

Age Group	AITKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	401	370	2,118	1,955	185,595	178,380
05-09	399	327	2,141	1,860	175,812	168,282
10-14	404	382	2,181	2,113	172,955	164,621
15-17	262	266	1,458	1,470	110,556	104,596
18-19	172	135	867	797	76,855	76,094
20-24	344	308	1,993	1,823	188,154	184,988
25-29	347	226	2,004	1,538	191,579	179,618
30-34	269	199	1,500	1,274	169,415	159,009
35-39	316	318	1,804	1,854	170,556	164,204
40-44	388	387	2,096	2,121	181,976	177,948
45-49	612	587	2,725	2,824	210,349	206,185
50-54	628	603	3,138	3,089	198,449	196,264
55-59	657	636	3,165	3,083	169,635	169,030
60-64	684	743	2,699	2,734	129,773	134,281
65-69	707	784	2,378	2,551	94,342	102,347
70-74	531	569	1,719	1,835	69,195	79,699
75-79	343	349	1,221	1,420	53,499	67,334
80-84	231	262	924	1,103	39,606	58,837
85&up	201	299	666	1,260	32,269	73,927
Total	7,896	7,750	36,797	36,704	2,620,570	2,645,644
Total Male/Female	15,646		73,501		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Anoka County - Population Estimates by Age and Sex, 2009

Age Group	ANOKA		Minnesota	
	Male	Female	Male	Female
00-04	11,408	11,028	185,595	178,380
05-09	11,695	11,124	175,812	168,282
10-14	12,335	11,563	172,955	164,621
15-17	7,849	7,467	110,556	104,596
18-19	4,247	3,978	76,855	76,094
20-24	10,068	9,531	188,154	184,988
25-29	12,283	11,079	191,579	179,618
30-34	11,694	10,851	169,415	159,009
35-39	12,184	11,720	170,556	164,204
40-44	13,185	12,970	181,976	177,948
45-49	15,273	14,670	210,349	206,185
50-54	13,158	12,593	198,449	196,264
55-59	10,235	10,269	169,635	169,030
60-64	7,870	8,212	129,773	134,281
65-69	5,476	5,609	94,342	102,347
70-74	3,512	4,108	69,195	79,699
75-79	2,526	2,883	53,499	67,334
80-84	1,540	2,143	39,606	58,837
85&up	1,010	2,236	32,269	73,927
Total	167,548	164,034	2,620,570	2,645,644
Total Male/Female	331,582		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Becker County - Population Estimates by Age and Sex, 2009

Age Group	BECKER		Minnesota	
	Male	Female	Male	Female
00-04	1,131	1,078	185,595	178,380
05-09	1,072	1,018	175,812	168,282
10-14	1,099	1,043	172,955	164,621
15-17	637	623	110,556	104,596
18-19	423	376	76,855	76,094
20-24	888	882	188,154	184,988
25-29	912	746	191,579	179,618
30-34	836	672	169,415	159,009
35-39	863	834	170,556	164,204
40-44	942	963	181,976	177,948
45-49	1,228	1,148	210,349	206,185
50-54	1,242	1,242	198,449	196,264
55-59	1,258	1,260	169,635	169,030
60-64	1,078	1,092	129,773	134,281
65-69	841	850	94,342	102,347
70-74	615	743	69,195	79,699
75-79	459	536	53,499	67,334
80-84	314	423	39,606	58,837
85&up	207	502	32,269	73,927
Total	16,045	16,031	2,620,570	2,645,644
Total Male/Female	32,076		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Beltrami County - Population Estimates by Age and Sex, 2009

Age Group	BELTRAMI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,743	1,684	2,734	2,642	185,595	178,380
05-09	1,536	1,409	2,401	2,244	175,812	168,282
10-14	1,497	1,402	2,463	2,262	172,955	164,621
15-17	969	871	1,593	1,460	110,556	104,596
18-19	827	867	1,201	1,210	76,855	76,094
20-24	1,948	1,956	2,737	2,757	188,154	184,988
25-29	1,633	1,786	2,423	2,488	191,579	179,618
30-34	1,596	1,497	2,206	2,059	169,415	159,009
35-39	1,082	1,146	1,799	1,896	170,556	164,204
40-44	1,073	1,204	1,969	2,083	181,976	177,948
45-49	1,438	1,453	2,622	2,624	210,349	206,185
50-54	1,462	1,520	2,744	2,737	198,449	196,264
55-59	1,380	1,459	2,578	2,667	169,635	169,030
60-64	1,088	1,079	2,200	2,169	129,773	134,281
65-69	810	892	1,787	1,965	94,342	102,347
70-74	651	756	1,404	1,557	69,195	79,699
75-79	495	564	1,048	1,128	53,499	67,334
80-84	306	484	665	918	39,606	58,837
85&up	238	549	566	1,110	32,269	73,927
Total	21,772	22,578	37,140	37,976	2,620,570	2,645,644
Total Male/Female		44,350		75,116		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Benton County - Population Estimates by Age and Sex, 2009

Age Group	BENTON		Minnesota	
	Male	Female	Male	Female
00-04	1,477	1,491	185,595	178,380
05-09	1,404	1,345	175,812	168,282
10-14	1,337	1,252	172,955	164,621
15-17	797	727	110,556	104,596
18-19	483	408	76,855	76,094
20-24	1,506	1,513	188,154	184,988
25-29	1,937	2,157	191,579	179,618
30-34	1,734	1,742	169,415	159,009
35-39	1,422	1,371	170,556	164,204
40-44	1,433	1,342	181,976	177,948
45-49	1,462	1,392	210,349	206,185
50-54	1,286	1,230	198,449	196,264
55-59	1,156	1,057	169,635	169,030
60-64	789	832	129,773	134,281
65-69	536	548	94,342	102,347
70-74	414	456	69,195	79,699
75-79	324	449	53,499	67,334
80-84	246	357	39,606	58,837
85&up	227	554	32,269	73,927
Total	19,970	20,223	2,620,570	2,645,644
Total Male/Female		40,193		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Big Stone County - Population Estimates by Age and Sex, 2009

Age Group	BIG STONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	138	152	1,318	1,309	185,595	178,380
05-09	130	134	1,372	1,224	175,812	168,282
10-14	162	144	1,466	1,334	172,955	164,621
15-17	108	107	942	933	110,556	104,596
18-19	71	54	616	519	76,855	76,094
20-24	151	143	1,535	1,228	188,154	184,988
25-29	100	86	1,260	787	191,579	179,618
30-34	69	53	1,104	655	169,415	159,009
35-39	126	125	1,451	1,013	170,556	164,204
40-44	137	149	1,551	1,291	181,976	177,948
45-49	238	203	1,834	1,656	210,349	206,185
50-54	215	218	1,958	1,790	198,449	196,264
55-59	191	206	1,733	1,544	169,635	169,030
60-64	163	172	1,326	1,334	129,773	134,281
65-69	133	188	1,019	1,165	94,342	102,347
70-74	128	149	816	975	69,195	79,699
75-79	105	138	742	984	53,499	67,334
80-84	85	117	640	978	39,606	58,837
85&up	91	172	611	1,359	32,269	73,927
Total	2,541	2,710	23,294	22,078	2,620,570	2,645,644
Total Male/Female		5,251		45,372		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Blue Earth County - Population Estimates by Age and Sex, 2009

Age Group	BLUE EARTH		Minnesota	
	Male	Female	Male	Female
00-04	1,900	1,806	185,595	178,380
05-09	1,745	1,557	175,812	168,282
10-14	1,503	1,440	172,955	164,621
15-17	967	869	110,556	104,596
18-19	1,818	2,235	76,855	76,094
20-24	5,334	5,490	188,154	184,988
25-29	2,567	2,127	191,579	179,618
30-34	1,593	1,176	169,415	159,009
35-39	1,639	1,416	170,556	164,204
40-44	1,654	1,500	181,976	177,948
45-49	1,883	1,807	210,349	206,185
50-54	1,913	1,938	198,449	196,264
55-59	1,705	1,643	169,635	169,030
60-64	1,320	1,272	129,773	134,281
65-69	931	992	94,342	102,347
70-74	678	801	69,195	79,699
75-79	555	765	53,499	67,334
80-84	463	701	39,606	58,837
85&up	362	945	32,269	73,927
Total	30,530	30,480	2,620,570	2,645,644
Total Male/Female		61,010		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Brown County - Population Estimates by Age and Sex, 2009

Age Group	BROWN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	789	737	1,879	1,718	185,595	178,380
05-09	768	740	1,736	1,656	175,812	168,282
10-14	768	738	1,732	1,588	172,955	164,621
15-17	595	554	1,228	1,106	110,556	104,596
18-19	416	413	1,275	1,412	76,855	76,094
20-24	938	944	2,976	3,105	188,154	184,988
25-29	663	486	1,596	1,371	191,579	179,618
30-34	580	427	1,460	1,087	169,415	159,009
35-39	661	569	1,613	1,405	170,556	164,204
40-44	792	801	1,728	1,750	181,976	177,948
45-49	1,024	1,029	2,173	2,091	210,349	206,185
50-54	1,092	1,081	2,184	2,199	198,449	196,264
55-59	946	861	2,012	1,846	169,635	169,030
60-64	741	746	1,609	1,472	129,773	134,281
65-69	567	626	1,108	1,266	94,342	102,347
70-74	473	491	927	1,017	69,195	79,699
75-79	420	544	750	934	53,499	67,334
80-84	319	457	561	822	39,606	58,837
85&up	270	537	475	960	32,269	73,927
Total	12,822	12,781	29,022	28,805	2,620,570	2,645,644
Total Male/Female		25,603		57,827		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Carlton County - Population Estimates by Age and Sex, 2009

Age Group	CARLTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,137	1,044	7,114	6,733	185,595	178,380
05-09	1,120	1,070	6,742	6,346	175,812	168,282
10-14	1,195	1,151	7,005	6,545	172,955	164,621
15-17	706	699	4,683	4,374	110,556	104,596
18-19	462	378	5,171	5,450	76,855	76,094
20-24	1,084	903	12,280	11,979	188,154	184,988
25-29	1,074	861	7,299	5,923	191,579	179,618
30-34	969	785	5,212	4,459	169,415	159,009
35-39	1,232	1,024	6,772	6,278	170,556	164,204
40-44	1,236	1,132	7,304	7,237	181,976	177,948
45-49	1,373	1,371	9,190	9,389	210,349	206,185
50-54	1,496	1,347	10,180	10,145	198,449	196,264
55-59	1,172	1,173	9,670	9,383	169,635	169,030
60-64	974	912	7,545	7,335	129,773	134,281
65-69	710	762	5,371	5,776	94,342	102,347
70-74	549	638	4,121	4,846	69,195	79,699
75-79	448	557	3,281	4,143	53,499	67,334
80-84	272	467	2,435	3,649	39,606	58,837
85&up	235	609	1,968	4,843	32,269	73,927
Total	17,444	16,883	123,343	124,833	2,620,570	2,645,644
Total Male/Female		34,327		248,176		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Carver County - Population Estimates by Age and Sex, 2009

Age Group	CARVER		Minnesota	
	Male	Female	Male	Female
00-04	3,562	3,362	185,595	178,380
05-09	3,832	3,634	175,812	168,282
10-14	3,955	3,874	172,955	164,621
15-17	2,190	2,176	110,556	104,596
18-19	1,263	1,134	76,855	76,094
20-24	2,593	2,472	188,154	184,988
25-29	2,575	2,382	191,579	179,618
30-34	2,947	2,715	169,415	159,009
35-39	3,520	3,483	170,556	164,204
40-44	4,150	4,195	181,976	177,948
45-49	4,516	4,396	210,349	206,185
50-54	3,622	3,463	198,449	196,264
55-59	2,615	2,397	169,635	169,030
60-64	1,724	1,726	129,773	134,281
65-69	1,206	1,213	94,342	102,347
70-74	785	858	69,195	79,699
75-79	605	776	53,499	67,334
80-84	445	617	39,606	58,837
85&up	326	803	32,269	73,927
Total	46,431	45,676	2,620,570	2,645,644
Total Male/Female	92,107		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Cass County - Population Estimates by Age and Sex, 2009

Age Group	CASS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	926	918	3,421	3,309	185,595	178,380
05-09	859	801	3,169	2,933	175,812	168,282
10-14	780	802	3,171	3,123	172,955	164,621
15-17	581	572	2,136	2,106	110,556	104,596
18-19	324	297	1,251	1,079	76,855	76,094
20-24	795	699	2,911	2,718	188,154	184,988
25-29	734	630	2,992	2,373	191,579	179,618
30-34	552	542	2,358	1,936	169,415	159,009
35-39	673	658	2,544	2,402	170,556	164,204
40-44	762	807	2,953	2,856	181,976	177,948
45-49	1,074	1,055	3,828	3,731	210,349	206,185
50-54	1,143	1,093	3,954	3,797	198,449	196,264
55-59	1,186	1,188	3,710	3,485	169,635	169,030
60-64	1,173	1,215	3,153	3,246	129,773	134,281
65-69	1,085	1,162	2,810	2,962	94,342	102,347
70-74	728	686	1,997	2,140	69,195	79,699
75-79	438	450	1,443	1,695	53,499	67,334
80-84	281	319	1,016	1,426	39,606	58,837
85&up	205	341	795	1,626	32,269	73,927
Total	14,299	14,235	49,612	48,943	2,620,570	2,645,644
Total Male/Female	28,534		98,555		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Chippewa County - Population Estimates by Age and Sex, 2009

Age Group	CHIPPEWA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	410	392	1,318	1,309	185,595	178,380
05-09	408	365	1,372	1,224	175,812	168,282
10-14	438	369	1,466	1,334	172,955	164,621
15-17	282	269	942	933	110,556	104,596
18-19	175	153	616	519	76,855	76,094
20-24	377	377	1,535	1,228	188,154	184,988
25-29	284	223	1,260	787	191,579	179,618
30-34	262	204	1,104	655	169,415	159,009
35-39	304	313	1,451	1,013	170,556	164,204
40-44	409	381	1,551	1,291	181,976	177,948
45-49	456	470	1,834	1,656	210,349	206,185
50-54	505	524	1,958	1,790	198,449	196,264
55-59	476	430	1,733	1,544	169,635	169,030
60-64	358	367	1,326	1,334	129,773	134,281
65-69	278	308	1,019	1,165	94,342	102,347
70-74	191	230	816	975	69,195	79,699
75-79	192	258	742	984	53,499	67,334
80-84	144	277	640	978	39,606	58,837
85&up	139	323	611	1,359	32,269	73,927
Total	6,088	6,233	23,294	22,078	2,620,570	2,645,644
Total Male/Female		12,321		45,372		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Chisago County - Population Estimates by Age and Sex, 2009

Age Group	CHISAGO		Minnesota	
	Male	Female	Male	Female
00-04	1,874	1,759	185,595	178,380
05-09	1,944	1,839	175,812	168,282
10-14	1,934	1,870	172,955	164,621
15-17	1,300	1,123	110,556	104,596
18-19	694	557	76,855	76,094
20-24	1,618	1,189	188,154	184,988
25-29	1,490	1,176	191,579	179,618
30-34	1,620	1,383	169,415	159,009
35-39	1,902	1,843	170,556	164,204
40-44	2,275	2,111	181,976	177,948
45-49	2,421	2,254	210,349	206,185
50-54	1,867	1,806	198,449	196,264
55-59	1,490	1,380	169,635	169,030
60-64	1,159	1,156	129,773	134,281
65-69	914	916	94,342	102,347
70-74	659	681	69,195	79,699
75-79	460	577	53,499	67,334
80-84	294	401	39,606	58,837
85&up	265	424	32,269	73,927
Total	26,180	24,445	2,620,570	2,645,644
Total Male/Female		50,625		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Clay County - Population Estimates by Age and Sex, 2009

Age Group	CLAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	2,042	1,903	2,244	2,088	185,595	178,380
05-09	1,714	1,667	1,931	1,833	175,812	168,282
10-14	1,759	1,649	1,964	1,871	172,955	164,621
15-17	1,164	980	1,304	1,139	110,556	104,596
18-19	1,445	2,024	1,524	2,090	76,855	76,094
20-24	3,640	4,380	3,783	4,565	188,154	184,988
25-29	1,610	1,562	1,771	1,705	191,579	179,618
30-34	1,393	1,147	1,528	1,239	169,415	159,009
35-39	1,644	1,627	1,823	1,805	170,556	164,204
40-44	1,644	1,615	1,848	1,813	181,976	177,948
45-49	1,824	1,894	2,114	2,163	210,349	206,185
50-54	1,884	1,896	2,178	2,178	198,449	196,264
55-59	1,673	1,607	1,902	1,798	169,635	169,030
60-64	1,164	1,174	1,319	1,353	129,773	134,281
65-69	888	927	1,007	1,084	94,342	102,347
70-74	674	813	800	948	69,195	79,699
75-79	548	751	654	867	53,499	67,334
80-84	462	703	540	791	39,606	58,837
85&up	399	873	457	1,006	32,269	73,927
Total	27,571	29,192	30,691	32,336	2,620,570	2,645,644
Total Male/Female	56,763		63,027		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Clearwater County - Population Estimates by Age and Sex, 2009

Age Group	CLEARWATER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	294	300	2,734	2,642	185,595	178,380
05-09	283	258	2,401	2,244	175,812	168,282
10-14	293	242	2,463	2,262	172,955	164,621
15-17	146	168	1,593	1,460	110,556	104,596
18-19	103	93	1,201	1,210	76,855	76,094
20-24	211	218	2,737	2,757	188,154	184,988
25-29	249	210	2,423	2,488	191,579	179,618
30-34	206	177	2,206	2,059	169,415	159,009
35-39	216	217	1,799	1,896	170,556	164,204
40-44	246	199	1,969	2,083	181,976	177,948
45-49	301	309	2,622	2,624	210,349	206,185
50-54	307	324	2,744	2,737	198,449	196,264
55-59	283	294	2,578	2,667	169,635	169,030
60-64	272	229	2,200	2,169	129,773	134,281
65-69	225	240	1,787	1,965	94,342	102,347
70-74	169	196	1,404	1,557	69,195	79,699
75-79	130	138	1,048	1,128	53,499	67,334
80-84	99	128	665	918	39,606	58,837
85&up	91	178	566	1,110	32,269	73,927
Total	4,124	4,118	37,140	37,976	2,620,570	2,645,644
Total Male/Female	8,242		75,116		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Cook County - Population Estimates by Age and Sex, 2009

Age Group	COOK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	128	110	7,114	6,733	185,595	178,380
05-09	120	108	6,742	6,346	175,812	168,282
10-14	145	139	7,005	6,545	172,955	164,621
15-17	93	73	4,683	4,374	110,556	104,596
18-19	60	60	5,171	5,450	76,855	76,094
20-24	123	112	12,280	11,979	188,154	184,988
25-29	128	124	7,299	5,923	191,579	179,618
30-34	136	97	5,212	4,459	169,415	159,009
35-39	138	140	6,772	6,278	170,556	164,204
40-44	161	175	7,304	7,237	181,976	177,948
45-49	218	206	9,190	9,389	210,349	206,185
50-54	257	270	10,180	10,145	198,449	196,264
55-59	255	295	9,670	9,383	169,635	169,030
60-64	277	249	7,545	7,335	129,773	134,281
65-69	204	206	5,371	5,776	94,342	102,347
70-74	120	127	4,121	4,846	69,195	79,699
75-79	80	81	3,281	4,143	53,499	67,334
80-84	56	74	2,435	3,649	39,606	58,837
85&up	47	80	1,968	4,843	32,269	73,927
Total	2,746	2,726	123,343	124,833	2,620,570	2,645,644
Total Male/Female		5,472		248,176		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Cottonwood County - Population Estimates by Age and Sex, 2009

Age Group	COTTONWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	352	348	647	640	185,595	178,380
05-09	416	354	728	616	175,812	168,282
10-14	399	373	738	698	172,955	164,621
15-17	251	267	476	480	110,556	104,596
18-19	146	153	266	267	76,855	76,094
20-24	316	289	632	588	188,154	184,988
25-29	204	155	524	406	191,579	179,618
30-34	279	204	539	403	169,415	159,009
35-39	269	274	570	563	170,556	164,204
40-44	344	350	658	635	181,976	177,948
45-49	424	393	904	796	210,349	206,185
50-54	440	444	874	880	198,449	196,264
55-59	419	395	850	762	169,635	169,030
60-64	343	364	645	667	129,773	134,281
65-69	253	272	502	539	94,342	102,347
70-74	181	205	395	477	69,195	79,699
75-79	159	230	344	464	53,499	67,334
80-84	155	215	323	448	39,606	58,837
85&up	154	327	337	621	32,269	73,927
Total	5,504	5,612	10,952	10,950	2,620,570	2,645,644
Total Male/Female		11,116		21,902		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Crow Wing County - Population Estimates by Age and Sex, 2009

Age Group	CROW WING		Minnesota	
	Male	Female	Male	Female
00-04	2,093	2,020	185,595	178,380
05-09	2,017	1,971	175,812	168,282
10-14	1,891	1,810	172,955	164,621
15-17	1,210	1,203	110,556	104,596
18-19	712	657	76,855	76,094
20-24	1,723	1,664	188,154	184,988
25-29	2,152	2,164	191,579	179,618
30-34	1,680	1,577	169,415	159,009
35-39	1,667	1,638	170,556	164,204
40-44	1,841	1,837	181,976	177,948
45-49	2,289	2,289	210,349	206,185
50-54	2,288	2,350	198,449	196,264
55-59	2,163	2,243	169,635	169,030
60-64	1,902	1,959	129,773	134,281
65-69	1,751	2,007	94,342	102,347
70-74	1,319	1,436	69,195	79,699
75-79	957	1,092	53,499	67,334
80-84	727	905	39,606	58,837
85&up	518	1,001	32,269	73,927
Total	30,900	31,823	2,620,570	2,645,644
Total Male/Female		62,723		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Dakota County - Population Estimates by Age and Sex, 2009

Age Group	DAKOTA		Minnesota	
	Male	Female	Male	Female
00-04	14,350	13,852	185,595	178,380
05-09	14,241	13,704	175,812	168,282
10-14	14,444	14,062	172,955	164,621
15-17	9,203	8,724	110,556	104,596
18-19	5,156	4,625	76,855	76,094
20-24	12,312	12,384	188,154	184,988
25-29	14,347	14,105	191,579	179,618
30-34	13,211	13,214	169,415	159,009
35-39	13,857	14,071	170,556	164,204
40-44	15,241	15,548	181,976	177,948
45-49	17,616	17,803	210,349	206,185
50-54	15,750	15,900	198,449	196,264
55-59	12,158	12,579	169,635	169,030
60-64	9,005	9,506	129,773	134,281
65-69	5,949	6,340	94,342	102,347
70-74	3,819	4,329	69,195	79,699
75-79	2,895	3,407	53,499	67,334
80-84	1,780	2,645	39,606	58,837
85&up	1,355	3,013	32,269	73,927
Total	196,689	199,811	2,620,570	2,645,644
Total Male/Female		396,500		

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Dodge County - Population Estimates by Age and Sex, 2009

Age Group	DODGE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	754	731	2,173	2,121	185,595	178,380
05-09	757	791	2,166	2,046	175,812	168,282
10-14	796	817	2,159	2,126	172,955	164,621
15-17	460	470	1,284	1,289	110,556	104,596
18-19	257	238	746	704	76,855	76,094
20-24	533	543	1,634	1,626	188,154	184,988
25-29	566	457	1,709	1,556	191,579	179,618
30-34	621	619	1,647	1,599	169,415	159,009
35-39	670	662	1,889	1,803	170,556	164,204
40-44	797	762	2,107	2,070	181,976	177,948
45-49	846	780	2,311	2,247	210,349	206,185
50-54	712	724	2,009	1,994	198,449	196,264
55-59	589	553	1,823	1,730	169,635	169,030
60-64	421	436	1,295	1,320	129,773	134,281
65-69	352	365	996	1,080	94,342	102,347
70-74	246	264	768	885	69,195	79,699
75-79	191	249	585	749	53,499	67,334
80-84	158	191	460	669	39,606	58,837
85&up	135	259	377	795	32,269	73,927
Total	9,861	9,911	28,138	28,409	2,620,570	2,645,644
Total Male/Female		19,772		56,547		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Dodge and Steele Counties

Douglas County - Population Estimates by Age and Sex, 2009

Age Group	DOUGLAS		Minnesota	
	Male	Female	Male	Female
00-04	1,146	1,097	185,595	178,380
05-09	1,047	949	175,812	168,282
10-14	1,040	1,059	172,955	164,621
15-17	681	626	110,556	104,596
18-19	428	378	76,855	76,094
20-24	1,053	1,017	188,154	184,988
25-29	1,488	1,272	191,579	179,618
30-34	1,060	859	169,415	159,009
35-39	963	903	170,556	164,204
40-44	1,012	975	181,976	177,948
45-49	1,329	1,294	210,349	206,185
50-54	1,363	1,392	198,449	196,264
55-59	1,298	1,205	169,635	169,030
60-64	1,102	1,201	129,773	134,281
65-69	1,008	1,060	94,342	102,347
70-74	805	871	69,195	79,699
75-79	548	714	53,499	67,334
80-84	410	598	39,606	58,837
85&up	377	762	32,269	73,927
Total	18,158	18,232	2,620,570	2,645,644
Total Male/Female		36,390		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Faribault County - Population Estimates by Age and Sex, 2009

Age Group	FARIBAULT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	448	406	1,066	1,028	185,595	178,380
05-09	433	397	999	978	175,812	168,282
10-14	498	423	1,145	1,037	172,955	164,621
15-17	376	275	860	693	110,556	104,596
18-19	193	163	446	384	76,855	76,094
20-24	416	410	1,003	956	188,154	184,988
25-29	304	239	788	566	191,579	179,618
30-34	282	228	658	550	169,415	159,009
35-39	338	288	849	778	170,556	164,204
40-44	436	425	1,017	999	181,976	177,948
45-49	566	538	1,310	1,341	210,349	206,185
50-54	659	619	1,532	1,462	198,449	196,264
55-59	564	506	1,395	1,286	169,635	169,030
60-64	461	465	1,087	1,081	129,773	134,281
65-69	327	402	846	947	94,342	102,347
70-74	305	353	708	832	69,195	79,699
75-79	237	337	590	772	53,499	67,334
80-84	235	308	487	763	39,606	58,837
85&up	188	458	447	1,065	32,269	73,927
Total	7,266	7,240	17,233	17,518	2,620,570	2,645,644
Total Male/Female		14,506		34,751		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Fillmore County - Population Estimates by Age and Sex, 2009

Age Group	FILLMORE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	746	717	1,327	1,271	185,595	178,380
05-09	679	608	1,241	1,119	175,812	168,282
10-14	679	665	1,309	1,257	172,955	164,621
15-17	470	460	901	928	110,556	104,596
18-19	270	260	538	506	76,855	76,094
20-24	579	573	1,153	1,103	188,154	184,988
25-29	561	438	1,038	863	191,579	179,618
30-34	455	382	892	776	169,415	159,009
35-39	612	566	1,122	1,078	170,556	164,204
40-44	655	615	1,226	1,241	181,976	177,948
45-49	800	769	1,609	1,624	210,349	206,185
50-54	812	828	1,688	1,655	198,449	196,264
55-59	778	732	1,541	1,438	169,635	169,030
60-64	622	633	1,191	1,220	129,773	134,281
65-69	505	524	952	938	94,342	102,347
70-74	376	417	677	787	69,195	79,699
75-79	324	393	629	727	53,499	67,334
80-84	257	372	498	704	39,606	58,837
85&up	210	496	392	923	32,269	73,927
Total	10,390	10,448	19,924	20,158	2,620,570	2,645,644
Total Male/Female		20,838		40,082		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Freeborn County - Population Estimates by Age and Sex, 2009

Age Group	FREEBORN		Minnesota	
	Male	Female	Male	Female
00-04	948	926	185,595	178,380
05-09	948	861	175,812	168,282
10-14	921	900	172,955	164,621
15-17	612	598	110,556	104,596
18-19	343	344	76,855	76,094
20-24	913	912	188,154	184,988
25-29	910	809	191,579	179,618
30-34	687	625	169,415	159,009
35-39	891	795	170,556	164,204
40-44	944	972	181,976	177,948
45-49	1,236	1,199	210,349	206,185
50-54	1,288	1,146	198,449	196,264
55-59	1,145	1,085	169,635	169,030
60-64	971	977	129,773	134,281
65-69	752	823	94,342	102,347
70-74	625	757	69,195	79,699
75-79	506	647	53,499	67,334
80-84	386	573	39,606	58,837
85&up	316	711	32,269	73,927
Total	15,342	15,660	2,620,570	2,645,644
Total Male/Female	#		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Goodhue County - Population Estimates by Age and Sex, 2009

Age Group	GOODHUE		Minnesota	
	Male	Female	Male	Female
00-04	1,485	1,481	185,595	178,380
05-09	1,482	1,403	175,812	168,282
10-14	1,590	1,508	172,955	164,621
15-17	1,027	961	110,556	104,596
18-19	599	483	76,855	76,094
20-24	1,394	1,345	188,154	184,988
25-29	1,320	1,142	191,579	179,618
30-34	1,146	1,065	169,415	159,009
35-39	1,325	1,284	170,556	164,204
40-44	1,513	1,524	181,976	177,948
45-49	1,995	1,937	210,349	206,185
50-54	1,914	1,896	198,449	196,264
55-59	1,637	1,596	169,635	169,030
60-64	1,326	1,281	129,773	134,281
65-69	945	1,009	94,342	102,347
70-74	757	825	69,195	79,699
75-79	584	730	53,499	67,334
80-84	465	647	39,606	58,837
85&up	356	859	32,269	73,927
Total	22,860	22,976	2,620,570	2,645,644
Total Male/Female	45,836		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Grant County - Population Estimates by Age and Sex, 2009

Age Group	GRANT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	188	177	918	826	185,595	178,380
05-09	165	147	835	805	175,812	168,282
10-14	165	169	893	808	172,955	164,621
15-17	121	125	566	548	110,556	104,596
18-19	65	72	557	682	76,855	76,094
20-24	142	152	1,324	1,389	188,154	184,988
25-29	135	106	666	537	191,579	179,618
30-34	136	119	597	535	169,415	159,009
35-39	151	132	735	663	170,556	164,204
40-44	158	160	786	785	181,976	177,948
45-49	230	231	1,086	1,057	210,349	206,185
50-54	237	225	1,171	1,130	198,449	196,264
55-59	200	201	1,069	982	169,635	169,030
60-64	203	184	904	877	129,773	134,281
65-69	163	183	697	775	94,342	102,347
70-74	122	144	554	685	69,195	79,699
75-79	119	133	523	654	53,499	67,334
80-84	84	141	431	584	39,606	58,837
85&up	94	156	430	842	32,269	73,927
Total	2,878	2,957	14,742	15,164	2,620,570	2,645,644
Total Male/Female	5,835		29,906		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Hennepin County - Population Estimates by Age and Sex, 2009

Age Group	HENNEPIN		Minnesota	
	Male	Female	Male	Female
00-04	40,806	39,486	185,595	178,380
05-09	36,967	35,881	175,812	168,282
10-14	33,529	32,189	172,955	164,621
15-17	21,716	20,617	110,556	104,596
18-19	15,059	14,457	76,855	76,094
20-24	38,917	38,538	188,154	184,988
25-29	51,570	51,172	191,579	179,618
30-34	47,496	45,680	169,415	159,009
35-39	41,174	38,685	170,556	164,204
40-44	40,719	38,809	181,976	177,948
45-49	45,438	43,944	210,349	206,185
50-54	42,426	42,783	198,449	196,264
55-59	36,275	37,788	169,635	169,030
60-64	26,508	28,548	129,773	134,281
65-69	17,522	19,754	94,342	102,347
70-74	12,309	14,834	69,195	79,699
75-79	9,820	13,145	53,499	67,334
80-84	7,778	12,025	39,606	58,837
85&up	6,436	15,412	32,269	73,927
Total	572,465	583,747	2,620,570	2,645,644
Total Male/Female	1,156,212		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Houston County - Population Estimates by Age and Sex, 2009

Age Group	HOUSTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	581	554	1,327	1,271	185,595	178,380
05-09	562	511	1,241	1,119	175,812	168,282
10-14	630	592	1,309	1,257	172,955	164,621
15-17	431	468	901	928	110,556	104,596
18-19	268	246	538	506	76,855	76,094
20-24	574	530	1,153	1,103	188,154	184,988
25-29	477	425	1,038	863	191,579	179,618
30-34	437	394	892	776	169,415	159,009
35-39	510	512	1,122	1,078	170,556	164,204
40-44	571	626	1,226	1,241	181,976	177,948
45-49	809	855	1,609	1,624	210,349	206,185
50-54	876	827	1,688	1,655	198,449	196,264
55-59	763	706	1,541	1,438	169,635	169,030
60-64	569	587	1,191	1,220	129,773	134,281
65-69	447	414	952	938	94,342	102,347
70-74	301	370	677	787	69,195	79,699
75-79	305	334	629	727	53,499	67,334
80-84	241	332	498	704	39,606	58,837
85&up	182	427	392	923	32,269	73,927
Total	9,534	9,710	19,924	20,158	2,620,570	2,645,644
Total Male/Female		19,244		40,082		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Hubbard County - Population Estimates by Age and Sex, 2009

Age Group	HUBBARD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	594	558	2,734	2,642	185,595	178,380
05-09	496	494	2,401	2,244	175,812	168,282
10-14	578	512	2,463	2,262	172,955	164,621
15-17	392	332	1,593	1,460	110,556	104,596
18-19	221	200	1,201	1,210	76,855	76,094
20-24	493	496	2,737	2,757	188,154	184,988
25-29	477	434	2,423	2,488	191,579	179,618
30-34	350	315	2,206	2,059	169,415	159,009
35-39	429	448	1,799	1,896	170,556	164,204
40-44	521	547	1,969	2,083	181,976	177,948
45-49	700	707	2,622	2,624	210,349	206,185
50-54	766	720	2,744	2,737	198,449	196,264
55-59	735	740	2,578	2,667	169,635	169,030
60-64	702	733	2,200	2,169	129,773	134,281
65-69	626	696	1,787	1,965	94,342	102,347
70-74	477	498	1,404	1,557	69,195	79,699
75-79	353	349	1,048	1,128	53,499	67,334
80-84	220	239	665	918	39,606	58,837
85&up	189	307	566	1,110	32,269	73,927
Total	9,319	9,325	37,140	37,976	2,620,570	2,645,644
Total Male/Female		18,644		75,116		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Isanti County - Population Estimates by Age and Sex, 2009

Age Group	ISANTI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,328	1,242	2,291	2,172	185,595	178,380
05-09	1,321	1,306	2,147	2,142	175,812	168,282
10-14	1,475	1,403	2,360	2,289	172,955	164,621
15-17	932	849	1,560	1,404	110,556	104,596
18-19	534	463	882	767	76,855	76,094
20-24	1,185	1,171	1,885	1,872	188,154	184,988
25-29	1,512	1,452	2,377	2,236	191,579	179,618
30-34	1,312	1,221	2,060	1,907	169,415	159,009
35-39	1,457	1,378	2,224	2,149	170,556	164,204
40-44	1,474	1,433	2,394	2,276	181,976	177,948
45-49	1,699	1,689	2,791	2,725	210,349	206,185
50-54	1,520	1,446	2,454	2,418	198,449	196,264
55-59	1,250	1,147	2,090	1,910	169,635	169,030
60-64	918	904	1,613	1,626	129,773	134,281
65-69	710	810	1,293	1,524	94,342	102,347
70-74	510	549	978	1,091	69,195	79,699
75-79	314	377	669	817	53,499	67,334
80-84	205	317	469	704	39,606	58,837
85&up	197	432	382	877	32,269	73,927
Total	19,853	19,589	32,919	32,906	2,620,570	2,645,644
Total Male/Female		39,442		65,825		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Itasca County - Population Estimates by Age and Sex, 2009

Age Group	ITASCA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,384	1,276	2,118	1,955	185,595	178,380
05-09	1,365	1,187	2,141	1,860	175,812	168,282
10-14	1,364	1,355	2,181	2,113	172,955	164,621
15-17	904	941	1,458	1,470	110,556	104,596
18-19	539	497	867	797	76,855	76,094
20-24	1,276	1,195	1,993	1,823	188,154	184,988
25-29	1,339	1,070	2,004	1,538	191,579	179,618
30-34	997	868	1,500	1,274	169,415	159,009
35-39	1,154	1,157	1,804	1,854	170,556	164,204
40-44	1,285	1,327	2,096	2,121	181,976	177,948
45-49	1,616	1,708	2,725	2,824	210,349	206,185
50-54	1,923	1,918	3,138	3,089	198,449	196,264
55-59	1,932	1,900	3,165	3,083	169,635	169,030
60-64	1,583	1,538	2,699	2,734	129,773	134,281
65-69	1,310	1,389	2,378	2,551	94,342	102,347
70-74	887	940	1,719	1,835	69,195	79,699
75-79	683	792	1,221	1,420	53,499	67,334
80-84	520	601	924	1,103	39,606	58,837
85&up	339	668	666	1,260	32,269	73,927
Total	22,400	22,327	36,797	36,704	2,620,570	2,645,644
Total Male/Female		44,727		73,501		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Jackson County - Population Estimates by Age and Sex, 2009

Age Group	JACKSON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	295	292	647	640	185,595	178,380
05-09	312	262	728	616	175,812	168,282
10-14	339	325	738	698	172,955	164,621
15-17	225	213	476	480	110,556	104,596
18-19	120	114	266	267	76,855	76,094
20-24	316	299	632	588	188,154	184,988
25-29	320	251	524	406	191,579	179,618
30-34	260	199	539	403	169,415	159,009
35-39	301	289	570	563	170,556	164,204
40-44	314	285	658	635	181,976	177,948
45-49	480	403	904	796	210,349	206,185
50-54	434	436	874	880	198,449	196,264
55-59	431	367	850	762	169,635	169,030
60-64	302	303	645	667	129,773	134,281
65-69	249	267	502	539	94,342	102,347
70-74	214	272	395	477	69,195	79,699
75-79	185	234	344	464	53,499	67,334
80-84	168	233	323	448	39,606	58,837
85&up	183	294	337	621	32,269	73,927
Total	5,448	5,338	10,952	10,950	2,620,570	2,645,644
Total Male/Female	10,786		21,902		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Kanabec County - Population Estimates by Age and Sex, 2009

Age Group	Male		Male		Male	
	Male	Female	Male	Female	Male	Female
00-04	492	458	1,381	1,240	185,595	178,380
05-09	506	486	1,292	1,336	175,812	168,282
10-14	590	495	1,433	1,270	172,955	164,621
15-17	377	362	995	933	110,556	104,596
18-19	201	190	561	485	76,855	76,094
20-24	422	419	1,393	1,144	188,154	184,988
25-29	424	375	1,544	1,089	191,579	179,618
30-34	387	369	1,347	997	169,415	159,009
35-39	508	503	1,439	1,219	170,556	164,204
40-44	494	465	1,573	1,353	181,976	177,948
45-49	651	658	1,880	1,726	210,349	206,185
50-54	712	676	1,877	1,739	198,449	196,264
55-59	616	544	1,656	1,519	169,635	169,030
60-64	518	506	1,359	1,312	129,773	134,281
65-69	397	451	1,089	1,253	94,342	102,347
70-74	339	317	884	913	69,195	79,699
75-79	198	226	621	684	53,499	67,334
80-84	144	164	406	493	39,606	58,837
85&up	84	175	272	560	32,269	73,927
Total	8,060	7,839	23,002	21,265	2,620,570	2,645,644
Total Male/Female	15,899		44,267		5,266,214	

Source: U.S. Census Bureau: 2009 Ce

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Kandiyohi County - Population Estimates by Age and Sex, 2009

Age Group	KANDIYOHI		Minnesota	
	Male	Female	Male	Female
00-04	1,571	1,459	185,595	178,380
05-09	1,267	1,290	175,812	168,282
10-14	1,315	1,218	172,955	164,621
15-17	924	899	110,556	104,596
18-19	530	500	76,855	76,094
20-24	1,342	1,313	188,154	184,988
25-29	1,519	1,369	191,579	179,618
30-34	981	839	169,415	159,009
35-39	1,093	1,072	170,556	164,204
40-44	1,246	1,205	181,976	177,948
45-49	1,455	1,528	210,349	206,185
50-54	1,669	1,697	198,449	196,264
55-59	1,485	1,456	169,635	169,030
60-64	1,119	1,129	129,773	134,281
65-69	895	952	94,342	102,347
70-74	679	767	69,195	79,699
75-79	529	655	53,499	67,334
80-84	438	615	39,606	58,837
85&up	366	737	32,269	73,927
Total	20,423	20,700	2,620,570	2,645,644
Total Male/Female		41,123		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Kittson County - Population Estimates by Age and Sex, 2009

Age Group	KITTSOON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	94	119	1,499	1,550	185,595	178,380
05-09	113	108	1,492	1,487	175,812	168,282
10-14	155	178	1,681	1,583	172,955	164,621
15-17	96	84	1,079	956	110,556	104,596
18-19	63	51	660	548	76,855	76,094
20-24	112	121	1,434	1,369	188,154	184,988
25-29	64	61	1,402	1,245	191,579	179,618
30-34	66	64	1,209	1,003	169,415	159,009
35-39	125	110	1,453	1,304	170,556	164,204
40-44	129	99	1,606	1,463	181,976	177,948
45-49	161	160	1,982	1,876	210,349	206,185
50-54	173	183	1,914	1,834	198,449	196,264
55-59	192	172	1,736	1,609	169,635	169,030
60-64	154	149	1,351	1,346	129,773	134,281
65-69	109	104	1,043	1,053	94,342	102,347
70-74	105	105	789	926	69,195	79,699
75-79	79	115	572	728	53,499	67,334
80-84	62	118	494	750	39,606	58,837
85&up	71	150	462	1,011	32,269	73,927
Total	2,123	2,251	23,858	23,641	2,620,570	2,645,644
Total Male/Female		4,374		47,499		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Koochiching County - Population Estimates by Age and Sex, 2009

Age Group	KOOCHICHING		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	333	309	2,118	1,955	185,595	178,380
05-09	377	346	2,141	1,860	175,812	168,282
10-14	413	376	2,181	2,113	172,955	164,621
15-17	292	263	1,458	1,470	110,556	104,596
18-19	156	165	867	797	76,855	76,094
20-24	373	320	1,993	1,823	188,154	184,988
25-29	318	242	2,004	1,538	191,579	179,618
30-34	234	207	1,500	1,274	169,415	159,009
35-39	334	379	1,804	1,854	170,556	164,204
40-44	423	407	2,096	2,121	181,976	177,948
45-49	497	529	2,725	2,824	210,349	206,185
50-54	587	568	3,138	3,089	198,449	196,264
55-59	576	547	3,165	3,083	169,635	169,030
60-64	432	453	2,699	2,734	129,773	134,281
65-69	361	378	2,378	2,551	94,342	102,347
70-74	301	326	1,719	1,835	69,195	79,699
75-79	195	279	1,221	1,420	53,499	67,334
80-84	173	240	924	1,103	39,606	58,837
85&up	126	293	666	1,260	32,269	73,927
Total	6,501	6,627	36,797	36,704	2,620,570	2,645,644
Total Male/Female		13,128		73,501		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Lac Qui Parle County - Population Estimates by Age and Sex, 2009

Age Group	LAC QUI PARLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	188	181	1,318	1,309	185,595	178,380
05-09	187	186	1,372	1,224	175,812	168,282
10-14	227	246	1,466	1,334	172,955	164,621
15-17	150	139	942	933	110,556	104,596
18-19	96	75	616	519	76,855	76,094
20-24	222	188	1,535	1,228	188,154	184,988
25-29	130	96	1,260	787	191,579	179,618
30-34	114	87	1,104	655	169,415	159,009
35-39	143	134	1,451	1,013	170,556	164,204
40-44	205	204	1,551	1,291	181,976	177,948
45-49	283	283	1,834	1,656	210,349	206,185
50-54	348	315	1,958	1,790	198,449	196,264
55-59	309	289	1,733	1,544	169,635	169,030
60-64	241	242	1,326	1,334	129,773	134,281
65-69	180	204	1,019	1,165	94,342	102,347
70-74	139	145	816	975	69,195	79,699
75-79	122	159	742	984	53,499	67,334
80-84	127	173	640	978	39,606	58,837
85&up	116	237	611	1,359	32,269	73,927
Total	3,527	3,583	23,294	22,078	2,620,570	2,645,644
Total Male/Female		7,110		45,372		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Lake County - Population Estimates by Age and Sex, 2009

Age Group	LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	252	261	7,114	6,733	185,595	178,380
05-09	239	222	6,742	6,346	175,812	168,282
10-14	283	294	7,005	6,545	172,955	164,621
15-17	197	210	4,683	4,374	110,556	104,596
18-19	101	105	5,171	5,450	76,855	76,094
20-24	293	292	12,280	11,979	188,154	184,988
25-29	307	243	7,299	5,923	191,579	179,618
30-34	253	227	5,212	4,459	169,415	159,009
35-39	273	251	6,772	6,278	170,556	164,204
40-44	259	321	7,304	7,237	181,976	177,948
45-49	461	448	9,190	9,389	210,349	206,185
50-54	484	454	10,180	10,145	198,449	196,264
55-59	503	437	9,670	9,383	169,635	169,030
60-64	345	355	7,545	7,335	129,773	134,281
65-69	298	309	5,371	5,776	94,342	102,347
70-74	247	305	4,121	4,846	69,195	79,699
75-79	234	236	3,281	4,143	53,499	67,334
80-84	153	164	2,435	3,649	39,606	58,837
85&up	99	195	1,968	4,843	32,269	73,927
Total	5,281	5,329	123,343	124,833	2,620,570	2,645,644
Total Male/Female		10,610		248,176		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Lake of the Woods County - Population Estimates by Age and Sex, 2009

Age Group	LAKE OF THE WOODS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	103	100	2,734	2,642	185,595	178,380
05-09	86	83	2,401	2,244	175,812	168,282
10-14	95	106	2,463	2,262	172,955	164,621
15-17	86	89	1,593	1,460	110,556	104,596
18-19	50	50	1,201	1,210	76,855	76,094
20-24	85	87	2,737	2,757	188,154	184,988
25-29	64	58	2,423	2,488	191,579	179,618
30-34	54	70	2,206	2,059	169,415	159,009
35-39	72	85	1,799	1,896	170,556	164,204
40-44	129	133	1,969	2,083	181,976	177,948
45-49	183	155	2,622	2,624	210,349	206,185
50-54	209	173	2,744	2,737	198,449	196,264
55-59	180	174	2,578	2,667	169,635	169,030
60-64	138	128	2,200	2,169	129,773	134,281
65-69	126	137	1,787	1,965	94,342	102,347
70-74	107	107	1,404	1,557	69,195	79,699
75-79	70	77	1,048	1,128	53,499	67,334
80-84	40	67	665	918	39,606	58,837
85&up	48	76	566	1,110	32,269	73,927
Total	1,925	1,955	37,140	37,976	2,620,570	2,645,644
Total Male/Female		3,880		75,116		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Le Sueur County - Population Estimates by Age and Sex, 2009

Age Group	LE SUEUR		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	987	896	1,685	1,564	185,595	178,380
05-09	932	913	1,568	1,494	175,812	168,282
10-14	973	957	1,633	1,614	172,955	164,621
15-17	626	637	1,023	1,005	110,556	104,596
18-19	373	309	606	531	76,855	76,094
20-24	839	827	1,483	1,334	188,154	184,988
25-29	870	773	1,517	1,329	191,579	179,618
30-34	667	603	1,299	1,063	169,415	159,009
35-39	895	873	1,481	1,393	170,556	164,204
40-44	1,048	976	1,703	1,523	181,976	177,948
45-49	1,193	1,163	1,984	1,849	210,349	206,185
50-54	1,147	1,020	1,866	1,748	198,449	196,264
55-59	1,007	922	1,662	1,567	169,635	169,030
60-64	778	778	1,309	1,241	129,773	134,281
65-69	612	636	938	1,018	94,342	102,347
70-74	425	464	678	763	69,195	79,699
75-79	331	399	530	681	53,499	67,334
80-84	239	345	415	613	39,606	58,837
85&up	200	426	356	764	32,269	73,927
Total	14,142	13,917	23,736	23,094	2,620,570	2,645,644
Total Male/Female	28,059		46,830		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Lincoln County - Population Estimates by Age and Sex, 2009

Age Group	LINCOLN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	180	173	1,701	1,594	185,595	178,380
05-09	171	183	1,555	1,498	175,812	168,282
10-14	173	178	1,566	1,513	172,955	164,621
15-17	128	92	1,028	1,007	110,556	104,596
18-19	62	68	745	788	76,855	76,094
20-24	167	128	1,772	1,665	188,154	184,988
25-29	102	108	1,324	1,304	191,579	179,618
30-34	149	121	1,339	1,119	169,415	159,009
35-39	132	138	1,302	1,211	170,556	164,204
40-44	168	155	1,445	1,360	181,976	177,948
45-49	212	180	1,752	1,728	210,349	206,185
50-54	230	189	1,828	1,844	198,449	196,264
55-59	200	197	1,620	1,583	169,635	169,030
60-64	161	157	1,251	1,250	129,773	134,281
65-69	150	176	991	1,098	94,342	102,347
70-74	137	171	890	966	69,195	79,699
75-79	111	133	694	967	53,499	67,334
80-84	103	127	593	861	39,606	58,837
85&up	88	225	542	1,272	32,269	73,927
Total	2,824	2,899	23,938	24,628	2,620,570	2,645,644
Total Male/Female	5,723		48,566		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Lyon County - Population Estimates by Age and Sex, 2009

Age Group	LYON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	914	823	1,701	1,594	185,595	178,380
05-09	825	811	1,555	1,498	175,812	168,282
10-14	842	747	1,566	1,513	172,955	164,621
15-17	514	509	1,028	1,007	110,556	104,596
18-19	451	540	745	788	76,855	76,094
20-24	1,096	1,056	1,772	1,665	188,154	184,988
25-29	866	871	1,324	1,304	191,579	179,618
30-34	836	714	1,339	1,119	169,415	159,009
35-39	703	642	1,302	1,211	170,556	164,204
40-44	734	691	1,445	1,360	181,976	177,948
45-49	856	877	1,752	1,728	210,349	206,185
50-54	904	958	1,828	1,844	198,449	196,264
55-59	765	768	1,620	1,583	169,635	169,030
60-64	556	560	1,251	1,250	129,773	134,281
65-69	442	448	991	1,098	94,342	102,347
70-74	369	376	890	966	69,195	79,699
75-79	260	404	694	967	53,499	67,334
80-84	252	348	593	861	39,606	58,837
85&up	226	520	542	1,272	32,269	73,927
Total	12,411	12,663	23,938	24,628	2,620,570	2,645,644
Total Male/Female		25,074		48,566		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

McLeod County - Population Estimates by Age and Sex, 2009

Age Group	MCLEOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,396	1,258	2,772	2,611	185,595	178,380
05-09	1,334	1,311	2,616	2,537	175,812	168,282
10-14	1,310	1,268	2,703	2,498	172,955	164,621
15-17	811	757	1,683	1,565	110,556	104,596
18-19	462	426	978	844	76,855	76,094
20-24	1,140	1,123	2,281	2,187	188,154	184,988
25-29	1,109	1,066	2,157	1,878	191,579	179,618
30-34	1,112	962	2,077	1,786	169,415	159,009
35-39	1,274	1,196	2,369	2,256	170,556	164,204
40-44	1,308	1,264	2,568	2,433	181,976	177,948
45-49	1,490	1,453	3,125	3,000	210,349	206,185
50-54	1,278	1,275	2,821	2,692	198,449	196,264
55-59	1,142	1,129	2,535	2,374	169,635	169,030
60-64	985	952	2,041	1,991	129,773	134,281
65-69	716	816	1,528	1,695	94,342	102,347
70-74	559	612	1,217	1,327	69,195	79,699
75-79	390	532	916	1,195	53,499	67,334
80-84	327	539	711	1,082	39,606	58,837
85&up	257	600	601	1,368	32,269	73,927
Total	18,400	18,539	37,699	37,319	2,620,570	2,645,644
Total Male/Female		36,939		75,018		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Mahnomen County - Population Estimates by Age and Sex, 2009

Age Group	MAHNOMEN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	249	207	434	395	185,595	178,380
05-09	203	199	429	395	175,812	168,282
10-14	199	174	436	413	172,955	164,621
15-17	125	111	284	267	110,556	104,596
18-19	73	77	155	146	76,855	76,094
20-24	163	137	309	287	188,154	184,988
25-29	146	125	287	206	191,579	179,618
30-34	86	72	195	166	169,415	159,009
35-39	128	132	302	292	170,556	164,204
40-44	119	116	324	307	181,976	177,948
45-49	183	182	470	457	210,349	206,185
50-54	189	159	438	428	198,449	196,264
55-59	158	137	416	333	169,635	169,030
60-64	150	157	329	350	129,773	134,281
65-69	111	132	273	307	94,342	102,347
70-74	94	107	226	272	69,195	79,699
75-79	79	81	188	225	53,499	67,334
80-84	43	85	147	216	39,606	58,837
85&up	48	89	112	264	32,269	73,927
Total	2,546	2,479	5,754	5,726	2,620,570	2,645,644
Total Male/Female		5,025		11,480		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Marshall County - Population Estimates by Age and Sex, 2009

Age Group	MARSHALL		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	269	284	1,499	1,550	185,595	178,380
05-09	267	280	1,492	1,487	175,812	168,282
10-14	321	303	1,681	1,583	172,955	164,621
15-17	214	168	1,079	956	110,556	104,596
18-19	120	101	660	548	76,855	76,094
20-24	264	265	1,434	1,369	188,154	184,988
25-29	223	159	1,402	1,245	191,579	179,618
30-34	181	125	1,209	1,003	169,415	159,009
35-39	290	241	1,453	1,304	170,556	164,204
40-44	323	286	1,606	1,463	181,976	177,948
45-49	384	371	1,982	1,876	210,349	206,185
50-54	388	342	1,914	1,834	198,449	196,264
55-59	358	354	1,736	1,609	169,635	169,030
60-64	299	281	1,351	1,346	129,773	134,281
65-69	218	219	1,043	1,053	94,342	102,347
70-74	163	220	789	926	69,195	79,699
75-79	120	149	572	728	53,499	67,334
80-84	139	167	494	750	39,606	58,837
85&up	115	213	462	1,011	32,269	73,927
Total	4,656	4,528	23,858	23,641	2,620,570	2,645,644
Total Male/Female		9,184		47,499		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Martin County - Population Estimates by Age and Sex, 2009

Age Group	MARTIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	618	622	1,066	1,028	185,595	178,380
05-09	566	581	999	978	175,812	168,282
10-14	647	614	1,145	1,037	172,955	164,621
15-17	484	418	860	693	110,556	104,596
18-19	253	221	446	384	76,855	76,094
20-24	587	546	1,003	956	188,154	184,988
25-29	484	327	788	566	191,579	179,618
30-34	376	322	658	550	169,415	159,009
35-39	511	490	849	778	170,556	164,204
40-44	581	574	1,017	999	181,976	177,948
45-49	744	803	1,310	1,341	210,349	206,185
50-54	873	843	1,532	1,462	198,449	196,264
55-59	831	780	1,395	1,286	169,635	169,030
60-64	626	616	1,087	1,081	129,773	134,281
65-69	519	545	846	947	94,342	102,347
70-74	403	479	708	832	69,195	79,699
75-79	353	435	590	772	53,499	67,334
80-84	252	455	487	763	39,606	58,837
85&up	259	607	447	1,065	32,269	73,927
Total	9,967	10,278	17,233	17,518	2,620,570	2,645,644
Total Male/Female	20,245		34,751		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Meeker County - Population Estimates by Age and Sex, 2009

Age Group	MEEKER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	832	800	2,772	2,611	185,595	178,380
05-09	772	736	2,616	2,537	175,812	168,282
10-14	864	769	2,703	2,498	172,955	164,621
15-17	520	483	1,683	1,565	110,556	104,596
18-19	320	248	978	844	76,855	76,094
20-24	686	620	2,281	2,187	188,154	184,988
25-29	581	451	2,157	1,878	191,579	179,618
30-34	574	475	2,077	1,786	169,415	159,009
35-39	647	637	2,369	2,256	170,556	164,204
40-44	778	699	2,568	2,433	181,976	177,948
45-49	975	931	3,125	3,000	210,349	206,185
50-54	940	891	2,821	2,692	198,449	196,264
55-59	887	802	2,535	2,374	169,635	169,030
60-64	666	675	2,041	1,991	129,773	134,281
65-69	522	532	1,528	1,695	94,342	102,347
70-74	392	445	1,217	1,327	69,195	79,699
75-79	324	387	916	1,195	53,499	67,334
80-84	243	344	711	1,082	39,606	58,837
85&up	227	479	601	1,368	32,269	73,927
Total	11,750	11,404	37,699	37,319	2,620,570	2,645,644
Total Male/Female	23,154		75,018		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Mille Lacs County - Population Estimates by Age and Sex, 2009

Age Group	MILLE LACS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	963	930	2,291	2,172	185,595	178,380
05-09	826	836	2,147	2,142	175,812	168,282
10-14	885	886	2,360	2,289	172,955	164,621
15-17	628	555	1,560	1,404	110,556	104,596
18-19	348	304	882	767	76,855	76,094
20-24	700	701	1,885	1,872	188,154	184,988
25-29	865	784	2,377	2,236	191,579	179,618
30-34	748	686	2,060	1,907	169,415	159,009
35-39	767	771	2,224	2,149	170,556	164,204
40-44	920	843	2,394	2,276	181,976	177,948
45-49	1,092	1,036	2,791	2,725	210,349	206,185
50-54	934	972	2,454	2,418	198,449	196,264
55-59	840	763	2,090	1,910	169,635	169,030
60-64	695	722	1,613	1,626	129,773	134,281
65-69	583	714	1,293	1,524	94,342	102,347
70-74	468	542	978	1,091	69,195	79,699
75-79	355	440	669	817	53,499	67,334
80-84	264	387	469	704	39,606	58,837
85&up	185	445	382	877	32,269	73,927
Total	13,066	13,317	32,919	32,906	2,620,570	2,645,644
Total Male/Female	26,383		65,825		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Morrison County - Population Estimates by Age and Sex, 2009

Age Group	MORRISON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,150	1,118	3,421	3,309	185,595	178,380
05-09	1,141	1,013	3,169	2,933	175,812	168,282
10-14	1,159	1,114	3,171	3,123	172,955	164,621
15-17	671	735	2,136	2,106	110,556	104,596
18-19	436	360	1,251	1,079	76,855	76,094
20-24	1,041	965	2,911	2,718	188,154	184,988
25-29	1,124	884	2,992	2,373	191,579	179,618
30-34	895	719	2,358	1,936	169,415	159,009
35-39	890	883	2,544	2,402	170,556	164,204
40-44	1,107	1,002	2,953	2,856	181,976	177,948
45-49	1,326	1,250	3,828	3,731	210,349	206,185
50-54	1,308	1,286	3,954	3,797	198,449	196,264
55-59	1,161	1,060	3,710	3,485	169,635	169,030
60-64	897	896	3,153	3,246	129,773	134,281
65-69	760	795	2,810	2,962	94,342	102,347
70-74	530	647	1,997	2,140	69,195	79,699
75-79	441	534	1,443	1,695	53,499	67,334
80-84	294	500	1,016	1,426	39,606	58,837
85&up	241	550	795	1,626	32,269	73,927
Total	16,572	16,311	49,612	48,943	2,620,570	2,645,644
Total Male/Female	32,883		98,555		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Mower County - Population Estimates by Age and Sex, 2009

Age Group	MOWER		Minnesota	
	Male	Female	Male	Female
00-04	1,384	1,414	185,595	178,380
05-09	1,463	1,291	175,812	168,282
10-14	1,291	1,155	172,955	164,621
15-17	831	792	110,556	104,596
18-19	497	430	76,855	76,094
20-24	1,167	1,016	188,154	184,988
25-29	1,261	1,039	191,579	179,618
30-34	1,029	852	169,415	159,009
35-39	1,104	1,046	170,556	164,204
40-44	1,110	1,136	181,976	177,948
45-49	1,438	1,399	210,349	206,185
50-54	1,396	1,280	198,449	196,264
55-59	1,255	1,153	169,635	169,030
60-64	996	965	129,773	134,281
65-69	765	839	94,342	102,347
70-74	589	752	69,195	79,699
75-79	554	811	53,499	67,334
80-84	551	753	39,606	58,837
85&up	421	990	32,269	73,927
Total	19,102	19,113	2,620,570	2,645,644
Total Male/Female	38,215		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Murray County - Population Estimates by Age and Sex, 2009

Age Group	MURRAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	237	237	1,701	1,594	185,595	178,380
05-09	238	218	1,555	1,498	175,812	168,282
10-14	238	277	1,566	1,513	172,955	164,621
15-17	186	187	1,028	1,007	110,556	104,596
18-19	109	88	745	788	76,855	76,094
20-24	246	235	1,772	1,665	188,154	184,988
25-29	151	116	1,324	1,304	191,579	179,618
30-34	171	126	1,339	1,119	169,415	159,009
35-39	214	192	1,302	1,211	170,556	164,204
40-44	263	243	1,445	1,360	181,976	177,948
45-49	327	304	1,752	1,728	210,349	206,185
50-54	341	359	1,828	1,844	198,449	196,264
55-59	350	327	1,620	1,583	169,635	169,030
60-64	297	278	1,251	1,250	129,773	134,281
65-69	219	251	991	1,098	94,342	102,347
70-74	198	202	890	966	69,195	79,699
75-79	171	202	694	967	53,499	67,334
80-84	118	166	593	861	39,606	58,837
85&up	109	225	542	1,272	32,269	73,927
Total	4,183	4,233	23,938	24,628	2,620,570	2,645,644
Total Male/Female	8,416		48,566		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Nicollet County - Population Estimates by Age and Sex, 2009

Age Group	NICOLLET		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,090	981	1,879	1,718	185,595	178,380
05-09	968	916	1,736	1,656	175,812	168,282
10-14	964	850	1,732	1,588	172,955	164,621
15-17	633	552	1,228	1,106	110,556	104,596
18-19	859	999	1,275	1,412	76,855	76,094
20-24	2,038	2,161	2,976	3,105	188,154	184,988
25-29	933	885	1,596	1,371	191,579	179,618
30-34	880	660	1,460	1,087	169,415	159,009
35-39	952	836	1,613	1,405	170,556	164,204
40-44	936	949	1,728	1,750	181,976	177,948
45-49	1,149	1,062	2,173	2,091	210,349	206,185
50-54	1,092	1,118	2,184	2,199	198,449	196,264
55-59	1,066	985	2,012	1,846	169,635	169,030
60-64	868	726	1,609	1,472	129,773	134,281
65-69	541	640	1,108	1,266	94,342	102,347
70-74	454	526	927	1,017	69,195	79,699
75-79	330	390	750	934	53,499	67,334
80-84	242	365	561	822	39,606	58,837
85&up	205	423	475	960	32,269	73,927
Total	16,200	16,024	29,022	28,805	2,620,570	2,645,644
Total Male/Female		32,224		57,827		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Nobles County - Population Estimates by Age and Sex, 2009

Age Group	NOBLES		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	932	863	1,276	1,215	185,595	178,380
05-09	828	790	1,154	1,116	175,812	168,282
10-14	703	674	1,049	1,002	172,955	164,621
15-17	496	413	697	605	110,556	104,596
18-19	274	223	388	324	76,855	76,094
20-24	605	602	883	814	188,154	184,988
25-29	593	416	856	617	191,579	179,618
30-34	507	392	737	596	169,415	159,009
35-39	664	544	937	797	170,556	164,204
40-44	655	603	919	879	181,976	177,948
45-49	741	677	1,090	1,041	210,349	206,185
50-54	826	766	1,170	1,111	198,449	196,264
55-59	712	646	1,052	966	169,635	169,030
60-64	521	534	811	812	129,773	134,281
65-69	417	409	642	636	94,342	102,347
70-74	349	368	505	565	69,195	79,699
75-79	256	371	386	556	53,499	67,334
80-84	199	315	320	501	39,606	58,837
85&up	205	469	292	724	32,269	73,927
Total	10,483	10,075	15,164	14,877	2,620,570	2,645,644
Total Male/Female		20,558		30,041		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Norman County - Population Estimates by Age and Sex, 2009

Age Group	NORMAN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	185	188	434	395	185,595	178,380
05-09	226	196	429	395	175,812	168,282
10-14	237	239	436	413	172,955	164,621
15-17	159	156	284	267	110,556	104,596
18-19	82	69	155	146	76,855	76,094
20-24	146	150	309	287	188,154	184,988
25-29	141	81	287	206	191,579	179,618
30-34	109	94	195	166	169,415	159,009
35-39	174	160	302	292	170,556	164,204
40-44	205	191	324	307	181,976	177,948
45-49	287	275	470	457	210,349	206,185
50-54	249	269	438	428	198,449	196,264
55-59	258	196	416	333	169,635	169,030
60-64	179	193	329	350	129,773	134,281
65-69	162	175	273	307	94,342	102,347
70-74	132	165	226	272	69,195	79,699
75-79	109	144	188	225	53,499	67,334
80-84	104	131	147	216	39,606	58,837
85&up	64	175	112	264	32,269	73,927
Total	3,208	3,247	5,754	5,726	2,620,570	2,645,644
Total Male/Female	6,455		11,480		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Olmsted County - Population Estimates by Age and Sex, 2009

Age Group	OLMSTED		Minnesota	
	Male	Female	Male	Female
00-04	5,822	5,482	185,595	178,380
05-09	5,065	4,893	175,812	168,282
10-14	4,719	4,410	172,955	164,621
15-17	2,917	2,602	110,556	104,596
18-19	1,688	1,491	76,855	76,094
20-24	4,713	4,752	188,154	184,988
25-29	6,039	5,955	191,579	179,618
30-34	4,981	4,996	169,415	159,009
35-39	4,542	4,511	170,556	164,204
40-44	4,754	4,627	181,976	177,948
45-49	5,555	5,638	210,349	206,185
50-54	5,364	5,414	198,449	196,264
55-59	4,169	4,481	169,635	169,030
60-64	3,124	3,448	129,773	134,281
65-69	2,419	2,672	94,342	102,347
70-74	1,861	2,190	69,195	79,699
75-79	1,423	1,782	53,499	67,334
80-84	1,058	1,508	39,606	58,837
85&up	890	2,007	32,269	73,927
Total	71,103	72,859	2,620,570	2,645,644
Total Male/Female	143,962		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Otter Tail County - Population Estimates by Age and Sex, 2009

Age Group	OTTER TAIL		Minnesota	
	Male	Female	Male	Female
00-04	1,624	1,572	185,595	178,380
05-09	1,503	1,454	175,812	168,282
10-14	1,804	1,625	172,955	164,621
15-17	1,236	1,143	110,556	104,596
18-19	696	598	76,855	76,094
20-24	1,680	1,509	188,154	184,988
25-29	1,613	1,356	191,579	179,618
30-34	1,055	884	169,415	159,009
35-39	1,322	1,274	170,556	164,204
40-44	1,636	1,660	181,976	177,948
45-49	2,269	2,156	210,349	206,185
50-54	2,491	2,298	198,449	196,264
55-59	2,186	2,129	169,635	169,030
60-64	1,892	1,980	129,773	134,281
65-69	1,695	1,829	94,342	102,347
70-74	1,268	1,442	69,195	79,699
75-79	1,000	1,132	53,499	67,334
80-84	674	956	39,606	58,837
85&up	633	1,314	32,269	73,927
Total	28,277	28,311	2,620,570	2,645,644
Total Male/Female	56,588		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Pennington County - Population Estimates by Age and Sex, 2009

Age Group	PENNINGTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	478	481	1,499	1,550	185,595	178,380
05-09	409	425	1,492	1,487	175,812	168,282
10-14	453	385	1,681	1,583	172,955	164,621
15-17	280	263	1,079	956	110,556	104,596
18-19	183	152	660	548	76,855	76,094
20-24	473	450	1,434	1,369	188,154	184,988
25-29	583	583	1,402	1,245	191,579	179,618
30-34	450	365	1,209	1,003	169,415	159,009
35-39	423	372	1,453	1,304	170,556	164,204
40-44	391	393	1,606	1,463	181,976	177,948
45-49	500	495	1,982	1,876	210,349	206,185
50-54	514	528	1,914	1,834	198,449	196,264
55-59	463	444	1,736	1,609	169,635	169,030
60-64	347	389	1,351	1,346	129,773	134,281
65-69	284	293	1,043	1,053	94,342	102,347
70-74	202	266	789	926	69,195	79,699
75-79	155	209	572	728	53,499	67,334
80-84	122	230	494	750	39,606	58,837
85&up	119	290	462	1,011	32,269	73,927
Total	6,829	7,013	23,858	23,641	2,620,570	2,645,644
Total Male/Female	13,842		47,499		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Pine County - Population Estimates by Age and Sex, 2009

Age Group	PINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	889	782	1,381	1,240	185,595	178,380
05-09	786	850	1,292	1,336	175,812	168,282
10-14	843	775	1,433	1,270	172,955	164,621
15-17	618	571	995	933	110,556	104,596
18-19	360	295	561	485	76,855	76,094
20-24	971	725	1,393	1,144	188,154	184,988
25-29	1,120	714	1,544	1,089	191,579	179,618
30-34	960	628	1,347	997	169,415	159,009
35-39	931	716	1,439	1,219	170,556	164,204
40-44	1,079	888	1,573	1,353	181,976	177,948
45-49	1,229	1,068	1,880	1,726	210,349	206,185
50-54	1,165	1,063	1,877	1,739	198,449	196,264
55-59	1,040	975	1,656	1,519	169,635	169,030
60-64	841	806	1,359	1,312	129,773	134,281
65-69	692	802	1,089	1,253	94,342	102,347
70-74	545	596	884	913	69,195	79,699
75-79	423	458	621	684	53,499	67,334
80-84	262	329	406	493	39,606	58,837
85&up	188	385	272	560	32,269	73,927
Total	14,942	13,426	23,002	21,265	2,620,570	2,645,644
Total Male/Female		28,368		44,267		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Pipestone County - Population Estimates by Age and Sex, 2009

Age Group	PIPESTONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	370	361	1,701	1,594	185,595	178,380
05-09	321	286	1,555	1,498	175,812	168,282
10-14	313	311	1,566	1,513	172,955	164,621
15-17	200	219	1,028	1,007	110,556	104,596
18-19	123	92	745	788	76,855	76,094
20-24	263	246	1,772	1,665	188,154	184,988
25-29	205	209	1,324	1,304	191,579	179,618
30-34	183	158	1,339	1,119	169,415	159,009
35-39	253	239	1,302	1,211	170,556	164,204
40-44	280	271	1,445	1,360	181,976	177,948
45-49	357	367	1,752	1,728	210,349	206,185
50-54	353	338	1,828	1,844	198,449	196,264
55-59	305	291	1,620	1,583	169,635	169,030
60-64	237	255	1,251	1,250	129,773	134,281
65-69	180	223	991	1,098	94,342	102,347
70-74	186	217	890	966	69,195	79,699
75-79	152	228	694	967	53,499	67,334
80-84	120	220	593	861	39,606	58,837
85&up	119	302	542	1,272	32,269	73,927
Total	4,520	4,833	23,938	24,628	2,620,570	2,645,644
Total Male/Female		9,353		48,566		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Polk County - Population Estimates by Age and Sex, 2009

Age Group	POLK		Minnesota	
	Male	Female	Male	Female
00-04	1,084	963	185,595	178,380
05-09	971	903	175,812	168,282
10-14	1,050	991	172,955	164,621
15-17	666	617	110,556	104,596
18-19	511	464	76,855	76,094
20-24	1,132	1,024	188,154	184,988
25-29	993	865	191,579	179,618
30-34	811	615	169,415	159,009
35-39	784	831	170,556	164,204
40-44	931	922	181,976	177,948
45-49	1,121	1,175	210,349	206,185
50-54	1,228	1,147	198,449	196,264
55-59	1,058	1,025	169,635	169,030
60-64	898	807	129,773	134,281
65-69	607	735	94,342	102,347
70-74	505	612	69,195	79,699
75-79	397	514	53,499	67,334
80-84	294	476	39,606	58,837
85&up	280	769	32,269	73,927
Total	15,321	15,455	2,620,570	2,645,644
Total Male/Female		30,776		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Pope County - Population Estimates by Age and Sex, 2009

Age Group	POPE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	335	300	918	826	185,595	178,380
05-09	324	292	835	805	175,812	168,282
10-14	337	286	893	808	172,955	164,621
15-17	211	195	566	548	110,556	104,596
18-19	146	118	557	682	76,855	76,094
20-24	329	309	1,324	1,389	188,154	184,988
25-29	258	214	666	537	191,579	179,618
30-34	246	218	597	535	169,415	159,009
35-39	274	267	735	663	170,556	164,204
40-44	306	308	786	785	181,976	177,948
45-49	403	407	1,086	1,057	210,349	206,185
50-54	476	465	1,171	1,130	198,449	196,264
55-59	448	399	1,069	982	169,635	169,030
60-64	376	380	904	877	129,773	134,281
65-69	260	309	697	775	94,342	102,347
70-74	215	284	554	685	69,195	79,699
75-79	181	216	523	654	53,499	67,334
80-84	157	186	431	584	39,606	58,837
85&up	128	306	430	842	32,269	73,927
Total	5,410	5,459	14,742	15,164	2,620,570	2,645,644
Total Male/Female		10,869		29,906		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Ramsey County - Population Estimates by Age and Sex, 2009

Age Group	RAMSEY		Minnesota	
	Male	Female	Male	Female
00-04	18,406	17,638	185,595	178,380
05-09	16,475	15,723	175,812	168,282
10-14	15,000	13,861	172,955	164,621
15-17	10,093	9,544	110,556	104,596
18-19	7,682	8,354	76,855	76,094
20-24	18,814	19,865	188,154	184,988
25-29	21,554	21,923	191,579	179,618
30-34	17,769	19,232	169,415	159,009
35-39	14,486	14,820	170,556	164,204
40-44	15,146	15,682	181,976	177,948
45-49	17,638	17,774	210,349	206,185
50-54	17,205	18,154	198,449	196,264
55-59	15,380	16,457	169,635	169,030
60-64	11,341	12,740	129,773	134,281
65-69	8,219	9,463	94,342	102,347
70-74	6,313	8,122	69,195	79,699
75-79	5,215	7,230	53,499	67,334
80-84	4,027	6,872	39,606	58,837
85&up	3,368	8,693	32,269	73,927
Total	244,131	262,147	2,620,570	2,645,644
Total Male/Female		506,278		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Red Lake County - Population Estimates by Age and Sex, 2009

Age Group	RED LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	128	136	1,499	1,550	185,595	178,380
05-09	132	134	1,492	1,487	175,812	168,282
10-14	132	125	1,681	1,583	172,955	164,621
15-17	74	77	1,079	956	110,556	104,596
18-19	58	44	660	548	76,855	76,094
20-24	114	113	1,434	1,369	188,154	184,988
25-29	157	120	1,402	1,245	191,579	179,618
30-34	114	89	1,209	1,003	169,415	159,009
35-39	108	101	1,453	1,304	170,556	164,204
40-44	120	118	1,606	1,463	181,976	177,948
45-49	156	154	1,982	1,876	210,349	206,185
50-54	179	172	1,914	1,834	198,449	196,264
55-59	170	131	1,736	1,609	169,635	169,030
60-64	129	130	1,351	1,346	129,773	134,281
65-69	100	101	1,043	1,053	94,342	102,347
70-74	86	92	789	926	69,195	79,699
75-79	61	83	572	728	53,499	67,334
80-84	45	64	494	750	39,606	58,837
85&up	39	102	462	1,011	32,269	73,927
Total	2,102	2,086	23,858	23,641	2,620,570	2,645,644
Total Male/Female		4,188		47,499		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Redwood County - Population Estimates by Age and Sex, 2009

Age Group	REDWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	541	484	1,056	933	185,595	178,380
05-09	547	502	1,064	1,015	175,812	168,282
10-14	537	505	1,101	1,013	172,955	164,621
15-17	361	338	705	680	110,556	104,596
18-19	223	175	460	366	76,855	76,094
20-24	503	461	944	948	188,154	184,988
25-29	362	221	741	474	191,579	179,618
30-34	330	248	657	503	169,415	159,009
35-39	388	402	859	772	170,556	164,204
40-44	512	425	972	897	181,976	177,948
45-49	577	600	1,211	1,251	210,349	206,185
50-54	616	533	1,354	1,194	198,449	196,264
55-59	541	544	1,200	1,039	169,635	169,030
60-64	418	467	852	911	129,773	134,281
65-69	392	398	733	796	94,342	102,347
70-74	315	337	603	646	69,195	79,699
75-79	241	276	485	571	53,499	67,334
80-84	217	310	405	590	39,606	58,837
85&up	186	431	369	812	32,269	73,927
Total	7,807	7,657	15,771	15,411	2,620,570	2,645,644
Total Male/Female		15,464		31,182		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Renville County - Population Estimates by Age and Sex, 2009

Age Group	RENVILLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	515	449	1,056	933	185,595	178,380
05-09	517	513	1,064	1,015	175,812	168,282
10-14	564	508	1,101	1,013	172,955	164,621
15-17	344	342	705	680	110,556	104,596
18-19	237	191	460	366	76,855	76,094
20-24	441	487	944	948	188,154	184,988
25-29	379	253	741	474	191,579	179,618
30-34	327	255	657	503	169,415	159,009
35-39	471	370	859	772	170,556	164,204
40-44	460	472	972	897	181,976	177,948
45-49	634	651	1,211	1,251	210,349	206,185
50-54	738	661	1,354	1,194	198,449	196,264
55-59	659	495	1,200	1,039	169,635	169,030
60-64	434	444	852	911	129,773	134,281
65-69	341	398	733	796	94,342	102,347
70-74	288	309	603	646	69,195	79,699
75-79	244	295	485	571	53,499	67,334
80-84	188	280	405	590	39,606	58,837
85&up	183	381	369	812	32,269	73,927
Total	7,964	7,754	15,771	15,411	2,620,570	2,645,644
Total Male/Female		15,718		31,182		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Rice County - Population Estimates by Age and Sex, 2009

Age Group	RICE		Minnesota	
	Male	Female	Male	Female
00-04	2,133	2,095	185,595	178,380
05-09	2,101	1,962	175,812	168,282
10-14	2,058	2,012	172,955	164,621
15-17	1,232	1,226	110,556	104,596
18-19	1,505	1,671	76,855	76,094
20-24	3,173	2,902	188,154	184,988
25-29	2,048	1,611	191,579	179,618
30-34	1,903	1,590	169,415	159,009
35-39	2,105	1,756	170,556	164,204
40-44	2,230	2,001	181,976	177,948
45-49	2,369	2,247	210,349	206,185
50-54	2,290	2,175	198,449	196,264
55-59	1,836	1,803	169,635	169,030
60-64	1,442	1,487	129,773	134,281
65-69	1,102	1,158	94,342	102,347
70-74	803	960	69,195	79,699
75-79	667	769	53,499	67,334
80-84	433	662	39,606	58,837
85&up	343	863	32,269	73,927
Total	31,773	30,950	2,620,570	2,645,644
Total Male/Female		62,723		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Rock County - Population Estimates by Age and Sex, 2009

Age Group	ROCK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	344	352	1,276	1,215	185,595	178,380
05-09	326	326	1,154	1,116	175,812	168,282
10-14	346	328	1,049	1,002	172,955	164,621
15-17	201	192	697	605	110,556	104,596
18-19	114	101	388	324	76,855	76,094
20-24	278	212	883	814	188,154	184,988
25-29	263	201	856	617	191,579	179,618
30-34	230	204	737	596	169,415	159,009
35-39	273	253	937	797	170,556	164,204
40-44	264	276	919	879	181,976	177,948
45-49	349	364	1,090	1,041	210,349	206,185
50-54	344	345	1,170	1,111	198,449	196,264
55-59	340	320	1,052	966	169,635	169,030
60-64	290	278	811	812	129,773	134,281
65-69	225	227	642	636	94,342	102,347
70-74	156	197	505	565	69,195	79,699
75-79	130	185	386	556	53,499	67,334
80-84	121	186	320	501	39,606	58,837
85&up	87	255	292	724	32,269	73,927
Total	4,681	4,802	15,164	14,877	2,620,570	2,645,644
Total Male/Female		9,483		30,041		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Roseau County - Population Estimates by Age and Sex, 2009

Age Group	ROSEAU		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	530	530	1,499	1,550	185,595	178,380
05-09	571	540	1,492	1,487	175,812	168,282
10-14	620	592	1,681	1,583	172,955	164,621
15-17	415	364	1,079	956	110,556	104,596
18-19	236	200	660	548	76,855	76,094
20-24	471	420	1,434	1,369	188,154	184,988
25-29	375	322	1,402	1,245	191,579	179,618
30-34	398	360	1,209	1,003	169,415	159,009
35-39	507	480	1,453	1,304	170,556	164,204
40-44	643	567	1,606	1,463	181,976	177,948
45-49	781	696	1,982	1,876	210,349	206,185
50-54	660	609	1,914	1,834	198,449	196,264
55-59	553	508	1,736	1,609	169,635	169,030
60-64	422	397	1,351	1,346	129,773	134,281
65-69	332	336	1,043	1,053	94,342	102,347
70-74	233	243	789	926	69,195	79,699
75-79	157	172	572	728	53,499	67,334
80-84	126	171	494	750	39,606	58,837
85&up	118	256	462	1,011	32,269	73,927
Total	8,148	7,763	23,858	23,641	2,620,570	2,645,644
Total Male/Female		15,911		47,499		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake & Roseau Counties

St. Louis County - Population Estimates by Age and Sex, 2009

Age Group	ST. LOUIS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	5,597	5,318	7,114	6,733	185,595	178,380
05-09	5,263	4,946	6,742	6,346	175,812	168,282
10-14	5,382	4,961	7,005	6,545	172,955	164,621
15-17	3,687	3,392	4,683	4,374	110,556	104,596
18-19	4,548	4,907	5,171	5,450	76,855	76,094
20-24	10,780	10,672	12,280	11,979	188,154	184,988
25-29	5,790	4,695	7,299	5,923	191,579	179,618
30-34	3,854	3,350	5,212	4,459	169,415	159,009
35-39	5,129	4,863	6,772	6,278	170,556	164,204
40-44	5,648	5,609	7,304	7,237	181,976	177,948
45-49	7,138	7,364	9,190	9,389	210,349	206,185
50-54	7,943	8,074	10,180	10,145	198,449	196,264
55-59	7,740	7,478	9,670	9,383	169,635	169,030
60-64	5,949	5,819	7,545	7,335	129,773	134,281
65-69	4,159	4,499	5,371	5,776	94,342	102,347
70-74	3,205	3,776	4,121	4,846	69,195	79,699
75-79	2,519	3,269	3,281	4,143	53,499	67,334
80-84	1,954	2,944	2,435	3,649	39,606	58,837
85&up	1,587	3,959	1,968	4,843	32,269	73,927
Total	97,872	99,895	123,343	124,833	2,620,570	2,645,644
Total Male/Female		197,767		248,176		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Scott County - Population Estimates by Age and Sex, 2009

Age Group	SCOTT		Minnesota	
	Male	Female	Male	Female
00-04	5,661	5,567	185,595	178,380
05-09	5,524	5,348	175,812	168,282
10-14	5,280	5,143	172,955	164,621
15-17	3,053	2,833	110,556	104,596
18-19	1,517	1,397	76,855	76,094
20-24	3,309	3,287	188,154	184,988
25-29	4,378	4,357	191,579	179,618
30-34	5,145	5,106	169,415	159,009
35-39	5,684	5,865	170,556	164,204
40-44	6,058	5,828	181,976	177,948
45-49	5,979	5,603	210,349	206,185
50-54	4,625	4,195	198,449	196,264
55-59	3,426	3,224	169,635	169,030
60-64	2,422	2,454	129,773	134,281
65-69	1,733	1,749	94,342	102,347
70-74	1,151	1,199	69,195	79,699
75-79	763	852	53,499	67,334
80-84	460	694	39,606	58,837
85&up	341	729	32,269	73,927
Total	66,509	65,430	2,620,570	2,645,644
Total Male/Female	131,939		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Sherburne County - Population Estimates by Age and Sex, 2009

Age Group	SHERBURNE		Minnesota	
	Male	Female	Male	Female
00-04	3,543	3,496	185,595	178,380
05-09	3,618	3,392	175,812	168,282
10-14	3,691	3,473	172,955	164,621
15-17	2,116	1,983	110,556	104,596
18-19	1,206	952	76,855	76,094
20-24	2,852	2,448	188,154	184,988
25-29	3,574	3,271	191,579	179,618
30-34	3,501	3,227	169,415	159,009
35-39	3,589	3,469	170,556	164,204
40-44	3,693	3,535	181,976	177,948
45-49	3,819	3,627	210,349	206,185
50-54	2,937	2,784	198,449	196,264
55-59	2,242	2,166	169,635	169,030
60-64	1,719	1,726	129,773	134,281
65-69	1,144	1,102	94,342	102,347
70-74	752	743	69,195	79,699
75-79	463	488	53,499	67,334
80-84	292	453	39,606	58,837
85&up	196	550	32,269	73,927
Total	44,947	42,885	2,620,570	2,645,644
Total Male/Female	87,832		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Sibley County - Population Estimates by Age and Sex, 2009

Age Group	SIBLEY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	544	553	2,772	2,611	185,595	178,380
05-09	510	490	2,616	2,537	175,812	168,282
10-14	529	461	2,703	2,498	172,955	164,621
15-17	352	325	1,683	1,565	110,556	104,596
18-19	196	170	978	844	76,855	76,094
20-24	455	444	2,281	2,187	188,154	184,988
25-29	467	361	2,157	1,878	191,579	179,618
30-34	391	349	2,077	1,786	169,415	159,009
35-39	448	423	2,369	2,256	170,556	164,204
40-44	482	470	2,568	2,433	181,976	177,948
45-49	660	616	3,125	3,000	210,349	206,185
50-54	603	526	2,821	2,692	198,449	196,264
55-59	506	443	2,535	2,374	169,635	169,030
60-64	390	364	2,041	1,991	129,773	134,281
65-69	290	347	1,528	1,695	94,342	102,347
70-74	266	270	1,217	1,327	69,195	79,699
75-79	202	276	916	1,195	53,499	67,334
80-84	141	199	711	1,082	39,606	58,837
85&up	117	289	601	1,368	32,269	73,927
Total	7,549	7,376	37,699	37,319	2,620,570	2,645,644
Total Male/Female		14,925		75,018		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Stearns County - Population Estimates by Age and Sex, 2009

Age Group	STEARNS		Minnesota	
	Male	Female	Male	Female
00-04	4,992	4,866	185,595	178,380
05-09	4,670	4,591	175,812	168,282
10-14	4,623	4,452	172,955	164,621
15-17	2,970	2,716	110,556	104,596
18-19	3,436	4,056	76,855	76,094
20-24	9,881	9,562	188,154	184,988
25-29	4,890	4,544	191,579	179,618
30-34	3,220	2,517	169,415	159,009
35-39	4,267	3,820	170,556	164,204
40-44	4,847	4,531	181,976	177,948
45-49	5,590	5,366	210,349	206,185
50-54	5,117	4,899	198,449	196,264
55-59	4,415	4,288	169,635	169,030
60-64	3,376	3,330	129,773	134,281
65-69	2,513	2,707	94,342	102,347
70-74	2,156	2,353	69,195	79,699
75-79	1,766	2,106	53,499	67,334
80-84	1,194	1,613	39,606	58,837
85&up	884	1,831	32,269	73,927
Total	74,807	74,148	2,620,570	2,645,644
Total Male/Female		148,955		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Steele County - Population Estimates by Age and Sex, 2009

Age Group	STEELE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,419	1,390	2,173	2,121	185,595	178,380
05-09	1,409	1,255	2,166	2,046	175,812	168,282
10-14	1,363	1,309	2,159	2,126	172,955	164,621
15-17	824	819	1,284	1,289	110,556	104,596
18-19	489	466	746	704	76,855	76,094
20-24	1,101	1,083	1,634	1,626	188,154	184,988
25-29	1,143	1,099	1,709	1,556	191,579	179,618
30-34	1,026	980	1,647	1,599	169,415	159,009
35-39	1,219	1,141	1,889	1,803	170,556	164,204
40-44	1,310	1,308	2,107	2,070	181,976	177,948
45-49	1,465	1,467	2,311	2,247	210,349	206,185
50-54	1,297	1,270	2,009	1,994	198,449	196,264
55-59	1,234	1,177	1,823	1,730	169,635	169,030
60-64	874	884	1,295	1,320	129,773	134,281
65-69	644	715	996	1,080	94,342	102,347
70-74	522	621	768	885	69,195	79,699
75-79	394	500	585	749	53,499	67,334
80-84	302	478	460	669	39,606	58,837
85&up	242	536	377	795	32,269	73,927
Total	18,277	18,498	28,138	28,409	2,620,570	2,645,644
Total Male/Female		36,775		56,547		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*CHS Agency- Community Health Services Agency consisting of Dodge and Steele Counties

Stevens County - Population Estimates by Age and Sex, 2009

Age Group	STEVENS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	306	267	918	826	185,595	178,380
05-09	256	264	835	805	175,812	168,282
10-14	271	234	893	808	172,955	164,621
15-17	158	148	566	548	110,556	104,596
18-19	295	447	557	682	76,855	76,094
20-24	745	840	1,324	1,389	188,154	184,988
25-29	200	164	666	537	191,579	179,618
30-34	159	146	597	535	169,415	159,009
35-39	233	200	735	663	170,556	164,204
40-44	233	216	786	785	181,976	177,948
45-49	309	293	1,086	1,057	210,349	206,185
50-54	326	314	1,171	1,130	198,449	196,264
55-59	299	266	1,069	982	169,635	169,030
60-64	218	213	904	877	129,773	134,281
65-69	181	169	697	775	94,342	102,347
70-74	132	152	554	685	69,195	79,699
75-79	131	199	523	654	53,499	67,334
80-84	116	178	431	584	39,606	58,837
85&up	125	226	430	842	32,269	73,927
Total	4,693	4,936	14,742	15,164	2,620,570	2,645,644
Total Male/Female		9,629		29,906		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Swift County - Population Estimates by Age and Sex, 2009

Age Group	SWIFT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	280	269	1,318	1,309	185,595	178,380
05-09	318	274	1,372	1,224	175,812	168,282
10-14	319	288	1,466	1,334	172,955	164,621
15-17	201	215	942	933	110,556	104,596
18-19	151	120	616	519	76,855	76,094
20-24	477	245	1,535	1,228	188,154	184,988
25-29	435	163	1,260	787	191,579	179,618
30-34	437	143	1,104	655	169,415	159,009
35-39	623	202	1,451	1,013	170,556	164,204
40-44	535	275	1,551	1,291	181,976	177,948
45-49	473	316	1,834	1,656	210,349	206,185
50-54	468	334	1,958	1,790	198,449	196,264
55-59	358	320	1,733	1,544	169,635	169,030
60-64	333	291	1,326	1,334	129,773	134,281
65-69	191	218	1,019	1,165	94,342	102,347
70-74	171	237	816	975	69,195	79,699
75-79	154	207	742	984	53,499	67,334
80-84	132	204	640	978	39,606	58,837
85&cup	140	306	611	1,359	32,269	73,927
Total	6,196	4,627	23,294	22,078	2,620,570	2,645,644
Total Male/Female		10,823		45,372		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Todd County - Population Estimates by Age and Sex, 2009

Age Group	TODD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	878	775	3,421	3,309	185,595	178,380
05-09	765	734	3,169	2,933	175,812	168,282
10-14	780	790	3,171	3,123	172,955	164,621
15-17	607	528	2,136	2,106	110,556	104,596
18-19	316	275	1,251	1,079	76,855	76,094
20-24	691	732	2,911	2,718	188,154	184,988
25-29	738	541	2,992	2,373	191,579	179,618
30-34	566	387	2,358	1,936	169,415	159,009
35-39	667	585	2,544	2,402	170,556	164,204
40-44	719	668	2,953	2,856	181,976	177,948
45-49	943	937	3,828	3,731	210,349	206,185
50-54	1,005	939	3,954	3,797	198,449	196,264
55-59	952	811	3,710	3,485	169,635	169,030
60-64	719	777	3,153	3,246	129,773	134,281
65-69	642	645	2,810	2,962	94,342	102,347
70-74	431	451	1,997	2,140	69,195	79,699
75-79	322	395	1,443	1,695	53,499	67,334
80-84	247	310	1,016	1,426	39,606	58,837
85&cup	198	403	795	1,626	32,269	73,927
Total	12,186	11,683	49,612	48,943	2,620,570	2,645,644
Total Male/Female		23,869		98,555		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Traverse County - Population Estimates by Age and Sex, 2009

Age Group	TRAVERSE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	89	82	918	826	185,595	178,380
05-09	90	102	835	805	175,812	168,282
10-14	120	119	893	808	172,955	164,621
15-17	76	80	566	548	110,556	104,596
18-19	51	45	557	682	76,855	76,094
20-24	108	88	1,324	1,389	188,154	184,988
25-29	73	53	666	537	191,579	179,618
30-34	56	52	597	535	169,415	159,009
35-39	77	64	735	663	170,556	164,204
40-44	89	101	786	785	181,976	177,948
45-49	144	126	1,086	1,057	210,349	206,185
50-54	132	126	1,171	1,130	198,449	196,264
55-59	122	116	1,069	982	169,635	169,030
60-64	107	100	904	877	129,773	134,281
65-69	93	114	697	775	94,342	102,347
70-74	85	105	554	685	69,195	79,699
75-79	92	106	523	654	53,499	67,334
80-84	74	79	431	584	39,606	58,837
85&up	83	154	430	842	32,269	73,927
Total	1,761	1,812	14,742	15,164	2,620,570	2,645,644
Total Male/Female		3,573		29,906		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Grant, Pope, Stevens and Traverse Counties

Wabasha County - Population Estimates by Age and Sex, 2009

Age Group	WABASHA		Minnesota	
	Male	Female	Male	Female
00-04	721	675	185,595	178,380
05-09	662	678	175,812	168,282
10-14	698	673	172,955	164,621
15-17	499	484	110,556	104,596
18-19	278	245	76,855	76,094
20-24	640	613	188,154	184,988
25-29	618	468	191,579	179,618
30-34	552	451	169,415	159,009
35-39	572	615	170,556	164,204
40-44	776	719	181,976	177,948
45-49	923	921	210,349	206,185
50-54	892	879	198,449	196,264
55-59	834	732	169,635	169,030
60-64	690	698	129,773	134,281
65-69	512	590	94,342	102,347
70-74	418	415	69,195	79,699
75-79	293	334	53,499	67,334
80-84	209	308	39,606	58,837
85&up	222	377	32,269	73,927
Total	11,009	10,875	2,620,570	2,645,644
Total Male/Female				5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Wadena County - Population Estimates by Age and Sex, 2009

Age Group	WADENA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	467	498	3,421	3,309	185,595	178,380
05-09	404	385	3,169	2,933	175,812	168,282
10-14	452	417	3,171	3,123	172,955	164,621
15-17	277	271	2,136	2,106	110,556	104,596
18-19	175	147	1,251	1,079	76,855	76,094
20-24	384	322	2,911	2,718	188,154	184,988
25-29	396	318	2,992	2,373	191,579	179,618
30-34	345	288	2,358	1,936	169,415	159,009
35-39	314	276	2,544	2,402	170,556	164,204
40-44	365	379	2,953	2,856	181,976	177,948
45-49	485	489	3,828	3,731	210,349	206,185
50-54	498	479	3,954	3,797	198,449	196,264
55-59	411	426	3,710	3,485	169,635	169,030
60-64	364	358	3,153	3,246	129,773	134,281
65-69	323	360	2,810	2,962	94,342	102,347
70-74	308	356	1,997	2,140	69,195	79,699
75-79	242	316	1,443	1,695	53,499	67,334
80-84	194	297	1,016	1,426	39,606	58,837
85&up	151	332	795	1,626	32,269	73,927
Total	6,555	6,714	49,612	48,943	2,620,570	2,645,644
Total Male/Female	13,269		98,555		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Waseca County - Population Estimates by Age and Sex, 2009

Age Group	WASECA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	698	668	1,685	1,564	185,595	178,380
05-09	636	581	1,568	1,494	175,812	168,282
10-14	660	657	1,633	1,614	172,955	164,621
15-17	397	368	1,023	1,005	110,556	104,596
18-19	233	222	606	531	76,855	76,094
20-24	644	507	1,483	1,334	188,154	184,988
25-29	647	556	1,517	1,329	191,579	179,618
30-34	632	460	1,299	1,063	169,415	159,009
35-39	586	520	1,481	1,393	170,556	164,204
40-44	655	547	1,703	1,523	181,976	177,948
45-49	791	686	1,984	1,849	210,349	206,185
50-54	719	728	1,866	1,748	198,449	196,264
55-59	655	645	1,662	1,567	169,635	169,030
60-64	531	463	1,309	1,241	129,773	134,281
65-69	326	382	938	1,018	94,342	102,347
70-74	253	299	678	763	69,195	79,699
75-79	199	282	530	681	53,499	67,334
80-84	176	268	415	613	39,606	58,837
85&up	156	338	356	764	32,269	73,927
Total	9,594	9,177	23,736	23,094	2,620,570	2,645,644
Total Male/Female	18,771		46,830		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Washington County - Population Estimates by Age and Sex, 2009

Age Group	WASHINGTON		Minnesota	
	Male	Female	Male	Female
00-04	7,929	7,787	185,595	178,380
05-09	8,596	8,300	175,812	168,282
10-14	9,065	8,815	172,955	164,621
15-17	5,454	5,367	110,556	104,596
18-19	3,109	2,792	76,855	76,094
20-24	7,237	6,771	188,154	184,988
25-29	7,293	6,506	191,579	179,618
30-34	6,690	6,065	169,415	159,009
35-39	7,882	8,061	170,556	164,204
40-44	9,355	9,556	181,976	177,948
45-49	10,360	10,607	210,349	206,185
50-54	9,456	9,558	198,449	196,264
55-59	7,667	7,786	169,635	169,030
60-64	6,043	6,016	129,773	134,281
65-69	3,880	3,958	94,342	102,347
70-74	2,450	2,622	69,195	79,699
75-79	1,720	2,045	53,499	67,334
80-84	1,081	1,565	39,606	58,837
85&up	775	1,739	32,269	73,927
Total	116,042	115,916	2,620,570	2,645,644
Total Male/Female	231,958			

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Watonwan County - Population Estimates by Age and Sex, 2009

Age Group	WATONWAN		Minnesota	
	Male	Female	Male	Female
00-04	408	397	185,595	178,380
05-09	428	360	175,812	168,282
10-14	385	406	172,955	164,621
15-17	220	250	110,556	104,596
18-19	123	142	76,855	76,094
20-24	321	311	188,154	184,988
25-29	224	240	191,579	179,618
30-34	251	259	169,415	159,009
35-39	285	271	170,556	164,204
40-44	311	328	181,976	177,948
45-49	377	370	210,349	206,185
50-54	456	446	198,449	196,264
55-59	392	311	169,635	169,030
60-64	277	279	129,773	134,281
65-69	258	246	94,342	102,347
70-74	210	243	69,195	79,699
75-79	157	210	53,499	67,334
80-84	145	212	39,606	58,837
85&up	124	279	32,269	73,927
Total	5,352	5,560	2,620,570	2,645,644
Total Male/Female	10,912			5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Wilkin County - Population Estimates by Age and Sex, 2009

Age Group	WILKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	202	185	2,244	2,088	185,595	178,380
05-09	217	166	1,931	1,833	175,812	168,282
10-14	205	222	1,964	1,871	172,955	164,621
15-17	140	159	1,304	1,139	110,556	104,596
18-19	79	66	1,524	2,090	76,855	76,094
20-24	143	185	3,783	4,565	188,154	184,988
25-29	161	143	1,771	1,705	191,579	179,618
30-34	135	92	1,528	1,239	169,415	159,009
35-39	179	178	1,823	1,805	170,556	164,204
40-44	204	198	1,848	1,813	181,976	177,948
45-49	290	269	2,114	2,163	210,349	206,185
50-54	294	282	2,178	2,178	198,449	196,264
55-59	229	191	1,902	1,798	169,635	169,030
60-64	155	179	1,319	1,353	129,773	134,281
65-69	119	157	1,007	1,084	94,342	102,347
70-74	126	135	800	948	69,195	79,699
75-79	106	116	654	867	53,499	67,334
80-84	78	88	540	791	39,606	58,837
85&up	58	133	457	1,006	32,269	73,927
Total	3,120	3,144	30,691	32,336	2,620,570	2,645,644
Total Male/Female		6,264		63,027		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Winona County - Population Estimates by Age and Sex, 2009

Age Group	WINONA		Minnesota	
	Male	Female	Male	Female
00-04	1,391	1,314	185,595	178,380
05-09	1,274	1,186	175,812	168,282
10-14	1,329	1,269	172,955	164,621
15-17	886	841	110,556	104,596
18-19	1,510	2,140	76,855	76,094
20-24	4,042	4,013	188,154	184,988
25-29	1,410	1,123	191,579	179,618
30-34	687	864	169,415	159,009
35-39	1,298	1,123	170,556	164,204
40-44	1,311	1,322	181,976	177,948
45-49	1,647	1,654	210,349	206,185
50-54	1,736	1,709	198,449	196,264
55-59	1,562	1,544	169,635	169,030
60-64	1,267	1,244	129,773	134,281
65-69	885	878	94,342	102,347
70-74	731	772	69,195	79,699
75-79	544	691	53,499	67,334
80-84	385	613	39,606	58,837
85&up	366	875	32,269	73,927
Total	24,261	25,175	2,620,570	2,645,644
Total Male/Female		49,436		5,266,214

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Demographics Table 1: Minnesota Population Estimates by Age and Sex by State and County, 2009

Wright County - Population Estimates by Age and Sex, 2009

Age Group	WRIGHT		Minnesota	
	Male	Female	Male	Female
00-04	5,692	5,355	185,595	178,380
05-09	5,023	4,945	175,812	168,282
10-14	4,881	4,591	172,955	164,621
15-17	2,785	2,637	110,556	104,596
18-19	1,449	1,331	76,855	76,094
20-24	3,187	3,208	188,154	184,988
25-29	4,339	4,169	191,579	179,618
30-34	4,515	4,241	169,415	159,009
35-39	4,799	4,696	170,556	164,204
40-44	4,916	4,778	181,976	177,948
45-49	5,132	4,791	210,349	206,185
50-54	4,138	3,826	198,449	196,264
55-59	3,178	3,069	169,635	169,030
60-64	2,524	2,569	129,773	134,281
65-69	1,881	1,920	94,342	102,347
70-74	1,356	1,355	69,195	79,699
75-79	898	1,033	53,499	67,334
80-84	577	837	39,606	58,837
85&up	396	890	32,269	73,927
Total	61,666	60,241	2,620,570	2,645,644
Total Male/Female	121,907		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Yellow Medicine County - Population Estimates by Age and Sex, 2009

Age Group	YELLOW MEDICINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	302	315	1,318	1,309	185,595	178,380
05-09	329	265	1,372	1,224	175,812	168,282
10-14	320	287	1,466	1,334	172,955	164,621
15-17	201	203	942	933	110,556	104,596
18-19	123	117	616	519	76,855	76,094
20-24	308	275	1,535	1,228	188,154	184,988
25-29	311	219	1,260	787	191,579	179,618
30-34	222	168	1,104	655	169,415	159,009
35-39	255	239	1,451	1,013	170,556	164,204
40-44	265	282	1,551	1,291	181,976	177,948
45-49	384	384	1,834	1,656	210,349	206,185
50-54	422	399	1,958	1,790	198,449	196,264
55-59	399	299	1,733	1,544	169,635	169,030
60-64	231	262	1,326	1,334	129,773	134,281
65-69	237	247	1,019	1,165	94,342	102,347
70-74	187	214	816	975	69,195	79,699
75-79	169	222	742	984	53,499	67,334
80-84	152	207	640	978	39,606	58,837
85&up	125	321	611	1,359	32,269	73,927
Total	4,942	4,925	23,294	22,078	2,620,570	2,645,644
Total Male/Female	9,867		45,372		5,266,214	

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2009**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,266,214	4,664,703	249,909	66,640	202,143	82,819	226,384
Aitkin	15,646	14,990	56	422	32	146	149
Anoka	331,582	296,794	13,160	2,562	13,043	6,023	9,660
Becker	32,076	28,429	163	2,523	160	801	457
Beltrami	44,350	33,675	326	9,012	396	941	773
Benton	40,193	38,194	681	242	556	520	564
Big Stone	5,251	5,162	11	33	26	19	28
Blue Earth	61,010	57,211	1,478	236	1,447	638	1,345
Brown	25,603	25,203	64	42	135	159	892
Carlton	34,327	31,235	379	1,923	160	630	512
Carver	92,107	86,955	1,548	281	2,415	908	3,675
Cass	28,534	24,613	107	3,237	92	485	399
Chippewa	12,321	11,886	63	185	54	133	576
Chisago	50,625	48,646	603	300	631	445	987
Clay	56,763	53,839	466	955	678	825	1,982
Clearwater	8,242	7,290	28	747	24	153	95
Cook	5,472	4,887	15	431	21	118	73
Cottonwood	11,116	10,567	136	37	293	83	561
Crow Wing	62,723	60,931	325	563	331	573	621
Dakota	396,500	351,433	18,064	2,083	17,805	7,115	18,770
Dodge	19,772	19,382	77	40	110	163	943
Douglas	36,390	35,756	117	125	177	215	355
Faribault	14,506	14,208	56	43	86	113	761
Fillmore	20,838	20,565	78	26	39	130	164
Freeborn	31,002	30,237	251	79	215	220	2,425
Goodhue	45,836	44,103	463	524	316	430	897
Grant	5,835	5,733	14	20	12	56	93
Hennepin	1,156,212	922,333	126,221	13,994	68,788	24,876	74,469
Houston	19,244	18,832	114	44	117	137	159
Hubbard	18,644	17,880	57	436	52	219	226
Isanti	39,442	38,260	220	273	230	459	678
Itasca	44,727	41,930	257	1,659	183	698	525
Jackson	10,786	10,500	24	17	190	55	301
Kanabec	15,899	15,379	51	184	94	191	195
Kandiyohi	41,123	39,831	605	199	247	241	4,142
Kittson	4,374	4,294	3	19	18	40	72
Koochiching	13,128	12,476	75	349	38	190	123
Lac Qui Parle	7,110	7,015	19	20	26	30	94
Lake	10,610	10,367	14	92	22	115	72
Lake of the Woods	3,880	3,723	16	70	17	54	31
Le Sueur	28,059	27,504	113	104	140	198	1,447
Lincoln	5,723	5,674	3	19	13	14	82
Lyon	25,074	23,782	460	100	515	217	1,508
McLeod	36,939	36,030	207	91	353	258	1,901
Mahnomen	5,025	2,851	27	1,637	8	502	175
Marshall	9,184	9,027	11	45	28	73	396
Martin	20,245	19,801	128	34	146	136	641
Meeker	23,154	22,766	74	74	114	126	739
Mille Lacs	26,383	24,539	136	1,296	68	344	385
Morrison	32,883	32,263	123	137	126	234	307
Mower	38,215	36,333	632	131	768	351	3,480

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2009**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
Murray	8,416	8,267	12	29	28	80	210
Nicollet	32,224	30,751	586	102	513	272	926
Nobles	20,558	18,395	657	275	985	246	3,978
Norman	6,455	6,156	16	158	23	102	312
Olmsted	143,962	128,177	5,813	453	7,767	1,752	4,413
Otter Tail	56,588	55,282	288	314	295	409	1,239
Pennington	13,842	13,201	131	228	127	155	335
Pine	28,368	26,491	535	908	120	314	686
Pipestone	9,353	8,974	31	175	55	118	266
Polk	30,776	29,467	204	484	208	413	1,582
Pope	10,869	10,720	32	30	27	60	99
Ramsey	506,278	391,071	49,622	4,643	49,510	11,432	33,483
Red Lake	4,188	4,024	9	131	3	21	88
Redwood	15,464	14,183	46	701	334	200	303
Renville	15,718	15,328	33	171	59	127	1,226
Rice	62,723	59,340	1,176	400	1,170	637	4,865
Rock	9,483	9,197	94	55	86	51	245
Roseau	15,911	15,076	29	277	355	174	122
St. Louis	197,767	185,778	2,612	4,480	1,774	3,123	2,077
Scott	131,939	118,302	3,261	1,027	7,403	1,946	5,355
Sherburne	87,832	84,013	1,396	374	1,037	1,012	1,844
Sibley	14,925	14,619	50	65	82	109	1,194
Stearns	148,955	141,743	2,580	490	2,736	1,406	3,123
Steele	36,775	34,755	1,260	71	367	322	2,183
Stevens	9,629	9,022	198	129	140	140	160
Swift	10,823	9,643	403	75	427	275	436
Todd	23,869	23,321	44	180	112	212	1,159
Traverse	3,573	3,380	4	155	16	18	71
Wabasha	21,884	21,435	109	67	166	107	614
Wadena	13,269	12,942	96	92	31	108	166
Waseca	18,771	17,984	391	91	148	157	767
Washington	231,958	207,817	7,748	1,126	11,625	3,642	6,782
Watsonwan	10,912	10,565	77	58	132	80	2,195
Wilkin	6,264	6,099	16	61	13	75	165
Winona	49,436	47,130	545	147	1,225	389	800
Wright	121,907	117,280	1,463	452	1,463	1,249	2,710
Yellow Medicine	9,867	9,461	23	271	26	86	300

Source: July 2009, US Census

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2009**

	Population 65+ years		Elderly Dependency Ratio	Total Age Dependency Ratio	Children Ages 0-19	Child Age Dependency Ratio	Females Ages 15-44
	Number	Percent					
State of Minnesota	671,055	12.7	18.9	48.4	1,413,746	29.5	1,046,457
Aitkin	4,276	27.3	47.1	72.2	3,118	25.1	1,839
Anoka	31,043	9.4	13.4	43.3	92,694	29.9	67,596
Becker	5,490	17.1	27.3	59.2	8,500	32.0	5,096
Beltrami	5,745	13.0	19.6	51.2	12,805	31.6	9,327
Benton	4,111	10.2	14.8	44.7	10,721	29.9	9,260
Big Stone	1,306	24.9	42.3	70.2	1,200	27.9	717
Blue Earth	7,193	11.8	16.4	39.1	15,840	22.7	14,813
Brown	4,704	18.4	28.8	56.5	6,518	27.8	4,194
Carlton	5,247	15.3	23.5	53.5	8,962	30.0	5,782
Carver	7,634	8.3	12.3	48.0	28,982	35.7	18,557
Cass	5,695	20.0	32.1	60.7	6,860	28.6	4,205
Chippewa	2,340	19.0	30.8	62.1	3,261	31.3	1,920
Chisago	5,591	11.0	16.5	49.7	14,894	33.2	9,382
Clay	7,038	12.4	18.1	45.6	16,347	27.5	13,335
Clearwater	1,594	19.3	32.0	65.6	2,180	33.5	1,282
Cook	1,075	19.6	29.5	50.0	1,036	20.6	781
Cottonwood	2,151	19.4	32.0	65.3	3,059	33.3	1,692
Crow Wing	11,713	18.7	29.9	60.0	15,584	30.1	10,740
Dakota	35,532	9.0	12.9	43.5	112,361	30.6	82,671
Dodge	2,410	12.2	19.0	55.5	6,071	36.5	3,751
Douglas	7,153	19.7	31.2	58.9	8,451	27.7	6,030
Faribault	3,150	21.7	36.0	65.8	3,612	29.8	2,028
Fillmore	3,874	18.6	30.1	61.9	5,554	31.8	3,294
Freeborn	6,096	19.7	31.4	59.8	7,401	28.4	5,055
Goodhue	7,177	15.7	24.2	54.3	12,019	30.1	7,804
Grant	1,339	22.9	38.4	67.4	1,394	29.0	866
Hennepin	129,035	11.2	16.0	43.0	290,707	27.1	247,958
Houston	3,353	17.4	26.9	54.4	4,843	27.5	3,201
Hubbard	3,954	21.2	34.5	62.7	4,377	28.2	2,772
Isanti	4,421	11.2	16.4	46.4	10,853	30.0	7,967
Itasca	8,129	18.2	28.4	56.0	10,812	27.7	7,055
Jackson	2,299	21.3	34.5	61.9	2,497	27.4	1,650
Kanabec	2,495	15.7	24.0	53.2	4,157	29.2	2,683
Kandiyohi	6,633	16.1	25.2	55.9	10,973	30.8	7,197
Kittson	1,018	23.3	39.3	68.9	1,061	29.6	590
Koochiching	2,672	20.4	32.2	58.1	3,030	25.9	1,983
Lac Qui Parle	1,602	22.5	37.3	65.6	1,675	28.3	923
Lake	2,240	21.1	32.8	55.6	2,164	22.7	1,649
Lake of the Woods	855	22.0	34.9	58.2	848	23.4	572
Le Sueur	4,077	14.5	22.2	53.1	7,603	30.9	4,998
Lincoln	1,421	24.8	43.8	76.4	1,408	32.6	810
Lyon	3,645	14.5	22.1	52.3	6,976	30.1	5,023
McLeod	5,348	14.5	22.6	55.8	10,333	33.2	6,794
Mahnomen	869	17.3	29.7	71.8	1,617	42.1	770
Marshall	1,723	18.8	30.0	60.1	2,327	30.1	1,345
Martin	4,307	21.3	35.0	64.7	5,024	29.7	2,898
Meeker	3,895	16.8	26.9	59.8	6,344	32.9	3,613
Mille Lacs	4,383	16.6	26.3	58.2	7,161	31.9	4,644
Morrison	5,292	16.1	25.3	57.4	8,897	32.0	5,548
Mower	7,025	18.4	30.3	64.8	10,548	34.5	6,311
Murray	1,861	22.1	36.4	64.7	2,015	28.3	1,187

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2009**

	Population 65+ years		Elderly	Total Age		Child Age	
Nicollet	4,116	12.8	18.4	44.2	8,812	25.8	7,042
Nobles	3,358	16.3	27.1	65.7	6,196	38.6	3,193
Norman	1,361	21.1	35.6	68.8	1,737	33.2	901
Olmsted	17,810	12.4	18.6	50.3	39,089	31.7	28,934
Otter Tail	11,943	21.1	34.1	61.4	13,255	27.3	8,424
Pennington	2,170	15.7	24.0	53.1	3,509	29.1	2,578
Pine	4,680	16.5	24.9	51.2	6,769	26.2	4,537
Pipestone	1,947	20.8	35.8	71.8	2,596	36.0	1,434
Polk	5,189	16.9	26.4	56.8	8,220	30.4	5,338
Pope	2,242	20.6	33.2	61.0	2,544	27.8	1,629
Ramsey	67,522	13.3	19.8	48.2	132,776	28.4	109,420
Red Lake	773	18.5	29.4	59.4	1,040	29.9	662
Redwood	3,103	20.1	33.6	67.3	4,213	33.7	2,270
Renville	2,907	18.5	29.8	61.3	4,180	31.5	2,370
Rice	7,760	12.4	18.2	47.2	17,995	29.0	12,757
Rock	1,769	18.7	31.1	66.6	2,630	35.5	1,439
Roseau	2,144	13.5	20.6	53.2	4,598	32.6	2,713
St. Louis	31,871	16.1	23.7	47.1	48,001	23.4	37,488
Scott	9,671	7.3	10.8	47.0	41,323	36.2	28,673
Sherburne	6,183	7.0	10.2	45.3	27,470	35.1	18,885
Sibley	2,397	16.1	25.4	58.1	4,130	32.7	2,542
Stearns	19,123	12.8	18.8	46.6	41,372	27.7	31,746
Steele	4,954	13.5	20.9	55.3	10,743	34.4	6,896
Stevens	1,609	16.7	25.1	49.9	2,646	24.9	2,161
Swift	1,960	18.1	27.5	52.1	2,435	24.6	1,363
Todd	4,044	16.9	26.8	58.0	6,448	31.3	3,716
Traverse	985	27.6	49.6	79.9	854	30.3	483
Wabasha	3,678	16.8	26.1	55.2	5,613	29.1	3,595
Wadena	2,879	21.7	37.1	70.8	3,493	33.8	2,001
Waseca	2,679	14.3	22.0	54.0	5,120	32.0	3,180
Washington	21,835	9.4	13.7	45.3	67,214	31.6	45,118
Watonwan	2,084	19.1	32.3	69.3	3,119	37.0	1,801
Wilkin	1,116	17.8	28.2	58.5	1,641	30.3	1,021
Winona	6,740	13.6	19.3	41.5	13,140	22.2	11,426
Wright	11,143	9.1	13.9	51.9	38,689	38.0	25,060
Yellow Medicine	2,081	21.1	34.9	65.3	2,462	30.5	1,503

Source: U.S. Census Bureau: 2009 Census Estimates, www.census.gov

Elderly Age Dependency Ratio: The number of persons aged 65 or over per 100 persons in the population aged 15 through 64 years.

Percent Elderly: The percent of total population comprised of persons aged 65 and over.

Total Age Dependency Ratio: The number of children under 15 years of age plus the number of persons aged 65 and over per 100 persons in the population aged 15 through 64 years.

Child Age Dependency Ratio: The number of children under 15 years of age per 100 persons in the population aged 15 through 64 years.

**Demographics Table 4: Selected Minnesota Demographics
By State and County, 2009**

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2008-2009
State of Minnesota	5,266,214	79,617	66	2,108,843	0.6
Aitkin	15,646	1,819	9	7,111	-1.7
Anoka	331,582	424	782	122,105	1.0
Becker	32,076	1,311	24	13,273	-0.1
Beltrami	44,350	2,505	18	16,480	0.5
Benton	40,193	408	99	15,741	0.8
Big Stone	5,251	497	11	2,222	-1.7
Blue Earth	61,010	752	81	24,175	0.8
Brown	25,603	611	42	10,890	-0.1
Carlton	34,327	860	40	13,610	0.8
Carver	92,107	357	258	32,867	1.8
Cass	28,534	2,018	14	12,078	-0.3
Chippewa	12,321	583	21	5,344	-0.4
Chisago	50,625	418	121	18,220	0.9
Clay	56,763	1,045	54	22,038	2.0
Clearwater	8,242	995	8	3,415	0.1
Cook	5,472	1,451	4	2,583	0.2
Cottonwood	11,116	640	17	4,757	-0.6
Crow Wing	62,723	997	63	26,423	1.4
Dakota	396,500	570	696	152,997	1.0
Dodge	19,772	440	45	7,424	0.1
Douglas	36,390	634	57	15,702	1.0
Faribault	14,506	714	20	6,287	-0.9
Fillmore	20,838	861	24	8,528	0.1
Freeborn	31,002	708	44	13,374	-0.1
Goodhue	45,836	759	60	18,442	0.1
Grant	5,835	547	11	2,473	-1.9
Hennepin	1,156,212	557	2,076	487,813	0.5
Houston	19,244	558	34	7,884	-0.4
Hubbard	18,644	923	20	7,987	0.1
Isanti	39,442	439	90	14,725	0.4
Itasca	44,727	2,665	17	19,212	0.9
Jackson	10,786	702	15	4,587	-0.2
Kanabec	15,899	525	30	6,427	-1.0
Kandiyohi	41,123	796	52	16,819	0.0
Kittson	4,374	1,097	4	1,949	-2.0
Koochiching	13,128	3,102	4	5,937	-0.6
Lac Qui Parle	7,110	765	9	3,162	-0.4
Lake	10,610	2,099	5	4,782	-0.5
Lake of the Woods	3,880	1,297	3	1,851	-2.0
Le Sueur	28,059	449	62	11,055	0.2
Lincoln	5,723	537	11	2,556	-0.5
Lyon	25,074	714	35	10,055	1.1
McLeod	36,939	492	75	14,729	-0.4
Mahnomen	5,025	556	9	1,997	-0.8
Marshall	9,184	1,772	5	4,078	-1.4
Martin	20,245	709	29	9,013	-0.3
Meeker	23,154	609	38	9,218	0.3
Mille Lacs	26,383	575	46	10,521	0.2
Morrison	32,883	1,125	29	13,101	0.6
Mower	38,215	712	54	16,034	0.4
Murray	8,416	705	12	3,660	-0.6

**Demographics Table 4: Selected Minnesota Demographics
By State and County, 2009**

	Population	Land Area in Square Miles	Population per Square Mile	Number of Households	Percent Change in Number of Households 2008-2009
State of Minnesota	5,266,214	79,617	66	2,108,843	0.6
Nicollet	32,224	452	71	12,102	0.7
Nobles	20,558	716	29	8,065	1.0
Norman	6,455	876	7	2,861	-1.0
Olmsted	143,962	653	220	57,109	1.3
Otter Tail	56,588	1,980	29	24,010	0.2
Pennington	13,842	617	22	5,852	0.8
Pine	28,368	1,411	20	11,014	0.0
Pipestone	9,353	466	20	4,056	0.1
Polk	30,776	1,971	16	12,527	0.0
Pope	10,869	670	16	4,672	-0.7
Ramsey	506,278	156	3,245	209,214	0.3
Red Lake	4,188	432	10	1,779	1.0
Redwood	15,464	880	18	6,521	-0.3
Renville	15,718	983	16	6,760	-0.8
Rice	62,723	498	126	21,993	0.4
Rock	9,483	483	20	3,945	0.6
Roseau	15,911	1,663	10	6,366	-0.2
St. Louis	197,767	6,226	32	84,657	0.1
Scott	131,939	357	370	45,396	1.7
Sherburne	87,832	437	201	30,054	0.7
Sibley	14,925	589	25	5,947	0.0
Stearns	148,955	1,345	111	56,487	2.3
Steele	36,775	430	86	14,398	0.2
Stevens	9,629	562	17	3,877	0.1
Swift	10,823	744	15	4,289	-0.5
Todd	23,869	942	25	9,784	0.2
Traverse	3,573	574	6	1,576	-2.5
Wabasha	21,884	525	42	8,890	-0.6
Wadena	13,269	536	25	5,624	-0.4
Waseca	18,771	423	44	7,324	0.3
Washington	231,958	392	592	88,120	1.6
Watonwan	10,912	435	25	4,546	-0.9
Wilkin	6,264	752	8	2,673	-0.9
Winona	49,436	626	79	19,731	1.0
Wright	121,907	661	184	44,627	1.7
Yellow Medicine	9,867	758	13	4,286	-1.0

Sources: Population - U.S. Census Bureau: 2007 Census Estimates, www.census.gov; Number of Households - Minnesota State Demographer: <http://www.gda.state.mn.us/resource.html?Id=19244>

Number of Households: The number of occupied houses, apartments, or other separate living quarters, in which the occupants live and eat separately from other persons in the building and to which they have direct access from outside the building or through a common hall.

Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2008	Unemployed Annual Average, 2009 Percent	Food Stamp Utilization - Avg Monthly 2009	WIC Participants - Unduplicated 2009	Percent - All Ages in Poverty 2008
State of Minnesota	\$42,953	8.0	169,711	240,041	9.6
Aitkin	\$28,747	10.6	713	708	13.9
Anoka	\$38,744	8.5	8,071	10,929	5.8
Becker	\$34,241	9.0	1,591	2,653	11.6
Beltrami	\$29,633	8.9	3,634	4,571	17.0
Benton	\$31,763	8.6	1,055	1,791	10.2
Big Stone	\$37,309	6.1	132	307	12.6
Blue Earth	\$35,009	6.5	1,654	2,568	15.8
Brown	\$36,576	7.6	552	1,227	9.4
Carlton	\$30,317	8.7	1,089	1,971	10.9
Carver	\$53,219	7.5	855	1,814	4.6
Cass	\$33,664	10.8	1,424	2,559	14.5
Chippewa	\$40,418	8.0	303	953	9.5
Chisago	\$34,764	10.1	1,011	1,735	6.6
Clay	\$33,988	4.9	2,023	2,479	13.0
Clearwater	\$27,228	15.1	437	528	14.3
Cook	\$34,813	7.1	117	260	9.1
Cottonwood	\$37,415	6.5	323	816	11.9
Crow Wing	\$30,595	9.9	2,144	3,315	11.4
Dakota	\$46,357	7.3	6,793	12,747	4.6
Dodge	\$36,565	7.5	392	949	6.7
Douglas	\$36,655	6.8	938	1,626	8.7
Faribault	\$44,836	9.6	416	703	10.7
Fillmore	\$33,128	8.4	519	867	10.8
Freeborn	\$35,177	8.7	978	1,993	10.9
Goodhue	\$38,789	7.9	855	1,678	6.9
Grant	\$38,437	8.8	164	329	10.8
Hennepin	\$56,564	7.4	50,161	50,733	11.0
Houston	\$36,563	8.2	406	609	8.9
Hubbard	\$31,784	10.3	752	1,060	10.8
Isanti	\$33,647	10.3	950	2,088	7.5
Itasca	\$30,656	11.1	1,966	2,324	12.9
Jackson	\$38,396	5.5	208	293	8.7
Kanabec	\$29,264	13.5	651	1,046	11.4
Kandiyohi	\$38,571	6.9	1,659	2,929	10.7
Kittson	\$52,127	7.4	67	281	10.5
Koochiching	\$32,631	9.7	578	654	13.0
Lac Qui Parle	\$38,179	6.4	137	322	8.9
Lake	\$38,421	9.5	266	502	9.7
Lake of the Woods	\$30,559	7.8	107	214	12.1
Le Sueur	\$34,042	10.9	504	1,030	7.7
Lincoln	\$34,680	6.1	84	172	10.0
Lyon	\$38,212	6.0	705	1,710	10.5
McLeod	\$33,351	9.8	770	1,793	6.6
Mahnomen	\$28,557	8.0	497	664	21.8
Marshall	\$43,631	10.1	189	603	9.8
Martin	\$42,414	7.8	658	1,058	11.3
Meeker	\$33,739	9.9	564	1,315	9.1
Mille Lacs	\$26,811	12.7	789	1,721	12.3
Morrison	\$31,240	11.3	893	1,876	13.3
Mower	\$36,798	6.4	1,335	2,861	12.4

Demographics Table 5: Selected Minnesota Socioeconomic Statistics by State and County

	Total Income per Capita, 2008	Unemployed Annual Average, 2009 Percent	Food Stamp Utilization - Avg Monthly 2009	WIC Participants - Unduplicated 2009	Percent - All Ages in Poverty 2008
Murray	\$43,665	5.9	161	326	8.9
Nicollet	\$36,776	6.4	770	1,268	10.2
Nobles	\$38,261	5.3	677	2,051	13.4
Norman	\$44,339	6.7	219	390	12.0
Olmsted	\$43,833	6.2	4,028	6,731	7.6
Otter Tail	\$33,513	8.3	1,519	2,581	12.5
Pennington	\$38,607	9.0	533	1,369	11.3
Pine	\$27,506	11.4	1,199	1,454	13.6
Pipestone	\$39,890	6.6	294	670	10.6
Polk	\$36,854	6.2	1,292	1,811	12.2
Pope	\$37,542	7.5	254	579	10.1
Ramsey	\$45,677	7.8	25,483	31,465	13.5
Red Lake	\$29,707	10.0	150	181	11.5
Redwood	\$37,782	7.0	383	1,054	9.9
Renville	\$39,844	8.4	453	862	11.0
Rice	\$31,776	8.8	1,358	3,031	9.2
Rock	\$38,540	5.5	175	377	9.0
Roseau	\$39,434	7.6	278	894	8.2
St. Louis	\$36,454	9.3	9,438	8,278	14.4
Scott	\$40,851	7.5	1,574	3,511	4.4
Sherburne	\$31,080	9.2	1,252	3,383	5.8
Sibley	\$35,714	8.4	295	998	10.0
Stearns	\$34,328	7.9	3,865	5,480	10.1
Steele	\$37,021	8.8	1,069	2,208	7.7
Stevens	\$40,186	5.6	185	539	12.3
Swift	\$31,241	7.4	283	1,107	11.7
Todd	\$28,176	9.3	836	1,408	13.4
Traverse	\$40,986	7.1	110	201	11.9
Wabasha	\$36,740	7.7	382	875	7.7
Wadena	\$28,672	11.2	688	696	17.3
Waseca	\$33,786	8.4	613	976	8.8
Washington	\$48,617	7.4	3,013	5,416	4.5
Watonwan	\$34,344	9.1	225	864	11.1
Wilkin	\$41,932	5.7	185	314	7.7
Winona	\$34,499	7.8	1,215	1,700	13.7
Wright	\$34,466	9.2	1,833	4,414	5.6
Yellow Medicine	\$38,281	6.7	214	645	9.9

Sources: Total Per Capita Income - US Department of Commerce, Bureau of Economic Analysis, www.bea.gov/bea/regional/reis/;
 Unemployment Annual Average - Minnesota Department of Employment and Economic Development,
<http://www.deed.state.mn.us/lmi/tools/lau> (not seasonally adjusted)

Total Per Capital Income: Per capita personal income was computed using Census Bureau midyear population estimates. Estimates for 2000-2007 reflect county population estimates available as of April 2008.

Food Stamps: A Federal program which supplements the food-purchasing ability of low-income households through the distribution of coupons which can be used to purchase food for human consumption.

WIC Participants - Unduplicated Counts: The total number of pregnant, post-partum and nursing women, infants and children less than 5 years of age who received WIC vouchers. County level data are determined by combining unduplicated participants of all clinics within a county's boundaries. State total does not equal the sum of the counties because participants may move counties during the year.

Demographics Table 6: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2009

	Number Enrolled in MFIP-MA by Age Group						Females 15-49 Years Enrolled in GAMC
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	
State of Minnesota	7,619	32,061	40,951	17,748	9,758	30,116	10,975
Aitkin	24	108	106	50	31	107	44
Anoka	348	1,539	2,034	894	477	1,685	465
Becker	69	305	359	123	73	304	120
Beltrami	312	1,224	1,369	563	328	996	245
Benton	49	170	226	65	39	205	70
Big Stone	1	20	23	11	8	27	10
Blue Earth	76	299	393	127	66	292	131
Brown	20	76	72	27	12	85	32
Carlton	27	123	185	88	38	144	75
Carver	26	133	175	64	35	132	54
Cass	68	327	392	165	85	268	87
Chippewa	14	45	73	19	13	46	18
Chisago	40	123	180	69	37	178	72
Clay	60	293	378	166	88	313	107
Clearwater	19	69	71	33	22	65	31
Cook	2	24	11	2	2	18	11
Cottonwood	10	38	59	28	16	43	31
Crow Wing	69	321	336	129	81	327	98
Dakota	320	1,361	1,554	580	332	1,247	351
Dodge	15	51	80	36	24	36	20
Douglas	23	95	115	42	18	107	67
Faribault	17	59	80	37	17	74	20
Fillmore	13	46	50	18	11	41	29
Freeborn	48	176	169	67	38	140	51
Goodhue	30	166	175	58	32	184	60
Grant	2	19	30	12	9	18	15
Hennepin	2,202	9,375	11,704	5,262	2,921	7,913	4,006
Houston	19	80	96	39	20	85	23
Hubbard	22	92	127	45	26	75	40
Isanti	31	137	184	79	52	178	55
Itasca	55	275	332	114	67	264	140
Jackson	13	33	44	16	8	42	13
Kanabec	24	76	161	56	29	109	38
Kandiyohi	86	345	463	175	90	336	102
Kittson	2	12	26	9	5	10	2
Koochiching	12	44	80	26	17	61	32
Lac Qui Parle	4	16	26	6	3	21	10
Lake	6	28	36	23	14	28	13
Lake of the Woods	2	11	22	8	4	19	7
Le Sueur	18	92	124	34	15	94	26
Lincoln	3	8	15	3	2	14	3
Lyon	33	119	144	67	38	129	50
McLeod	32	113	116	46	27	122	47
Mahnomen	48	160	160	73	38	102	44
Marshall	5	21	24	13	6	16	7
Martin	23	85	81	44	25	87	43
Meeker	19	77	119	49	27	101	38
Mille Lacs	52	159	164	78	48	143	41

Demographics Table 6: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2009

	Number Enrolled in MFIP-MA by Age Group						
Morrison	28	135	130	59	35	142	46
Mower	63	243	256	75	44	213	62
Murray	4	14	20	21	14	21	10
Nicollet	44	187	186	66	40	179	47
Nobles	35	149	169	63	41	117	38
Norman	7	36	41	18	12	45	6
Olmsted	187	691	849	326	191	679	252
Otter Tail	50	209	302	125	69	230	93
Pennington	16	48	63	28	17	48	33
Pine	53	155	233	98	55	173	63
Pipestone	15	57	69	19	11	53	13
Polk	50	178	239	93	55	229	81
Pope	4	36	56	16	9	36	17
Ramsey	1,516	6,735	9,492	4,651	2,468	6,254	1,229
Red Lake	8	16	18	10	8	20	8
Redwood	15	58	116	45	21	65	20
Renville	13	59	97	36	20	42	28
Rice	79	325	388	125	58	257	92
Rock	10	34	47	16	7	34	6
Roseau	7	35	38	20	11	35	15
St. Louis	315	1,266	1,483	536	314	1,244	652
Scott	66	323	467	157	93	299	69
Sherburne	57	245	323	121	66	271	70
Sibley	10	46	48	21	11	42	20
Stearns	182	630	765	335	193	695	258
Steele	48	181	240	100	45	186	79
Stevens	3	16	12	4	3	15	11
Swift	9	38	42	17	10	44	11
Todd	20	86	114	48	24	94	49
Traverse	3	8	15	5	2	9	7
Wabasha	14	69	87	24	14	52	29
Wadena	21	98	134	59	25	99	36
Waseca	25	83	119	42	15	95	42
Washington	129	558	750	370	208	639	159
Watonwan	5	32	63	21	9	29	11
Wilkin	5	18	22	13	5	21	14
Winona	42	140	207	95	49	147	71
Wright	55	223	266	129	70	208	126
Yellow Medicine	3	20	28	5	1	25	10

Source: Minnesota Department of Human Services

MFIP-MA (Minnesota Family Investment Program - Medical Assistance): Medical Assistance eligibility coincides with receipt cash assistance from MFIP, is extended MA eligibility following MFIP, or is based on pregnancy. Counts include both fee-for-servi and HMO enrollees.

GAMC (General Assistance Medical Care): Most enrollees are eligible on a medical-only basis; fewer than one-third are eligible based on receipt of cash assistance from General Assistance. Counts include both fee-for-service and HMO enrollees.

of
ice

**Demographics Table 7:
Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment
By State and County, 2009**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	23,176	69,152	85,294	40,962	89,500	1,272	8,823	17,428	10,233	29,757
Aitkin	75	275	372	190	369	5	48	104	74	211
Anoka	1,305	4,026	5,394	2,491	5,254	57	487	959	586	1,832
Becker	224	721	873	375	818	12	104	199	124	293
Beltrami	192	703	850	489	1,000	24	139	290	173	408
Benton	175	543	631	274	756	11	62	119	70	288
Big Stone	27	63	97	59	91	2	14	41	28	45
Blue Earth	240	707	865	434	1,011	19	70	142	80	329
Brown	111	347	422	185	431	3	31	66	33	124
Carlton	174	550	699	352	727	3	45	110	94	255
Carver	200	631	781	339	758	8	75	188	114	290
Cass	171	555	716	376	710	12	121	256	158	335
Chippewa	92	226	243	132	267	3	22	59	34	88
Chisago	203	553	759	368	810	14	115	220	160	385
Clay	277	923	1,124	485	1,230	15	64	149	86	274
Clearwater	51	177	268	117	218	5	25	61	39	96
Cook	24	30	55	29	70	4	18	36	19	56
Cottonwood	66	234	310	146	236	5	22	42	29	90
Crow Wing	327	1,020	1,208	575	1,330	39	189	434	268	691
Dakota	1,504	4,171	5,166	2,069	4,860	62	508	918	464	1,700
Dodge	102	290	386	139	341	5	25	44	31	92
Douglas	157	516	610	293	674	6	82	170	98	323
Faribault	72	259	344	132	312	0	21	58	35	101
Fillmore	87	311	366	168	366	5	29	98	69	126
Freeborn	182	511	630	280	633	9	42	83	62	210
Goodhue	165	503	565	272	683	13	69	94	47	185
Grant	30	79	120	63	119	3	35	53	30	85
Hennepin	4,956	14,939	17,401	8,848	18,705	201	1,416	2,593	1,397	4,779
Houston	71	187	267	184	312	3	32	44	58	90
Hubbard	121	370	448	207	488	19	87	166	119	250
Isanti	190	629	738	327	764	18	113	238	122	360
Itasca	225	801	1,038	528	1,139	14	121	267	157	457
Jackson	39	143	203	81	183	1	12	39	32	55
Kanabec	86	276	451	193	395	7	38	108	60	171
Kandiyohi	290	899	919	480	987	4	95	204	119	306
Kittson	14	51	76	35	67	4	32	52	21	53
Koochiching	70	178	264	163	307	8	21	84	62	142
Lac Qui Parle	26	95	131	53	113	1	14	26	30	58
Lake	49	163	177	93	208	4	34	50	34	109
Lake of the Woods	19	69	81	43	68	0	11	33	24	60
Le Sueur	112	341	458	225	443	5	34	63	49	117
Lincoln	29	73	99	42	88	1	20	28	23	37
Lyon	189	415	513	215	506	2	30	85	44	113
McLeod	182	539	685	282	624	10	66	135	67	207
Mahnomen	42	162	225	103	176	2	8	27	15	23
Marshall	39	101	161	73	153	1	33	63	31	76
Martin	105	388	456	235	500	3	32	74	53	146
Meeker	124	334	443	192	416	7	54	92	52	151
Mille Lacs	145	401	567	265	586	11	95	167	88	248

**Demographics Table 7:
Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment
By State and County, 2009**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
Morrison	190	509	667	328	717	17	108	252	155	299
Mower	357	892	1,003	461	946	6	56	107	59	205
Murray	47	125	183	82	145	0	18	33	16	54
Nicollet	127	417	455	195	524	3	29	76	28	131
Nobles	232	685	605	234	512	3	27	65	46	89
Norman	44	132	227	95	163	4	20	53	30	72
Olmsted	653	1,937	2,194	934	2,293	20	127	242	144	554
Otter Tail	271	753	975	454	1,016	39	196	333	207	490
Pennington	72	236	282	141	327	5	30	73	34	130
Pine	111	478	615	307	669	9	80	203	98	276
Pipestone	71	205	229	109	223	2	20	17	21	52
Polk	163	577	651	360	699	13	83	164	90	216
Pope	58	154	165	76	176	3	37	81	57	113
Ramsey	2,569	6,827	8,446	4,841	10,033	142	933	1,697	1,048	2,856
Red Lake	13	80	97	44	82	1	18	27	18	36
Redwood	94	204	326	185	303	4	32	81	38	111
Renville	103	288	392	183	364	3	35	75	53	129
Rice	284	835	931	371	903	13	108	167	68	231
Rock	32	137	142	71	142	2	32	48	28	56
Roseau	69	159	216	107	216	4	29	61	43	97
St. Louis	809	2,712	3,513	1,893	4,611	57	304	644	468	1,472
Scott	341	1,003	1,386	506	1,147	25	198	353	187	498
Sherburne	333	992	1,419	495	1,231	28	141	355	172	512
Sibley	85	279	334	129	274	7	40	62	37	93
Stearns	617	1,875	2,317	1,069	2,445	33	262	484	268	892
Steele	230	714	754	318	762	9	41	69	48	143
Stevens	47	107	124	51	141	4	25	36	24	58
Swift	50	143	219	100	192	1	10	37	39	67
Todd	144	437	617	281	561	21	112	217	138	275
Traverse	16	56	77	47	61	0	6	17	15	38
Wabasha	98	210	251	121	320	3	41	88	40	142
Wadena	81	284	395	208	411	7	53	145	79	138
Waseca	90	338	398	146	390	1	25	68	37	106
Washington	519	1,525	2,047	953	2,227	44	271	551	302	853
Watonwan	73	232	272	108	220	2	17	34	22	42
Wilkin	32	102	160	80	135	4	13	37	13	38
Winona	187	586	687	362	837	14	56	111	82	279
Wright	438	1,275	1,643	715	1,588	40	248	480	246	682
Yellow Medicine	61	162	216	95	195	3	22	60	39	78

Source: Minnesota Department of Human Services

Medical Assistance: This category excludes MFIP-MA enrollees. Enrollees over age 21 may be eligible as parents or based on disability. Those eligible as disabled may be SSI recipients. Counts include both fee-for-service and HMO enrollees and non-citizen Medical Assistance recipients.

MinnesotaCare: MinnesotaCare children and pregnant women are Medicaid eligible under a waiver. MinnesotaCare coverage is provided under HMO arrangements.

**Demographics Table 8: Selected Education Statistics by State and County
2009-10 School Year, October 1, 2009**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:		
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education
State of Minnesota	836,630	35.5	7.3	14.6
Aitkin	2,018	51.4	0.1	17.2
Anoka	63,985	30.5	6.6	13.7
Becker	4,466	41.0	0.2	20.5
Beltrami	7,667	59.6	0.8	18.6
Benton	5,455	32.4	0.2	16.9
Big Stone	897	42.5	0.6	13.2
Blue Earth	9,938	33.8	3.0	18.4
Brown	3,567	33.0	2.1	15.8
Carlton	6,250	32.5	0.1	15.0
Carver	15,522	15.7	3.6	12.7
Cass	4,122	63.1	0.2	22.1
Chippewa	2,263	36.4	2.5	17.8
Chisago	8,140	26.4	0.8	10.6
Clay	8,911	29.7	5.1	14.7
Clearwater	1,481	48.0	0.0	17.6
Cook	632	35.6	0.0	15.0
Cottonwood	2,385	45.3	9.4	17.4
Crow Wing	9,730	42.4	0.0	17.2
Dakota	74,125	22.7	6.2	14.7
Dodge	4,011	25.0	3.2	9.7
Douglas	5,290	33.2	0.1	17.0
Faribault	1,930	45.2	4.5	16.3
Fillmore	2,561	37.8	0.0	12.4
Freeborn	4,117	43.3	5.4	19.4
Goodhue	6,920	24.6	1.9	12.0
Grant	1,092	37.9	0.1	14.5
Hennepin	156,320	39.9	12.4	13.9
Houston	4,287	26.0	0.0	10.0
Hubbard	2,341	54.0	0.2	21.1
Isanti	6,264	36.9	1.4	12.1
Itasca	6,602	46.4	0.0	15.9
Jackson	1,471	35.4	3.9	16.2
Kanabec	2,430	39.3	0.1	13.5
Kandiyohi	5,648	45.0	10.4	12.5
Kittson	715	40.3	0.0	17.8
Koochiching	1,970	38.7	0.3	14.6
Lac Qui Parle	1,363	38.7	2.6	15.9
Lake	1,421	35.0	0.0	17.3
Lake of the Woods	551	48.8	0.0	15.8
Le Sueur	4,364	32.1	5.3	15.3
Lincoln	950	39.4	0.7	15.5
Lyon	4,312	38.7	8.7	16.0
McLeod	5,450	32.0	3.6	13.8
Mahnomen	1,343	70.4	0.0	18.8
Marshall	1,366	43.4	1.2	14.9
Martin	3,156	40.5	2.2	16.5
Meeker	3,519	40.1	0.9	14.2
Mille Lacs	6,539	38.3	0.3	15.0
Morrison	5,189	43.2	0.5	15.3

**Demographics Table 8: Selected Education Statistics by State and County
2009-10 School Year, October 1, 2009**

	Enrollment Preschool to 12th Grade	Percent of Preschool to 12th Graders Who:		
		Are Eligible to Receive Free or Reduced Meals	Have Limited English Proficiency	Receive Special Education
Mower	5,934	47.6	9.7	14.6
Murray	1,140	33.0	2.5	18.2
Nicollet	2,330	36.1	3.1	20.2
Nobles	3,595	52.8	9.8	15.2
Norman	1,136	47.5	1.7	16.3
Olmsted	22,353	29.5	10.3	11.5
Otter Tail	7,747	38.6	1.9	15.1
Pennington	2,213	38.5	1.0	16.0
Pine	3,907	47.9	0.6	11.6
Pipestone	1,491	43.0	3.9	16.8
Polk	5,071	38.7	1.5	15.7
Pope	1,295	39.5	0.3	22.6
Ramsey	84,542	54.0	21.5	15.7
Red Lake	730	54.0	0.0	13.6
Redwood	2,190	34.5	0.9	14.7
Renville	1,969	43.5	8.8	15.4
Rice	8,598	36.9	9.8	16.6
Rock	1,568	33.5	1.6	14.2
Roseau	3,064	37.2	0.6	15.8
St. Louis	25,506	39.9	0.1	16.4
Scott	21,202	19.2	5.8	13.4
Sherburne	19,400	21.6	2.2	14.2
Sibley	2,229	43.6	7.6	13.9
Stearns	23,094	36.2	5.6	16.9
Steele	6,454	33.9	5.3	12.7
Stevens	1,489	29.2	1.1	19.1
Swift	1,507	34.8	1.4	14.9
Todd	3,775	59.5	5.7	17.9
Traverse	542	38.9	1.5	13.3
Wabasha	4,541	26.3	1.7	12.5
Wadena	2,799	58.3	0.0	15.0
Waseca	3,592	34.5	3.6	16.3
Washington	38,681	16.3	3.1	12.0
Watonwan	1,921	51.6	12.7	16.7
Wilkin	1,121	40.2	3.0	18.6
Winona	5,716	34.8	2.4	16.2
Wright	25,458	23.5	1.8	13.3
Yellow Medicine	1,684	47.7	3.7	18.6

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

r

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2009-10 School Year, October 1, 2009

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	627,848	81,195	18,257	52,916	56,414	836,630
Aitkin	1,852	29	107	9	21	2,018
Anoka	49,618	6,223	972	3,920	3,252	63,985
Becker	3,792	43	523	35	73	4,466
Beltrami	4,842	112	2,558	58	97	7,667
Benton	5,093	126	51	97	88	5,455
Big Stone	865	4	9	4	15	897
Blue Earth	8,659	596	47	248	388	9,938
Brown	3,175	21	3	33	335	3,567
Carlton	5,484	49	583	72	62	6,250
Carver	13,700	384	60	540	838	15,522
Cass	2,766	35	1,256	33	32	4,122
Chippewa	2,039	22	25	12	165	2,263
Chisago	7,760	84	59	135	102	8,140
Clay	7,793	276	183	102	557	8,911
Clearwater	1,125	17	308	13	18	1,481
Cook	524	2	90	8	8	632
Cottonwood	1,882	21	15	260	207	2,385
Crow Wing	9,298	122	163	68	79	9,730
Dakota	56,770	6,451	554	4,602	5,748	74,125
Dodge	3,649	37	18	28	279	4,011
Douglas	5,073	80	32	55	50	5,290
Faribault	1,666	16	5	15	228	1,930
Fillmore	2,498	16	2	17	28	2,561
Freeborn	3,384	86	10	42	595	4,117
Goodhue	6,203	171	146	117	283	6,920
Grant	1,053	18	1	4	16	1,092
Hennepin	86,811	36,518	2,726	14,406	15,859	156,320
Houston	4,028	128	26	55	50	4,287
Hubbard	2,072	36	164	19	50	2,341
Isanti	5,860	100	67	110	127	6,264
Itasca	5,678	83	737	53	51	6,602
Jackson	1,334	19	7	32	79	1,471
Kanabec	2,288	36	40	15	51	2,430
Kandiyohi	3,940	287	44	51	1,326	5,648
Kittson	689	3	2	9	12	715
Koochiching	1,741	17	191	10	11	1,970
Lac Qui Parle	1,233	31	6	40	53	1,363
Lake	1,372	7	17	10	15	1,421
Lake of the Woods	516	11	14	7	3	551
Le Sueur	3,813	33	26	31	461	4,364
Lincoln	910	11	2	3	24	950
Lyon	3,562	128	21	212	389	4,312
McLeod	4,866	56	14	49	465	5,450
Mahnomen	366	8	958	4	7	1,343
Marshall	1,233	13	11	9	100	1,366
Martin	2,923	34	7	18	174	3,156
Meeker	3,275	29	7	18	190	3,519
Mille Lacs	5,988	69	354	51	77	6,539
Morrison	4,982	49	40	45	73	5,189
Mower	4,461	271	14	138	1,050	5,934
Murray	1,066	11	6	11	46	1,140
Nicollet	2,010	104	6	35	175	2,330

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2009-10 School Year, October 1, 2009

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	627,848	81,195	18,257	52,916	56,414	836,630
Nobles	1,976	159	7	304	1,149	3,595
Norman	990	12	35	9	90	1,136
Olmsted	17,075	2,209	93	1,684	1,292	22,353
Otter Tail	6,996	195	78	87	391	7,747
Pennington	1,935	72	79	27	100	2,213
Pine	3,550	57	218	28	54	3,907
Pipestone	1,336	27	33	19	76	1,491
Polk	4,356	58	135	19	503	5,071
Pope	1,226	30	13	13	13	1,295
Ramsey	39,270	17,717	1,197	17,905	8,453	84,542
Red Lake	657	14	29	3	27	730
Redwood	1,782	17	298	23	70	2,190
Renville	1,553	17	10	14	375	1,969
Rice	6,817	354	36	171	1,220	8,598
Rock	1,454	23	17	20	54	1,568
Roseau	2,805	25	121	101	12	3,064
St. Louis	22,470	1,079	1,272	367	318	25,506
Scott	17,820	716	218	1,269	1,179	21,202
Sherburne	17,854	452	192	433	469	19,400
Sibley	1,741	22	10	30	426	2,229
Stearns	19,757	1,695	160	515	967	23,094
Steele	5,358	345	23	102	626	6,454
Stevens	1,383	18	19	22	47	1,489
Swift	1,408	10	5	5	79	1,507
Todd	3,308	37	31	40	359	3,775
Traverse	459	11	52	1	19	542
Wabasha	4,264	63	19	40	155	4,541
Wadena	2,668	37	31	16	47	2,799
Waseca	3,280	60	11	26	215	3,592
Washington	32,407	1,766	215	2,910	1,383	38,681
Watsonwan	1,142	22	8	23	726	1,921
Wilkin	1,032	11	15	2	61	1,121
Winona	5,057	221	32	200	206	5,716
Wright	23,696	492	130	501	639	25,458
Yellow Medicine	1,386	19	128	19	132	1,684

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

Section B: Natality

Tables

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Cesarean Births

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Natality Table 1: Selected Minnesota Natality Statistics
By State and County, 2009**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	70,617	67.3	13.4	37,801	7.2	6.2
Aitkin	144	77.8	9.2	209	13.4	-4.2
Anoka	4,288	63.3	12.9	1,538	4.6	8.3
Becker	442	86.5	13.8	359	11.2	2.6
Beltrami	683	73.0	15.4	333	7.5	7.9
Benton	554	59.7	13.8	277	6.9	6.9
Big Stone	72	100.4	13.7	83	15.8	-2.1
Blue Earth	751	50.7	12.3	433	7.1	5.2
Brown	297	70.6	11.6	276	10.8	0.8
Carlton	414	71.4	12.1	366	10.7	1.4
Carver	1,142	61.5	12.4	418	4.5	7.9
Cass	329	78.0	11.5	288	10.1	1.4
Chippewa	170	88.5	13.8	136	11.0	2.8
Chisago	642	68.4	12.7	313	6.2	6.5
Clay	771	57.7	13.6	416	7.3	6.3
Clearwater	108	83.5	13.1	87	10.6	2.5
Cook	49	62.7	9.0	47	8.6	0.4
Cottonwood	133	78.6	12.0	171	15.4	-3.4
Crow Wing	784	72.9	12.5	575	9.2	3.3
Dakota	5,453	65.9	13.8	2,045	5.2	8.6
Dodge	271	72.2	13.7	124	6.3	7.4
Douglas	424	70.1	11.7	388	10.7	1.0
Faribault	169	83.3	11.7	163	11.2	0.4
Fillmore	263	79.8	12.6	235	11.3	1.3
Freeborn	381	75.4	12.3	360	11.6	0.7
Goodhue	573	73.3	12.5	431	9.4	3.1
Grant	69	79.7	11.8	73	12.5	-0.7
Hennepin	16,334	65.7	14.1	7,417	6.4	7.7
Houston	205	64.0	10.7	175	9.1	1.6
Hubbard	234	84.1	12.6	170	9.1	3.4
Isanti	473	59.2	12.0	256	6.5	5.5
Itasca	445	63.1	9.9	447	10.0	0.0
Jackson	104	63.0	9.6	123	11.4	-1.8
Kanabec	168	62.6	10.6	150	9.4	1.1
Kandiyohi	560	77.7	13.6	335	8.1	5.5
Kittson	45	76.3	10.3	77	17.6	-7.3
Koochiching	119	60.0	9.1	138	10.5	-1.4
Lac Qui Parle	62	67.2	8.7	92	12.9	-4.2
Lake	109	66.1	10.3	130	12.3	-2.0
Lake of the Woods	42	73.4	10.8	46	11.9	-1.0
Le Sueur	361	71.8	12.9	218	7.8	5.1
Lincoln	73	88.9	12.8	85	14.9	-2.1
Lyon	378	75.1	15.1	233	9.3	5.8
McLeod	494	72.7	13.4	312	8.4	4.9
Mahnomen	89	115.6	17.7	67	13.3	4.4

**Natality Table 1: Selected Minnesota Natality Statistics
By State and County, 2009**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	70,617	67.3	13.4	37,801	7.2	6.2
Marshall	105	78.1	11.4	92	10.0	1.4
Martin	229	78.7	11.3	224	11.1	0.2
Meecker	331	91.6	14.3	189	8.2	6.1
Mille Lacs	359	77.3	13.6	246	9.3	4.3
Morrison	431	77.7	13.1	322	9.8	3.3
Mower	572	90.3	15.0	369	9.7	5.3
Murray	90	75.8	10.7	92	10.9	-0.2
Nicollet	399	56.7	12.4	217	6.7	5.6
Nobles	352	110.2	17.1	187	9.1	8.0
Norman	71	78.8	11.0	95	14.7	-3.7
Olmsted	2,191	75.5	15.2	893	6.2	9.0
Otter Tail	642	76.0	11.3	676	11.9	-0.6
Pennington	200	77.6	14.4	138	10.0	4.5
Pine	327	72.1	11.5	234	8.2	3.3
Pipestone	135	94.1	14.4	120	12.8	1.6
Polk	375	69.5	12.2	349	11.3	0.8
Pope	119	73.1	10.9	132	12.1	-1.2
Ramsey	7,577	68.9	15.0	3,720	7.3	7.6
Red Lake	58	87.6	13.8	37	8.8	5.0
Redwood	198	87.2	12.8	177	11.4	1.4
Renville	180	75.9	11.5	192	12.2	-0.8
Rice	748	58.5	11.9	428	6.8	5.1
Rock	116	79.9	12.2	108	11.4	0.8
Roseau	187	68.9	11.8	123	7.7	4.0
St. Louis	2,146	57.0	10.9	2,054	10.4	0.5
Scott	1,968	68.5	14.9	498	3.8	11.1
Sherburne	1,286	68.0	14.6	442	5.0	9.6
Sibley	207	81.4	13.9	133	8.9	5.0
Stearns	1,992	62.7	13.4	843	5.7	7.7
Steele	509	73.5	13.8	283	7.7	6.1
Stevens	124	57.4	12.9	85	8.8	4.1
Swift	95	69.7	8.8	105	9.7	-0.9
Todd	322	86.1	13.5	190	8.0	5.5
Traverse	43	89.0	12.0	42	11.8	0.3
Wabasha	247	68.4	11.3	171	7.8	3.5
Wadena	189	94.5	14.2	180	13.6	0.7
Waseca	228	71.7	12.1	125	6.7	5.5
Washington	2,781	61.5	12.0	1,274	5.5	6.5
Watsonwan	160	88.8	14.7	122	11.2	3.5
Wilkin	71	69.5	11.3	94	15.0	-3.7
Winona	520	45.5	10.5	430	8.7	1.8
Wright	1,943	77.4	15.9	642	5.3	10.7
Yellow Medicine	121	80.5	12.3	112	11.4	0.9

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State and County, 2009**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2007-2009	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
State of Minnesota	4,764	7.8	3,294	4.8	0.8	3.1
Aitkin	7	5.6	4	2.8	1.1	2.4
Anoka	287	7.7	193	4.7	0.8	3.1
Becker	25	6.3	17	4.0	0.5	3.6
Beltrami	57	10.1	33	5.0	0.7	2.1
Benton	62	11.6	33	6.1	0.6	1.9
Big Stone	11	15.7	4	5.7	0.0	5.7
Blue Earth	45	6.5	22	3.0	0.2	2.7
Brown	18	6.5	12	4.2	0.9	1.8
Carlton	23	7.1	18	4.6	0.9	2.5
Carver	69	7.2	44	4.1	0.6	1.8
Cass	33	12.2	18	5.8	0.9	2.2
Chippewa	14	10.2	11	6.7	0.2	2.9
Chisago	33	6.2	25	4.1	0.5	2.6
Clay	44	6.9	43	5.7	1.2	3.4
Clearwater	6	6.9	7	6.6	0.3	2.3
Cook	1	2.5	0	0.0	0.0	0.0
Cottonwood	10	8.5	7	5.5	0.5	1.7
Crow Wing	56	7.4	37	4.8	0.7	2.7
Dakota	340	7.2	250	4.8	0.8	2.9
Dodge	19	7.9	14	5.4	1.3	4.2
Douglas	31	7.8	17	4.2	0.7	1.5
Faribault	15	10.1	10	6.2	0.0	3.4
Fillmore	19	8.2	9	3.7	0.2	2.6
Freeborn	31	8.9	13	3.6	0.5	1.7
Goodhue	39	7.2	21	3.7	0.6	2.2
Grant	4	6.0	5	7.5	0.0	4.5
Hennepin	1,056	7.9	833	5.3	1.0	3.4
Houston	18	9.7	9	4.4	0.8	1.1
Hubbard	28	13.2	18	8.0	1.0	3.3
Isanti	28	6.6	22	4.7	1.0	2.1
Itasca	27	7.9	25	5.7	0.7	2.1
Jackson	10	10.6	10	9.6	0.9	5.3
Kanabec	6	6.3	6	3.8	0.7	3.1
Kandiyohi	36	6.7	27	4.9	0.6	3.7
Kittson	2	5.1	1	2.3	0.0	2.6
Koochiching	3	3.2	1	0.9	0.6	2.1
Lac Qui Parle	1	2.0	0	0.0	0.5	2.0
Lake	6	6.7	6	5.8	0.6	0.0
Lake of the Woods	4	10.5	1	2.5	0.0	2.6
Le Sueur	17	5.1	11	3.2	1.1	2.4
Lincoln	7	11.3	5	7.5	0.5	3.2
Lyon	40	11.7	17	4.6	0.8	2.9
McLeod	40	9.1	24	4.9	1.1	3.4
Mahnomen	6	7.7	4	4.6	0.0	2.6
Marshall	8	8.2	3	3.0	0.3	2.1
Martin	18	9.4	14	6.3	0.9	2.6
Meeker	25	8.0	18	5.5	0.6	3.5
Mille Lacs	19	6.2	10	3.0	0.7	1.6
Morrison	46	10.9	28	6.6	0.7	2.4
Mower	34	6.7	16	2.9	0.7	1.6
Murray	10	13.3	4	4.5	0.4	0.0

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State and County, 2009**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2007-2009	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
Nicollet	25	6.6	14	3.6	0.6	2.1
Nobles	34	12.0	12	3.5	1.0	3.2
Norman	5	8.6	5	7.6	0.4	1.7
Olmsted	156	7.8	88	4.2	0.9	2.5
Otter Tail	35	5.9	23	3.7	0.6	2.9
Pennington	19	10.6	14	7.1	0.5	2.2
Pine	15	6.8	18	5.8	0.5	6.4
Pipestone	9	7.3	3	2.3	0.5	1.6
Polk	20	6.0	17	4.7	0.1	2.4
Pope	15	13.2	8	6.9	0.3	2.7
Ramsey	509	8.0	392	5.4	1.0	4.8
Red Lake	5	9.4	5	8.9	1.2	5.7
Redwood	18	9.9	10	5.2	0.3	6.6
Renville	7	4.5	5	2.8	0.8	1.3
Rice	47	7.2	35	4.8	0.9	3.8
Rock	12	10.7	5	4.3	0.5	3.6
Roseau	14	8.6	6	3.4	0.7	3.1
St. Louis	137	7.7	100	4.9	0.6	2.5
Scott	134	7.5	80	4.2	0.6	2.2
Sherburne	74	6.7	45	3.7	0.6	2.2
Sibley	8	4.8	9	4.6	0.3	3.6
Stearns	191	10.1	97	5.0	0.9	2.3
Steele	39	8.3	26	5.2	0.9	2.8
Stevens	5	4.1	4	3.3	0.0	2.5
Swift	7	8.0	6	6.5	1.0	2.3
Todd	24	8.5	16	5.1	0.4	3.9
Traverse	4	9.8	1	2.3	0.0	0.0
Wabasha	17	7.6	10	4.1	1.1	4.4
Wadena	16	9.1	7	3.9	0.2	5.1
Waseca	18	8.5	11	4.9	0.6	3.8
Washington	179	7.2	119	4.4	0.7	2.2
Watonwan	12	7.9	8	5.1	0.6	4.6
Wilkin	4	6.5	5	7.0	1.8	3.2
Winona	35	8.2	27	5.4	0.6	3.0
Wright	112	7.0	78	4.1	0.8	2.4
Yellow Medicine	9	8.8	5	4.2	0.8	2.0

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

**Nativity Table 3: Minnesota Infant Mortality by State and County,
By State and County, 2005-2009**

	Number of Infant Deaths 2009	Infant Mortality Rate 2005-2009	Neonatal Mortality 2005-2009	Post-neonatal Mortality Rate 2005-2009	Fetal Death Rate 2005-2009	Perinatal Death Rate 2005-2009
State of Minnesota	324	5.3	3.4	1.9	4.9	6.2
Aitkin	1	*	*	0.0	*	*
Anoka	21	5.0	3.4	1.6	4.4	5.9
Becker	5	9.6	*	*	*	10.5
Beltrami	4	7.6	*	*	*	*
Benton	1	*	*	*	*	*
Big Stone	1	*	0.0	*	*	*
Blue Earth	6	*	*	*	*	*
Brown	0	*	*	*	*	*
Carlton	3	*	*	*	*	*
Carver	3	3.6	*	*	5.2	5.8
Cass	1	*	*	*	*	*
Chippewa	1	*	*	0.0	*	*
Chisago	4	*	*	*	7.1	7.1
Clay	3	10.2	7.1	*	*	6.0
Clearwater	1	*	*	*	*	*
Cook	0	*	*	*	*	*
Cottonwood	0	*	*	0.0	*	*
Crow Wing	1	*	*	*	*	5.6
Dakota	13	3.9	2.8	1.1	4.7	5.7
Dodge	0	*	*	*	*	*
Douglas	0	*	*	*	*	*
Faribault	1	*	*	0.0	*	*
Fillmore	0	*	*	*	*	*
Freeborn	4	*	*	*	*	*
Goodhue	3	*	*	*	*	*
Grant	0	0.0	0.0	0.0	*	*
Hennepin	73	5.6	3.7	1.9	5.9	6.8
Houston	2	*	*	*	*	*
Hubbard	1	*	*	*	*	*
Isanti	2	*	*	*	*	*
Itasca	2	*	*	*	*	*
Jackson	0	*	*	*	*	*
Kanabec	1	*	*	*	*	*
Kandiyohi	4	*	*	*	*	*
Kittson	0	0.0	0.0	0.0	*	*
Koochiching	0	*	*	*	*	*
Lac Qui Parle	0	*	*	*	*	*
Lake	0	*	*	0.0	*	*
Lake of the Woods	0	*	0.0	*	*	*
Le Sueur	0	*	*	0.0	*	*
Lincoln	0	*	*	0.0	*	*
Lyon	1	*	*	*	*	*
McLeod	0	*	*	*	*	*
Mahnomen	2	*	*	*	*	*
Marshall	1	*	0.0	*	*	*
Martin	1	*	*	*	*	*
Meeker	2	*	*	*	*	*
Mille Lacs	1	*	*	*	*	*
Morrison	2	*	*	*	*	9.8

**Nativity Table 3: Minnesota Infant Mortality by State and County,
By State and County, 2005-2009**

	Number of Infant Deaths 2009	Infant Mortality Rate 2005-2009	Neonatal Mortality 2005-2009	Post-neonatal Mortality Rate 2005-2009	Fetal Death Rate 2005-2009	Perinatal Death Rate 2005-2009
Mower	4	*	*	*	6.9	9.0
Murray	0	*	*	0.0	*	*
Nicollet	2	*	*	*	*	*
Nobles	3	*	*	*	*	*
Norman	0	0.0	0.0	0.0	*	*
Olmsted	19	6.1	3.6	2.5	3.8	6.2
Otter Tail	3	*	*	*	6.3	*
Pennington	4	*	*	*	*	*
Pine	4	*	*	*	*	*
Pipestone	1	*	*	0.0	*	*
Polk	2	*	*	*	*	*
Pope	3	*	*	0.0	*	*
Ramsey	47	7.0	4.5	2.5	5.0	6.5
Red Lake	0	0.0	0.0	0.0	*	*
Redwood	1	*	0.0	*	*	*
Renville	0	*	*	*	*	*
Rice	3	*	*	*	6.7	6.3
Rock	0	*	*	0.0	*	*
Roseau	0	*	*	*	*	*
St. Louis	10	4.6	2.5	2.1	4.0	5.1
Scott	4	4.6	3.3	*	4.1	6.0
Sherburne	5	4.8	3.1	*	5.5	6.1
Sibley	1	*	*	*	*	*
Stearns	5	5.1	3.9	*	6.1	8.2
Steele	1	*	*	*	*	*
Stevens	2	*	*	*	*	*
Swift	1	*	*	0.0	*	*
Todd	3	*	*	*	*	12.1
Traverse	0	*	0.0	*	*	*
Wabasha	1	*	*	*	*	*
Wadena	1	*	*	*	*	*
Waseca	0	*	*	0.0	*	*
Washington	16	5.2	3.5	1.7	3.6	5.5
Watsonwan	0	*	*	*	*	*
Wilkin	0	0.0	0.0	0.0	*	*
Winona	1	*	*	*	*	*
Wright	5	4.1	2.7	*	4.9	5.4
Yellow Medicine	0	*	*	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

**Nativity Table 4: Prenatal Care in Minnesota
By State and County, 2009**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	85.9	79.4	17.4	3.2
Aitkin	86.6	80.8	16.0	3.2
Anoka	86.7	81.1	15.8	3.0
Becker	84.1	76.5	19.2	4.3
Beltrami	74.3	63.5	25.8	10.7
Benton	87.9	85.9	12.6	1.5
Big Stone	85.9	68.7	28.4	3.0
Blue Earth	91.0	87.6	11.0	1.4
Brown	88.8	81.4	17.2	1.5
Carlton	89.9	80.3	18.1	1.6
Carver	94.3	88.2	10.7	1.2
Cass	71.9	61.3	30.5	8.3
Chippewa	89.4	80.8	16.0	3.2
Chisago	91.0	88.8	10.1	1.1
Clay	88.2	84.4	14.2	1.5
Clearwater	73.5	63.5	21.2	15.3
Cook	71.8	62.9	25.7	11.4
Cottonwood	82.0	78.4	17.1	4.5
Crow Wing	85.3	78.2	19.1	2.7
Dakota	87.4	81.2	16.6	2.3
Dodge	89.8	83.7	15.1	1.3
Douglas	94.3	87.3	11.8	1.0
Faribault	92.1	89.2	8.1	2.7
Fillmore	77.7	70.4	15.2	14.3
Freeborn	85.4	89.6	7.2	3.2
Goodhue	88.2	86.1	11.9	2.0
Grant	89.9	86.6	13.4	0.0
Hennepin	86.1	79.8	16.6	3.7
Houston	83.1	82.7	14.5	2.8
Hubbard	82.8	55.7	33.5	10.8
Isanti	88.4	88.2	10.2	1.7
Itasca	83.1	73.4	22.4	4.2
Jackson	82.4	82.1	15.5	2.4
Kanabec	83.8	83.5	14.4	2.1
Kandiyohi	84.3	77.7	19.7	2.6
Kittson	88.1	79.5	15.4	5.1
Koochiching	85.0	75.0	23.9	1.1
Lac Qui Parle	93.4	81.4	18.6	0.0
Lake	74.0	71.6	20.5	8.0
Lake of the Woods	78.0	67.6	27.0	5.4
Le Sueur	89.9	84.2	14.3	1.5
Lincoln	85.3	52.4	40.5	7.1
Lyon	83.7	62.0	35.1	2.9
McLeod	87.4	85.8	12.3	1.8
Mahnomen	64.0	54.5	28.6	16.9
Marshall	88.3	83.5	12.4	4.1
Martin	91.6	88.9	9.0	2.1
Meeker	83.0	74.8	23.5	1.6
Mille Lacs	84.9	76.3	20.1	3.6
Morrison	89.3	85.5	11.1	3.3
Mower	65.3	60.4	36.7	3.0
Murray	77.3	70.0	27.1	2.9

**Nativity Table 4: Prenatal Care in Minnesota
By State and County, 2009**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
Nicollet	89.9	86.6	12.6	0.8
Nobles	76.3	71.9	22.1	6.1
Norman	81.0	69.6	25.0	5.4
Olmsted	91.2	84.6	12.9	2.5
Otter Tail	90.1	86.6	11.8	1.7
Pennington	90.1	89.0	8.7	2.3
Pine	81.0	78.2	15.9	5.9
Pipestone	78.5	67.4	26.3	6.3
Polk	80.1	64.3	29.9	5.8
Pope	86.3	75.4	24.6	0.0
Ramsey	77.9	71.2	24.4	4.5
Red Lake	83.6	71.2	23.1	5.8
Redwood	85.4	74.3	20.6	5.1
Renville	83.9	80.6	16.8	2.6
Rice	85.4	75.9	21.4	2.7
Rock	87.4	67.1	30.1	2.7
Roseau	87.6	77.8	21.0	1.2
St. Louis	89.3	81.6	15.2	3.2
Scott	89.4	74.3	22.7	3.0
Sherburne	90.8	85.2	13.9	0.9
Sibley	81.6	78.8	18.2	3.0
Stearns	87.8	84.4	13.7	1.8
Steele	84.6	76.5	19.9	3.7
Stevens	96.0	78.7	18.9	2.5
Swift	88.3	83.7	15.1	1.2
Todd	69.8	63.8	24.0	12.2
Traverse	85.4	71.1	26.3	2.6
Wabasha	87.8	80.7	15.7	3.6
Wadena	77.5	67.2	25.9	6.9
Waseca	87.6	82.9	15.6	1.4
Washington	90.6	85.1	13.4	1.5
Watonwan	84.7	77.0	20.3	2.7
Wilkin	88.2	85.0	13.3	1.7
Winona	86.2	82.4	13.1	4.5
Wright	90.7	84.0	14.6	1.4
Yellow Medicine	95.8	79.3	16.3	4.3

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

**Natality Table 5: Cesarean Births in Minnesota
By State and County, 2009**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	27.7	15.8	90.0
Aitkin	33.3	14.6	90.0
Anoka	26.0	14.3	92.0
Becker	27.1	13.6	92.3
Beltrami	30.2	14.9	88.9
Benton	28.9	17.3	84.2
Big Stone	29.2	13.9	91.7
Blue Earth	28.6	15.2	91.8
Brown	36.4	18.9	98.1
Carlton	32.4	16.9	94.1
Carver	27.1	14.3	88.5
Cass	29.5	14.6	94.2
Chippewa	36.5	20.6	87.1
Chisago	27.7	15.0	92.2
Clay	25.7	15.6	86.7
Clearwater	33.3	19.4	93.8
Cook	24.5	14.3	83.3
Cottonwood	33.1	15.0	88.9
Crow Wing	24.6	13.3	80.2
Dakota	30.5	18.1	93.0
Dodge	26.9	14.0	92.1
Douglas	22.6	11.8	78.0
Faribault	37.9	20.7	96.7
Fillmore	18.6	11.0	95.5
Freeborn	34.9	22.0	98.0
Goodhue	31.1	18.7	89.9
Grant	27.5	8.7	100.0
Hennepin	26.7	16.2	87.6
Houston	20.5	15.1	57.9
Hubbard	39.3	20.5	93.6
Isanti	26.2	12.5	94.2
Itasca	27.2	14.4	91.9
Jackson	26.9	17.3	100.0
Kanabec	31.5	14.9	96.6
Kandiyohi	26.3	13.8	88.6
Kittson	28.9	17.8	100.0
Koochiching	40.3	18.5	100.0
Lac Qui Parle	38.7	17.7	100.0
Lake	20.2	9.2	92.3
Lake of the Woods	40.5	21.4	100.0
Le Sueur	29.4	20.5	91.4
Lincoln	38.4	24.7	100.0
Lyon	26.5	13.8	96.1
McLeod	28.1	14.4	93.2
Mahnomen	28.1	10.1	88.9
Marshall	25.7	15.2	100.0
Martin	28.4	14.0	100.0
Meeker	23.6	9.4	87.0
Mille Lacs	35.1	17.0	97.0
Morrison	29.5	18.3	78.7
Mower	34.1	17.3	95.0
Murray	34.4	18.9	100.0

**Natality Table 5: Cesarean Births in Minnesota
By State and County, 2009**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	27.7	15.8	90.0
Nicollet	26.3	12.3	94.9
Nobles	27.3	14.2	90.2
Norman	29.6	11.3	86.7
Olmsted	23.7	12.8	87.9
Otter Tail	24.5	11.8	92.0
Pennington	34.5	18.0	94.3
Pine	23.2	14.1	76.9
Pipestone	39.3	21.5	92.3
Polk	32.5	16.0	96.9
Pope	29.4	19.3	85.7
Ramsey	23.6	15.2	84.6
Red Lake	29.3	24.1	100.0
Redwood	34.3	13.6	93.2
Renville	31.7	15.6	90.6
Rice	29.0	12.6	96.1
Rock	35.3	21.6	80.0
Roseau	37.4	22.5	96.6
St. Louis	30.6	15.8	93.5
Scott	28.8	15.8	94.5
Sherburne	30.5	16.4	93.8
Sibley	30.9	18.4	89.7
Stearns	29.8	17.3	88.7
Steele	33.2	18.5	94.9
Stevens	28.2	16.9	93.3
Swift	25.3	12.6	92.3
Todd	19.6	9.6	72.7
Traverse	23.3	14.0	100.0
Wabasha	30.8	17.0	94.4
Wadena	30.7	16.4	87.1
Waseca	28.5	12.7	92.3
Washington	28.4	17.4	90.2
Watsonwan	33.1	16.3	93.1
Wilkin	35.2	14.1	93.8
Winona	19.2	11.5	88.9
Wright	29.8	17.1	90.4
Yellow Medicine	39.7	17.4	100.0

Source: Minnesota Department of Health, Center for Health Statistics

**Nativity Table 6: Fertility and Family Planning in Minnesota
By State and County, 2009**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
State of Minnesota	82,353	78.5	11,391	10.8	5.1	3.8
Aitkin	149	80.5	**	*	7.7	0.0
Anoka	5,091	75.1	782	11.5	4.4	4.1
Becker	448	87.7	**	*	9.5	3.6
Beltrami	744	79.6	59	6.3	7.0	5.0
Benton	612	65.9	55	5.8	4.0	2.7
Big Stone	73	101.8	0	0.0	8.3	6.5
Blue Earth	867	58.5	113	7.6	4.0	3.1
Brown	332	78.9	29	6.9	4.7	5.2
Carlton	465	80.2	47	8.1	3.0	5.6
Carver	1,269	68.3	123	6.6	4.0	5.3
Cass	358	84.9	26	6.2	7.6	4.8
Chippewa	178	92.7	8	*	3.5	3.2
Chisago	726	77.3	77	8.1	3.3	4.9
Clay	773	57.9	**	*	4.8	1.9
Clearwater	109	84.2	**	*	7.4	3.0
Cook	56	71.7	7	*	0.0	4.5
Cottonwood	138	81.6	**	*	7.5	3.2
Crow Wing	863	80.3	76	7.1	4.0	2.8
Dakota	6,387	77.1	910	11.0	3.9	3.9
Dodge	296	78.6	22	5.6	4.8	5.8
Douglas	441	73.0	17	*	2.8	4.4
Faribault	186	91.7	15	*	3.6	6.1
Fillmore	279	84.4	15	*	10.7	7.3
Freeborn	425	84.1	42	8.3	6.3	5.6
Goodhue	645	82.4	72	9.1	3.5	2.0
Grant	69	79.7	0	0.0	5.8	0.0
Hennepin	20,720	83.3	4,284	17.2	5.1	4.6
Houston	215	67.2	10	*	7.3	0.8
Hubbard	237	85.1	**	*	5.6	5.5
Isanti	522	65.3	48	5.9	5.1	2.0
Itasca	496	70.3	48	6.8	4.8	1.5
Jackson	105	63.6	**	*	2.9	0.0
Kanabec	188	70.1	17	*	2.4	3.4
Kandiyohi	609	84.3	46	6.3	6.3	3.7
Kittson	46	78.0	0	0.0	4.4	0.0
Koochiching	132	66.6	12	*	3.4	4.7
Lac Qui Parle	63	68.3	**	*	6.5	0.0
Lake	125	75.8	16	*	4.2	3.2
Lake of the Woods	45	78.7	**	*	4.8	8.0
Le Sueur	393	78.0	30	5.8	5.5	4.0
Lincoln	73	88.9	0	0.0	2.7	8.7
Lyon	398	79.0	17	*	2.9	2.5
McLeod	525	77.1	29	4.1	4.9	1.0
Mahnomen	89	115.6	0	0.0	7.7	0.0
Marshall	106	78.8	**	*	2.9	1.4
Martin	247	84.9	16	*	5.7	4.3
Meeker	353	97.4	21	5.5	10.3	0.5
Mille Lacs	397	85.5	37	8.0	6.7	7.5
Morrison	451	81.1	18	*	4.6	2.5
Mower	626	98.9	51	8.1	5.3	3.0
Murray	94	79.2	**	*	4.4	1.8

**Nativity Table 6: Fertility and Family Planning in Minnesota
By State and County, 2009**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
State of Minnesota	82,353	78.5	11,391	10.8	5.1	3.8
Nicollet	453	64.3	54	7.7	3.5	2.1
Nobles	363	113.7	11	*	5.1	2.4
Norman	71	78.8	0	0.0	2.0	.
Olmsted	2,450	84.4	251	8.6	4.3	3.9
Otter Tail	650	76.9	**	*	5.0	3.0
Pennington	207	79.9	7	*	4.0	1.6
Pine	371	81.8	42	9.3	4.4	4.4
Pipestone	135	94.1	0	0.0	6.7	2.2
Polk	376	69.7	**	*	7.5	3.8
Pope	125	76.7	**	*	4.2	3.0
Ramsey	9,530	86.6	1,930	17.5	7.1	4.4
Red Lake	58	87.6	0	0.0	8.6	0.0
Redwood	214	94.3	15	*	7.6	0.8
Renville	193	81.0	12	*	8.9	2.5
Rice	837	65.4	87	6.7	5.9	3.0
Rock	117	80.6	**	*	4.3	0.0
Roseau	192	70.8	**	*	7.0	4.1
St. Louis	2,567	68.2	413	11.0	4.1	4.1
Scott	2,196	76.4	219	7.6	3.6	3.1
Sherburne	1,420	75.1	126	6.6	4.1	3.7
Sibley	220	86.5	12	*	3.9	4.0
Stearns	2,206	69.5	196	6.2	5.4	3.4
Steele	554	80.0	44	6.4	5.7	1.0
Stevens	130	60.2	**	*	4.0	2.4
Swift	105	77.0	9	*	2.1	2.0
Todd	341	91.2	13	*	14.0	5.3
Traverse	45	93.2	**	*	2.3	7.1
Wabasha	277	76.8	28	7.8	2.0	1.3
Wadena	193	96.5	**	*	10.6	3.9
Waseca	240	75.5	11	*	3.1	2.0
Washington	3,225	71.3	434	9.5	3.4	3.4
Watonwan	167	92.7	7	*	6.3	1.0
Wilkin	72	70.5	0	0.0	7.0	0.0
Winona	571	50.0	51	4.5	5.8	3.6
Wright	2,110	84.0	158	6.2	6.6	2.8
Yellow Medicine	127	84.5	**	*	5.0	4.3

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number not reported if number of events is less than 6.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Four or More Births: Births to women with four or more previous live births

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State and County, 2007-2009**

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
State of Minnesota	12.8	46.7	26.6	18.0	62.8	36.3
Aitkin	*	57.4	27.2	*	67.0	30.5
Anoka	9.1	47.9	22.0	15.4	70.7	33.8
Becker	14.0	77.8	37.8	15.0	81.3	39.7
Beltrami	34.9	88.3	60.3	38.7	97.2	66.6
Benton	11.0	63.0	30.0	12.8	76.8	36.1
Big Stone	*	*	*	*	*	*
Blue Earth	12.9	14.4	14.0	21.3	23.8	23.0
Brown	*	37.6	20.1	*	40.2	22.9
Carlton	13.4	65.8	32.1	19.8	77.3	40.4
Carver	3.3	23.4	9.8	7.6	34.3	16.3
Cass	19.3	118.7	51.7	21.0	126.7	55.5
Chippewa	*	103.6	43.4	*	108.4	48.3
Chisago	7.3	53.5	22.2	13.2	74.8	33.0
Clay	13.2	18.2	16.4	14.2	18.7	17.1
Clearwater	*	103.6	41.8	*	107.6	44.3
Cook	*	*	*	*	*	*
Cottonwood	*	69.1	30.4	*	74.2	33.8
Crow Wing	13.9	75.3	35.2	17.2	90.0	42.4
Dakota	8.4	41.2	19.4	13.5	58.6	28.5
Dodge	*	54.2	23.4	*	68.1	31.3
Douglas	*	39.5	18.5	*	44.4	21.4
Faribault	*	65.2	30.1	*	69.6	33.1
Fillmore	*	42.9	19.5	*	52.6	24.6
Freeborn	21.8	95.9	48.2	25.0	109.3	55.0
Goodhue	9.5	56.5	25.5	13.0	71.8	32.9
Grant	*	*	*	*	*	*
Hennepin	15.6	50.8	29.8	23.8	79.7	46.3
Houston	*	35.8	14.8	*	38.6	16.7
Hubbard	*	75.5	35.2	*	77.2	35.8
Isanti	*	54.3	22.6	10.0	64.6	28.4
Itasca	16.1	69.1	35.2	18.6	85.9	42.9
Jackson	*	*	22.6	*	51.8	27.3
Kanabec	*	74.5	34.6	*	82.4	39.1
Kandiyohi	18.6	85.0	44.6	22.3	98.2	52.1
Kittson	*	*	*	*	*	*
Koochiching	*	59.5	29.2	*	77.1	35.4
Lac Qui Parle	*	*	*	*	*	*
Lake	*	103.7	36.5	*	113.7	42.9
Lake of the Woods	*	*	*	*	*	*
Le Sueur	*	52.1	23.6	13.0	66.1	31.6
Lincoln	*	*	*	*	*	*
Lyon	16.0	33.9	24.8	16.6	42.8	29.5
McLeod	12.8	70.9	32.3	16.2	80.2	37.7
Mahnomen	*	229.9	107.7	*	235.3	113.1
Marshall	*	70.5	32.2	*	70.5	32.2
Martin	16.7	82.7	39.1	18.3	95.2	44.3
Meeker	*	80.0	31.2	*	88.6	35.5
Mille Lacs	17.0	92.2	43.1	23.0	111.5	53.8
Morrison	10.7	69.9	30.5	13.0	80.0	35.4
Mower	20.4	91.9	45.8	24.1	102.3	51.9
Murray	*	*	30.6	*	*	33.1
Nicollet	*	16.6	14.2	13.2	22.0	18.6

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State and County, 2007-2009**

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
Nobles	36.7	131.2	71.1	37.5	138.4	74.2
Norman	*	*	*	*	*	*
Olmsted	14.8	50.2	27.8	19.2	67.7	37.1
Otter Tail	8.5	33.7	17.7	9.3	35.2	18.9
Pennington	*	58.4	31.8	*	60.2	34.1
Pine	15.4	103.0	44.1	20.0	118.3	52.2
Pipestone	*	108.3	42.4	*	108.3	43.5
Polk	13.3	53.3	30.4	13.8	53.3	30.7
Pope	*	*	*	*	*	*
Ramsey	22.1	57.4	38.0	31.1	80.1	53.2
Red Lake	*	*	*	*	*	*
Redwood	*	75.2	31.4	*	83.5	34.2
Renville	*	72.6	34.8	*	81.4	39.0
Rice	15.3	27.0	21.9	19.6	33.3	27.3
Rock	*	*	25.1	*	*	25.1
Roseau	*	68.3	26.2	*	70.1	27.4
St. Louis	11.3	28.2	20.8	17.5	39.0	29.5
Scott	6.6	42.9	17.8	10.1	62.8	26.3
Sherburne	9.2	44.6	20.9	13.0	59.4	28.3
Sibley	*	59.8	32.4	*	67.6	35.0
Stearns	10.4	22.5	17.2	13.7	30.6	23.2
Steele	12.9	83.7	37.7	17.0	99.0	45.8
Stevens	*	*	12.6	*	15.6	13.2
Swift	*	*	24.6	*	*	28.7
Todd	*	62.2	30.6	12.9	69.7	34.2
Traverse	*	*	*	*	*	*
Wabasha	*	60.7	24.4	*	74.5	29.5
Wadena	*	120.0	47.1	*	122.2	48.7
Waseca	*	54.6	25.3	*	61.4	29.3
Washington	6.1	32.5	14.9	9.8	50.2	23.3
Watonwan	32.5	85.1	49.7	33.8	95.4	53.9
Wilkin	*	*	*	*	*	*
Winona	7.8	12.0	10.7	11.3	16.5	14.9
Wright	8.9	53.5	23.2	13.0	66.5	30.1
Yellow Medicine	*	*	25.2	*	46.4	29.0

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State and County, 2009**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
State of Minnesota	33.5	8.8	9.9	9.7	25.6	64.7
Aitkin	41.7	6.2	25.9	9.2	34.8	56.0
Anoka	30.4	7.1	7.8	6.5	26.7	66.7
Becker	41.0	14.3	18.6	13.9	34.6	51.5
Beltrami	59.7	16.0	28.4	15.6	37.0	47.4
Benton	33.8	7.4	18.4	6.9	22.8	70.3
Big Stone	34.7	1.4	22.2	9.5	28.6	61.9
Blue Earth	30.6	7.3	5.9	5.3	19.2	75.4
Brown	34.0	6.7	16.5	6.1	24.0	69.9
Carlton	38.2	7.5	18.7	6.8	25.5	67.6
Carver	16.2	3.1	4.3	3.3	18.3	78.4
Cass	57.4	15.2	33.9	13.5	41.5	44.9
Chippewa	40.0	4.1	15.5	10.1	35.7	54.2
Chisago	28.0	6.2	13.0	3.5	26.4	70.1
Clay	28.9	8.8	14.1	7.0	16.5	76.5
Clearwater	48.1	7.4	24.5	15.0	33.6	51.4
Cook	34.7	2.0	19.6	14.3	34.7	51.0
Cottonwood	34.6	8.3	11.3	10.1	37.0	52.9
Crow Wing	38.0	7.8	18.3	6.9	31.0	62.0
Dakota	27.1	7.7	6.7	6.2	21.0	72.8
Dodge	33.2	10.7	10.3	7.4	21.6	71.0
Douglas	26.7	3.1	15.4	2.6	21.2	76.2
Faribault	39.6	4.7	15.4	7.7	36.7	55.6
Fillmore	21.7	7.6	14.3	22.8	20.5	56.8
Freeborn	46.5	7.6	15.7	18.4	32.5	49.1
Goodhue	32.5	7.0	11.8	7.4	23.9	68.7
Grant	24.6	1.4	1.4	2.9	15.9	81.2
Hennepin	35.0	10.3	4.9	12.1	24.5	63.4
Houston	27.8	26.8	17.1	5.9	22.3	71.8
Hubbard	42.7	9.8	21.4	10.7	35.0	54.3
Isanti	30.0	3.2	16.3	3.6	32.3	64.0
Itasca	44.3	9.2	26.2	9.0	38.1	52.9
Jackson	41.3	3.8	8.7	9.0	27.0	64.0
Kanabec	41.7	9.5	24.4	10.8	35.9	53.3
Kandiyohi	40.7	8.8	13.2	20.4	26.8	52.8
Kittson	20.0	2.2	11.1	4.5	20.5	75.0
Koochiching	44.5	7.6	25.4	11.2	40.5	48.3
Lac Qui Parle	25.8	9.7	17.7	5.6	27.8	66.7
Lake	32.1	14.7	17.9	12.3	34.0	53.8
Lake of the Woods	31.0	9.5	14.3	4.8	23.8	71.4
Le Sueur	31.3	8.0	6.4	10.2	21.6	68.1
Lincoln	28.8	5.5	15.1	11.1	22.2	66.7
Lyon	33.3	6.3	10.8	9.6	23.1	67.3
McLeod	34.4	7.5	10.7	8.6	33.6	57.8
Mahnomen	85.4	14.6	50.0	29.1	45.3	25.6
Marshall	26.7	1.9	15.4	4.8	20.0	75.2
Martin	43.7	6.6	16.7	8.8	37.4	53.7
Meeker	26.6	4.8	14.8	7.9	35.7	56.4
Mille Lacs	43.7	4.7	23.7	10.1	36.1	53.8
Morrison	36.0	3.5	20.6	8.1	29.9	61.9

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State and County, 2009**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
Mower	46.5	9.3	12.9	27.3	22.8	49.9
Murray	30.0	6.7	12.2	9.6	27.4	63.0
Nicollet	31.6	6.5	5.5	6.0	22.3	71.7
Nobles	50.6	8.5	7.4	44.8	26.1	29.0
Norman	33.8	4.2	26.8	10.1	26.1	63.8
Olmsted	27.5	6.8	6.9	9.5	19.8	70.7
Otter Tail	29.0	5.9	6.7	7.1	24.6	68.3
Pennington	41.0	8.5	29.0	8.5	35.7	55.8
Pine	44.0	10.7	25.2	11.6	41.8	46.5
Pipestone	39.3	15.6	18.8	12.2	41.1	46.7
Polk	31.7	8.3	14.1	9.8	28.8	61.4
Pope	21.8	3.4	12.6	4.2	21.8	73.9
Ramsey	43.6	14.1	9.1	14.0	29.6	56.4
Red Lake	27.6	5.2	17.2	3.4	43.1	53.4
Redwood	39.4	5.1	17.2	9.9	36.1	53.9
Renville	39.4	10.6	16.7	15.0	34.4	50.6
Rice	33.4	6.7	10.8	13.9	30.3	55.8
Rock	25.9	3.4	10.3	8.1	21.0	71.0
Roseau	32.1	9.6	12.3	5.9	30.6	63.4
St. Louis	41.4	13.9	18.6	7.7	25.7	66.5
Scott	19.8	5.9	5.2	4.0	20.2	75.7
Sherburne	25.1	4.4	11.2	3.7	27.0	69.3
Sibley	30.9	4.8	7.3	17.0	31.1	51.9
Stearns	30.7	6.9	12.6	10.3	21.5	68.2
Steele	39.3	12.2	13.6	13.7	30.4	55.9
Stevens	25.0	3.2	9.7	5.7	30.9	63.4
Swift	32.6	5.3	22.3	8.4	33.7	57.9
Todd	28.9	2.8	11.6	24.1	26.3	49.7
Traverse	23.3	9.3	14.0	5.4	8.1	86.5
Wabasha	34.0	6.5	14.2	9.8	33.5	56.7
Wadena	34.9	6.3	20.6	10.1	35.4	54.5
Waseca	29.8	7.9	10.5	8.8	26.0	65.2
Washington	24.3	5.5	7.8	3.3	18.5	78.3
Watonwan	41.3	9.4	10.6	21.3	31.9	46.9
Wilkin	29.6	7.0	16.9	8.5	22.5	69.0
Winona	31.9	8.5	10.6	4.7	27.8	67.6
Wright	20.4	4.6	9.0	3.9	24.2	71.9
Yellow Medicine	35.5	4.1	9.9	3.7	30.3	66.1

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By State and County, 2009**

	Race of Mother - Percent					Hispanic (any race)
	White	African American	American Indian	Asian	Unknown / Other	
State of Minnesota	74.5	9.4	2.1	6.9	7.2	8.0
Aitkin	91.7	1.4	5.6	0.0	1.4	0.7
Anoka	78.8	8.5	0.7	7.2	4.8	5.3
Becker	79.9	0.5	17.4	0.9	1.4	2.3
Beltrami	53.9	0.6	43.8	0.4	1.3	0.7
Benton	96.8	1.8	0.4	0.9	0.2	0.9
Big Stone	97.2	1.4	0.0	0.0	1.4	1.4
Blue Earth	90.9	5.3	0.0	2.7	1.1	1.6
Brown	94.6	0.3	0.0	1.3	3.7	5.1
Carlton	80.2	0.2	12.6	0.5	6.5	1.3
Carver	87.8	1.8	0.4	4.8	5.1	5.9
Cass	62.9	0.3	35.6	0.3	0.9	0.6
Chippewa	87.6	2.4	0.0	4.1	5.9	11.8
Chisago	94.9	0.3	0.5	2.2	2.2	0.7
Clay	87.7	1.4	3.1	1.4	6.4	4.7
Clearwater	85.2	0.0	13.9	0.0	0.9	0.0
Cook	71.4	2.0	14.3	2.0	10.2	4.5
Cottonwood	87.2	0.0	0.0	0.0	12.8	14.3
Crow Wing	97.3	0.8	1.3	0.5	0.1	0.8
Dakota	75.2	8.7	0.6	7.4	8.2	9.1
Dodge	92.3	0.0	0.0	1.5	6.3	8.9
Douglas	96.5	0.5	0.7	1.7	0.7	0.7
Faribault	92.9	0.6	0.0	0.6	5.9	9.5
Fillmore	98.5	0.0	0.0	1.1	0.4	0.4
Freeborn	82.7	1.3	0.3	0.5	15.2	17.6
Goodhue	89.7	1.4	1.7	1.6	5.6	6.0
Grant	97.1	0.0	0.0	0.0	2.9	1.4
Hennepin	56.5	20.8	1.5	9.4	11.8	12.0
Houston	95.6	2.9	0.0	0.5	1.0	2.0
Hubbard	96.6	0.4	2.1	0.4	0.4	1.7
Isanti	97.9	0.2	0.6	0.6	0.6	0.4
Itasca	88.5	0.7	10.1	0.0	0.7	1.2
Jackson	91.3	0.0	1.0	3.8	3.8	3.8
Kanabec	98.8	0.0	0.6	0.6	0.0	3.0
Kandiyohi	91.6	5.4	0.7	0.5	1.8	23.6
Kittson	93.3	2.2	0.0	0.0	4.4	2.2
Koochiching	92.4	0.8	2.5	0.8	3.4	0.0
Lac Qui Parle	90.3	0.0	1.6	1.6	6.5	4.9
Lake	89.0	0.0	0.0	0.0	11.0	0.0
Lake of the Woods	90.5	0.0	7.1	2.4	0.0	0.0
Le Sueur	88.6	0.3	0.0	0.6	10.5	10.3
Lincoln	95.9	2.7	0.0	0.0	1.4	2.7
Lyon	82.8	3.4	1.6	4.2	7.9	11.1
McLeod	89.5	0.6	0.2	2.0	7.7	9.8
Mahnomen	30.3	0.0	66.3	0.0	3.4	2.2
Marshall	94.3	0.0	1.0	0.0	4.8	4.8
Martin	93.0	0.4	0.4	1.3	4.8	6.6
Meeker	97.0	0.6	0.3	0.3	1.8	4.8
Mille Lacs	86.1	0.8	10.6	1.4	1.1	1.4
Morrison	97.0	0.5	0.2	0.5	1.9	1.9
Mower	66.8	2.4	0.3	3.0	27.4	28.5
Murray	88.9	3.3	0.0	3.3	4.4	5.6

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By State and County, 2009**

	Race of Mother - Percent					Hispanic (any race)
	White	African American	American Indian	Asian	Unknown / Other	
Nicollet	89.7	2.5	0.3	0.8	6.8	7.0
Nobles	46.6	4.5	1.1	5.7	42.0	45.3
Norman	84.5	0.0	8.5	2.8	4.2	5.8
Olmsted	80.5	7.0	0.4	7.8	4.3	6.3
Otter Tail	91.6	2.8	1.6	1.1	3.0	3.4
Pennington	91.0	1.0	3.0	1.5	3.5	5.0
Pine	89.3	0.3	7.3	0.3	2.8	0.3
Pipestone	85.2	0.7	2.2	0.7	11.1	12.7
Polk	86.7	1.6	2.1	1.1	8.5	7.8
Pope	96.6	1.7	0.8	0.8	0.0	0.8
Ramsey	50.9	18.2	1.2	20.7	9.0	11.3
Red Lake	94.8	0.0	1.7	1.7	1.7	1.7
Redwood	87.4	0.5	5.6	4.0	2.5	2.5
Renville	86.7	0.0	3.3	0.6	9.4	15.6
Rice	81.8	5.9	0.4	1.6	10.3	15.8
Rock	94.8	2.6	0.9	0.9	0.9	2.6
Roseau	95.2	0.5	0.5	2.7	1.1	1.6
St. Louis	85.7	1.7	4.5	1.6	6.5	1.5
Scott	81.0	4.1	0.8	7.8	6.3	6.3
Sherburne	94.6	1.6	0.5	2.2	1.1	1.6
Sibley	87.9	1.4	0.0	0.0	10.6	10.7
Stearns	87.0	7.4	0.5	2.4	2.8	4.9
Steele	81.7	8.3	0.2	0.8	9.0	8.9
Stevens	87.9	0.8	4.0	0.0	7.3	9.7
Swift	96.8	2.1	1.1	0.0	0.0	5.3
Todd	94.7	0.0	0.6	0.9	3.7	9.7
Traverse	88.4	2.3	7.0	0.0	2.3	0.0
Wabasha	94.3	0.0	0.0	0.8	4.9	6.5
Wadena	98.4	1.1	0.0	0.0	0.5	1.1
Waseca	92.5	0.4	0.4	0.4	6.1	6.1
Washington	81.3	5.5	0.5	9.5	3.2	4.2
Watonwan	73.1	1.3	0.0	0.6	25.0	32.1
Wilkin	91.5	0.0	2.8	0.0	5.6	4.2
Winona	91.2	2.5	0.2	3.1	3.1	3.7
Wright	94.5	1.3	0.3	1.9	2.1	3.0
Yellow Medicine	87.6	0.0	7.4	0.8	4.1	5.8

Source: Minnesota Department of Health, Center for Health Statistics

Section CHS: Natality by CHS Agency

Tables

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Cesarean Births

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Nativity Table 1: Selected Minnesota Natality Statistics
By CHS Agency, 2009**

CHS Agency	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
Aitkin, Itasca, Koochiching	708	65.0	10	794	10.8	-1.2
Mahnomen, Norman	160	95.8	14	162	14.1	-0.2
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,067	76.2	14	636	8.5	5.7
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	520	80.9	11	528	11.6	-0.2
Brown, Nicollet	696	61.9	12	493	8.5	3.5
Carlton, Cook, Lake, St. Louis	2,718	59.3	11	2597	10.5	0.5
Cass, Morrison, Todd, Wadena	1,271	82.0	13	980	9.9	3.0
Clay, Wilkin	842	58.6	13	510	8.1	5.3
Cottonwood, Jackson	237	70.9	11	294	13.4	-2.6
Dodge, Steele	780	73.1	14	407	7.2	6.6
Grant, Pope, Traverse, Stevens	355	69.1	12	332	11.1	0.8
Faribault, Martin	398	80.6	11	387	11.1	0.3
Houston, Fillmore	468	72.1	12	410	10.2	1.5
Isanti, Mille Lacs	832	65.9	13	502	7.6	5.0
Kanabec, Pine	495	68.6	11	384	8.7	2.5
Kittson, Marshall, Pennington, Red Lake, Roseau	595	75.4	13	467	9.8	2.7
Le Sueur, Waseca	589	71.8	13	343	7.3	5.3
Lincoln, Lyon, Murray, Pipestone	676	79.7	14	530	10.9	3.0
Meeker, McLeod, Sibley	1,032	79.7	14	634	8.5	5.3
Nobles, Rock	468	100.8	16	295	9.8	5.8
Redwood, Renville	378	81.5	12	369	11.8	0.3

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The percent change in the population due to the difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By CHS Agency, 2009**

CHS Agency	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2007-2009	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
Aitkin, Itasca, Koochiching	37	6.6	30	4.3	0.8	2.1
Mahnomen, Norman	11	8.1	9	5.9	0.2	2.2
Beltrami, Clearwater, Hubbard, Lake of the Woods	95	10.6	59	5.7	0.7	2.5
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	42	9.4	26	5.1	0.5	2.9
Brown, Nicollet	43	6.5	26	3.8	0.7	2.0
Carlton, Cook, Lake, St. Louis	167	7.5	124	4.8	0.7	2.4
Cass, Morrison, Todd, Wadena	119	10.4	69	5.6	0.6	3.1
Clay, Wilkin	48	6.8	48	5.9	1.3	3.4
Cottonwood, Jackson	20	9.5	17	7.4	0.7	3.3
Dodge, Steele	58	8.2	40	5.3	1.1	3.2
Grant, Pope, Traverse, Stevens	28	8.1	18	5.2	0.1	2.6
Faribault, Martin	33	9.7	24	6.3	0.5	3.0
Houston, Fillmore	37	8.9	18	4.0	0.5	1.9
Isanti, Mille Lacs	47	6.5	32	4.0	0.9	1.9
Kanabec, Pine	21	6.7	24	5.1	0.6	5.4
Kittson, Marshall, Pennington, Red Lake, Roseau	48	9.0	29	5.0	0.6	2.8
Le Sueur, Waseca	35	6.4	22	3.9	0.9	2.9
Lincoln, Lyon, Murray, Pipestone	66	11.0	29	4.4	0.7	2.3
Meeker, McLeod, Sibley	73	8.0	51	5.0	0.8	3.5
Nobles, Rock	46	11.7	17	3.7	0.9	3.3
Redwood, Renville	25	7.4	15	4.1	0.5	4.2

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

**Natality Table 3: Minnesota Infant Mortality
By CHS Agency, 2005-2009**

CHS Agency	Number of Infant Deaths 2009	Infant Mortality Rate 2005-2009	Neonatal Mortality Rate 2005-2009	Post-neonatal Mortality Rate 2005-2009	Fetal Death Rate 2005-2009	Perinatal Death Rate 2005-2009
Aitkin, Itasca, Koochiching	3	*	*	*	6.3	6.6
Mahnomen, Norman	2	*	*	*	*	*
Beltrami, Clearwater, Hubbard, Lake of the Woods	6	6.7	*	4.7	3.8	4.7
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	3	*	*	*	*	*
Brown, Nicollet	2	5.6	*	*	*	7.0
Carlton, Cook, Lake, St. Louis	13	4.9	2.7	2.3	4.4	5.4
Cass, Morrison, Todd, Wadena	7	6.8	4.1	*	6.9	9.1
Clay, Wilkin	3	9.4	6.5	*	*	6.0
Cottonwood, Jackson	0	*	*	*	*	*
Dodge, Steele	1	*	*	*	*	*
Grant, Pope, Traverse, Stevens	5	*	*	*	*	*
Faribault, Martin	2	*	*	*	*	*
Houston, Fillmore	2	*	*	*	*	*
Isanti, Mille Lacs	3	6.4	4.8	*	5.0	6.8
Kanabec, Pine	5	*	*	*	8.0	*
Kittson, Marshall, Pennington, Red Lake, Roseau	5	*	*	*	*	*
Le Sueur, Waseca	0	*	*	*	*	*
Lincoln, Lyon, Murray, Pipestone	2	*	*	*	*	*
Meeker, McLeod, Sibley	3	*	*	*	4.0	*
Nobles, Rock	3	*	*	*	*	*
Redwood, Renville	1	*	*	*	*	*

Source: Minnesota Department of Health, Center for Health Statistics.

*Rate not calculated for less than 20 events

Infant Mortality Rate: Number of infant deaths under one year of age per 1,000 live births.

Neonatal Death Rate: Number of infants dying under 28 days of age per 1,000 live births.

Postneonatal Mortality Rate: The number of infant deaths aged 28 days to one year per 1,000 live births.

Fetal Mortality Rate: The number of fetal deaths (deaths prior to the complete expulsion or extraction of a product of conception from its mother, irrespective of the duration of pregnancy, only fetal deaths of 20 weeks or more are reported) per 1,000 live births plus fetal deaths.

**Natality Table 4: Prenatal Care in Minnesota
By CHS Agency, 2009**

CHS Agency	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
Aitkin, Itasca, Koochiching	84.1	75.4	21.2	3.4
Mahnomen, Norman	71.1	60.9	27.1	12.0
Beltrami, Clearwater, Hubbard, Lake of the Woods	76.3	61.8	27.3	11.0
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	90.7	79.2	18.2	2.7
Brown, Nicollet	89.4	84.4	14.5	1.1
Carlton, Cook, Lake, St. Louis	88.5	80.7	16.0	3.3
Cass, Morrison, Todd, Wadena	78.2	71.8	21.0	7.2
Clay, Wilkin	88.2	84.4	14.1	1.5
Cottonwood, Jackson	82.2	80.0	16.4	3.6
Dodge, Steele	86.4	78.9	18.2	2.9
Grant, Pope, Traverse, Stevens	90.3	78.3	20.5	1.2
Faribault, Martin	91.8	89.0	8.6	2.4
Houston, Fillmore	80.0	75.9	14.9	9.2
Isanti, Mille Lacs	86.9	83.2	14.3	2.5
Kanabec, Pine	82.0	79.8	15.5	4.7
Kittson, Marshall, Pennington, Red Lake, Roseau	88.2	82.0	15.1	2.9
Le Sueur, Waseca	89.0	83.7	14.8	1.5
Lincoln, Lyon, Murray, Pipestone	82.0	63.3	32.9	3.9
Meeker, McLeod, Sibley	84.8	80.8	17.2	2.0
Nobles, Rock	79.0	70.8	23.8	5.4
Redwood, Renville	84.7	77.3	18.8	3.9

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

Inadequate or None: No prenatal care or the prenatal care started in the 3rd trimester *or* the woman had an inadequate range of visits, regardless of when prenatal care began.

**Natality Table 5: Cesarean Births in Minnesota
By CHS Agency, 2009**

CHS Agency	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
Aitkin, Itasca, Koochiching	30.7	15.1	93.2
Mahnomen, Norman	28.8	10.6	87.9
Beltrami, Clearwater, Hubbard, Lake of the Woods	32.9	16.9	91.0
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	34.4	17.1	93.8
Brown, Nicollet	30.6	15.1	96.4
Carlton, Cook, Lake, St. Louis	30.4	15.6	93.5
Cass, Morrison, Todd, Wadena	27.1	14.9	83.0
Clay, Wilkin	26.5	15.4	87.7
Cottonwood, Jackson	30.4	16.0	91.9
Dodge, Steele	31.0	16.9	94.0
Grant, Pope, Traverse, Stevens	27.9	15.8	93.5
Faribault, Martin	32.4	16.8	98.4
Houston, Fillmore	19.4	12.8	78.1
Isanti, Mille Lacs	30.1	14.4	95.6
Kanabec, Pine	26.1	14.3	85.3
Kittson, Marshall, Pennington, Red Lake, Roseau	32.9	19.5	96.4
Le Sueur, Waseca	29.0	17.5	91.9
Lincoln, Lyon, Murray, Pipestone	31.4	17.2	96.0
Meeker, McLeod, Sibley	27.2	13.6	90.4
Nobles, Rock	29.3	16.0	87.3
Redwood, Renville	33.1	14.6	92.1

Source: Minnesota Department of Health, Center for Health Statistics

**Nativity Table 6: Fertility and Family Planning in Minnesota
By CHS Agency, 2009**

	Pregnancies		Abortions		Percent of Women with Four or More Births	Percent of Women with Live Births within One Year
	Number	Rate	Number	Rate		
Aitkin, Itasca, Koochiching	777	71.3	**	6.0	5.2	1.7
Mahnomen, Norman	160	95.8		*	11.9	5.2
Beltrami, Clearwater, Hubbard, Lake of the Woods	1,135	81.1	66	4.7	6.7	5.1
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	546	85.0	23	3.6	4.6	3.3
Brown, Nicollet	785	69.8	83	7.4	4.0	3.5
Carlton, Cook, Lake, St. Louis	3,213	70.1	483	10.5	3.9	4.3
Cass, Morrison, Todd, Wadena	1,343	86.6	**	3.8	8.7	4.0
Clay, Wilkin	845	58.8	**	*	5.0	1.7
Cottonwood, Jackson	243	72.7	**	*	5.5	1.9
Dodge, Steele	850	79.6	66	6.1	5.4	2.7
Grant, Pope, Traverse, Stevens	369	71.8	10	*	4.2	2.6
Faribault, Martin	433	87.7	31	6.3	4.8	5.0
Houston, Fillmore	494	75.9	25	3.7	9.2	4.7
Isanti, Mille Lacs	919	72.7	85	6.7	5.8	4.3
Kanabec, Pine	559	77.4	59	8.2	3.7	4.1
Kittson, Marshall, Pennington, Red Lake, Roseau	609	77.1	**	*	5.2	2.1
Le Sueur, Waseca	633	77.0	41	4.9	4.6	3.2
Lincoln, Lyon, Murray, Pipestone	700	82.6	**	2.4	3.9	3.0
Meeker, McLeod, Sibley	1,098	84.6	62	4.6	6.4	1.4
Nobles, Rock	480	103.4	**	*	4.9	1.8
Redwood, Renville	407	87.5	27	5.8	8.2	1.6

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number or rate not reported if number of events is less than 6 for one of the counties.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Four or More Births: Births to women with four or more previous live births

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By CHS Agency, 2007-2009**

CHS Agency	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
Aitkin, Itasca, Koochiching	14.6	65.3	32.6	16.2	81.0	39.2
Mahnomen, Norman	24.9	140.7	62.9	27.4	143.2	65.4
Beltrami, Clearwater, Hubbard, Lake of the Woods	25.5	85.9	51.4	28.0	92.9	55.9
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	10.9	60.0	28.2	14.0	63.9	31.6
Brown, Nicollet	9.1	22.8	16.5	12.0	27.4	20.3
Carlton, Cook, Lake, St. Louis	11.2	33.0	22.7	17.3	43.8	31.3
Cass, Morrison, Todd, Wadena	13.0	87.3	38.6	14.8	95.0	42.4
Clay, Wilkin	12.9	18.0	16.1	13.7	18.5	16.7
Cottonwood, Jackson	*	57.9	26.7	13.6	63.1	30.7
Dodge, Steele	11.0	73.2	32.5	15.4	88.0	40.5
Grant, Pope, Traverse, Stevens	*	20.6	14.3	*	21.6	15.4
Faribault, Martin	14.9	75.4	35.3	16.7	84.5	39.6
Houston, Fillmore	*	39.4	17.2	8.0	45.6	20.7
Isanti, Mille Lacs	10.6	69.8	30.8	15.2	83.8	38.6
Kanabec, Pine	15.4	92.4	40.6	19.3	104.8	47.3
Kittson, Marshall, Pennington, Red Lake, Roseau	9.8	61.8	29.2	11.2	63.0	30.6
Le Sueur, Waseca	9.0	53.0	24.2	13.0	64.4	30.8
Lincoln, Lyon, Murray, Pipestone	14.1	45.4	27.4	15.4	51.6	30.7
Meeker, McLeod, Sibley	12.1	71.2	32.0	14.4	79.9	36.5
Nobles, Rock	27.7	109.3	56.7	28.2	114.3	58.9
Redwood, Renville	12.6	73.8	33.2	13.6	82.4	36.7

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By CHS Agency, 2009**

CHS Agency	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
Aitkin, Itasca, Koochiching	43.8	8.3	26.0	9.4	37.8	52.8
Mahnomen, Norman	62.5	10.0	39.4	20.7	36.8	42.6
Beltrami, Clearwater, Hubbard, Lake of the Woods	53.7	13.5	25.9	14.0	35.7	50.3
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	35.2	4.6	16.6	7.8	32.3	59.9
Brown, Nicollet	32.6	6.6	10.2	6.0	23.0	70.9
Carlton, Cook, Lake, St. Louis	40.4	12.7	18.6	7.9	26.2	65.9
Cass, Morrison, Todd, Wadena	39.6	6.8	21.8	13.8	32.8	53.4
Clay, Wilkin	29.0	8.7	14.4	7.2	17.0	75.9
Cottonwood, Jackson	37.6	6.3	10.1	9.6	32.7	57.7
Dodge, Steele	37.2	11.7	12.4	11.5	27.3	61.1
Grant, Pope, Traverse, Stevens	23.7	3.7	9.6	4.6	22.4	73.0
Faribault, Martin	42.0	5.8	16.2	8.3	37.1	54.6
Houston, Fillmore	24.4	16.0	15.5	15.4	21.3	63.3
Isanti, Mille Lacs	35.9	3.9	19.5	6.4	34.0	59.6
Kanabec, Pine	43.2	10.3	24.9	11.3	39.8	48.9
Kittson, Marshall, Pennington, Red Lake, Roseau	32.8	6.9	18.9	6.3	30.9	62.8
Le Sueur, Waseca	30.7	8.0	8.0	9.7	23.3	67.0
Lincoln, Lyon, Murray, Pipestone	33.6	8.1	13.1	10.1	26.8	63.1
Meeke, McLeod, Sibley	31.2	6.1	11.4	10.1	33.8	56.2
Nobles, Rock	44.4	7.3	8.1	38.7	25.3	36.0
Redwood, Renville	39.4	7.7	16.9	12.4	35.3	52.3

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By CHS Agency, 2009**

CHS Agency	Race of Mother - Percent					Hispanic (any race)
	White**	African American	American Indian	Asian	Unknown / Other**	
Aitkin, Itasca, Koochiching	89.8	0.9	7.9	0.1	1.3	0.9
Mahnomen, Norman	54.4	0.0	40.6	1.3	3.8	3.8
Beltrami, Clearwater, Hubbard, Lake of the Woods	67.9	0.5	30.2	0.5	1.0	0.9
Big Stone, Chippewa, Lac Qui Parle, Swift, Yellow Medicine	91.0	1.4	2.1	1.7	3.9	7.0
Brown, Nicollet	91.8	1.6	0.1	1.0	5.5	6.2
Carlton, Cook, Lake, St. Louis	84.8	1.4	5.7	1.4	6.8	1.4
Cass, Morrison, Todd, Wadena	87.8	0.4	9.4	0.5	1.9	3.4
Clay, Wilkin	88.0	1.3	3.1	1.3	6.3	4.7
Cottonwood, Jackson	89.0	0.0	0.4	1.7	8.9	9.7
Dodge, Steele	85.4	5.4	0.1	1.0	8.1	8.9
Grant, Pope, Traverse, Stevens	92.7	1.1	2.5	0.3	3.4	3.9
Faribault, Martin	93.0	0.5	0.3	1.0	5.3	7.8
Houston, Fillmore	97.2	1.3	0.0	0.9	0.6	1.1
Isanti, Mille Lacs	92.8	0.5	4.9	1.0	0.8	0.9
Kanabec, Pine	92.5	0.2	5.1	0.4	1.8	1.3
Kittson, Marshall, Pennington, Red Lake, Roseau	93.5	0.7	1.5	1.5	2.9	3.4
Le Sueur, Waseca	90.2	0.3	0.2	0.5	8.8	8.7
Lincoln, Lyon, Murray, Pipestone	85.5	2.8	1.3	3.0	7.4	9.8
Meeker, McLeod, Sibley	91.6	0.8	0.2	1.1	6.4	8.4
Nobles, Rock	58.6	4.1	1.1	4.5	31.8	34.8
Redwood, Renville	87.0	0.3	4.5	2.4	5.8	8.7

Section C: Mortality

Tables

Table 1: Leading Causes of Death

Table 2: Years of Potential Life Lost

Table 3a: Unintentional Injuries, Suicides and Homicides

Table 3b: Falls, Motor Vehicle and Pedestrian Deaths

Table 4: Number of Cases of Cancer Deaths by Major Site & Sex

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

State of Minnesota - Leading Causes of Death by Age Group, 2009

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	1	14	36	3	1	55
Alzheimer's Disease	0	0	0	0	22	63	1,289	1,375
Atherosclerosis	0	0	0	0	8	5	42	55
Cancer	8	20	29	249	2,488	2,223	4,558	9,575
Cirrhosis	0	0	0	35	236	66	66	403
Congenital Anomalies	84	7	5	20	26	12	11	165
Chronic Lower Respiratory Disease	1	2	4	10	198	419	1,327	1,961
Diabetes	1	1	1	25	193	200	601	1,022
Heart Disease	12	4	15	150	1,086	877	5,089	7,233
Homicide	10	2	29	31	15	4	2	93
Hypertension	0	0	0	1	55	73	345	474
Nephritis	2	0	2	16	72	98	611	801
Perinatal Conditions	127	0	1	0	0	0	1	128
Pneumonia and Influenza	1	1	3	18	58	43	467	591
Septicemia	3	1	0	10	58	64	193	329
SIDS	43	0	0	0	0	0	0	43
Stroke	5	0	6	29	176	248	1,559	2,023
Suicide	0	9	84	175	242	40	39	589
Unintentional Injury	37	19	151	346	502	146	830	2,030
Other	54	18	45	241	1,048	944	6,505	8,854
Total	388	84	376	1,370	6,519	5,528	23,536	37,801

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	16	17
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	18	24	50
Cirrhosis	0	0	0	0	0	2	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	5	1	9
Diabetes	0	0	0	0	1	1	4	6
Heart Disease	0	0	0	0	5	8	42	55
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	1	0	1	2
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	3	7
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	1	1	1	3	0	6	12
Other	0	0	0	2	5	8	23	38
Total	2	1	1	3	28	47	127	209

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Anoka County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	4	0	0	6
Alzheimer's Disease	0	0	0	0	2	6	34	42
Atherosclerosis	0	0	0	0	1	0	2	3
Cancer	1	1	1	12	150	130	162	457
Cirrhosis	0	0	0	2	10	2	4	18
Congenital Anomalies	6	2	0	3	1	0	0	12
Chronic Lower Respiratory Disease	0	0	0	1	9	13	44	67
Diabetes	0	0	0	2	15	8	12	37
Heart Disease	0	1	1	10	58	39	125	234
Homicide	0	0	0	2	2	0	0	4
Hypertension	0	0	0	0	1	8	12	21
Nephritis	0	0	0	1	3	5	16	25
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	1	1	3	17	22
Septicemia	1	0	0	0	4	1	4	10
SIDS	5	0	0	0	0	0	0	5
Stroke	0	0	1	2	12	16	58	89
Suicide	0	1	3	13	15	1	0	33
Unintentional Injury	2	0	9	25	29	3	29	97
Other	3	1	2	12	58	52	222	350
Total	24	6	17	88	375	287	741	1,538

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	11
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	2	25	21	42	90
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	2	0	0	0	2	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	2	4	16	22
Diabetes	0	0	0	0	1	5	6	12
Heart Disease	0	0	0	2	11	8	48	69
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	2	4	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	2	6	8
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	3	20	25
Suicide	0	0	2	3	2	0	0	7
Unintentional Injury	3	0	2	3	7	1	2	18
Other	0	0	0	4	5	12	57	78
Total	7	0	4	15	58	60	215	359

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Beltrami County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	12	13
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	2	1	23	14	26	66
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	7	11	18
Diabetes	0	0	0	2	1	1	3	7
Heart Disease	1	0	0	1	14	12	44	72
Homicide	0	1	2	1	1	0	0	5
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	2	4	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	3	5	8
Septicemia	0	0	0	0	1	1	1	3
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	0	0	4	5	13	22
Suicide	0	0	3	0	1	1	0	5
Unintentional Injury	1	0	3	2	4	0	5	15
Other	0	1	1	7	17	10	44	80
Total	6	2	11	14	68	58	174	333

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	22	22
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	11	9	34	56
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	4	8	13
Diabetes	0	0	0	0	0	1	11	12
Heart Disease	0	0	0	2	7	7	50	66
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	6	8
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	15	16
Suicide	0	0	1	2	3	0	0	6
Unintentional Injury	0	0	2	6	3	1	1	13
Other	1	0	0	2	6	2	43	54
Total	1	0	3	14	33	27	199	277

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Big Stone County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	0	3	7	11	22
Cirrhosis	0	0	0	1	1	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	2	4
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	1	3	17	21
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	2	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	2	3
Other	0	0	0	0	1	1	14	16
Total	1	1	0	1	8	14	58	83

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	7	8
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	0	1	1	25	22	55	104
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	2	0	0	0	0	0	1	3
Chronic Lower Respiratory Disease	0	0	0	0	3	4	13	20
Diabetes	0	0	0	0	3	0	5	8
Heart Disease	0	0	0	2	12	7	68	89
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	11	12
Nephritis	0	0	0	0	2	0	11	13
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	1	3	4
SIDS	4	0	0	0	0	0	0	4
Stroke	0	0	0	0	3	2	17	22
Suicide	0	0	0	3	4	0	0	7
Unintentional Injury	0	0	0	7	4	3	3	17
Other	0	0	0	3	12	9	92	116
Total	6	0	1	16	69	50	291	433

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Brown County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	10	19	43	74
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	8	11
Diabetes	0	0	0	0	2	1	4	7
Heart Disease	0	0	0	2	4	8	54	68
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	16	17
Suicide	0	0	4	0	1	0	0	5
Unintentional Injury	0	0	0	1	6	0	2	9
Other	0	0	0	1	5	7	53	66
Total	0	0	4	6	28	40	198	276

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	10
Atherosclerosis	0	0	0	0	0	0	7	7
Cancer	0	0	2	1	21	21	39	84
Cirrhosis	0	0	0	0	3	1	1	5
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	7	9	17
Diabetes	0	0	0	0	2	3	12	17
Heart Disease	0	0	0	3	10	11	52	76
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	2	0	5	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	2	19	22
Suicide	0	0	1	2	3	1	0	7
Unintentional Injury	1	0	1	4	6	0	4	16
Other	0	0	0	4	9	11	62	86
Total	4	0	5	14	58	58	227	366

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Carver County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	12
Atherosclerosis	0	0	0	0	0	1	1	2
Cancer	0	0	0	4	39	22	46	111
Cirrhosis	0	0	0	0	4	1	0	5
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	1	0	2	20	23
Diabetes	0	0	0	1	2	0	12	15
Heart Disease	2	0	0	1	10	9	54	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	1	1	7	9
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	1	15	19
Suicide	0	0	2	1	6	0	0	9
Unintentional Injury	1	0	1	5	8	1	14	30
Other	1	0	0	1	14	8	76	100
Total	5	1	3	15	86	50	258	418

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	22	25	28	77
Cirrhosis	0	0	0	1	0	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	7	13	23
Diabetes	0	0	0	0	2	2	4	8
Heart Disease	0	0	0	2	9	13	25	49
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	1	3	0	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	6	10	17
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	3	4	8	2	5	22
Other	0	0	0	4	9	7	55	75
Total	1	0	4	12	57	66	148	288

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Chippewa County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	7	18	29
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	1	0	3	4	25	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	8	9
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	1	0	1	1	1	3	7
Other	0	0	0	1	6	4	23	34
Total	1	1	1	4	15	18	96	136

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	4	19	23
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	2	25	15	27	70
Cirrhosis	0	0	0	1	0	0	2	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	4	10	14
Diabetes	0	0	0	0	4	1	4	9
Heart Disease	0	0	0	2	11	9	43	65
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	1	1	3	5
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	4	9	14
Suicide	0	0	1	2	4	0	0	7
Unintentional Injury	0	0	1	3	1	1	10	16
Other	2	1	0	2	12	10	47	74
Total	4	2	2	14	59	50	182	313

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Clay County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	14	14
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	21	19	51	92
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	5	11	19
Diabetes	0	0	0	1	1	1	5	8
Heart Disease	0	0	0	3	22	3	66	94
Homicide	0	0	1	0	0	0	1	2
Hypertension	0	0	0	0	3	0	1	4
Nephritis	0	0	0	0	2	1	9	12
Perinatal Conditions	2	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	1	0	0	9	10
Septicemia	0	0	0	0	0	2	3	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	19	21
Suicide	0	0	2	0	0	1	1	4
Unintentional Injury	1	0	1	3	3	1	8	17
Other	0	0	1	1	13	11	80	106
Total	4	0	5	10	70	47	280	416

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	4	13	20
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	5	7
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	1	5	4	16	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	6	8
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	1	1	0	1	0	3
Other	0	0	1	1	1	3	8	14
Total	1	0	2	4	11	14	55	87

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Cook County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	6	3	13
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	2	1	10	13
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	0	0	0	2	2
Unintentional Injury	0	0	0	0	2	0	2	4
Other	0	0	0	1	1	0	7	9
Total	0	0	0	1	10	7	29	47

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	6	35	46
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	6	7
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	0	0	0	0	5	3	47	55
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	1	0	0	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	7	9
Suicide	0	0	0	2	0	0	0	2
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	0	2	4	27	33
Total	0	0	0	3	16	15	137	171

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Crow Wing County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	28	46	85	162
Cirrhosis	0	0	0	0	5	0	0	5
Congenital Anomalies	0	0	0	1	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	5	9	19	33
Diabetes	0	0	0	0	1	2	6	9
Heart Disease	0	0	0	1	13	19	78	111
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	7	8
Nephritis	0	0	0	0	2	1	13	16
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	7	8
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	5	24	30
Suicide	0	1	0	3	2	0	1	7
Unintentional Injury	0	1	2	1	9	2	12	27
Other	0	1	0	6	13	15	110	145
Total	1	3	2	15	80	102	372	575

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	3	58	62
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	4	2	16	170	120	224	537
Cirrhosis	0	0	0	5	11	5	4	25
Congenital Anomalies	3	0	0	2	3	0	0	8
Chronic Lower Respiratory Disease	0	0	0	0	13	19	67	99
Diabetes	0	0	0	1	10	19	35	65
Heart Disease	0	0	4	12	49	42	241	348
Homicide	1	1	0	3	0	1	0	6
Hypertension	0	0	0	0	5	8	19	32
Nephritis	0	0	0	0	3	2	42	47
Perinatal Conditions	7	0	1	0	0	0	0	8
Pneumonia and Influenza	0	0	0	1	3	1	16	21
Septicemia	1	0	0	0	2	2	10	15
SIDS	0	0	0	0	0	0	0	0
Stroke	2	0	0	0	18	13	77	110
Suicide	0	0	5	13	23	2	1	44
Unintentional Injury	2	1	5	23	27	7	50	115
Other	4	2	1	21	87	50	338	503
Total	21	8	18	97	425	294	1,182	2,045

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Dodge County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	4	6	10	22
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	1	10	13
Diabetes	0	0	0	0	0	2	3	5
Heart Disease	0	0	0	0	3	3	22	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	2	1	1	0	0	4
Unintentional Injury	0	0	2	0	2	1	3	8
Other	0	0	0	0	3	5	28	36
Total	0	0	4	3	15	18	84	124

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	9	11
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	0	0	2	15	22	51	90
Cirrhosis	0	0	0	0	2	0	3	5
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	14	18
Diabetes	0	0	0	0	0	2	4	6
Heart Disease	0	0	0	0	16	10	63	89
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	1	3
Nephritis	0	0	0	0	0	1	7	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	2	9	12
Septicemia	0	0	0	1	0	0	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	0	22	25
Suicide	0	0	0	2	0	0	2	4
Unintentional Injury	0	0	1	2	0	0	11	14
Other	0	0	1	2	10	10	73	96
Total	0	0	2	9	53	51	273	388

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Faribault County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	8	23	38
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	13	16
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	0	4	5	36	45
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	8	9
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	0	2	0	3	5
Other	0	0	0	1	1	1	27	30
Total	1	0	1	1	19	18	123	163

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	1	10	19	31	62
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	17	18
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	0	6	3	39	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	1	0	0	0	0	3	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	8	9
Suicide	0	0	1	1	2	0	0	4
Unintentional Injury	1	0	0	0	3	3	7	14
Other	0	0	0	1	4	4	43	52
Total	1	2	1	3	28	32	168	235

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Freeborn County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	15	15	65	96
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	5	9	14
Diabetes	0	0	0	0	0	3	6	9
Heart Disease	0	0	0	1	10	12	68	91
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	15	15
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	17	19
Suicide	0	0	0	0	2	1	1	4
Unintentional Injury	1	0	0	3	5	0	6	15
Other	1	0	0	0	7	3	62	73
Total	4	0	0	6	41	45	264	360

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	23	30	53	107
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	4	16	22
Diabetes	0	0	0	1	0	3	13	17
Heart Disease	0	0	0	3	19	7	58	87
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	3	2	5	10
Nephritis	0	0	0	1	1	0	8	10
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	1	7	9
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	20	22
Suicide	0	0	1	4	5	1	0	11
Unintentional Injury	0	0	2	2	5	3	14	26
Other	0	0	1	0	12	6	75	94
Total	3	0	4	12	74	59	279	431

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Grant County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	4	15	22
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	1	2	9	12
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	3	4
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	1	0	0	0	0	2	3
Other	0	0	1	1	0	1	17	20
Total	0	1	1	4	7	8	52	73

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	1	7	23	1	0	32
Alzheimer's Disease	0	0	0	0	3	11	223	237
Atherosclerosis	0	0	0	0	1	0	2	3
Cancer	1	3	5	63	542	408	871	1,893
Cirrhosis	0	0	0	5	63	14	9	91
Congenital Anomalies	20	1	0	5	2	1	2	31
Chronic Lower Respiratory Disease	0	0	0	2	41	70	261	374
Diabetes	0	1	0	4	57	38	96	196
Heart Disease	2	2	3	28	185	130	789	1,139
Homicide	3	0	11	12	2	0	1	29
Hypertension	0	0	0	0	20	17	76	113
Nephritis	0	0	0	3	18	22	124	167
Perinatal Conditions	34	0	0	0	0	0	0	34
Pneumonia and Influenza	0	0	1	3	9	2	61	76
Septicemia	0	0	0	3	22	17	47	89
SIDS	5	0	0	0	0	0	0	5
Stroke	1	0	1	8	40	45	265	360
Suicide	0	1	16	31	40	15	11	114
Unintentional Injury	5	4	28	64	107	27	211	446
Other	10	3	14	55	229	214	1,463	1,988
Total	81	15	80	293	1,404	1,032	4,512	7,417

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Houston County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	10	7	28	47
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	3	1	9	13
Diabetes	0	0	0	0	0	0	8	8
Heart Disease	1	0	0	0	3	5	32	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	4	5
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	6	8
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	1	0	2	1	2	6
Other	0	0	0	1	1	1	29	32
Total	2	0	1	3	23	18	128	175

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	1	1
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	11	26	46
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	6	7	14
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	9	4	19	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	1	1	1	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	0	1
Septicemia	0	0	0	0	0	1	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	0	13	14
Suicide	0	0	0	1	1	0	1	3
Unintentional Injury	1	0	0	2	4	0	5	12
Other	0	0	0	1	3	4	18	26
Total	2	0	0	5	30	31	102	170

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Isanti County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	3	15	12	24	55
Cirrhosis	0	0	0	1	2	1	0	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	13	14
Diabetes	0	0	0	0	1	2	2	5
Heart Disease	0	0	0	3	11	3	29	46
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	1	3
Nephritis	0	0	0	0	2	0	5	7
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	13	19
Suicide	0	0	0	2	3	0	1	6
Unintentional Injury	0	0	2	2	2	0	8	14
Other	0	0	0	1	5	7	51	64
Total	2	0	3	12	45	33	161	256

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	25	25
Atherosclerosis	0	0	0	0	1	0	0	1
Cancer	0	0	0	1	32	35	48	116
Cirrhosis	0	0	0	0	4	2	1	7
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	4	8	14	26
Diabetes	0	0	0	0	1	1	5	7
Heart Disease	0	0	0	0	24	13	73	110
Homicide	1	0	1	0	0	0	0	2
Hypertension	0	0	0	1	1	0	7	9
Nephritis	0	0	0	0	0	2	7	9
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	9	10
Septicemia	0	0	0	0	1	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	2	3	11	17
Suicide	0	0	0	1	2	1	0	4
Unintentional Injury	1	1	2	8	3	0	8	23
Other	0	1	1	2	4	10	59	77
Total	3	2	5	13	80	76	268	447

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Jackson County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	5	8	17
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	2	1	6	9
Diabetes	0	0	0	0	0	0	0	3
Heart Disease	0	0	0	1	5	1	25	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	1	1	0	1	3
Unintentional Injury	0	0	0	1	1	1	2	5
Other	0	0	0	0	2	1	33	36
Total	0	0	0	3	15	9	96	123

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	14	10	20	45
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	8	12
Diabetes	0	0	0	0	0	2	0	2
Heart Disease	0	0	0	0	8	2	25	35
Homicide	0	0	0	0	1	1	0	2
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	2	0	5	7
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	0	0	1	1	0	2
Unintentional Injury	0	0	0	2	0	1	0	3
Other	0	0	1	1	2	3	18	25
Total	1	0	1	4	30	24	90	150

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Kandiyohi County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	20	20	50	90
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	1	7	14	22
Diabetes	0	0	0	0	3	0	3	6
Heart Disease	0	0	0	0	16	4	56	76
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	1	1	0	7	9
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	2	3	1	12	18
Septicemia	0	1	0	0	0	3	0	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	15	17
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	2	2	1	11	17
Other	2	0	0	1	5	4	47	59
Total	4	1	1	6	55	41	227	335

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	2	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	6	7	17
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	3	3
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	0	2	9	11
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	0	1	0	4	5
Other	0	0	0	0	0	2	21	23
Total	0	0	0	1	6	12	58	77

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Koochiching County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	5	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	7	7	18	33
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	2	4
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	3	5	24	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	1	0	1	0	2
Unintentional Injury	0	0	1	1	1	0	4	7
Other	0	0	0	1	0	5	24	30
Total	0	0	1	4	14	20	99	138

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	8	10	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	1	1
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	2	4	27	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	3	4
Suicide	0	0	1	0	1	1	0	3
Unintentional Injury	0	0	0	0	1	0	2	3
Other	0	0	0	0	2	0	14	16
Total	0	0	1	0	9	16	66	92

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2009**

Lake County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	6	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	10	16	33
Cirrhosis	0	0	0	0	0	1	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	3	6
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	4	5	12	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	1	1	3	0	0	5
Unintentional Injury	0	0	0	0	0	2	1	3
Other	1	0	0	3	3	1	31	39
Total	1	0	1	4	19	22	83	130

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	0	5	4	9
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	3	1	11	15
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	1	1	2
Other	0	0	0	0	0	0	7	7
Total	0	0	0	0	4	9	33	46

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Le Sueur County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	2
Atherosclerosis	0	0	0	0	0	0	0	1
Cancer	0	0	0	0	14	21	16	51
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	10	10
Diabetes	0	0	0	0	1	1	4	6
Heart Disease	0	0	0	1	8	8	39	56
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	2	10	15
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	2	3	0	0	4	9
Other	0	0	0	1	6	5	33	45
Total	0	0	3	6	33	39	137	218

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	2	7	12	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	7	8
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	0	5	2	18	25
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	0	1	0	3
Other	0	0	0	0	0	2	9	11
Total	0	0	1	1	7	13	63	85

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Lyon County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	6	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	11	13	26	50
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	5	9	15
Diabetes	0	0	0	1	0	0	3	4
Heart Disease	0	0	0	2	6	7	38	53
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	1	1	4	7
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	15	17
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	1	1	2	1	3	8
Other	1	2	1	2	1	9	50	66
Total	1	2	3	7	22	42	156	233

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	21	17	36	77
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	0	1	0	3	5	7	16
Heart Disease	0	0	0	1	10	8	56	75
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	2	2	5
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	2	4
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	14	16
Suicide	0	0	1	1	4	0	0	6
Unintentional Injury	0	0	0	2	4	4	12	22
Other	0	0	0	4	10	9	51	74
Total	0	0	2	11	57	49	193	312

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Mahnomen County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	5	4	4	14
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	1	0	1	1	0	3
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	1	3	10	14
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	1	0	3	4
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	2	0	3	1	1	7
Other	0	0	0	1	4	2	9	16
Total	2	0	3	2	17	11	32	67

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	7	5	10	22
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	0	5	9	14
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	4	1	15	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	5	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	2	0	1	0	0	3
Other	1	0	0	0	0	4	9	14
Total	2	0	2	0	14	18	56	92

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Martin County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	6	40	56
Cirrhosis	0	0	0	1	3	0	1	5
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	1	1	2	1	9	14
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	11	6	45	62
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	2	11	16
Suicide	0	0	0	1	1	0	1	3
Unintentional Injury	0	0	2	1	0	0	1	4
Other	0	0	1	2	8	2	33	46
Total	1	0	4	6	39	20	154	224

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	11	12	25	48
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	15	18
Diabetes	1	0	0	0	0	0	3	4
Heart Disease	0	0	1	1	2	7	30	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	1	10	12
Suicide	0	0	0	2	3	0	0	5
Unintentional Injury	0	0	2	0	0	1	3	6
Other	0	0	0	1	9	4	28	42
Total	2	0	3	4	26	28	126	189

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Mille Lacs County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	3	20	12	21	56
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	4	6	10
Diabetes	0	0	0	0	2	1	8	11
Heart Disease	0	0	0	2	7	9	30	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	4	5
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	2	2	4	9
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	8	10
Suicide	0	0	0	0	1	1	0	2
Unintentional Injury	0	0	1	5	5	1	7	19
Other	1	0	0	1	2	9	47	60
Total	1	0	1	12	41	43	148	246

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	22	22
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	19	19	47	87
Cirrhosis	0	0	0	0	4	1	2	7
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	4	9	14
Diabetes	0	0	0	0	2	3	4	9
Heart Disease	0	0	0	1	9	5	51	66
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	17	20
Suicide	0	0	0	3	3	0	3	9
Unintentional Injury	0	0	1	4	7	1	1	14
Other	0	1	0	1	5	10	46	63
Total	2	1	1	11	53	46	208	322

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Mower County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	0	0	1	15	23	56	95
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	4	21	26
Diabetes	0	0	0	0	1	3	10	14
Heart Disease	0	0	0	0	6	12	60	78
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	2	2	9	13
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	2	10	14
Suicide	0	0	0	0	3	1	0	4
Unintentional Injury	0	0	0	3	4	1	7	15
Other	0	0	0	3	9	9	65	86
Total	4	0	0	7	46	58	254	369

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	5	17	26
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	2	3
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	0	4	3	15	22
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	5	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	1	0	1	3	6
Other	0	0	1	0	1	1	15	18
Total	1	0	2	2	10	13	64	92

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Nicollet County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	15	8	29	52
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	3	9	15
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	1	8	3	27	39
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	2	0	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	13	17
Suicide	0	0	1	2	2	0	0	5
Unintentional Injury	0	0	1	2	3	1	5	12
Other	0	0	0	2	7	9	34	52
Total	2	0	3	7	44	27	134	217

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	8	33	46
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	7	10
Diabetes	0	0	0	0	2	1	2	5
Heart Disease	0	0	0	0	5	1	22	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	2	0	1	3
Septicemia	0	0	0	0	2	0	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	4	6
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	3	0	3	5	11
Other	1	0	0	0	3	7	51	62
Total	4	0	0	3	21	25	134	187

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Norman County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	4	8	16
Cirrhosis	0	0	0	0	0	0	2	2
Congenital Anomalies	0	0	0	0	1	1	0	2
Chronic Lower Respiratory Disease	0	0	0	1	0	1	1	3
Diabetes	0	0	0	0	0	2	4	6
Heart Disease	0	0	0	0	5	1	9	15
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	1	0	1	2	1	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	3	0	4	7
Other	0	0	0	0	1	2	24	27
Total	0	0	1	1	15	13	65	95

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	2	0	0	4
Alzheimer's Disease	0	0	0	0	0	0	26	26
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	2	12	48	59	104	225
Cirrhosis	0	0	0	3	6	3	2	14
Congenital Anomalies	2	0	0	1	1	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	5	7	42	54
Diabetes	0	0	0	1	1	2	9	13
Heart Disease	0	0	1	5	22	27	115	170
Homicide	1	0	0	2	0	0	0	3
Hypertension	0	0	0	0	0	2	4	6
Nephritis	0	0	0	0	3	0	10	13
Perinatal Conditions	10	0	0	0	0	0	0	10
Pneumonia and Influenza	0	0	1	0	0	0	15	16
Septicemia	0	0	0	0	2	1	5	8
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	4	2	30	36
Suicide	0	0	2	8	7	0	0	17
Unintentional Injury	2	0	6	6	13	2	23	52
Other	4	0	0	1	33	22	160	220
Total	21	0	12	41	147	127	545	893

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Otter Tail County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	2	0	45	47
Atherosclerosis	0	0	0	0	1	3	4	8
Cancer	0	0	0	3	34	36	91	164
Cirrhosis	0	0	0	0	5	4	1	10
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	10	26	38
Diabetes	0	0	0	1	4	2	8	15
Heart Disease	1	0	0	2	22	24	102	151
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	10	10
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	2	2	2	17	23
Septicemia	0	0	0	0	0	2	2	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	1	4	1	28	34
Suicide	0	0	1	2	3	0	0	6
Unintentional Injury	0	0	1	9	6	3	8	27
Other	1	0	0	0	8	12	110	131
Total	4	0	2	20	93	100	457	676

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	5	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	12	3	18	33
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	1	0	0	0	0	0	5	6
Diabetes	0	0	0	0	1	0	6	7
Heart Disease	0	0	0	1	1	5	15	22
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	4	2	0	3	9
Other	1	0	1	1	4	2	22	31
Total	4	0	1	7	22	13	91	138

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Pine County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	16	15	27	59
Cirrhosis	0	0	0	0	3	1	1	5
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	6	12	19
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	13	10	25	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	1	0	0	7	8
Septicemia	0	0	0	0	0	0	1	1
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	0	4	4	12	20
Suicide	0	1	1	0	1	0	1	4
Unintentional Injury	0	0	1	1	6	2	5	15
Other	1	0	0	3	6	4	26	40
Total	4	1	3	6	51	44	125	234

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	8	18	35
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	1	2
Chronic Lower Respiratory Disease	0	0	0	0	1	2	3	6
Diabetes	0	0	0	0	1	0	3	4
Heart Disease	0	0	0	0	2	4	20	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	10	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	0	0	3	4
Other	0	0	0	1	4	2	16	23
Total	1	0	1	1	18	16	83	120

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Polk County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	2	3	22	27
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	3	18	18	42	81
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	1	0	3	5	12	21
Diabetes	0	0	0	0	1	2	3	6
Heart Disease	0	0	0	0	9	12	56	77
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	2	0	1	3
Nephritis	0	0	0	0	0	1	8	9
Perinatal Conditions	0	0	0	0	0	0	1	1
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	1	2	1	3	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	12	12
Suicide	0	0	0	1	0	0	1	2
Unintentional Injury	0	0	1	4	6	2	8	21
Other	0	0	1	2	4	6	60	73
Total	2	0	3	11	48	51	234	349

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	6	7	16	29
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	1	3	4
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	0	1	29	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	0	2
Nephritis	0	0	0	1	0	0	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	9	10
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	0	0	0	4	4
Other	0	0	1	2	3	4	24	34
Total	3	0	1	4	11	16	97	132

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Ramsey County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	2	2	1	0	5
Alzheimer's Disease	0	0	0	0	1	5	188	194
Atherosclerosis	0	0	0	0	0	0	4	4
Cancer	1	4	3	19	265	191	418	901
Cirrhosis	0	0	0	4	27	2	4	37
Congenital Anomalies	13	0	1	4	6	0	0	24
Chronic Lower Respiratory Disease	0	1	1	2	21	41	122	188
Diabetes	0	0	0	2	23	26	61	112
Heart Disease	2	0	1	16	124	76	424	643
Homicide	2	0	8	6	4	1	0	21
Hypertension	0	0	0	0	5	10	30	45
Nephritis	2	0	0	4	13	18	61	98
Perinatal Conditions	17	0	0	0	0	0	0	17
Pneumonia and Influenza	1	0	0	0	4	3	33	41
Septicemia	1	0	0	1	8	10	22	42
SIDS	4	0	0	0	0	0	0	4
Stroke	0	0	0	6	22	21	161	210
Suicide	0	2	5	14	21	3	4	49
Unintentional Injury	5	2	12	35	40	17	61	172
Other	7	2	7	19	116	103	659	913
Total	55	11	38	134	702	528	2,252	3,720

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	0	2	4	7
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	0	1
Diabetes	0	0	0	0	0	4	0	4
Heart Disease	0	0	0	0	2	2	4	8
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	0	0	2	7	9
Total	0	0	1	1	3	12	20	37

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Redwood County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	9	22	39
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	3	5
Diabetes	0	0	0	0	3	1	4	8
Heart Disease	0	0	0	0	2	4	30	36
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	10	14
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	3	0	3	2	3	11
Other	1	0	0	0	7	2	28	38
Total	1	0	3	1	26	24	122	177

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	3	7	11	22	43
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	8	10
Diabetes	0	0	0	0	2	0	3	5
Heart Disease	0	0	0	1	4	3	35	43
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	2	2	4
Septicemia	0	0	0	0	1	1	3	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	9	11
Suicide	0	0	0	0	1	1	0	2
Unintentional Injury	0	0	0	2	3	0	5	10
Other	0	0	0	0	2	8	39	49
Total	0	0	0	6	21	29	136	192

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Rice County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	17	17
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	2	27	26	56	112
Cirrhosis	0	0	0	1	2	0	1	4
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	7	16	24
Diabetes	0	0	0	1	1	0	7	9
Heart Disease	0	0	0	1	8	7	61	77
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	3	5
Nephritis	0	0	0	0	1	1	7	9
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	1	0	3	0	4
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	4	18	22
Suicide	0	0	1	0	3	2	0	6
Unintentional Injury	0	1	3	1	6	4	13	28
Other	0	0	1	0	7	7	87	102
Total	3	2	5	8	57	63	290	428

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	9	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	4	14	23
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	4	4	8
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	3	6	26	35
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	2	4
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	2	1	5	8
Other	0	0	0	1	0	2	9	12
Total	0	0	1	2	11	19	75	108

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Roseau County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	7	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	5	7	8	21
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	6	6
Diabetes	0	0	0	0	0	2	0	2
Heart Disease	0	0	0	1	5	7	20	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	1	0	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	2	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	1	2	0	1	1	6
Other	0	0	0	2	2	2	19	25
Total	0	1	1	6	15	21	79	123

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	2	4	83	89
Atherosclerosis	0	0	0	0	1	1	1	3
Cancer	0	1	0	16	124	110	252	503
Cirrhosis	0	0	0	4	23	8	3	38
Congenital Anomalies	2	1	1	0	1	1	1	7
Chronic Lower Respiratory Disease	0	0	0	1	18	27	67	113
Diabetes	0	0	0	2	12	7	44	65
Heart Disease	0	0	1	7	53	51	320	432
Homicide	0	0	1	2	0	0	0	3
Hypertension	0	0	0	0	0	3	22	25
Nephritis	0	0	0	0	4	11	40	55
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	2	3	3	24	32
Septicemia	0	0	0	0	2	0	13	15
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	0	0	9	13	67	89
Suicide	0	0	5	9	13	1	1	29
Unintentional Injury	2	0	10	22	25	5	41	105
Other	3	0	0	13	66	37	325	444
Total	13	2	18	78	357	282	1,304	2,054

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Scott County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	1	0	1
Alzheimer's Disease	0	0	0	0	0	1	9	10
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	2	2	8	48	43	53	156
Cirrhosis	0	0	0	2	7	1	0	10
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	3	16	21
Diabetes	0	0	0	1	2	3	9	15
Heart Disease	0	0	1	1	8	7	57	74
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	1	0	7	8
Nephritis	0	0	0	0	2	0	7	9
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	1	1	5	7
Septicemia	0	0	0	0	2	1	4	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	2	2	2	23	29
Suicide	0	1	2	3	3	0	1	10
Unintentional Injury	0	0	2	5	13	3	13	36
Other	1	1	0	4	20	8	63	97
Total	5	4	8	26	112	74	269	498

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	17	19
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	1	7	38	24	48	119
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	0	6	8	14
Diabetes	0	0	0	0	0	3	8	11
Heart Disease	0	0	0	2	13	6	52	73
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	1	0	1	1	3	6
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	20	22
Suicide	0	0	0	6	4	0	1	11
Unintentional Injury	0	0	6	4	7	2	7	26
Other	1	0	1	2	15	9	94	122
Total	6	0	9	22	82	55	268	442

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Sibley County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	3
Atherosclerosis	0	0	0	0	0	0	0	2
Cancer	0	0	0	2	8	8	28	46
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	5	7	12
Diabetes	0	0	0	0	0	1	4	5
Heart Disease	1	0	0	0	3	3	19	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	1	1	0	1	0	3
Unintentional Injury	0	0	0	0	1	0	8	9
Other	0	0	0	0	1	1	9	11
Total	1	0	1	3	14	21	93	133

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	3	23	26
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	2	3	43	47	124	219
Cirrhosis	0	0	0	1	7	0	3	11
Congenital Anomalies	1	0	0	1	2	0	0	4
Chronic Lower Respiratory Disease	0	0	0	0	3	9	27	39
Diabetes	0	0	0	2	4	2	23	31
Heart Disease	0	0	0	1	21	20	147	189
Homicide	0	0	0	0	1	1	0	2
Hypertension	0	0	0	0	1	0	9	10
Nephritis	0	0	0	0	0	1	14	15
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	2	0	15	17
Septicemia	0	0	0	0	0	0	3	3
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	1	0	1	7	34	43
Suicide	0	0	3	7	8	1	0	19
Unintentional Injury	0	0	2	8	19	2	13	44
Other	0	0	1	10	17	17	122	167
Total	5	0	9	33	129	110	557	843

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Steele County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	3	10	16	36	66
Cirrhosis	0	0	0	0	1	0	1	2
Congenital Anomalies	1	1	0	0	0	1	1	4
Chronic Lower Respiratory Disease	0	0	0	0	0	2	10	12
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	2	6	10	49	67
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	1	0	0	5	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	1	0	0	6	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	18	20
Suicide	0	0	1	0	2	0	0	3
Unintentional Injury	1	2	0	2	4	0	8	17
Other	0	1	0	1	4	11	42	59
Total	2	4	2	10	28	42	195	283

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	1	2	2	12	18
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	3	3
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	1	1	2	13	17
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	5	7
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	2	3	0	3	8
Other	1	0	0	0	3	2	9	15
Total	2	0	2	4	11	8	58	85

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Swift County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	7	8	8	24
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	7	7
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	1	2	22	25
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	1	0	4	1	2	8
Other	0	0	0	0	1	4	13	18
Total	1	0	1	1	13	16	73	105

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	13	14	20	48
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	2	5
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	3	9	4	29	45
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	2	2	5
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	1	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	0	2	5	8
Suicide	0	0	2	0	0	0	0	2
Unintentional Injury	2	1	0	5	4	2	2	16
Other	1	0	0	1	5	6	26	39
Total	4	1	2	10	34	36	103	190

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Traverse County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	1	1	1	9	13
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	0	1
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	1	0	0	1	1	1	8	12
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	2	3
Other	0	0	0	0	0	0	4	4
Total	1	0	1	2	3	3	32	42

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	2	10	9	25	47
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	1	0	0	3	3	9	16
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	7	3	21	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	0	3	7	11
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	0	2	1	3	3	5	14
Other	0	0	0	1	4	0	29	34
Total	1	2	3	5	29	23	108	171

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Wadena County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	9	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	11	16	17	45
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	1	8	11
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	5	1	8	34	48
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	2	5	8
Suicide	0	0	0	0	1	0	2	3
Unintentional Injury	0	0	0	2	2	0	3	7
Other	0	0	0	1	5	3	25	34
Total	1	0	0	9	25	31	114	180

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	5	17	30
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	0	3	3	25	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	8	10
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	0	0	0	1	4	6
Other	0	0	0	0	3	2	24	29
Total	0	2	0	0	17	12	94	125

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Washington County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	1	0	0	2
Alzheimer's Disease	0	0	0	0	1	3	51	55
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	11	108	97	144	361
Cirrhosis	0	0	0	1	9	1	4	15
Congenital Anomalies	5	0	0	0	0	1	1	7
Chronic Lower Respiratory Disease	0	0	0	0	6	13	39	58
Diabetes	0	0	0	2	4	9	23	38
Heart Disease	0	1	0	7	30	30	132	200
Homicide	0	0	0	0	3	0	0	3
Hypertension	0	0	0	0	1	1	15	17
Nephritis	0	0	1	3	1	5	18	28
Perinatal Conditions	8	0	0	0	0	0	0	8
Pneumonia and Influenza	0	0	0	1	0	3	8	12
Septicemia	0	0	0	1	3	0	6	10
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	0	0	4	12	46	62
Suicide	0	1	5	7	9	1	1	24
Unintentional Injury	2	1	4	11	17	6	22	63
Other	1	0	3	5	43	42	214	308
Total	19	3	14	50	240	224	724	1,274

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	8	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	9	20	31
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	6	7
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	4	6	17	27
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	4	8	12
Suicide	0	0	0	1	2	0	0	3
Unintentional Injury	0	0	0	0	1	0	3	4
Other	0	0	0	2	1	0	21	24
Total	0	0	0	3	11	21	87	122

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2009**

Wilkin County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	1	10	15
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	1	0	0	2	3
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	5	3	24	32
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	1	0	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	1	0	0	1	2	0	3	7
Other	0	0	0	0	1	1	10	12
Total	1	0	1	3	14	5	70	94

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	17	17
Atherosclerosis	0	0	0	0	1	0	1	2
Cancer	0	0	0	1	25	26	51	103
Cirrhosis	0	0	0	1	1	0	1	3
Congenital Anomalies	0	0	0	1	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	1	3	17	21
Diabetes	0	0	0	0	3	1	4	8
Heart Disease	1	0	1	1	14	4	81	102
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	7	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	1	0	2	4
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	2	1	18	22
Suicide	0	1	0	2	1	0	0	4
Unintentional Injury	0	0	2	2	6	0	10	20
Other	0	1	0	2	6	13	88	110
Total	1	2	4	11	63	48	301	430

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2009

Wright County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	20	20
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	2	0	1	7	59	41	81	191
Cirrhosis	0	0	0	0	1	5	0	6
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	9	7	19	35
Diabetes	0	0	0	0	6	7	5	18
Heart Disease	0	0	0	3	14	16	68	101
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	4	6
Nephritis	0	0	0	0	0	3	9	12
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	1	1	1	7	10
Septicemia	0	0	0	0	1	0	4	5
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	1	5	3	9	33	51
Suicide	0	0	1	6	7	0	1	15
Unintentional Injury	2	0	4	12	7	6	13	44
Other	2	0	1	5	20	16	77	121
Total	11	0	8	40	129	112	342	642

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - Leading Causes of Death by Age Group, 2009

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	7	19	32
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	1	1	1	3
Heart Disease	0	0	0	0	1	2	13	16
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	5	9
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	1	0	1	0	5	7
Other	0	0	0	0	2	4	19	25
Total	0	0	2	0	13	18	79	112

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2009**

ICD-10 Codes on Page C-45

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 1: Minnesota YPLL to Age 65 and 75
by State and County, 2009**

State of Minnesota - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	795.0	1,347.0
Alzheimer's Disease	310.0	919.0
Atherosclerosis	70.0	181.5
Cancer	29,830.0	71,393.5
Cirrhosis	3,355.0	6,563.5
Congenital Anomalies	6,740.0	8,297.0
Chronic Lower Respiratory Disease	2,072.5	6,634.5
Diabetes	2,392.5	5,813.0
Heart Disease	15,285.0	33,412.0
Homicide	3,120.0	4,055.5
Hypertension	410.0	1,399.5
Nephritis	1,225.0	2,730.0
Perinatal Conditions	7,920.0	9,253.5
Pneumonia and Influenza	1,282.5	2,369.5
Septicemia	1,042.5	2,150.5
SIDS	2,687.5	3,139.0
Stroke	2,907.5	6,539.5
Suicide	12,240.0	17,815.0
Unintentional Injury	25,427.5	37,297.5
Other	22,602.5	42,547.0
Total	141,715.0	263,852.0

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	70.0	253.0
Cirrhosis	0.0	11.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	74.0
Diabetes	5.0	21.0
Heart Disease	55.0	151.5
Homicide	62.5	73.0
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	15.0	25.5
Unintentional Injury	180.0	243.0
Other	95.0	212.5
Total	570.0	1,196.0

Source: Minnesota Department of Health, Center for Health Statistics

Anoka County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	120.0	183.0
Alzheimer's Disease	10.0	64.0
Atherosclerosis	15.0	25.5
Cancer	1,832.5	4,280.0
Cirrhosis	170.0	307.0
Congenital Anomalies	565.0	691.0
Chronic Lower Respiratory Disease	90.0	266.5
Diabetes	145.0	367.5
Heart Disease	830.0	1,779.5
Homicide	80.0	122.0
Hypertension	15.0	69.5
Nephritis	40.0	109.5
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	40.0	77.5
Septicemia	102.5	160.5
SIDS	312.5	365.0
Stroke	215.0	460.5
Suicide	770.0	1,111.5
Unintentional Injury	1,550.0	2,249.0
Other	1,162.5	2,246.5
Total	8,440.0	15,373.5

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	235.0	634.0
Cirrhosis	30.0	56.5
Congenital Anomalies	155.0	197.0
Chronic Lower Respiratory Disease	10.0	53.0
Diabetes	5.0	43.0
Heart Disease	145.0	325.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	11.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	11.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	67.5
Suicide	185.0	258.5
Unintentional Injury	447.5	610.5
Other	145.0	305.5
Total	1,512.5	2,724.5

Source: Minnesota Department of Health, Center for Health Statistics

Beltrami County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	320.0	670.0
Cirrhosis	15.0	31.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	38.5
Diabetes	65.0	102.0
Heart Disease	197.5	431.5
Homicide	195.0	247.5
Hypertension	0.0	0.0
Nephritis	5.0	26.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	16.5
Septicemia	5.0	21.0
SIDS	187.5	219.0
Stroke	40.0	109.5
Suicide	140.0	187.5
Unintentional Injury	307.5	412.5
Other	450.0	778.0
Total	1,990.0	3,369.5

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	331.0
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	37.5
Diabetes	0.0	5.5
Heart Disease	125.0	258.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	140.0	203.0
Unintentional Injury	275.0	396.0
Other	172.5	278.0
Total	872.5	1,556.5

Source: Minnesota Department of Health, Center for Health Statistics

Big Stone County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	150.5
Cirrhosis	40.0	61.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	31.0
Diabetes	0.0	0.0
Heart Disease	5.0	32.0
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	15.0	25.5
Other	15.0	31.0
Total	222.5	415.0

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	285.0	689.5
Cirrhosis	0.0	0.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	15.0	68.5
Diabetes	35.0	66.5
Heart Disease	180.0	365.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	10.0	31.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	250.0	292.0
Stroke	35.0	77.5
Suicide	135.0	208.5
Unintentional Injury	265.0	397.0
Other	205.0	412.0
Total	1,545.0	2,786.0

Source: Minnesota Department of Health, Center for Health Statistics

Brown County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	140.0	370.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	20.0	46.5
Heart Disease	100.0	207.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	195.0	247.5
Unintentional Injury	115.0	188.5
Other	70.0	171.5
Total	640.0	1,259.0

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	280.0	647.5
Cirrhosis	35.0	72.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	54.0
Diabetes	30.0	67.5
Heart Disease	165.0	362.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	10.0	31.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	15.0	36.5
Suicide	120.0	188.5
Unintentional Injury	277.5	403.5
Other	195.0	392.0
Total	1,365.0	2,534.5

Source: Minnesota Department of Health, Center for Health Statistics

Carver County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	5.5
Cancer	455.0	1,027.5
Cirrhosis	50.0	97.5
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	25.0	46.5
Diabetes	55.0	86.5
Heart Disease	240.0	426.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	45.0	82.0
Suicide	165.0	259.5
Unintentional Injury	322.5	485.5
Other	177.5	389.5
Total	1,657.5	3,087.5

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	270.0	659.5
Cirrhosis	35.0	45.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	95.0
Diabetes	10.0	42.0
Heart Disease	135.0	322.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	5.0	32.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	48.5
Suicide	5.0	15.5
Unintentional Injury	345.0	513.5
Other	175.0	350.0
Total	1,077.5	2,217.5

Source: Minnesota Department of Health, Center for Health Statistics

Chippewa County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	130.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	60.0	124.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	40.0	61.0
Unintentional Injury	95.0	132.0
Other	105.0	200.5
Total	417.5	747.5

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	22.0
Atherosclerosis	0.0	0.0
Cancer	280.0	656.5
Cirrhosis	25.0	35.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	20.0	67.5
Heart Disease	115.0	301.0
Homicide	25.0	35.5
Hypertension	15.0	31.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	25.0	57.5
Suicide	145.0	218.5
Unintentional Injury	145.0	203.0
Other	350.0	583.5
Total	1,285.0	2,410.5

Source: Minnesota Department of Health, Center for Health Statistics

Clay County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	62.5	73.0
Atherosclerosis	0.0	0.0
Cancer	170.0	505.5
Cirrhosis	15.0	31.0
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	15.0	74.0
Diabetes	40.0	66.5
Heart Disease	265.0	544.0
Homicide	45.0	55.5
Hypertension	25.0	56.5
Nephritis	20.0	46.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	35.0	45.5
Septicemia	0.0	11.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	90.0	116.5
Unintentional Injury	227.5	317.0
Other	185.0	403.0
Total	1,335.0	2,528.0

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	78.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	70.0	155.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	35.0	45.5
Unintentional Injury	70.0	96.5
Other	85.0	133.0
Total	357.5	623.5

Source: Minnesota Department of Health, Center for Health Statistics

Cook County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	115.0
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	10.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	20.0	41.0
Other	40.0	61.0
Total	125.0	279.0

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	130.5
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	5.0	15.5
Heart Disease	45.0	114.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	25.0	35.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	60.0	81.0
Unintentional Injury	0.0	0.0
Other	10.0	53.0
Total	225.0	507.0

Source: Minnesota Department of Health, Center for Health Statistics

Crow Wing County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	295.0	873.5
Cirrhosis	45.0	97.5
Congenital Anomalies	35.0	51.0
Chronic Lower Respiratory Disease	35.0	137.0
Diabetes	5.0	26.5
Heart Disease	140.0	391.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	10.0	36.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	43.0
Suicide	160.0	223.0
Unintentional Injury	265.0	412.5
Other	340.0	632.5
Total	1,402.5	3,024.0

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	42.0
Atherosclerosis	0.0	0.0
Cancer	2,202.5	4,889.0
Cirrhosis	220.0	415.5
Congenital Anomalies	282.5	366.5
Chronic Lower Respiratory Disease	105.0	346.0
Diabetes	105.0	325.0
Heart Disease	1,005.0	1,918.5
Homicide	202.5	260.5
Hypertension	25.0	121.5
Nephritis	35.0	77.5
Perinatal Conditions	482.5	566.5
Pneumonia and Influenza	50.0	97.5
Septicemia	82.5	125.0
SIDS	0.0	0.0
Stroke	245.0	526.5
Suicide	905.0	1,346.5
Unintentional Injury	1,375.0	2,022.5
Other	1,865.0	3,347.5
Total	9,202.5	16,794.0

Source: Minnesota Department of Health, Center for Health Statistics

Dodge County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	110.0	206.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	46.5
Diabetes	0.0	11.0
Heart Disease	25.0	73.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	140.0	182.0
Unintentional Injury	110.0	157.5
Other	35.0	94.0
Total	440.0	770.0

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	31.0
Atherosclerosis	5.0	15.5
Cancer	165.0	464.5
Cirrhosis	30.0	51.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	0.0	11.0
Heart Disease	140.0	363.0
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	26.5
Septicemia	25.0	35.5
SIDS	0.0	0.0
Stroke	15.0	46.5
Suicide	50.0	71.0
Unintentional Injury	95.0	126.5
Other	185.0	376.5
Total	750.0	1,702.5

Source: Minnesota Department of Health, Center for Health Statistics

Faribault County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	202.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	5.0	21.0
Heart Disease	20.0	89.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	45.0	55.5
Unintentional Injury	20.0	41.0
Other	40.0	66.5
Total	297.5	627.5

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	160.0	390.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	5.0	21.0
Heart Disease	60.0	139.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	55.0	65.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	100.0	142.0
Unintentional Injury	87.5	146.0
Other	65.0	139.5
Total	542.5	1,086.0

Source: Minnesota Department of Health, Center for Health Statistics

Freeborn County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	120.0	370.5
Cirrhosis	15.0	31.0
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	0.0	27.5
Diabetes	0.0	16.5
Heart Disease	95.0	276.5
Homicide	25.0	35.5
Hypertension	0.0	5.5
Nephritis	5.0	15.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	20.0	46.5
Unintentional Injury	202.5	297.0
Other	127.5	228.0
Total	735.0	1,518.0

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	200.0	617.0
Cirrhosis	20.0	41.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	20.0	63.0
Diabetes	35.0	62.0
Heart Disease	270.0	539.5
Homicide	0.0	0.0
Hypertension	15.0	57.5
Nephritis	40.0	61.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	240.0	350.5
Unintentional Injury	175.0	286.0
Other	145.0	314.5
Total	1,367.5	2,668.5

Source: Minnesota Department of Health, Center for Health Statistics

Grant County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	68.5
Cirrhosis	30.0	51.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	5.0	26.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	35.5
Suicide	75.0	106.5
Unintentional Injury	55.0	65.5
Other	70.0	96.5
Total	275.0	455.5

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	435.0	766.0
Alzheimer's Disease	60.0	162.5
Atherosclerosis	5.0	15.5
Cancer	6,507.5	15,198.5
Cirrhosis	750.0	1,541.0
Congenital Anomalies	1,510.0	1,809.5
Chronic Lower Respiratory Disease	335.0	1,171.5
Diabetes	640.0	1,500.0
Heart Disease	2,955.0	5,980.0
Homicide	1,072.5	1,366.5
Hypertension	130.0	433.5
Nephritis	215.0	556.5
Perinatal Conditions	2,125.0	2,482.0
Pneumonia and Influenza	215.0	362.5
Septicemia	285.0	641.0
SIDS	312.5	365.0
Stroke	687.5	1,460.0
Suicide	2,130.0	3,136.5
Unintentional Injury	4,692.5	7,014.5
Other	5,090.0	9,532.5
Total	30,152.5	55,495.0

Source: Minnesota Department of Health, Center for Health Statistics

Houston County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	130.0	294.5
Cirrhosis	15.0	25.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	52.0
Diabetes	0.0	0.0
Heart Disease	87.5	157.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	0.0	5.5
Unintentional Injury	65.0	102.0
Other	40.0	66.5
Total	430.0	833.5

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	55.0	210.0
Cirrhosis	30.0	51.0
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	5.0	48.5
Diabetes	0.0	5.5
Heart Disease	45.0	161.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	15.0	25.5
Suicide	40.0	61.0
Unintentional Injury	152.5	226.0
Other	50.0	114.0
Total	460.0	1,019.0

Source: Minnesota Department of Health, Center for Health Statistics

Isanti County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	235.0	500.5
Cirrhosis	55.0	92.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	26.5
Heart Disease	210.0	373.5
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	10.0	31.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	20.0	63.0
Suicide	85.0	137.5
Unintentional Injury	180.0	243.0
Other	80.0	181.5
Total	1,015.0	1,847.5

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	5.0	15.5
Cancer	275.0	814.0
Cirrhosis	30.0	83.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	30.0	116.0
Diabetes	5.0	21.0
Heart Disease	230.0	553.5
Homicide	107.5	128.5
Hypertension	40.0	61.0
Nephritis	0.0	11.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	15.0	31.0
SIDS	0.0	0.0
Stroke	55.0	103.0
Suicide	65.0	102.0
Unintentional Injury	462.5	620.0
Other	190.0	329.0
Total	1,577.5	3,077.0

Source: Minnesota Department of Health, Center for Health Statistics

Jackson County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	109.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	0.0
Heart Disease	50.0	118.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	40.0	61.0
Unintentional Injury	50.0	76.5
Other	30.0	56.5
Total	220.0	458.5

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	115.0	327.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	11.0
Heart Disease	40.0	135.0
Homicide	5.0	21.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	20.0	41.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	5.0	21.0
Unintentional Injury	60.0	86.5
Other	100.0	158.5
Total	427.5	937.5

Source: Minnesota Department of Health, Center for Health Statistics

Kandiyohi County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	150.0	470.0
Cirrhosis	15.0	25.5
Congenital Anomalies	140.0	171.5
Chronic Lower Respiratory Disease	5.0	54.0
Diabetes	25.0	56.5
Heart Disease	120.0	310.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	40.0	61.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	75.0	133.0
Septicemia	55.0	82.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	15.0	25.5
Unintentional Injury	115.0	173.0
Other	195.0	301.0
Total	955.0	1,884.0

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	20.0	95.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	35.0	45.5
Unintentional Injury	5.0	15.5
Other	0.0	11.0
Total	75.0	214.5

Source: Minnesota Department of Health, Center for Health Statistics

Koochiching County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	100.0	222.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	5.5
Heart Disease	35.0	94.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	35.0	51.0
Unintentional Injury	85.0	116.5
Other	25.0	63.0
Total	305.0	614.5

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	120.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	20.0	63.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	60.0	86.5
Unintentional Injury	15.0	25.5
Other	10.0	31.0
Total	150.0	343.0

Source: Minnesota Department of Health, Center for Health Statistics

Lake County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	0.0	27.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	25.0	62.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	0.0	5.5
Other	0.0	0.0
Total	40.0	131.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	35.0	163.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	36.5
Diabetes	0.0	0.0
Heart Disease	40.0	109.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	95.0	147.5
Unintentional Injury	0.0	11.0
Other	172.5	251.5
Total	362.5	746.0

Source: Minnesota Department of Health, Center for Health Statistics

Le Sueur County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	130.0	392.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	15.0	31.0
Heart Disease	95.0	233.5
Homicide	45.0	55.5
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	35.0	77.5
Suicide	5.0	15.5
Unintentional Injury	175.0	227.5
Other	115.0	216.0
Total	620.0	1,275.5

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	89.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	55.0	118.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	70.0	96.5
Other	0.0	11.0
Total	155.0	321.0

Source: Minnesota Department of Health, Center for Health Statistics

Lyon County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	75.0	262.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	5.0	43.0
Diabetes	35.0	45.5
Heart Disease	110.0	232.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	40.0	66.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	45.0	55.5
Unintentional Injury	100.0	147.5
Other	282.5	405.5
Total	692.5	1,291.0

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomens County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	250.0	595.5
Cirrhosis	20.0	41.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	60.0	129.5
Heart Disease	95.0	254.5
Homicide	0.0	0.0
Hypertension	15.0	36.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	31.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	130.0	193.0
Unintentional Injury	90.0	175.0
Other	220.0	416.5
Total	900.0	1,904.5

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	155.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	50.0	76.5
Diabetes	0.0	0.0
Heart Disease	5.0	32.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	15.0	25.5
Suicide	15.0	25.5
Unintentional Injury	135.0	193.0
Other	55.0	118.5
Total	485.0	797.5

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	62.5	73.0
Atherosclerosis	0.0	0.0
Cancer	35.0	136.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	27.5
Diabetes	0.0	5.5
Heart Disease	20.0	67.5
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	95.0	126.5
Other	0.0	22.0
Total	295.0	583.0

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	218.0
Cirrhosis	50.0	92.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	80.0	127.5
Diabetes	0.0	5.5
Heart Disease	65.0	213.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	31.0
SIDS	0.0	0.0
Stroke	35.0	77.5
Suicide	50.0	71.0
Unintentional Injury	115.0	146.5
Other	195.0	321.5
Total	747.5	1,382.5

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	266.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	62.5	73.0
Heart Disease	80.0	160.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	21.0
Suicide	75.0	127.5
Unintentional Injury	90.0	116.5
Other	100.0	227.0
Total	560.0	1,081.5

Source: Minnesota Department of Health, Center for Health Statistics

Mille Lacs County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	245.0	552.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	20.0	46.5
Heart Disease	85.0	229.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	45.0	87.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	15.0	31.0
Unintentional Injury	235.0	356.0
Other	107.5	199.0
Total	762.5	1,576.5

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	225.0	550.0
Cirrhosis	60.0	107.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	37.5
Diabetes	10.0	47.5
Heart Disease	120.0	252.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	140.0	203.0
Unintentional Injury	250.0	381.5
Other	145.0	273.5
Total	1,105.0	2,072.0

Source: Minnesota Department of Health, Center for Health Statistics

Mower County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	15.0	25.5
Cancer	160.0	454.5
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	47.5
Diabetes	5.0	32.0
Heart Disease	60.0	189.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	20.0	52.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	10.0	42.0
Suicide	35.0	72.0
Unintentional Injury	115.0	194.0
Other	150.0	325.5
Total	845.0	1,762.5

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	109.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	20.0	78.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	0.0	0.0
Unintentional Injury	70.0	96.5
Other	50.0	76.5
Total	252.5	481.5

Source: Minnesota Department of Health, Center for Health Statistics

Nicollet County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	105.0	306.5
Cirrhosis	15.0	25.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	25.0	73.0
Diabetes	15.0	25.5
Heart Disease	115.0	226.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	30.0	51.0
SIDS	0.0	0.0
Stroke	15.0	42.0
Suicide	135.0	187.5
Unintentional Injury	130.0	198.5
Other	155.0	299.0
Total	925.0	1,661.5

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	131.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	10.0	36.5
Heart Disease	35.0	93.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	20.0	41.0
Septicemia	10.0	31.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	5.0	15.5
Unintentional Injury	95.0	143.0
Other	77.5	158.0
Total	480.0	911.5

Source: Minnesota Department of Health, Center for Health Statistics

Norman County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	94.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	21.0
Chronic Lower Respiratory Disease	25.0	41.0
Diabetes	0.0	11.0
Heart Disease	45.0	103.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	50.0	82.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	45.0	76.5
Other	5.0	26.5
Total	205.0	455.0

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	80.0	122.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	820.0	1,795.5
Cirrhosis	145.0	256.0
Congenital Anomalies	165.0	207.0
Chronic Lower Respiratory Disease	45.0	136.0
Diabetes	30.0	62.0
Heart Disease	350.0	792.5
Homicide	122.5	154.0
Hypertension	0.0	11.0
Nephritis	25.0	56.5
Perinatal Conditions	625.0	730.0
Pneumonia and Influenza	45.0	55.5
Septicemia	10.0	36.5
SIDS	125.0	146.0
Stroke	40.0	93.0
Suicide	415.0	593.5
Unintentional Injury	710.0	1,004.5
Other	600.0	1,120.0
Total	4,352.5	7,371.5

Source: Minnesota Department of Health, Center for Health Statistics

Otter Tail County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	10.0	31.0
Atherosclerosis	5.0	32.0
Cancer	355.0	941.5
Cirrhosis	45.0	119.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	96.0
Diabetes	65.0	128.5
Heart Disease	352.5	747.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	80.0	133.0
Septicemia	0.0	11.0
SIDS	62.5	73.0
Stroke	65.0	123.0
Suicide	140.0	203.0
Unintentional Injury	350.0	534.5
Other	122.5	283.0
Total	1,735.0	3,534.5

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	130.0	272.5
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	62.5	73.0
Diabetes	5.0	15.5
Heart Disease	40.0	88.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	40.0	61.0
Unintentional Injury	150.0	213.0
Other	172.5	257.0
Total	730.0	1,158.5

Source: Minnesota Department of Health, Center for Health Statistics

Pine County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	135.0	396.0
Cirrhosis	25.0	62.0
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	5.0	48.5
Diabetes	0.0	5.5
Heart Disease	95.0	286.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	25.0	35.5
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	40.0	104.0
Suicide	105.0	136.5
Unintentional Injury	110.0	205.0
Other	197.5	324.5
Total	985.0	1,909.5

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	65.0	203.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	5.0	15.5
Heart Disease	20.0	63.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	45.0	55.5
Other	55.0	118.5
Total	272.5	581.0

Source: Minnesota Department of Health, Center for Health Statistics

Polk County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	10.0	47.5
Atherosclerosis	0.0	0.0
Cancer	215.0	534.5
Cirrhosis	0.0	5.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	60.0	129.5
Diabetes	5.0	26.5
Heart Disease	85.0	245.5
Homicide	0.0	0.0
Hypertension	20.0	41.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	45.0	82.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	35.0	45.5
Unintentional Injury	215.0	341.5
Other	145.0	251.5
Total	975.0	1,927.5

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	141.5
Cirrhosis	0.0	5.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	35.0	45.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	50.0	71.0
Unintentional Injury	0.0	0.0
Other	150.0	235.0
Total	477.5	765.0

Source: Minnesota Department of Health, Center for Health Statistics

Ramsey County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	70.0	117.5
Alzheimer's Disease	5.0	43.0
Atherosclerosis	0.0	0.0
Cancer	3,097.5	7,214.0
Cirrhosis	365.0	701.5
Congenital Anomalies	1,057.5	1,309.5
Chronic Lower Respiratory Disease	325.0	813.0
Diabetes	265.0	670.5
Heart Disease	1,730.0	3,649.5
Homicide	705.0	920.5
Hypertension	35.0	142.5
Nephritis	360.0	658.5
Perinatal Conditions	1,062.5	1,241.0
Pneumonia and Influenza	102.5	171.5
Septicemia	157.5	317.5
SIDS	250.0	292.0
Stroke	370.0	779.5
Suicide	970.0	1,427.5
Unintentional Injury	2,437.5	3,518.0
Other	2,477.5	4,629.5
Total	15,842.5	28,616.5

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	46.5
Cirrhosis	0.0	0.0
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	22.0
Heart Disease	30.0	62.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	0.0	0.0
Other	0.0	11.0
Total	115.0	233.5

Source: Minnesota Department of Health, Center for Health Statistics

Redwood County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	213.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	25.0	62.0
Heart Disease	20.0	63.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	35.0	45.5
Unintentional Injury	160.0	234.0
Other	97.5	192.5
Total	432.5	890.0

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	140.0	305.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	20.0	41.0
Heart Disease	45.0	114.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	11.0
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	5.0	21.0
Unintentional Injury	95.0	147.5
Other	20.0	85.0
Total	335.0	778.0

Source: Minnesota Department of Health, Center for Health Statistics

Rice County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	300.0	758.0
Cirrhosis	35.0	66.5
Congenital Anomalies	87.5	108.5
Chronic Lower Respiratory Disease	5.0	54.0
Diabetes	30.0	51.0
Heart Disease	95.0	228.0
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	35.0	62.0
SIDS	62.5	73.0
Stroke	0.0	22.0
Suicide	80.0	133.0
Unintentional Injury	305.0	442.5
Other	90.0	212.5
Total	1,197.5	2,331.5

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	45.0	119.5
Cirrhosis	0.0	0.0
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	0.0	22.0
Diabetes	0.0	0.0
Heart Disease	25.0	89.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	15.0	25.5
Unintentional Injury	10.0	36.5
Other	35.0	56.5
Total	180.0	431.5

Source: Minnesota Department of Health, Center for Health Statistics

Roseau County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	70.0	171.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	11.0
Heart Disease	70.0	171.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	150.0	197.5
Other	70.0	123.0
Total	375.0	732.0

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	10.0	53.0
Atherosclerosis	15.0	31.0
Cancer	1,465.0	3,550.5
Cirrhosis	355.0	682.5
Congenital Anomalies	230.0	288.0
Chronic Lower Respiratory Disease	205.0	553.0
Diabetes	140.0	325.5
Heart Disease	705.0	1,626.0
Homicide	105.0	136.5
Hypertension	0.0	16.5
Nephritis	40.0	142.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	85.0	154.0
Septicemia	20.0	41.0
SIDS	187.5	219.0
Stroke	95.0	261.0
Suicide	655.0	944.0
Unintentional Injury	1,530.0	2,177.0
Other	1,072.5	2,137.0
Total	7,107.5	13,572.5

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	5.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	790.0	1,656.5
Cirrhosis	135.0	235.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	10.0	47.5
Diabetes	35.0	83.0
Heart Disease	140.0	283.5
Homicide	45.0	55.5
Hypertension	5.0	15.5
Nephritis	10.0	31.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	15.0	31.0
Septicemia	20.0	46.5
SIDS	0.0	0.0
Stroke	60.0	113.0
Suicide	285.0	379.5
Unintentional Injury	360.0	586.5
Other	437.5	754.5
Total	2,612.5	4,647.0

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	572.5	1,198.0
Cirrhosis	30.0	51.0
Congenital Anomalies	140.0	171.5
Chronic Lower Respiratory Disease	0.0	33.0
Diabetes	0.0	16.5
Heart Disease	175.0	365.5
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	50.0	76.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	250.0	355.0
Unintentional Injury	455.0	644.5
Other	302.5	551.5
Total	2,150.0	3,702.0

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	150.0	299.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	27.5
Diabetes	0.0	5.5
Heart Disease	97.5	156.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	70.0	96.5
Unintentional Injury	5.0	15.5
Other	5.0	21.0
Total	332.5	647.5

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	16.5
Atherosclerosis	0.0	0.0
Cancer	540.0	1,302.5
Cirrhosis	110.0	194.0
Congenital Anomalies	107.5	149.5
Chronic Lower Respiratory Disease	35.0	116.0
Diabetes	100.0	174.0
Heart Disease	170.0	511.0
Homicide	15.0	31.0
Hypertension	5.0	15.5
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	20.0	41.0
Septicemia	0.0	0.0
SIDS	125.0	146.0
Stroke	50.0	109.5
Suicide	430.0	624.5
Unintentional Injury	515.0	830.5
Other	460.0	847.5
Total	2,807.5	5,260.5

Source: Minnesota Department of Health, Center for Health Statistics

Steele County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	230.0	465.0
Cirrhosis	5.0	15.5
Congenital Anomalies	117.5	144.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	0.0
Heart Disease	100.0	239.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	25.0	35.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	35.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	65.0	96.5
Unintentional Injury	262.5	357.0
Other	120.0	243.5
Total	955.0	1,669.0

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	117.5	170.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	30.0	62.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	45.0	55.5
Unintentional Injury	85.0	137.5
Other	97.5	150.5
Total	430.0	673.5

Source: Minnesota Department of Health, Center for Health Statistics

Swift County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	90.0	218.0
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	15.0	36.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	95.0	153.0
Other	5.0	37.5
Total	267.5	523.5

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	150.0	374.0
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	0.0	5.5
Heart Disease	160.0	308.0
Homicide	0.0	0.0
Hypertension	5.0	26.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	62.5	84.0
Suicide	90.0	111.0
Unintentional Injury	375.0	512.0
Other	122.5	229.0
Total	985.0	1,718.5

Source: Minnesota Department of Health, Center for Health Statistics

Traverse County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	122.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	102.5	139.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	5.0	15.5
Other	0.0	0.0
Total	192.5	282.5

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	205.0	391.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	70.0	128.5
Diabetes	0.0	0.0
Heart Disease	55.0	145.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	62.5	89.5
Suicide	85.0	116.5
Unintentional Injury	140.0	219.5
Other	85.0	137.5
Total	707.5	1,254.0

Source: Minnesota Department of Health, Center for Health Statistics

Wadena County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	90.0	304.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	5.5
Heart Disease	150.0	257.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	5.0	26.5
Suicide	5.0	15.5
Unintentional Injury	70.0	112.0
Other	90.0	169.5
Total	502.5	1,040.5

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	171.5
Cirrhosis	0.0	0.0
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	35.0	83.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	0.0	0.0
Unintentional Injury	55.0	71.0
Other	35.0	77.5
Total	275.0	540.5

Source: Minnesota Department of Health, Center for Health Statistics

Washington County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	50.0	71.0
Alzheimer's Disease	5.0	32.0
Atherosclerosis	0.0	0.0
Cancer	1,180.0	2,973.5
Cirrhosis	110.0	220.5
Congenital Anomalies	312.5	370.5
Chronic Lower Respiratory Disease	30.0	164.5
Diabetes	80.0	192.5
Heart Disease	510.0	1,074.0
Homicide	15.0	46.5
Hypertension	5.0	21.0
Nephritis	135.0	215.0
Perinatal Conditions	500.0	584.0
Pneumonia and Influenza	25.0	52.0
Septicemia	60.0	102.0
SIDS	187.5	219.0
Stroke	50.0	158.0
Suicide	570.0	806.5
Unintentional Injury	870.0	1,270.5
Other	677.5	1,454.5
Total	5,372.5	10,027.5

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	20.0	90.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	0.0	5.5
Heart Disease	30.0	105.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	22.0
Suicide	55.0	86.5
Unintentional Injury	15.0	25.5
Other	65.0	96.5
Total	190.0	452.5

Source: Minnesota Department of Health, Center for Health Statistics

Wilkin County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	87.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	35.0	45.5
Diabetes	5.0	15.5
Heart Disease	25.0	94.0
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	35.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	45.0	55.5
Unintentional Injury	107.5	149.5
Other	5.0	21.0
Total	302.5	529.5

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	5.0	15.5
Cancer	210.0	626.0
Cirrhosis	40.0	61.0
Congenital Anomalies	30.0	51.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	45.0	82.0
Heart Disease	262.5	463.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	40.0	61.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	55.0	92.0
Suicide	120.0	162.0
Unintentional Injury	210.0	315.0
Other	155.0	321.0
Total	1,182.5	2,297.0

Source: Minnesota Department of Health, Center for Health Statistics

Wright County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	910.0	1,860.0
Cirrhosis	5.0	43.0
Congenital Anomalies	150.0	181.5
Chronic Lower Respiratory Disease	75.0	208.0
Diabetes	30.0	131.5
Heart Disease	195.0	461.5
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	0.0	16.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	40.0	66.5
Septicemia	5.0	15.5
SIDS	62.5	73.0
Stroke	195.0	339.0
Suicide	290.0	437.0
Unintentional Injury	750.0	1,045.5
Other	475.0	857.0
Total	3,312.5	5,902.5

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - YPLL to Age 65 and 75, 2009

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	141.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	5.0	21.0
Heart Disease	5.0	26.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	45.0	55.5
Unintentional Injury	50.0	71.0
Other	10.0	53.0
Total	175.0	431.5

Source: Minnesota Department of Health, Center for Health Statistics

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2009

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	118	1,913	2,031	24	69	93	40	549	589
Aitkin	1	11	12	1	0	1	0	1	1
Anoka	6	91	97	0	4	4	3	30	33
Becker	3	15	18	0	0	0	1	6	7
Beltrami	3	12	15	2	3	5	1	4	5
Benton	1	12	13	0	0	0	0	6	6
Big Stone	0	3	3	1	0	1	0	0	0
Blue Earth	0	17	17	0	0	0	0	7	7
Brown	0	9	9	0	0	0	0	5	5
Carlton	2	14	16	0	1	1	1	6	7
Carver	2	28	30	0	0	0	1	8	9
Cass	2	20	22	0	0	0	0	1	1
Chippewa	1	6	7	0	0	0	0	2	2
Chisago	1	15	16	0	1	1	0	7	7
Clay	1	16	17	1	1	2	0	4	4
Clearwater	1	2	3	0	0	0	0	1	1
Cook	0	4	4	0	0	0	0	2	2
Cottonwood	0	1	1	0	0	0	0	2	2
Crow Wing	2	25	27	0	0	0	1	6	7
Dakota	6	109	115	2	4	6	1	43	44
Dodge	1	7	8	0	0	0	0	4	4
Douglas	0	14	14	0	0	0	0	4	4
Faribault	0	5	5	0	0	0	1	0	1
Fillmore	1	13	14	0	0	0	0	4	4
Freeborn	1	14	15	0	1	1	0	4	4
Goodhue	1	25	26	0	0	0	0	11	11
Grant	1	2	3	0	0	0	0	3	3
Hennepin	21	425	446	8	21	29	8	106	114
Houston	0	6	6	0	0	0	0	1	1
Hubbard	1	11	12	0	0	0	0	3	3
Isanti	1	13	14	0	0	0	0	6	6
Itasca	3	20	23	2	0	2	0	4	4
Jackson	0	5	5	0	0	0	0	3	3
Kanabec	0	3	3	0	2	2	0	2	2
Kandiyohi	1	16	17	0	0	0	0	1	1
Kittson	0	5	5	0	0	0	0	1	1
Koochiching	1	6	7	0	0	0	0	2	2
Lac Qui Parle	0	3	3	0	0	0	1	2	3
Lake	0	3	3	0	0	0	0	5	5
Lake of the Woods	0	2	2	0	0	0	0	0	0
Le Sueur	1	8	9	0	1	1	0	1	1
Lincoln	1	2	3	0	0	0	0	0	0
Lyon	0	8	8	0	0	0	1	0	1
McLeod	0	22	22	0	0	0	0	6	6
Mahnomen	0	7	7	0	0	0	0	1	1
Marshall	0	3	3	0	0	0	0	0	0
Martin	0	4	4	0	0	0	0	3	3
Meeker	1	5	6	0	0	0	0	5	5
Mille Lacs	0	19	19	0	0	0	0	2	2
Morrison	0	14	14	0	0	0	0	9	9

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2009

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	118	1,913	2,031	24	69	93	40	549	589
Mower	0	15	15	0	0	0	0	4	4
Murray	0	6	6	0	0	0	0	0	0
Nicollet	0	12	12	0	1	1	1	4	5
Nobles	0	11	11	0	0	0	0	1	1
Norman	0	7	7	0	0	0	0	0	0
Olmsted	5	47	52	1	2	3	0	17	17
Otter Tail	1	26	27	0	0	0	0	6	6
Pennington	0	9	9	0	0	0	0	2	2
Pine	1	14	15	0	0	0	1	3	4
Pipestone	1	3	4	0	0	0	0	0	0
Polk	0	21	21	0	0	0	0	2	2
Pope	0	4	4	0	0	0	0	2	2
Ramsey	9	163	172	5	16	21	2	47	49
Red Lake	0	1	1	0	0	0	0	1	1
Redwood	2	9	11	0	0	0	0	1	1
Renville	0	10	10	0	0	0	0	2	2
Rice	1	27	28	0	0	0	1	5	6
Rock	0	8	8	0	0	0	0	1	1
Roseau	2	4	6	0	0	0	0	0	0
St. Louis	6	99	105	0	1	1	2	8	10
Scott	0	36	36	0	1	1	0	11	11
Sherburne	2	24	26	0	3	3	2	27	29
Sibley	0	9	9	0	0	0	1	2	3
Stearns	2	42	44	0	2	2	0	19	19
Steele	3	14	17	0	0	0	1	2	3
Stevens	0	8	8	1	0	1	1	0	1
Swift	1	7	8	0	0	0	0	0	0
Todd	3	13	16	0	0	0	2	0	2
Traverse	0	3	3	0	0	0	0	0	0
Wabasha	1	13	14	0	0	0	1	2	3
Wadena	0	7	7	0	0	0	0	3	3
Waseca	1	5	6	0	0	0	0	0	0
Washington	4	59	63	0	3	3	3	21	24
Watowan	0	4	4	0	0	0	0	3	3
Wilkin	1	6	7	0	1	1	1	0	1
Winona	0	20	20	0	0	0	1	3	4
Wright	4	40	44	0	0	0	0	15	15
Yellow Medicine	0	7	7	0	0	0	0	1	1

Source: Minnesota Department of Health, Center for Health Statistics

ICD-10 Codes:

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2009

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	4	741	745	55	376	431	6	37	43
Aitkin	0	5	5	1	1	2	0	0	0
Anoka	0	32	32	3	18	21	0	4	4
Becker	0	0	0	2	10	12	0	0	0
Beltrami	0	2	2	1	2	3	0	0	0
Benton	0	1	1	1	3	4	0	0	0
Big Stone	0	1	1	0	0	0	0	0	0
Blue Earth	0	6	6	0	7	7	0	0	0
Brown	0	3	3	0	2	2	0	1	1
Carlton	0	5	5	0	5	5	0	0	0
Carver	0	13	13	1	9	10	0	0	0
Cass	0	5	5	2	5	7	0	1	1
Chippewa	0	2	2	0	2	2	0	0	0
Chisago	0	9	9	1	1	2	0	0	0
Clay	0	5	5	0	1	1	1	0	1
Clearwater	0	0	0	1	0	1	0	0	0
Cook	0	1	1	0	3	3	0	0	0
Cottonwood	0	0	0	0	0	0	0	0	0
Crow Wing	0	9	9	0	3	3	0	0	0
Dakota	1	48	49	3	21	24	0	2	2
Dodge	0	2	2	1	4	5	0	0	0
Douglas	0	7	7	0	4	4	0	0	0
Faribault	0	1	1	0	2	2	0	0	0
Fillmore	0	7	7	1	1	2	0	0	0
Freeborn	0	5	5	0	4	4	0	0	0
Goodhue	0	16	16	1	3	4	0	1	1
Grant	0	2	2	0	0	0	0	0	0
Hennepin	2	214	216	10	33	42	1	12	13
Houston	0	1	1	0	3	3	0	0	0
Hubbard	0	4	4	0	3	3	0	0	0
Isanti	0	7	7	1	1	2	0	0	0
Itasca	0	4	4	1	6	7	1	0	1
Jackson	0	0	0	0	3	3	0	0	0
Kanabec	0	0	0	0	0	0	0	0	0
Kandiyohi	0	6	6	1	2	3	0	0	0
Kittson	0	2	2	0	0	0	0	0	0
Koochiching	0	2	2	0	2	2	0	0	0
Lac Qui Parle	0	2	2	0	1	1	0	0	0
Lake	0	2	2	0	0	0	0	0	0
Lake of the Woods	0	2	2	0	0	0	0	0	0
Le Sueur	0	3	3	0	2	2	0	1	1
Lincoln	0	0	0	0	2	2	0	0	0
Lyon	0	1	1	0	4	4	0	0	0
McLeod	0	13	13	0	4	4	0	1	1
Mahnomen	0	0	0	0	4	4	0	0	0
Marshall	0	0	0	0	1	1	0	0	0
Martin	0	0	0	0	2	2	0	0	0
Meeker	0	3	3	1	2	3	0	0	0
Mille Lacs	0	5	5	0	7	7	0	0	0
Morrison	0	0	0	0	6	6	0	1	1

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2009

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	4	741	745	55	376	431	6	37	43
Mower	0	6	6	0	1	1	0	0	0
Murray	0	1	1	0	4	4	0	0	0
Nicollet	0	2	2	0	6	6	0	0	0
Nobles	0	3	3	0	7	7	0	0	0
Norman	0	1	1	0	0	0	0	0	0
Olmsted	0	22	22	4	12	16	0	0	0
Otter Tail	0	6	6	1	11	12	0	0	0
Pennington	0	2	2	0	2	2	0	0	0
Pine	0	4	4	1	2	3	0	0	0
Pipestone	0	2	2	1	0	1	0	0	0
Polk	0	6	6	0	5	5	0	1	1
Pope	0	0	0	0	1	1	0	0	0
Ramsey	0	60	60	2	23	25	1	3	4
Red Lake	0	0	0	0	0	0	0	0	0
Redwood	0	1	1	2	4	6	0	0	0
Renville	0	2	2	0	5	5	0	0	0
Rice	0	16	16	1	4	5	0	0	0
Rock	0	3	3	0	1	1	0	0	0
Roseau	0	1	1	1	0	1	0	0	0
St. Louis	0	12	12	0	9	9	0	1	1
Scott	0	8	8	1	9	10	0	2	2
Sherburne	0	35	35	2	12	14	1	2	3
Sibley	0	6	6	0	1	1	0	0	0
Stearns	0	8	8	1	7	8	0	1	1
Steele	1	6	7	0	4	4	0	0	0
Stevens	0	3	3	0	1	1	0	0	0
Swift	0	1	1	1	2	3	0	0	0
Todd	0	0	0	0	6	6	0	0	0
Traverse	0	2	2	0	0	0	0	0	0
Wabasha	0	3	3	1	8	9	0	0	0
Wadena	0	1	1	0	3	3	0	0	0
Waseca	0	4	4	1	0	1	0	0	0
Washington	0	27	27	1	9	10	0	1	1
Watonwan	0	1	1	0	1	1	0	0	0
Wilkin	0	1	1	0	3	3	0	0	0
Winona	0	7	7	0	2	2	0	0	0
Wright	0	17	17	1	10	11	1	2	3
Yellow Medicine	0	3	3	0	2	2	0	0	0

Source: Minnesota Department of Health Center for Health Statistics

ICD-10 Codes:

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2005-2007**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	17	0.1%	1,901	14.5%	1,220	8.8%	1,248	9.5%
Aitkin	1	1.1%	6	10.7%	9	10.2%	4	7.1%
Anoka	1	0.2%	80	13.6%	62	9.4%	46	7.8%
Becker	0	0.0%	10	11.1%	12	12.2%	9	10.0%
Beltrami	1	0.8%	8	7.1%	11	8.7%	17	15.2%
Benton	0	0.0%	18	15.7%	11	10.1%	7	6.1%
Big Stone	1	3.3%	5	17.2%	3	10.0%	3	10.3%
Blue Earth	0	0.0%	23	14.8%	11	8.3%	15	9.7%
Brown	0	0.0%	16	16.3%	8	8.7%	10	10.2%
Carlton	0	0.0%	16	13.3%	9	7.0%	9	7.5%
Carver	0	0.0%	25	18.9%	13	8.9%	6	4.5%
Cass	0	0.0%	13	11.6%	12	9.7%	9	8.0%
Chippewa	0	0.0%	6	14.3%	5	11.1%	3	7.1%
Chisago	0	0.0%	15	13.2%	6	4.6%	7	6.1%
Clay	1	0.7%	18	14.8%	15	10.4%	17	13.9%
Clearwater	0	0.0%	4	19.0%	2	5.7%	2	9.5%
Cook	0	0.0%	3	15.8%	1	4.8%	1	5.3%
Cottonwood	0	0.0%	7	15.6%	3	7.0%	3	6.7%
Crow Wing	0	0.0%	21	11.4%	22	9.4%	16	8.7%
Dakota	1	0.1%	136	17.3%	67	8.4%	64	8.2%
Dodge	0	0.0%	6	14.6%	3	5.2%	2	4.9%
Douglas	0	0.0%	15	14.2%	13	9.9%	8	7.5%
Faribault	0	0.0%	8	11.6%	4	6.2%	3	4.3%
Fillmore	0	0.0%	15	18.1%	12	15.4%	15	18.1%
Freeborn	0	0.0%	19	15.8%	13	10.7%	21	17.5%
Goodhue	0	0.0%	25	16.9%	11	6.9%	15	10.1%
Grant	0	0.0%	7	20.6%	2	6.5%	3	8.8%
Hennepin	5	0.2%	433	15.4%	196	7.4%	271	9.6%
Houston	0	0.0%	10	16.9%	7	11.3%	1	1.7%
Hubbard	1	1.3%	10	14.7%	6	7.9%	7	10.3%
Isanti	1	1.3%	14	20.3%	7	8.9%	5	7.2%
Itasca	0	0.0%	17	11.3%	15	8.5%	17	11.3%
Jackson	0	0.0%	3	9.1%	6	14.6%	4	12.1%
Kanabec	0	0.0%	9	19.1%	4	7.0%	2	4.3%
Kandiyohi	0	0.0%	16	15.2%	10	8.8%	11	10.5%
Kittson	0	0.0%	3	27.3%	2	9.1%	0	0.0%
Koochiching	0	0.0%	8	13.3%	7	9.6%	8	13.3%
Lac Qui Parle	0	0.0%	9	26.5%	7	20.0%	2	5.9%
Lake	0	0.0%	3	6.1%	4	9.3%	2	4.1%
Lake of the Woods	0	0.0%	2	13.3%	5	16.7%	3	20.0%
Le Sueur	0	0.0%	7	10.4%	5	6.1%	6	9.0%
Lincoln	0	0.0%	3	10.0%	6	19.4%	8	26.7%
Lyon	0	0.0%	13	16.9%	6	7.1%	7	9.1%
McLeod	0	0.0%	11	13.3%	11	10.7%	11	13.3%
Mahnomen	0	0.0%	3	18.8%	2	11.1%	0	0.0%
Marshall	0	0.0%	4	15.4%	5	16.7%	2	7.7%
Martin	0	0.0%	11	12.6%	3	3.6%	8	9.2%
Meeker	0	0.0%	5	6.5%	8	10.0%	7	9.1%
Mille Lacs	0	0.0%	10	14.9%	8	8.1%	3	4.5%
Morrison	0	0.0%	10	10.0%	16	15.0%	11	11.0%

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2005-2007**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	0	0.0%	26	21.0%	15	11.1%	8	6.5%
Murray	0	0.0%	7	18.9%	2	6.9%	3	8.1%
Nicollet	0	0.0%	4	5.3%	7	9.2%	8	10.7%
Nobles	0	0.0%	5	8.2%	9	13.0%	9	14.8%
Norman	0	0.0%	3	9.1%	3	7.1%	2	6.1%
Olmsted	1	0.3%	38	12.7%	17	5.7%	27	9.0%
Otter Tail	1	0.4%	21	11.5%	24	10.3%	21	11.5%
Pennington	0	0.0%	4	10.5%	2	4.4%	2	5.3%
Pine	0	0.0%	15	16.1%	12	9.1%	7	7.5%
Pipestone	0	0.0%	6	16.7%	6	11.8%	7	19.4%
Polk	0	0.0%	15	19.2%	12	11.3%	9	11.5%
Pope	0	0.0%	3	7.0%	6	11.3%	8	18.6%
Ramsey	1	0.1%	167	12.6%	123	8.8%	119	9.0%
Red Lake	0	0.0%	2	22.2%	1	5.9%	1	11.1%
Redwood	0	0.0%	11	18.3%	5	7.8%	8	13.3%
Renville	0	0.0%	16	27.1%	8	12.9%	2	3.4%
Rice	0	0.0%	14	9.9%	18	10.8%	15	10.6%
Rock	0	0.0%	9	25.0%	4	9.1%	5	13.9%
Roseau	0	0.0%	6	14.6%	5	9.8%	4	9.8%
St. Louis	0	0.0%	82	11.4%	66	9.4%	71	9.8%
Scott	0	0.0%	35	18.2%	21	9.7%	23	12.0%
Sherburne	0	0.0%	14	12.6%	10	7.1%	8	7.2%
Sibley	0	0.0%	8	17.4%	3	6.4%	6	13.0%
Stearns	0	0.0%	50	18.5%	22	6.4%	25	9.3%
Steele	0	0.0%	15	21.4%	8	7.3%	11	15.7%
Stevens	0	0.0%	5	17.9%	3	10.3%	0	0.0%
Swift	0	0.0%	8	17.0%	5	11.4%	10	21.3%
Todd	0	0.0%	12	15.6%	18	18.4%	9	11.7%
Traverse	0	0.0%	0	0.0%	1	6.7%	3	20.0%
Wabasha	0	0.0%	10	17.2%	11	13.9%	7	12.1%
Wadena	0	0.0%	8	17.8%	3	4.8%	4	8.9%
Waseca	0	0.0%	4	8.7%	6	12.5%	6	13.0%
Washington	0	0.0%	77	16.8%	33	7.3%	42	9.2%
Watonwan	0	0.0%	9	20.0%	2	5.1%	1	2.2%
Wilkin	0	0.0%	3	12.0%	2	11.1%	3	12.0%
Winona	0	0.0%	19	13.8%	21	15.1%	9	6.5%
Wright	1	0.4%	25	11.1%	18	7.9%	29	12.8%
Yellow Medicine	0	0.0%	6	12.2%	2	4.5%	5	10.2%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2005, 2006 and 2007.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Breast C50.0 - C50.6, C50.8 - C50.9
 Colon and Rectum C18 - C20, C26.0

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2005-2007**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,876	27.8%	3,173	24.2%	1,473	10.6%	0	0.0%
Aitkin	26	29.5%	16	28.6%	12	13.6%	0	0.0%
Anoka	194	29.3%	184	31.2%	43	6.5%	0	0.0%
Becker	28	28.6%	28	31.1%	11	11.2%	0	0.0%
Beltrami	43	33.9%	39	34.8%	13	10.2%	0	0.0%
Benton	29	26.6%	22	19.1%	8	7.3%	0	0.0%
Big Stone	7	23.3%	6	20.7%	2	6.7%	0	0.0%
Blue Earth	36	27.3%	43	27.7%	14	10.6%	0	0.0%
Brown	20	21.7%	19	19.4%	14	15.2%	0	0.0%
Carlton	37	28.9%	32	26.7%	12	9.4%	0	0.0%
Carver	43	29.5%	32	24.2%	14	9.6%	0	0.0%
Cass	42	33.9%	33	29.5%	11	8.9%	0	0.0%
Chippewa	13	28.9%	6	14.3%	5	11.1%	0	0.0%
Chisago	48	36.9%	29	25.4%	11	8.5%	0	0.0%
Clay	44	30.6%	24	19.7%	16	11.1%	0	0.0%
Clearwater	14	40.0%	2	9.5%	5	14.3%	0	0.0%
Cook	6	28.6%	6	31.6%	2	9.5%	0	0.0%
Cottonwood	12	27.9%	6	13.3%	3	7.0%	0	0.0%
Crow Wing	60	25.8%	57	31.0%	24	10.3%	0	0.0%
Dakota	228	28.5%	194	24.7%	66	8.2%	0	0.0%
Dodge	20	34.5%	10	24.4%	6	10.3%	0	0.0%
Douglas	36	27.5%	25	23.6%	14	10.7%	0	0.0%
Faribault	23	35.4%	18	26.1%	9	13.8%	0	0.0%
Fillmore	17	21.8%	11	13.3%	12	15.4%	0	0.0%
Freeborn	38	31.4%	23	19.2%	15	12.4%	0	0.0%
Goodhue	46	28.8%	30	20.3%	26	16.3%	0	0.0%
Grant	11	35.5%	7	20.6%	3	9.7%	0	0.0%
Hennepin	721	27.1%	655	23.3%	273	10.3%	0	0.0%
Houston	14	22.6%	16	27.1%	6	9.7%	0	0.0%
Hubbard	26	34.2%	18	26.5%	8	10.5%	0	0.0%
Isanti	21	26.6%	11	15.9%	11	13.9%	0	0.0%
Itasca	47	26.7%	41	27.2%	23	13.1%	0	0.0%
Jackson	9	22.0%	5	15.2%	4	9.8%	0	0.0%
Kanabec	23	40.4%	13	27.7%	5	8.8%	0	0.0%
Kandiyohi	40	35.4%	21	20.0%	16	14.2%	0	0.0%
Kittson	6	27.3%	2	18.2%	4	18.2%	0	0.0%
Koochiching	24	32.9%	16	26.7%	10	13.7%	0	0.0%
Lac Qui Parle	10	28.6%	3	8.8%	4	11.4%	0	0.0%
Lake	11	25.6%	12	24.5%	4	9.3%	0	0.0%
Lake of the Woods	7	23.3%	6	40.0%	2	6.7%	0	0.0%
Le Sueur	21	25.6%	16	23.9%	9	11.0%	0	0.0%
Lincoln	11	35.5%	2	6.7%	5	16.1%	0	0.0%
Lyon	23	27.4%	17	22.1%	14	16.7%	0	0.0%
McLeod	29	28.2%	17	20.5%	10	9.7%	0	0.0%
Mahnomen	10	55.6%	6	37.5%	2	11.1%	0	0.0%
Marshall	7	23.3%	5	19.2%	2	6.7%	0	0.0%
Martin	21	25.0%	18	20.7%	11	13.1%	0	0.0%
Meeker	22	27.5%	17	22.1%	7	8.8%	0	0.0%
Mille Lacs	31	31.3%	19	28.4%	14	14.1%	0	0.0%
Morrison	34	31.8%	26	26.0%	10	9.3%	0	0.0%

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2005-2007**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Mower	31	23.0%	31	25.0%	17	12.6%	0	0.0%
Murray	9	31.0%	9	24.3%	6	20.7%	0	0.0%
Nicollet	21	27.6%	15	20.0%	8	10.5%	0	0.0%
Nobles	22	31.9%	11	18.0%	5	7.2%	0	0.0%
Norman	13	31.0%	9	27.3%	9	21.4%	0	0.0%
Olmsted	65	21.7%	69	23.1%	31	10.4%	0	0.0%
Otter Tail	71	30.6%	36	19.7%	26	11.2%	0	0.0%
Pennington	13	28.9%	9	23.7%	10	22.2%	0	0.0%
Pine	45	34.1%	23	24.7%	10	7.6%	0	0.0%
Pipestone	10	19.6%	5	13.9%	3	5.9%	0	0.0%
Polk	28	26.4%	17	21.8%	6	5.7%	0	0.0%
Pope	11	20.8%	11	25.6%	6	11.3%	0	0.0%
Ramsey	382	27.4%	353	26.7%	132	9.5%	0	0.0%
Red Lake	4	23.5%	3	33.3%	4	23.5%	0	0.0%
Redwood	17	26.6%	11	18.3%	12	18.8%	0	0.0%
Renville	12	19.4%	6	10.2%	13	21.0%	0	0.0%
Rice	47	28.1%	30	21.1%	17	10.2%	0	0.0%
Rock	9	20.5%	5	13.9%	5	11.4%	0	0.0%
Roseau	11	21.6%	10	24.4%	10	19.6%	0	0.0%
St. Louis	187	26.8%	189	26.2%	79	11.3%	0	0.0%
Scott	52	24.0%	48	25.0%	21	9.7%	0	0.0%
Sherburne	38	27.1%	32	28.8%	12	8.6%	0	0.0%
Sibley	9	19.1%	7	15.2%	8	17.0%	0	0.0%
Stearns	99	28.6%	65	24.1%	43	12.4%	0	0.0%
Steele	35	31.8%	12	17.1%	11	10.0%	0	0.0%
Stevens	6	20.7%	7	25.0%	2	6.9%	0	0.0%
Swift	9	20.5%	5	10.6%	8	18.2%	0	0.0%
Todd	36	36.7%	18	23.4%	8	8.2%	0	0.0%
Traverse	4	26.7%	6	40.0%	1	6.7%	0	0.0%
Wabasha	27	34.2%	14	24.1%	4	5.1%	0	0.0%
Wadena	16	25.4%	4	8.9%	12	19.0%	0	0.0%
Waseca	9	18.8%	13	28.3%	7	14.6%	0	0.0%
Washington	116	25.8%	114	24.9%	55	12.2%	0	0.0%
Watonwan	11	28.2%	8	17.8%	5	12.8%	0	0.0%
Wilkin	4	22.2%	4	16.0%	3	16.7%	0	0.0%
Winona	35	25.2%	29	21.0%	13	9.4%	0	0.0%
Wright	58	25.6%	57	25.2%	22	9.7%	0	0.0%
Yellow Medicine	13	29.5%	14	28.6%	4	9.1%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2005, 2006 and 2007.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2005-2007**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,352	52.7%	6,796	51.8%	13,938	100%	13,118	100%
Aitkin	40	45.5%	30	53.6%	88	100%	56	100%
Anoka	363	54.8%	280	47.5%	663	100%	590	100%
Becker	47	48.0%	43	47.8%	98	100%	90	100%
Beltrami	59	46.5%	48	42.9%	127	100%	112	100%
Benton	61	56.0%	68	59.1%	109	100%	115	100%
Big Stone	17	56.7%	15	51.7%	30	100%	29	100%
Blue Earth	71	53.8%	74	47.7%	132	100%	155	100%
Brown	50	54.3%	53	54.1%	92	100%	98	100%
Carlton	70	54.7%	63	52.5%	128	100%	120	100%
Carver	76	52.1%	69	52.3%	146	100%	132	100%
Cass	59	47.6%	57	50.9%	124	100%	112	100%
Chippewa	22	48.9%	27	64.3%	45	100%	42	100%
Chisago	65	50.0%	63	55.3%	130	100%	114	100%
Clay	68	47.2%	63	51.6%	144	100%	122	100%
Clearwater	14	40.0%	13	61.9%	35	100%	21	100%
Cook	12	57.1%	9	47.4%	21	100%	19	100%
Cottonwood	25	58.1%	29	64.4%	43	100%	45	100%
Crow Wing	127	54.5%	90	48.9%	233	100%	184	100%
Dakota	439	54.8%	390	49.7%	801	100%	784	100%
Dodge	29	50.0%	23	56.1%	58	100%	41	100%
Douglas	68	51.9%	58	54.7%	131	100%	106	100%
Faribault	29	44.6%	40	58.0%	65	100%	69	100%
Fillmore	37	47.4%	42	50.6%	78	100%	83	100%
Freeborn	55	45.5%	57	47.5%	121	100%	120	100%
Goodhue	77	48.1%	78	52.7%	160	100%	148	100%
Grant	15	48.4%	17	50.0%	31	100%	34	100%
Hennepin	1,464	55.1%	1,451	51.6%	2,659	100%	2,810	100%
Houston	35	56.5%	32	54.2%	62	100%	59	100%
Hubbard	35	46.1%	33	48.5%	76	100%	68	100%
Isanti	39	49.4%	39	56.5%	79	100%	69	100%
Itasca	91	51.7%	76	50.3%	176	100%	151	100%
Jackson	22	53.7%	21	63.6%	41	100%	33	100%
Kanabec	25	43.9%	23	48.9%	57	100%	47	100%
Kandiyohi	47	41.6%	57	54.3%	113	100%	105	100%
Kittson	10	45.5%	6	54.5%	22	100%	11	100%
Koochiching	32	43.8%	28	46.7%	73	100%	60	100%
Lac Qui Parle	14	40.0%	20	58.8%	35	100%	34	100%
Lake	24	55.8%	32	65.3%	43	100%	49	100%
Lake of the Woods	16	53.3%	4	26.7%	30	100%	15	100%
Le Sueur	47	57.3%	38	56.7%	82	100%	67	100%
Lincoln	9	29.0%	17	56.7%	31	100%	30	100%
Lyon	41	48.8%	40	51.9%	84	100%	77	100%
McLeod	53	51.5%	44	53.0%	103	100%	83	100%
Mahnomen	4	22.2%	7	43.8%	18	100%	16	100%
Marshall	16	53.3%	15	57.7%	30	100%	26	100%
Martin	49	58.3%	50	57.5%	84	100%	87	100%
Meeker	43	53.8%	48	62.3%	80	100%	77	100%
Mille Lacs	46	46.5%	35	52.2%	99	100%	67	100%
Morrison	47	43.9%	53	53.0%	107	100%	100	100%

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2005-2007**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
Mower	72	53.3%	59	47.6%	135	100%	124	100%
Murray	12	41.4%	18	48.6%	29	100%	37	100%
Nicollet	40	52.6%	48	64.0%	76	100%	75	100%
Nobles	33	47.8%	36	59.0%	69	100%	61	100%
Norman	17	40.5%	19	57.6%	42	100%	33	100%
Olmsted	185	61.9%	165	55.2%	299	100%	299	100%
Otter Tail	110	47.4%	105	57.4%	232	100%	183	100%
Pennington	20	44.4%	23	60.5%	45	100%	38	100%
Pine	65	49.2%	48	51.6%	132	100%	93	100%
Pipestone	32	62.7%	18	50.0%	51	100%	36	100%
Polk	60	56.6%	37	47.4%	106	100%	78	100%
Pope	30	56.6%	21	48.8%	53	100%	43	100%
Ramsey	755	54.2%	683	51.7%	1,393	100%	1,322	100%
Red Lake	8	47.1%	3	33.3%	17	100%	9	100%
Redwood	30	46.9%	30	50.0%	64	100%	60	100%
Renville	29	46.8%	35	59.3%	62	100%	59	100%
Rice	85	50.9%	83	58.5%	167	100%	142	100%
Rock	26	59.1%	17	47.2%	44	100%	36	100%
Roseau	25	49.0%	21	51.2%	51	100%	41	100%
St. Louis	367	52.5%	379	52.6%	699	100%	721	100%
Scott	123	56.7%	86	44.8%	217	100%	192	100%
Sherburne	80	57.1%	57	51.4%	140	100%	111	100%
Sibley	27	57.4%	25	54.3%	47	100%	46	100%
Stearns	182	52.6%	130	48.1%	346	100%	270	100%
Steele	56	50.9%	32	45.7%	110	100%	70	100%
Stevens	18	62.1%	16	57.1%	29	100%	28	100%
Swift	22	50.0%	24	51.1%	44	100%	47	100%
Todd	36	36.7%	38	49.4%	98	100%	77	100%
Traverse	9	60.0%	6	40.0%	15	100%	15	100%
Wabasha	37	46.8%	27	46.6%	79	100%	58	100%
Wadena	32	50.8%	29	64.4%	63	100%	45	100%
Waseca	26	54.2%	23	50.0%	48	100%	46	100%
Washington	246	54.7%	225	49.1%	450	100%	458	100%
Watsonwan	21	53.8%	27	60.0%	39	100%	45	100%
Wilkin	9	50.0%	15	60.0%	18	100%	25	100%
Winona	70	50.4%	81	58.7%	139	100%	138	100%
Wright	128	56.4%	115	50.9%	227	100%	226	100%
Yellow Medicine	25	56.8%	24	49.0%	44	100%	49	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2005, 2006 and 2007.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death

Section D: Morbidity and Utilization

Tables

Table 1: Number of Cases of Vaccine Preventable Disease

Table 2: Number of Cases of Sexually Transmitted Diseases

Table 3: Number of Cases of Other Reportable Diseases

Table 4: Motor Vehicle Injuries by Severity

Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured

Tables 6, 7, and 8: Number of Cases of Cancer Diagnosed by Major Site & Sex

Tables 9 and 10: Traumatic Brain Injury and Spinal Cord Injuries

Tables 11 and 12: Minnesota Behavioral Risk Factors of Adults

**Morbidity Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota
By State and County, 2009**

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	6	1,134	30	39
Aitkin	0	9	0	0
Anoka	0	77	2	2
Becker	0	0	0	0
Beltrami	0	30	0	1
Benton	0	76	0	0
Big Stone	0	0	0	0
Blue Earth	0	4	0	1
Brown	0	0	0	0
Carlton	0	0	0	1
Carver	0	22	0	0
Cass	0	5	2	0
Chippewa	0	1	0	0
Chisago	0	5	0	0
Clay	0	1	0	0
Clearwater	0	1	0	0
Cook	0	0	0	0
Cottonwood	0	0	0	0
Crow Wing	0	24	1	0
Dakota	0	140	3	2
Dodge	0	0	0	0
Douglas	0	1	0	0
Faribault	0	0	0	0
Fillmore	0	2	0	1
Freeborn	0	3	0	0
Goodhue	0	6	0	0
Grant	0	0	0	0
Hennepin	4	188	9	11
Houston	0	0	0	0
Hubbard	0	1	0	0
Isanti	0	8	0	0
Itasca	1	0	0	0
Jackson	0	0	0	0
Kanabec	0	9	0	0
Kandiyohi	0	7	0	1
Kittson	0	0	0	0
Koochiching	0	3	0	0
Lac Qui Parle	0	4	0	0
Lake	0	0	0	0
Lake of the Woods	0	1	0	0
Le Sueur	0	0	1	0
Lincoln	0	0	0	0
Lyon	0	2	0	1
McLeod	0	3	1	0
Mahnomen	0	0	2	0
Marshall	0	0	0	0
Martin	0	0	0	0
Meeker	0	2	0	0
Mille Lacs	0	6	0	0
Morrison	0	22	0	0
Mower	0	2	0	1
Murray	0	1	0	0
Nicollet	0	0	0	0

Morbidity Table 1: Number of Cases of Vaccine Preventable Disease Morbidity in Minnesota By State and County, 2009

	Mumps	Pertussis	Hepatitis A	Hepatitis B
State of Minnesota	6	1,134	30	39
Nobles	0	0	0	0
Norman	0	1	0	0
Olmsted	0	20	2	0
Otter Tail	0	4	0	1
Pennington	0	0	0	0
Pine	0	3	0	0
Pipestone	0	0	0	0
Polk	0	0	0	0
Pope	0	0	0	0
Ramsey	1	16	3	12
Red Lake	0	0	0	0
Redwood	0	0	0	0
Renville	0	2	0	0
Rice	0	7	0	0
Rock	0	1	0	0
Roseau	0	0	0	0
St. Louis	0	4	0	1
Scott	0	28	0	0
Sherburne	0	73	0	0
Sibley	0	1	0	0
Stearns	0	218	0	0
Steele	0	1	0	0
Stevens	0	2	0	0
Swift	0	2	0	0
Todd	0	4	0	0
Traverse	0	0	0	0
Wabasha	0	1	0	0
Wadena	0	0	0	0
Waseca	0	0	0	0
Washington	0	39	3	2
Watonwan	0	0	0	1
Wilkin	0	0	0	0
Winona	0	2	0	0
Wright	0	39	1	0
Yellow Medicine	0	0	0	0

Source: Minnesota Department of Health - Immunization, TB & International Health Section

Note: There were no cases of diphtheria or tetanus in Minnesota in 2009. There was one case of measles, polio, and rubella in Minnesota in 2007.

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Infectious Disease Epidemiology Prevention and Control Division at 651/201-5414

Morbidity Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota By State and County, 2009

	Chlamydia ¹	Gonorrhea ¹	Primary/Secondary Syphilis	Syphilis - All Stages ²	HIV ³
State of Minnesota	14,186	2,302	71	214[^]	370
Aitkin	19	0	0	1	0
Anoka	730	79	2	6	20
Becker	43	4	0	0	1
Beltrami	144	28	0	0	2
Benton	44	7	0	0	0
Big Stone	6	0	0	0	0
Blue Earth	238	22	0	1	1
Brown	39	2	0	0	0
Carlton	60	2	0	1	2
Carver	105	8	0	1	4
Cass	52	5	0	0	2
Chippewa	17	5	0	0	1
Chisago	71	5	0	0	2
Clay	134	13	0	0	0
Clearwater	16	1	0	0	0
Cook	2	0	0	0	0
Cottonwood	16	2	0	0	0
Crow Wing	111	6	0	0	0
Dakota	883	91	5	16	30
Dodge	40	7	0	0	0
Douglas	27	3	0	1	4
Faribault	21	0	0	0	0
Fillmore	24	3	0	0	1
Freeborn	76	7	0	0	0
Goodhue	70	4	0	0	2
Grant	4	0	0	0	0
Hennepin	4,737	1,050	48	121	191
Houston	23	0	0	0	0
Hubbard	21	2	0	0	0
Isanti	30	1	0	1	3
Itasca	54	11	1	2	0
Jackson	11	0	0	0	0
Kanabec	26	3	0	0	0
Kandiyohi	114	6	0	2	2
Kittson	2	0	0	0	0
Koochiching	11	0	0	0	0
Lac Qui Parle	6	2	0	0	0
Lake	13	1	0	0	0
Lake of the Woods	3	1	0	0	0
Le Sueur	34	2	0	1	0
Lincoln	1	0	0	0	0
Lyon	48	9	1	2	1
McLeod	35	2	0	0	1
Mahnomen	17	2	0	0	0
Marshall	6	1	0	0	0
Martin	14	3	0	1	0
Meeker	22	1	0	0	0
Mille Lacs	50	2	0	0	1
Morrison	28	3	0	0	0
Mower	105	17	0	2	0
Murray	7	0	0	0	0
Nicollet	36	5	0	0	2

Morbidity Table 2: Number of Cases of Sexually Transmitted Diseases Reported in Minnesota By State and County, 2009

	Chlamydia ¹	Gonorrhea ¹	Primary/Secondary Syphilis	Syphilis - All Stages ²	HIV ³
State of Minnesota	14,186	2,302	71	214[^]	370
Nobles	62	2	0	1	0
Norman	9	0	0	0	0
Olmsted	389	88	1	4	5
Otter Tail	52	3	0	0	0
Pennington	33	0	0	0	0
Pine	41	1	0	1	1
Pipestone	4	0	0	0	0
Polk	38	2	0	0	0
Pope	9	1	0	0	0
Ramsey	2,393	472	10	26	64
Red Lake	6	0	0	0	1
Redwood	19	2	0	0	0
Renville	28	1	0	0	0
Rice	119	3	0	1	5
Rock	8	0	0	0	0
Roseau	23	4	0	0	0
St. Louis	475	47	0	2	1
Scott	183	16	0	1	3
Sherburne	97	9	0	1	4
Sibley	9	1	0	0	0
Stearns	324	51	1	6	3
Steele	62	2	0	0	0
Stevens	4	0	0	0	0
Swift	10	2	0	0	0
Todd	14	0	0	0	0
Traverse	1	0	0	0	0
Wabasha	48	2	0	0	0
Wadena	17	1	0	0	0
Waseca	34	1	0	0	0
Washington	364	48	1	7	7
Watowan	19	1	0	0	0
Wilkin	4	0	0	0	0
Winona	82	7	0	0	0
Wright	169	10	1	2	3
Yellow Medicine	10	4	0	0	0

Source: Minnesota Department of Health, STD & HIV Surveillance Systems

¹ Data exclude cases diagnosed in federal or private correctional facilities; County data missing for 581 chlamydia cases and 93 gonorrhea cases, primary/secondary syphilis case, and all stages syphilis cases.

²Neurosyphilis, primary, secondary, early latent, late latent, congenital and other syphilis

³ HIV infection includes all new cases of HIV infection (both HIV (non-AIDS) and AIDS at first diagnosis) among Minnesota residents in 2009.

[^] 3 cases are from an unknown county of residence.

HIV Surveillance Reports, MDH www.health.state.mn.us/divs/idepc/diseases/hiv/hivstatistics.html

STD Surveillance Reports, MDH: www.health.state.mn.us/divs/idepc/dtopics/stds/stdstatistics.html

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, contact the Infectious Disease Epidemiology, Prevention and Control Division at 651/201-5414.

**Morbidity Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota
By State and County, 2009**

updated May 2011

	Campylo- bacteriosis	Giardiasis	Lyme Disease ¹	Human Anaplasmosis ¹	West Nile ²	Salmo- nellosis	Shig- ellosis	Tuber- culosis
State of Minnesota	919	678	1,065	317	4	578	79	161
Aitkin	1	4	17	18	0	2	0	0
Anoka	48	20	85	14	0	28	5	10
Becker	5	4	25	1	0	0	0	0
Beltrami	5	4	22	22	0	4	1	0
Benton	9	6	11	1	0	6	0	1
Big Stone	3	0	0	0	0	1	0	0
Blue Earth	10	8	5	1	0	14	2	0
Brown	10	1	1	1	0	2	1	0
Carlton	3	4	30	6	0	2	0	0
Carver	13	9	11	1	0	15	1	1
Cass	6	2	37	24	0	0	0	0
Chippewa	2	1	0	2	0	2	0	0
Chisago	4	0	15	1	0	8	0	0
Clay	6	1	2	1	0	7	0	1
Clearwater	2	1	4	5	0	3	0	0
Cook	2	4	0	0	0	0	0	0
Cottonwood	10	0	1	0	0	0	0	0
Crow Wing	7	7	51	48	0	6	0	0
Dakota	78	33	54	8	0	40	5	1
Dodge	4	5	2	0	0	2	1	0
Douglas	9	2	1	0	0	6	0	0
Faribault	5	2	1	0	0	2	0	0
Fillmore	11	2	6	1	0	4	0	1
Freeborn	5	3	1	0	0	1	0	0
Goodhue	9	2	10	1	0	5	0	2
Grant	2	3	0	0	0	0	0	0
Hennepin	180	166	128	34	0	129	26	61
Houston	8	1	17	5	0	5	0	0
Hubbard	1	2	17	10	1	5	0	0
Isanti	4	4	17	1	0	2	0	1
Itasca	2	8	32	15	0	2	0	0
Jackson	2	1	0	0	0	1	0	0
Kanabec	1	1	7	4	0	2	0	0
Kandiyohi	8	8	5	1	0	7	2	1
Kittson	2	0	1	0	0	1	0	0
Koochiching	1	2	0	0	0	0	0	0
Lac Qui Parle	1	1	0	0	0	2	0	1
Lake	2	1	1	0	0	2	0	0
Lake of the Woods	1	0	1	0	0	0	0	0
Le Sueur	0	5	2	0	0	4	0	0
Lincoln	4	0	0	0	0	0	0	0
Lyon	6	2	0	1	0	3	0	1
McLeod	1	0	3	1	0	0	0	0
Mahnomen	0	0	2	0	0	1	0	0
Marshall	3	1	0	0	0	2	0	0
Martin	8	3	2	0	0	1	0	0
Meeker	3	8	1	1	0	0	0	0
Mille Lacs	9	2	9	4	0	4	1	0
Morrison	6	5	16	6	0	2	0	0
Mower	10	6	2	0	0	5	1	0
Murray	6	3	0	0	0	5	0	0

**Morbidity Table 3: Number of Cases of Other Selected Diseases Reported in Minnesota
By State and County, 2009**

updated May 2011

	Campylo- bacteriosis	Giardiasis	Lyme Disease ¹	Human Anaplasmosis ¹	West Nile ²	Salmo- nellosis	Shig- ellosis	Tuber- culosis
State of Minnesota	919	678	1,065	317	4	578	79	161
Nicollet	7	6	3	0	0	1	0	0
Nobles	17	6	0	0	0	1	0	3
Norman	0	0	2	1	0	1	0	0
Olmsted	28	23	16	3	0	16	2	8
Otter Tail	9	6	7	2	0	8	1	0
Pennington	1	0	2	1	0	2	0	0
Pine	3	0	35	18	0	1	2	0
Pipestone	7	0	0	0	0	0	0	0
Polk	5	0	4	2	0	2	0	1
Pope	4	3	1	0	0	2	0	0
Ramsey	70	87	77	19	0	77	17	41
Red Lake	0	0	0	0	0	1	0	0
Redwood	7	5	0	0	1	0	0	0
Renville	4	0	1	0	0	1	0	0
Rice	7	10	4	2	0	1	2	4
Rock	5	0	0	0	0	1	0	0
Roseau	6	0	0	0	0	1	0	0
St. Louis	19	8	45	4	0	14	0	1
Scott	12	7	16	0	0	8	1	2
Sherburne	5	1	36	3	0	3	2	2
Sibley	17	38	2	0	0	13	0	0
Stearns	38	45	18	7	0	9	0	4
Steele	11	7	2	0	0	3	0	0
Stevens	1	2	0	0	1	2	0	0
Swift	3	1	0	0	0	2	0	0
Todd	8	5	6	2	0	3	0	0
Traverse	1	0	0	0	1	0	0	0
Wabasha	7	4	4	0	0	5	0	0
Wadena	4	1	3	2	0	1	0	0
Waseca	2	2	2	1	0	3	0	0
Washington	34	26	73	8	0	28	5	2
Watonwan	2	0	1	0	0	2	0	0
Wilkin	1	0	0	0	0	0	0	0
Winona	15	3	24	1	0	4	1	0
Wright	16	16	26	2	0	15	0	1
Yellow Medicine	5	1	0	0	0	2	0	0

Source: Minnesota Department of Health, Acute Disease Epidemiology

¹Lyme disease and human anaplasmosis (HA) are caused by bites from blacklegged ticks (deer ticks), which are found in wooded areas of north-central, eastern, and southeastern Minnesota and western Wisconsin. Most Minnesotans with Lyme disease or HA lived or traveled to these areas. County of residence does not always indicate county of tick exposure.

²West Nile virus disease is caused by bites from *Culex tarsalis* mosquitoes. These mosquitoes can be found anywhere in Minnesota, but risk is greatest in agricultural areas of western and central Minnesota. County of residence does not always indicate county of mosquito exposure.

For more information on tick- and mosquito-borne diseases, please refer to the MDH Vector-borne Diseases webpage (<http://www.health.state.mn.us/divs/idepc/dtopics/vectorborne/index.html>) or call 651-201-5414.

For information on definitions, sources of information, prevention and other information about these or other reportable diseases, please contact the Acute Disease Epidemiology Section at 651/201-5414.

**Morbidity Table 4: Motor Vehicle Injuries by Severity in Minnesota
By State and County, 2009**

	Injury Severity					Total
	Severe	Moderate	Minor	Killed	Unhurt	
State of Minnesota	1,271	7,714	22,089	421	149,354	180,849
Aitkin	8	29	59	3	365	464
Anoka	77	416	1,166	16	6,822	8,497
Becker	13	71	98	10	650	842
Beltrami	5	70	154	1	944	1,174
Benton	12	71	166	5	1,179	1,433
Big Stone	4	12	14	2	82	114
Blue Earth	14	140	285	5	2,346	2,790
Brown	3	29	86	1	699	818
Carlton	18	49	106	4	394	571
Carver	8	92	270	11	1,735	2,116
Cass	10	47	77	5	323	462
Chippewa	3	43	56	3	269	374
Chisago	12	81	259	5	1,063	1,420
Clay	8	56	239	3	1,778	2,084
Clearwater	3	23	21	1	138	186
Cook	4	16	21	1	123	165
Cottonwood	5	14	40	0	268	327
Crow Wing	24	78	266	8	1,461	1,837
Dakota	69	434	1,519	13	9,294	11,329
Dodge	12	29	58	2	277	378
Douglas	9	58	183	4	1,198	1,452
Faribault	6	29	57	1	310	403
Fillmore	7	29	66	3	289	394
Freeborn	6	54	157	10	1,063	1,290
Goodhue	15	100	209	8	1,410	1,742
Grant	2	13	25	0	101	141
Hennepin	204	1,767	6,385	46	42,732	51,134
Houston	9	16	60	1	434	520
Hubbard	8	41	57	7	215	328
Isanti	12	57	130	2	690	891
Itasca	19	93	202	8	953	1,275
Jackson	20	30	53	6	227	336
Kanabec	3	17	52	1	239	312
Kandiyohi	14	77	223	3	1,259	1,576
Kittson	1	6	8	0	34	49
Koochiching	3	28	36	0	203	270
Lac Qui Parle	4	13	10	1	56	84
Lake	8	38	25	1	164	236
Lake of the Woods	0	4	20	0	43	67
Le Sueur	10	38	98	2	493	641
Lincoln	1	10	16	0	90	117
Lyon	8	29	102	3	583	725
McLeod	18	42	104	4	835	1,003
Mahnomen	4	10	20	2	51	87
Marshall	0	12	16	1	56	85
Martin	6	40	75	0	525	646
Meeker	7	55	80	4	410	556
Mille Lacs	8	68	125	2	464	667
Morrison	14	55	109	6	548	732
Mower	7	39	157	2	958	1,163
Murray	9	18	37	0	111	175

**Morbidity Table 4: Motor Vehicle Injuries by Severity in Minnesota
By State and County, 2009**

	Injury Severity					Total
	Severe	Moderate	Minor	Killed	Unhurt	
State of Minnesota	1,271	7,714	22,089	421	149,354	180,849
Nicollet	7	65	104	8	867	1,051
Nobles	13	65	112	7	656	853
Norman	2	13	21	1	108	145
Olmsted	38	272	533	19	4,476	5,338
Otter Tail	15	95	214	13	1,265	1,602
Pennington	3	8	53	2	249	315
Pine	7	51	102	3	452	615
Pipestone	0	17	17	2	132	168
Polk	10	54	90	3	618	775
Pope	2	20	20	2	176	220
Ramsey	68	629	2,422	20	22,798	25,937
Red Lake	1	6	8	0	32	47
Redwood	5	23	53	5	210	296
Renville	21	37	62	12	249	381
Rice	30	82	235	4	1,492	1,843
Rock	2	18	34	1	233	288
Roseau	1	14	18	1	105	139
St. Louis	58	281	850	19	6,671	7,879
Scott	28	115	398	7	2,453	3,001
Sherburne	27	130	266	10	1,724	2,157
Sibley	7	28	31	0	205	271
Stearns	30	203	724	11	5,281	6,249
Steele	17	58	141	2	954	1,172
Stevens	1	20	19	0	182	222
Swift	1	11	15	2	122	151
Todd	9	35	83	4	340	471
Traverse	5	2	8	0	25	40
Wabasha	10	54	69	4	285	422
Wadena	2	15	31	2	224	274
Waseca	14	23	54	1	384	476
Washington	31	269	820	11	5,154	6,285
Watonwan	6	26	40	1	228	301
Wilkin	1	16	29	1	220	267
Winona	12	80	165	2	1,305	1,564
Wright	31	181	355	14	2,337	2,918
Yellow Medicine	2	12	36	0	183	233

Sources: Minnesota Department of Public Safety

Severe Injury: Any injury, other than a fatal injury which prevents the injured person from walking, driving, or normally continuing activities which he/she was capable of performing just before the accident

Moderate Injury: Any injury, other than fatal or incapacitating, which is evident to a person other than the injured at the scene of the accident (e.g. bruises, abrasions, swelling, minor lacerations, limping etc.).

Minor Injury: None of the above injuries, but is a complaint of physical pain by the injured (e.g. momentary unconsciousness, nausea, hysteria, etc.)

**Morbidity Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured in Minnesota
By State and County, 2009**

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	22,202	79.7	2,529	9.1	3,117	11.2	27,848
Aitkin	65	72.2	18	20.0	7	7.8	90
Anoka	1,269	86.8	92	6.3	101	6.9	1,462
Becker	115	67.6	26	15.3	29	17.1	170
Beltrami	129	61.4	39	18.6	42	20.0	210
Benton	196	84.8	20	8.7	15	6.5	231
Big Stone	19	73.1	5	19.2	2	7.7	26
Blue Earth	314	79.1	39	9.8	44	11.1	397
Brown	78	73.6	13	12.3	15	14.2	106
Carlton	124	73.4	24	14.2	21	12.4	169
Carver	287	82.9	23	6.6	36	10.4	346
Cass	85	65.4	31	23.8	14	10.8	130
Chippewa	68	68.7	20	20.2	11	11.1	99
Chisago	271	82.9	33	10.1	23	7.0	327
Clay	226	81.6	29	10.5	22	7.9	277
Clearwater	20	45.5	6	13.6	18	40.9	44
Cook	34	81.0	7	16.7	1	2.4	42
Cottonwood	32	56.1	13	22.8	12	21.1	57
Crow Wing	261	78.9	38	11.5	32	9.7	331
Dakota	1,573	84.4	127	6.8	163	8.7	1,863
Dodge	79	84.0	7	7.4	8	8.5	94
Douglas	184	78.3	32	13.6	19	8.1	235
Faribault	73	83.9	7	8.0	7	8.0	87
Fillmore	68	75.6	13	14.4	9	10.0	90
Freeborn	152	82.6	19	10.3	13	7.1	184
Goodhue	242	79.6	39	12.8	23	7.6	304
Grant	30	75.0	8	20.0	2	5.0	40
Hennepin	5,731	79.7	403	5.6	1,057	14.7	7,191
Houston	56	72.7	12	15.6	9	11.7	77
Hubbard	76	72.4	20	19.0	9	8.6	105
Isanti	154	85.1	13	7.2	14	7.7	181
Itasca	240	79.5	27	8.9	35	11.6	302
Jackson	70	66.7	23	21.9	12	11.4	105
Kanabec	48	73.8	11	16.9	6	9.2	65
Kandiyohi	246	83.1	31	10.5	19	6.4	296
Kittson	11	78.6	1	7.1	2	14.3	14
Koochiching	39	65.0	9	15.0	12	20.0	60
Lac Qui Parle	17	63.0	8	29.6	2	7.4	27
Lake	44	67.7	11	16.9	10	15.4	65
Lake of the Woods	12	50.0	10	41.7	2	8.3	24
Le Sueur	99	75.6	18	13.7	14	10.7	131
Lincoln	19	70.4	6	22.2	2	7.4	27
Lyon	110	80.3	20	14.6	7	5.1	137
McLeod	120	78.9	20	13.2	12	7.9	152
Mahnomen	15	41.7	11	30.6	10	27.8	36
Marshall	16	64.0	7	28.0	2	8.0	25
Martin	78	68.4	21	18.4	15	13.2	114
Meeker	102	79.7	18	14.1	8	6.3	128
Mille Lacs	127	71.8	28	15.8	22	12.4	177
Morrison	136	77.3	23	13.1	17	9.7	176
Mower	146	79.8	19	10.4	18	9.8	183

**Morbidity Table 5: Seatbelt Use by Vehicle Occupant Killed or Injured in Minnesota
By State and County, 2009**

	Seatbelt Use						Total Killed or Injured
	Used		Not Used		Unknown		
	Number	Percent	Number	Percent	Number	Percent	
State of Minnesota	22,202	79.7	2,529	9.1	3,117	11.2	27,848
Murray	34	53.1	17	26.6	13	20.3	64
Nicollet	135	79.4	18	10.6	17	10.0	170
Nobles	150	82.4	29	15.9	3	1.6	182
Norman	19	54.3	10	28.6	6	17.1	35
Olmsted	651	84.3	68	8.8	53	6.9	772
Otter Tail	236	76.6	48	15.6	24	7.8	308
Pennington	47	77.0	11	18.0	3	4.9	61
Pine	97	66.4	31	21.2	18	12.3	146
Pipestone	20	62.5	10	31.3	2	6.3	32
Polk	93	65.0	30	21.0	20	14.0	143
Pope	31	77.5	7	17.5	2	5.0	40
Ramsey	2,118	79.7	154	5.8	386	14.5	2,658
Red Lake	5	33.3	5	33.3	5	33.3	15
Redwood	49	64.5	17	22.4	10	13.2	76
Renville	79	62.7	34	27.0	13	10.3	126
Rice	233	75.9	42	13.7	32	10.4	307
Rock	43	86.0	3	6.0	4	8.0	50
Roseau	18	62.1	9	31.0	2	6.9	29
St. Louis	874	81.5	108	10.1	90	8.4	1,072
Scott	403	81.6	37	7.5	54	10.9	494
Sherburne	337	86.6	26	6.7	26	6.7	389
Sibley	45	75.0	11	18.3	4	6.7	60
Stearns	736	85.7	66	7.7	57	6.6	859
Steele	158	83.6	18	9.5	13	6.9	189
Stevens	26	72.2	3	8.3	7	19.4	36
Swift	19	70.4	6	22.2	2	7.4	27
Todd	78	70.9	17	15.5	15	13.6	110
Traverse	7	63.6	3	27.3	1	9.1	11
Wabasha	95	77.9	11	9.0	16	13.1	122
Wadena	31	66.0	7	14.9	9	19.1	47
Waseca	63	76.8	15	18.3	4	4.9	82
Washington	876	85.7	71	6.9	75	7.3	1,022
Watonwan	52	81.3	4	6.3	8	12.5	64
Wilkin	22	56.4	9	23.1	8	20.5	39
Winona	157	68.0	23	10.0	51	22.1	231
Wright	422	80.7	48	9.2	53	10.1	523
Yellow Medicine	37	77.1	5	10.4	6	12.5	48

Sources: Minnesota Department of Public Safety

Note: Occupants of vehicles normally equipped with seatbelts includes passenger vehicles, trucks, taxis, etc. This definition excludes motorcycles, buses, snowmobiles, etc.

Morbidity Table 6: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2005-2007**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	97	0.2%	10,752	30.6%	3,676	9.3%	3,623	10.3%
Aitkin	1	0.4%	59	34.5%	20	8.2%	18	10.5%
Anoka	2	0.1%	555	29.7%	206	9.5%	188	10.1%
Becker	0	0.0%	66	28.9%	26	7.6%	19	8.3%
Beltrami	1	0.3%	79	29.3%	31	9.5%	37	13.7%
Benton	0	0.0%	65	25.6%	21	7.7%	26	10.2%
Big Stone	0	0.0%	16	31.4%	11	17.2%	7	13.7%
Blue Earth	1	0.3%	109	31.2%	36	9.0%	45	12.9%
Brown	0	0.0%	65	29.1%	27	10.8%	26	11.7%
Carlton	0	0.0%	61	25.7%	23	7.1%	22	9.3%
Carver	0	0.0%	138	33.0%	41	7.9%	30	7.2%
Cass	0	0.0%	75	27.3%	27	7.5%	41	14.9%
Chippewa	0	0.0%	33	27.0%	24	16.3%	25	20.5%
Chisago	0	0.0%	102	32.9%	34	8.9%	37	11.9%
Clay	1	0.3%	93	27.0%	33	9.0%	38	11.0%
Clearwater	0	0.0%	26	38.2%	7	9.0%	12	17.6%
Cook	0	0.0%	16	31.4%	7	11.9%	3	5.9%
Cottonwood	0	0.0%	29	31.5%	14	12.1%	11	12.0%
Crow Wing	3	0.5%	148	29.9%	48	7.3%	52	10.5%
Dakota	8	0.3%	775	33.1%	208	8.8%	224	9.6%
Dodge	0	0.0%	45	33.1%	10	6.0%	12	8.8%
Douglas	2	0.5%	92	32.2%	44	12.0%	26	9.1%
Faribault	0	0.0%	49	30.1%	14	8.4%	33	20.2%
Fillmore	0	0.0%	58	32.0%	33	14.8%	24	13.3%
Freeborn	1	0.3%	71	28.4%	32	10.0%	29	11.6%
Goodhue	0	0.0%	117	34.5%	41	9.7%	38	11.2%
Grant	0	0.0%	20	32.3%	12	15.8%	3	4.8%
Hennepin	22	0.3%	2,407	31.3%	682	8.9%	724	9.4%
Houston	0	0.0%	51	34.2%	17	8.9%	12	8.1%
Hubbard	0	0.0%	53	29.4%	15	7.2%	19	10.6%
Isanti	1	0.4%	67	34.4%	16	6.8%	14	7.2%
Itasca	0	0.0%	112	30.2%	48	10.8%	47	12.7%
Jackson	0	0.0%	23	28.0%	11	10.3%	10	12.2%
Kanabec	0	0.0%	35	29.2%	22	13.0%	9	7.5%
Kandiyohi	1	0.3%	82	25.3%	38	11.4%	43	13.3%
Kittson	0	0.0%	21	48.8%	7	15.6%	2	4.7%
Koochiching	0	0.0%	31	27.0%	13	8.7%	14	12.2%
Lac Qui Parle	0	0.0%	23	30.7%	10	10.5%	10	13.3%
Lake	0	0.0%	28	26.2%	7	5.9%	15	14.0%
Lake of the Woods	0	0.0%	12	33.3%	7	9.7%	6	16.7%
Le Sueur	0	0.0%	65	33.5%	23	9.8%	27	13.9%
Lincoln	0	0.0%	15	31.9%	3	4.4%	6	12.8%
Lyon	0	0.0%	44	25.0%	18	9.0%	20	11.4%
McLeod	0	0.0%	73	29.3%	30	9.7%	24	9.6%
Mahnomen	0	0.0%	10	35.7%	10	17.5%	2	7.1%
Marshall	0	0.0%	23	31.5%	11	11.3%	13	17.8%
Martin	0	0.0%	66	30.8%	19	9.1%	29	13.6%
Meeker	0	0.0%	39	25.8%	26	12.7%	19	12.6%
Mille Lacs	0	0.0%	55	26.6%	20	7.8%	18	8.7%
Morrison	1	0.3%	68	28.8%	29	9.3%	18	7.6%
Mower	0	0.0%	82	29.9%	36	9.7%	33	12.0%

Morbidity Table 6: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2005-2007**

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	97	0.2%	10,752	30.6%	3,676	9.3%	3,623	10.3%
Murray	1	1.0%	27	27.0%	13	13.5%	19	19.0%
Nicollet	0	0.0%	42	23.7%	30	13.4%	18	10.2%
Nobles	0	0.0%	45	27.4%	26	13.3%	26	15.9%
Norman	1	1.2%	18	30.5%	11	13.1%	6	10.2%
Olmsted	4	0.4%	288	30.5%	91	8.0%	71	7.5%
Otter Tail	2	0.3%	139	29.4%	79	12.2%	62	13.1%
Pennington	0	0.0%	23	26.4%	14	11.2%	12	13.8%
Pine	0	0.0%	63	29.2%	31	11.0%	21	9.7%
Pipestone	0	0.0%	42	39.3%	16	14.4%	14	13.1%
Polk	1	0.4%	83	31.6%	24	9.1%	47	17.9%
Pope	0	0.0%	19	22.6%	12	10.3%	13	15.5%
Ramsey	10	0.3%	1,070	30.9%	305	8.3%	332	9.6%
Red Lake	0	0.0%	9	32.1%	6	12.8%	2	7.1%
Redwood	0	0.0%	41	32.8%	22	15.2%	6	4.8%
Renville	2	1.1%	36	24.3%	15	8.4%	20	13.5%
Rice	2	0.5%	109	31.1%	38	8.7%	39	11.1%
Rock	0	0.0%	20	27.8%	7	8.2%	8	11.1%
Roseau	0	0.0%	28	28.0%	14	9.6%	7	7.0%
St Louis	7	0.4%	463	29.0%	176	9.6%	165	10.3%
Scott	3	0.5%	202	32.2%	65	10.6%	68	10.8%
Sherburne	2	0.4%	137	34.1%	35	7.4%	29	7.2%
Sibley	0	0.0%	27	28.4%	13	9.6%	9	9.5%
Stearns	7	0.7%	274	29.0%	103	9.6%	88	9.3%
Steele	0	0.0%	73	34.1%	22	7.6%	42	19.6%
Stevens	0	0.0%	29	35.8%	6	7.9%	9	11.1%
Swift	0	0.0%	38	29.5%	14	13.9%	21	16.3%
Todd	2	0.8%	46	26.7%	35	13.9%	23	13.4%
Traverse	1	2.2%	9	30.0%	3	6.5%	4	13.3%
Wabasha	0	0.0%	51	30.5%	29	14.6%	24	14.4%
Wadena	0	0.0%	39	28.7%	13	8.2%	13	9.6%
Waseca	1	0.6%	36	28.8%	15	9.0%	16	12.8%
Washington	5	0.3%	480	33.8%	137	9.4%	123	8.6%
Watonwan	0	0.0%	28	32.2%	12	11.1%	6	6.9%
Wilkin	0	0.0%	16	33.3%	6	10.3%	6	12.5%
Winona	0	0.0%	124	35.3%	45	12.5%	35	10.0%
Wright	1	0.1%	159	26.7%	54	8.0%	57	9.6%
Yellow Medicine	1	0.9%	24	26.7%	8	7.1%	12	13.3%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2005, 2006 and 2007.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Breast C50.0 - C50.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Colon & Rectum C18.0 - C18.9, C19.9, C20.9, C26.0, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity Table 7: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2005-2007**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,620	11.8%	4,131	11.8%	13,263	33.7%	0	0.0%
Aitkin	39	16.0%	28	16.4%	81	33.2%	0	0.0%
Anoka	275	12.7%	248	13.3%	698	32.3%	0	0.0%
Becker	38	11.2%	28	12.3%	116	34.1%	0	0.0%
Beltrami	47	14.4%	37	13.7%	118	36.1%	0	0.0%
Benton	32	11.8%	30	11.8%	87	32.1%	0	0.0%
Big Stone	6	9.4%	6	11.8%	25	39.1%	0	0.0%
Blue Earth	46	11.6%	46	13.2%	136	34.2%	0	0.0%
Brown	22	8.8%	23	10.3%	78	31.3%	0	0.0%
Carlton	41	12.7%	31	13.1%	121	37.6%	0	0.0%
Carver	56	10.7%	43	10.3%	206	39.5%	0	0.0%
Cass	44	12.2%	42	15.3%	135	37.4%	0	0.0%
Chippewa	13	8.8%	11	9.0%	53	36.1%	0	0.0%
Chisago	57	14.8%	45	14.5%	141	36.7%	0	0.0%
Clay	43	11.8%	35	10.2%	111	30.4%	0	0.0%
Clearwater	13	16.7%	6	8.8%	23	29.5%	0	0.0%
Cook	3	5.1%	6	11.8%	22	37.3%	0	0.0%
Cottonwood	17	14.7%	11	12.0%	32	27.6%	0	0.0%
Crow Wing	73	11.1%	71	14.3%	248	37.6%	0	0.0%
Dakota	277	11.7%	260	11.1%	764	32.2%	0	0.0%
Dodge	31	18.7%	12	8.8%	49	29.5%	0	0.0%
Douglas	38	10.4%	37	12.9%	116	31.6%	0	0.0%
Faribault	20	12.0%	20	12.3%	64	38.3%	0	0.0%
Fillmore	20	9.0%	16	8.8%	72	32.3%	0	0.0%
Freeborn	40	12.5%	28	11.2%	103	32.2%	0	0.0%
Goodhue	49	11.6%	28	8.3%	148	35.1%	0	0.0%
Grant	8	10.5%	9	14.5%	26	34.2%	0	0.0%
Hennepin	878	11.5%	930	12.1%	2,436	32.0%	0	0.0%
Houston	18	9.4%	19	12.8%	77	40.3%	0	0.0%
Hubbard	29	14.0%	23	12.8%	74	35.7%	0	0.0%
Isanti	31	13.1%	20	10.3%	81	34.3%	0	0.0%
Itasca	57	12.9%	37	10.0%	150	33.9%	0	0.0%
Jackson	13	12.1%	7	8.5%	27	25.2%	0	0.0%
Kanabec	22	13.0%	15	12.5%	54	32.0%	0	0.0%
Kandiyohi	35	10.5%	32	9.9%	113	33.8%	0	0.0%
Kittson	10	22.2%	5	11.6%	17	37.8%	0	0.0%
Koochiching	27	18.0%	15	13.0%	47	31.3%	0	0.0%
Lac Qui Parle	14	14.7%	4	5.3%	47	49.5%	0	0.0%
Lake	14	11.8%	12	11.2%	56	47.1%	0	0.0%
Lake of the Woods	3	4.2%	5	13.9%	28	38.9%	0	0.0%
Le Sueur	23	9.8%	20	10.3%	79	33.6%	0	0.0%
Lincoln	9	13.2%	5	10.6%	35	51.5%	0	0.0%
Lyon	24	11.9%	23	13.1%	81	40.3%	0	0.0%
McLeod	30	9.7%	26	10.4%	137	44.2%	0	0.0%
Mahnomen	8	14.0%	5	17.9%	19	33.3%	0	0.0%
Marshall	10	10.3%	6	8.2%	40	41.2%	0	0.0%
Martin	28	13.4%	21	9.8%	72	34.4%	0	0.0%
Meeker	21	10.3%	17	11.3%	77	37.7%	0	0.0%
Mille Lacs	43	16.7%	30	14.5%	87	33.9%	0	0.0%
Morrison	29	9.3%	33	14.0%	103	32.9%	0	0.0%
Mower	44	11.8%	27	9.9%	131	35.2%	0	0.0%

Morbidity Table 7: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2005-2007**

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	4,620	11.8%	4,131	11.8%	13,263	33.7%	0	0.0%
Murray	11	11.5%	11	11.0%	32	33.3%	0	0.0%
Nicollet	33	14.7%	18	10.2%	61	27.2%	0	0.0%
Nobles	21	10.8%	16	9.8%	61	31.3%	0	0.0%
Norman	12	14.3%	9	15.3%	24	28.6%	0	0.0%
Olmsted	103	9.0%	93	9.8%	353	30.9%	0	0.0%
Otter Tail	76	11.7%	65	13.7%	251	38.8%	0	0.0%
Pennington	21	16.8%	13	14.9%	50	40.0%	0	0.0%
Pine	40	14.2%	31	14.4%	88	31.3%	0	0.0%
Pipestone	13	11.7%	5	4.7%	31	27.9%	0	0.0%
Polk	32	12.2%	23	8.7%	87	33.1%	0	0.0%
Pope	14	12.0%	12	14.3%	36	30.8%	0	0.0%
Ramsey	424	11.5%	422	12.2%	1,292	35.1%	0	0.0%
Red Lake	3	6.4%	5	17.9%	18	38.3%	0	0.0%
Redwood	15	10.3%	14	11.2%	48	33.1%	0	0.0%
Renville	23	12.9%	8	5.4%	79	44.4%	0	0.0%
Rice	63	14.4%	37	10.5%	131	30.0%	0	0.0%
Rock	9	10.6%	5	6.9%	26	30.6%	0	0.0%
Roseau	12	8.2%	10	10.0%	53	36.3%	0	0.0%
St. Louis	245	13.4%	213	13.3%	583	31.8%	0	0.0%
Scott	63	10.3%	72	11.5%	166	27.2%	0	0.0%
Sherburne	55	11.6%	44	10.9%	168	35.4%	0	0.0%
Sibley	16	11.9%	10	10.5%	53	39.3%	0	0.0%
Stearns	129	12.0%	118	12.5%	374	34.8%	0	0.0%
Steele	28	9.7%	15	7.0%	118	41.0%	0	0.0%
Stevens	9	11.8%	8	9.9%	25	32.9%	0	0.0%
Swift	10	9.9%	13	10.1%	34	33.7%	0	0.0%
Todd	30	11.9%	23	13.4%	101	40.1%	0	0.0%
Traverse	6	13.0%	4	13.3%	12	26.1%	0	0.0%
Wabasha	35	17.7%	21	12.6%	47	23.7%	0	0.0%
Wadena	17	10.7%	12	8.8%	47	29.6%	0	0.0%
Waseca	18	10.8%	18	14.4%	46	27.7%	0	0.0%
Washington	137	9.4%	138	9.7%	494	34.0%	0	0.0%
Watonwan	13	12.0%	11	12.6%	39	36.1%	0	0.0%
Wilkin	5	8.6%	10	20.8%	20	34.5%	0	0.0%
Winona	51	14.2%	44	12.5%	115	31.9%	0	0.0%
Wright	81	12.1%	80	13.4%	259	38.5%	0	0.0%
Yellow Medicine	14	12.4%	12	13.3%	51	45.1%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2005, 2006 and 2007.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Lung & Bronchus C34.0 - C34.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Prostate C61.9, excluding lymphomas (ICD-O-3 cell types M959_ - M998_)

Morbidity Table 8: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2005-2007**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	17,661	44.9%	16,582	47.3%	39,317	100%	35,088	100%
Aitkin	103	42.2%	66	38.6%	244	100%	171	100%
Anoka	977	45.3%	876	46.9%	2,158	100%	1,867	100%
Becker	160	47.1%	115	50.4%	340	100%	228	100%
Beltrami	130	39.8%	117	43.3%	327	100%	270	100%
Benton	131	48.3%	133	52.4%	271	100%	254	100%
Big Stone	22	34.4%	22	43.1%	64	100%	51	100%
Blue Earth	179	45.0%	149	42.7%	398	100%	349	100%
Brown	122	49.0%	109	48.9%	249	100%	223	100%
Carlton	137	42.5%	123	51.9%	322	100%	237	100%
Carver	219	42.0%	207	49.5%	522	100%	418	100%
Cass	155	42.9%	117	42.5%	361	100%	275	100%
Chippewa	57	38.8%	53	43.4%	147	100%	122	100%
Chisago	152	39.6%	126	40.6%	384	100%	310	100%
Clay	177	48.5%	178	51.7%	365	100%	344	100%
Clearwater	35	44.9%	24	35.3%	78	100%	68	100%
Cook	27	45.8%	26	51.0%	59	100%	51	100%
Cottonwood	53	45.7%	41	44.6%	116	100%	92	100%
Crow Wing	287	43.6%	224	45.3%	659	100%	495	100%
Dakota	1,113	47.0%	1,085	46.3%	2,370	100%	2,344	100%
Dodge	76	45.8%	67	49.3%	166	100%	136	100%
Douglas	167	45.5%	131	45.8%	367	100%	286	100%
Faribault	69	41.3%	61	37.4%	167	100%	163	100%
Fillmore	98	43.9%	83	45.9%	223	100%	181	100%
Freeborn	144	45.0%	122	48.8%	320	100%	250	100%
Goodhue	184	43.6%	156	46.0%	422	100%	339	100%
Grant	30	39.5%	30	48.4%	76	100%	62	100%
Hennepin	3,606	47.3%	3,621	47.1%	7,624	100%	7,682	100%
Houston	79	41.4%	67	45.0%	191	100%	149	100%
Hubbard	89	43.0%	85	47.2%	207	100%	180	100%
Isanti	107	45.3%	94	48.2%	236	100%	195	100%
Itasca	188	42.4%	175	47.2%	443	100%	371	100%
Jackson	56	52.3%	42	51.2%	107	100%	82	100%
Kanabec	71	42.0%	61	50.8%	169	100%	120	100%
Kandiyohi	147	44.0%	167	51.5%	334	100%	324	100%
Kittson	11	24.4%	15	34.9%	45	100%	43	100%
Koochiching	63	42.0%	55	47.8%	150	100%	115	100%
Lac Qui Parle	24	25.3%	38	50.7%	95	100%	75	100%
Lake	42	35.3%	52	48.6%	119	100%	107	100%
Lake of the Woods	34	47.2%	13	36.1%	72	100%	36	100%
Le Sueur	110	46.8%	82	42.3%	235	100%	194	100%
Lincoln	21	30.9%	21	44.7%	68	100%	47	100%
Lyon	78	38.8%	89	50.6%	201	100%	176	100%
McLeod	113	36.5%	126	50.6%	310	100%	249	100%
Mahnomen	20	35.1%	11	39.3%	57	100%	28	100%
Marshall	36	37.1%	31	42.5%	97	100%	73	100%
Martin	90	43.1%	98	45.8%	209	100%	214	100%
Meeker	80	39.2%	76	50.3%	204	100%	151	100%
Mille Lacs	107	41.6%	104	50.2%	257	100%	207	100%
Morrison	151	48.2%	117	49.6%	313	100%	236	100%
Mower	161	43.3%	132	48.2%	372	100%	274	100%

Morbidity Table 8: Number of Cases of Cancer Diagnosed by Major Site and Sex in Minnesota by State and County, 2005-2007**

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	17,661	44.9%	16,582	47.3%	39,317	100%	35,088	100%
Murray	39	40.6%	43	43.0%	96	100%	100	100%
Nicollet	100	44.6%	99	55.9%	224	100%	177	100%
Nobles	87	44.6%	77	47.0%	195	100%	164	100%
Norman	36	42.9%	26	44.1%	84	100%	59	100%
Olmsted	591	51.8%	493	52.2%	1,142	100%	945	100%
Otter Tail	239	36.9%	207	43.8%	647	100%	473	100%
Pennington	40	32.0%	39	44.8%	125	100%	87	100%
Pine	122	43.4%	101	46.8%	281	100%	216	100%
Pipestone	51	45.9%	46	43.0%	111	100%	107	100%
Polk	119	45.2%	110	41.8%	263	100%	263	100%
Pope	55	47.0%	40	47.6%	117	100%	84	100%
Ramsey	1,653	44.9%	1,634	47.3%	3,684	100%	3,458	100%
Red Lake	20	42.6%	12	42.9%	47	100%	28	100%
Redwood	60	41.4%	64	51.2%	145	100%	125	100%
Renville	59	33.1%	84	56.8%	178	100%	148	100%
Rice	203	46.5%	166	47.3%	437	100%	351	100%
Rock	43	50.6%	39	54.2%	85	100%	72	100%
Roseau	67	45.9%	55	55.0%	146	100%	100	100%
St. Louis	821	44.8%	758	47.4%	1,832	100%	1,599	100%
Scott	314	51.4%	286	45.5%	611	100%	628	100%
Sherburne	215	45.3%	192	47.8%	475	100%	402	100%
Sibley	53	39.3%	49	51.6%	135	100%	95	100%
Stearns	462	43.0%	466	49.3%	1,075	100%	946	100%
Steele	120	41.7%	84	39.3%	288	100%	214	100%
Stevens	36	47.4%	35	43.2%	76	100%	81	100%
Swift	43	42.6%	57	44.2%	101	100%	129	100%
Todd	84	33.3%	80	46.5%	252	100%	172	100%
Traverse	24	52.2%	13	43.3%	46	100%	30	100%
Wabasha	87	43.9%	71	42.5%	198	100%	167	100%
Wadena	82	51.6%	72	52.9%	159	100%	136	100%
Waseca	86	51.8%	55	44.0%	166	100%	125	100%
Washington	682	46.9%	681	47.9%	1,455	100%	1,422	100%
Watonwan	44	40.7%	42	48.3%	108	100%	87	100%
Wilkin	27	46.6%	16	33.3%	58	100%	48	100%
Winona	149	41.4%	148	42.2%	360	100%	351	100%
Wright	277	41.2%	300	50.3%	672	100%	596	100%
Yellow Medicine	39	34.5%	42	46.7%	113	100%	90	100%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of cases diagnosed for the years 2005, 2006 and 2007.

*Percent = # specific cancer cases diagnosed in males for county (or state) / total cancer cases diagnosed in males for county (or state)

^Percent = # specific cancer cases diagnosed in females for county (or state) / total cancer cases diagnosed in females for county (or state)

ICD-O-3 Site Codes:

Other Cell types M959_ - M998_, and all other Site Codes

Total Includes all microscopically-confirmed or Death-Certificate-Only cancers

(Counts include invasive cancers only, with the exception of cancers of urinary bladder, which include in situ cancers.)

**Morbidity Table 9: Minnesota Nonfatal Hospitalized Traumatic Brain Injury
Number and Rate per 100,000 population by State and County, 2007-2009**

	2007		2008		2009	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,858	91.8	5,109	95.9	5,138	95.9
Aitkin	15	*	24	133.5	22	119.3
Anoka	248	82.5	245	80.0	264	88.5
Becker	9	*	18	*	6	*
Beltrami	40	87.9	42	92.5	28	64.5
Benton	33	88.5	50	128.9	86	223.4
Big Stone	1	*	7	*	4	*
Blue Earth	76	120.4	49	77.8	57	96.5
Brown	22	81.4	29	104.0	22	76.2
Carlton	35	97.0	52	149.6	50	135.1
Carver	56	68.6	59	73.7	73	90.2
Cass	25	79.1	22	80.0	30	92.0
Chippewa	4	*	13	*	15	*
Chisago	69	142.6	60	122.4	60	122.8
Clay	4	*	4	*	1	*
Clearwater	5	*	1	*	3	*
Cook	5	*	7	*	9	*
Cottonwood	4	*	7	*	5	*
Crow Wing	59	91.6	73	107.7	82	120.7
Dakota	347	97.4	316	87.8	337	95.1
Dodge	27	140.0	32	159.6	35	176.0
Douglas	33	78.1	35	90.4	33	73.0
Faribault	19	*	13	*	20	131.9
Fillmore	35	161.4	29	124.7	35	146.1
Freeborn	33	97.5	43	127.8	44	119.2
Goodhue	68	136.1	60	123.4	56	116.2
Grant	2	*	3	*	6	*
Hennepin	1075	95.9	1127	99.3	1214	107.4
Houston	14	*	5	*	3	*
Hubbard	7	*	9	*	2	*
Isanti	41	108.2	44	117.9	39	94.9
Itasca	46	99.6	51	106.1	49	98.8
Jackson	5	*	10	*	3	*
Kanabec	26	155.6	21	119.0	15	*
Kandiyohi	18	*	31	73.9	37	79.8
Kittson	0	*	1	*	0	*
Koochiching	14	*	10	*	30	211.2
Lac Qui Parle	7	*	3	*	10	*
Lake	9	*	16	*	11	*
Lake of the Woods	1	*	3	*	5	*
Le Sueur	32	110.6	46	159.6	33	120.2
Lincoln	3	*	1	*	0	*
Lyon	8	*	16	*	14	*
McLeod	26	68.9	34	89.5	35	87.8
Mahnomen	3	*	2	*	3	*
Marshall	2	*	1	*	3	*
Martin	20	85.4	23	118.3	31	149.2
Meeker	21	89.4	23	92.8	23	99.1
Mille Lacs	30	117.2	61	240.9	49	175.8
Morrison	33	97.3	29	78.4	30	84.8
Mower	56	122.0	68	160.4	38	82.6

**Morbidity Table 9: Minnesota Nonfatal Hospitalized Traumatic Brain Injury
Number and Rate per 100,000 population by State and County, 2007-2009**

	2007		2008		2009	
	Number	Rate	Number	Rate	Number	Rate
State of Minnesota	4,858	91.8	5,109	95.9	5,138	95.9
Murray	3	*	7	*	2	*
Nicollet	20	61.5	22	65.9	23	66.3
Nobles	7	*	8	*	4	*
Norman	7	*	0	*	0	*
Olmsted	194	141.4	163	115.4	157	112.8
Otter Tail	31	45.2	34	43.5	27	43.8
Pennington	4	*	4	*	6	*
Pine	32	110.8	36	124.4	39	135.1
Pipestone	5	*	2	*	5	*
Polk	8	*	12	*	7	*
Pope	21	173.9	12	*	11	*
Ramsey	583	112.7	654	126.9	616	118.2
Red Lake	0	*	2	*	5	*
Redwood	14	*	17	*	18	*
Renville	23	119.3	18	*	23	121.5
Rice	64	99.7	67	111.6	59	95.1
Rock	1	*	2	*	0	*
Roseau	2	*	3	*	6	*
St. Louis	255	122.3	269	130.6	251	118.4
Scott	83	76.1	112	99.4	104	95.7
Sherburne	79	100.8	70	91.8	70	87.0
Sibley	12	*	12	*	19	*
Stearns	132	90.3	131	88.0	78	52.4
Steele	53	144.9	50	130.1	58	152.5
Stevens	15	*	13	*	16	*
Swift	9	*	9	*	13	*
Todd	19	*	21	83.7	24	92.2
Traverse	2	*	1	*	4	*
Wabasha	25	108.3	35	157.0	36	163.4
Wadena	10	*	6	*	12	*
Waseca	25	127.7	19	*	27	141.2
Washington	175	85.2	214	103.2	215	103.3
Watonwan	10	*	8	*	11	*
Wilkin	2	*	2	*	2	*
Winona	44	82.8	40	81.4	28	57.6
Wright	113	106.0	98	88.3	96	88.4
Yellow Medicine	5	*	5	*	4	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Traumatic Brain Injuries (TBI): Numbers are traumatic brain injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Traumatic Brain Injuries Case Report Definitions

*Rate not calculated under 20 events

**Morbidity Table 10: Minnesota Nonfatal Hospitalized Spinal Cord Injury
Number and Annualized Rate per 100,000 population by State and County, 2007-2009**

	2007	2008	2009	Annualized Rate 2007-2009
	Number	Number	Number	
State of Minnesota	296	271	262	5.2
Aitkin	2	1	3	*
Anoka	16	20	14	5.1
Becker	0	2	0	*
Beltrami	1	4	1	*
Benton	1	3	2	*
Big Stone	1	1	1	*
Blue Earth	4	8	10	12.9
Brown	1	2	2	*
Carlton	3	1	2	*
Carver	8	1	2	*
Cass	2	3	0	*
Chippewa	0	0	0	*
Chisago	5	1	1	*
Clay	0	1	0	*
Clearwater	0	0	0	*
Cook	0	1	0	*
Cottonwood	0	0	0	*
Crow Wing	5	8	3	*
Dakota	8	18	15	3.6
Dodge	5	3	3	*
Douglas	1	3	1	*
Faribault	1	2	4	*
Fillmore	5	4	0	*
Freeborn	2	2	1	*
Goodhue	2	4	3	*
Grant	0	0	0	*
Hennepin	61	54	64	5.1
Houston	1	0	0	*
Hubbard	2	0	2	*
Isanti	6	4	3	*
Itasca	3	2	2	*
Jackson	0	1	1	*
Kanabec	1	0	1	*
Kandiyohi	2	0	1	*
Kittson	0	0	0	*
Koochiching	1	0	1	*
Lac Qui Parle	1	0	0	*
Lake	2	0	3	*
Lake of the Woods	0	0	0	*
Le Sueur	2	2	3	*
Lincoln	0	0	0	*
Lyon	1	1	0	*
McLeod	2	1	1	*
Mahnomen	4	0	1	*
Marshall	0	0	0	*
Martin	1	1	2	*
Meeker	2	2	2	*
Mille Lacs	1	1	4	*
Morrison	1	1	1	*
Mower	1	2	4	*

**Morbidity Table 10: Minnesota Nonfatal Hospitalized Spinal Cord Injury
Number and Annualized Rate per 100,000 population by State and County, 2007-2009**

	2007	2008	2009	Annualized Rate 2007-2009
	Number	Number	Number	
State of Minnesota	296	271	262	5.2
Murray	0	0	0	*
Nicollet	1	2	2	*
Nobles	0	0	0	*
Norman	0	1	0	*
Olmsted	14	8	11	7.6
Otter Tail	1	0	0	*
Pennington	0	0	1	*
Pine	2	4	2	*
Pipestone	0	0	0	*
Polk	1	2	2	*
Pope	4	1	0	*
Ramsey	25	28	27	5.1
Red Lake	0	0	0	*
Redwood	0	1	1	*
Renville	2	0	2	*
Rice	3	2	2	*
Rock	0	0	0	*
Roseau	2	0	0	*
St. Louis	18	9	11	6.2
Scott	5	7	5	*
Sherburne	7	5	2	*
Sibley	1	1	2	*
Stearns	6	8	4	*
Steele	1	1	0	*
Stevens	0	2	1	*
Swift	1	1	1	*
Todd	1	2	2	*
Traverse	0	0	0	*
Wabasha	2	1	4	*
Wadena	4	0	0	*
Waseca	0	0	0	*
Washington	8	10	9	4.2
Watonwan	2	2	0	*
Wilkin	0	0	0	*
Winona	5	1	4	*
Wright	10	7	2	*
Yellow Medicine	2	0	0	*

Source: Minnesota Department of Health, Injury and Violence Prevention Unit

Spinal Cord Injuries (SCI): Numbers are spinal cord injury events, (vs. people or hospitalizations). Events are nonfatal at time of discharge from the final acute care hospital. Only Minnesota residents are included. Total Minnesota values include events with unknown counties. Minnesota residents who were injured and/or hospitalized out of state and reported to the MDH are also included. All rates are per 100,000 people and were age adjusted to the US 2000 standard population.

Go to Page D-21 for Spinal Cord Injuries Case Report Definitions

*Rate not calculated under 20 events

Morbidity Tables 8a and b: TBI and SCI Case Report Definitions

Traumatic Brain Injury (TBI)

Cases of traumatic brain injury are included if the patient receives one of the following ICD-9-CM N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

310.2 - postconcussion syndrome
348.1 - (when coded with 994.1 or 994.7) - anoxic brain damage
800.0-800.99 - fracture of vault of skull
801.00-801.99 - fracture of base of skull
803.00-803.99 - other and unqualified skull fractures
804.00-804.99 - multiple fractures involving skull or face with other bones
850.0-850.9 - concussion
851.00-851.99 - cerebral laceration and contusion
852.00-852.59 - subarachnoid, subdural, and extradural hemorrhage, following injury
853.00-853.19 - other and unspecified intracranial hemorrhage following injury
854.00-854.19 - intracranial injury of other and unspecified nature
950.0-950.9 - injury to optic nerve and pathways
995.55 - shaken infant syndrome

AND

the patient was admitted as an inpatient to an acute care hospital

AND

the patient was discharged alive

AND

the patient is a Minnesota resident.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts.

Spinal Cord Injuries (SCI)

Cases of spinal cord injury are included if the patient receives on of the following ICD-9-CM N-codes (including respective subcoded four or five digit rubrics), either as a principal or secondary diagnosis:

806.00-806.9 - fracture of vertebral column with spinal cord injury
952.00-952.9 - spinal cord injury without evidence of spinal bone injury

AND

the patient was admitted as an inpatient to an acute care hospital

AND

the patient was discharged alive

AND

the patient is a Minnesota resident.

TBI/SCI Registry and Universal Bill-1992 version (UB-92) data are linked to provide more complete counts.

**Morbidity Table 11: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2009**

Estimated Percent of:					
	Overweight (Not Obese)*	Obese	Current Smokers	Binge Drinking	Heavy Drinking
State of Minnesota	38.1	24.7	16.8	20.2	5.0
Aitkin	39.8	25.6	14.7	16.0	4.7
Anoka	38.1	24.9	17.1	21.1	5.1
Becker	38.7	25.2	16.0	18.5	4.9
Beltrami	37.1	24.5	17.0	20.2	4.9
Benton	37.4	24.4	17.2	21.3	5.0
Big Stone	38.8	24.8	14.9	16.4	4.6
Blue Earth	35.7	23.6	18.0	21.7	4.9
Brown	38.3	24.7	16.0	18.5	4.8
Carlton	38.6	24.8	16.3	19.4	4.9
Carver	38.0	24.7	17.2	21.3	5.1
Cass	39.2	25.6	15.7	17.6	4.9
Chippewa	38.4	24.7	15.6	17.9	4.8
Chisago	38.4	24.7	16.8	20.6	5.0
Clay	36.2	23.9	17.5	21.0	4.9
Clearwater	38.8	25.0	15.7	18.1	4.8
Cook	39.4	25.8	15.6	17.6	5.0
Cottonwood	38.6	24.8	15.5	17.7	4.7
Crow Wing	38.6	25.0	15.8	18.3	4.8
Dakota	37.8	24.8	17.2	21.1	5.1
Dodge	38.2	24.7	16.6	20.1	5.0
Douglas	38.6	25.0	15.8	18.4	4.8
Faribault	38.8	24.8	15.3	17.3	4.7
Fillmore	38.7	24.9	15.7	18.1	4.8
Freeborn	38.6	24.9	15.7	18.0	4.8
Goodhue	38.4	24.9	16.2	19.0	4.9
Grant	38.9	24.9	15.1	17.1	4.7
Hennepin	37.7	24.6	17.0	20.8	5.0
Houston	38.5	24.9	15.9	18.4	4.9
Hubbard	39.0	25.3	15.5	17.4	4.8
Isanti	38.1	24.8	16.9	20.7	5.1
Itasca	38.9	25.3	15.9	18.2	4.9
Jackson	38.8	24.8	15.4	17.8	4.7
Kanabec	38.8	25.2	16.2	19.0	5.0
Kandiyohi	38.3	24.8	16.2	19.0	4.9
Kittson	38.9	24.8	15.0	16.6	4.6
Koochiching	38.8	25.1	15.5	17.6	4.8
Lac Qui Parle	38.9	24.9	15.2	16.9	4.7
Lake	39.0	25.2	15.6	17.7	4.8
Lake of the Woods	39.2	25.4	15.4	17.1	4.8
Le Sueur	38.5	24.9	16.4	19.4	4.9
Lincoln	38.8	24.7	14.9	16.6	4.5
Lyon	37.4	24.3	16.7	19.9	4.9
McLeod	38.2	24.7	16.4	19.5	4.9
Mahnomen	38.4	24.8	15.9	18.3	4.8
Marshall	39.0	25.0	15.7	18.1	4.8
Martin	38.7	24.9	15.3	17.3	4.7

**Morbidity Table 11: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2009**

Estimated Percent of:					
	Overweight (Not Obese)*	Obese	Current Smokers	Binge Drinking	Heavy Drinking
State of Minnesota	38.1	24.7	16.8	20.2	5.0
Meeker	38.7	24.9	16.0	18.6	4.9
Mille Lacs	38.4	24.8	16.1	19.0	4.9
Morrison	38.5	24.9	16.2	19.1	4.9
Mower	38.3	24.6	15.8	18.4	4.7
Murray	39.0	25.0	15.3	17.1	4.7
Nicollet	36.7	24.1	17.4	20.8	4.9
Nobles	38.6	24.8	16.0	18.9	4.8
Norman	39.0	24.9	15.2	17.3	4.7
Olmsted	37.8	24.7	16.8	20.3	5.0
Otter Tail	38.9	25.1	15.5	17.6	4.8
Pennington	38.0	24.7	16.3	19.4	4.9
Pine	39.0	25.0	16.3	19.5	4.9
Pipestone	38.3	24.5	15.3	17.4	4.6
Polk	38.0	24.6	16.2	18.9	4.8
Pope	38.7	24.9	15.5	17.6	4.8
Ramsey	37.3	24.5	16.8	20.1	4.9
Red Lake	38.7	25.0	15.9	18.5	4.8
Redwood	38.7	24.8	15.5	17.8	4.7
Renville	38.8	24.9	15.8	18.3	4.8
Rice	37.3	24.3	17.2	20.8	4.9
Rock	38.5	24.8	15.6	18.0	4.8
Roseau	38.6	24.9	16.5	19.7	5.0
St. Louis	37.4	24.4	16.7	19.4	4.9
Scott	38.0	24.7	17.3	21.7	5.1
Sherburne	37.8	24.6	17.5	22.0	5.1
Sibley	38.4	24.8	16.2	19.2	4.9
Stearns	36.7	24.0	17.4	20.8	4.9
Steele	38.1	24.7	16.5	19.7	4.9
Stevens	35.9	23.6	17.2	20.0	4.7
Swift	39.9	24.4	16.1	19.9	4.8
Todd	38.8	25.1	16.0	18.7	4.9
Traverse	38.8	24.4	14.6	15.9	4.4
Wabasha	38.7	25.0	16.0	18.7	4.9
Wadena	38.6	24.7	15.3	17.6	4.7
Waseca	38.4	24.7	16.4	19.7	4.9
Washington	38.1	24.9	17.1	20.7	5.2
Watsonwan	38.4	24.7	15.6	17.9	4.7
Wilkin	38.7	24.9	15.8	18.5	4.9
Winona	35.9	23.8	17.6	20.7	4.8
Wright	38.1	24.8	17.1	21.2	5.1
Yellow Medicine	38.6	24.7	15.5	17.8	4.7

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

^See page D-26 for definitions

*Note: In previous County Health Tables, estimated percent of overweight included obesity.

**Morbidity Table 11: Minnesota Behavioral Risk Factors[^] of Adults -
County Synthetic Estimates and State Estimates, 2009**

Estimated Percent of:					
	Overweight (Not Obese)*	Obese	Current Smokers	Binge Drinking	Heavy Drinking
State of Minnesota	38.1	24.7	16.8	20.2	5.0

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

**Morbidity Table 12: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2009**

	Estimated Percent of:			
	Health Status (fair or poor)*	Reporting Limitations**	No Exercise	Hypertension
State of Minnesota	10.2	19.5	15.8	21.6
Aitkin	12.7	24.0	17.9	30.0
Anoka	9.5	18.5	15.1	19.9
Becker	11.2	21.4	16.7	25.1
Beltrami	10.0	19.2	15.9	21.3
Benton	9.5	18.3	15.2	19.3
Big Stone	12.6	23.7	18.0	29.1
Blue Earth	9.2	17.7	15.8	19.1
Brown	11.4	21.5	17.0	25.3
Carlton	10.8	20.6	16.3	23.7
Carver	9.4	18.3	15.0	19.5
Cass	11.5	22.1	17.0	26.6
Chippewa	11.7	22.2	17.2	26.3
Chisago	9.8	19.1	15.4	21.1
Clay	9.6	18.5	15.9	20.2
Clearwater	11.6	21.9	17.0	26.0
Cook	11.6	22.2	16.9	26.6
Cottonwood	11.9	22.5	17.3	26.8
Crow Wing	11.3	21.4	16.7	25.1
Dakota	9.5	18.4	15.1	19.7
Dodge	10.2	19.6	15.7	21.8
Douglas	11.4	21.6	16.9	25.4
Faribault	12.2	23.0	17.6	27.8
Fillmore	11.6	21.9	17.0	25.9
Freeborn	11.6	22.0	17.0	26.0
Goodhue	10.9	20.9	16.5	24.1
Grant	12.3	23.1	17.6	27.9
Hennepin	9.8	18.8	15.4	20.4
Houston	11.4	21.6	16.9	25.3
Hubbard	11.8	22.4	17.2	27.0
Isanti	9.8	18.9	15.4	20.7
Itasca	11.4	21.7	16.8	25.6
Jackson	12.0	22.5	17.3	26.9
Kanabec	10.8	20.8	16.3	24.1
Kandiyohi	11.0	20.9	16.5	24.1
Kittson	12.6	23.7	17.9	29.0
Koochiching	11.8	22.4	17.2	26.8
Lac Qui Parle	12.5	23.5	17.9	28.6
Lake	11.8	22.4	17.2	26.7
Lake of the Woods	12.0	22.8	17.4	27.7
Le Sueur	10.6	20.4	16.2	23.4
Lincoln	12.6	23.5	17.9	28.8
Lyon	10.4	19.8	16.3	22.3
McLeod	10.6	20.2	16.1	23.0
Mahnomen	11.4	21.6	16.9	25.5
Marshall	11.6	22.0	17.0	26.2
Martin	12.1	22.9	17.5	27.6

**Morbidity Table 12: Minnesota Behavioral Risk Factors^ of Adults -
County Synthetic Estimates and State Estimates, 2009**

	Estimated Percent of:			
	Health Status (fair or poor)*	Reporting Limitations**	No Exercise	Hypertension
State of Minnesota	10.2	19.5	15.8	21.6
Meeker	11.2	21.4	16.7	25.1
Mille Lacs	10.9	20.8	16.4	24.1
Morrison	10.9	20.8	16.4	24.1
Mower	11.5	21.7	17.0	25.4
Murray	12.2	23.0	17.6	28.0
Nicollet	9.7	18.7	15.9	20.7
Nobles	11.2	21.3	16.7	24.9
Norman	12.1	22.9	17.4	27.7
Olmsted	10.1	19.3	15.7	21.2
Otter Tail	11.8	22.4	17.3	27.0
Pennington	10.7	20.4	16.3	23.3
Pine	10.8	20.6	16.3	23.9
Pipestone	12.1	22.7	17.5	27.3
Polk	11.1	21.0	16.7	24.4
Pope	11.9	22.4	17.3	26.9
Ramsey	10.2	19.4	15.9	21.4
Red Lake	11.4	21.7	16.9	25.5
Redwood	11.8	22.3	17.3	26.8
Renville	11.6	21.9	17.0	26.0
Rice	9.8	18.9	15.8	20.9
Rock	11.7	22.1	17.1	26.2
Roseau	10.5	20.2	16.0	23.1
St. Louis	10.6	20.3	16.6	23.4
Scott	9.0	17.6	14.6	18.4
Sherburne	8.9	17.5	14.6	18.1
Sibley	11.0	20.9	16.5	24.1
Stearns	9.8	18.7	16.0	20.8
Steele	10.4	20.0	16.0	22.6
Stevens	10.4	19.7	16.9	22.4
Swift	11.2	21.1	16.5	25.0
Todd	11.2	21.3	16.7	25.0
Traverse	13.2	24.4	18.5	30.3
Wabasha	11.1	21.2	16.6	24.7
Wadena	12.0	22.6	17.4	27.1
Waseca	10.7	20.4	16.2	23.2
Washington	9.6	18.8	15.3	20.5
Watonwan	11.7	22.0	17.1	26.1
Wilkin	11.4	21.6	16.8	25.3
Winona	9.7	18.7	16.2	20.8
Wright	9.4	18.3	15.0	19.6
Yellow Medicine	12.0	22.5	17.4	26.9

Source: Minnesota Department of Health, Behavioral Risk Factor Surveillance System

^See page D-26 for definitions

*estimate of those who perceive their health status to be fair or poor

**in any activities because of any impairment or health problem

Synthetic Estimates: County level estimated percentages for behavioral risk factors represent the percent of adults considered to be at risk for those behaviors in that county. These estimated percentages were derived through a synthetic estimation method, which adjusts statewide BRFSS percentages by the age and gender distributions of adults in each county.

Morbidity Tables 11 and 12:

Definitions for Behavior Risk Factors of Adults

Behavioral Risk Factor Surveillance System (BRFSS): A continuous monthly telephone survey that monitors health risk behaviors that has impact on chronic diseases and disabilities. Approximately, 4800 interviews of adults 18 years and older are completed yearly.

Smoking: Current regular smoker (ever smoked 100 cigarettes and now smokes every day or some days).

Overweight: The prevalence of overweight is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] is between 25.0 to 29.9. Note this does not include obese as it did in previous years.

Obese: The prevalence of obese is defined as a Body Mass Index (BMI) [(weight in kilograms)/(height in meters)²] greater than or equal to 30.0.

Binge (Acute) Drinking: Respondents who report they have consumed five or more drinks on an occasion for men or four or more drinks for women, one or more times in the month prior to the survey.

Heavy (Chronic) Drinking: Heavy drinking of adults is defined as the percent of male respondents 18 and older who report an average of more than two drinks per day and female respondents 18 and older who report an average of more than one drink per day.

Limitation of Activities: The percent of adults who are limited in any activities because of physical mental or emotional problems, OR those adults who have a health impairment that requires the use of special equipment, such as cane, a wheelchair, a special bed or special telephone.

No Exercise: Percent of respondents who reported no physical activities during the past month, other than regular job.

Hypertension: Percent of respondents who have EVER been told by a doctor, nurse or other health professional that they have high blood pressure.

Section E: Chemical Health

Tables

Table 1: Alcohol-related motor vehicle fatalities and Injuries

Table 2: Impaired Driving Incidents by Occurrence

Table 3: Impaired Driving Incidents by Residence

Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2009

	Fatalities			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total Fatalities	Alcohol Related Fatalities		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	421	141	33.5	31,074	2,592	8.3	\$ 255,899,500
Aitkin	3	1	33.3	96	17	17.7	\$ 1,786,500
Anoka	16	6	37.5	1,659	133	8.0	\$ 11,569,300
Becker	10	5	50.0	182	25	13.7	\$ 7,451,100
Beltrami	1	0	0.0	229	34	14.8	\$ 867,400
Benton	5	1	20.0	249	20	8.0	\$ 1,836,100
Big Stone	2	0	0.0	30	5	16.7	\$ 106,600
Blue Earth	5	1	20.0	439	17	3.9	\$ 1,897,300
Brown	1	1	100.0	118	6	5.1	\$ 1,462,800
Carlton	4	1	25.0	173	22	12.7	\$ 1,979,200
Carver	11	4	36.4	370	18	4.9	\$ 5,691,000
Cass	5	1	20.0	134	22	16.4	\$ 1,891,900
Chippewa	3	2	66.7	102	8	7.8	\$ 2,827,200
Chisago	5	0	0.0	352	32	9.1	\$ 869,800
Clay	3	0	0.0	303	30	9.9	\$ 894,300
Clearwater	1	1	100.0	47	15	31.9	\$ 1,651,000
Cook	1	0	0.0	41	7	17.1	\$ 177,800
Cottonwood	0	0	0.0	59	13	22.0	\$ 278,900
Crow Wing	8	1	12.5	368	28	7.6	\$ 2,303,100
Dakota	13	5	38.5	2,022	140	6.9	\$ 10,442,300
Dodge	2	1	50.0	99	12	12.1	\$ 1,602,500
Douglas	4	1	25.0	250	24	9.6	\$ 1,843,500
Faribault	1	0	0.0	92	7	7.6	\$ 186,100
Fillmore	3	2	66.7	102	8	7.8	\$ 2,742,300
Freeborn	10	3	30.0	217	17	7.8	\$ 4,444,600
Goodhue	8	2	25.0	324	20	6.2	\$ 3,185,600
Grant	0	0	0.0	40	8	20.0	\$ 199,600
Hennepin	46	15	32.6	8,356	530	6.3	\$ 33,593,900
Houston	1	1	100.0	85	14	16.5	\$ 1,841,600
Hubbard	7	6	85.7	106	20	18.9	\$ 8,310,400
Isanti	2	1	50.0	199	18	9.0	\$ 1,841,500
Itasca	8	4	50.0	314	33	10.5	\$ 6,322,400
Jackson	6	3	50.0	103	16	15.5	\$ 4,349,300
Kanabec	1	0	0.0	72	7	9.7	\$ 249,300
Kandiyohi	3	1	33.3	314	23	7.3	\$ 1,979,800
Kittson	0	0	0.0	15	3	20.0	\$ 54,700
Koochiching	0	0	0.0	67	15	22.4	\$ 403,500
Lac Qui Parle	1	1	100.0	27	6	22.2	\$ 1,473,800
Lake	1	1	100.0	71	12	16.9	\$ 1,731,300
Lake of the Woods	0	0	0.0	24	3	12.5	\$ 46,400
Le Sueur	2	2	100.0	146	16	11.0	\$ 3,074,200
Lincoln	0	0	0.0	27	3	11.1	\$ 63,000
Lyon	3	3	100.0	139	12	8.6	\$ 4,159,100
McLeod	4	0	0.0	164	8	4.9	\$ 286,500
Mahnomen	2	2	100.0	34	17	50.0	\$ 2,966,400

Chemical Health Table 1: Minnesota Alcohol-Related Motor Vehicle Fatalities by State and County, 2009

	Fatalities			Injuries			Cost of Alcohol-related Crashes, Fatalities and Injuries
	Total Fatalities	Alcohol Related Fatalities		Total	Alcohol Related		
	Number	Number	Percent	Number	Number	Percent	
State of Minnesota	421	141	33.5	31,074	2,592	8.3	\$ 255,899,500
Marshall	1	1	100.0	28	8	28.6	\$ 1,461,300
Martin	0	0	0.0	121	19	15.7	\$ 424,800
Meeker	4	1	25.0	142	20	14.1	\$ 1,964,400
Mille Lacs	2	0	0.0	201	25	12.4	\$ 587,300
Morrison	6	3	50.0	178	28	15.7	\$ 4,652,700
Mower	2	0	0.0	203	19	9.4	\$ 363,000
Murray	0	0	0.0	64	12	18.8	\$ 312,000
Nicollet	8	3	37.5	176	8	4.5	\$ 4,212,600
Nobles	7	2	28.6	190	12	6.3	\$ 3,016,700
Norman	1	1	100.0	36	16	44.4	\$ 1,636,000
Olmsted	19	8	42.1	843	58	6.9	\$ 12,079,000
Otter Tail	13	1	7.7	324	40	12.3	\$ 2,403,100
Pennington	2	1	50.0	64	4	6.3	\$ 1,400,200
Pine	3	1	33.3	160	16	10.0	\$ 1,701,200
Pipestone	2	1	50.0	34	6	17.6	\$ 1,418,900
Polk	3	2	66.7	154	24	15.6	\$ 3,136,400
Pope	2	0	0.0	42	4	9.5	\$ 162,200
Ramsey	20	6	30.0	3,119	216	6.9	\$ 14,401,600
Red Lake	0	0	0.0	15	5	33.3	\$ 176,900
Redwood	5	2	40.0	81	23	28.4	\$ 3,252,000
Renville	12	1	8.3	120	12	10.0	\$ 1,686,200
Rice	4	0	0.0	347	21	6.1	\$ 870,400
Rock	1	0	0.0	54	3	5.6	\$ 63,000
Roseau	1	0	0.0	33	4	12.1	\$ 83,600
St. Louis	19	5	26.3	1,189	131	11.0	\$ 10,402,900
Scott	7	2	28.6	541	53	9.8	\$ 3,931,300
Sherburne	10	1	10.0	423	51	12.1	\$ 2,535,300
Sibley	0	0	0.0	66	3	4.5	\$ 98,600
Stearns	11	4	36.4	957	70	7.3	\$ 7,183,500
Steele	2	1	50.0	216	20	9.3	\$ 1,874,100
Stevens	0	0	0.0	40	8	20.0	\$ 169,600
Swift	2	0	0.0	27	5	18.5	\$ 107,800
Todd	4	2	50.0	127	23	18.1	\$ 2,982,600
Traverse	0	0	0.0	15	1	6.7	\$ 30,100
Wabasha	4	0	0.0	133	21	15.8	\$ 595,400
Wadena	2	1	50.0	48	4	8.3	\$ 1,409,700
Waseca	1	0	0.0	91	6	6.6	\$ 182,100
Washington	11	2	18.2	1,120	77	6.9	\$ 4,789,500
Watonwan	1	0	0.0	72	4	5.6	\$ 210,000
Wilkin	1	1	100.0	46	4	8.7	\$ 1,409,700
Winona	2	0	0.0	257	16	6.2	\$ 562,000
Wright	14	9	64.3	567	44	7.8	\$ 12,940,100
Yellow Medicine	0	0	0.0	50	4	8.0	\$ 84,800

Source: Minnesota Department of Public Safety

A **fatality or injury** is considered alcohol-related if any driver, pedestrian or bicyclist involved in the crash was perceived by the report officer or found by a laboratory test, to be positive for alcohol (i.e., to have a blood alcohol concentration of .01% or higher). Fatalities and injuries are by county of occurrence.

Alcohol-related costs are calculated using estimates (provided annually by the National Safety Council) which do not attempt to include "comprehensive costs" but just direct costs due to medical expense, property damage, and lost productivity. Other estimating procedures (e.g., those used by the US Department of Transportation) that do attempt to include comprehensive costs result in estimates about three times as great as those used by National Safety Council.

Chemical Health Table 2: Minnesota Impaired Driving Incidents on Record by County of Occurrence per 10,000 Population, 2005-2009

	2005		2006		2007		2008		2009		2005-2009
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	36,870	71.8	41,867	81.0	38,661	74.4	35,768	68.5	32,756	62.2	71.6
Aitkin	215	132.9	208	128.8	247	155.2	158	100.4	134	85.6	120.8
Anoka	2,049	63.2	2,160	66.1	2,340	71.7	2,131	65.2	1,912	57.7	64.7
Becker	438	137.4	521	161.7	383	119.8	326	101.9	271	84.5	121.1
Beltrami	354	82.6	445	103.1	508	116.5	534	121.8	419	94.5	103.7
Benton	268	69.6	346	89.4	358	90.6	293	73.5	246	61.2	76.8
Big Stone	23	42.0	47	85.3	35	65.0	27	50.3	20	**	56.3
Blue Earth	638	109.9	676	116.0	613	102.5	597	98.8	643	105.4	106.5
Brown	148	55.8	176	66.8	162	62.3	149	57.6	141	55.1	59.5
Carlton	399	117.3	410	120.2	252	74.4	229	67.5	241	70.2	89.9
Carver	414	48.8	430	49.1	396	44.8	375	41.6	283	30.7	42.8
Cass	283	97.9	397	136.7	367	127.8	271	94.3	245	85.9	108.6
Chippewa	114	89.0	145	114.0	97	77.8	97	78.1	49	39.8	80.0
Chisago	369	74.7	371	73.7	370	73.8	317	63.1	310	61.2	69.3
Clay	802	149.0	742	136.2	682	124.4	545	97.7	576	101.5	121.4
Clearwater	67	79.0	57	67.5	57	69.1	75	90.9	81	98.3	80.9
Cook	76	141.6	101	189.5	61	113.0	41	75.4	47	85.9	120.7
Cottonwood	54	45.6	55	47.2	72	63.4	75	66.5	55	49.5	54.3
Crow Wing	655	109.3	714	117.0	648	105.1	588	94.6	509	81.2	101.3
Dakota	2,650	69.1	3,001	77.3	2,907	74.4	2,518	64.1	2,337	58.9	68.7
Dodge	147	75.0	152	76.9	163	83.4	126	63.8	100	50.6	69.9
Douglas	241	68.6	257	72.5	265	73.5	300	82.7	266	73.1	74.1
Faribault	68	43.9	90	58.9	101	67.9	79	54.0	57	39.3	52.8
Fillmore	113	52.9	142	67.1	116	55.1	102	48.9	90	43.2	53.5
Freeborn	241	75.4	204	64.5	184	58.9	169	54.6	190	61.3	63.0
Goodhue	385	84.5	525	114.6	402	87.7	444	96.7	384	83.8	93.5
Grant	43	70.3	53	87.2	37	61.5	40	66.6	40	68.6	70.9
Hennepin	7,539	67.4	8,597	76.6	7,789	68.5	7,500	65.7	6,783	58.7	67.3
Houston	143	71.7	152	76.6	170	87.1	156	81.1	121	62.9	75.9
Hubbard	154	81.6	181	95.8	165	87.9	116	61.7	137	73.5	80.1
Isanti	241	64.0	357	92.5	256	65.8	187	47.8	161	40.8	62.1
Itasca	503	113.3	587	131.2	460	103.3	342	76.8	386	86.3	102.2
Jackson	51	45.6	83	74.4	97	89.1	69	64.3	59	54.7	65.6
Kanabec	96	59.2	103	63.3	150	93.2	123	76.4	81	50.9	68.6
Kandiyohi	287	69.7	321	78.1	269	66.0	297	73.0	279	67.8	70.9
Kittson	25	52.2	23	49.0	20	**	24	53.8	18	**	48.2
Koochiching	60	43.1	97	71.0	108	80.2	97	73.2	89	67.8	66.9
Lac Qui Parle	36	47.3	45	60.3	47	64.8	35	48.8	38	53.4	54.9
Lake	59	52.9	66	60.2	71	66.1	53	50.0	62	58.4	57.5
Lake of the Woods	78	176.4	65	150.2	39	95.2	47	117.9	50	128.9	134.7
Le Sueur	148	53.8	179	64.2	181	64.6	151	53.8	155	55.2	58.3
Lincoln	29	47.9	31	52.0	38	64.7	25	42.8	23	40.2	49.6
Lyon	214	87.4	201	81.6	166	67.2	193	77.7	177	70.6	76.9
McLeod	266	72.6	366	98.2	290	77.9	281	75.6	222	60.1	76.9
Mahnomen	130	254.3	96	189.3	113	220.3	113	220.4	104	207.0	218.3
Marshall	57	57.2	50	50.2	58	60.3	61	64.2	35	38.1	54.1
Martin	132	62.9	120	57.8	181	88.5	151	73.9	118	58.3	68.2
Meeker	117	50.1	147	62.8	145	62.5	123	53.1	95	41.0	53.9
Mille Lacs	298	116.0	351	134.1	288	109.3	234	88.7	233	88.3	107.2
Morrison	194	59.2	205	62.3	211	64.5	199	60.5	171	52.0	59.7
Mower	321	82.7	305	78.9	343	90.2	414	109.4	303	79.3	88.0
Murray	31	35.0	35	39.9	37	43.5	37	44.1	25	29.7	38.4
Nicollet	321	104.1	362	115.6	255	80.5	239	74.6	188	58.3	86.3

Chemical Health Table 2: Minnesota Impaired Driving Incidents on Record by County of Occurrence per 10,000 Population, 2005-2009

	2005		2006		2007		2008		2009		2005-2009
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	36,870	71.8	41,867	81.0	38,661	74.4	35,768	68.5	32,756	62.2	71.6
Nobles	189	92.2	184	90.0	186	92.4	175	85.9	166	80.7	88.2
Norman	55	78.5	54	78.8	43	64.3	28	42.4	37	57.3	64.6
Olmsted	869	64.3	823	59.8	1,014	72.6	996	70.5	973	67.6	67.0
Otter Tail	415	72.0	429	74.2	435	76.3	345	60.8	299	52.8	67.3
Pennington	125	91.9	119	86.8	107	77.8	96	69.8	63	45.5	74.3
Pine	334	117.3	347	122.1	274	97.3	263	92.9	200	70.5	100.0
Pipestone	68	72.2	60	63.7	74	79.5	61	64.9	45	48.1	65.7
Polk	269	86.4	301	96.8	282	91.8	264	86.0	271	88.1	89.8
Pope	83	73.8	74	66.0	62	56.0	56	50.8	49	45.1	58.5
Ramsey	2,632	53.2	3,231	65.5	2,912	58.3	2,995	59.7	2,862	56.5	58.6
Red Lake	47	108.9	79	189.5	71	172.4	53	130.3	43	102.7	140.5
Redwood	125	78.0	148	93.7	152	97.9	117	75.5	139	89.9	87.0
Renville	133	79.3	159	96.2	111	68.8	102	64.3	103	65.5	75.1
Rice	339	55.6	346	55.8	433	69.9	407	65.2	363	57.9	60.9
Rock	51	53.6	63	66.1	54	56.9	37	39.0	29	30.6	49.3
Roseau	159	96.4	140	86.4	127	79.6	145	91.4	147	92.4	89.3
St. Louis	1,593	80.8	1,723	87.9	1,559	79.3	1,589	80.7	1,657	83.8	82.5
Scott	1,111	92.7	1,245	100.3	1,067	84.3	953	73.9	816	61.8	82.2
Sherburne	573	70.1	799	94.0	690	80.0	582	66.4	534	60.8	74.2
Sibley	112	73.5	124	82.0	129	86.0	85	56.8	65	43.6	68.4
Stearns	1,134	79.5	1,332	92.4	1,298	88.9	1,063	72.3	1,021	68.5	80.2
Steele	254	71.0	288	79.5	244	67.1	208	56.9	227	61.7	67.2
Stevens	44	44.8	39	39.7	45	46.8	42	43.5	42	43.6	43.7
Swift	42	37.1	64	62.1	51	45.6	57	51.7	41	37.9	46.6
Todd	165	67.1	241	98.9	206	85.7	141	59.0	147	61.6	74.5
Traverse	21	55.1	22	57.9	16	**	14	**	6	**	42.6
Wabasha	152	68.5	198	88.9	172	79.0	177	81.1	184	84.1	80.3
Wadena	91	66.7	127	94.5	112	83.7	99	74.4	89	67.1	77.2
Waseca	117	60.5	150	77.0	149	76.3	123	63.3	88	46.9	64.9
Washington	1,442	65.4	1,844	82.0	1,355	59.8	1,311	57.2	1,260	54.3	63.7
Watsonwan	95	84.6	104	93.2	83	75.3	63	58.0	60	55.0	73.4
Wilkin	50	73.5	72	108.5	78	121.5	58	92.3	42	67.0	92.6
Winona	418	84.8	378	76.7	359	72.1	395	79.2	339	68.6	76.3
Wright	690	62.3	874	76.1	838	71.4	675	56.4	512	42.0	61.4
Yellow Medicine	89	85.2	136	130.4	103	101.7	120	120.5	78	79.1	103.5

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while DWI violations that occurred **WITHIN** that county/state each year.

Rate: The number of DWI violations per 10,000 population in the county/state.

Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record by County of Residence per 10,000 Population, 2005-2009

	2005		2006		2007		2008		2009		2005-2009
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,256	66.7	38,938	75.4	36,989	71.2	34,241	65.6	31,352	59.5	67.6
Aitkin	131	81.0	131	81.1	130	81.7	100	63.5	93	59.4	73.5
Anoka	2,121	65.5	2,285	69.9	2,344	71.8	2,106	64.4	1,900	57.3	65.7
Becker	303	95.1	338	104.9	303	94.8	259	80.9	222	69.2	89.0
Beltrami	373	87.0	446	103.3	489	112.1	492	112.2	363	81.8	99.3
Benton	271	70.4	304	78.6	339	85.8	265	66.5	217	54.0	70.9
Big Stone	14	**	33	59.9	27	50.1	29	54.1	14	**	43.3
Blue Earth	534	92.0	563	96.6	477	79.8	482	79.8	439	72.0	83.9
Brown	129	48.6	180	68.3	163	62.7	148	57.2	152	59.4	59.2
Carlton	298	87.6	326	95.6	222	65.5	214	63.1	208	60.6	74.5
Carver	483	56.9	509	58.1	497	56.2	458	50.9	400	43.4	53.0
Cass	260	89.9	344	118.5	315	109.7	246	85.6	242	84.8	97.8
Chippewa	98	76.6	142	111.6	102	81.8	79	63.6	49	39.8	74.9
Chisago	325	65.8	363	72.1	324	64.6	314	62.5	293	57.9	64.6
Clay	351	65.2	406	74.5	474	86.4	431	77.3	380	66.9	74.1
Clearwater	63	74.3	73	86.5	81	98.2	86	104.3	91	110.4	94.6
Cook	42	78.3	49	91.9	40	74.1	20	**	26	47.5	65.5
Cottonwood	56	47.3	55	47.2	75	66.1	75	66.5	73	65.7	58.3
Crow Wing	521	87.0	532	87.2	495	80.3	452	72.7	384	61.2	77.5
Dakota	2,590	67.5	2,974	76.6	2,813	72.0	2,483	63.2	2,385	60.2	67.9
Dodge	150	76.6	155	78.4	156	79.8	135	68.4	136	68.8	74.4
Douglas	201	57.2	272	76.7	271	75.1	274	75.6	236	64.9	69.9
Faribault	82	52.9	88	57.6	103	69.3	83	56.8	79	54.5	58.2
Fillmore	112	52.4	127	60.0	127	60.4	110	52.8	108	51.8	55.5
Freeborn	201	62.9	182	57.5	207	66.2	172	55.6	197	63.5	61.2
Goodhue	318	69.8	390	85.1	328	71.6	342	74.5	309	67.4	73.7
Grant	52	85.1	44	72.4	45	74.7	52	86.6	31	53.1	74.5
Hennepin	7,331	65.5	8,184	72.9	7,656	67.4	7,506	65.8	6,738	58.3	65.9
Houston	115	57.7	105	52.9	131	67.1	115	59.8	103	53.5	58.2
Hubbard	139	73.7	165	87.3	167	88.9	125	66.5	128	68.7	77.0
Isanti	257	68.2	333	86.3	264	67.8	240	61.4	197	49.9	66.6
Itasca	406	91.5	495	110.7	406	91.1	313	70.3	301	67.3	86.2
Jackson	40	35.8	62	55.6	61	56.1	53	49.4	44	40.8	47.5
Kanabec	123	75.9	109	67.0	132	82.0	110	68.4	74	46.5	68.0
Kandiyohi	264	64.1	318	77.4	290	71.1	279	68.6	270	65.7	69.4
Kittson	21	43.8	24	51.2	23	51.1	32	71.7	18	**	51.7
Koochiching	76	54.6	113	82.7	112	83.2	106	80.0	89	67.8	73.6
Lac Qui Parle	45	59.2	46	61.6	35	48.2	37	51.6	39	54.9	55.2
Lake	60	53.8	79	72.0	74	68.9	58	54.7	68	64.1	62.7
Lake of the Woods	50	113.1	32	74.0	33	80.6	37	92.8	32	82.5	88.9
Le Sueur	194	70.6	241	86.4	249	88.8	212	75.6	211	75.2	79.3
Lincoln	18	**	21	35.2	34	57.9	28	48.0	25	43.7	42.8
Lyon	176	71.9	199	80.8	173	70.1	159	64.0	156	62.2	69.8
McLeod	256	69.9	295	79.1	257	69.0	233	62.7	189	51.2	66.4
Mahnomen	88	172.1	64	126.2	86	167.7	61	119.0	71	141.3	145.3
Marshall	70	70.2	69	69.3	69	71.7	72	75.8	57	62.1	69.9
Martin	134	63.8	133	64.0	163	79.7	125	61.2	123	60.8	65.9
Meeker	131	56.1	154	65.8	156	67.2	127	54.9	99	42.8	57.4
Mille Lacs	213	82.9	332	126.9	250	94.9	214	81.1	221	83.8	93.9
Morrison	222	67.7	239	72.6	253	77.3	208	63.2	207	63.0	68.8
Mower	311	80.2	295	76.3	336	88.3	384	101.4	284	74.3	84.0
Murray	31	35.0	45	51.3	44	51.7	37	44.1	37	44.0	45.2

Chemical Health Table 3: Minnesota Impaired Driving Incidents on Record by County of Residence per 10,000 Population, 2005-2009

	2005		2006		2007		2008		2009		2005-2009
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Rate
State of Minnesota*	34,256	66.7	38,938	75.4	36,989	71.2	34,241	65.6	31,352	59.5	67.6
Nicollet	234	75.9	249	79.5	224	70.7	216	67.4	196	60.8	70.8
Nobles	148	72.2	138	67.5	148	73.5	147	72.2	143	69.6	71.0
Norman	61	87.1	50	73.0	40	59.8	40	60.6	34	52.7	67.0
Olmsted	868	64.2	856	62.2	1,003	71.8	1,001	70.8	920	63.9	66.6
Otter Tail	396	68.7	419	72.5	392	68.7	340	59.9	295	52.1	64.4
Pennington	121	88.9	138	100.7	139	101.0	114	82.9	82	59.2	86.5
Pine	259	90.9	290	102.0	218	77.4	209	73.9	176	62.0	81.3
Pipestone	67	71.1	53	56.2	50	53.7	45	47.9	33	35.3	52.9
Polk	210	67.5	225	72.4	243	79.1	225	73.3	237	77.0	73.8
Pope	66	58.7	67	59.8	64	57.8	58	52.6	53	48.8	55.6
Ramsey	2,967	59.9	3,473	70.4	3,302	66.1	3,073	61.3	3,026	59.8	63.5
Red Lake	25	57.9	32	76.8	43	104.4	19	**	23	54.9	68.1
Redwood	120	74.9	122	77.3	128	82.5	99	63.9	108	69.8	73.7
Renville	129	77.0	156	94.4	126	78.1	126	79.4	111	70.6	80.0
Rice	371	60.9	412	66.5	461	74.4	394	63.2	349	55.6	64.1
Rock	33	34.7	48	50.3	40	42.1	33	34.8	28	29.5	38.3
Roseau	140	84.9	142	87.6	126	79.0	141	88.9	139	87.4	85.6
St. Louis	1,440	73.0	1,595	81.3	1,435	73.0	1,427	72.5	1,467	74.2	74.8
Scott	848	70.8	906	73.0	837	66.1	759	58.9	647	49.0	63.3
Sherburne	554	67.8	700	82.4	629	72.9	534	60.9	470	53.5	67.4
Sibley	91	59.7	132	87.3	107	71.3	94	62.9	66	44.2	65.1
Stearns	941	66.0	1,192	82.7	1,080	73.9	945	64.3	906	60.8	69.5
Steele	238	66.6	268	74.0	248	68.2	214	58.6	232	63.1	66.1
Stevens	57	58.0	53	53.9	49	50.9	41	42.4	44	45.7	50.2
Swift	63	55.6	84	81.5	53	47.4	82	74.3	50	46.2	60.7
Todd	151	61.4	209	85.7	199	82.8	157	65.6	134	56.1	70.4
Traverse	17	**	19	**	23	62.0	19	**	14	**	49.6
Wabasha	131	59.0	162	72.7	157	72.1	158	72.4	164	74.9	70.2
Wadena	96	70.3	138	102.6	116	86.7	87	65.4	92	69.3	78.9
Waseca	130	67.3	146	75.0	146	74.8	128	65.8	105	55.9	67.8
Washington	1,194	54.2	1,562	69.4	1,348	59.5	1,303	56.9	1,167	50.3	58.0
Watonwan	88	78.3	88	78.8	96	87.1	79	72.7	65	59.6	75.4
Wilkin	23	33.8	37	55.8	60	93.5	44	70.0	43	68.6	63.9
Winona	268	54.4	296	60.1	311	62.4	299	59.9	267	54.0	58.2
Wright	771	69.6	919	80.1	856	72.9	718	60.0	606	49.7	66.2
Yellow Medicine	90	86.1	99	94.9	91	89.8	95	95.4	52	52.7	84.0

Source: Minnesota Department of Public Safety

*Includes unknown.

**A rate was not calculated if the number of events was less than 20.

Driving While Impaired (DWI) Violations: The number of drivers who were arrested and found guilty of violating one of the driving while impaired laws. Driving while impaired includes alcohol and other drugs.

Number: The number of driving while impaired violations by county of residence.

Rate: The number of DWI violations per 10,000 population in the county/state.

Notes about the Chemical Health Indicators

IMPAIRED DRIVING INCIDENTS

Minnesota Motor Vehicle Crash Facts

This category includes data about motor vehicle crashes and violations related to alcohol. The violations' indicators includes violations for both failing and also refusing to take (implied consent law) a test for blood alcohol content.

These indicators include both local law enforcement and State Patrol reports.

Source:

Minnesota Department of Public Safety, 651/201-7000

Limitations:

Under-reporting

Law enforcement officers at a crash or arrest site may not realize and thus not report that alcohol or other drugs were involved.

Lack of Standard Reporting

The number of reports of alcohol-related crashes or driving while impaired violations are affected by the inconsistency of enforcement of the laws by local law enforcement officials. One community may be very strict in enforcement, or receive specific funds for specific enforcement, while another community may be more lenient.