

2010 Minnesota County Health Tables

2010 Minnesota County Health Tables

Minnesota Department of Health
Minnesota Center for Health Statistics
PO Box 64882
St. Paul, MN 55164-64882
healthstats@state.mn.us
www.health.state.mn.us/divs/chs

To obtain this information in a different format, email healthstats@state.mn.us.

Section A: Demographics Tables

Tables

Table 1: Population Estimates by Age and Sex

Table 2: Population Estimates by Race and Ethnicity

Table 3: Selected Population Statistics

Table 4: Elderly Population

Table 5: Selected Minnesota Demographics

Table 6: Selected Socioeconomic Statistics

Table 7: Family Investment Programs

Table 8: MA and MinnesotaCare Programs

Table 9 : School Enrollment by Race/Ethnicity

Table 10: Child Maltreatment

Table 11: Out of Home Placements

Demographics Table 1: Minnesota Population Estimates, 2010

State of Minnesota - Population Estimates by Age and Sex, 2010

Age Group	Number		Percent	
	Male	Female	Male	Female
00-04	181,342	174,162	3.5	3.4
05-09	181,614	173,922	3.3	3.2
10-14	180,356	171,986	3.3	3.1
15-17	113,281	107,400	2.1	2.0
18-19	75,313	71,835	1.5	1.4
20-24	180,725	174,926	3.6	3.5
25-29	187,562	185,124	3.6	3.4
30-34	174,549	168,351	3.2	3.0
35-39	165,815	162,375	3.2	3.1
40-44	177,234	175,670	3.5	3.4
45-49	203,588	202,615	4.0	3.9
50-54	200,663	201,032	3.8	3.7
55-59	174,321	175,268	3.2	3.2
60-64	137,760	142,015	2.5	2.5
65-69	97,533	105,037	1.8	1.9
70-74	70,840	81,017	1.3	1.5
75-79	54,464	67,650	1.0	1.3
80-84	40,865	59,051	0.8	1.1
85&up	34,307	72,357	0.6	1.4
Total	2,632,132	2,671,793	49.6	50.4
Total Male/Female	5,303,925			

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Aitkin County - Population Estimates by Age and Sex, 2010

Age Group	AITKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	420	358	2,042	1,828	181,342	174,162
05-09	413	384	2,193	2,076	181,614	173,922
10-14	404	408	2,311	2,168	180,356	171,986
15-17	266	265	1,493	1,425	113,281	107,400
18-19	157	134	992	747	75,313	71,835
20-24	285	255	1,672	1,414	180,725	174,926
25-29	317	329	1,751	1,730	187,562	185,124
30-34	310	278	1,776	1,688	174,549	168,351
35-39	341	329	1,829	1,881	165,815	162,375
40-44	415	414	2,094	2,070	177,234	175,670
45-49	590	582	2,713	2,742	203,588	202,615
50-54	695	611	3,173	3,031	200,663	201,032
55-59	660	694	3,280	3,250	174,321	175,268
60-64	738	737	2,881	2,730	137,760	142,015
65-69	760	716	2,458	2,418	97,533	105,037
70-74	591	568	1,911	1,861	70,840	81,017
75-79	387	366	1,292	1,489	54,464	67,650
80-84	271	264	977	1,133	40,865	59,051
85&up	185	305	722	1,330	34,307	72,357
Total	8,205	7,997	37,560	37,011	2,632,132	2,671,793
Total Male/Female	16,202		74,571		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Anoka County - Population Estimates by Age and Sex, 2010

Age Group	ANOKA		Minnesota	
	Male	Female	Male	Female
00-04	11,330	11,009	181,342	174,162
05-09	12,079	11,710	181,614	173,922
10-14	12,529	11,830	180,356	171,986
15-17	8,027	7,517	113,281	107,400
18-19	4,250	3,941	75,313	71,835
20-24	9,548	8,932	180,725	174,926
25-29	10,887	10,692	187,562	185,124
30-34	11,177	10,876	174,549	168,351
35-39	11,535	11,326	165,815	162,375
40-44	12,665	12,769	177,234	175,670
45-49	14,722	14,558	203,588	202,615
50-54	13,535	13,114	200,663	201,032
55-59	10,467	10,703	174,321	175,268
60-64	8,138	8,746	137,760	142,015
65-69	5,731	6,006	97,533	105,037
70-74	3,582	4,237	70,840	81,017
75-79	2,557	3,168	54,464	67,650
80-84	1,568	2,243	40,865	59,051
85&up	1,000	2,140	34,307	72,357
Total	165,327	165,517	2,632,132	2,671,793
Total Male/Female	330,844		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Becker County - Population Estimates by Age and Sex, 2010

Age Group	BECKER		Minnesota	
	Male	Female	Male	Female
00-04	1,104	1,079	181,342	174,162
05-09	1,177	1,120	181,614	173,922
10-14	1,153	1,118	180,356	171,986
15-17	621	627	113,281	107,400
18-19	360	328	75,313	71,835
20-24	775	743	180,725	174,926
25-29	889	877	187,562	185,124
30-34	907	850	174,549	168,351
35-39	905	820	165,815	162,375
40-44	949	871	177,234	175,670
45-49	1,174	1,142	203,588	202,615
50-54	1,298	1,243	200,663	201,032
55-59	1,289	1,233	174,321	175,268
60-64	1,092	1,123	137,760	142,015
65-69	882	805	97,533	105,037
70-74	654	698	70,840	81,017
75-79	499	570	54,464	67,650
80-84	345	413	40,865	59,051
85&up	241	530	34,307	72,357
Total	16,314	16,190	2,632,132	2,671,793
Total Male/Female	32,504		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Beltrami County - Population Estimates by Age and Sex, 2010

Age Group	BELTRAMI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,750	1,607	2,812	2,620	181,342	174,162
05-09	1,580	1,510	2,600	2,498	181,614	173,922
10-14	1,469	1,416	2,526	2,369	180,356	171,986
15-17	928	848	1,617	1,514	113,281	107,400
18-19	993	964	1,366	1,283	75,313	71,835
20-24	2,374	2,167	3,084	2,807	180,725	174,926
25-29	1,498	1,458	2,316	2,205	187,562	185,124
30-34	1,279	1,223	2,089	2,000	174,549	168,351
35-39	1,126	1,081	1,954	1,935	165,815	162,375
40-44	1,085	1,156	2,031	2,074	177,234	175,670
45-49	1,415	1,445	2,723	2,708	203,588	202,615
50-54	1,484	1,560	2,851	2,896	200,663	201,032
55-59	1,366	1,475	2,663	2,784	174,321	175,268
60-64	1,235	1,196	2,504	2,340	137,760	142,015
65-69	826	839	1,846	1,884	97,533	105,037
70-74	677	699	1,530	1,565	70,840	81,017
75-79	505	539	1,127	1,167	54,464	67,650
80-84	310	464	713	915	40,865	59,051
85&up	284	611	562	1,132	34,307	72,357
Total	22,184	22,258	38,914	38,696	2,632,132	2,671,793
Total Male/Female		44,442		77,610		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Benton County - Population Estimates by Age and Sex, 2010

Age Group	BENTON		Minnesota	
	Male	Female	Male	Female
00-04	1,451	1,394	181,342	174,162
05-09	1,365	1,361	181,614	173,922
10-14	1,283	1,176	180,356	171,986
15-17	784	686	113,281	107,400
18-19	498	507	75,313	71,835
20-24	1,524	1,590	180,725	174,926
25-29	1,748	1,591	187,562	185,124
30-34	1,409	1,279	174,549	168,351
35-39	1,243	1,166	165,815	162,375
40-44	1,327	1,214	177,234	175,670
45-49	1,419	1,364	203,588	202,615
50-54	1,323	1,218	200,663	201,032
55-59	1,119	1,092	174,321	175,268
60-64	877	885	137,760	142,015
65-69	608	656	97,533	105,037
70-74	446	469	70,840	81,017
75-79	342	467	54,464	67,650
80-84	250	400	40,865	59,051
85&up	261	659	34,307	72,357
Total	19,277	19,174	2,632,132	2,671,793
Total Male/Female		38,451		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010
Big Stone County - Population Estimates by Age and Sex, 2010

Age Group	BIG STONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	135	154	1,378	1,337	181,342	174,162
05-09	148	139	1,378	1,278	181,614	173,922
10-14	163	153	1,518	1,377	180,356	171,986
15-17	112	101	1,001	944	113,281	107,400
18-19	53	53	516	452	75,313	71,835
20-24	103	88	1,108	906	180,725	174,926
25-29	131	125	1,276	1,158	187,562	185,124
30-34	114	117	1,170	1,055	174,549	168,351
35-39	118	108	1,097	1,056	165,815	162,375
40-44	124	135	1,295	1,286	177,234	175,670
45-49	207	179	1,649	1,620	203,588	202,615
50-54	220	215	1,893	1,805	200,663	201,032
55-59	206	186	1,826	1,601	174,321	175,268
60-64	177	181	1,393	1,370	137,760	142,015
65-69	122	163	1,079	1,154	97,533	105,037
70-74	143	143	934	1,007	70,840	81,017
75-79	114	150	755	984	54,464	67,650
80-84	102	126	673	954	40,865	59,051
85&up	83	178	620	1,287	34,307	72,357
Total	2,575	2,694	22,559	22,631	2,632,132	2,671,793
Total Male/Female		5,269		45,190		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Blue Earth County - Population Estimates by Age and Sex, 2010

Age Group	BLUE EARTH		Minnesota	
	Male	Female	Male	Female
00-04	1,937	1,877	181,342	174,162
05-09	1,784	1,653	181,614	173,922
10-14	1,642	1,590	180,356	171,986
15-17	966	932	113,281	107,400
18-19	1,907	2,113	75,313	71,835
20-24	5,622	5,042	180,725	174,926
25-29	2,822	2,326	187,562	185,124
30-34	1,986	1,810	174,549	168,351
35-39	1,613	1,524	165,815	162,375
40-44	1,671	1,595	177,234	175,670
45-49	1,814	1,767	203,588	202,615
50-54	1,933	1,987	200,663	201,032
55-59	1,865	1,803	174,321	175,268
60-64	1,443	1,427	137,760	142,015
65-69	992	1,023	97,533	105,037
70-74	731	837	70,840	81,017
75-79	577	769	54,464	67,650
80-84	488	735	40,865	59,051
85&up	416	994	34,307	72,357
Total	32,209	31,804	2,632,132	2,671,793
Total Male/Female		64,013		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Brown County - Population Estimates by Age and Sex, 2010

Age Group	BROWN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	852	721	1,958	1,755	181,342	174,162
05-09	805	736	1,850	1,766	181,614	173,922
10-14	821	727	1,835	1,654	180,356	171,986
15-17	528	508	1,170	1,093	113,281	107,400
18-19	384	358	1,064	1,167	75,313	71,835
20-24	822	793	2,541	2,507	180,725	174,926
25-29	745	698	1,951	1,820	187,562	185,124
30-34	665	640	1,747	1,628	174,549	168,351
35-39	649	584	1,584	1,448	165,815	162,375
40-44	743	739	1,663	1,626	177,234	175,670
45-49	960	990	2,140	2,097	203,588	202,615
50-54	1,085	1,082	2,246	2,262	200,663	201,032
55-59	931	909	1,961	1,954	174,321	175,268
60-64	779	740	1,713	1,604	137,760	142,015
65-69	567	618	1,101	1,226	97,533	105,037
70-74	443	498	878	963	70,840	81,017
75-79	415	542	741	942	54,464	67,650
80-84	337	482	580	811	40,865	59,051
85&up	325	672	497	1,077	34,307	72,357
Total	12,856	13,037	29,220	29,400	2,632,132	2,671,793
Total Male/Female		25,893		58,620		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Carlton County - Population Estimates by Age and Sex, 2010

Age Group	CARLTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,161	1,079	7,085	6,938	181,342	174,162
05-09	1,220	1,141	7,098	6,711	181,614	173,922
10-14	1,206	1,102	7,123	6,681	180,356	171,986
15-17	748	707	4,764	4,461	113,281	107,400
18-19	502	360	4,490	4,164	75,313	71,835
20-24	997	777	10,610	9,363	180,725	174,926
25-29	1,156	946	8,050	7,252	187,562	185,124
30-34	1,204	932	7,312	6,456	174,549	168,351
35-39	1,187	1,024	6,974	6,393	165,815	162,375
40-44	1,302	1,091	7,428	7,166	177,234	175,670
45-49	1,505	1,312	9,235	9,016	203,588	202,615
50-54	1,484	1,397	10,315	10,139	200,663	201,032
55-59	1,299	1,192	10,157	9,772	174,321	175,268
60-64	1,084	954	8,232	7,657	137,760	142,015
65-69	761	773	5,653	5,792	97,533	105,037
70-74	571	634	4,173	4,738	70,840	81,017
75-79	506	543	3,353	4,048	54,464	67,650
80-84	304	425	2,566	3,626	40,865	59,051
85&up	216	584	2,065	4,598	34,307	72,357
Total	18,413	16,973	126,683	124,971	2,632,132	2,671,793
Total Male/Female		35,386		251,654		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Carver County - Population Estimates by Age and Sex, 2010

Age Group	CARVER		Minnesota	
	Male	Female	Male	Female
00-04	3,433	3,292	181,342	174,162
05-09	4,070	3,832	181,614	173,922
10-14	4,091	3,897	180,356	171,986
15-17	2,306	2,284	113,281	107,400
18-19	1,067	895	75,313	71,835
20-24	1,989	1,942	180,725	174,926
25-29	2,483	2,542	187,562	185,124
30-34	2,866	2,939	174,549	168,351
35-39	3,178	3,346	165,815	162,375
40-44	3,865	4,051	177,234	175,670
45-49	4,332	4,332	203,588	202,615
50-54	3,634	3,559	200,663	201,032
55-59	2,683	2,665	174,321	175,268
60-64	1,882	1,880	137,760	142,015
65-69	1,200	1,285	97,533	105,037
70-74	820	855	70,840	81,017
75-79	578	786	54,464	67,650
80-84	432	651	40,865	59,051
85&up	327	773	34,307	72,357
Total	45,236	45,806	2,632,132	2,671,793
Total Male/Female	91,042		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Cass County - Population Estimates by Age and Sex, 2010

Age Group	CASS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	890	850	2,496	2,382	181,342	174,162
05-09	886	809	2,458	2,228	181,614	173,922
10-14	871	806	2,491	2,449	180,356	171,986
15-17	564	527	1,671	1,526	113,281	107,400
18-19	338	294	966	812	75,313	71,835
20-24	619	547	1,931	1,665	180,725	174,926
25-29	686	642	2,044	1,951	187,562	185,124
30-34	687	638	2,035	1,870	174,549	168,351
35-39	646	644	1,936	1,797	165,815	162,375
40-44	848	795	2,203	2,053	177,234	175,670
45-49	1,068	1,010	2,756	2,721	203,588	202,615
50-54	1,176	1,106	2,870	2,725	200,663	201,032
55-59	1,167	1,180	2,715	2,443	174,321	175,268
60-64	1,139	1,105	2,132	2,040	137,760	142,015
65-69	1,104	1,057	1,754	1,844	97,533	105,037
70-74	843	716	1,348	1,472	70,840	81,017
75-79	549	534	1,059	1,251	54,464	67,650
80-84	321	342	822	1,101	40,865	59,051
85&up	201	362	636	1,283	34,307	72,357
Total	14,603	13,964	36,323	35,613	2,632,132	2,671,793
Total Male/Female	28,567		71,936		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Chippewa County - Population Estimates by Age and Sex, 2010

Age Group	CHIPPEWA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	424	404	1,378	1,337	181,342	174,162
05-09	369	359	1,378	1,278	181,614	173,922
10-14	428	396	1,518	1,377	180,356	171,986
15-17	274	260	1,001	944	113,281	107,400
18-19	138	142	516	452	75,313	71,835
20-24	311	294	1,108	906	180,725	174,926
25-29	383	354	1,276	1,158	187,562	185,124
30-34	337	311	1,170	1,055	174,549	168,351
35-39	306	292	1,097	1,056	165,815	162,375
40-44	347	387	1,295	1,286	177,234	175,670
45-49	442	454	1,649	1,620	203,588	202,615
50-54	473	466	1,893	1,805	200,663	201,032
55-59	496	468	1,826	1,601	174,321	175,268
60-64	370	356	1,393	1,370	137,760	142,015
65-69	295	319	1,079	1,154	97,533	105,037
70-74	226	236	934	1,007	70,840	81,017
75-79	174	257	755	984	54,464	67,650
80-84	158	273	673	954	40,865	59,051
85&up	151	311	620	1,287	34,307	72,357
Total	6,102	6,339	22,559	22,631	2,632,132	2,671,793
Total Male/Female		12,441		45,190		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Chisago County - Population Estimates by Age and Sex, 2010

Age Group	CHISAGO		Minnesota	
	Male	Female	Male	Female
00-04	1,706	1,604	181,342	174,162
05-09	1,999	1,856	181,614	173,922
10-14	2,069	2,062	180,356	171,986
15-17	1,272	1,279	113,281	107,400
18-19	724	577	75,313	71,835
20-24	1,533	1,098	180,725	174,926
25-29	1,658	1,429	187,562	185,124
30-34	1,721	1,522	174,549	168,351
35-39	1,870	1,787	165,815	162,375
40-44	2,329	2,138	177,234	175,670
45-49	2,630	2,382	203,588	202,615
50-54	2,190	2,123	200,663	201,032
55-59	1,789	1,641	174,321	175,268
60-64	1,350	1,302	137,760	142,015
65-69	1,050	1,031	97,533	105,037
70-74	707	694	70,840	81,017
75-79	499	586	54,464	67,650
80-84	341	484	40,865	59,051
85&up	303	552	34,307	72,357
Total	27,740	26,147	2,632,132	2,671,793
Total Male/Female		53,887		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Clay County - Population Estimates by Age and Sex, 2010

Age Group	CLAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	2,120	1,936	2,314	2,113	181,342	174,162
05-09	1,911	1,861	2,147	2,033	181,614	173,922
10-14	1,904	1,782	2,152	2,025	180,356	171,986
15-17	1,198	1,032	1,347	1,187	113,281	107,400
18-19	1,412	1,803	1,484	1,874	75,313	71,835
20-24	3,535	3,612	3,700	3,743	180,725	174,926
25-29	2,138	1,983	2,304	2,150	187,562	185,124
30-34	1,839	1,832	1,997	1,985	174,549	168,351
35-39	1,681	1,630	1,864	1,804	165,815	162,375
40-44	1,621	1,590	1,827	1,795	177,234	175,670
45-49	1,824	1,847	2,112	2,116	203,588	202,615
50-54	1,894	1,996	2,200	2,279	200,663	201,032
55-59	1,725	1,687	1,979	1,896	174,321	175,268
60-64	1,277	1,251	1,453	1,448	137,760	142,015
65-69	909	949	1,036	1,109	97,533	105,037
70-74	714	847	844	965	70,840	81,017
75-79	579	741	683	885	54,464	67,650
80-84	468	681	568	771	40,865	59,051
85&up	388	802	461	925	34,307	72,357
Total	29,137	29,862	32,472	33,103	2,632,132	2,671,793
Total Male/Female	58,999		65,575		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Clearwater County - Population Estimates by Age and Sex, 2010

Age Group	CLEARWATER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	304	302	2,812	2,620	181,342	174,162
05-09	306	299	2,600	2,498	181,614	173,922
10-14	318	271	2,526	2,369	180,356	171,986
15-17	190	180	1,617	1,514	113,281	107,400
18-19	105	94	1,366	1,283	75,313	71,835
20-24	215	184	3,084	2,807	180,725	174,926
25-29	224	201	2,316	2,205	187,562	185,124
30-34	244	231	2,089	2,000	174,549	168,351
35-39	247	248	1,954	1,935	165,815	162,375
40-44	252	213	2,031	2,074	177,234	175,670
45-49	315	312	2,723	2,708	203,588	202,615
50-54	327	344	2,851	2,896	200,663	201,032
55-59	305	301	2,663	2,784	174,321	175,268
60-64	280	262	2,504	2,340	137,760	142,015
65-69	230	232	1,846	1,884	97,533	105,037
70-74	202	213	1,530	1,565	70,840	81,017
75-79	133	152	1,127	1,167	54,464	67,650
80-84	104	117	713	915	40,865	59,051
85&up	73	165	562	1,132	34,307	72,357
Total	4,374	4,321	38,914	38,696	2,632,132	2,671,793
Total Male/Female	8,695		77,610		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Cook County - Population Estimates by Age and Sex, 2010

Age Group	COOK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	116	102	7,085	6,938	181,342	174,162
05-09	117	105	7,098	6,711	181,614	173,922
10-14	132	119	7,123	6,681	180,356	171,986
15-17	88	92	4,764	4,461	113,281	107,400
18-19	42	37	4,490	4,164	75,313	71,835
20-24	99	101	10,610	9,363	180,725	174,926
25-29	115	131	8,050	7,252	187,562	185,124
30-34	135	108	7,312	6,456	174,549	168,351
35-39	128	130	6,974	6,393	165,815	162,375
40-44	153	169	7,428	7,166	177,234	175,670
45-49	189	198	9,235	9,016	203,588	202,615
50-54	247	250	10,315	10,139	200,663	201,032
55-59	251	274	10,157	9,772	174,321	175,268
60-64	261	236	8,232	7,657	137,760	142,015
65-69	191	181	5,653	5,792	97,533	105,037
70-74	120	126	4,173	4,738	70,840	81,017
75-79	99	74	3,353	4,048	54,464	67,650
80-84	54	64	2,566	3,626	40,865	59,051
85&up	47	95	2,065	4,598	34,307	72,357
Total	2,584	2,592	126,683	124,971	2,632,132	2,671,793
Total Male/Female	5,176		251,654		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Cottonwood County - Population Estimates by Age and Sex, 2010

Age Group	COTTONWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	355	348	659	654	181,342	174,162
05-09	414	387	748	682	181,614	173,922
10-14	422	348	765	659	180,356	171,986
15-17	254	263	465	479	113,281	107,400
18-19	131	134	277	231	75,313	71,835
20-24	275	240	538	451	180,725	174,926
25-29	286	272	554	537	187,562	185,124
30-34	304	268	589	506	174,549	168,351
35-39	291	303	573	578	165,815	162,375
40-44	327	347	636	643	177,234	175,670
45-49	401	396	796	737	203,588	202,615
50-54	455	420	912	836	200,663	201,032
55-59	413	420	816	791	174,321	175,268
60-64	369	362	666	649	137,760	142,015
65-69	292	302	526	531	97,533	105,037
70-74	230	265	414	502	70,840	81,017
75-79	198	261	383	473	54,464	67,650
80-84	176	256	309	464	40,865	59,051
85&up	170	332	327	597	34,307	72,357
Total	5,763	5,924	10,953	11,000	2,632,132	2,671,793
Total Male/Female	11,687		21,953		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Crow Wing County - Population Estimates by Age and Sex, 2010

Age Group	CROW WING		Minnesota	
	Male	Female	Male	Female
00-04	2,030	1,995	181,342	174,162
05-09	2,101	1,961	181,614	173,922
10-14	1,979	1,886	180,356	171,986
15-17	1,229	1,191	113,281	107,400
18-19	797	727	75,313	71,835
20-24	1,600	1,587	180,725	174,926
25-29	1,878	1,792	187,562	185,124
30-34	1,786	1,695	174,549	168,351
35-39	1,718	1,623	165,815	162,375
40-44	1,825	1,806	177,234	175,670
45-49	2,313	2,273	203,588	202,615
50-54	2,255	2,336	200,663	201,032
55-59	2,225	2,272	174,321	175,268
60-64	2,044	2,012	137,760	142,015
65-69	1,759	1,856	97,533	105,037
70-74	1,379	1,382	70,840	81,017
75-79	971	1,086	54,464	67,650
80-84	707	909	40,865	59,051
85&up	537	978	34,307	72,357
Total	31,133	31,367	2,632,132	2,671,793
Total Male/Female	62,500		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Dakota County - Population Estimates by Age and Sex, 2010

Age Group	DAKOTA		Minnesota	
	Male	Female	Male	Female
00-04	14,175	13,696	181,342	174,162
05-09	14,738	14,209	181,614	173,922
10-14	15,285	14,508	180,356	171,986
15-17	9,563	8,886	113,281	107,400
18-19	4,663	4,189	75,313	71,835
20-24	11,006	10,833	180,725	174,926
25-29	13,360	13,982	187,562	185,124
30-34	13,355	13,582	174,549	168,351
35-39	13,283	13,779	165,815	162,375
40-44	14,649	15,201	177,234	175,670
45-49	16,603	17,594	203,588	202,615
50-54	15,770	16,367	200,663	201,032
55-59	12,431	13,229	174,321	175,268
60-64	9,560	10,240	137,760	142,015
65-69	6,289	7,076	97,533	105,037
70-74	4,100	4,968	70,840	81,017
75-79	3,103	3,907	54,464	67,650
80-84	2,116	3,189	40,865	59,051
85&up	1,612	3,456	34,307	72,357
Total	195,661	202,891	2,632,132	2,671,793
Total Male/Female	398,552		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Dodge County - Population Estimates by Age and Sex, 2010

Age Group	DODGE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	751	732	2,072	2,081	181,342	174,162
05-09	833	831	2,207	2,116	181,614	173,922
10-14	823	846	2,176	2,160	180,356	171,986
15-17	521	487	1,384	1,278	113,281	107,400
18-19	241	223	683	603	75,313	71,835
20-24	482	427	1,387	1,296	180,725	174,926
25-29	606	578	1,797	1,723	187,562	185,124
30-34	654	633	1,697	1,760	174,549	168,351
35-39	680	683	1,826	1,768	165,815	162,375
40-44	713	700	1,990	1,951	177,234	175,670
45-49	805	777	2,238	2,168	203,588	202,615
50-54	743	738	2,051	2,055	200,663	201,032
55-59	648	600	1,925	1,794	174,321	175,268
60-64	425	447	1,359	1,388	137,760	142,015
65-69	368	355	1,041	1,061	97,533	105,037
70-74	269	299	818	960	70,840	81,017
75-79	200	248	599	771	54,464	67,650
80-84	132	189	448	724	40,865	59,051
85&up	145	255	449	859	34,307	72,357
Total	10,039	10,048	28,147	28,516	2,632,132	2,671,793
Total Male/Female		20,087		56,663		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Dodge and Steele Counties

Douglas County - Population Estimates by Age and Sex, 2010

Age Group	DOUGLAS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,132	1,039	2,046	1,922	181,342	174,162
05-09	1,138	1,098	2,058	1,914	181,614	173,922
10-14	1,082	1,012	1,992	1,879	180,356	171,986
15-17	704	671	1,287	1,217	113,281	107,400
18-19	576	381	1,059	927	75,313	71,835
20-24	1,075	890	2,158	1,923	180,725	174,926
25-29	1,083	1,043	1,970	1,812	187,562	185,124
30-34	1,037	962	1,842	1,692	174,549	168,351
35-39	931	929	1,670	1,604	165,815	162,375
40-44	1,023	972	1,797	1,767	177,234	175,670
45-49	1,267	1,244	2,282	2,244	203,588	202,615
50-54	1,378	1,441	2,520	2,576	200,663	201,032
55-59	1,280	1,238	2,444	2,288	174,321	175,268
60-64	1,142	1,172	2,078	2,063	137,760	142,015
65-69	1,019	1,044	1,783	1,825	97,533	105,037
70-74	776	788	1,356	1,461	70,840	81,017
75-79	575	692	1,118	1,334	54,464	67,650
80-84	463	588	893	1,181	40,865	59,051
85&up	376	748	801	1,523	34,307	72,357
Total	18,057	17,952	33,154	33,152	2,632,132	2,671,793
Total Male/Female		36,009		66,306		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Douglas, Grant, Pope, Stevens and Traverse Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Faribault County - Population Estimates by Age and Sex, 2010

Age Group	FARIBAULT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	436	395	1,062	986	181,342	174,162
05-09	413	396	1,018	1,036	181,614	173,922
10-14	492	440	1,153	1,064	180,356	171,986
15-17	325	302	779	733	113,281	107,400
18-19	170	135	387	330	75,313	71,835
20-24	331	307	834	757	180,725	174,926
25-29	368	332	935	884	187,562	185,124
30-34	409	376	933	861	174,549	168,351
35-39	342	324	866	850	165,815	162,375
40-44	401	391	976	933	177,234	175,670
45-49	488	526	1,205	1,300	203,588	202,615
50-54	634	611	1,538	1,491	200,663	201,032
55-59	618	504	1,475	1,266	174,321	175,268
60-64	458	450	1,133	1,112	137,760	142,015
65-69	367	418	885	952	97,533	105,037
70-74	312	362	703	834	70,840	81,017
75-79	252	323	591	758	54,464	67,650
80-84	232	315	521	736	40,865	59,051
85&up	183	415	466	1,050	34,307	72,357
Total	7,231	7,322	17,460	17,933	2,632,132	2,671,793
Total Male/Female		14,553		35,393		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Fillmore County - Population Estimates by Age and Sex, 2010

Age Group	FILLMORE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	779	667	1,377	1,195	181,342	174,162
05-09	706	653	1,327	1,246	181,614	173,922
10-14	687	681	1,301	1,254	180,356	171,986
15-17	444	448	877	891	113,281	107,400
18-19	247	206	459	419	75,313	71,835
20-24	458	441	924	835	180,725	174,926
25-29	572	561	1,087	1,059	187,562	185,124
30-34	571	562	1,071	1,017	174,549	168,351
35-39	582	548	1,065	1,074	165,815	162,375
40-44	608	568	1,174	1,156	177,234	175,670
45-49	758	743	1,459	1,533	203,588	202,615
50-54	801	839	1,680	1,664	200,663	201,032
55-59	747	732	1,538	1,469	174,321	175,268
60-64	635	622	1,229	1,206	137,760	142,015
65-69	538	501	975	930	97,533	105,037
70-74	386	415	698	780	70,840	81,017
75-79	344	410	644	766	54,464	67,650
80-84	260	358	480	675	40,865	59,051
85&up	247	541	442	917	34,307	72,357
Total	10,370	10,496	19,807	20,086	2,632,132	2,671,793
Total Male/Female		20,866		39,893		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Freeborn County - Population Estimates by Age and Sex, 2010

Age Group	FREEBORN		Minnesota	
	Male	Female	Male	Female
00-04	949	972	181,342	174,162
05-09	983	914	181,614	173,922
10-14	927	935	180,356	171,986
15-17	620	572	113,281	107,400
18-19	365	353	75,313	71,835
20-24	807	729	180,725	174,926
25-29	921	816	187,562	185,124
30-34	807	785	174,549	168,351
35-39	843	780	165,815	162,375
40-44	950	922	177,234	175,670
45-49	1,173	1,147	203,588	202,615
50-54	1,259	1,200	200,663	201,032
55-59	1,154	1,089	174,321	175,268
60-64	976	998	137,760	142,015
65-69	789	829	97,533	105,037
70-74	640	778	70,840	81,017
75-79	491	649	54,464	67,650
80-84	409	598	40,865	59,051
85&up	399	727	34,307	72,357
Total	15,462	15,793	2,632,132	2,671,793
Total Male/Female	#		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Goodhue County - Population Estimates by Age and Sex, 2010

Age Group	GOODHUE		Minnesota	
	Male	Female	Male	Female
00-04	1,478	1,436	181,342	174,162
05-09	1,547	1,419	181,614	173,922
10-14	1,579	1,548	180,356	171,986
15-17	1,029	914	113,281	107,400
18-19	559	427	75,313	71,835
20-24	1,134	1,097	180,725	174,926
25-29	1,366	1,311	187,562	185,124
30-34	1,350	1,261	174,549	168,351
35-39	1,271	1,303	165,815	162,375
40-44	1,431	1,458	177,234	175,670
45-49	1,909	1,866	203,588	202,615
50-54	1,854	1,856	200,663	201,032
55-59	1,753	1,693	174,321	175,268
60-64	1,375	1,365	137,760	142,015
65-69	987	1,080	97,533	105,037
70-74	793	863	70,840	81,017
75-79	614	717	54,464	67,650
80-84	452	692	40,865	59,051
85&up	446	950	34,307	72,357
Total	22,927	23,256	2,632,132	2,671,793
Total Male/Female	46,183		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Grant County - Population Estimates by Age and Sex, 2010

Age Group	GRANT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	177	195	2,046	1,922	181,342	174,162
05-09	181	168	2,058	1,914	181,614	173,922
10-14	156	172	1,992	1,879	180,356	171,986
15-17	114	124	1,287	1,217	113,281	107,400
18-19	61	55	1,059	927	75,313	71,835
20-24	134	112	2,158	1,923	180,725	174,926
25-29	170	170	1,970	1,812	187,562	185,124
30-34	160	147	1,842	1,692	174,549	168,351
35-39	159	122	1,670	1,604	165,815	162,375
40-44	151	164	1,797	1,767	177,234	175,670
45-49	214	239	2,282	2,244	203,588	202,615
50-54	246	237	2,520	2,576	200,663	201,032
55-59	223	207	2,444	2,288	174,321	175,268
60-64	210	216	2,078	2,063	137,760	142,015
65-69	180	173	1,783	1,825	97,533	105,037
70-74	142	143	1,356	1,461	70,840	81,017
75-79	115	119	1,118	1,334	54,464	67,650
80-84	88	131	893	1,181	40,865	59,051
85&up	93	150	801	1,523	34,307	72,357
Total	2,974	3,044	33,154	33,152	2,632,132	2,671,793
Total Male/Female	6,018		66,306		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Douglas, Grant, Pope, Stevens and Traverse Counties

Hennepin County - Population Estimates by Age and Sex, 2010

Age Group	HENNEPIN		Minnesota	
	Male	Female	Male	Female
00-04	38,789	37,447	181,342	174,162
05-09	36,731	35,678	181,614	173,922
10-14	35,396	33,952	180,356	171,986
15-17	22,136	21,216	113,281	107,400
18-19	14,851	14,469	75,313	71,835
20-24	41,694	42,537	180,725	174,926
25-29	50,003	50,910	187,562	185,124
30-34	43,947	42,663	174,549	168,351
35-39	38,718	37,478	165,815	162,375
40-44	39,222	38,886	177,234	175,670
45-49	43,045	42,887	203,588	202,615
50-54	42,039	43,159	200,663	201,032
55-59	36,485	38,368	174,321	175,268
60-64	28,188	30,717	137,760	142,015
65-69	18,006	20,674	97,533	105,037
70-74	12,396	15,440	70,840	81,017
75-79	9,653	12,973	54,464	67,650
80-84	7,790	12,060	40,865	59,051
85&up	7,095	14,727	34,307	72,357
Total	566,184	586,241	2,632,132	2,671,793
Total Male/Female	1,152,425		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Houston County - Population Estimates by Age and Sex, 2010

Age Group	HOUSTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	598	528	1,377	1,195	181,342	174,162
05-09	621	593	1,327	1,246	181,614	173,922
10-14	614	573	1,301	1,254	180,356	171,986
15-17	433	443	877	891	113,281	107,400
18-19	212	213	459	419	75,313	71,835
20-24	466	394	924	835	180,725	174,926
25-29	515	498	1,087	1,059	187,562	185,124
30-34	500	455	1,071	1,017	174,549	168,351
35-39	483	526	1,065	1,074	165,815	162,375
40-44	566	588	1,174	1,156	177,234	175,670
45-49	701	790	1,459	1,533	203,588	202,615
50-54	879	825	1,680	1,664	200,663	201,032
55-59	791	737	1,538	1,469	174,321	175,268
60-64	594	584	1,229	1,206	137,760	142,015
65-69	437	429	975	930	97,533	105,037
70-74	312	365	698	780	70,840	81,017
75-79	300	356	644	766	54,464	67,650
80-84	220	317	480	675	40,865	59,051
85&up	195	376	442	917	34,307	72,357
Total	9,437	9,590	19,807	20,086	2,632,132	2,671,793
Total Male/Female		19,027		39,893		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Fillmore and Houston Counties

Hubbard County - Population Estimates by Age and Sex, 2010

Age Group	HUBBARD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	660	600	2,812	2,620	181,342	174,162
05-09	597	582	2,600	2,498	181,614	173,922
10-14	633	582	2,526	2,369	180,356	171,986
15-17	407	403	1,617	1,514	113,281	107,400
18-19	227	193	1,366	1,283	75,313	71,835
20-24	422	392	3,084	2,807	180,725	174,926
25-29	509	467	2,316	2,205	187,562	185,124
30-34	472	455	2,089	2,000	174,549	168,351
35-39	497	513	1,954	1,935	165,815	162,375
40-44	577	586	2,031	2,074	177,234	175,670
45-49	806	795	2,723	2,708	203,588	202,615
50-54	832	796	2,851	2,896	200,663	201,032
55-59	783	823	2,663	2,784	174,321	175,268
60-64	823	751	2,504	2,340	137,760	142,015
65-69	670	681	1,846	1,884	97,533	105,037
70-74	539	569	1,530	1,565	70,840	81,017
75-79	423	401	1,127	1,167	54,464	67,650
80-84	244	270	713	915	40,865	59,051
85&up	167	281	562	1,132	34,307	72,357
Total	10,288	10,140	38,914	38,696	2,632,132	2,671,793
Total Male/Female		20,428		77,610		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard & Lake of the Woods

Demographics Table 1: Minnesota Population Estimates, 2010

Isanti County - Population Estimates by Age and Sex, 2010

Age Group	ISANTI		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,385	1,322	2,344	2,220	181,342	174,162
05-09	1,379	1,269	2,298	2,134	181,614	173,922
10-14	1,414	1,368	2,354	2,247	180,356	171,986
15-17	832	836	1,455	1,368	113,281	107,400
18-19	455	459	815	766	75,313	71,835
20-24	1,110	994	1,783	1,665	180,725	174,926
25-29	1,251	1,275	2,011	2,045	187,562	185,124
30-34	1,259	1,131	2,067	1,871	174,549	168,351
35-39	1,247	1,172	2,007	1,941	165,815	162,375
40-44	1,292	1,274	2,180	2,090	177,234	175,670
45-49	1,678	1,538	2,716	2,566	203,588	202,615
50-54	1,555	1,412	2,560	2,309	200,663	201,032
55-59	1,216	1,124	2,043	1,917	174,321	175,268
60-64	927	962	1,627	1,628	137,760	142,015
65-69	716	802	1,293	1,497	97,533	105,037
70-74	545	591	999	1,077	70,840	81,017
75-79	353	420	754	795	54,464	67,650
80-84	240	358	467	705	40,865	59,051
85&up	211	444	394	905	34,307	72,357
Total	19,065	18,751	32,167	31,746	2,632,132	2,671,793
Total Male/Female	37,816		63,913		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Itasca County - Population Estimates by Age and Sex, 2010

Age Group	ITASCA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,314	1,145	2,042	1,828	181,342	174,162
05-09	1,398	1,313	2,193	2,076	181,614	173,922
10-14	1,492	1,344	2,311	2,168	180,356	171,986
15-17	932	898	1,493	1,425	113,281	107,400
18-19	661	459	992	747	75,313	71,835
20-24	1,074	895	1,672	1,414	180,725	174,926
25-29	1,128	1,109	1,751	1,730	187,562	185,124
30-34	1,181	1,113	1,776	1,688	174,549	168,351
35-39	1,160	1,175	1,829	1,881	165,815	162,375
40-44	1,250	1,268	2,094	2,070	177,234	175,670
45-49	1,617	1,650	2,713	2,742	203,588	202,615
50-54	1,881	1,838	3,173	3,031	200,663	201,032
55-59	2,015	1,983	3,280	3,250	174,321	175,268
60-64	1,642	1,549	2,881	2,730	137,760	142,015
65-69	1,323	1,331	2,458	2,418	97,533	105,037
70-74	1,027	976	1,911	1,861	70,840	81,017
75-79	693	853	1,292	1,489	54,464	67,650
80-84	547	640	977	1,133	40,865	59,051
85&up	412	772	722	1,330	34,307	72,357
Total	22,747	22,311	37,560	37,011	2,632,132	2,671,793
Total Male/Female	45,058		74,571		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Demographics Table 1: Minnesota Population Estimates, 2010
Jackson County - Population Estimates by Age and Sex, 2010

Age Group	JACKSON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	304	306	659	654	181,342	174,162
05-09	334	295	748	682	181,614	173,922
10-14	343	311	765	659	180,356	171,986
15-17	211	216	465	479	113,281	107,400
18-19	146	97	277	231	75,313	71,835
20-24	263	211	538	451	180,725	174,926
25-29	268	265	554	537	187,562	185,124
30-34	285	238	589	506	174,549	168,351
35-39	282	275	573	578	165,815	162,375
40-44	309	296	636	643	177,234	175,670
45-49	395	341	796	737	203,588	202,615
50-54	457	416	912	836	200,663	201,032
55-59	403	371	816	791	174,321	175,268
60-64	297	287	666	649	137,760	142,015
65-69	234	229	526	531	97,533	105,037
70-74	184	237	414	502	70,840	81,017
75-79	185	212	383	473	54,464	67,650
80-84	133	208	309	464	40,865	59,051
85&up	157	265	327	597	34,307	72,357
Total	5,190	5,076	10,953	11,000	2,632,132	2,671,793
Total Male/Female		10,266		21,953		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Cottonwood and Jackson Counties

Kanabec County - Population Estimates by Age and Sex, 2010

Age Group	Male		Male		Male	
00-04	468	506	1,370	1,333	181,342	174,162
05-09	573	540	1,510	1,445	181,614	173,922
10-14	574	493	1,539	1,369	180,356	171,986
15-17	391	351	1,006	923	113,281	107,400
18-19	196	165	560	427	75,313	71,835
20-24	374	335	1,241	942	180,725	174,926
25-29	462	434	1,550	1,252	187,562	185,124
30-34	447	421	1,592	1,133	174,549	168,351
35-39	458	512	1,491	1,272	165,815	162,375
40-44	519	466	1,646	1,324	177,234	175,670
45-49	660	637	2,034	1,743	203,588	202,615
50-54	717	656	1,973	1,788	200,663	201,032
55-59	640	588	1,726	1,575	174,321	175,268
60-64	501	496	1,374	1,336	137,760	142,015
65-69	424	448	1,173	1,260	97,533	105,037
70-74	332	330	937	964	70,840	81,017
75-79	243	243	731	669	54,464	67,650
80-84	134	210	410	553	40,865	59,051
85&up	108	187	292	526	34,307	72,357
Total	8,221	8,018	24,155	21,834	2,632,132	2,671,793
Total Male/Female		16,239		45,989		5,303,925
Source: U.S. Census Bureau: 2010 C						

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Demographics Table 1: Minnesota Population Estimates, 2010
Kandiyohi County - Population Estimates by Age and Sex, 2010

Age Group	KANDIYOHI		Minnesota	
	Male	Female	Male	Female
00-04	1,506	1,413	181,342	174,162
05-09	1,405	1,371	181,614	173,922
10-14	1,370	1,253	180,356	171,986
15-17	974	865	113,281	107,400
18-19	715	583	75,313	71,835
20-24	1,432	1,297	180,725	174,926
25-29	1,351	1,226	187,562	185,124
30-34	1,198	1,135	174,549	168,351
35-39	1,135	1,118	165,815	162,375
40-44	1,204	1,186	177,234	175,670
45-49	1,444	1,465	203,588	202,615
50-54	1,640	1,699	200,663	201,032
55-59	1,532	1,521	174,321	175,268
60-64	1,170	1,199	137,760	142,015
65-69	920	938	97,533	105,037
70-74	682	822	70,840	81,017
75-79	547	633	54,464	67,650
80-84	474	593	40,865	59,051
85&up	379	844	34,307	72,357
Total	21,078	21,161	2,632,132	2,671,793
Total Male/Female	42,239		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Kittson County - Population Estimates by Age and Sex, 2010

Age Group	KITTSOON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	106	116	1,457	1,546	181,342	174,162
05-09	135	120	1,603	1,569	181,614	173,922
10-14	170	153	1,736	1,619	180,356	171,986
15-17	90	94	1,110	992	113,281	107,400
18-19	48	28	615	449	75,313	71,835
20-24	99	66	1,145	1,030	180,725	174,926
25-29	90	85	1,320	1,268	187,562	185,124
30-34	99	82	1,387	1,256	174,549	168,351
35-39	102	122	1,406	1,369	165,815	162,375
40-44	134	118	1,556	1,374	177,234	175,670
45-49	177	167	1,921	1,819	203,588	202,615
50-54	193	193	1,972	1,895	200,663	201,032
55-59	226	197	1,827	1,630	174,321	175,268
60-64	168	145	1,400	1,360	137,760	142,015
65-69	132	104	1,115	1,110	97,533	105,037
70-74	107	117	858	912	70,840	81,017
75-79	83	107	620	784	54,464	67,650
80-84	62	115	521	751	40,865	59,051
85&up	65	137	431	906	34,307	72,357
Total	2,286	2,266	24,000	23,639	2,632,132	2,671,793
Total Male/Female	4,552		47,639		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Koochiching County - Population Estimates by Age and Sex, 2010

Age Group	KOOCHICHING		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	308	325	2,042	1,828	181,342	174,162
05-09	382	379	2,193	2,076	181,614	173,922
10-14	415	416	2,311	2,168	180,356	171,986
15-17	295	262	1,493	1,425	113,281	107,400
18-19	174	154	992	747	75,313	71,835
20-24	313	264	1,672	1,414	180,725	174,926
25-29	306	292	1,751	1,730	187,562	185,124
30-34	285	297	1,776	1,688	174,549	168,351
35-39	328	377	1,829	1,881	165,815	162,375
40-44	429	388	2,094	2,070	177,234	175,670
45-49	506	510	2,713	2,742	203,588	202,615
50-54	597	582	3,173	3,031	200,663	201,032
55-59	605	573	3,280	3,250	174,321	175,268
60-64	501	444	2,881	2,730	137,760	142,015
65-69	375	371	2,458	2,418	97,533	105,037
70-74	293	317	1,911	1,861	70,840	81,017
75-79	212	270	1,292	1,489	54,464	67,650
80-84	159	229	977	1,133	40,865	59,051
85&up	125	253	722	1,330	34,307	72,357
Total	6,608	6,703	37,560	37,011	2,632,132	2,671,793
Total Male/Female	13,311		74,571		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Aitkin, Itasca and Koochiching Counties

Lac Qui Parle County - Population Estimates by Age and Sex, 2010

Age Group	LAC QUI PARLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	200	177	1,378	1,337	181,342	174,162
05-09	215	197	1,378	1,278	181,614	173,922
10-14	224	222	1,518	1,377	180,356	171,986
15-17	151	148	1,001	944	113,281	107,400
18-19	64	60	516	452	75,313	71,835
20-24	139	107	1,108	906	180,725	174,926
25-29	176	141	1,276	1,158	187,562	185,124
30-34	151	171	1,170	1,055	174,549	168,351
35-39	176	148	1,097	1,056	165,815	162,375
40-44	195	175	1,295	1,286	177,234	175,670
45-49	264	267	1,649	1,620	203,588	202,615
50-54	338	317	1,893	1,805	200,663	201,032
55-59	322	311	1,826	1,601	174,321	175,268
60-64	246	231	1,393	1,370	137,760	142,015
65-69	188	203	1,079	1,154	97,533	105,037
70-74	186	174	934	1,007	70,840	81,017
75-79	139	174	755	984	54,464	67,650
80-84	139	179	673	954	40,865	59,051
85&up	116	228	620	1,287	34,307	72,357
Total	3,629	3,630	22,559	22,631	2,632,132	2,671,793
Total Male/Female	7,259		45,190		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Lake County - Population Estimates by Age and Sex, 2010

Age Group	LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	282	302	7,085	6,938	181,342	174,162
05-09	275	241	7,098	6,711	181,614	173,922
10-14	303	285	7,123	6,681	180,356	171,986
15-17	183	196	4,764	4,461	113,281	107,400
18-19	98	114	4,490	4,164	75,313	71,835
20-24	245	244	10,610	9,363	180,725	174,926
25-29	289	248	8,050	7,252	187,562	185,124
30-34	265	262	7,312	6,456	174,549	168,351
35-39	273	250	6,974	6,393	165,815	162,375
40-44	271	297	7,428	7,166	177,234	175,670
45-49	398	416	9,235	9,016	203,588	202,615
50-54	518	475	10,315	10,139	200,663	201,032
55-59	502	443	10,157	9,772	174,321	175,268
60-64	391	372	8,232	7,657	137,760	142,015
65-69	334	331	5,653	5,792	97,533	105,037
70-74	274	292	4,173	4,738	70,840	81,017
75-79	239	227	3,353	4,048	54,464	67,650
80-84	199	189	2,566	3,626	40,865	59,051
85&up	140	203	2,065	4,598	34,307	72,357
Total	5,479	5,387	126,683	124,971	2,632,132	2,671,793
Total Male/Female	10,866		251,654		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Lake of the Woods County - Population Estimates by Age and Sex, 2010

Age Group	LAKE OF THE WOODS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	98	111	2,812	2,620	181,342	174,162
05-09	117	107	2,600	2,498	181,614	173,922
10-14	106	100	2,526	2,369	180,356	171,986
15-17	92	83	1,617	1,514	113,281	107,400
18-19	41	32	1,366	1,283	75,313	71,835
20-24	73	64	3,084	2,807	180,725	174,926
25-29	85	79	2,316	2,205	187,562	185,124
30-34	94	91	2,089	2,000	174,549	168,351
35-39	84	93	1,954	1,935	165,815	162,375
40-44	117	119	2,031	2,074	177,234	175,670
45-49	187	156	2,723	2,708	203,588	202,615
50-54	208	196	2,851	2,896	200,663	201,032
55-59	209	185	2,663	2,784	174,321	175,268
60-64	166	131	2,504	2,340	137,760	142,015
65-69	120	132	1,846	1,884	97,533	105,037
70-74	112	84	1,530	1,565	70,840	81,017
75-79	66	75	1,127	1,167	54,464	67,650
80-84	55	64	713	915	40,865	59,051
85&up	38	75	562	1,132	34,307	72,357
Total	2,068	1,977	38,914	38,696	2,632,132	2,671,793
Total Male/Female	4,045		77,610		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Beltrami, Clearwater, Hubbard and Lake of the Woods Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Le Sueur County - Population Estimates by Age and Sex, 2010

Age Group	LE SUEUR		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	958	911	1,586	1,501	181,342	174,162
05-09	1,041	939	1,694	1,571	181,614	173,922
10-14	986	1,013	1,649	1,661	180,356	171,986
15-17	571	633	924	989	113,281	107,400
18-19	286	263	494	437	75,313	71,835
20-24	653	648	1,126	1,174	180,725	174,926
25-29	900	803	1,401	1,584	187,562	185,124
30-34	862	776	1,456	1,555	174,549	168,351
35-39	854	843	1,375	1,505	165,815	162,375
40-44	1,016	924	1,578	1,589	177,234	175,670
45-49	1,119	1,090	1,814	1,844	203,588	202,615
50-54	1,127	1,008	1,830	1,803	200,663	201,032
55-59	998	895	1,635	1,566	174,321	175,268
60-64	796	814	1,361	1,342	137,760	142,015
65-69	588	623	946	1,002	97,533	105,037
70-74	484	470	753	797	70,840	81,017
75-79	325	388	544	653	54,464	67,650
80-84	246	335	425	637	40,865	59,051
85&up	178	339	373	665	34,307	72,357
Total	13,988	13,715	22,964	23,875	2,632,132	2,671,793
Total Male/Female		27,703		46,839		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Lincoln County - Population Estimates by Age and Sex, 2010

Age Group	LINCOLN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	200	184	1,781	1,659	181,342	174,162
05-09	197	170	1,634	1,591	181,614	173,922
10-14	171	178	1,629	1,569	180,356	171,986
15-17	116	100	1,053	990	113,281	107,400
18-19	53	41	699	783	75,313	71,835
20-24	127	113	1,763	1,725	180,725	174,926
25-29	146	132	1,611	1,463	187,562	185,124
30-34	165	158	1,474	1,291	174,549	168,351
35-39	160	137	1,336	1,282	165,815	162,375
40-44	161	153	1,394	1,376	177,234	175,670
45-49	218	171	1,774	1,678	203,588	202,615
50-54	241	201	1,847	1,888	200,663	201,032
55-59	211	219	1,718	1,646	174,321	175,268
60-64	161	168	1,320	1,285	137,760	142,015
65-69	168	163	1,066	1,071	97,533	105,037
70-74	141	170	841	961	70,840	81,017
75-79	130	156	716	947	54,464	67,650
80-84	96	122	596	866	40,865	59,051
85&up	98	200	549	1,202	34,307	72,357
Total	2,960	2,936	24,801	25,273	2,632,132	2,671,793
Total Male/Female		5,896		50,074		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Lyon County - Population Estimates by Age and Sex, 2010

Age Group	LYON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	985	887	1,781	1,659	181,342	174,162
05-09	843	843	1,634	1,591	181,614	173,922
10-14	851	816	1,629	1,569	180,356	171,986
15-17	541	499	1,053	990	113,281	107,400
18-19	452	553	699	783	75,313	71,835
20-24	1,230	1,235	1,763	1,725	180,725	174,926
25-29	981	887	1,611	1,463	187,562	185,124
30-34	835	712	1,474	1,291	174,549	168,351
35-39	731	684	1,336	1,282	165,815	162,375
40-44	716	709	1,394	1,376	177,234	175,670
45-49	889	864	1,774	1,678	203,588	202,615
50-54	873	965	1,847	1,888	200,663	201,032
55-59	828	763	1,718	1,646	174,321	175,268
60-64	598	568	1,320	1,285	137,760	142,015
65-69	445	462	1,066	1,071	97,533	105,037
70-74	344	354	841	961	70,840	81,017
75-79	255	381	716	947	54,464	67,650
80-84	231	357	596	866	40,865	59,051
85&up	217	473	549	1,202	34,307	72,357
Total	12,845	13,012	24,801	25,273	2,632,132	2,671,793
Total Male/Female	25,857		50,074		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

McLeod County - Population Estimates by Age and Sex, 2010

Age Group	MCLEOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,293	1,151	2,673	2,438	181,342	174,162
05-09	1,349	1,293	2,738	2,656	181,614	173,922
10-14	1,327	1,272	2,738	2,603	180,356	171,986
15-17	793	787	1,661	1,581	113,281	107,400
18-19	447	374	898	733	75,313	71,835
20-24	1,006	881	1,921	1,719	180,725	174,926
25-29	1,158	1,087	2,259	2,080	187,562	185,124
30-34	1,179	1,047	2,327	2,124	174,549	168,351
35-39	1,160	1,161	2,225	2,239	165,815	162,375
40-44	1,265	1,218	2,503	2,342	177,234	175,670
45-49	1,436	1,412	2,969	2,927	203,588	202,615
50-54	1,340	1,318	2,947	2,738	200,663	201,032
55-59	1,158	1,187	2,619	2,499	174,321	175,268
60-64	975	974	2,051	2,052	137,760	142,015
65-69	749	842	1,611	1,705	97,533	105,037
70-74	590	635	1,282	1,358	70,840	81,017
75-79	418	527	981	1,205	54,464	67,650
80-84	339	532	723	1,085	40,865	59,051
85&up	295	676	632	1,335	34,307	72,357
Total	18,277	18,374	37,758	37,419	2,632,132	2,671,793
Total Male/Female	36,651		75,177		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Mahnomen County - Population Estimates by Age and Sex, 2010

Age Group	MAHNOMEN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	250	231	463	429	181,342	174,162
05-09	249	200	515	413	181,614	173,922
10-14	227	204	461	441	180,356	171,986
15-17	121	104	278	252	113,281	107,400
18-19	63	80	147	135	75,313	71,835
20-24	120	132	235	247	180,725	174,926
25-29	146	147	307	309	187,562	185,124
30-34	147	151	315	315	174,549	168,351
35-39	160	126	339	305	165,815	162,375
40-44	129	139	310	320	177,234	175,670
45-49	178	172	450	448	203,588	202,615
50-54	218	179	480	454	200,663	201,032
55-59	189	158	461	382	174,321	175,268
60-64	163	175	368	366	137,760	142,015
65-69	120	130	309	314	97,533	105,037
70-74	112	105	244	251	70,840	81,017
75-79	87	76	223	224	54,464	67,650
80-84	40	74	136	214	40,865	59,051
85&up	33	78	128	277	34,307	72,357
Total	2,752	2,661	6,169	6,096	2,632,132	2,671,793
Total Male/Female		5,413		12,265		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Marshall County - Population Estimates by Age and Sex, 2010

Age Group	MARSHALL		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	254	296	1,457	1,546	181,342	174,162
05-09	294	312	1,603	1,569	181,614	173,922
10-14	348	305	1,736	1,619	180,356	171,986
15-17	227	190	1,110	992	113,281	107,400
18-19	115	75	615	449	75,313	71,835
20-24	171	175	1,145	1,030	180,725	174,926
25-29	283	230	1,320	1,268	187,562	185,124
30-34	261	228	1,387	1,256	174,549	168,351
35-39	249	263	1,406	1,369	165,815	162,375
40-44	307	254	1,556	1,374	177,234	175,670
45-49	385	356	1,921	1,819	203,588	202,615
50-54	388	350	1,972	1,895	200,663	201,032
55-59	381	358	1,827	1,630	174,321	175,268
60-64	299	269	1,400	1,360	137,760	142,015
65-69	248	231	1,115	1,110	97,533	105,037
70-74	194	227	858	912	70,840	81,017
75-79	148	182	620	784	54,464	67,650
80-84	126	174	521	751	40,865	59,051
85&up	103	183	431	906	34,307	72,357
Total	4,781	4,658	24,000	23,639	2,632,132	2,671,793
Total Male/Female		9,439		47,639		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Martin County - Population Estimates by Age and Sex, 2010

Age Group	MARTIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	626	591	1,062	986	181,342	174,162
05-09	605	640	1,018	1,036	181,614	173,922
10-14	661	624	1,153	1,064	180,356	171,986
15-17	454	431	779	733	113,281	107,400
18-19	217	195	387	330	75,313	71,835
20-24	503	450	834	757	180,725	174,926
25-29	567	552	935	884	187,562	185,124
30-34	524	485	933	861	174,549	168,351
35-39	524	526	866	850	165,815	162,375
40-44	575	542	976	933	177,234	175,670
45-49	717	774	1,205	1,300	203,588	202,615
50-54	904	880	1,538	1,491	200,663	201,032
55-59	857	762	1,475	1,266	174,321	175,268
60-64	675	662	1,133	1,112	137,760	142,015
65-69	518	534	885	952	97,533	105,037
70-74	391	472	703	834	70,840	81,017
75-79	339	435	591	758	54,464	67,650
80-84	289	421	521	736	40,865	59,051
85&up	283	635	466	1,050	34,307	72,357
Total	10,229	10,611	17,460	17,933	2,632,132	2,671,793
Total Male/Female		20,840		35,393		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Faribault and Martin Counties

Meeker County - Population Estimates by Age and Sex, 2010

Age Group	MEEKER		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	838	786	2,673	2,438	181,342	174,162
05-09	813	825	2,738	2,656	181,614	173,922
10-14	854	794	2,738	2,603	180,356	171,986
15-17	525	485	1,661	1,581	113,281	107,400
18-19	273	213	898	733	75,313	71,835
20-24	573	494	1,921	1,719	180,725	174,926
25-29	669	584	2,259	2,080	187,562	185,124
30-34	651	639	2,327	2,124	174,549	168,351
35-39	636	641	2,225	2,239	165,815	162,375
40-44	768	664	2,503	2,342	177,234	175,670
45-49	911	886	2,969	2,927	203,588	202,615
50-54	975	873	2,947	2,738	200,663	201,032
55-59	900	836	2,619	2,499	174,321	175,268
60-64	678	681	2,051	2,052	137,760	142,015
65-69	544	541	1,611	1,705	97,533	105,037
70-74	435	427	1,282	1,358	70,840	81,017
75-79	347	389	981	1,205	54,464	67,650
80-84	231	323	723	1,085	40,865	59,051
85&up	212	386	632	1,335	34,307	72,357
Total	11,833	11,467	37,758	37,419	2,632,132	2,671,793
Total Male/Female		23,300		75,177		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Mille Lacs County - Population Estimates by Age and Sex, 2010

Age Group	MILLE LACS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	959	898	2,344	2,220	181,342	174,162
05-09	919	865	2,298	2,134	181,614	173,922
10-14	940	879	2,354	2,247	180,356	171,986
15-17	623	532	1,455	1,368	113,281	107,400
18-19	360	307	815	766	75,313	71,835
20-24	673	671	1,783	1,665	180,725	174,926
25-29	760	770	2,011	2,045	187,562	185,124
30-34	808	740	2,067	1,871	174,549	168,351
35-39	760	769	2,007	1,941	165,815	162,375
40-44	888	816	2,180	2,090	177,234	175,670
45-49	1,038	1,028	2,716	2,566	203,588	202,615
50-54	1,005	897	2,560	2,309	200,663	201,032
55-59	827	793	2,043	1,917	174,321	175,268
60-64	700	666	1,627	1,628	137,760	142,015
65-69	577	695	1,293	1,497	97,533	105,037
70-74	454	486	999	1,077	70,840	81,017
75-79	401	375	754	795	54,464	67,650
80-84	227	347	467	705	40,865	59,051
85&up	183	461	394	905	34,307	72,357
Total	13,102	12,995	32,167	31,746	2,632,132	2,671,793
Total Male/Female		26,097		63,913		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Isanti and Mille Lacs Counties

Morrison County - Population Estimates by Age and Sex, 2010

Age Group	MORRISON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,161	1,112	2,496	2,382	181,342	174,162
05-09	1,142	1,030	2,458	2,228	181,614	173,922
10-14	1,185	1,113	2,491	2,449	180,356	171,986
15-17	719	703	1,671	1,526	113,281	107,400
18-19	404	383	966	812	75,313	71,835
20-24	905	828	1,931	1,665	180,725	174,926
25-29	1,027	936	2,044	1,951	187,562	185,124
30-34	1,012	941	2,035	1,870	174,549	168,351
35-39	902	852	1,936	1,797	165,815	162,375
40-44	1,113	1,014	2,203	2,053	177,234	175,670
45-49	1,316	1,265	2,756	2,721	203,588	202,615
50-54	1,326	1,315	2,870	2,725	200,663	201,032
55-59	1,249	1,088	2,715	2,443	174,321	175,268
60-64	947	885	2,132	2,040	137,760	142,015
65-69	707	798	1,754	1,844	97,533	105,037
70-74	576	596	1,348	1,472	70,840	81,017
75-79	462	541	1,059	1,251	54,464	67,650
80-84	318	510	822	1,101	40,865	59,051
85&up	275	542	636	1,283	34,307	72,357
Total	16,746	16,452	36,323	35,613	2,632,132	2,671,793
Total Male/Female		33,198		71,936		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Mower County - Population Estimates by Age and Sex, 2010

Age Group	MOWER		Minnesota	
	Male	Female	Male	Female
00-04	1,400	1,439	181,342	174,162
05-09	1,466	1,304	181,614	173,922
10-14	1,332	1,252	180,356	171,986
15-17	886	804	113,281	107,400
18-19	511	466	75,313	71,835
20-24	1,169	1,015	180,725	174,926
25-29	1,257	1,209	187,562	185,124
30-34	1,144	1,100	174,549	168,351
35-39	1,150	1,062	165,815	162,375
40-44	1,155	1,112	177,234	175,670
45-49	1,355	1,353	203,588	202,615
50-54	1,431	1,383	200,663	201,032
55-59	1,310	1,177	174,321	175,268
60-64	1,067	1,036	137,760	142,015
65-69	746	799	97,533	105,037
70-74	600	729	70,840	81,017
75-79	560	776	54,464	67,650
80-84	496	690	40,865	59,051
85&up	462	960	34,307	72,357
Total	19,497	19,666	2,632,132	2,671,793
Total Male/Female	39,163		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Murray County - Population Estimates by Age and Sex, 2010

Age Group	MURRAY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	257	267	1,781	1,659	181,342	174,162
05-09	259	250	1,634	1,591	181,614	173,922
10-14	271	271	1,629	1,569	180,356	171,986
15-17	189	170	1,053	990	113,281	107,400
18-19	85	87	699	783	75,313	71,835
20-24	181	164	1,763	1,725	180,725	174,926
25-29	197	198	1,611	1,463	187,562	185,124
30-34	234	200	1,474	1,291	174,549	168,351
35-39	191	190	1,336	1,282	165,815	162,375
40-44	250	248	1,394	1,376	177,234	175,670
45-49	316	286	1,774	1,678	203,588	202,615
50-54	353	366	1,847	1,888	200,663	201,032
55-59	362	342	1,718	1,646	174,321	175,268
60-64	299	291	1,320	1,285	137,760	142,015
65-69	257	239	1,066	1,071	97,533	105,037
70-74	196	219	841	961	70,840	81,017
75-79	172	203	716	947	54,464	67,650
80-84	141	178	596	866	40,865	59,051
85&up	117	229	549	1,202	34,307	72,357
Total	4,327	4,398	24,801	25,273	2,632,132	2,671,793
Total Male/Female	8,725		50,074		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Nicollet County - Population Estimates by Age and Sex, 2010

Age Group	NICOLLET		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,106	1,034	1,958	1,755	181,342	174,162
05-09	1,045	1,030	1,850	1,766	181,614	173,922
10-14	1,014	927	1,835	1,654	180,356	171,986
15-17	642	585	1,170	1,093	113,281	107,400
18-19	680	809	1,064	1,167	75,313	71,835
20-24	1,719	1,714	2,541	2,507	180,725	174,926
25-29	1,206	1,122	1,951	1,820	187,562	185,124
30-34	1,082	988	1,747	1,628	174,549	168,351
35-39	935	864	1,584	1,448	165,815	162,375
40-44	920	887	1,663	1,626	177,234	175,670
45-49	1,180	1,107	2,140	2,097	203,588	202,615
50-54	1,161	1,180	2,246	2,262	200,663	201,032
55-59	1,030	1,045	1,961	1,954	174,321	175,268
60-64	934	864	1,713	1,604	137,760	142,015
65-69	534	608	1,101	1,226	97,533	105,037
70-74	435	465	878	963	70,840	81,017
75-79	326	400	741	942	54,464	67,650
80-84	243	329	580	811	40,865	59,051
85&up	172	405	497	1,077	34,307	72,357
Total	16,364	16,363	29,220	29,400	2,632,132	2,671,793
Total Male/Female		32,727		58,620		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Brown and Nicollet Counties

Nobles County - Population Estimates by Age and Sex, 2010

Age Group	NOBLES		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	846	851	1,200	1,180	181,342	174,162
05-09	744	714	1,101	1,070	181,614	173,922
10-14	736	677	1,090	996	180,356	171,986
15-17	461	454	684	665	113,281	107,400
18-19	310	266	425	358	75,313	71,835
20-24	791	567	997	750	180,725	174,926
25-29	788	646	1,029	909	187,562	185,124
30-34	649	585	927	856	174,549	168,351
35-39	657	568	939	844	165,815	162,375
40-44	676	603	936	848	177,234	175,670
45-49	733	652	1,057	1,001	203,588	202,615
50-54	806	757	1,163	1,113	200,663	201,032
55-59	712	633	1,043	960	174,321	175,268
60-64	536	540	847	822	137,760	142,015
65-69	424	438	658	652	97,533	105,037
70-74	337	363	493	556	70,840	81,017
75-79	287	381	432	565	54,464	67,650
80-84	211	310	342	506	40,865	59,051
85&up	213	456	342	709	34,307	72,357
Total	10,917	10,461	15,705	15,360	2,632,132	2,671,793
Total Male/Female		21,378		31,065		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Norman County - Population Estimates by Age and Sex, 2010

Age Group	NORMAN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	213	198	463	429	181,342	174,162
05-09	266	213	515	413	181,614	173,922
10-14	234	237	461	441	180,356	171,986
15-17	157	148	278	252	113,281	107,400
18-19	84	55	147	135	75,313	71,835
20-24	115	115	235	247	180,725	174,926
25-29	161	162	307	309	187,562	185,124
30-34	168	164	315	315	174,549	168,351
35-39	179	179	339	305	165,815	162,375
40-44	181	181	310	320	177,234	175,670
45-49	272	276	450	448	203,588	202,615
50-54	262	275	480	454	200,663	201,032
55-59	272	224	461	382	174,321	175,268
60-64	205	191	368	366	137,760	142,015
65-69	189	184	309	314	97,533	105,037
70-74	132	146	244	251	70,840	81,017
75-79	136	148	223	224	54,464	67,650
80-84	96	140	136	214	40,865	59,051
85&up	95	199	128	277	34,307	72,357
Total	3,417	3,435	6,169	6,096	2,632,132	2,671,793
Total Male/Female		6,852		12,265		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Mahnomen and Norman Counties

Olmsted County - Population Estimates by Age and Sex, 2010

Age Group	OLMSTED		Minnesota	
	Male	Female	Male	Female
00-04	5,554	5,229	181,342	174,162
05-09	5,237	5,100	181,614	173,922
10-14	4,865	4,697	180,356	171,986
15-17	2,938	2,820	113,281	107,400
18-19	1,593	1,475	75,313	71,835
20-24	3,898	4,341	180,725	174,926
25-29	5,514	5,942	187,562	185,124
30-34	5,360	5,202	174,549	168,351
35-39	4,570	4,520	165,815	162,375
40-44	4,528	4,564	177,234	175,670
45-49	5,407	5,569	203,588	202,615
50-54	5,380	5,810	200,663	201,032
55-59	4,457	4,641	174,321	175,268
60-64	3,269	3,635	137,760	142,015
65-69	2,528	2,872	97,533	105,037
70-74	1,946	2,241	70,840	81,017
75-79	1,470	1,737	54,464	67,650
80-84	1,092	1,496	40,865	59,051
85&up	879	1,872	34,307	72,357
Total	70,485	73,763	2,632,132	2,671,793
Total Male/Female		144,248		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Otter Tail County - Population Estimates by Age and Sex, 2010

Age Group	OTTER TAIL		Minnesota	
	Male	Female	Male	Female
00-04	1,718	1,597	181,342	174,162
05-09	1,658	1,574	181,614	173,922
10-14	1,860	1,729	180,356	171,986
15-17	1,207	1,114	113,281	107,400
18-19	695	549	75,313	71,835
20-24	1,339	1,181	180,725	174,926
25-29	1,511	1,424	187,562	185,124
30-34	1,446	1,265	174,549	168,351
35-39	1,284	1,269	165,815	162,375
40-44	1,609	1,639	177,234	175,670
45-49	2,186	2,099	203,588	202,615
50-54	2,421	2,387	200,663	201,032
55-59	2,288	2,167	174,321	175,268
60-64	2,049	2,006	137,760	142,015
65-69	1,722	1,725	97,533	105,037
70-74	1,356	1,353	70,840	81,017
75-79	1,024	1,163	54,464	67,650
80-84	720	981	40,865	59,051
85&up	631	1,357	34,307	72,357
Total	28,724	28,579	2,632,132	2,671,793
Total Male/Female	57,303		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Pennington County - Population Estimates by Age and Sex, 2010

Age Group	PENNINGTON		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	484	462	1,457	1,546	181,342	174,162
05-09	438	461	1,603	1,569	181,614	173,922
10-14	472	454	1,736	1,619	180,356	171,986
15-17	290	250	1,110	992	113,281	107,400
18-19	211	176	615	449	75,313	71,835
20-24	447	414	1,145	1,030	180,725	174,926
25-29	434	450	1,320	1,268	187,562	185,124
30-34	438	415	1,387	1,256	174,549	168,351
35-39	461	422	1,406	1,369	165,815	162,375
40-44	415	352	1,556	1,374	177,234	175,670
45-49	477	507	1,921	1,819	203,588	202,615
50-54	523	546	1,972	1,895	200,663	201,032
55-59	489	439	1,827	1,630	174,321	175,268
60-64	365	426	1,400	1,360	137,760	142,015
65-69	297	328	1,115	1,110	97,533	105,037
70-74	217	237	858	912	70,840	81,017
75-79	167	214	620	784	54,464	67,650
80-84	121	226	521	751	40,865	59,051
85&up	124	281	431	906	34,307	72,357
Total	6,870	7,060	24,000	23,639	2,632,132	2,671,793
Total Male/Female	13,930		47,639		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Pine County - Population Estimates by Age and Sex, 2010

Age Group	PINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	902	827	1,370	1,333	181,342	174,162
05-09	937	905	1,510	1,445	181,614	173,922
10-14	965	876	1,539	1,369	180,356	171,986
15-17	615	572	1,006	923	113,281	107,400
18-19	364	262	560	427	75,313	71,835
20-24	867	607	1,241	942	180,725	174,926
25-29	1,088	818	1,550	1,252	187,562	185,124
30-34	1,145	712	1,592	1,133	174,549	168,351
35-39	1,033	760	1,491	1,272	165,815	162,375
40-44	1,127	858	1,646	1,324	177,234	175,670
45-49	1,374	1,106	2,034	1,743	203,588	202,615
50-54	1,256	1,132	1,973	1,788	200,663	201,032
55-59	1,086	987	1,726	1,575	174,321	175,268
60-64	873	840	1,374	1,336	137,760	142,015
65-69	749	812	1,173	1,260	97,533	105,037
70-74	605	634	937	964	70,840	81,017
75-79	488	426	731	669	54,464	67,650
80-84	276	343	410	553	40,865	59,051
85&up	184	339	292	526	34,307	72,357
Total	15,934	13,816	24,155	21,834	2,632,132	2,671,793
Total Male/Female	29,750		45,989		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Kanabec and Pine Counties

Pipestone County - Population Estimates by Age and Sex, 2010

Age Group	PIPESTONE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	339	321	1,781	1,659	181,342	174,162
05-09	335	328	1,634	1,591	181,614	173,922
10-14	336	304	1,629	1,569	180,356	171,986
15-17	207	221	1,053	990	113,281	107,400
18-19	109	102	699	783	75,313	71,835
20-24	225	213	1,763	1,725	180,725	174,926
25-29	287	246	1,611	1,463	187,562	185,124
30-34	240	221	1,474	1,291	174,549	168,351
35-39	254	271	1,336	1,282	165,815	162,375
40-44	267	266	1,394	1,376	177,234	175,670
45-49	351	357	1,774	1,678	203,588	202,615
50-54	380	356	1,847	1,888	200,663	201,032
55-59	317	322	1,718	1,646	174,321	175,268
60-64	262	258	1,320	1,285	137,760	142,015
65-69	196	207	1,066	1,071	97,533	105,037
70-74	160	218	841	961	70,840	81,017
75-79	159	207	716	947	54,464	67,650
80-84	128	209	596	866	40,865	59,051
85&up	117	300	549	1,202	34,307	72,357
Total	4,669	4,927	24,801	25,273	2,632,132	2,671,793
Total Male/Female	9,596		50,074		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Lincoln, Lyon, Murray and Pipestone Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Polk County - Population Estimates by Age and Sex, 2010

Age Group	POLK		Minnesota	
	Male	Female	Male	Female
00-04	1,080	1,015	181,342	174,162
05-09	999	1,005	181,614	173,922
10-14	1,070	1,010	180,356	171,986
15-17	700	642	113,281	107,400
18-19	537	482	75,313	71,835
20-24	1,228	992	180,725	174,926
25-29	960	889	187,562	185,124
30-34	847	785	174,549	168,351
35-39	844	796	165,815	162,375
40-44	910	933	177,234	175,670
45-49	1,177	1,134	203,588	202,615
50-54	1,204	1,164	200,663	201,032
55-59	1,152	1,041	174,321	175,268
60-64	944	840	137,760	142,015
65-69	657	721	97,533	105,037
70-74	496	598	70,840	81,017
75-79	438	526	54,464	67,650
80-84	320	484	40,865	59,051
85&up	260	720	34,307	72,357
Total	15,823	15,777	2,632,132	2,671,793
Total Male/Female	31,600		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Pope County - Population Estimates by Age and Sex, 2010

Age Group	POPE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	348	302	2,046	1,922	181,342	174,162
05-09	337	291	2,058	1,914	181,614	173,922
10-14	342	312	1,992	1,879	180,356	171,986
15-17	201	204	1,287	1,217	113,281	107,400
18-19	110	94	1,059	927	75,313	71,835
20-24	260	220	2,158	1,923	180,725	174,926
25-29	341	283	1,970	1,812	187,562	185,124
30-34	292	281	1,842	1,692	174,549	168,351
35-39	291	260	1,670	1,604	165,815	162,375
40-44	299	301	1,797	1,767	177,234	175,670
45-49	396	359	2,282	2,244	203,588	202,615
50-54	437	451	2,520	2,576	200,663	201,032
55-59	469	417	2,444	2,288	174,321	175,268
60-64	390	369	2,078	2,063	137,760	142,015
65-69	326	310	1,783	1,825	97,533	105,037
70-74	217	290	1,356	1,461	70,840	81,017
75-79	197	222	1,118	1,334	54,464	67,650
80-84	170	204	893	1,181	40,865	59,051
85&up	134	268	801	1,523	34,307	72,357
Total	5,557	5,438	33,154	33,152	2,632,132	2,671,793
Total Male/Female	10,995		66,306		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Douglas, Grant, Pope, Stevens and Traverse Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Ramsey County - Population Estimates by Age and Sex, 2010

Age Group	RAMSEY		Minnesota	
	Male	Female	Male	Female
00-04	17,985	17,152	181,342	174,162
05-09	16,346	15,602	181,614	173,922
10-14	15,950	15,117	180,356	171,986
15-17	10,457	9,884	113,281	107,400
18-19	8,583	8,652	75,313	71,835
20-24	21,295	22,899	180,725	174,926
25-29	20,999	22,037	187,562	185,124
30-34	17,129	16,954	174,549	168,351
35-39	15,078	15,010	165,815	162,375
40-44	15,330	15,515	177,234	175,670
45-49	16,987	17,628	203,588	202,615
50-54	17,353	18,602	200,663	201,032
55-59	15,647	17,061	174,321	175,268
60-64	12,456	13,751	137,760	142,015
65-69	8,089	9,315	97,533	105,037
70-74	5,668	7,279	70,840	81,017
75-79	4,513	6,404	54,464	67,650
80-84	3,641	5,834	40,865	59,051
85&up	3,136	7,302	34,307	72,357
Total	246,642	261,998	2,632,132	2,671,793
Total Male/Female	508,640		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Red Lake County - Population Estimates by Age and Sex, 2010

Age Group	RED LAKE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	149	134	1,457	1,546	181,342	174,162
05-09	158	150	1,603	1,569	181,614	173,922
10-14	128	132	1,736	1,619	180,356	171,986
15-17	78	78	1,110	992	113,281	107,400
18-19	51	29	615	449	75,313	71,835
20-24	83	73	1,145	1,030	180,725	174,926
25-29	125	127	1,320	1,268	187,562	185,124
30-34	135	121	1,387	1,256	174,549	168,351
35-39	111	104	1,406	1,369	165,815	162,375
40-44	115	101	1,556	1,374	177,234	175,670
45-49	158	151	1,921	1,819	203,588	202,615
50-54	179	166	1,972	1,895	200,663	201,032
55-59	161	136	1,827	1,630	174,321	175,268
60-64	140	115	1,400	1,360	137,760	142,015
65-69	89	107	1,115	1,110	97,533	105,037
70-74	89	80	858	912	70,840	81,017
75-79	56	78	620	784	54,464	67,650
80-84	50	58	521	751	40,865	59,051
85&up	28	66	431	906	34,307	72,357
Total	2,083	2,006	24,000	23,639	2,632,132	2,671,793
Total Male/Female	4,089		47,639		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake and Roseau Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Redwood County - Population Estimates by Age and Sex, 2010

Age Group	REDWOOD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	565	511	1,014	964	181,342	174,162
05-09	572	544	1,080	1,011	181,614	173,922
10-14	592	531	1,118	1,089	180,356	171,986
15-17	334	368	701	696	113,281	107,400
18-19	191	154	375	291	75,313	71,835
20-24	373	352	753	666	180,725	174,926
25-29	456	392	900	790	187,562	185,124
30-34	410	367	824	732	174,549	168,351
35-39	386	445	785	833	165,815	162,375
40-44	503	443	969	918	177,234	175,670
45-49	581	593	1,182	1,185	203,588	202,615
50-54	616	557	1,348	1,203	200,663	201,032
55-59	530	563	1,191	1,107	174,321	175,268
60-64	478	488	943	912	137,760	142,015
65-69	390	387	766	778	97,533	105,037
70-74	330	366	641	676	70,840	81,017
75-79	248	287	493	615	54,464	67,650
80-84	226	291	448	556	40,865	59,051
85&up	182	457	380	856	34,307	72,357
Total	7,963	8,096	15,911	15,878	2,632,132	2,671,793
Total Male/Female	16,059		31,789		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Renville County - Population Estimates by Age and Sex, 2010

Age Group	RENVILLE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	449	453	1,014	964	181,342	174,162
05-09	508	467	1,080	1,011	181,614	173,922
10-14	526	558	1,118	1,089	180,356	171,986
15-17	367	328	701	696	113,281	107,400
18-19	184	137	375	291	75,313	71,835
20-24	380	314	753	666	180,725	174,926
25-29	444	398	900	790	187,562	185,124
30-34	414	365	824	732	174,549	168,351
35-39	399	388	785	833	165,815	162,375
40-44	466	475	969	918	177,234	175,670
45-49	601	592	1,182	1,185	203,588	202,615
50-54	732	646	1,348	1,203	200,663	201,032
55-59	661	544	1,191	1,107	174,321	175,268
60-64	465	424	943	912	137,760	142,015
65-69	376	391	766	778	97,533	105,037
70-74	311	310	641	676	70,840	81,017
75-79	245	328	493	615	54,464	67,650
80-84	222	265	448	556	40,865	59,051
85&up	198	399	380	856	34,307	72,357
Total	7,948	7,782	15,911	15,878	2,632,132	2,671,793
Total Male/Female	15,730		31,789		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Redwood and Renville Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Rice County - Population Estimates by Age and Sex, 2010

Age Group	RICE		Minnesota	
	Male	Female	Male	Female
00-04	2,032	2,003	181,342	174,162
05-09	2,171	2,025	181,614	173,922
10-14	2,113	2,026	180,356	171,986
15-17	1,426	1,367	113,281	107,400
18-19	1,477	1,603	75,313	71,835
20-24	3,273	2,901	180,725	174,926
25-29	2,145	1,686	187,562	185,124
30-34	2,084	1,738	174,549	168,351
35-39	2,056	1,779	165,815	162,375
40-44	2,219	1,965	177,234	175,670
45-49	2,517	2,171	203,588	202,615
50-54	2,375	2,202	200,663	201,032
55-59	1,919	1,942	174,321	175,268
60-64	1,501	1,545	137,760	142,015
65-69	1,119	1,189	97,533	105,037
70-74	873	965	70,840	81,017
75-79	666	776	54,464	67,650
80-84	480	644	40,865	59,051
85&up	350	819	34,307	72,357
Total	32,796	31,346	2,632,132	2,671,793
Total Male/Female	64,142		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Rock County - Population Estimates by Age and Sex, 2010

Age Group	ROCK		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	354	329	-	342	181,342	174,162
05-09	357	356	1,200	1,180	181,614	173,922
10-14	354	319	1,101	1,070	180,356	171,986
15-17	223	211	1,090	996	113,281	107,400
18-19	115	92	684	665	75,313	71,835
20-24	206	183	425	358	180,725	174,926
25-29	241	263	997	750	187,562	185,124
30-34	278	271	1,029	909	174,549	168,351
35-39	282	276	927	856	165,815	162,375
40-44	260	245	939	844	177,234	175,670
45-49	324	349	936	848	203,588	202,615
50-54	357	356	1,057	1,001	200,663	201,032
55-59	331	327	1,163	1,113	174,321	175,268
60-64	311	282	1,043	960	137,760	142,015
65-69	234	214	847	822	97,533	105,037
70-74	156	193	658	652	70,840	81,017
75-79	145	184	493	556	54,464	67,650
80-84	131	196	432	565	40,865	59,051
85&up	129	253	342	506	34,307	72,357
Total	4,788	4,899	15,363	14,993	2,632,132	2,671,793
Total Male/Female	9,687		30,356		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Nobles and Rock Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Roseau County - Population Estimates by Age and Sex, 2010

Age Group	ROSEAU		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	464	538	709	431	181,342	174,162
05-09	578	526	1,457	1,546	181,614	173,922
10-14	618	575	1,603	1,569	180,356	171,986
15-17	425	380	1,736	1,619	113,281	107,400
18-19	190	141	1,110	992	75,313	71,835
20-24	345	302	615	449	180,725	174,926
25-29	388	376	1,145	1,030	187,562	185,124
30-34	454	410	1,320	1,268	174,549	168,351
35-39	483	458	1,387	1,256	165,815	162,375
40-44	585	549	1,406	1,369	177,234	175,670
45-49	724	638	1,556	1,374	203,588	202,615
50-54	689	640	1,921	1,819	200,663	201,032
55-59	570	500	1,972	1,895	174,321	175,268
60-64	428	405	1,827	1,630	137,760	142,015
65-69	349	340	1,400	1,360	97,533	105,037
70-74	251	251	1,115	1,110	70,840	81,017
75-79	166	203	858	912	54,464	67,650
80-84	162	178	620	784	40,865	59,051
85&up	111	239	521	751	34,307	72,357
Total	7,980	7,649	24,278	23,164	2,632,132	2,671,793
Total Male/Female		15,629		47,442		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Kittson, Marshall, Pennington, Red Lake & Roseau Counties

St. Louis County - Population Estimates by Age and Sex, 2010

Age Group	ST. LOUIS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	5,526	5,455	906	6,938	181,342	174,162
05-09	5,486	5,224	7,098	6,711	181,614	173,922
10-14	5,482	5,175	7,123	6,681	180,356	171,986
15-17	3,745	3,466	4,764	4,461	113,281	107,400
18-19	3,848	3,653	4,490	4,164	75,313	71,835
20-24	9,269	8,241	10,610	9,363	180,725	174,926
25-29	6,490	5,927	8,050	7,252	187,562	185,124
30-34	5,708	5,154	7,312	6,456	174,549	168,351
35-39	5,386	4,989	6,974	6,393	165,815	162,375
40-44	5,702	5,609	7,428	7,166	177,234	175,670
45-49	7,143	7,090	9,235	9,016	203,588	202,615
50-54	8,066	8,017	10,315	10,139	200,663	201,032
55-59	8,105	7,863	10,157	9,772	174,321	175,268
60-64	6,496	6,095	8,232	7,657	137,760	142,015
65-69	4,367	4,507	5,653	5,792	97,533	105,037
70-74	3,208	3,686	4,173	4,738	70,840	81,017
75-79	2,509	3,204	3,353	4,048	54,464	67,650
80-84	2,009	2,948	2,566	3,626	40,865	59,051
85&up	1,662	3,716	2,065	4,598	34,307	72,357
Total	100,207	100,019	120,504	124,971	2,632,132	2,671,793
Total Male/Female		200,226		245,475		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Carlton, Cook, Lake and St. Louis Counties

Demographics Table 1: Minnesota Population Estimates, 2010
Scott County - Population Estimates by Age and Sex, 2010

Age Group	SCOTT		Minnesota	
	Male	Female	Male	Female
00-04	5,314	5,362	181,342	174,162
05-09	5,912	5,634	181,614	173,922
10-14	5,537	5,339	180,356	171,986
15-17	3,148	2,982	113,281	107,400
18-19	1,353	1,187	75,313	71,835
20-24	2,900	2,740	180,725	174,926
25-29	4,000	4,242	187,562	185,124
30-34	4,708	5,114	174,549	168,351
35-39	5,302	5,511	165,815	162,375
40-44	5,728	5,656	177,234	175,670
45-49	5,724	5,624	203,588	202,615
50-54	4,767	4,406	200,663	201,032
55-59	3,366	3,316	174,321	175,268
60-64	2,438	2,602	137,760	142,015
65-69	1,766	1,853	97,533	105,037
70-74	1,118	1,232	70,840	81,017
75-79	789	886	54,464	67,650
80-84	446	690	40,865	59,051
85&up	399	837	34,307	72,357
Total	64,715	65,213	2,632,132	2,671,793
Total Male/Female	129,928		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Sherburne County - Population Estimates by Age and Sex, 2010

Age Group	SHERBURNE		Minnesota	
	Male	Female	Male	Female
00-04	3,526	3,332	181,342	174,162
05-09	3,756	3,634	181,614	173,922
10-14	3,735	3,567	180,356	171,986
15-17	2,129	2,098	113,281	107,400
18-19	1,139	948	75,313	71,835
20-24	2,919	2,495	180,725	174,926
25-29	3,126	2,823	187,562	185,124
30-34	3,331	3,083	174,549	168,351
35-39	3,448	3,315	165,815	162,375
40-44	3,677	3,434	177,234	175,670
45-49	3,851	3,505	203,588	202,615
50-54	3,064	2,957	200,663	201,032
55-59	2,431	2,249	174,321	175,268
60-64	1,827	1,793	137,760	142,015
65-69	1,243	1,250	97,533	105,037
70-74	829	865	70,840	81,017
75-79	552	623	54,464	67,650
80-84	414	548	40,865	59,051
85&up	276	707	34,307	72,357
Total	45,273	43,226	2,632,132	2,671,793
Total Male/Female	88,499		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Sibley County - Population Estimates by Age and Sex, 2010

Age Group	SIBLEY		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	542	501	2,673	2,438	181,342	174,162
05-09	576	538	2,738	2,656	181,614	173,922
10-14	557	537	2,738	2,603	180,356	171,986
15-17	343	309	1,661	1,581	113,281	107,400
18-19	178	146	898	733	75,313	71,835
20-24	342	344	1,921	1,719	180,725	174,926
25-29	432	409	2,259	2,080	187,562	185,124
30-34	497	438	2,327	2,124	174,549	168,351
35-39	429	437	2,225	2,239	165,815	162,375
40-44	470	460	2,503	2,342	177,234	175,670
45-49	622	629	2,969	2,927	203,588	202,615
50-54	632	547	2,947	2,738	200,663	201,032
55-59	561	476	2,619	2,499	174,321	175,268
60-64	398	397	2,051	2,052	137,760	142,015
65-69	318	322	1,611	1,705	97,533	105,037
70-74	257	296	1,282	1,358	70,840	81,017
75-79	216	289	981	1,205	54,464	67,650
80-84	153	230	723	1,085	40,865	59,051
85&up	125	273	632	1,335	34,307	72,357
Total	7,648	7,578	37,758	37,419	2,632,132	2,671,793
Total Male/Female		15,226		75,177		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Meeker, McLeod and Sibley Counties

Stearns County - Population Estimates by Age and Sex, 2010

Age Group	STEARNS		Minnesota	
	Male	Female	Male	Female
00-04	4,946	4,853	181,342	174,162
05-09	4,864	4,734	181,614	173,922
10-14	4,939	4,638	180,356	171,986
15-17	3,007	2,919	113,281	107,400
18-19	3,393	3,641	75,313	71,835
20-24	8,653	7,792	180,725	174,926
25-29	5,614	5,112	187,562	185,124
30-34	4,689	4,377	174,549	168,351
35-39	4,230	4,031	165,815	162,375
40-44	4,621	4,507	177,234	175,670
45-49	5,388	5,172	203,588	202,615
50-54	5,204	5,110	200,663	201,032
55-59	4,521	4,358	174,321	175,268
60-64	3,610	3,491	137,760	142,015
65-69	2,410	2,641	97,533	105,037
70-74	2,000	2,205	70,840	81,017
75-79	1,687	1,960	54,464	67,650
80-84	1,196	1,552	40,865	59,051
85&up	961	1,616	34,307	72,357
Total	75,933	74,709	2,632,132	2,671,793
Total Male/Female		150,642		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Steele County - Population Estimates by Age and Sex, 2010

Age Group	STEELE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	1,321	1,349	2,072	2,081	181,342	174,162
05-09	1,374	1,285	2,207	2,116	181,614	173,922
10-14	1,353	1,314	2,176	2,160	180,356	171,986
15-17	863	791	1,384	1,278	113,281	107,400
18-19	442	380	683	603	75,313	71,835
20-24	905	869	1,387	1,296	180,725	174,926
25-29	1,191	1,145	1,797	1,723	187,562	185,124
30-34	1,043	1,127	1,697	1,760	174,549	168,351
35-39	1,146	1,085	1,826	1,768	165,815	162,375
40-44	1,277	1,251	1,990	1,951	177,234	175,670
45-49	1,433	1,391	2,238	2,168	203,588	202,615
50-54	1,308	1,317	2,051	2,055	200,663	201,032
55-59	1,277	1,194	1,925	1,794	174,321	175,268
60-64	934	941	1,359	1,388	137,760	142,015
65-69	673	706	1,041	1,061	97,533	105,037
70-74	549	661	818	960	70,840	81,017
75-79	399	523	599	771	54,464	67,650
80-84	316	535	448	724	40,865	59,051
85&up	304	604	449	859	34,307	72,357
Total	18,108	18,468	28,147	28,516	2,632,132	2,671,793
Total Male/Female		36,576		56,663		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*CHS Agency- Community Health Services Agency consisting of Dodge and Steele Counties

Stevens County - Population Estimates by Age and Sex, 2010

Age Group	STEVENS		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	302	297	2,046	1,922	181,342	174,162
05-09	300	264	2,058	1,914	181,614	173,922
10-14	285	261	1,992	1,879	180,356	171,986
15-17	181	147	1,287	1,217	113,281	107,400
18-19	276	367	1,059	927	75,313	71,835
20-24	606	644	2,158	1,923	180,725	174,926
25-29	294	242	1,970	1,812	187,562	185,124
30-34	268	228	1,842	1,692	174,549	168,351
35-39	214	210	1,670	1,604	165,815	162,375
40-44	232	237	1,797	1,767	177,234	175,670
45-49	282	270	2,282	2,244	203,588	202,615
50-54	319	322	2,520	2,576	200,663	201,032
55-59	321	297	2,444	2,288	174,321	175,268
60-64	245	218	2,078	2,063	137,760	142,015
65-69	166	195	1,783	1,825	97,533	105,037
70-74	140	148	1,356	1,461	70,840	81,017
75-79	137	185	1,118	1,334	54,464	67,650
80-84	112	178	893	1,181	40,865	59,051
85&up	119	217	801	1,523	34,307	72,357
Total	4,799	4,927	33,154	33,152	2,632,132	2,671,793
Total Male/Female		9,726		66,306		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Douglas, Grant, Pope, Stevens and Traverse Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Swift County - Population Estimates by Age and Sex, 2010

Age Group	SWIFT		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	281	280	1,378	1,337	181,342	174,162
05-09	306	282	1,378	1,278	181,614	173,922
10-14	321	274	1,518	1,377	180,356	171,986
15-17	222	217	1,001	944	113,281	107,400
18-19	130	95	516	452	75,313	71,835
20-24	255	194	1,108	906	180,725	174,926
25-29	262	247	1,276	1,158	187,562	185,124
30-34	279	226	1,170	1,055	174,549	168,351
35-39	244	250	1,097	1,056	165,815	162,375
40-44	319	285	1,295	1,286	177,234	175,670
45-49	374	337	1,649	1,620	203,588	202,615
50-54	423	385	1,893	1,805	200,663	201,032
55-59	364	319	1,826	1,601	174,321	175,268
60-64	322	324	1,393	1,370	137,760	142,015
65-69	224	223	1,079	1,154	97,533	105,037
70-74	180	224	934	1,007	70,840	81,017
75-79	158	210	755	984	54,464	67,650
80-84	131	200	673	954	40,865	59,051
85&up	130	286	620	1,287	34,307	72,357
Total	4,925	4,858	22,559	22,631	2,632,132	2,671,793
Total Male/Female	9,783		45,190		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

Todd County - Population Estimates by Age and Sex, 2010

Age Group	TODD		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	887	802	2,496	2,382	181,342	174,162
05-09	872	772	2,458	2,228	181,614	173,922
10-14	859	860	2,491	2,449	180,356	171,986
15-17	615	543	1,671	1,526	113,281	107,400
18-19	362	265	966	812	75,313	71,835
20-24	662	561	1,931	1,665	180,725	174,926
25-29	678	661	2,044	1,951	187,562	185,124
30-34	687	580	2,035	1,870	174,549	168,351
35-39	660	606	1,936	1,797	165,815	162,375
40-44	704	691	2,203	2,053	177,234	175,670
45-49	940	950	2,756	2,721	203,588	202,615
50-54	1,022	931	2,870	2,725	200,663	201,032
55-59	996	866	2,715	2,443	174,321	175,268
60-64	774	762	2,132	2,040	137,760	142,015
65-69	674	668	1,754	1,844	97,533	105,037
70-74	499	540	1,348	1,472	70,840	81,017
75-79	366	419	1,059	1,251	54,464	67,650
80-84	292	315	822	1,101	40,865	59,051
85&up	197	357	636	1,283	34,307	72,357
Total	12,746	12,149	36,323	35,613	2,632,132	2,671,793
Total Male/Female	24,895		71,936		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Traverse County - Population Estimates by Age and Sex, 2010

Age Group	TRAVERSE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	87	89	2,046	1,922	181,342	174,162
05-09	102	93	2,058	1,914	181,614	173,922
10-14	127	122	1,992	1,879	180,356	171,986
15-17	87	71	1,287	1,217	113,281	107,400
18-19	36	30	1,059	927	75,313	71,835
20-24	83	57	2,158	1,923	180,725	174,926
25-29	82	74	1,970	1,812	187,562	185,124
30-34	85	74	1,842	1,692	174,549	168,351
35-39	75	83	1,670	1,604	165,815	162,375
40-44	92	93	1,797	1,767	177,234	175,670
45-49	123	132	2,282	2,244	203,588	202,615
50-54	140	125	2,520	2,576	200,663	201,032
55-59	151	129	2,444	2,288	174,321	175,268
60-64	91	88	2,078	2,063	137,760	142,015
65-69	92	103	1,783	1,825	97,533	105,037
70-74	81	92	1,356	1,461	70,840	81,017
75-79	94	116	1,118	1,334	54,464	67,650
80-84	60	80	893	1,181	40,865	59,051
85&up	79	140	801	1,523	34,307	72,357
Total	1,767	1,791	33,154	33,152	2,632,132	2,671,793
Total Male/Female		3,558		66,306		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Douglas, Grant, Pope, Stevens and Traverse Counties

Wabasha County - Population Estimates by Age and Sex, 2010

Age Group	WABASHA		Minnesota	
	Male	Female	Male	Female
00-04	693	639	181,342	174,162
05-09	709	692	181,614	173,922
10-14	688	675	180,356	171,986
15-17	499	458	113,281	107,400
18-19	256	225	75,313	71,835
20-24	510	468	180,725	174,926
25-29	576	580	187,562	185,124
30-34	610	574	174,549	168,351
35-39	614	610	165,815	162,375
40-44	744	699	177,234	175,670
45-49	845	888	203,588	202,615
50-54	869	848	200,663	201,032
55-59	850	758	174,321	175,268
60-64	690	717	137,760	142,015
65-69	535	555	97,533	105,037
70-74	438	440	70,840	81,017
75-79	292	307	54,464	67,650
80-84	250	313	40,865	59,051
85&up	198	364	34,307	72,357
Total	10,866	10,810	2,632,132	2,671,793
Total Male/Female				5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Wadena County - Population Estimates by Age and Sex, 2010

Age Group	WADENA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	448	468	2,496	2,382	181,342	174,162
05-09	444	426	2,458	2,228	181,614	173,922
10-14	447	476	2,491	2,449	180,356	171,986
15-17	337	280	1,671	1,526	113,281	107,400
18-19	200	164	966	812	75,313	71,835
20-24	364	276	1,931	1,665	180,725	174,926
25-29	339	354	2,044	1,951	187,562	185,124
30-34	336	349	2,035	1,870	174,549	168,351
35-39	374	339	1,936	1,797	165,815	162,375
40-44	386	348	2,203	2,053	177,234	175,670
45-49	500	506	2,756	2,721	203,588	202,615
50-54	522	479	2,870	2,725	200,663	201,032
55-59	470	489	2,715	2,443	174,321	175,268
60-64	411	393	2,132	2,040	137,760	142,015
65-69	373	378	1,754	1,844	97,533	105,037
70-74	273	336	1,348	1,472	70,840	81,017
75-79	231	291	1,059	1,251	54,464	67,650
80-84	212	276	822	1,101	40,865	59,051
85&up	164	384	636	1,283	34,307	72,357
Total	6,831	7,012	36,323	35,613	2,632,132	2,671,793
Total Male/Female		13,843		71,936		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Cass, Todd, Wadena and Morrison Counties

Waseca County - Population Estimates by Age and Sex, 2010

Age Group	WASECA		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	628	590	1,586	1,501	181,342	174,162
05-09	653	632	1,694	1,571	181,614	173,922
10-14	663	648	1,649	1,661	180,356	171,986
15-17	353	356	924	989	113,281	107,400
18-19	208	174	494	437	75,313	71,835
20-24	473	526	1,126	1,174	180,725	174,926
25-29	501	781	1,401	1,584	187,562	185,124
30-34	594	779	1,456	1,555	174,549	168,351
35-39	521	662	1,375	1,505	165,815	162,375
40-44	562	665	1,578	1,589	177,234	175,670
45-49	695	754	1,814	1,844	203,588	202,615
50-54	703	795	1,830	1,803	200,663	201,032
55-59	637	671	1,635	1,566	174,321	175,268
60-64	565	528	1,361	1,342	137,760	142,015
65-69	358	379	946	1,002	97,533	105,037
70-74	269	327	753	797	70,840	81,017
75-79	219	265	544	653	54,464	67,650
80-84	179	302	425	637	40,865	59,051
85&up	195	326	373	665	34,307	72,357
Total	8,976	10,160	22,964	23,875	2,632,132	2,671,793
Total Male/Female		19,136		46,839		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Le Sueur and Waseca Counties

Demographics Table 1: Minnesota Population Estimates, 2010

Washington County - Population Estimates by Age and Sex, 2010

Age Group	WASHINGTON		Minnesota	
	Male	Female	Male	Female
00-04	7,852	7,493	181,342	174,162
05-09	9,096	8,771	181,614	173,922
10-14	9,492	9,338	180,356	171,986
15-17	5,897	5,659	113,281	107,400
18-19	2,835	2,392	75,313	71,835
20-24	6,123	5,697	180,725	174,926
25-29	7,364	7,266	187,562	185,124
30-34	7,056	7,178	174,549	168,351
35-39	7,770	7,906	165,815	162,375
40-44	8,989	9,578	177,234	175,670
45-49	10,142	10,594	203,588	202,615
50-54	9,760	9,916	200,663	201,032
55-59	7,870	8,219	174,321	175,268
60-64	6,358	6,541	137,760	142,015
65-69	4,189	4,355	97,533	105,037
70-74	2,733	3,163	70,840	81,017
75-79	1,950	2,356	54,464	67,650
80-84	1,317	1,842	40,865	59,051
85&up	1,011	2,068	34,307	72,357
Total	117,804	120,332	2,632,132	2,671,793
Total Male/Female	238,136			

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Watonwan County - Population Estimates by Age and Sex, 2010

Age Group	WATONWAN		Minnesota	
	Male	Female	Male	Female
00-04	363	406	181,342	174,162
05-09	400	323	181,614	173,922
10-14	372	418	180,356	171,986
15-17	275	251	113,281	107,400
18-19	142	123	75,313	71,835
20-24	307	240	180,725	174,926
25-29	316	287	187,562	185,124
30-34	319	315	174,549	168,351
35-39	313	287	165,815	162,375
40-44	319	319	177,234	175,670
45-49	371	367	203,588	202,615
50-54	429	426	200,663	201,032
55-59	445	367	174,321	175,268
60-64	291	295	137,760	142,015
65-69	263	247	97,533	105,037
70-74	211	238	70,840	81,017
75-79	189	219	54,464	67,650
80-84	151	206	40,865	59,051
85&up	136	265	34,307	72,357
Total	5,612	5,599	2,632,132	2,671,793
Total Male/Female	11,211			5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Wilkin County - Population Estimates by Age and Sex, 2010

Age Group	WILKIN		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	194	177	2,314	2,113	181,342	174,162
05-09	236	172	2,147	2,033	181,614	173,922
10-14	248	243	2,152	2,025	180,356	171,986
15-17	149	155	1,347	1,187	113,281	107,400
18-19	72	71	1,484	1,874	75,313	71,835
20-24	165	131	3,700	3,743	180,725	174,926
25-29	166	167	2,304	2,150	187,562	185,124
30-34	158	153	1,997	1,985	174,549	168,351
35-39	183	174	1,864	1,804	165,815	162,375
40-44	206	205	1,827	1,795	177,234	175,670
45-49	288	269	2,112	2,116	203,588	202,615
50-54	306	283	2,200	2,279	200,663	201,032
55-59	254	209	1,979	1,896	174,321	175,268
60-64	176	197	1,453	1,448	137,760	142,015
65-69	127	160	1,036	1,109	97,533	105,037
70-74	130	118	844	965	70,840	81,017
75-79	104	144	683	885	54,464	67,650
80-84	100	90	568	771	40,865	59,051
85&up	73	123	461	925	34,307	72,357
Total	3,335	3,241	32,472	33,103	2,632,132	2,671,793
Total Male/Female	6,576		65,575		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Clay and Wilkin Counties

Winona County - Population Estimates by Age and Sex, 2010

Age Group	WINONA		Minnesota	
	Male	Female	Male	Female
00-04	1,372	1,338	181,342	174,162
05-09	1,377	1,268	181,614	173,922
10-14	1,497	1,313	180,356	171,986
15-17	948	856	113,281	107,400
18-19	1,549	2,064	75,313	71,835
20-24	3,483	3,885	180,725	174,926
25-29	1,648	1,424	187,562	185,124
30-34	1,391	1,239	174,549	168,351
35-39	1,249	1,179	165,815	162,375
40-44	1,345	1,330	177,234	175,670
45-49	1,611	1,635	203,588	202,615
50-54	1,772	1,782	200,663	201,032
55-59	1,726	1,601	174,321	175,268
60-64	1,341	1,347	137,760	142,015
65-69	950	991	97,533	105,037
70-74	753	797	70,840	81,017
75-79	544	695	54,464	67,650
80-84	394	629	40,865	59,051
85&up	357	781	34,307	72,357
Total	25,307	26,154	2,632,132	2,671,793
Total Male/Female	51,461		5,303,925	

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Demographics Table 1: Minnesota Population Estimates, 2010

Wright County - Population Estimates by Age and Sex, 2010

Age Group	WRIGHT		Minnesota	
	Male	Female	Male	Female
00-04	5,540	5,159	181,342	174,162
05-09	5,503	5,319	181,614	173,922
10-14	5,075	4,973	180,356	171,986
15-17	2,946	2,846	113,281	107,400
18-19	1,385	1,237	75,313	71,835
20-24	2,894	2,721	180,725	174,926
25-29	4,057	4,086	187,562	185,124
30-34	4,612	4,741	174,549	168,351
35-39	4,808	4,628	165,815	162,375
40-44	4,939	4,826	177,234	175,670
45-49	5,156	4,876	203,588	202,615
50-54	4,359	4,122	200,663	201,032
55-59	3,338	3,292	174,321	175,268
60-64	2,621	2,707	137,760	142,015
65-69	1,925	2,093	97,533	105,037
70-74	1,391	1,493	70,840	81,017
75-79	971	1,052	54,464	67,650
80-84	637	869	40,865	59,051
85&up	465	1,038	34,307	72,357
Total	62,622	62,078	2,632,132	2,671,793
Total Male/Female		124,700		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

Yellow Medicine County - Population Estimates by Age and Sex, 2010

Age Group	YELLOW MEDICINE		CHS Agency*		Minnesota	
	Male	Female	Male	Female	Male	Female
00-04	338	322	1,378	1,337	181,342	174,162
05-09	340	301	1,378	1,278	181,614	173,922
10-14	382	332	1,518	1,377	180,356	171,986
15-17	242	218	1,001	944	113,281	107,400
18-19	131	102	516	452	75,313	71,835
20-24	300	223	1,108	906	180,725	174,926
25-29	324	291	1,276	1,158	187,562	185,124
30-34	289	230	1,170	1,055	174,549	168,351
35-39	253	258	1,097	1,056	165,815	162,375
40-44	310	304	1,295	1,286	177,234	175,670
45-49	362	383	1,649	1,620	203,588	202,615
50-54	439	422	1,893	1,805	200,663	201,032
55-59	438	317	1,826	1,601	174,321	175,268
60-64	278	278	1,393	1,370	137,760	142,015
65-69	250	246	1,079	1,154	97,533	105,037
70-74	199	230	934	1,007	70,840	81,017
75-79	170	193	755	984	54,464	67,650
80-84	143	176	673	954	40,865	59,051
85&up	140	284	620	1,287	34,307	72,357
Total	5,328	5,110	22,559	22,631	2,632,132	2,671,793
Total Male/Female		10,438		45,190		5,303,925

Source: U.S. Census Bureau: 2010 Census, www.census.gov

*Community Health Services Agency consisting of Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine Counties

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2010**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,303,925	4,524,062	274,412	60,916	216,390	125,145	250,258
Aitkin	16,202	15,494	57	390	31	209	151
Anoka	330,844	287,802	14,503	2,257	12,972	8,521	12,020
Becker	32,504	28,720	138	2,455	132	972	398
Beltrami	44,442	33,359	262	9,004	327	1,377	676
Benton	38,451	36,348	749	159	429	615	632
Big Stone	5,269	5,175	11	22	4	42	41
Blue Earth	64,013	59,400	1,741	178	1,271	1,025	1,586
Brown	25,893	25,245	61	21	155	183	860
Carlton	35,386	31,727	498	2,086	164	855	484
Carver	91,042	84,450	1,124	208	2,493	1,436	3,515
Cass	28,567	24,534	61	3,196	91	627	340
Chippewa	12,441	11,632	65	119	154	154	611
Chisago	53,887	51,621	645	324	488	670	835
Clay	58,999	54,684	842	803	867	1,275	2,056
Clearwater	8,695	7,579	30	782	22	265	120
Cook	5,176	4,559	17	446	30	111	58
Cottonwood	11,687	10,773	87	27	334	148	720
Crow Wing	62,500	60,368	313	526	248	908	652
Dakota	398,552	339,499	18,709	1,647	17,667	11,474	23,966
Dodge	20,087	19,294	60	54	94	273	915
Douglas	36,009	35,186	150	105	168	327	341
Faribault	14,553	14,042	47	62	43	134	817
Fillmore	20,866	20,497	49	22	71	173	207
Freeborn	31,255	29,121	231	68	256	518	2,750
Goodhue	46,183	43,684	445	533	291	719	1,342
Grant	6,018	5,864	19	9	15	69	94
Hennepin	1,152,425	856,834	136,262	10,591	72,411	37,449	77,676
Houston	19,027	18,570	101	33	91	220	132
Hubbard	20,428	19,314	48	557	52	365	327
Isanti	37,816	36,319	245	174	328	616	582
Itasca	45,058	42,195	144	1,568	154	923	417
Jackson	10,266	9,830	47	24	141	104	277
Kanabec	16,239	15,754	55	90	56	250	214
Kandiyohi	42,239	39,206	984	130	191	507	4,710
Kittson	4,552	4,484	11	4	16	25	69
Koochiching	13,311	12,593	78	311	47	257	147
Lac Qui Parle	7,259	7,087	17	17	32	61	108
Lake	10,866	10,616	16	51	31	137	80
Lake of the Woods	4,045	3,874	14	28	33	83	35
Le Sueur	27,703	26,443	94	81	166	309	1,444
Lincoln	5,896	5,777	8	9	14	45	72
Lyon	25,857	23,360	587	114	686	402	1,541
McLeod	36,651	35,159	199	101	284	361	1,811

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2010**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,303,925	4,524,062	274,412	60,916	216,390	125,145	250,258
Mahnomen	5,413	2,713	11	2,215	4	467	99
Marshall	9,439	9,119	26	43	22	81	337
Martin	20,840	20,142	64	59	110	188	744
Meeker	23,300	22,663	77	44	72	172	767
Mille Lacs	26,097	23,778	97	1,571	90	483	377
Morrison	33,198	32,426	131	66	112	359	402
Mower	39,163	35,495	818	97	689	728	4,138
Murray	8,725	8,435	25	11	80	71	242
Nicollet	32,727	30,666	667	99	432	466	1,226
Nobles	21,378	16,206	743	111	1,178	394	4,820
Norman	6,852	6,455	13	109	25	158	276
Olmsted	144,248	123,605	6,870	353	7,871	3,181	6,081
Otter Tail	57,303	55,080	430	279	305	699	1,490
Pennington	13,930	13,067	192	213	88	249	380
Pine	29,750	27,347	597	921	139	558	723
Pipestone	9,596	8,975	56	100	69	180	355
Polk	31,600	29,495	270	453	220	665	1,720
Pope	10,995	10,766	38	24	41	97	95
Ramsey	508,640	356,547	56,170	4,043	59,548	17,556	36,483
Red Lake	4,089	3,934	8	52	8	60	101
Redwood	16,059	14,305	75	796	509	315	335
Renville	15,730	15,014	44	91	60	165	1,046
Rice	64,142	57,275	2,072	300	1,354	1,163	5,122
Rock	9,687	9,365	59	34	54	119	197
Roseau	15,629	14,767	39	201	395	210	116
St. Louis	200,226	186,212	2,739	4,477	1,838	4,515	2,409
Scott	129,928	112,212	3,376	1,072	7,444	2,938	5,771
Sherburne	88,499	83,211	1,689	439	1,149	1,500	1,941
Sibley	15,226	14,430	48	30	87	180	1,098
Stearns	150,642	138,262	4,658	473	3,043	2,335	4,190
Steele	36,576	34,038	1,013	86	289	510	2,282
Stevens	9,726	9,110	76	89	151	171	337
Swift	9,783	9,453	49	36	24	92	350
Todd	24,895	23,727	94	87	147	324	1,288
Traverse	3,558	3,352	13	139	5	40	50
Wabasha	21,676	21,000	80	38	98	215	592
Wadena	13,843	13,380	111	65	36	211	176
Waseca	19,136	17,933	380	148	133	292	985
Washington	238,136	209,012	8,579	1,088	12,148	5,009	8,127
Watonwan	11,211	9,740	82	48	91	132	2,338
Wilkin	6,576	6,381	15	64	18	71	130
Winona	51,461	48,573	650	133	1,103	601	1,244
Wright	124,700	118,518	1,328	419	1,522	1,906	3,052
Yellow Medicine	10,438	9,806	16	314	39	125	397

**Demographics Table 2: Minnesota Population Estimates by Race Alone and Hispanicity
By State and County, 2010**

	One Race						Ethnicity
	Total	White	Black/ African American	Amer. Indian/ Alaskan Native	Asian/ Pacific Islander	Two or More Races	Hispanic/ Latino (any race)
State of Minnesota	5,303,925	4,524,062	274,412	60,916	216,390	125,145	250,258
Aitkin, Itasca and Koochiching	74,571	70,282	279	2,269	232	1,389	715
Beltrami, Clearwater, Hubbard and Lake of the Woods	77,610	64,126	354	10,371	434	2,090	1,158
Chippewa, Lac Qui Parle, Swift and Yellow Medicine	45,190	43,153	158	508	253	474	1,507
Brown and Nicollet	58,620	55,911	728	120	587	649	2,086
Carlton, Cook, Lake and St. Louis	251,654	233,114	3,270	7,060	2,063	5,618	3,031
Cottonwood and Jackson	21,953	20,603	134	51	475	252	997
Clay and Wilkin	65,575	61,065	857	867	885	1,346	2,186
Douglas, Grant, Pope, Stevens and Traverse	66,306	64,278	296	366	380	704	917
Dodge and Steele	56,663	53,332	1,073	140	383	783	3,197
Fillmore and Houston	39,893	39,067	150	55	162	393	339
Faribault and Martin	35,393	34,184	111	121	153	322	1,561
Isanti and Mille Lacs	63,913	60,097	342	1,745	418	1,099	959
Kittson, Marshall, Pennington, Red Lake and Roseau	47,639	45,371	276	513	529	625	1,003
Kanabec and Pine	45,989	43,101	652	1,011	195	808	937
Lincoln, Lyon, Murray, Pipestone and Rock	59,761	55,912	735	268	903	817	2,407
Le Sueur and Waseca	46,839	44,376	474	229	299	601	2,429
Meeker, McCleod and Sibley	75,177	72,252	324	175	443	713	3,676
Mahnomen and Norman	12,265	9,168	24	2,324	29	625	375
Morrison, Todd and Wadena	71,936	69,533	336	218	295	894	1,866
Redwood and Renville	31,789	29,319	119	887	569	480	1,381

Source: US Census, www.census.gov

Minnesota County Health Tables

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2010**

	Children Under 5		Children Ages 0-19		Females Ages 15-44
	Number	Percent	Number	Percent	
State of Minnesota	355,504	6.7	1,431,211	27.0	1,045,681
Aitkin	778	4.8	3,209	19.8	2,004
Anoka	22,339	6.8	94,222	28.5	66,053
Becker	2,183	6.7	8,687	26.7	5,116
Beltrami	3,357	7.6	13,065	29.4	8,897
Benton	2,845	7.4	10,505	27.3	8,033
Big Stone	289	5.5	1,211	23.0	727
Blue Earth	3,814	6.0	16,401	25.6	15,342
Brown	1,573	6.1	6,440	24.9	4,320
Carlton	2,240	6.3	9,226	26.1	5,837
Carver	6,725	7.4	29,167	32.0	17,999
Cass	1,740	6.1	6,835	23.9	4,087
Chippewa	828	6.7	3,194	25.7	2,040
Chisago	3,310	6.1	15,148	28.1	9,830
Clay	4,056	6.9	16,959	28.7	13,482
Clearwater	606	7.0	2,369	27.2	1,351
Cook	218	4.2	950	18.4	768
Cottonwood	703	6.0	3,056	26.1	1,827
Crow Wing	4,025	6.4	15,896	25.4	10,421
Dakota	27,871	7.0	113,912	28.6	80,452
Dodge	1,483	7.4	6,288	31.3	3,731
Douglas	2,171	6.0	8,833	24.5	5,848
Faribault	831	5.7	3,504	24.1	2,167
Fillmore	1,446	6.9	5,518	26.4	3,334
Freeborn	1,921	6.1	7,590	24.3	4,957
Goodhue	2,914	6.3	11,936	25.8	7,771
Grant	372	6.2	1,403	23.3	894
Hennepin	76,236	6.6	290,665	25.2	248,159
Houston	1,126	5.9	4,828	25.4	3,117
Hubbard	1,260	6.2	4,884	23.9	3,009
Isanti	2,707	7.2	10,719	28.3	7,141
Itasca	2,459	5.5	10,956	24.3	6,917
Jackson	610	5.9	2,563	25.0	1,598
Kanabec	974	6.0	4,257	26.2	2,684
Kandiyohi	2,919	6.9	11,455	27.1	7,410
Kittson	222	4.9	1,060	23.3	595
Koochiching	633	4.8	3,110	23.4	2,034
Lac Qui Parle	377	5.2	1,658	22.8	950
Lake	584	5.4	2,279	21.0	1,611
Lake of the Woods	209	5.2	887	21.9	561
Le Sueur	1,869	6.7	7,601	27.4	4,890
Lincoln	384	6.5	1,410	23.9	834
Lyon	1,872	7.2	7,270	28.1	5,279
McLeod	2,444	6.7	10,086	27.5	6,555

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2010**

	Children Under 5		Children Ages 0-19		Females Ages 15-44
	Number	Percent	Number	Percent	
State of Minnesota	355,504	6.7	1,431,211	27.0	1,045,681
Mahnomen	481	8.9	1,729	31.9	879
Marshall	550	5.8	2,416	25.6	1,415
Martin	1,217	5.8	5,044	24.2	3,181
Meeker	1,624	7.0	6,406	27.5	3,720
Mille Lacs	1,857	7.1	7,282	27.9	4,605
Morrison	2,273	6.8	8,952	27.0	5,657
Mower	2,839	7.2	10,860	27.7	6,768
Murray	524	6.0	2,106	24.1	1,257
Nicollet	2,140	6.5	8,872	27.1	6,969
Nobles	1,697	7.9	6,059	28.3	3,689
Norman	411	6.0	1,805	26.3	1,004
Olmsted	10,783	7.5	39,508	27.4	28,864
Otter Tail	3,315	5.8	13,701	23.9	8,441
Pennington	946	6.8	3,698	26.5	2,479
Pine	1,729	5.8	7,225	24.3	4,589
Pipestone	660	6.9	2,602	27.1	1,540
Polk	2,095	6.6	8,540	27.0	5,519
Pope	650	5.9	2,541	23.1	1,643
Ramsey	35,137	6.9	135,728	26.7	110,951
Red Lake	283	6.9	1,087	26.6	633
Redwood	1,076	6.7	4,362	27.2	2,521
Renville	902	5.7	3,977	25.3	2,405
Rice	4,035	6.3	18,243	28.4	13,039
Rock	683	7.1	2,710	28.0	1,541
Roseau	1,002	6.4	4,435	28.4	2,616
St. Louis	10,981	5.5	47,060	23.5	37,039
Scott	10,676	8.2	41,768	32.1	27,432
Sherburne	6,858	7.7	27,864	31.5	18,196
Sibley	1,043	6.9	4,227	27.8	2,543
Stearns	9,799	6.5	41,934	27.8	32,379
Steele	2,670	7.3	10,472	28.6	6,648
Stevens	599	6.2	2,680	27.6	2,075
Swift	561	5.7	2,408	24.6	1,514
Todd	1,689	6.8	6,837	27.5	3,907
Traverse	176	4.9	844	23.7	482
Wabasha	1,332	6.1	5,534	25.5	3,614
Wadena	916	6.6	3,690	26.7	2,110
Waseca	1,218	6.4	4,905	25.6	3,943
Washington	15,345	6.4	68,825	28.9	45,676
Watonwan	769	6.9	3,073	27.4	1,822
Wilkin	371	5.6	1,717	26.1	1,056
Winona	2,710	5.3	13,582	26.4	11,977
Wright	10,699	8.6	39,983	32.1	25,085
Yellow Medicine	660	6.3	2,708	25.9	1,626

**Demographics Table 3: Selected Minnesota Population Statistics
By State and County, 2010**

	Children Under 5		Children Ages 0-19		Females Ages 15-44
	Number	Percent	Number	Percent	
State of Minnesota	355,504	6.7	1,431,211	27.0	1,045,681
Aitkin, Itasca and Koochiching	3,870	5.2	17,275	23.2	10,955
Beltrami, Clearwater, Hubbard and Lake of the Woods	5,432	7.0	21,205	27.3	13,818
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	2,715	6.0	11,179	24.7	6,857
Brown and Nicollet	3,713	6.3	15,312	26.1	11,289
Carlton, Cook, Lake and St. Louis	14,023	5.6	59,515	23.6	45,255
Cottonwood and Jackson	1,313	6.0	5,619	25.6	3,425
Clay and Wilkin	4,427	6.8	18,676	28.5	14,538
Douglas, Grant, Pope, Stevens and Traverse	3,968	6.0	16,301	24.6	10,942
Dodge and Steele	4,153	7.3	16,760	29.6	10,379
Fillmore and Houston	2,572	6.4	10,346	25.9	6,451
Faribault and Martin	2,048	5.8	8,548	24.2	5,348
Isanti and Mille Lacs	4,564	7.1	18,001	28.2	11,746
Kittson, Marshall, Pennington, Red Lake and Roseau	3,003	6.3	12,696	26.7	7,738
Kanabec and Pine	2,703	5.9	11,482	25.0	7,273
Lincoln, Lyon, Murray, Pipestone and Rock	4,123	6.9	16,098	26.9	10,451
Le Sueur and Waseca	3,087	6.6	12,506	26.7	8,833
Meeker, McCleod and Sibley	5,111	6.8	20,719	27.6	12,818
Mahnomen and Norman	892	7.3	3,534	28.8	1,883
Morrison, Todd and Wadena	4,878	6.8	19,479	27.1	11,674
Redwood and Renville	1,978	6.2	8,339	26.2	4,926

Source: US Census, www.census.gov

**Demographics Table 4: Selected Minnesota Elderly Population Statistics
By State and County, 2010**

	Population 65+ years		Percent of households in which the resident is 65 and over and living alone
	Number	Percent	
State of Minnesota	683,121	12.9	9.7
Aitkin	4,413	27.2	15.2
Anoka	32,232	9.7	6.6
Becker	5,637	17.3	11.7
Beltrami	5,754	12.9	10.4
Benton	4,558	11.9	8.6
Big Stone	1,324	25.1	17.7
Blue Earth	7,562	11.8	9.2
Brown	4,899	18.9	14.5
Carlton	5,317	15.0	11.7
Carver	7,707	8.5	6.9
Cass	6,029	21.1	11.8
Chippewa	2,400	19.3	15.6
Chisago	6,247	11.6	8.6
Clay	7,078	12.0	9.7
Clearwater	1,621	18.6	13.3
Cook	1,051	20.3	11.7
Cottonwood	2,482	21.2	15.7
Crow Wing	11,564	18.5	11.7
Dakota	39,816	10.0	7.4
Dodge	2,460	12.2	9.3
Douglas	7,069	19.6	12.6
Faribault	3,179	21.8	15.5
Fillmore	4,000	19.2	13.7
Freeborn	6,309	20.2	14.3
Goodhue	7,594	16.4	12.1
Grant	1,334	22.2	15.4
Hennepin	130,814	11.4	9.0
Houston	3,307	17.4	12.0
Hubbard	4,245	20.8	12.0
Isanti	4,680	12.4	8.5
Itasca	8,574	19.0	12.4
Jackson	2,044	19.9	14.4
Kanabec	2,659	16.4	10.6
Kandiyohi	6,832	16.2	10.7
Kittson	1,029	22.6	17.9
Koochiching	2,604	19.6	13.7
Lac Qui Parle	1,726	23.8	15.8
Lake	2,428	22.3	13.3
Lake of the Woods	821	20.3	12.4
Le Sueur	3,976	14.4	9.5
Lincoln	1,444	24.5	17.8
Lyon	3,519	13.6	11.0
McLeod	5,603	15.3	11.4

**Demographics Table 4: Selected Minnesota Elderly Population Statistics
By State and County, 2010**

	Population 65+ years		Percent of households in which the resident is 65 and over and living alone
	Number	Percent	
State of Minnesota	683,121	12.9	9.7
Mahnomen	855	15.8	11.6
Marshall	1,816	19.2	13.6
Martin	4,317	20.7	14.9
Meeker	3,835	16.5	11.6
Mille Lacs	4,206	16.1	11.8
Morrison	5,325	16.0	11.5
Mower	6,818	17.4	14.1
Murray	1,951	22.4	15.0
Nicollet	3,917	12.0	9.8
Nobles	3,420	16.0	12.6
Norman	1,465	21.4	16.3
Olmsted	18,133	12.6	8.3
Otter Tail	12,032	21.0	13.3
Pennington	2,212	15.9	12.7
Pine	4,856	16.3	11.9
Pipestone	1,901	19.8	15.5
Polk	5,220	16.5	12.9
Pope	2,338	21.3	13.9
Ramsey	61,181	12.0	10.0
Red Lake	701	17.1	13.4
Redwood	3,164	19.7	15.0
Renville	3,045	19.4	14.2
Rice	7,881	12.3	10.1
Rock	1,835	18.9	14.5
Roseau	2,250	14.4	10.5
St. Louis	31,816	15.9	12.4
Scott	10,016	7.7	5.4
Sherburne	7,307	8.3	5.6
Sibley	2,479	16.3	12.7
Stearns	18,228	12.1	8.5
Steele	5,270	14.4	11.0
Stevens	1,597	16.4	13.9
Swift	1,966	20.1	16.5
Todd	4,327	17.4	12.1
Traverse	937	26.3	18.8
Wabasha	3,692	17.0	11.4
Wadena	2,918	21.1	15.7
Waseca	2,819	14.7	11.4
Washington	24,984	10.5	7.2
Watonwan	2,125	19.0	14.3
Wilkin	1,169	17.8	11.8
Winona	6,891	13.4	10.4
Wright	11,934	9.6	6.7
Yellow Medicine	2,031	19.5	13.7

**Demographics Table 4: Selected Minnesota Elderly Population Statistics
By State and County, 2010**

	Population 65+ years		Percent of households in which the resident is 65 and over and living alone
	Number	Percent	
State of Minnesota	683,121	12.9	9.7
Aitkin, Itasca and Koochiching	15,591	20.9	13.2
Beltrami, Clearwater, Hubbard and Lake of the Woods	12,441	16.0	11.3
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	9,447	20.9	15.7
Brown and Nicollet	8,816	15.0	12.0
Carlton, Cook, Lake and St. Louis	40,612	16.1	12.4
Cottonwood and Jackson	4,526	20.6	15.1
Clay and Wilkin	8,247	12.6	9.9
Douglas, Grant, Pope, Stevens and Traverse	13,275	20.0	13.6
Dodge and Steele	7,730	13.6	10.4
Fillmore and Houston	7,307	18.3	12.8
Faribault and Martin	7,496	21.2	15.1
Isanti and Mille Lacs	8,886	13.9	9.9
Kittson, Marshall, Pennington, Red Lake and Roseau	8,008	16.8	12.8
Kanabec and Pine	7,515	16.3	11.4
Lincoln, Lyon, Murray, Pipestone and Rock	10,650	17.8	13.7
Le Sueur and Waseca	6,795	14.5	10.3
Meeker, McCleod and Sibley	11,917	15.9	11.7
Mahnomen and Norman	2,320	18.9	14.4
Morrison, Todd and Wadena	12,570	17.5	12.6
Redwood and Renville	6,209	19.5	14.6

Source: US Census, www.census.gov

For data by county subdivision go to:

[MDH Climate Change](#)

**Demographics Table 5: Selected Minnesota Demographics
By State and County, 2010**

	Population	Land Area in Square Miles	Population per Square Mile
State of Minnesota	5,303,925	79,617	66.6
Aitkin	16,202	1,819	8.9
Anoka	330,844	424	780.3
Becker	32,504	1,311	24.8
Beltrami	44,442	2,505	17.7
Benton	38,451	408	94.2
Big Stone	5,269	497	10.6
Blue Earth	64,013	752	85.1
Brown	25,893	611	42.4
Carlton	35,386	860	41.1
Carver	91,042	357	255.0
Cass	28,567	2,018	14.2
Chippewa	12,441	583	21.3
Chisago	53,887	418	128.9
Clay	58,999	1,045	56.5
Clearwater	8,695	995	8.7
Cook	5,176	1,451	3.6
Cottonwood	11,687	640	18.3
Crow Wing	62,500	997	62.7
Dakota	398,552	570	699.2
Dodge	20,087	440	45.7
Douglas	36,009	634	56.8
Faribault	14,553	714	20.4
Fillmore	20,866	861	24.2
Freeborn	31,255	708	44.1
Goodhue	46,183	759	60.8
Grant	6,018	547	11.0
Hennepin	1,152,425	557	2,069.0
Houston	19,027	558	34.1
Hubbard	20,428	923	22.1
Isanti	37,816	439	86.1
Itasca	45,058	2,665	16.9
Jackson	10,266	702	14.6
Kanabec	16,239	525	30.9
Kandiyohi	42,239	796	53.1
Kittson	4,552	1,097	4.1
Koochiching	13,311	3,102	4.3
Lac Qui Parle	7,259	765	9.5
Lake	10,866	2,099	5.2
Lake of the Woods	4,045	1,297	3.1
Le Sueur	27,703	449	61.7
Lincoln	5,896	537	11.0
Lyon	25,857	714	36.2
McLeod	36,651	492	74.5

**Demographics Table 5: Selected Minnesota Demographics
By State and County, 2010**

	Population	Land Area in Square Miles	Population per Square Mile
State of Minnesota	5,303,925	79,617	66.6
Mahnomen	5,413	556	9.7
Marshall	9,439	1,772	5.3
Martin	20,840	709	29.4
Meeker	23,300	609	38.3
Mille Lacs	26,097	575	45.4
Morrison	33,198	1,125	29.5
Mower	39,163	712	55.0
Murray	8,725	705	12.4
Nicollet	32,727	452	72.4
Nobles	21,378	716	29.9
Norman	6,852	876	7.8
Olmsted	144,248	653	220.9
Otter Tail	57,303	1,980	28.9
Pennington	13,930	617	22.6
Pine	29,750	1,411	21.1
Pipestone	9,596	466	20.6
Polk	31,600	1,971	16.0
Pope	10,995	670	16.4
Ramsey	508,640	156	3,260.5
Red Lake	4,089	432	9.5
Redwood	16,059	880	18.2
Renville	15,730	983	16.0
Rice	64,142	498	128.8
Rock	9,687	483	20.1
Roseau	15,629	1,663	9.4
St. Louis	200,226	6,226	32.2
Scott	129,928	357	363.9
Sherburne	88,499	437	202.5
Sibley	15,226	589	25.9
Stearns	150,642	1,345	112.0
Steele	36,576	430	85.1
Stevens	9,726	562	17.3
Swift	9,783	744	13.1
Todd	24,895	942	26.4
Traverse	3,558	574	6.2
Wabasha	21,676	525	41.3
Wadena	13,843	536	25.8
Waseca	19,136	423	45.2
Washington	238,136	392	607.5
Watonwan	11,211	435	25.8
Wilkin	6,576	752	8.7
Winona	51,461	626	82.2
Wright	124,700	661	188.7
Yellow Medicine	10,438	758	13.8

**Demographics Table 5: Selected Minnesota Demographics
By State and County, 2010**

	Population	Land Area in Square Miles	Population per Square Mile
State of Minnesota	5,303,925	79,617	66.6
Aitkin, Itasca and Koochiching	74,571	7,586	9.8
Beltrami, Clearwater, Hubbard and Lake of the Woods	77,610	5,720	13.6
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	45,190	3,347	13.5
Brown and Nicollet	58,620	1,063	55.1
Carlton, Cook, Lake and St. Louis	251,654	10,636	23.7
Cottonwood and Jackson	21,953	1,342	16.4
Clay and Wilkin	65,575	1,797	36.5
Douglas, Grant, Pope, Stevens and Traverse	66,306	2,987	22.2
Dodge and Steele	56,663	870	65.1
Fillmore and Houston	39,893	1,419	28.1
Faribault and Martin	35,393	1,423	24.9
Isanti and Mille Lacs	63,913	1,014	63.0
Kittson, Marshall, Pennington, Red Lake and Roseau	47,639	5,581	8.5
Kanabec and Pine	45,989	1,936	23.8
Lincoln, Lyon, Murray, Pipestone and Rock	59,761	2,905	20.6
Le Sueur and Waseca	46,839	872	53.7
Meeker, McCleod and Sibley	75,177	1,690	44.5
Mahnomen and Norman	12,265	1,432	8.6
Morrison, Todd and Wadena	71,936	2,603	27.6
Redwood and Renville	31,789	1,863	17.1

Source: US Census, www.census.gov

Sources: Population - U.S. Census Bureau 2010, www.census.gov; Number of Households - Minnesota State
Number of Households: The number of occupied houses, apartments, or other separate living quarters, in which

**Demographics Table 6: Selected Minnesota Socioeconomic Statistics by State & County
2006-2010 American Community Survey (Census)**

updated 8/27/2012

	Percent of population aged 25 years and older with less than or equal to high school education or equivalent (e.g. GED)	Percent of people of all ages living at or below 200% of poverty	Percent of housing occupied by owner	Percent of children under 18 living in single parent headed households
State of Minnesota	36.9	25.5	78.1	24.7
Aitkin	51.7	38.3	83.1	30.3
Anoka	37.7	18.2	85.1	22.2
Becker	43.6	32.8	82.3	27.2
Beltrami	38.8	41.2	73.7	34.8
Benton	44.2	28.9	77.6	22.9
Big Stone	52.4	34.4	84.0	17.6
Blue Earth	35.8	35.9	69.9	23.9
Brown	51.0	25.8	84.1	22.2
Carlton	43.5	28.7	84.7	26.4
Carver	27.3	14.0	87.6	15.2
Cass	46.7	36.9	84.0	27.8
Chippewa	50.9	27.8	79.4	28.7
Chisago	45.0	21.4	89.1	21.6
Clay	36.4	28.8	75.9	24.9
Clearwater	52.6	42.2	80.1	30.2
Cook	33.7	27.2	78.4	25.4
Cottonwood	53.7	31.0	84.9	25.4
Crow Wing	39.8	32.1	80.3	25.0
Dakota	28.7	16.2	81.8	21.3
Dodge	42.5	17.1	89.1	19.6
Douglas	41.1	28.2	82.1	18.5
Faribault	51.5	34.0	82.7	25.2
Fillmore	50.4	32.8	82.0	21.5
Freeborn	52.6	29.4	82.8	25.7
Goodhue	42.8	22.4	82.7	24.8
Grant	47.3	35.6	83.0	29.8
Hennepin	27.6	25.6	69.3	28.9
Houston	45.7	26.5	84.6	24.9
Hubbard	42.5	31.1	83.8	26.9
Isanti	47.5	24.6	86.1	21.0
Itasca	41.6	32.6	84.9	21.5
Jackson	45.8	27.9	80.0	13.6
Kanabec	55.1	34.8	85.7	23.4
Kandiyohi	43.9	30.6	80.5	27.4
Kittson	47.0	26.5	87.1	16.5
Koochiching	50.5	34.3	80.9	27.5
Lac Qui Parle	50.4	30.3	86.5	17.5
Lake	44.4	27.8	84.5	21.4
Lake of the Woods	45.5	32.3	88.1	32.8
Le Sueur	47.6	23.3	85.7	24.0
Lincoln	52.3	26.1	87.9	20.6
Lyon	43.1	29.8	74.8	22.1
McLeod	46.5	21.2	84.0	21.4

**Demographics Table 6: Selected Minnesota Socioeconomic Statistics by State & County
2006-2010 American Community Survey (Census)**

updated 8/27/2012

	Percent of population aged 25 years and older with less than or equal to high school education or equivalent (e.g. GED)	Percent of people of all ages living at or below 200% of poverty	Percent of housing occupied by owner	Percent of children under 18 living in single parent headed households
Mahnomen	53.7	48.2	74.3	42.1
Marshall	52.8	27.3	87.2	19.7
Martin	48.5	29.3	83.4	25.7
Meeker	50.6	27.3	84.2	21.8
Mille Lacs	51.1	33.8	81.4	28.8
Morrison	53.1	33.3	83.6	23.0
Mower	49.7	33.4	77.2	26.6
Murray	50.7	29.6	85.5	19.5
Nicollet	34.5	25.9	78.3	24.1
Nobles	54.7	40.0	73.4	28.9
Norman	53.1	33.6	83.9	18.1
Olmsted	29.6	21.4	81.6	22.3
Otter Tail	46.5	34.2	82.8	22.2
Pennington	48.4	29.1	82.0	25.8
Pine	55.7	35.3	82.6	32.1
Pipestone	49.1	34.4	79.5	20.1
Polk	45.2	31.6	77.8	25.7
Pope	48.8	27.2	83.0	19.1
Ramsey	33.9	32.4	65.8	34.4
Red Lake	54.2	30.5	87.4	23.7
Redwood	51.9	35.0	81.0	21.8
Renville	52.3	28.8	82.3	24.2
Rice	42.9	24.0	80.6	25.6
Rock	49.2	29.4	82.3	21.8
Roseau	53.4	28.6	85.6	24.5
St. Louis	38.4	33.3	77.1	32.2
Scott	30.9	13.1	88.4	14.4
Sherburne	36.9	19.2	87.5	15.9
Sibley	55.2	28.8	83.1	21.8
Stearns	41.3	29.4	77.5	21.6
Steele	46.2	24.9	81.3	27.3
Stevens	47.6	34.1	73.8	14.3
Swift	54.5	30.7	80.0	20.7
Todd	52.3	37.0	86.4	19.1
Traverse	52.5	31.8	81.6	18.2
Wabasha	50.1	25.3	86.6	17.5
Wadena	49.4	42.0	81.5	21.6
Waseca	48.8	25.9	82.9	23.8
Washington	27.9	13.4	87.5	18.3
Watsonwan	57.7	28.3	79.2	35.4
Wilkin	42.9	28.1	87.4	24.9
Winona	41.9	33.1	76.0	21.3
Wright	41.0	18.1	88.6	18.9
Yellow Medicine	48.0	28.9	80.0	23.4

**Demographics Table 6: Selected Minnesota Socioeconomic Statistics by State & County
2006-2010 American Community Survey (Census)**

updated 8/27/2012

	Percent of population aged 25 years and older with less than or equal to high school education or equivalent (e.g. GED)	Percent of people of all ages living at or below 200% of poverty	Percent of housing occupied by owner	Percent of children under 18 living in single parent headed households
Aitkin, Itasca and Koochiching	45.5	34.2	83.8	24.4
Beltrami, Clearwater, Hubbard and Lake of the Woods	41.9	38.1	78.0	32.3
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	51.1	29.9	81.3	22.8
Brown and Nicollet	42.3	25.9	80.9	23.2
Carlton, Cook, Lake and St. Louis	39.3	32.3	78.5	30.6
Cottonwood and Jackson	50.0	29.5	82.6	20.2
Clay and Wilkin	37.2	28.7	77.2	24.9
Douglas, Grant, Pope, Stevens and Traverse	44.5	29.7	81.3	19.1
Dodge and Steele	44.9	22.2	84.1	24.4
Fillmore and Houston	48.1	29.8	83.2	23.1
Faribault and Martin	49.7	31.3	83.1	25.5
Isanti and Mille Lacs	49.0	28.3	84.2	24.0
Kittson, Marshall, Pennington, Red Lake and Roseau	51.3	28.5	85.2	23.2
Kanabec and Pine	55.5	35.1	83.7	28.8
Lincoln, Lyon, Murray, Pipestone and Rock	47.3	30.1	79.8	21.2
Le Sueur and Waseca	48.1	24.3	84.6	23.9
Meeker, McCleod and Sibley	49.5	24.6	83.9	21.6
Mahnomen and Norman	53.3	40.0	79.7	29.1
Morrison, Todd and Wadena	52.1	36.2	84.2	21.4
Redwood and Renville	52.1	31.9	81.7	23.0

Source: 2006-2010 American Community Survey (ACS), US Census www.census.gov

ACS Series: Education - S1501, Poverty - S1701, Housing - B25008, Single Parent - B09002

Education and Poverty - for data by county subdivision go to:

[MDH Climate Change](#)

Demographics Table 7: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2010

	Number Enrolled in MFIP-MA by Age Group						Females 15-49
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	15-19 Years Females	20-49 Years Females	Years Enrolled in GAMC
State of Minnesota	6,666	32,064	40,751	16,760	9,145	30,271	8,403
Aitkin	20	99	119	37	23	94	23
Anoka	325	1,553	2,016	866	461	1,728	318
Becker	63	298	369	114	66	305	84
Beltrami	271	1,236	1,379	498	276	1,022	180
Benton	52	190	205	79	45	203	45
Big Stone	2	15	16	9	8	21	2
Blue Earth	60	279	395	127	69	294	89
Brown	23	75	85	27	12	94	26
Carlton	33	111	174	92	46	142	55
Carver	28	152	185	66	30	155	48
Cass	59	294	371	137	77	236	55
Chippewa	12	51	75	18	11	58	12
Chisago	20	100	144	54	31	147	49
Clay	70	305	404	149	69	310	78
Clearwater	12	69	78	26	14	61	17
Cook	4	11	14	3	3	16	4
Cottonwood	9	40	59	26	18	40	23
Crow Wing	59	306	350	119	75	306	63
Dakota	273	1,217	1,505	556	313	1,167	242
Dodge	20	71	80	44	30	49	17
Douglas	23	76	127	46	21	107	45
Faribault	15	60	78	29	17	65	12
Fillmore	7	45	55	22	11	43	17
Freeborn	49	155	158	56	32	133	32
Goodhue	31	166	185	55	30	188	39
Grant	2	15	32	13	9	19	9
Hennepin	1,843	9,379	11,557	4,823	2,655	7,833	3,438
Houston	11	74	93	34	18	80	19
Hubbard	26	92	150	46	25	89	28
Isanti	30	131	186	64	36	180	38
Itasca	57	260	314	102	55	253	89
Jackson	8	37	50	7	4	37	9
Kanabec	19	79	132	51	29	95	22
Kandiyohi	63	329	444	170	94	330	70
Kittson	2	11	26	9	4	10	2
Koochiching	14	48	68	22	14	62	20
Lac Qui Parle	2	15	25	8	4	18	5
Lake	6	20	24	24	15	28	6
Lake of the Woods	2	11	20	7	3	20	3
Le Sueur	19	87	122	31	19	76	18
Lincoln	0	4	12	2	1	7	3
Lyon	27	116	130	63	35	114	37
McLeod	27	112	125	51	30	123	30

Demographics Table 7: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2010

	Number Enrolled in MFIP-MA by Age Group						Females 15-49
Mahnomen	53	168	175	69	32	105	32
Marshall	3	19	31	16	9	16	7
Martin	21	71	75	38	25	79	27
Meeker	13	96	105	44	25	109	20
Mille Lacs	40	157	170	64	40	153	31
Morrison	23	127	136	56	27	130	26
Mower	55	246	267	77	46	222	50
Murray	4	15	27	16	10	23	6
Nicollet	42	190	202	83	46	192	29
Nobles	50	177	199	62	37	122	21
Norman	9	50	48	17	10	54	3
Olmsted	175	770	956	364	216	742	181
Otter Tail	48	210	274	112	54	210	53
Pennington	17	54	70	31	19	60	19
Pine	49	175	247	94	48	203	58
Pipestone	10	73	71	19	12	60	8
Polk	46	178	244	90	52	216	49
Pope	5	39	46	14	8	33	10
Ramsey	1,280	6,794	9,288	4,445	2,370	6,435	1,054
Red Lake	4	16	21	5	3	19	4
Redwood	12	55	104	43	21	63	9
Renville	12	50	100	33	14	52	19
Rice	75	322	395	131	70	278	58
Rock	5	26	53	16	8	37	3
Roseau	11	37	44	18	10	44	5
St. Louis	275	1,195	1,424	498	299	1,161	464
Scott	74	324	488	147	87	306	56
Sherburne	52	234	294	120	65	280	47
Sibley	11	55	48	19	11	49	16
Stearns	149	694	776	342	194	721	189
Steele	41	195	254	102	50	198	37
Stevens	4	22	24	7	3	27	9
Swift	5	36	44	16	10	30	13
Todd	16	81	121	40	20	98	24
Traverse	6	9	18	6	4	9	4
Wabasha	10	63	88	27	14	55	14
Wadena	20	95	119	52	19	112	23
Waseca	17	74	118	30	11	86	27
Washington	128	576	799	336	170	663	123
Watonwan	8	44	57	20	8	33	7
Wilkin	6	19	30	9	5	24	11
Winona	32	158	208	98	52	152	44
Wright	46	236	294	126	65	226	85
Yellow Medicine	4	28	35	11	2	27	6

Demographics Table 7: Minnesota Family Investment Program -Medical Assistance (MFIP-MA) and General Assistance Medical Care (GAMC) Average Monthly Enrollment By State and County, 2010

	Number Enrolled in MFIP-MA by Age Group						Females 15-49
Aitkin, Itasca and Koochiching	91	407	501	161	92	409	132
Beltrami, Clearwater, Hubbard and Lake of the Woods	311	1,408	1,627	577	318	1,192	228
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	25	145	195	62	35	154	38
Brown and Nicollet	65	265	287	110	58	286	55
Carlton, Cook, Lake and St. Louis	318	1,337	1,636	617	363	1,347	529
Cottonwood and Jackson	17	77	109	33	22	77	32
Clay and Wilkin	76	324	434	158	74	334	89
Douglas, Grant, Pope, Stevens and Traverse	40	161	247	86	45	195	77
Dodge and Steele	61	266	334	146	80	247	54
Fillmore and Houston	18	119	148	56	29	123	36
Faribault and Martin	36	131	153	67	42	144	39
Isanti and Mille Lacs	70	288	356	128	76	333	69
Kittson, Marshall, Pennington, Red Lake and Roseau	37	137	192	79	45	149	37
Kanabec and Pine	68	254	379	145	77	298	80
Lincoln, Lyon, Murray, Pipestone and Rock	46	234	293	116	66	241	57
Le Sueur and Waseca	36	161	240	61	30	162	45
Meeker, McCleod and Sibley	51	263	278	114	66	281	66
Mahnomen and Norman	62	218	223	86	42	159	35
Morrison, Todd and Wadena	59	303	376	148	66	340	73
Redwood and Renville	24	105	204	76	35	115	28

Source: Minnesota Department of Human Services

MFIP-MA (Minnesota Family Investment Program - Medical Assistance): Medical Assistance eligibility coincides with receipt of cash assistance from MFIP, is extended MA eligibility following MFIP, or is based on pregnancy. Counts include both fee-for-service and HMO enrollees.

GAMC (General Assistance Medical Care): Most enrollees are eligible on a medical-only basis; fewer than one-third are eligible based on receipt of cash assistance from General Assistance. Counts include both fee-for-service and HMO enrollees.

Demographics Table 8

**Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment
By State and County, 2010**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females	Under 1 Year	1-5 Years	6-14 Years	15-19 Years	20-49 Years Females
State of Minnesota	20,830	70,838	92,290	41,901	91,531	1,128	8,990	18,080	10,568	35,277
Aitkin	66	280	396	206	382	2	49	97	79	201
Anoka	1,163	4,000	5,842	2,532	5,382	50	513	1,050	611	2,245
Becker	182	694	921	349	789	10	100	195	112	324
Beltrami	195	663	916	479	964	21	130	289	183	441
Benton	169	603	674	297	795	7	63	114	72	332
Big Stone	23	69	103	51	91	1	13	32	24	50
Blue Earth	202	714	916	410	1,032	10	73	149	84	375
Brown	108	340	437	204	445	5	32	63	37	143
Carlton	158	570	703	351	735	3	43	105	76	292
Carver	192	634	883	345	773	12	80	182	134	341
Cass	144	586	778	378	751	15	115	250	137	360
Chippewa	90	222	264	125	272	1	28	55	43	89
Chisago	169	601	827	410	844	12	119	232	139	451
Clay	280	904	1,152	488	1,233	13	66	143	82	299
Clearwater	47	166	286	111	215	3	29	57	43	109
Cook	20	47	64	33	75	3	19	35	16	60
Cottonwood	75	222	328	140	258	4	24	39	20	92
Crow Wing	331	1,030	1,311	610	1,372	39	201	414	275	785
Dakota	1,333	4,394	5,710	2,226	5,053	66	543	982	517	2,012
Dodge	90	296	400	147	344	1	26	45	34	126
Douglas	162	519	675	300	705	4	77	166	92	356
Faribault	63	272	361	133	323	4	19	56	31	110
Fillmore	89	297	393	171	384	4	26	98	71	160
Freeborn	156	540	709	296	674	7	43	91	58	236
Goodhue	165	499	623	244	725	7	78	109	61	207
Grant	34	91	130	59	125	5	33	46	26	91
Hennepin	4,489	15,335	19,123	9,115	19,239	187	1,469	2,794	1,514	6,141
Houston	54	188	289	169	298	3	26	44	53	104
Hubbard	111	410	449	217	505	9	82	159	107	259
Isanti	179	642	825	354	795	12	114	250	119	424
Itasca	190	759	1,081	515	1,140	11	110	255	147	477
Jackson	36	160	204	95	206	1	10	38	30	63
Kanabec	76	266	471	220	392	5	44	101	69	212
Kandiyohi	252	933	988	483	1,014	4	85	214	113	354
Kittson	14	55	85	39	66	3	25	55	21	58
Koochiching	57	185	284	160	317	2	19	67	61	144
Lac Qui Parle	32	95	146	53	114	1	12	25	23	52
Lake	45	169	176	86	198	6	34	61	39	118
Lake of the Woods	12	62	97	43	73	1	9	32	19	58
Le Sueur	104	334	485	235	453	6	48	65	49	135
Lincoln	18	82	101	42	90	1	12	30	24	41
Lyon	138	473	546	227	519	2	29	77	40	141
McLeod	167	534	704	293	667	22	71	160	73	276

Demographics Table 8

**Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment
By State and County, 2010**

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
Mahnomen	33	154	221	96	192	0	5	17	17	25
Marshall	38	116	159	81	164	2	21	58	34	75
Martin	93	371	486	226	496	6	30	73	56	160
Meeker	114	338	487	198	420	5	60	97	48	171
Mille Lacs	133	425	603	272	582	9	103	176	103	294
Morrison	160	521	721	309	718	12	110	254	141	358
Mower	264	932	1,068	438	951	4	51	111	56	227
Murray	36	120	187	79	144	1	18	35	15	57
Nicollet	104	422	505	185	546	8	23	76	26	165
Nobles	217	616	591	239	485	1	21	61	33	99
Norman	24	120	234	101	160	2	23	46	29	71
Olmsted	590	1,893	2,299	929	2,314	18	138	276	149	704
Otter Tail	259	764	1,058	438	1,024	30	229	364	204	532
Pennington	70	227	292	127	333	5	25	65	38	143
Pine	110	474	664	334	682	8	71	177	109	302
Pipestone	54	207	215	97	221	2	16	16	20	62
Polk	144	565	677	336	728	8	71	170	97	244
Pope	42	152	180	86	186	3	34	82	55	126
Ramsey	2,250	7,491	9,634	5,114	10,370	130	927	1,754	1,106	3,602
Red Lake	23	67	120	36	81	1	10	23	18	37
Redwood	83	216	342	180	306	3	32	86	36	128
Renville	85	296	411	175	377	4	35	70	55	132
Rice	249	886	1,040	393	930	12	102	182	79	298
Rock	47	132	155	81	162	1	35	45	30	55
Roseau	61	164	237	100	217	5	24	68	43	106
St. Louis	707	2,712	3,676	1,787	4,630	54	325	643	475	1,657
Scott	323	1,035	1,453	570	1,185	31	210	398	214	601
Sherburne	318	1,006	1,541	545	1,267	25	166	380	197	601
Sibley	69	260	350	127	260	1	32	72	25	101
Stearns	560	1,964	2,523	1,085	2,510	32	247	507	270	1,031
Steele	182	739	822	313	777	7	43	77	40	177
Stevens	37	101	131	49	128	3	18	31	20	60
Swift	53	170	216	111	206	1	9	39	37	76
Todd	144	431	621	261	550	14	101	209	142	300
Traverse	10	60	88	41	63	0	5	17	17	41
Wabasha	75	238	274	132	326	2	37	82	40	155
Wadena	69	285	405	207	398	9	49	146	79	149
Waseca	92	313	428	157	383	2	30	74	38	129
Washington	502	1,571	2,221	1,058	2,279	39	308	626	344	1,071
Watsonwan	84	209	275	130	213	0	20	30	20	49
Wilkin	20	95	166	85	139	2	12	31	15	43
Winona	150	583	670	358	849	9	53	117	77	307
Wright	419	1,299	1,751	698	1,569	30	265	528	276	823
Yellow Medicine	47	144	223	95	186	2	23	51	37	73

Demographics Table 8

Minnesota Medical Assistance and MinnesotaCare Programs, Average Monthly Enrollment By State and County, 2010

	Number Enrolled in Medical Assistance					Number Enrolled in Minnesota Care				
Aitkin, Itasca and Koochiching	313	1,224	1,761	881	1,839	15	178	419	287	822
Beltrami, Clearwater, Hubbard and Lake of the Woods	365	1,301	1,748	850	1,757	34	250	537	352	867
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	245	700	952	435	869	6	85	202	164	340
Brown and Nicollet	212	762	942	389	991	13	55	139	63	308
Carlton, Cook, Lake and St. Louis	930	3,498	4,619	2,257	5,638	66	421	844	606	2,127
Cottonwood and Jackson	111	382	532	235	464	5	34	77	50	155
Clay and Wilkin	300	999	1,318	573	1,372	15	78	174	97	342
Douglas, Grant, Pope, Stevens and Traverse	285	923	1,204	535	1,207	15	167	342	210	674
Dodge and Steele	272	1,035	1,222	460	1,121	8	69	122	74	303
Fillmore and Houston	143	485	682	340	682	7	52	142	124	264
Faribault and Martin	156	643	847	359	819	10	49	129	87	270
Isanti and Mille Lacs	312	1,067	1,428	626	1,377	21	217	426	222	718
Kittson, Marshall, Pennington, Red Lake and Roseau	206	629	893	383	861	16	105	269	154	419
Kanabec and Pine	186	740	1,135	554	1,074	13	115	278	178	514
Lincoln, Lyon, Murray, Pipestone and Rock	293	1,014	1,204	526	1,136	7	110	203	129	356
Le Sueur and Waseca	196	647	913	392	836	8	78	139	87	264
Meeker, McCleod and Sibley	350	1,132	1,541	618	1,347	28	163	329	146	548
Mahnomen and Norman	57	274	455	197	352	2	28	63	46	96
Morrison, Todd and Wadena	373	1,237	1,747	777	1,666	35	260	609	362	807
Redwood and Renville	168	512	753	355	683	7	67	156	91	260

Source: Minnesota Department of Human Services

Medical Assistance: This category excludes MFIP-MA enrollees. Enrollees over age 21 may be eligible as parents or based on disability. Those eligible as disabled may be SSI recipients. Counts include both fee-for-service and HMO enrollees and non-citizen Medical Assistance recipients.

MinnesotaCare: MinnesotaCare children and pregnant women are Medicaid eligible under a waiver. MinnesotaCare coverage is provided under HMO arrangements.

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2010-11 School Year, October 1, 2010

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	622,725	83,779	18,486	54,559	58,091	837,640
Aitkin	1,874	24	105	9	22	2,034
Anoka	48,745	6,652	919	3,902	3,333	63,551
Becker	3,831	45	512	34	88	4,510
Beltrami	4,923	124	2,605	59	102	7,813
Benton	5,173	146	56	104	80	5,559
Big Stone	866	4	13	5	16	904
Blue Earth	8,753	670	42	232	385	10,082
Brown	3,136	20	0	37	347	3,540
Carlton	5,458	63	606	66	63	6,256
Carver	13,939	405	63	531	915	15,853
Cass	2,783	40	1,284	32	31	4,170
Chippewa	1,879	23	29	12	179	2,122
Chisago	7,561	80	51	126	110	7,928
Clay	7,834	289	195	96	528	8,942
Clearwater	1,124	20	326	14	16	1,500
Cook	479	2	115	5	10	611
Cottonwood	1,848	32	14	241	227	2,362
Crow Wing	9,217	141	152	71	71	9,652
Dakota	55,655	6,727	593	4,730	6,087	73,792
Dodge	3,709	30	12	27	313	4,091
Douglas	5,050	82	37	57	56	5,282
Faribault	1,645	18	8	13	212	1,896
Fillmore	2,406	18	2	18	19	2,463
Freeborn	3,286	97	10	71	585	4,049
Goodhue	6,118	188	150	120	272	6,848
Grant	1,038	17	3	4	23	1,085
Hennepin	86,137	37,339	2,859	14,880	16,329	157,544
Houston	4,016	153	32	47	69	4,317
Hubbard	2,043	42	144	15	57	2,301
Isanti	5,889	108	77	108	132	6,314
Itasca	5,618	74	769	61	41	6,563
Jackson	1,345	17	10	33	85	1,490
Kanabec	2,250	36	41	15	61	2,403
Kandiyohi	3,843	318	45	54	1,298	5,558
Kittson	681	4	7	8	19	719
Koochiching	1,766	16	167	14	11	1,974
Lac Qui Parle	1,199	30	6	38	64	1,337
Lake	1,345	11	13	11	9	1,389
Lake of the Woods	479	14	16	8	6	523
Le Sueur	3,809	36	23	31	415	4,314
Lincoln	913	8	1	3	19	944
Lyon	3,523	139	11	213	432	4,318
McLeod	4,860	55	18	55	458	5,446

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2010-11 School Year, October 1, 2010

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	622,725	83,779	18,486	54,559	58,091	837,640
Mahnomen	346	8	990	6	5	1,355
Marshall	1,235	13	7	6	109	1,370
Martin	2,865	30	8	26	171	3,100
Meeker	3,219	30	7	18	191	3,465
Mille Lacs	5,963	70	363	55	63	6,514
Morrison	4,986	45	38	43	78	5,190
Mower	4,328	320	13	147	1,129	5,937
Murray	1,047	14	9	14	57	1,141
Nicollet	2,025	122	5	41	184	2,377
Nobles	1,891	154	11	329	1,198	3,583
Norman	978	16	38	8	79	1,119
Olmsted	17,016	2,354	89	1,733	1,364	22,556
Otter Tail	6,949	198	84	84	399	7,714
Pennington	1,893	79	81	36	120	2,209
Pine	3,495	64	254	35	62	3,910
Pipestone	1,308	33	24	21	89	1,475
Polk	4,305	68	131	24	493	5,021
Pope	1,208	24	9	10	18	1,269
Ramsey	38,463	17,755	1,175	18,429	8,581	84,403
Red Lake	684	11	22	1	49	767
Redwood	1,785	17	295	18	73	2,188
Renville	1,452	16	4	16	337	1,825
Rice	6,662	380	43	164	1,203	8,452
Rock	1,482	23	11	18	50	1,584
Roseau	2,809	22	107	111	8	3,057
St. Louis	22,072	1,100	1,266	395	334	25,167
Scott	18,108	780	240	1,404	1,219	21,751
Sherburne	18,011	466	185	455	504	19,621
Sibley	1,758	19	18	31	393	2,219
Stearns	19,550	1,974	156	544	1,040	23,264
Steele	5,356	350	23	100	655	6,484
Stevens	1,297	25	20	21	48	1,411
Swift	1,416	10	5	6	90	1,527
Todd	3,194	37	25	41	392	3,689
Traverse	447	9	51	1	21	529
Wabasha	4,234	54	8	47	148	4,491
Wadena	2,716	36	21	16	29	2,818
Waseca	3,280	64	12	30	220	3,606
Washington	32,538	1,874	208	3,158	1,496	39,274
Watonwan	1,108	16	9	15	691	1,839
Wilkin	1,031	16	15	2	55	1,119
Winona	4,982	225	30	180	215	5,632
Wright	23,838	484	100	498	706	25,626
Yellow Medicine	1,349	17	135	12	130	1,643

Demographics Table 9: Pre-Kindergarten to 12th Grade Enrollment by Race/Ethnicity, 2010-11 School Year, October 1, 2010

	White	African American	American Indian	Asian	Hispanic	Total
State of Minnesota	622,725	83,779	18,486	54,559	58,091	837,640
Aitkin, Itasca and Koochiching	9,258	114	1,041	84	74	10,571
Beltrami, Clearwater, Hubbard and Lake of the Woods	8,569	200	3,091	96	181	12,137
Big Stone, Chippewa, Lac Qui Parle, Swift and Yell Med	6,709	84	188	73	479	7,533
Brown and Nicollet	5,161	142	5	78	531	5,917
Carlton, Cook, Lake and St. Louis	29,354	1,176	2,000	477	416	33,423
Cottonwood and Jackson	3,193	49	24	274	312	3,852
Clay and Wilkin	8,865	305	210	98	583	10,061
Douglas, Grant, Pope, Stevens and Traverse	9,040	157	120	93	166	9,576
Dodge and Steele	9,065	380	35	127	968	10,575
Fillmore and Houston	6,422	171	34	65	88	6,780
Faribault and Martin	4,510	48	16	39	383	4,996
Isanti and Mille Lacs	11,852	178	440	163	195	12,828
Kittson, Marshall, Pennington, Red Lake and Roseau	7,302	129	224	162	305	8,122
Kanabec and Pine	5,745	100	295	50	123	6,313
Lincoln, Lyon, Murray, Pipestone and Rock	8,273	217	56	269	647	9,462
Le Sueur and Waseca	7,089	100	35	61	635	7,920
Meeker, McCleod and Sibley	9,837	104	43	104	1,042	11,130
Mahnomen and Norman	1,324	24	1,028	14	84	2,474
Morrison, Todd and Wadena	10,896	118	84	100	499	11,697
Redwood and Renville	3,237	33	299	34	410	4,013

Source: Minnesota Department of Education - www.education.state.mn.us/mde/Data/index.html

Preschool - 12th Grade Enrollment:

Included in these counts are students who were enrolled over October 1 of the school year. Grade Pre-kindergarten through grade 12 are included in the counts. Excluded from the counts are shared-time students, adult students, and students attending in other states or nonpublic schools for care and treatment purposes. Dual enrolled students are counted only once, usually at the regular school of enrollment.

Demographics Table 10: 2010 Child Subjects of Maltreatment Reports per 1,000 in the Child Population (0-17 years old)

Note: Investigation is a unique count of children in Family Investigations or Facility Investigations.

	Child Pop. Age 0-17	Total		Family Assessment		Investigation - Alleged		Investigation - Determined	
		Unique Child	Rate per 1,000	Unique Child	Rate per 1,000	Unique Child	Rate per 1,000	Unique Child	Rate per 1,000
Minnesota	1,284,063	22,537	17.6	15,410	12.0	7,801	6.1	4,491	3.5
Aitkin	2,918	63	21.6	41	14.1	24	8.2	12	4.1
Anoka	86,031	1,076	12.5	667	7.8	421	4.9	202	2.3
Becker	7,999	298	37.3	178	22.3	133	16.6	70	8.8
Beltrami	11,108	244	22.0	138	12.4	128	11.5	83	7.5
Benton	9,500	121	12.7	79	8.3	54	5.7	35	3.7
Big Stone	1,105	34	30.8	17	15.4	19	17.2	11	10.0
Blue Earth	12,381	259	20.9	150	12.1	113	9.1	86	6.9
Brown	5,698	163	28.6	123	21.6	54	9.5	37	6.5
Carlton	8,364	182	21.8	101	12.1	82	9.8	49	5.9
Carver	27,205	309	11.4	200	7.4	117	4.3	70	2.6
Cass	6,203	255	41.1	213	34.3	45	7.3	22	3.5
Chippewa	2,914	38	13.0	31	10.6	7	2.4	7	2.4
Chisago	13,847	147	10.6	118	8.5	31	2.2	21	1.5
Clay	13,744	214	15.6	173	12.6	48	3.5	28	2.0
Clearwater	2,170	76	35.0	50	23.0	29	13.4	7	3.2
Cook	871	15	17.2	13	14.9	2	2.3	2	2.3
Cottonwood	2,791	36	12.9	19	6.8	17	6.1	8	2.9
Crow Wing	14,372	258	18.0	202	14.1	61	4.2	40	2.8
Dakota	105,060	1,596	15.2	961	9.1	668	6.4	302	2.9
Dodge	5,824	128	22.0	122	20.9	11	1.9	5	0.9
Douglas	7,876	221	28.1	141	17.9	92	11.7	63	8.0
Faribault (includes Martin County)	7,831	260	33.2	170	21.7	96	12.3	59	7.5
Fillmore	5,065	79	15.6	70	13.8	9	1.8	4	0.8
Freeborn	6,872	165	24.0	128	18.6	42	6.1	31	4.5
Goodhue	10,950	73	6.7	45	4.1	29	2.6	20	1.8
Grant	1,287	15	11.7	11	8.5	4	3.1	0	0.0
Hennepin	261,345	4,949	18.9	3,151	12.1	1,969	7.5	1,288	4.9
Houston	4,403	58	13.2	49	11.1	12	2.7	6	1.4
Hubbard	4,464	86	19.3	75	16.8	13	2.9	4	0.9
Isanti	9,805	159	16.2	121	12.3	40	4.1	32	3.3
Itasca	9,836	280	28.5	213	21.7	76	7.7	42	4.3
Jackson	2,320	55	23.7	53	22.8	3	1.3	0	0.0
Kanabec	3,896	77	19.8	64	16.4	14	3.6	8	2.1
Kandiyohi	10,157	312	30.7	177	17.4	150	14.8	71	7.0
Kittson	984	30	30.5	30	30.5	0	0.0	0	0.0
Koochiching	2,782	142	51.0	127	45.7	19	6.8	13	4.7
LacquiParle	1,534	29	18.9	26	16.9	3	2.0	3	2.0
Lake	2,067	56	27.1	40	19.4	16	7.7	13	6.3

Demographics Table 10: 2010 Child Subjects of Maltreatment Reports per 1,000 in the Child Population (0-17 years old)

Note: Investigation is a unique count of children in Family Investigations or Facility Investigations.

	Child Pop. Age 0-17	Total		Family Assessment		Investigation - Alleged		Investigation - Determined	
		Unique Child	Rate per 1,000	Unique Child	Rate per 1,000	Unique Child	Rate per 1,000	Unique Child	Rate per 1,000
Minnesota	1,284,063	22,537	17.6	15,410	12.0	7,801	6.1	4,491	3.5
Lake of the Woods	814	13	16.0	11	13.5	2	2.5	0	0.0
Le Sueur	7,052	112	15.9	80	11.3	33	4.7	23	3.3
Lincoln (Includes Lyon and Murray Counties)	9,515	112	11.8	94	9.9	18	1.9	5	0.5
Lyon (see Lincoln)									
McLeod	9,265	246	26.6	193	20.8	66	7.1	23	2.5
Mahnomen	1,586	17	10.7	12	7.6	9	5.7	1	0.6
Marshall	2,226	72	32.3	53	23.8	23	10.3	10	4.5
Martin (see Faribault)									
Meeker	5,920	43	7.3	23	3.9	20	3.4	3	0.5
MilleLacs	6,615	177	26.8	115	17.4	73	11.0	34	5.1
Morrison	8,165	122	14.9	85	10.4	39	4.8	30	3.7
Mower	9,883	126	12.7	87	8.8	41	4.1	18	1.8
Murray (see Lincoln)									
Nicollet	7,383	89	12.1	60	8.1	30	4.1	26	3.5
Nobles	5,483	116	21.2	83	15.1	33	6.0	21	3.8
Norman	1,666	29	17.4	26	15.6	3	1.8	1	0.6
Olmsted	36,440	653	17.9	607	16.7	55	1.5	25	0.7
Otter Tail	12,457	213	17.1	130	10.4	88	7.1	30	2.4
Pennington	3,311	29	8.8	22	6.6	7	2.1	5	1.5
Pine	6,599	251	38.0	164	24.9	95	14.4	32	4.8
Pipestone	2,391	53	22.2	40	16.7	15	6.3	6	2.5
Polk	7,521	296	39.4	268	35.6	48	6.4	30	4.0
Pope	2,337	88	37.7	70	30.0	28	12.0	24	10.3
Ramsey	118,493	1,594	13.5	942	7.9	680	5.7	436	3.7
Red Lake	1,007	15	14.9	9	8.9	6	6.0	3	3.0
Redwood	4,017	80	19.9	53	13.2	33	8.2	24	6.0
Renville	3,656	29	7.9	13	3.6	17	4.6	8	2.2
Rice	15,163	316	20.8	264	17.4	70	4.6	45	3.0
Rock	2,503	5	2.0	5	2.0	0	0.0	0	0.0
Roseau	4,104	19	4.6	7	1.7	13	3.2	8	1.9
St. Louis	39,559	1,489	37.6	992	25.1	553	14.0	295	7.5
Scott	39,228	491	12.5	339	8.6	166	4.2	78	2.0
Sherburne	25,777	243	9.4	164	6.4	87	3.4	60	2.3
Sibley	3,903	53	13.6	35	9.0	19	4.9	15	3.8
Stearns	34,900	427	12.2	303	8.7	136	3.9	93	2.7

Demographics Table 10: 2010 Child Subjects of Maltreatment Reports per 1,000 in the Child Population (0-17 years old)

Note: Investigation is a unique count of children in Family Investigations or Facility Investigations.

	Child Pop. Age 0-17	Total		Family Assessment		Investigation - Alleged		Investigation - Determined	
		Unique Child	Rate per 1,000	Unique Child	Rate per 1,000	Unique Child	Rate per 1,000	Unique Child	Rate per 1,000
Minnesota	1,284,063	22,537	17.6	15,410	12.0	7,801	6.1	4,491	3.5
Steele	9,650	172	17.8	151	15.6	26	2.7	16	1.7
Stevens	2,037	82	40.3	68	33.4	19	9.3	11	5.4
Swift	2,183	94	43.1	62	28.4	35	16.0	19	8.7
Todd	6,210	91	14.7	75	12.1	17	2.7	13	2.1
Traverse	778	41	52.7	39	50.1	2	2.6	1	1.3
Wabasha	5,053	58	11.5	47	9.3	11	2.2	7	1.4
Wadena	3,326	134	40.3	105	31.6	35	10.5	18	5.4
Waseca	4,523	51	11.3	29	6.4	22	4.9	15	3.3
Washington	63,598	570	9.0	369	5.8	211	3.3	83	1.3
Watonwan	2,808	34	12.1	29	10.3	6	2.1	4	1.4
Wilkin	1,574	32	20.3	30	19.1	2	1.3	2	1.3
Winona	9,969	246	24.7	191	19.2	63	6.3	28	2.8
Wright	37,361	358	9.6	271	7.3	91	2.4	52	1.4
Yellow Medicine	2,475	87	35.2	49	19.8	40	16.2	4	1.6
Leech Lake Band	1,975*	136	68.9	108	54.7	36	18.2	28	14.2
White Earth Band	1,981*	175	88.3	151	76.2	28	14.1	24	12.1
Aitkin, Itasca and Koochiching	15,536	485	31.2	381	24.5	119	7.7	67	4.3
Beltrami, Clearwater, Hubbard and Lake of the Woods	18,556	419	22.6	274	14.8	172	9.3	94	5.1
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	10,211	282	27.6	185	18.1	104	10.2	44	4.3
Brown and Nicollet	13,081	252	19.3	183	14.0	84	6.4	63	4.8
Carlton, Cook, Lake and St. Louis	50,861	1,742	34.3	1,146	22.5	653	12.8	359	7.1
Cottonwood and Jackson	5,111	91	17.8	72	14.1	20	3.9	8	1.6
Clay and Wilkin	15,318	246	16.1	203	13.3	50	3.3	30	2.0
Douglas, Grant, Pope, Stevens and Traverse	14,315	447	31.2	329	23.0	145	10.1	99	6.9
Dodge and Steele	15,474	300	19.4	273	17.6	37	2.4	21	1.4

Demographics Table 10: 2010 Child Subjects of Maltreatment Reports per 1,000 in the Child Population (0-17 years old)

Note: Investigation is a unique count of children in Family Investigations or Facility Investigations.

	Child Pop. Age 0-17	Total		Family Assessment		Investigation - Alleged		Investigation - Determined	
		Unique Child	Rate per 1,000	Unique Child	Rate per 1,000	Unique Child	Rate per 1,000	Unique Child	Rate per 1,000
Minnesota	1,284,063	22,537	17.6	15,410	12.0	7,801	6.1	4,491	3.5
Fillmore and Houston	9,468	137	14.5	119	12.6	21	2.2	10	1.1
Faribault and Martin	7,831	260	33.2	170	21.7	96	12.3	59	7.5
Isanti and Mille Lacs	16,420	336	20.5	236	14.4	113	6.9	66	4.0
Kittson, Marshall, Pennington, Red Lake and Roseau	11,632	165	14.2	121	10.4	49	4.2	26	2.2
Kanabec and Pine	10,495	328	31.3	228	21.7	109	10.4	40	3.8
Lincoln, Lyon, Murray, Pipestone and Rock	14,409	170	11.8	139	9.6	33	2.3	11	0.8
Le Sueur and Waseca	11,575	163	14.1	109	9.4	55	4.8	38	3.3
Meeker, McCleod and Sibley	19,088	342	17.9	251	13.1	105	5.5	41	2.1
Mahnomen and Norman	3,252	46	14.1	38	11.7	12	3.7	2	0.6
Morrison, Todd and Wadena	17,701	347	19.6	265	15.0	91	5.1	61	3.4
Redwood and Renville	7,673	109	14.2	66	8.6	50	6.5	32	4.2

*These numbers represent the 2010 U.S. Census for children residing on the Leech Lake and White Earth reservations and who indicated "American Indian" alone or as one of two or more races. The Leech Lake reservation has land in Cass, Itasca, Beltrami and Hubbard counties. The White Earth reservation overlaps Mahnomen, Becker and Clearwater counties.

Source: Minnesota Department of Human Services
 Children and Family Services
 Minnesota's Child Welfare Report
 2010 Report to the 2011 Minnesota Legislature

Reports on MN DHS website
www.dhs.state.mn.us
 under Publications, Child Welfare
 Child protection statistical reports
 PDF Link:
<https://edocs.dhs.state.mn.us/lfsrserver/Public/DHS-5408C-ENG>

Demographics Table 11: Children in Out-of-home Care per per 1,000 in the Child Population (0-17 years old)

	Child Population Age 0-17	Total	
		Unique Children	Children per 1,000
Minnesota	1,284,063	11,239	8.8
Aitkin	2,918	54	18.5
Anoka	86,031	532	6.2
Becker	7,999	125	15.6
Beltrami	11,108	249	22.4
Benton	9,500	78	8.2
Big Stone	1,105	16	14.5
Blue Earth	12,381	161	13.0
Brown	5,698	53	9.3
Carlton	8,364	159	19.0
Carver	27,205	119	4.4
Cass	6,203	87	14.0
Chippewa	2,914	7	2.4
Chisago	13,847	42	3.0
Clay	13,744	193	14.0
Clearwater	2,170	17	7.8
Cook	871	14	16.1
Cottonwood	2,791	35	12.5
Crow Wing	14,372	228	15.9
Dakota	105,060	353	3.4
Dodge	5,824	35	6.0
Douglas	7,876	73	9.3
Faribault (includes Martin County)	7,831	121	15.5
Fillmore	5,065	15	3.0
Freeborn	6,872	72	10.5
Goodhue	10,950	100	9.1
Grant	1,287	8	6.2
Hennepin	261,345	2,302	8.8
Houston	4,403	46	10.4
Hubbard	4,464	32	7.2
Isanti	9,805	67	6.8
Itasca	9,836	149	15.1
Jackson	2,320	30	12.9
Kanabec	3,896	32	8.2
Kandiyohi	10,157	124	12.2
Kittson	984	15	15.2
Koochiching	2,782	50	18.0
LacquiParle	1,534	9	5.9
Lake	2,067	23	11.1

Demographics Table 11: Children in Out-of-home Care per per 1,000 in the Child Population (0-17 years old)

	Child Population Age 0-17	Total	
		Unique Children	Children per 1,000
Minnesota	1,284,063	11,239	8.8
Lake of the Woods	814	11	13.5
Le Sueur	7,052	43	6.1
Lincoln (Includes Lyon and Murray Counties)	9,515	99	10.4
Lyon (see Lincoln)			
McLeod	9,265	56	6.0
Mahnomen	1,586	14	8.8
Marshall	2,226	20	9.0
Martin (see Faribault)			
Meeker	5,920	38	6.4
MilleLacs	6,615	54	8.2
Morrison	8,165	86	10.5
Mower	9,883	56	5.7
Murray (see Lincoln)			
Nicollet	7,383	48	6.5
Nobles	5,483	60	10.9
Norman	1,666	14	8.4
Olmsted	36,440	188	5.2
Otter Tail	12,457	98	7.9
Pennington	3,311	35	10.6
Pine	6,599	83	12.6
Pipestone	2,391	27	11.3
Polk	7,521	102	13.6
Pope	2,337	29	12.4
Ramsey	118,493	1,488	12.6
Red Lake	1,007	8	7.9
Redwood	4,017	65	16.2
Renville	3,656	33	9.0
Rice	15,163	86	5.7
Rock	2,503	24	9.6
Roseau	4,104	30	7.3
St. Louis	39,559	782	19.8
Scott	39,228	126	3.2
Sherburne	25,777	98	3.8
Sibley	3,903	41	10.5
Stearns	34,900	282	8.1
Steele	9,650	49	5.1
Stevens	2,037	10	4.9
Swift	2,183	33	15.1

Demographics Table 11: Children in Out-of-home Care per per 1,000 in the Child Population (0-17 years old)

	Child Population Age 0-17	Total	
		Unique Children	Children per 1,000
Minnesota	1,284,063	11,239	8.8
Todd	6,210	52	8.4
Traverse	778	13	16.7
Wabasha	5,053	43	8.5
Wadena	3,326	38	11.4
Waseca	4,523	36	8.0
Washington	63,598	197	3.1
Watonwan	2,808	33	11.8
Wilkin	1,574	20	12.7
Winona	9,969	71	7.1
Wright	37,361	186	5.0
Yellow Medicine	2,475	18	7.3
Leech Lake Band	1,975*	169	85.6
White Earth Band	1,981*	222	112.1
Aitkin, Itasca and Koochiching	15,536	253	16.3
Beltrami, Clearwater, Hubbard and Lake of the Woods	18,556	309	16.7
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	10,211	83	8.1
Brown and Nicollet	13,081	101	7.7
Carlton, Cook, Lake and St. Louis	50,861	978	19.2
Cottonwood and Jackson	5,111	65	12.7
Clay and Wilkin	15,318	213	13.9
Douglas, Grant, Pope, Stevens and Traverse	14,315	133	9.3
Dodge and Steele	15,474	84	5.4
Fillmore and Houston	9,468	61	6.4
Faribault and Martin	7,831	121	15.5
Isanti and Mille Lacs	16,420	121	7.4

Demographics Table 11: Children in Out-of-home Care per per 1,000 in the Child Population (0-17 years old)

	Child Population Age 0-17	Total	
		Unique Children	Children per 1,000
Minnesota	1,284,063	11,239	8.8
Kittson, Marshall, Pennington, Red Lake and Roseau	11,632	108	9.3
Kanabec and Pine	10,495	115	11.0
Lincoln, Lyon, Murray, Pipestone and Rock	14,409	150	10.4
Le Sueur and Waseca	11,575	79	6.8
Meeker, McCleod and Sibley	19,088	135	7.1
Mahnomen and Norman	3,252	28	8.6
Morrison, Todd and Wadena	17,701	176	9.9
Redwood and Renville	7,673	98	12.8

*These numbers represent the 2010 U.S. Census for children residing on the Leech Lake and White Earth “American Indian” alone or as one of two or more races. The Leech Lake reservation has land in Cass, Itasca, Beltrami and Hubbard counties. The White Earth reservation overlaps Mahnomen, Becker and Clearwater

Source: Minnesota Department of Human Services
 Children and Family Services
 Minnesota’s Child Welfare Report
 2010 Report to the 2011 Minnesota Legislature

Reports on MN DHS website
www.dhs.state.mn.us
 under Publications, Child Welfare
 Child protection statistical reports
 PDF Link:
<https://edocs.dhs.state.mn.us/lfsrserver/Public/DHS-5408C-ENG>

Section B: Natality

Tables

Table 1: Selected Natality and Mortality

Table 2: Prematurity and Low Birth Weight, Singletons

Table 3: Infant Mortality

Table 4: Prenatal Care

Table 5: Cesarean Births

Table 6: Fertility and Family Planning

Table 7: Teen Birth and Pregnancy Rates

Table 8: Socio-Demographic Factors

Tables 9: Race and Ethnicity of Mother

**Natality Table 1: Selected Minnesota Natality Statistics
By State and County, 2010**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	68,407	65.4	12.9	38,857	7.3	5.6
Aitkin	122	60.9	7.5	203	12.5	-5.0
Anoka	4,191	63.4	12.7	1,696	5.1	7.5
Becker	427	83.5	13.1	347	10.7	2.5
Beltrami	729	81.9	16.4	366	8.2	8.2
Benton	596	74.2	15.5	311	8.1	7.4
Big Stone	58	79.8	11.0	77	14.6	-3.6
Blue Earth	771	50.3	12.0	473	7.4	4.7
Brown	256	59.3	9.9	256	9.9	0.0
Carlton	379	64.9	10.7	373	10.5	0.2
Carver	1,186	65.9	13.0	405	4.4	8.6
Cass	311	76.1	10.9	269	9.4	1.5
Chippewa	153	75.0	12.3	140	11.3	1.0
Chisago	567	57.7	10.5	364	6.8	3.8
Clay	817	60.6	13.8	382	6.5	7.4
Clearwater	110	81.4	12.7	94	10.8	1.8
Cook	37	48.2	7.1	39	7.5	-0.4
Cottonwood	143	78.3	12.2	147	12.6	-0.3
Crow Wing	764	73.3	12.2	578	9.2	3.0
Dakota	5,173	64.3	13.0	2,140	5.4	7.6
Dodge	276	74.0	13.7	123	6.1	7.6
Douglas	400	68.4	11.1	363	10.1	1.0
Faribault	154	71.1	10.6	189	13.0	-2.4
Fillmore	247	74.1	11.8	215	10.3	1.5
Freeborn	365	73.6	11.7	347	11.1	0.6
Goodhue	531	68.3	11.5	486	10.5	1.0
Grant	63	70.5	10.5	86	14.3	-3.8
Hennepin	15,955	64.3	13.8	7,744	6.7	7.1
Houston	150	48.1	7.9	160	8.4	-0.5
Hubbard	220	73.1	10.8	191	9.3	1.4
Isanti	501	70.2	13.2	261	6.9	6.3
Itasca	422	61.0	9.4	481	10.7	-1.3
Jackson	96	60.1	9.4	133	13.0	-3.6
Kanabec	163	60.7	10.0	143	8.8	1.2
Kandiyohi	555	74.9	13.1	391	9.3	3.9
Kittson	45	75.6	9.9	66	14.5	-4.6
Koochiching	113	55.6	8.5	165	12.4	-3.9
Lac Qui Parle	69	72.6	9.5	102	14.1	-4.5
Lake	129	80.1	11.9	158	14.5	-2.7
Lake of the Woods	26	46.3	6.4	41	10.1	-3.7
Le Sueur	342	69.9	12.3	202	7.3	5.1
Lincoln	51	61.2	8.6	89	15.1	-6.4
Lyon	362	68.6	14.0	205	7.9	6.1
McLeod	451	68.8	12.3	317	8.6	3.7
Mahnomen	118	134.2	21.8	63	11.6	10.2

**Nativity Table 1: Selected Minnesota Natality Statistics
By State and County, 2010**

	Number of Births	Fertility Rate	Birth Rate	Number of Deaths	Death Rate	Natural Rate of Increase
State of Minnesota	68,407	65.4	12.9	38,857	7.3	5.6
Marshall	105	74.2	11.1	86	9.1	2.0
Martin	223	70.1	10.7	244	11.7	-1.0
Meeker	281	75.5	12.1	216	9.3	2.8
Mille Lacs	316	68.6	12.1	283	10.8	1.3
Morrison	408	72.1	12.3	264	8.0	4.3
Mower	536	79.2	13.7	353	9.0	4.7
Murray	85	67.6	9.7	88	10.1	-0.3
Nicollet	369	52.9	11.3	196	6.0	5.3
Nobles	387	104.9	18.1	171	8.0	10.1
Norman	68	67.7	9.9	111	16.2	-6.3
Olmsted	2,138	74.1	14.8	901	6.2	8.6
Otter Tail	567	67.2	9.9	636	11.1	-1.2
Pennington	177	71.4	12.7	125	9.0	3.7
Pine	293	63.8	9.8	252	8.5	1.4
Pipestone	121	78.6	12.6	109	11.4	1.3
Polk	386	69.9	12.2	349	11.0	1.2
Pope	119	72.4	10.8	137	12.5	-1.6
Ramsey	7,266	65.5	14.3	3,805	7.5	6.8
Red Lake	53	83.7	13.0	34	8.3	4.6
Redwood	189	75.0	11.8	175	10.9	0.9
Renville	195	81.1	12.4	222	14.1	-1.7
Rice	720	55.2	11.2	432	6.7	4.5
Rock	116	75.3	12.0	152	15.7	-3.7
Roseau	210	80.3	13.4	130	8.3	5.1
St. Louis	2,042	55.1	10.2	2,071	10.3	-0.1
Scott	1,923	70.1	14.8	496	3.8	11.0
Sherburne	1,207	66.3	13.6	463	5.2	8.4
Sibley	175	68.8	11.5	145	9.5	2.0
Stearns	1,923	59.4	12.8	857	5.7	7.1
Steele	480	72.2	13.1	279	7.6	5.5
Stevens	119	57.3	12.2	111	11.4	0.8
Swift	123	81.2	12.6	118	12.1	0.5
Todd	320	81.9	12.9	218	8.8	4.1
Traverse	27	56.0	7.6	68	19.1	-11.5
Wabasha	239	66.1	11.0	183	8.4	2.6
Wadena	161	76.3	11.6	194	14.0	-2.4
Waseca	231	58.6	12.1	160	8.4	3.7
Washington	2,868	62.8	12.0	1,265	5.3	6.7
Watowan	158	86.7	14.1	124	11.1	3.0
Wilkin	67	63.4	10.2	74	11.3	-1.1
Winona	421	35.2	8.2	392	7.6	0.6
Wright	1,900	75.7	15.2	673	5.4	9.8
Yellow Medicine	101	62.1	9.7	112	10.7	-1.1

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

Fertility Rate: The number of live births per 1,000 women in the population of age 15 - 44 years.

Birth Rate: The number of live births per 1,000 population.

Death Rate: The number of deaths per 1,000 population

Natural Rate of Increase: The difference in the birth rate and death rate.

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State and County, 2010**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2008-2010	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
State of Minnesota	4,896	8.1	3,165	4.8	0.8	3.1
Aitkin	10	9.6	8	6.8	0.7	1.9
Anoka	311	8.3	176	4.4	0.8	3.3
Becker	26	7.4	9	2.2	0.4	1.7
Beltrami	61	10.0	34	4.8	0.7	3.3
Benton	81	14.1	35	6.0	0.7	2.3
Big Stone	1	1.9	0	0.0	0.0	0.0
Blue Earth	44	6.1	32	4.3	0.4	2.6
Brown	16	6.6	6	2.4	0.5	0.4
Carlton	22	6.8	22	6.0	0.9	3.1
Carver	67	6.4	50	4.4	0.8	2.7
Cass	40	14.9	27	8.9	1.4	4.9
Chippewa	10	8.8	3	2.0	0.2	1.8
Chisago	40	8.7	26	4.8	0.7	3.0
Clay	53	8.5	40	5.3	1.0	2.9
Clearwater	7	8.2	6	5.8	0.9	3.5
Cook	2	6.9	1	3.2	0.0	6.9
Cottonwood	13	10.3	7	5.1	0.5	5.6
Crow Wing	52	7.3	31	4.2	0.7	4.2
Dakota	326	7.0	219	4.4	0.8	3.1
Dodge	13	5.0	11	4.1	0.9	4.6
Douglas	32	8.5	17	4.5	0.9	1.9
Faribault	9	6.2	7	4.5	0.2	2.8
Fillmore	17	7.6	13	5.5	0.7	3.1
Freeborn	24	7.0	21	5.9	0.8	5.8
Goodhue	31	6.3	26	5.0	0.6	2.0
Grant	3	4.8	1	1.6	0.0	0.0
Hennepin	1,115	8.2	833	5.4	1.0	3.3
Houston	12	8.8	10	6.8	0.9	2.9
Hubbard	19	9.3	8	3.7	0.7	2.9
Isanti	35	7.7	21	4.3	1.1	2.9
Itasca	27	7.8	18	4.3	0.5	2.0
Jackson	9	11.5	4	4.3	0.7	0.0
Kanabec	9	7.0	2	1.3	0.2	1.6
Kandiyohi	35	6.6	16	2.9	0.5	1.3
Kittson	5	13.2	2	4.9	0.0	0.0
Koochiching	2	2.9	3	2.8	0.6	2.9
Lac Qui Parle	8	12.9	2	3.0	1.5	3.3
Lake	14	11.9	7	5.7	0.9	5.1
Lake of the Woods	1	4.3	1	3.8	0.0	0.0
Le Sueur	27	8.4	17	5.1	0.9	4.7
Lincoln	5	11.9	3	6.8	0.6	2.4
Lyon	23	6.7	18	5.1	0.7	4.7
McLeod	31	7.8	18	4.1	0.9	3.0
Mahnomen	19	19.0	6	5.3	0.3	2.0
Marshall	4	5.0	3	3.2	0.0	0.0
Martin	13	7.1	9	4.1	0.3	2.7
Meeker	25	9.7	15	5.4	0.6	1.9
Mille Lacs	32	11.7	18	5.9	0.6	3.3
Morrison	33	8.7	14	3.6	0.9	1.6
Mower	33	6.7	23	4.4	0.8	3.0
Murray	12	16.7	5	6.2	0.0	5.6

**Nativity Table 2: Prematurity and Low Birth Weight of Singleton Births in Minnesota
By State and County, 2010**

	Preterm Births		Low Birth Weight		Percent Very Low Birth Weight 2008-2010	Percent Small for Gestational Age
	Number	Percent	Number	Percent		
Nicollet	26	7.7	16	4.6	0.8	1.5
Nobles	31	10.2	16	4.2	1.1	5.0
Norman	3	5.4	0	0.0	0.5	5.4
Olmsted	147	7.3	92	4.4	0.7	2.8
Otter Tail	22	4.2	24	4.4	0.6	3.3
Pennington	12	7.7	6	3.5	0.6	3.2
Pine	17	7.3	15	5.3	0.4	2.6
Pipestone	13	11.2	10	8.3	0.8	6.0
Polk	37	11.2	19	5.2	0.5	3.0
Pope	10	8.7	6	5.2	0.3	1.7
Ramsey	563	8.9	407	5.8	1.0	4.3
Red Lake	0	0.0	3	5.9	1.2	2.2
Redwood	12	7.3	5	2.8	0.2	2.4
Renville	12	6.6	9	4.7	0.7	3.3
Rice	58	9.5	31	4.5	1.0	2.6
Rock	12	11.4	4	3.4	0.6	2.9
Roseau	13	7.1	9	4.4	0.7	2.8
St. Louis	170	9.1	103	5.2	0.8	3.1
Scott	124	7.0	68	3.7	0.6	1.8
Sherburne	98	9.0	54	4.6	0.7	2.9
Sibley	12	7.6	8	4.7	0.9	3.2
Stearns	156	8.4	80	4.3	0.7	2.2
Steele	42	9.7	26	5.7	1.0	2.8
Stevens	8	6.8	4	3.4	0.0	0.9
Swift	9	8.3	4	3.4	0.9	1.8
Todd	22	7.6	12	3.8	0.2	3.1
Traverse	3	14.3	3	12.0	1.0	4.8
Wabasha	11	5.3	5	2.2	0.9	0.5
Wadena	10	6.8	4	2.6	0.4	2.7
Waseca	13	6.2	7	3.2	0.6	2.4
Washington	208	8.0	127	4.6	0.7	3.4
Watonwan	13	8.7	5	3.3	0.4	1.3
Wilkin	6	9.4	1	1.5	1.0	1.6
Winona	19	5.0	9	2.2	0.5	2.6
Wright	117	7.0	68	3.7	0.7	1.7
Yellow Medicine	8	10.4	1	1.1	0.6	5.3

Source: Minnesota Department of Health, Center for Health Statistics.

Preterm Births: Live births of babies who are less than 37 weeks gestation at birth.

Low Birth Weight Births: Live births who are less than 2500 grams at birth.

Very Low Birth Weight Births: Live births who are born weighing less than 1500 grams.

Natality Table 3: Minnesota Number of Infant Deaths by State and County, By State and County, 1990-2009 (Birth Year)**

	Birth Year			
	1990-1994	1995-1999	2000-2004	2005-2009
State of Minnesota	2,340	1,990	1,728	1,893
Aitkin	5	6	2	1
Anoka	132	120	96	113
Becker	7	9	9	20
Beltrami	35	27	20	28
Benton	11	15	18	17
Big Stone	2	1	2	1
Blue Earth	22	22	12	11
Brown	13	7	6	6
Carlton	15	9	11	10
Carver	29	27	9	23
Cass	10	14	10	12
Chippewa	8	5	2	2
Chisago	17	13	10	20
Clay	23	21	17	35
Clearwater	7	3	5	3
Cook	1	2	2	2
Cottonwood	8	4	2	4
Crow Wing	31	15	20	16
Dakota	122	122	129	111
Dodge	7	4	8	11
Douglas	8	6	11	8
Faribault	6	8	2	3
Fillmore	5	7	11	4
Freeborn	16	13	12	9
Goodhue	33	20	11	13
Grant	4	0	0	0
Hennepin	690	541	426	466
Houston	8	4	9	5
Hubbard	8	2	8	5
Isanti	9	14	8	12
Itasca	14	18	18	10
Jackson	4	1	2	4
Kanabec	10	5	5	2
Kandiyohi	19	22	6	15
Kittson	4	2	1	0
Koochiching	9	6	6	2
Lac Qui Parle	1	1	2	3
Lake	1	2	6	4
Lake of the Woods	2	0	3	2
Le Sueur	10	4	6	4
Lincoln	1	0	1	1
Lyon	5	8	11	13
McLeod	15	18	14	6
Mahnomen	7	4	3	5
Marshall	2	4	4	5
Martin	6	6	2	5
Meeker	7	3	6	9
Mille Lacs	6	4	11	13
Morrison	12	8	17	14

Nativity Table 3: Minnesota Number of Infant Deaths by State and County, By State and County, 1990-2009 (Birth Year)**

	Birth Year			
	1990-1994	1995-1999	2000-2004	2005-2009
Mower	19	18	9	13
Murray	3	2	4	1
Nicollet	15	9	5	14
Nobles	6	5	7	13
Norman	3	1	1	0
Olmsted	62	44	54	65
Otter Tail	27	16	15	6
Pennington	5	7	5	5
Pine	12	7	12	12
Pipestone	4	4	3	3
Polk	14	11	8	12
Pope	2	1	3	4
Ramsey	307	311	210	265
Red Lake	1	2	3	0
Redwood	2	5	3	2
Renville	10	7	4	1
Rice	23	7	24	13
Rock	6	6	2	1
Roseau	9	7	8	5
St. Louis	74	72	56	47
Scott	43	23	26	50
Sherburne	25	22	22	34
Sibley	2	5	3	2
Stearns	45	48	49	51
Steele	16	11	17	8
Stevens	4	6	4	3
Swift	3	1	3	4
Todd	8	8	8	12
Traverse	1	1	1	1
Wabasha	15	11	8	5
Wadena	11	3	3	7
Waseca	3	8	5	4
Washington	69	61	67	72
Watonwan	6	5	6	8
Wilkin	2	3	6	0
Winona	16	16	14	18
Wright	33	33	35	42
Yellow Medicine	7	5	3	2

Source: Minnesota Department of Health, Center for Health Statistics

Previous County Health Tables reported infant deaths by **year of death, the infant deaths in this table are reported by **year of birth**.

**Natality Table 4: Prenatal Care in Minnesota
By State and County, 2010**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
State of Minnesota	86.3	80.0	16.9	3.1
Aitkin	90.4	79.0	13.0	8.0
Anoka	87.0	81.0	15.9	3.1
Becker	87.0	77.5	18.2	4.3
Beltrami	75.7	67.8	21.7	10.5
Benton	89.6	86.6	11.7	1.7
Big Stone	84.2	72.0	26.0	2.0
Blue Earth	92.6	88.6	10.2	1.3
Brown	89.0	84.2	14.6	1.3
Carlton	88.0	75.3	20.6	4.1
Carver	93.0	86.7	12.2	1.2
Cass	75.2	62.4	28.0	9.6
Chippewa	85.4	80.6	17.2	2.2
Chisago	90.5	83.8	14.2	2.0
Clay	89.7	83.0	14.1	2.9
Clearwater	76.4	65.5	21.8	12.6
Cook	76.5	66.7	29.6	3.7
Cottonwood	84.9	81.0	13.2	5.8
Crow Wing	85.0	78.2	19.9	2.0
Dakota	85.9	80.7	16.6	2.7
Dodge	90.5	85.6	12.5	1.9
Douglas	91.2	78.8	19.9	1.3
Faribault	90.9	91.1	8.2	0.7
Fillmore	82.8	78.4	12.4	9.2
Freeborn	83.3	86.5	10.0	3.5
Goodhue	86.6	82.2	14.5	3.3
Grant	85.7	80.6	17.7	1.6
Hennepin	86.7	81.4	15.5	3.0
Houston	92.6	89.8	9.5	0.7
Hubbard	76.3	61.0	29.3	9.8
Isanti	88.5	87.2	11.9	0.9
Itasca	91.6	87.2	9.9	2.9
Jackson	88.0	84.1	11.6	4.3
Kanabec	81.6	77.7	20.0	2.3
Kandiyohi	85.0	81.5	16.0	2.4
Kittson	78.6	76.9	17.9	5.1
Koochiching	85.0	73.5	19.1	7.4
Lac Qui Parle	91.2	82.0	16.0	2.0
Lake	91.9	88.2	9.1	2.7
Lake of the Woods	73.1	59.1	40.9	0.0
Le Sueur	87.4	80.4	17.4	2.2
Lincoln	74.0	40.0	40.0	20.0
Lyon	84.9	54.8	38.0	7.2
McLeod	92.2	89.5	9.2	1.3
Mahnomen	61.6	43.3	35.1	21.6
Marshall	92.7	86.1	11.4	2.5
Martin	88.8	90.7	7.7	1.6
Meeker	87.1	79.3	19.1	1.6
Mille Lacs	85.7	74.6	18.8	6.6
Morrison	90.7	85.3	13.2	1.6
Mower	74.2	71.7	24.2	4.1
Murray	73.8	72.1	23.0	4.9

**Natality Table 4: Prenatal Care in Minnesota
By State and County, 2010**

	Percent of Prenatal Care Received in 1st Trimester	Percent Adequacy of Prenatal Care, GINDEX		
		Adequate or Better	Intermediate	Inadequate or None
Nicollet	92.7	88.2	10.0	1.8
Nobles	82.7	76.0	17.4	6.6
Norman	83.6	73.2	19.6	7.1
Olmsted	91.8	84.0	13.6	2.4
Otter Tail	88.7	84.0	12.7	3.3
Pennington	87.8	85.0	13.1	2.0
Pine	85.1	80.6	14.2	5.2
Pipestone	86.8	75.0	23.7	1.3
Polk	83.2	64.2	32.1	3.7
Pope	91.6	81.7	18.3	0.0
Ramsey	76.4	69.2	26.1	4.7
Red Lake	86.5	80.0	20.0	0.0
Redwood	82.4	70.4	23.9	5.7
Renville	86.7	74.2	23.1	2.7
Rice	85.0	79.9	18.8	1.3
Rock	90.3	70.3	27.0	2.7
Roseau	83.2	74.7	22.5	2.7
St. Louis	87.9	81.5	14.8	3.7
Scott	89.5	74.6	22.0	3.4
Sherburne	90.9	85.6	12.9	1.5
Sibley	90.3	82.9	15.2	1.9
Stearns	89.0	84.6	13.5	1.9
Steele	86.4	76.2	20.3	3.5
Stevens	93.3	85.5	13.7	0.9
Swift	94.2	86.9	10.3	2.8
Todd	75.1	70.4	21.6	8.0
Traverse	83.3	94.1	5.9	0.0
Wabasha	89.4	86.4	9.7	3.9
Wadena	82.5	68.9	25.7	5.4
Waseca	92.1	83.3	14.4	2.4
Washington	91.4	86.7	12.2	1.1
Watonwan	89.2	79.7	19.6	0.7
Wilkin	90.9	85.9	12.5	1.6
Winona	87.9	86.8	8.4	4.7
Wright	91.0	85.4	13.4	1.3
Yellow Medicine	82.8	71.2	21.9	6.8

Source: Minnesota Department of Health, Center for Health Statistics

GINDEX: A prenatal care index determined by combining measures of the month or trimester prenatal care began, the number of prenatal visits, and the gestational age of the infant/fetus at the time of birth. The GINDEX includes gestational age over 36 weeks, and number of prenatal visits greater than nine to impute adequacy of prenatal care.

Adequate or Better: Prenatal care started in the 1st trimester *and* the woman had an adequate number of visits.

Intermediate: Prenatal care started in the 1st or 2nd trimester *and* the woman had an intermediate range of visits.

**Nativity Table 5: Cesarean Births in Minnesota
By State and County, 2010**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	27.5	15.6	88.4
Aitkin	32.8	18.0	90.0
Anoka	26.5	15.6	89.8
Becker	25.5	13.6	86.4
Beltrami	32.5	16.9	90.5
Benton	30.4	16.4	88.3
Big Stone	31.0	15.5	100.0
Blue Earth	26.7	14.4	97.9
Brown	35.5	16.0	96.2
Carlton	34.8	16.1	92.2
Carver	27.1	13.8	90.2
Cass	29.9	14.8	94.0
Chippewa	32.7	20.3	100.0
Chisago	28.4	15.0	92.7
Clay	25.0	14.1	91.8
Clearwater	36.4	13.6	89.3
Cook	29.7	21.6	60.0
Cottonwood	30.1	16.1	76.9
Crow Wing	24.7	14.3	76.2
Dakota	30.7	17.9	91.8
Dodge	25.0	12.3	100.0
Douglas	24.0	13.5	82.4
Faribault	34.4	19.5	92.0
Fillmore	19.0	11.3	79.2
Freeborn	35.1	19.2	95.1
Goodhue	30.7	16.2	95.1
Grant	27.0	12.7	81.8
Hennepin	26.4	16.3	85.0
Houston	20.0	12.0	80.0
Hubbard	33.6	17.3	83.7
Isanti	27.5	16.2	95.1
Itasca	25.1	12.6	93.0
Jackson	24.0	16.7	87.5
Kanabec	22.7	11.0	86.4
Kandiyohi	24.1	11.4	89.9
Kittson	42.2	22.2	100.0
Koochiching	42.5	27.4	94.4
Lac Qui Parle	33.3	21.7	100.0
Lake	30.2	16.3	85.7
Lake of the Woods	38.5	11.5	100.0
Le Sueur	31.3	17.3	94.1
Lincoln	39.2	13.7	92.9
Lyon	28.7	11.3	92.6
McLeod	35.5	20.2	93.2
Mahnomen	22.0	10.2	87.5
Marshall	38.1	14.3	100.0
Martin	30.0	13.9	92.3
Meeker	33.8	18.5	93.5
Mille Lacs	29.7	15.5	90.0
Morrison	28.2	15.2	91.4
Mower	34.1	18.5	93.3
Murray	29.4	20.0	88.9

**Natality Table 5: Cesarean Births in Minnesota
By State and County, 2010**

	Cesarean Births - Percent	First Time Cesarean Births - Percent	Repeat Cesarean - Percent
State of Minnesota	27.5	15.6	88.4
Nicollet	27.4	11.4	96.7
Nobles	30.0	16.5	86.7
Norman	14.7	4.4	70.0
Olmsted	23.0	12.1	85.7
Otter Tail	22.2	11.8	89.4
Pennington	25.4	13.6	95.5
Pine	29.7	16.0	87.0
Pipestone	28.9	17.4	87.5
Polk	30.6	16.8	91.4
Pope	33.6	13.4	92.3
Ramsey	23.5	15.0	78.4
Red Lake	34.0	11.3	100.0
Redwood	27.5	13.2	87.1
Renville	28.2	12.3	93.9
Rice	30.8	14.7	96.7
Rock	25.0	14.7	75.0
Roseau	37.1	16.7	93.5
St. Louis	27.9	15.2	88.4
Scott	29.1	15.0	95.1
Sherburne	31.2	18.3	94.0
Sibley	33.1	16.0	93.8
Stearns	28.4	14.6	88.7
Steele	34.8	16.7	93.5
Stevens	30.3	16.8	88.9
Swift	35.0	12.2	96.6
Todd	22.2	10.9	80.0
Traverse	44.4	25.9	100.0
Wabasha	29.7	15.9	97.1
Wadena	21.7	13.7	65.0
Waseca	31.2	15.6	97.3
Washington	28.4	16.2	89.1
Watsonwan	33.5	14.6	100.0
Wilkin	23.9	14.9	100.0
Winona	17.6	8.8	78.7
Wright	30.0	16.2	91.0
Yellow Medicine	37.6	15.8	91.7

Source: Minnesota Department of Health, Center for Health Statistics

**Nativity Table 6: Fertility and Family Planning in Minnesota
By State and County, 2010**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
State of Minnesota	79,404	75.9	10,641	10.2	5.4	3.7
Aitkin	139	69.4	17	*	3.3	2.4
Anoka	4,973	75.3	758	11.5	4.0	4.1
Becker	435	85.0	**	*	7.5	1.1
Beltrami	786	88.3	52	5.8	7.0	4.5
Benton	653	81.3	52	6.5	4.2	2.4
Big Stone	60	82.5	**	*	3.4	8.1
Blue Earth	909	59.2	133	8.7	4.9	3.9
Brown	278	64.4	22	5.1	4.3	3.1
Carlton	414	70.9	32	5.5	5.6	4.1
Carver	1,300	72.2	111	6.2	4.5	3.0
Cass	341	83.4	28	6.9	9.6	3.3
Chippewa	160	78.4	6	*	1.3	3.4
Chisago	636	64.7	63	6.4	3.7	4.4
Clay	823	61.0	6	*	5.0	2.2
Clearwater	114	84.4	**	*	10.0	2.5
Cook	45	58.6	8	*	2.9	12.5
Cottonwood	147	80.5	**	*	9.8	1.9
Crow Wing	845	81.1	78	7.5	4.3	3.7
Dakota	6,033	75.0	844	10.5	3.6	3.7
Dodge	297	79.6	19	*	6.9	1.7
Douglas	418	71.5	16	*	2.8	5.7
Faribault	165	76.1	9	*	6.5	1.0
Fillmore	261	78.3	14	*	8.5	4.1
Freeborn	403	81.3	35	7.1	3.6	2.8
Goodhue	594	76.4	60	7.7	4.7	3.4
Grant	63	70.5	**	*	3.2	0.0
Hennepin	20,037	80.7	3,989	16.1	5.0	4.4
Houston	162	52.0	12	*	3.3	2.1
Hubbard	225	74.8	**	*	6.8	3.5
Isanti	543	76.0	41	5.7	3.2	3.5
Itasca	465	67.2	39	5.6	6.2	2.3
Jackson	102	63.8	6	*	2.1	1.7
Kanabec	177	65.9	13	*	2.5	7.4
Kandiyohi	600	81.0	43	5.8	5.9	4.6
Kittson	45	75.6	**	*	0.0	4.0
Koochiching	128	62.9	15	*	4.5	3.8
Lac Qui Parle	72	75.8	**	*	8.7	2.2
Lake	139	86.3	10	*	3.9	3.8
Lake of the Woods	28	49.9	**	*	3.8	5.6
Le Sueur	356	72.8	12	*	4.1	2.0
Lincoln	52	62.4	**	*	2.0	6.3
Lyon	388	73.5	25	4.7	5.3	3.0
McLeod	487	74.3	34	5.2	5.6	3.8
Mahnomen	125	142.2	**	*	13.6	3.8
Marshall	106	74.9	**	*	2.0	1.4
Martin	241	75.8	14	*	4.5	4.4
Meeker	302	81.2	20	5.4	6.8	2.5
Mille Lacs	356	77.3	36	7.8	7.0	4.9
Morrison	434	76.7	25	4.4	5.9	5.6
Mower	589	87.0	50	7.4	6.0	3.2
Murray	87	69.2	**	*	7.1	6.0

**Nativity Table 6: Fertility and Family Planning in Minnesota
By State and County, 2010**

	Pregnancies		Abortions		Percent of Women with 4 or More Births	Percent of Women with Live Births w/in 1 Year
	Number	Rate	Number	Rate		
State of Minnesota	79,404	75.9	10,641	10.2	5.4	3.7
Nicollet	408	58.5	37	5.3	3.0	4.9
Nobles	400	108.4	12	*	5.7	3.2
Norman	69	68.7	**	*	12.1	2.4
Olmsted	2,391	82.8	243	8.4	5.1	3.7
Otter Tail	580	68.7	10	*	5.1	1.7
Pennington	182	73.4	**	*	3.4	2.0
Pine	328	71.5	34	7.4	6.2	2.7
Pipestone	124	80.5	**	*	5.8	2.5
Polk	393	71.2	**	*	7.2	1.7
Pope	122	74.3	**	*	1.7	2.7
Ramsey	8,998	81.1	1,693	15.3	6.8	4.0
Red Lake	56	88.5	**	*	1.9	2.6
Redwood	205	81.3	14	*	5.8	3.8
Renville	205	85.2	9	*	2.1	0.8
Rice	811	62.2	85	6.5	5.1	3.1
Rock	116	75.3	**	*	6.9	2.4
Roseau	214	81.8	**	*	5.7	3.9
St. Louis	2,360	63.7	311	8.4	4.9	4.0
Scott	2,142	78.1	216	7.9	3.5	3.5
Sherburne	1,321	72.6	105	5.8	5.1	3.0
Sibley	186	73.1	11	*	8.6	2.6
Stearns	2,160	66.7	226	7.0	5.1	3.1
Steele	526	79.1	42	6.3	6.3	2.3
Stevens	122	58.8	**	*	8.4	2.7
Swift	130	85.9	7	*	2.4	3.3
Todd	324	82.9	**	*	9.7	2.9
Traverse	28	58.1	**	*	0.0	13.3
Wabasha	269	74.4	28	7.7	2.9	4.8
Wadena	171	81.0	**	*	10.6	3.8
Waseca	257	65.2	22	5.6	3.9	4.6
Washington	3,325	72.8	447	9.8	3.0	3.4
Watonwan	168	92.2	9	*	7.0	4.6
Wilkin	69	65.3	**	*	4.5	2.3
Winona	479	40.0	55	4.6	6.7	4.0
Wright	2,043	81.4	136	5.4	6.5	3.2
Yellow Medicine	109	67.0	8	*	9.0	6.0

Source: Minnesota Department of Health, Center for Health Statistics

*Rate not calculated for less than 20 events

**Number not reported if number of events is less than 6.

Pregnancy Rate: The number of pregnancies per 1,000 women in the population of age 15 through 44 years.

Abortion Rate: The number of abortions per 1,000 women in the population of age 15 through 44 years.

Four or More Births: Births to women with four or more previous live births

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State and County, 2008-2010**

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
State of Minnesota	11.5	43.6	24.6	16.0	58.1	33.2
Aitkin	*	54.2	24.1	*	61.6	28.3
Anoka	7.9	41.5	19.4	13.5	61.2	29.8
Becker	13.4	71.8	35.0	14.5	74.6	36.7
Beltrami	36.4	85.2	60.9	39.8	91.9	65.9
Benton	11.4	51.0	26.6	13.3	62.9	32.2
Big Stone	*	*	*	*	*	*
Blue Earth	12.4	14.1	13.6	18.1	22.6	21.3
Brown	*	39.5	19.8	*	44.8	23.5
Carlton	14.5	70.3	34.0	19.4	83.9	41.9
Carver	3.1	24.5	9.8	6.9	35.9	15.9
Cass	19.9	103.9	48.3	22.2	113.0	53.0
Chippewa	*	95.2	41.7	*	97.6	44.2
Chisago	7.8	47.4	20.5	11.3	60.3	27.0
Clay	10.8	16.9	14.7	11.4	17.4	15.3
Clearwater	*	98.5	39.0	*	98.5	40.3
Cook	*	*	*	*	*	*
Cottonwood	*	83.7	40.1	*	88.7	42.6
Crow Wing	12.1	72.4	34.0	15.2	85.5	40.7
Dakota	6.9	38.5	17.5	11.2	56.0	26.1
Dodge	*	49.9	21.6	*	61.3	28.7
Douglas	*	38.6	17.6	*	42.1	20.5
Faribault	*	60.9	28.7	*	70.0	33.2
Fillmore	*	43.0	17.8	*	50.1	21.6
Freeborn	22.2	81.0	43.9	26.7	91.4	50.5
Goodhue	8.4	55.1	23.9	12.0	68.5	30.7
Grant	*	*	*	*	*	*
Hennepin	14.0	45.7	26.9	21.1	71.1	41.5
Houston	*	40.0	14.8	*	44.3	17.7
Hubbard	*	68.0	34.6	*	71.4	36.4
Isanti	*	47.2	21.0	10.8	54.8	26.0
Itasca	12.5	66.2	31.4	14.7	81.7	38.3
Jackson	*	*	*	*	*	22.0
Kanabec	*	68.3	31.9	*	75.9	35.7
Kandiyohi	18.9	78.5	42.2	21.9	92.7	49.5
Kittson	*	*	*	*	*	*
Koochiching	*	75.6	34.5	*	97.2	42.3
Lac Qui Parle	*	*	*	*	*	*
Lake	*	99.7	37.8	*	109.3	41.0
Lake of the Woods	*	*	*	*	*	*
Le Sueur	*	49.6	21.6	11.8	63.9	28.8
Lincoln	*	*	*	*	*	*
Lyon	16.8	25.2	21.1	17.5	30.1	23.9
McLeod	*	69.7	28.9	11.2	76.5	33.2
Mahnomen	*	215.0	113.7	58.8	219.6	120.9
Marshall	*	*	25.0	*	*	25.0
Martin	16.0	79.2	37.2	17.6	88.7	41.5
Meeker	*	64.7	25.3	*	76.5	30.6
Mille Lacs	16.7	84.7	41.0	19.8	102.6	49.3
Morrison	*	61.5	26.2	9.4	69.7	29.9
Mower	17.0	92.1	44.1	20.8	103.2	50.5
Murray	*	*	31.3	*	*	33.8
Nicollet	*	15.6	13.4	14.5	19.7	17.7

**Nativity Table 7: Minnesota Teen Birth and Pregnancy Rates
By State and County, 2008-2010**

	Teen Birth Rates			Teen Pregnancy Rates		
	15-17 Years	18-19 Years	15-19 Years	15-17 Years	18-19 Years	15-19 Years
Nobles	35.3	127.4	68.6	36.1	137.1	72.6
Norman	*	*	*	*	*	*
Olmsted	12.0	46.4	24.4	15.7	61.2	32.1
Otter Tail	8.0	38.7	18.8	8.3	39.8	19.4
Pennington	*	56.1	30.4	*	57.9	31.9
Pine	14.6	96.8	41.5	17.5	111.1	48.2
Pipestone	*	85.7	32.2	*	89.3	34.4
Polk	18.3	52.1	32.9	18.8	52.8	33.5
Pope	*	*	*	*	*	*
Ramsey	19.5	54.3	35.5	27.6	74.3	49.0
Red Lake	*	*	*	*	*	*
Redwood	*	83.7	33.3	*	98.3	38.7
Renville	*	86.1	40.3	*	97.8	44.8
Rice	12.8	28.1	21.4	16.8	33.9	26.3
Rock	*	*	*	*	*	*
Roseau	*	73.6	27.4	*	75.6	28.0
St. Louis	11.4	28.3	20.7	16.7	38.4	28.7
Scott	6.4	37.1	15.8	9.2	53.6	22.8
Sherburne	6.2	46.9	19.4	9.6	59.8	25.8
Sibley	*	49.4	25.0	*	53.5	26.4
Stearns	9.5	21.6	16.4	12.1	29.2	21.9
Steele	12.6	68.5	32.1	14.7	83.5	38.7
Stevens	*	*	13.1	*	16.3	13.7
Swift	*	75.0	31.8	*	84.4	36.9
Todd	*	59.6	26.8	*	65.5	29.3
Traverse	*	*	*	*	*	*
Wabasha	*	52.6	22.2	*	61.1	26.0
Wadena	*	87.7	36.4	*	89.9	39.5
Waseca	*	56.8	27.1	*	60.2	30.0
Washington	5.1	28.9	12.8	8.6	45.0	20.4
Watonwan	29.4	72.4	43.6	30.7	80.1	47.0
Wilkin	*	*	*	*	*	*
Winona	7.8	9.5	9.0	11.4	13.9	13.2
Wright	7.6	47.7	20.4	10.5	58.0	25.7
Yellow Medicine	*	*	27.9	*	*	28.9

Source: Minnesota Department of Health, Center for Health Statistics and the US Census.

*Rate not calculated for less than 20 events

Teen Birth Rate: The number of live births to a specific age group per 1,000 female population of the specific age group.

Teen Pregnancy Rate: The number of pregnancies to a specific age group per 1,000 female population of the specific age group.

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State and County, 2010**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
State of Minnesota	33.1	9.3	10.0	9.2	24.7	66.1
Aitkin	48.4	9.8	29.3	9.0	41.8	49.2
Anoka	30.9	7.1	9.4	6.4	24.6	69.0
Becker	45.0	14.1	19.1	10.0	36.3	53.7
Beltrami	56.9	19.2	30.6	15.2	36.9	47.9
Benton	29.4	8.1	15.9	7.6	19.5	73.0
Big Stone	20.7	8.6	15.5	16.7	20.8	62.5
Blue Earth	29.8	6.0	6.9	6.8	18.9	74.3
Brown	38.3	6.3	13.3	8.2	23.8	68.0
Carlton	37.2	7.7	17.5	7.4	24.9	67.6
Carver	15.0	4.0	3.1	3.3	17.6	79.1
Cass	52.1	16.1	33.8	15.5	32.9	51.6
Chippewa	50.3	9.8	22.9	6.8	45.3	48.0
Chisago	24.9	4.6	12.1	3.4	24.8	71.8
Clay	27.8	6.2	13.1	4.8	18.0	77.2
Clearwater	38.2	8.2	16.4	11.8	30.9	57.3
Cook	37.8	10.8	29.4	12.1	21.2	66.7
Cottonwood	43.4	10.5	15.4	17.0	39.3	43.7
Crow Wing	41.2	8.9	19.9	7.4	26.6	66.0
Dakota	28.0	8.1	6.4	6.3	20.8	72.9
Dodge	26.4	5.8	9.1	5.5	24.8	69.7
Douglas	31.0	4.5	12.3	1.0	25.5	73.5
Faribault	42.2	5.8	17.5	13.6	29.9	56.5
Fillmore	18.6	6.5	8.3	18.9	19.8	61.3
Freeborn	42.2	7.1	15.9	14.2	33.4	52.3
Goodhue	34.7	7.5	12.8	4.9	31.3	63.8
Grant	27.0	11.1	15.9	1.6	22.6	75.8
Hennepin	33.7	10.5	5.1	11.3	23.2	65.4
Houston	26.0	23.3	14.7	1.4	24.5	74.1
Hubbard	40.5	12.7	24.5	13.8	32.1	54.1
Isanti	35.3	8.4	14.8	4.2	32.7	63.1
Itasca	47.9	13.3	22.9	6.7	32.5	60.8
Jackson	36.5	6.3	16.7	3.4	30.7	65.9
Kanabec	41.7	9.6	28.8	9.9	40.1	50.0
Kandiyohi	38.7	8.3	8.6	20.6	22.0	57.4
Kittson	8.9	2.2	12.2	0.0	31.0	69.0
Koochiching	53.1	15.0	32.4	14.8	40.7	44.4
Lac Qui Parle	37.7	17.4	18.8	1.8	32.7	65.5
Lake	23.3	4.7	5.4	2.3	33.6	64.1
Lake of the Woods	38.5	3.8	23.1	7.7	38.5	53.8
Le Sueur	29.2	6.4	8.8	7.1	26.0	67.0
Lincoln	17.6	5.9	9.8	0.0	22.7	77.3
Lyon	31.5	9.7	13.8	11.0	23.3	65.6
McLeod	30.2	6.4	12.5	7.8	32.2	60.1
Mahnomen	78.8	21.2	52.1	25.0	44.8	30.2
Marshall	27.6	6.7	14.6	0.0	37.0	63.0
Martin	40.8	7.6	23.0	12.7	34.8	52.5
Meeker	22.8	4.3	12.2	4.7	33.3	62.0
Mille Lacs	43.7	8.2	22.9	11.3	37.3	51.4
Morrison	29.9	5.1	17.4	3.2	36.5	60.3

**Nativity Table 8: Socio-Demographic Factors Related to Birth Outcomes in Minnesota
By State and County, 2010**

	Percent - Births to Unmarried Mothers	Percent - No Father on Birth Certificate	Percent - Mothers Smoked during Pregnancy	Percent - Maternal Education Status		
				Low	Medium	High
Mower	43.5	10.8	17.1	22.8	26.6	50.6
Murray	40.0	8.2	14.1	9.3	32.0	58.7
Nicollet	30.9	7.9	4.6	4.9	18.2	77.0
Nobles	47.5	12.4	7.2	42.9	22.4	34.7
Norman	30.9	13.2	12.3	11.5	21.3	67.2
Olmsted	27.5	8.0	6.7	7.3	19.9	72.8
Otter Tail	27.0	7.6	13.3	11.5	20.3	68.2
Pennington	49.2	9.0	24.3	1.2	54.7	44.1
Pine	49.1	10.9	28.8	8.7	38.2	53.1
Pipestone	31.4	5.8	15.8	18.7	25.3	56.0
Polk	34.5	7.5	14.3	8.4	29.7	61.9
Pope	27.7	4.2	9.2	0.8	26.9	72.3
Ramsey	44.4	15.4	9.6	14.1	28.0	57.9
Red Lake	30.2	7.5	20.8	5.7	47.2	47.2
Redwood	38.1	10.1	16.4	8.2	30.6	61.2
Renville	38.5	5.6	12.9	10.8	30.9	58.2
Rice	38.1	8.8	12.9	15.8	31.9	52.3
Rock	26.7	8.6	14.7	7.9	27.0	65.1
Roseau	34.3	7.6	19.0	1.9	41.9	56.2
St. Louis	40.7	12.8	17.7	9.1	23.2	67.7
Scott	19.6	5.0	4.1	3.5	18.2	78.4
Sherburne	25.4	5.0	8.9	2.1	23.9	74.0
Sibley	31.4	10.3	10.3	13.7	33.7	52.6
Stearns	27.7	5.5	11.4	9.3	20.9	69.8
Steele	34.8	10.0	12.5	14.5	22.5	63.0
Stevens	20.2	5.0	5.0	3.4	26.1	70.6
Swift	33.3	8.1	13.0	9.0	29.5	61.5
Todd	27.5	5.6	16.2	21.5	36.6	42.0
Traverse	22.2	7.4	14.8	0.0	13.6	86.4
Wabasha	28.0	7.1	11.9	8.0	26.5	65.5
Wadena	29.8	9.3	21.9	5.0	31.3	63.8
Waseca	33.8	9.1	8.7	9.6	26.2	64.2
Washington	24.0	6.5	7.4	3.0	17.9	79.1
Watonwan	41.8	8.9	8.9	12.3	33.5	54.2
Wilkin	23.9	6.0	9.1	4.5	15.2	80.3
Winona	34.0	10.9	16.2	8.4	25.6	66.0
Wright	20.9	5.6	8.5	3.3	23.8	72.9
Yellow Medicine	27.7	5.9	16.8	5.9	30.6	63.5

Source: Minnesota Department of Health, Center for Health Statistics.

Maternal Educational Status (Low, Medium, High): A calculation of the percentage of mothers who have reached an educational status based on age of mother and number of school years completed.

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By State and County, 2010**

	Race of Mother - Percent					Hispanic (any race)
	White	African American	American Indian	Asian	Unknown / Other	
State of Minnesota	74.8	9.6	2.0	7.2	6.3	7.5
Aitkin	90.2	0.0	9.0	0.8	0.0	1.6
Anoka	79.5	8.6	0.6	6.9	4.4	5.0
Becker	83.6	0.7	14.8	0.0	0.9	2.1
Beltrami	60.1	0.7	37.7	1.0	0.5	0.6
Benton	93.8	3.9	0.3	1.8	0.2	1.0
Big Stone	98.3	0.0	0.0	1.7	0.0	0.0
Blue Earth	89.4	5.2	0.1	3.1	2.2	2.5
Brown	93.8	0.4	0.0	0.8	5.1	9.0
Carlton	85.8	1.1	10.3	1.1	1.8	1.6
Carver	88.9	1.4	0.3	4.6	4.8	6.3
Cass	67.5	0.0	32.2	0.0	0.3	1.6
Chippewa	88.9	0.0	0.7	3.9	6.5	15.7
Chisago	94.4	0.4	0.0	1.8	3.5	2.8
Clay	86.0	2.2	4.8	1.1	5.9	6.3
Clearwater	82.7	0.0	14.5	0.9	1.8	1.8
Cook	70.3	5.4	16.2	0.0	8.1	2.9
Cottonwood	79.0	1.4	0.7	4.2	14.7	17.6
Crow Wing	95.3	1.4	1.8	0.7	0.8	1.2
Dakota	74.9	9.1	0.4	7.1	8.5	9.5
Dodge	96.4	0.4	0.0	0.7	2.5	5.8
Douglas	98.3	0.3	0.5	0.5	0.5	0.8
Faribault	87.0	0.0	1.9	0.0	11.0	11.7
Fillmore	98.8	0.0	0.0	0.4	0.8	0.4
Freeborn	83.8	1.1	0.3	0.8	14.0	15.9
Goodhue	91.1	2.1	1.7	0.9	4.1	4.7
Grant	95.2	1.6	0.0	0.0	3.2	3.2
Hennepin	57.7	20.8	1.5	10.2	9.7	10.6
Houston	96.7	0.7	0.7	2.0	0.0	0.0
Hubbard	89.1	1.4	6.4	1.8	1.4	2.3
Isanti	97.0	1.0	0.4	1.2	0.4	0.6
Itasca	89.6	0.0	9.5	0.2	0.7	1.6
Jackson	89.6	2.1	0.0	4.2	4.2	3.2
Kanabec	98.2	0.6	0.0	0.6	0.6	2.5
Kandiyohi	90.1	6.3	0.2	1.3	2.2	21.5
Kittson	97.8	0.0	0.0	2.2	0.0	0.0
Koochiching	92.9	0.0	5.3	0.0	1.8	0.0
Lac Qui Parle	94.2	0.0	0.0	2.9	2.9	5.8
Lake	96.9	0.0	0.8	0.0	2.3	0.8
Lake of the Woods	92.3	0.0	0.0	3.8	3.8	0.0
Le Sueur	89.8	0.6	0.0	1.8	7.9	7.9
Lincoln	100.0	0.0	0.0	0.0	0.0	0.0
Lyon	79.3	4.7	0.3	4.7	11.0	13.3
McLeod	91.4	0.2	0.4	0.7	7.3	8.4
Mahnomen	22.9	0.0	76.3	0.8	0.0	1.7
Marshall	95.2	0.0	0.0	0.0	4.8	3.9
Martin	91.5	0.9	0.0	1.3	6.3	8.1
Meeker	97.5	0.0	0.4	0.0	2.1	4.0
Mille Lacs	86.1	0.6	12.3	0.6	0.3	0.3
Morrison	98.0	0.2	0.5	1.0	0.2	2.0
Mower	74.1	3.2	0.2	2.6	20.0	22.1
Murray	91.8	0.0	0.0	1.2	7.1	7.1

**Nativity Table 9: Race and Ethnicity of Mother in Minnesota
By State and County, 2010**

	Race of Mother - Percent					Hispanic (any race)
	White	African American	American Indian	Asian	Unknown / Other	
Nicollet	88.1	6.2	0.0	1.4	4.3	4.9
Nobles	47.3	4.4	0.8	8.8	38.8	41.5
Norman	89.7	0.0	1.5	1.5	7.4	10.3
Olmsted	79.5	8.0	0.2	8.2	4.1	5.4
Otter Tail	91.7	2.3	0.5	0.5	4.9	5.7
Pennington	90.4	1.7	4.0	0.6	3.4	4.5
Pine	91.8	0.7	4.8	0.7	2.0	2.5
Pipestone	85.1	1.7	3.3	4.1	5.8	10.1
Polk	89.4	1.3	2.8	1.6	4.9	7.6
Pope	97.5	0.8	0.8	0.8	0.0	0.8
Ramsey	50.5	18.6	1.2	21.7	8.0	10.3
Red Lake	92.5	0.0	5.7	0.0	1.9	3.8
Redwood	82.5	0.0	6.3	9.5	1.6	2.6
Renville	90.3	0.5	2.1	1.0	6.2	16.5
Rice	81.0	6.8	0.4	1.8	10.0	11.9
Rock	95.7	0.9	0.0	2.6	0.9	3.4
Roseau	94.8	0.0	0.5	4.3	0.5	0.5
St. Louis	89.3	2.7	4.6	1.3	2.1	1.5
Scott	81.1	4.4	1.2	7.6	5.7	5.7
Sherburne	95.5	1.3	0.6	1.8	0.7	1.3
Sibley	89.7	0.6	0.6	0.6	8.6	11.4
Stearns	86.7	7.2	0.5	1.9	3.7	5.4
Steele	82.7	8.5	0.2	1.7	6.9	7.5
Stevens	89.1	1.7	1.7	0.8	6.7	7.6
Swift	92.7	0.0	2.4	0.8	4.1	10.7
Todd	96.3	0.0	0.3	0.0	3.4	15.8
Traverse	81.5	3.7	14.8	0.0	0.0	0.0
Wabasha	93.7	0.4	0.4	0.8	4.6	5.9
Wadena	98.1	0.6	0.0	0.6	0.6	0.6
Waseca	88.3	2.2	0.4	1.3	7.8	8.7
Washington	80.8	6.7	0.1	9.6	2.8	3.7
Watonwan	70.9	0.6	0.6	0.6	27.2	33.1
Wilkin	95.5	0.0	3.0	0.0	1.5	1.5
Winona	91.4	2.4	0.0	2.6	3.6	4.6
Wright	94.5	1.0	0.3	2.2	2.1	2.4
Yellow Medicine	92.1	0.0	3.0	1.0	4.0	5.0

Source: Minnesota Department of Health, Center for Health Statistics

Section C: Mortality

Tables

Table 1: Leading Causes of Death by Age Group

Table 2: Years of Potential Life Lost - Up to 65 and Up to 75 Years

Table 3a: Unintentional Injuries, Suicides and Homicides

Table 3b: Falls, Motor Vehicle and Pedestrian Deaths

Table 4: Number of Cases of Cancer Deaths by Major Site & Sex

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

State of Minnesota - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	1	0	0	11	29	6	0	47
Alzheimer's Disease	0	0	0	0	23	54	1,373	1,450
Atherosclerosis	0	0	0	0	2	5	31	38
Cancer	3	13	29	220	2,386	2,307	4,641	9,599
Cirrhosis	0	0	1	38	244	66	63	412
Congenital Anomalies	96	5	8	23	35	6	17	190
Chronic Lower Respiratory Disease	2	5	2	14	217	395	1,377	2,012
Diabetes	0	0	1	23	218	194	600	1,036
Heart Disease	3	0	9	138	1,000	863	5,131	7,144
Homicide	8	4	32	46	16	4	1	111
Hypertension	0	0	0	8	62	73	296	439
Nephritis	1	3	0	5	81	115	690	895
Perinatal Conditions	133	3	2	1	0	0	1	140
Pneumonia and Influenza	9	1	1	14	45	47	474	591
Septicemia	3	0	0	9	65	48	212	337
SIDS	28	0	1	0	0	0	0	29
Stroke	2	2	3	23	193	223	1,708	2,154
Suicide	0	6	87	202	235	33	36	599
Unintentional Injury	34	30	164	331	486	151	891	2,087
Other	53	24	58	221	1,095	1,004	7,092	9,547
Total	376	96	398	1,327	6,432	5,594	24,634	38,857

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	20	21
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	15	15	19	50
Cirrhosis	0	0	0	0	3	0	2	5
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	7	6	13
Diabetes	0	0	0	0	1	0	6	7
Heart Disease	0	0	0	0	8	5	29	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	5	8
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	1	2	5	0	3	11
Other	0	0	0	2	4	5	27	38
Total	0	0	1	5	37	36	124	203

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2010**

ICD-10 Codes on Page C-45

Anoka County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	1	1	31	33
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	4	19	164	151	162	500
Cirrhosis	0	0	0	1	7	4	5	17
Congenital Anomalies	5	0	1	3	0	0	0	9
Chronic Lower Respiratory Disease	0	0	0	1	16	24	57	98
Diabetes	0	0	0	2	13	12	14	41
Heart Disease	0	0	1	8	46	46	157	258
Homicide	0	0	2	0	1	0	0	3
Hypertension	0	0	0	2	8	3	13	26
Nephritis	0	0	0	0	5	9	27	41
Perinatal Conditions	6	0	1	0	0	0	0	7
Pneumonia and Influenza	0	0	0	0	1	3	11	15
Septicemia	0	0	0	1	5	2	10	18
SIDS	3	0	0	0	0	0	0	3
Stroke	0	1	0	0	4	5	47	57
Suicide	0	0	11	18	16	2	2	49
Unintentional Injury	4	1	10	28	25	9	39	116
Other	4	2	2	11	62	60	262	403
Total	22	4	32	95	374	331	838	1,696

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	8	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	2	2	28	18	38	88
Cirrhosis	0	0	0	0	1	2	0	3
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	4	6	17	27
Diabetes	0	0	0	0	0	2	8	10
Heart Disease	0	0	0	3	9	9	38	59
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	1	0	0	1	1	1	7	11
Septicemia	1	0	0	0	0	0	0	1
SIDS	0	0	1	0	0	0	0	1
Stroke	0	0	0	0	1	3	16	20
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	0	1	2	3	0	2	3	11
Other	0	1	0	2	13	11	68	95
Total	2	2	5	14	59	55	210	347

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2010**

ICD-10 Codes on Page C-45

Beltrami County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	21	21
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	22	24	30	79
Cirrhosis	0	0	1	0	2	1	0	4
Congenital Anomalies	3	0	0	0	1	0	0	4
Chronic Lower Respiratory Disease	1	0	0	0	1	5	18	25
Diabetes	0	0	0	1	3	1	7	12
Heart Disease	0	0	0	1	12	8	51	72
Homicide	0	0	1	1	0	0	0	2
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	1	2	1	6	10
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	2	3
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	1	2	13	17
Suicide	0	0	2	2	1	0	0	5
Unintentional Injury	1	0	0	9	5	1	4	20
Other	0	0	0	4	11	14	57	86
Total	7	0	4	23	62	57	213	366

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	21	21
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	8	14	28	51
Cirrhosis	0	0	0	0	5	0	1	6
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	6	8
Diabetes	0	0	0	0	1	4	8	13
Heart Disease	0	0	0	1	6	6	53	66
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	1	0	2	3
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	1	0	0	0	1	0	5	7
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	4	16	23
Suicide	0	0	0	0	3	0	0	3
Unintentional Injury	0	0	2	6	1	2	5	16
Other	0	2	0	0	10	7	65	84
Total	3	2	2	9	40	38	217	311

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Big Stone County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	3	13	21
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	3	0	3
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	1	2	17	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	7	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	2	0	0	1	3
Other	0	0	0	0	0	1	11	12
Total	1	0	0	2	7	11	56	77

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	16	17
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	17	24	46	89
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	1	0	1	0	5	19	26
Diabetes	0	0	0	0	2	3	9	14
Heart Disease	0	0	1	2	11	7	68	89
Homicide	1	0	0	3	0	0	0	4
Hypertension	0	0	0	1	0	1	6	8
Nephritis	0	0	0	0	1	1	14	16
Perinatal Conditions	2	0	0	1	0	0	0	3
Pneumonia and Influenza	0	0	0	0	1	2	8	11
Septicemia	0	0	0	0	0	1	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	2	21	24
Suicide	0	0	1	3	3	0	0	7
Unintentional Injury	0	0	5	3	2	0	8	18
Other	0	0	2	3	16	14	106	141
Total	4	1	9	20	56	60	323	473

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Brown County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	1	0	0	0	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	11	13	40	64
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	12	16
Diabetes	0	0	0	0	2	0	10	12
Heart Disease	0	0	0	2	6	5	39	52
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	1	0	0	0	0	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	12	14
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	2	2	2	0	7
Other	0	0	0	1	3	8	57	69
Total	1	1	1	6	26	33	188	256

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	1	0	21	21	51	94
Cirrhosis	0	0	0	0	3	1	0	4
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	2	11	14
Diabetes	0	0	0	0	3	1	5	9
Heart Disease	0	0	0	1	11	11	59	82
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	2	0	5	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	1	0	0	0	1	1	6	9
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	1	16	19
Suicide	0	0	1	4	3	0	1	9
Unintentional Injury	0	0	2	3	4	1	9	19
Other	0	1	0	1	8	11	69	90
Total	1	1	4	11	58	52	246	373

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Carver County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	1	0	6	23	20	46	96
Cirrhosis	0	0	0	0	3	0	0	3
Congenital Anomalies	4	0	0	0	0	0	1	5
Chronic Lower Respiratory Disease	0	0	0	0	1	6	17	24
Diabetes	0	0	0	0	0	2	9	11
Heart Disease	0	0	0	2	12	11	54	79
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	5	7
Nephritis	0	0	0	0	1	1	4	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	1	0	0	0	0	0	2	3
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	2	14	18
Suicide	0	2	1	2	0	0	2	7
Unintentional Injury	1	0	2	4	5	3	17	32
Other	1	0	0	2	12	13	71	99
Total	9	3	3	16	60	61	253	405

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	0	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	18	31	27	77
Cirrhosis	0	0	0	0	3	1	0	4
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	1	10	13
Diabetes	0	0	0	0	1	4	0	5
Heart Disease	0	0	0	0	9	10	23	42
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	1	0	1	2	4
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	4	13	19
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	1	0	5	7	2	2	17
Other	0	0	0	2	19	8	40	69
Total	3	1	0	10	62	63	130	269

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Chippewa County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	1	0	7	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	4	2	17	24
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	2	3	20	25
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	1	0	0	0	2	3
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	2	0	1	3	6
Other	1	0	0	0	3	8	35	47
Total	2	0	1	3	13	15	106	140

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	17	17
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	27	25	36	90
Cirrhosis	0	0	0	2	3	1	0	6
Congenital Anomalies	1	0	0	0	0	0	1	2
Chronic Lower Respiratory Disease	0	1	0	0	3	4	9	17
Diabetes	0	0	0	0	1	4	3	8
Heart Disease	0	0	0	5	11	1	44	61
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	0	1	1	9	11
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	4	5
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	15	18
Suicide	0	0	0	2	2	0	0	4
Unintentional Injury	0	0	2	4	4	1	15	26
Other	0	0	0	3	10	14	66	93
Total	1	1	2	18	64	55	223	364

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Clay County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	10	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	22	20	37	79
Cirrhosis	0	0	0	2	5	1	0	8
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	1	1	14	16
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	1	1	12	9	48	71
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	2	2	14	18
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	1	1	6	8
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	27	29
Suicide	0	0	1	2	2	0	0	5
Unintentional Injury	0	0	1	3	7	2	9	22
Other	1	0	1	2	11	14	74	103
Total	5	0	5	10	65	52	245	382

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	3	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	5	15	27
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	0	0	0	1	0	4	5
Heart Disease	0	0	0	1	0	5	10	16
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	0	0	0	1	1
Unintentional Injury	0	0	1	1	0	0	2	4
Other	0	0	0	0	3	2	16	21
Total	1	0	1	3	13	14	62	94

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Cook County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	0	8	10
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	4	0	7	11
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	1	2
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	2	0	1	3
Other	0	0	1	0	2	0	5	8
Total	0	0	1	0	12	2	24	39

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	0	0	6	8	18	33
Cirrhosis	0	0	0	0	2	0	2	4
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	0	4	5
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	0	1	31	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	3	4
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	3	4
Septicemia	0	0	0	0	0	1	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	10	10
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	0	0	2	0	0	2
Other	0	0	0	2	3	3	30	38
Total	1	0	1	3	16	14	112	147

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Crow Wing County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	11	12
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	32	55	64	154
Cirrhosis	0	0	0	0	2	1	0	3
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	8	20	28
Diabetes	0	0	0	0	5	3	10	18
Heart Disease	0	0	0	2	13	20	90	125
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	2	1	6	9
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	6	7
Septicemia	0	0	0	0	1	0	5	6
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	4	28	34
Suicide	0	0	2	0	3	0	1	6
Unintentional Injury	0	0	0	2	11	3	11	27
Other	1	0	0	0	8	20	113	142
Total	4	0	2	7	82	116	367	578

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	2	0	2
Alzheimer's Disease	0	0	0	0	1	6	55	62
Atherosclerosis	0	0	0	0	1	1	0	2
Cancer	0	1	2	13	187	142	235	580
Cirrhosis	0	0	0	2	15	3	4	24
Congenital Anomalies	10	1	2	4	1	0	1	19
Chronic Lower Respiratory Disease	0	0	0	1	10	24	78	113
Diabetes	0	0	0	1	21	13	34	69
Heart Disease	2	0	0	7	58	30	217	314
Homicide	0	0	2	3	1	0	0	6
Hypertension	0	0	0	0	7	4	21	32
Nephritis	0	0	0	0	7	10	34	51
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	2	2	15	19
Septicemia	0	0	0	1	3	1	11	16
SIDS	0	0	0	0	0	0	0	0
Stroke	1	0	0	0	13	15	83	112
Suicide	0	1	7	12	17	2	2	41
Unintentional Injury	2	2	11	19	28	12	65	139
Other	5	2	3	11	65	70	382	538
Total	21	7	27	74	437	337	1,237	2,140

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Dodge County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	0	12	11	17	41
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	2	2	6
Diabetes	0	0	0	0	0	0	4	4
Heart Disease	0	0	0	1	3	9	20	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	0	2	1	0	3
Unintentional Injury	0	0	0	0	1	1	1	3
Other	0	1	0	0	2	2	17	22
Total	1	1	1	1	22	26	71	123

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	19	31	48	101
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	5	16	22
Diabetes	0	0	0	0	0	1	6	7
Heart Disease	0	0	0	0	5	13	64	82
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	2	4
Nephritis	0	0	0	0	1	1	6	8
Perinatal Conditions	4	0	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	2	0	5	7
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	23	25
Suicide	0	0	0	0	1	0	1	2
Unintentional Injury	0	1	2	4	0	1	5	13
Other	0	0	2	0	6	4	59	71
Total	5	1	4	8	37	60	248	363

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Faribault County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	6	2	23	32
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	11	13
Diabetes	0	0	0	0	0	3	2	5
Heart Disease	0	0	0	0	4	7	40	51
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	0	2	6	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	13	14
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	1	1	0	2	7	11
Other	0	0	1	0	4	6	35	46
Total	0	0	2	3	18	23	143	189

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	0	5	9	24	39
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	9	11
Diabetes	0	0	0	0	0	0	5	5
Heart Disease	0	0	0	0	3	5	48	56
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	2	4
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	9	10
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	1	0	1	4	0	13	19
Other	0	1	1	0	5	3	37	47
Total	1	3	1	1	17	24	168	215

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Freeborn County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	0	23	20	51	94
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	3	8	13
Diabetes	0	0	0	0	1	1	2	4
Heart Disease	0	0	0	0	8	11	63	82
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	2	2	4
Nephritis	0	0	0	0	1	0	8	9
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	2	4	7
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	14	15
Suicide	0	0	0	2	2	0	0	4
Unintentional Injury	0	0	0	1	1	1	10	13
Other	2	0	1	0	11	7	69	90
Total	3	0	1	3	53	48	239	347

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	16	16
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	25	29	63	119
Cirrhosis	0	0	0	0	4	1	0	5
Congenital Anomalies	3	0	0	0	2	0	0	5
Chronic Lower Respiratory Disease	0	0	0	0	3	10	19	32
Diabetes	0	0	0	0	1	3	9	13
Heart Disease	0	0	0	2	9	8	69	88
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	2	0	11	13
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	6	6
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	5	22	28
Suicide	0	0	1	2	2	0	0	5
Unintentional Injury	0	0	1	3	3	1	24	32
Other	0	0	0	2	12	9	92	115
Total	3	0	2	11	66	67	337	486

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Grant County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	4	3	10	17
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	2	5
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	3	1	15	19
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	4	4
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	1	0	0	0	2	3
Other	0	0	0	0	1	3	21	25
Total	1	0	1	1	9	10	64	86

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	7	15	3	0	25
Alzheimer's Disease	0	0	0	0	5	12	235	252
Atherosclerosis	0	0	0	0	1	0	2	3
Cancer	0	2	7	53	506	434	931	1,933
Cirrhosis	0	0	0	11	62	18	14	105
Congenital Anomalies	26	0	1	3	8	1	1	40
Chronic Lower Respiratory Disease	0	3	2	3	53	59	281	401
Diabetes	0	0	0	10	55	44	96	205
Heart Disease	0	0	2	26	208	107	799	1,142
Homicide	1	1	17	18	5	0	0	42
Hypertension	0	0	0	3	23	17	70	113
Nephritis	0	1	0	3	24	30	133	191
Perinatal Conditions	38	0	0	0	0	0	1	39
Pneumonia and Influenza	1	0	0	2	5	8	79	95
Septicemia	0	0	0	1	15	12	44	72
SIDS	6	0	0	0	0	0	0	6
Stroke	0	0	1	7	52	55	325	440
Suicide	0	0	16	47	49	6	4	122
Unintentional Injury	13	7	23	61	113	34	218	469
Other	8	3	12	55	245	205	1,521	2,049
Total	93	17	81	310	1,444	1,045	4,754	7,744

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Houston County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	3	7	4	21	36
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	1	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	0	7	8
Diabetes	0	0	0	0	1	1	3	5
Heart Disease	0	0	0	0	5	3	17	25
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	9	9
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	11	13
Suicide	0	0	1	0	0	0	1	2
Unintentional Injury	1	1	1	3	2	0	6	14
Other	0	0	0	0	2	3	30	35
Total	3	2	3	6	22	14	110	160

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	18	21	49
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	5	10	17
Diabetes	0	0	0	0	1	0	2	3
Heart Disease	0	0	0	1	4	4	21	30
Homicide	0	1	0	1	0	0	0	2
Hypertension	0	0	0	0	0	1	1	2
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	12	16
Suicide	0	0	1	0	0	0	2	3
Unintentional Injury	0	0	0	1	1	2	5	9
Other	0	0	1	0	8	7	28	44
Total	1	1	2	3	28	42	114	191

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Isanti County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	3	4	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	2	20	18	21	62
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	4	15	21
Diabetes	0	0	0	0	0	2	1	3
Heart Disease	0	0	0	1	3	6	27	37
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	2	2	6	10
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	7	7
Septicemia	0	0	0	0	0	0	3	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	14	17
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	6	5	2	2	3	18
Other	0	0	0	1	5	5	61	72
Total	0	1	6	10	39	43	162	261

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	23	23
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	3	24	29	70	126
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	22	24
Diabetes	0	0	0	0	1	2	6	9
Heart Disease	0	0	0	3	13	17	57	90
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	2	10	12
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	0	1	5	7
Septicemia	0	0	0	0	2	2	6	10
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	3	22	29
Suicide	0	0	0	3	6	1	0	10
Unintentional Injury	0	0	2	3	8	3	11	27
Other	2	0	0	4	13	10	78	107
Total	2	0	2	19	73	72	313	481

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2010**

ICD-10 Codes on Page C-45

Jackson County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	0	5	4	16	26
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	1	2	5
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	1	4	28	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	0	1	1	0	1	3
Unintentional Injury	0	0	0	0	4	0	1	5
Other	1	0	0	1	3	2	33	40
Total	1	1	0	3	17	12	99	133

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	5	14	25
Cirrhosis	0	0	0	0	0	1	0	1
Congenital Anomalies	0	1	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	2	5	8
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	5	7	21	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	1	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	5	6
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	4	10	15
Suicide	0	0	0	0	3	1	0	4
Unintentional Injury	0	0	2	0	1	0	3	6
Other	0	0	1	0	2	4	22	29
Total	0	1	3	0	22	26	91	143

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Kandiyohi County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	14	15
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	0	0	2	24	14	48	88
Cirrhosis	0	0	0	0	4	0	0	4
Congenital Anomalies	2	0	0	0	0	0	1	3
Chronic Lower Respiratory Disease	0	0	0	0	0	2	15	17
Diabetes	0	0	0	0	4	2	6	12
Heart Disease	0	0	0	2	7	9	82	100
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	2	1	9	12
Perinatal Conditions	2	0	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	1	1	9	11
Septicemia	0	0	0	0	1	1	1	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	1	0	0	1	0	20	22
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	1	0	3	7	0	8	20
Other	0	0	0	1	4	4	69	78
Total	5	2	0	8	56	34	286	391

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	11	7	19
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	0	2	8	10
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	1	0	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	2	2
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	1	1	0	0	2
Other	1	0	0	0	1	3	17	22
Total	1	0	0	2	4	16	43	66

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Koochiching County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	7	24	36
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	3	10	13
Diabetes	0	0	0	0	0	1	2	3
Heart Disease	0	0	0	0	4	6	21	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	1	0	6	8
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	2	9	14
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	1	0	0	4	1	1	7
Other	0	0	0	1	3	4	24	32
Total	0	1	1	2	23	24	114	165

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	8	9	19
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	2	1	16	20
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	5	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	5	6
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	4	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	2	1	2	3	8
Other	0	0	0	1	3	3	22	29
Total	1	0	0	4	9	17	71	102

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2010**

ICD-10 Codes on Page C-45

Lake County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	9	10
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	7	11	23	41
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	7	10
Diabetes	0	0	0	0	2	0	2	4
Heart Disease	0	0	0	0	4	1	21	26
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	1	1	3
Nephritis	0	0	0	0	0	1	3	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	0	6	8
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	0	0	0	1	2	3
Other	0	0	0	0	4	5	32	41
Total	2	0	0	0	24	23	109	158

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	0	0
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	2	6	11
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	2	2
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	0	2	7	9
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	0	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	3	5
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	1	1	0	1	3
Other	0	0	0	0	1	0	5	6
Total	0	0	0	1	7	5	28	41

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Le Sueur County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	4	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	16	24	21	63
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	6	10
Diabetes	0	0	0	0	5	1	2	8
Heart Disease	0	0	0	1	6	3	31	41
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	1	0	0	4	5
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	0	0	1	6	8
Other	0	0	0	2	6	4	32	44
Total	1	0	2	6	37	37	119	202

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	2	9	14
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	6	7
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	2	4	22	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	1	0	1	2
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	6	6
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	1	2
Other	0	0	0	1	1	2	17	21
Total	0	0	0	1	8	9	71	89

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Lyon County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	8	9	31	50
Cirrhosis	0	0	0	1	1	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	5	9
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	0	3	4	40	47
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	1	0	2	0	9	12
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	1	0	1	0	1	1	4	8
Other	2	0	0	1	8	2	45	58
Total	3	0	2	4	25	20	151	205

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	1	1
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	4	14	26
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	4	4
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	1	2	18	21
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	5	5
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	1	1	0	3	5
Other	0	0	0	1	2	1	12	16
Total	0	0	0	3	13	8	62	86

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Martin County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	15	41	66
Cirrhosis	0	0	0	0	2	0	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	5	8
Diabetes	0	0	0	0	0	1	1	2
Heart Disease	0	0	0	1	6	3	57	67
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	1	1	0	4	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	1	0	0	0	0	0	10	11
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	10	11
Suicide	0	0	1	1	1	0	0	3
Unintentional Injury	0	0	2	1	4	1	6	14
Other	1	1	0	1	2	6	36	47
Total	2	1	3	5	27	29	177	244

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	11	13
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	18	21	39	80
Cirrhosis	0	0	0	0	4	0	0	4
Congenital Anomalies	0	0	0	0	2	0	1	3
Chronic Lower Respiratory Disease	0	0	0	0	2	2	13	17
Diabetes	0	0	0	0	1	4	8	13
Heart Disease	0	0	0	0	6	7	52	65
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	5	6
Nephritis	0	0	0	0	1	1	10	12
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	5	0	11	16
Suicide	0	0	0	3	0	1	2	6
Unintentional Injury	0	0	3	1	3	0	12	19
Other	0	0	0	1	11	6	41	59
Total	1	0	3	7	54	45	207	317

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Mahnomen County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	6	9	20
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	0	1
Diabetes	0	0	0	0	1	0	1	2
Heart Disease	0	0	0	0	2	3	6	11
Homicide	0	0	0	1	0	2	0	3
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	1	0	0	0	1
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	3	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	2	0	0	0	2
Other	0	0	0	1	1	3	4	9
Total	1	0	0	5	11	15	31	63

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	5	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	1	0	13	8	25	48
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	3	5	9
Diabetes	0	0	0	0	1	2	11	14
Heart Disease	0	0	0	1	4	5	31	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	9	9
Suicide	0	0	2	1	0	1	0	4
Unintentional Injury	0	0	1	2	5	2	6	16
Other	1	1	0	2	5	3	46	58
Total	1	2	4	6	31	25	147	216

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Mille Lacs County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	1	3	14	25	30	73
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	11	15
Diabetes	0	0	0	1	0	1	3	5
Heart Disease	0	0	0	1	12	8	28	49
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	2	6	8
Nephritis	0	0	0	0	0	1	5	6
Perinatal Conditions	1	1	0	0	0	0	0	2
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	1	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	1	10	13
Suicide	0	0	0	3	1	0	0	4
Unintentional Injury	1	0	5	3	4	1	5	19
Other	2	1	0	5	6	11	47	72
Total	5	2	7	16	43	54	156	283

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	17	19
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	15	11	33	59
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	1	0	0	0	1	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	2	2	3	7
Diabetes	0	0	0	0	1	0	10	11
Heart Disease	0	0	0	0	10	7	41	58
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	0	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	11	12
Suicide	0	0	2	2	4	0	0	8
Unintentional Injury	0	0	1	2	4	1	5	13
Other	1	0	1	4	7	5	50	68
Total	2	0	4	8	48	28	174	264

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Mower County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	5	6
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	0	15	18	58	91
Cirrhosis	0	0	0	1	1	1	1	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	4	11	17
Diabetes	0	0	0	0	1	1	9	11
Heart Disease	0	0	0	0	8	10	54	72
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	3	1	0	0	0	0	0	4
Pneumonia and Influenza	0	0	0	0	0	0	11	11
Septicemia	0	0	0	0	0	1	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	15	17
Suicide	0	0	0	2	1	0	1	4
Unintentional Injury	0	1	3	3	0	0	8	15
Other	1	0	0	1	6	5	75	88
Total	4	2	3	7	35	42	260	353

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	1	16	20
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	1	0	0	1	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	2	5	7
Diabetes	0	0	0	0	1	0	0	1
Heart Disease	0	0	0	0	1	1	10	12
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	5	6
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	0	0	0	1	2	3
Other	0	0	0	0	8	2	16	26
Total	1	0	0	3	14	8	62	88

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Nicollet County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	1	1	3	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	15	6	19	42
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	2	0	1	1	1	0	2	7
Chronic Lower Respiratory Disease	0	0	0	0	0	1	7	8
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	3	4	33	40
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	1	2
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	14	16
Suicide	0	0	0	3	0	0	1	4
Unintentional Injury	1	0	2	0	0	0	3	6
Other	1	0	1	3	3	7	40	55
Total	4	0	4	9	26	20	133	196

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	6	4	17	27
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	1	4	5
Heart Disease	0	0	0	0	0	5	24	29
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	1	0	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	1	1	10	12
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	0	2	3	1	2	8
Other	0	0	1	0	5	9	52	67
Total	1	0	1	2	22	21	124	171

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Norman County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	3	5	17	26
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	8	10
Diabetes	0	0	0	0	3	1	5	9
Heart Disease	0	0	0	0	3	1	15	19
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	4	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	1	0	0	3	4
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	7	8
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	0	0
Other	0	0	0	0	1	3	19	23
Total	0	0	0	2	14	12	83	111

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	1	1	0	0	2
Alzheimer's Disease	0	0	0	0	0	2	30	32
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	0	5	61	53	114	234
Cirrhosis	0	0	0	1	6	3	2	12
Congenital Anomalies	3	0	0	3	2	0	0	8
Chronic Lower Respiratory Disease	0	0	0	0	5	16	36	57
Diabetes	0	0	0	0	2	2	5	9
Heart Disease	0	0	1	1	18	21	122	163
Homicide	1	0	1	0	0	0	0	2
Hypertension	0	0	0	0	0	1	7	8
Nephritis	0	0	0	0	0	0	8	8
Perinatal Conditions	5	0	0	0	0	0	0	5
Pneumonia and Influenza	1	0	0	0	1	3	8	13
Septicemia	0	0	0	0	2	0	5	7
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	3	8	34	46
Suicide	0	0	5	6	5	0	1	17
Unintentional Injury	0	0	4	5	11	1	20	41
Other	2	0	2	5	24	15	189	237
Total	12	1	13	28	141	125	581	901

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Otter Tail County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	32	34
Atherosclerosis	0	0	0	0	0	1	2	3
Cancer	0	0	1	2	24	42	83	152
Cirrhosis	0	0	0	0	2	2	1	5
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	13	17	30
Diabetes	0	0	1	0	0	2	16	19
Heart Disease	0	0	0	2	20	18	128	168
Homicide	0	0	0	1	0	0	0	1
Hypertension	0	0	0	0	0	0	5	5
Nephritis	0	0	0	0	0	2	8	10
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	13	13
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	3	41	44
Suicide	0	0	0	3	2	2	1	8
Unintentional Injury	0	0	2	3	6	4	17	32
Other	0	0	0	0	8	8	94	110
Total	2	0	4	11	63	98	458	636

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	2	1	5	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	8	3	13	25
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	2	3	5
Diabetes	0	0	0	0	1	1	2	4
Heart Disease	0	0	0	1	3	5	19	28
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	1	0	3	4
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	3	4
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	8	8
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	1	2	3	2	3	11
Other	0	0	0	0	1	3	19	23
Total	0	0	1	4	21	18	81	125

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Pine County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	7	8
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	12	19	20	52
Cirrhosis	0	0	0	0	4	0	0	4
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	3	7	12
Diabetes	0	0	0	0	3	2	3	8
Heart Disease	0	0	0	1	12	8	28	49
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	3	1	3	7
Nephritis	0	0	0	0	1	1	2	4
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	1	1	2
Septicemia	0	0	0	0	1	0	1	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	11	13
Suicide	0	0	1	2	2	1	1	7
Unintentional Injury	0	0	5	3	5	2	6	21
Other	1	0	2	2	13	9	35	62
Total	2	0	8	9	59	49	125	252

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	9	9
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	4	6	14	24
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	4	7
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	0	1	0	17	18
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	10	11
Suicide	0	0	0	0	2	0	0	2
Unintentional Injury	0	0	0	2	2	1	2	7
Other	0	0	2	0	4	1	15	22
Total	0	0	2	2	14	11	80	109

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Polk County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	20	21
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	14	23	43	82
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	1	1
Chronic Lower Respiratory Disease	0	0	0	0	4	1	9	14
Diabetes	0	0	0	0	2	3	8	13
Heart Disease	0	0	0	2	10	10	50	72
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	1	0	0	2	3
Nephritis	0	0	0	0	0	0	7	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	1	7	9
Septicemia	1	0	0	0	1	1	3	6
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	14	17
Suicide	0	0	3	0	1	0	0	4
Unintentional Injury	0	2	2	5	6	6	3	24
Other	1	0	0	2	9	9	54	75
Total	2	2	5	12	50	57	221	349

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	11	11
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	2	0	2	6	13	23
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	1	8	11
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	0	1	3	29	33
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	5	6
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	2	3	5
Suicide	0	0	0	1	0	1	0	2
Unintentional Injury	0	0	0	0	2	0	1	3
Other	0	0	0	3	2	1	29	35
Total	0	0	2	4	10	15	106	137

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Ramsey County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	4	1	0	5
Alzheimer's Disease	0	0	0	0	3	1	178	182
Atherosclerosis	0	0	0	0	0	0	3	3
Cancer	0	1	2	26	248	191	449	917
Cirrhosis	0	0	0	5	20	8	7	40
Congenital Anomalies	7	2	1	2	4	3	2	21
Chronic Lower Respiratory Disease	0	0	0	5	24	34	131	194
Diabetes	0	0	0	2	23	17	40	82
Heart Disease	1	0	1	11	99	81	411	604
Homicide	1	2	4	5	2	2	1	17
Hypertension	0	0	0	1	3	10	28	42
Nephritis	0	0	0	0	10	12	79	101
Perinatal Conditions	17	0	0	0	0	0	0	17
Pneumonia and Influenza	3	0	0	2	8	3	51	67
Septicemia	0	0	0	4	7	4	19	34
SIDS	5	0	0	0	0	0	0	5
Stroke	1	0	1	3	24	17	173	219
Suicide	0	1	8	12	27	3	2	53
Unintentional Injury	3	1	7	27	41	14	75	168
Other	4	3	5	32	124	94	772	1,034
Total	42	10	29	137	671	495	2,421	3,805

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	2	2	1	6
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	0	0
Diabetes	0	0	0	0	0	1	0	1
Heart Disease	0	0	0	0	3	1	10	14
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	2	3
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	0	1	0	0	0	1
Other	0	0	1	0	0	0	2	3
Total	0	0	1	3	5	5	20	34

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Redwood County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	2	9	11	29	51
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	1	9	10
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	0	2	3	31	36
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	3	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	3	10	14
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	1	2	1	0	5	9
Other	0	0	1	0	1	5	28	35
Total	1	0	2	4	16	25	127	175

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	8	8
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	1	2	8	12	26	49
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	2	2	6	10
Diabetes	0	0	0	0	3	1	4	8
Heart Disease	0	0	0	0	6	5	25	36
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	1	6	7
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	0	1	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	17	20
Suicide	0	0	0	2	1	0	0	3
Unintentional Injury	1	0	1	1	1	0	4	8
Other	0	0	0	0	7	3	54	64
Total	3	0	2	5	29	27	156	222

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Rice County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	2	13	15
Atherosclerosis	0	0	0	0	0	2	1	3
Cancer	0	0	1	2	20	17	69	109
Cirrhosis	0	0	0	0	6	0	1	7
Congenital Anomalies	0	0	0	1	0	0	0	1
Chronic Lower Respiratory Disease	1	0	0	0	2	4	21	28
Diabetes	0	0	0	0	3	3	7	13
Heart Disease	0	0	0	1	12	9	61	83
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	2	5	7
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	1	5	7
Septicemia	0	0	0	1	1	1	0	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	2	22	25
Suicide	0	0	2	1	0	1	1	5
Unintentional Injury	0	1	2	5	4	0	8	20
Other	0	1	1	1	4	8	88	103
Total	2	2	6	13	53	52	304	432

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	13	13
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	10	1	18	29
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	5	7
Diabetes	0	0	0	0	3	0	5	8
Heart Disease	0	0	0	1	1	2	26	30
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	2	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	2	0	8	10
Suicide	0	0	0	0	0	1	0	1
Unintentional Injury	0	0	1	1	4	0	6	12
Other	0	0	0	0	2	0	33	35
Total	0	0	1	2	25	6	118	152

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Roseau County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	6	6	15	28
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	1	0	0	0	0	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	0	3	4
Diabetes	0	0	0	0	1	0	5	6
Heart Disease	0	0	0	1	3	4	27	35
Homicide	0	0	1	0	0	0	0	1
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	5	5
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	4	4
Suicide	0	0	1	0	1	0	0	2
Unintentional Injury	0	1	1	2	0	0	4	8
Other	0	0	0	0	1	3	21	25
Total	2	1	3	4	14	14	92	130

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	1	0	1	4	47	30	54	137
Cirrhosis	0	0	0	0	0	1	2	3
Congenital Anomalies	2	0	0	0	0	0	0	2
Chronic Lower Respiratory Disease	0	0	0	0	3	5	11	19
Diabetes	0	0	0	0	3	2	6	11
Heart Disease	0	0	0	5	16	11	65	97
Homicide	0	0	0	2	0	0	0	2
Hypertension	0	0	0	0	4	1	3	8
Nephritis	0	0	0	0	0	3	7	10
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	1	6	7
Septicemia	0	0	0	0	1	1	0	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	2	16	21
Suicide	0	1	2	4	4	0	0	11
Unintentional Injury	0	0	2	5	12	3	11	33
Other	0	0	1	3	26	11	74	115
Total	6	1	6	23	120	72	268	496

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Sherburne County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	18	18
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	4	32	26	49	111
Cirrhosis	0	0	0	1	0	1	0	2
Congenital Anomalies	2	0	0	0	1	0	0	3
Chronic Lower Respiratory Disease	0	0	0	1	3	2	14	20
Diabetes	0	0	0	0	1	1	7	9
Heart Disease	0	0	0	2	15	12	50	79
Homicide	1	0	0	0	0	0	0	1
Hypertension	0	0	0	0	0	2	2	4
Nephritis	0	0	0	0	0	2	7	9
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	1	1	0	8	10
Septicemia	0	0	0	0	2	1	1	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	1	3	12	17
Suicide	0	0	3	5	5	3	0	16
Unintentional Injury	0	0	2	9	9	1	13	34
Other	2	0	0	2	10	16	89	119
Total	11	0	5	26	80	70	271	463

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	6	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	7	22	37
Cirrhosis	0	0	0	0	1	1	0	2
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	1	4	5
Heart Disease	0	0	0	0	4	5	28	37
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	0	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	2	6	9
Suicide	0	0	0	2	2	0	0	4
Unintentional Injury	0	2	1	0	4	0	4	11
Other	0	0	0	0	2	5	16	23
Total	1	2	1	2	23	23	93	145

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

St. Louis County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	1	2	81	84
Atherosclerosis	0	0	0	0	0	0	2	2
Cancer	0	1	0	6	88	126	252	473
Cirrhosis	0	0	0	4	17	7	1	29
Congenital Anomalies	1	1	0	1	1	0	1	5
Chronic Lower Respiratory Disease	0	0	0	0	16	26	83	125
Diabetes	0	0	0	1	17	11	39	68
Heart Disease	0	0	0	12	60	68	309	449
Homicide	0	0	0	2	1	0	0	3
Hypertension	0	0	0	0	0	3	15	18
Nephritis	1	1	0	0	3	5	51	61
Perinatal Conditions	5	1	0	0	0	0	0	6
Pneumonia and Influenza	0	0	0	2	4	6	16	28
Septicemia	0	0	0	0	2	4	16	22
SIDS	2	0	0	0	0	0	0	2
Stroke	0	0	0	1	13	7	90	111
Suicide	0	0	0	7	12	1	2	22
Unintentional Injury	1	0	6	17	25	3	53	105
Other	2	0	7	10	66	57	315	457
Total	12	4	13	63	327	326	1,326	2,071

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	32	33
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	7	61	54	119	241
Cirrhosis	0	0	0	1	3	0	2	6
Congenital Anomalies	3	0	0	0	0	0	3	6
Chronic Lower Respiratory Disease	0	0	0	0	5	14	27	46
Diabetes	0	0	0	0	4	5	12	21
Heart Disease	0	0	1	6	17	22	128	174
Homicide	1	0	0	1	0	0	0	2
Hypertension	0	0	0	0	1	2	4	7
Nephritis	0	0	0	0	0	2	13	15
Perinatal Conditions	3	0	0	0	0	0	0	3
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	2	0	3	5
SIDS	3	0	0	0	0	0	0	3
Stroke	0	0	0	3	1	5	40	49
Suicide	0	0	2	11	7	1	2	23
Unintentional Injury	1	1	3	7	12	6	12	42
Other	0	0	0	6	21	18	131	176
Total	11	1	6	42	134	130	533	857

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Steele County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	3	12	15
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	1	14	14	41	70
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	0	12	13
Diabetes	0	0	0	0	1	1	5	7
Heart Disease	0	0	0	2	8	6	45	61
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	3	4
Nephritis	0	0	0	0	0	1	7	8
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	4	4
Septicemia	0	0	0	0	0	1	1	2
SIDS	1	0	0	0	0	0	0	1
Stroke	0	0	0	0	2	2	17	21
Suicide	0	0	0	1	4	0	0	5
Unintentional Injury	1	0	2	1	3	2	2	11
Other	1	0	1	1	7	6	37	53
Total	3	0	3	6	42	37	188	279

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	5	5	12	22
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	0	2	6	8
Diabetes	0	0	0	0	0	0	2	2
Heart Disease	0	0	0	0	5	2	25	32
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	0	2	3
Suicide	0	0	1	0	0	0	0	1
Unintentional Injury	0	0	0	2	3	0	1	6
Other	0	0	1	1	2	0	21	25
Total	0	0	2	4	17	9	79	111

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2010**

ICD-10 Codes on Page C-45

Swift County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	0	5	6
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	2	10	18	30
Cirrhosis	0	0	0	0	2	0	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	2	0	5	7
Diabetes	0	0	0	0	0	1	3	4
Heart Disease	0	0	0	0	5	1	28	34
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	1	1
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	1	2
Suicide	0	0	0	0	1	0	0	1
Unintentional Injury	0	0	3	0	0	0	3	6
Other	0	0	0	0	1	2	16	19
Total	0	0	3	0	15	14	86	118

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	1	1	4	6
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	1	0	0	0	11	16	18	46
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	2	8	11
Diabetes	0	0	0	0	1	2	5	8
Heart Disease	0	0	0	1	8	3	29	41
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	6	6
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	1	4	5
Septicemia	0	0	0	0	1	1	2	4
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	0	7	7
Suicide	0	0	0	1	2	0	1	4
Unintentional Injury	0	1	0	3	4	1	1	10
Other	0	0	0	1	8	4	54	67
Total	1	1	0	6	38	32	140	218

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Traverse County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	5	5
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	1	2	9	12
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	1	2
Diabetes	0	0	0	0	0	0	3	3
Heart Disease	0	0	0	1	2	1	18	22
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	0	2	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	0	0
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	2	3
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	0	0
Other	0	0	0	0	1	1	15	17
Total	1	0	0	1	5	6	55	68

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	7	7
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	1	9	11	22	43
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	0	0	0	0	1	0	0	1
Chronic Lower Respiratory Disease	0	0	0	0	4	2	2	8
Diabetes	0	0	0	0	1	0	2	3
Heart Disease	0	0	0	1	9	10	24	44
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	0	0
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	7	9
Suicide	0	0	0	1	1	0	0	2
Unintentional Injury	0	0	2	2	3	1	7	15
Other	1	0	0	0	5	4	37	47
Total	1	0	2	5	34	29	112	183

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Wadena County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	13	14
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	8	9	15	32
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	1	0	1
Chronic Lower Respiratory Disease	0	0	0	0	1	3	4	8
Diabetes	0	0	0	0	1	3	6	10
Heart Disease	0	0	0	0	2	7	36	45
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	0	1
Nephritis	0	0	0	0	0	2	3	5
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	1	0	1	2
Septicemia	0	0	0	0	1	0	2	3
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	0	1	11	13
Suicide	0	0	1	1	0	0	0	2
Unintentional Injury	0	0	0	3	0	0	4	7
Other	0	0	0	1	7	3	38	49
Total	1	0	1	6	22	31	133	194

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							
	0-4	5-14	15-24	25-44	45-64	65-74	75+	All Ages
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	14	10	26	50
Cirrhosis	0	0	0	0	1	0	0	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	1	1	5	7
Diabetes	0	0	0	0	0	0	0	0
Heart Disease	0	0	0	0	2	6	28	36
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	1	2	3
Nephritis	0	0	0	0	0	1	1	2
Perinatal Conditions	1	0	0	0	0	0	0	1
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	8	9
Suicide	0	0	0	1	0	1	1	3
Unintentional Injury	0	1	2	1	2	0	2	8
Other	0	0	0	0	1	3	28	32
Total	1	1	2	2	22	23	109	160

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Washington County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	1	82	83
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	1	2	9	90	91	152	345
Cirrhosis	0	0	0	2	9	3	2	16
Congenital Anomalies	3	0	1	1	2	0	1	8
Chronic Lower Respiratory Disease	0	0	0	2	4	8	38	52
Diabetes	0	0	0	2	4	4	21	31
Heart Disease	0	0	0	4	32	22	145	203
Homicide	0	0	1	3	4	0	0	8
Hypertension	0	0	0	0	2	1	10	13
Nephritis	0	0	0	0	1	6	22	29
Perinatal Conditions	6	0	0	0	0	0	0	6
Pneumonia and Influenza	0	1	0	1	2	1	12	17
Septicemia	0	0	0	0	4	4	4	12
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	12	12	38	62
Suicide	0	1	5	6	10	0	0	22
Unintentional Injury	1	0	6	5	20	2	15	49
Other	2	4	2	6	41	41	213	309
Total	12	7	17	41	237	196	755	1,265

Source: Minnesota Department of Health, Center for Health Statistics

Watonwan County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	3	3
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	9	6	19	34
Cirrhosis	0	0	0	0	0	0	0	0
Congenital Anomalies	1	0	0	0	0	1	0	2
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	0	1	1
Heart Disease	0	0	0	0	2	3	22	27
Homicide	0	0	0	1	1	0	0	2
Hypertension	0	0	0	0	0	0	2	2
Nephritis	0	0	0	0	1	0	2	3
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	3	3
Septicemia	0	0	0	0	0	0	2	2
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	1	8	10
Suicide	0	0	0	1	0	0	0	1
Unintentional Injury	0	0	5	2	1	0	3	11
Other	1	0	0	0	2	2	13	18
Total	2	0	5	4	17	13	83	124

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

ICD-10 Codes on Page C-45

Wilkin County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	2	2
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	5	6	14
Cirrhosis	0	0	0	0	0	0	1	1
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	1	4	5
Diabetes	0	0	0	0	2	0	0	2
Heart Disease	0	0	0	1	1	3	26	31
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	1	0	0	1
Septicemia	0	0	0	0	0	0	0	0
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	0	1	6	7
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	0	0	1	1
Other	0	0	0	1	1	2	5	9
Total	0	0	0	2	8	12	52	74

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	17	17
Atherosclerosis	0	0	0	0	0	1	0	1
Cancer	0	0	0	3	23	22	46	94
Cirrhosis	0	0	0	0	0	1	2	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	3	3	14	20
Diabetes	0	0	0	0	2	1	4	7
Heart Disease	0	0	1	1	13	13	69	97
Homicide	0	0	0	0	1	0	0	1
Hypertension	0	0	0	0	0	0	3	3
Nephritis	0	0	0	0	0	1	4	5
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	2	2
Septicemia	0	0	0	0	1	0	0	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	3	1	23	27
Suicide	0	0	1	3	3	0	0	7
Unintentional Injury	0	2	3	3	2	0	5	15
Other	0	0	0	1	11	9	71	92
Total	0	2	5	11	62	52	260	392

Source: Minnesota Department of Health, Center for Health Statistics

Mortality Table 1: Minnesota Leading Causes of Death by Age Group by State and County, 2010

Wright County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	1	0	0	1
Alzheimer's Disease	0	0	0	0	1	2	31	34
Atherosclerosis	0	0	0	0	0	0	1	1
Cancer	0	0	0	5	45	43	85	178
Cirrhosis	0	0	0	0	3	0	1	4
Congenital Anomalies	2	0	0	1	0	0	0	3
Chronic Lower Respiratory Disease	0	0	0	0	4	7	20	31
Diabetes	0	0	0	3	2	3	14	22
Heart Disease	0	0	0	3	16	17	87	123
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	3	3	3	9
Nephritis	0	0	0	0	0	0	11	11
Perinatal Conditions	6	0	1	0	0	0	0	7
Pneumonia and Influenza	0	0	0	0	0	2	5	7
Septicemia	0	0	0	0	2	0	7	9
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	1	2	5	33	41
Suicide	0	0	0	6	7	1	1	15
Unintentional Injury	0	0	2	7	9	1	14	33
Other	0	0	1	8	10	20	105	144
Total	8	0	4	34	105	104	418	673

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - Leading Causes of Death by Age Group, 2010

Cause	Age Group							All Ages
	0-4	5-14	15-24	25-44	45-64	65-74	75+	
AIDS/HIV	0	0	0	0	0	0	0	0
Alzheimer's Disease	0	0	0	0	0	0	4	4
Atherosclerosis	0	0	0	0	0	0	0	0
Cancer	0	0	0	0	3	8	13	24
Cirrhosis	0	0	0	0	1	1	1	3
Congenital Anomalies	0	0	0	0	0	0	0	0
Chronic Lower Respiratory Disease	0	0	0	0	0	0	5	5
Diabetes	0	0	0	0	0	1	5	6
Heart Disease	0	0	0	1	2	2	24	29
Homicide	0	0	0	0	0	0	0	0
Hypertension	0	0	0	0	0	0	0	0
Nephritis	0	0	0	0	0	0	1	1
Perinatal Conditions	0	0	0	0	0	0	0	0
Pneumonia and Influenza	0	0	0	0	0	0	1	1
Septicemia	0	0	0	0	0	0	1	1
SIDS	0	0	0	0	0	0	0	0
Stroke	0	0	0	0	1	0	8	9
Suicide	0	0	0	0	0	0	0	0
Unintentional Injury	0	0	0	0	1	0	2	3
Other	0	0	0	0	3	0	23	26
Total	0	0	0	1	11	12	88	112

Source: Minnesota Department of Health, Center for Health Statistics

**Mortality Table 1: Minnesota Leading Causes of Death by Age Group
by State and County, 2010**

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

**Mortality Table 1: Minnesota YPLL to Age 65 and 75
by State and County, 2010**

State of Minnesota - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	702.5	1,166.0
Alzheimer's Disease	165.0	703.5
Atherosclerosis	10.0	58.5
Cancer	27,227.5	67,751.5
Cirrhosis	3,365.0	6,699.5
Congenital Anomalies	7,615.0	9,401.5
Chronic Lower Respiratory Disease	2,495.0	7,187.5
Diabetes	2,600.0	6,208.0
Heart Disease	13,332.5	30,154.0
Homicide	3,850.0	4,985.0
Hypertension	660.0	1,796.5
Nephritis	1,037.5	2,615.0
Perinatal Conditions	8,592.5	10,052.0
Pneumonia and Influenza	1,437.5	2,431.0
Septicemia	977.5	2,050.0
SIDS	1,795.0	2,099.5
Stroke	2,800.0	6,368.0
Suicide	13,012.5	18,769.5
Unintentional Injury	26,160.0	37,963.0
Other	22,950.0	43,697.0
Total	140,785.0	262,156.5

Source: Minnesota Department of Health, Center for Health Statistics

Aitkin County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	180.0	430.5
Cirrhosis	25.0	56.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	38.5
Diabetes	15.0	25.5
Heart Disease	80.0	191.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	26.5
Suicide	0.0	0.0
Unintentional Injury	160.0	244.0
Other	80.0	170.5
Total	545.0	1,194.5

Source: Minnesota Department of Health, Center for Health Statistics

Anoka County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	35.0	45.5
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	1,945.0	4,739.0
Cirrhosis	90.0	196.0
Congenital Anomalies	452.5	547.0
Chronic Lower Respiratory Disease	145.0	455.5
Diabetes	175.0	398.5
Heart Disease	715.0	1,545.5
Homicide	95.0	126.5
Hypertension	110.0	231.5
Nephritis	55.0	157.0
Perinatal Conditions	420.0	493.5
Pneumonia and Influenza	5.0	32.0
Septicemia	90.0	164.0
SIDS	187.5	219.0
Stroke	85.0	165.0
Suicide	1,225.0	1,708.5
Unintentional Injury	1,820.0	2,583.5
Other	1,325.0	2,505.5
Total	8,980.0	16,334.0

Source: Minnesota Department of Health, Center for Health Statistics

Becker County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	25.0	35.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	340.0	775.0
Cirrhosis	15.0	36.5
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	30.0	105.0
Diabetes	0.0	11.0
Heart Disease	170.0	345.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	102.5	139.5
Septicemia	62.5	73.0
SIDS	45.0	55.5
Stroke	5.0	32.0
Suicide	75.0	106.5
Unintentional Injury	230.0	304.0
Other	210.0	438.5
Total	1,325.0	2,488.5

Source: Minnesota Department of Health, Center for Health Statistics

Beltrami County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	275.0	669.5
Cirrhosis	75.0	112.0
Congenital Anomalies	202.5	244.5
Chronic Lower Respiratory Disease	67.5	116.0
Diabetes	50.0	97.5
Heart Disease	105.0	285.5
Homicide	80.0	101.0
Hypertension	0.0	0.0
Nephritis	35.0	72.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	125.0	146.0
Stroke	40.0	72.0
Suicide	155.0	207.5
Unintentional Injury	412.5	575.5
Other	195.0	429.5
Total	1,832.5	3,154.0

Source: Minnesota Department of Health, Center for Health Statistics

Benton County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	85.0	256.5
Cirrhosis	55.0	107.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	31.0
Diabetes	15.0	47.5
Heart Disease	55.0	161.5
Homicide	25.0	35.5
Hypertension	15.0	25.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	67.5	88.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	45.0	98.5
Suicide	35.0	66.5
Unintentional Injury	275.0	380.5
Other	200.0	364.5
Total	1,012.5	1,809.5

Source: Minnesota Department of Health, Center for Health Statistics

Big Stone County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	114.0
Cirrhosis	0.0	0.0
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	0.0	0.0
Heart Disease	5.0	26.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	50.0	71.0
Other	0.0	5.5
Total	167.5	333.0

Source: Minnesota Department of Health, Center for Health Statistics

Blue Earth County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	155.0	486.5
Cirrhosis	40.0	61.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	80.0	128.5
Diabetes	30.0	67.5
Heart Disease	170.0	355.5
Homicide	167.5	209.5
Hypertension	35.0	51.0
Nephritis	5.0	21.0
Perinatal Conditions	150.0	181.5
Pneumonia and Influenza	15.0	36.5
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	5.0	26.5
Suicide	185.0	258.5
Unintentional Injury	330.0	435.0
Other	365.0	662.5
Total	1,800.0	3,075.0

Source: Minnesota Department of Health, Center for Health Statistics

Brown County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	62.5	73.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	75.0	262.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	20.0	41.0
Heart Disease	110.0	221.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	55.0	65.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	40.0	61.0
Unintentional Injury	135.0	198.5
Other	60.0	146.0
Total	562.5	1,111.5

Source: Minnesota Department of Health, Center for Health Statistics

Carlton County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	180.0	526.5
Cirrhosis	25.0	62.0
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	15.0	52.0
Heart Disease	110.0	296.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	10.0	31.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	67.5	94.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	30.0	56.5
Suicide	170.0	254.0
Unintentional Injury	235.0	335.0
Other	160.0	325.5
Total	1,032.5	2,106.0

Source: Minnesota Department of Health, Center for Health Statistics

Carver County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	430.0	855.0
Cirrhosis	35.0	66.5
Congenital Anomalies	250.0	292.0
Chronic Lower Respiratory Disease	15.0	58.5
Diabetes	0.0	11.0
Heart Disease	150.0	357.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	62.5	73.0
SIDS	62.5	73.0
Stroke	10.0	42.0
Suicide	225.0	277.5
Unintentional Injury	327.5	470.0
Other	212.5	441.5
Total	1,862.5	3,153.5

Source: Minnesota Department of Health, Center for Health Statistics

Cass County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	35.0	45.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	165.0	535.0
Cirrhosis	35.0	72.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	20.0	46.5
Diabetes	5.0	37.5
Heart Disease	85.0	234.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	25.0	41.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	30.0	73.0
Suicide	0.0	0.0
Unintentional Injury	305.0	452.5
Other	195.0	459.5
Total	1,092.5	2,237.0

Source: Minnesota Department of Health, Center for Health Statistics

Chippewa County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	75.0	138.5
Cirrhosis	20.0	41.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	10.0	47.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	45.0	55.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	70.0	96.5
Other	77.5	163.5
Total	370.0	652.0

Source: Minnesota Department of Health, Center for Health Statistics

Chisago County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	255.0	697.0
Cirrhosis	85.0	143.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	80.0	144.0
Diabetes	5.0	37.5
Heart Disease	240.0	413.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	5.0	21.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	80.0	122.0
Unintentional Injury	250.0	360.5
Other	175.0	388.5
Total	1,247.5	2,453.0

Source: Minnesota Department of Health, Center for Health Statistics

Clay County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	180.0	521.0
Cirrhosis	125.0	204.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	5.0	21.0
Heart Disease	170.0	366.5
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	20.0	52.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	5.0	21.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	115.0	167.5
Unintentional Injury	215.0	341.5
Other	292.5	527.0
Total	1,432.5	2,611.0

Source: Minnesota Department of Health, Center for Health Statistics

Clearwater County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	55.0	156.0
Cirrhosis	30.0	51.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	25.0	63.0
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	70.0	91.0
Other	35.0	77.5
Total	297.5	563.5

Source: Minnesota Department of Health, Center for Health Statistics

Cook County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	51.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	40.0	82.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	5.0	15.5
Unintentional Injury	20.0	41.0
Other	55.0	86.5
Total	155.0	302.5

Source: Minnesota Department of Health, Center for Health Statistics

Cottonwood County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	102.5	220.0
Cirrhosis	30.0	51.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	15.0	25.5
Diabetes	0.0	0.0
Heart Disease	0.0	5.5
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	80.0	101.0
Unintentional Injury	20.0	41.0
Other	85.0	154.0
Total	362.5	660.0

Source: Minnesota Department of Health, Center for Health Statistics

Crow Wing County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	25.5
Atherosclerosis	0.0	0.0
Cancer	315.0	985.0
Cirrhosis	30.0	56.5
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	0.0	44.0
Diabetes	55.0	124.0
Heart Disease	145.0	412.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	20.0	46.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	25.5
Septicemia	5.0	15.5
SIDS	62.5	73.0
Stroke	20.0	63.0
Suicide	135.0	187.5
Unintentional Injury	155.0	308.0
Other	122.5	327.0
Total	1,225.0	2,860.5

Source: Minnesota Department of Health, Center for Health Statistics

Dakota County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	11.0
Alzheimer's Disease	5.0	48.5
Atherosclerosis	5.0	21.0
Cancer	2,025.0	4,937.5
Cirrhosis	205.0	400.0
Congenital Anomalies	905.0	1,094.0
Chronic Lower Respiratory Disease	95.0	342.5
Diabetes	190.0	492.5
Heart Disease	890.0	1,758.5
Homicide	200.0	263.0
Hypertension	45.0	140.5
Nephritis	75.0	203.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	30.0	62.0
Septicemia	50.0	97.5
SIDS	0.0	0.0
Stroke	167.5	397.0
Suicide	955.0	1,354.5
Unintentional Injury	1,605.0	2,322.0
Other	1,397.5	2,685.5
Total	8,907.5	16,704.0

Source: Minnesota Department of Health, Center for Health Statistics

Dodge County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	145.0	342.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	0.0	0.0
Heart Disease	40.0	131.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	20.0	46.5
Unintentional Injury	15.0	31.0
Other	75.0	117.5
Total	367.5	783.5

Source: Minnesota Department of Health, Center for Health Statistics

Douglas County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	280.0	681.5
Cirrhosis	30.0	51.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	43.0
Diabetes	0.0	5.5
Heart Disease	65.0	189.0
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	5.0	21.0
Perinatal Conditions	250.0	292.0
Pneumonia and Influenza	20.0	41.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	15.0	25.5
Unintentional Injury	275.0	354.0
Other	140.0	246.0
Total	1,152.5	2,060.0

Source: Minnesota Department of Health, Center for Health Statistics

Faribault County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	95.0	179.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	16.5
Heart Disease	30.0	110.5
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	50.0	71.0
Unintentional Injury	80.0	112.0
Other	85.0	170.5
Total	355.0	723.0

Source: Minnesota Department of Health, Center for Health Statistics

Fillmore County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	212.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	0.0
Heart Disease	45.0	104.0
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	5.5
Unintentional Injury	120.0	183.0
Other	165.0	255.0
Total	492.5	866.0

Source: Minnesota Department of Health, Center for Health Statistics

Freeborn County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	205.0	556.5
Cirrhosis	20.0	41.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	20.0	57.5
Diabetes	5.0	21.0
Heart Disease	70.0	214.5
Homicide	0.0	0.0
Hypertension	0.0	11.0
Nephritis	15.0	25.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	26.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	132.5	185.0
Unintentional Injury	40.0	66.5
Other	172.5	347.5
Total	752.5	1,646.5

Source: Minnesota Department of Health, Center for Health Statistics

Goodhue County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	275.0	718.0
Cirrhosis	40.0	87.5
Congenital Anomalies	207.5	260.0
Chronic Lower Respiratory Disease	25.0	111.5
Diabetes	5.0	32.0
Heart Disease	135.0	294.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	30.0	51.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	43.0
Suicide	115.0	167.5
Unintentional Injury	185.0	264.0
Other	170.0	366.5
Total	1,212.5	2,442.0

Source: Minnesota Department of Health, Center for Health Statistics

Grant County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	88.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	5.0	15.5
Heart Disease	25.0	62.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	45.0	55.5
Other	5.0	32.0
Total	197.5	378.5

Source: Minnesota Department of Health, Center for Health Statistics

Hennepin County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	380.0	627.5
Alzheimer's Disease	35.0	153.5
Atherosclerosis	5.0	15.5
Cancer	5,990.0	14,341.0
Cirrhosis	825.0	1,690.5
Congenital Anomalies	1,805.0	2,209.5
Chronic Lower Respiratory Disease	745.0	1,710.0
Diabetes	745.0	1,669.5
Heart Disease	2,770.0	5,836.5
Homicide	1,527.5	1,968.5
Hypertension	230.0	596.5
Nephritis	320.0	779.0
Perinatal Conditions	2,375.0	2,774.0
Pneumonia and Influenza	157.5	285.5
Septicemia	160.0	394.0
SIDS	375.0	438.0
Stroke	700.0	1,632.5
Suicide	2,650.0	3,859.0
Unintentional Injury	5,182.5	7,648.0
Other	4,865.0	9,384.0
Total	31,842.5	58,012.5

Source: Minnesota Department of Health, Center for Health Statistics

Houston County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	205.0	342.5
Cirrhosis	20.0	41.0
Congenital Anomalies	45.0	55.5
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	5.0	21.0
Heart Disease	25.0	94.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	45.0	55.5
Unintentional Injury	267.5	351.5
Other	30.0	67.5
Total	782.5	1,237.5

Source: Minnesota Department of Health, Center for Health Statistics

Hubbard County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	70.0	274.0
Cirrhosis	5.0	15.5
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	20.0	68.5
Diabetes	15.0	25.5
Heart Disease	85.0	159.5
Homicide	80.0	101.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	45.0	55.5
Unintentional Injury	50.0	82.0
Other	115.0	248.0
Total	552.5	1,151.0

Source: Minnesota Department of Health, Center for Health Statistics

Isanti County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	16.5
Atherosclerosis	0.0	0.0
Cancer	275.0	615.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	53.0
Diabetes	0.0	11.0
Heart Disease	50.0	125.0
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	10.0	42.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	20.0	41.0
Unintentional Injury	425.0	572.5
Other	80.0	170.5
Total	930.0	1,754.5

Source: Minnesota Department of Health, Center for Health Statistics

Itasca County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	275.0	718.0
Cirrhosis	30.0	51.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	36.5
Heart Disease	180.0	441.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	41.0
Septicemia	10.0	42.0
SIDS	0.0	0.0
Stroke	70.0	128.5
Suicide	135.0	235.0
Unintentional Injury	265.0	418.0
Other	330.0	584.5
Total	1,355.0	2,759.0

Source: Minnesota Department of Health, Center for Health Statistics

Jackson County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	185.0
Cirrhosis	0.0	0.0
Congenital Anomalies	25.0	35.5
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	5.5
Heart Disease	5.0	37.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	50.0	71.0
Unintentional Injury	50.0	92.0
Other	122.5	186.0
Total	367.5	664.5

Source: Minnesota Department of Health, Center for Health Statistics

Kanabec County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	140.5
Cirrhosis	0.0	5.5
Congenital Anomalies	55.0	65.5
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	5.0	15.5
Heart Disease	45.0	136.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	31.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	47.5
Suicide	35.0	72.0
Unintentional Injury	105.0	136.5
Other	65.0	118.5
Total	400.0	816.0

Source: Minnesota Department of Health, Center for Health Statistics

Kandiyohi County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	250.0	600.0
Cirrhosis	20.0	62.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	50.0	103.0
Heart Disease	95.0	239.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	10.0	36.5
Perinatal Conditions	125.0	146.0
Pneumonia and Influenza	5.0	21.0
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	60.0	81.0
Suicide	0.0	0.0
Unintentional Injury	277.5	403.5
Other	65.0	139.5
Total	1,092.5	2,025.0

Source: Minnesota Department of Health, Center for Health Statistics

Kittson County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	5.0	76.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	35.0	45.5
Unintentional Injury	30.0	51.0
Other	67.5	105.0
Total	152.5	314.0

Source: Minnesota Department of Health, Center for Health Statistics

Koochiching County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	136.0
Cirrhosis	30.0	51.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	16.5
Diabetes	0.0	5.5
Heart Disease	20.0	95.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	30.0	51.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	25.0	67.5
Suicide	60.0	81.0
Unintentional Injury	95.0	153.0
Other	60.0	124.0
Total	365.0	780.5

Source: Minnesota Department of Health, Center for Health Statistics

Lac Qui Parle County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	95.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	45.0	82.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	75.0	117.5
Other	40.0	98.5
Total	257.5	498.0

Source: Minnesota Department of Health, Center for Health Statistics

Lake County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	57.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	0.0	11.0
Homicide	0.0	0.0
Hypertension	5.0	15.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	0.0	0.0
Unintentional Injury	50.0	71.0
Other	15.0	25.5
Total	100.0	211.5

Source: Minnesota Department of Health, Center for Health Statistics

Lake of the Woods County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	45.0	179.0
Cirrhosis	20.0	41.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	20.0	41.0
Heart Disease	60.0	107.5
Homicide	0.0	0.0
Hypertension	5.0	21.0
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	62.5	73.0
Stroke	10.0	31.0
Suicide	5.0	15.5
Unintentional Injury	0.0	5.5
Other	40.0	109.5
Total	335.0	734.5

Source: Minnesota Department of Health, Center for Health Statistics

Le Sueur County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	160.0	481.0
Cirrhosis	10.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	45.0	103.0
Heart Disease	95.0	185.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	25.0	35.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	45.0	61.0
Other	110.0	216.0
Total	617.5	1,304.0

Source: Minnesota Department of Health, Center for Health Statistics

Lincoln County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	67.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	20.0	63.0
Homicide	0.0	0.0
Hypertension	15.0	25.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	15.0	25.5
Other	40.0	72.0
Total	115.0	259.0

Source: Minnesota Department of Health, Center for Health Statistics

Lyon County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	120.0	274.5
Cirrhosis	40.0	61.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	0.0	5.5
Heart Disease	25.0	78.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	65.0	96.5
Suicide	0.0	0.0
Unintentional Injury	122.5	159.5
Other	250.0	376.5
Total	632.5	1,099.5

Source: Minnesota Department of Health, Center for Health Statistics

Mahnomon County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	130.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	5.0	15.5
Heart Disease	20.0	57.5
Homicide	35.0	56.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	25.0	35.5
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	0.0	0.0
Unintentional Injury	50.0	71.0
Other	30.0	67.5
Total	302.5	563.5

Source: Minnesota Department of Health, Center for Health Statistics

Marshall County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	156.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	5.0	26.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	25.0	35.5
Unintentional Injury	40.0	61.0
Other	45.0	82.0
Total	170.0	382.0

Source: Minnesota Department of Health, Center for Health Statistics

Martin County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	237.5
Cirrhosis	30.0	51.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	0.0	5.5
Heart Disease	85.0	175.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	40.0	61.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	62.5	73.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	95.0	126.5
Unintentional Injury	165.0	244.0
Other	182.5	268.0
Total	715.0	1,273.5

Source: Minnesota Department of Health, Center for Health Statistics

McLeod County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	190.0	515.5
Cirrhosis	40.0	82.0
Congenital Anomalies	20.0	41.0
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	5.0	37.5
Heart Disease	50.0	151.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	5.0	21.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	35.0	87.5
Suicide	85.0	122.0
Unintentional Injury	195.0	268.5
Other	100.0	259.0
Total	812.5	1,742.5

Source: Minnesota Department of Health, Center for Health Statistics

Meeker County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	205.0	406.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	5.0	26.5
Heart Disease	65.0	145.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	115.0	152.0
Unintentional Injury	160.0	255.0
Other	222.5	333.5
Total	787.5	1,387.0

Source: Minnesota Department of Health, Center for Health Statistics

Mille Lacs County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	230.0	556.5
Cirrhosis	20.0	41.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	15.0	42.0
Diabetes	35.0	51.0
Heart Disease	145.0	325.5
Homicide	45.0	55.5
Hypertension	0.0	11.0
Nephritis	0.0	5.5
Perinatal Conditions	117.5	138.5
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	20.0	46.5
Suicide	100.0	142.0
Unintentional Injury	422.5	564.5
Other	365.0	572.5
Total	1,582.5	2,646.0

Source: Minnesota Department of Health, Center for Health Statistics

Morrison County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	135.0	353.0
Cirrhosis	5.0	15.5
Congenital Anomalies	67.5	88.5
Chronic Lower Respiratory Disease	10.0	42.0
Diabetes	15.0	25.5
Heart Disease	90.0	233.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	200.0	284.0
Unintentional Injury	145.0	224.0
Other	282.5	446.5
Total	965.0	1,770.0

Source: Minnesota Department of Health, Center for Health Statistics

Mower County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	85.0	341.5
Cirrhosis	40.0	66.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	63.0
Diabetes	5.0	21.0
Heart Disease	50.0	189.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	242.5	284.5
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	75.0	106.5
Unintentional Injury	275.0	348.5
Other	147.5	259.0
Total	945.0	1,711.5

Source: Minnesota Department of Health, Center for Health Statistics

Murray County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	52.0
Cirrhosis	0.0	0.0
Congenital Anomalies	97.5	118.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	5.0	15.5
Heart Disease	5.0	21.0
Homicide	25.0	35.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	30.0	51.0
Unintentional Injury	0.0	5.5
Other	70.0	165.0
Total	247.5	480.5

Source: Minnesota Department of Health, Center for Health Statistics

Nicollet County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	165.0	376.5
Cirrhosis	0.0	0.0
Congenital Anomalies	200.0	252.5
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	45.0	98.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	20.0	41.0
Suicide	95.0	126.5
Unintentional Injury	152.5	184.0
Other	227.5	350.0
Total	915.0	1,476.5

Source: Minnesota Department of Health, Center for Health Statistics

Nobles County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	40.0	125.0
Cirrhosis	10.0	31.0
Congenital Anomalies	15.0	25.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	0.0	27.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	15.0	25.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	62.5	73.0
Stroke	5.0	21.0
Suicide	30.0	51.0
Unintentional Injury	85.0	143.0
Other	80.0	192.5
Total	357.5	746.0

Source: Minnesota Department of Health, Center for Health Statistics

Norman County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	50.0	119.5
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	25.0	62.0
Heart Disease	35.0	72.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	25.0	35.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	5.0	32.0
Total	180.0	414.0

Source: Minnesota Department of Health, Center for Health Statistics

Olmsted County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	40.0	61.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	0.0
Cancer	685.0	1,680.0
Cirrhosis	85.0	175.0
Congenital Anomalies	292.5	376.5
Chronic Lower Respiratory Disease	35.0	175.5
Diabetes	10.0	42.0
Heart Disease	250.0	575.5
Homicide	107.5	128.5
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	312.5	365.0
Pneumonia and Influenza	77.5	115.0
Septicemia	10.0	31.0
SIDS	0.0	0.0
Stroke	70.0	156.0
Suicide	450.0	618.0
Unintentional Injury	480.0	695.5
Other	540.0	969.0
Total	3,445.0	6,180.0

Source: Minnesota Department of Health, Center for Health Statistics

Otter Tail County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	15.0	31.0
Atherosclerosis	0.0	5.5
Cancer	315.0	829.5
Cirrhosis	20.0	52.0
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	0.0	71.5
Diabetes	45.0	66.5
Heart Disease	210.0	540.0
Homicide	35.0	45.5
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	16.5
Suicide	105.0	168.5
Unintentional Injury	225.0	362.5
Other	70.0	198.0
Total	1,165.0	2,544.0

Source: Minnesota Department of Health, Center for Health Statistics

Pennington County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	10.0	36.5
Atherosclerosis	0.0	0.0
Cancer	85.0	196.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	15.0	31.0
Heart Disease	60.0	129.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	15.0	25.5
Unintentional Injury	130.0	204.0
Other	15.0	42.0
Total	350.0	722.0

Source: Minnesota Department of Health, Center for Health Statistics

Pine County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	115.0	356.0
Cirrhosis	60.0	102.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	20.0	57.5
Diabetes	15.0	57.5
Heart Disease	125.0	305.5
Homicide	0.0	0.0
Hypertension	15.0	52.0
Nephritis	15.0	31.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	5.0	21.0
Suicide	125.0	183.0
Unintentional Injury	385.0	532.5
Other	327.5	566.0
Total	1,275.0	2,363.5

Source: Minnesota Department of Health, Center for Health Statistics

Pipestone County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	30.0	105.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	26.5
Diabetes	0.0	0.0
Heart Disease	5.0	15.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	30.0	51.0
Unintentional Injury	100.0	147.5
Other	130.0	198.5
Total	300.0	549.5

Source: Minnesota Department of Health, Center for Health Statistics

Polk County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	140.0	434.5
Cirrhosis	15.0	25.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	40.0	87.5
Diabetes	30.0	67.5
Heart Disease	130.0	311.0
Homicide	0.0	0.0
Hypertension	35.0	45.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	21.0
Septicemia	67.5	94.0
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	150.0	192.0
Unintentional Injury	395.0	585.5
Other	217.5	393.0
Total	1,240.0	2,299.0

Source: Minnesota Department of Health, Center for Health Statistics

Pope County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	175.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	36.5
Diabetes	0.0	5.5
Heart Disease	5.0	32.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	11.0
Suicide	25.0	41.0
Unintentional Injury	20.0	41.0
Other	85.0	143.0
Total	250.0	500.5

Source: Minnesota Department of Health, Center for Health Statistics

Ramsey County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	40.0	87.5
Alzheimer's Disease	25.0	62.0
Atherosclerosis	0.0	0.0
Cancer	2,885.0	6,844.0
Cirrhosis	305.0	611.5
Congenital Anomalies	682.5	867.0
Chronic Lower Respiratory Disease	325.0	816.5
Diabetes	285.0	641.0
Heart Disease	1,307.5	2,929.0
Homicide	557.5	715.5
Hypertension	40.0	137.0
Nephritis	80.0	251.0
Perinatal Conditions	1,062.5	1,241.0
Pneumonia and Influenza	307.5	460.5
Septicemia	175.0	312.5
SIDS	312.5	365.0
Stroke	452.5	850.5
Suicide	1,090.0	1,610.5
Unintentional Injury	1,797.5	2,704.0
Other	2,700.0	4,981.0
Total	14,430.0	26,487.0

Source: Minnesota Department of Health, Center for Health Statistics

Red Lake County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	35.0	77.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	35.0	72.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	25.0	35.5
Unintentional Injury	35.0	45.5
Other	45.0	55.5
Total	175.0	297.0

Source: Minnesota Department of Health, Center for Health Statistics

Redwood County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	115.0	291.0
Cirrhosis	10.0	31.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	20.0	57.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	32.0
Suicide	0.0	5.5
Unintentional Injury	110.0	152.0
Other	50.0	98.5
Total	372.5	751.5

Source: Minnesota Department of Health, Center for Health Statistics

Renville County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	165.0	346.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	20.0	52.0
Diabetes	35.0	72.0
Heart Disease	30.0	120.5
Homicide	62.5	73.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	65.0	96.5
Unintentional Injury	157.5	199.5
Other	45.0	135.0
Total	657.5	1,215.5

Source: Minnesota Department of Health, Center for Health Statistics

Rice County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	11.0
Atherosclerosis	0.0	11.0
Cancer	245.0	580.0
Cirrhosis	60.0	123.0
Congenital Anomalies	35.0	45.5
Chronic Lower Respiratory Disease	82.5	136.0
Diabetes	25.0	73.0
Heart Disease	155.0	341.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	11.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	15.0	31.0
Septicemia	40.0	66.5
SIDS	0.0	0.0
Stroke	25.0	46.5
Suicide	125.0	162.0
Unintentional Injury	310.0	436.0
Other	155.0	272.5
Total	1,335.0	2,419.0

Source: Minnesota Department of Health, Center for Health Statistics

Rock County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	170.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	35.0	66.5
Heart Disease	50.0	82.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	30.0	51.0
Suicide	0.0	5.5
Unintentional Injury	110.0	173.0
Other	20.0	41.0
Total	330.0	657.0

Source: Minnesota Department of Health, Center for Health Statistics

Roseau County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	65.0	171.5
Cirrhosis	5.0	21.0
Congenital Anomalies	62.5	73.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	15.0	25.5
Heart Disease	40.0	104.0
Homicide	45.0	55.5
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	60.0	81.0
Unintentional Injury	160.0	202.0
Other	5.0	32.0
Total	525.0	854.0

Source: Minnesota Department of Health, Center for Health Statistics

Scott County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	5.0	15.5
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	602.5	1,324.0
Cirrhosis	0.0	5.5
Congenital Anomalies	125.0	146.0
Chronic Lower Respiratory Disease	15.0	74.0
Diabetes	15.0	57.5
Heart Disease	305.0	586.0
Homicide	70.0	91.0
Hypertension	40.0	87.5
Nephritis	0.0	16.5
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	25.0	67.5
Suicide	295.0	410.5
Unintentional Injury	365.0	581.0
Other	310.0	685.5
Total	2,365.0	4,399.0

Source: Minnesota Department of Health, Center for Health Statistics

Sherburne County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	400.0	921.0
Cirrhosis	25.0	41.0
Congenital Anomalies	140.0	171.5
Chronic Lower Respiratory Disease	50.0	103.0
Diabetes	15.0	31.0
Heart Disease	185.0	429.5
Homicide	62.5	73.0
Hypertension	0.0	11.0
Nephritis	0.0	11.0
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	40.0	61.0
Septicemia	10.0	36.5
SIDS	0.0	0.0
Stroke	40.0	77.5
Suicide	345.0	498.0
Unintentional Injury	430.0	645.5
Other	265.0	500.0
Total	2,382.5	4,048.5

Source: Minnesota Department of Health, Center for Health Statistics

Sibley County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	60.0	182.5
Cirrhosis	15.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	5.5
Heart Disease	30.0	99.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	36.5
Suicide	100.0	142.0
Unintentional Injury	195.0	268.5
Other	10.0	58.5
Total	492.5	923.5

Source: Minnesota Department of Health, Center for Health Statistics

St. Louis County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	15.0	36.5
Atherosclerosis	0.0	0.0
Cancer	885.0	2,575.5
Cirrhosis	285.0	544.0
Congenital Anomalies	157.5	199.5
Chronic Lower Respiratory Disease	130.0	441.0
Diabetes	160.0	409.5
Heart Disease	790.0	1,920.0
Homicide	75.0	106.5
Hypertension	0.0	16.5
Nephritis	132.5	212.5
Perinatal Conditions	367.5	430.5
Pneumonia and Influenza	90.0	186.0
Septicemia	20.0	63.0
SIDS	125.0	146.0
Stroke	160.0	345.5
Suicide	355.0	560.0
Unintentional Injury	1,072.5	1,603.5
Other	1,310.0	2,516.0
Total	6,145.0	12,337.5

Source: Minnesota Department of Health, Center for Health Statistics

Stearns County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	680.0	1,691.0
Cirrhosis	50.0	92.0
Congenital Anomalies	187.5	219.0
Chronic Lower Respiratory Disease	25.0	154.5
Diabetes	30.0	99.5
Heart Disease	350.0	723.0
Homicide	97.5	118.5
Hypertension	5.0	26.5
Nephritis	0.0	11.0
Perinatal Conditions	187.5	219.0
Pneumonia and Influenza	0.0	0.0
Septicemia	10.0	31.0
SIDS	187.5	219.0
Stroke	90.0	159.5
Suicide	500.0	715.5
Unintentional Injury	607.5	892.5
Other	355.0	737.5
Total	3,362.5	6,114.5

Source: Minnesota Department of Health, Center for Health Statistics

Steele County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	16.5
Atherosclerosis	0.0	0.0
Cancer	105.0	339.5
Cirrhosis	10.0	31.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	15.5
Diabetes	15.0	31.0
Heart Disease	130.0	268.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	5.5
SIDS	62.5	73.0
Stroke	10.0	42.0
Suicide	85.0	137.5
Unintentional Injury	202.5	287.0
Other	187.5	325.5
Total	812.5	1,583.0

Source: Minnesota Department of Health, Center for Health Statistics

Stevens County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	45.0	125.0
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	0.0	11.0
Diabetes	0.0	0.0
Heart Disease	25.0	88.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	25.0	35.5
Suicide	45.0	55.5
Unintentional Injury	105.0	157.5
Other	100.0	142.0
Total	355.0	646.0

Source: Minnesota Department of Health, Center for Health Statistics

Swift County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	15.5
Atherosclerosis	0.0	0.0
Cancer	10.0	86.0
Cirrhosis	20.0	41.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	10.0	31.0
Diabetes	0.0	5.5
Heart Disease	25.0	83.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	15.0	25.5
Unintentional Injury	135.0	166.5
Other	5.0	26.5
Total	240.0	506.0

Source: Minnesota Department of Health, Center for Health Statistics

Todd County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	5.0	21.0
Atherosclerosis	0.0	0.0
Cancer	167.5	381.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	15.0	36.5
Diabetes	15.0	36.5
Heart Disease	115.0	226.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	5.5
Septicemia	5.0	21.0
SIDS	0.0	0.0
Stroke	0.0	0.0
Suicide	55.0	86.5
Unintentional Injury	200.0	289.5
Other	95.0	211.5
Total	677.5	1,336.5

Source: Minnesota Department of Health, Center for Health Statistics

Traverse County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	36.5
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	0.0	0.0
Heart Disease	45.0	82.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	0.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	25.5
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	5.0	21.0
Total	142.5	249.0

Source: Minnesota Department of Health, Center for Health Statistics

Wabasha County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	100.0	265.5
Cirrhosis	0.0	0.0
Congenital Anomalies	5.0	15.5
Chronic Lower Respiratory Disease	40.0	93.0
Diabetes	15.0	25.5
Heart Disease	90.0	250.0
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	40.0	61.0
Unintentional Injury	185.0	264.0
Other	107.5	192.5
Total	597.5	1,198.0

Source: Minnesota Department of Health, Center for Health Statistics

Wadena County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	80.0	213.5
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	5.5
Chronic Lower Respiratory Disease	5.0	32.0
Diabetes	15.0	42.0
Heart Disease	30.0	89.5
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	11.0
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	5.0	15.5
Septicemia	5.0	15.5
SIDS	0.0	0.0
Stroke	25.0	41.0
Suicide	70.0	91.0
Unintentional Injury	75.0	106.5
Other	80.0	180.5
Total	457.5	943.0

Source: Minnesota Department of Health, Center for Health Statistics

Waseca County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	80.0	282.0
Cirrhosis	5.0	15.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	5.0	21.0
Diabetes	0.0	0.0
Heart Disease	20.0	74.0
Homicide	0.0	0.0
Hypertension	0.0	5.5
Nephritis	0.0	5.5
Perinatal Conditions	62.5	73.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	35.0	51.0
Unintentional Injury	210.0	273.0
Other	15.0	42.0
Total	437.5	858.0

Source: Minnesota Department of Health, Center for Health Statistics

Washington County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	5.5
Atherosclerosis	0.0	0.0
Cancer	1,110.0	2,681.5
Cirrhosis	125.0	257.0
Congenital Anomalies	277.5	351.0
Chronic Lower Respiratory Disease	80.0	187.0
Diabetes	70.0	155.0
Heart Disease	430.0	929.0
Homicide	180.0	264.0
Hypertension	10.0	36.5
Nephritis	5.0	48.5
Perinatal Conditions	375.0	438.0
Pneumonia and Influenza	100.0	147.5
Septicemia	30.0	94.0
SIDS	0.0	0.0
Stroke	120.0	312.0
Suicide	590.0	821.0
Unintentional Injury	717.5	1,064.5
Other	960.0	1,763.0
Total	5,180.0	9,555.0

Source: Minnesota Department of Health, Center for Health Statistics

Watsonwan County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	65.0	192.5
Cirrhosis	0.0	0.0
Congenital Anomalies	62.5	78.5
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	0.0
Heart Disease	20.0	57.5
Homicide	40.0	61.0
Hypertension	0.0	0.0
Nephritis	5.0	15.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	15.0	31.0
Suicide	25.0	35.5
Unintentional Injury	290.0	374.0
Other	82.5	125.0
Total	605.0	970.5

Source: Minnesota Department of Health, Center for Health Statistics

Wilkin County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	15.0	74.0
Cirrhosis	0.0	0.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	5.5
Diabetes	20.0	41.0
Heart Disease	40.0	77.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	15.0	25.5
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	0.0	5.5
Suicide	0.0	0.0
Unintentional Injury	0.0	0.0
Other	40.0	72.0
Total	130.0	301.0

Source: Minnesota Department of Health, Center for Health Statistics

Winona County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	5.5
Cancer	290.0	684.0
Cirrhosis	0.0	5.5
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	25.0	73.0
Diabetes	10.0	36.5
Heart Disease	215.0	444.0
Homicide	15.0	25.5
Hypertension	0.0	0.0
Nephritis	0.0	5.5
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	15.0	25.5
SIDS	0.0	0.0
Stroke	15.0	52.0
Suicide	165.0	238.5
Unintentional Injury	350.0	455.0
Other	140.0	315.5
Total	1,240.0	2,366.0

Source: Minnesota Department of Health, Center for Health Statistics

Wright County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	15.0	25.5
Alzheimer's Disease	5.0	26.5
Atherosclerosis	0.0	0.0
Cancer	490.0	1,251.5
Cirrhosis	45.0	76.5
Congenital Anomalies	150.0	181.5
Chronic Lower Respiratory Disease	20.0	100.5
Diabetes	105.0	174.0
Heart Disease	205.0	498.0
Homicide	0.0	0.0
Hypertension	25.0	73.0
Nephritis	0.0	0.0
Perinatal Conditions	420.0	493.5
Pneumonia and Influenza	0.0	11.0
Septicemia	20.0	41.0
SIDS	0.0	0.0
Stroke	35.0	94.0
Suicide	245.0	387.0
Unintentional Injury	410.0	604.5
Other	355.0	664.5
Total	2,545.0	4,702.5

Source: Minnesota Department of Health, Center for Health Statistics

Yellow Medicine County - YPLL to Age 65 and 75, 2010

Cause	Years of Potential Life Lost	
	YPLL 65	YPLL 75
AIDS/HIV	0.0	0.0
Alzheimer's Disease	0.0	0.0
Atherosclerosis	0.0	0.0
Cancer	25.0	100.5
Cirrhosis	5.0	21.0
Congenital Anomalies	0.0	0.0
Chronic Lower Respiratory Disease	0.0	0.0
Diabetes	0.0	5.5
Heart Disease	55.0	97.5
Homicide	0.0	0.0
Hypertension	0.0	0.0
Nephritis	0.0	0.0
Perinatal Conditions	0.0	0.0
Pneumonia and Influenza	0.0	0.0
Septicemia	0.0	0.0
SIDS	0.0	0.0
Stroke	5.0	15.5
Suicide	0.0	0.0
Unintentional Injury	5.0	15.5
Other	15.0	46.5
Total	110.0	302.0

Source: Minnesota Department of Health, Center for Health Statistics

Major Causes of Death	ICD-10 Codes
AIDS/HIV	B20-B24
Alzheimer's Disease	G30
Atherosclerosis	I70
Cancer [Malignant Neoplasms]	C00-C97
Chronic Lower Respiratory Disease	J40-J47
Cirrhosis	K70, K73-K74
Congenital Anomalies	Q00-Q99
Diabetes	E10-E14
Heart Disease	I00-I09, I11, I13, I20-I51
Homicide	X85-Y09, Y87.1
Hypertension	I10, I12
Nephritis	N00-N07, N17-N19, N25-N27
Perinatal Conditions	P00-P96
Pneumonia & Influenza	J10-J18
Septicemia	A40-A41
SIDS	R95
Stroke [Cerebrovascular Disease]	I60-I69
Suicide	X60-X84, Y87.0
Unintentional Injury	V01-X59, Y85-Y86
Other	All Other ICD10 Codes

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2010

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	132	1,955	2,087	29	82	111	45	554	599
Aitkin	0	11	11	0	0	0	0	1	1
Anoka	11	105	116	1	2	3	5	44	49
Becker	1	10	11	0	0	0	0	3	3
Beltrami	1	19	20	0	2	2	2	3	5
Benton	1	15	16	0	1	1	0	3	3
Big Stone	0	3	3	0	0	0	0	0	0
Blue Earth	4	14	18	1	3	4	1	6	7
Brown	1	6	7	0	0	0	0	2	2
Carlton	1	18	19	0	0	0	1	8	9
Carver	1	31	32	0	0	0	3	4	7
Cass	1	16	17	0	0	0	0	0	0
Chippewa	0	6	6	0	0	0	0	0	0
Chisago	1	25	26	0	0	0	0	4	4
Clay	0	22	22	0	1	1	1	4	5
Clearwater	1	3	4	1	0	1	0	1	1
Cook	0	3	3	0	0	0	0	1	1
Cottonwood	0	2	2	0	0	0	0	2	2
Crow Wing	0	27	27	0	0	0	1	5	6
Dakota	8	131	139	0	6	6	1	40	41
Dodge	0	3	3	0	0	0	0	3	3
Douglas	2	11	13	0	0	0	0	2	2
Faribault	1	10	11	0	0	0	0	2	2
Fillmore	1	18	19	0	0	0	0	1	1
Freeborn	0	13	13	0	0	0	0	4	4
Goodhue	1	31	32	0	0	0	0	5	5
Grant	1	2	3	0	0	0	0	1	1
Hennepin	24	445	469	11	31	42	6	116	122
Houston	3	11	14	0	0	0	0	2	2
Hubbard	0	9	9	1	1	2	1	2	3
Isanti	3	15	18	0	1	1	0	2	2
Itasca	1	26	27	0	0	0	0	10	10
Jackson	0	5	5	0	0	0	0	3	3
Kanabec	0	6	6	0	0	0	0	4	4
Kandiyohi	2	18	20	0	0	0	0	0	0
Kittson	0	2	2	0	0	0	0	1	1
Koochiching	1	6	7	0	0	0	0	2	2
Lac Qui Parle	0	8	8	0	0	0	0	0	0
Lake	0	3	3	0	0	0	0	1	1
Lake of the Woods	0	3	3	0	0	0	0	0	0
Le Sueur	1	7	8	0	1	1	0	1	1
Lincoln	0	2	2	0	0	0	0	0	0
Lyon	1	7	8	0	0	0	0	0	0
McLeod	2	17	19	0	0	0	0	6	6
Mahnomen	0	2	2	0	3	3	0	0	0
Marshall	0	5	5	0	0	0	0	1	1
Martin	2	12	14	0	0	0	0	3	3
Meeker	1	15	16	0	0	0	1	3	4
Mille Lacs	4	15	19	1	0	1	0	4	4

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2010

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	132	1,955	2,087	29	82	111	45	554	599
Morrison	1	12	13	0	0	0	1	7	8
Mower	3	12	15	0	0	0	0	4	4
Murray	0	3	3	0	1	1	0	2	2
Nicollet	1	5	6	0	0	0	0	4	4
Nobles	0	8	8	0	0	0	0	2	2
Norman	0	0	0	0	0	0	0	0	0
Olmsted	0	41	41	2	0	2	2	15	17
Otter Tail	1	31	32	0	1	1	0	8	8
Pennington	0	11	11	0	0	0	0	1	1
Pine	2	19	21	0	0	0	1	6	7
Pipestone	0	7	7	0	0	0	0	2	2
Polk	2	22	24	0	0	0	1	3	4
Pope	0	3	3	0	0	0	0	2	2
Ramsey	5	163	168	7	10	17	5	48	53
Red Lake	0	1	1	0	0	0	0	1	1
Redwood	0	9	9	0	0	0	0	1	1
Renville	1	7	8	1	0	1	0	3	3
Rice	2	18	20	0	0	0	1	4	5
Rock	0	12	12	0	0	0	0	1	1
Roseau	1	7	8	0	1	1	0	2	2
St. Louis	5	100	105	0	3	3	0	22	22
Scott	1	32	33	0	2	2	3	8	11
Sherburne	2	32	34	1	0	1	1	15	16
Sibley	3	8	11	0	0	0	0	4	4
Stearns	2	40	42	1	1	2	1	22	23
Steele	2	9	11	0	0	0	0	5	5
Stevens	0	6	6	0	0	0	0	1	1
Swift	3	3	6	0	0	0	0	1	1
Todd	1	9	10	0	0	0	0	4	4
Traverse	0	0	0	0	0	0	0	0	0
Wabasha	1	14	15	0	0	0	0	2	2
Wadena	0	7	7	0	0	0	1	1	2
Waseca	2	6	8	0	0	0	0	3	3
Washington	2	47	49	1	7	8	5	17	22
Watonwan	0	11	11	0	2	2	0	1	1
Wilkin	0	1	1	0	0	0	0	0	0
Winona	5	10	15	0	1	1	0	7	7
Wright	1	32	33	0	0	0	0	15	15
Yellow Medicine	0	3	3	0	0	0	0	0	0
Aitkin, Itasca and Koochiching	2	43	45	0	0	0	0	13	13
Beltrami, Clearwater, Hubbard and Lake of the Woods	2	34	36	2	3	5	3	6	9
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	3	23	26	0	0	0	0	1	1
Brown and Nicollet	2	11	13	0	0	0	0	6	6

Mortality Table 3a: Number of Fatal Unintentional Injuries, Homicides and Suicides in Minnesota by State and County, 2010

	Unintentional Injury			Homicide			Suicide		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	132	1,955	2,087	29	82	111	45	554	599
Carlton, Cook, Lake and St. Louis	6	124	130	0	3	3	1	32	33
Cottonwood and Jackson	0	7	7	0	0	0	0	5	5
Clay and Wilkin	0	23	23	0	1	1	1	4	5
Douglas, Grant, Pope, Stevens and Traverse	3	22	25	0	0	0	0	6	6
Dodge and Steele	2	12	14	0	0	0	0	8	8
Fillmore and Houston	4	29	33	0	0	0	0	3	3
Faribault and Martin	3	22	25	0	0	0	0	5	5
Isanti and Mille Lacs	7	30	37	1	1	2	0	6	6
Kittson, Marshall, Pennington, Red Lake and Roseau	1	26	27	0	1	1	0	6	6
Kanabec and Pine	2	25	27	0	0	0	1	10	11
Lincoln, Lyon, Murray, Pipestone and Rock	1	31	32	0	1	1	0	5	5
Le Sueur and Waseca	3	13	16	0	1	1	0	4	4
Meeker, McCleod and Sibley	6	40	46	0	0	0	1	13	14
Mahnomen and Norman	0	2	2	0	3	3	0	0	0
Morrison, Todd and Wadena	2	28	30	0	0	0	2	12	14
Redwood and Renville	1	16	17	1	0	1	0	4	4

Source: Minnesota Department of Health, Center for Health Statistics

For more data on deaths in Minnesota go the Minnesota Vital Statistics Interactive Queries Website:

<https://pqc.health.state.mn.us/mhsq/index.jsp>

ICD-10 Codes:

Fatal Unintentional Injury: V01-X59, Y85-Y86

Homicide: X85-Y09, Y87.1

Suicide: X60-X84, Y87.0

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2010

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	2	782	784	59	400	459	9	49	58
Aitkin	0	1	1	0	3	3	0	1	1
Anoka	0	37	37	4	24	28	2	0	2
Becker	0	0	0	0	5	5	0	0	0
Beltrami	0	2	2	0	6	6	0	1	1
Benton	0	5	5	1	3	4	0	0	0
Big Stone	0	0	0	0	0	0	0	0	0
Blue Earth	0	3	3	3	6	9	1	0	1
Brown	0	1	1	1	2	3	0	0	0
Carlton	1	7	8	0	3	3	0	1	1
Carver	0	18	18	1	6	7	0	0	0
Cass	0	4	4	0	5	5	1	1	2
Chippewa	0	3	3	0	1	1	0	0	0
Chisago	0	12	12	0	4	4	0	0	0
Clay	0	4	4	0	5	5	0	0	0
Clearwater	0	0	0	0	1	1	0	0	0
Cook	0	1	1	0	1	1	0	0	0
Cottonwood	0	0	0	0	0	0	0	0	0
Crow Wing	0	8	8	0	8	8	0	0	0
Dakota	0	65	65	4	15	19	1	4	5
Dodge	0	1	1	0	2	2	0	0	0
Douglas	0	4	4	1	5	6	0	0	0
Faribault	0	4	4	0	1	1	0	0	0
Fillmore	0	12	12	0	2	2	0	0	0
Freeborn	0	7	7	0	2	2	0	0	0
Goodhue	0	24	24	0	4	4	0	0	0
Grant	0	1	1	1	1	2	0	0	0
Hennepin	0	228	228	4	40	44	1	10	11
Houston	0	5	5	3	3	6	0	0	0
Hubbard	0	3	3	0	4	4	0	0	0
Isanti	0	3	3	3	8	11	0	0	0
Itasca	0	4	4	0	6	6	0	0	0
Jackson	0	1	1	0	3	3	0	0	0
Kanabec	0	1	1	0	3	3	0	0	0
Kandiyohi	0	4	4	0	7	7	0	0	0
Kittson	0	0	0	0	2	2	0	0	0
Koochiching	0	3	3	0	0	0	0	0	0
Lac Qui Parle	0	2	2	0	2	2	0	0	0
Lake	0	1	1	0	1	1	0	0	0
Lake of the Woods	0	1	1	0	0	0	0	0	0
Le Sueur	0	4	4	1	1	2	0	0	0
Lincoln	0	1	1	0	0	0	0	0	0
Lyon	0	3	3	0	3	3	0	0	0
McLeod	0	10	10	2	4	6	0	0	0
Mahnomen	0	0	0	0	1	1	0	0	0
Marshall	0	1	1	0	3	3	0	0	0
Martin	0	3	3	2	6	8	0	0	0
Meeker	0	6	6	0	2	2	0	0	0
Mille Lacs	0	6	6	2	4	6	1	0	1

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2010

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	2	782	784	59	400	459	9	49	58
Morrison	0	3	3	0	2	2	0	0	0
Mower	0	4	4	2	3	5	0	0	0
Murray	0	1	1	0	1	1	0	0	0
Nicollet	0	2	2	0	1	1	0	1	1
Nobles	0	2	2	0	4	4	0	1	1
Norman	0	0	0	0	0	0	0	0	0
Olmsted	0	14	14	0	9	9	0	2	2
Otter Tail	0	14	14	1	7	8	0	0	0
Pennington	0	3	3	0	5	5	0	0	0
Pine	0	4	4	1	6	7	0	2	2
Pipestone	0	2	2	0	4	4	0	0	0
Polk	0	3	3	1	11	12	0	1	1
Pope	0	1	1	0	1	1	0	0	0
Ramsey	0	65	65	0	22	22	1	2	3
Red Lake	0	0	0	0	0	0	0	0	0
Redwood	0	1	1	0	3	3	0	0	0
Renville	0	3	3	0	1	1	0	0	0
Rice	0	6	6	2	5	7	0	0	0
Rock	0	2	2	0	4	4	0	0	0
Roseau	0	1	1	0	3	3	0	0	0
St. Louis	0	50	50	1	13	14	0	1	1
Scott	0	8	8	1	12	13	0	1	1
Sherburne	0	10	10	2	5	7	0	5	5
Sibley	0	4	4	2	3	5	0	0	0
Stearns	1	12	13	0	13	13	0	1	1
Steele	0	1	1	1	4	5	0	1	1
Stevens	0	2	2	0	3	3	0	0	0
Swift	0	2	2	3	1	4	0	0	0
Todd	0	2	2	1	4	5	0	0	0
Traverse	0	0	0	0	0	0	0	0	0
Wabasha	0	7	7	1	2	3	0	1	1
Wadena	0	3	3	0	0	0	0	0	0
Waseca	0	1	1	2	2	4	0	0	0
Washington	0	18	18	0	8	8	1	1	2
Watonwan	0	1	1	0	8	8	0	0	0
Wilkin	0	1	1	0	0	0	0	0	0
Winona	0	4	4	5	2	7	0	0	0
Wright	0	10	10	0	9	9	0	2	2
Yellow Medicine	0	1	1	0	1	1	0	0	0
Aitkin, Itasca and Koochiching	0	8	8	0	9	9	0	1	1
Beltrami, Clearwater, Hubbard and Lake of the Woods	0	6	6	0	11	11	0	1	1
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	0	8	8	3	5	8	0	0	0
Brown and Nicollet	0	3	3	1	3	4	0	1	1

Mortality Table 3b: Number of Fatal Fall, Motor Vehicle and Pedestrian Injuries in Minnesota by State and County, 2010

	Falls			Motor Vehicle			Pedestrian		
	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages	Under 20 Years	20 Years and Older	All Ages
State of Minnesota	2	782	784	59	400	459	9	49	58
Carlton, Cook, Lake and St. Louis	1	59	60	1	18	19	0	2	2
Cottonwood and Jackson	0	1	1	0	3	3	0	0	0
Clay and Wilkin	0	5	5	0	5	5	0	0	0
Douglas, Grant, Pope, Stevens and Traverse	0	8	8	2	10	12	0	0	0
Dodge and Steele	0	2	2	1	6	7	0	1	1
Fillmore and Houston	0	17	17	3	5	8	0	0	0
Faribault and Martin	0	7	7	2	7	9	0	0	0
Isanti and Mille Lacs	0	9	9	5	12	17	1	0	1
Kittson, Marshall, Pennington, Red Lake and Roseau	0	5	5	0	13	13	0	0	0
Kanabec and Pine	0	5	5	1	9	10	0	2	2
Lincoln, Lyon, Murray, Pipestone and Rock	0	9	9	0	12	12	0	0	0
Le Sueur and Waseca	0	5	5	3	3	6	0	0	0
Meeker, McCleod and Sibley	0	20	20	4	9	13	0	0	0
Mahnomen and Norman	0	0	0	0	1	1	0	0	0
Morrison, Todd and Wadena	0	8	8	1	6	7	0	0	0
Redwood and Renville	0	4	4	0	4	4	0	0	0

Source: Minnesota Department of Health Center for Health Statistics

For more data on deaths in Minnesota go the Minnesota Vital Statistics Interactive Queries Website:

<https://pqc.health.state.mn.us/mhsq/index.jsp>

ICD-10 Codes:

Motor Vehicle Injury (non-pedestrian): V02 – V04 (.0,.2-.8), V09 (.0,.1,.3-.8), V12 – V14, V19.0 – V19.2, V19.4 – V19.6, V20 – V79, V80.3 – V80.5, V81.0 – V81.1, V82.0 – V82.1, V83 – V86, V87.0 – V87.8, V88.0 – V88.8, V89.0, V89.2

Pedestrian: V02-V04 (.1,.9), V09.2

Falls: W00-W19

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	17	0.1%	1,918	14.3%	1,282	9.0%	1,241	9.3%
Aitkin	0	0.0%	10	17.5%	10	12.3%	3	5.3%
Anoka	1	0.1%	73	11.9%	69	9.7%	58	9.4%
Becker	0	0.0%	8	9.0%	12	10.2%	8	9.0%
Beltrami	0	0.0%	7	6.8%	13	9.4%	10	9.7%
Benton	0	0.0%	19	15.2%	10	9.4%	7	5.6%
Big Stone	0	0.0%	5	21.7%	3	10.3%	2	8.7%
Blue Earth	0	0.0%	20	12.6%	12	8.8%	12	7.5%
Brown	0	0.0%	14	16.1%	11	10.3%	11	12.6%
Carlton	0	0.0%	17	13.3%	11	8.7%	9	7.0%
Carver	0	0.0%	29	19.5%	9	6.1%	8	5.4%
Cass	0	0.0%	12	10.4%	10	8.3%	12	10.4%
Chippewa	0	0.0%	7	17.5%	5	13.2%	1	2.5%
Chisago	0	0.0%	15	13.3%	6	4.6%	6	5.3%
Clay	1	0.8%	18	15.3%	12	9.6%	9	7.6%
Clearwater	0	0.0%	4	15.4%	2	6.5%	4	15.4%
Cook	0	0.0%	2	9.1%	3	12.0%	1	4.5%
Cottonwood	0	0.0%	12	22.6%	2	4.7%	4	7.5%
Crow Wing	0	0.0%	22	11.5%	19	7.3%	18	9.4%
Dakota	2	0.3%	129	16.8%	66	8.5%	80	10.4%
Dodge	0	0.0%	7	14.0%	4	6.9%	5	10.0%
Douglas	0	0.0%	13	11.2%	13	10.7%	8	6.9%
Faribault	0	0.0%	10	15.2%	4	6.3%	2	3.0%
Fillmore	0	0.0%	19	23.5%	12	14.0%	13	16.0%
Freeborn	0	0.0%	21	16.9%	14	11.4%	18	14.5%
Goodhue	0	0.0%	19	11.8%	10	7.0%	13	8.1%
Grant	0	0.0%	5	14.3%	1	2.9%	2	5.7%
Hennepin	3	0.1%	439	15.0%	236	8.7%	262	9.0%
Houston	0	0.0%	5	8.8%	8	12.3%	2	3.5%
Hubbard	1	1.2%	11	15.5%	6	7.3%	6	8.5%
Isanti	1	1.1%	14	16.7%	8	9.1%	5	6.0%
Itasca	1	0.5%	14	9.7%	17	8.9%	12	8.3%
Jackson	0	0.0%	1	3.7%	5	13.2%	2	7.4%
Kanabec	1	1.9%	10	19.6%	4	7.4%	1	2.0%
Kandiyohi	0	0.0%	11	10.8%	17	14.8%	16	15.7%
Kittson	0	0.0%	3	21.4%	5	20.8%	0	0.0%
Koochiching	0	0.0%	4	6.9%	6	7.3%	11	19.0%
Lac Qui Parle	0	0.0%	6	17.6%	5	15.2%	2	5.9%
Lake	0	0.0%	4	9.8%	3	6.5%	1	2.4%
Lake of the Woods	0	0.0%	1	7.7%	4	19.0%	2	15.4%
Le Sueur	0	0.0%	5	8.5%	4	4.3%	8	13.6%
Lincoln	0	0.0%	5	14.7%	4	14.3%	6	17.6%
Lyon	0	0.0%	13	14.9%	4	5.1%	7	8.0%
McLeod	1	1.1%	15	17.4%	11	11.7%	10	11.6%
Mahnomen	0	0.0%	3	20.0%	3	15.8%	0	0.0%
Marshall	0	0.0%	4	13.3%	5	12.5%	3	10.0%
Martin	0	0.0%	16	18.8%	2	2.5%	7	8.2%
Meeker	0	0.0%	7	9.6%	11	14.9%	5	6.8%
Mille Lacs	0	0.0%	12	17.1%	9	8.7%	3	4.3%
Morrison	0	0.0%	17	15.7%	14	12.5%	11	10.2%
Mower	0	0.0%	23	17.2%	13	9.0%	9	6.7%

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Murray	0	0.0%	6	21.4%	5	15.2%	1	3.6%
Nicollet	0	0.0%	7	9.1%	7	8.2%	7	9.1%
Nobles	0	0.0%	3	4.6%	8	12.3%	11	16.9%
Norman	0	0.0%	4	12.5%	6	14.3%	1	3.1%
Olmsted	1	0.3%	43	14.2%	18	5.6%	25	8.3%
Otter Tail	1	0.5%	19	11.0%	19	8.7%	25	14.5%
Pennington	0	0.0%	5	10.4%	3	7.0%	6	12.5%
Pine	0	0.0%	15	16.0%	9	6.9%	5	5.3%
Pipestone	0	0.0%	9	22.5%	8	14.8%	6	15.0%
Polk	0	0.0%	17	20.0%	8	7.6%	10	11.8%
Pope	0	0.0%	3	5.6%	6	11.5%	9	16.7%
Ramsey	1	0.1%	174	13.3%	126	9.2%	111	8.5%
Red Lake	0	0.0%	2	15.4%	1	5.0%	2	15.4%
Redwood	0	0.0%	8	13.1%	4	6.1%	9	14.8%
Renville	0	0.0%	14	23.0%	5	7.5%	3	4.9%
Rice	0	0.0%	22	15.6%	15	9.0%	16	11.3%
Rock	0	0.0%	9	28.1%	5	10.6%	3	9.4%
Roseau	0	0.0%	3	7.5%	4	8.3%	6	15.0%
St. Louis	0	0.0%	76	10.4%	73	9.6%	71	9.7%
Scott	0	0.0%	36	18.4%	25	11.1%	19	9.7%
Sherburne	0	0.0%	24	15.8%	12	8.9%	11	7.2%
Sibley	0	0.0%	7	18.4%	2	5.0%	4	10.5%
Stearns	1	0.3%	44	15.8%	29	7.9%	27	9.7%
Steele	0	0.0%	16	19.8%	9	8.2%	10	12.3%
Stevens	0	0.0%	7	28.0%	3	8.8%	2	8.0%
Swift	0	0.0%	7	16.7%	2	4.4%	8	19.0%
Todd	0	0.0%	12	15.8%	17	18.7%	11	14.5%
Traverse	0	0.0%	0	0.0%	5	23.8%	4	25.0%
Wabasha	0	0.0%	8	13.3%	12	13.8%	6	10.0%
Wadena	0	0.0%	7	13.7%	4	6.5%	7	13.7%
Waseca	0	0.0%	8	15.7%	6	10.5%	7	13.7%
Washington	0	0.0%	86	18.0%	33	6.8%	37	7.8%
Watonwan	0	0.0%	6	16.2%	2	4.4%	2	5.4%
Wilkin	0	0.0%	3	11.1%	2	8.7%	3	11.1%
Winona	0	0.0%	18	13.8%	18	11.9%	10	7.7%
Wright	1	0.4%	26	11.5%	22	9.5%	27	11.9%
Yellow Medicine	0	0.0%	4	7.8%	2	4.3%	4	7.8%
Aitkin, Itasca and Koochiching	1	0.3%	28	10.8%	33	9.3%	26	10.0%
Beltrami, Clearwater, Hubbard and Lake of the Woods	1	0.4%	23	10.8%	25	9.2%	22	10.3%
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	0	0.0%	29	15.3%	17	8.9%	17	8.9%
Brown and Nicollet	0	0.0%	21	12.8%	18	9.4%	18	11.0%
Carlton, Cook, Lake and St. Louis	0	0.0%	99	10.7%	90	9.4%	82	8.9%
Cottonwood and Jackson	0	0.0%	13	16.3%	7	8.6%	6	7.5%
Clay and Wilkin	1	0.7%	21	14.5%	14	9.5%	12	8.3%
Douglas, Grant, Pope, Stevens and Traverse	0	0.0%	28	11.4%	28	10.6%	25	10.2%

Mortality Table 4a: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Breast				Colon and Rectum			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Dodge and Steele	0	0.0%	23	17.6%	13	7.7%	15	11.5%
Fillmore and Houston	0	0.0%	24	17.4%	20	13.2%	15	10.9%
Faribault and Martin	0	0.0%	26	17.2%	6	4.1%	9	6.0%
Isanti and Mille Lacs	1	0.5%	26	16.9%	17	8.9%	8	5.2%
Kittson, Marshall, Pennington, Red Lake and Roseau	0	0.0%	17	11.7%	18	10.3%	17	11.7%
Kanabec and Pine	1	0.5%	25	17.2%	13	7.0%	6	4.1%
Lincoln, Lyon, Murray, Pipestone and Rock	0	0.0%	42	19.0%	26	10.8%	23	10.4%
Le Sueur and Waseca	0	0.0%	13	11.8%	10	6.7%	15	13.6%
Meeker, McCleod and Sibley	1	0.5%	29	14.7%	24	11.5%	19	9.6%
Mahnomen and Norman	0	0.0%	7	14.9%	9	14.8%	1	2.1%
Morrison, Todd and Wadena	0	0.0%	36	15.3%	35	13.2%	29	12.3%
Redwood and Renville	0	0.0%	22	18.0%	9	6.8%	12	9.8%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2006, 2007 and 2008.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Breast C50.0 - C50.6, C50.8 - C50.9
 Colon and Rectum C18 - C20, C26.0

For more Minnesota data on cancer by county go to:

[MDH Minnesota Public Health Data Access](#)

[MDH Minnesota Cancer Surveillance System, 2011 MN Cancer Facts and Figures](#)

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	3,876	27.2%	3,317	24.7%	1,528	10.7%	0	0.0%
Aitkin	22	27.2%	18	31.6%	13	16.0%	0	0.0%
Anoka	221	31.0%	183	29.8%	44	6.2%	0	0.0%
Becker	28	23.7%	26	29.2%	13	11.0%	0	0.0%
Beltrami	50	36.0%	33	32.0%	11	7.9%	0	0.0%
Benton	27	25.5%	28	22.4%	7	6.6%	0	0.0%
Big Stone	7	24.1%	7	30.4%	4	13.8%	0	0.0%
Blue Earth	37	27.0%	43	27.0%	16	11.7%	0	0.0%
Brown	24	22.4%	15	17.2%	12	11.2%	0	0.0%
Carlton	41	32.3%	31	24.2%	12	9.4%	0	0.0%
Carver	36	24.5%	35	23.5%	19	12.9%	0	0.0%
Cass	47	38.8%	35	30.4%	13	10.7%	0	0.0%
Chippewa	9	23.7%	6	15.0%	5	13.2%	0	0.0%
Chisago	47	36.2%	33	29.2%	14	10.8%	0	0.0%
Clay	35	28.0%	33	28.0%	10	8.0%	0	0.0%
Clearwater	13	41.9%	3	11.5%	3	9.7%	0	0.0%
Cook	6	24.0%	7	31.8%	2	8.0%	0	0.0%
Cottonwood	9	20.9%	7	13.2%	6	14.0%	0	0.0%
Crow Wing	70	27.0%	62	32.3%	28	10.8%	0	0.0%
Dakota	220	28.5%	190	24.7%	65	8.4%	0	0.0%
Dodge	24	41.4%	11	22.0%	4	6.9%	0	0.0%
Douglas	33	27.0%	29	25.0%	16	13.1%	0	0.0%
Faribault	22	34.4%	22	33.3%	7	10.9%	0	0.0%
Fillmore	16	18.6%	10	12.3%	10	11.6%	0	0.0%
Freeborn	34	27.6%	32	25.8%	20	16.3%	0	0.0%
Goodhue	44	30.8%	33	20.5%	24	16.8%	0	0.0%
Grant	12	35.3%	9	25.7%	3	8.8%	0	0.0%
Hennepin	685	25.1%	717	24.5%	285	10.5%	0	0.0%
Houston	21	32.3%	15	26.3%	7	10.8%	0	0.0%
Hubbard	25	30.5%	15	21.1%	12	14.6%	0	0.0%
Isanti	23	26.1%	15	17.9%	11	12.5%	0	0.0%
Itasca	53	27.9%	38	26.4%	18	9.5%	0	0.0%
Jackson	13	34.2%	5	18.5%	0	0.0%	0	0.0%
Kanabec	19	35.2%	14	27.5%	7	13.0%	0	0.0%
Kandiyohi	35	30.4%	21	20.6%	17	14.8%	0	0.0%
Kittson	8	33.3%	3	21.4%	2	8.3%	0	0.0%
Koochiching	23	28.0%	15	25.9%	16	19.5%	0	0.0%
Lac Qui Parle	12	36.4%	4	11.8%	4	12.1%	0	0.0%
Lake	13	28.3%	11	26.8%	5	10.9%	0	0.0%
Lake of the Woods	3	14.3%	5	38.5%	2	9.5%	0	0.0%
Le Sueur	25	27.2%	20	33.9%	12	13.0%	0	0.0%
Lincoln	11	39.3%	2	5.9%	3	10.7%	0	0.0%
Lyon	22	28.2%	24	27.6%	12	15.4%	0	0.0%
McLeod	25	26.6%	17	19.8%	7	7.4%	0	0.0%
Mahnomen	8	42.1%	7	46.7%	2	10.5%	0	0.0%
Marshall	8	20.0%	7	23.3%	6	15.0%	0	0.0%
Martin	24	29.6%	16	18.8%	10	12.3%	0	0.0%
Meeker	18	24.3%	17	23.3%	4	5.4%	0	0.0%
Mille Lacs	30	29.1%	18	25.7%	12	11.7%	0	0.0%
Morrison	30	26.8%	26	24.1%	8	7.1%	0	0.0%
Mower	42	29.0%	33	24.6%	16	11.0%	0	0.0%

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Murray	8	24.2%	6	21.4%	6	18.2%	0	0.0%
Nicollet	26	30.6%	14	18.2%	11	12.9%	0	0.0%
Nobles	18	27.7%	13	20.0%	4	6.2%	0	0.0%
Norman	9	21.4%	9	28.1%	7	16.7%	0	0.0%
Olmsted	73	22.8%	70	23.2%	36	11.3%	0	0.0%
Otter Tail	63	28.8%	37	21.4%	25	11.4%	0	0.0%
Pennington	12	27.9%	11	22.9%	7	16.3%	0	0.0%
Pine	41	31.3%	25	26.6%	14	10.7%	0	0.0%
Pipestone	13	24.1%	4	10.0%	3	5.6%	0	0.0%
Polk	28	26.7%	15	17.6%	9	8.6%	0	0.0%
Pope	13	25.0%	13	24.1%	3	5.8%	0	0.0%
Ramsey	344	25.1%	334	25.5%	135	9.9%	0	0.0%
Red Lake	3	15.0%	4	30.8%	5	25.0%	0	0.0%
Redwood	15	22.7%	10	16.4%	18	27.3%	0	0.0%
Renville	19	28.4%	9	14.8%	11	16.4%	0	0.0%
Rice	48	28.7%	30	21.3%	15	9.0%	0	0.0%
Rock	10	21.3%	5	15.6%	5	10.6%	0	0.0%
Roseau	9	18.8%	12	30.0%	10	20.8%	0	0.0%
St. Louis	213	28.1%	184	25.2%	86	11.4%	0	0.0%
Scott	51	22.7%	52	26.5%	19	8.4%	0	0.0%
Sherburne	34	25.2%	44	28.9%	17	12.6%	0	0.0%
Sibley	8	20.0%	8	21.1%	7	17.5%	0	0.0%
Stearns	103	28.1%	73	26.3%	45	12.3%	0	0.0%
Steele	35	31.8%	17	21.0%	13	11.8%	0	0.0%
Stevens	8	23.5%	4	16.0%	1	2.9%	0	0.0%
Swift	14	31.1%	6	14.3%	8	17.8%	0	0.0%
Todd	30	33.0%	18	23.7%	9	9.9%	0	0.0%
Traverse	3	14.3%	6	37.5%	3	14.3%	0	0.0%
Wabasha	25	28.7%	20	33.3%	7	8.0%	0	0.0%
Wadena	13	21.0%	9	17.6%	7	11.3%	0	0.0%
Waseca	9	15.8%	12	23.5%	9	15.8%	0	0.0%
Washington	120	24.6%	115	24.1%	63	12.9%	0	0.0%
Watonwan	10	22.2%	6	16.2%	7	15.6%	0	0.0%
Wilkin	6	26.1%	10	37.0%	4	17.4%	0	0.0%
Winona	47	31.1%	31	23.8%	11	7.3%	0	0.0%
Wright	72	31.2%	59	26.0%	23	10.0%	0	0.0%
Yellow Medicine	12	26.1%	16	31.4%	6	13.0%	0	0.0%
Aitkin, Itasca and Koochiching	98	27.8%	71	27.4%	47	13.3%	0	0.0%
Beltrami, Clearwater, Hubbard and Lake of the Woods	91	33.3%	56	26.3%	28	10.3%	0	0.0%
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	54	28.3%	39	20.5%	27	14.1%	0	0.0%
Brown and Nicollet	50	26.0%	29	17.7%	23	12.0%	0	0.0%
Carlton, Cook, Lake and St. Louis	273	28.6%	233	25.3%	105	11.0%	0	0.0%
Cottonwood and Jackson	22	27.2%	12	15.0%	6	7.4%	0	0.0%
Clay and Wilkin	41	27.7%	43	29.7%	14	9.5%	0	0.0%
Douglas, Grant, Pope, Stevens and Traverse	69	26.2%	61	24.8%	26	9.9%	0	0.0%

Mortality Table 4b: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Lung				Prostate			
	Men		Women		Men		Women	
	Number	Percent*	Number	Percent^	Number	Percent*	Number	Percent^
Dodge and Steele	59	35.1%	28	21.4%	17	10.1%	0	0.0%
Fillmore and Houston	37	24.5%	25	18.1%	17	11.3%	0	0.0%
Faribault and Martin	46	31.7%	38	25.2%	17	11.7%	0	0.0%
Isanti and Mille Lacs	53	27.7%	33	21.4%	23	12.0%	0	0.0%
Kittson, Marshall, Pennington, Red Lake and Roseau	40	22.9%	37	25.5%	30	17.1%	0	0.0%
Kanabec and Pine	60	32.4%	39	26.9%	21	11.4%	0	0.0%
Lincoln, Lyon, Murray, Pipestone and Rock	64	26.7%	41	18.6%	29	12.1%	0	0.0%
Le Sueur and Waseca	34	22.8%	32	29.1%	21	14.1%	0	0.0%
Meeker, McCleod and Sibley	51	24.5%	42	21.3%	18	8.7%	0	0.0%
Mahnomen and Norman	17	27.9%	16	34.0%	9	14.8%	0	0.0%
Morrison, Todd and Wadena	73	27.5%	53	22.6%	24	9.1%	0	0.0%
Redwood and Renville	34	25.6%	19	15.6%	29	21.8%	0	0.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2006, 2007 and 2008.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Lung C34.0 - C34.3, C34.8 - C34.9

Prostate C61

For more Minnesota data on cancer by county go to:

[MDH Minnesota Public Health Data Access](#)

[MDH Minnesota Cancer Surveillance System, 2011 MN Cancer Facts and Figures](#)

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
State of Minnesota	7,554	53.0%	6,939	51.7%	14,257	100%	13,415	100%
Aitkin	36	44.4%	26	45.6%	81	100%	57	100%
Anoka	377	52.9%	300	48.9%	712	100%	614	100%
Becker	65	55.1%	47	52.8%	118	100%	89	100%
Beltrami	65	46.8%	53	51.5%	139	100%	103	100%
Benton	62	58.5%	71	56.8%	106	100%	125	100%
Big Stone	15	51.7%	9	39.1%	29	100%	23	100%
Blue Earth	72	52.6%	84	52.8%	137	100%	159	100%
Brown	60	56.1%	47	54.0%	107	100%	87	100%
Carlton	63	49.6%	71	55.5%	127	100%	128	100%
Carver	83	56.5%	77	51.7%	147	100%	149	100%
Cass	51	42.1%	56	48.7%	121	100%	115	100%
Chippewa	19	50.0%	26	65.0%	38	100%	40	100%
Chisago	63	48.5%	59	52.2%	130	100%	113	100%
Clay	67	53.6%	58	49.2%	125	100%	118	100%
Clearwater	13	41.9%	15	57.7%	31	100%	26	100%
Cook	14	56.0%	12	54.5%	25	100%	22	100%
Cottonwood	26	60.5%	30	56.6%	43	100%	53	100%
Crow Wing	142	54.8%	90	46.9%	259	100%	192	100%
Dakota	419	54.3%	371	48.2%	772	100%	770	100%
Dodge	26	44.8%	27	54.0%	58	100%	50	100%
Douglas	60	49.2%	66	56.9%	122	100%	116	100%
Faribault	31	48.4%	32	48.5%	64	100%	66	100%
Fillmore	48	55.8%	39	48.1%	86	100%	81	100%
Freeborn	55	44.7%	53	42.7%	123	100%	124	100%
Goodhue	65	45.5%	96	59.6%	143	100%	161	100%
Grant	18	52.9%	19	54.3%	34	100%	35	100%
Hennepin	1,518	55.7%	1,504	51.5%	2,727	100%	2,922	100%
Houston	29	44.6%	35	61.4%	65	100%	57	100%
Hubbard	38	46.3%	39	54.9%	82	100%	71	100%
Isanti	45	51.1%	50	59.5%	88	100%	84	100%
Itasca	101	53.2%	80	55.6%	190	100%	144	100%
Jackson	20	52.6%	19	70.4%	38	100%	27	100%
Kanabec	23	42.6%	26	51.0%	54	100%	51	100%
Kandiyohi	46	40.0%	54	52.9%	115	100%	102	100%
Kittson	9	37.5%	8	57.1%	24	100%	14	100%
Koochiching	37	45.1%	28	48.3%	82	100%	58	100%
Lac Qui Parle	12	36.4%	22	64.7%	33	100%	34	100%
Lake	25	54.3%	25	61.0%	46	100%	41	100%
Lake of the Woods	12	57.1%	5	38.5%	21	100%	13	100%
Le Sueur	51	55.4%	26	44.1%	92	100%	59	100%
Lincoln	10	35.7%	21	61.8%	28	100%	34	100%
Lyon	40	51.3%	43	49.4%	78	100%	87	100%
McLeod	50	53.2%	44	51.2%	94	100%	86	100%
Mahnomen	6	31.6%	5	33.3%	19	100%	15	100%
Marshall	21	52.5%	16	53.3%	40	100%	30	100%
Martin	45	55.6%	46	54.1%	81	100%	85	100%
Meeker	41	55.4%	44	60.3%	74	100%	73	100%
Mille Lacs	52	50.5%	37	52.9%	103	100%	70	100%
Morrison	60	53.6%	54	50.0%	112	100%	108	100%
Mower	74	51.0%	69	51.5%	145	100%	134	100%

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
Murray	14	42.4%	15	53.6%	33	100%	28	100%
Nicollet	41	48.2%	49	63.6%	85	100%	77	100%
Nobles	35	53.8%	38	58.5%	65	100%	65	100%
Norman	20	47.6%	18	56.3%	42	100%	32	100%
Olmsted	192	60.0%	164	54.3%	320	100%	302	100%
Otter Tail	111	50.7%	92	53.2%	219	100%	173	100%
Pennington	21	48.8%	26	54.2%	43	100%	48	100%
Pine	67	51.1%	49	52.1%	131	100%	94	100%
Pipestone	30	55.6%	21	52.5%	54	100%	40	100%
Polk	60	57.1%	43	50.6%	105	100%	85	100%
Pope	30	57.7%	29	53.7%	52	100%	54	100%
Ramsey	764	55.8%	689	52.7%	1,370	100%	1,308	100%
Red Lake	11	55.0%	5	38.5%	20	100%	13	100%
Redwood	29	43.9%	34	55.7%	66	100%	61	100%
Renville	32	47.8%	35	57.4%	67	100%	61	100%
Rice	89	53.3%	73	51.8%	167	100%	141	100%
Rock	27	57.4%	15	46.9%	47	100%	32	100%
Roseau	25	52.1%	19	47.5%	48	100%	40	100%
St. Louis	385	50.9%	400	54.7%	757	100%	731	100%
Scott	130	57.8%	89	45.4%	225	100%	196	100%
Sherburne	72	53.3%	73	48.0%	135	100%	152	100%
Sibley	23	57.5%	19	50.0%	40	100%	38	100%
Stearns	189	51.5%	134	48.2%	367	100%	278	100%
Steele	53	48.2%	38	46.9%	110	100%	81	100%
Stevens	22	64.7%	12	48.0%	34	100%	25	100%
Swift	21	46.7%	21	50.0%	45	100%	42	100%
Todd	35	38.5%	35	46.1%	91	100%	76	100%
Traverse	10	47.6%	6	37.5%	21	100%	16	100%
Wabasha	43	49.4%	26	43.3%	87	100%	60	100%
Wadena	38	61.3%	28	54.9%	62	100%	51	100%
Waseca	33	57.9%	24	47.1%	57	100%	51	100%
Washington	271	55.6%	239	50.1%	487	100%	477	100%
Watsonwan	26	57.8%	23	62.2%	45	100%	37	100%
Wilkin	11	47.8%	11	40.7%	23	100%	27	100%
Winona	75	49.7%	71	54.6%	151	100%	130	100%
Wright	113	48.9%	115	50.7%	231	100%	227	100%
Yellow Medicine	26	56.5%	27	52.9%	46	100%	51	100%
Aitkin, Itasca and Koochiching	174	49.3%	134	51.7%	353	100.0%	259	100.0%
Beltrami, Clearwater, Hubbard and Lake of the Woods	128	46.9%	112	52.6%	273	100.0%	213	100.0%
Big Stone, Chippewa, Lac Qui Parle, Swift and Yellow Medicine	93	48.7%	105	55.3%	191	100.0%	190	100.0%
Brown and Nicollet	101	52.6%	96	58.5%	192	100.0%	164	100.0%
Carlton, Cook, Lake and St. Louis	487	51.0%	508	55.1%	955	100.0%	922	100.0%
Cottonwood and Jackson	46	56.8%	49	61.3%	81	100.0%	80	100.0%
Clay and Wilkin	78	52.7%	69	47.6%	148	100.0%	145	100.0%
Douglas, Grant, Pope, Stevens and Traverse	140	53.2%	132	53.7%	263	100.0%	246	100.0%

Mortality Table 4c: Number and Percent of Cancer Deaths by Type of Cancer Site and Sex in Minnesota by State and County, 2006-2008*

	Other				Total			
	Men		Women		Men		Women	
	Number	Percent^	Number	Percent^	Number	Percent*	Number	Percent^
Dodge and Steele	79	47.0%	65	49.6%	168	100.0%	131	100.0%
Fillmore and Houston	77	51.0%	74	53.6%	151	100.0%	138	100.0%
Faribault and Martin	76	52.4%	78	51.7%	145	100.0%	151	100.0%
Isanti and Mille Lacs	97	50.8%	87	56.5%	191	100.0%	154	100.0%
Kittson, Marshall, Pennington, Red Lake and Roseau	87	49.7%	74	51.0%	175	100.0%	145	100.0%
Kanabec and Pine	90	48.6%	75	51.7%	185	100.0%	145	100.0%
Lincoln, Lyon, Murray, Pipestone and Rock	121	50.4%	115	52.0%	240	100.0%	221	100.0%
Le Sueur and Waseca	84	56.4%	50	45.5%	149	100.0%	110	100.0%
Meeker, McCleod and Sibley	114	54.8%	107	54.3%	208	100.0%	197	100.0%
Mahnomen and Norman	26	42.6%	23	48.9%	61	100.0%	47	100.0%
Morrison, Todd and Wadena	133	50.2%	117	49.8%	265	100.0%	235	100.0%
Redwood and Renville	61	45.9%	69	56.6%	133	100.0%	122	100.0%

Source: Minnesota Department of Health, Minnesota Cancer Surveillance System

**Includes number of deaths for the years 2006, 2007 and 2008.

*Percent = # specific cancers deaths in males for county (or state) / total cancers deaths in males for county (or state)

^Percent = # specific cancers deaths in females for county (or state) / total cancers deaths in females for county (or state)

ICD 10 Codes:

Other All Other Cancers

Total All Cancers Listed as the Underlying Cause of Death

For more Minnesota data on cancer by county go to:

[MDH Minnesota Public Health Data Access](#)

[MDH Minnesota Cancer Surveillance System, 2011 MN Cancer Facts and Figures](#)