

City of South St. Paul Police Department Automated License Plate Reader (ALPR) Biennial Audit Results Report August 11, 2025

At the request of the City of South St. Paul Police Department (SSPPD), LOGIS has conducted the biennial audit of their Automated License Plate Reader (ALPR) System pursuant to Minnesota Statute §13.824 Subd. 6.

Minnesota Statute §13.824 data elements include:

- Data Collection, Classification and Use Restrictions
- Destruction of Data
- Sharing Among Law Enforcement Agencies
- Log of Use Required
- Biennial Audit
- Authorization to Access Data
- Notification to the Bureau of Criminal Apprehension (BCA)

After analysis of the statutory requirements and evaluation of the City of South St. Paul Police Department's management and use of Automated License Plate Reader technology, LOGIS has found the City of South St. Paul Police Department in compliance with Minnesota Statute §13.824 based on the following findings:





Control #	Statute Subd.	Control Objective	Testing Procedure	Testing Result
1	§13.824 Subd.	Data collection;	Reviewed SSPPD Automated License Plate	No exceptions found
	2	classification; use	Reader Policy 422 section on data	
		restrictions	collection and retention.	
			SSPPD provided screen print of sample	
			license plate read from the ALPR system	
			showing proper limited collection of data.	
			SSPPD provided screen print of collected	
			license plate data only being matched with	
			data in the Minnesota license plate data	
			file.	
			SSPPD provided screen print from ALPR	
			systems requiring a search reason and	
			case number.	
			Interviewed SSPPD staff and officers	
			responsible for ALPR system	
			administration.	

P: 763-543-2600

F: 763-543-2699 5750 Duluth Street, Golden Valley, MN 55422-4036 WWW.LOGIS.ORG





Control #	Statute Subd.	Control Objective	Testing Procedure	Testing Result
2	§13.824 Subd. 3	Destruction of data required	Reviewed SSPPD Automated License Plate Reader Policy 422 section on data collection and retention.	No exceptions found
			SSPPD provided screen print from ALPR Systems showing retention settings set to 60 days.	
3	§13.824 Subd. 4	Sharing among law enforcement agencies	Reviewed SSPPD Automated License Plate Reader Policy 422 section on releasing ALPR data.	No exceptions found
			SSPPD provided screen print from ALPR systems requiring a search reason and case number.	
			Interviewed SSPPD staff and officers responsible for ALPR system administration.	
4	§13.824 Subd. 5	Log of use required	Reviewed SSPPD Automated License Plate Reader Policy 422 sections on data collection and retention & log of use.	No exceptions found
			SSPPD provided the most recent public log of use.	
5	§13.824 Subd. 6	Biennial audit	Reviewed SSPPD Automated License Plate Reader Policy 422 section on accountability.	No exceptions found
			Reviewed MN Legislative Reference Library for past audits.	

P: 763-543-2600

F: 763-543-2699 5750 Duluth Street, Golden Valley, MN 55422-4036 WWW.LOGIS.ORG





Control #	Statute Subd.	Control Objective	Testing Procedure	Testing Result
6	§13.824 Subd. 7	Authorization to	Reviewed SSPPD Automated License	No exceptions found
		access data	Plate Reader Policy 422 sections on	
			operations and releasing ALPR data.	
			SSPPD provided screen print from ALPR	
			Systems showing retention settings set	
			to 60 days.	
			Confirmed breaches of personal data	
			are addressed as set forth in the	
			Protected Information	
			Policy (Minn. Stat. § 13.055) per SSPPD	
			ALPR Policy.	
			Interviewed SSPPD staff and officers	
			responsible for ALPR system	
			administration.	
7	§13.824 Subd. 8	Notification to	Reviewed SSPPD Automated License	No exceptions found
		Bureau of Criminal	Plate Reader Policy 422 section on	
		Apprehension	restrictions, notifications and audits.	
			Reviewed SSPPD License Plate Reader	
			listing on Bureau of Criminal	
			Apprehension website.	

P: 763-543-2600

F: 763-543-2699 5750 Duluth Street, Golden Valley, MN 55422-4036 WWW.LOGIS.ORG





The findings in the Automated License Plate Reader Audit are impartial and based on information and documentation provided by the City of South St. Paul Police Department and examined by LOGIS information security staff and management. It demonstrates that the security, public accountability and administration of the SSPPD ALPR program is in compliance with MN Statute §13.824.

Local Government Information Systems (LOGIS) attested this audit on August 11, 2025:

Blake Tyra

LOGIS

Information Security Specialist

Respectfully submitted to the following:

Brian Wicke, City of South St. Paul, Chief of Police Minnesota Commissioner of Administration Legislative Commission on Data Practices and Personal Data Privacy Chairs of Legislative Committees

