This document is made available electronically by the Minnesota Legislative Reference Library as part of an ongoing digital archiving project. http://www.leg.state.mn.us/lrl/lrl.asp

# Minnesota Statewide Quality Reporting and Measurement System:


Appendices to Minnesota Administrative Rules, Chapter 4654

**Minnesota Department of Health** 

August 2012



Division of Health Policy Health Economics Program PO Box 64882 St. Paul, MN 55164-0882 (651) 201-3550 www.health.state.mn.us



## Minnesota Statewide Quality Reporting and Measurement System:

Appendices to Minnesota Administrative Rules, Chapter 4654

## August 2012

For more information, contact: Division of Health Policy Health Economics Program Minnesota Department of Health PO Box 64882 St. Paul, MN 55164-0882 www.health.state.mn.us Phone: (651) 201-3550 Fax: (651) 201-5179 TDD: (651) 201-5797

Upon request, this material will be made available in an alternative format such as large print, Braille or cassette tape. Printed on recycled paper.

## **TABLE OF CONTENTS**

INTROI	DUCTION	5
APPENI	DIX A – REQUIRED PHYSICIAN CLINIC QUALITY MEASURE DATA	7
APPENI	DIX B – REQUIRED HOSPITAL QUALITY MEASURE DATA1	7
	DIX C – REQUIRED AMBULATORY SURGICAL CENTER QUALITY RE DATA4	6
APPENI	DIX D – OTHER STANDARDIZED QUALITY MEASURES5	0
APPENI	DIX E – SUBMISSION SPECIFICATIONS5	2
I.	SUBMISSION REQUIREMENTS FOR PHYSICIAN CLINICS5	2
II.	SUBMISSION REQUIREMENTS FOR HOSPITALS5	7
III.	SUBMISSION REQUIREMENTS FOR AMBULATORY SURGICAL CENTERS6	3

#### **INTRODUCTION**

Minnesota Statutes 62U.02 requires the Commissioner of Health to establish standards for measuring health outcomes and develop a standardized set of measures to assess the quality of health care services offered by health care providers. In addition, Minnesota Statutes 62U.02 requires the Commissioner of Health to issue annual public reports on provider quality using a subset of measures from the standardized set of measures. The Department of Health has contracted with Minnesota Community Measurement (MNCM) to lead a consortium of organizations, including Stratis Health, the Minnesota Medical Association (MMA), the Minnesota Hospital Association (MHA), and the University of Minnesota School of Public Health, to assist in the completion of these tasks.

Measures that will be used for public reporting are identified in Appendices A, B and C. The standardized set of measures are defined in the body of the rule and include the measures identified in Appendices A, B, C, and D. The hospital measures in Appendix B and the ambulatory surgical center measures in Appendix C are defined by the referenced national quality organizations and will likely change over time as modified by the national quality organizations.

### APPENDIX A REQUIRED PHYSICIAN CLINIC QUALITY MEASURE DATA

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and Purpose	Data Elements	Specification Information	
Data Required for Reporting Beginning in January 2013 (2012 Dates of Service) and Every Year Thereafter			
Diabetes			
<ul> <li>Optimal diabetes care (ODC) composite</li> <li>These measures are used to assess the percent of adult patients who have type I or type II diabetes with optimally managed modifiable risk factors: <ul> <li>HbA1c control (less than 8 percent)</li> <li>Low-density lipoprotein (LDL) cholesterol (less than 100 mg/dL)</li> <li>Blood pressure (BP) control (less than 140/90 mm Hg)</li> <li>Daily aspirin use if patient has diagnosis of ischemic vascular disease (IVD) or valid contraindication to aspirin</li> <li>Documented tobacco free</li> </ul> </li> <li>(Urgent Care Centers are not required to submit data on this measure.)</li> </ul>	<ul> <li>Physician clinics must submit the following data for the optimal diabetes care measure and for each of the five component measures: <ul> <li>Patient identification methodology</li> <li>Submit the following two data elements by primary payer type (i.e., private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured): <ul> <li>Denominator:</li> <li>Number of patients meeting the criteria for inclusion in the measure if submitting on the full population</li> </ul> </li> <li>OR <ul> <li>Number of patients in data submission if submitting a sample</li> <li>Numerator: Number of patients meeting the targets in the measure</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> </ul> </li> </ul></li></ul>	Optimal Diabetes Care Specifications, 2013 (01/01/2012 – 12/31/2012 Dates of Service). MN Community Measurement. Revised 08/10/2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform	

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter				
Measure Name and Purpose	Data Elements	Specification Information		
Data Required for Reporting Beginning in January 2013 (2012 Dates of Service) and Every Year Thereafter				
Cardiovascular Conditions				
<ul> <li>Optimal vascular care (OVC) composite</li> <li>These measures are used to assess the percent of adult patients who have ischemic vascular disease (IVD) with optimally managed modifiable risk factors: <ul> <li>Low-density lipoprotein (LDL) cholesterol (less than 100 mg/dL)</li> <li>Blood pressure (BP) control (less than 140/90 mm Hg)</li> <li>Daily aspirin use or contraindication to aspirin</li> <li>Documented tobacco free</li> </ul> </li> <li>(Urgent Care Centers are not required to submit data on this measure.)</li> </ul>	<ul> <li>Physician clinics must submit the following data for the optimal vascular care measure and for each of the four component measures: <ul> <li>Patient identification methodology</li> <li>Submit the following two data elements by primary payer type (i.e., private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured): <ul> <li>Denominator:</li> <li>Number of patients meeting the criteria for inclusion in the measure if submitting on the full population</li> <li>OR</li> <li>Number of patients in data submission if submitting a sample</li> <li>Numerator: Number of patients meeting the targets in the measure</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> </ul> </li> </ul></li></ul>	Optimal Vascular Care Specifications, 2013 (01/01/2012 – 12/31/2012 Dates of Service). MN Community Measurement. Revised 08/10/2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform		

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter				
Measure Name and Purpose	Data Elements	Specification Information		
Data Required for Reporting Beginning in February 2013 (February 1, 2012– January 31, 2013 Dates of Service) and Every Year Thereafter				
Behavioral Health Conditions				
Depression remission at six months This measure is used to assess the percent of adult patients who have major depression or dysthymia who have reached remission at six months (+/- 30 days) after being identified as having an initial PHQ-9 score greater than 9. Remission is identified as a PHQ-9 score less than 5. (Urgent Care Centers are not required to submit data on this measure.)	<ul> <li>Physician clinics must submit the following data for the depression remission at six months measure:</li> <li>Patient identification methodology</li> <li>Submit the following two data elements by three bands of initial PHQ-9 scores (10-14; 15-19; 20 and above):</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> <li>Numerator: Number of patients meeting the targets in the measure</li> <li>Number of patients meeting the exclusion criteria</li> <li>Number of patients for whom a follow-up six month (+/- 30 days) PHQ-9 assessment was not completed.</li> <li>Calculated rate</li> </ul>	Depression Remission at Six Months Specifications, 2013 (02/01/2012 – 01/31/2013 Dates of Service). MN Community Measurement. Revised 08/10/2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform		

Measure Name and Purpose	Data Elements	Specification Information		
Data Required for Reporting Beginning in February 2013 and Every Year Thereafter				
Health Information Technology (HIT)				
Health information technology (HIT) survey This survey is used to assess a physician clinic's adoption and use of Health Information Technology (HIT) in their clinical practice.	Internet-based survey as updated in 2013.	MN Health Information Technology (HIT) Ambulatory Clinic Survey. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us healthreform		

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter				
Measure Name and Purpose	Data Elements	Specification Information		
Data Required for Reporting Beginning in July 2013 (July 1, 2012 – June 30, 2013 Dates of Service) and Every Year Thereafter				
Respiratory Conditions				
<ul> <li>Optimal asthma care (OAC) composite</li> <li>These measures are used to assess the percent of pediatric and adult asthma patients who are receiving optimal care. Optimal care is defined as: <ul> <li>Asthma is well controlled</li> <li>Patient is not at increased risk of exacerbations</li> <li>Patient has a current written asthma action/management plan</li> </ul> </li> <li>(Urgent Care Centers are not required to submit data on this measure.)</li> </ul>	<ul> <li>Physician clinics must submit the following data for the optimal asthma care measure and for each of the three component measures:</li> <li>Patient identification methodology</li> <li>Within two separate age bands, ages 5-17 and 18-50, submit the following two data elements by primary payer type (i.e., private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured):</li> <li>Denominator:</li> </ul>	Optimal Asthma Care Specifications, 2013 (07/01/2012 – 06/30/2013 Dates of Service). MN Community Measurement. Revised 08/10/2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform		

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter				
Measure Name and Purpose	Data Elements	Specification Information		
Data Required for Reporting Beginning in July 2013 (July 1, 2012 – June 30, 2013 Dates of Service) and Every Year Thereafter				
	Number of patients meeting the criteria for inclusion in the measure if submitting on the full population <b>OR</b>			
	Number of patients in data submission if submitting a sample (NOTE: One sample per age band is required for this measure.)			
	<ul> <li>Numerator: Number of patients meeting the targets in the measure</li> </ul>			
	<ul> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> </ul>			
	<ul> <li>Number of patients meeting the exclusion criteria</li> </ul>			
	Calculated rate			
Preventive Care	1			
Colorectal cancer screening This measure is used to assess the percent of adult patients who are up to date with appropriate colorectal cancer screening. The screening methods include: Colonoscopy within ten years Sigmoidoscopy within five years Stool Blood Tests (gFOBT or iFOBT/FIT) within the measurement year	<ul> <li>Physician clinics must submit the following data for the colorectal cancer screening measure:</li> <li>Patient identification methodology</li> <li>Submit the following two data elements by primary payer type (i.e., private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured):</li> <li>Denominator:</li> </ul>	Colorectal Cancer Screening Specifications, 2013 (07/01/2012 – 06/30/2013 Dates of Service). MN Community Measurement. Revised 08/10/2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/		
(Urgent Care Centers are not required to submit data on this	Number of patients meeting the criteria for inclusion in the measure	healthreform		

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and Purpose	Data Elements	Specification Information	
Data Required for Reporting Beginning in July 2013 (July 1, 2012	2 – June 30, 2013 Dates of Service) and Every Year Th	nereafter	
measure.)	<ul> <li>if submitting on the full population OR</li> <li>Number of patients in data submission if submitting a sample</li> <li>Numerator: Number of patients meeting the targets in the measure</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> <li>Number of patients meeting the exclusion criteria</li> <li>Calculated rate</li> </ul>		
Maternity Care			
Primary c-section rate This measure is used to assess the percent of cesarean deliveries for first births. (Urgent Care Centers are not required to submit data on this measure.)	<ul> <li>Physician clinics must submit the following data for the maternity care primary c-section rate measure:</li> <li>Patient identification methodology</li> <li>Submit the following two data elements by primary payer type (i.e., private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured):</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> <li>Numerator: Number of patients meeting the targets in the measure</li> <li>Denominator: Number of patients meeting the targets in the measure</li> </ul>	Primary C-Section Rate Specifications, 2013 (07/01/2012 – 06/30/2013 Dates of Service). MN Community Measurement. Revised 08/10/2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform	

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and Purpose	Data Elements	Specification Information	
Data Required for Reporting Beginning in July 2013 (July 1, 2012 – June 30, 2013 Dates of Service) and Every Year Thereafter			
	<ul> <li>the criteria for inclusion in the measure</li> <li>Number of patients meeting the exclusion criteria</li> <li>Calculated rate</li> </ul>		

Data Required for Reporting Beginning in Calendar Year 2013 and Every Other Year Thereafter				
Measure Name and Purpose	Data Elements	Specification Information		
Data Required for Reporting Beginning in Spring of 2013 (September 1, 2012 – November 30, 2012 Survey Period) and Every Other Year Thereafter				
Patient Experience of Care				
<ul> <li>Patient experience of care survey</li> <li>This survey will be used to assess adult patient experience of care.</li> <li>MDH requires use of the Clinician and Group Consumer</li> <li>Assessment of Healthcare Providers and Systems (CG-CAHPS) visit specific questionnaire.</li> <li>(Physician clinics with less than 715 unique eligible adult patients with face-to-face visits in the three month period from September 1, 2011 – November 30, 2011 are not required to submit data on this measure. Excluded specialties include Psychiatry and Adolescent/Pediatric Medicine.)</li> </ul>	Clinician and Group Consumer Assessment of Healthcare Providers and Systems (CG-CAHPS) visit specific questionnaire.	Patient Experience of Care Survey Specifications. MN Community Measurement. Revised 08/10/2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform		

Measure Name and Purpose	Data Elements	Specification Information		
Data Required for Reporting Beginning in April 2014 (2012 Dates of Service) and Every Year Thereafter				
Total Knee Replacement				
Average post-operative functional status improvement This measure is used to assess the average post-operative functional status improvement at one year post-operatively measured by the Oxford Knee Score tool. (Urgent Care Centers are not required to submit data on this measure.)	This measure will be required for reporting beginning in April 2014. Additional information about the measure, the measure specification and specific reporting requirements will be made available in a future update to Minnesota Administrative Rules, Chapter 4654. This measure is currently undergoing pilot testing.			
Average post-operative quality of life improvement This measure is used to assess the average post-operative quality of life improvement at one year post-operatively measured using the EQ-5D tool. (Urgent Care Centers are not required to submit data on this measure.)	This measure will be required for reporting beginning in April 2014. Additional information about the measure, the measure specification and specific reporting requirements will be made available in a future update to Minnesota Administrative Rules, Chapter 4654. This measure is currently undergoing pilot testing.			

Data Required for Reporting Beginning in Calendar Year 2015 and Every Year Thereafter				
Measure Name and Purpose	Data Elements	Specification Information		
Data Required for Reporting Beginning in Spring of 2015 (2013 Dates of Service) and Every Year Thereafter				
NEW: Spine surgery				
NEW: Lumbar discectomy/laminotomy This measure is used to assess the average change in post-operative functional status improvement at three months post operatively as	sure is used to assess the average change in post-operative			

Data Required for Reporting Beginning in Calendar Year 2015 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Data Required for Reporting Beginning in Spring of 2015 (2013 Dates of Service) and Every Year Thereafter		
measured by the following functional status tools: Oswestry Disability Index (ODI), Visual analog pain scale (VAS), EQ5D self- reported health status, and/or EQ5D health status index.	Rules, Chapter 4654. This measure is currently underg	oing pilot testing.
(Urgent Care Centers are not required to submit data on this measure.)		
NEW: Lumbar spinal fusion This measure is used to assess the average change in post-operative functional status improvement at one year post operatively as measured by the following functional status tools: Oswestry Disability Index (ODI), Visual analog pain scale (VAS), EQ5D self- reported health status, and/or EQ5D health status index.	This measure will be required for reporting beginning in April 2015. Additional information about the measure, the measure specification and specific reporting requirements will be made available in a future update to Minnesota Administrative Rules, Chapter 4654. This measure is currently undergoing pilot testing.	
(Urgent Care Centers are not required to submit data on this measure.)		

### APPENDIX B REQUIRED HOSPITAL QUALITY MEASURE DATA

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	l Every Year Thereafter	
Centers for Medicare & Medicaid Services (CMS) and The Joint	Commission, Hospital Compare Quality Measures	
<ul> <li>Acute myocardial infarction (AMI) – Acute myocardial infarction (AMI) / heart attack process of care measures for applicable hospital discharge dates</li> <li>The hospital process of care measures include the following measures related to heart attack care: <ul> <li>Aspirin prescribed at discharge (AMI-2) – This measure is used to assess the percent of acute myocardial infarction (AMI) patients who are prescribed aspirin at hospital discharge.</li> <li>Fibrinolytic therapy received within 30 minutes of hospital arrival (AMI-7a) – This measure is used to assess the percent of acute myocardial infarction of acute myocardial infarction (AMI) patients with ST-segment elevation or LBBB on the ECG closest to arrival time receiving fibrinolytic therapy during the hospital stay and having a time from hospital arrival to fibrinolysis of 30 minutes or less.</li> </ul> </li> <li>Primary PCI received within 90 minutes of hospital arrival (AMI-8a) – This measure is used to assess the percent of acute myocardial infarction (AMI) patients with ST-segment elevation or LBBB on the ECG closest to arrival (AMI-8a) – This measure is used to assess the percent of acute myocardial infarction (AMI) patients with ST-segment elevation or LBBB on the ECG closest to arrival (AMI-8a) – This measure is used to assess the percent of acute myocardial infarction (AMI) patients with ST-segment elevation or LBBB on the ECG closest to arrival time receiving primary percutaneous coronary intervention (PCI) during the hospital stay with a time from hospital arrival to PCI of 90 minutes or less.</li> </ul>	<ul> <li>All hospitals must submit data for each of the hospital compare acute myocardial infarction (AMI) / heart attack process of care quality measures. This data includes the following information: <ul> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul> </li> </ul>	Specifications Manual for National Hospital Inpatient Quality Measures, Version 4.2, Discharges 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June 2012 or as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	Every Year Thereafter	
<ul> <li>Statin prescribed at discharge (AMI-10) – This measure is used to assess the percent of acute myocardial infarction (AMI) patients who are prescribed a statin at hospital discharge.</li> </ul>		
<ul> <li>Heart failure (HF) – Heart failure (HF) process of care measures for applicable hospital discharge dates</li> <li>The hospital process of care measures include the following measures related to heart failure care:</li> <li>Discharge instructions (HF-1) – This measure is used to assess the percent of heart failure patients discharged home with written instructions or educational material given to patient or caregiver at discharge or during hospital stay addressing all of the following: activity level, diet, discharge medications, follow-up appointment, weight monitoring, and what to do if symptoms worsen.</li> <li>Evaluation of LVS function (HF-2) – This measure is used to assess the percent of heart failure patients with documentation in the hospital record that left ventricular systolic (LVS) function was evaluated before arrival, during hospitalization, or is planned for after discharge.</li> <li>ACEI or ARB for LVSD (HF-3) – This measure is used to assess the percent of heart failure patients with left ventricular systolic dysfunction (LVSD) who are prescribed an ACEI or ARB at hospital discharge. For purposes of this measure, LVSD is defined as chart documentation of a left ventricular ejection fraction (LVEF) less than 40% or a narrative description of left ventricular systolic (LVS) function.</li> </ul>	<ul> <li>All hospitals must submit data for each of the hospital compare heart failure process of care quality measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Specifications Manual for National Hospital Inpatient Quality Measures, Version 4.2, Discharges 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June 2012 or as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	l Every Year Thereafter	
<ul> <li>Pneumonia (PN) – Pneumonia (PN) process of care measures for applicable hospital discharge dates</li> <li>The hospital process of care measures include the following measures related to pneumonia care: <ul> <li>Blood cultures performed in the emergency department prior to initial antibiotic received in hospital (PN-3b) – This measure is used to assess the percent of pneumonia patients whose initial emergency room blood culture specimen was collected prior to first hospital dose of antibiotics. This measure focuses on the treatment provided to Emergency Department patients prior to admission orders.</li> <li>Initial antibiotic selection for community-acquired pneumonia (CAP) in immunocompetent patients (PN-6) – This measure is used to assess the percent of immunocompetent patients with Community-Acquired Pneumonia who receive an initial antibiotic regimen during the first 24 hours that is consistent with current guidelines.</li> </ul> </li> </ul>	<ul> <li>All hospitals must submit data for each of the hospital compare pneumonia process of care quality measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Specifications Manual for National Hospital Inpatient Quality Measures, Version 4.2, Discharges 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June 2012 or as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org
<ul> <li>Surgical care improvement project (SCIP) – Surgical care improvement project (SCIP) process of care measures for applicable hospital discharge dates</li> <li>The hospital process of care measures include the following measures related to surgical care improvement project: <ul> <li>Prophylactic antibiotic received within one hour prior to surgical incision – overall rate (SCIP-Inf-1a) – This measure is used to assess the percent of surgical patients with prophylactic antibiotics initiated within one hour prior to surgical incision. Patients who received vancomycin or a fluoroquinolone for prophylactic antibiotics should have the antibiotics initiated within two hours prior to surgical</li> </ul> </li> </ul>	<ul> <li>All hospitals must submit data for each of the hospital compare surgical care improvement project (SCIP) process of care quality measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Specifications Manual for National Hospital Inpatient Quality Measures, Version 4.2, Discharges 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June 2012 or as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every	Year Thereafter	
incision. Due to the longer infusion time required for vancomycin or a fluoroquinolone, it is acceptable to start these antibiotics within two hours prior to incision time.		website http://qualitynet.org
<ul> <li>Prophylactic antibiotic selection for surgical patients – overall rate (SCIP-Inf-2a) – This measure is used to assess the percent of surgical patients who received prophylactic antibiotics consistent with current guidelines (specific to each type of surgical procedure).</li> </ul>		
<ul> <li>Prophylactic antibiotics discontinued within 24 hours after surgery end time – overall rate (SCIP-Inf-3a) – This measure is used to assess the percent of surgical patients whose prophylactic antibiotics were discontinued within 24 hours after <i>Anesthesia End Time</i>. The Society of Thoracic Surgeons (STS) Practice Guideline for Antibiotic Prophylaxis in Cardiac Surgery (2006) indicates that there is no reason to extend antibiotics beyond 48 hours for cardiac surgery and very explicitly states that antibiotics should not be extended beyond 48 hours even with tubes and drains in place for cardiac surgery.</li> </ul>		
<ul> <li>Cardiac surgery patients with controlled 6 a.m. postoperative blood glucose (SCIP-Inf-4) – This measure is used to assess the percent of cardiac surgery patients with controlled 6 A.M. blood glucose (less than or equal to 200 mg/dL) on postoperative day one (POD 1) and postoperative day two (POD 2) with <i>Anesthesia End Date</i> being postoperative day zero (POD 0).</li> </ul>		
<ul> <li>Urinary catheter removed on postoperative day 1 (POD 1) or postoperative day 2 (POD 2) with day of surgery being day zero (SCIP-Inf-9) – This measure is used to assess the percent of surgical patients with urinary catheter removed on Postoperative Day 1 or Postoperative Day 2 with Surgery</li> </ul>		

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
<ul> <li>being day zero.</li> <li>Surgery patients with perioperative temperature management (SCIP-Inf-10) – This measure is used to assess the percent of surgery patients for whom either active warming was used intraoperatively for the purpose of maintaining normothermia or who had at least one body temperature equal to or greater than 96.8° Fahrenheit/36°Celsius recorded within the 30 minutes immediately prior to or the 15 minutes</li> </ul>		
<ul> <li>immediately after <i>Anesthesia End Time</i>.</li> <li>Surgery patients on beta-blocker therapy prior to arrival who received a beta-blocker during the perioperative period (SCIP-Card-2) – This measure is used to assess the percent of surgery patients on beta-blocker therapy prior to arrival who received a beta-blocker during the perioperative period. The perioperative period for the SCIP Cardiac measures is defined as the day prior to surgery through postoperative day two (POD 2) with day of surgery being day zero.</li> </ul>		
If the postoperative length of stay is $\geq 2$ days, the measure evaluates the administration of more than one dose of a beta- blocker: the day prior to or the day of surgery <b>and</b> on postoperative day one (POD 1) or postoperative day two (POD 2) unless reasons for not administering the medication were documented. If the postoperative length of stay is < 2 days, the measure will evaluate the administration of the beta-blocker on the day prior to or the day of surgery only, unless reasons for not administering the medication were documented.		
<ul> <li>Surgery patients with recommended venous thromboembolism prophylaxis ordered (SCIP-VTE-1) – This measure is used to assess the percent of surgery patients with recommended Venous Thromboembolism (VTE) prophylaxis ordered anytime from hospital arrival to 24</li> </ul>		

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and Purpose	Data Elements	Specification Information	
Measures Required for Reporting Beginning in January 2013 and	Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
<ul> <li>hours after <i>Anesthesia End Time</i>.</li> <li>Surgery patients who received appropriate venous thromboembolism (VTE) prophylaxis within 24 hours prior to surgery to 24 hours after surgery (SCIP-VTE-2) – This measure is used to assess the percent of surgery patients who received appropriate Venous Thromboembolism (VTE) prophylaxis within 24 hours prior to <i>Anesthesia Start Time</i> to 24 hours after <i>Anesthesia End Time</i>.</li> </ul>			
<ul> <li>Home management plan of care given to patient/caregiver (CAC-3) <ul> <li>This measure is used to assess the number of pediatric asthma inpatients with documentation in the medical record that a Home Management Plan of Care (HMPC) document was given to the pediatric asthma patient/caregiver.</li> </ul> </li> <li>The HMPC document addresses all of the following: <ul> <li>Arrangements for follow-up care</li> <li>Environmental control and control of other triggers</li> <li>Method and timing of rescue actions</li> <li>Use of controllers</li> <li>Use of relievers</li> </ul> </li> </ul>	<ul> <li>All hospitals must submit data for the home management plan of care given to patient/caregiver for pediatric asthma (CAC-3) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> <li>Calculated rate</li> </ul>	Specifications Manual for National Hospital Inpatient Quality Measures, Version 4.2, Discharges 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June 2012 or as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org	
<ul> <li>Prevention immunization (PREV-IMM) – Prevention immunization (PREV-IMM) process of care measures for applicable hospital discharge dates</li> <li>The hospital process of care measures include the following measures related to prevention immunization (PREV-IMM):</li> <li>Pneumococcal immunization (PPV23) – overall rate (PREV-IMM-1a) – This measure is used to assess acute care</li> </ul>	<ul> <li>All hospitals must submit data for each of the hospital compare prevention immunization process of care quality measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> </ul>	Specifications Manual for National Hospital Inpatient Quality Measures, Version 4.2, Discharges 01/01/13 (1Q12) through 06/30/13 (2Q12). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June	

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and H	Every Year Thereafter	
<ul> <li>hospitalized inpatients 65 years of age and older AND inpatients aged between 6 and 64 years who are considered high risk and were screened for receipt of 23-valent pneumococcal polysaccharide vaccine (PPV23) and were vaccinated prior to discharge if indicated. The number captures two activities; screening and intervention of vaccine administration when indicated. As a result, patients who had documented contraindications to PPV23, patients who were offered and declined PPV23 and patients who received PPV23 anytime in the past are captured as numerator events.</li> <li>Influenza immunization (PREV-IMM-2) – This measure is used to assess acute care hospitalized inpatients age 6 months and older who were screened for seasonal influenza immunization status and were vaccinated prior to discharge if indicated. The numerator captures two activities: screening and the intervention of vaccine administration when indicated. As a result, patients who were offered and declined the vaccine administration when indicated inpatients age 6 months and older who were screened for seasonal influenza immunization status and were vaccinated prior to discharge if indicated. The numerator captures two activities: screening and the intervention of vaccine administration when indicated. As a result, patients who had documented contraindications to the vaccine, patients who were offered and declined the vaccine and patients who received the vaccine during the current year's influenza season but prior to the current hospitalization are captured as numerator events.</li> </ul>	<ul> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	2012 or as updated. Measure specifications can b found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org
Influenza (flu) is an acute, contagious, viral infection of the nose, throat and lungs (respiratory illness) caused by influenza viruses. Outbreaks of seasonal influenza occur annually during late autumn and winter months although the timing and severity of outbreaks can vary substantially from year to year and community to community. Influenza activity most often peaks in February, but can peak rarely as early as November and as late as April. In order to protect as many people as possible before influenza activity increases, most flu-vaccine is administered in September through November, but vaccine is recommended to be administered throughout		

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	l Every Year Thereafter	
the influenza season as well. Because the flu vaccine usually first becomes available in September, health systems can usually meet public and patient needs for vaccination in advance of widespread influenza circulation.		
<ul> <li>Mortality measures – Mortality measures for applicable hospital discharge dates</li> <li>The hospital measures include the following measures related to mortality:</li> <li>Hospital 30-day, all-cause, risk-standardized mortality rate (RSMR) following acute myocardial infarction (AMI) hospitalization (MORT-30-AMI) – This measure is used to assess a hospital-level risk-standardized mortality rate (RSMR) for patients discharged from the hospital with a principal diagnosis of AMI.</li> <li>Hospital 30-day, all-cause, risk-standardized mortality rate (RSMR) following heart failure (HF) hospitalization (MORT-30-HF) – This measure is used to assess a hospital-level risk-standardized mortality rate (RSMR) for patients discharged from the hospitalization (MORT-30-HF) – This measure is used to assess a hospital-level risk-standardized mortality rate (RSMR) for patients discharged from the hospital with a principal diagnosis of HF.</li> <li>Hospital 30-day, all-cause, risk-standardized mortality rate (RSMR) following pneumonia hospitalization (MORT-30-PN) – This measure is used to assess a hospital-level risk-standardized mortality rate (RSMR) following pneumonia hospitalization (MORT-30-PN) – This measure is used to assess a hospital-level risk-standardized mortality rate (RSMR) for patients discharged from the hospitalization (MORT-30-PN) – This measure is used to assess a hospital-level risk-standardized mortality rate (RSMR) for patients discharged from the hospitalization (MORT-30-PN) – This measure is used to assess a hospital-level risk-standardized mortality rate (RSMR) for patients discharged from the hospitalization (MORT-30-PN) – This measure is used to assess a hospital-level risk-standardized mortality rate (RSMR) for patients discharged from the hospital with a principal diagnosis of pneumonia.</li> </ul>	The Centers for Medicare & Medicaid Services (CMS) calculates these measures using claims data and results are published on Hospital Compare. Hospitals do not need to submit additional data elements for these measures. Each hospital will have satisfied their data submission requirements for these quality measures provided that the hospital also signs an authorization form allowing the data to be published on the U.S. Department of Health & Human Services Hospital Compare website for <i>all</i> cases for each applicable quality measure. This requirement applies to prospective payment system (PPS) hospitals and critical access hospitals (CAH).	Specifications Manual for National Hospital Inpatient Quality Measures, Version 4.2, Discharges 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June 2012 or as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org
Emergency department (ED) measures – Emergency department (ED) process of care measures for applicable hospital discharge dates	All hospitals must submit data for each of the emergency department (ED) quality measures. This data includes the following information:	Specifications Manual for National Hospital Inpatient Quality Measures, Version4.2

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	Every Year Thereafter	
<ul> <li>The hospital emergency department (ED) process of care measures include the following measures related to hospital ED care:</li> <li>Median time from ED arrival to ED departure for admitted ED patients – overall rate (ED-1a) – This measure is used to assess the median time from emergency department arrival to time of departure from the emergency room for patients admitted to the facility from the emergency department. This measure is used to assess the length of stay in the emergency room for admitted patients.</li> <li>Admit decision time to ED departure time for admitted patients – overall rate (ED-2a) – This measure is used to assess the median time from admit decision time to time of departure from the emergency department. This measure is used to assess the median time from admit decision time to time of assess the median time from admit decision time to time of departure from the emergency department for emergency department patients admitted to inpatient status. This measure is a subset of measure ED-1a and is used to assess the admission cycle time.</li> </ul>	Number of minutes for defined steps in patient flow.	Discharges 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June 2012 or as updated. Measure specifications can b found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org
<ul> <li>Outpatient acute myocardial infarction (AMI) and chest pain measures</li> <li>The hospital outpatient process of care measures include the following measures related to acute myocardial infarctions (AMI) and chest pain emergency department care:</li> <li>Fibrinolytic therapy received within 30 minutes of emergency department (ED) arrival (OP-2) – This measure is used to assess the percent of emergency department (ED) acute myocardial infarction (AMI) patients with ST-segment elevation or LBBB on the ECG closest to arrival time receiving fibrinolytic therapy during the ED stay and having a time from ED arrival to fibrinolysis of 30 minutes or less.</li> </ul>	<ul> <li>All hospitals must submit data for each of the outpatient acute myocardial infarction (AMI) and chest pain quality measures. This data includes the following information: <ul> <li>Median number of minutes</li> <li>OR</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul></li></ul>	Specifications Manual for Hospital Outpatient Department Quality Measure Version 6.0, encounter dates 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS); June 2012 of as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
intervention – overall rate (OP-3) – This measure is used to assess the median time from emergency department (ED) arrival to time of transfer to another facility for acute coronary intervention for ED acute myocardial infarction (AMI) patients.		
<ul> <li>Aspirin at arrival (OP-4) – This measure is used to assess the percent of emergency department (ED) acute myocardial infarction (AMI) patients or chest pain patients (with Probable Cardiac Chest Pain) who received aspirin within 24 hours before ED arrival or prior to transfer.</li> </ul>		
<ul> <li>Median time to ECG (OP-5) – This measure is used to assess the median time from emergency department (ED) arrival to electrocardiogram (ECG) (performed in the ED prior to transfer) for acute myocardial infarction (AMI) or chest pain patients (with Probable Cardiac Chest Pain).</li> </ul>		
<ul> <li>Troponin results for Emergency Department acute myocardial infarction (AMI) patients or chest pain patients (with <i>Probably Cardiac Chest Pain</i>) received within 60 minutes of arrival (OP-16) – This measure is used to assess the percent of emergency department (ED) acute myocardial infarction (AMI) patients or chest pain patients (with <i>Probably Cardiac Chest Pain</i>) with an order for troponin during the stay and having a time from ED arrival to completion of Troponin results within 60 minutes of arrival.</li> </ul>		
<ul> <li>Outpatient surgery department measures</li> <li>The hospital outpatient process of care measures include the following measures related to hospital outpatient surgery care:</li> <li>Timing of antibiotic prophylaxis (OP-6) – This measure is used to assess the percent of surgical patients with</li> </ul>	<ul> <li>All hospitals must submit data for each of the outpatient surgery department quality measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality</li> </ul>	Specifications Manual for Hospital Outpatient Department Quality Measure Version 6.0, encounter dates 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
<ul> <li>prophylactic antibiotics initiated within one hour* prior to surgical incision. *Patients who received vancomycin or a fluoroquinolone for prophylaxis should have the antibiotic initiated within two hours prior to surgical incision. Due to the longer infusion time required for vancomycin or a fluoroquinolone, it is acceptable to start these antibiotics within two hours prior to incision time.</li> <li>Prophylactic antibiotic selection for surgical patients (OP-7) <ul> <li>This measure is used to assess the percent of surgical patients who received prophylactic antibiotics consistent with current guidelines (specific to each type of surgical procedure).</li> </ul> </li> </ul>	<ul> <li>measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Medicare & Medicaid Services (CMS); June 2012 o as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website http://qualitynet.org
Appropriate Care Measures (ACM)		
<ul> <li>Acute myocardial infarction appropriate care measure (AMI-ACM)</li> <li>The ACM is a pass/fail measure at the individual patient level that assesses whether eligible patients have received all of the appropriate care for acute myocardial infarction (AMI). The following individual measures are included in the AMI-ACM:</li> <li>AMI-2: Aspirin prescribed at discharge</li> <li>AMI-7a: Thrombolytic within 30 minutes of hospital arrival</li> <li>AMI-8a: PCI within 90 minutes of hospital arrival</li> <li>AMI-10: Statin prescribed at discharge (AMI-10)</li> </ul>	<ul> <li>All hospitals must submit data for each of the hospital compare acute myocardial infarction (AMI)/heart attack process measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Specifications for Acute Myocardial Infarction Appropriate Care: Stratis Health. Measure specifications can b found on the Minnesota Department of Health websit http://www.health.state.mn.u healthreform

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and Purpose	Data Elements	Specification Information	
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter			
<ul> <li>Heart failure appropriate care measure (HF-ACM)</li> <li>The ACM is a pass/fail measure at the individual patient level that assesses whether eligible patients have received all of the appropriate care for heart failure (HF). The following individual measures are included in the HF-ACM: <ul> <li>HF-1: Discharge instructions</li> <li>HF-2: LVF assessment</li> <li>HF-3: ACEI or ARB for LVSD</li> </ul> </li> </ul>	<ul> <li>All hospitals must submit data for each of the hospital compare heart failure (HF) process measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Specifications for Heart Failure Appropriate Care: Stratis Health. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform	
<ul> <li>Pneumonia appropriate care measure (PN-ACM)</li> <li>The ACM is a pass/fail measure at the individual patient level that assesses whether eligible patients have received all of the appropriate care for pneumonia (PN). The following individual measures are included in the PN-ACM:</li> <li>PN-3b: Blood cultures before antibiotic</li> <li>PN-6: Initial antibiotic selection for CAP in immunocompetent patient</li> </ul>	<ul> <li>All hospitals must submit data for each of the hospital compare pneumonia (PN) process measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Specifications for Pneumonia Appropriate Care: Stratis Health. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform	
Agency for Healthcare Research and Quality (AHRQ) Inpatient ( Abdominal aortic aneurysm (AAA) repair volume (IQI 4) – This measure is used to assess the raw volume of provider-level abdominal aortic aneurysm (AAA) repair (surgical procedure).	Quality Indicators (IQI)         All hospitals must submit data for the abdominal aortic aneurysm (AAA) repair volume (IQI 4) quality measure. This data includes the following information: <ul> <li>Volume</li> </ul>	Inpatient Quality Indicators (IQI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012	

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
		or as updated. Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/Modules/IQI_TechSpec.asp x
Abdominal aortic aneurysm (AAA) repair mortality rate (IQI 11) – This measure is used to assess the number of deaths per 100 discharges with procedure code of abdominal aortic aneurysm (AAA) repair.	<ul> <li>All hospitals must submit data for the abdominal aortic aneurysm (AAA) repair mortality rate (IQI 11) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> <li>Calculated rate</li> </ul>	Inpatient Quality Indicators (IQI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/Modules/IQI_TechSpec.asp X
Coronary artery bypass graft (CABG) volume (IQI 5) – This measure is used to assess the raw volume of provider-level coronary artery bypass graft (CABG) (surgical procedure).	All hospitals must submit data for the coronary artery bypass graft (CABG) volume (IQI 5) quality measure. This data includes the following information: • Volume	Inpatient Quality Indicators (IQI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated.

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and Purpose	Data Elements	Specification Information	
Measures Required for Reporting Beginning in January 2013 and	Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
		Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/Modules/IQI_TechSpec.asp x	
Coronary artery bypass graft (CABG) mortality rate (IQI 12) – This measure is used to assess the number of deaths per 100 discharges with a procedure code of coronary artery bypass graft (CABG).	<ul> <li>All hospitals must submit data for the coronary artery bypass graft (CABG) mortality rate (IQI 12) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> <li>Calculated rate</li> </ul>	Inpatient Quality Indicators (IQI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/Modules/IQI_TechSpec.asp x	
Percutaneous transluminal coronary angioplasty (PTCA) volume (IQI 6) – This measure is used to assess the raw volume of provider- level percutaneous transluminal coronary angioplasty (PTCA) (surgical procedure).	All hospitals must submit data for the percutaneous transluminal coronary angioplasty (PTCA) volume (IQI 6) quality measure. This data includes the following information: • Volume	Inpatient Quality Indicators (IQI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated.	
		Measure specifications can be	

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
		found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/Modules/IQI_TechSpec.asp x
Percutaneous transluminal coronary angioplasty (PTCA) mortality rate (IQI 30) – This measure is used to assess the number of deaths per 100 percutaneous transluminal coronary angioplasties (PTCAs).	<ul> <li>All hospitals must submit data for the percutaneous transluminal coronary angioplasty (PTCA) mortality rate (IQI 30) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> <li>Calculated rate</li> </ul>	Inpatient Quality Indicators (IQI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/Modules/IQI_TechSpec.asp x
Hip fracture mortality rate (IQI 19) – This measure is used to assess the number of deaths per 100 discharges with principal diagnosis code of hip fracture.	<ul> <li>All hospitals must submit data for the hip fracture mortality rate (IQI 19) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> </ul>	Inpatient Quality Indicators (IQI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	Every Year Thereafter	
	<ul> <li>Calculated rate</li> </ul>	Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/Modules/IQI_TechSpec.asp x
<ul> <li>Mortality for selected conditions composite (IQI 91)</li> <li>This composite is a weighted average of the mortality indicators for patients admitted for selected conditions and is used to assess the number of deaths for acute myocardial infarction (AMI), congestive heart failure (CHF), acute stroke, GI hemorrhage, hip fracture, and pneumonia. This composite includes the following Agency for Healthcare Research and Quality (AHRQ) Inpatient Quality Indicators (IQI) related to hospital inpatient mortality for specific conditions: <ul> <li>Acute myocardial infarction (AMI) mortality rate (IQI 15)</li> <li>Congestive heart failure (CHF) mortality rate (IQI 16)</li> <li>Acute stroke mortality rate (IQI 17)</li> <li>GI Hemorrhage mortality rate (IQI 18)</li> <li>Hip fracture mortality rate (IQI 19)</li> <li>Pneumonia mortality rate (IQI 20)</li> </ul> </li> </ul>	<ul> <li>All hospitals must submit data for the mortality for selected conditions composite measure and for each of the mortality for selected conditions composite measure component indicators. This data includes the following information: <ul> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul> </li> </ul>	AHRQ Quality Indicators: Composite Measures User Guide for the Inpatient Quality Indicators (IQI), Department of Health and Human Services, Agency for Healthcare Research and Quality, Version 4.4 (March, 2012). http://www.qualityindicators.a hrq.gov/Downloads/Modules/I QI/V44/Composite_User_Tec hnical_Specification_IQI%20 V4.4.pdf See specific mortality for selected conditions composite measure component indicators for more information. Inpatient Quality Indicators Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated.

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	Every Year Thereafter	
		Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/Modules/IQI_TechSpec.asp x
Agency for Healthcare Research and Quality (AHRQ) Patient Saf	Cety Indicators (PSI)	
Pressure ulcer (PSI 3) – This measure is used to assess the number of cases of decubitus ulcer per 1,000 discharges with a length of stay greater than 4 days. (Behavioral health only hospitals are not required to submit data on this measure.)	<ul> <li>All hospitals must submit data for the pressure ulcer (PSI 3) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> <li>Calculated rate</li> </ul>	Patient Safety Indicators (PSI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/modules/PSI_TechSpec.aspx
Death among surgical inpatients with serious treatable complications (PSI 4) – This measure is used to assess the number of deaths per 1,000 patients having developed specified complications of care during hospitalization.	<ul> <li>All hospitals must submit data for the death among surgical inpatients with serious treatable complications (PSI 4) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> </ul>	Patient Safety Indicators (PSI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated.

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	l Every Year Thereafter	
	<ul> <li>Numerator: Number of patients meeting the targets in each of the quality measure</li> <li>Calculated rate</li> </ul>	Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/modules/PSI_TechSpec.aspx
Postoperative pulmonary embolism (PE) or deep vein thrombosis (DVT) (PSI 12) – This measure is used to assess the number of cases of deep vein thrombosis (DVT) or pulmonary embolism (PE) per 1,000 surgical discharges with an operating room procedure.	<ul> <li>All hospitals must submit data for the postoperative pulmonary embolism (PE) or deep vein thrombosis (DVT) (PSI 12) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> <li>Calculated rate</li> </ul>	Patient Safety Indicators (PSI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/modules/PSI_TechSpec.aspx
Obstetric trauma – vaginal delivery with instrument (PSI 18) – This measure is used to assess the number of cases of obstetric trauma (3 <sup>rd</sup> or 4 <sup>th</sup> degree lacerations) per 1,000 instrument-assisted vaginal deliveries.	<ul> <li>All hospitals must submit data for the obstetric trauma – vaginal delivery with instrument (PSI 18) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the</li> </ul>	Patient Safety Indicators (PSI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
	targets in the quality measure <ul> <li>Calculated rate</li> </ul>	Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/modules/PSI_TechSpec.aspx
Obstetric trauma – vaginal delivery without instrument (PSI 19) – This measure is used to assess the number of cases of obstetric trauma (3 <sup>rd</sup> or 4 <sup>th</sup> degree lacerations) per 1,000 vaginal deliveries without instrument assistance.	<ul> <li>All hospitals must submit data for the obstetric trauma – vaginal delivery without instrument (PSI 19) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> <li>Calculated rate</li> </ul>	Patient Safety Indicators (PSI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.gov v/modules/PSI_TechSpec.aspx
Patient safety for selected indicators composite (PSI 90) This composite is a weighted average of most of the patient safety indicators and is used to assess the number of potentially preventable adverse events for pressure ulcer, iatrogenic pneumothorax, central venous catheter-related bloodstream infections, postoperative hip fracture, postoperative hemorrhage or hematoma, postoperative physiologic and metabolic derangments, postoperative respiratory failure, postoperative pulmonary embolism (PE) or deep vein thrombosis (DVT), postoperative sepsis, postoperative wound dehiscence, and accidental puncture or laceration. This composite includes the following Agency for	<ul> <li>All hospitals must submit data for the patient safety for selected indicators composite measure and for each of the patient safety for selected indicators composite measure component indicators. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> </ul>	AHRQ Quality Indicators: Composite Measures User Guide for the Patient Safety Indicators (PSI), Department of Health and Human Services, Agency for Healthcare Research and Quality, Version 4.4 (March 2012). http://www.qualityindicators.a hrq.gov/Downloads/Modules/ PSI/V44/Composite_User_Te

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	l Every Year Thereafter	
<ul><li>Healthcare Research and Quality (AHRQ) Patient Safety Indicators:</li><li>Pressure ulcer (PSI 3)</li></ul>	Calculated rate	chnical_Specification_PSI%2 0V4.4.pdf
<ul> <li>I tessure dicer (1515)</li> <li>I atrogenic pneumothorax (PSI 6)</li> <li>Central venous catheter-related bloodstream infections (PSI 7)</li> </ul>		See specific patient safety for selected indicators composite measure component indicators for more information.
<ul> <li>Postoperative hip fracture (PSI 8)</li> <li>Postoperative hemorrhage or hematoma (PSI 9)</li> <li>Postoperative physiologic and metabolic derangments (PSI 10)</li> </ul>		Patient Safety Indicators (PSI Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated.
<ul> <li>Postoperative respiratory failure (PSI 11)</li> <li>Postoperative pulmonary embolism (PE) or deep vein thrombosis (DVT) (PSI 12)</li> <li>Postoperative sepsis (PSI 13)</li> <li>Postoperative wound dehiscence (PSI 14)</li> <li>Accidental puncture or laceration (PSI 15)</li> </ul>		Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.g v/modules/PSI_TechSpec.asp
Agency for Healthcare Research and Quality (AHRQ) Pediatric I	Patient Safety Indicators (PDI)	
Pediatric heart surgery mortality (PDI 6) – This measure is used to assess the number of in-hospital deaths in pediatric patients undergoing congenital heart disease repair <i>or</i> undergoing a non-specific heart surgery with a diagnosis of congenital heart disease present.	<ul> <li>All hospitals must submit data for the pediatric patients undergoing surgery for congenital heart disease repair mortality (PDI 6) quality measure. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> </ul>	Pediatric Quality Indicators (PDI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
	Calculated rate	Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/modules/PDI_TechSpec.asp x
Pediatric heart surgery volume (PDI 7) – This measure is used to assess the raw volume of provider-level congenital heart disease repair <i>or</i> non-specific heart surgery with a diagnosis of congenital heart disease present in pediatric patients	All hospitals must submit data for the pediatric patients undergoing surgery for congenital heart disease volume (PDI 7) quality measure. This data includes the following information: <ul> <li>Volume</li> </ul>	Pediatric Quality Indicators (PDI) Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated.
		Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.go v/modules/PDI_TechSpec.asp x
Pediatric patient safety for selected indicators composite (PDI 19) This composite is a weighted average of most of the pediatric quality indicators and is used to assess the number of potentially preventable adverse events for accidental puncture or laceration, pressure ulcer, iatrogenic pneumothorax, postoperative hemorrhage or hematoma, postoperative respiratory failure, postoperative sepsis, postoperative wound dehiscence, and central venous catheter- related bloodstream infections. This composite includes the	<ul> <li>All hospitals must submit data for the pediatric patient safety for selected indicators composite measure and for each of the pediatric patient safety for selected indicators composite measure component indicators. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality</li> </ul>	AHRQ Quality Indicators: Composite Measures User Guide for the Pediatric Quality Indicators (PDI) Composite Measures, Department of Health and Human Services, Agency for Healthcare Research and Quality, Version 4.4 (March 2012).

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	d Every Year Thereafter	
<ul> <li>following Agency for Healthcare Research and Quality (AHRQ) Pediatric Quality Indicators:</li> <li>Accidental puncture or laceration (PDI 1)</li> <li>Pressure ulcer (PDI 2)</li> <li>Iatrogenic pneumothorax (PDI 5)</li> <li>Postoperative hemorrhage or hematoma (PDI 8)</li> <li>Postoperative respiratory failure (PDI 9)</li> <li>Postoperative sepsis (PDI 10)</li> <li>Postoperative wound dehiscence (PDI 11)</li> <li>Central venous catheter-related bloodstream infections (PDI 12)</li> </ul>	<ul> <li>measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	http://www.qualityindicators.a hrq.gov/Downloads/Modules/ PDI/V44/Composite_Userr_T echnical_Specifications_PDI %20V4.4.pdf See specific pediatric patient safety for selected indicators composite measure component indicators for more information. Pediatric Quality Indicators Technical Specifications, Version 4.4. Agency for Healthcare Research and Quality (AHRQ); March 2012 or as updated. Measure specifications can be found on the Agency for Healthcare Research and Quality (AHRQ), Quality Indicators website http://qualityindicators.ahrq.g v/modules/PDI_TechSpec.asp x
Patient Experience of Care		
Patient experience of care This measure is used to assess adult patients' perception of their hospital care using a national survey called the Hospital Consumer	Consumer assessment of healthcare providers and systems hospital (HCAHPS) survey	Consumer Assessment of Healthcare Providers and Systems Hospital Survey

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
Assessment of Healthcare Providers and Systems (HCAHPS). (This measure is not required for hospitals with less than 500 admissions in the previous calendar year.)		(HCAHPS), Version 7.0. Centers for Medicare & Medicaid Services (CMS); March 2012 or as updated. Measure specifications for the HCAHPS patient experience of care survey are contained i the current HCAHPS Quality Assurance Guidelines manual which is available at the HCAHPS On-Line Web site, http://www.hcahpsonline.org. CMS maintains the HCAHPS technical specifications by updating the HCAHPS Qualit Assurance Guidelines manual annually, and CMS includes detailed instructions on survey implementation, data collection, data submission and other relevant topics. As necessary, HCAHPS Bulletin are issued to provide notice of changes and updates to technical specifications in HCAHPS data collection systems.

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and	l Every Year Thereafter	
Minnesota Stroke Registry Indicators		
<ul> <li>Emergency department (ED) stroke registry indicators for applicable hospital discharge dates</li> <li>The emergency department (ED) stroke registry indicators include the following: <ul> <li>NIH Stroke Scale (NIHSS) performed in initial evaluation</li> <li>Door-to-imaging performed time</li> </ul> </li> </ul>	<ul> <li>All hospitals must submit data for patients discharged from the emergency department or inpatient with diagnosis of ischemic stroke, subarachnoid hemorrhage, intracerebral hemorrhage, ill defined stroke. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Emergency Department Stroke Registry Indicator Specifications. Minnesota Stroke Registry; August 2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform
<ul> <li>University of Minnesota Rural Health Research Center</li> <li>Critical Access Hospitals (CAHs) ONLY: Emergency department (ED) transfer communication measures for applicable hospital discharge dates.</li> <li>The hospital emergency department (ED) transfer communication process of care measures include the following seven subscales:</li> <li>Administrative communication – This measure is used to assess the percent of patients transferred to another acute care hospital whose medical record documentation indicated that pre-transfer information was communicated to the receiving hospital within 60 minutes of departure. Pre- transfer information includes: nurse communication with receiving hospital and physician or practitioner communication with receiving physician or practitioner</li> </ul>	<ul> <li>Critical Access Hospitals (CAHs) must submit data for each of the emergency department (ED) transfer communication quality measures. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in each of the quality measures</li> <li>Numerator: Number of patients meeting the targets in each of the quality measures</li> <li>Calculated rate</li> </ul>	Emergency Department Transfer Communication Specifications. University of Minnesota Rural Health Research Center; August 2012. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us healthreform

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
<ul> <li>Patient information – This measure is used to assess the percent of patients transferred to another acute care hospital whose medical record documentation indicated that patient identification was communicated to the receiving hospital within 60 minutes of departure. Patient identification includes: name, address, age, gender, significant others contact information, and insurance.</li> </ul>		
<ul> <li>Vital signs – This measure is used to assess the percent of patients transferred to another acute care hospital whose medical record documentation indicated that vital signs were communicated to the receiving hospital within 60 minutes of departure. Vital signs include: pulse, respiratory rate, blood pressure, oxygen saturation, temperature, and glascow score (trauma, cognitively altered, or neuro patients only).</li> </ul>		
<ul> <li>Medication information – This measure is used to assess the percent of patients transferred to another acute care hospital whose medical record documentation indicated that medication-related information was communicated to the receiving hospital within 60 minutes of departure. Medication information includes: medications given, allergies, and medications from home.</li> </ul>		
<ul> <li>Physician information – This measure is used to assess the percent of patients transferred to another acute care hospital whose medical record documentation indicated that physician or practitioner generated information was communicated to the receiving hospital within 60 minutes of departure. Physician information includes: history and physical (physical exam, history of current event, chronic conditions) and physician or practitioner orders and plan.</li> </ul>		
<ul> <li>Nurse information – This measure is used to assess the percent of patients transferred to another acute care hospital whose medical record documentation indicated that nurse</li> </ul>		

Measure Name and Purpose	Data Elements	Specification Information
Measures Required for Reporting Beginning in January 2013 and Every Year Thereafter		
generated information was communicated to the receiving hospital within 60 minutes of departure. Nurse information includes: assessment/interventions/response, impairments, catheters, immobilizations, respiratory support, and oral limitations.		
<ul> <li>Procedures and tests – This measure is used to assess the percent of patients transferred to another acute care hospital whose medical record documentation indicated that procedures and tests were communicated to the receiving hospital within 60 minutes of departure. Procedures and tests includes: procedures and tests done and procedures and tests results sent.</li> </ul>		

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and Description	Data Elements	Specification Information	
Measure Required for Reporting in June 2013 and Every Year Tl	nereafter (2012 Dates of Service)		
Vermont Oxford Network (VON)			
Late sepsis or meningitis in very low birth weight (VLBW) neonates This measure is used to assess the infection rate for inborn and outborn infants meeting certain age and weight requirements for hospitals with a level 3 neonatal intensive care unit (NICU).	<ul> <li>Hospitals with a level 3 neonatal intensive care unit (NICU) must submit data for the late sepsis or meningitis in very low birth weight (VLBW) neonates. This data includes the following information:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality</li> </ul>	Late Sepsis or Meningitis in Very Low Birth Weight Neonates Specifications: Vermont Oxford Network. Measure specifications can be found on the Vermont Oxford Network website	

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Description	Data Elements	Specification Information
Measure Required for Reporting in June 2013 and Every Year Thereafter (2012 Dates of Service)		
	<ul> <li>measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> <li>Calculated rate</li> </ul>	http://www.vtoxford.org

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Description	Data Elements	Specification Information
Measures Required for Reporting Beginning in February 2013 ar	nd Every Year Thereafter (July 2012 – June 2013 Eve	nt Dates)
Centers for Disease Control and Prevention (CDC) / National Hea Measures	althcare Safety Network (NHSN)-Based Healthcare-A	associated Infection (HAI)
Central line-associated bloodstream infection (CLABSI) event This measure is used to assess the infection rate of patients with a central line-associated bloodstream infection (CLABSI) event by inpatient hospital unit for hospitals with a neonatal intensive care unit (NICU) and/or pediatric intensive care unit (PICU).	<ul> <li>Hospitals with a neonatal intensive care unit (NICU) and/or a pediatric intensive care unit (PICU) must submit data for the central line-associated bloodstream infection (CLABSI) event by neonatal and pediatric intensive care units. This data includes the following information for each intensive care unit:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the quality measure</li> <li>Numerator: Number of patients meeting the targets in the quality measure</li> </ul>	Specifications Manual for National Hospital Inpatient Quality Measures, Version 4.20, Discharges 01/01/13 (1Q13) through 06/30/13 (2Q13). Centers for Medicare & Medicaid Services (CMS), The Joint Commission; June, 2012 or as updated. Measure specifications can be found on the Centers for Medicare & Medicaid Services (CMS), QualityNet website

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and DescriptionData ElementsSpecification Information			
Measures Required for Reporting Beginning in February 2013 and Every Year Thereafter (July 2012 – June 2013 Event Dates)			
Calculated rate http://qualitynet.org			

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Description	Data Elements	Specification Information
Health Information Technology (HIT)		
Health information technology (HIT) survey This survey is used to assess a hospital's adoption and use of Health Information Technology (HIT) in its clinical practice.	The information technology supplement of the American Hospital Association (AHA) annual survey and any additional Minnesota specific questions as updated in 2012	2012 AHA Annual Survey Information Technology Supplement, Health Forum, L.L.C with MN-Specific Additional Questions.

## APPENDIX C REQUIRED AMBULATORY SURGICAL CENTER MEASURE DATA

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter			
Measure Name and Description	Data Elements	Specification Information	
Measures Required for Reporting Beginning in July 2013 (Dates	Measures Required for Reporting Beginning in July 2013 (Dates of Service July 1, 2012 – June 30, 2013) and Every Year Thereafter		
Prophylactic intravenous (IV) antibiotic timing – This measure is used to assess the percent of ambulatory surgical center (ASC) patients who were administered antibiotics for prevention of surgical site infection on time	<ul> <li>Ambulatory surgical centers must submit data for the prophylactic intravenous (IV) antibiotic timing quality measure. This data includes the following information:</li> <li>Patient identification methodology</li> <li>Submit the following two data elements: <ul> <li>Denominator:</li> <li>Number of patients meeting the criteria for inclusion in the measure if submitting on the full population</li> </ul> </li> <li>OR <ul> <li>Number of patients in data submission if submitting a sample</li> <li>Numerator: Number of patients meeting the targets in the measure</li> </ul> </li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> <li>Numerator: Number of patients meeting the targets in the measure</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> </ul>	Ambulatory Surgical Center Measure Specifications, 2013 (07/01/2012 – 06/30/2013 Dates of Service). MN Community Measurement. Revised 08/10/12. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform	
Hospital transfer/admission – This measure is used to assess the percent of ambulatory surgical center (ASC) patients who are transferred or admitted to a hospital upon discharge from the ASC.	Ambulatory surgical centers must submit data for the hospital transfer/admission quality measure. This data includes the following information: <ul> <li>Patient identification methodology</li> </ul>	Ambulatory Surgical Center Measure Specifications, 2013 (07/01/2012 – 06/30/2013 Dates of Service). MN Community Measurement.	

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Description	Data Elements	Specification Information
Measures Required for Reporting Beginning in July 2013 (Date	s of Service July 1, 2012 – June 30, 2013) and Every Year	Thereafter
	<ul> <li>Submit the following two data elements by the American Society of Anesthesiologists (ASA) Physical Status classification system categories:         <ul> <li>Denominator:</li> <li>Number of patients meeting the criteria for inclusion in the measure if submitting on the full population</li> <li>OR</li> <li>Number of patients in data submission if submitting a sample</li> <li>Numerator: Number of patients meeting the targets in the measure</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure</li> </ul> </li> </ul>	Revised 08/10/12. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform
Appropriate surgical site hair removal – This measure is used to assess the percent of ambulatory surgical center (ASC) patients who have appropriate surgical site hair removal.	<ul> <li>Ambulatory surgical centers must submit data for the appropriate surgical site hair removal quality measure. This data includes the following information:</li> <li>Patient identification methodology</li> <li>Submit the following two data elements:</li> <li>Denominator: Number of patients meeting the criteria for inclusion in the measure if submitting on the full population</li> </ul>	Ambulatory Surgical Center Measure Specifications, 2013 (07/01/2012 – 06/30/2013 Dates of Service). MN Community Measurement. Revised 08/10/12. Measure specifications can be found on the Minnesota Department of Health website http://www.health.state.mn.us/ healthreform

Data Required for Reporting Beginning in Calendar Year 2013 and Every Year Thereafter		
Measure Name and Description	Data Elements	Specification Information
Measures Required for Reporting Beginning in July 2013 (Dates of Service July 1, 2012 – June 30, 2013) and Every Year Thereafter		
	OR Number of patients in data submission if submitting a sample • Numerator: Number of patients meeting the targets in the measure • Denominator: Number of patients meeting the criteria for inclusion in the measure • Number of patients meeting the exclusion criteria • Calculated rate	

# APPENDIX D OTHER STANDARDIZED QUALITY MEASURES

Measure Name	Measure Elements	Specification Information
Unlimited Availability		
Healthcare Effectiveness Data and Information Set (HEDIS)	All Healthcare Effectiveness Data and Information Set (HEDIS) measures as of HEDIS 2012, or as updated, that are applicable to physician clinics, are included in the standardized set of quality measures.	Healthcare Effectiveness Data and Information Set (HEDIS) 2012 Volume 2: Technical Specifications. National Committee for Quality Assurance (NCQA); 2011 or as updated.
National Quality Forum (NQF) endorsed measures	All NQF-endorsed measures as of August 1, 2012, or as updated, that are applicable to physician clinics and hospitals, are included in the standardized set of quality measures, excluding those requiring use of proprietary databases or registries.	More information about these measures can be found on the National Quality Forum (NQF), website http://qualityforum.org

Measure Name	Measure Elements	Specification Information
Time-Limited Availability: These Measures are Available for Use for Two Years (2011 Dates of Service Through 2012 Dates of Service)		
Pediatric asthma	<ul> <li>For patients, ages 5 to 19 years:</li> <li>At the last asthma visit, is the asthma severity level (intermittent or persistent) documented?</li> <li>If it is documented that the patient has persistent asthma, is the patient on an anti-inflammatory medication?</li> </ul>	Clinical Review: Measure Specifications for Pediatric Asthma. Medica; Pediatric Asthma; July 2009. Measure specifications can be found on the Minnesota Department of Health website

<ul> <li>If the patient is a smoker or exposed to second hand smoke, is advice regarding smoking cessation documented in the last year?</li> </ul>	http://www.health.state.mn.us/ healthreform
<ul> <li>If the patient is a smoker, or exposed to second hand smoke, is advice regarding smoking cessation documented at the last visit?</li> </ul>	
• Is the child's environment tobacco smoke free?	
<ul> <li>Is there evidence in the medical records that the patient received a written Asthma Action Plan?</li> </ul>	
<ul> <li>Unless contraindicated, is there evidence in the medical record that the patient has received an influenza vaccine within the past year?</li> </ul>	

## APPENDIX E SUBMISSION SPECIFICATIONS

## I. Submission Requirements for Physician Clinics

- 1. **Registration.** Each physician clinic, regardless of the number of full-time equivalent (FTE) clinical staff or shared ownership with another clinic, must register electronically and obtain a login user ID and password from the commissioner or commissioner's designee beginning January 1, 2013 and no later than February 10, 2013 and no later than February 10 of each subsequent year, and must supply data elements, including the following:
  - **a. Physician clinic information:** Name, street address, unique clinic national provider identifier (NPI) regardless of the physician clinic's number of full-time equivalent (FTE) clinical staff or shared ownership with another clinic (i.e. satellite clinics);
  - **b.** Contact information for individual(s) responsible for submitting data: Company, name, title, mailing address, telephone number, fax number, e-mail address;
  - **c.** Contact information for physician clinic general contact: Name, title, mailing address, telephone number, fax number, e-mail address;
  - **d.** Clinical staff information for the previous calendar year: Name, unique national provider identifier (NPI), full-time equivalent (FTE) status, license number, board certifications for each clinical staff that have provided health care services at the physician clinic during the previous calendar year;
  - e. Description of health care services provided by the physician clinic.

#### f. Medical group affiliation.

NOTE: If multiple physician clinic locations meet the criteria in MN Rules 4654.0200 subp. 13 and choose to submit data as a single entity, each individual physician clinic location must still register and indicate under which entity their data will be submitted.

#### 2. Data Submission.

a. Measures for which physician clinics may submit on their full patient population or a random sample in 2013. (NOTE: Physician clinics with electronic medical records in place for the prior full measurement period are required to submit data on their full patient population.)

**Optimal diabetes care (ODC) composite**. Each physician clinic, except ambulatory surgical centers, must submit the data required to calculate the applicable quality measures, as described in Appendix A and including the number of patients receiving the applicable health care services allocated according to primary payer type (private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured) to the commissioner or the commissioner's designee. Specifically, this includes patient identification methodology, numerator and denominator by primary payer type, number of patients meeting the exclusion criteria, and calculated rate. If submitting a sample, the denominator for the entire patient population does not need to be allocated by primary payer type. A physician clinic may work with a single subcontractor to submit the required data on their behalf. Data may be submitted beginning January 1, 2013 and no later than February 15, 2013, and beginning January 1 and no later than February 15 of each subsequent year. (NOTE: Physician clinics with electronic medical records in place since January 1, 2011 are required to submit data on their full patient population for this measure.)

**Optimal vascular care (OVC) composite**. Each physician clinic, except ambulatory surgical centers, must submit the data required to calculate the applicable quality measures, as described in Appendix A and including the number of patients receiving the applicable health care services allocated according to primary payer type (private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured) to the commissioner or the commissioner's designee. Specifically, this includes patient identification methodology, numerator and denominator by primary payer type, number of patients meeting the exclusion criteria, and calculated rate. If submitting a sample, the denominator for the entire patient population does not need to be allocated by primary payer type. A physician clinic may work with a single subcontractor to submit the required data on their behalf. Data may be submitted beginning January 1, 2013 and no later than February 15, 2013, and beginning January 1 and no later than February 15 of each subsequent year. (NOTE: Physician clinics with electronic medical records in place since January 1, 2011 are required to submit data on their full patient population for this measure.)

**Optimal asthma care (OAC) composite.** Each physician clinic, except ambulatory surgical centers, must submit the data required to calculate the applicable quality measures, as described in Appendix A to the commissioner or the commissioner's designee. For this measure, this includes identifying the patients in two separate age bands, ages 5-17 and ages 18-50. If the physician clinic submits a sample, there must be one sample per age band. Within these two age bands, data on the number of patients receiving the applicable health care services must be allocated according to primary payer type (private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured). Specifically, this includes patient identification methodology, separation of the data by age bands, numerator and denominator by primary payer type, number of patients meeting the exclusion criteria, and calculated rate. If submitting a sample, the denominator for the entire patient population does not need to be allocated by primary payer type. A physician clinic may work with a single subcontractor to submit the required data on their behalf. Data may be submitted beginning July 1, 2013 and no later than August 15, 2013, and beginning July 1 and no later than August 15 of each subsequent year. (NOTE: Physician clinics with electronic medical records in place since July 1, 2011 are required to submit data on their full patient population for this measure.)

**Colorectal cancer screening.** Each physician clinic, except ambulatory surgical centers, must submit the data required to calculate the applicable quality measures, as described in Appendix A and including the number of patients receiving the applicable health care services allocated according to primary payer type (private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured) to the commissioner or the commissioner's designee. Specifically, this includes patient

identification methodology, numerator and denominator by primary payer type, number of patients meeting the exclusion criteria, and calculated rate. If submitting a sample, the denominator for the entire patient population does not need to be allocated by primary payer type. A physician clinic may work with a single subcontractor to submit the required data on their behalf. Data may be submitted beginning July 1, 2013 and no later than August 15, 2013, and beginning July 1 and no later than August 15 of each subsequent year. (NOTE: Physician clinics with electronic medical records in place since July 1, 2011 are required to submit data on their full patient population for this measure.)

- i. **Data submission requirements.** A physician clinic may satisfy the data submission requirement for these quality measures by completing the following steps:
  - 1. **Patient identification methodology.** Identify patients meeting the criteria for inclusion in the measure. Use the measurement specifications referenced in Appendix A to determine eligibility for each patient, only including patients that meet denominator criteria for each measure in the list. Develop a list of the eligible patients for each measure using a practice management, billing system, or electronic medical record.
  - 2. **Data collection: Total population versus sample.** Identification of the population of patients eligible for the denominator for each measure is accomplished via a query of a practice management system or an electronic medical record. Use the measurement specifications referenced in Appendix A to determine eligibility for each patient, only including patients that meet denominator criteria for each measure in the list. Physician clinics may choose one of the following options:
    - a. Full patient population. Physician clinics with electronic medical records in place for the prior full measurement period are required to submit data on their full patient population for each measure. Physician clinics without electronic medical records in place for the prior full measurement period are encouraged to submit data using their full patient population for each measure, but may use a random sampling methodology, as described below.
    - b. Random sampling methodology. Physician clinics may submit data on a random sample of relevant patients in 2013. At a minimum, physician clinics must select 60 patients for the random sample population and must oversample by at least 20 patients. If a physician clinic's total population for a particular measure is less than 60, the physician clinic must submit data using their full patient population for that measure. Physician clinics with electronic medical records in place for the prior full measurement period are expected to submit data on a full population basis. (NOTE: For the

optimal asthma measure, there must be one sample per age band, one for ages 5-17 and one for ages 18-50.)

- 3. **Data submission template**. Use the data submission template supplied annually by the commissioner or the commissioner's designee as a data collection tool. Data elements may be either extracted from an electronic medical record system or abstracted through medical record review.
- 4. **Data file upload.** Submit data electronically to the commissioner or the commissioner's designee.
- 5. **Data validation.** Physician clinics must maintain documentation for the data described in Appendix A, including the methodology used to determine patients meeting the criteria for inclusion in each measure and the data submission template, for purposes of data validation.

# **b.** Measures for which physician clinics may only submit data on their full patient population in 2013.

**Depression remission at six months**. Each physician clinic, except ambulatory surgical centers, must submit the data required to calculate the applicable quality measures, as described in Appendix A to the commissioner or the commissioner's designee. For this measure, the data elements must be submitted by three bands of initial PHQ-9 scores (10-14; 15-19; 20 and above). The number of patients for whom a follow-up six month (+/- 30 days) PHQ-9 assessment was not completed is a required data element as well. Specifically the required data includes, patient identification methodology, numerator and denominator separated by three bands of initial PHQ-9 scores, number of patients who did not get a second PHQ-9 assessment, number of patients meeting the exclusion criteria, and calculated rate. A physician clinic may work with a single subcontractor to submit the required data on their behalf. Data may be submitted beginning February 7, 2013 and no later than February 25, 2013.

**Primary c-section rate.** Each physician clinic, except ambulatory surgical centers, must submit the data required to calculate the applicable quality measures, as described in Appendix A and including the number of patients receiving the applicable health care services allocated according to primary payer type (private insurance, Medicare, Minnesota Health Care Programs, self-pay/uninsured) to the commissioner or the commissioner's designee. Specifically, this includes patient identification methodology, numerator and denominator by primary payer type, number of patients meeting the exclusion criteria, and calculated rate. A physician clinic may work with a single subcontractor to submit the required data on their behalf. Data may be submitted beginning July 1, 2013 and no later than August 15, 2013, and beginning July 1 and no later than August 15 of each subsequent year.

- i. **Data submission requirements.** A physician clinic may satisfy the data submission requirement for these quality measures by completing the following steps:
  - 1. **Patient identification methodology.** Identify patients meeting the criteria for inclusion in the measure. Use the measurement

specifications referenced in Appendix A to determine eligibility for each patient, only including patients that meet denominator criteria for each measure in the list. Develop a list of the eligible patients for each measure using a practice management, billing system, or electronic medical record.

- 2. **Data collection: Total population.** Identification of the population of patients eligible for the denominator for each measure is accomplished via a query of a practice management system or an electronic medical record. Use the measurement specifications referenced in Appendix A to determine eligibility for each patient, only including patients that meet denominator criteria for each measure in the list. For this measure physician clinics must submit data using their full patient population.
- 3. **Data submission template**. Use the data submission template supplied annually by the commissioner or the commissioner's designee as a data collection tool. Data elements may be either extracted from an electronic medical record system or abstracted through medical record review.
- 4. **Data file upload.** Submit data electronically to the commissioner or the commissioner's designee.
- 5. **Data validation.** Physician clinics must maintain documentation for the data described in Appendix A, including the methodology used to determine patients meeting the criteria for inclusion in each measure and the data submission template, for purposes of data validation.
- **3. Health information technology (HIT) survey.** Each physician clinic must complete the internet-based survey available annually from the commissioner or commissioner's designee beginning February 15, 2013 and no later than March 15, 2013, and beginning February 15 and no later than March 15 of each subsequent year.
- **4. Patient experience of care survey.** Each physician clinic must use a vendor certified by CMS.<sup>1</sup> Each physician clinic must either select a CMS-certified vendor of its choice or use the services of a centralized vendor coordinated by the commissioner or the commissioner's designee. The survey period includes patients seen September 1, 2012 through November 30, 2012.

<sup>&</sup>lt;sup>1</sup> CMS does not certify vendors to administer CG-CAHPS for physician clinics. For purposes of fulfilling state requirements under Chapter 4654, physician clinics must use a vendor certified by CMS to administer HCAHPS or MA and PDP CAHPS.

## **II. Submission Requirements for Hospitals**

- 1. Data Submission for Centers for Medicare & Medicaid Services (CMS) and The Joint Commission, Hospital Compare Measures. Each hospital must submit the data described in Appendix B required to calculate the applicable quality measures. There are two ways hospitals may satisfy this requirement:
  - a. Submission to the Centers for Medicare & Medicaid Services (CMS). If a hospital normally submits data for all cases for these quality measures to CMS, using CMS's existing schedule, specifications, and processes, and continues to do so, the hospital will have satisfied their data submission requirements for these quality measures provided that the hospital also signs an authorization form allowing the data to be published on the U.S. Department of Health & Human Services Hospital Compare website for *all* cases for each applicable quality measure; or
  - **b.** Submission directly to commissioner or commissioner's designee. If a hospital does not submit data for these quality measures to CMS, the hospital must submit data to the commissioner or the commissioner's designee according to the following schedule:

Discharge Dates	Data Submission Deadline
Third Quarter, 2012: July 1 – September 30	February 15, 2013
Fourth Quarter, 2012: October 1 – December 31	May 15, 2013
First Quarter, 2013: January 1 – March 31	August 15, 2013
Second Quarter, 2012: April 1 – June 30	November 15, 2013

#### **Inpatient Quality Measures**

## **Outpatient Quality Measures**

Discharge Dates	Data Submission Deadline
Third Quarter, 2012: July 1 – September 30	February 1, 2013
Fourth Quarter, 2012: October 1 – December 31	May 1, 2013
First Quarter, 2013: January 1 – March 31	August 1, 2013
Second Quarter, 2013: April 1 – June 30	November 1, 2013

#### i. Data collection and analysis.

- 1. Hospitals must use the CMS Abstraction & Reporting Tool (CART), available from CMS, for the collection and analysis of the data required to calculate each measure.
- 2. Use the measurement specifications referenced in Appendix B to determine whether each patient is eligible for inclusion in the measurement calculation.

- ii. **Data validation.** At their own expense, hospitals must have their data validated by a third-party vendor using protocols and standards consistent with those of CMS to verify that the data is consistent and reproducible.
- iii. **Data submission.** Submit data electronically to the commissioner or the commissioner's designee on a form provided by the commissioner or the commissioner's designee.
- **2.** Data Submission for Appropriate Care Measures (ACM). Each hospital must submit the data described in Appendix B required to calculate the applicable quality measures according to the following schedule:

Discharge Dates	Data Submission Deadline
Third Quarter, 2012: July 1 – September 30	February 15, 2013
Fourth Quarter, 2012: October 1 – December 31	May 15, 2013
First Quarter, 2013: January 1 – March 31	August 15, 2013
Second Quarter, 2013: April 1 – June 30	November 15, 2013

There are two ways hospitals may satisfy this requirement.

# a. Each hospital may authorize a single organization to complete the following steps and submit the data on their behalf:

i. Sign an authorization form allowing Stratis Health to release summary level ACM data calculated from data in the CMS national data repository to MHA for publication on the MHA website, Minnesota Hospital Quality Report.

#### **b.** Each hospital may perform the following steps itself:

- i. **Data collection and analysis.** Identify the patients meeting the criteria for inclusion in the measure. Use the measurement specifications referenced in Appendix B to determine eligibility for each patient, only including patients that meet denominator criteria. The ACM is a pass/fail measure at the individual patient level that asks whether eligible patients have received ALL of the appropriate care for the condition they are being treated for. A patient is included if the patient meets denominator criteria for at least one of the measures in an ACM topic. ACM topics include heart failure, acute myocardial infarction, and pneumonia. Within each topic, a patient must meet numerator criteria for each measure in which the patient meets denominator criteria to be considered as having appropriate care (Pass).
- ii. **Data submission.** Submit data electronically to the commissioner or the commissioner's designee.
- 3. Data Submission for Inpatient Quality Indicators (IQI), Patient Safety Indicators (PSI), and Pediatric Patient Safety Indicators (PDI), Agency for Healthcare Research and Quality (AHRQ). Each hospital must submit the data described in Appendix B required to calculate the applicable quality measures according to the following schedule:

Discharge Dates	Data Submission Deadline
Third Quarter, 2012: July 1 – September 30	January 28, 2013
Fourth Quarter, 2012: October 1 – December 31	April 29, 2013
First Quarter, 2013: January 1 – March 31	July 23, 2013
Second Quarter, 2013: April 1 – June 30	October 22, 2013

There are two ways hospitals may satisfy this requirement.

# a. Each hospital may authorize a single organization to complete the following steps and submit the data on their behalf:

i. **Data collection and analysis.** Apply Version 4.4, or the most recent version of the Quality Indicator software, available from the AHRQ, to the hospital's discharge data. A hospital must participate in verifying the results of the analysis as needed.

### ii. Data validation.

- 1. In the event data validation procedures show that data is inaccurate, hospitals must correct the inaccurate information and resubmit corrected data. Resubmitted data must be verified for accuracy.
- 2. The results of the analysis using the Quality Indicator software for each hospital must be verified for accuracy by each hospital prior to submission.
- iii. **Data submission.** Submit the data to the commissioner or the commissioner's designee on a form provided by the commissioner or the commissioner's designee.

## b. Each hospital may perform the following steps itself:

- i. **Data collection and analysis.** Apply Version 4.4, or the most recent version of the Quality Indicator software, available from the AHRQ, to its discharge data.
- ii. Data validation. Validate the data submission through a third-party vendor.
  - 1. In the event data validation procedures show that data is inaccurate, hospitals must correct the inaccurate information and resubmit corrected data. Resubmitted data must be verified for accuracy.
  - 2. The results of the analysis using the Quality Indicator software for each hospital must be verified for accuracy by each hospital prior to submission.
- iii. **Data submission.** Submit data electronically to the commissioner or the commissioner's designee on a form provided by the commissioner or the commissioner's designee.

- **4.** Data Submission for Vermont Oxford Network (VON). Each hospital with a level 3 neonatal intensive care unit (NICU) must submit the data required to calculate the applicable quality measure, as described in Appendix B, to VON.
  - **a.** Data collection and analysis. Applicable data on the specified patients must be submitted to VON for measure calculation and inclusion in VON's annual report to the hospital according to the following VON data submission schedule:

Discharge Dates	Data Submission Deadline
All 2012 Dates of Service	June 30, 2013

- **b.** Data submission. Summary level results must be submitted electronically for the previous calendar year to the commissioner or the commissioner's designee by October 31, 2013 and every year thereafter.
- 5. Data Submission for the Centers for Disease Control and Prevention (CDC) / National Healthcare Safety Network (NHSN)-Based Healthcare-Associated Infection (HAI) Measures. Each hospital with a neonatal and/or pediatric intensive care unit must submit the data described in Appendix B required to calculate the applicable quality measure. There are two ways hospitals with a neonatal and/or pediatric intensive care unit may satisfy this requirement:
  - a. Submission to the Centers for Medicare & Medicaid Services (CMS). If a hospital normally submits data for all cases for these quality measures to CMS, using CMS's existing schedule, specifications, and processes, and continues to do so, the hospital will have satisfied their data submission requirements for these quality measures provided that the hospital also signs an authorization form allowing the data to be published on the U.S. Department of Health & Human Services Hospital Compare website for *all* cases for each applicable quality measure; or
  - **b.** Submission directly to commissioner or commissioner's designee. If a hospital does not submit data for these quality measures to CMS, the hospital must submit data to the commissioner or the commissioner's designee according to the following schedule:

Event Dates	Data Submission Deadline
Third Quarter, 2012: July 1 – September 30	February 15, 2013
Fourth Quarter, 2012: October 1 – December 31	May 15, 2013
First Quarter, 2013: January 1 – March 31	August 15, 2013
Second Quarter, 2013: April 1 – June 30	November 15, 2013

#### i. Data collection and analysis.

1. Hospitals must submit data to the CDC through the NHSN according to NHSN definitions for each intensive care unit for the collection and analysis of the data required to calculate each measure.

- 2. Use the measurement specifications referenced in Appendix B to determine whether each patient is eligible for inclusion in the measurement calculation.
- ii. **Data validation.** At their own expense, hospitals must have their data validated by a third-party vendor using protocols and standards consistent with those of the CMS to verify that the data is consistent and reproducible.
- iii. **Data submission.** Submit data electronically to the commissioner or the commissioner's designee on a form provided by the commissioner or the commissioner's designee.
- **6.** Data Submission for Minnesota Stroke Registry Indicators. Each hospital must submit the data described in Appendix B required to calculate the applicable quality indicators according to the following schedule:

Discharge Dates	Data Submission Deadline
Third Quarter, 2012: July 1 – September 30	February 15, 2013
Fourth Quarter, 2012: October 1 – December 31	May 15, 2013
First Quarter, 2013: January 1 – March 31	August 15, 2013
Second Quarter, 2013: April 1 – June 30	November 15, 2013

There are three ways hospitals may satisfy this requirement.

- a. Participation in the Minnesota Stroke Registry (MSR). If a hospital normally participates in the MSR and submits data for all cases to the MSR, using the Minnesota Stroke Registry Tool (MSRT), existing schedule, specifications, and processes, and continues to do so, the hospital will have satisfied their data submission requirements for these quality measures provided that the hospital also authorizes the data to be calculated and submitted to the commissioner or the commissioner's designee.
- **b.** Data submission to a third-party vendor. If a hospital normally submits data used to calculate these quality measures to a third-party vendor and continues to do so, the hospital will have satisfied their data submission requirements for these quality measures provided that the hospital also authorizes the data to be shared with the MSR and authorizes the Minnesota Stroke Registry Tool (MSRT) to calculate and submit the data to the commissioner or the commissioner's designee.

#### c. Each hospital may perform the following steps itself:

- i. **Data collection and analysis.** Identify the patients meeting the criteria for inclusion in the indicator. Use the measurement specifications referenced in Appendix B to determine eligibility for each patient, only including patients that meet denominator criteria.
- Data submission. Submit data electronically to the commissioner or the commissioner's designee using the Minnesota Stroke Registry Tool (MSRT).

7. Data Submission for Emergency Department (ED) Transfer Communication Measures. Each critical access hospital must submit the data described in Appendix B required to calculate the applicable quality measures according to the following schedule:

Discharge Dates	Data Submission Deadline
Third Quarter, 2012: July 1 – September 30	February 15, 2013
Fourth Quarter, 2012: October 1 – December 31	May 15, 2013
First Quarter, 2013: January 1 – March 31	August 15, 2013
Second Quarter, 2013: April 1 – June 30	November 15, 2013

- **a.** Data collection and analysis. Identify the patients meeting the criteria for inclusion in the measure. Use the measurement specifications referenced in Appendix B to determine eligibility for each patient, only including patients that meet denominator criteria.
- **b.** Data submission. Submit summary level data electronically to the commissioner or the commissioner's designee.
- **8. Health information technology (HIT) survey.** Each hospital must complete the survey available annually from the commissioner or commissioner's designee in calendar year 2013 and each subsequent year.
- **9. Patient experience of care survey.** Each hospital must complete the HCAHPS survey using a CMS-certified vendor.

# **III. Submission Requirements for Ambulatory Surgical Centers**

- 1. **Registration.** Each ambulatory surgical center must register electronically and obtain a login user ID and password from the commissioner or commissioner's designee beginning March 1, 2013 and no later than April 1, 2013, and no later than April 1 of each subsequent year; and must supply data elements, including the following:
  - **a. Ambulatory Surgical Center information:** Name, street address, ambulatory surgical center national provider identifier (NPI);
  - **b.** Contact information for individual(s) responsible for submitting data: Company, name, title, mailing address, telephone number, fax number, e-mail address;
  - **c.** Contact information for ambulatory surgical center general contact: Name, title, mailing address, telephone number, fax number, e-mail address;
  - **d.** Clinical staff information for the previous calendar year: Name, national provider identifier (NPI), board certifications for all clinical staff that have provided health care services at the ambulatory surgical center during the previous calendar year;
  - f. Medical group affiliation if applicable.
- 2. Data Submission. Each ambulatory surgical center must submit the data required to calculate the applicable quality measures, as described in Appendix C, to the commissioner or the commissioner's designee. An ambulatory surgical center may work with a single subcontractor to submit the required data on their behalf. Data may be submitted beginning July 1, 2013 and no later than August 15, 2013, and beginning July 1 and no later than August 15 of each subsequent year. Data submission deadlines require each ambulatory surgical center to allocate data required to calculate applicable quality measures by the American Society of Anesthesiologists (ASA) Physical Status classification when the commissioner or the commissioner's designee determines the results must be risk adjusted. In 2013, based on current measures, this applies to the hospital transfer/admission measure.
  - a. Prophylactic intravenous (IV) antibiotic timing and Appropriate surgical site hair removal.
    - **i. Data submission requirements.** Each ambulatory surgical center may satisfy the data submission requirements for these quality measures by completing the following steps:
      - 1. **Patient identification methodology.** Identify patients meeting the criteria for inclusion in the measure. Use the measurement specifications referenced in Appendix C to determine eligibility for each patient, only including patients that meet denominator criteria for each measure in the list.
      - Data collection: Total population versus sample. Ambulatory surgical centers with an electronic medical record in place since July 1, 2012 are required to submit data on their full population for these measures. Ambulatory surgical centers without an electronic medical record in place for the prior full measurement period may

submit data on a random sample of relevant patients in 2013. Ambulatory surgical centers with fewer than 60 relevant patients for each measure must submit data on all relevant patients.

- 3. **Data submission template.** Use the data submission template supplied annually by the commissioner or the commissioner's designee as a data collection tool. Data elements may be either extracted from an electronic medical record system or abstracted through medical record review.
- 4. **Data file upload.** Submit data electronically to the commissioner or the commissioner's designee.
- 5. **Data validation.** Ambulatory surgical centers must maintain documentation for the data described in Appendix C including the methodology used to determine patients meeting the criteria for inclusion in each measure and the data submission template for purposes of data validation.

### b. Hospital transfer/admission.

For this measure, the data elements must be submitted by the American Society of Anesthesiologists (ASA) Physical Status classification categories to the commissioner or commissioner's designee. Specifically, data elements include patient identification methodology, numerator and denominator by ASA Physical Status, number of patients meeting the exclusion criteria, and calculated rate.

- **i. Data submission requirements.** Each ambulatory surgical center may satisfy the data submission requirements for these quality measures by completing the following:
  - 1. **Patient identification methodology.** Identify patients meeting the criteria for inclusion in the measure. Use the measurement specifications referenced in Appendix C to determine eligibility for each patient, only including patients that meet denominator criteria for each measure in the list.
  - 2. Data collection: Total population versus sample. Ambulatory surgical centers with an electronic medical record in place since July 1, 2012 are required to submit data on their full population for this measure. Ambulatory surgical centers without an electronic medical record in place for the prior full measurement period may submit data on a random sample of relevant patients in 2013. Ambulatory surgical centers with fewer than 60 relevant patients for each measure must submit data on all relevant patients.
  - 3. **Data submission template.** Use the data submission template supplied annually by the commissioner or the commissioner's designee as a data collection tool. Data elements may be either extracted from an electronic medical record system or abstracted through medical record review.
  - 4. **Data file upload.** Submit data electronically to the commissioner or the commissioner's designee.

5. **Data validation.** Ambulatory surgical centers must maintain documentation for the data described in Appendix C including the methodology used to determine patients meeting the criteria for inclusion in each measure and the data submission template for purposes of data validation.



**DEPARTMENT OF HEALTH** Division of Health Policy Health Economics Program PO Box 64882 St. Paul, MN 55164-0882 (651) 201-3550 www.health.state.mn.us